

## Disclaimer

The following report(s) provides findings from an FDA-initiated query using Sentinel. While Sentinel queries may be undertaken to assess potential medical product safety risks, they may also be initiated for various other reasons. Some examples include determining a rate or count of an identified health outcome of interest, examining medical product use, exploring the feasibility of future, more detailed analyses within Sentinel, and seeking to better understand Sentinel capabilities.

Data obtained through Sentinel are intended to complement other types of evidence such as preclinical studies, clinical trials, postmarket studies, and adverse event reports, all of which are used by FDA to inform regulatory decisions regarding medical product safety. The information contained in this report is provided as part of FDA's commitment to place knowledge acquired from Sentinel in the public domain as soon as possible. Any public health actions taken by FDA regarding products involved in Sentinel queries will continue to be communicated through existing channels.

FDA wants to emphasize that the fact that FDA has initiated a query involving a medical product and is reporting findings related to that query does not mean that FDA is suggesting health care practitioners should change their prescribing practices for the medical product or that patients taking the medical product should stop using it. Patients who have questions about the use of an identified medical product should contact their health care practitioners.

The following report contains a description of the request, request specifications, and results from the modular program run(s).

If you are using a web page screen reader and are unable to access this document, please contact the Sentinel Operations Center for assistance at [info@sentinelssystem.org](mailto:info@sentinelssystem.org).

### Overview for Request: cder\_mpl1r\_wp122, Report 2 of 2

**Request ID:** cder\_mpl1r\_wp122\_nsdv\_v01

**Request Description:** The goal of this query was to characterize treatment duration of higher dosage strength opioid analgesics in the Sentinel Distributed Database (SDD). This is report 2 of 2. Report 1 contains characterizations of demographics of higher dosage strength opioid analgesic users in the SDD.

**Sentinel Modular Program Tool Used:** Cohort Identification and Descriptive Analysis (CIDA) tool, version 6.0.0

**Data Source:** Data from January 1, 2012 to June 30, 2018 from 17 Data Partners contributing to the SDD were included in this report. This request was distributed on November 12, 2018. See Appendix A for a list of dates of available data for each Data Partner.

**Study Design:** The request was designed to calculate summary statistics on length of treatment episodes of higher dosage strength opioid analgesics. Treatment length results were stratified by sex and age group.

**Exposure of Interest:** The exposures of interest were: 1) higher dosage strength oral and transmucosal opioid analgesics; 2) lower dosage strength oral and transmucosal opioid analgesics; 3) all oral and transmucosal opioid analgesics; and 4) transdermal opioid analgesics (fentanyl and buprenorphine). These exposures were defined using National Drug Codes (NDCs) and Healthcare Common Procedure Coding System (HCPCS) procedure codes. Please see Appendices B and C for generic and brand drug names used to define the exposure groups.

For evaluation of treatment length, exposure episodes were defined using days supplied to create a continuous treatment sequence. Gaps between dispensings that were 50% or less of the previous dispensing's days supply were bridged into a continuous treatment episode. Stockpiling of overlapping dispensings of the same generic name and form was applied, with a maximum adjustment of 25% overlap allowed. For same day dispensings of the same generic name and form, the maximum days supplied and amount supplied was used. Only dispensings with a range of 1-141 days supply and 1-2,280 amount supplied were allowed. Dispensings described by a procedure code were assigned a day supply of one.

**Cohort Eligibility Criteria:** Members included in the cohort were required to be continuously enrolled in health plans with medical and drug coverage for at least at least 183 days prior to and 30 days following the index exposure dispensing, during which gaps in enrollment coverage of up to 45 days were allowed. Exposure during all following enrollment episodes was assessed following the index dispensing. To assess incidence relative to the index, patients were excluded if they had a dispensing of the exposure group of interest in the 183 days preceding their index dispensing. All valid episodes during the query period were included, starting from the first incident dispensing. Treatment episodes were included until the first occurrence of any of the following: 1) disenrollment; 2) death; 3) Data Partner end date; 4) end of exposure episode; or 5) the end of the query period. The following age groups were included in the cohort: 0-17, 18-29, 30-49, 50-64, and 65+ years.

**Baseline Characteristics:** The presence of the following conditions was assessed in the period 183 days before through 30 days after the index date: mental health, substance abuse, abdominal pain, arthritis & nontraumatic joint conditions, back pain & back conditions, cancer, headache including migraine, other nervous system conditions, sickle cell anemia, sprains/strains & contusions, trauma/injury & fracture/burns. A member could have evidence of more than one condition in this evaluation period. Additionally, a combined comorbidity score<sup>1</sup> for the cohort was assessed in same evaluation period. These baseline characteristics were defined with the International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Disease, Tenth Edition, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology (CPT) diagnosis and procedure codes. Please see Appendix D for specific codes used in this request.

**Please see Appendices E and F for the specifications of parameters used in the analyses for this request.**

**Limitations:** Algorithms used to define exposure groups are imperfect; thus, it is possible that there may be misclassification. Therefore, data should be interpreted with this limitation in mind.

**Notes:** Please contact the Sentinel Operations Center ([info@sentinelssystem.org](mailto:info@sentinelssystem.org)) for questions and to provide comments/suggestions for future enhancements to this document.

<sup>1</sup>Gagne JJ, Glynn RJ, Avorn J, Levin R, Schneeweiss S. A combined comorbidity score predicted mortality in elderly patients better than existing scores. *J Clin Epidemiol.* 2011;64(7):749-759

## Table of Contents

<b><u>Glossary</u></b>	List of Terms Found in this Report and their Definitions
<b><u>Table 1</u></b>	Baseline Characteristics for Incident Dispensings of Higher Dosage Strength Products, Lower Dosage Strength Products, All Doses of Oral and Transmucosal Opioid Analgesics, and Transdermal Opioid Analgesics (Fentanyl & Buprenorphine) in the Sentinel Distributed Database (SDD) between January 1, 2012 and June 30, 2018
<b><u>Table 2a</u></b>	Distribution of Cumulative Exposure Duration of Higher Dosage Strength Products, Lower Dosage Strength Products, All Doses of Oral and Transmucosal Opioid Analgesics, and Transdermal Opioid Analgesics (Fentanyl & Buprenorphine) in the Sentinel Distributed Database (SDD) between January 1, 2012 and June 30, 2018, All Episodes, by Length Categories
<b><u>Table 2b</u></b>	Distribution of Cumulative Exposure Duration of Higher Dosage Strength Products, Lower Dosage Strength Products, All Doses of Oral and Transmucosal Opioid Analgesics, and Transdermal Opioid Analgesics (Fentanyl & Buprenorphine) in the Sentinel Distributed Database (SDD) between January 1, 2012 and June 30, 2018, All Episodes, by Length Categories and Sex
<b><u>Table 2c</u></b>	Distribution of Cumulative Exposure Duration of Higher Dosage Strength Products, Lower Dosage Strength Products, All Doses of Oral and Transmucosal Opioid Analgesics, and Transdermal Opioid Analgesics (Fentanyl & Buprenorphine) in the Sentinel Distributed Database (SDD) between January 1, 2012 and June 30, 2018, All Episodes, by Length Categories and Age Group
<b><u>Table 3a</u></b>	Descriptive Statistics of Cumulative Exposure Duration (in Days) of Higher Dosage Strength Products, Lower Dosage Strength Products, All Doses of Oral and Transmucosal Opioid Analgesics, and Transdermal Opioid Analgesics (Fentanyl & Buprenorphine) in the Sentinel Distributed Database (SDD) between January 1, 2012 and June 30, 2018, All Episodes
<b><u>Table 3b</u></b>	Descriptive Statistics of Cumulative Exposure Duration (in Days) of Higher Dosage Strength Products, Lower Dosage Strength Products, All Doses of Oral and Transmucosal Opioid Analgesics, and Transdermal Opioid Analgesics (Fentanyl & Buprenorphine) in the Sentinel Distributed Database (SDD) between January 1, 2012 and June 30, 2018, All Episodes, by Sex
<b><u>Table 3c</u></b>	Descriptive Statistics of Cumulative Exposure Duration (in Days) of Higher Dosage Strength Products, Lower Dosage Strength Products, All Doses of Oral and Transmucosal Opioid Analgesics, and Transdermal Opioid Analgesics (Fentanyl & Buprenorphine) in the Sentinel Distributed Database (SDD) between January 1, 2012 and June 30, 2018, All Episodes, by Age Group
<b><u>Table 4a</u></b>	Distribution of First Exposure Episode Duration of Higher Dosage Strength Products, Lower Dosage Strength Products, All Doses of Oral and Transmucosal Opioid Analgesics, and Transdermal Opioid Analgesics (Fentanyl & Buprenorphine) in the Sentinel Distributed Database (SDD) between January 1, 2012 and June 30, 2018, by Length Categories
<b><u>Table 4b</u></b>	Distribution of First Exposure Episode Duration of Higher Dosage Strength Products, Lower Dosage Strength Products, All Doses of Oral and Transmucosal Opioid Analgesics, and Transdermal Opioid Analgesics (Fentanyl & Buprenorphine) in the Sentinel Distributed Database (SDD) between January 1, 2012 and June 30, 2018, by Length Categories and Sex
<b><u>Table 4c</u></b>	Distribution of First Exposure Episode Duration of Higher Dosage Strength Products, Lower Dosage Strength Products, All Doses of Oral and Transmucosal Opioid Analgesics, and Transdermal Opioid Analgesics (Fentanyl & Buprenorphine) in the Sentinel Distributed Database (SDD) between January 1, 2012 and June 30, 2018, by Length Categories and Age Group



**Table of Contents**

<b><u>Table 5a</u></b>	Descriptive Statistics of First Exposure Episode Durations (in Days) of Higher Dosage Strength Products, Lower Dosage Strength Products, All Doses of Oral and Transmucosal Opioid Analgesics, and Transdermal Opioid Analgesics (Fentanyl & Buprenorphine) in the Sentinel Distributed Database (SDD) between January 1, 2012 and June 30, 2018
<b><u>Table 5b</u></b>	Descriptive Statistics of First Exposure Episode Duration (in Days) of Higher Dosage Strength Products, Lower Dosage Strength Products, All Doses of Oral and Transmucosal Opioid Analgesics, and Transdermal Opioid Analgesics (Fentanyl & Buprenorphine) in the Sentinel Distributed Database (SDD) between January 1, 2012 and June 30, 2018, by Sex
<b><u>Table 5c</u></b>	Descriptive Statistics of First Exposure Episode Duration (in Days) of Higher Dosage Strength Products, Lower Dosage Strength Products, All Doses of Oral and Transmucosal Opioid Analgesics, and Transdermal Opioid Analgesics (Fentanyl & Buprenorphine) in the Sentinel Distributed Database (SDD) between January 1, 2012 and June 30, 2018, by Age Group
<b><u>Table 6a</u></b>	Distribution of All Episode Durations of Higher Dosage Strength Products, Lower Dosage Strength Products, All Doses of Oral and Transmucosal Opioid Analgesics, and Transdermal Opioid Analgesics (Fentanyl & Buprenorphine) in the Sentinel Distributed Database (SDD) between January 1, 2012 and June 30, 2018, by Length Categories
<b><u>Table 6b</u></b>	Distribution of All Episode Durations of Higher Dosage Strength Products, Lower Dosage Strength Products, All Doses of Oral and Transmucosal Opioid Analgesics, and Transdermal Opioid Analgesics (Fentanyl & Buprenorphine) in the Sentinel Distributed Database (SDD) between January 1, 2012 and June 30, 2018, by Length Categories and Sex
<b><u>Table 6c</u></b>	Distribution of All Episode Durations of Higher Dosage Strength Products, Lower Dosage Strength Products, All Doses of Oral and Transmucosal Opioid Analgesics, and Transdermal Opioid Analgesics (Fentanyl & Buprenorphine) in the Sentinel Distributed Database (SDD) between January 1, 2012 and June 30, 2018, by Length Categories and Age Group
<b><u>Table 7a</u></b>	Descriptive Statistics of All Episode Durations (in Days) of Higher Dosage Strength Products, Lower Dosage Strength Products, All Doses of Oral and Transmucosal Opioid Analgesics, and Transdermal Opioid Analgesics (Fentanyl & Buprenorphine) in the Sentinel Distributed Database (SDD) between January 1, 2012 and June 30, 2018
<b><u>Table 7b</u></b>	Descriptive Statistics of All Episode Durations (in Days) of Higher Dosage Strength Products, Lower Dosage Strength Products, All Doses of Oral and Transmucosal Opioid Analgesics, and Transdermal Opioid Analgesics (Fentanyl & Buprenorphine) in the Sentinel Distributed Database (SDD) between January 1, 2012 and June 30, 2018, by Sex
<b><u>Table 7c</u></b>	Descriptive Statistics of All Episode Durations (in Days) of Higher Dosage Strength Products, Lower Dosage Strength Products, All Doses of Oral and Transmucosal Opioid Analgesics, and Transdermal Opioid Analgesics (Fentanyl & Buprenorphine) in the Sentinel Distributed Database (SDD) between January 1, 2012 and June 30, 2018, by Age Group
<b><u>Table 8a</u></b>	Distribution of Days Supplied per Dispensing of Higher Dosage Strength Products, Lower Dosage Strength Products, All Doses of Oral and Transmucosal Opioid Analgesics, and Transdermal Opioid Analgesics (Fentanyl & Buprenorphine) in the Sentinel Distributed Database (SDD) between January 1, 2012 and June 30, 2018, by Length Categories
<b><u>Table 8b</u></b>	Distribution of Days Supplied per Dispensing of Higher Dosage Strength Products, Lower Dosage Strength Products, All Doses of Oral and Transmucosal Opioid Analgesics, and Transdermal Opioid Analgesics (Fentanyl & Buprenorphine) in the Sentinel Distributed Database (SDD) between January 1, 2012 and June 30, 2018, by Length Categories and Sex

**Table of Contents**

<b><u>Table 8c</u></b>	Distribution of Days Supplied per Dispensing of Higher Dosage Strength Products, Lower Dosage Strength Products, All Doses of Oral and Transmucosal Opioid Analgesics, and Transdermal Opioid Analgesics (Fentanyl & Buprenorphine) in the Sentinel Distributed Database (SDD) between January 1, 2012 and June 30, 2018, by Length Categories and Age Group
<b><u>Table 9a</u></b>	Descriptive Statistics of Days Supplied per Dispensing of Higher Dosage Strength Products, Lower Dosage Strength Products, All Doses of Oral and Transmucosal Opioid Analgesics, and Transdermal Opioid Analgesics (Fentanyl & Buprenorphine) in the Sentinel Distributed Database (SDD) between January 1, 2012 and June 30, 2018
<b><u>Table 9b</u></b>	Descriptive Statistics of Days Supplied per Dispensing of Higher Dosage Strength Products, Lower Dosage Strength Products, All Doses of Oral and Transmucosal Opioid Analgesics, and Transdermal Opioid Analgesics (Fentanyl & Buprenorphine) in the Sentinel Distributed Database (SDD) between January 1, 2012 and June 30, 2018, by Sex
<b><u>Table 9c</u></b>	Descriptive Statistics of Days Supplied per Dispensing of Higher Dosage Strength Products, Lower Dosage Strength Products, All Doses of Oral and Transmucosal Opioid Analgesics, and Transdermal Opioid Analgesics (Fentanyl & Buprenorphine) in the Sentinel Distributed Database (SDD) between January 1, 2012 and June 30, 2018, by Age Group
<b><u>Appendix A</u></b>	Dates of Available Data for Each Data Partner (DP), as of Request Distribution Date (November 12, 2018)
<b><u>Appendix B</u></b>	List of Generic and Brand Drug Names Used to Define the Exposure in this Request
<b><u>Appendix C</u></b>	List of Healthcare Common Procedure Coding System (HCPCS) Procedure Codes Used to Define the Exposure in this Request
<b><u>Appendix D</u></b>	List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Characteristics in this Request
<b><u>Appendix E</u></b>	Specifications for Parameters for this Request
<b><u>Appendix F</u></b>	Specifications for Stockpiling Parameters for this Request

**Glossary of Terms for Analyses Using  
Cohort Identification and Descriptive Analysis (CIDA) Tool\***

**Amount Supplied** - number of units (pills, tablets, vials) dispensed. Net amount per NDC per dispensing.

**Blackout Period** - number of days at the beginning of a treatment episode that events are to be ignored. If an event occurs during the blackout period, the episode is excluded.

**Care Setting** - type of medical encounter or facility where the exposure, event, or condition code was recorded. Possible care settings include: Inpatient Hospital Stay (IP), Non-Acute Institutional Stay (IS), Emergency Department (ED), Ambulatory Visit (AV), and Other Ambulatory Visit (OA). For laboratory results, possible care settings include: Emergency Department (E), Home (H), Inpatient (I), Outpatient (O), or Unknown or Missing (U). The Care Setting, along with the Principal Diagnosis Indicator, forms the Care Setting/PDX parameter.

**Ambulatory Visit (AV)** - includes visits at outpatient clinics, same-day surgeries, urgent care visits, and other same-day ambulatory hospital encounters, but excludes emergency department encounters.

**Emergency Department (ED)** - includes ED encounters that become inpatient stays (in which case inpatient stays would be a separate encounter). Excludes urgent care visits.

**Inpatient Hospital Stay (IP)** - includes all inpatient stays, same-day hospital discharges, hospital transfers, and acute hospital care where the discharge is after the admission date.

**Non-Acute Institutional Stay (IS)** - includes hospice, skilled nursing facility (SNF), rehab center, nursing home, residential, overnight non-hospital dialysis and other non-hospital stays.

**Other Ambulatory Visit (OA)** - includes other non overnight AV encounters such as hospice visits, home health visits, skilled nursing facility visits, other non-hospital visits, as well as telemedicine, telephone and email consultations.

**Cohort Definition (drug/exposure)** - indicates how the cohort will be defined: 01: Cohort includes only the first valid treatment episode during the query period; 02: Cohort includes all valid treatment episodes during the query period; 03: Cohort includes all valid treatment episodes during the query period until an event occurs.

**Days Supplied** - number of days supplied for all dispensings in qualifying treatment episodes.

**Eligible Members** - number of members eligible for an incident treatment episode (defined by the drug/exposure and event washout periods) with drug and medical coverage during the query period.

**Enrollment Gap** - number of days allowed between two consecutive enrollment periods without breaking a "continuously enrolled" sequence.

**Episodes** - treatment episodes; length of episode is determined by days supplied in one dispensing or consecutive dispensings bridged by the episode gap.

**Episode Gap** - number of days allowed between two (or more) consecutive exposures (dispensings/procedures) to be considered the same treatment episode.

**Event Deduplication** - specifies how events are counted by the MP algorithm: 0: Counts all occurrences of an HOI during an exposure episode; 1: de-duplicates occurrences of the same HOI code and code type on the same day; 2: de-duplicates occurrences of the same HOI group on the same day (e.g., de-duplicates at the group level).

**Exposure Episode Length** - number of days after exposure initiation that is considered "exposed time."

**Exposure Extension Period** - number of days post treatment period in which the outcomes/events are counted for a treatment episode. Extensions days are added after any episode gaps have been bridged.

**Lookback Period** - number of days wherein a member is required to have evidence of pre-existing condition (diagnosis/procedure/drug dispensing).

**Maximum Episode Duration** - truncates exposure episodes after a requester-specified number of exposed days. Applied after any gaps are bridged and extension days added to the length of the exposure episode.

**Member-Years** - sum of all days of enrollment with medical and drug coverage in the query period preceded by an exposure washout period all divided by 365.25.

**Minimum Days Supplied** - specifies a minimum number of days in length of the days supplied for the episode to be considered.

**Minimum Episode Duration** - specifies a minimum number of days in length of the episode for it to be considered. Applied after any gaps are bridged and extension days added to the length of the exposure episode.

**Monitoring Period** - used to define time periods of interest for both sequential analysis and simple cohort characterization requests.

**Principal Diagnosis (PDX)** - diagnosis or condition established to be chiefly responsible for admission of the patient to the hospital. 'P' = principal diagnosis, 'S' = secondary diagnosis, 'X' = unspecified diagnosis, '.' = blank. Along with the Care Setting values, forms the Caresetting/PDX parameter.

**Query Period** - period in which the modular program looks for exposures and outcomes of interest.

**Treatment Episode Truncation Indicator** - indicates whether the exposure episode will be truncated at the occurrence of a requester-specified code.

**Washout Period (drug/exposure)** - number of days a user is required to have no evidence of prior exposure (drug dispensing/procedure) and continuous drug and medical coverage prior to an incident treatment episode.

**Washout Period (event/outcome)** - number of days a user is required to have no evidence of a prior event (procedure/diagnosis) and continuous drug and medical coverage prior to an incident treatment episode.

**Years at Risk** - number of days supplied plus any episode gaps and exposure extension periods all divided by 365.25.

\*all terms may not be used in this report

**Table 1. Baseline Characteristics for Incident Dispensings of Higher Dosage Strength Products, Lower Dosage Strength Products, All Doses of Oral and Transmucosal Opioid Analgesics, and Transdermal Opioid Analgesics (Fentanyl & Buprenorphine) in the Sentinel Distributed Database (SDD) between January 1, 2012 and June 30, 2018**

Characteristic <sup>1</sup>	Higher Dosage Strength Oral and Transmucosal Opioid Analgesics		Lower Dosage Strength Oral and Transmucosal Opioid Analgesics		All Oral and Transmucosal Opioid Analgesics		Transdermal Opioid Analgesics (Fentanyl & Buprenorphine)	
	Number		Number		Number		Number	
Number of unique patients	1,013,649		34,797,803		34,634,159		845,643	
<b>Demographics</b>	<b>Mean</b>	<b>Standard Deviation</b>	<b>Mean</b>	<b>Standard Deviation</b>	<b>Mean</b>	<b>Standard Deviation</b>	<b>Mean</b>	<b>Standard Deviation</b>
Mean Age (years)	61.7	15.6	54.7	16.2	54.7	16.2	67.2	15
Age (years) <sup>2</sup>	<b>Number</b>	<b>Percentage</b>	<b>Number</b>	<b>Percentage</b>	<b>Number</b>	<b>Percentage</b>	<b>Number</b>	<b>Percentage</b>
0-17	3,134	0.3%	1,763,853	5.1%	1,764,791	5.1%	504	0.1%
18-29	27,936	2.8%	3,714,544	10.7%	3,712,757	10.7%	11,147	1.3%
30-49	212,342	20.9%	8,064,821	23.2%	8,008,736	23.1%	117,140	13.9%
50-64	331,554	32.7%	7,377,087	21.2%	7,278,679	21.0%	214,205	25.3%
65+	438,683	43.3%	13,877,498	39.9%	13,869,196	40.0%	502,647	59.4%
<b>Gender</b>								
Female	579,880	57.2%	19,662,049	56.5%	19,581,379	56.5%	552,169	65.3%
Male	433,736	42.8%	15,134,579	43.5%	15,051,608	43.5%	293,450	34.7%
Other	33	0.0%	1,175	0.0%	1,172	0.0%	24	0.0%
<b>Year<sup>3</sup></b>								
2012	227,115	22.4%	8,582,198	24.7%	8,537,697	24.7%	184,981	21.9%
2013	209,806	20.7%	7,196,628	20.7%	7,159,297	20.7%	176,286	20.8%
2014	196,320	19.4%	6,168,220	17.7%	6,138,869	17.7%	176,453	20.9%
2015	185,150	18.3%	5,552,689	16.0%	5,526,896	16.0%	160,319	19.0%
2016	153,267	15.1%	4,856,680	14.0%	4,834,643	14.0%	126,721	15.0%
2017	40,202	4.0%	2,339,121	6.7%	2,334,570	6.7%	20,156	2.4%
2018	1,789	0.2%	102,267	0.3%	102,187	0.3%	727	0.1%
<b>Indications<sup>4</sup></b>	<b>Number</b>	<b>Percentage</b>	<b>Number</b>	<b>Percentage</b>	<b>Number</b>	<b>Percentage</b>	<b>Number</b>	<b>Percentage</b>
Combined Comorbidity Score <sup>5</sup>	3.2	3.6	0.9	2	0.9	2	3.8	3.9
Mental Health	547,586	54.0%	7,945,088	22.8%	7,839,552	22.6%	463,779	54.8%
Sprains, Strains, & Contusions	210,854	20.8%	6,025,315	17.3%	5,986,627	17.3%	183,900	21.7%
Trauma, Injury, Fracture, & Burns	245,829	24.3%	5,631,571	16.2%	5,593,952	16.2%	241,430	28.5%
Substance Abuse	85,877	8.5%	692,415	2.0%	666,810	1.9%	59,259	7.0%
Abdominal Pain	308,511	30.4%	5,904,333	17.0%	5,851,972	16.9%	296,025	35.0%
Arthritis & Joint Conditions, Nontraumatic	616,856	60.9%	12,798,662	36.8%	12,677,827	36.6%	575,668	68.1%
Back Pain & Back Conditions	673,432	66.4%	10,327,816	29.7%	10,146,356	29.3%	617,720	73.0%
Cancer	306,315	30.2%	5,532,416	15.9%	5,504,091	15.9%	320,498	37.9%
Headache, Including Migraine	181,558	17.9%	3,114,847	9.0%	3,073,496	8.9%	154,056	18.2%
Other Nervous System Condition	665,988	65.7%	7,683,214	22.1%	7,543,170	21.8%	594,803	70.3%
Sickle Cell Anemia	5,044	0.5%	32,712	0.1%	31,356	0.1%	2,314	0.3%

<sup>1</sup>All metrics are based on total number of episodes per group, except for sex which is based on total number of unique patients.

<sup>2</sup>Aggregated results are not nationally representative when stratified by age. Further, the proportion of older adults included in this analysis varies by year. Please refer to Sentinel's Snapshot of Database Statistics (<https://www.sentinelinitiative.org/sentinel/data/snapshot-database-statistics>) for further details.

<sup>3</sup>The end of available data varies by Data Partner, with staggered end dates from May 2015 to June 2018 in this report. Please see Appendix A for further details.

<sup>4</sup>Evaluation period in the 183 days prior to the index exposure dispensing through 30 days after the dispensing; a patient could have more than one indication.

<sup>5</sup>Gagne JJ, Glynn RJ, Avorn J, Levin R, Schneeweiss S. A combined comorbidity score predicted mortality in elderly patients better than existing scores. *J Clin Epidemiol.* 2011;64(7):749-759

**Table 2a. Distribution of Cumulative Exposure Duration of Higher Dosage Strength Products, Lower Dosage Strength Products, All Doses of Oral and Transmucosal Opioid Analgesics, and Transdermal Opioid Analgesics (Fentanyl & Buprenorphine) in the Sentinel Distributed Database (SDD) between January 1, 2012 and June 30, 2018, All Episodes, by Length Categories**

Exposures	Total Patients		0-7 days		8-15 days		16-30 days		31-90 days		91-365 days		366+ days	
	Number	%	Number	%	Number	%	Number	%	Number	%	Number	%	Number	%
<b>Higher Dosage Strength Oral and Transmucosal Opioid Analgesics</b>	1,013,649	100	137,443	13.6	125,876	12.4	191,546	18.9	164,458	16.2	200,044	19.7	194,282	19.2
<b>Lower Dosage Strength Oral and Transmucosal Opioid Analgesics</b>	34,797,803	100	14,941,913	42.9	6,847,243	19.7	4,524,016	13	4,525,362	13	2,764,794	7.9	1,194,475	3.4
<b>All Oral and Transmucosal Opioid Analgesics</b>	34,634,159	100	14,907,110	43	6,836,997	19.7	4,514,529	13	4,502,052	13	2,713,036	7.8	1,160,435	3.4
<b>Transdermal Opioid Analgesics (Fentanyl &amp; Buprenorphine)</b>	845,643	100	7,216	0.9	59,875	7.1	236,974	28	204,516	24.2	208,039	24.6	129,023	15.3

**Table 2b. Distribution of Cumulative Exposure Duration of Higher Dosage Strength Products, Lower Dosage Strength Products, All Doses of Oral and Transmucosal Opioid Analgesics, and Transdermal Opioid Analgesics (Fentanyl & Buprenorphine) in the Sentinel Distributed Database (SDD) between January 1, 2012 and June 30, 2018, All Episodes, by Length Categories and Sex**

Exposures	Total Patients		0-7 days		8-15 days		16-30 days		31-90 days		91-365 days		366+ days	
	Number	%	Number	%	Number	%	Number	%	Number	%	Number	%	Number	%
<b>Higher Dosage Strength Oral and Transmucosal Opioid Analgesics</b>	1,013,649	100	137,443	100	125,876	100	191,546	100	164,458	100	200,044	100	194,282	100
Female	579,880	57.2	87,013	63.3	76,219	60.6	112,694	58.8	91,685	55.7	108,050	54	104,219	53.6
Male	433,736	42.8	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****
Other	33	0	*****	<1	*****	<1	*****	<1	*****	<1	*****	<1	*****	<1
<b>Lower Dosage Strength Oral and Transmucosal Opioid Analgesics</b>	34,797,803	100	14,941,913	100	6,847,243	100	4,524,016	100	4,525,362	100	2,764,794	100	1,194,475	100
Female	19,662,049	56.5	8,073,242	54	3,817,035	55.7	2,605,360	57.6	2,710,678	59.9	1,714,756	62	740,978	62
Male	15,134,579	43.5	6,868,155	46	3,029,973	44.3	1,918,484	42.4	1,814,560	40.1	1,049,942	38	453,465	38
Other	1,175	0	516	0	235	0	172	0	124	0	96	0	32	0
<b>All Oral and Transmucosal Opioid Analgesics</b>	34,634,159	100	14,907,110	100	6,836,997	100	4,514,529	100	4,502,052	100	2,713,036	100	1,160,435	100
Female	19,581,379	56.5	8,057,003	54	3,814,075	55.8	2,603,650	57.7	2,701,934	60	1,686,903	62.2	717,814	61.9
Male	15,051,608	43.5	6,849,596	45.9	3,022,684	44.2	1,910,706	42.3	1,799,994	40	1,026,039	37.8	442,589	38.1
Other	1,172	0	511	0	238	0	173	0	124	0	94	0	32	0
<b>Transdermal Opioid Analgesics (Fentanyl &amp; Buprenorphine)</b>	845,643	100	7,216	100	59,875	100	236,974	100	204,516	100	208,039	100	129,023	100
Female	552,169	65.3	4,702	65.2	38,283	63.9	152,045	64.2	129,339	63.2	136,951	65.8	90,849	70.4
Male	293,450	34.7	2,514	34.8	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****
Other	24	0	0	-	*****	<1	*****	<1	*****	<1	*****	<1	*****	<1

\*\*\*\*\*Data are not presented in these cells due to a small sample size or to assure a small cell cannot be recalculated through the cells presented.

**Table 2c. Distribution of Cumulative Exposure Duration of Higher Dosage Strength Products, Lower Dosage Strength Products, All Doses of Oral and Transmucosal Opioid Analgesics, and Transdermal Opioid Analgesics (Fentanyl & Buprenorphine) in the Sentinel Distributed Database (SDD) between January 1, 2012 and June 30, 2018, All Episodes, by Length Categories and Age Group<sup>1</sup>**

Exposures	Total Patients		0-7 days		8-15 days		16-30 days		31-90 days		91-365 days		366+ days	
	Number	%	Number	%	Number	%	Number	%	Number	%	Number	%	Number	%
<b>Higher Dosage Strength Oral and Transmucosal Opioid Analgesics</b>	1,013,649	100	137,443	100	125,876	100	191,546	100	164,458	100	200,044	100	194,282	100
0-17 years	3,134	0.3	1,291	0.9	720	0.6	577	0.3	336	0.2	158	0.1	52	0
18-29 years	27,936	2.8	5,744	4.2	3,633	2.9	4,384	2.3	4,316	2.6	5,759	2.9	4,100	2.1
30-49 years	212,342	20.9	21,945	16	18,475	14.7	30,787	16.1	32,415	19.7	52,229	26.1	56,491	29.1
50-64 years	331,554	32.7	28,690	20.9	30,166	24	55,334	28.9	54,976	33.4	77,884	38.9	84,504	43.5
65+ years	438,683	43.3	79,773	58	72,882	57.9	100,464	52.4	72,415	44	64,014	32	49,135	25.3
<b>Lower Dosage Strength Oral and Transmucosal Opioid Analgesics</b>	34,797,803	100	14,941,913	100	6,847,243	100	4,524,016	100	4,525,362	100	2,764,794	100	1,194,475	100
0-17 years	1,763,853	5.1	1,243,270	8.3	365,745	5.3	117,095	2.6	32,898	0.7	4,120	0.1	725	0.1
18-29 years	3,714,544	10.7	2,390,055	16	751,678	11	317,979	7	170,511	3.8	60,736	2.2	23,585	2
30-49 years	8,064,821	23.2	4,100,014	27.4	1,695,542	24.8	933,602	20.6	738,335	16.3	390,735	14.1	206,593	17.3
50-64 years	7,377,087	21.2	2,957,283	19.8	1,433,223	20.9	988,866	21.9	1,014,933	22.4	655,539	23.7	327,243	27.4
65+ years	13,877,498	39.9	4,251,291	28.5	2,601,055	38	2,166,474	47.9	2,568,685	56.8	1,653,664	59.8	636,329	53.3
<b>All Oral and Transmucosal Opioid Analgesics</b>	34,634,159	100	14,907,110	100	6,836,997	100	4,514,529	100	4,502,052	100	2,713,036	100	1,160,435	100
0-17 years	1,764,791	5.1	1,243,288	8.3	365,935	5.4	117,403	2.6	33,167	0.7	4,223	0.2	775	0.1
18-29 years	3,712,757	10.7	2,388,980	16	751,353	11	317,760	7	170,117	3.8	60,350	2.2	24,197	2.1
30-49 years	8,008,736	23.1	4,092,000	27.4	1,690,506	24.7	927,454	20.5	726,600	16.1	373,603	13.8	198,573	17.1
50-64 years	7,278,679	21	2,943,266	19.7	1,424,155	20.8	977,715	21.7	996,225	22.1	628,441	23.2	308,877	26.6
65+ years	13,869,196	40	4,239,576	28.4	2,605,048	38.1	2,174,197	48.2	2,575,943	57.2	1,646,419	60.7	628,013	54.1
<b>Transdermal Opioid Analgesics (Fentanyl &amp; Buprenorphine)</b>	845,643	100	7,216	100	59,875	100	236,974	100	204,516	100	208,039	100	129,023	100
0-17 years	504	0.1	31	0.4	83	0.1	148	0.1	141	0.1	80	0	21	0
18-29 years	11,147	1.3	233	3.2	927	1.5	3,283	1.4	2,633	1.3	2,741	1.3	1,330	1
30-49 years	117,140	13.9	1,177	16.3	7,509	12.5	31,812	13.4	25,329	12.4	30,818	14.8	20,495	15.9
50-64 years	214,205	25.3	1,570	21.8	13,892	23.2	59,259	25	49,132	24	54,958	26.4	35,394	27.4
65+ years	502,647	59.4	4,205	58.3	37,464	62.6	142,472	60.1	127,281	62.2	119,442	57.4	71,783	55.6

<sup>1</sup>Aggregated results are not nationally representative when stratified by age. Further, the proportion of older adults included in this analysis varies by year. Please refer to Sentinel's Snapshot of Database Statistics (<https://www.sentinelinitiative.org/sentinel/data/snapshot-database-statistics>) for further details.



**Table 3a. Descriptive Statistics of Cumulative Exposure Duration (in Days) of Higher Dosage Strength Products, Lower Dosage Strength Products, All Doses of Oral and Transmucosal Opioid Analgesics, and Transdermal Opioid Analgesics (Fentanyl & Buprenorphine) in the Sentinel Distributed Database (SDD) between January 1, 2012 and June 30, 2018, All Episodes**

Exposures	Total Patients	Mean	Standard Deviation	Min	Q1	Median	Q3	Max
Higher Dosage Strength Oral and Transmucosal Opioid Analgesics	1,013,649	211.29	342.96	1	15	46	243	2,332
Lower Dosage Strength Oral and Transmucosal Opioid Analgesics	34,797,803	52.61	148.17	1	5	10	30	2,350
All Oral and Transmucosal Opioid Analgesics	34,634,159	51.88	147.11	1	5	10	30	2,350
Transdermal Opioid Analgesics (Fentanyl & Buprenorphine)	845,643	187.07	292.26	1	30	60	195	2,338

**Table 3b. Descriptive Statistics of Cumulative Exposure Duration (in Days) of Higher Dosage Strength Products, Lower Dosage Strength Products, All Doses of Oral and Transmucosal Opioid Analgesics, and Transdermal Opioid Analgesics (Fentanyl & Buprenorphine) in the Sentinel Distributed Database (SDD) between January 1, 2012 and June 30, 2018, All Episodes, by Sex**

Exposures	Total Patients	Mean	Standard Deviation	Min	Q1	Median	Q3	Max
<b>Higher Dosage Strength Oral and Transmucosal Opioid Analgesics</b>	1,013,649	211.29	342.96	1	15	46	243	2,332
Female	579,880	198.75	333.95	1	15	38	216	2,332
Male	433,736	228.06	353.96	1	20	60	278	2,271
Other	33	143.52	269.73	3	10	26	102	948
<b>Lower Dosage Strength Oral and Transmucosal Opioid Analgesics</b>	34,797,803	52.61	148.17	1	5	10	30	2,350
Female	19,662,049	56.68	153.41	1	5	10	33	2,350
Male	15,134,579	47.33	140.89	1	4	9	27	2,339
Other	1,175	44.62	123.42	1	5	10	28	1,664
<b>All Oral and Transmucosal Opioid Analgesics</b>	34,634,159	51.88	147.11	1	5	10	30	2,350
Female	19,581,379	55.77	151.79	1	5	10	33	2,350
Male	15,051,608	46.82	140.64	1	4	9	26	2,339
Other	1,172	44.3	123.35	1	5	10	27	1,664
<b>Transdermal Opioid Analgesics (Fentanyl &amp; Buprenorphine)</b>	845,643	187.07	292.26	1	30	60	195	2,338
Female	552,169	197.39	303.09	1	30	61	213	2,338
Male	293,450	167.66	269.66	1	30	60	166	2,260
Other	24	79.17	115.42	9	30	36	65	543

**Table 3c. Descriptive Statistics of Cumulative Exposure Duration (in Days) of Higher Dosage Strength Products, Lower Dosage Strength Products, All Doses of Oral and Transmucosal Opioid Analgesics, and Transdermal Opioid Analgesics (Fentanyl & Buprenorphine) in the Sentinel Distributed Database (SDD) between January 1, 2012 and June 30, 2018, All Episodes, by Age Group<sup>1</sup>**

Exposures	Total Patients	Mean	Standard Deviation	Min	Q1	Median	Q3	Max
<b>Higher Dosage Strength Oral and Transmucosal Opioid Analgesics</b>	1,013,649	211.29	342.96	1	15	46	243	2,332
0-17 years	3,134	35.71	108.58	1	5	10	28	2,071
18-29 years	27,936	167.14	290.96	1	10	33	180	2,242
30-49 years	212,342	283.76	387.1	1	30	97	398	2,281
50-64 years	331,554	273.63	382.85	1	30	90	375	2,332
65+ years	438,683	133.15	266.58	1	10	30	96	2,218
<b>Lower Dosage Strength Oral and Transmucosal Opioid Analgesics</b>	34,797,803	52.61	148.17	1	5	10	30	2,350
0-17 years	1,763,853	7.85	17.94	1	3	5	8	1,900
18-29 years	3,714,544	16.13	65.56	1	3	5	10	2,176
30-49 years	8,064,821	39.68	134.95	1	4	7	18	2,342
50-64 years	7,377,087	63.35	172.69	1	5	10	35	2,350
65+ years	13,877,498	69.87	162.34	1	6	16	52	2,324
<b>All Oral and Transmucosal Opioid Analgesics</b>	34,634,159	51.88	147.11	1	5	10	30	2,350
0-17 years	1,764,791	7.89	18.59	1	3	5	8	1,900
18-29 years	3,712,757	16.28	66.99	1	3	5	10	2,176
30-49 years	8,008,736	38.9	134.41	1	4	7	18	2,342
50-64 years	7,278,679	61.54	170.22	1	5	10	34	2,350
65+ years	13,869,196	69.43	161.62	1	6	16	51	2,324
<b>Transdermal Opioid Analgesics (Fentanyl &amp; Buprenorphine)</b>	845,643	187.07	292.26	1	30	60	195	2,338
0-17 years	504	82.48	159.57	1	21	30	71	1,384
18-29 years	11,147	158.98	260.24	1	30	57	160	2,069
30-49 years	117,140	210.55	318.22	1	30	68	236	2,338
50-64 years	214,205	200.27	306.32	1	30	63	217	2,244
65+ years	502,647	176.7	279.74	1	30	60	179	2,322

<sup>1</sup>Aggregated results are not nationally representative when stratified by age. Further, the proportion of older adults included in this analysis varies by year. Please refer to Sentinel's Snapshot of Database Statistics (<https://www.sentinelinitiative.org/sentinel/data/snapshot-database-statistics>) for further details.

**Table 4a. Distribution of First Exposure Episode Duration of Higher Dosage Strength Products, Lower Dosage Strength Products, All Doses of Oral and Transmucosal Opioid Analgesics, and Transdermal Opioid Analgesics (Fentanyl & Buprenorphine) in the Sentinel Distributed Database (SDD) between January 1, 2012 and June 30, 2018, by Length Categories**

Exposures	Total Patients		0-7 days		8-15 days		16-30 days		31-90 days		91-365 days		366+ days	
	Number	%	Number	%	Number	%	Number	%	Number	%	Number	%	Number	%
Higher Dosage Strength Oral and Transmucosal Opioid Analgesics	1,013,649	100	199,642	19.7	174,344	17.2	272,974	26.9	134,878	13.3	145,577	14.4	86,234	8.5
Lower Dosage Strength Oral and Transmucosal Opioid Analgesics	34,797,803	100	24,826,422	71.3	5,656,601	16.3	2,963,168	8.5	882,801	2.5	359,414	1	109,397	0.3
All Oral and Transmucosal Opioid Analgesics	34,634,159	100	24,764,370	71.5	5,640,046	16.3	2,932,703	8.5	862,296	2.5	334,089	1	100,655	0.3
Transdermal Opioid Analgesics (Fentanyl & Buprenorphine)	845,643	100	13,377	1.6	83,818	9.9	307,753	36.4	206,519	24.4	172,932	20.4	61,244	7.2

**Table 4b. Distribution of First Exposure Episode Duration of Higher Dosage Strength Products, Lower Dosage Strength Products, All Doses of Oral and Transmucosal Opioid Analgesics, and Transdermal Opioid Analgesics (Fentanyl & Buprenorphine) in the Sentinel Distributed Database (SDD) between January 1, 2012 and June 30, 2018, by Length Categories and Sex**

Exposures	Total Patients		0-7 days		8-15 days		16-30 days		31-90 days		91-365 days		366+ days	
	Number	%	Number	%	Number	%	Number	%	Number	%	Number	%	Number	%
<b>Higher Dosage Strength Oral and Transmucosal Opioid Analgesics</b>	1,013,649	100	199,642	100	174,344	100	272,974	100	134,878	100	145,577	100	86,234	100
Female	579,880	57.8	125,280	62.8	102,702	58.9	157,515	57.7	72,695	53.9	76,851	52.8	44,837	52
Male	433,736	42.2	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****	*****
Other	33	0	*****	<1	*****	<1	*****	<1	*****	<1	*****	<1	*****	<1
<b>Lower Dosage Strength Oral and Transmucosal Opioid Analgesics</b>	34,797,803	100	24,826,422	100	5,656,601	100	2,963,168	100	882,801	100	359,414	100	109,397	100
Female	19,662,049	59.7	13,797,086	55.6	3,277,914	57.9	1,798,297	60.7	520,625	59	207,193	57.6	60,934	55.7
Male	15,134,579	40.3	11,028,453	44.4	2,378,504	42	1,164,790	39.3	*****	*****	*****	*****	*****	*****
Other	1,175	0	883	0	183	0	81	0	*****	<1	*****	<1	*****	<1
<b>All Oral and Transmucosal Opioid Analgesics</b>	34,634,159	100	24,764,370	100	5,640,046	100	2,932,703	100	862,296	100	334,089	100	100,655	100
Female	19,581,379	59.7	13,768,547	55.6	3,271,123	58	1,783,991	60.8	509,812	59.1	192,684	57.7	55,222	54.9
Male	15,051,608	40.2	10,994,945	44.4	2,368,738	42	1,148,630	39.2	*****	*****	*****	*****	*****	*****
Other	1,172	0	878	0	185	0	82	0	*****	<1	*****	<1	*****	<1
<b>Transdermal Opioid Analgesics (Fentanyl &amp; Buprenorphine)</b>	845,643	100	13,377	100	83,818	100	307,753	100	206,519	100	172,932	100	61,244	100
Female	552,169	67.1	8,956	67	54,267	64.7	200,013	65	131,586	63.7	114,711	66.3	42,636	69.6
Male	293,450	32.9	4,421	33	*****	*****	107,728	35	*****	*****	*****	*****	18,608	30.4
Other	24	0	0	-	*****	<1	12	0	*****	<1	*****	<1	0	-

\*\*\*\*\*Data are not presented in these cells due to a small sample size or to assure a small cell cannot be recalculated through the cells presented.

**Table 4c. Distribution of First Exposure Episode Duration of Higher Dosage Strength Products, Lower Dosage Strength Products, All Doses of Oral and Transmucosal Opioid Analgesics, and Transdermal Opioid Analgesics (Fentanyl & Buprenorphine) in the Sentinel Distributed Database (SDD) between January 1, 2012 and June 30, 2018, by Length Categories and Age Group<sup>1</sup>**

Exposures	Total Patients		0-7 days		8-15 days		16-30 days		31-90 days		91-365 days		366+ days	
	Number	%	Number	%	Number	%	Number	%	Number	%	Number	%	Number	%
<b>Higher Dosage Strength Oral and Transmucosal Opioid Analgesics</b>	1,013,649	100	199,642	100	174,344	100	272,974	100	134,878	100	145,577	100	86,234	100
0-17 years	3,134	0.2	1,567	0.8	729	0.4	551	0.2	206	0.2	62	0	19	0
18-29 years	27,936	2.7	7,525	3.8	5,073	2.9	6,284	2.3	3,765	2.8	3,815	2.6	1,474	1.7
30-49 years	212,342	22	32,702	16.4	29,731	17.1	51,507	18.9	32,264	23.9	41,093	28.2	25,045	29
50-64 years	331,554	33.8	45,741	22.9	47,911	27.5	88,146	32.3	49,668	36.8	60,311	41.4	39,777	46.1
65+ years	438,683	41.2	112,107	56.2	90,900	52.1	126,486	46.3	48,975	36.3	40,296	27.7	19,919	23.1
<b>Lower Dosage Strength Oral and Transmucosal Opioid Analgesics</b>	34,797,803	100	24,826,422	100	5,656,601	100	2,963,168	100	882,801	100	359,414	100	109,397	100
0-17 years	1,763,853	2.6	1,504,231	6.1	215,699	3.8	40,832	1.4	2,894	0.3	186	0.1	11	0
18-29 years	3,714,544	7.3	3,243,908	13.1	354,251	6.3	86,918	2.9	20,666	2.3	7,210	2	1,591	1.5
30-49 years	8,064,821	20.8	6,427,406	25.9	1,039,728	18.4	400,195	13.5	116,818	13.2	59,306	16.5	21,368	19.5
50-64 years	7,377,087	22.7	5,190,937	20.9	1,190,218	21	653,966	22.1	201,782	22.9	102,104	28.4	38,080	34.8
65+ years	13,877,498	46.6	8,459,940	34.1	2,856,705	50.5	1,781,257	60.1	540,641	61.2	190,608	53	48,347	44.2
<b>All Oral and Transmucosal Opioid Analgesics</b>	34,634,159	100	24,764,370	100	5,640,046	100	2,932,703	100	862,296	100	334,089	100	100,655	100
0-17 years	1,764,791	2.6	1,504,489	6.1	215,984	3.8	41,093	1.4	3,007	0.3	203	0.1	15	0
18-29 years	3,712,757	7.3	3,242,188	13.1	354,176	6.3	86,726	3	20,641	2.4	7,291	2.2	1,735	1.7
30-49 years	8,008,736	20.7	6,403,393	25.9	1,032,629	18.3	389,439	13.3	110,530	12.8	53,003	15.9	19,742	19.6
50-64 years	7,278,679	22.5	5,153,454	20.8	1,176,637	20.9	635,154	21.7	190,377	22.1	89,593	26.8	33,464	33.2
65+ years	13,869,196	46.9	8,460,846	34.2	2,860,620	50.7	1,780,291	60.7	537,741	62.4	183,999	55.1	45,699	45.4
<b>Transdermal Opioid Analgesics (Fentanyl &amp; Buprenorphine)</b>	845,643	100	13,377	100	83,818	100	307,753	100	206,519	100	172,932	100	61,244	100
0-17 years	504	0.1	39	0.3	107	0.1	188	0.1	115	0.1	*****	<1	*****	<1
18-29 years	11,147	1.3	310	2.3	1,278	1.5	4,226	1.4	2,613	1.3	*****	*****	*****	*****
30-49 years	117,140	13.8	1,884	14.1	10,719	12.8	41,751	13.6	26,131	12.7	26,288	15.2	10,367	16.9
50-64 years	214,205	25.6	2,819	21.1	19,860	23.7	78,104	25.4	49,969	24.2	45,997	26.6	17,456	28.5
65+ years	502,647	59.3	8,325	62.2	51,854	61.9	183,484	59.6	127,691	61.8	98,499	57	32,794	53.5

<sup>1</sup>Aggregated results are not nationally representative when stratified by age. Further, the proportion of older adults included in this analysis varies by year. Please refer to Sentinel's Snapshot of Database Statistics (<https://www.sentinelinitiative.org/sentinel/data/snapshot-database-statistics>) for further details.

\*\*\*\*\*Data are not presented in these cells due to a small sample size or to assure a small cell cannot be recalculated through the cells presented.

**Table 5a. Descriptive Statistics of First Exposure Episode Durations (in Days) of Higher Dosage Strength Products, Lower Dosage Strength Products, All Doses of Oral and Transmucosal Opioid Analgesics, and Transdermal Opioid Analgesics (Fentanyl & Buprenorphine) in the Sentinel Distributed Database (SDD) between January 1, 2012 and June 30, 2018**

<b>Exposures</b>	<b>Total Patients</b>	<b>Mean</b>	<b>Standard Deviation</b>	<b>Min</b>	<b>Q1</b>	<b>Median</b>	<b>Q3</b>	<b>Max</b>
<b>Higher Dosage Strength Oral and Transmucosal Opioid Analgesics</b>	1,013,649	109.65	232.78	1	10	30	77	2,281
<b>Lower Dosage Strength Oral and Transmucosal Opioid Analgesics</b>	34,797,803	12.09	47.66	1	3	5	8	2,342
<b>All Oral and Transmucosal Opioid Analgesics</b>	34,634,159	11.78	46.32	1	3	5	8	2,342
<b>Transdermal Opioid Analgesics (Fentanyl &amp; Buprenorphine)</b>	845,643	113.46	197.26	1	30	36	102	2,338

**Table 5b. Descriptive Statistics of First Exposure Episode Duration (in Days) of Higher Dosage Strength Products, Lower Dosage Strength Products, All Doses of Oral and Transmucosal Opioid Analgesics, and Transdermal Opioid Analgesics (Fentanyl & Buprenorphine) in the Sentinel Distributed Database (SDD) between January 1, 2012 and June 30, 2018, by Sex**

Exposures	Total Patients	Mean	Standard Deviation	Min	Q1	Median	Q3	Max
<b>Higher Dosage Strength Oral and Transmucosal Opioid Analgesics</b>	1,013,649	109.65	232.78	1	10	30	77	2,281
Female	579,880	101.04	222.38	1	10	30	64	2,281
Male	433,736	121.17	245.51	1	10	30	92	2,271
Other	33	76.09	175.07	3	5	14	72	902
<b>Lower Dosage Strength Oral and Transmucosal Opioid Analgesics</b>	34,797,803	12.09	47.66	1	3	5	8	2,342
Female	19,662,049	12.32	46.98	1	3	5	10	2,342
Male	15,134,579	11.79	48.53	1	3	5	8	2,306
Other	1,175	9.55	32.43	1	3	5	7	620
<b>All Oral and Transmucosal Opioid Analgesics</b>	34,634,159	11.78	46.32	1	3	5	8	2,342
Female	19,581,379	11.98	45.29	1	3	5	10	2,342
Male	15,051,608	11.51	47.62	1	3	5	8	2,320
Other	1,172	9.56	32.47	1	3	5	8	620
<b>Transdermal Opioid Analgesics (Fentanyl &amp; Buprenorphine)</b>	845,643	113.46	197.26	1	30	36	102	2,338
Female	552,169	117.46	203.09	1	30	37	107	2,338
Male	293,450	105.95	185.58	1	30	35	95	2,260
Other	24	41.21	31.13	9	28	30	44	156



**Table 5c. Descriptive Statistics of First Exposure Episode Duration (in Days) of Higher Dosage Strength Products, Lower Dosage Strength Products, All Doses of Oral and Transmucosal Opioid Analgesics, and Transdermal Opioid Analgesics (Fentanyl & Buprenorphine) in the Sentinel Distributed Database (SDD) between January 1, 2012 and June 30, 2018, by Age Group<sup>1</sup>**

Exposures	Total Patients	Mean	Standard Deviation	Min	Q1	Median	Q3	Max
<b>Higher Dosage Strength Oral and Transmucosal Opioid Analgesics</b>	1,013,649	109.65	232.78	1	10	30	77	2,281
0-17 years	3,134	20.68	69.59	1	4	8	18	2,071
18-29 years	27,936	78.73	175.09	1	7	22	60	2,132
30-49 years	212,342	145.46	268.81	1	15	30	136	2,281
50-64 years	331,554	145.87	271.65	1	15	30	129	2,279
65+ years	438,683	67.55	170.19	1	7	20	30	2,218
<b>Lower Dosage Strength Oral and Transmucosal Opioid Analgesics</b>	34,797,803	12.09	47.66	1	3	5	8	2,342
0-17 years	1,763,853	5.05	5.01	1	3	4	6	1,178
18-29 years	3,714,544	5.63	17.71	1	3	4	5	2,133
30-49 years	8,064,821	9.62	44.14	1	3	4	7	2,342
50-64 years	7,377,087	14.46	61.6	1	3	5	10	2,326
65+ years	13,877,498	14.89	49.27	1	3	5	12	2,316
<b>All Oral and Transmucosal Opioid Analgesics</b>	34,634,159	11.78	46.32	1	3	5	8	2,342
0-17 years	1,764,791	5.06	5.15	1	3	4	6	1,178
18-29 years	3,712,757	5.66	18.31	1	3	4	5	2,133
30-49 years	8,008,736	9.32	43.22	1	3	4	7	2,342
50-64 years	7,278,679	13.72	59.01	1	3	5	9	2,320
65+ years	13,869,196	14.67	48.25	1	3	5	12	2,320
<b>Transdermal Opioid Analgesics (Fentanyl &amp; Buprenorphine)</b>	845,643	113.46	197.26	1	30	36	102	2,338
0-17 years	504	49.52	90.52	1	15	30	44	1,295
18-29 years	11,147	98.42	177.33	1	28	30	90	2,069
30-49 years	117,140	130.43	224.84	1	30	43	123	2,338
50-64 years	214,205	122.69	212.39	1	30	40	114	2,241
65+ years	502,647	105.97	183.26	1	30	34	95	2,322

<sup>1</sup>Aggregated results are not nationally representative when stratified by age. Further, the proportion of older adults included in this analysis varies by year. Please refer to Sentinel's Snapshot of Database Statistics (<https://www.sentinelinitiative.org/sentinel/data/snapshot-database-statistics>) for further details.

**Table 6a. Distribution of All Episode Durations of Higher Dosage Strength Products, Lower Dosage Strength Products, All Doses of Oral and Transmucosal Opioid Analgesics, and Transdermal Opioid Analgesics (Fentanyl & Buprenorphine) in the Sentinel Distributed Database (SDD) between January 1, 2012 and June 30, 2018, by Length Categories**

Exposures	Total Patients		0-7 days		8-15 days		16-30 days		31-90 days		91-365 days		366+ days	
	Number	%	Number	%	Number	%	Number	%	Number	%	Number	%	Number	%
<b>Higher Dosage Strength Oral and Transmucosal Opioid Analgesics</b>	2,195,970	100	405,448	18.5	412,459	18.8	584,852	26.6	310,877	14.2	325,224	14.8	157,110	7.2
<b>Lower Dosage Strength Oral and Transmucosal Opioid Analgesics</b>	99,764,943	100	56,756,264	56.9	21,253,404	21.3	14,043,532	14.1	4,891,407	4.9	2,295,723	2.3	524,613	0.5
<b>All Oral and Transmucosal Opioid Analgesics</b>	99,230,435	100	56,588,781	57	21,164,220	21.3	13,937,504	14	4,819,973	4.9	2,213,661	2.2	506,296	0.5
<b>Transdermal Opioid Analgesics (Fentanyl &amp; Buprenorphine)</b>	1,374,536	100	26,276	1.9	123,763	9	492,337	35.8	324,175	23.6	307,467	22.4	100,518	7.3

**Table 6b. Distribution of All Episode Durations of Higher Dosage Strength Products, Lower Dosage Strength Products, All Doses of Oral and Transmucosal Opioid Analgesics, and Transdermal Opioid Analgesics (Fentanyl & Buprenorphine) in the Sentinel Distributed Database (SDD) between January 1, 2012 and June 30, 2018, by Length Categories and Sex**

Exposures	Total Patients		0-7 days		8-15 days		16-30 days		31-90 days		91-365 days		366+ days	
	Number	%	Number	%	Number	%	Number	%	Number	%	Number	%	Number	%
<b>Higher Dosage Strength Oral and Transmucosal Opioid Analgesics</b>	2,195,970	100	405,448	100	412,459	100	584,852	100	310,877	100	325,224	100	157,110	100
Female	1,268,232	57.8	257,524	63.5	241,752	58.6	337,864	57.8	171,484	55.2	176,499	54.3	83,109	52.9
Male	927,687	42.2	147,912	36.5	*****	*****	246,977	42.2	*****	*****	*****	*****	*****	*****
Other	51	0	12	0	*****	<1	11	0	*****	<1	*****	<1	*****	<1
<b>Lower Dosage Strength Oral and Transmucosal Opioid Analgesics</b>	99,764,943	100	56,756,264	100	21,253,404	100	14,043,532	100	4,891,407	100	2,295,723	100	524,613	100
Female	59,565,537	59.7	32,969,213	58.1	12,983,771	61.1	8,870,056	63.2	3,027,712	61.9	1,405,797	61.2	308,988	58.9
Male	40,195,918	40.3	23,784,981	41.9	8,268,869	38.9	5,173,028	36.8	1,863,565	38.1	*****	*****	*****	*****
Other	3,488	0	2,070	0	764	0	448	0	130	0	*****	<1	*****	<1
<b>All Oral and Transmucosal Opioid Analgesics</b>	99,230,435	100	56,588,781	100	21,164,220	100	13,937,504	100	4,819,973	100	2,213,661	100	506,296	100
Female	59,287,794	59.7	32,897,454	58.1	12,940,034	61.1	8,813,057	63.2	2,987,032	62	1,355,085	61.2	295,132	58.3
Male	39,939,167	40.2	23,689,261	41.9	8,223,426	38.9	5,124,000	36.8	1,832,815	38	*****	*****	*****	*****
Other	3,474	0	2,066	0	760	0	447	0	126	0	*****	<1	*****	<1
<b>Transdermal Opioid Analgesics (Fentanyl &amp; Buprenorphine)</b>	1,374,536	100	26,276	100	123,763	100	492,337	100	324,175	100	307,467	100	100,518	100
Female	922,481	67.1	17,785	67.7	81,335	65.7	329,151	66.9	213,635	65.9	209,737	68.2	70,838	70.5
Male	452,010	32.9	*****	*****	*****	*****	163,162	33.1	110,529	34.1	*****	*****	29,680	29.5
Other	45	0	*****	<1	*****	<1	24	0	11	0	*****	<1	0	-

\*\*\*\*\*Data are not presented in these cells due to a small sample size or to assure a small cell cannot be recalculated through the cells presented.

**Table 6c. Distribution of All Episode Durations of Higher Dosage Strength Products, Lower Dosage Strength Products, All Doses of Oral and Transmucosal Opioid Analgesics, and Transdermal Opioid Analgesics (Fentanyl & Buprenorphine) in the Sentinel Distributed Database (SDD) between January 1, 2012 and June 30, 2018, by Length Categories and Age Group<sup>1</sup>**

Exposures	Total Patients		0-7 days		8-15 days		16-30 days		31-90 days		91-365 days		366+ days	
	Number	%	Number	%	Number	%	Number	%	Number	%	Number	%	Number	%
<b>Higher Dosage Strength Oral and Transmucosal Opioid Analgesics</b>	2,195,970	100	405,448	100	412,459	100	584,852	100	310,877	100	325,224	100	157,110	100
0-17 years	4,876	0.2	2,410	0.6	1,050	0.3	861	0.1	363	0.1	158	0	34	0
18-29 years	60,293	2.7	13,045	3.2	12,406	3	13,962	2.4	9,159	2.9	8,778	2.7	2,943	1.9
30-49 years	484,040	22	65,649	16.2	82,364	20	119,316	20.4	78,384	25.2	91,867	28.2	46,460	29.6
50-64 years	742,661	33.8	98,680	24.3	128,356	31.1	197,904	33.8	115,201	37.1	131,767	40.5	70,753	45
65+ years	904,100	41.2	225,664	55.7	188,283	45.6	252,809	43.2	107,770	34.7	92,654	28.5	36,920	23.5
<b>Lower Dosage Strength Oral and Transmucosal Opioid Analgesics</b>	99,764,943	100	56,756,264	100	21,253,404	100	14,043,532	100	4,891,407	100	2,295,723	100	524,613	100
0-17 years	2,590,171	2.6	2,193,171	3.9	320,020	1.5	66,122	0.5	8,801	0.2	1,822	0.1	235	0
18-29 years	7,252,073	7.3	5,929,278	10.4	859,541	4	291,110	2.1	107,688	2.2	53,287	2.3	11,169	2.1
30-49 years	20,765,275	20.8	14,253,565	25.1	3,522,865	16.6	1,782,162	12.7	698,675	14.3	397,288	17.3	110,720	21.1
50-64 years	22,685,148	22.7	12,793,250	22.5	4,806,436	22.6	3,146,729	22.4	1,159,228	23.7	613,846	26.7	165,659	31.6
65+ years	46,472,276	46.6	21,587,000	38	11,744,542	55.3	8,757,409	62.4	2,917,015	59.6	1,229,480	53.6	236,830	45.1
<b>All Oral and Transmucosal Opioid Analgesics</b>	99,230,435	100	56,588,781	100	21,164,220	100	13,937,504	100	4,819,973	100	2,213,661	100	506,296	100
0-17 years	2,592,835	2.6	2,194,343	3.9	320,593	1.5	66,619	0.5	9,071	0.2	1,940	0.1	269	0.1
18-29 years	7,244,454	7.3	5,922,494	10.5	858,680	4.1	290,356	2.1	107,310	2.2	53,785	2.4	11,829	2.3
30-49 years	20,536,032	20.7	14,152,659	25	3,484,117	16.5	1,743,985	12.5	673,585	14	373,763	16.9	107,923	21.3
50-64 years	22,340,563	22.5	12,667,921	22.4	4,742,954	22.4	3,084,130	22.1	1,118,414	23.2	572,484	25.9	154,660	30.5
65+ years	46,516,551	46.9	21,651,364	38.3	11,757,876	55.6	8,752,414	62.8	2,911,593	60.4	1,211,689	54.7	231,615	45.7
<b>Transdermal Opioid Analgesics (Fentanyl &amp; Buprenorphine)</b>	1,374,536	100	26,276	100	123,763	100	492,337	100	324,175	100	307,467	100	100,518	100
0-17 years	745	0.1	63	0.2	150	0.1	253	0.1	176	0.1	90	0	13	0
18-29 years	17,380	1.3	485	1.8	1,867	1.5	6,337	1.3	4,052	1.2	3,645	1.2	994	1
30-49 years	189,494	13.8	3,359	12.8	16,323	13.2	66,006	13.4	41,734	12.9	45,370	14.8	16,702	16.6
50-64 years	351,415	25.6	5,705	21.7	30,097	24.3	126,205	25.6	79,962	24.7	81,401	26.5	28,045	27.9
65+ years	815,502	59.3	16,664	63.4	75,326	60.9	293,536	59.6	198,251	61.2	176,961	57.6	54,764	54.5

<sup>1</sup>Aggregated results are not nationally representative when stratified by age. Further, the proportion of older adults included in this analysis varies by year. Please refer to Sentinel's Snapshot of Database Statistics (<https://www.sentinelinitiative.org/sentinel/data/snapshot-database-statistics>) for further details.

**Table 7a. Descriptive Statistics of All Episode Durations (in Days) of Higher Dosage Strength Products, Lower Dosage Strength Products, All Doses of Oral and Transmucosal Opioid Analgesics, and Transdermal Opioid Analgesics (Fentanyl & Buprenorphine) in the Sentinel Distributed Database (SDD) between January 1, 2012 and June 30, 2018**

<b>Exposures</b>	<b>Total Patients</b>	<b>Mean</b>	<b>Standard Deviation</b>	<b>Min</b>	<b>Q1</b>	<b>Median</b>	<b>Q3</b>	<b>Max</b>
<b>Higher Dosage Strength Oral and Transmucosal Opioid Analgesics</b>	2,195,970	97.53	204.44	1	10	30	72	2,281
<b>Lower Dosage Strength Oral and Transmucosal Opioid Analgesics</b>	99,764,943	18.35	57.58	1	4	7	15	2,342
<b>All Oral and Transmucosal Opioid Analgesics</b>	99,230,435	18.11	57.04	1	4	7	15	2,342
<b>Transdermal Opioid Analgesics (Fentanyl &amp; Buprenorphine)</b>	1,374,536	115.09	190.37	1	30	40	112	2,338

**Table 7b. Descriptive Statistics of All Episode Durations (in Days) of Higher Dosage Strength Products, Lower Dosage Strength Products, All Doses of Oral and Transmucosal Opioid Analgesics, and Transdermal Opioid Analgesics (Fentanyl & Buprenorphine) in the Sentinel Distributed Database (SDD) between January 1, 2012 and June 30, 2018, by Sex**

Exposures	Total Patients	Mean	Standard Deviation	Min	Q1	Median	Q3	Max
<b>Higher Dosage Strength Oral and Transmucosal Opioid Analgesics</b>	2,195,970	97.53	204.44	1	10	30	72	2,281
Female	1,268,232	90.87	195.83	1	10	30	64	2,281
Male	927,687	106.63	215.32	1	12	30	89	2,271
Other	51	92.86	179.83	2	10	30	81	902
<b>Lower Dosage Strength Oral and Transmucosal Opioid Analgesics</b>	99,764,943	18.35	57.58	1	4	7	15	2,342
Female	59,565,537	18.71	56.88	1	4	7	15	2,342
Male	40,195,918	17.82	58.6	1	3	6	15	2,306
Other	3,488	15.03	41.21	1	3	6	14	896
<b>All Oral and Transmucosal Opioid Analgesics</b>	99,230,435	18.11	57.04	1	4	7	15	2,342
Female	59,287,794	18.42	56.01	1	4	7	15	2,342
Male	39,939,167	17.65	58.54	1	3	6	15	2,320
Other	3,474	14.95	41.16	1	3	6	14	896
<b>Transdermal Opioid Analgesics (Fentanyl &amp; Buprenorphine)</b>	1,374,536	115.09	190.37	1	30	40	112	2,338
Female	922,481	118.15	194.27	1	30	42	116	2,338
Male	452,010	108.85	182.01	1	30	38	104	2,260
Other	45	42.22	30.05	5	30	30	50	156

**Table 7c. Descriptive Statistics of All Episode Durations (in Days) of Higher Dosage Strength Products, Lower Dosage Strength Products, All Doses of Oral and Transmucosal Opioid Analgesics, and Transdermal Opioid Analgesics (Fentanyl & Buprenorphine) in the Sentinel Distributed Database (SDD) between January 1, 2012 and June 30, 2018, by Age Group<sup>1</sup>**

Exposures	Total Patients	Mean	Standard Deviation	Min	Q1	Median	Q3	Max
<b>Higher Dosage Strength Oral and Transmucosal Opioid Analgesics</b>	2,195,970	97.53	204.44	1	10	30	72	2,281
0-17 years	4,876	22.95	68.02	1	4	8	20	2,071
18-29 years	60,293	77.44	163.83	1	10	25	61	2,227
30-49 years	484,040	124.48	232.95	1	15	30	116	2,281
50-64 years	742,661	122.16	233.43	1	15	30	105	2,279
65+ years	904,100	64.61	154.46	1	8	20	36	2,218
<b>Lower Dosage Strength Oral and Transmucosal Opioid Analgesics</b>	99,764,943	18.35	57.58	1	4	7	15	2,342
0-17 years	2,590,171	5.35	9.06	1	3	4	6	1,642
18-29 years	7,252,073	8.26	31.13	1	3	4	6	2,133
30-49 years	20,765,275	15.41	58.14	1	3	5	10	2,342
50-64 years	22,685,148	20.6	68.16	1	4	7	15	2,326
65+ years	46,472,276	20.87	56.08	1	5	8	20	2,316
<b>All Oral and Transmucosal Opioid Analgesics</b>	99,230,435	18.11	57.04	1	4	7	15	2,342
0-17 years	2,592,835	5.37	9.48	1	3	4	6	1,642
18-29 years	7,244,454	8.34	32.12	1	3	4	6	2,133
30-49 years	20,536,032	15.17	58.17	1	3	5	10	2,342
50-64 years	22,340,563	20.05	66.89	1	4	7	15	2,320
65+ years	46,516,551	20.7	55.65	1	5	8	20	2,320
<b>Transdermal Opioid Analgesics (Fentanyl &amp; Buprenorphine)</b>	1,374,536	115.09	190.37	1	30	40	112	2,338
0-17 years	745	55.8	103.29	1	15	30	55	1,295
18-29 years	17,380	101.97	173.47	1	28	31	97	2,069
30-49 years	189,494	130.16	214.92	1	30	46	130	2,338
50-64 years	351,415	122.07	202.2	1	30	44	120	2,241
65+ years	815,502	108.91	178.78	1	30	37	105	2,322

<sup>1</sup>Aggregated results are not nationally representative when stratified by age. Further, the proportion of older adults included in this analysis varies by year. Please refer to Sentinel's Snapshot of Database Statistics (<https://www.sentinelinitiative.org/sentinel/data/snapshot-database-statistics>) for further details.

**Table 8a. Distribution of Days Supplied per Dispensing of Higher Dosage Strength Products, Lower Dosage Strength Products, All Doses of Oral and Transmucosal Opioid Analgesics, and Transdermal Opioid Analgesics (Fentanyl & Buprenorphine) in the Sentinel Distributed Database (SDD) between January 1, 2012 and June 30, 2018, by Length Categories**

Exposures	Total Patients		0-7 days		8-15 days		16-30 days		31-90 days		91-365 days		366+ days	
	Number	%	Number	%	Number	%	Number	%	Number	%	Number	%	Number	%
<b>Higher Dosage Strength Oral and Transmucosal Opioid Analgesics</b>	9,246,154	100	840,150	9.1	1,216,239	13.2	7,109,429	76.9	80,012	0.9	324	0	0	0
<b>Lower Dosage Strength Oral and Transmucosal Opioid Analgesics</b>	142,550,030	100	70,628,190	49.5	30,236,575	21.2	40,033,529	28.1	1,648,247	1.2	3,489	0	0	0
<b>All Oral and Transmucosal Opioid Analgesics</b>	141,765,221	100	70,522,480	49.7	30,212,958	21.3	39,380,633	27.8	1,645,601	1.2	3,549	0	0	0
<b>Transdermal Opioid Analgesics (Fentanyl &amp; Buprenorphine)</b>	6,146,820	100	295,992	4.8	1,244,019	20.2	4,515,514	73.5	91,254	1.5	41	0	0	0



**Table 8b. Distribution of Days Supplied per Dispensing of Higher Dosage Strength Products, Lower Dosage Strength Products, All Doses of Oral and Transmucosal Opioid Analgesics, and Transdermal Opioid Analgesics (Fentanyl & Buprenorphine) in the Sentinel Distributed Database (SDD) between January 1, 2012 and June 30, 2018, by Length Categories and Sex**

Exposures	Total Patients		0-7 days		8-15 days		16-30 days		31-90 days		91-365 days		366+ days	
	Number	%	Number	%	Number	%	Number	%	Number	%	Number	%	Number	%
<b>Higher Dosage Strength Oral and Transmucosal Opioid Analgesics</b>	9,246,154	100	840,150	100	1,216,239	100	7,109,429	100	80,012	100	324	100	0	100
Female	4,989,242	54.0	493,423	58.7	673,323	55.4	3,779,537	53.2	42,771	53.5	188	58.0	0	-
Male	4,256,702	46.0	346,710	41.3	542,862	44.6	3,329,755	46.8	*****	*****	*****	*****	0	-
Other	210	0.0	17	0.0	54	0.0	137	0.0	*****	<1	*****	<1	0	-
<b>Lower Dosage Strength Oral and Transmucosal Opioid Analgesics</b>	142,550,030	100	70,628,190	100	30,236,575	100	40,033,529	100	1,648,247	100	3,489	100	0	100
Female	84,933,634	59.6	41,127,164	58.2	18,418,826	60.9	24,317,832	60.7	1,067,760	64.8	2,052	58.8	0	-
Male	57,611,704	40.4	29,498,506	41.8	11,816,655	39.1	15,714,642	39.3	580,464	35.2	1,437	41.2	0	-
Other	4,692	0.0	2,520	0.0	1,094	0.0	1,055	0.0	23	0.0	0	0.0	0	-
<b>All Oral and Transmucosal Opioid Analgesics</b>	141,765,221	100	70,522,480	100	30,212,958	100	39,380,633	100	1,645,601	100	3,549	100	0	100
Female	84,297,714	59.5	41,075,283	58.2	18,377,254	60.8	23,778,206	60.4	1,064,882	64.7	2,089	58.9	0	-
Male	57,462,839	40.5	29,444,677	41.8	11,834,633	39.2	15,601,373	39.6	580,696	35.3	1,460	41.1	0	-
Other	4,668	0.0	2,520	0.0	1,071	0.0	1,054	0.0	23	0.0	0	0.0	0	-
<b>Transdermal Opioid Analgesics (Fentanyl &amp; Buprenorphine)</b>	6,146,820	100	295,992	100	1,244,019	100	4,515,514	100	91,254	100	41	100	0	100
Female	4,246,671	69.1	204,890	69.2	892,165	71.7	3,086,126	68.3	63,463	69.5	27	65.9	0	-
Male	1,900,078	30.9	*****	*****	*****	*****	1,429,330	31.7	*****	*****	14	34.1	0	-
Other	71	0.0	*****	<1	*****	<1	58	0.0	*****	<1	0	0.0	0	-

\*\*\*\*\*Data are not presented in these cells due to a small sample size or to assure a small cell cannot be recalculated through the cells presented.

**Table 8c. Distribution of Days Supplied per Dispensing of Higher Dosage Strength Products, Lower Dosage Strength Products, All Doses of Oral and Transmucosal Opioid Analgesics, and Transdermal Opioid Analgesics (Fentanyl & Buprenorphine) in the Sentinel Distributed Database (SDD) between January 1, 2012 and June 30, 2018, by Length Categories and Age Group<sup>1</sup>**

Exposures	Total Patients		0-7 days		8-15 days		16-30 days		31-90 days		91-365 days		366+ days	
	Number	%	Number	%	Number	%	Number	%	Number	%	Number	%	Number	%
<b>Higher Dosage Strength Oral and Transmucosal Opioid Analgesics</b>	9,246,154	100	840,150	100	1,216,239	100	7,109,429	100	80,012	100	324	100	0	100
0-17 years	7,463	0.1	2,930	0.3	1,535	0.1	2,890	0.0	*****	*****	*****	*****	0	-
18-29 years	226,991	2.5	30,935	3.7	41,867	3.4	152,864	2.2	*****	*****	*****	*****	0	-
30-49 years	2,610,119	28.2	184,557	22.0	321,024	26.4	2,089,688	29.4	*****	*****	*****	*****	0	-
50-64 years	3,800,006	41.1	257,871	30.7	438,353	36.0	3,073,724	43.2	29,929	37.4	129	39.8	0	-
65+ years	2,601,575	28.1	363,857	43.3	413,460	34.0	1,790,263	25.2	33,837	42.3	158	48.8	0	-
<b>Lower Dosage Strength Oral and Transmucosal Opioid Analgesics</b>	142,550,030	100	70,628,190	100	30,236,575	100	40,033,529	100	1,648,247	100	3,489	100	0	100
0-17 years	2,795,858	2.0	2,415,171	3.4	309,737	1.0	69,846	0.2	1,090	0.1	14	0.4	0	-
18-29 years	8,852,860	6.2	6,971,907	9.9	1,012,378	3.3	859,704	2.1	8,827	0.5	44	1.3	0	-
30-49 years	29,802,352	20.9	17,614,798	24.9	4,996,354	16.5	7,096,235	17.7	94,573	5.7	392	11.2	0	-
50-64 years	34,851,346	24.4	16,270,294	23.0	7,149,787	23.6	11,150,381	27.9	279,798	17.0	1,086	31.1	0	-
65+ years	66,247,614	46.5	27,356,020	38.7	16,768,319	55.5	20,857,363	52.1	1,263,959	76.7	1,953	56.0	0	-
<b>All Oral and Transmucosal Opioid Analgesics</b>	141,765,221	100	70,522,480	100	30,212,958	100	39,380,633	100	1,645,601	100	3,549	100	0	100
0-17 years	2,802,933	2.0	2,418,024	3.4	311,262	1.0	72,461	0.2	1,171	0.1	15	0.4	0	-
18-29 years	8,901,823	6.3	6,974,306	9.9	1,024,705	3.4	893,750	2.3	9,020	0.5	42	1.2	0	-
30-49 years	29,561,784	20.9	17,498,822	24.8	4,970,054	16.5	6,998,277	17.8	94,235	5.7	396	11.2	0	-
50-64 years	34,183,203	24.1	16,113,839	22.8	7,071,923	23.4	10,719,444	27.2	276,887	16.8	1,110	31.3	0	-
65+ years	66,315,478	46.8	27,517,489	39.0	16,835,014	55.7	20,696,701	52.6	1,264,288	76.8	1,986	56.0	0	-
<b>Transdermal Opioid Analgesics (Fentanyl &amp; Buprenorphine)</b>	6,146,820	100	295,992	100	1,244,019	100	4,515,514	100	91,254	100	41	100	0	100
0-17 years	1,838	0.0	205	0.1	470	0.0	1,152	0.0	11	0.0	0	0.0	0	-
18-29 years	68,605	1.1	3,335	1.1	10,334	0.8	54,384	1.2	552	0.6	0	0.0	0	-
30-49 years	918,165	14.9	32,651	11.0	111,075	8.9	765,607	17.0	*****	*****	*****	*****	0	-
50-64 years	1,597,578	26.0	61,501	20.8	221,984	17.8	1,293,279	28.6	*****	*****	*****	*****	0	-
65+ years	3,560,634	57.9	198,300	67.0	900,156	72.4	2,401,092	53.2	61,064	66.9	22	53.7	0	-

<sup>1</sup>Aggregated results are not nationally representative when stratified by age. Further, the proportion of older adults included in this analysis varies by year. Please refer to Sentinel's Snapshot of Database Statistics (<https://www.sentinelinitiative.org/sentinel/data/snapshot-database-statistics>) for further details.

\*\*\*\*\*Data are not presented in these cells due to a small sample size or to assure a small cell cannot be recalculated through the cells presented.

**Table 9a. Descriptive Statistics of Days Supplied per Dispensing of Higher Dosage Strength Products, Lower Dosage Strength Products, All Doses of Oral and Transmucosal Opioid Analgesics, and Transdermal Opioid Analgesics (Fentanyl & Buprenorphine) in the Sentinel Distributed Database (SDD) between January 1, 2012 and June 30, 2018**

<b>Exposures</b>	<b>Total Patients</b>	<b>Mean</b>	<b>Standard Deviation</b>	<b>Min</b>	<b>Q1</b>	<b>Median</b>	<b>Q3</b>	<b>Max</b>
<b>Higher Dosage Strength Oral and Transmucosal Opioid Analgesics</b>	9,246,154	24.27	9.29	1	20	30	30	139
<b>Lower Dosage Strength Oral and Transmucosal Opioid Analgesics</b>	142,550,030	12.99	11.96	1	4	8	22	140
<b>All Oral and Transmucosal Opioid Analgesics</b>	141,765,221	12.92	11.93	1	4	8	21	140
<b>Transdermal Opioid Analgesics (Fentanyl &amp; Buprenorphine)</b>	6,146,820	24.8	8.92	1	15	30	30	140

**Table 9b. Descriptive Statistics of Days Supplied per Dispensing of Higher Dosage Strength Products, Lower Dosage Strength Products, All Doses of Oral and Transmucosal Opioid Analgesics, and Transdermal Opioid Analgesics (Fentanyl & Buprenorphine) in the Sentinel Distributed Database (SDD) between January 1, 2012 and June 30, 2018, by Sex**

Exposures	Total Patients	Mean	Standard Deviation	Min	Q1	Median	Q3	Max
<b>Higher Dosage Strength Oral and Transmucosal Opioid Analgesics</b>	9,246,154	24.27	9.29	1	20	30	30	139
Female	4,989,242	24.03	9.49	1	18	30	30	139
Male	4,256,702	24.55	9.05	1	20	30	30	133
Other	210	22.73	9.29	2	15	30	30	53
<b>Lower Dosage Strength Oral and Transmucosal Opioid Analgesics</b>	142,550,030	12.99	11.96	1	4	8	22	140
Female	84,933,634	13.24	12.1	1	4	8	22	140
Male	57,611,704	12.63	11.73	1	4	7	20	140
Other	4,692	11.39	10.15	1	4	7	15	90
<b>All Oral and Transmucosal Opioid Analgesics</b>	141,765,221	12.92	11.93	1	4	8	21	140
Female	84,297,714	13.14	12.07	1	4	8	22	140
Male	57,462,839	12.6	11.7	1	4	7	20	140
Other	4,668	11.38	10.14	1	4	7	15	90
<b>Transdermal Opioid Analgesics (Fentanyl &amp; Buprenorphine)</b>	6,146,820	24.8	8.92	1	15	30	30	140
Female	4,246,671	24.7	8.95	1	15	30	30	140
Male	1,900,078	25.02	8.85	1	18	30	30	120
Other	71	26.07	7.9	2	28	30	30	36

**Table 9c. Descriptive Statistics of Days Supplied per Dispensing of Higher Dosage Strength Products, Lower Dosage Strength Products, All Doses of Oral and Transmucosal Opioid Analgesics, and Transdermal Opioid Analgesics (Fentanyl & Buprenorphine) in the Sentinel Distributed Database (SDD) between January 1, 2012 and June 30, 2018, by Age Group<sup>1</sup>**

Exposures	Total Patients	Mean	Standard Deviation	Min	Q1	Median	Q3	Max
<b>Higher Dosage Strength Oral and Transmucosal Opioid Analgesics</b>	9,246,154	24.27	9.29	1	20	30	30	139
0-17 years	7,463	15.25	11.41	1	5	12	30	120
18-29 years	226,991	21.97	9.83	1	14	28	30	120
30-49 years	2,610,119	24.81	8.44	1	20	30	30	120
50-64 years	3,800,006	25.13	8.58	1	21	30	30	120
65+ years	2,601,575	22.69	10.71	1	14	30	30	139
<b>Lower Dosage Strength Oral and Transmucosal Opioid Analgesics</b>	142,550,030	12.99	11.96	1	4	8	22	140
0-17 years	2,795,858	5.01	4.32	1	3	4	5	126
18-29 years	8,852,860	6.91	7.61	1	3	4	7	140
30-49 years	29,802,352	11.06	10.55	1	3	6	15	140
50-64 years	34,851,346	13.72	11.74	1	4	8	28	140
65+ years	66,247,614	14.63	12.81	1	5	10	28	140
<b>All Oral and Transmucosal Opioid Analgesics</b>	141,765,221	12.92	11.93	1	4	8	21	140
0-17 years	2,802,933	5.03	4.38	1	3	4	5	126
18-29 years	8,901,823	6.99	7.7	1	3	4	7	140
30-49 years	29,561,784	11.03	10.52	1	3	6	15	140
50-64 years	34,183,203	13.56	11.7	1	4	8	25	140
65+ years	66,315,478	14.56	12.79	1	5	10	27	140
<b>Transdermal Opioid Analgesics (Fentanyl &amp; Buprenorphine)</b>	6,146,820	24.8	8.92	1	15	30	30	140
0-17 years	1,838	21.85	10.14	1	15	28	30	86
18-29 years	68,605	25.09	8.13	1	21	30	30	90
30-49 years	918,165	26.07	7.64	1	28	30	30	120
50-64 years	1,597,578	25.95	8.11	1	23	30	30	140
65+ years	3,560,634	23.95	9.47	1	15	30	30	120

<sup>1</sup>Aggregated results are not nationally representative when stratified by age. Further, the proportion of older adults included in this analysis varies by year. Please refer to Sentinel's Snapshot of Database Statistics (<https://www.sentinelinitiative.org/sentinel/data/snapshot-database-statistics>) for further details.

**Appendix A. Dates of Available Data for Each Data Partner (DP), as of Request Distribution Date (November 12, 2018)**

---

DP ID	DP Start Date <sup>1</sup>	DP End Date <sup>1</sup>
DP01	01/01/2000	10/31/2017
DP02	01/01/2000	03/31/2018
DP03	01/01/2004	05/31/2018
DP04	01/01/2008	03/31/2018
DP05	01/01/2000	06/30/2017
DP06	01/01/2000	12/31/2016
DP07	01/01/2006	12/31/2017
DP08	01/01/2000	12/31/2017
DP09	06/01/2007	01/31/2018
DP10	01/01/2000	03/31/2016
DP11	01/01/2005	12/17/2017
DP12	01/01/2000	06/30/2018
DP13	01/01/2000	03/31/2018
DP14	01/01/2008	09/30/2017
DP15	01/01/2000	05/31/2015
DP16	01/01/2012	06/30/2017
DP17	01/01/2010	12/31/2016

<sup>1</sup>The start and end dates are based on the minimum and maximum dates within each DP. The month with the maximum date must have at least 80% of the number of records in the previous month.

**Appendix B. List of Generic and Brand Drug Names Used to Define the Exposure in this Request**

Generic Name	Brand Name	Strength	Unit
<b>Higher Dosage Strength Oral and Transmucosal Opioid Analgesics</b>			
fentanyl citrate	Onsolis	1,200	mcg
fentanyl citrate	Onsolis	200	mcg
fentanyl citrate	Onsolis	400	mcg
fentanyl citrate	Onsolis	600	mcg
fentanyl citrate	Onsolis	800	mcg
morphine sulfate	morphine	15	mg
morphine sulfate	morphine	30	mg
morphine sulfate	morphine	20 mg/5 mL	(4 mg/mL)
hydromorphone HCl	hydromorphone	8	mg
oxymorphone HCl	oxymorphone	10	mg
morphine sulfate	morphine concentrate	100 mg/5 mL	(20 mg/mL)
methadone HCl	methadone	10	mg/mL
oxycodone HCl	oxycodone	20	mg/mL
methadone HCl	Methadone Intensol	10	mg/mL
methadone HCl	methadone	5	mg/5 mL
methadone HCl	methadone	10	mg/5 mL
methadone HCl	Diskets	40	mg
fentanyl citrate	fentanyl citrate	200	mcg
fentanyl citrate	fentanyl citrate	400	mcg
fentanyl citrate	fentanyl citrate	600	mcg
fentanyl citrate	fentanyl citrate	800	mcg
fentanyl citrate	fentanyl citrate	1,200	mcg
fentanyl citrate	fentanyl citrate	1,600	mcg
oxycodone HCl	oxycodone	40	mg
oxycodone HCl	oxycodone	80	mg
oxymorphone HCl	oxymorphone	20	mg
oxymorphone HCl	oxymorphone	40	mg
morphine sulfate	morphine	100	mg
oxymorphone HCl	oxymorphone	15	mg
oxymorphone HCl	oxymorphone	30	mg
oxycodone HCl	oxycodone	30	mg
oxycodone HCl	oxycodone	60	mg
oxycodone HCl	oxycodone	15	mg
morphine sulfate	morphine	90	mg
morphine sulfate	morphine	120	mg
morphine sulfate	morphine	60	mg
morphine sulfate	morphine	200	mg
methadone HCl	Methadose	10	mg/mL
methadone HCl	Methadose	40	mg
methadone HCl	methadone	40	mg
hydromorphone HCl	hydromorphone	32	mg
pentazocine HCl/naloxone HCl	pentazocine-naloxone	50-0.5	mg
oxycodone HCl	oxycodone	20	mg
fentanyl citrate	Lazanda	400	mcg/spray
fentanyl citrate	Lazanda	300	mcg/spray

**Appendix B. List of Generic and Brand Drug Names Used to Define the Exposure in this Request**

<b>Generic Name</b>	<b>Brand Name</b>	<b>Strength</b>	<b>Unit</b>
tapentadol HCl	Nucynta	100	mg
morphine sulfate	Avinza	120	mg
morphine sulfate	Avinza	90	mg
oxymorphone HCl	Opana ER	20	mg
oxymorphone HCl	Opana ER	40	mg
oxycodone HCl	OxyContin	40	mg
oxycodone HCl	OxyContin	80	mg
oxycodone HCl	OxyContin	30	mg
oxymorphone HCl	Opana ER	30	mg
oxycodone HCl	OxyContin	60	mg
morphine sulfate	Kadian	100	mg
oxymorphone HCl	Opana	10	mg
tapentadol HCl	Nucynta	75	mg
fentanyl citrate	Fentora	600	mcg
fentanyl	Subsys	400	mcg/spray
fentanyl	Subsys	600	mcg/spray
fentanyl	Subsys	800	mcg/spray
fentanyl	Subsys	1,200 mcg (600	mcg/spray X 2)
fentanyl	Subsys	1,600 mcg (800	mcg/spray X 2)
hydromorphone HCl	Exalgo ER	32	mg
oxycodone HCl	Roxicodone	15	mg
oxycodone HCl	Roxicodone	30	mg
morphine sulfate	morphine concentrate	20	mg/mL
oxycodone myristate	Xtampza ER	27	mg
oxycodone myristate	Xtampza ER	36	mg
morphine sulfate	MS Contin	60	mg
morphine sulfate	MS Contin	100	mg
morphine sulfate	MS Contin	200	mg
morphine sulfate	Oramorph SR	60	mg
morphine sulfate	Oramorph SR	100	mg
oxymorphone HCl	Opana ER	15	mg
fentanyl citrate	Actiq	400	mcg
fentanyl citrate	Actiq	600	mcg
fentanyl citrate	Actiq	800	mcg
morphine sulfate/naltrexone HCl	Embeda	100-4	mg
fentanyl citrate	Abstral	200	mcg
fentanyl citrate	Abstral	300	mcg
fentanyl citrate	Abstral	400	mcg
fentanyl citrate	Abstral	600	mcg
fentanyl citrate	Abstral	800	mcg
hydromorphone HCl	Dilaudid	8	mg
hydrocodone bitartrate	Zohydro ER	50	mg
morphine sulfate	Kadian	130	mg
morphine sulfate	Kadian	150	mg
morphine sulfate	Kadian	200	mg
tapentadol HCl	Nucynta ER	150	mg



**Appendix B. List of Generic and Brand Drug Names Used to Define the Exposure in this Request**

<b>Generic Name</b>	<b>Brand Name</b>	<b>Strength</b>	<b>Unit</b>
tapentadol HCl	Nucynta ER	200	mg
tapentadol HCl	Nucynta ER	250	mg
hydrocodone bitartrate	Hysingla ER	100	mg
hydrocodone bitartrate	Hysingla ER	120	mg
buprenorphine HCl	Belbuca	300	mcg
buprenorphine HCl	Belbuca	450	mcg
buprenorphine HCl	Belbuca	600	mcg
buprenorphine HCl	Belbuca	750	mcg
buprenorphine HCl	Belbuca	900	mcg
fentanyl citrate	Actiq	200	mcg
fentanyl citrate	Actiq	1,200	mcg
fentanyl citrate	Actiq	1,600	mcg
fentanyl citrate	Fentora	200	mcg
fentanyl citrate	Fentora	400	mcg
fentanyl citrate	Fentora	800	mcg
morphine sulfate	MorphaBond ER	60	mg
morphine sulfate	MorphaBond ER	100	mg
oxycodone HCl	RoxyBond	15	mg
oxycodone HCl	RoxyBond	30	mg
oxycodone HCl	oxycodone	10	mg/0.5 mL
morphine sulfate	Arymo ER	60	mg
<b>Lower Dosage Strength Oral and Transmucosal Opioid Analgesics</b>			
hydrocodone bitartrate/acetaminophen	Norco	5-325	mg
morphine sulfate	Kadian	50	mg
hydrocodone bitartrate/acetaminophen	Norco	7.5-325	mg
hydrocodone bitartrate/acetaminophen	Norco	10-325	mg
meperidine HCl	Demerol	50	mg
meperidine HCl	Demerol	100	mg
acetaminophen with codeine phosphate	Tylenol-Codeine #4	300-60	mg
morphine sulfate	morphine	10	mg/5 mL
codeine sulfate	codeine sulfate	15	mg
codeine sulfate	codeine sulfate	30	mg
codeine sulfate	codeine sulfate	60	mg
hydromorphone HCl	hydromorphone	4	mg
oxymorphone HCl	oxymorphone	5	mg
hydromorphone HCl	hydromorphone	1	mg/mL
oxycodone HCl	oxycodone	5	mg/5 mL
levorphanol tartrate	levorphanol tartrate	2	mg
oxycodone HCl/acetaminophen	oxycodone-acetaminophen	5-325	mg
oxycodone HCl/acetaminophen	oxycodone-acetaminophen	5-500	mg
butorphanol tartrate	butorphanol tartrate	10	mg/mL
meperidine HCl	meperidine	50	mg/5 mL
oxycodone HCl/acetaminophen	Roxicet	5-325	mg/5 mL
methadone HCl	Dolophine	5	mg
methadone HCl	Dolophine	10	mg
methadone HCl	methadone	5	mg

**Appendix B. List of Generic and Brand Drug Names Used to Define the Exposure in this Request**

<b>Generic Name</b>	<b>Brand Name</b>	<b>Strength</b>	<b>Unit</b>
methadone HCl	methadone	10	mg
meperidine HCl	meperidine	50	mg
meperidine HCl	meperidine	100	mg
oxycodone HCl/acetaminophen	Roxicet	5-325	mg
oxycodone HCl/acetaminophen	Roxicet	5-500	mg
hydrocodone bitartrate/acetaminophen	Vicodin	5-500	mg
hydrocodone bitartrate/acetaminophen	Vicodin ES	7.5-750	mg
hydrocodone bitartrate/acetaminophen	Vicodin HP	10-660	mg
hydrocodone/ibuprofen	Vicoprofen	7.5-200	mg
hydrocodone bitartrate/acetaminophen	Vicodin	5-300	mg
hydrocodone bitartrate/acetaminophen	Vicodin ES	7.5-300	mg
hydrocodone bitartrate/acetaminophen	Vicodin HP	10-300	mg
acetaminophen with codeine phosphate	acetaminophen-codeine	300-15	mg
tramadol HCl	tramadol	50	mg
acetaminophen with codeine phosphate	acetaminophen-codeine	300-30	mg
acetaminophen with codeine phosphate	acetaminophen-codeine	300-60	mg
hydrocodone/ibuprofen	hydrocodone-ibuprofen	7.5-200	mg
oxycodone HCl	oxycodone	10	mg
oxycodone HCl	oxycodone	20	mg
hydrocodone bitartrate/acetaminophen	Zolvit	10-300	mg/15 mL
hydrocodone bitartrate/acetaminophen	Lortab Elixir	10-300	mg/15 mL
oxymorphone HCl	oxymorphone	10	mg
morphine sulfate	morphine	20	mg
morphine sulfate	morphine	30	mg
morphine sulfate	morphine	50	mg
morphine sulfate	morphine	60	mg
morphine sulfate	morphine	80	mg
oxymorphone HCl	oxymorphone	7.5	mg
oxycodone HCl	oxycodone	15	mg
acetaminophen with codeine phosphate	acetaminophen-codeine	120 mg-12 mg	/5 mL (5 mL)
acetaminophen with codeine phosphate	acetaminophen-codeine	120-12	mg/5 mL
acetaminophen with codeine phosphate	acetaminophen-codeine	240 mg-24 mg	/10 mL (10 mL)
acetaminophen with codeine phosphate	acetaminophen-codeine	300 mg-30 mg	/12.5 mL
acetaminophen with codeine phosphate	acetaminophen-codeine	360 mg-36 mg	/15 mL (15 mL)
hydrocodone bitartrate/acetaminophen	hydrocodone-acetaminophen	7.5-500	mg/15 mL
hydrocodone bitartrate/acetaminophen	hydrocodone-acetaminophen	7.5-325	mg/15 mL
hydrocodone bitartrate/acetaminophen	hydrocodone-acetaminophen	2.5-167	mg/5 mL
hydrocodone bitartrate/acetaminophen	hydrocodone-acetaminophen	5-334	mg/10 mL
hydrocodone bitartrate/acetaminophen	hydrocodone-acetaminophen	7.5-500	mg/15 mL(15 mL)
hydrocodone bitartrate/acetaminophen	hydrocodone-acetaminophen	5-163	mg/7.5mL(7.5mL)
hydrocodone bitartrate/acetaminophen	hydrocodone-acetaminophen	10-325	mg/15 mL(15 mL)
hydrocodone bitartrate/acetaminophen	Co-Gesic	5-500	mg
butalbital/acetaminophen/caffeine/codeine phosphate	butalbital-acetaminop-caf-cod	50-325-40-30	mg
tramadol HCl/acetaminophen	tramadol-acetaminophen	37.5-325	mg
hydrocodone bitartrate/acetaminophen	hydrocodone-acetaminophen	5-325	mg

**Appendix B. List of Generic and Brand Drug Names Used to Define the Exposure in this Request**

<b>Generic Name</b>	<b>Brand Name</b>	<b>Strength</b>	<b>Unit</b>
hydrocodone bitartrate/acetaminophen	hydrocodone-acetaminophen	10-325	mg
carisoprodol/aspirin/codeine phosphate	carisoprodol-ASA-codeine	200-325-16	mg
acetaminophen with codeine phosphate	Capital with Codeine	120-12	mg/5 mL
oxycodone HCl	oxycodone	5	mg
oxycodone HCl/acetaminophen	oxycodone-acetaminophen	7.5-325	mg
oxycodone HCl/acetaminophen	oxycodone-acetaminophen	10-325	mg
morphine sulfate	morphine	45	mg
morphine sulfate	morphine	75	mg
morphine sulfate	morphine	10	mg
ibuprofen/oxycodone HCl	ibuprofen-oxycodone	400-5	mg
morphine sulfate	morphine	15	mg
tramadol HCl	tramadol	100	mg
tramadol HCl	tramadol	200	mg
tramadol HCl	tramadol	300	mg
oxycodone HCl/aspirin	oxycodone-aspirin	4.8355-325	mg
oxycodone HCl/acetaminophen	oxycodone-acetaminophen	2.5-325	mg
oxycodone HCl/acetaminophen	oxycodone-acetaminophen	7.5-500	mg
oxycodone HCl/acetaminophen	oxycodone-acetaminophen	10-650	mg
hydrocodone bitartrate/acetaminophen	hydrocodone-acetaminophen	7.5-325	mg
hydrocodone bitartrate/acetaminophen	hydrocodone-acetaminophen	5-500	mg
hydrocodone bitartrate/acetaminophen	hydrocodone-acetaminophen	7.5-500	mg
hydrocodone bitartrate/acetaminophen	hydrocodone-acetaminophen	7.5-650	mg
hydrocodone bitartrate/acetaminophen	hydrocodone-acetaminophen	7.5-750	mg
hydrocodone bitartrate/acetaminophen	hydrocodone-acetaminophen	10-650	mg
hydrocodone bitartrate/acetaminophen	hydrocodone-acetaminophen	10-660	mg
hydrocodone bitartrate/acetaminophen	hydrocodone-acetaminophen	10-500	mg
hydrocodone bitartrate/acetaminophen	hydrocodone-acetaminophen	10-750	mg
hydrocodone bitartrate/acetaminophen	hydrocodone-acetaminophen	5-300	mg
hydrocodone bitartrate/acetaminophen	hydrocodone-acetaminophen	7.5-300	mg
hydrocodone bitartrate/acetaminophen	hydrocodone-acetaminophen	10-300	mg
hydromorphone HCl	hydromorphone	2	mg
hydromorphone HCl	hydromorphone	8	mg
hydromorphone HCl	hydromorphone	12	mg
hydromorphone HCl	hydromorphone	16	mg
methadone HCl	Methadose	10	mg
oxycodone HCl/acetaminophen	oxycodone-acetaminophen	5-325	mg/5 mL
hydrocodone bitartrate/acetaminophen	Hydrogesic	5-500	mg
hydrocodone bitartrate/acetaminophen	Zamicet	10-325	mg/15 mL
acetaminophen/caffeine/dihydrocodeine bitartrate	Panlor SS	712.8-60-32	mg
codeine phosphate/butalbital/aspirin/caffeine	Butalbital Compound W/Codeine	30-50-325-40	mg
hydrocodone bitartrate/acetaminophen	hydrocodone-acetaminophen	2.5-500	mg
oxycodone HCl/oxycodone	oxycodone HCl-oxycodone-ASA	4.5-0.38-325	mg
terephthalate/aspirin			
hydrocodone bitartrate/acetaminophen	hydrocodone-acetaminophen	2.5-325	mg

**Appendix B. List of Generic and Brand Drug Names Used to Define the Exposure in this Request**

<b>Generic Name</b>	<b>Brand Name</b>	<b>Strength</b>	<b>Unit</b>
butalbital/acetaminophen/caffeine/codeine phosphate	butalbital-acetaminop-caf-cod	50-300-40-30	mg
hydrocodone/ibuprofen	hydrocodone-ibuprofen	5-200	mg
hydrocodone/ibuprofen	hydrocodone-ibuprofen	10-200	mg
hydrocodone bitartrate/acetaminophen	Hycet	7.5-325	mg/15 mL
hydrocodone bitartrate/acetaminophen	Lorcet Plus	7.5-650	mg
hydrocodone bitartrate/acetaminophen	Lorcet 10/650	10-650	mg
fentanyl citrate	Lazanda	100	mcg/spray
tramadol HCl	Ryzolt	100	mg
tramadol HCl	Ryzolt	300	mg
acetaminophen/caffeine/dihydrocodeine bitartrate	acetaminophen-caff-dihydrocod	712.8-60-32	mg
morphine sulfate	Avinza	60	mg
morphine sulfate	Avinza	30	mg
morphine sulfate	Kadian	60	mg
oxycodone HCl/acetaminophen	Percocet	10-325	mg
oxycodone HCl/acetaminophen	Percocet	5-325	mg
oxycodone HCl/acetaminophen	Percocet	10-650	mg
hydrocodone bitartrate/acetaminophen	Lortab	10-500	mg
hydrocodone bitartrate/acetaminophen	Lortab	7.5-500	mg
meperidine HCl	Meperitab	50	mg
oxycodone HCl	OxyContin	10	mg
morphine sulfate	Kadian	20	mg
oxymorphone HCl	Opana ER	10	mg
oxycodone HCl/acetaminophen	Percocet	7.5-325	mg
oxymorphone HCl	Opana ER	5	mg
hydromorphone HCl	Dilaudid	2	mg
morphine sulfate	Kadian	80	mg
hydrocodone bitartrate/acetaminophen	Xodol 10/300	10-300	mg
oxycodone HCl/acetaminophen	Magnacet	10-400	mg
oxymorphone HCl	Opana	5	mg
morphine sulfate	Avinza	75	mg
tapentadol HCl	Nucynta	50	mg
morphine sulfate	Avinza	45	mg
oxycodone HCl/acetaminophen	Endocet	10-325	mg
hydromorphone HCl	Exalgo ER	8	mg
oxycodone HCl/aspirin	Endodan	4.8355-325	mg
acetaminophen/caffeine/dihydrocodeine bitartrate	Zerlor	712.8-60-32	mg
fentanyl	Subsys	100	mcg/spray
fentanyl	Subsys	200	mcg/spray
tramadol HCl/acetaminophen	Ultracet	37.5-325	mg
tramadol HCl	Ultram ER	100	mg
tramadol HCl	Ultram ER	200	mg
hydrocodone bitartrate/acetaminophen	Xodol 5/300	5-300	mg
hydrocodone bitartrate/acetaminophen	Xodol 7.5/300	7.5-300	mg

**Appendix B. List of Generic and Brand Drug Names Used to Define the Exposure in this Request**

<b>Generic Name</b>	<b>Brand Name</b>	<b>Strength</b>	<b>Unit</b>
acetaminophen/caffeine/dihydrocodeine bitartrate	Trezix	356.4-30-16	mg
tramadol HCl	tramadol	150	mg
tramadol HCl	Ultram ER	300	mg
oxycodone HCl/acetaminophen	Xolox	10-500	mg
codeine phosphate/butalbital/aspirin/caffeine	Butalbital Compound-Codeine	30-50-325-40	mg
oxycodone HCl/acetaminophen	Endocet	10-650	mg
oxycodone HCl/acetaminophen	Endocet	7.5-325	mg
oxycodone HCl/acetaminophen	Endocet	7.5-500	mg
oxycodone HCl/acetaminophen	Xartemis XR	7.5-325	mg
hydromorphone HCl	Exalgo ER	12	mg
hydromorphone HCl	Exalgo ER	16	mg
oxycodone HCl	Roxicodone	5	mg
hydrocodone/ibuprofen	Reprexain	2.5-200	mg
hydrocodone/ibuprofen	Reprexain	5-200	mg
hydrocodone/ibuprofen	Reprexain	10-200	mg
oxycodone HCl/acetaminophen	Primlev	5-300	mg
oxycodone HCl/acetaminophen	Primlev	7.5-300	mg
oxycodone HCl/acetaminophen	Primlev	10-300	mg
oxycodone myristate	Xtampza ER	9	mg
oxycodone myristate	Xtampza ER	13.5	mg
oxycodone myristate	Xtampza ER	18	mg
hydromorphone HCl	Dilaudid	4	mg
morphine sulfate	Kadian	10	mg
morphine sulfate	Kadian	30	mg
oxycodone HCl	OxyContin	20	mg
morphine sulfate	MS Contin	15	mg
morphine sulfate	MS Contin	30	mg
morphine sulfate	Oramorph SR	15	mg
morphine sulfate	Oramorph SR	30	mg
tramadol HCl	Ryzolt	200	mg
morphine sulfate/naltrexone HCl	Embeda	60-2.4	mg
morphine sulfate/naltrexone HCl	Embeda	20-0.8	mg
morphine sulfate/naltrexone HCl	Embeda	30-1.2	mg
oxycodone HCl/acetaminophen	Endocet	5-325	mg
tapentadol HCl	Nucynta ER	100	mg
tapentadol HCl	Nucynta ER	50	mg
acetaminophen/caffeine/dihydrocodeine bitartrate	acetaminophen-caff-dihydrocod	320.5-30-16	mg
fentanyl citrate	Abstral	100	mcg
hydromorphone HCl	Dilaudid	1	mg/mL
TRAMADOL HCL/GLUCOSAMINE SULFATE	Synapryn	10-5	mg/mL
hydrocodone bitartrate	Zohydro ER	10	mg
hydrocodone bitartrate	Zohydro ER	15	mg
hydrocodone bitartrate	Zohydro ER	20	mg

**Appendix B. List of Generic and Brand Drug Names Used to Define the Exposure in this Request**

<b>Generic Name</b>	<b>Brand Name</b>	<b>Strength</b>	<b>Unit</b>
hydrocodone bitartrate	Zohydro ER	30	mg
hydrocodone bitartrate	Zohydro ER	40	mg
oxycodone HCl/acetaminophen	oxycodone-acetaminophen	5-300	mg
oxycodone HCl/acetaminophen	oxycodone-acetaminophen	7.5-300	mg
oxycodone HCl/acetaminophen	oxycodone-acetaminophen	10-300	mg
morphine sulfate	Kadian	40	mg
morphine sulfate	Kadian	70	mg
aspirin/caffeine/dihydrocodeine bitartrate	Synalgos-DC	356.4-30-16	mg
tramadol HCl	Ultram	50	mg
acetaminophen with codeine phosphate	Tylenol-Codeine #3	300-30	mg
oxycodone HCl/acetaminophen	Tylox	5-500	mg
hydrocodone bitartrate/acetaminophen	Lortab	5-500	mg
hydrocodone bitartrate/acetaminophen	Lortab Elixir	7.5-500	mg/15 mL
hydrocodone bitartrate/acetaminophen	Lortab 5-325	5-325	mg
hydrocodone bitartrate/acetaminophen	Lortab 7.5-325	7.5-325	mg
hydrocodone bitartrate/acetaminophen	Lortab 10-325	10-325	mg
acetaminophen with codeine phosphate	Cocet Plus	650-60	mg
acetaminophen with codeine phosphate	Cocet	650-30	mg
hydrocodone/ibuprofen	Ibudone	5-200	mg
hydrocodone/ibuprofen	Ibudone	10-200	mg
hydrocodone/ibuprofen	Xylon 10	10-200	mg
codeine sulfate	codeine sulfate	30	mg/5 mL
hydrocodone bitartrate/acetaminophen	Lorcet (hydrocodone)	5-325	mg
hydrocodone bitartrate/acetaminophen	Lorcet Plus	7.5-325	mg
hydrocodone bitartrate/acetaminophen	Lorcet HD	10-325	mg
codeine phosphate/butalbital/aspirin/caffeine	Ascomp with Codeine	30-50-325-40	mg
butalbital/acetaminophen/caffeine/codeine phosphate	Fioricet with Codeine	50-300-40-30	mg
hydrocodone bitartrate/acetaminophen	Maxidone	10-750	mg
codeine phosphate/butalbital/aspirin/caffeine	Fiorinal-Codeine #3	30-50-325-40	mg
butalbital/acetaminophen/caffeine/codeine phosphate	Fioricet with Codeine	50-325-40-30	mg
hydrocodone bitartrate/acetaminophen	Zydone	7.5-400	mg
carisoprodol/aspirin/codeine phosphate	Carisoprodol Compound-Codeine	200-325-16	mg
hydrocodone/ibuprofen	hydrocodone-ibuprofen	2.5-200	mg
tramadol HCl	ConZip	200	mg
hydrocodone bitartrate/acetaminophen	Zydone	10-400	mg
hydrocodone bitartrate/acetaminophen	Zydone	5-400	mg
oxycodone HCl/acetaminophen	Percocet	7.5-500	mg
oxycodone HCl	Oxaydo	5	mg
oxycodone HCl	Oxaydo	7.5	mg
aspirin/caffeine/dihydrocodeine bitartrate	aspirin-caffeine-dihydrocodein	356.4-30-16	mg
hydrocodone bitartrate/acetaminophen	Stagesic	5-500	mg
hydrocodone bitartrate	Hysingla ER	20	mg

**Appendix B. List of Generic and Brand Drug Names Used to Define the Exposure in this Request**

<b>Generic Name</b>	<b>Brand Name</b>	<b>Strength</b>	<b>Unit</b>
hydrocodone bitartrate	Hysingla ER	30	mg
hydrocodone bitartrate	Hysingla ER	40	mg
hydrocodone bitartrate	Hysingla ER	60	mg
hydrocodone bitartrate	Hysingla ER	80	mg
oxycodone HCl	OxyContin	15	mg
buprenorphine HCl	Belbuca	75	mcg
buprenorphine HCl	Belbuca	150	mcg
tramadol HCl	Rybix ODT	50	mg
oxycodone HCl/acetaminophen	Magnacet	5-400	mg
oxycodone HCl/acetaminophen	Magnacet	7.5-400	mg
morphine sulfate/naltrexone HCl	Embeda	50-2	mg
morphine sulfate/naltrexone HCl	Embeda	80-3.2	mg
oxycodone HCl	Oxecta	5	mg
oxycodone HCl	Oxecta	7.5	mg
oxycodone HCl/acetaminophen	Endocet	2.5-325	mg
acetaminophen/caffeine/dihydrocodeine bitartrate	Trezix	320.5-30-16	mg
fentanyl citrate	Fentora	100	mcg
oxycodone HCl/aspirin	Percodan	4.8355-325	mg
oxymorphone HCl	Opana ER	7.5	mg
oxycodone HCl/acetaminophen	Percocet	2.5-325	mg
codeine phosphate/butalbital/aspirin/caffeine	codeine-butalbital-ASA-caff	30-50-325-40	mg
morphine sulfate	MorphaBond ER	15	mg
morphine sulfate	MorphaBond ER	30	mg
oxycodone HCl	RoxyBond	5	mg
tramadol HCl	ConZip	100	mg
tramadol HCl	ConZip	300	mg
hydrocodone bitartrate/acetaminophen	Verdrocet	2.5-325	mg
acetaminophen/caffeine/dihydrocodeine bitartrate	acetaminophen-caff-dihydrocod	325-30-16	mg
codeine sulfate	codeine sulfate	15 mg/2.5 mL	(2.5 mL)
codeine sulfate	codeine sulfate	30 mg/5 mL	(5 mL)
tramadol HCl/dietary supplement,misc. cb.11	Thertramadol-60	50	mg
tramadol HCl/dietary supplement,misc. cb.11	Thertramadol-90	50	mg
hydrocodone bitartrate/acetaminophen/dietary supplement #11	Theracodophen-325	10-325	mg
hydrocodone bitartrate/acetaminophen/dietary supplement #11	Theracodophen-650	10-650	mg
hydrocodone bitartrate/acetaminophen/dietary supplement #11	Theracodophen-Low-90	5-500	mg

**Appendix B. List of Generic and Brand Drug Names Used to Define the Exposure in this Request**

<b>Generic Name</b>	<b>Brand Name</b>	<b>Strength</b>	<b>Unit</b>
morphine sulfate	Arymo ER	15	mg
morphine sulfate	Arymo ER	30	mg
acetaminophen/caffeine/dihydrocodeine bitartrate	Panlor(acetam-caff-dihydrocod)	325-30-16	mg
oxycodone HCl/acetaminophen	Nalocet	2.5-300	mg
<b>All Oral and Transmucosal Opioid Analgesics</b>			
fentanyl citrate	Onsolis	1,200	mcg
fentanyl citrate	Onsolis	200	mcg
fentanyl citrate	Onsolis	400	mcg
fentanyl citrate	Onsolis	600	mcg
fentanyl citrate	Onsolis	800	mcg
morphine sulfate	morphine	15	mg
morphine sulfate	morphine	30	mg
morphine sulfate	morphine	20 mg/5 mL	(4 mg/mL)
hydromorphone HCl	hydromorphone	8	mg
oxymorphone HCl	oxymorphone	10	mg
morphine sulfate	morphine concentrate	100 mg/5 mL	(20 mg/mL)
methadone HCl	methadone	10	mg/mL
oxycodone HCl	oxycodone	20	mg/mL
methadone HCl	Methadone Intensol	10	mg/mL
methadone HCl	methadone	5	mg/5 mL
methadone HCl	methadone	10	mg/5 mL
methadone HCl	Diskets	40	mg
fentanyl citrate	fentanyl citrate	200	mcg
fentanyl citrate	fentanyl citrate	400	mcg
fentanyl citrate	fentanyl citrate	600	mcg
fentanyl citrate	fentanyl citrate	800	mcg
fentanyl citrate	fentanyl citrate	1,200	mcg
fentanyl citrate	fentanyl citrate	1,600	mcg
oxycodone HCl	oxycodone	40	mg
oxycodone HCl	oxycodone	80	mg
oxymorphone HCl	oxymorphone	20	mg
oxymorphone HCl	oxymorphone	40	mg
morphine sulfate	morphine	100	mg
oxymorphone HCl	oxymorphone	15	mg
oxymorphone HCl	oxymorphone	30	mg
oxycodone HCl	oxycodone	30	mg
oxycodone HCl	oxycodone	60	mg
oxycodone HCl	oxycodone	15	mg
morphine sulfate	morphine	90	mg
morphine sulfate	morphine	120	mg
morphine sulfate	morphine	60	mg
morphine sulfate	morphine	200	mg
methadone HCl	Methadose	10	mg/mL
methadone HCl	Methadose	40	mg
methadone HCl	methadone	40	mg



**Appendix B. List of Generic and Brand Drug Names Used to Define the Exposure in this Request**

<b>Generic Name</b>	<b>Brand Name</b>	<b>Strength</b>	<b>Unit</b>
hydromorphone HCl	hydromorphone	32	mg
pentazocine HCl/naloxone HCl	pentazocine-naloxone	50-0.5	mg
oxycodone HCl	oxycodone	20	mg
fentanyl citrate	Lazanda	400	mcg/spray
fentanyl citrate	Lazanda	300	mcg/spray
tapentadol HCl	Nucynta	100	mg
morphine sulfate	Avinza	120	mg
morphine sulfate	Avinza	90	mg
oxymorphone HCl	Opana ER	20	mg
oxymorphone HCl	Opana ER	40	mg
oxycodone HCl	OxyContin	40	mg
oxycodone HCl	OxyContin	80	mg
oxycodone HCl	OxyContin	30	mg
oxymorphone HCl	Opana ER	30	mg
oxycodone HCl	OxyContin	60	mg
morphine sulfate	Kadian	100	mg
oxymorphone HCl	Opana	10	mg
tapentadol HCl	Nucynta	75	mg
fentanyl citrate	Fentora	600	mcg
fentanyl	Subsys	400	mcg/spray
fentanyl	Subsys	600	mcg/spray
fentanyl	Subsys	800	mcg/spray
fentanyl	Subsys	1,200 mcg (600	mcg/spray X 2)
fentanyl	Subsys	1,600 mcg (800	mcg/spray X 2)
hydromorphone HCl	Exalgo ER	32	mg
oxycodone HCl	Roxicodone	15	mg
oxycodone HCl	Roxicodone	30	mg
morphine sulfate	morphine concentrate	20	mg/mL
oxycodone myristate	Xtampza ER	27	mg
oxycodone myristate	Xtampza ER	36	mg
morphine sulfate	MS Contin	60	mg
morphine sulfate	MS Contin	100	mg
morphine sulfate	MS Contin	200	mg
morphine sulfate	Oramorph SR	60	mg
morphine sulfate	Oramorph SR	100	mg
oxymorphone HCl	Opana ER	15	mg
fentanyl citrate	Actiq	400	mcg
fentanyl citrate	Actiq	600	mcg
fentanyl citrate	Actiq	800	mcg
morphine sulfate/naltrexone HCl	Embeda	100-4	mg
fentanyl citrate	Abstral	200	mcg
fentanyl citrate	Abstral	300	mcg
fentanyl citrate	Abstral	400	mcg
fentanyl citrate	Abstral	600	mcg
fentanyl citrate	Abstral	800	mcg
hydromorphone HCl	Dilaudid	8	mg

**Appendix B. List of Generic and Brand Drug Names Used to Define the Exposure in this Request**

<b>Generic Name</b>	<b>Brand Name</b>	<b>Strength</b>	<b>Unit</b>
hydrocodone bitartrate	Zohydro ER	50	mg
morphine sulfate	Kadian	130	mg
morphine sulfate	Kadian	150	mg
morphine sulfate	Kadian	200	mg
tapentadol HCl	Nucynta ER	150	mg
tapentadol HCl	Nucynta ER	200	mg
tapentadol HCl	Nucynta ER	250	mg
hydrocodone bitartrate	Hysingla ER	100	mg
hydrocodone bitartrate	Hysingla ER	120	mg
buprenorphine HCl	Belbuca	300	mcg
buprenorphine HCl	Belbuca	450	mcg
buprenorphine HCl	Belbuca	600	mcg
buprenorphine HCl	Belbuca	750	mcg
buprenorphine HCl	Belbuca	900	mcg
fentanyl citrate	Actiq	200	mcg
fentanyl citrate	Actiq	1,200	mcg
fentanyl citrate	Actiq	1,600	mcg
fentanyl citrate	Fentora	200	mcg
fentanyl citrate	Fentora	400	mcg
fentanyl citrate	Fentora	800	mcg
morphine sulfate	MorphaBond ER	60	mg
morphine sulfate	MorphaBond ER	100	mg
oxycodone HCl	RoxyBond	15	mg
oxycodone HCl	RoxyBond	30	mg
oxycodone HCl	oxycodone	10	mg/0.5 mL
morphine sulfate	Arymo ER	60	mg
hydrocodone bitartrate/acetaminophen	Norco	5-325	mg
morphine sulfate	Kadian	50	mg
hydrocodone bitartrate/acetaminophen	Norco	7.5-325	mg
hydrocodone bitartrate/acetaminophen	Norco	10-325	mg
meperidine HCl	Demerol	50	mg
meperidine HCl	Demerol	100	mg
acetaminophen with codeine phosphate	Tylenol-Codeine #4	300-60	mg
morphine sulfate	morphine	10	mg/5 mL
codeine sulfate	codeine sulfate	15	mg
codeine sulfate	codeine sulfate	30	mg
codeine sulfate	codeine sulfate	60	mg
hydromorphone HCl	hydromorphone	4	mg
oxymorphone HCl	oxymorphone	5	mg
hydromorphone HCl	hydromorphone	1	mg/mL
oxycodone HCl	oxycodone	5	mg/5 mL
levorphanol tartrate	levorphanol tartrate	2	mg
oxycodone HCl/acetaminophen	oxycodone-acetaminophen	5-325	mg
oxycodone HCl/acetaminophen	oxycodone-acetaminophen	5-500	mg
butorphanol tartrate	butorphanol tartrate	10	mg/mL
meperidine HCl	meperidine	50	mg/5 mL

**Appendix B. List of Generic and Brand Drug Names Used to Define the Exposure in this Request**

<b>Generic Name</b>	<b>Brand Name</b>	<b>Strength</b>	<b>Unit</b>
oxycodone HCl/acetaminophen	Roxicet	5-325	mg/5 mL
methadone HCl	Dolophine	5	mg
methadone HCl	Dolophine	10	mg
methadone HCl	methadone	5	mg
methadone HCl	methadone	10	mg
meperidine HCl	meperidine	50	mg
meperidine HCl	meperidine	100	mg
oxycodone HCl/acetaminophen	Roxicet	5-325	mg
oxycodone HCl/acetaminophen	Roxicet	5-500	mg
hydrocodone bitartrate/acetaminophen	Vicodin	5-500	mg
hydrocodone bitartrate/acetaminophen	Vicodin ES	7.5-750	mg
hydrocodone bitartrate/acetaminophen	Vicodin HP	10-660	mg
hydrocodone/ibuprofen	Vicoprofen	7.5-200	mg
hydrocodone bitartrate/acetaminophen	Vicodin	5-300	mg
hydrocodone bitartrate/acetaminophen	Vicodin ES	7.5-300	mg
hydrocodone bitartrate/acetaminophen	Vicodin HP	10-300	mg
acetaminophen with codeine phosphate	acetaminophen-codeine	300-15	mg
tramadol HCl	tramadol	50	mg
acetaminophen with codeine phosphate	acetaminophen-codeine	300-30	mg
acetaminophen with codeine phosphate	acetaminophen-codeine	300-60	mg
hydrocodone/ibuprofen	hydrocodone-ibuprofen	7.5-200	mg
oxycodone HCl	oxycodone	10	mg
hydrocodone bitartrate/acetaminophen	Zolvit	10-300	mg/15 mL
hydrocodone bitartrate/acetaminophen	Lortab Elixir	10-300	mg/15 mL
morphine sulfate	morphine	20	mg
morphine sulfate	morphine	50	mg
morphine sulfate	morphine	80	mg
oxymorphone HCl	oxymorphone	7.5	mg
acetaminophen with codeine phosphate	acetaminophen-codeine	120 mg-12 mg	/5 mL (5 mL)
acetaminophen with codeine phosphate	acetaminophen-codeine	120-12	mg/5 mL
acetaminophen with codeine phosphate	acetaminophen-codeine	240 mg-24 mg	/10 mL (10 mL)
acetaminophen with codeine phosphate	acetaminophen-codeine	300 mg-30 mg	/12.5 mL
acetaminophen with codeine phosphate	acetaminophen-codeine	360 mg-36 mg	/15 mL (15 mL)
hydrocodone bitartrate/acetaminophen	hydrocodone-acetaminophen	7.5-500	mg/15 mL
hydrocodone bitartrate/acetaminophen	hydrocodone-acetaminophen	7.5-325	mg/15 mL
hydrocodone bitartrate/acetaminophen	hydrocodone-acetaminophen	2.5-167	mg/5 mL
hydrocodone bitartrate/acetaminophen	hydrocodone-acetaminophen	5-334	mg/10 mL
hydrocodone bitartrate/acetaminophen	hydrocodone-acetaminophen	7.5-500	mg/15 mL(15 mL)
hydrocodone bitartrate/acetaminophen	hydrocodone-acetaminophen	5-163	mg/7.5mL(7.5mL)
hydrocodone bitartrate/acetaminophen	hydrocodone-acetaminophen	10-325	mg/15 mL(15 mL)
hydrocodone bitartrate/acetaminophen	Co-Gesic	5-500	mg
butalbital/acetaminophen/caffeine/codeine phosphate	butalbital-acetaminop-caf-cod	50-325-40-30	mg
tramadol HCl/acetaminophen	tramadol-acetaminophen	37.5-325	mg
hydrocodone bitartrate/acetaminophen	hydrocodone-acetaminophen	5-325	mg
hydrocodone bitartrate/acetaminophen	hydrocodone-acetaminophen	10-325	mg

**Appendix B. List of Generic and Brand Drug Names Used to Define the Exposure in this Request**

<b>Generic Name</b>	<b>Brand Name</b>	<b>Strength</b>	<b>Unit</b>
carisoprodol/aspirin/codeine phosphate	carisoprodol-ASA-codeine	200-325-16	mg
acetaminophen with codeine phosphate	Capital with Codeine	120-12	mg/5 mL
oxycodone HCl	oxycodone	5	mg
oxycodone HCl/acetaminophen	oxycodone-acetaminophen	7.5-325	mg
oxycodone HCl/acetaminophen	oxycodone-acetaminophen	10-325	mg
morphine sulfate	morphine	45	mg
morphine sulfate	morphine	75	mg
morphine sulfate	morphine	10	mg
ibuprofen/oxycodone HCl	ibuprofen-oxycodone	400-5	mg
tramadol HCl	tramadol	100	mg
tramadol HCl	tramadol	200	mg
tramadol HCl	tramadol	300	mg
oxycodone HCl/aspirin	oxycodone-aspirin	4.8355-325	mg
oxycodone HCl/acetaminophen	oxycodone-acetaminophen	2.5-325	mg
oxycodone HCl/acetaminophen	oxycodone-acetaminophen	7.5-500	mg
oxycodone HCl/acetaminophen	oxycodone-acetaminophen	10-650	mg
hydrocodone bitartrate/acetaminophen	hydrocodone-acetaminophen	7.5-325	mg
hydrocodone bitartrate/acetaminophen	hydrocodone-acetaminophen	5-500	mg
hydrocodone bitartrate/acetaminophen	hydrocodone-acetaminophen	7.5-500	mg
hydrocodone bitartrate/acetaminophen	hydrocodone-acetaminophen	7.5-650	mg
hydrocodone bitartrate/acetaminophen	hydrocodone-acetaminophen	7.5-750	mg
hydrocodone bitartrate/acetaminophen	hydrocodone-acetaminophen	10-650	mg
hydrocodone bitartrate/acetaminophen	hydrocodone-acetaminophen	10-660	mg
hydrocodone bitartrate/acetaminophen	hydrocodone-acetaminophen	10-500	mg
hydrocodone bitartrate/acetaminophen	hydrocodone-acetaminophen	10-750	mg
hydrocodone bitartrate/acetaminophen	hydrocodone-acetaminophen	5-300	mg
hydrocodone bitartrate/acetaminophen	hydrocodone-acetaminophen	7.5-300	mg
hydrocodone bitartrate/acetaminophen	hydrocodone-acetaminophen	10-300	mg
hydromorphone HCl	hydromorphone	2	mg
hydromorphone HCl	hydromorphone	12	mg
hydromorphone HCl	hydromorphone	16	mg
methadone HCl	Methadose	10	mg
oxycodone HCl/acetaminophen	oxycodone-acetaminophen	5-325	mg/5 mL
hydrocodone bitartrate/acetaminophen	Hydrogesic	5-500	mg
hydrocodone bitartrate/acetaminophen	Zamicet	10-325	mg/15 mL
acetaminophen/caffeine/dihydrocodeine bitartrate	Panlor SS	712.8-60-32	mg
codeine phosphate/butalbital/aspirin/caffeine	Butalbital Compound W/Codeine	30-50-325-40	mg
hydrocodone bitartrate/acetaminophen	hydrocodone-acetaminophen	2.5-500	mg
oxycodone HCl/oxycodone	oxycodone HCl-oxycodone-ASA	4.5-0.38-325	mg
terephthalate/aspirin			
hydrocodone bitartrate/acetaminophen	hydrocodone-acetaminophen	2.5-325	mg
butalbital/acetaminophen/caffeine/codeine phosphate	butalbital-acetaminop-caf-cod	50-300-40-30	mg
hydrocodone/ibuprofen	hydrocodone-ibuprofen	5-200	mg

**Appendix B. List of Generic and Brand Drug Names Used to Define the Exposure in this Request**

<b>Generic Name</b>	<b>Brand Name</b>	<b>Strength</b>	<b>Unit</b>
hydrocodone/ibuprofen	hydrocodone-ibuprofen	10-200	mg
hydrocodone bitartrate/acetaminophen	Hycet	7.5-325	mg/15 mL
hydrocodone bitartrate/acetaminophen	Lorcet Plus	7.5-650	mg
hydrocodone bitartrate/acetaminophen	Lorcet 10/650	10-650	mg
fentanyl citrate	Lazanda	100	mcg/spray
tramadol HCl	Ryzolt	100	mg
tramadol HCl	Ryzolt	300	mg
acetaminophen/caffeine/dihydrocodeine bitartrate	acetaminophen-caff-dihydrocod	712.8-60-32	mg
morphine sulfate	Avinza	60	mg
morphine sulfate	Avinza	30	mg
morphine sulfate	Kadian	60	mg
oxycodone HCl/acetaminophen	Percocet	10-325	mg
oxycodone HCl/acetaminophen	Percocet	5-325	mg
oxycodone HCl/acetaminophen	Percocet	10-650	mg
hydrocodone bitartrate/acetaminophen	Lortab	10-500	mg
hydrocodone bitartrate/acetaminophen	Lortab	7.5-500	mg
meperidine HCl	Meperitab	50	mg
oxycodone HCl	OxyContin	10	mg
morphine sulfate	Kadian	20	mg
oxymorphone HCl	Opana ER	10	mg
oxycodone HCl/acetaminophen	Percocet	7.5-325	mg
oxymorphone HCl	Opana ER	5	mg
hydromorphone HCl	Dilaudid	2	mg
morphine sulfate	Kadian	80	mg
hydrocodone bitartrate/acetaminophen	Xodol 10/300	10-300	mg
oxycodone HCl/acetaminophen	Magnacet	10-400	mg
oxymorphone HCl	Opana	5	mg
morphine sulfate	Avinza	75	mg
tapentadol HCl	Nucynta	50	mg
morphine sulfate	Avinza	45	mg
oxycodone HCl/acetaminophen	Endocet	10-325	mg
hydromorphone HCl	Exalgo ER	8	mg
oxycodone HCl/aspirin	Endodan	4.8355-325	mg
acetaminophen/caffeine/dihydrocodeine bitartrate	Zerlor	712.8-60-32	mg
fentanyl	Subsys	100	mcg/spray
fentanyl	Subsys	200	mcg/spray
tramadol HCl/acetaminophen	Ultracet	37.5-325	mg
tramadol HCl	Ultram ER	100	mg
tramadol HCl	Ultram ER	200	mg
hydrocodone bitartrate/acetaminophen	Xodol 5/300	5-300	mg
hydrocodone bitartrate/acetaminophen	Xodol 7.5/300	7.5-300	mg
acetaminophen/caffeine/dihydrocodeine bitartrate	Trezix	356.4-30-16	mg
tramadol HCl	tramadol	150	mg

**Appendix B. List of Generic and Brand Drug Names Used to Define the Exposure in this Request**

<b>Generic Name</b>	<b>Brand Name</b>	<b>Strength</b>	<b>Unit</b>
tramadol HCl	Ultram ER	300	mg
oxycodone HCl/acetaminophen	Xolox	10-500	mg
codeine phosphate/butalbital/aspirin/caffeine	Butalbital Compound-Codeine	30-50-325-40	mg
oxycodone HCl/acetaminophen	Endocet	10-650	mg
oxycodone HCl/acetaminophen	Endocet	7.5-325	mg
oxycodone HCl/acetaminophen	Endocet	7.5-500	mg
oxycodone HCl/acetaminophen	Xartemis XR	7.5-325	mg
hydromorphone HCl	Exalgo ER	12	mg
hydromorphone HCl	Exalgo ER	16	mg
oxycodone HCl	Roxicodone	5	mg
hydrocodone/ibuprofen	Reprexain	2.5-200	mg
hydrocodone/ibuprofen	Reprexain	5-200	mg
hydrocodone/ibuprofen	Reprexain	10-200	mg
oxycodone HCl/acetaminophen	Primlev	5-300	mg
oxycodone HCl/acetaminophen	Primlev	7.5-300	mg
oxycodone HCl/acetaminophen	Primlev	10-300	mg
oxycodone myristate	Xtampza ER	9	mg
oxycodone myristate	Xtampza ER	13.5	mg
oxycodone myristate	Xtampza ER	18	mg
hydromorphone HCl	Dilaudid	4	mg
morphine sulfate	Kadian	10	mg
morphine sulfate	Kadian	30	mg
oxycodone HCl	OxyContin	20	mg
morphine sulfate	MS Contin	15	mg
morphine sulfate	MS Contin	30	mg
morphine sulfate	Oramorph SR	15	mg
morphine sulfate	Oramorph SR	30	mg
tramadol HCl	Ryzolt	200	mg
morphine sulfate/naltrexone HCl	Embeda	60-2.4	mg
morphine sulfate/naltrexone HCl	Embeda	20-0.8	mg
morphine sulfate/naltrexone HCl	Embeda	30-1.2	mg
oxycodone HCl/acetaminophen	Endocet	5-325	mg
tapentadol HCl	Nucynta ER	100	mg
tapentadol HCl	Nucynta ER	50	mg
acetaminophen/caffeine/dihydrocodeine bitartrate	acetaminophen-caff-dihydrocod	320.5-30-16	mg
fentanyl citrate	Abstral	100	mcg
hydromorphone HCl	Dilaudid	1	mg/mL
TRAMADOL HCL/GLUCOSAMINE SULFATE	Synapryn	10-5	mg/mL
hydrocodone bitartrate	Zohydro ER	10	mg
hydrocodone bitartrate	Zohydro ER	15	mg
hydrocodone bitartrate	Zohydro ER	20	mg
hydrocodone bitartrate	Zohydro ER	30	mg
hydrocodone bitartrate	Zohydro ER	40	mg
oxycodone HCl/acetaminophen	oxycodone-acetaminophen	5-300	mg

**Appendix B. List of Generic and Brand Drug Names Used to Define the Exposure in this Request**

<b>Generic Name</b>	<b>Brand Name</b>	<b>Strength</b>	<b>Unit</b>
oxycodone HCl/acetaminophen	oxycodone-acetaminophen	7.5-300	mg
oxycodone HCl/acetaminophen	oxycodone-acetaminophen	10-300	mg
morphine sulfate	Kadian	40	mg
morphine sulfate	Kadian	70	mg
aspirin/caffeine/dihydrocodeine bitartrate	Synalgos-DC	356.4-30-16	mg
tramadol HCl	Ultram	50	mg
acetaminophen with codeine phosphate	Tylenol-Codeine #3	300-30	mg
oxycodone HCl/acetaminophen	Tylox	5-500	mg
hydrocodone bitartrate/acetaminophen	Lortab	5-500	mg
hydrocodone bitartrate/acetaminophen	Lortab Elixir	7.5-500	mg/15 mL
hydrocodone bitartrate/acetaminophen	Lortab 5-325	5-325	mg
hydrocodone bitartrate/acetaminophen	Lortab 7.5-325	7.5-325	mg
hydrocodone bitartrate/acetaminophen	Lortab 10-325	10-325	mg
acetaminophen with codeine phosphate	Cocet Plus	650-60	mg
acetaminophen with codeine phosphate	Cocet	650-30	mg
hydrocodone/ibuprofen	Ibudone	5-200	mg
hydrocodone/ibuprofen	Ibudone	10-200	mg
hydrocodone/ibuprofen	Xylon 10	10-200	mg
codeine sulfate	codeine sulfate	30	mg/5 mL
hydrocodone bitartrate/acetaminophen	Lorcet (hydrocodone)	5-325	mg
hydrocodone bitartrate/acetaminophen	Lorcet Plus	7.5-325	mg
hydrocodone bitartrate/acetaminophen	Lorcet HD	10-325	mg
codeine phosphate/butalbital/aspirin/caffeine	Ascomp with Codeine	30-50-325-40	mg
butalbital/acetaminophen/caffeine/codeine phosphate	Fioricet with Codeine	50-300-40-30	mg
hydrocodone bitartrate/acetaminophen	Maxidone	10-750	mg
codeine phosphate/butalbital/aspirin/caffeine	Fiorinal-Codeine #3	30-50-325-40	mg
butalbital/acetaminophen/caffeine/codeine phosphate	Fioricet with Codeine	50-325-40-30	mg
hydrocodone bitartrate/acetaminophen	Zydone	7.5-400	mg
carisoprodol/aspirin/codeine phosphate	Carisoprodol Compound-Codeine	200-325-16	mg
hydrocodone/ibuprofen	hydrocodone-ibuprofen	2.5-200	mg
tramadol HCl	ConZip	200	mg
hydrocodone bitartrate/acetaminophen	Zydone	10-400	mg
hydrocodone bitartrate/acetaminophen	Zydone	5-400	mg
oxycodone HCl/acetaminophen	Percocet	7.5-500	mg
oxycodone HCl	Oxaydo	5	mg
oxycodone HCl	Oxaydo	7.5	mg
aspirin/caffeine/dihydrocodeine bitartrate	aspirin-caffeine-dihydrocodein	356.4-30-16	mg
hydrocodone bitartrate/acetaminophen	Stagesic	5-500	mg
hydrocodone bitartrate	Hysingla ER	20	mg
hydrocodone bitartrate	Hysingla ER	30	mg
hydrocodone bitartrate	Hysingla ER	40	mg
hydrocodone bitartrate	Hysingla ER	60	mg

**Appendix B. List of Generic and Brand Drug Names Used to Define the Exposure in this Request**

<b>Generic Name</b>	<b>Brand Name</b>	<b>Strength</b>	<b>Unit</b>
hydrocodone bitartrate	Hysingla ER	80	mg
oxycodone HCl	OxyContin	15	mg
buprenorphine HCl	Belbuca	75	mcg
buprenorphine HCl	Belbuca	150	mcg
tramadol HCl	Rybix ODT	50	mg
oxycodone HCl/acetaminophen	Magnacet	5-400	mg
oxycodone HCl/acetaminophen	Magnacet	7.5-400	mg
morphine sulfate/naltrexone HCl	Embeda	50-2	mg
morphine sulfate/naltrexone HCl	Embeda	80-3.2	mg
oxycodone HCl	Oxecta	5	mg
oxycodone HCl	Oxecta	7.5	mg
oxycodone HCl/acetaminophen	Endocet	2.5-325	mg
acetaminophen/caffeine/dihydrocodeine bitartrate	Trezix	320.5-30-16	mg
fentanyl citrate	Fentora	100	mcg
oxycodone HCl/aspirin	Percodan	4.8355-325	mg
oxymorphone HCl	Opana ER	7.5	mg
oxycodone HCl/acetaminophen	Percocet	2.5-325	mg
codeine phosphate/butalbital/aspirin/caffeine	codeine-butalbital-ASA-caff	30-50-325-40	mg
morphine sulfate	MorphaBond ER	15	mg
morphine sulfate	MorphaBond ER	30	mg
oxycodone HCl	RoxyBond	5	mg
tramadol HCl	ConZip	100	mg
tramadol HCl	ConZip	300	mg
hydrocodone bitartrate/acetaminophen	Verdrocet	2.5-325	mg
acetaminophen/caffeine/dihydrocodeine bitartrate	acetaminophen-caff-dihydrocod	325-30-16	mg
codeine sulfate	codeine sulfate	15 mg/2.5 mL	(2.5 mL)
codeine sulfate	codeine sulfate	30 mg/5 mL	(5 mL)
tramadol HCl/dietary supplement,misc. cb.11	Theratramadol-60	50	mg
tramadol HCl/dietary supplement,misc. cb.11	Theratramadol-90	50	mg
hydrocodone bitartrate/acetaminophen/dietary supplement #11	Theracodophen-325	10-325	mg
hydrocodone bitartrate/acetaminophen/dietary supplement #11	Theracodophen-650	10-650	mg
hydrocodone bitartrate/acetaminophen/dietary supplement #11	Theracodophen-Low-90	5-500	mg
morphine sulfate	Arymo ER	15	mg
morphine sulfate	Arymo ER	30	mg



**Appendix B. List of Generic and Brand Drug Names Used to Define the Exposure in this Request**

<b>Generic Name</b>	<b>Brand Name</b>	<b>Strength</b>	<b>Unit</b>
acetaminophen/caffeine/dihydrocodeine bitartrate	Panlor(acetam-caff-dihydrocod)	325-30-16	mg
oxycodone HCl/acetaminophen	Nalocet	2.5-300	mg
<b>Transdermal Opioid Analgesics (Fentanyl &amp; Buprenorphine)</b>			
buprenorphine	buprenorphine	5	mcg/hour
buprenorphine	Butrans	5	mcg/hour
buprenorphine	buprenorphine	7.5	mcg/hour
buprenorphine	Butrans	7.5	mcg/hour
buprenorphine	buprenorphine	10	mcg/hour
buprenorphine	Butrans	10	mcg/hour
buprenorphine	buprenorphine	15	mcg/hour
buprenorphine	Butrans	15	mcg/hour
buprenorphine	buprenorphine	20	mcg/hour
buprenorphine	Butrans	20	mcg/hour
fentanyl	fentanyl	12	mcg/hr
fentanyl	Duragesic	12	mcg/hr
fentanyl	fentanyl	25	mcg/hr
fentanyl	Duragesic	25	mcg/hr
fentanyl	fentanyl	37.5	mcg/hour
fentanyl	fentanyl	50	mcg/hr
fentanyl	Duragesic	50	mcg/hr
fentanyl	fentanyl	62.5	mcg/hour
fentanyl	fentanyl	75	mcg/hr
fentanyl	Duragesic	75	mcg/hr
fentanyl	fentanyl	87.5	mcg/hour
fentanyl	fentanyl	100	mcg/hr
fentanyl	Duragesic	100	mcg/hr

**Appendix C. List of Healthcare Common Procedure Coding System (HCPCS) Procedure Codes Used to Define the Exposure in this Request**

---

<b>Code</b>	<b>Code Category</b>	<b>Code Type</b>	<b>Description</b>
<b>Lower Dosage Strength and All Oral and Transmucosal Opioid Analgesics</b>			
S0012	Procedure	HCPCS	Butorphanol tartrate, nasal spray, 25 mg

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

Code	Description	Code Type	Code Category
<b>Mental Health</b>			
293.81	Psychotic disorder with delusions in conditions classified elsewhere	ICD-9-CM	Diagnosis
293.82	Psychotic disorder with hallucinations in conditions classified elsewhere	ICD-9-CM	Diagnosis
293.83	Mood disorder in conditions classified elsewhere	ICD-9-CM	Diagnosis
293.84	Anxiety disorder in conditions classified elsewhere	ICD-9-CM	Diagnosis
293.89	Other transient mental disorders due to conditions classified elsewhere	ICD-9-CM	Diagnosis
293.9	Unspecified transient mental disorder in conditions classified elsewhere	ICD-9-CM	Diagnosis
295.00	Simple schizophrenia, unspecified condition	ICD-9-CM	Diagnosis
295.01	Simple schizophrenia, subchronic condition	ICD-9-CM	Diagnosis
295.02	Simple schizophrenia, chronic condition	ICD-9-CM	Diagnosis
295.03	Simple schizophrenia, subchronic condition with acute exacerbation	ICD-9-CM	Diagnosis
295.04	Simple schizophrenia, chronic condition with acute exacerbation	ICD-9-CM	Diagnosis
295.05	Simple schizophrenia, in remission	ICD-9-CM	Diagnosis
295.10	Disorganized schizophrenia, unspecified condition	ICD-9-CM	Diagnosis
295.11	Disorganized schizophrenia, subchronic condition	ICD-9-CM	Diagnosis
295.12	Disorganized schizophrenia, chronic condition	ICD-9-CM	Diagnosis
295.13	Disorganized schizophrenia, subchronic condition with acute exacerbation	ICD-9-CM	Diagnosis
295.14	Disorganized schizophrenia, chronic condition with acute exacerbation	ICD-9-CM	Diagnosis
295.15	Disorganized schizophrenia, in remission	ICD-9-CM	Diagnosis
295.20	Catatonic schizophrenia, unspecified condition	ICD-9-CM	Diagnosis
295.21	Catatonic schizophrenia, subchronic condition	ICD-9-CM	Diagnosis
295.22	Catatonic schizophrenia, chronic condition	ICD-9-CM	Diagnosis
295.23	Catatonic schizophrenia, subchronic condition with acute exacerbation	ICD-9-CM	Diagnosis
295.24	Catatonic schizophrenia, chronic condition with acute exacerbation	ICD-9-CM	Diagnosis
295.25	Catatonic schizophrenia, in remission	ICD-9-CM	Diagnosis
295.30	Paranoid schizophrenia, unspecified condition	ICD-9-CM	Diagnosis
295.31	Paranoid schizophrenia, subchronic condition	ICD-9-CM	Diagnosis
295.32	Paranoid schizophrenia, chronic condition	ICD-9-CM	Diagnosis
295.33	Paranoid schizophrenia, subchronic condition with acute exacerbation	ICD-9-CM	Diagnosis
295.34	Paranoid schizophrenia, chronic condition with acute exacerbation	ICD-9-CM	Diagnosis
295.35	Paranoid schizophrenia, in remission	ICD-9-CM	Diagnosis
295.40	Schizophreniform disorder, unspecified	ICD-9-CM	Diagnosis
295.41	Schizophreniform disorder, subchronic	ICD-9-CM	Diagnosis
295.42	Schizophreniform disorder, chronic	ICD-9-CM	Diagnosis
295.43	Schizophreniform disorder, subchronic with acute exacerbation	ICD-9-CM	Diagnosis
295.44	Schizophreniform disorder, chronic with acute exacerbation	ICD-9-CM	Diagnosis
295.45	Schizophreniform disorder, in remission	ICD-9-CM	Diagnosis
295.50	Latent schizophrenia, unspecified condition	ICD-9-CM	Diagnosis
295.51	Latent schizophrenia, subchronic condition	ICD-9-CM	Diagnosis
295.52	Latent schizophrenia, chronic condition	ICD-9-CM	Diagnosis
295.53	Latent schizophrenia, subchronic condition with acute exacerbation	ICD-9-CM	Diagnosis
295.54	Latent schizophrenia, chronic condition with acute exacerbation	ICD-9-CM	Diagnosis
295.55	Latent schizophrenia, in remission	ICD-9-CM	Diagnosis
295.60	Schizophrenic disorders, residual type, unspecified	ICD-9-CM	Diagnosis
295.61	Schizophrenic disorders, residual type, subchronic	ICD-9-CM	Diagnosis
295.62	Schizophrenic disorders, residual type, chronic	ICD-9-CM	Diagnosis
295.63	Schizophrenic disorders, residual type, subchronic with acute exacerbation	ICD-9-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
295.64	Schizophrenic disorders, residual type, chronic with acute exacerbation	ICD-9-CM	Diagnosis
295.65	Schizophrenic disorders, residual type, in remission	ICD-9-CM	Diagnosis
295.70	Schizoaffective disorder, unspecified	ICD-9-CM	Diagnosis
295.71	Schizoaffective disorder, subchronic	ICD-9-CM	Diagnosis
295.72	Schizoaffective disorder, chronic	ICD-9-CM	Diagnosis
295.73	Schizoaffective disorder, subchronic with acute exacerbation	ICD-9-CM	Diagnosis
295.74	Schizoaffective disorder, chronic with acute exacerbation	ICD-9-CM	Diagnosis
295.75	Schizoaffective disorder, in remission	ICD-9-CM	Diagnosis
295.80	Other specified types of schizophrenia, unspecified condition	ICD-9-CM	Diagnosis
295.81	Other specified types of schizophrenia, subchronic condition	ICD-9-CM	Diagnosis
295.82	Other specified types of schizophrenia, chronic condition	ICD-9-CM	Diagnosis
295.83	Other specified types of schizophrenia, subchronic condition with acute	ICD-9-CM	Diagnosis
295.84	Other specified types of schizophrenia, chronic condition with acute exacerbation	ICD-9-CM	Diagnosis
295.85	Other specified types of schizophrenia, in remission	ICD-9-CM	Diagnosis
295.90	Unspecified schizophrenia, unspecified condition	ICD-9-CM	Diagnosis
295.91	Unspecified schizophrenia, subchronic condition	ICD-9-CM	Diagnosis
295.92	Unspecified schizophrenia, chronic condition	ICD-9-CM	Diagnosis
295.93	Unspecified schizophrenia, subchronic condition with acute exacerbation	ICD-9-CM	Diagnosis
295.94	Unspecified schizophrenia, chronic condition with acute exacerbation	ICD-9-CM	Diagnosis
295.95	Unspecified schizophrenia, in remission	ICD-9-CM	Diagnosis
296.00	Bipolar I disorder, single manic episode, unspecified	ICD-9-CM	Diagnosis
296.01	Bipolar I disorder, single manic episode, mild	ICD-9-CM	Diagnosis
296.02	Bipolar I disorder, single manic episode, moderate	ICD-9-CM	Diagnosis
296.03	Bipolar I disorder, single manic episode, severe, without mention of psychotic	ICD-9-CM	Diagnosis
296.04	Bipolar I disorder, single manic episode, severe, specified as with psychotic behavior	ICD-9-CM	Diagnosis
296.05	Bipolar I disorder, single manic episode, in partial or unspecified remission	ICD-9-CM	Diagnosis
296.06	Bipolar I disorder, single manic episode, in full remission	ICD-9-CM	Diagnosis
296.10	Manic disorder, recurrent episode, unspecified	ICD-9-CM	Diagnosis
296.11	Manic disorder, recurrent episode, mild	ICD-9-CM	Diagnosis
296.12	Manic disorder, recurrent episode, moderate	ICD-9-CM	Diagnosis
296.13	Manic disorder, recurrent episode, severe, without mention of psychotic behavior	ICD-9-CM	Diagnosis
296.14	Manic disorder, recurrent episode, severe, specified as with psychotic behavior	ICD-9-CM	Diagnosis
296.15	Manic disorder, recurrent episode, in partial or unspecified remission	ICD-9-CM	Diagnosis
296.16	Manic disorder, recurrent episode, in full remission	ICD-9-CM	Diagnosis
296.20	Major depressive disorder, single episode, unspecified	ICD-9-CM	Diagnosis
296.21	Major depressive disorder, single episode, mild	ICD-9-CM	Diagnosis
296.22	Major depressive disorder, single episode, moderate	ICD-9-CM	Diagnosis
296.23	Major depressive disorder, single episode, severe, without mention of psychotic behavior	ICD-9-CM	Diagnosis
296.24	Major depressive disorder, single episode, severe, specified as with psychotic behavior	ICD-9-CM	Diagnosis
296.25	Major depressive disorder, single episode, in partial or unspecified remission	ICD-9-CM	Diagnosis
296.26	Major depressive disorder, single episode in full remission	ICD-9-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
296.30	Major depressive disorder, recurrent episode, unspecified	ICD-9-CM	Diagnosis
296.31	Major depressive disorder, recurrent episode, mild	ICD-9-CM	Diagnosis
296.32	Major depressive disorder, recurrent episode, moderate	ICD-9-CM	Diagnosis
296.33	Major depressive disorder, recurrent episode, severe, without mention of psychotic behavior	ICD-9-CM	Diagnosis
296.34	Major depressive disorder, recurrent episode, severe, specified as with psychotic behavior	ICD-9-CM	Diagnosis
296.35	Major depressive disorder, recurrent episode, in partial or unspecified remission	ICD-9-CM	Diagnosis
296.36	Major depressive disorder, recurrent episode, in full remission	ICD-9-CM	Diagnosis
296.40	Bipolar I disorder, most recent episode (or current) manic, unspecified	ICD-9-CM	Diagnosis
296.41	Bipolar I disorder, most recent episode (or current) manic, mild	ICD-9-CM	Diagnosis
296.42	Bipolar I disorder, most recent episode (or current) manic, moderate	ICD-9-CM	Diagnosis
296.43	Bipolar I disorder, most recent episode (or current) manic, severe, without mention of psychotic behavior	ICD-9-CM	Diagnosis
296.44	Bipolar I disorder, most recent episode (or current) manic, severe, specified as with psychotic behavior	ICD-9-CM	Diagnosis
296.45	Bipolar I disorder, most recent episode (or current) manic, in partial or unspecified remission	ICD-9-CM	Diagnosis
296.46	Bipolar I disorder, most recent episode (or current) manic, in full remission	ICD-9-CM	Diagnosis
296.50	Bipolar I disorder, most recent episode (or current) depressed, unspecified	ICD-9-CM	Diagnosis
296.51	Bipolar I disorder, most recent episode (or current) depressed, mild	ICD-9-CM	Diagnosis
296.52	Bipolar I disorder, most recent episode (or current) depressed, moderate	ICD-9-CM	Diagnosis
296.53	Bipolar I disorder, most recent episode (or current) depressed, severe, without mention of psychotic behavior	ICD-9-CM	Diagnosis
296.54	Bipolar I disorder, most recent episode (or current) depressed, severe, specified as with psychotic behavior	ICD-9-CM	Diagnosis
296.55	Bipolar I disorder, most recent episode (or current) depressed, in partial or unspecified remission	ICD-9-CM	Diagnosis
296.56	Bipolar I disorder, most recent episode (or current) depressed, in full remission	ICD-9-CM	Diagnosis
296.60	Bipolar I disorder, most recent episode (or current) mixed, unspecified	ICD-9-CM	Diagnosis
296.61	Bipolar I disorder, most recent episode (or current) mixed, mild	ICD-9-CM	Diagnosis
296.62	Bipolar I disorder, most recent episode (or current) mixed, moderate	ICD-9-CM	Diagnosis
296.63	Bipolar I disorder, most recent episode (or current) mixed, severe, without mention of psychotic behavior	ICD-9-CM	Diagnosis
296.64	Bipolar I disorder, most recent episode (or current) mixed, severe, specified as with psychotic behavior	ICD-9-CM	Diagnosis
296.65	Bipolar I disorder, most recent episode (or current) mixed, in partial or unspecified remission	ICD-9-CM	Diagnosis
296.66	Bipolar I disorder, most recent episode (or current) mixed, in full remission	ICD-9-CM	Diagnosis
296.7	Bipolar I disorder, most recent episode (or current) unspecified	ICD-9-CM	Diagnosis
296.80	Bipolar disorder, unspecified	ICD-9-CM	Diagnosis
296.81	Atypical manic disorder	ICD-9-CM	Diagnosis
296.82	Atypical depressive disorder	ICD-9-CM	Diagnosis
296.89	Other and unspecified bipolar disorders	ICD-9-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
296.90	Unspecified episodic mood disorder	ICD-9-CM	Diagnosis
296.99	Other specified episodic mood disorder	ICD-9-CM	Diagnosis
297.0	Paranoid state, simple	ICD-9-CM	Diagnosis
297.1	Delusional disorder	ICD-9-CM	Diagnosis
297.2	Paraphrenia	ICD-9-CM	Diagnosis
297.3	Shared psychotic disorder	ICD-9-CM	Diagnosis
297.8	Other specified paranoid states	ICD-9-CM	Diagnosis
297.9	Unspecified paranoid state	ICD-9-CM	Diagnosis
298.0	Depressive type psychosis	ICD-9-CM	Diagnosis
298.1	Excitatory type psychosis	ICD-9-CM	Diagnosis
298.2	Reactive confusion	ICD-9-CM	Diagnosis
298.3	Acute paranoid reaction	ICD-9-CM	Diagnosis
298.4	Psychogenic paranoid psychosis	ICD-9-CM	Diagnosis
298.8	Other and unspecified reactive psychosis	ICD-9-CM	Diagnosis
298.9	Unspecified psychosis	ICD-9-CM	Diagnosis
300.00	Anxiety state, unspecified	ICD-9-CM	Diagnosis
300.01	Panic disorder without agoraphobia	ICD-9-CM	Diagnosis
300.02	Generalized anxiety disorder	ICD-9-CM	Diagnosis
300.09	Other anxiety states	ICD-9-CM	Diagnosis
300.10	Hysteria, unspecified	ICD-9-CM	Diagnosis
300.11	Conversion disorder	ICD-9-CM	Diagnosis
300.12	Dissociative amnesia	ICD-9-CM	Diagnosis
300.13	Dissociative fugue	ICD-9-CM	Diagnosis
300.14	Dissociative identity disorder	ICD-9-CM	Diagnosis
300.15	Dissociative disorder or reaction, unspecified	ICD-9-CM	Diagnosis
300.16	Factitious disorder with predominantly psychological signs and symptoms	ICD-9-CM	Diagnosis
300.19	Other and unspecified factitious illness	ICD-9-CM	Diagnosis
300.20	Phobia, unspecified	ICD-9-CM	Diagnosis
300.21	Agoraphobia with panic disorder	ICD-9-CM	Diagnosis
300.22	Agoraphobia without mention of panic attacks	ICD-9-CM	Diagnosis
300.23	Social phobia	ICD-9-CM	Diagnosis
300.29	Other isolated or specific phobias	ICD-9-CM	Diagnosis
300.3	Obsessive-compulsive disorders	ICD-9-CM	Diagnosis
300.4	Dysthymic disorder	ICD-9-CM	Diagnosis
300.5	Neurasthenia	ICD-9-CM	Diagnosis
300.6	Depersonalization disorder	ICD-9-CM	Diagnosis
300.7	Hypochondriasis	ICD-9-CM	Diagnosis
300.81	Somatization disorder	ICD-9-CM	Diagnosis
300.82	Undifferentiated somatoform disorder	ICD-9-CM	Diagnosis
300.89	Other somatoform disorders	ICD-9-CM	Diagnosis
300.9	Unspecified nonpsychotic mental disorder	ICD-9-CM	Diagnosis
301.0	Paranoid personality disorder	ICD-9-CM	Diagnosis
301.10	Affective personality disorder, unspecified	ICD-9-CM	Diagnosis
301.11	Chronic hypomanic personality disorder	ICD-9-CM	Diagnosis
301.12	Chronic depressive personality disorder	ICD-9-CM	Diagnosis
301.13	Cyclothymic disorder	ICD-9-CM	Diagnosis
301.20	Schizoid personality disorder, unspecified	ICD-9-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
301.21	Introverted personality	ICD-9-CM	Diagnosis
301.22	Schizotypal personality disorder	ICD-9-CM	Diagnosis
301.3	Explosive personality disorder	ICD-9-CM	Diagnosis
301.4	Obsessive-compulsive personality disorder	ICD-9-CM	Diagnosis
301.50	Histrionic personality disorder, unspecified	ICD-9-CM	Diagnosis
301.51	Chronic factitious illness with physical symptoms	ICD-9-CM	Diagnosis
301.59	Other histrionic personality disorder	ICD-9-CM	Diagnosis
301.6	Dependent personality disorder	ICD-9-CM	Diagnosis
301.7	Antisocial personality disorder	ICD-9-CM	Diagnosis
301.81	Narcissistic personality disorder	ICD-9-CM	Diagnosis
301.82	Avoidant personality disorder	ICD-9-CM	Diagnosis
301.83	Borderline personality disorder	ICD-9-CM	Diagnosis
301.84	Passive-aggressive personality	ICD-9-CM	Diagnosis
301.89	Other personality disorder	ICD-9-CM	Diagnosis
301.9	Unspecified personality disorder	ICD-9-CM	Diagnosis
302.1	Zoophilia	ICD-9-CM	Diagnosis
302.2	Pedophilia	ICD-9-CM	Diagnosis
302.3	Transvestic fetishism	ICD-9-CM	Diagnosis
302.4	Exhibitionism	ICD-9-CM	Diagnosis
302.50	Trans-sexualism with unspecified sexual history	ICD-9-CM	Diagnosis
302.51	Trans-sexualism with asexual history	ICD-9-CM	Diagnosis
302.52	Trans-sexualism with homosexual history	ICD-9-CM	Diagnosis
302.53	Trans-sexualism with heterosexual history	ICD-9-CM	Diagnosis
302.6	Gender identity disorder in children	ICD-9-CM	Diagnosis
302.70	Psychosexual dysfunction, unspecified	ICD-9-CM	Diagnosis
302.71	Hypoactive sexual desire disorder	ICD-9-CM	Diagnosis
302.72	Psychosexual dysfunction with inhibited sexual excitement	ICD-9-CM	Diagnosis
302.73	Female orgasmic disorder	ICD-9-CM	Diagnosis
302.74	Male orgasmic disorder	ICD-9-CM	Diagnosis
302.75	Premature ejaculation	ICD-9-CM	Diagnosis
302.76	Dyspareunia, psychogenic	ICD-9-CM	Diagnosis
302.79	Psychosexual dysfunction with other specified psychosexual dysfunctions	ICD-9-CM	Diagnosis
302.81	Fetishism	ICD-9-CM	Diagnosis
302.82	Voyeurism	ICD-9-CM	Diagnosis
302.83	Sexual masochism	ICD-9-CM	Diagnosis
302.84	Sexual sadism	ICD-9-CM	Diagnosis
302.85	Gender identity disorder in adolescents or adults	ICD-9-CM	Diagnosis
302.89	Other specified psychosexual disorder	ICD-9-CM	Diagnosis
302.9	Unspecified psychosexual disorder	ICD-9-CM	Diagnosis
306.0	Musculoskeletal malfunction arising from mental factors	ICD-9-CM	Diagnosis
306.1	Respiratory malfunction arising from mental factors	ICD-9-CM	Diagnosis
306.2	Cardiovascular malfunction arising from mental factors	ICD-9-CM	Diagnosis
306.3	Skin malfunction arising from mental factors	ICD-9-CM	Diagnosis
306.4	Gastrointestinal malfunction arising from mental factors	ICD-9-CM	Diagnosis



**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
306.50	Psychogenic genitourinary malfunction, unspecified	ICD-9-CM	Diagnosis
306.51	Psychogenic vaginismus	ICD-9-CM	Diagnosis
306.52	Psychogenic dysmenorrhea	ICD-9-CM	Diagnosis
306.53	Psychogenic dysuria	ICD-9-CM	Diagnosis
306.59	Other genitourinary malfunction arising from mental factors	ICD-9-CM	Diagnosis
306.6	Endocrine malfunction arising from mental factors	ICD-9-CM	Diagnosis
306.7	Malfunction of organs of special sense arising from mental factors	ICD-9-CM	Diagnosis
306.8	Other specified psychophysiological malfunction	ICD-9-CM	Diagnosis
306.9	Unspecified psychophysiological malfunction	ICD-9-CM	Diagnosis
307.1	Anorexia nervosa	ICD-9-CM	Diagnosis
307.40	Nonorganic sleep disorder, unspecified	ICD-9-CM	Diagnosis
307.41	Transient disorder of initiating or maintaining sleep	ICD-9-CM	Diagnosis
307.42	Persistent disorder of initiating or maintaining sleep	ICD-9-CM	Diagnosis
307.43	Transient disorder of initiating or maintaining wakefulness	ICD-9-CM	Diagnosis
307.44	Persistent disorder of initiating or maintaining wakefulness	ICD-9-CM	Diagnosis
307.45	Circadian rhythm sleep disorder of nonorganic origin	ICD-9-CM	Diagnosis
307.46	Sleep arousal disorder	ICD-9-CM	Diagnosis
307.47	Other dysfunctions of sleep stages or arousal from sleep	ICD-9-CM	Diagnosis
307.48	Repetitive intrusions of sleep	ICD-9-CM	Diagnosis
307.49	Other specific disorder of sleep of nonorganic origin	ICD-9-CM	Diagnosis
307.50	Eating disorder, unspecified	ICD-9-CM	Diagnosis
307.51	Bulimia nervosa	ICD-9-CM	Diagnosis
307.52	Pica	ICD-9-CM	Diagnosis
307.53	Rumination disorder	ICD-9-CM	Diagnosis
307.54	Psychogenic vomiting	ICD-9-CM	Diagnosis
307.59	Other disorder of eating	ICD-9-CM	Diagnosis
307.80	Psychogenic pain, site unspecified	ICD-9-CM	Diagnosis
307.81	Tension headache	ICD-9-CM	Diagnosis
307.89	Other pain disorder related to psychological factors	ICD-9-CM	Diagnosis
308.0	Predominant disturbance of emotions	ICD-9-CM	Diagnosis
308.1	Predominant disturbance of consciousness as reaction to stress	ICD-9-CM	Diagnosis
308.2	Predominant psychomotor disturbance as reaction to stress	ICD-9-CM	Diagnosis
308.3	Other acute reactions to stress	ICD-9-CM	Diagnosis
308.4	Mixed disorders as reaction to stress	ICD-9-CM	Diagnosis
308.9	Unspecified acute reaction to stress	ICD-9-CM	Diagnosis
309.0	Adjustment disorder with depressed mood	ICD-9-CM	Diagnosis
309.1	Prolonged depressive reaction as adjustment reaction	ICD-9-CM	Diagnosis
309.22	Emancipation disorder of adolescence and early adult life	ICD-9-CM	Diagnosis
309.23	Specific academic or work inhibition as adjustment reaction	ICD-9-CM	Diagnosis
309.24	Adjustment disorder with anxiety	ICD-9-CM	Diagnosis
309.28	Adjustment disorder with mixed anxiety and depressed mood	ICD-9-CM	Diagnosis
309.29	Other adjustment reaction with predominant disturbance of other emotions	ICD-9-CM	Diagnosis



**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
309.3	Adjustment disorder with disturbance of conduct	ICD-9-CM	Diagnosis
309.4	Adjustment disorder with mixed disturbance of emotions and conduct	ICD-9-CM	Diagnosis
309.81	Posttraumatic stress disorder	ICD-9-CM	Diagnosis
309.82	Adjustment reaction with physical symptoms	ICD-9-CM	Diagnosis
309.83	Adjustment reaction with withdrawal	ICD-9-CM	Diagnosis
309.89	Other specified adjustment reaction	ICD-9-CM	Diagnosis
309.9	Unspecified adjustment reaction	ICD-9-CM	Diagnosis
310.1	Personality change due to conditions classified elsewhere	ICD-9-CM	Diagnosis
311	Depressive disorder, not elsewhere classified	ICD-9-CM	Diagnosis
312.00	Undersocialized conduct disorder, aggressive type, unspecified	ICD-9-CM	Diagnosis
312.01	Undersocialized conduct disorder, aggressive type, mild	ICD-9-CM	Diagnosis
312.02	Undersocialized conduct disorder, aggressive type, moderate	ICD-9-CM	Diagnosis
312.03	Undersocialized conduct disorder, aggressive type, severe	ICD-9-CM	Diagnosis
312.10	Undersocialized conduct disorder, unaggressive type, unspecified	ICD-9-CM	Diagnosis
312.11	Undersocialized conduct disorder, unaggressive type, mild	ICD-9-CM	Diagnosis
312.12	Undersocialized conduct disorder, unaggressive type, moderate	ICD-9-CM	Diagnosis
312.13	Undersocialized conduct disorder, unaggressive type, severe	ICD-9-CM	Diagnosis
312.20	Socialized conduct disorder, unspecified	ICD-9-CM	Diagnosis
312.21	Socialized conduct disorder, mild	ICD-9-CM	Diagnosis
312.22	Socialized conduct disorder, moderate	ICD-9-CM	Diagnosis
312.23	Socialized conduct disorder, severe	ICD-9-CM	Diagnosis
312.30	Impulse control disorder, unspecified	ICD-9-CM	Diagnosis
312.31	Pathological gambling	ICD-9-CM	Diagnosis
312.32	Kleptomania	ICD-9-CM	Diagnosis
312.33	Pyromania	ICD-9-CM	Diagnosis
312.34	Intermittent explosive disorder	ICD-9-CM	Diagnosis
312.35	Isolated explosive disorder	ICD-9-CM	Diagnosis
312.39	Other disorder of impulse control	ICD-9-CM	Diagnosis
312.4	Mixed disturbance of conduct and emotions	ICD-9-CM	Diagnosis
312.8	Other specified disturbances of conduct, not elsewhere classified	ICD-9-CM	Diagnosis
312.81	Conduct disorder, childhood onset type	ICD-9-CM	Diagnosis
312.82	Conduct disorder, adolescent onset type	ICD-9-CM	Diagnosis
312.89	Other specified disturbance of conduct, not elsewhere classified	ICD-9-CM	Diagnosis
312.9	Unspecified disturbance of conduct	ICD-9-CM	Diagnosis
313.0	Overanxious disorder specific to childhood and adolescence	ICD-9-CM	Diagnosis
313.1	Misery and unhappiness disorder specific to childhood and adolescence	ICD-9-CM	Diagnosis
313.21	Shyness disorder of childhood	ICD-9-CM	Diagnosis
313.22	Introversive disorder of childhood	ICD-9-CM	Diagnosis
313.3	Relationship problems specific to childhood and adolescence	ICD-9-CM	Diagnosis
313.81	Oppositional defiant disorder	ICD-9-CM	Diagnosis
313.82	Identity disorder of childhood or adolescence	ICD-9-CM	Diagnosis
313.83	Academic underachievement disorder of childhood or adolescence	ICD-9-CM	Diagnosis
314.00	Attention deficit disorder of childhood without mention of hyperactivity	ICD-9-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
314.01	Attention deficit disorder of childhood with hyperactivity	ICD-9-CM	Diagnosis
314.1	Hyperkinesis of childhood with developmental delay	ICD-9-CM	Diagnosis
314.2	Hyperkinetic conduct disorder of childhood	ICD-9-CM	Diagnosis
314.8	Other specified manifestations of hyperkinetic syndrome of childhood	ICD-9-CM	Diagnosis
314.9	Unspecified hyperkinetic syndrome of childhood	ICD-9-CM	Diagnosis
316	Psychic factors associated with diseases classified elsewhere	ICD-9-CM	Diagnosis
648.40	Maternal mental disorders, complicating pregnancy, childbirth, or the puerperium, unspecified as to episode of care	ICD-9-CM	Diagnosis
648.41	Maternal mental disorders, with delivery	ICD-9-CM	Diagnosis
648.42	Maternal mental disorders, with delivery, with current postpartum complication	ICD-9-CM	Diagnosis
648.43	Maternal mental disorders, antepartum	ICD-9-CM	Diagnosis
648.44	Maternal mental disorders complicating pregnancy, childbirth, or the puerperium, postpartum condition or complication	ICD-9-CM	Diagnosis
E950.0	Suicide and self-inflicted poisoning by analgesics, antipyretics, and antirheumatics	ICD-9-CM	Diagnosis
E950.1	Suicide and self-inflicted poisoning by barbiturates	ICD-9-CM	Diagnosis
E950.2	Suicide and self-inflicted poisoning by other sedatives and hypnotics	ICD-9-CM	Diagnosis
E950.3	Suicide and self-inflicted poisoning by tranquilizers and other psychotropic agents	ICD-9-CM	Diagnosis
E950.4	Suicide and self-inflicted poisoning by other specified drugs and medicinal substances	ICD-9-CM	Diagnosis
E950.5	Suicide and self-inflicted poisoning by unspecified drug or medicinal substance	ICD-9-CM	Diagnosis
E950.6	Suicide and self-inflicted poisoning by agricultural and horticultural chemical and pharmaceutical preparations other than plant foods and fertilizers	ICD-9-CM	Diagnosis
E950.7	Suicide and self-inflicted poisoning by corrosive and caustic substances	ICD-9-CM	Diagnosis
E950.8	Suicide and self-inflicted poisoning by arsenic and its compounds	ICD-9-CM	Diagnosis
E950.9	Suicide and self-inflicted poisoning by other and unspecified solid and liquid substances	ICD-9-CM	Diagnosis
E951.0	Suicide and self-inflicted poisoning by gas distributed by pipeline	ICD-9-CM	Diagnosis
E951.1	Suicide and self-inflicted poisoning by liquefied petroleum gas distributed in mobile containers	ICD-9-CM	Diagnosis
E951.8	Suicide and self-inflicted poisoning by other utility gas	ICD-9-CM	Diagnosis
E952.0	Suicide and self-inflicted poisoning by motor vehicle exhaust gas	ICD-9-CM	Diagnosis
E952.1	Suicide and self-inflicted poisoning by other carbon monoxide	ICD-9-CM	Diagnosis
E952.8	Suicide and self-inflicted poisoning by other specified gases and vapors	ICD-9-CM	Diagnosis
E952.9	Suicide and self-inflicted poisoning by unspecified gases and vapors	ICD-9-CM	Diagnosis
E953.0	Suicide and self-inflicted injury by hanging	ICD-9-CM	Diagnosis
E953.1	Suicide and self-inflicted injury by suffocation by plastic bag	ICD-9-CM	Diagnosis
E953.8	Suicide and self-inflicted injury by other specified means	ICD-9-CM	Diagnosis
E953.9	Suicide and self-inflicted injury by unspecified means	ICD-9-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
E954	Suicide and self-inflicted injury by submersion (drowning)	ICD-9-CM	Diagnosis
E955.0	Suicide and self-inflicted injury by handgun	ICD-9-CM	Diagnosis
E955.1	Suicide and self-inflicted injury by shotgun	ICD-9-CM	Diagnosis
E955.2	Suicide and self-inflicted injury by hunting rifle	ICD-9-CM	Diagnosis
E955.3	Suicide and self-inflicted injury by military firearms	ICD-9-CM	Diagnosis
E955.4	Suicide and self-inflicted injury by other and unspecified firearm	ICD-9-CM	Diagnosis
E955.5	Suicide and self-inflicted injury by explosives	ICD-9-CM	Diagnosis
E955.6	Suicide and self-inflicted injury by air gun	ICD-9-CM	Diagnosis
E955.7	Suicide and self-inflicted injury by paintball gun	ICD-9-CM	Diagnosis
E955.9	Suicide and self-inflicted injury by firearms and explosives, unspecified	ICD-9-CM	Diagnosis
E956	Suicide and self-inflicted injury by cutting and piercing instrument	ICD-9-CM	Diagnosis
E957.0	Suicide and self-inflicted injuries by jumping from residential premises	ICD-9-CM	Diagnosis
E957.1	Suicide and self-inflicted injuries by jumping from other man-made structures	ICD-9-CM	Diagnosis
E957.2	Suicide and self-inflicted injuries by jumping from natural sites	ICD-9-CM	Diagnosis
E957.9	Suicide and self-inflicted injuries by jumping from unspecified site	ICD-9-CM	Diagnosis
E958.0	Suicide and self-inflicted injury by jumping or lying before moving object	ICD-9-CM	Diagnosis
E958.1	Suicide and self-inflicted injury by burns, fire	ICD-9-CM	Diagnosis
E958.2	Suicide and self-inflicted injury by scald	ICD-9-CM	Diagnosis
E958.3	Suicide and self-inflicted injury by extremes of cold	ICD-9-CM	Diagnosis
E958.4	Suicide and self-inflicted injury by electrocution	ICD-9-CM	Diagnosis
E958.5	Suicide and self-inflicted injury by crashing of motor vehicle	ICD-9-CM	Diagnosis
E958.6	Suicide and self-inflicted injury by crashing of aircraft	ICD-9-CM	Diagnosis
E958.7	Suicide and self-inflicted injury by caustic substances, except poisoning	ICD-9-CM	Diagnosis
E958.8	Suicide and self-inflicted injury by other specified means	ICD-9-CM	Diagnosis
E958.9	Suicide and self-inflicted injury by unspecified means	ICD-9-CM	Diagnosis
E959	Late effects of self-inflicted injury	ICD-9-CM	Diagnosis
V40.2	Other mental problems	ICD-9-CM	Diagnosis
V40.3	Other behavioral problems	ICD-9-CM	Diagnosis
V40.31	Wandering in diseases classified elsewhere	ICD-9-CM	Diagnosis
V40.39	Other specified behavioral problem	ICD-9-CM	Diagnosis
V40.9	Unspecified mental or behavioral problem	ICD-9-CM	Diagnosis
V62.84	Suicidal ideation	ICD-9-CM	Diagnosis
V67.3	Psychotherapy and other treatment for mental disorder follow-up examination	ICD-9-CM	Diagnosis
F40.241	Acrophobia	ICD-10-CM	Diagnosis
F43.0	Acute stress reaction	ICD-10-CM	Diagnosis
F43.25	Adjustment disorder with mixed disturbance of emotions and conduct	ICD-10-CM	Diagnosis
F43.23	Adjustment disorder with mixed anxiety and depressed mood	ICD-10-CM	Diagnosis
F43.20	Adjustment disorder, unspecified	ICD-10-CM	Diagnosis
F43.22	Adjustment disorder with anxiety	ICD-10-CM	Diagnosis
F43.21	Adjustment disorder with depressed mood	ICD-10-CM	Diagnosis
F43.24	Adjustment disorder with disturbance of conduct	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
F43.29	Adjustment disorder with other symptoms	ICD-10-CM	Diagnosis
F51.02	Adjustment insomnia	ICD-10-CM	Diagnosis
F40.00	Agoraphobia, unspecified	ICD-10-CM	Diagnosis
F40.01	Agoraphobia with panic disorder	ICD-10-CM	Diagnosis
F40.02	Agoraphobia without panic disorder	ICD-10-CM	Diagnosis
F40.290	Androphobia	ICD-10-CM	Diagnosis
R45.84	Anhedonia	ICD-10-CM	Diagnosis
F50.02	Anorexia nervosa, binge eating/purging type	ICD-10-CM	Diagnosis
F50.01	Anorexia nervosa, restricting type	ICD-10-CM	Diagnosis
F50.00	Anorexia nervosa, unspecified	ICD-10-CM	Diagnosis
F60.2	Antisocial personality disorder	ICD-10-CM	Diagnosis
F06.4	Anxiety disorder due to known physiological condition	ICD-10-CM	Diagnosis
F41.9	Anxiety disorder, unspecified	ICD-10-CM	Diagnosis
F40.210	Arachnophobia	ICD-10-CM	Diagnosis
T71.222D	Asphyxiation due to being trapped in a car trunk, intentional self-harm, subsequent encounter	ICD-10-CM	Diagnosis
T71.222A	Asphyxiation due to being trapped in a car trunk, intentional self-harm, initial encounter	ICD-10-CM	Diagnosis
T71.222S	Asphyxiation due to being trapped in a car trunk, intentional self-harm, sequela	ICD-10-CM	Diagnosis
T71.192D	Asphyxiation due to mechanical threat to breathing due to other causes, intentional self-harm, subsequent encounter	ICD-10-CM	Diagnosis
T71.192S	Asphyxiation due to mechanical threat to breathing due to other causes, intentional self-harm, sequela	ICD-10-CM	Diagnosis
T71.192A	Asphyxiation due to mechanical threat to breathing due to other causes, intentional self-harm, initial encounter	ICD-10-CM	Diagnosis
T71.152S	Asphyxiation due to smothering in furniture, intentional self-harm, sequela	ICD-10-CM	Diagnosis
T71.152D	Asphyxiation due to smothering in furniture, intentional self-harm, subsequent encounter	ICD-10-CM	Diagnosis
T71.152A	Asphyxiation due to smothering in furniture, intentional self-harm, initial encounter	ICD-10-CM	Diagnosis
T71.232S	Asphyxiation due to being trapped in a (discarded) refrigerator, intentional self-harm, sequela	ICD-10-CM	Diagnosis
T71.232D	Asphyxiation due to being trapped in a (discarded) refrigerator, intentional self-harm, subsequent encounter	ICD-10-CM	Diagnosis
T71.232A	Asphyxiation due to being trapped in a (discarded) refrigerator, intentional self-harm, initial encounter	ICD-10-CM	Diagnosis
T71.112A	Asphyxiation due to smothering under pillow, intentional self-harm, initial encounter	ICD-10-CM	Diagnosis
T71.112S	Asphyxiation due to smothering under pillow, intentional self-harm, sequela	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
T71.112D	Asphyxiation due to smothering under pillow, intentional self-harm, subsequent encounter	ICD-10-CM	Diagnosis
T71.132A	Asphyxiation due to being trapped in bed linens, intentional self-harm, initial encounter	ICD-10-CM	Diagnosis
T71.132S	Asphyxiation due to being trapped in bed linens, intentional self-harm, sequela	ICD-10-CM	Diagnosis
T71.132D	Asphyxiation due to being trapped in bed linens, intentional self-harm, subsequent encounter	ICD-10-CM	Diagnosis
T71.162A	Asphyxiation due to hanging, intentional self-harm, initial encounter	ICD-10-CM	Diagnosis
T71.162S	Asphyxiation due to hanging, intentional self-harm, sequela	ICD-10-CM	Diagnosis
T71.162D	Asphyxiation due to hanging, intentional self-harm, subsequent encounter	ICD-10-CM	Diagnosis
T71.122S	Asphyxiation due to plastic bag, intentional self-harm, sequela	ICD-10-CM	Diagnosis
T71.122A	Asphyxiation due to plastic bag, intentional self-harm, initial encounter	ICD-10-CM	Diagnosis
T71.122D	Asphyxiation due to plastic bag, intentional self-harm, subsequent encounter	ICD-10-CM	Diagnosis
F90.2	Attention-deficit hyperactivity disorder, combined type	ICD-10-CM	Diagnosis
F90.1	Attention-deficit hyperactivity disorder, predominantly hyperactive type	ICD-10-CM	Diagnosis
F90.0	Attention-deficit hyperactivity disorder, predominantly inattentive type	ICD-10-CM	Diagnosis
F90.8	Attention-deficit hyperactivity disorder, other type	ICD-10-CM	Diagnosis
F90.9	Attention-deficit hyperactivity disorder, unspecified type	ICD-10-CM	Diagnosis
F60.6	Avoidant personality disorder	ICD-10-CM	Diagnosis
F50.82	Avoidant/restrictive food intake disorder	ICD-10-CM	Diagnosis
F50.81	Binge eating disorder	ICD-10-CM	Diagnosis
F31.4	Bipolar disorder, current episode depressed, severe, without psychotic features	ICD-10-CM	Diagnosis
F31.5	Bipolar disorder, current episode depressed, severe, with psychotic features	ICD-10-CM	Diagnosis
F31.63	Bipolar disorder, current episode mixed, severe, without psychotic features	ICD-10-CM	Diagnosis
F31.64	Bipolar disorder, current episode mixed, severe, with psychotic features	ICD-10-CM	Diagnosis
F31.70	Bipolar disorder, currently in remission, most recent episode unspecified	ICD-10-CM	Diagnosis
F31.2	Bipolar disorder, current episode manic severe with psychotic features	ICD-10-CM	Diagnosis
F31.31	Bipolar disorder, current episode depressed, mild	ICD-10-CM	Diagnosis
F31.32	Bipolar disorder, current episode depressed, moderate	ICD-10-CM	Diagnosis
F31.11	Bipolar disorder, current episode manic without psychotic features, mild	ICD-10-CM	Diagnosis
F31.12	Bipolar disorder, current episode manic without psychotic features, moderate	ICD-10-CM	Diagnosis
F31.13	Bipolar disorder, current episode manic without psychotic features, severe	ICD-10-CM	Diagnosis
F31.10	Bipolar disorder, current episode manic without psychotic features, unspecified	ICD-10-CM	Diagnosis
F31.30	Bipolar disorder, current episode depressed, mild or moderate severity, unspecified	ICD-10-CM	Diagnosis
F31.0	Bipolar disorder, current episode hypomanic	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
F31.61	Bipolar disorder, current episode mixed, mild	ICD-10-CM	Diagnosis
F31.62	Bipolar disorder, current episode mixed, moderate	ICD-10-CM	Diagnosis
F31.60	Bipolar disorder, current episode mixed, unspecified	ICD-10-CM	Diagnosis
F31.76	Bipolar disorder, in full remission, most recent episode depressed	ICD-10-CM	Diagnosis
F31.72	Bipolar disorder, in full remission, most recent episode hypomanic	ICD-10-CM	Diagnosis
F31.74	Bipolar disorder, in full remission, most recent episode manic	ICD-10-CM	Diagnosis
F31.78	Bipolar disorder, in full remission, most recent episode mixed	ICD-10-CM	Diagnosis
F31.75	Bipolar disorder, in partial remission, most recent episode depressed	ICD-10-CM	Diagnosis
F31.71	Bipolar disorder, in partial remission, most recent episode hypomanic	ICD-10-CM	Diagnosis
F31.73	Bipolar disorder, in partial remission, most recent episode manic	ICD-10-CM	Diagnosis
F31.77	Bipolar disorder, in partial remission, most recent episode mixed	ICD-10-CM	Diagnosis
F31.9	Bipolar disorder, unspecified	ICD-10-CM	Diagnosis
F31.81	Bipolar II disorder	ICD-10-CM	Diagnosis
R46.1	Bizarre personal appearance	ICD-10-CM	Diagnosis
F45.22	Body dysmorphic disorder	ICD-10-CM	Diagnosis
F60.3	Borderline personality disorder	ICD-10-CM	Diagnosis
F23	Brief psychotic disorder	ICD-10-CM	Diagnosis
F50.2	Bulimia nervosa	ICD-10-CM	Diagnosis
F06.1	Catatonic disorder due to known physiological condition	ICD-10-CM	Diagnosis
F20.2	Catatonic schizophrenia	ICD-10-CM	Diagnosis
T61.02XA	Ciguatera fish poisoning, intentional self-harm, initial encounter	ICD-10-CM	Diagnosis
T61.02XS	Ciguatera fish poisoning, intentional self-harm, sequela	ICD-10-CM	Diagnosis
T61.02XD	Ciguatera fish poisoning, intentional self-harm, subsequent encounter	ICD-10-CM	Diagnosis
F40.240	Claustrophobia	ICD-10-CM	Diagnosis
F91.2	Conduct disorder, adolescent-onset type	ICD-10-CM	Diagnosis
F91.1	Conduct disorder, childhood-onset type	ICD-10-CM	Diagnosis
F91.0	Conduct disorder confined to family context	ICD-10-CM	Diagnosis
F91.9	Conduct disorder, unspecified	ICD-10-CM	Diagnosis
F44.7	Conversion disorder with mixed symptom presentation	ICD-10-CM	Diagnosis
F44.4	Conversion disorder with motor symptom or deficit	ICD-10-CM	Diagnosis
F44.5	Conversion disorder with seizures or convulsions	ICD-10-CM	Diagnosis
F44.6	Conversion disorder with sensory symptom or deficit	ICD-10-CM	Diagnosis
F34.0	Cyclothymic disorder	ICD-10-CM	Diagnosis
F22	Delusional disorders	ICD-10-CM	Diagnosis
R45.3	Demoralization and apathy	ICD-10-CM	Diagnosis
F60.7	Dependent personality disorder	ICD-10-CM	Diagnosis
F48.1	Depersonalization-derealization syndrome	ICD-10-CM	Diagnosis
F20.1	Disorganized schizophrenia	ICD-10-CM	Diagnosis
F34.81	Disruptive mood dysregulation disorder	ICD-10-CM	Diagnosis
F44.0	Dissociative amnesia	ICD-10-CM	Diagnosis
F44.9	Dissociative and conversion disorder, unspecified	ICD-10-CM	Diagnosis
F44.1	Dissociative fugue	ICD-10-CM	Diagnosis
F44.81	Dissociative identity disorder	ICD-10-CM	Diagnosis



**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
F44.2	Dissociative stupor	ICD-10-CM	Diagnosis
F64.1	Dual role transvestism	ICD-10-CM	Diagnosis
F52.6	Dyspareunia not due to a substance or known physiological condition	ICD-10-CM	Diagnosis
F34.1	Dysthymic disorder	ICD-10-CM	Diagnosis
F50.9	Eating disorder, unspecified	ICD-10-CM	Diagnosis
R45.86	Emotional lability	ICD-10-CM	Diagnosis
R45.83	Excessive crying of child, adolescent or adult	ICD-10-CM	Diagnosis
F42.4	Excoriation (skin-picking) disorder	ICD-10-CM	Diagnosis
F65.2	Exhibitionism	ICD-10-CM	Diagnosis
F68.13	Factitious disorder imposed on self, with combined psychological and physical signs and symptoms	ICD-10-CM	Diagnosis
F68.11	Factitious disorder imposed on self, with predominantly psychological signs and symptoms	ICD-10-CM	Diagnosis
F68.12	Factitious disorder imposed on self, with predominantly physical signs and symptoms	ICD-10-CM	Diagnosis
F68.A	Factitious disorder imposed on another	ICD-10-CM	Diagnosis
F68.10	Factitious disorder imposed on self, unspecified	ICD-10-CM	Diagnosis
F40.230	Fear of blood	ICD-10-CM	Diagnosis
F40.242	Fear of bridges	ICD-10-CM	Diagnosis
F40.243	Fear of flying	ICD-10-CM	Diagnosis
F40.231	Fear of injections and transfusions	ICD-10-CM	Diagnosis
F40.233	Fear of injury	ICD-10-CM	Diagnosis
F40.232	Fear of other medical care	ICD-10-CM	Diagnosis
F40.220	Fear of thunderstorms	ICD-10-CM	Diagnosis
F52.31	Female orgasmic disorder	ICD-10-CM	Diagnosis
F52.22	Female sexual arousal disorder	ICD-10-CM	Diagnosis
F65.0	Fetishism	ICD-10-CM	Diagnosis
F65.81	Frotteurism	ICD-10-CM	Diagnosis
F64.9	Gender identity disorder, unspecified	ICD-10-CM	Diagnosis
F41.1	Generalized anxiety disorder	ICD-10-CM	Diagnosis
F40.291	Gynephobia	ICD-10-CM	Diagnosis
F60.4	Histrionic personality disorder	ICD-10-CM	Diagnosis
F42.3	Hoarding disorder	ICD-10-CM	Diagnosis
R45.850	Homicidal ideations	ICD-10-CM	Diagnosis
R45.5	Hostility	ICD-10-CM	Diagnosis
F51.13	Hypersomnia due to other mental disorder	ICD-10-CM	Diagnosis
F52.0	Hypoactive sexual desire disorder	ICD-10-CM	Diagnosis
F45.20	Hypochondriacal disorder, unspecified	ICD-10-CM	Diagnosis
F45.21	Hypochondriasis	ICD-10-CM	Diagnosis
F63.9	Impulse disorder, unspecified	ICD-10-CM	Diagnosis
F51.05	Insomnia due to other mental disorder	ICD-10-CM	Diagnosis
F51.12	Insufficient sleep syndrome	ICD-10-CM	Diagnosis
X82.OXXS	Intentional collision of motor vehicle with other motor vehicle, sequela	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
X82.1XXD	Intentional collision of motor vehicle with train, subsequent encounter	ICD-10-CM	Diagnosis
X82.0XXA	Intentional collision of motor vehicle with other motor vehicle, initial encounter	ICD-10-CM	Diagnosis
X82.0XXD	Intentional collision of motor vehicle with other motor vehicle, subsequent encounter	ICD-10-CM	Diagnosis
X82.1XXA	Intentional collision of motor vehicle with train, initial encounter	ICD-10-CM	Diagnosis
X82.1XXS	Intentional collision of motor vehicle with train, sequela	ICD-10-CM	Diagnosis
X82.2XXA	Intentional collision of motor vehicle with tree, initial encounter	ICD-10-CM	Diagnosis
X82.2XXS	Intentional collision of motor vehicle with tree, sequela	ICD-10-CM	Diagnosis
X82.2XXD	Intentional collision of motor vehicle with tree, subsequent encounter	ICD-10-CM	Diagnosis
X74.01XA	Intentional self-harm by airgun, initial encounter	ICD-10-CM	Diagnosis
X74.01XD	Intentional self-harm by airgun, subsequent encounter	ICD-10-CM	Diagnosis
X79.XXXA	Intentional self-harm by blunt object, initial encounter	ICD-10-CM	Diagnosis
X79.XXXD	Intentional self-harm by blunt object, subsequent encounter	ICD-10-CM	Diagnosis
X74.01XS	Intentional self-harm by airgun, sequela	ICD-10-CM	Diagnosis
X79.XXXS	Intentional self-harm by blunt object, sequela	ICD-10-CM	Diagnosis
X83.1XXS	Intentional self-harm by electrocution, sequela	ICD-10-CM	Diagnosis
X75.XXXA	Intentional self-harm by explosive material, initial encounter	ICD-10-CM	Diagnosis
X75.XXXS	Intentional self-harm by explosive material, sequela	ICD-10-CM	Diagnosis
X75.XXXD	Intentional self-harm by explosive material, subsequent encounter	ICD-10-CM	Diagnosis
X77.1XXS	Intentional self-harm by hot tap water, sequela	ICD-10-CM	Diagnosis
X78.1XXA	Intentional self-harm by knife, initial encounter	ICD-10-CM	Diagnosis
X78.1XXS	Intentional self-harm by knife, sequela	ICD-10-CM	Diagnosis
X74.8XXA	Intentional self-harm by other firearm discharge, initial encounter	ICD-10-CM	Diagnosis
X74.8XXS	Intentional self-harm by other firearm discharge, sequela	ICD-10-CM	Diagnosis
X74.8XXD	Intentional self-harm by other firearm discharge, subsequent encounter	ICD-10-CM	Diagnosis
X78.0XXS	Intentional self-harm by sharp glass, sequela	ICD-10-CM	Diagnosis
X83.0XXA	Intentional self-harm by crashing of aircraft, initial encounter	ICD-10-CM	Diagnosis
X83.0XXS	Intentional self-harm by crashing of aircraft, sequela	ICD-10-CM	Diagnosis
X83.0XXD	Intentional self-harm by crashing of aircraft, subsequent encounter	ICD-10-CM	Diagnosis
X83.1XXA	Intentional self-harm by electrocution, initial encounter	ICD-10-CM	Diagnosis
X83.1XXD	Intentional self-harm by electrocution, subsequent encounter	ICD-10-CM	Diagnosis
X83.2XXA	Intentional self-harm by exposure to extremes of cold, initial encounter	ICD-10-CM	Diagnosis
X83.2XXS	Intentional self-harm by exposure to extremes of cold, sequela	ICD-10-CM	Diagnosis
X83.2XXD	Intentional self-harm by exposure to extremes of cold, subsequent encounter	ICD-10-CM	Diagnosis
X72.XXXA	Intentional self-harm by handgun discharge, initial encounter	ICD-10-CM	Diagnosis
X72.XXXD	Intentional self-harm by handgun discharge, subsequent encounter	ICD-10-CM	Diagnosis
X72.XXXS	Intentional self-harm by handgun discharge, sequela	ICD-10-CM	Diagnosis
X77.1XXA	Intentional self-harm by hot tap water, initial encounter	ICD-10-CM	Diagnosis
X77.1XXD	Intentional self-harm by hot tap water, subsequent encounter	ICD-10-CM	Diagnosis
X73.1XXA	Intentional self-harm by hunting rifle discharge, initial encounter	ICD-10-CM	Diagnosis
X73.1XXS	Intentional self-harm by hunting rifle discharge, sequela	ICD-10-CM	Diagnosis



**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
X73.1XXD	Intentional self-harm by hunting rifle discharge, subsequent encounter	ICD-10-CM	Diagnosis
X80.XXXA	Intentional self-harm by jumping from a high place, initial encounter	ICD-10-CM	Diagnosis
X80.XXXS	Intentional self-harm by jumping from a high place, sequela	ICD-10-CM	Diagnosis
X80.XXXD	Intentional self-harm by jumping from a high place, subsequent encounter	ICD-10-CM	Diagnosis
X78.1XXD	Intentional self-harm by knife, subsequent encounter	ICD-10-CM	Diagnosis
X73.2XXA	Intentional self-harm by machine gun discharge, initial encounter	ICD-10-CM	Diagnosis
X73.2XXS	Intentional self-harm by machine gun discharge, sequela	ICD-10-CM	Diagnosis
X73.2XXD	Intentional self-harm by machine gun discharge, subsequent encounter	ICD-10-CM	Diagnosis
X77.2XXA	Intentional self-harm by other hot fluids, initial encounter	ICD-10-CM	Diagnosis
X77.2XXD	Intentional self-harm by other hot fluids, subsequent encounter	ICD-10-CM	Diagnosis
X77.8XXA	Intentional self-harm by other hot objects, initial encounter	ICD-10-CM	Diagnosis
X77.8XXD	Intentional self-harm by other hot objects, subsequent encounter	ICD-10-CM	Diagnosis
X78.8XXA	Intentional self-harm by other sharp object, initial encounter	ICD-10-CM	Diagnosis
X78.8XXS	Intentional self-harm by other sharp object, sequela	ICD-10-CM	Diagnosis
X78.8XXD	Intentional self-harm by other sharp object, subsequent encounter	ICD-10-CM	Diagnosis
X83.8XXA	Intentional self-harm by other specified means, initial encounter	ICD-10-CM	Diagnosis
X83.8XXS	Intentional self-harm by other specified means, sequela	ICD-10-CM	Diagnosis
X83.8XXD	Intentional self-harm by other specified means, subsequent encounter	ICD-10-CM	Diagnosis
X77.2XXS	Intentional self-harm by other hot fluids, sequela	ICD-10-CM	Diagnosis
X77.8XXS	Intentional self-harm by other hot objects, sequela	ICD-10-CM	Diagnosis
X74.02XA	Intentional self-harm by paintball gun, initial encounter	ICD-10-CM	Diagnosis
X74.02XS	Intentional self-harm by paintball gun, sequela	ICD-10-CM	Diagnosis
X74.02XD	Intentional self-harm by paintball gun, subsequent encounter	ICD-10-CM	Diagnosis
X78.0XXA	Intentional self-harm by sharp glass, initial encounter	ICD-10-CM	Diagnosis
X78.0XXD	Intentional self-harm by sharp glass, subsequent encounter	ICD-10-CM	Diagnosis
X73.0XXA	Intentional self-harm by shotgun discharge, initial encounter	ICD-10-CM	Diagnosis
X73.0XXD	Intentional self-harm by shotgun discharge, subsequent encounter	ICD-10-CM	Diagnosis
X73.0XXS	Intentional self-harm by shotgun discharge, sequela	ICD-10-CM	Diagnosis
X76.XXXA	Intentional self-harm by smoke, fire and flames, initial encounter	ICD-10-CM	Diagnosis
X76.XXXS	Intentional self-harm by smoke, fire and flames, sequela	ICD-10-CM	Diagnosis
X76.XXXD	Intentional self-harm by smoke, fire and flames, subsequent encounter	ICD-10-CM	Diagnosis
X77.0XXA	Intentional self-harm by steam or hot vapors, initial encounter	ICD-10-CM	Diagnosis
X77.0XXS	Intentional self-harm by steam or hot vapors, sequela	ICD-10-CM	Diagnosis
X77.0XXD	Intentional self-harm by steam or hot vapors, subsequent encounter	ICD-10-CM	Diagnosis
X78.2XXA	Intentional self-harm by sword or dagger, initial encounter	ICD-10-CM	Diagnosis
X78.2XXS	Intentional self-harm by sword or dagger, sequela	ICD-10-CM	Diagnosis
X78.2XXD	Intentional self-harm by sword or dagger, subsequent encounter	ICD-10-CM	Diagnosis
X74.9XXA	Intentional self-harm by unspecified firearm discharge, initial encounter	ICD-10-CM	Diagnosis
X74.9XXS	Intentional self-harm by unspecified firearm discharge, sequela	ICD-10-CM	Diagnosis
X74.9XXD	Intentional self-harm by unspecified firearm discharge, subsequent encounter	ICD-10-CM	Diagnosis
X77.9XXA	Intentional self-harm by unspecified hot objects, initial encounter	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
X77.9XXS	Intentional self-harm by unspecified hot objects, sequela	ICD-10-CM	Diagnosis
X77.9XXD	Intentional self-harm by unspecified hot objects, subsequent encounter	ICD-10-CM	Diagnosis
X78.9XXA	Intentional self-harm by unspecified sharp object, initial encounter	ICD-10-CM	Diagnosis
X78.9XXS	Intentional self-harm by unspecified sharp object, sequela	ICD-10-CM	Diagnosis
X78.9XXD	Intentional self-harm by unspecified sharp object, subsequent encounter	ICD-10-CM	Diagnosis
X71.3XXA	Intentional self-harm by drowning and submersion in natural water, initial encounter	ICD-10-CM	Diagnosis
X71.9XXA	Intentional self-harm by drowning and submersion, unspecified, initial encounter	ICD-10-CM	Diagnosis
X71.9XXS	Intentional self-harm by drowning and submersion, unspecified, sequela	ICD-10-CM	Diagnosis
X71.9XXD	Intentional self-harm by drowning and submersion, unspecified, subsequent encounter	ICD-10-CM	Diagnosis
X81.8XXA	Intentional self-harm by jumping or lying in front of other moving object, initial encounter	ICD-10-CM	Diagnosis
X81.8XXS	Intentional self-harm by jumping or lying in front of other moving object, sequela	ICD-10-CM	Diagnosis
X81.8XXD	Intentional self-harm by jumping or lying in front of other moving object, subsequent encounter	ICD-10-CM	Diagnosis
X77.3XXA	Intentional self-harm by hot household appliances, initial encounter	ICD-10-CM	Diagnosis
X77.3XXS	Intentional self-harm by hot household appliances, sequela	ICD-10-CM	Diagnosis
X77.3XXD	Intentional self-harm by hot household appliances, subsequent encounter	ICD-10-CM	Diagnosis
X81.0XXA	Intentional self-harm by jumping or lying in front of motor vehicle, initial encounter	ICD-10-CM	Diagnosis
X81.0XXS	Intentional self-harm by jumping or lying in front of motor vehicle, sequela	ICD-10-CM	Diagnosis
X81.0XXD	Intentional self-harm by jumping or lying in front of motor vehicle, subsequent encounter	ICD-10-CM	Diagnosis
X81.1XXA	Intentional self-harm by jumping or lying in front of (subway) train, initial encounter	ICD-10-CM	Diagnosis
X81.1XXS	Intentional self-harm by jumping or lying in front of (subway) train, sequela	ICD-10-CM	Diagnosis
X81.1XXD	Intentional self-harm by jumping or lying in front of (subway) train, subsequent encounter	ICD-10-CM	Diagnosis
X73.8XXA	Intentional self-harm by other larger firearm discharge, initial encounter	ICD-10-CM	Diagnosis
X73.8XXS	Intentional self-harm by other larger firearm discharge, sequela	ICD-10-CM	Diagnosis
X73.8XXD	Intentional self-harm by other larger firearm discharge, subsequent encounter	ICD-10-CM	Diagnosis
X73.9XXA	Intentional self-harm by unspecified larger firearm discharge, initial encounter	ICD-10-CM	Diagnosis
X73.9XXS	Intentional self-harm by unspecified larger firearm discharge, sequela	ICD-10-CM	Diagnosis
X73.9XXD	Intentional self-harm by unspecified larger firearm discharge, subsequent encounter	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
X71.1XXA	Intentional self-harm by drowning and submersion while in swimming pool, initial encounter	ICD-10-CM	Diagnosis
X71.1XXS	Intentional self-harm by drowning and submersion while in swimming pool, sequela	ICD-10-CM	Diagnosis
X71.1XXD	Intentional self-harm by drowning and submersion while in swimming pool, subsequent encounter	ICD-10-CM	Diagnosis
X71.0XXA	Intentional self-harm by drowning and submersion while in bathtub, initial encounter	ICD-10-CM	Diagnosis
X71.0XXS	Intentional self-harm by drowning and submersion while in bathtub, sequela	ICD-10-CM	Diagnosis
X71.0XXD	Intentional self-harm by drowning and submersion while in bathtub, subsequent encounter	ICD-10-CM	Diagnosis
X71.2XXA	Intentional self-harm by drowning and submersion after jump into swimming pool, initial encounter	ICD-10-CM	Diagnosis
X71.2XXS	Intentional self-harm by drowning and submersion after jump into swimming pool, sequela	ICD-10-CM	Diagnosis
X71.2XXD	Intentional self-harm by drowning and submersion after jump into swimming pool, subsequent encounter	ICD-10-CM	Diagnosis
X74.09XA	Intentional self-harm by other gas, air or spring-operated gun, initial encounter	ICD-10-CM	Diagnosis
X74.09XS	Intentional self-harm by other gas, air or spring-operated gun, sequela	ICD-10-CM	Diagnosis
X74.09XD	Intentional self-harm by other gas, air or spring-operated gun, subsequent encounter	ICD-10-CM	Diagnosis
F63.81	Intermittent explosive disorder	ICD-10-CM	Diagnosis
R45.4	Irritability and anger	ICD-10-CM	Diagnosis
F63.2	Kleptomania	ICD-10-CM	Diagnosis
R45.81	Low self-esteem	ICD-10-CM	Diagnosis
F33.2	Major depressive disorder, recurrent severe without psychotic features	ICD-10-CM	Diagnosis
F33.3	Major depressive disorder, recurrent, severe with psychotic symptoms	ICD-10-CM	Diagnosis
F32.2	Major depressive disorder, single episode, severe without psychotic features	ICD-10-CM	Diagnosis
F32.3	Major depressive disorder, single episode, severe with psychotic features	ICD-10-CM	Diagnosis
F33.42	Major depressive disorder, recurrent, in full remission	ICD-10-CM	Diagnosis
F33.41	Major depressive disorder, recurrent, in partial remission	ICD-10-CM	Diagnosis
F33.40	Major depressive disorder, recurrent, in remission, unspecified	ICD-10-CM	Diagnosis
F32.5	Major depressive disorder, single episode, in full remission	ICD-10-CM	Diagnosis
F32.4	Major depressive disorder, single episode, in partial remission	ICD-10-CM	Diagnosis
F33.9	Major depressive disorder, recurrent, unspecified	ICD-10-CM	Diagnosis
F33.0	Major depressive disorder, recurrent, mild	ICD-10-CM	Diagnosis
F33.1	Major depressive disorder, recurrent, moderate	ICD-10-CM	Diagnosis
F32.0	Major depressive disorder, single episode, mild	ICD-10-CM	Diagnosis
F32.1	Major depressive disorder, single episode, moderate	ICD-10-CM	Diagnosis
F32.9	Major depressive disorder, single episode, unspecified	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
F52.21	Male erectile disorder	ICD-10-CM	Diagnosis
F52.32	Male orgasmic disorder	ICD-10-CM	Diagnosis
F30.4	Manic episode in full remission	ICD-10-CM	Diagnosis
F30.3	Manic episode in partial remission	ICD-10-CM	Diagnosis
F30.2	Manic episode, severe with psychotic symptoms	ICD-10-CM	Diagnosis
F30.13	Manic episode, severe, without psychotic symptoms	ICD-10-CM	Diagnosis
F30.9	Manic episode, unspecified	ICD-10-CM	Diagnosis
F30.12	Manic episode without psychotic symptoms, moderate	ICD-10-CM	Diagnosis
F30.11	Manic episode without psychotic symptoms, mild	ICD-10-CM	Diagnosis
F30.10	Manic episode without psychotic symptoms, unspecified	ICD-10-CM	Diagnosis
F53	Mental and behavioral disorders associated with the puerperium, not elsewhere classified	ICD-10-CM	Diagnosis
F99	Mental disorder, not otherwise specified	ICD-10-CM	Diagnosis
F42.2	Mixed obsessional thoughts and acts	ICD-10-CM	Diagnosis
F06.30	Mood disorder due to known physiological condition, unspecified	ICD-10-CM	Diagnosis
F06.32	Mood disorder due to known physiological condition with major depressive-like episode	ICD-10-CM	Diagnosis
F06.31	Mood disorder due to known physiological condition with depressive features	ICD-10-CM	Diagnosis
F06.33	Mood disorder due to known physiological condition with manic features	ICD-10-CM	Diagnosis
F06.34	Mood disorder due to known physiological condition with mixed features	ICD-10-CM	Diagnosis
F60.81	Narcissistic personality disorder	ICD-10-CM	Diagnosis
F51.5	Nightmare disorder	ICD-10-CM	Diagnosis
F48.9	Nonpsychotic mental disorder, unspecified	ICD-10-CM	Diagnosis
R46.81	Obsessive-compulsive behavior	ICD-10-CM	Diagnosis
F42	Obsessive-compulsive disorder	ICD-10-CM	Diagnosis
F42.9	Obsessive-compulsive disorder, unspecified	ICD-10-CM	Diagnosis
F60.5	Obsessive-compulsive personality disorder	ICD-10-CM	Diagnosis
F91.3	Oppositional defiant disorder	ICD-10-CM	Diagnosis
F51.19	Other hypersomnia not due to a substance or known physiological condition	ICD-10-CM	Diagnosis
F51.09	Other insomnia not due to a substance or known physiological condition	ICD-10-CM	Diagnosis
X82.8XXA	Other intentional self-harm by crashing of motor vehicle, initial encounter	ICD-10-CM	Diagnosis
X82.8XXS	Other intentional self-harm by crashing of motor vehicle, sequela	ICD-10-CM	Diagnosis
X82.8XXD	Other intentional self-harm by crashing of motor vehicle, subsequent encounter	ICD-10-CM	Diagnosis
F28	Other psychotic disorder not due to a substance or known physiological condition	ICD-10-CM	Diagnosis
F52.8	Other sexual dysfunction not due to a substance or known physiological condition	ICD-10-CM	Diagnosis
F51.8	Other sleep disorders not due to a substance or known physiological condition	ICD-10-CM	Diagnosis
F06.8	Other specified mental disorders due to known physiological condition	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
R46.89	Other symptoms and signs involving appearance and behavior	ICD-10-CM	Diagnosis
F40.218	Other animal type phobia	ICD-10-CM	Diagnosis
F31.89	Other bipolar disorder	ICD-10-CM	Diagnosis
F91.8	Other conduct disorders	ICD-10-CM	Diagnosis
F32.8	Other depressive episodes	ICD-10-CM	Diagnosis
F44.89	Other dissociative and conversion disorders	ICD-10-CM	Diagnosis
F50.8	Other eating disorders	ICD-10-CM	Diagnosis
T61.772A	Other fish poisoning, intentional self-harm, initial encounter	ICD-10-CM	Diagnosis
T61.772S	Other fish poisoning, intentional self-harm, sequela	ICD-10-CM	Diagnosis
T61.772D	Other fish poisoning, intentional self-harm, subsequent encounter	ICD-10-CM	Diagnosis
F64.8	Other gender identity disorders	ICD-10-CM	Diagnosis
F45.29	Other hypochondriacal disorders	ICD-10-CM	Diagnosis
F63.89	Other impulse disorders	ICD-10-CM	Diagnosis
F30.8	Other manic episodes	ICD-10-CM	Diagnosis
F41.3	Other mixed anxiety disorders	ICD-10-CM	Diagnosis
F40.228	Other natural environment type phobia	ICD-10-CM	Diagnosis
F42.8	Other obsessive-compulsive disorder	ICD-10-CM	Diagnosis
F65.89	Other paraphilias	ICD-10-CM	Diagnosis
F34.8	Other persistent mood [affective] disorders	ICD-10-CM	Diagnosis
F40.8	Other phobic anxiety disorders	ICD-10-CM	Diagnosis
F43.8	Other reactions to severe stress	ICD-10-CM	Diagnosis
F33.8	Other recurrent depressive disorders	ICD-10-CM	Diagnosis
F25.8	Other schizoaffective disorders	ICD-10-CM	Diagnosis
F20.89	Other schizophrenia	ICD-10-CM	Diagnosis
X71.8XXA	Other intentional self-harm by drowning and submersion, initial encounter	ICD-10-CM	Diagnosis
X71.8XXS	Other intentional self-harm by drowning and submersion, sequela	ICD-10-CM	Diagnosis
X71.8XXD	Other intentional self-harm by drowning and submersion, subsequent encounter	ICD-10-CM	Diagnosis
F66	Other sexual disorders	ICD-10-CM	Diagnosis
T61.782A	Other shellfish poisoning, intentional self-harm, initial encounter	ICD-10-CM	Diagnosis
T61.782S	Other shellfish poisoning, intentional self-harm, sequela	ICD-10-CM	Diagnosis
T61.782D	Other shellfish poisoning, intentional self-harm, subsequent encounter	ICD-10-CM	Diagnosis
F40.248	Other situational type phobia	ICD-10-CM	Diagnosis
F45.8	Other somatoform disorders	ICD-10-CM	Diagnosis
F60.89	Other specific personality disorders	ICD-10-CM	Diagnosis
F41.8	Other specified anxiety disorders	ICD-10-CM	Diagnosis
F68.8	Other specified disorders of adult personality and behavior	ICD-10-CM	Diagnosis
F32.89	Other specified depressive episodes	ICD-10-CM	Diagnosis
F50.89	Other specified eating disorder	ICD-10-CM	Diagnosis
F48.8	Other specified nonpsychotic mental disorders	ICD-10-CM	Diagnosis
F34.89	Other specified persistent mood disorders	ICD-10-CM	Diagnosis
F40.298	Other specified phobia	ICD-10-CM	Diagnosis
R45.89	Other symptoms and signs involving emotional state	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
R46.3	Overactivity	ICD-10-CM	Diagnosis
F45.41	Pain disorder exclusively related to psychological factors	ICD-10-CM	Diagnosis
F45.42	Pain disorder with related psychological factors	ICD-10-CM	Diagnosis
F41.0	Panic disorder [episodic paroxysmal anxiety]	ICD-10-CM	Diagnosis
F51.03	Paradoxical insomnia	ICD-10-CM	Diagnosis
F60.0	Paranoid personality disorder	ICD-10-CM	Diagnosis
F20.0	Paranoid schizophrenia	ICD-10-CM	Diagnosis
F65.9	Paraphilia, unspecified	ICD-10-CM	Diagnosis
F63.0	Pathological gambling	ICD-10-CM	Diagnosis
F65.4	Pedophilia	ICD-10-CM	Diagnosis
F34.9	Persistent mood [affective] disorder, unspecified	ICD-10-CM	Diagnosis
Z91.5	Personal history of self-harm	ICD-10-CM	Diagnosis
Z87.890	Personal history of sex reassignment	ICD-10-CM	Diagnosis
F60.9	Personality disorder, unspecified	ICD-10-CM	Diagnosis
F40.9	Phobic anxiety disorder, unspecified	ICD-10-CM	Diagnosis
T42.3X2A	Poisoning by barbiturates, intentional self-harm, initial encounter	ICD-10-CM	Diagnosis
T50.7X2A	Poisoning by analeptics and opioid receptor antagonists, intentional self-harm, initial encounter	ICD-10-CM	Diagnosis
T50.7X2S	Poisoning by analeptics and opioid receptor antagonists, intentional self-harm, sequela	ICD-10-CM	Diagnosis
T50.7X2D	Poisoning by analeptics and opioid receptor antagonists, intentional self-harm, subsequent encounter	ICD-10-CM	Diagnosis
T38.7X2A	Poisoning by androgens and anabolic congeners, intentional self-harm, initial encounter	ICD-10-CM	Diagnosis
T38.7X2D	Poisoning by androgens and anabolic congeners, intentional self-harm, subsequent encounter	ICD-10-CM	Diagnosis
T38.7X2S	Poisoning by androgens and anabolic congeners, intentional self-harm, sequela	ICD-10-CM	Diagnosis
T37.4X2S	Poisoning by anthelmintics, intentional self-harm, sequela	ICD-10-CM	Diagnosis
T37.4X2D	Poisoning by anthelmintics, intentional self-harm, subsequent encounter	ICD-10-CM	Diagnosis
T37.4X2A	Poisoning by anthelmintics, intentional self-harm, initial encounter	ICD-10-CM	Diagnosis
T44.0X2S	Poisoning by anticholinesterase agents, intentional self-harm, sequela	ICD-10-CM	Diagnosis
T44.0X2D	Poisoning by anticholinesterase agents, intentional self-harm, subsequent encounter	ICD-10-CM	Diagnosis
T44.0X2A	Poisoning by anticholinesterase agents, intentional self-harm, initial encounter	ICD-10-CM	Diagnosis
T45.7X2S	Poisoning by anticoagulant antagonists, vitamin K and other coagulants, intentional self-harm, sequela	ICD-10-CM	Diagnosis
T45.7X2A	Poisoning by anticoagulant antagonists, vitamin K and other coagulants, intentional self-harm, initial encounter	ICD-10-CM	Diagnosis
T45.7X2D	Poisoning by anticoagulant antagonists, vitamin K and other coagulants, intentional self-harm, subsequent encounter	ICD-10-CM	Diagnosis



**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
T50.6X2A	Poisoning by antidotes and chelating agents, intentional self-harm, initial encounter	ICD-10-CM	Diagnosis
T50.6X2S	Poisoning by antidotes and chelating agents, intentional self-harm, sequela	ICD-10-CM	Diagnosis
T50.6X2D	Poisoning by antidotes and chelating agents, intentional self-harm, subsequent encounter	ICD-10-CM	Diagnosis
T37.2X2A	Poisoning by antimalarials and drugs acting on other blood protozoa, intentional self-harm, initial encounter	ICD-10-CM	Diagnosis
T37.2X2S	Poisoning by antimalarials and drugs acting on other blood protozoa, intentional self-harm, sequela	ICD-10-CM	Diagnosis
T37.2X2D	Poisoning by antimalarials and drugs acting on other blood protozoa, intentional self-harm, subsequent encounter	ICD-10-CM	Diagnosis
T42.8X2S	Poisoning by antiparkinsonism drugs and other central muscle-tone depressants, intentional self-harm, sequela	ICD-10-CM	Diagnosis
T42.8X2D	Poisoning by antiparkinsonism drugs and other central muscle-tone depressants, intentional self-harm, subsequent encounter	ICD-10-CM	Diagnosis
T42.8X2A	Poisoning by antiparkinsonism drugs and other central muscle-tone depressants, intentional self-harm, initial encounter	ICD-10-CM	Diagnosis
T43.4X2S	Poisoning by butyrophenone and thiothixene neuroleptics, intentional self-harm, sequela	ICD-10-CM	Diagnosis
T43.4X2D	Poisoning by butyrophenone and thiothixene neuroleptics, intentional self-harm, subsequent encounter	ICD-10-CM	Diagnosis
T43.4X2A	Poisoning by butyrophenone and thiothixene neuroleptics, intentional self-harm, initial encounter	ICD-10-CM	Diagnosis
T39.4X2S	Poisoning by antirheumatics, not elsewhere classified, intentional self-harm, sequela	ICD-10-CM	Diagnosis
T46.0X2S	Poisoning by cardiac-stimulant glycosides and drugs of similar action, intentional self-harm, sequela	ICD-10-CM	Diagnosis
T46.0X2D	Poisoning by cardiac-stimulant glycosides and drugs of similar action, intentional self-harm, subsequent encounter	ICD-10-CM	Diagnosis
T46.0X2A	Poisoning by cardiac-stimulant glycosides and drugs of similar action, intentional self-harm, initial encounter	ICD-10-CM	Diagnosis
T50.2X2A	Poisoning by carbonic-anhydrase inhibitors, benzothiadiazides and other diuretics, intentional self-harm, initial encounter	ICD-10-CM	Diagnosis
T50.2X2D	Poisoning by carbonic-anhydrase inhibitors, benzothiadiazides and other diuretics, intentional self-harm, subsequent encounter	ICD-10-CM	Diagnosis
T50.2X2S	Poisoning by carbonic-anhydrase inhibitors, benzothiadiazides and other diuretics, intentional self-harm, sequela	ICD-10-CM	Diagnosis
T46.1X2S	Poisoning by calcium-channel blockers, intentional self-harm, sequela	ICD-10-CM	Diagnosis
T46.1X2D	Poisoning by calcium-channel blockers, intentional self-harm, subsequent encounter	ICD-10-CM	Diagnosis
T46.1X2A	Poisoning by calcium-channel blockers, intentional self-harm, initial encounter	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
T49.7X2S	Poisoning by dental drugs, topically applied, intentional self-harm, sequela	ICD-10-CM	Diagnosis
T49.7X2D	Poisoning by dental drugs, topically applied, intentional self-harm, subsequent encounter	ICD-10-CM	Diagnosis
T49.7X2A	Poisoning by dental drugs, topically applied, intentional self-harm, initial encounter	ICD-10-CM	Diagnosis
T49.3X2S	Poisoning by emollients, demulcents and protectants, intentional self-harm, sequela	ICD-10-CM	Diagnosis
T49.3X2D	Poisoning by emollients, demulcents and protectants, intentional self-harm, subsequent encounter	ICD-10-CM	Diagnosis
T49.3X2A	Poisoning by emollients, demulcents and protectants, intentional self-harm, initial encounter	ICD-10-CM	Diagnosis
T47.0X2D	Poisoning by histamine H2-receptor blockers, intentional self-harm, subsequent encounter	ICD-10-CM	Diagnosis
T47.0X2A	Poisoning by histamine H2-receptor blockers, intentional self-harm, initial encounter	ICD-10-CM	Diagnosis
T38.3X2S	Poisoning by insulin and oral hypoglycemic [antidiabetic] drugs, intentional self-harm, sequela	ICD-10-CM	Diagnosis
T38.3X2D	Poisoning by insulin and oral hypoglycemic [antidiabetic] drugs, intentional self-harm, subsequent encounter	ICD-10-CM	Diagnosis
T38.3X2A	Poisoning by insulin and oral hypoglycemic [antidiabetic] drugs, intentional self-harm, initial encounter	ICD-10-CM	Diagnosis
T49.0X2S	Poisoning by local antifungal, anti-infective and anti-inflammatory drugs, intentional self-harm, sequela	ICD-10-CM	Diagnosis
T49.0X2A	Poisoning by local antifungal, anti-infective and anti-inflammatory drugs, intentional self-harm, initial encounter	ICD-10-CM	Diagnosis
T49.0X2D	Poisoning by local antifungal, anti-infective and anti-inflammatory drugs, intentional self-harm, subsequent encounter	ICD-10-CM	Diagnosis
T49.2X2S	Poisoning by local astringents and local detergents, intentional self-harm, sequela	ICD-10-CM	Diagnosis
T49.2X2D	Poisoning by local astringents and local detergents, intentional self-harm, subsequent encounter	ICD-10-CM	Diagnosis
T49.2X2A	Poisoning by local astringents and local detergents, intentional self-harm, initial encounter	ICD-10-CM	Diagnosis
T50.1X2S	Poisoning by loop [high-ceiling] diuretics, intentional self-harm, sequela	ICD-10-CM	Diagnosis
T50.1X2D	Poisoning by loop [high-ceiling] diuretics, intentional self-harm, subsequent encounter	ICD-10-CM	Diagnosis
T50.1X2A	Poisoning by loop [high-ceiling] diuretics, intentional self-harm, initial encounter	ICD-10-CM	Diagnosis
T50.0X2A	Poisoning by mineralocorticoids and their antagonists, intentional self-harm, initial encounter	ICD-10-CM	Diagnosis
T50.0X2S	Poisoning by mineralocorticoids and their antagonists, intentional self-harm, sequela	ICD-10-CM	Diagnosis



**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
T50.0X2D	Poisoning by mineralocorticoids and their antagonists, intentional self-harm, subsequent encounter	ICD-10-CM	Diagnosis
T50.A22A	Poisoning by mixed bacterial vaccines without a pertussis component, intentional self-harm, initial encounter	ICD-10-CM	Diagnosis
T46.992D	Poisoning by other agents primarily affecting the cardiovascular system, intentional self-harm, subsequent encounter	ICD-10-CM	Diagnosis
T46.992A	Poisoning by other agents primarily affecting the cardiovascular system, intentional self-harm, initial encounter	ICD-10-CM	Diagnosis
T46.992S	Poisoning by other agents primarily affecting the cardiovascular system, intentional self-harm, sequela	ICD-10-CM	Diagnosis
T48.992S	Poisoning by other agents primarily acting on the respiratory system, intentional self-harm, sequela	ICD-10-CM	Diagnosis
T48.992D	Poisoning by other agents primarily acting on the respiratory system, intentional self-harm, subsequent encounter	ICD-10-CM	Diagnosis
T48.992A	Poisoning by other agents primarily acting on the respiratory system, intentional self-harm, initial encounter	ICD-10-CM	Diagnosis
T48.5X2A	Poisoning by other anti-common-cold drugs, intentional self-harm, initial encounter	ICD-10-CM	Diagnosis
T48.5X2S	Poisoning by other anti-common-cold drugs, intentional self-harm, sequela	ICD-10-CM	Diagnosis
T48.5X2D	Poisoning by other anti-common-cold drugs, intentional self-harm, subsequent encounter	ICD-10-CM	Diagnosis
T46.5X2A	Poisoning by other antihypertensive drugs, intentional self-harm, initial encounter	ICD-10-CM	Diagnosis
T46.5X2S	Poisoning by other antihypertensive drugs, intentional self-harm, sequela	ICD-10-CM	Diagnosis
T46.5X2D	Poisoning by other antihypertensive drugs, intentional self-harm, subsequent encounter	ICD-10-CM	Diagnosis
T38.5X2A	Poisoning by other estrogens and progestogens, intentional self-harm, initial encounter	ICD-10-CM	Diagnosis
T45.692S	Poisoning by other fibrinolysis-affecting drugs, intentional self-harm, sequela	ICD-10-CM	Diagnosis
T45.692D	Poisoning by other fibrinolysis-affecting drugs, intentional self-harm, subsequent encounter	ICD-10-CM	Diagnosis
T45.692A	Poisoning by other fibrinolysis-affecting drugs, intentional self-harm, initial encounter	ICD-10-CM	Diagnosis
T44.3X2S	Poisoning by other parasympatholytics [anticholinergics and antimuscarinics] and spasmolytics, intentional self-harm, sequela	ICD-10-CM	Diagnosis
T44.3X2D	Poisoning by other parasympatholytics [anticholinergics and antimuscarinics] and spasmolytics, intentional self-harm, subsequent encounter	ICD-10-CM	Diagnosis
T44.3X2A	Poisoning by other parasympatholytics [anticholinergics and antimuscarinics] and spasmolytics, intentional self-harm, initial encounter	ICD-10-CM	Diagnosis
T50.992S	Poisoning by other drugs, medicaments and biological substances, intentional self-harm, sequela	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
T50.992D	Poisoning by other drugs, medicaments and biological substances, intentional self-harm, subsequent encounter	ICD-10-CM	Diagnosis
T50.992A	Poisoning by other drugs, medicaments and biological substances, intentional self-harm, initial encounter	ICD-10-CM	Diagnosis
T50.A12S	Poisoning by pertussis vaccine, including combinations with a pertussis component, intentional self-harm, sequela	ICD-10-CM	Diagnosis
T50.A12D	Poisoning by pertussis vaccine, including combinations with a pertussis component, intentional self-harm, subsequent encounter	ICD-10-CM	Diagnosis
T50.A12A	Poisoning by pertussis vaccine, including combinations with a pertussis component, intentional self-harm, initial encounter	ICD-10-CM	Diagnosis
T43.3X2S	Poisoning by phenothiazine antipsychotics and neuroleptics, intentional self-harm, sequela	ICD-10-CM	Diagnosis
T43.3X2D	Poisoning by phenothiazine antipsychotics and neuroleptics, intentional self-harm, subsequent encounter	ICD-10-CM	Diagnosis
T43.3X2A	Poisoning by phenothiazine antipsychotics and neuroleptics, intentional self-harm, initial encounter	ICD-10-CM	Diagnosis
T47.3X2S	Poisoning by saline and osmotic laxatives, intentional self-harm, sequela	ICD-10-CM	Diagnosis
T47.3X2A	Poisoning by saline and osmotic laxatives, intentional self-harm, initial encounter	ICD-10-CM	Diagnosis
T47.3X2D	Poisoning by saline and osmotic laxatives, intentional self-harm, subsequent encounter	ICD-10-CM	Diagnosis
T42.2X2A	Poisoning by succinimides and oxazolidinediones, intentional self-harm, initial encounter	ICD-10-CM	Diagnosis
T42.2X2D	Poisoning by succinimides and oxazolidinediones, intentional self-harm, subsequent encounter	ICD-10-CM	Diagnosis
T42.2X2S	Poisoning by succinimides and oxazolidinediones, intentional self-harm, sequela	ICD-10-CM	Diagnosis
T43.022D	Poisoning by tetracyclic antidepressants, intentional self-harm, subsequent encounter	ICD-10-CM	Diagnosis
T43.022S	Poisoning by tetracyclic antidepressants, intentional self-harm, sequela	ICD-10-CM	Diagnosis
T43.022A	Poisoning by tetracyclic antidepressants, intentional self-harm, initial encounter	ICD-10-CM	Diagnosis
T43.012A	Poisoning by tricyclic antidepressants, intentional self-harm, initial encounter	ICD-10-CM	Diagnosis
T43.012S	Poisoning by tricyclic antidepressants, intentional self-harm, sequela	ICD-10-CM	Diagnosis
T43.012D	Poisoning by tricyclic antidepressants, intentional self-harm, subsequent encounter	ICD-10-CM	Diagnosis
T46.902D	Poisoning by unspecified agents primarily affecting the cardiovascular system, intentional self-harm, subsequent encounter	ICD-10-CM	Diagnosis
T46.902A	Poisoning by unspecified agents primarily affecting the cardiovascular system, intentional self-harm, initial encounter	ICD-10-CM	Diagnosis
T46.902S	Poisoning by unspecified agents primarily affecting the cardiovascular system, intentional self-harm, sequela	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
T48.902S	Poisoning by unspecified agents primarily acting on the respiratory system, intentional self-harm, sequela	ICD-10-CM	Diagnosis
T48.902D	Poisoning by unspecified agents primarily acting on the respiratory system, intentional self-harm, subsequent encounter	ICD-10-CM	Diagnosis
T48.902A	Poisoning by unspecified agents primarily acting on the respiratory system, intentional self-harm, initial encounter	ICD-10-CM	Diagnosis
T47.92XS	Poisoning by unspecified agents primarily affecting the gastrointestinal system, intentional self-harm, sequela	ICD-10-CM	Diagnosis
T47.92XA	Poisoning by unspecified agents primarily affecting the gastrointestinal system, intentional self-harm, initial encounter	ICD-10-CM	Diagnosis
T47.92XD	Poisoning by unspecified agents primarily affecting the gastrointestinal system, intentional self-harm, subsequent encounter	ICD-10-CM	Diagnosis
T43.502S	Poisoning by unspecified antipsychotics and neuroleptics, intentional self-harm, sequela	ICD-10-CM	Diagnosis
T43.502D	Poisoning by unspecified antipsychotics and neuroleptics, intentional self-harm, subsequent encounter	ICD-10-CM	Diagnosis
T43.502A	Poisoning by unspecified antipsychotics and neuroleptics, intentional self-harm, initial encounter	ICD-10-CM	Diagnosis
T45.602S	Poisoning by unspecified fibrinolysis-affecting drugs, intentional self-harm, sequela	ICD-10-CM	Diagnosis
T45.602D	Poisoning by unspecified fibrinolysis-affecting drugs, intentional self-harm, subsequent encounter	ICD-10-CM	Diagnosis
T45.602A	Poisoning by unspecified fibrinolysis-affecting drugs, intentional self-harm, initial encounter	ICD-10-CM	Diagnosis
T38.802A	Poisoning by unspecified hormones and synthetic substitutes, intentional self-harm, initial encounter	ICD-10-CM	Diagnosis
T38.802S	Poisoning by unspecified hormones and synthetic substitutes, intentional self-harm, sequela	ICD-10-CM	Diagnosis
T38.802D	Poisoning by unspecified hormones and synthetic substitutes, intentional self-harm, subsequent encounter	ICD-10-CM	Diagnosis
T39.92XD	Poisoning by unspecified nonopioid analgesic, antipyretic and antirheumatic, intentional self-harm, subsequent encounter	ICD-10-CM	Diagnosis
T39.92XA	Poisoning by unspecified nonopioid analgesic, antipyretic and antirheumatic, intentional self-harm, initial encounter	ICD-10-CM	Diagnosis
T39.92XS	Poisoning by unspecified nonopioid analgesic, antipyretic and antirheumatic, intentional self-harm, sequela	ICD-10-CM	Diagnosis
T50.902S	Poisoning by unspecified drugs, medicaments and biological substances, intentional self-harm, sequela	ICD-10-CM	Diagnosis
T50.902D	Poisoning by unspecified drugs, medicaments and biological substances, intentional self-harm, subsequent encounter	ICD-10-CM	Diagnosis
T50.902A	Poisoning by unspecified drugs, medicaments and biological substances, intentional self-harm, initial encounter	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
T39.1X2A	Poisoning by 4-Aminophenol derivatives, intentional self-harm, initial encounter	ICD-10-CM	Diagnosis
T39.1X2S	Poisoning by 4-Aminophenol derivatives, intentional self-harm, sequela	ICD-10-CM	Diagnosis
T39.1X2D	Poisoning by 4-Aminophenol derivatives, intentional self-harm, subsequent encounter	ICD-10-CM	Diagnosis
T44.6X2A	Poisoning by alpha-adrenoreceptor antagonists, intentional self-harm, initial encounter	ICD-10-CM	Diagnosis
T44.6X2S	Poisoning by alpha-adrenoreceptor antagonists, intentional self-harm, sequela	ICD-10-CM	Diagnosis
T44.6X2D	Poisoning by alpha-adrenoreceptor antagonists, intentional self-harm, subsequent encounter	ICD-10-CM	Diagnosis
T38.812A	Poisoning by anterior pituitary [adenohypophyseal] hormones, intentional self-harm, initial encounter	ICD-10-CM	Diagnosis
T38.812S	Poisoning by anterior pituitary [adenohypophyseal] hormones, intentional self-harm, sequela	ICD-10-CM	Diagnosis
T38.812D	Poisoning by anterior pituitary [adenohypophyseal] hormones, intentional self-harm, subsequent encounter	ICD-10-CM	Diagnosis
T45.0X2A	Poisoning by antiallergic and antiemetic drugs, intentional self-harm, initial encounter	ICD-10-CM	Diagnosis
T45.0X2S	Poisoning by antiallergic and antiemetic drugs, intentional self-harm, sequela	ICD-10-CM	Diagnosis
T45.0X2D	Poisoning by antiallergic and antiemetic drugs, intentional self-harm, subsequent encounter	ICD-10-CM	Diagnosis
T48.6X2A	Poisoning by antiasthmatics, intentional self-harm, initial encounter	ICD-10-CM	Diagnosis
T48.6X2D	Poisoning by antiasthmatics, intentional self-harm, subsequent encounter	ICD-10-CM	Diagnosis
T47.6X2A	Poisoning by antidiarrheal drugs, intentional self-harm, initial encounter	ICD-10-CM	Diagnosis
T47.6X2D	Poisoning by antidiarrheal drugs, intentional self-harm, subsequent encounter	ICD-10-CM	Diagnosis
T36.7X2S	Poisoning by antifungal antibiotics, systemically used, intentional self-harm, sequela	ICD-10-CM	Diagnosis
T36.7X2D	Poisoning by antifungal antibiotics, systemically used, intentional self-harm, subsequent encounter	ICD-10-CM	Diagnosis
T36.7X2A	Poisoning by antifungal antibiotics, systemically used, intentional self-harm, initial encounter	ICD-10-CM	Diagnosis
T37.1X2A	Poisoning by antimycobacterial drugs, intentional self-harm, initial encounter	ICD-10-CM	Diagnosis
T37.1X2S	Poisoning by antimycobacterial drugs, intentional self-harm, sequela	ICD-10-CM	Diagnosis
T37.1X2D	Poisoning by antimycobacterial drugs, intentional self-harm, subsequent encounter	ICD-10-CM	Diagnosis
T45.1X2A	Poisoning by antineoplastic and immunosuppressive drugs, intentional self-harm, initial encounter	ICD-10-CM	Diagnosis
T45.1X2S	Poisoning by antineoplastic and immunosuppressive drugs, intentional self-harm, sequela	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
T45.1X2D	Poisoning by antineoplastic and immunosuppressive drugs, intentional self-harm, subsequent encounter	ICD-10-CM	Diagnosis
T45.522A	Poisoning by antithrombotic drugs, intentional self-harm, initial encounter	ICD-10-CM	Diagnosis
T45.522D	Poisoning by antithrombotic drugs, intentional self-harm, subsequent encounter	ICD-10-CM	Diagnosis
T38.2X2A	Poisoning by antithyroid drugs, intentional self-harm, initial encounter	ICD-10-CM	Diagnosis
T38.2X2S	Poisoning by antithyroid drugs, intentional self-harm, sequela	ICD-10-CM	Diagnosis
T38.2X2D	Poisoning by antithyroid drugs, intentional self-harm, subsequent encounter	ICD-10-CM	Diagnosis
T37.5X2S	Poisoning by antiviral drugs, intentional self-harm, sequela	ICD-10-CM	Diagnosis
T37.5X2D	Poisoning by antiviral drugs, intentional self-harm, subsequent encounter	ICD-10-CM	Diagnosis
T37.5X2A	Poisoning by antiviral drugs, intentional self-harm, initial encounter	ICD-10-CM	Diagnosis
T50.5X2A	Poisoning by appetite depressants, intentional self-harm, initial encounter	ICD-10-CM	Diagnosis
T50.5X2S	Poisoning by appetite depressants, intentional self-harm, sequela	ICD-10-CM	Diagnosis
T50.5X2D	Poisoning by appetite depressants, intentional self-harm, subsequent encounter	ICD-10-CM	Diagnosis
T44.7X2A	Poisoning by beta-adrenoreceptor antagonists, intentional self-harm, initial encounter	ICD-10-CM	Diagnosis
T44.7X2S	Poisoning by beta-adrenoreceptor antagonists, intentional self-harm, sequela	ICD-10-CM	Diagnosis
T44.7X2D	Poisoning by beta-adrenoreceptor antagonists, intentional self-harm, subsequent encounter	ICD-10-CM	Diagnosis
T47.5X2A	Poisoning by digestants, intentional self-harm, initial encounter	ICD-10-CM	Diagnosis
T47.5X2D	Poisoning by digestants, intentional self-harm, subsequent encounter	ICD-10-CM	Diagnosis
T43.292S	Poisoning by other antidepressants, intentional self-harm, sequela	ICD-10-CM	Diagnosis
T41.5X2S	Poisoning by therapeutic gases, intentional self-harm, sequela	ICD-10-CM	Diagnosis
T36.1X2A	Poisoning by cephalosporins and other beta-lactam antibiotics, intentional self-harm, initial encounter	ICD-10-CM	Diagnosis
T36.1X2S	Poisoning by cephalosporins and other beta-lactam antibiotics, intentional self-harm, sequela	ICD-10-CM	Diagnosis
T36.1X2D	Poisoning by cephalosporins and other beta-lactam antibiotics, intentional self-harm, subsequent encounter	ICD-10-CM	Diagnosis
T36.2X2A	Poisoning by chloramphenicol group, intentional self-harm, initial encounter	ICD-10-CM	Diagnosis
T36.2X2S	Poisoning by chloramphenicol group, intentional self-harm, sequela	ICD-10-CM	Diagnosis
T36.2X2D	Poisoning by chloramphenicol group, intentional self-harm, subsequent encounter	ICD-10-CM	Diagnosis
T46.3X2A	Poisoning by coronary vasodilators, intentional self-harm, initial encounter	ICD-10-CM	Diagnosis
T46.3X2S	Poisoning by coronary vasodilators, intentional self-harm, sequela	ICD-10-CM	Diagnosis
T46.3X2D	Poisoning by coronary vasodilators, intentional self-harm, subsequent encounter	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
T47.7X2A	Poisoning by emetics, intentional self-harm, initial encounter	ICD-10-CM	Diagnosis
T47.7X2D	Poisoning by emetics, intentional self-harm, subsequent encounter	ICD-10-CM	Diagnosis
T45.3X2D	Poisoning by enzymes, intentional self-harm, subsequent encounter	ICD-10-CM	Diagnosis
T44.2X2A	Poisoning by ganglionic blocking drugs, intentional self-harm, initial encounter	ICD-10-CM	Diagnosis
T44.2X2S	Poisoning by ganglionic blocking drugs, intentional self-harm, sequela	ICD-10-CM	Diagnosis
T44.2X2D	Poisoning by ganglionic blocking drugs, intentional self-harm, subsequent encounter	ICD-10-CM	Diagnosis
T38.0X2A	Poisoning by glucocorticoids and synthetic analogues, intentional self-harm, initial encounter	ICD-10-CM	Diagnosis
T38.0X2S	Poisoning by glucocorticoids and synthetic analogues, intentional self-harm, sequela	ICD-10-CM	Diagnosis
T38.0X2D	Poisoning by glucocorticoids and synthetic analogues, intentional self-harm, subsequent encounter	ICD-10-CM	Diagnosis
T42.0X2A	Poisoning by hydantoin derivatives, intentional self-harm, initial encounter	ICD-10-CM	Diagnosis
T42.0X2S	Poisoning by hydantoin derivatives, intentional self-harm, sequela	ICD-10-CM	Diagnosis
T42.0X2D	Poisoning by hydantoin derivatives, intentional self-harm, subsequent encounter	ICD-10-CM	Diagnosis
T45.4X2A	Poisoning by iron and its compounds, intentional self-harm, initial encounter	ICD-10-CM	Diagnosis
T45.4X2S	Poisoning by iron and its compounds, intentional self-harm, sequela	ICD-10-CM	Diagnosis
T45.4X2D	Poisoning by iron and its compounds, intentional self-harm, subsequent encounter	ICD-10-CM	Diagnosis
T36.3X2D	Poisoning by macrolides, intentional self-harm, subsequent encounter	ICD-10-CM	Diagnosis
T36.3X2A	Poisoning by macrolides, intentional self-harm, initial encounter	ICD-10-CM	Diagnosis
T36.3X2S	Poisoning by macrolides, intentional self-harm, sequela	ICD-10-CM	Diagnosis
T43.1X2A	Poisoning by monoamine-oxidase-inhibitor antidepressants, intentional self-harm, initial encounter	ICD-10-CM	Diagnosis
T43.1X2S	Poisoning by monoamine-oxidase-inhibitor antidepressants, intentional self-harm, sequela	ICD-10-CM	Diagnosis
T43.1X2D	Poisoning by monoamine-oxidase-inhibitor antidepressants, intentional self-harm, subsequent encounter	ICD-10-CM	Diagnosis
T50.A22S	Poisoning by mixed bacterial vaccines without a pertussis component, intentional self-harm, sequela	ICD-10-CM	Diagnosis
T50.A22D	Poisoning by mixed bacterial vaccines without a pertussis component, intentional self-harm, subsequent encounter	ICD-10-CM	Diagnosis
T42.5X2A	Poisoning by mixed antiepileptics, intentional self-harm, initial encounter	ICD-10-CM	Diagnosis
T42.5X2S	Poisoning by mixed antiepileptics, intentional self-harm, sequela	ICD-10-CM	Diagnosis
T42.5X2D	Poisoning by mixed antiepileptics, intentional self-harm, subsequent encounter	ICD-10-CM	Diagnosis
T49.5X2A	Poisoning by ophthalmological drugs and preparations, intentional self-harm, initial encounter	ICD-10-CM	Diagnosis



**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
T49.5X2D	Poisoning by ophthalmological drugs and preparations, intentional self-harm, subsequent encounter	ICD-10-CM	Diagnosis
T38.4X2A	Poisoning by oral contraceptives, intentional self-harm, initial encounter	ICD-10-CM	Diagnosis
T38.4X2S	Poisoning by oral contraceptives, intentional self-harm, sequela	ICD-10-CM	Diagnosis
T38.4X2D	Poisoning by oral contraceptives, intentional self-harm, subsequent encounter	ICD-10-CM	Diagnosis
T47.8X2S	Poisoning by other agents primarily affecting gastrointestinal system, intentional self-harm, sequela	ICD-10-CM	Diagnosis
T47.8X2D	Poisoning by other agents primarily affecting gastrointestinal system, intentional self-harm, subsequent encounter	ICD-10-CM	Diagnosis
T47.8X2A	Poisoning by other agents primarily affecting gastrointestinal system, intentional self-harm, initial encounter	ICD-10-CM	Diagnosis
T43.292A	Poisoning by other antidepressants, intentional self-harm, initial encounter	ICD-10-CM	Diagnosis
T43.292D	Poisoning by other antidepressants, intentional self-harm, subsequent encounter	ICD-10-CM	Diagnosis
T46.2X2A	Poisoning by other antidysrhythmic drugs, intentional self-harm, initial encounter	ICD-10-CM	Diagnosis
T46.2X2S	Poisoning by other antidysrhythmic drugs, intentional self-harm, sequela	ICD-10-CM	Diagnosis
T46.2X2D	Poisoning by other antidysrhythmic drugs, intentional self-harm, subsequent encounter	ICD-10-CM	Diagnosis
T37.3X2A	Poisoning by other antiprotozoal drugs, intentional self-harm, initial encounter	ICD-10-CM	Diagnosis
T37.3X2S	Poisoning by other antiprotozoal drugs, intentional self-harm, sequela	ICD-10-CM	Diagnosis
T37.3X2D	Poisoning by other antiprotozoal drugs, intentional self-harm, subsequent encounter	ICD-10-CM	Diagnosis
T43.592S	Poisoning by other antipsychotics and neuroleptics, intentional self-harm, sequela	ICD-10-CM	Diagnosis
T43.592A	Poisoning by other antipsychotics and neuroleptics, intentional self-harm, initial encounter	ICD-10-CM	Diagnosis
T43.592D	Poisoning by other antipsychotics and neuroleptics, intentional self-harm, subsequent encounter	ICD-10-CM	Diagnosis
T50.A92A	Poisoning by other bacterial vaccines, intentional self-harm, initial encounter	ICD-10-CM	Diagnosis
T50.A92D	Poisoning by other bacterial vaccines, intentional self-harm, subsequent encounter	ICD-10-CM	Diagnosis
T50.A92S	Poisoning by other bacterial vaccines, intentional self-harm, sequela	ICD-10-CM	Diagnosis
T38.5X2S	Poisoning by other estrogens and progestogens, intentional self-harm, sequela	ICD-10-CM	Diagnosis
T38.5X2D	Poisoning by other estrogens and progestogens, intentional self-harm, subsequent encounter	ICD-10-CM	Diagnosis
T38.992S	Poisoning by other hormone antagonists, intentional self-harm, sequela	ICD-10-CM	Diagnosis
T38.992D	Poisoning by other hormone antagonists, intentional self-harm, subsequent encounter	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
T38.992A	Poisoning by other hormone antagonists, intentional self-harm, initial encounter	ICD-10-CM	Diagnosis
T38.892S	Poisoning by other hormones and synthetic substitutes, intentional self-harm, sequela	ICD-10-CM	Diagnosis
T38.892D	Poisoning by other hormones and synthetic substitutes, intentional self-harm, subsequent encounter	ICD-10-CM	Diagnosis
T38.892A	Poisoning by other hormones and synthetic substitutes, intentional self-harm, initial encounter	ICD-10-CM	Diagnosis
T47.4X2A	Poisoning by other laxatives, intentional self-harm, initial encounter	ICD-10-CM	Diagnosis
T47.4X2D	Poisoning by other laxatives, intentional self-harm, subsequent encounter	ICD-10-CM	Diagnosis
T44.1X2A	Poisoning by other parasympathomimetics [cholinergics], intentional self-harm, initial encounter	ICD-10-CM	Diagnosis
T44.1X2S	Poisoning by other parasympathomimetics [cholinergics], intentional self-harm, sequela	ICD-10-CM	Diagnosis
T44.1X2D	Poisoning by other parasympathomimetics [cholinergics], intentional self-harm, subsequent encounter	ICD-10-CM	Diagnosis
T40.992A	Poisoning by other psychodysleptics [hallucinogens], intentional self-harm, initial encounter	ICD-10-CM	Diagnosis
T40.992S	Poisoning by other psychodysleptics [hallucinogens], intentional self-harm, sequela	ICD-10-CM	Diagnosis
T40.992D	Poisoning by other psychodysleptics [hallucinogens], intentional self-harm, subsequent encounter	ICD-10-CM	Diagnosis
T43.692A	Poisoning by other psychostimulants, intentional self-harm, initial encounter	ICD-10-CM	Diagnosis
T43.692S	Poisoning by other psychostimulants, intentional self-harm, sequela	ICD-10-CM	Diagnosis
T43.692D	Poisoning by other psychostimulants, intentional self-harm, subsequent encounter	ICD-10-CM	Diagnosis
T43.8X2A	Poisoning by other psychotropic drugs, intentional self-harm, initial encounter	ICD-10-CM	Diagnosis
T43.8X2D	Poisoning by other psychotropic drugs, intentional self-harm, subsequent encounter	ICD-10-CM	Diagnosis
T48.292D	Poisoning by other drugs acting on muscles, intentional self-harm, subsequent encounter	ICD-10-CM	Diagnosis
T48.292A	Poisoning by other drugs acting on muscles, intentional self-harm, initial encounter	ICD-10-CM	Diagnosis
T44.992A	Poisoning by other drug primarily affecting the autonomic nervous system, intentional self-harm, initial encounter	ICD-10-CM	Diagnosis
T44.992S	Poisoning by other drug primarily affecting the autonomic nervous system, intentional self-harm, sequela	ICD-10-CM	Diagnosis
T44.992D	Poisoning by other drug primarily affecting the autonomic nervous system, intentional self-harm, subsequent encounter	ICD-10-CM	Diagnosis
T36.8X2D	Poisoning by other systemic antibiotics, intentional self-harm, subsequent encounter	ICD-10-CM	Diagnosis



**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
T36.8X2S	Poisoning by other systemic antibiotics, intentional self-harm, sequela	ICD-10-CM	Diagnosis
T36.8X2A	Poisoning by other systemic antibiotics, intentional self-harm, initial encounter	ICD-10-CM	Diagnosis
T37.8X2S	Poisoning by other specified systemic anti-infectives and antiparasitics, intentional self-harm, sequela	ICD-10-CM	Diagnosis
T37.8X2D	Poisoning by other specified systemic anti-infectives and antiparasitics, intentional self-harm, subsequent encounter	ICD-10-CM	Diagnosis
T37.8X2A	Poisoning by other specified systemic anti-infectives and antiparasitics, intentional self-harm, initial encounter	ICD-10-CM	Diagnosis
T50.Z92A	Poisoning by other vaccines and biological substances, intentional self-harm, initial encounter	ICD-10-CM	Diagnosis
T50.Z92S	Poisoning by other vaccines and biological substances, intentional self-harm, sequela	ICD-10-CM	Diagnosis
T50.Z92D	Poisoning by other vaccines and biological substances, intentional self-harm, subsequent encounter	ICD-10-CM	Diagnosis
T50.B92A	Poisoning by other viral vaccines, intentional self-harm, initial encounter	ICD-10-CM	Diagnosis
T50.B92D	Poisoning by other viral vaccines, intentional self-harm, subsequent encounter	ICD-10-CM	Diagnosis
T49.6X2A	Poisoning by otorhinolaryngological drugs and preparations, intentional self-harm, initial encounter	ICD-10-CM	Diagnosis
T49.6X2S	Poisoning by otorhinolaryngological drugs and preparations, intentional self-harm, sequela	ICD-10-CM	Diagnosis
T49.6X2D	Poisoning by otorhinolaryngological drugs and preparations, intentional self-harm, subsequent encounter	ICD-10-CM	Diagnosis
T36.0X2A	Poisoning by penicillins, intentional self-harm, initial encounter	ICD-10-CM	Diagnosis
T36.0X2D	Poisoning by penicillins, intentional self-harm, subsequent encounter	ICD-10-CM	Diagnosis
T36.0X2S	Poisoning by penicillins, intentional self-harm, sequela	ICD-10-CM	Diagnosis
T46.7X2A	Poisoning by peripheral vasodilators, intentional self-harm, initial encounter	ICD-10-CM	Diagnosis
T46.7X2S	Poisoning by peripheral vasodilators, intentional self-harm, sequela	ICD-10-CM	Diagnosis
T46.7X2D	Poisoning by peripheral vasodilators, intentional self-harm, subsequent encounter	ICD-10-CM	Diagnosis
T39.312S	Poisoning by propionic acid derivatives, intentional self-harm, sequela	ICD-10-CM	Diagnosis
T39.312A	Poisoning by propionic acid derivatives, intentional self-harm, initial encounter	ICD-10-CM	Diagnosis
T39.312D	Poisoning by propionic acid derivatives, intentional self-harm, subsequent encounter	ICD-10-CM	Diagnosis
T39.2X2A	Poisoning by pyrazolone derivatives, intentional self-harm, initial encounter	ICD-10-CM	Diagnosis
T39.2X2S	Poisoning by pyrazolone derivatives, intentional self-harm, sequela	ICD-10-CM	Diagnosis
T39.2X2D	Poisoning by pyrazolone derivatives, intentional self-harm, subsequent encounter	ICD-10-CM	Diagnosis
T36.6X2D	Poisoning by rifampicins, intentional self-harm, subsequent encounter	ICD-10-CM	Diagnosis
T36.6X2S	Poisoning by rifampicins, intentional self-harm, sequela	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
T36.6X2A	Poisoning by rifampicins, intentional self-harm, initial encounter	ICD-10-CM	Diagnosis
T50.4X2S	Poisoning by drugs affecting uric acid metabolism, intentional self-harm, sequela	ICD-10-CM	Diagnosis
T50.4X2D	Poisoning by drugs affecting uric acid metabolism, intentional self-harm, subsequent encounter	ICD-10-CM	Diagnosis
T50.4X2A	Poisoning by drugs affecting uric acid metabolism, intentional self-harm, initial encounter	ICD-10-CM	Diagnosis
T48.1X2S	Poisoning by skeletal muscle relaxants [neuromuscular blocking agents], intentional self-harm, sequela	ICD-10-CM	Diagnosis
T48.1X2D	Poisoning by skeletal muscle relaxants [neuromuscular blocking agents], intentional self-harm, subsequent encounter	ICD-10-CM	Diagnosis
T48.1X2A	Poisoning by skeletal muscle relaxants [neuromuscular blocking agents], intentional self-harm, initial encounter	ICD-10-CM	Diagnosis
T50.B12A	Poisoning by smallpox vaccines, intentional self-harm, initial encounter	ICD-10-CM	Diagnosis
T50.B12D	Poisoning by smallpox vaccines, intentional self-harm, subsequent encounter	ICD-10-CM	Diagnosis
T47.2X2A	Poisoning by stimulant laxatives, intentional self-harm, initial encounter	ICD-10-CM	Diagnosis
T47.2X2D	Poisoning by stimulant laxatives, intentional self-harm, subsequent encounter	ICD-10-CM	Diagnosis
T37.0X2A	Poisoning by sulfonamides, intentional self-harm, initial encounter	ICD-10-CM	Diagnosis
T37.0X2D	Poisoning by sulfonamides, intentional self-harm, subsequent encounter	ICD-10-CM	Diagnosis
T37.0X2S	Poisoning by sulfonamides, intentional self-harm, sequela	ICD-10-CM	Diagnosis
T36.4X2A	Poisoning by tetracyclines, intentional self-harm, initial encounter	ICD-10-CM	Diagnosis
T36.4X2S	Poisoning by tetracyclines, intentional self-harm, sequela	ICD-10-CM	Diagnosis
T36.4X2D	Poisoning by tetracyclines, intentional self-harm, subsequent encounter	ICD-10-CM	Diagnosis
T41.5X2A	Poisoning by therapeutic gases, intentional self-harm, initial encounter	ICD-10-CM	Diagnosis
T41.5X2D	Poisoning by therapeutic gases, intentional self-harm, subsequent encounter	ICD-10-CM	Diagnosis
T45.612A	Poisoning by thrombolytic drug, intentional self-harm, initial encounter	ICD-10-CM	Diagnosis
T45.612D	Poisoning by thrombolytic drug, intentional self-harm, subsequent encounter	ICD-10-CM	Diagnosis
T38.1X2A	Poisoning by thyroid hormones and substitutes, intentional self-harm, initial encounter	ICD-10-CM	Diagnosis
T38.1X2S	Poisoning by thyroid hormones and substitutes, intentional self-harm, sequela	ICD-10-CM	Diagnosis
T38.1X2D	Poisoning by thyroid hormones and substitutes, intentional self-harm, subsequent encounter	ICD-10-CM	Diagnosis
T43.202A	Poisoning by unspecified antidepressants, intentional self-harm, initial encounter	ICD-10-CM	Diagnosis
T43.202S	Poisoning by unspecified antidepressants, intentional self-harm, sequela	ICD-10-CM	Diagnosis
T43.202D	Poisoning by unspecified antidepressants, intentional self-harm, subsequent encounter	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
T41.202A	Poisoning by unspecified general anesthetics, intentional self-harm, initial encounter	ICD-10-CM	Diagnosis
T41.202S	Poisoning by unspecified general anesthetics, intentional self-harm, sequela	ICD-10-CM	Diagnosis
T41.202D	Poisoning by unspecified general anesthetics, intentional self-harm, subsequent encounter	ICD-10-CM	Diagnosis
T38.902A	Poisoning by unspecified hormone antagonists, intentional self-harm, initial encounter	ICD-10-CM	Diagnosis
T38.902S	Poisoning by unspecified hormone antagonists, intentional self-harm, sequela	ICD-10-CM	Diagnosis
T38.902D	Poisoning by unspecified hormone antagonists, intentional self-harm, subsequent encounter	ICD-10-CM	Diagnosis
T40.902A	Poisoning by unspecified psychodysleptics [hallucinogens], intentional self-harm, initial encounter	ICD-10-CM	Diagnosis
T40.902S	Poisoning by unspecified psychodysleptics [hallucinogens], intentional self-harm, sequela	ICD-10-CM	Diagnosis
T40.902D	Poisoning by unspecified psychodysleptics [hallucinogens], intentional self-harm, subsequent encounter	ICD-10-CM	Diagnosis
T43.602A	Poisoning by unspecified psychostimulants, intentional self-harm, initial encounter	ICD-10-CM	Diagnosis
T43.602S	Poisoning by unspecified psychostimulants, intentional self-harm, sequela	ICD-10-CM	Diagnosis
T43.602D	Poisoning by unspecified psychostimulants, intentional self-harm, subsequent encounter	ICD-10-CM	Diagnosis
T43.92XA	Poisoning by unspecified psychotropic drug, intentional self-harm, initial encounter	ICD-10-CM	Diagnosis
T43.92XS	Poisoning by unspecified psychotropic drug, intentional self-harm, sequela	ICD-10-CM	Diagnosis
T43.92XD	Poisoning by unspecified psychotropic drug, intentional self-harm, subsequent encounter	ICD-10-CM	Diagnosis
T48.202A	Poisoning by unspecified drugs acting on muscles, intentional self-harm, initial encounter	ICD-10-CM	Diagnosis
T48.202D	Poisoning by unspecified drugs acting on muscles, intentional self-harm, subsequent encounter	ICD-10-CM	Diagnosis
T48.202S	Poisoning by unspecified drugs acting on muscles, intentional self-harm, sequela	ICD-10-CM	Diagnosis
T44.902A	Poisoning by unspecified drugs primarily affecting the autonomic nervous system, intentional self-harm, initial encounter	ICD-10-CM	Diagnosis
T44.902S	Poisoning by unspecified drugs primarily affecting the autonomic nervous system, intentional self-harm, sequela	ICD-10-CM	Diagnosis
T44.902D	Poisoning by unspecified drugs primarily affecting the autonomic nervous system, intentional self-harm, subsequent encounter	ICD-10-CM	Diagnosis
T36.92XD	Poisoning by unspecified systemic antibiotic, intentional self-harm, subsequent encounter	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
T36.92XS	Poisoning by unspecified systemic antibiotic, intentional self-harm, sequela	ICD-10-CM	Diagnosis
T36.92XA	Poisoning by unspecified systemic antibiotic, intentional self-harm, initial encounter	ICD-10-CM	Diagnosis
T37.92XS	Poisoning by unspecified systemic anti-infective and antiparasitics, intentional self-harm, sequela	ICD-10-CM	Diagnosis
T37.92XD	Poisoning by unspecified systemic anti-infective and antiparasitics, intentional self-harm, subsequent encounter	ICD-10-CM	Diagnosis
T37.92XA	Poisoning by unspecified systemic anti-infective and antiparasitics, intentional self-harm, initial encounter	ICD-10-CM	Diagnosis
T49.92XA	Poisoning by unspecified topical agent, intentional self-harm, initial encounter	ICD-10-CM	Diagnosis
T49.92XD	Poisoning by unspecified topical agent, intentional self-harm, subsequent encounter	ICD-10-CM	Diagnosis
T36.5X2S	Poisoning by aminoglycosides, intentional self-harm, sequela	ICD-10-CM	Diagnosis
T43.622D	Poisoning by amphetamines, intentional self-harm, subsequent encounter	ICD-10-CM	Diagnosis
T43.622S	Poisoning by amphetamines, intentional self-harm, sequela	ICD-10-CM	Diagnosis
T36.5X2A	Poisoning by aminoglycosides, intentional self-harm, initial encounter	ICD-10-CM	Diagnosis
T36.5X2D	Poisoning by aminoglycosides, intentional self-harm, subsequent encounter	ICD-10-CM	Diagnosis
T43.622A	Poisoning by amphetamines, intentional self-harm, initial encounter	ICD-10-CM	Diagnosis
T45.512A	Poisoning by anticoagulants, intentional self-harm, initial encounter	ICD-10-CM	Diagnosis
T45.512D	Poisoning by anticoagulants, intentional self-harm, subsequent encounter	ICD-10-CM	Diagnosis
T47.6X2S	Poisoning by antidiarrheal drugs, intentional self-harm, sequela	ICD-10-CM	Diagnosis
T49.1X2A	Poisoning by antipruritics, intentional self-harm, initial encounter	ICD-10-CM	Diagnosis
T49.1X2D	Poisoning by antipruritics, intentional self-harm, subsequent encounter	ICD-10-CM	Diagnosis
T39.4X2A	Poisoning by antirheumatics, not elsewhere classified, intentional self-harm, initial encounter	ICD-10-CM	Diagnosis
T39.4X2D	Poisoning by antirheumatics, not elsewhere classified, intentional self-harm, subsequent encounter	ICD-10-CM	Diagnosis
T48.3X2A	Poisoning by antitussives, intentional self-harm, initial encounter	ICD-10-CM	Diagnosis
T48.3X2D	Poisoning by antitussives, intentional self-harm, subsequent encounter	ICD-10-CM	Diagnosis
T39.012D	Poisoning by aspirin, intentional self-harm, subsequent encounter	ICD-10-CM	Diagnosis
T39.012A	Poisoning by aspirin, intentional self-harm, initial encounter	ICD-10-CM	Diagnosis
T39.012S	Poisoning by aspirin, intentional self-harm, sequela	ICD-10-CM	Diagnosis
T42.3X2D	Poisoning by barbiturates, intentional self-harm, subsequent encounter	ICD-10-CM	Diagnosis
T42.4X2A	Poisoning by benzodiazepines, intentional self-harm, initial encounter	ICD-10-CM	Diagnosis
T42.4X2S	Poisoning by benzodiazepines, intentional self-harm, sequela	ICD-10-CM	Diagnosis
T42.4X2D	Poisoning by benzodiazepines, intentional self-harm, subsequent encounter	ICD-10-CM	Diagnosis
T46.4X2D	Poisoning by angiotensin-converting-enzyme inhibitors, intentional self-harm, subsequent encounter	ICD-10-CM	Diagnosis
T46.4X2A	Poisoning by angiotensin-converting-enzyme inhibitors, intentional self-harm, initial encounter	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
T46.4X2S	Poisoning by angiotensin-converting-enzyme inhibitors, intentional self-harm, sequela	ICD-10-CM	Diagnosis
T48.6X2S	Poisoning by antiasthmatics, intentional self-harm, sequela	ICD-10-CM	Diagnosis
T45.512S	Poisoning by anticoagulants, intentional self-harm, sequela	ICD-10-CM	Diagnosis
T49.1X2S	Poisoning by antipruritics, intentional self-harm, sequela	ICD-10-CM	Diagnosis
T45.522S	Poisoning by antithrombotic drugs, intentional self-harm, sequela	ICD-10-CM	Diagnosis
T48.3X2S	Poisoning by antitussives, intentional self-harm, sequela	ICD-10-CM	Diagnosis
T42.3X2S	Poisoning by barbiturates, intentional self-harm, sequela	ICD-10-CM	Diagnosis
T43.612S	Poisoning by caffeine, intentional self-harm, sequela	ICD-10-CM	Diagnosis
T47.5X2S	Poisoning by digestants, intentional self-harm, sequela	ICD-10-CM	Diagnosis
T48.4X2S	Poisoning by expectorants, intentional self-harm, sequela	ICD-10-CM	Diagnosis
T45.622S	Poisoning by hemostatic drug, intentional self-harm, sequela	ICD-10-CM	Diagnosis
T50.Z12S	Poisoning by immunoglobulin, intentional self-harm, sequela	ICD-10-CM	Diagnosis
T41.3X2S	Poisoning by local anesthetics, intentional self-harm, sequela	ICD-10-CM	Diagnosis
T47.4X2S	Poisoning by other laxatives, intentional self-harm, sequela	ICD-10-CM	Diagnosis
T40.2X2S	Poisoning by other opioids, intentional self-harm, sequela	ICD-10-CM	Diagnosis
T48.0X2S	Poisoning by oxytocic drugs, intentional self-harm, sequela	ICD-10-CM	Diagnosis
T45.612S	Poisoning by thrombolytic drug, intentional self-harm, sequela	ICD-10-CM	Diagnosis
T41.42XS	Poisoning by unspecified anesthetic, intentional self-harm, sequela	ICD-10-CM	Diagnosis
T45.2X2A	Poisoning by vitamins, intentional self-harm, initial encounter	ICD-10-CM	Diagnosis
T45.2X2S	Poisoning by vitamins, intentional self-harm, sequela	ICD-10-CM	Diagnosis
T45.2X2D	Poisoning by vitamins, intentional self-harm, subsequent encounter	ICD-10-CM	Diagnosis
T43.612A	Poisoning by caffeine, intentional self-harm, initial encounter	ICD-10-CM	Diagnosis
T43.612D	Poisoning by caffeine, intentional self-harm, subsequent encounter	ICD-10-CM	Diagnosis
T40.7X2S	Poisoning by cannabis (derivatives), intentional self-harm, sequela	ICD-10-CM	Diagnosis
T40.7X2D	Poisoning by cannabis (derivatives), intentional self-harm, subsequent encounter	ICD-10-CM	Diagnosis
T40.7X2A	Poisoning by cannabis (derivatives), intentional self-harm, initial encounter	ICD-10-CM	Diagnosis
T40.5X2D	Poisoning by cocaine, intentional self-harm, subsequent encounter	ICD-10-CM	Diagnosis
T40.5X2A	Poisoning by cocaine, intentional self-harm, initial encounter	ICD-10-CM	Diagnosis
T40.5X2S	Poisoning by cocaine, intentional self-harm, sequela	ICD-10-CM	Diagnosis
T50.8X2A	Poisoning by diagnostic agents, intentional self-harm, initial encounter	ICD-10-CM	Diagnosis
T50.8X2S	Poisoning by diagnostic agents, intentional self-harm, sequela	ICD-10-CM	Diagnosis
T50.8X2D	Poisoning by diagnostic agents, intentional self-harm, subsequent encounter	ICD-10-CM	Diagnosis
T47.7X2S	Poisoning by emetics, intentional self-harm, sequela	ICD-10-CM	Diagnosis
T45.3X2A	Poisoning by enzymes, intentional self-harm, initial encounter	ICD-10-CM	Diagnosis
T45.3X2S	Poisoning by enzymes, intentional self-harm, sequela	ICD-10-CM	Diagnosis
T48.4X2A	Poisoning by expectorants, intentional self-harm, initial encounter	ICD-10-CM	Diagnosis
T48.4X2D	Poisoning by expectorants, intentional self-harm, subsequent encounter	ICD-10-CM	Diagnosis
T45.622A	Poisoning by hemostatic drug, intentional self-harm, initial encounter	ICD-10-CM	Diagnosis
T45.622D	Poisoning by hemostatic drug, intentional self-harm, subsequent encounter	ICD-10-CM	Diagnosis
T40.1X2A	Poisoning by heroin, intentional self-harm, initial encounter	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
T40.1X2S	Poisoning by heroin, intentional self-harm, sequela	ICD-10-CM	Diagnosis
T40.1X2D	Poisoning by heroin, intentional self-harm, subsequent encounter	ICD-10-CM	Diagnosis
T42.1X2A	Poisoning by iminostilbenes, intentional self-harm, initial encounter	ICD-10-CM	Diagnosis
T42.1X2S	Poisoning by iminostilbenes, intentional self-harm, sequela	ICD-10-CM	Diagnosis
T42.1X2D	Poisoning by iminostilbenes, intentional self-harm, subsequent encounter	ICD-10-CM	Diagnosis
T50.Z12A	Poisoning by immunoglobulin, intentional self-harm, initial encounter	ICD-10-CM	Diagnosis
T50.Z12D	Poisoning by immunoglobulin, intentional self-harm, subsequent encounter	ICD-10-CM	Diagnosis
T41.0X2A	Poisoning by inhaled anesthetics, intentional self-harm, initial encounter	ICD-10-CM	Diagnosis
T41.0X2D	Poisoning by inhaled anesthetics, intentional self-harm, subsequent encounter	ICD-10-CM	Diagnosis
T41.0X2S	Poisoning by inhaled anesthetics, intentional self-harm, sequela	ICD-10-CM	Diagnosis
T41.1X2D	Poisoning by intravenous anesthetics, intentional self-harm, subsequent encounter	ICD-10-CM	Diagnosis
T41.1X2A	Poisoning by intravenous anesthetics, intentional self-harm, initial encounter	ICD-10-CM	Diagnosis
T41.1X2S	Poisoning by intravenous anesthetics, intentional self-harm, sequela	ICD-10-CM	Diagnosis
T41.3X2A	Poisoning by local anesthetics, intentional self-harm, initial encounter	ICD-10-CM	Diagnosis
T41.3X2D	Poisoning by local anesthetics, intentional self-harm, subsequent encounter	ICD-10-CM	Diagnosis
T40.8X2A	Poisoning by lysergide [LSD], intentional self-harm, initial encounter	ICD-10-CM	Diagnosis
T40.8X2S	Poisoning by lysergide [LSD], intentional self-harm, sequela	ICD-10-CM	Diagnosis
T40.8X2D	Poisoning by lysergide [LSD], intentional self-harm, subsequent encounter	ICD-10-CM	Diagnosis
T40.3X2S	Poisoning by methadone, intentional self-harm, sequela	ICD-10-CM	Diagnosis
T40.3X2A	Poisoning by methadone, intentional self-harm, initial encounter	ICD-10-CM	Diagnosis
T40.3X2D	Poisoning by methadone, intentional self-harm, subsequent encounter	ICD-10-CM	Diagnosis
T43.632A	Poisoning by methylphenidate, intentional self-harm, initial encounter	ICD-10-CM	Diagnosis
T43.632S	Poisoning by methylphenidate, intentional self-harm, sequela	ICD-10-CM	Diagnosis
T43.632D	Poisoning by methylphenidate, intentional self-harm, subsequent encounter	ICD-10-CM	Diagnosis
T49.5X2S	Poisoning by ophthalmological drugs and preparations, intentional self-harm, sequela	ICD-10-CM	Diagnosis
T40.0X2A	Poisoning by opium, intentional self-harm, initial encounter	ICD-10-CM	Diagnosis
T40.0X2S	Poisoning by opium, intentional self-harm, sequela	ICD-10-CM	Diagnosis
T40.0X2D	Poisoning by opium, intentional self-harm, subsequent encounter	ICD-10-CM	Diagnosis
T41.292A	Poisoning by other general anesthetics, intentional self-harm, initial encounter	ICD-10-CM	Diagnosis
T41.292S	Poisoning by other general anesthetics, intentional self-harm, sequela	ICD-10-CM	Diagnosis
T41.292D	Poisoning by other general anesthetics, intentional self-harm, subsequent encounter	ICD-10-CM	Diagnosis
T40.692A	Poisoning by other narcotics, intentional self-harm, initial encounter	ICD-10-CM	Diagnosis
T40.692S	Poisoning by other narcotics, intentional self-harm, sequela	ICD-10-CM	Diagnosis
T40.692D	Poisoning by other narcotics, intentional self-harm, subsequent encounter	ICD-10-CM	Diagnosis



**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
T39.392A	Poisoning by other nonsteroidal anti-inflammatory drugs [NSAID], intentional self-harm, initial encounter	ICD-10-CM	Diagnosis
T39.392D	Poisoning by other nonsteroidal anti-inflammatory drugs [NSAID], intentional self-harm, subsequent encounter	ICD-10-CM	Diagnosis
T40.2X2A	Poisoning by other opioids, intentional self-harm, initial encounter	ICD-10-CM	Diagnosis
T40.2X2D	Poisoning by other opioids, intentional self-harm, subsequent encounter	ICD-10-CM	Diagnosis
T43.8X2S	Poisoning by other psychotropic drugs, intentional self-harm, sequela	ICD-10-CM	Diagnosis
T48.292S	Poisoning by other drugs acting on muscles, intentional self-harm, sequela	ICD-10-CM	Diagnosis
T40.4X2A	Poisoning by other synthetic narcotics, intentional self-harm, initial encounter	ICD-10-CM	Diagnosis
T40.4X2S	Poisoning by other synthetic narcotics, intentional self-harm, sequela	ICD-10-CM	Diagnosis
T40.4X2D	Poisoning by other synthetic narcotics, intentional self-harm, subsequent encounter	ICD-10-CM	Diagnosis
T49.8X2S	Poisoning by other topical agents, intentional self-harm, sequela	ICD-10-CM	Diagnosis
T49.8X2D	Poisoning by other topical agents, intentional self-harm, subsequent encounter	ICD-10-CM	Diagnosis
T49.8X2A	Poisoning by other topical agents, intentional self-harm, initial encounter	ICD-10-CM	Diagnosis
T50.B92S	Poisoning by other viral vaccines, intentional self-harm, sequela	ICD-10-CM	Diagnosis
T39.392S	Poisoning by other nonsteroidal anti-inflammatory drugs [NSAID], intentional self-harm, sequela	ICD-10-CM	Diagnosis
T48.0X2A	Poisoning by oxytocic drugs, intentional self-harm, initial encounter	ICD-10-CM	Diagnosis
T48.0X2D	Poisoning by oxytocic drugs, intentional self-harm, subsequent encounter	ICD-10-CM	Diagnosis
T39.092A	Poisoning by salicylates, intentional self-harm, initial encounter	ICD-10-CM	Diagnosis
T39.092S	Poisoning by salicylates, intentional self-harm, sequela	ICD-10-CM	Diagnosis
T39.092D	Poisoning by salicylates, intentional self-harm, subsequent encounter	ICD-10-CM	Diagnosis
T43.212A	Poisoning by selective serotonin and norepinephrine reuptake inhibitors, intentional self-harm, initial encounter	ICD-10-CM	Diagnosis
T43.212S	Poisoning by selective serotonin and norepinephrine reuptake inhibitors, intentional self-harm, sequela	ICD-10-CM	Diagnosis
T43.212D	Poisoning by selective serotonin and norepinephrine reuptake inhibitors, intentional self-harm, subsequent encounter	ICD-10-CM	Diagnosis
T43.222A	Poisoning by selective serotonin reuptake inhibitors, intentional self-harm, initial encounter	ICD-10-CM	Diagnosis
T43.222S	Poisoning by selective serotonin reuptake inhibitors, intentional self-harm, sequela	ICD-10-CM	Diagnosis
T43.222D	Poisoning by selective serotonin reuptake inhibitors, intentional self-harm, subsequent encounter	ICD-10-CM	Diagnosis
T50.B12S	Poisoning by smallpox vaccines, intentional self-harm, sequela	ICD-10-CM	Diagnosis
T47.2X2S	Poisoning by stimulant laxatives, intentional self-harm, sequela	ICD-10-CM	Diagnosis
T41.42XA	Poisoning by unspecified anesthetic, intentional self-harm, initial encounter	ICD-10-CM	Diagnosis
T41.42XD	Poisoning by unspecified anesthetic, intentional self-harm, subsequent encounter	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
T40.602A	Poisoning by unspecified narcotics, intentional self-harm, initial encounter	ICD-10-CM	Diagnosis
T40.602S	Poisoning by unspecified narcotics, intentional self-harm, sequela	ICD-10-CM	Diagnosis
T40.602D	Poisoning by unspecified narcotics, intentional self-harm, subsequent encounter	ICD-10-CM	Diagnosis
T49.92XS	Poisoning by unspecified topical agent, intentional self-harm, sequela	ICD-10-CM	Diagnosis
T47.0X2S	Poisoning by histamine H2-receptor blockers, intentional self-harm, sequela	ICD-10-CM	Diagnosis
F43.11	Post-traumatic stress disorder, acute	ICD-10-CM	Diagnosis
F43.12	Post-traumatic stress disorder, chronic	ICD-10-CM	Diagnosis
F43.10	Post-traumatic stress disorder, unspecified	ICD-10-CM	Diagnosis
F53.0	Postpartum depression	ICD-10-CM	Diagnosis
O90.6	Postpartum mood disturbance	ICD-10-CM	Diagnosis
F52.4	Premature ejaculation	ICD-10-CM	Diagnosis
F32.81	Premenstrual dysphoric disorder	ICD-10-CM	Diagnosis
F51.11	Primary hypersomnia	ICD-10-CM	Diagnosis
F51.01	Primary insomnia	ICD-10-CM	Diagnosis
T38.6X2A	Poisoning by antigonadotrophins, antiestrogens, antiandrogens, not elsewhere classified, intentional self-harm, initial encounter	ICD-10-CM	Diagnosis
T38.6X2S	Poisoning by antigonadotrophins, antiestrogens, antiandrogens, not elsewhere classified, intentional self-harm, sequela	ICD-10-CM	Diagnosis
T38.6X2D	Poisoning by antigonadotrophins, antiestrogens, antiandrogens, not elsewhere classified, intentional self-harm, subsequent encounter	ICD-10-CM	Diagnosis
T46.6X2S	Poisoning by antihyperlipidemic and antiarteriosclerotic drugs, intentional self-harm, sequela	ICD-10-CM	Diagnosis
T46.6X2D	Poisoning by antihyperlipidemic and antiarteriosclerotic drugs, intentional self-harm, subsequent encounter	ICD-10-CM	Diagnosis
T46.6X2A	Poisoning by antihyperlipidemic and antiarteriosclerotic drugs, intentional self-harm, initial encounter	ICD-10-CM	Diagnosis
T46.8X2S	Poisoning by antivaricose drugs, including sclerosing agents, intentional self-harm, sequela	ICD-10-CM	Diagnosis
T46.8X2D	Poisoning by antivaricose drugs, including sclerosing agents, intentional self-harm, subsequent encounter	ICD-10-CM	Diagnosis
T46.8X2A	Poisoning by antivaricose drugs, including sclerosing agents, intentional self-harm, initial encounter	ICD-10-CM	Diagnosis
T44.8X2S	Poisoning by centrally-acting and adrenergic-neuron-blocking agents, intentional self-harm, sequela	ICD-10-CM	Diagnosis
T44.8X2D	Poisoning by centrally-acting and adrenergic-neuron-blocking agents, intentional self-harm, subsequent encounter	ICD-10-CM	Diagnosis
T44.8X2A	Poisoning by centrally-acting and adrenergic-neuron-blocking agents, intentional self-harm, initial encounter	ICD-10-CM	Diagnosis
T50.3X2S	Poisoning by electrolytic, caloric and water-balance agents, intentional self-harm, sequela	ICD-10-CM	Diagnosis



**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
T50.3X2D	Poisoning by electrolytic, caloric and water-balance agents, intentional self-harm, subsequent encounter	ICD-10-CM	Diagnosis
T50.3X2A	Poisoning by electrolytic, caloric and water-balance agents, intentional self-harm, initial encounter	ICD-10-CM	Diagnosis
T49.4X2A	Poisoning by keratolytics, keratoplastics, and other hair treatment drugs and preparations, intentional self-harm, initial encounter	ICD-10-CM	Diagnosis
T49.4X2S	Poisoning by keratolytics, keratoplastics, and other hair treatment drugs and preparations, intentional self-harm, sequela	ICD-10-CM	Diagnosis
T49.4X2D	Poisoning by keratolytics, keratoplastics, and other hair treatment drugs and preparations, intentional self-harm, subsequent encounter	ICD-10-CM	Diagnosis
T47.1X2A	Poisoning by other antacids and anti-gastric-secretion drugs, intentional self-harm, initial encounter	ICD-10-CM	Diagnosis
T47.1X2D	Poisoning by other antacids and anti-gastric-secretion drugs, intentional self-harm, subsequent encounter	ICD-10-CM	Diagnosis
T47.1X2S	Poisoning by other antacids and anti-gastric-secretion drugs, intentional self-harm, sequela	ICD-10-CM	Diagnosis
T42.6X2S	Poisoning by other antiepileptic and sedative-hypnotic drugs, intentional self-harm, sequela	ICD-10-CM	Diagnosis
T42.6X2D	Poisoning by other antiepileptic and sedative-hypnotic drugs, intentional self-harm, subsequent encounter	ICD-10-CM	Diagnosis
T42.6X2A	Poisoning by other antiepileptic and sedative-hypnotic drugs, intentional self-harm, initial encounter	ICD-10-CM	Diagnosis
T39.8X2A	Poisoning by other nonopioid analgesics and antipyretics, not elsewhere classified, intentional self-harm, initial encounter	ICD-10-CM	Diagnosis
T39.8X2S	Poisoning by other nonopioid analgesics and antipyretics, not elsewhere classified, intentional self-harm, sequela	ICD-10-CM	Diagnosis
T39.8X2D	Poisoning by other nonopioid analgesics and antipyretics, not elsewhere classified, intentional self-harm, subsequent encounter	ICD-10-CM	Diagnosis
T45.8X2A	Poisoning by other primarily systemic and hematological agents, intentional self-harm, initial encounter	ICD-10-CM	Diagnosis
T45.8X2S	Poisoning by other primarily systemic and hematological agents, intentional self-harm, sequela	ICD-10-CM	Diagnosis
T45.8X2D	Poisoning by other primarily systemic and hematological agents, intentional self-harm, subsequent encounter	ICD-10-CM	Diagnosis
T44.5X2A	Poisoning by predominantly beta-adrenoreceptor agonists, intentional self-harm, initial encounter	ICD-10-CM	Diagnosis
T44.5X2S	Poisoning by predominantly beta-adrenoreceptor agonists, intentional self-harm, sequela	ICD-10-CM	Diagnosis
T44.5X2D	Poisoning by predominantly beta-adrenoreceptor agonists, intentional self-harm, subsequent encounter	ICD-10-CM	Diagnosis
T44.4X2S	Poisoning by predominantly alpha-adrenoreceptor agonists, intentional self-harm, sequela	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
T44.4X2A	Poisoning by predominantly alpha-adrenoreceptor agonists, intentional self-harm, initial encounter	ICD-10-CM	Diagnosis
T44.4X2D	Poisoning by predominantly alpha-adrenoreceptor agonists, intentional self-harm, subsequent encounter	ICD-10-CM	Diagnosis
T42.72XS	Poisoning by unspecified antiepileptic and sedative-hypnotic drugs, intentional self-harm, sequela	ICD-10-CM	Diagnosis
T42.72XA	Poisoning by unspecified antiepileptic and sedative-hypnotic drugs, intentional self-harm, initial encounter	ICD-10-CM	Diagnosis
T42.72XD	Poisoning by unspecified antiepileptic and sedative-hypnotic drugs, intentional self-harm, subsequent encounter	ICD-10-CM	Diagnosis
T45.92XS	Poisoning by unspecified primarily systemic and hematological agent, intentional self-harm, sequela	ICD-10-CM	Diagnosis
T45.92XA	Poisoning by unspecified primarily systemic and hematological agent, intentional self-harm, initial encounter	ICD-10-CM	Diagnosis
T45.92XD	Poisoning by unspecified primarily systemic and hematological agent, intentional self-harm, subsequent encounter	ICD-10-CM	Diagnosis
F54	Psychological and behavioral factors associated with disorders or diseases classified elsewhere	ICD-10-CM	Diagnosis
F51.04	Psychophysilogic insomnia	ICD-10-CM	Diagnosis
F06.2	Psychotic disorder with delusions due to known physiological condition	ICD-10-CM	Diagnosis
F06.0	Psychotic disorder with hallucinations due to known physiological condition	ICD-10-CM	Diagnosis
F53.1	Puerperal psychosis	ICD-10-CM	Diagnosis
F63.1	Pyromania	ICD-10-CM	Diagnosis
F43.9	Reaction to severe stress, unspecified	ICD-10-CM	Diagnosis
F20.5	Residual schizophrenia	ICD-10-CM	Diagnosis
F65.50	Sadomasochism, unspecified	ICD-10-CM	Diagnosis
F25.0	Schizoaffective disorder, bipolar type	ICD-10-CM	Diagnosis
F25.1	Schizoaffective disorder, depressive type	ICD-10-CM	Diagnosis
F25.9	Schizoaffective disorder, unspecified	ICD-10-CM	Diagnosis
F60.1	Schizoid personality disorder	ICD-10-CM	Diagnosis
F20.9	Schizophrenia, unspecified	ICD-10-CM	Diagnosis
F20.81	Schizophreniform disorder	ICD-10-CM	Diagnosis
F21	Schizotypal disorder	ICD-10-CM	Diagnosis
T61.12XA	Scombroid fish poisoning, intentional self-harm, initial encounter	ICD-10-CM	Diagnosis
T61.12XS	Scombroid fish poisoning, intentional self-harm, sequela	ICD-10-CM	Diagnosis
T61.12XD	Scombroid fish poisoning, intentional self-harm, subsequent encounter	ICD-10-CM	Diagnosis
X71.3XXS	Intentional self-harm by drowning and submersion in natural water, sequela	ICD-10-CM	Diagnosis
X71.3XXD	Intentional self-harm by drowning and submersion in natural water, subsequent encounter	ICD-10-CM	Diagnosis
F52.1	Sexual aversion disorder	ICD-10-CM	Diagnosis
R37	Sexual dysfunction, unspecified	ICD-10-CM	Diagnosis
F65.51	Sexual masochism	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
F65.52	Sexual sadism	ICD-10-CM	Diagnosis
F24	Shared psychotic disorder	ICD-10-CM	Diagnosis
F51.9	Sleep disorder not due to a substance or known physiological condition, unspecified	ICD-10-CM	Diagnosis
F51.4	Sleep terrors [night terrors]	ICD-10-CM	Diagnosis
F51.3	Sleepwalking [somnambulism]	ICD-10-CM	Diagnosis
R46.4	Slowness and poor responsiveness	ICD-10-CM	Diagnosis
F40.11	Social phobia, generalized	ICD-10-CM	Diagnosis
F40.10	Social phobia, unspecified	ICD-10-CM	Diagnosis
F45.0	Somatization disorder	ICD-10-CM	Diagnosis
F45.9	Somatoform disorder, unspecified	ICD-10-CM	Diagnosis
R45.7	State of emotional shock and stress, unspecified	ICD-10-CM	Diagnosis
R46.2	Strange and inexplicable behavior	ICD-10-CM	Diagnosis
R45.851	Suicidal ideations	ICD-10-CM	Diagnosis
T14.91	Suicide attempt	ICD-10-CM	Diagnosis
T14.91XA	Suicide attempt, initial encounter	ICD-10-CM	Diagnosis
T14.91XS	Suicide attempt, sequela	ICD-10-CM	Diagnosis
T14.91XD	Suicide attempt, subsequent encounter	ICD-10-CM	Diagnosis
R46.5	Suspiciousness and marked evasiveness	ICD-10-CM	Diagnosis
T57.0X2A	Toxic effect of arsenic and its compounds, intentional self-harm, initial encounter	ICD-10-CM	Diagnosis
T57.0X2D	Toxic effect of arsenic and its compounds, intentional self-harm, subsequent encounter	ICD-10-CM	Diagnosis
T56.7X2S	Toxic effect of beryllium and its compounds, intentional self-harm, sequela	ICD-10-CM	Diagnosis
T56.7X2D	Toxic effect of beryllium and its compounds, intentional self-harm, subsequent encounter	ICD-10-CM	Diagnosis
T56.7X2A	Toxic effect of beryllium and its compounds, intentional self-harm, initial encounter	ICD-10-CM	Diagnosis
T58.8X2S	Toxic effect of carbon monoxide from other source, intentional self-harm, sequela	ICD-10-CM	Diagnosis
T58.8X2D	Toxic effect of carbon monoxide from other source, intentional self-harm, subsequent encounter	ICD-10-CM	Diagnosis
T58.8X2A	Toxic effect of carbon monoxide from other source, intentional self-harm, initial encounter	ICD-10-CM	Diagnosis
T58.92XA	Toxic effect of carbon monoxide from unspecified source, intentional self-harm, initial encounter	ICD-10-CM	Diagnosis
T58.92XS	Toxic effect of carbon monoxide from unspecified source, intentional self-harm, sequela	ICD-10-CM	Diagnosis
T58.92XD	Toxic effect of carbon monoxide from unspecified source, intentional self-harm, subsequent encounter	ICD-10-CM	Diagnosis
T56.2X2A	Toxic effect of chromium and its compounds, intentional self-harm, initial encounter	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
T56.2X2S	Toxic effect of chromium and its compounds, intentional self-harm, sequela	ICD-10-CM	Diagnosis
T56.2X2D	Toxic effect of chromium and its compounds, intentional self-harm, subsequent encounter	ICD-10-CM	Diagnosis
T63.712S	Toxic effect of contact with venomous marine plant, intentional self-harm, sequela	ICD-10-CM	Diagnosis
T63.712D	Toxic effect of contact with venomous marine plant, intentional self-harm, subsequent encounter	ICD-10-CM	Diagnosis
T63.712A	Toxic effect of contact with venomous marine plant, intentional self-harm, initial encounter	ICD-10-CM	Diagnosis
T58.2X2A	Toxic effect of carbon monoxide from incomplete combustion of other domestic fuels, intentional self-harm, initial encounter	ICD-10-CM	Diagnosis
T58.2X2D	Toxic effect of carbon monoxide from incomplete combustion of other domestic fuels, intentional self-harm, subsequent encounter	ICD-10-CM	Diagnosis
T58.2X2S	Toxic effect of carbon monoxide from incomplete combustion of other domestic fuels, intentional self-harm, sequela	ICD-10-CM	Diagnosis
T63.832S	Toxic effect of contact with other venomous amphibian, intentional self-harm, sequela	ICD-10-CM	Diagnosis
T63.832D	Toxic effect of contact with other venomous amphibian, intentional self-harm, subsequent encounter	ICD-10-CM	Diagnosis
T63.892S	Toxic effect of contact with other venomous animals, intentional self-harm, sequela	ICD-10-CM	Diagnosis
T63.892D	Toxic effect of contact with other venomous animals, intentional self-harm, subsequent encounter	ICD-10-CM	Diagnosis
T63.792S	Toxic effect of contact with other venomous plant, intentional self-harm, sequela	ICD-10-CM	Diagnosis
T63.792D	Toxic effect of contact with other venomous plant, intentional self-harm, subsequent encounter	ICD-10-CM	Diagnosis
T63.792A	Toxic effect of contact with other venomous plant, intentional self-harm, initial encounter	ICD-10-CM	Diagnosis
T63.612D	Toxic effect of contact with Portugese Man-o-war, intentional self-harm, subsequent encounter	ICD-10-CM	Diagnosis
T63.612S	Toxic effect of contact with Portugese Man-o-war, intentional self-harm, sequela	ICD-10-CM	Diagnosis
T63.612A	Toxic effect of contact with Portugese Man-o-war, intentional self-harm, initial encounter	ICD-10-CM	Diagnosis
T63.92XS	Toxic effect of contact with unspecified venomous animal, intentional self-harm, sequela	ICD-10-CM	Diagnosis
T63.92XD	Toxic effect of contact with unspecified venomous animal, intentional self-harm, subsequent encounter	ICD-10-CM	Diagnosis
T63.832A	Toxic effect of contact with other venomous amphibian, intentional self-harm, initial encounter	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
T63.892A	Toxic effect of contact with other venomous animals, intentional self-harm, initial encounter	ICD-10-CM	Diagnosis
T63.92XA	Toxic effect of contact with unspecified venomous animal, intentional self-harm, initial encounter	ICD-10-CM	Diagnosis
T54.2X2A	Toxic effect of corrosive acids and acid-like substances, intentional self-harm, initial encounter	ICD-10-CM	Diagnosis
T54.2X2S	Toxic effect of corrosive acids and acid-like substances, intentional self-harm, sequela	ICD-10-CM	Diagnosis
T54.2X2D	Toxic effect of corrosive acids and acid-like substances, intentional self-harm, subsequent encounter	ICD-10-CM	Diagnosis
T54.3X2A	Toxic effect of corrosive alkalis and alkali-like substances, intentional self-harm, initial encounter	ICD-10-CM	Diagnosis
T54.3X2S	Toxic effect of corrosive alkalis and alkali-like substances, intentional self-harm, sequela	ICD-10-CM	Diagnosis
T54.3X2D	Toxic effect of corrosive alkalis and alkali-like substances, intentional self-harm, subsequent encounter	ICD-10-CM	Diagnosis
T60.1X2S	Toxic effect of halogenated insecticides, intentional self-harm, sequela	ICD-10-CM	Diagnosis
T60.1X2D	Toxic effect of halogenated insecticides, intentional self-harm, subsequent encounter	ICD-10-CM	Diagnosis
T60.1X2A	Toxic effect of halogenated insecticides, intentional self-harm, initial encounter	ICD-10-CM	Diagnosis
T65.822S	Toxic effect of harmful algae and algae toxins, intentional self-harm, sequela	ICD-10-CM	Diagnosis
T65.822D	Toxic effect of harmful algae and algae toxins, intentional self-harm, subsequent encounter	ICD-10-CM	Diagnosis
T65.822A	Toxic effect of harmful algae and algae toxins, intentional self-harm, initial encounter	ICD-10-CM	Diagnosis
T57.2X2S	Toxic effect of manganese and its compounds, intentional self-harm, sequela	ICD-10-CM	Diagnosis
T57.2X2D	Toxic effect of manganese and its compounds, intentional self-harm, subsequent encounter	ICD-10-CM	Diagnosis
T57.2X2A	Toxic effect of manganese and its compounds, intentional self-harm, initial encounter	ICD-10-CM	Diagnosis
T65.3X2S	Toxic effect of nitroderivatives and aminoderivatives of benzene and its homologues, intentional self-harm, sequela	ICD-10-CM	Diagnosis
T65.3X2D	Toxic effect of nitroderivatives and aminoderivatives of benzene and its homologues, intentional self-harm, subsequent encounter	ICD-10-CM	Diagnosis
T65.3X2A	Toxic effect of nitroderivatives and aminoderivatives of benzene and its homologues, intentional self-harm, initial encounter	ICD-10-CM	Diagnosis
T62.8X2A	Toxic effect of other specified noxious substances eaten as food, intentional self-harm, initial encounter	ICD-10-CM	Diagnosis
T65.5X2A	Toxic effect of nitroglycerin and other nitric acids and esters, intentional self-harm, initial encounter	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
T65.5X2D	Toxic effect of nitroglycerin and other nitric acids and esters, intentional self-harm, subsequent encounter	ICD-10-CM	Diagnosis
T65.5X2S	Toxic effect of nitroglycerin and other nitric acids and esters, intentional self-harm, sequela	ICD-10-CM	Diagnosis
T54.1X2S	Toxic effect of other corrosive organic compounds, intentional self-harm, sequela	ICD-10-CM	Diagnosis
T54.1X2D	Toxic effect of other corrosive organic compounds, intentional self-harm, subsequent encounter	ICD-10-CM	Diagnosis
T54.1X2A	Toxic effect of other corrosive organic compounds, intentional self-harm, initial encounter	ICD-10-CM	Diagnosis
T59.892S	Toxic effect of other specified gases, fumes and vapors, intentional self-harm, sequela	ICD-10-CM	Diagnosis
T59.892D	Toxic effect of other specified gases, fumes and vapors, intentional self-harm, subsequent encounter	ICD-10-CM	Diagnosis
T59.892A	Toxic effect of other specified gases, fumes and vapors, intentional self-harm, initial encounter	ICD-10-CM	Diagnosis
T53.6X2A	Toxic effect of other halogen derivatives of aliphatic hydrocarbons, intentional self-harm, initial encounter	ICD-10-CM	Diagnosis
T53.6X2S	Toxic effect of other halogen derivatives of aliphatic hydrocarbons, intentional self-harm, sequela	ICD-10-CM	Diagnosis
T53.6X2D	Toxic effect of other halogen derivatives of aliphatic hydrocarbons, intentional self-harm, subsequent encounter	ICD-10-CM	Diagnosis
T53.7X2A	Toxic effect of other halogen derivatives of aromatic hydrocarbons, intentional self-harm, initial encounter	ICD-10-CM	Diagnosis
T53.7X2S	Toxic effect of other halogen derivatives of aromatic hydrocarbons, intentional self-harm, sequela	ICD-10-CM	Diagnosis
T53.7X2D	Toxic effect of other halogen derivatives of aromatic hydrocarbons, intentional self-harm, subsequent encounter	ICD-10-CM	Diagnosis
T62.2X2S	Toxic effect of other ingested (parts of) plant(s), intentional self-harm, sequela	ICD-10-CM	Diagnosis
T62.2X2D	Toxic effect of other ingested (parts of) plant(s), intentional self-harm, subsequent encounter	ICD-10-CM	Diagnosis
T62.2X2A	Toxic effect of other ingested (parts of) plant(s), intentional self-harm, initial encounter	ICD-10-CM	Diagnosis
T57.8X2S	Toxic effect of other specified inorganic substances, intentional self-harm, sequela	ICD-10-CM	Diagnosis
T57.8X2A	Toxic effect of other specified inorganic substances, intentional self-harm, initial encounter	ICD-10-CM	Diagnosis
T57.8X2D	Toxic effect of other specified inorganic substances, intentional self-harm, subsequent encounter	ICD-10-CM	Diagnosis
T64.82XA	Toxic effect of other mycotoxin food contaminants, intentional self-harm, initial encounter	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
T64.82XS	Toxic effect of other mycotoxin food contaminants, intentional self-harm, sequela	ICD-10-CM	Diagnosis
T64.82XD	Toxic effect of other mycotoxin food contaminants, intentional self-harm, subsequent encounter	ICD-10-CM	Diagnosis
T62.8X2S	Toxic effect of other specified noxious substances eaten as food, intentional self-harm, sequela	ICD-10-CM	Diagnosis
T62.8X2D	Toxic effect of other specified noxious substances eaten as food, intentional self-harm, subsequent encounter	ICD-10-CM	Diagnosis
T63.692A	Toxic effect of contact with other venomous marine animals, intentional self-harm, initial encounter	ICD-10-CM	Diagnosis
T63.692S	Toxic effect of contact with other venomous marine animals, intentional self-harm, sequela	ICD-10-CM	Diagnosis
T63.692D	Toxic effect of contact with other venomous marine animals, intentional self-harm, subsequent encounter	ICD-10-CM	Diagnosis
T54.0X2A	Toxic effect of phenol and phenol homologues, intentional self-harm, initial encounter	ICD-10-CM	Diagnosis
T54.0X2S	Toxic effect of phenol and phenol homologues, intentional self-harm, sequela	ICD-10-CM	Diagnosis
T54.0X2D	Toxic effect of phenol and phenol homologues, intentional self-harm, subsequent encounter	ICD-10-CM	Diagnosis
T57.1X2S	Toxic effect of phosphorus and its compounds, intentional self-harm, sequela	ICD-10-CM	Diagnosis
T57.1X2D	Toxic effect of phosphorus and its compounds, intentional self-harm, subsequent encounter	ICD-10-CM	Diagnosis
T57.1X2A	Toxic effect of phosphorus and its compounds, intentional self-harm, initial encounter	ICD-10-CM	Diagnosis
T65.1X2S	Toxic effect of strychnine and its salts, intentional self-harm, sequela	ICD-10-CM	Diagnosis
T65.1X2D	Toxic effect of strychnine and its salts, intentional self-harm, subsequent encounter	ICD-10-CM	Diagnosis
T65.1X2A	Toxic effect of strychnine and its salts, intentional self-harm, initial encounter	ICD-10-CM	Diagnosis
T54.92XA	Toxic effect of unspecified corrosive substance, intentional self-harm, initial encounter	ICD-10-CM	Diagnosis
T54.92XS	Toxic effect of unspecified corrosive substance, intentional self-harm, sequela	ICD-10-CM	Diagnosis
T54.92XD	Toxic effect of unspecified corrosive substance, intentional self-harm, subsequent encounter	ICD-10-CM	Diagnosis
T59.92XS	Toxic effect of unspecified gases, fumes and vapors, intentional self-harm, sequela	ICD-10-CM	Diagnosis
T59.92XD	Toxic effect of unspecified gases, fumes and vapors, intentional self-harm, subsequent encounter	ICD-10-CM	Diagnosis
T59.92XA	Toxic effect of unspecified gases, fumes and vapors, intentional self-harm, initial encounter	ICD-10-CM	Diagnosis



**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
T53.92XS	Toxic effect of unspecified halogen derivatives of aliphatic and aromatic hydrocarbons, intentional self-harm, sequela	ICD-10-CM	Diagnosis
T53.92XD	Toxic effect of unspecified halogen derivatives of aliphatic and aromatic hydrocarbons, intentional self-harm, subsequent encounter	ICD-10-CM	Diagnosis
T53.92XA	Toxic effect of unspecified halogen derivatives of aliphatic and aromatic hydrocarbons, intentional self-harm, initial encounter	ICD-10-CM	Diagnosis
T62.92XA	Toxic effect of unspecified noxious substance eaten as food, intentional self-harm, initial encounter	ICD-10-CM	Diagnosis
T62.92XS	Toxic effect of unspecified noxious substance eaten as food, intentional self-harm, sequela	ICD-10-CM	Diagnosis
T62.92XD	Toxic effect of unspecified noxious substance eaten as food, intentional self-harm, subsequent encounter	ICD-10-CM	Diagnosis
T63.412A	Toxic effect of venom of centipedes and venomous millipedes, intentional self-harm, initial encounter	ICD-10-CM	Diagnosis
T63.412S	Toxic effect of venom of centipedes and venomous millipedes, intentional self-harm, sequela	ICD-10-CM	Diagnosis
T63.412D	Toxic effect of venom of centipedes and venomous millipedes, intentional self-harm, subsequent encounter	ICD-10-CM	Diagnosis
T63.072S	Toxic effect of venom of other Australian snake, intentional self-harm, sequela	ICD-10-CM	Diagnosis
T63.072A	Toxic effect of venom of other Australian snake, intentional self-harm, initial encounter	ICD-10-CM	Diagnosis
T63.072D	Toxic effect of venom of other Australian snake, intentional self-harm, subsequent encounter	ICD-10-CM	Diagnosis
T63.062S	Toxic effect of venom of other North and South American snake, intentional self-harm, sequela	ICD-10-CM	Diagnosis
T63.062A	Toxic effect of venom of other North and South American snake, intentional self-harm, initial encounter	ICD-10-CM	Diagnosis
T63.062D	Toxic effect of venom of other North and South American snake, intentional self-harm, subsequent encounter	ICD-10-CM	Diagnosis
T63.312S	Toxic effect of venom of black widow spider, intentional self-harm, sequela	ICD-10-CM	Diagnosis
T63.312D	Toxic effect of venom of black widow spider, intentional self-harm, subsequent encounter	ICD-10-CM	Diagnosis
T63.312A	Toxic effect of venom of black widow spider, intentional self-harm, initial encounter	ICD-10-CM	Diagnosis
T63.082A	Toxic effect of venom of other African and Asian snake, intentional self-harm, initial encounter	ICD-10-CM	Diagnosis
T63.082S	Toxic effect of venom of other African and Asian snake, intentional self-harm, sequela	ICD-10-CM	Diagnosis
T63.082D	Toxic effect of venom of other African and Asian snake, intentional self-harm, subsequent encounter	ICD-10-CM	Diagnosis



**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
T63.122S	Toxic effect of venom of other venomous lizard, intentional self-harm, sequela	ICD-10-CM	Diagnosis
T63.122D	Toxic effect of venom of other venomous lizard, intentional self-harm, subsequent encounter	ICD-10-CM	Diagnosis
T63.122A	Toxic effect of venom of other venomous lizard, intentional self-harm, initial encounter	ICD-10-CM	Diagnosis
T65.292S	Toxic effect of other tobacco and nicotine, intentional self-harm, sequela	ICD-10-CM	Diagnosis
T65.292D	Toxic effect of other tobacco and nicotine, intentional self-harm, subsequent encounter	ICD-10-CM	Diagnosis
T65.292A	Toxic effect of other tobacco and nicotine, intentional self-harm, initial encounter	ICD-10-CM	Diagnosis
T57.0X2S	Toxic effect of arsenic and its compounds, intentional self-harm, sequela	ICD-10-CM	Diagnosis
T56.3X2D	Toxic effect of cadmium and its compounds, intentional self-harm, subsequent encounter	ICD-10-CM	Diagnosis
T56.3X2A	Toxic effect of cadmium and its compounds, intentional self-harm, initial encounter	ICD-10-CM	Diagnosis
T58.02XA	Toxic effect of carbon monoxide from motor vehicle exhaust, intentional self-harm, initial encounter	ICD-10-CM	Diagnosis
T58.02XD	Toxic effect of carbon monoxide from motor vehicle exhaust, intentional self-harm, subsequent encounter	ICD-10-CM	Diagnosis
T58.12XD	Toxic effect of carbon monoxide from utility gas, intentional self-harm, subsequent encounter	ICD-10-CM	Diagnosis
T58.12XA	Toxic effect of carbon monoxide from utility gas, intentional self-harm, initial encounter	ICD-10-CM	Diagnosis
T58.02XS	Toxic effect of carbon monoxide from motor vehicle exhaust, intentional self-harm, sequela	ICD-10-CM	Diagnosis
T58.12XS	Toxic effect of carbon monoxide from utility gas, intentional self-harm, sequela	ICD-10-CM	Diagnosis
T53.0X2A	Toxic effect of carbon tetrachloride, intentional self-harm, initial encounter	ICD-10-CM	Diagnosis
T53.0X2D	Toxic effect of carbon tetrachloride, intentional self-harm, subsequent encounter	ICD-10-CM	Diagnosis
T53.5X2D	Toxic effect of chlorofluorocarbons, intentional self-harm, subsequent encounter	ICD-10-CM	Diagnosis
T53.5X2A	Toxic effect of chlorofluorocarbons, intentional self-harm, initial encounter	ICD-10-CM	Diagnosis
T63.622S	Toxic effect of contact with other jellyfish, intentional self-harm, sequela	ICD-10-CM	Diagnosis
T63.622D	Toxic effect of contact with other jellyfish, intentional self-harm, subsequent encounter	ICD-10-CM	Diagnosis
T63.622A	Toxic effect of contact with other jellyfish, intentional self-harm, initial encounter	ICD-10-CM	Diagnosis
T63.592S	Toxic effect of contact with other venomous fish, intentional self-harm, sequela	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
T63.592D	Toxic effect of contact with other venomous fish, intentional self-harm, subsequent encounter	ICD-10-CM	Diagnosis
T63.632A	Toxic effect of contact with sea anemone, intentional self-harm, initial encounter	ICD-10-CM	Diagnosis
T63.632S	Toxic effect of contact with sea anemone, intentional self-harm, sequela	ICD-10-CM	Diagnosis
T63.632D	Toxic effect of contact with sea anemone, intentional self-harm, subsequent encounter	ICD-10-CM	Diagnosis
T63.822A	Toxic effect of contact with venomous toad, intentional self-harm, initial encounter	ICD-10-CM	Diagnosis
T63.822S	Toxic effect of contact with venomous toad, intentional self-harm, sequela	ICD-10-CM	Diagnosis
T63.822D	Toxic effect of contact with venomous toad, intentional self-harm, subsequent encounter	ICD-10-CM	Diagnosis
T63.812S	Toxic effect of contact with venomous frog, intentional self-harm, sequela	ICD-10-CM	Diagnosis
T63.812D	Toxic effect of contact with venomous frog, intentional self-harm, subsequent encounter	ICD-10-CM	Diagnosis
T63.512A	Toxic effect of contact with stingray, intentional self-harm, initial encounter	ICD-10-CM	Diagnosis
T63.512S	Toxic effect of contact with stingray, intentional self-harm, sequela	ICD-10-CM	Diagnosis
T63.512D	Toxic effect of contact with stingray, intentional self-harm, subsequent encounter	ICD-10-CM	Diagnosis
T63.592A	Toxic effect of contact with other venomous fish, intentional self-harm, initial encounter	ICD-10-CM	Diagnosis
T63.812A	Toxic effect of contact with venomous frog, intentional self-harm, initial encounter	ICD-10-CM	Diagnosis
T56.4X2A	Toxic effect of copper and its compounds, intentional self-harm, initial encounter	ICD-10-CM	Diagnosis
T56.4X2D	Toxic effect of copper and its compounds, intentional self-harm, subsequent encounter	ICD-10-CM	Diagnosis
T63.022A	Toxic effect of coral snake venom, intentional self-harm, initial encounter	ICD-10-CM	Diagnosis
T63.022D	Toxic effect of coral snake venom, intentional self-harm, subsequent encounter	ICD-10-CM	Diagnosis
T59.5X2A	Toxic effect of fluorine gas and hydrogen fluoride, intentional self-harm, initial encounter	ICD-10-CM	Diagnosis
T59.5X2D	Toxic effect of fluorine gas and hydrogen fluoride, intentional self-harm, subsequent encounter	ICD-10-CM	Diagnosis
T60.3X2S	Toxic effect of herbicides and fungicides, intentional self-harm, sequela	ICD-10-CM	Diagnosis
T60.3X2D	Toxic effect of herbicides and fungicides, intentional self-harm, subsequent encounter	ICD-10-CM	Diagnosis
T60.3X2A	Toxic effect of herbicides and fungicides, intentional self-harm, initial encounter	ICD-10-CM	Diagnosis
T52.2X2A	Toxic effect of homologues of benzene, intentional self-harm, initial encounter	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
T52.2X2D	Toxic effect of homologues of benzene, intentional self-harm, subsequent encounter	ICD-10-CM	Diagnosis
T57.3X2A	Toxic effect of hydrogen cyanide, intentional self-harm, initial encounter	ICD-10-CM	Diagnosis
T57.3X2D	Toxic effect of hydrogen cyanide, intentional self-harm, subsequent encounter	ICD-10-CM	Diagnosis
T62.0X2A	Toxic effect of ingested mushrooms, intentional self-harm, initial encounter	ICD-10-CM	Diagnosis
T62.0X2S	Toxic effect of ingested mushrooms, intentional self-harm, sequela	ICD-10-CM	Diagnosis
T62.0X2D	Toxic effect of ingested mushrooms, intentional self-harm, subsequent encounter	ICD-10-CM	Diagnosis
T56.0X2D	Toxic effect of lead and its compounds, intentional self-harm, subsequent encounter	ICD-10-CM	Diagnosis
T56.0X2A	Toxic effect of lead and its compounds, intentional self-harm, initial encounter	ICD-10-CM	Diagnosis
T56.0X2S	Toxic effect of lead and its compounds, intentional self-harm, sequela	ICD-10-CM	Diagnosis
T56.1X2D	Toxic effect of mercury and its compounds, intentional self-harm, subsequent encounter	ICD-10-CM	Diagnosis
T56.1X2A	Toxic effect of mercury and its compounds, intentional self-harm, initial encounter	ICD-10-CM	Diagnosis
T56.1X2S	Toxic effect of mercury and its compounds, intentional self-harm, sequela	ICD-10-CM	Diagnosis
T60.0X2A	Toxic effect of organophosphate and carbamate insecticides, intentional self-harm, initial encounter	ICD-10-CM	Diagnosis
T60.0X2S	Toxic effect of organophosphate and carbamate insecticides, intentional self-harm, sequela	ICD-10-CM	Diagnosis
T60.0X2D	Toxic effect of organophosphate and carbamate insecticides, intentional self-harm, subsequent encounter	ICD-10-CM	Diagnosis
T60.2X2A	Toxic effect of other insecticides, intentional self-harm, initial encounter	ICD-10-CM	Diagnosis
T60.2X2D	Toxic effect of other insecticides, intentional self-harm, subsequent encounter	ICD-10-CM	Diagnosis
T52.8X2A	Toxic effect of other organic solvents, intentional self-harm, initial encounter	ICD-10-CM	Diagnosis
T52.8X2D	Toxic effect of other organic solvents, intentional self-harm, subsequent encounter	ICD-10-CM	Diagnosis
T52.8X2S	Toxic effect of other organic solvents, intentional self-harm, sequela	ICD-10-CM	Diagnosis
T65.892A	Toxic effect of other specified substances, intentional self-harm, initial encounter	ICD-10-CM	Diagnosis
T65.892S	Toxic effect of other specified substances, intentional self-harm, sequela	ICD-10-CM	Diagnosis
T65.892D	Toxic effect of other specified substances, intentional self-harm, subsequent encounter	ICD-10-CM	Diagnosis
T63.012D	Toxic effect of rattlesnake venom, intentional self-harm, subsequent encounter	ICD-10-CM	Diagnosis
T63.012A	Toxic effect of rattlesnake venom, intentional self-harm, initial encounter	ICD-10-CM	Diagnosis
T53.3X2A	Toxic effect of tetrachloroethylene, intentional self-harm, initial encounter	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
T53.3X2D	Toxic effect of tetrachloroethylene, intentional self-harm, subsequent encounter	ICD-10-CM	Diagnosis
T56.6X2A	Toxic effect of tin and its compounds, intentional self-harm, initial encounter	ICD-10-CM	Diagnosis
T56.6X2S	Toxic effect of tin and its compounds, intentional self-harm, sequela	ICD-10-CM	Diagnosis
T56.6X2D	Toxic effect of tin and its compounds, intentional self-harm, subsequent encounter	ICD-10-CM	Diagnosis
T65.222S	Toxic effect of tobacco cigarettes, intentional self-harm, sequela	ICD-10-CM	Diagnosis
T65.222A	Toxic effect of tobacco cigarettes, intentional self-harm, initial encounter	ICD-10-CM	Diagnosis
T65.222D	Toxic effect of tobacco cigarettes, intentional self-harm, subsequent encounter	ICD-10-CM	Diagnosis
T53.2X2A	Toxic effect of trichloroethylene, intentional self-harm, initial encounter	ICD-10-CM	Diagnosis
T53.2X2D	Toxic effect of trichloroethylene, intentional self-harm, subsequent encounter	ICD-10-CM	Diagnosis
T57.92XD	Toxic effect of unspecified inorganic substance, intentional self-harm, subsequent encounter	ICD-10-CM	Diagnosis
T57.92XA	Toxic effect of unspecified inorganic substance, intentional self-harm, initial encounter	ICD-10-CM	Diagnosis
T57.92XS	Toxic effect of unspecified inorganic substance, intentional self-harm, sequela	ICD-10-CM	Diagnosis
T52.92XD	Toxic effect of unspecified organic solvent, intentional self-harm, subsequent encounter	ICD-10-CM	Diagnosis
T52.92XS	Toxic effect of unspecified organic solvent, intentional self-harm, sequela	ICD-10-CM	Diagnosis
T52.92XA	Toxic effect of unspecified organic solvent, intentional self-harm, initial encounter	ICD-10-CM	Diagnosis
T63.002A	Toxic effect of unspecified snake venom, intentional self-harm, initial encounter	ICD-10-CM	Diagnosis
T63.002D	Toxic effect of unspecified snake venom, intentional self-harm, subsequent encounter	ICD-10-CM	Diagnosis
T63.332A	Toxic effect of venom of brown recluse spider, intentional self-harm, initial encounter	ICD-10-CM	Diagnosis
T63.332S	Toxic effect of venom of brown recluse spider, intentional self-harm, sequela	ICD-10-CM	Diagnosis
T63.332D	Toxic effect of venom of brown recluse spider, intentional self-harm, subsequent encounter	ICD-10-CM	Diagnosis
T63.432A	Toxic effect of venom of caterpillars, intentional self-harm, initial encounter	ICD-10-CM	Diagnosis
T63.432S	Toxic effect of venom of caterpillars, intentional self-harm, sequela	ICD-10-CM	Diagnosis
T63.432D	Toxic effect of venom of caterpillars, intentional self-harm, subsequent encounter	ICD-10-CM	Diagnosis
T63.112A	Toxic effect of venom of gila monster, intentional self-harm, initial encounter	ICD-10-CM	Diagnosis
T63.112S	Toxic effect of venom of gila monster, intentional self-harm, sequela	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
T63.112D	Toxic effect of venom of gila monster, intentional self-harm, subsequent encounter	ICD-10-CM	Diagnosis
T63.482A	Toxic effect of venom of other arthropod, intentional self-harm, initial encounter	ICD-10-CM	Diagnosis
T63.482S	Toxic effect of venom of other arthropod, intentional self-harm, sequela	ICD-10-CM	Diagnosis
T63.482D	Toxic effect of venom of other arthropod, intentional self-harm, subsequent encounter	ICD-10-CM	Diagnosis
T63.192A	Toxic effect of venom of other reptiles, intentional self-harm, initial encounter	ICD-10-CM	Diagnosis
T63.192S	Toxic effect of venom of other reptiles, intentional self-harm, sequela	ICD-10-CM	Diagnosis
T63.192D	Toxic effect of venom of other reptiles, intentional self-harm, subsequent encounter	ICD-10-CM	Diagnosis
T56.5X2D	Toxic effect of zinc and its compounds, intentional self-harm, subsequent encounter	ICD-10-CM	Diagnosis
T56.5X2A	Toxic effect of zinc and its compounds, intentional self-harm, initial encounter	ICD-10-CM	Diagnosis
T56.5X2S	Toxic effect of zinc and its compounds, intentional self-harm, sequela	ICD-10-CM	Diagnosis
T51.2X2A	Toxic effect of 2-Propanol, intentional self-harm, initial encounter	ICD-10-CM	Diagnosis
T51.2X2S	Toxic effect of 2-Propanol, intentional self-harm, sequela	ICD-10-CM	Diagnosis
T51.2X2D	Toxic effect of 2-Propanol, intentional self-harm, subsequent encounter	ICD-10-CM	Diagnosis
T64.02XA	Toxic effect of aflatoxin, intentional self-harm, initial encounter	ICD-10-CM	Diagnosis
T64.02XS	Toxic effect of aflatoxin, intentional self-harm, sequela	ICD-10-CM	Diagnosis
T64.02XD	Toxic effect of aflatoxin, intentional self-harm, subsequent encounter	ICD-10-CM	Diagnosis
T52.1X2A	Toxic effect of benzene, intentional self-harm, initial encounter	ICD-10-CM	Diagnosis
T52.1X2S	Toxic effect of benzene, intentional self-harm, sequela	ICD-10-CM	Diagnosis
T52.1X2D	Toxic effect of benzene, intentional self-harm, subsequent encounter	ICD-10-CM	Diagnosis
T56.3X2S	Toxic effect of cadmium and its compounds, intentional self-harm, sequela	ICD-10-CM	Diagnosis
T59.7X2A	Toxic effect of carbon dioxide, intentional self-harm, initial encounter	ICD-10-CM	Diagnosis
T59.7X2S	Toxic effect of carbon dioxide, intentional self-harm, sequela	ICD-10-CM	Diagnosis
T59.7X2D	Toxic effect of carbon dioxide, intentional self-harm, subsequent encounter	ICD-10-CM	Diagnosis
T65.4X2A	Toxic effect of carbon disulfide, intentional self-harm, initial encounter	ICD-10-CM	Diagnosis
T65.4X2S	Toxic effect of carbon disulfide, intentional self-harm, sequela	ICD-10-CM	Diagnosis
T65.4X2D	Toxic effect of carbon disulfide, intentional self-harm, subsequent encounter	ICD-10-CM	Diagnosis
T53.0X2S	Toxic effect of carbon tetrachloride, intentional self-harm, sequela	ICD-10-CM	Diagnosis
T65.212A	Toxic effect of chewing tobacco, intentional self-harm, initial encounter	ICD-10-CM	Diagnosis
T65.212S	Toxic effect of chewing tobacco, intentional self-harm, sequela	ICD-10-CM	Diagnosis
T65.212D	Toxic effect of chewing tobacco, intentional self-harm, subsequent encounter	ICD-10-CM	Diagnosis
T59.4X2A	Toxic effect of chlorine gas, intentional self-harm, initial encounter	ICD-10-CM	Diagnosis
T59.4X2S	Toxic effect of chlorine gas, intentional self-harm, sequela	ICD-10-CM	Diagnosis
T59.4X2D	Toxic effect of chlorine gas, intentional self-harm, subsequent encounter	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
T53.5X2S	Toxic effect of chlorofluorocarbons, intentional self-harm, sequela	ICD-10-CM	Diagnosis
T53.1X2A	Toxic effect of chloroform, intentional self-harm, initial encounter	ICD-10-CM	Diagnosis
T53.1X2S	Toxic effect of chloroform, intentional self-harm, sequela	ICD-10-CM	Diagnosis
T53.1X2D	Toxic effect of chloroform, intentional self-harm, subsequent encounter	ICD-10-CM	Diagnosis
T63.042A	Toxic effect of cobra venom, intentional self-harm, initial encounter	ICD-10-CM	Diagnosis
T63.042S	Toxic effect of cobra venom, intentional self-harm, sequela	ICD-10-CM	Diagnosis
T63.042D	Toxic effect of cobra venom, intentional self-harm, subsequent encounter	ICD-10-CM	Diagnosis
T56.4X2S	Toxic effect of copper and its compounds, intentional self-harm, sequela	ICD-10-CM	Diagnosis
T63.022S	Toxic effect of coral snake venom, intentional self-harm, sequela	ICD-10-CM	Diagnosis
T65.0X2A	Toxic effect of cyanides, intentional self-harm, initial encounter	ICD-10-CM	Diagnosis
T65.0X2S	Toxic effect of cyanides, intentional self-harm, sequela	ICD-10-CM	Diagnosis
T65.0X2D	Toxic effect of cyanides, intentional self-harm, subsequent encounter	ICD-10-CM	Diagnosis
T55.1X2A	Toxic effect of detergents, intentional self-harm, initial encounter	ICD-10-CM	Diagnosis
T55.1X2S	Toxic effect of detergents, intentional self-harm, sequela	ICD-10-CM	Diagnosis
T55.1X2D	Toxic effect of detergents, intentional self-harm, subsequent encounter	ICD-10-CM	Diagnosis
T53.4X2A	Toxic effect of dichloromethane, intentional self-harm, initial encounter	ICD-10-CM	Diagnosis
T53.4X2S	Toxic effect of dichloromethane, intentional self-harm, sequela	ICD-10-CM	Diagnosis
T53.4X2D	Toxic effect of dichloromethane, intentional self-harm, subsequent encounter	ICD-10-CM	Diagnosis
T51.0X2A	Toxic effect of ethanol, intentional self-harm, initial encounter	ICD-10-CM	Diagnosis
T51.0X2D	Toxic effect of ethanol, intentional self-harm, subsequent encounter	ICD-10-CM	Diagnosis
T65.832A	Toxic effect of fiberglass, intentional self-harm, initial encounter	ICD-10-CM	Diagnosis
T65.832D	Toxic effect of fiberglass, intentional self-harm, subsequent encounter	ICD-10-CM	Diagnosis
T59.5X2S	Toxic effect of fluorine gas and hydrogen fluoride, intentional self-harm, sequela	ICD-10-CM	Diagnosis
T59.2X2A	Toxic effect of formaldehyde, intentional self-harm, initial encounter	ICD-10-CM	Diagnosis
T59.2X2S	Toxic effect of formaldehyde, intentional self-harm, sequela	ICD-10-CM	Diagnosis
T59.2X2D	Toxic effect of formaldehyde, intentional self-harm, subsequent encounter	ICD-10-CM	Diagnosis
T51.3X2A	Toxic effect of fusel oil, intentional self-harm, initial encounter	ICD-10-CM	Diagnosis
T51.3X2S	Toxic effect of fusel oil, intentional self-harm, sequela	ICD-10-CM	Diagnosis
T51.3X2D	Toxic effect of fusel oil, intentional self-harm, subsequent encounter	ICD-10-CM	Diagnosis
T52.3X2A	Toxic effect of glycols, intentional self-harm, initial encounter	ICD-10-CM	Diagnosis
T52.3X2S	Toxic effect of glycols, intentional self-harm, sequela	ICD-10-CM	Diagnosis
T52.3X2D	Toxic effect of glycols, intentional self-harm, subsequent encounter	ICD-10-CM	Diagnosis
T52.2X2S	Toxic effect of homologues of benzene, intentional self-harm, sequela	ICD-10-CM	Diagnosis
T57.3X2S	Toxic effect of hydrogen cyanide, intentional self-harm, sequela	ICD-10-CM	Diagnosis
T59.6X2A	Toxic effect of hydrogen sulfide, intentional self-harm, initial encounter	ICD-10-CM	Diagnosis
T59.6X2S	Toxic effect of hydrogen sulfide, intentional self-harm, sequela	ICD-10-CM	Diagnosis
T59.6X2D	Toxic effect of hydrogen sulfide, intentional self-harm, subsequent encounter	ICD-10-CM	Diagnosis
T62.1X2A	Toxic effect of ingested berries, intentional self-harm, initial encounter	ICD-10-CM	Diagnosis
T62.1X2S	Toxic effect of ingested berries, intentional self-harm, sequela	ICD-10-CM	Diagnosis



**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
T62.1X2D	Toxic effect of ingested berries, intentional self-harm, subsequent encounter	ICD-10-CM	Diagnosis
T52.4X2A	Toxic effect of ketones, intentional self-harm, initial encounter	ICD-10-CM	Diagnosis
T52.4X2S	Toxic effect of ketones, intentional self-harm, sequela	ICD-10-CM	Diagnosis
T52.4X2D	Toxic effect of ketones, intentional self-harm, subsequent encounter	ICD-10-CM	Diagnosis
T59.3X2A	Toxic effect of lacrimogenic gas, intentional self-harm, initial encounter	ICD-10-CM	Diagnosis
T59.3X2S	Toxic effect of lacrimogenic gas, intentional self-harm, sequela	ICD-10-CM	Diagnosis
T59.3X2D	Toxic effect of lacrimogenic gas, intentional self-harm, subsequent encounter	ICD-10-CM	Diagnosis
T65.812A	Toxic effect of latex, intentional self-harm, initial encounter	ICD-10-CM	Diagnosis
T65.812D	Toxic effect of latex, intentional self-harm, subsequent encounter	ICD-10-CM	Diagnosis
T51.1X2A	Toxic effect of methanol, intentional self-harm, initial encounter	ICD-10-CM	Diagnosis
T51.1X2D	Toxic effect of methanol, intentional self-harm, subsequent encounter	ICD-10-CM	Diagnosis
T59.0X2A	Toxic effect of nitrogen oxides, intentional self-harm, initial encounter	ICD-10-CM	Diagnosis
T59.0X2S	Toxic effect of nitrogen oxides, intentional self-harm, sequela	ICD-10-CM	Diagnosis
T59.0X2D	Toxic effect of nitrogen oxides, intentional self-harm, subsequent encounter	ICD-10-CM	Diagnosis
T51.0X2S	Toxic effect of ethanol, intentional self-harm, sequela	ICD-10-CM	Diagnosis
T65.832S	Toxic effect of fiberglass, intentional self-harm, sequela	ICD-10-CM	Diagnosis
T65.812S	Toxic effect of latex, intentional self-harm, sequela	ICD-10-CM	Diagnosis
T51.1X2S	Toxic effect of methanol, intentional self-harm, sequela	ICD-10-CM	Diagnosis
T59.812A	Toxic effect of smoke, intentional self-harm, initial encounter	ICD-10-CM	Diagnosis
T59.812S	Toxic effect of smoke, intentional self-harm, sequela	ICD-10-CM	Diagnosis
T59.812D	Toxic effect of smoke, intentional self-harm, subsequent encounter	ICD-10-CM	Diagnosis
T51.8X2A	Toxic effect of other alcohols, intentional self-harm, initial encounter	ICD-10-CM	Diagnosis
T51.8X2S	Toxic effect of other alcohols, intentional self-harm, sequela	ICD-10-CM	Diagnosis
T51.8X2D	Toxic effect of other alcohols, intentional self-harm, subsequent encounter	ICD-10-CM	Diagnosis
T60.2X2S	Toxic effect of other insecticides, intentional self-harm, sequela	ICD-10-CM	Diagnosis
T56.892A	Toxic effect of other metals, intentional self-harm, initial encounter	ICD-10-CM	Diagnosis
T56.892S	Toxic effect of other metals, intentional self-harm, sequela	ICD-10-CM	Diagnosis
T56.892D	Toxic effect of other metals, intentional self-harm, subsequent encounter	ICD-10-CM	Diagnosis
T60.8X2A	Toxic effect of other pesticides, intentional self-harm, initial encounter	ICD-10-CM	Diagnosis
T60.8X2S	Toxic effect of other pesticides, intentional self-harm, sequela	ICD-10-CM	Diagnosis
T60.8X2D	Toxic effect of other pesticides, intentional self-harm, subsequent encounter	ICD-10-CM	Diagnosis
T61.8X2A	Toxic effect of other seafood, intentional self-harm, initial encounter	ICD-10-CM	Diagnosis
T61.8X2S	Toxic effect of other seafood, intentional self-harm, sequela	ICD-10-CM	Diagnosis
T61.8X2D	Toxic effect of other seafood, intentional self-harm, subsequent encounter	ICD-10-CM	Diagnosis
T65.6X2S	Toxic effect of paints and dyes, not elsewhere classified, intentional self-harm, sequela	ICD-10-CM	Diagnosis
T65.6X2A	Toxic effect of paints and dyes, not elsewhere classified, intentional self-harm, initial encounter	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
T65.6X2D	Toxic effect of paints and dyes, not elsewhere classified, intentional self-harm, subsequent encounter	ICD-10-CM	Diagnosis
T52.0X2A	Toxic effect of petroleum products, intentional self-harm, initial encounter	ICD-10-CM	Diagnosis
T52.0X2S	Toxic effect of petroleum products, intentional self-harm, sequela	ICD-10-CM	Diagnosis
T52.0X2D	Toxic effect of petroleum products, intentional self-harm, subsequent encounter	ICD-10-CM	Diagnosis
T63.012S	Toxic effect of rattlesnake venom, intentional self-harm, sequela	ICD-10-CM	Diagnosis
T60.4X2A	Toxic effect of rodenticides, intentional self-harm, initial encounter	ICD-10-CM	Diagnosis
T60.4X2S	Toxic effect of rodenticides, intentional self-harm, sequela	ICD-10-CM	Diagnosis
T60.4X2D	Toxic effect of rodenticides, intentional self-harm, subsequent encounter	ICD-10-CM	Diagnosis
T55.0X2S	Toxic effect of soaps, intentional self-harm, sequela	ICD-10-CM	Diagnosis
T55.0X2A	Toxic effect of soaps, intentional self-harm, initial encounter	ICD-10-CM	Diagnosis
T55.0X2D	Toxic effect of soaps, intentional self-harm, subsequent encounter	ICD-10-CM	Diagnosis
T59.1X2A	Toxic effect of sulfur dioxide, intentional self-harm, initial encounter	ICD-10-CM	Diagnosis
T59.1X2S	Toxic effect of sulfur dioxide, intentional self-harm, sequela	ICD-10-CM	Diagnosis
T59.1X2D	Toxic effect of sulfur dioxide, intentional self-harm, subsequent encounter	ICD-10-CM	Diagnosis
T63.032A	Toxic effect of taipan venom, intentional self-harm, initial encounter	ICD-10-CM	Diagnosis
T63.032S	Toxic effect of taipan venom, intentional self-harm, sequela	ICD-10-CM	Diagnosis
T63.032D	Toxic effect of taipan venom, intentional self-harm, subsequent encounter	ICD-10-CM	Diagnosis
T53.3X2S	Toxic effect of tetrachloroethylene, intentional self-harm, sequela	ICD-10-CM	Diagnosis
T56.812A	Toxic effect of thallium, intentional self-harm, initial encounter	ICD-10-CM	Diagnosis
T56.812S	Toxic effect of thallium, intentional self-harm, sequela	ICD-10-CM	Diagnosis
T56.812D	Toxic effect of thallium, intentional self-harm, subsequent encounter	ICD-10-CM	Diagnosis
T53.2X2S	Toxic effect of trichloroethylene, intentional self-harm, sequela	ICD-10-CM	Diagnosis
T51.92XA	Toxic effect of unspecified alcohol, intentional self-harm, initial encounter	ICD-10-CM	Diagnosis
T51.92XS	Toxic effect of unspecified alcohol, intentional self-harm, sequela	ICD-10-CM	Diagnosis
T51.92XD	Toxic effect of unspecified alcohol, intentional self-harm, subsequent encounter	ICD-10-CM	Diagnosis
T56.92XA	Toxic effect of unspecified metal, intentional self-harm, initial encounter	ICD-10-CM	Diagnosis
T56.92XS	Toxic effect of unspecified metal, intentional self-harm, sequela	ICD-10-CM	Diagnosis
T56.92XD	Toxic effect of unspecified metal, intentional self-harm, subsequent encounter	ICD-10-CM	Diagnosis
T60.92XA	Toxic effect of unspecified pesticide, intentional self-harm, initial encounter	ICD-10-CM	Diagnosis
T60.92XS	Toxic effect of unspecified pesticide, intentional self-harm, sequela	ICD-10-CM	Diagnosis
T60.92XD	Toxic effect of unspecified pesticide, intentional self-harm, subsequent encounter	ICD-10-CM	Diagnosis
T61.92XA	Toxic effect of unspecified seafood, intentional self-harm, initial encounter	ICD-10-CM	Diagnosis
T61.92XS	Toxic effect of unspecified seafood, intentional self-harm, sequela	ICD-10-CM	Diagnosis
T61.92XD	Toxic effect of unspecified seafood, intentional self-harm, subsequent encounter	ICD-10-CM	Diagnosis
T63.002S	Toxic effect of unspecified snake venom, intentional self-harm, sequela	ICD-10-CM	Diagnosis



**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
T63.302A	Toxic effect of unspecified spider venom, intentional self-harm, initial encounter	ICD-10-CM	Diagnosis
T63.302S	Toxic effect of unspecified spider venom, intentional self-harm, sequela	ICD-10-CM	Diagnosis
T63.302D	Toxic effect of unspecified spider venom, intentional self-harm, subsequent encounter	ICD-10-CM	Diagnosis
T65.92XA	Toxic effect of unspecified substance, intentional self-harm, initial encounter	ICD-10-CM	Diagnosis
T65.92XS	Toxic effect of unspecified substance, intentional self-harm, sequela	ICD-10-CM	Diagnosis
T65.92XD	Toxic effect of unspecified substance, intentional self-harm, subsequent encounter	ICD-10-CM	Diagnosis
T63.422A	Toxic effect of venom of ants, intentional self-harm, initial encounter	ICD-10-CM	Diagnosis
T63.422S	Toxic effect of venom of ants, intentional self-harm, sequela	ICD-10-CM	Diagnosis
T63.422D	Toxic effect of venom of ants, intentional self-harm, subsequent encounter	ICD-10-CM	Diagnosis
T63.442A	Toxic effect of venom of bees, intentional self-harm, initial encounter	ICD-10-CM	Diagnosis
T63.442S	Toxic effect of venom of bees, intentional self-harm, sequela	ICD-10-CM	Diagnosis
T63.442D	Toxic effect of venom of bees, intentional self-harm, subsequent encounter	ICD-10-CM	Diagnosis
T63.452A	Toxic effect of venom of hornets, intentional self-harm, initial encounter	ICD-10-CM	Diagnosis
T63.452S	Toxic effect of venom of hornets, intentional self-harm, sequela	ICD-10-CM	Diagnosis
T63.452D	Toxic effect of venom of hornets, intentional self-harm, subsequent encounter	ICD-10-CM	Diagnosis
T63.092A	Toxic effect of venom of other snake, intentional self-harm, initial encounter	ICD-10-CM	Diagnosis
T63.092S	Toxic effect of venom of other snake, intentional self-harm, sequela	ICD-10-CM	Diagnosis
T63.092D	Toxic effect of venom of other snake, intentional self-harm, subsequent encounter	ICD-10-CM	Diagnosis
T63.392A	Toxic effect of venom of other spider, intentional self-harm, initial encounter	ICD-10-CM	Diagnosis
T63.392S	Toxic effect of venom of other spider, intentional self-harm, sequela	ICD-10-CM	Diagnosis
T63.392D	Toxic effect of venom of other spider, intentional self-harm, subsequent encounter	ICD-10-CM	Diagnosis
T63.2X2A	Toxic effect of venom of scorpion, intentional self-harm, initial encounter	ICD-10-CM	Diagnosis
T63.2X2S	Toxic effect of venom of scorpion, intentional self-harm, sequela	ICD-10-CM	Diagnosis
T63.2X2D	Toxic effect of venom of scorpion, intentional self-harm, subsequent encounter	ICD-10-CM	Diagnosis
T63.322A	Toxic effect of venom of tarantula, intentional self-harm, initial encounter	ICD-10-CM	Diagnosis
T63.322S	Toxic effect of venom of tarantula, intentional self-harm, sequela	ICD-10-CM	Diagnosis
T63.322D	Toxic effect of venom of tarantula, intentional self-harm, subsequent encounter	ICD-10-CM	Diagnosis
T63.462A	Toxic effect of venom of wasps, intentional self-harm, initial encounter	ICD-10-CM	Diagnosis
T63.462S	Toxic effect of venom of wasps, intentional self-harm, sequela	ICD-10-CM	Diagnosis
T63.462D	Toxic effect of venom of wasps, intentional self-harm, subsequent encounter	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
F64.0	Transsexualism	ICD-10-CM	Diagnosis
F65.1	Transvestic fetishism	ICD-10-CM	Diagnosis
F63.3	Trichotillomania	ICD-10-CM	Diagnosis
F20.3	Undifferentiated schizophrenia	ICD-10-CM	Diagnosis
F45.1	Undifferentiated somatoform disorder	ICD-10-CM	Diagnosis
R46.6	Undue concern and preoccupation with stressful events	ICD-10-CM	Diagnosis
R45.2	Unhappiness	ICD-10-CM	Diagnosis
F59	Unspecified behavioral syndromes associated with physiological disturbances and physical factors	ICD-10-CM	Diagnosis
F29	Unspecified psychosis not due to a substance or known physiological condition	ICD-10-CM	Diagnosis
F52.9	Unspecified sexual dysfunction not due to a substance or known physiological condition	ICD-10-CM	Diagnosis
F69	Unspecified disorder of adult personality and behavior	ICD-10-CM	Diagnosis
F39	Unspecified mood [affective] disorder	ICD-10-CM	Diagnosis
F52.5	Vaginismus not due to a substance or known physiological condition	ICD-10-CM	Diagnosis
R46.7	Verbosity and circumstantial detail obscuring reason for contact	ICD-10-CM	Diagnosis
R46.0	Very low level of personal hygiene	ICD-10-CM	Diagnosis
R45.6	Violent behavior	ICD-10-CM	Diagnosis
F65.3	Voyeurism	ICD-10-CM	Diagnosis
Z91.83	Wandering in diseases classified elsewhere	ICD-10-CM	Diagnosis
R45.82	Worries	ICD-10-CM	Diagnosis
<b>Substance Abuse</b>			
291	Alcohol-induced mental disorders	ICD-9-CM	Diagnosis
291.0	Alcohol withdrawal delirium	ICD-9-CM	Diagnosis
291.1	Alcohol-induced persisting amnestic disorder	ICD-9-CM	Diagnosis
291.2	Alcohol-induced persisting dementia	ICD-9-CM	Diagnosis
291.3	Alcohol-induced psychotic disorder with hallucinations	ICD-9-CM	Diagnosis
291.4	Idiosyncratic alcohol intoxication	ICD-9-CM	Diagnosis
291.5	Alcohol-induced psychotic disorder with delusions	ICD-9-CM	Diagnosis
291.8	Other specified alcohol-induced mental disorders	ICD-9-CM	Diagnosis
291.81	Alcohol withdrawal	ICD-9-CM	Diagnosis
291.82	Alcohol induced sleep disorders	ICD-9-CM	Diagnosis
291.89	Other specified alcohol-induced mental disorders	ICD-9-CM	Diagnosis
291.9	Unspecified alcohol-induced mental disorders	ICD-9-CM	Diagnosis
292	Drug-induced mental disorders	ICD-9-CM	Diagnosis
292.0	Drug withdrawal	ICD-9-CM	Diagnosis
292.1	Drug-induced psychotic disorder	ICD-9-CM	Diagnosis
292.11	Drug-induced psychotic disorder with delusions	ICD-9-CM	Diagnosis
292.12	Drug-induced psychotic disorder with hallucinations	ICD-9-CM	Diagnosis
292.2	Pathological drug intoxication	ICD-9-CM	Diagnosis
292.8	Other specified drug-induced mental disorders	ICD-9-CM	Diagnosis
292.81	Drug-induced delirium	ICD-9-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
292.82	Drug-induced persisting dementia	ICD-9-CM	Diagnosis
292.83	Drug-induced persisting amnestic disorder	ICD-9-CM	Diagnosis
292.84	Drug-induced mood disorder	ICD-9-CM	Diagnosis
292.85	Drug induced sleep disorders	ICD-9-CM	Diagnosis
292.89	Other specified drug-induced mental disorder	ICD-9-CM	Diagnosis
292.9	Unspecified drug-induced mental disorder	ICD-9-CM	Diagnosis
303	Alcohol dependence syndrome	ICD-9-CM	Diagnosis
303.0	Acute alcoholic intoxication	ICD-9-CM	Diagnosis
303.00	Acute alcoholic intoxication, unspecified	ICD-9-CM	Diagnosis
303.01	Acute alcoholic intoxication, continuous	ICD-9-CM	Diagnosis
303.02	Acute alcoholic intoxication, episodic	ICD-9-CM	Diagnosis
303.03	Acute alcoholic intoxication, in remission	ICD-9-CM	Diagnosis
303.9	Other and unspecified alcohol dependence	ICD-9-CM	Diagnosis
303.90	Other and unspecified alcohol dependence, unspecified	ICD-9-CM	Diagnosis
303.91	Other and unspecified alcohol dependence, continuous	ICD-9-CM	Diagnosis
303.92	Other and unspecified alcohol dependence, episodic	ICD-9-CM	Diagnosis
303.93	Other and unspecified alcohol dependence, in remission	ICD-9-CM	Diagnosis
304	Drug dependence	ICD-9-CM	Diagnosis
304.0	Opioid type dependence	ICD-9-CM	Diagnosis
304.00	Opioid type dependence, unspecified	ICD-9-CM	Diagnosis
304.01	Opioid type dependence, continuous	ICD-9-CM	Diagnosis
304.02	Opioid type dependence, episodic	ICD-9-CM	Diagnosis
304.03	Opioid type dependence, in remission	ICD-9-CM	Diagnosis
304.1	Sedative, hypnotic or anxiolytic dependence	ICD-9-CM	Diagnosis
304.10	Sedative, hypnotic or anxiolytic dependence, unspecified	ICD-9-CM	Diagnosis
304.11	Sedative, hypnotic or anxiolytic dependence, continuous	ICD-9-CM	Diagnosis
304.12	Sedative, hypnotic or anxiolytic dependence, episodic	ICD-9-CM	Diagnosis
304.13	Sedative, hypnotic or anxiolytic dependence, in remission	ICD-9-CM	Diagnosis
304.2	Cocaine dependence	ICD-9-CM	Diagnosis
304.20	Cocaine dependence, unspecified	ICD-9-CM	Diagnosis
304.21	Cocaine dependence, continuous	ICD-9-CM	Diagnosis
304.22	Cocaine dependence, episodic	ICD-9-CM	Diagnosis
304.23	Cocaine dependence, in remission	ICD-9-CM	Diagnosis
304.3	Cannabis dependence	ICD-9-CM	Diagnosis
304.30	Cannabis dependence, unspecified	ICD-9-CM	Diagnosis
304.31	Cannabis dependence, continuous	ICD-9-CM	Diagnosis
304.32	Cannabis dependence, episodic	ICD-9-CM	Diagnosis
304.33	Cannabis dependence, in remission	ICD-9-CM	Diagnosis
304.4	Amphetamine and other psychostimulant dependence	ICD-9-CM	Diagnosis
304.40	Amphetamine and other psychostimulant dependence, unspecified	ICD-9-CM	Diagnosis
304.41	Amphetamine and other psychostimulant dependence, continuous	ICD-9-CM	Diagnosis
304.42	Amphetamine and other psychostimulant dependence, episodic	ICD-9-CM	Diagnosis
304.43	Amphetamine and other psychostimulant dependence, in remission	ICD-9-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
304.5	Hallucinogen dependence	ICD-9-CM	Diagnosis
304.50	Hallucinogen dependence, unspecified	ICD-9-CM	Diagnosis
304.51	Hallucinogen dependence, continuous	ICD-9-CM	Diagnosis
304.52	Hallucinogen dependence, episodic	ICD-9-CM	Diagnosis
304.53	Hallucinogen dependence, in remission	ICD-9-CM	Diagnosis
304.6	Other specified drug dependence	ICD-9-CM	Diagnosis
304.60	Other specified drug dependence, unspecified	ICD-9-CM	Diagnosis
304.61	Other specified drug dependence, continuous	ICD-9-CM	Diagnosis
304.62	Other specified drug dependence, episodic	ICD-9-CM	Diagnosis
304.63	Other specified drug dependence, in remission	ICD-9-CM	Diagnosis
304.7	Combinations of opioid type drug with any other drug dependence	ICD-9-CM	Diagnosis
304.70	Combinations of opioid type drug with any other drug dependence, unspecified	ICD-9-CM	Diagnosis
304.71	Combinations of opioid type drug with any other drug dependence, continuous	ICD-9-CM	Diagnosis
304.72	Combinations of opioid type drug with any other drug dependence, episodic	ICD-9-CM	Diagnosis
304.73	Combinations of opioid type drug with any other drug dependence, in remission	ICD-9-CM	Diagnosis
304.8	Combinations of drug dependence excluding opioid type drug	ICD-9-CM	Diagnosis
304.80	Combinations of drug dependence excluding opioid type drug, unspecified	ICD-9-CM	Diagnosis
304.81	Combinations of drug dependence excluding opioid type drug, continuous	ICD-9-CM	Diagnosis
304.82	Combinations of drug dependence excluding opioid type drug, episodic	ICD-9-CM	Diagnosis
304.83	Combinations of drug dependence excluding opioid type drug, in remission	ICD-9-CM	Diagnosis
304.9	Unspecified drug dependence	ICD-9-CM	Diagnosis
304.90	Unspecified drug dependence, unspecified	ICD-9-CM	Diagnosis
304.91	Unspecified drug dependence, continuous	ICD-9-CM	Diagnosis
304.92	Unspecified drug dependence, episodic	ICD-9-CM	Diagnosis
304.93	Unspecified drug dependence, in remission	ICD-9-CM	Diagnosis
305	Nondependent abuse of drugs	ICD-9-CM	Diagnosis
305.0	Nondependent alcohol abuse	ICD-9-CM	Diagnosis
305.00	Nondependent alcohol abuse, unspecified	ICD-9-CM	Diagnosis
305.01	Nondependent alcohol abuse, continuous	ICD-9-CM	Diagnosis
305.02	Nondependent alcohol abuse, episodic	ICD-9-CM	Diagnosis
305.03	Nondependent alcohol abuse, in remission	ICD-9-CM	Diagnosis
305.2	Nondependent cannabis abuse	ICD-9-CM	Diagnosis
305.20	Nondependent cannabis abuse, unspecified	ICD-9-CM	Diagnosis
305.21	Nondependent cannabis abuse, continuous	ICD-9-CM	Diagnosis
305.22	Nondependent cannabis abuse, episodic	ICD-9-CM	Diagnosis
305.23	Nondependent cannabis abuse, in remission	ICD-9-CM	Diagnosis
305.3	Nondependent hallucinogen abuse	ICD-9-CM	Diagnosis
305.30	Nondependent hallucinogen abuse, unspecified	ICD-9-CM	Diagnosis
305.31	Nondependent hallucinogen abuse, continuous	ICD-9-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
305.32	Nondependent hallucinogen abuse, episodic	ICD-9-CM	Diagnosis
305.33	Nondependent hallucinogen abuse, in remission	ICD-9-CM	Diagnosis
305.4	Nondependent sedative, hypnotic or anxiolytic abuse	ICD-9-CM	Diagnosis
305.40	Nondependent sedative, hypnotic or anxiolytic abuse, unspecified	ICD-9-CM	Diagnosis
305.41	Nondependent sedative hypnotic or anxiolytic abuse, continuous	ICD-9-CM	Diagnosis
305.42	Nondependent sedative, hypnotic or anxiolytic abuse, episodic	ICD-9-CM	Diagnosis
305.43	Nondependent sedative, hypnotic or anxiolytic abuse, in remission	ICD-9-CM	Diagnosis
305.5	Nondependent opioid abuse	ICD-9-CM	Diagnosis
305.50	Nondependent opioid abuse, unspecified	ICD-9-CM	Diagnosis
305.51	Nondependent opioid abuse, continuous	ICD-9-CM	Diagnosis
305.52	Nondependent opioid abuse, episodic	ICD-9-CM	Diagnosis
305.53	Nondependent opioid abuse, in remission	ICD-9-CM	Diagnosis
305.6	Nondependent cocaine abuse	ICD-9-CM	Diagnosis
305.60	Nondependent cocaine abuse, unspecified	ICD-9-CM	Diagnosis
305.61	Nondependent cocaine abuse, continuous	ICD-9-CM	Diagnosis
305.62	Nondependent cocaine abuse, episodic	ICD-9-CM	Diagnosis
305.63	Nondependent cocaine abuse, in remission	ICD-9-CM	Diagnosis
305.7	Nondependent amphetamine or related acting sympathomimetic abuse	ICD-9-CM	Diagnosis
305.70	Nondependent amphetamine or related acting sympathomimetic abuse, unspecified	ICD-9-CM	Diagnosis
305.71	Nondependent amphetamine or related acting sympathomimetic abuse, continuous	ICD-9-CM	Diagnosis
305.72	Nondependent amphetamine or related acting sympathomimetic abuse, episodic	ICD-9-CM	Diagnosis
305.73	Nondependent amphetamine or related acting sympathomimetic abuse, in remission	ICD-9-CM	Diagnosis
305.8	Nondependent antidepressant type abuse	ICD-9-CM	Diagnosis
305.80	Nondependent antidepressant type abuse, unspecified	ICD-9-CM	Diagnosis
305.81	Nondependent antidepressant type abuse, continuous	ICD-9-CM	Diagnosis
305.82	Nondependent antidepressant type abuse, episodic	ICD-9-CM	Diagnosis
305.83	Nondependent antidepressant type abuse, in remission	ICD-9-CM	Diagnosis
305.9	Other, mixed, or unspecified nondependent drug abuse	ICD-9-CM	Diagnosis
305.90	Other, mixed, or unspecified nondependent drug abuse, unspecified	ICD-9-CM	Diagnosis
305.91	Other, mixed, or unspecified nondependent drug abuse, continuous	ICD-9-CM	Diagnosis
305.92	Other, mixed, or unspecified nondependent drug abuse, episodic	ICD-9-CM	Diagnosis
305.93	Other, mixed, or unspecified nondependent drug abuse, in remission	ICD-9-CM	Diagnosis
357.5	Alcoholic polyneuropathy	ICD-9-CM	Diagnosis
425.5	Alcoholic cardiomyopathy	ICD-9-CM	Diagnosis
535.3	Alcoholic gastritis	ICD-9-CM	Diagnosis
535.30	Alcoholic gastritis without mention of hemorrhage	ICD-9-CM	Diagnosis
535.31	Alcoholic gastritis with hemorrhage	ICD-9-CM	Diagnosis
571.0	Alcoholic fatty liver	ICD-9-CM	Diagnosis
571.1	Acute alcoholic hepatitis	ICD-9-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
571.2	Alcoholic cirrhosis of liver	ICD-9-CM	Diagnosis
571.3	Unspecified alcoholic liver damage	ICD-9-CM	Diagnosis
648.30	Maternal drug dependence complicating pregnancy, childbirth, or the puerperium, unspecified as to episode of care	ICD-9-CM	Diagnosis
648.31	Maternal drug dependence, with delivery	ICD-9-CM	Diagnosis
648.32	Maternal drug dependence, with delivery, with current postpartum complication	ICD-9-CM	Diagnosis
648.33	Maternal drug dependence, antepartum	ICD-9-CM	Diagnosis
648.34	Maternal drug dependence complicating pregnancy, childbirth, or the puerperium, postpartum condition or complication	ICD-9-CM	Diagnosis
655.50	Suspected damage to fetus from drugs, affecting management of mother, unspecified as to episode of care	ICD-9-CM	Diagnosis
655.51	Suspected damage to fetus from drugs, affecting management of mother, delivered	ICD-9-CM	Diagnosis
655.53	Suspected damage to fetus from drugs, affecting management of mother, antepartum	ICD-9-CM	Diagnosis
760.71	Noxious influences affecting fetus or newborn via placenta or breast milk, alcohol	ICD-9-CM	Diagnosis
760.72	Noxious influences affecting fetus or newborn via placenta or breast milk, narcotics	ICD-9-CM	Diagnosis
760.73	Noxious influences affecting fetus or newborn via placenta or breast milk, hallucinogenic agents	ICD-9-CM	Diagnosis
760.75	Noxious influences affecting fetus or newborn via placenta or breast milk, cocaine	ICD-9-CM	Diagnosis
779.5	Drug withdrawal syndrome in newborn	ICD-9-CM	Diagnosis
965.00	Poisoning by opium (alkaloids), unspecified	ICD-9-CM	Diagnosis
965.01	Poisoning by heroin	ICD-9-CM	Diagnosis
965.02	Poisoning by methadone	ICD-9-CM	Diagnosis
965.09	Poisoning by opiates and related narcotics, other	ICD-9-CM	Diagnosis
980.0	Toxic effect of ethyl alcohol	ICD-9-CM	Diagnosis
V65.42	Counseling on substance use and abuse	ICD-9-CM	Diagnosis
94.62	Alcohol detoxification	ICD-9-CM	Procedure
94.61	Alcohol rehabilitation	ICD-9-CM	Procedure
94.63	Alcohol rehabilitation and detoxification	ICD-9-CM	Procedure
94.6	Alcohol and drug rehabilitation and detoxification	ICD-9-CM	Procedure
94.46	Alcoholism counseling	ICD-9-CM	Procedure
94.69	Combined alcohol and drug rehabilitation and detoxification	ICD-9-CM	Procedure
94.68	Combined alcohol and drug detoxification	ICD-9-CM	Procedure
94.67	Combined alcohol and drug rehabilitation	ICD-9-CM	Procedure
94.53	Referral for alcoholism rehabilitation	ICD-9-CM	Procedure
F55.0	Abuse of antacids	ICD-10-CM	Diagnosis
F55.1	Abuse of herbal or folk remedies	ICD-10-CM	Diagnosis
F55.2	Abuse of laxatives	ICD-10-CM	Diagnosis



**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
F55.8	Abuse of other non-psychoactive substances	ICD-10-CM	Diagnosis
F55.3	Abuse of steroids or hormones	ICD-10-CM	Diagnosis
F55.4	Abuse of vitamins	ICD-10-CM	Diagnosis
T40.7X5A	Adverse effect of cannabis (derivatives), initial encounter	ICD-10-CM	Diagnosis
T40.7X5D	Adverse effect of cannabis (derivatives), subsequent encounter	ICD-10-CM	Diagnosis
T40.8X5A	Adverse effect of lysergide [LSD], initial encounter	ICD-10-CM	Diagnosis
T40.8X5D	Adverse effect of lysergide [LSD], subsequent encounter	ICD-10-CM	Diagnosis
T40.7X5S	Adverse effect of cannabis (derivatives), sequela	ICD-10-CM	Diagnosis
T40.5X5A	Adverse effect of cocaine, initial encounter	ICD-10-CM	Diagnosis
T40.5X5S	Adverse effect of cocaine, sequela	ICD-10-CM	Diagnosis
T40.5X5D	Adverse effect of cocaine, subsequent encounter	ICD-10-CM	Diagnosis
T40.1X5A	Adverse effect of heroin, initial encounter	ICD-10-CM	Diagnosis
T40.1X5S	Adverse effect of heroin, sequela	ICD-10-CM	Diagnosis
T40.1X5D	Adverse effect of heroin, subsequent encounter	ICD-10-CM	Diagnosis
T40.8X5S	Adverse effect of lysergide [LSD], sequela	ICD-10-CM	Diagnosis
T40.0X5A	Adverse effect of opium, initial encounter	ICD-10-CM	Diagnosis
T40.0X5S	Adverse effect of opium, sequela	ICD-10-CM	Diagnosis
T40.0X5D	Adverse effect of opium, subsequent encounter	ICD-10-CM	Diagnosis
T40.995A	Adverse effect of other psychodysleptics [hallucinogens], initial encounter	ICD-10-CM	Diagnosis
T40.995S	Adverse effect of other psychodysleptics [hallucinogens], sequela	ICD-10-CM	Diagnosis
T40.995D	Adverse effect of other psychodysleptics [hallucinogens], subsequent encounter	ICD-10-CM	Diagnosis
T40.905A	Adverse effect of unspecified psychodysleptics [hallucinogens], initial encounter	ICD-10-CM	Diagnosis
T40.905S	Adverse effect of unspecified psychodysleptics [hallucinogens], sequela	ICD-10-CM	Diagnosis
T40.905D	Adverse effect of unspecified psychodysleptics [hallucinogens], subsequent encounter	ICD-10-CM	Diagnosis
F10.11	Alcohol abuse, in remission	ICD-10-CM	Diagnosis
F10.10	Alcohol abuse, uncomplicated	ICD-10-CM	Diagnosis
F10.180	Alcohol abuse with alcohol-induced anxiety disorder	ICD-10-CM	Diagnosis
F10.159	Alcohol abuse with alcohol-induced psychotic disorder, unspecified	ICD-10-CM	Diagnosis
F10.181	Alcohol abuse with alcohol-induced sexual dysfunction	ICD-10-CM	Diagnosis
F10.182	Alcohol abuse with alcohol-induced sleep disorder	ICD-10-CM	Diagnosis
F10.150	Alcohol abuse with alcohol-induced psychotic disorder with delusions	ICD-10-CM	Diagnosis
F10.151	Alcohol abuse with alcohol-induced psychotic disorder with hallucinations	ICD-10-CM	Diagnosis
F10.188	Alcohol abuse with other alcohol-induced disorder	ICD-10-CM	Diagnosis
F10.19	Alcohol abuse with unspecified alcohol-induced disorder	ICD-10-CM	Diagnosis
F10.14	Alcohol abuse with alcohol-induced mood disorder	ICD-10-CM	Diagnosis
F10.121	Alcohol abuse with intoxication delirium	ICD-10-CM	Diagnosis
F10.120	Alcohol abuse with intoxication, uncomplicated	ICD-10-CM	Diagnosis
F10.129	Alcohol abuse with intoxication, unspecified	ICD-10-CM	Diagnosis
F10.21	Alcohol dependence, in remission	ICD-10-CM	Diagnosis
F10.250	Alcohol dependence with alcohol-induced psychotic disorder with delusions	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
F10.251	Alcohol dependence with alcohol-induced psychotic disorder with hallucinations	ICD-10-CM	Diagnosis
F10.20	Alcohol dependence, uncomplicated	ICD-10-CM	Diagnosis
F10.280	Alcohol dependence with alcohol-induced anxiety disorder	ICD-10-CM	Diagnosis
F10.24	Alcohol dependence with alcohol-induced mood disorder	ICD-10-CM	Diagnosis
F10.281	Alcohol dependence with alcohol-induced sexual dysfunction	ICD-10-CM	Diagnosis
F10.282	Alcohol dependence with alcohol-induced sleep disorder	ICD-10-CM	Diagnosis
F10.26	Alcohol dependence with alcohol-induced persisting amnesic disorder	ICD-10-CM	Diagnosis
F10.27	Alcohol dependence with alcohol-induced persisting dementia	ICD-10-CM	Diagnosis
F10.259	Alcohol dependence with alcohol-induced psychotic disorder, unspecified	ICD-10-CM	Diagnosis
F10.220	Alcohol dependence with intoxication, uncomplicated	ICD-10-CM	Diagnosis
F10.229	Alcohol dependence with intoxication, unspecified	ICD-10-CM	Diagnosis
F10.288	Alcohol dependence with other alcohol-induced disorder	ICD-10-CM	Diagnosis
F10.29	Alcohol dependence with unspecified alcohol-induced disorder	ICD-10-CM	Diagnosis
F10.221	Alcohol dependence with intoxication delirium	ICD-10-CM	Diagnosis
F10.231	Alcohol dependence with withdrawal delirium	ICD-10-CM	Diagnosis
F10.230	Alcohol dependence with withdrawal, uncomplicated	ICD-10-CM	Diagnosis
F10.239	Alcohol dependence with withdrawal, unspecified	ICD-10-CM	Diagnosis
F10.232	Alcohol dependence with withdrawal with perceptual disturbance	ICD-10-CM	Diagnosis
O99.314	Alcohol use complicating childbirth	ICD-10-CM	Diagnosis
O99.311	Alcohol use complicating pregnancy, first trimester	ICD-10-CM	Diagnosis
O99.312	Alcohol use complicating pregnancy, second trimester	ICD-10-CM	Diagnosis
O99.313	Alcohol use complicating pregnancy, third trimester	ICD-10-CM	Diagnosis
O99.310	Alcohol use complicating pregnancy, unspecified trimester	ICD-10-CM	Diagnosis
O99.315	Alcohol use complicating the puerperium	ICD-10-CM	Diagnosis
F10.980	Alcohol use, unspecified with alcohol-induced anxiety disorder	ICD-10-CM	Diagnosis
F10.94	Alcohol use, unspecified with alcohol-induced mood disorder	ICD-10-CM	Diagnosis
F10.981	Alcohol use, unspecified with alcohol-induced sexual dysfunction	ICD-10-CM	Diagnosis
F10.982	Alcohol use, unspecified with alcohol-induced sleep disorder	ICD-10-CM	Diagnosis
F10.96	Alcohol use, unspecified with alcohol-induced persisting amnesic disorder	ICD-10-CM	Diagnosis
F10.97	Alcohol use, unspecified with alcohol-induced persisting dementia	ICD-10-CM	Diagnosis
F10.950	Alcohol use, unspecified with alcohol-induced psychotic disorder with delusions	ICD-10-CM	Diagnosis
F10.951	Alcohol use, unspecified with alcohol-induced psychotic disorder with hallucinations	ICD-10-CM	Diagnosis
F10.959	Alcohol use, unspecified with alcohol-induced psychotic disorder, unspecified	ICD-10-CM	Diagnosis
F10.988	Alcohol use, unspecified with other alcohol-induced disorder	ICD-10-CM	Diagnosis
F10.99	Alcohol use, unspecified with unspecified alcohol-induced disorder	ICD-10-CM	Diagnosis
F10.920	Alcohol use, unspecified with intoxication, uncomplicated	ICD-10-CM	Diagnosis
F10.921	Alcohol use, unspecified with intoxication delirium	ICD-10-CM	Diagnosis
F10.929	Alcohol use, unspecified with intoxication, unspecified	ICD-10-CM	Diagnosis



**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
I42.6	Alcoholic cardiomyopathy	ICD-10-CM	Diagnosis
K70.31	Alcoholic cirrhosis of liver with ascites	ICD-10-CM	Diagnosis
K70.30	Alcoholic cirrhosis of liver without ascites	ICD-10-CM	Diagnosis
K70.0	Alcoholic fatty liver	ICD-10-CM	Diagnosis
K70.2	Alcoholic fibrosis and sclerosis of liver	ICD-10-CM	Diagnosis
K29.2	Alcoholic gastritis	ICD-10-CM	Diagnosis
K29.21	Alcoholic gastritis with bleeding	ICD-10-CM	Diagnosis
K29.20	Alcoholic gastritis without bleeding	ICD-10-CM	Diagnosis
K70.41	Alcoholic hepatic failure with coma	ICD-10-CM	Diagnosis
K70.40	Alcoholic hepatic failure without coma	ICD-10-CM	Diagnosis
K70.11	Alcoholic hepatitis with ascites	ICD-10-CM	Diagnosis
K70.10	Alcoholic hepatitis without ascites	ICD-10-CM	Diagnosis
K70.9	Alcoholic liver disease, unspecified	ICD-10-CM	Diagnosis
G62.1	Alcoholic polyneuropathy	ICD-10-CM	Diagnosis
F12.11	Cannabis abuse, in remission	ICD-10-CM	Diagnosis
F12.10	Cannabis abuse, uncomplicated	ICD-10-CM	Diagnosis
F12.159	Cannabis abuse with psychotic disorder, unspecified	ICD-10-CM	Diagnosis
F12.180	Cannabis abuse with cannabis-induced anxiety disorder	ICD-10-CM	Diagnosis
F12.122	Cannabis abuse with intoxication with perceptual disturbance	ICD-10-CM	Diagnosis
F12.188	Cannabis abuse with other cannabis-induced disorder	ICD-10-CM	Diagnosis
F12.151	Cannabis abuse with psychotic disorder with hallucinations	ICD-10-CM	Diagnosis
F12.150	Cannabis abuse with psychotic disorder with delusions	ICD-10-CM	Diagnosis
F12.19	Cannabis abuse with unspecified cannabis-induced disorder	ICD-10-CM	Diagnosis
F12.121	Cannabis abuse with intoxication delirium	ICD-10-CM	Diagnosis
F12.120	Cannabis abuse with intoxication, uncomplicated	ICD-10-CM	Diagnosis
F12.129	Cannabis abuse with intoxication, unspecified	ICD-10-CM	Diagnosis
F12.21	Cannabis dependence, in remission	ICD-10-CM	Diagnosis
F12.20	Cannabis dependence, uncomplicated	ICD-10-CM	Diagnosis
F12.280	Cannabis dependence with cannabis-induced anxiety disorder	ICD-10-CM	Diagnosis
F12.220	Cannabis dependence with intoxication, uncomplicated	ICD-10-CM	Diagnosis
F12.222	Cannabis dependence with intoxication with perceptual disturbance	ICD-10-CM	Diagnosis
F12.229	Cannabis dependence with intoxication, unspecified	ICD-10-CM	Diagnosis
F12.288	Cannabis dependence with other cannabis-induced disorder	ICD-10-CM	Diagnosis
F12.251	Cannabis dependence with psychotic disorder with hallucinations	ICD-10-CM	Diagnosis
F12.250	Cannabis dependence with psychotic disorder with delusions	ICD-10-CM	Diagnosis
F12.259	Cannabis dependence with psychotic disorder, unspecified	ICD-10-CM	Diagnosis
F12.29	Cannabis dependence with unspecified cannabis-induced disorder	ICD-10-CM	Diagnosis
F12.221	Cannabis dependence with intoxication delirium	ICD-10-CM	Diagnosis
F12.23	Cannabis dependence with withdrawal	ICD-10-CM	Diagnosis
F12.922	Cannabis use, unspecified with intoxication with perceptual disturbance	ICD-10-CM	Diagnosis
F12.921	Cannabis use, unspecified with intoxication delirium	ICD-10-CM	Diagnosis
F12.920	Cannabis use, unspecified with intoxication, uncomplicated	ICD-10-CM	Diagnosis
F12.988	Cannabis use, unspecified with other cannabis-induced disorder	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
F12.951	Cannabis use, unspecified with psychotic disorder with hallucinations	ICD-10-CM	Diagnosis
F12.950	Cannabis use, unspecified with psychotic disorder with delusions	ICD-10-CM	Diagnosis
F12.959	Cannabis use, unspecified with psychotic disorder, unspecified	ICD-10-CM	Diagnosis
F12.99	Cannabis use, unspecified with unspecified cannabis-induced disorder	ICD-10-CM	Diagnosis
F12.90	Cannabis use, unspecified, uncomplicated	ICD-10-CM	Diagnosis
F12.929	Cannabis use, unspecified with intoxication, unspecified	ICD-10-CM	Diagnosis
F12.980	Cannabis use, unspecified with anxiety disorder	ICD-10-CM	Diagnosis
F12.93	Cannabis use, unspecified with withdrawal	ICD-10-CM	Diagnosis
F14.11	Cocaine abuse, in remission	ICD-10-CM	Diagnosis
F14.10	Cocaine abuse, uncomplicated	ICD-10-CM	Diagnosis
F14.182	Cocaine abuse with cocaine-induced sleep disorder	ICD-10-CM	Diagnosis
F14.188	Cocaine abuse with other cocaine-induced disorder	ICD-10-CM	Diagnosis
F14.159	Cocaine abuse with cocaine-induced psychotic disorder, unspecified	ICD-10-CM	Diagnosis
F14.180	Cocaine abuse with cocaine-induced anxiety disorder	ICD-10-CM	Diagnosis
F14.181	Cocaine abuse with cocaine-induced sexual dysfunction	ICD-10-CM	Diagnosis
F14.150	Cocaine abuse with cocaine-induced psychotic disorder with delusions	ICD-10-CM	Diagnosis
F14.151	Cocaine abuse with cocaine-induced psychotic disorder with hallucinations	ICD-10-CM	Diagnosis
F14.122	Cocaine abuse with intoxication with perceptual disturbance	ICD-10-CM	Diagnosis
F14.19	Cocaine abuse with unspecified cocaine-induced disorder	ICD-10-CM	Diagnosis
F14.14	Cocaine abuse with cocaine-induced mood disorder	ICD-10-CM	Diagnosis
F14.120	Cocaine abuse with intoxication, uncomplicated	ICD-10-CM	Diagnosis
F14.129	Cocaine abuse with intoxication, unspecified	ICD-10-CM	Diagnosis
F14.121	Cocaine abuse with intoxication with delirium	ICD-10-CM	Diagnosis
F14.21	Cocaine dependence, in remission	ICD-10-CM	Diagnosis
F14.20	Cocaine dependence, uncomplicated	ICD-10-CM	Diagnosis
F14.220	Cocaine dependence with intoxication, uncomplicated	ICD-10-CM	Diagnosis
F14.280	Cocaine dependence with cocaine-induced anxiety disorder	ICD-10-CM	Diagnosis
F14.24	Cocaine dependence with cocaine-induced mood disorder	ICD-10-CM	Diagnosis
F14.281	Cocaine dependence with cocaine-induced sexual dysfunction	ICD-10-CM	Diagnosis
F14.282	Cocaine dependence with cocaine-induced sleep disorder	ICD-10-CM	Diagnosis
F14.250	Cocaine dependence with cocaine-induced psychotic disorder with delusions	ICD-10-CM	Diagnosis
F14.251	Cocaine dependence with cocaine-induced psychotic disorder with hallucinations	ICD-10-CM	Diagnosis
F14.259	Cocaine dependence with cocaine-induced psychotic disorder, unspecified	ICD-10-CM	Diagnosis
F14.222	Cocaine dependence with intoxication with perceptual disturbance	ICD-10-CM	Diagnosis
F14.288	Cocaine dependence with other cocaine-induced disorder	ICD-10-CM	Diagnosis
F14.29	Cocaine dependence with unspecified cocaine-induced disorder	ICD-10-CM	Diagnosis
F14.221	Cocaine dependence with intoxication delirium	ICD-10-CM	Diagnosis
F14.229	Cocaine dependence with intoxication, unspecified	ICD-10-CM	Diagnosis
F14.23	Cocaine dependence with withdrawal	ICD-10-CM	Diagnosis
F14.94	Cocaine use, unspecified with cocaine-induced mood disorder	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
F14.981	Cocaine use, unspecified with cocaine-induced sexual dysfunction	ICD-10-CM	Diagnosis
F14.982	Cocaine use, unspecified with cocaine-induced sleep disorder	ICD-10-CM	Diagnosis
F14.980	Cocaine use, unspecified with cocaine-induced anxiety disorder	ICD-10-CM	Diagnosis
F14.950	Cocaine use, unspecified with cocaine-induced psychotic disorder with delusions	ICD-10-CM	Diagnosis
F14.951	Cocaine use, unspecified with cocaine-induced psychotic disorder with hallucinations	ICD-10-CM	Diagnosis
F14.959	Cocaine use, unspecified with cocaine-induced psychotic disorder, unspecified	ICD-10-CM	Diagnosis
F14.920	Cocaine use, unspecified with intoxication, uncomplicated	ICD-10-CM	Diagnosis
F14.929	Cocaine use, unspecified with intoxication, unspecified	ICD-10-CM	Diagnosis
F14.922	Cocaine use, unspecified with intoxication with perceptual disturbance	ICD-10-CM	Diagnosis
F14.988	Cocaine use, unspecified with other cocaine-induced disorder	ICD-10-CM	Diagnosis
F14.99	Cocaine use, unspecified with unspecified cocaine-induced disorder	ICD-10-CM	Diagnosis
F14.90	Cocaine use, unspecified, uncomplicated	ICD-10-CM	Diagnosis
F14.921	Cocaine use, unspecified with intoxication delirium	ICD-10-CM	Diagnosis
O99.324	Drug use complicating childbirth	ICD-10-CM	Diagnosis
O99.321	Drug use complicating pregnancy, first trimester	ICD-10-CM	Diagnosis
O99.322	Drug use complicating pregnancy, second trimester	ICD-10-CM	Diagnosis
O99.323	Drug use complicating pregnancy, third trimester	ICD-10-CM	Diagnosis
O99.320	Drug use complicating pregnancy, unspecified trimester	ICD-10-CM	Diagnosis
O99.325	Drug use complicating the puerperium	ICD-10-CM	Diagnosis
F16.11	Hallucinogen abuse, in remission	ICD-10-CM	Diagnosis
F16.10	Hallucinogen abuse, uncomplicated	ICD-10-CM	Diagnosis
F16.151	Hallucinogen abuse with hallucinogen-induced psychotic disorder with hallucinations	ICD-10-CM	Diagnosis
F16.159	Hallucinogen abuse with hallucinogen-induced psychotic disorder, unspecified	ICD-10-CM	Diagnosis
F16.180	Hallucinogen abuse with hallucinogen-induced anxiety disorder	ICD-10-CM	Diagnosis
F16.14	Hallucinogen abuse with hallucinogen-induced mood disorder	ICD-10-CM	Diagnosis
F16.150	Hallucinogen abuse with hallucinogen-induced psychotic disorder with delusions	ICD-10-CM	Diagnosis
F16.122	Hallucinogen abuse with intoxication with perceptual disturbance	ICD-10-CM	Diagnosis
F16.120	Hallucinogen abuse with intoxication, uncomplicated	ICD-10-CM	Diagnosis
F16.121	Hallucinogen abuse with intoxication with delirium	ICD-10-CM	Diagnosis
F16.188	Hallucinogen abuse with other hallucinogen-induced disorder	ICD-10-CM	Diagnosis
F16.183	Hallucinogen abuse with hallucinogen persisting perception disorder (flashbacks)	ICD-10-CM	Diagnosis
F16.19	Hallucinogen abuse with unspecified hallucinogen-induced disorder	ICD-10-CM	Diagnosis
F16.129	Hallucinogen abuse with intoxication, unspecified	ICD-10-CM	Diagnosis
F16.250	Hallucinogen dependence with hallucinogen-induced psychotic disorder with delusions	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
F16.251	Hallucinogen dependence with hallucinogen-induced psychotic disorder with hallucinations	ICD-10-CM	Diagnosis
F16.21	Hallucinogen dependence, in remission	ICD-10-CM	Diagnosis
F16.20	Hallucinogen dependence, uncomplicated	ICD-10-CM	Diagnosis
F16.280	Hallucinogen dependence with hallucinogen-induced anxiety disorder	ICD-10-CM	Diagnosis
F16.259	Hallucinogen dependence with hallucinogen-induced psychotic disorder, unspecified	ICD-10-CM	Diagnosis
F16.24	Hallucinogen dependence with hallucinogen-induced mood disorder	ICD-10-CM	Diagnosis
F16.220	Hallucinogen dependence with intoxication, uncomplicated	ICD-10-CM	Diagnosis
F16.221	Hallucinogen dependence with intoxication with delirium	ICD-10-CM	Diagnosis
F16.229	Hallucinogen dependence with intoxication, unspecified	ICD-10-CM	Diagnosis
F16.288	Hallucinogen dependence with other hallucinogen-induced disorder	ICD-10-CM	Diagnosis
F16.283	Hallucinogen dependence with hallucinogen persisting perception disorder (flashbacks)	ICD-10-CM	Diagnosis
F16.29	Hallucinogen dependence with unspecified hallucinogen-induced disorder	ICD-10-CM	Diagnosis
F16.950	Hallucinogen use, unspecified with hallucinogen-induced psychotic disorder with delusions	ICD-10-CM	Diagnosis
F16.951	Hallucinogen use, unspecified with hallucinogen-induced psychotic disorder with hallucinations	ICD-10-CM	Diagnosis
F16.94	Hallucinogen use, unspecified with hallucinogen-induced mood disorder	ICD-10-CM	Diagnosis
F16.959	Hallucinogen use, unspecified with hallucinogen-induced psychotic disorder, unspecified	ICD-10-CM	Diagnosis
F16.980	Hallucinogen use, unspecified with hallucinogen-induced anxiety disorder	ICD-10-CM	Diagnosis
F16.920	Hallucinogen use, unspecified with intoxication, uncomplicated	ICD-10-CM	Diagnosis
F16.929	Hallucinogen use, unspecified with intoxication, unspecified	ICD-10-CM	Diagnosis
F16.921	Hallucinogen use, unspecified with intoxication with delirium	ICD-10-CM	Diagnosis
F16.983	Hallucinogen use, unspecified with hallucinogen persisting perception disorder (flashbacks)	ICD-10-CM	Diagnosis
F16.90	Hallucinogen use, unspecified, uncomplicated	ICD-10-CM	Diagnosis
F18.11	Inhalant abuse, in remission	ICD-10-CM	Diagnosis
F18.10	Inhalant abuse, uncomplicated	ICD-10-CM	Diagnosis
F18.150	Inhalant abuse with inhalant-induced psychotic disorder with delusions	ICD-10-CM	Diagnosis
F18.151	Inhalant abuse with inhalant-induced psychotic disorder with hallucinations	ICD-10-CM	Diagnosis
F18.159	Inhalant abuse with inhalant-induced psychotic disorder, unspecified	ICD-10-CM	Diagnosis
F18.180	Inhalant abuse with inhalant-induced anxiety disorder	ICD-10-CM	Diagnosis
F18.14	Inhalant abuse with inhalant-induced mood disorder	ICD-10-CM	Diagnosis
F18.188	Inhalant abuse with other inhalant-induced disorder	ICD-10-CM	Diagnosis
F18.19	Inhalant abuse with unspecified inhalant-induced disorder	ICD-10-CM	Diagnosis
F18.17	Inhalant abuse with inhalant-induced dementia	ICD-10-CM	Diagnosis
F18.121	Inhalant abuse with intoxication delirium	ICD-10-CM	Diagnosis
F18.120	Inhalant abuse with intoxication, uncomplicated	ICD-10-CM	Diagnosis
F18.129	Inhalant abuse with intoxication, unspecified	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

Code	Description	Code Type	Code Category
F18.250	Inhalant dependence with inhalant-induced psychotic disorder with delusions	ICD-10-CM	Diagnosis
F18.251	Inhalant dependence with inhalant-induced psychotic disorder with hallucinations	ICD-10-CM	Diagnosis
F18.259	Inhalant dependence with inhalant-induced psychotic disorder, unspecified	ICD-10-CM	Diagnosis
F18.21	Inhalant dependence, in remission	ICD-10-CM	Diagnosis
F18.20	Inhalant dependence, uncomplicated	ICD-10-CM	Diagnosis
F18.280	Inhalant dependence with inhalant-induced anxiety disorder	ICD-10-CM	Diagnosis
F18.27	Inhalant dependence with inhalant-induced dementia	ICD-10-CM	Diagnosis
F18.24	Inhalant dependence with inhalant-induced mood disorder	ICD-10-CM	Diagnosis
F18.220	Inhalant dependence with intoxication, uncomplicated	ICD-10-CM	Diagnosis
F18.229	Inhalant dependence with intoxication, unspecified	ICD-10-CM	Diagnosis
F18.288	Inhalant dependence with other inhalant-induced disorder	ICD-10-CM	Diagnosis
F18.29	Inhalant dependence with unspecified inhalant-induced disorder	ICD-10-CM	Diagnosis
F18.221	Inhalant dependence with intoxication delirium	ICD-10-CM	Diagnosis
F18.950	Inhalant use, unspecified with inhalant-induced psychotic disorder with delusions	ICD-10-CM	Diagnosis
F18.951	Inhalant use, unspecified with inhalant-induced psychotic disorder with hallucinations	ICD-10-CM	Diagnosis
F18.97	Inhalant use, unspecified with inhalant-induced persisting dementia	ICD-10-CM	Diagnosis
F18.959	Inhalant use, unspecified with inhalant-induced psychotic disorder, unspecified	ICD-10-CM	Diagnosis
F18.94	Inhalant use, unspecified with inhalant-induced mood disorder	ICD-10-CM	Diagnosis
F18.980	Inhalant use, unspecified with inhalant-induced anxiety disorder	ICD-10-CM	Diagnosis
F18.920	Inhalant use, unspecified with intoxication, uncomplicated	ICD-10-CM	Diagnosis
F18.929	Inhalant use, unspecified with intoxication, unspecified	ICD-10-CM	Diagnosis
F18.921	Inhalant use, unspecified with intoxication with delirium	ICD-10-CM	Diagnosis
F18.988	Inhalant use, unspecified with other inhalant-induced disorder	ICD-10-CM	Diagnosis
F18.99	Inhalant use, unspecified with unspecified inhalant-induced disorder	ICD-10-CM	Diagnosis
F18.90	Inhalant use, unspecified, uncomplicated	ICD-10-CM	Diagnosis
O35.5XX1	Maternal care for (suspected) damage to fetus by drugs, fetus 1	ICD-10-CM	Diagnosis
O35.5XX2	Maternal care for (suspected) damage to fetus by drugs, fetus 2	ICD-10-CM	Diagnosis
O35.5XX3	Maternal care for (suspected) damage to fetus by drugs, fetus 3	ICD-10-CM	Diagnosis
O35.5XX4	Maternal care for (suspected) damage to fetus by drugs, fetus 4	ICD-10-CM	Diagnosis
O35.5XX5	Maternal care for (suspected) damage to fetus by drugs, fetus 5	ICD-10-CM	Diagnosis
O35.5XX0	Maternal care for (suspected) damage to fetus by drugs, not applicable or unspecified	ICD-10-CM	Diagnosis
O35.5XX9	Maternal care for (suspected) damage to fetus by drugs, other fetus	ICD-10-CM	Diagnosis
F17.298	Nicotine dependence, other tobacco product, with other nicotine-induced disorders	ICD-10-CM	Diagnosis
F17.299	Nicotine dependence, other tobacco product, with unspecified nicotine-induced disorders	ICD-10-CM	Diagnosis
F11.11	Opioid abuse, in remission	ICD-10-CM	Diagnosis



**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
F11.10	Opioid abuse, uncomplicated	ICD-10-CM	Diagnosis
F11.150	Opioid abuse with opioid-induced psychotic disorder with delusions	ICD-10-CM	Diagnosis
F11.151	Opioid abuse with opioid-induced psychotic disorder with hallucinations	ICD-10-CM	Diagnosis
F11.122	Opioid abuse with intoxication with perceptual disturbance	ICD-10-CM	Diagnosis
F11.159	Opioid abuse with opioid-induced psychotic disorder, unspecified	ICD-10-CM	Diagnosis
F11.181	Opioid abuse with opioid-induced sexual dysfunction	ICD-10-CM	Diagnosis
F11.19	Opioid abuse with unspecified opioid-induced disorder	ICD-10-CM	Diagnosis
F11.121	Opioid abuse with intoxication delirium	ICD-10-CM	Diagnosis
F11.120	Opioid abuse with intoxication, uncomplicated	ICD-10-CM	Diagnosis
F11.129	Opioid abuse with intoxication, unspecified	ICD-10-CM	Diagnosis
F11.14	Opioid abuse with opioid-induced mood disorder	ICD-10-CM	Diagnosis
F11.182	Opioid abuse with opioid-induced sleep disorder	ICD-10-CM	Diagnosis
F11.188	Opioid abuse with other opioid-induced disorder	ICD-10-CM	Diagnosis
F11.221	Opioid dependence with intoxication delirium	ICD-10-CM	Diagnosis
F11.220	Opioid dependence with intoxication, uncomplicated	ICD-10-CM	Diagnosis
F11.229	Opioid dependence with intoxication, unspecified	ICD-10-CM	Diagnosis
F11.222	Opioid dependence with intoxication with perceptual disturbance	ICD-10-CM	Diagnosis
F11.24	Opioid dependence with opioid-induced mood disorder	ICD-10-CM	Diagnosis
F11.259	Opioid dependence with opioid-induced psychotic disorder, unspecified	ICD-10-CM	Diagnosis
F11.250	Opioid dependence with opioid-induced psychotic disorder with delusions	ICD-10-CM	Diagnosis
F11.251	Opioid dependence with opioid-induced psychotic disorder with hallucinations	ICD-10-CM	Diagnosis
F11.281	Opioid dependence with opioid-induced sexual dysfunction	ICD-10-CM	Diagnosis
F11.282	Opioid dependence with opioid-induced sleep disorder	ICD-10-CM	Diagnosis
F11.288	Opioid dependence with other opioid-induced disorder	ICD-10-CM	Diagnosis
F11.29	Opioid dependence with unspecified opioid-induced disorder	ICD-10-CM	Diagnosis
F11.21	Opioid dependence, in remission	ICD-10-CM	Diagnosis
F11.20	Opioid dependence, uncomplicated	ICD-10-CM	Diagnosis
F11.23	Opioid dependence with withdrawal	ICD-10-CM	Diagnosis
F11.950	Opioid use, unspecified with opioid-induced psychotic disorder with delusions	ICD-10-CM	Diagnosis
F11.951	Opioid use, unspecified with opioid-induced psychotic disorder with hallucinations	ICD-10-CM	Diagnosis
F11.920	Opioid use, unspecified with intoxication, uncomplicated	ICD-10-CM	Diagnosis
F11.929	Opioid use, unspecified with intoxication, unspecified	ICD-10-CM	Diagnosis
F11.922	Opioid use, unspecified with intoxication with perceptual disturbance	ICD-10-CM	Diagnosis
F11.959	Opioid use, unspecified with opioid-induced psychotic disorder, unspecified	ICD-10-CM	Diagnosis
F11.94	Opioid use, unspecified with opioid-induced mood disorder	ICD-10-CM	Diagnosis
F11.981	Opioid use, unspecified with opioid-induced sexual dysfunction	ICD-10-CM	Diagnosis
F11.982	Opioid use, unspecified with opioid-induced sleep disorder	ICD-10-CM	Diagnosis
F11.988	Opioid use, unspecified with other opioid-induced disorder	ICD-10-CM	Diagnosis
F11.99	Opioid use, unspecified with unspecified opioid-induced disorder	ICD-10-CM	Diagnosis
F11.90	Opioid use, unspecified, uncomplicated	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
F11.921	Opioid use, unspecified with intoxication delirium	ICD-10-CM	Diagnosis
F11.93	Opioid use, unspecified with withdrawal	ICD-10-CM	Diagnosis
F19.150	Other psychoactive substance abuse with psychoactive substance-induced psychotic disorder with delusions	ICD-10-CM	Diagnosis
F19.159	Other psychoactive substance abuse with psychoactive substance-induced psychotic disorder, unspecified	ICD-10-CM	Diagnosis
F19.180	Other psychoactive substance abuse with psychoactive substance-induced anxiety disorder	ICD-10-CM	Diagnosis
F19.122	Other psychoactive substance abuse with intoxication with perceptual disturbances	ICD-10-CM	Diagnosis
F19.121	Other psychoactive substance abuse with intoxication delirium	ICD-10-CM	Diagnosis
F19.14	Other psychoactive substance abuse with psychoactive substance-induced mood disorder	ICD-10-CM	Diagnosis
F19.181	Other psychoactive substance abuse with psychoactive substance-induced sexual dysfunction	ICD-10-CM	Diagnosis
F19.182	Other psychoactive substance abuse with psychoactive substance-induced sleep disorder	ICD-10-CM	Diagnosis
F19.120	Other psychoactive substance abuse with intoxication, uncomplicated	ICD-10-CM	Diagnosis
F19.129	Other psychoactive substance abuse with intoxication, unspecified	ICD-10-CM	Diagnosis
F19.188	Other psychoactive substance abuse with other psychoactive substance-induced disorder	ICD-10-CM	Diagnosis
F19.19	Other psychoactive substance abuse with unspecified psychoactive substance-induced disorder	ICD-10-CM	Diagnosis
F19.280	Other psychoactive substance dependence with psychoactive substance-induced anxiety disorder	ICD-10-CM	Diagnosis
F19.281	Other psychoactive substance dependence with psychoactive substance-induced sexual dysfunction	ICD-10-CM	Diagnosis
F19.282	Other psychoactive substance dependence with psychoactive substance-induced sleep disorder	ICD-10-CM	Diagnosis
F19.221	Other psychoactive substance dependence with intoxication delirium	ICD-10-CM	Diagnosis
F19.24	Other psychoactive substance dependence with psychoactive substance-induced mood disorder	ICD-10-CM	Diagnosis
F19.220	Other psychoactive substance dependence with intoxication, uncomplicated	ICD-10-CM	Diagnosis
F19.229	Other psychoactive substance dependence with intoxication, unspecified	ICD-10-CM	Diagnosis
F19.288	Other psychoactive substance dependence with other psychoactive substance-induced disorder	ICD-10-CM	Diagnosis
F19.29	Other psychoactive substance dependence with unspecified psychoactive substance-induced disorder	ICD-10-CM	Diagnosis
F19.239	Other psychoactive substance dependence with withdrawal, unspecified	ICD-10-CM	Diagnosis
F19.231	Other psychoactive substance dependence with withdrawal delirium	ICD-10-CM	Diagnosis
F19.230	Other psychoactive substance dependence with withdrawal, uncomplicated	ICD-10-CM	Diagnosis
F19.980	Other psychoactive substance use, unspecified with psychoactive substance-induced anxiety disorder	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
F19.921	Other psychoactive substance use, unspecified with intoxication with delirium	ICD-10-CM	Diagnosis
F19.981	Other psychoactive substance use, unspecified with psychoactive substance-induced sexual dysfunction	ICD-10-CM	Diagnosis
F19.982	Other psychoactive substance use, unspecified with psychoactive substance-induced sleep disorder	ICD-10-CM	Diagnosis
F19.94	Other psychoactive substance use, unspecified with psychoactive substance-induced mood disorder	ICD-10-CM	Diagnosis
F19.920	Other psychoactive substance use, unspecified with intoxication, uncomplicated	ICD-10-CM	Diagnosis
F19.929	Other psychoactive substance use, unspecified with intoxication, unspecified	ICD-10-CM	Diagnosis
F19.988	Other psychoactive substance use, unspecified with other psychoactive substance-induced disorder	ICD-10-CM	Diagnosis
F19.99	Other psychoactive substance use, unspecified with unspecified psychoactive substance-induced disorder	ICD-10-CM	Diagnosis
F19.939	Other psychoactive substance use, unspecified with withdrawal, unspecified	ICD-10-CM	Diagnosis
F19.930	Other psychoactive substance use, unspecified with withdrawal, uncomplicated	ICD-10-CM	Diagnosis
F19.20	Other psychoactive substance dependence, uncomplicated	ICD-10-CM	Diagnosis
F19.21	Other psychoactive substance dependence, in remission	ICD-10-CM	Diagnosis
F19.90	Other psychoactive substance use, unspecified, uncomplicated	ICD-10-CM	Diagnosis
F19.951	Other psychoactive substance use, unspecified with psychoactive substance-induced psychotic disorder with hallucinations	ICD-10-CM	Diagnosis
F19.16	Other psychoactive substance abuse with psychoactive substance-induced persisting amnestic disorder	ICD-10-CM	Diagnosis
F19.151	Other psychoactive substance abuse with psychoactive substance-induced psychotic disorder with hallucinations	ICD-10-CM	Diagnosis
F19.17	Other psychoactive substance abuse with psychoactive substance-induced persisting dementia	ICD-10-CM	Diagnosis
F19.26	Other psychoactive substance dependence with psychoactive substance-induced persisting amnestic disorder	ICD-10-CM	Diagnosis
F19.27	Other psychoactive substance dependence with psychoactive substance-induced persisting dementia	ICD-10-CM	Diagnosis
F19.250	Other psychoactive substance dependence with psychoactive substance-induced psychotic disorder with delusions	ICD-10-CM	Diagnosis
F19.259	Other psychoactive substance dependence with psychoactive substance-induced psychotic disorder, unspecified	ICD-10-CM	Diagnosis
F19.222	Other psychoactive substance dependence with intoxication with perceptual disturbance	ICD-10-CM	Diagnosis
F19.232	Other psychoactive substance dependence with withdrawal with perceptual disturbance	ICD-10-CM	Diagnosis



**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
F19.251	Other psychoactive substance dependence with psychoactive substance-induced psychotic disorder with hallucinations	ICD-10-CM	Diagnosis
F19.96	Other psychoactive substance use, unspecified with psychoactive substance-induced persisting amnestic disorder	ICD-10-CM	Diagnosis
F19.97	Other psychoactive substance use, unspecified with psychoactive substance-induced persisting dementia	ICD-10-CM	Diagnosis
F19.950	Other psychoactive substance use, unspecified with psychoactive substance-induced psychotic disorder with delusions	ICD-10-CM	Diagnosis
F19.959	Other psychoactive substance use, unspecified with psychoactive substance-induced psychotic disorder, unspecified	ICD-10-CM	Diagnosis
F19.922	Other psychoactive substance use, unspecified with intoxication with perceptual disturbance	ICD-10-CM	Diagnosis
F19.932	Other psychoactive substance use, unspecified with withdrawal with perceptual disturbance	ICD-10-CM	Diagnosis
F19.931	Other psychoactive substance use, unspecified with withdrawal delirium	ICD-10-CM	Diagnosis
F15.251	Other stimulant dependence with stimulant-induced psychotic disorder with hallucinations	ICD-10-CM	Diagnosis
F15.280	Other stimulant dependence with stimulant-induced anxiety disorder	ICD-10-CM	Diagnosis
F15.24	Other stimulant dependence with stimulant-induced mood disorder	ICD-10-CM	Diagnosis
F15.259	Other stimulant dependence with stimulant-induced psychotic disorder, unspecified	ICD-10-CM	Diagnosis
F15.250	Other stimulant dependence with stimulant-induced psychotic disorder with delusions	ICD-10-CM	Diagnosis
F15.281	Other stimulant dependence with stimulant-induced sexual dysfunction	ICD-10-CM	Diagnosis
F15.282	Other stimulant dependence with stimulant-induced sleep disorder	ICD-10-CM	Diagnosis
F15.288	Other stimulant dependence with other stimulant-induced disorder	ICD-10-CM	Diagnosis
F15.29	Other stimulant dependence with unspecified stimulant-induced disorder	ICD-10-CM	Diagnosis
F15.950	Other stimulant use, unspecified with stimulant-induced psychotic disorder with delusions	ICD-10-CM	Diagnosis
F15.951	Other stimulant use, unspecified with stimulant-induced psychotic disorder with hallucinations	ICD-10-CM	Diagnosis
F15.959	Other stimulant use, unspecified with stimulant-induced psychotic disorder, unspecified	ICD-10-CM	Diagnosis
F15.982	Other stimulant use, unspecified with stimulant-induced sleep disorder	ICD-10-CM	Diagnosis
F15.980	Other stimulant use, unspecified with stimulant-induced anxiety disorder	ICD-10-CM	Diagnosis
F15.981	Other stimulant use, unspecified with stimulant-induced sexual dysfunction	ICD-10-CM	Diagnosis
F15.988	Other stimulant use, unspecified with other stimulant-induced disorder	ICD-10-CM	Diagnosis
F15.99	Other stimulant use, unspecified with unspecified stimulant-induced disorder	ICD-10-CM	Diagnosis
F19.11	Other psychoactive substance abuse, in remission	ICD-10-CM	Diagnosis
F19.10	Other psychoactive substance abuse, uncomplicated	ICD-10-CM	Diagnosis
F15.11	Other stimulant abuse, in remission	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
F15.151	Other stimulant abuse with stimulant-induced psychotic disorder with hallucinations	ICD-10-CM	Diagnosis
F15.10	Other stimulant abuse, uncomplicated	ICD-10-CM	Diagnosis
F15.159	Other stimulant abuse with stimulant-induced psychotic disorder, unspecified	ICD-10-CM	Diagnosis
F15.181	Other stimulant abuse with stimulant-induced sexual dysfunction	ICD-10-CM	Diagnosis
F15.150	Other stimulant abuse with stimulant-induced psychotic disorder with delusions	ICD-10-CM	Diagnosis
F15.180	Other stimulant abuse with stimulant-induced anxiety disorder	ICD-10-CM	Diagnosis
F15.14	Other stimulant abuse with stimulant-induced mood disorder	ICD-10-CM	Diagnosis
F15.182	Other stimulant abuse with stimulant-induced sleep disorder	ICD-10-CM	Diagnosis
F15.120	Other stimulant abuse with intoxication, uncomplicated	ICD-10-CM	Diagnosis
F15.122	Other stimulant abuse with intoxication with perceptual disturbance	ICD-10-CM	Diagnosis
F15.129	Other stimulant abuse with intoxication, unspecified	ICD-10-CM	Diagnosis
F15.188	Other stimulant abuse with other stimulant-induced disorder	ICD-10-CM	Diagnosis
F15.19	Other stimulant abuse with unspecified stimulant-induced disorder	ICD-10-CM	Diagnosis
F15.121	Other stimulant abuse with intoxication delirium	ICD-10-CM	Diagnosis
F15.21	Other stimulant dependence, in remission	ICD-10-CM	Diagnosis
F15.222	Other stimulant dependence with intoxication with perceptual disturbance	ICD-10-CM	Diagnosis
F15.20	Other stimulant dependence, uncomplicated	ICD-10-CM	Diagnosis
F15.221	Other stimulant dependence with intoxication delirium	ICD-10-CM	Diagnosis
F15.220	Other stimulant dependence with intoxication, uncomplicated	ICD-10-CM	Diagnosis
F15.229	Other stimulant dependence with intoxication, unspecified	ICD-10-CM	Diagnosis
F15.23	Other stimulant dependence with withdrawal	ICD-10-CM	Diagnosis
F15.94	Other stimulant use, unspecified with stimulant-induced mood disorder	ICD-10-CM	Diagnosis
F15.922	Other stimulant use, unspecified with intoxication with perceptual disturbance	ICD-10-CM	Diagnosis
F15.921	Other stimulant use, unspecified with intoxication delirium	ICD-10-CM	Diagnosis
F15.920	Other stimulant use, unspecified with intoxication, uncomplicated	ICD-10-CM	Diagnosis
F15.929	Other stimulant use, unspecified with intoxication, unspecified	ICD-10-CM	Diagnosis
F15.90	Other stimulant use, unspecified, uncomplicated	ICD-10-CM	Diagnosis
F15.93	Other stimulant use, unspecified with withdrawal	ICD-10-CM	Diagnosis
T40.1X1A	Poisoning by heroin, accidental (unintentional), initial encounter	ICD-10-CM	Diagnosis
T40.1X1S	Poisoning by heroin, accidental (unintentional), sequela	ICD-10-CM	Diagnosis
T40.1X1D	Poisoning by heroin, accidental (unintentional), subsequent encounter	ICD-10-CM	Diagnosis
T40.0X1D	Poisoning by opium, accidental (unintentional), subsequent encounter	ICD-10-CM	Diagnosis
T40.0X1A	Poisoning by opium, accidental (unintentional), initial encounter	ICD-10-CM	Diagnosis
T40.0X1S	Poisoning by opium, accidental (unintentional), sequela	ICD-10-CM	Diagnosis
T40.991A	Poisoning by other psychodysleptics [hallucinogens], accidental (unintentional), initial encounter	ICD-10-CM	Diagnosis
T40.991S	Poisoning by other psychodysleptics [hallucinogens], accidental (unintentional), sequela	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
T40.991D	Poisoning by other psychodysleptics [hallucinogens], accidental (unintentional), subsequent encounter	ICD-10-CM	Diagnosis
T40.993A	Poisoning by other psychodysleptics [hallucinogens], assault, initial encounter	ICD-10-CM	Diagnosis
T40.993S	Poisoning by other psychodysleptics [hallucinogens], assault, sequela	ICD-10-CM	Diagnosis
T40.993D	Poisoning by other psychodysleptics [hallucinogens], assault, subsequent encounter	ICD-10-CM	Diagnosis
T40.901A	Poisoning by unspecified psychodysleptics [hallucinogens], accidental (unintentional), initial encounter	ICD-10-CM	Diagnosis
T40.901S	Poisoning by unspecified psychodysleptics [hallucinogens], accidental (unintentional), sequela	ICD-10-CM	Diagnosis
T40.901D	Poisoning by unspecified psychodysleptics [hallucinogens], accidental (unintentional), subsequent encounter	ICD-10-CM	Diagnosis
T40.903A	Poisoning by unspecified psychodysleptics [hallucinogens], assault, initial encounter	ICD-10-CM	Diagnosis
T40.903S	Poisoning by unspecified psychodysleptics [hallucinogens], assault, sequela	ICD-10-CM	Diagnosis
T40.903D	Poisoning by unspecified psychodysleptics [hallucinogens], assault, subsequent encounter	ICD-10-CM	Diagnosis
T40.904A	Poisoning by unspecified psychodysleptics [hallucinogens], undetermined, initial encounter	ICD-10-CM	Diagnosis
T40.904S	Poisoning by unspecified psychodysleptics [hallucinogens], undetermined, sequela	ICD-10-CM	Diagnosis
T40.904D	Poisoning by unspecified psychodysleptics [hallucinogens], undetermined, subsequent encounter	ICD-10-CM	Diagnosis
T40.5X3A	Poisoning by cocaine, assault, initial encounter	ICD-10-CM	Diagnosis
T40.5X3S	Poisoning by cocaine, assault, sequela	ICD-10-CM	Diagnosis
T40.5X3D	Poisoning by cocaine, assault, subsequent encounter	ICD-10-CM	Diagnosis
T40.5X4A	Poisoning by cocaine, undetermined, initial encounter	ICD-10-CM	Diagnosis
T40.5X4S	Poisoning by cocaine, undetermined, sequela	ICD-10-CM	Diagnosis
T40.5X4D	Poisoning by cocaine, undetermined, subsequent encounter	ICD-10-CM	Diagnosis
T40.1X3A	Poisoning by heroin, assault, initial encounter	ICD-10-CM	Diagnosis
T40.1X3S	Poisoning by heroin, assault, sequela	ICD-10-CM	Diagnosis
T40.1X3D	Poisoning by heroin, assault, subsequent encounter	ICD-10-CM	Diagnosis
T40.1X4S	Poisoning by heroin, undetermined, sequela	ICD-10-CM	Diagnosis
T40.0X3A	Poisoning by opium, assault, initial encounter	ICD-10-CM	Diagnosis
T40.0X3S	Poisoning by opium, assault, sequela	ICD-10-CM	Diagnosis
T40.0X3D	Poisoning by opium, assault, subsequent encounter	ICD-10-CM	Diagnosis
T40.0X4A	Poisoning by opium, undetermined, initial encounter	ICD-10-CM	Diagnosis
T40.0X4S	Poisoning by opium, undetermined, sequela	ICD-10-CM	Diagnosis
T40.0X4D	Poisoning by opium, undetermined, subsequent encounter	ICD-10-CM	Diagnosis
T40.7X3D	Poisoning by cannabis (derivatives), assault, subsequent encounter	ICD-10-CM	Diagnosis
T40.7X1A	Poisoning by cannabis (derivatives), accidental (unintentional), initial encounter	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
T40.7X1S	Poisoning by cannabis (derivatives), accidental (unintentional), sequela	ICD-10-CM	Diagnosis
T40.7X1D	Poisoning by cannabis (derivatives), accidental (unintentional), subsequent encounter	ICD-10-CM	Diagnosis
T40.7X3A	Poisoning by cannabis (derivatives), assault, initial encounter	ICD-10-CM	Diagnosis
T40.7X3S	Poisoning by cannabis (derivatives), assault, sequela	ICD-10-CM	Diagnosis
T40.7X4S	Poisoning by cannabis (derivatives), undetermined, sequela	ICD-10-CM	Diagnosis
T40.7X4D	Poisoning by cannabis (derivatives), undetermined, subsequent encounter	ICD-10-CM	Diagnosis
T40.7X4A	Poisoning by cannabis (derivatives), undetermined, initial encounter	ICD-10-CM	Diagnosis
T40.5X1A	Poisoning by cocaine, accidental (unintentional), initial encounter	ICD-10-CM	Diagnosis
T40.5X1D	Poisoning by cocaine, accidental (unintentional), subsequent encounter	ICD-10-CM	Diagnosis
T40.5X1S	Poisoning by cocaine, accidental (unintentional), sequela	ICD-10-CM	Diagnosis
T40.1X4A	Poisoning by heroin, undetermined, initial encounter	ICD-10-CM	Diagnosis
T40.1X4D	Poisoning by heroin, undetermined, subsequent encounter	ICD-10-CM	Diagnosis
T40.8X1A	Poisoning by lysergide [LSD], accidental (unintentional), initial encounter	ICD-10-CM	Diagnosis
T40.8X1S	Poisoning by lysergide [LSD], accidental (unintentional), sequela	ICD-10-CM	Diagnosis
T40.8X1D	Poisoning by lysergide [LSD], accidental (unintentional), subsequent encounter	ICD-10-CM	Diagnosis
T40.8X3A	Poisoning by lysergide [LSD], assault, initial encounter	ICD-10-CM	Diagnosis
T40.8X3S	Poisoning by lysergide [LSD], assault, sequela	ICD-10-CM	Diagnosis
T40.8X3D	Poisoning by lysergide [LSD], assault, subsequent encounter	ICD-10-CM	Diagnosis
T40.8X4A	Poisoning by lysergide [LSD], undetermined, initial encounter	ICD-10-CM	Diagnosis
T40.8X4D	Poisoning by lysergide [LSD], undetermined, subsequent encounter	ICD-10-CM	Diagnosis
T40.8X4S	Poisoning by lysergide [LSD], undetermined, sequela	ICD-10-CM	Diagnosis
T40.994A	Poisoning by other psychodysleptics [hallucinogens], undetermined, initial encounter	ICD-10-CM	Diagnosis
T40.994S	Poisoning by other psychodysleptics [hallucinogens], undetermined, sequela	ICD-10-CM	Diagnosis
T40.994D	Poisoning by other psychodysleptics [hallucinogens], undetermined, subsequent encounter	ICD-10-CM	Diagnosis
F13.14	Sedative, hypnotic or anxiolytic abuse with sedative, hypnotic or anxiolytic-induced mood disorder	ICD-10-CM	Diagnosis
F13.221	Sedative, hypnotic or anxiolytic dependence with intoxication delirium	ICD-10-CM	Diagnosis
F13.220	Sedative, hypnotic or anxiolytic dependence with intoxication, uncomplicated	ICD-10-CM	Diagnosis
F13.921	Sedative, hypnotic or anxiolytic use, unspecified with intoxication delirium	ICD-10-CM	Diagnosis
F13.920	Sedative, hypnotic or anxiolytic use, unspecified with intoxication, uncomplicated	ICD-10-CM	Diagnosis
F13.929	Sedative, hypnotic or anxiolytic use, unspecified with intoxication, unspecified	ICD-10-CM	Diagnosis
F13.121	Sedative, hypnotic or anxiolytic abuse with intoxication delirium	ICD-10-CM	Diagnosis
F13.120	Sedative, hypnotic or anxiolytic abuse with intoxication, uncomplicated	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
F13.11	Sedative, hypnotic or anxiolytic abuse, in remission	ICD-10-CM	Diagnosis
F13.10	Sedative, hypnotic or anxiolytic abuse, uncomplicated	ICD-10-CM	Diagnosis
F13.129	Sedative, hypnotic or anxiolytic abuse with intoxication, unspecified	ICD-10-CM	Diagnosis
F13.21	Sedative, hypnotic or anxiolytic dependence, in remission	ICD-10-CM	Diagnosis
F13.20	Sedative, hypnotic or anxiolytic dependence, uncomplicated	ICD-10-CM	Diagnosis
F13.229	Sedative, hypnotic or anxiolytic dependence with intoxication, unspecified	ICD-10-CM	Diagnosis
F13.90	Sedative, hypnotic, or anxiolytic use, unspecified, uncomplicated	ICD-10-CM	Diagnosis
F13.26	Sedative, hypnotic or anxiolytic dependence with sedative, hypnotic or anxiolytic-induced persisting amnestic disorder	ICD-10-CM	Diagnosis
F13.27	Sedative, hypnotic or anxiolytic dependence with sedative, hypnotic or anxiolytic-induced persisting dementia	ICD-10-CM	Diagnosis
F13.251	Sedative, hypnotic or anxiolytic dependence with sedative, hypnotic or anxiolytic-induced psychotic disorder with hallucinations	ICD-10-CM	Diagnosis
F13.259	Sedative, hypnotic or anxiolytic dependence with sedative, hypnotic or anxiolytic-induced psychotic disorder, unspecified	ICD-10-CM	Diagnosis
F13.280	Sedative, hypnotic or anxiolytic dependence with sedative, hypnotic or anxiolytic-induced anxiety disorder	ICD-10-CM	Diagnosis
F13.281	Sedative, hypnotic or anxiolytic dependence with sedative, hypnotic or anxiolytic-induced sexual dysfunction	ICD-10-CM	Diagnosis
F13.282	Sedative, hypnotic or anxiolytic dependence with sedative, hypnotic or anxiolytic-induced sleep disorder	ICD-10-CM	Diagnosis
F13.288	Sedative, hypnotic or anxiolytic dependence with other sedative, hypnotic or anxiolytic-induced disorder	ICD-10-CM	Diagnosis
F13.29	Sedative, hypnotic or anxiolytic dependence with unspecified sedative, hypnotic or anxiolytic-induced disorder	ICD-10-CM	Diagnosis
F13.97	Sedative, hypnotic or anxiolytic use, unspecified with sedative, hypnotic or anxiolytic-induced persisting dementia	ICD-10-CM	Diagnosis
F13.96	Sedative, hypnotic or anxiolytic use, unspecified with sedative, hypnotic or anxiolytic-induced persisting amnestic disorder	ICD-10-CM	Diagnosis
F13.950	Sedative, hypnotic or anxiolytic use, unspecified with sedative, hypnotic or anxiolytic-induced psychotic disorder with delusions	ICD-10-CM	Diagnosis
F13.951	Sedative, hypnotic or anxiolytic use, unspecified with sedative, hypnotic or anxiolytic-induced psychotic disorder with hallucinations	ICD-10-CM	Diagnosis
F13.959	Sedative, hypnotic or anxiolytic use, unspecified with sedative, hypnotic or anxiolytic-induced psychotic disorder, unspecified	ICD-10-CM	Diagnosis
F13.150	Sedative, hypnotic or anxiolytic abuse with sedative, hypnotic or anxiolytic-induced psychotic disorder with delusions	ICD-10-CM	Diagnosis
F13.151	Sedative, hypnotic or anxiolytic abuse with sedative, hypnotic or anxiolytic-induced psychotic disorder with hallucinations	ICD-10-CM	Diagnosis
F13.159	Sedative, hypnotic or anxiolytic abuse with sedative, hypnotic or anxiolytic-induced psychotic disorder, unspecified	ICD-10-CM	Diagnosis
F13.180	Sedative, hypnotic or anxiolytic abuse with sedative, hypnotic or anxiolytic-induced anxiety disorder	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
F13.181	Sedative, hypnotic or anxiolytic abuse with sedative, hypnotic or anxiolytic-induced sexual dysfunction	ICD-10-CM	Diagnosis
F13.182	Sedative, hypnotic or anxiolytic abuse with sedative, hypnotic or anxiolytic-induced sleep disorder	ICD-10-CM	Diagnosis
F13.188	Sedative, hypnotic or anxiolytic abuse with other sedative, hypnotic or anxiolytic-induced disorder	ICD-10-CM	Diagnosis
F13.19	Sedative, hypnotic or anxiolytic abuse with unspecified sedative, hypnotic or anxiolytic-induced disorder	ICD-10-CM	Diagnosis
F13.232	Sedative, hypnotic or anxiolytic dependence with withdrawal with perceptual disturbance	ICD-10-CM	Diagnosis
F13.250	Sedative, hypnotic or anxiolytic dependence with sedative, hypnotic or anxiolytic-induced psychotic disorder with delusions	ICD-10-CM	Diagnosis
F13.24	Sedative, hypnotic or anxiolytic dependence with sedative, hypnotic or anxiolytic-induced mood disorder	ICD-10-CM	Diagnosis
F13.230	Sedative, hypnotic or anxiolytic dependence with withdrawal, uncomplicated	ICD-10-CM	Diagnosis
F13.239	Sedative, hypnotic or anxiolytic dependence with withdrawal, unspecified	ICD-10-CM	Diagnosis
F13.231	Sedative, hypnotic or anxiolytic dependence with withdrawal delirium	ICD-10-CM	Diagnosis
F13.980	Sedative, hypnotic or anxiolytic use, unspecified with sedative, hypnotic or anxiolytic-induced anxiety disorder	ICD-10-CM	Diagnosis
F13.94	Sedative, hypnotic or anxiolytic use, unspecified with sedative, hypnotic or anxiolytic-induced mood disorder	ICD-10-CM	Diagnosis
F13.981	Sedative, hypnotic or anxiolytic use, unspecified with sedative, hypnotic or anxiolytic-induced sexual dysfunction	ICD-10-CM	Diagnosis
F13.982	Sedative, hypnotic or anxiolytic use, unspecified with sedative, hypnotic or anxiolytic-induced sleep disorder	ICD-10-CM	Diagnosis
F13.988	Sedative, hypnotic or anxiolytic use, unspecified with other sedative, hypnotic or anxiolytic-induced disorder	ICD-10-CM	Diagnosis
F13.99	Sedative, hypnotic or anxiolytic use, unspecified with unspecified sedative, hypnotic or anxiolytic-induced disorder	ICD-10-CM	Diagnosis
F13.939	Sedative, hypnotic or anxiolytic use, unspecified with withdrawal, unspecified	ICD-10-CM	Diagnosis
F13.930	Sedative, hypnotic or anxiolytic use, unspecified with withdrawal, uncomplicated	ICD-10-CM	Diagnosis
F13.932	Sedative, hypnotic or anxiolytic use, unspecified with withdrawal with perceptual disturbances	ICD-10-CM	Diagnosis
F13.931	Sedative, hypnotic or anxiolytic use, unspecified with withdrawal delirium	ICD-10-CM	Diagnosis
T40.7X6A	Underdosing of cannabis (derivatives), initial encounter	ICD-10-CM	Diagnosis
T40.7X6D	Underdosing of cannabis (derivatives), subsequent encounter	ICD-10-CM	Diagnosis
T40.7X6S	Underdosing of cannabis (derivatives), sequela	ICD-10-CM	Diagnosis
T40.5X6A	Underdosing of cocaine, initial encounter	ICD-10-CM	Diagnosis
T40.5X6S	Underdosing of cocaine, sequela	ICD-10-CM	Diagnosis
T40.5X6D	Underdosing of cocaine, subsequent encounter	ICD-10-CM	Diagnosis



**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
T40.0X6A	Underdosing of opium, initial encounter	ICD-10-CM	Diagnosis
T40.0X6S	Underdosing of opium, sequela	ICD-10-CM	Diagnosis
T40.0X6D	Underdosing of opium, subsequent encounter	ICD-10-CM	Diagnosis
T40.996S	Underdosing of other psychodysleptics, sequela	ICD-10-CM	Diagnosis
T40.996A	Underdosing of other psychodysleptics, initial encounter	ICD-10-CM	Diagnosis
T40.996D	Underdosing of other psychodysleptics, subsequent encounter	ICD-10-CM	Diagnosis
T40.906A	Underdosing of unspecified psychodysleptics, initial encounter	ICD-10-CM	Diagnosis
T40.906D	Underdosing of unspecified psychodysleptics, subsequent encounter	ICD-10-CM	Diagnosis
T40.906S	Underdosing of unspecified psychodysleptics, sequela	ICD-10-CM	Diagnosis
HZ2ZZZZ	Detoxification Services for Substance Abuse Treatment	ICD-10-PCS	Procedure
HZ63ZZZ	Family Counseling for Substance Abuse Treatment	ICD-10-PCS	Procedure
HZ43ZZZ	Group Counseling for Substance Abuse Treatment, 12-Step	ICD-10-PCS	Procedure
HZ41ZZZ	Group Counseling for Substance Abuse Treatment, Behavioral	ICD-10-PCS	Procedure
HZ40ZZZ	Group Counseling for Substance Abuse Treatment, Cognitive	ICD-10-PCS	Procedure
HZ42ZZZ	Group Counseling for Substance Abuse Treatment, Cognitive-Behavioral	ICD-10-PCS	Procedure
HZ48ZZZ	Group Counseling for Substance Abuse Treatment, Confrontational	ICD-10-PCS	Procedure
HZ49ZZZ	Group Counseling for Substance Abuse Treatment, Continuing Care	ICD-10-PCS	Procedure
HZ44ZZZ	Group Counseling for Substance Abuse Treatment, Interpersonal	ICD-10-PCS	Procedure
HZ47ZZZ	Group Counseling for Substance Abuse Treatment, Motivational Enhancement	ICD-10-PCS	Procedure
HZ46ZZZ	Group Counseling for Substance Abuse Treatment, Psychoeducation	ICD-10-PCS	Procedure
HZ4BZZZ	Group Counseling for Substance Abuse Treatment, Spiritual	ICD-10-PCS	Procedure
HZ45ZZZ	Group Counseling for Substance Abuse Treatment, Vocational	ICD-10-PCS	Procedure
HZ33ZZZ	Individual Counseling for Substance Abuse Treatment, 12-Step	ICD-10-PCS	Procedure
HZ31ZZZ	Individual Counseling for Substance Abuse Treatment, Behavioral	ICD-10-PCS	Procedure
HZ30ZZZ	Individual Counseling for Substance Abuse Treatment, Cognitive	ICD-10-PCS	Procedure
HZ32ZZZ	Individual Counseling for Substance Abuse Treatment, Cognitive-Behavioral	ICD-10-PCS	Procedure
HZ38ZZZ	Individual Counseling for Substance Abuse Treatment, Confrontational	ICD-10-PCS	Procedure
HZ39ZZZ	Individual Counseling for Substance Abuse Treatment, Continuing Care	ICD-10-PCS	Procedure
HZ34ZZZ	Individual Counseling for Substance Abuse Treatment, Interpersonal	ICD-10-PCS	Procedure
HZ37ZZZ	Individual Counseling for Substance Abuse Treatment, Motivational Enhancement	ICD-10-PCS	Procedure
HZ36ZZZ	Individual Counseling for Substance Abuse Treatment, Psychoeducation	ICD-10-PCS	Procedure
HZ3BZZZ	Individual Counseling for Substance Abuse Treatment, Spiritual	ICD-10-PCS	Procedure
HZ35ZZZ	Individual Counseling for Substance Abuse Treatment, Vocational	ICD-10-PCS	Procedure
HZ53ZZZ	Individual Psychotherapy for Substance Abuse Treatment, 12-Step	ICD-10-PCS	Procedure
HZ51ZZZ	Individual Psychotherapy for Substance Abuse Treatment, Behavioral	ICD-10-PCS	Procedure
HZ50ZZZ	Individual Psychotherapy for Substance Abuse Treatment, Cognitive	ICD-10-PCS	Procedure
HZ52ZZZ	Individual Psychotherapy for Substance Abuse Treatment, Cognitive-Behavioral	ICD-10-PCS	Procedure
HZ58ZZZ	Individual Psychotherapy for Substance Abuse Treatment, Confrontational	ICD-10-PCS	Procedure
HZ55ZZZ	Individual Psychotherapy for Substance Abuse Treatment, Interactive	ICD-10-PCS	Procedure



**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
HZ54ZZZ	Individual Psychotherapy for Substance Abuse Treatment, Interpersonal	ICD-10-PCS	Procedure
HZ57ZZZ	Individual Psychotherapy for Substance Abuse Treatment, Motivational Enhancement	ICD-10-PCS	Procedure
HZ5BZZZ	Individual Psychotherapy for Substance Abuse Treatment, Psychoanalysis	ICD-10-PCS	Procedure
HZ5CZZZ	Individual Psychotherapy for Substance Abuse Treatment, Psychodynamic	ICD-10-PCS	Procedure
HZ56ZZZ	Individual Psychotherapy for Substance Abuse Treatment, Psychoeducation	ICD-10-PCS	Procedure
HZ5DZZZ	Individual Psychotherapy for Substance Abuse Treatment, Psychophysiological	ICD-10-PCS	Procedure
HZ59ZZZ	Individual Psychotherapy for Substance Abuse Treatment, Supportive	ICD-10-PCS	Procedure
HZ83ZZZ	Medication Management for Substance Abuse Treatment, Antabuse	ICD-10-PCS	Procedure
HZ86ZZZ	Medication Management for Substance Abuse Treatment, Clonidine	ICD-10-PCS	Procedure
HZ89ZZZ	Medication Management for Substance Abuse Treatment, Other Replacement Medication	ICD-10-PCS	Procedure
HZ88ZZZ	Medication Management for Substance Abuse Treatment, Psychiatric Medication	ICD-10-PCS	Procedure
HZ93ZZZ	Pharmacotherapy for Substance Abuse Treatment, Antabuse	ICD-10-PCS	Procedure
HZ96ZZZ	Pharmacotherapy for Substance Abuse Treatment, Clonidine	ICD-10-PCS	Procedure
HZ99ZZZ	Pharmacotherapy for Substance Abuse Treatment, Other Replacement Medication	ICD-10-PCS	Procedure
HZ98ZZZ	Pharmacotherapy for Substance Abuse Treatment, Psychiatric Medication	ICD-10-PCS	Procedure
4320F	Patient counseled regarding psychosocial and pharmacologic treatment options for alcohol dependence (SUD)	CPT-II	Procedure
H0005	Alcohol and/or drug services; group counseling by a clinician	HCPCS	Procedure
H0007	Alcohol and/or drug services; crisis intervention (outpatient)	HCPCS	Procedure
H0008	Alcohol and/or drug services; subacute detoxification (hospital inpatient)	HCPCS	Procedure
H0010	Alcohol and/or drug services; subacute detoxification (residential addiction program inpatient)	HCPCS	Procedure
H0011	Alcohol and/or drug services; acute detoxification (residential addiction program inpatient)	HCPCS	Procedure
H0012	Alcohol and/or drug services; subacute detoxification (residential addiction program outpatient)	HCPCS	Procedure
H0013	Alcohol and/or drug services; acute detoxification (residential addiction program outpatient)	HCPCS	Procedure
H0014	Alcohol and/or drug services; ambulatory detoxification	HCPCS	Procedure
H0015	Alcohol and/or drug services; intensive outpatient (treatment program that operates at least 3 hours/day and at least 3 days/week and is based on an individualized treatment plan), including assessment, counseling; crisis intervention, and activity therapies or education	HCPCS	Procedure
H0020	Alcohol and/or drug services; methadone administration and/or service (provision of the drug by a licensed program)	HCPCS	Procedure
H0022	Alcohol and/or drug intervention service (planned facilitation)	HCPCS	Procedure
H2035	Alcohol and/or other drug treatment program, per hour	HCPCS	Procedure
H2036	Alcohol and/or other drug treatment program, per diem	HCPCS	Procedure

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
J0570	Buprenorphine implant, 74.2 mg	HCPCS	Procedure
J0571	Buprenorphine, oral, 1 mg	HCPCS	Procedure
J0572	Buprenorphine/naloxone, oral, less than or equal to 3 mg buprenorphine	HCPCS	Procedure
J0573	Buprenorphine/naloxone, oral, greater than 3 mg, but less than or equal to 6 mg buprenorphine	HCPCS	Procedure
J0574	Buprenorphine/naloxone, oral, greater than 6 mg, but less than or equal to 10 mg buprenorphine	HCPCS	Procedure
J0575	Buprenorphine/naloxone, oral, greater than 10 mg buprenorphine	HCPCS	Procedure
J0592	Injection, buprenorphine HCl, 0.1 mg	HCPCS	Procedure
J1230	Injection, methadone HCl, up to 10 mg	HCPCS	Procedure
J2212	Injection, methylnaltrexone, 0.1 mg	HCPCS	Procedure
J2315	Injection, naltrexone, depot form, 1 mg	HCPCS	Procedure
Q9991	Injection, buprenorphine extended-release (Sublocade), less than or equal to 100 mg	HCPCS	Procedure
Q9992	Injection, buprenorphine extended-release (Sublocade), greater than 100 mg	HCPCS	Procedure
S0109	Methadone, oral, 5 mg	HCPCS	Procedure
T1006	Alcohol and/or substance abuse services, family/couple counseling	HCPCS	Procedure
T1007	Alcohol and/or substance abuse services, treatment plan development and/or modification	HCPCS	Procedure
T1008	Day treatment for individual alcohol and/or substance abuse services	HCPCS	Procedure
T1010	Meals for individuals receiving alcohol and/or substance abuse services (when meals not included in the program)	HCPCS	Procedure
T1012	Alcohol and/or substance abuse services, skills development	HCPCS	Procedure
<b>Abdominal Pain</b>			
789.0	Abdominal pain	ICD-9-CM	Diagnosis
789.00	Abdominal pain, unspecified site	ICD-9-CM	Diagnosis
789.01	Abdominal pain, right upper quadrant	ICD-9-CM	Diagnosis
789.02	Abdominal pain, left upper quadrant	ICD-9-CM	Diagnosis
789.03	Abdominal pain, right lower quadrant	ICD-9-CM	Diagnosis
789.04	Abdominal pain, left lower quadrant	ICD-9-CM	Diagnosis
789.05	Abdominal pain, periumbilic	ICD-9-CM	Diagnosis
789.06	Abdominal pain, epigastric	ICD-9-CM	Diagnosis
789.07	Abdominal pain, generalized	ICD-9-CM	Diagnosis
789.09	Abdominal pain, other specified site	ICD-9-CM	Diagnosis
789.60	Abdominal tenderness, unspecified site	ICD-9-CM	Diagnosis
789.61	Abdominal tenderness, right upper quadrant	ICD-9-CM	Diagnosis
789.62	Abdominal tenderness, left upper quadrant	ICD-9-CM	Diagnosis
789.63	Abdominal tenderness, right lower quadrant	ICD-9-CM	Diagnosis
789.64	Abdominal tenderness, left lower quadrant	ICD-9-CM	Diagnosis
789.65	Abdominal tenderness, periumbilic	ICD-9-CM	Diagnosis
789.66	Abdominal tenderness, epigastric	ICD-9-CM	Diagnosis
789.67	Abdominal tenderness, generalized	ICD-9-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
789.69	Abdominal tenderness, other specified site	ICD-9-CM	Diagnosis
R10.819	Abdominal tenderness, unspecified site	ICD-10-CM	Diagnosis
R10.0	Acute abdomen	ICD-10-CM	Diagnosis
R10.816	Epigastric abdominal tenderness	ICD-10-CM	Diagnosis
R10.13	Epigastric pain	ICD-10-CM	Diagnosis
R10.826	Epigastric rebound abdominal tenderness	ICD-10-CM	Diagnosis
R10.84	Generalized abdominal pain	ICD-10-CM	Diagnosis
R10.817	Generalized abdominal tenderness	ICD-10-CM	Diagnosis
R10.827	Generalized rebound abdominal tenderness	ICD-10-CM	Diagnosis
R10.814	Left lower quadrant abdominal tenderness	ICD-10-CM	Diagnosis
R10.32	Left lower quadrant pain	ICD-10-CM	Diagnosis
R10.824	Left lower quadrant rebound abdominal tenderness	ICD-10-CM	Diagnosis
R10.812	Left upper quadrant abdominal tenderness	ICD-10-CM	Diagnosis
R10.12	Left upper quadrant pain	ICD-10-CM	Diagnosis
R10.822	Left upper quadrant rebound abdominal tenderness	ICD-10-CM	Diagnosis
R10.30	Lower abdominal pain, unspecified	ICD-10-CM	Diagnosis
R10.2	Pelvic and perineal pain	ICD-10-CM	Diagnosis
R10.815	Periumbilic abdominal tenderness	ICD-10-CM	Diagnosis
R10.825	Periumbilic rebound abdominal tenderness	ICD-10-CM	Diagnosis
R10.33	Periumbilical pain	ICD-10-CM	Diagnosis
R10.829	Rebound abdominal tenderness, unspecified site	ICD-10-CM	Diagnosis
R10.813	Right lower quadrant abdominal tenderness	ICD-10-CM	Diagnosis
R10.31	Right lower quadrant pain	ICD-10-CM	Diagnosis
R10.811	Right upper quadrant abdominal tenderness	ICD-10-CM	Diagnosis
R10.11	Right upper quadrant pain	ICD-10-CM	Diagnosis
R10.823	Right lower quadrant rebound abdominal tenderness	ICD-10-CM	Diagnosis
R10.821	Right upper quadrant rebound abdominal tenderness	ICD-10-CM	Diagnosis
R10.9	Unspecified abdominal pain	ICD-10-CM	Diagnosis
R10.10	Upper abdominal pain, unspecified	ICD-10-CM	Diagnosis
<b>Arthritis &amp; Nontraumatic Joint Conditions</b>			
713.0	Arthropathy associated with other endocrine and metabolic disorders	ICD-9-CM	Diagnosis
713.1	Arthropathy associated with gastrointestinal conditions other than infections	ICD-9-CM	Diagnosis
713.2	Arthropathy associated with hematological disorders	ICD-9-CM	Diagnosis
713.3	Arthropathy associated with dermatological disorders	ICD-9-CM	Diagnosis
713.4	Arthropathy associated with respiratory disorders	ICD-9-CM	Diagnosis
713.5	Arthropathy associated with neurological disorders	ICD-9-CM	Diagnosis
713.6	Arthropathy associated with hypersensitivity reaction	ICD-9-CM	Diagnosis
713.7	Other general diseases with articular involvement	ICD-9-CM	Diagnosis
713.8	Arthropathy associated with other conditions classifiable elsewhere	ICD-9-CM	Diagnosis
714.0	Rheumatoid arthritis	ICD-9-CM	Diagnosis
714.1	Felty's syndrome	ICD-9-CM	Diagnosis
714.2	Other rheumatoid arthritis with visceral or systemic involvement	ICD-9-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
714.30	Polyarticular juvenile rheumatoid arthritis, chronic or unspecified	ICD-9-CM	Diagnosis
714.31	Polyarticular juvenile rheumatoid arthritis, acute	ICD-9-CM	Diagnosis
714.32	Pauciarticular juvenile rheumatoid arthritis	ICD-9-CM	Diagnosis
714.33	Monoarticular juvenile rheumatoid arthritis	ICD-9-CM	Diagnosis
714.4	Chronic postrheumatic arthropathy	ICD-9-CM	Diagnosis
714.81	Rheumatoid lung	ICD-9-CM	Diagnosis
714.89	Other specified inflammatory polyarthropathies	ICD-9-CM	Diagnosis
714.9	Unspecified inflammatory polyarthropathy	ICD-9-CM	Diagnosis
715.00	Generalized osteoarthritis, unspecified site	ICD-9-CM	Diagnosis
715.04	Generalized osteoarthritis, involving hand	ICD-9-CM	Diagnosis
715.09	Generalized osteoarthritis, involving multiple sites	ICD-9-CM	Diagnosis
715.10	Primary localized osteoarthritis, unspecified site	ICD-9-CM	Diagnosis
715.11	Primary localized osteoarthritis, shoulder region	ICD-9-CM	Diagnosis
715.12	Primary localized osteoarthritis, upper arm	ICD-9-CM	Diagnosis
715.13	Primary localized osteoarthritis, forearm	ICD-9-CM	Diagnosis
715.14	Primary localized osteoarthritis, hand	ICD-9-CM	Diagnosis
715.15	Primary localized osteoarthritis, pelvic region and thigh	ICD-9-CM	Diagnosis
715.16	Primary localized osteoarthritis, lower leg	ICD-9-CM	Diagnosis
715.17	Primary localized osteoarthritis, ankle and foot	ICD-9-CM	Diagnosis
715.18	Primary localized osteoarthritis, other specified sites	ICD-9-CM	Diagnosis
715.20	Secondary localized osteoarthritis, unspecified site	ICD-9-CM	Diagnosis
715.21	Secondary localized osteoarthritis, shoulder region	ICD-9-CM	Diagnosis
715.22	Secondary localized osteoarthritis, upper arm	ICD-9-CM	Diagnosis
715.23	Secondary localized osteoarthritis, forearm	ICD-9-CM	Diagnosis
715.24	Secondary localized osteoarthritis, involving hand	ICD-9-CM	Diagnosis
715.25	Secondary localized osteoarthritis, pelvic region and thigh	ICD-9-CM	Diagnosis
715.26	Secondary localized osteoarthritis, lower leg	ICD-9-CM	Diagnosis
715.27	Secondary localized osteoarthritis, ankle and foot	ICD-9-CM	Diagnosis
715.28	Secondary localized osteoarthritis, other specified site	ICD-9-CM	Diagnosis
715.30	Localized osteoarthritis not specified whether primary or secondary, unspecified site	ICD-9-CM	Diagnosis
715.31	Localized osteoarthritis not specified whether primary or secondary, shoulder region	ICD-9-CM	Diagnosis
715.32	Localized osteoarthritis not specified whether primary or secondary, upper arm	ICD-9-CM	Diagnosis
715.33	Localized osteoarthritis not specified whether primary or secondary, forearm	ICD-9-CM	Diagnosis
715.34	Localized osteoarthritis not specified whether primary or secondary, hand	ICD-9-CM	Diagnosis
715.35	Localized osteoarthritis not specified whether primary or secondary, pelvic region and thigh	ICD-9-CM	Diagnosis
715.36	Localized osteoarthritis not specified whether primary or secondary, lower leg	ICD-9-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
715.37	Localized osteoarthritis not specified whether primary or secondary, ankle and foot	ICD-9-CM	Diagnosis
715.38	Localized osteoarthritis not specified whether primary or secondary, other specified sites	ICD-9-CM	Diagnosis
715.80	Osteoarthritis involving more than one site, but not specified as generalized, unspecified site	ICD-9-CM	Diagnosis
715.89	Osteoarthritis involving multiple sites, but not specified as generalized	ICD-9-CM	Diagnosis
715.90	Osteoarthritis, unspecified whether generalized or localized, unspecified site	ICD-9-CM	Diagnosis
715.91	Osteoarthritis, unspecified whether generalized or localized, shoulder region	ICD-9-CM	Diagnosis
715.92	Osteoarthritis, unspecified whether generalized or localized, upper arm	ICD-9-CM	Diagnosis
715.93	Osteoarthritis, unspecified whether generalized or localized, forearm	ICD-9-CM	Diagnosis
715.94	Osteoarthritis, unspecified whether generalized or localized, hand	ICD-9-CM	Diagnosis
715.95	Osteoarthritis, unspecified whether generalized or localized, pelvic region and thigh	ICD-9-CM	Diagnosis
715.96	Osteoarthritis, unspecified whether generalized or localized, lower leg	ICD-9-CM	Diagnosis
715.97	Osteoarthritis, unspecified whether generalized or localized, ankle and foot	ICD-9-CM	Diagnosis
715.98	Osteoarthritis, unspecified whether generalized or localized, other specified sites	ICD-9-CM	Diagnosis
716.00	Kaschin-Beck disease, site unspecified	ICD-9-CM	Diagnosis
716.01	Kaschin-Beck disease, shoulder region	ICD-9-CM	Diagnosis
716.02	Kaschin-Beck disease, upper arm	ICD-9-CM	Diagnosis
716.03	Kaschin-Beck disease, forearm	ICD-9-CM	Diagnosis
716.04	Kaschin-Beck disease, hand	ICD-9-CM	Diagnosis
716.05	Kaschin-Beck disease pelvic, region and thigh	ICD-9-CM	Diagnosis
716.06	Kaschin-Beck disease, lower leg	ICD-9-CM	Diagnosis
716.07	Kaschin-Beck disease, ankle and foot	ICD-9-CM	Diagnosis
716.08	Kaschin-Beck disease, other specified sites	ICD-9-CM	Diagnosis
716.09	Kaschin-Beck disease, multiple sites	ICD-9-CM	Diagnosis
716.20	Allergic arthritis, site unspecified	ICD-9-CM	Diagnosis
716.21	Allergic arthritis, shoulder region	ICD-9-CM	Diagnosis
716.22	Allergic arthritis, upper arm	ICD-9-CM	Diagnosis
716.23	Allergic arthritis, forearm	ICD-9-CM	Diagnosis
716.24	Allergic arthritis, hand	ICD-9-CM	Diagnosis
716.25	Allergic arthritis, pelvic region and thigh	ICD-9-CM	Diagnosis
716.26	Allergic arthritis, lower leg	ICD-9-CM	Diagnosis
716.27	Allergic arthritis, ankle and foot	ICD-9-CM	Diagnosis
716.28	Allergic arthritis, other specified sites	ICD-9-CM	Diagnosis
716.29	Allergic arthritis, multiple sites	ICD-9-CM	Diagnosis
716.30	Climacteric arthritis, site unspecified	ICD-9-CM	Diagnosis
716.31	Climacteric arthritis, shoulder region	ICD-9-CM	Diagnosis
716.32	Climacteric arthritis, upper arm	ICD-9-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
716.33	Climacteric arthritis, forearm	ICD-9-CM	Diagnosis
716.34	Climacteric arthritis, hand	ICD-9-CM	Diagnosis
716.35	Climacteric arthritis, pelvic region and thigh	ICD-9-CM	Diagnosis
716.36	Climacteric arthritis, lower leg	ICD-9-CM	Diagnosis
716.37	Climacteric arthritis involving ankle and foot	ICD-9-CM	Diagnosis
716.38	Climacteric arthritis involving other specified sites	ICD-9-CM	Diagnosis
716.39	Climacteric arthritis involving multiple sites	ICD-9-CM	Diagnosis
716.40	Transient arthropathy, site unspecified	ICD-9-CM	Diagnosis
716.41	Transient arthropathy, shoulder region	ICD-9-CM	Diagnosis
716.42	Transient arthropathy, upper arm	ICD-9-CM	Diagnosis
716.43	Transient arthropathy, forearm	ICD-9-CM	Diagnosis
716.44	Transient arthropathy, hand	ICD-9-CM	Diagnosis
716.45	Transient arthropathy, pelvic region and thigh	ICD-9-CM	Diagnosis
716.46	Transient arthropathy, lower leg	ICD-9-CM	Diagnosis
716.47	Transient arthropathy, ankle and foot	ICD-9-CM	Diagnosis
716.48	Transient arthropathy, other specified site	ICD-9-CM	Diagnosis
716.49	Transient arthropathy, multiple sites	ICD-9-CM	Diagnosis
716.50	Unspecified polyarthropathy or polyarthritis, site unspecified	ICD-9-CM	Diagnosis
716.51	Unspecified polyarthropathy or polyarthritis, shoulder region	ICD-9-CM	Diagnosis
716.52	Unspecified polyarthropathy or polyarthritis, upper arm	ICD-9-CM	Diagnosis
716.53	Unspecified polyarthropathy or polyarthritis, forearm	ICD-9-CM	Diagnosis
716.54	Unspecified polyarthropathy or polyarthritis, hand	ICD-9-CM	Diagnosis
716.55	Unspecified polyarthropathy or polyarthritis, pelvic region and thigh	ICD-9-CM	Diagnosis
716.56	Unspecified polyarthropathy or polyarthritis, lower leg	ICD-9-CM	Diagnosis
716.57	Unspecified polyarthropathy or polyarthritis, ankle and foot	ICD-9-CM	Diagnosis
716.58	Unspecified polyarthropathy or polyarthritis, other specified sites	ICD-9-CM	Diagnosis
716.59	Unspecified polyarthropathy or polyarthritis, multiple sites	ICD-9-CM	Diagnosis
716.60	Unspecified monoarthritis, site unspecified	ICD-9-CM	Diagnosis
716.61	Unspecified monoarthritis, shoulder region	ICD-9-CM	Diagnosis
716.62	Unspecified monoarthritis, upper arm	ICD-9-CM	Diagnosis
716.63	Unspecified monoarthritis, forearm	ICD-9-CM	Diagnosis
716.64	Unspecified monoarthritis, hand	ICD-9-CM	Diagnosis
716.65	Unspecified monoarthritis, pelvic region and thigh	ICD-9-CM	Diagnosis
716.66	Unspecified monoarthritis, lower leg	ICD-9-CM	Diagnosis
716.67	Unspecified monoarthritis, ankle and foot	ICD-9-CM	Diagnosis
716.68	Unspecified monoarthritis, other specified sites	ICD-9-CM	Diagnosis
716.80	Other specified arthropathy, site unspecified	ICD-9-CM	Diagnosis
716.81	Other specified arthropathy, shoulder region	ICD-9-CM	Diagnosis
716.82	Other specified arthropathy, upper arm	ICD-9-CM	Diagnosis
716.83	Other specified arthropathy, forearm	ICD-9-CM	Diagnosis
716.84	Other specified arthropathy, hand	ICD-9-CM	Diagnosis
716.85	Other specified arthropathy, pelvic region and thigh	ICD-9-CM	Diagnosis
716.86	Other specified arthropathy, lower leg	ICD-9-CM	Diagnosis



**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
716.87	Other specified arthropathy, ankle and foot	ICD-9-CM	Diagnosis
716.88	Other specified arthropathy, other specified sites	ICD-9-CM	Diagnosis
716.89	Other specified arthropathy, multiple sites	ICD-9-CM	Diagnosis
716.90	Unspecified arthropathy, site unspecified	ICD-9-CM	Diagnosis
716.91	Unspecified arthropathy, shoulder region	ICD-9-CM	Diagnosis
716.92	Unspecified arthropathy, upper arm	ICD-9-CM	Diagnosis
716.93	Unspecified arthropathy, forearm	ICD-9-CM	Diagnosis
716.94	Unspecified arthropathy, hand	ICD-9-CM	Diagnosis
716.95	Unspecified arthropathy, pelvic region and thigh	ICD-9-CM	Diagnosis
716.96	Unspecified arthropathy, lower leg	ICD-9-CM	Diagnosis
716.97	Unspecified arthropathy, ankle and foot	ICD-9-CM	Diagnosis
716.98	Unspecified arthropathy, other specified sites	ICD-9-CM	Diagnosis
716.99	Unspecified arthropathy, multiple sites	ICD-9-CM	Diagnosis
718.10	Loose body in joint, site unspecified	ICD-9-CM	Diagnosis
718.11	Loose body in shoulder joint	ICD-9-CM	Diagnosis
718.12	Loose body in upper arm joint	ICD-9-CM	Diagnosis
718.13	Loose body in forearm joint	ICD-9-CM	Diagnosis
718.14	Loose body in hand joint	ICD-9-CM	Diagnosis
718.15	Loose body in pelvic joint	ICD-9-CM	Diagnosis
718.17	Loose body in ankle and foot joint	ICD-9-CM	Diagnosis
718.18	Loose body in joint of other specified site	ICD-9-CM	Diagnosis
718.19	Loose body in joint of multiple sites	ICD-9-CM	Diagnosis
718.20	Pathological dislocation of joint, site unspecified	ICD-9-CM	Diagnosis
718.21	Pathological dislocation of shoulder joint	ICD-9-CM	Diagnosis
718.22	Pathological dislocation of upper arm joint	ICD-9-CM	Diagnosis
718.23	Pathological dislocation of forearm joint	ICD-9-CM	Diagnosis
718.24	Pathological dislocation of hand joint	ICD-9-CM	Diagnosis
718.25	Pathological dislocation of pelvic region and thigh joint	ICD-9-CM	Diagnosis
718.26	Pathological dislocation of lower leg joint	ICD-9-CM	Diagnosis
718.27	Pathological dislocation of ankle and foot joint	ICD-9-CM	Diagnosis
718.28	Pathological dislocation of joint of other specified site	ICD-9-CM	Diagnosis
718.29	Pathological dislocation of joint of multiple sites	ICD-9-CM	Diagnosis
718.50	Ankylosis of joint, site unspecified	ICD-9-CM	Diagnosis
718.51	Ankylosis of joint of shoulder region	ICD-9-CM	Diagnosis
718.52	Ankylosis of upper arm joint	ICD-9-CM	Diagnosis
718.53	Ankylosis of forearm joint	ICD-9-CM	Diagnosis
718.54	Ankylosis of hand joint	ICD-9-CM	Diagnosis
718.55	Ankylosis of pelvic region and thigh joint	ICD-9-CM	Diagnosis
718.56	Ankylosis of lower leg joint	ICD-9-CM	Diagnosis
718.57	Ankylosis of ankle and foot joint	ICD-9-CM	Diagnosis
718.58	Ankylosis of joint of other specified site	ICD-9-CM	Diagnosis
718.59	Ankylosis of joint of multiple sites	ICD-9-CM	Diagnosis
718.60	Unspecified intrapelvic protrusion of acetabulum, site unspecified	ICD-9-CM	Diagnosis



**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
718.65	Unspecified intrapelvic protrusion acetabulum, pelvic region and thigh	ICD-9-CM	Diagnosis
718.70	Developmental dislocation of joint, site unspecified	ICD-9-CM	Diagnosis
718.71	Developmental dislocation of joint, shoulder region	ICD-9-CM	Diagnosis
718.72	Developmental dislocation of joint, upper arm	ICD-9-CM	Diagnosis
718.73	Developmental dislocation of joint, forearm	ICD-9-CM	Diagnosis
718.74	Developmental dislocation of joint, hand	ICD-9-CM	Diagnosis
718.75	Developmental dislocation of joint, pelvic region and thigh	ICD-9-CM	Diagnosis
718.76	Developmental dislocation of joint, lower leg	ICD-9-CM	Diagnosis
718.77	Developmental dislocation of joint, ankle and foot	ICD-9-CM	Diagnosis
718.78	Developmental dislocation of joint, other specified sites	ICD-9-CM	Diagnosis
718.79	Developmental dislocation of joint, multiple sites	ICD-9-CM	Diagnosis
718.80	Other joint derangement, not elsewhere classified, unspecified site	ICD-9-CM	Diagnosis
718.81	Other joint derangement, not elsewhere classified, shoulder region	ICD-9-CM	Diagnosis
718.82	Other joint derangement, not elsewhere classified, upper arm	ICD-9-CM	Diagnosis
718.83	Other joint derangement, not elsewhere classified, forearm	ICD-9-CM	Diagnosis
718.84	Other joint derangement, not elsewhere classified, hand	ICD-9-CM	Diagnosis
718.85	Other joint derangement, not elsewhere classified, pelvic region and thigh	ICD-9-CM	Diagnosis
718.86	Other joint derangement, not elsewhere classified, lower leg	ICD-9-CM	Diagnosis
718.87	Other joint derangement, not elsewhere classified, ankle and foot	ICD-9-CM	Diagnosis
718.88	Other joint derangement, not elsewhere classified, other specified site	ICD-9-CM	Diagnosis
718.89	Other joint derangement, not elsewhere classified, multiple sites	ICD-9-CM	Diagnosis
718.90	Unspecified derangement, joint, site unspecified	ICD-9-CM	Diagnosis
718.91	Unspecified derangement, shoulder region	ICD-9-CM	Diagnosis
718.92	Unspecified derangement, upper arm joint	ICD-9-CM	Diagnosis
718.93	Unspecified derangement, forearm joint	ICD-9-CM	Diagnosis
718.94	Unspecified derangement of hand joint	ICD-9-CM	Diagnosis
718.95	Unspecified pelvic joint derangement	ICD-9-CM	Diagnosis
718.97	Unspecified ankle and foot joint derangement	ICD-9-CM	Diagnosis
718.98	Unspecified derangement of joint, other specified sites	ICD-9-CM	Diagnosis
718.99	Unspecified derangement of joint, multiple sites	ICD-9-CM	Diagnosis
719.00	Effusion of joint, site unspecified	ICD-9-CM	Diagnosis
719.01	Effusion of shoulder joint	ICD-9-CM	Diagnosis
719.02	Effusion of upper arm joint	ICD-9-CM	Diagnosis
719.03	Effusion of forearm joint	ICD-9-CM	Diagnosis
719.04	Effusion of hand joint	ICD-9-CM	Diagnosis
719.05	Effusion of pelvic joint	ICD-9-CM	Diagnosis
719.06	Effusion of lower leg joint	ICD-9-CM	Diagnosis
719.07	Effusion of ankle and foot joint	ICD-9-CM	Diagnosis
719.08	Effusion of joint, other specified site	ICD-9-CM	Diagnosis
719.09	Effusion of joint, multiple sites	ICD-9-CM	Diagnosis
719.10	Hemarthrosis, site unspecified	ICD-9-CM	Diagnosis
719.11	Hemarthrosis, shoulder region	ICD-9-CM	Diagnosis
719.12	Hemarthrosis, upper arm	ICD-9-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
719.13	Hemarthrosis, forearm	ICD-9-CM	Diagnosis
719.14	Hemarthrosis, hand	ICD-9-CM	Diagnosis
719.15	Hemarthrosis, pelvic region and thigh	ICD-9-CM	Diagnosis
719.16	Hemarthrosis, lower leg	ICD-9-CM	Diagnosis
719.17	Hemarthrosis, ankle and foot	ICD-9-CM	Diagnosis
719.18	Hemarthrosis, other specified site	ICD-9-CM	Diagnosis
719.19	Hemarthrosis, multiple sites	ICD-9-CM	Diagnosis
719.20	Villonodular synovitis, site unspecified	ICD-9-CM	Diagnosis
719.21	Villonodular synovitis, shoulder region	ICD-9-CM	Diagnosis
719.22	Villonodular synovitis, upper arm	ICD-9-CM	Diagnosis
719.23	Villonodular synovitis, forearm	ICD-9-CM	Diagnosis
719.24	Villonodular synovitis, hand	ICD-9-CM	Diagnosis
719.25	Villonodular synovitis, pelvic region and thigh	ICD-9-CM	Diagnosis
719.26	Villonodular synovitis, lower leg	ICD-9-CM	Diagnosis
719.27	Villonodular synovitis, ankle and foot	ICD-9-CM	Diagnosis
719.28	Villonodular synovitis, other specified sites	ICD-9-CM	Diagnosis
719.29	Villonodular synovitis, multiple sites	ICD-9-CM	Diagnosis
719.30	Palindromic rheumatism, site unspecified	ICD-9-CM	Diagnosis
719.31	Palindromic rheumatism, shoulder region	ICD-9-CM	Diagnosis
719.32	Palindromic rheumatism, upper arm	ICD-9-CM	Diagnosis
719.33	Palindromic rheumatism, forearm	ICD-9-CM	Diagnosis
719.34	Palindromic rheumatism, hand	ICD-9-CM	Diagnosis
719.35	Palindromic rheumatism, pelvic region and thigh	ICD-9-CM	Diagnosis
719.36	Palindromic rheumatism, lower leg	ICD-9-CM	Diagnosis
719.37	Palindromic rheumatism, ankle and foot	ICD-9-CM	Diagnosis
719.38	Palindromic rheumatism, other specified sites	ICD-9-CM	Diagnosis
719.39	Palindromic rheumatism, multiple sites	ICD-9-CM	Diagnosis
719.40	Pain in joint, site unspecified	ICD-9-CM	Diagnosis
719.41	Pain in joint, shoulder region	ICD-9-CM	Diagnosis
719.42	Pain in joint, upper arm	ICD-9-CM	Diagnosis
719.43	Pain in joint, forearm	ICD-9-CM	Diagnosis
719.44	Pain in joint, hand	ICD-9-CM	Diagnosis
719.45	Pain in joint, pelvic region and thigh	ICD-9-CM	Diagnosis
719.46	Pain in joint, lower leg	ICD-9-CM	Diagnosis
719.47	Pain in joint, ankle and foot	ICD-9-CM	Diagnosis
719.48	Pain in joint, other specified sites	ICD-9-CM	Diagnosis
719.49	Pain in joint, multiple sites	ICD-9-CM	Diagnosis
719.50	Stiffness of joint, not elsewhere classified, unspecified site	ICD-9-CM	Diagnosis
719.51	Stiffness of joint, not elsewhere classified, shoulder region	ICD-9-CM	Diagnosis
719.52	Stiffness of joint, not elsewhere classified, upper arm	ICD-9-CM	Diagnosis
719.53	Stiffness of joint, not elsewhere classified, forearm	ICD-9-CM	Diagnosis
719.54	Stiffness of joint, not elsewhere classified, hand	ICD-9-CM	Diagnosis
719.55	Stiffness of joint, not elsewhere classified, pelvic region and thigh	ICD-9-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
719.56	Stiffness of joint, not elsewhere classified, lower leg	ICD-9-CM	Diagnosis
719.57	Stiffness of joint, not elsewhere classified, ankle and foot	ICD-9-CM	Diagnosis
719.58	Stiffness of joint, not elsewhere classified, other specified site	ICD-9-CM	Diagnosis
719.59	Stiffness of joints, not elsewhere classified, multiple sites	ICD-9-CM	Diagnosis
719.60	Other symptoms referable to joint, site unspecified	ICD-9-CM	Diagnosis
719.61	Other symptoms referable to shoulder joint	ICD-9-CM	Diagnosis
719.62	Other symptoms referable to upper arm joint	ICD-9-CM	Diagnosis
719.63	Other symptoms referable to forearm joint	ICD-9-CM	Diagnosis
719.64	Other symptoms referable to hand joint	ICD-9-CM	Diagnosis
719.65	Other symptoms referable to pelvic joint	ICD-9-CM	Diagnosis
719.66	Other symptoms referable to lower leg joint	ICD-9-CM	Diagnosis
719.67	Other symptoms referable to ankle and foot joint	ICD-9-CM	Diagnosis
719.68	Other symptoms referable to joint of other specified site	ICD-9-CM	Diagnosis
719.69	Other symptoms referable to joints of multiple sites	ICD-9-CM	Diagnosis
719.7	Difficulty in walking	ICD-9-CM	Diagnosis
719.70	Difficulty in walking involving joint, site unspecified	ICD-9-CM	Diagnosis
719.75	Difficulty in walking involving pelvic joint	ICD-9-CM	Diagnosis
719.76	Difficulty in walking involving lower leg joint	ICD-9-CM	Diagnosis
719.77	Difficulty in walking involving ankle and foot joint	ICD-9-CM	Diagnosis
719.78	Difficulty in walking involving joint of other specified site	ICD-9-CM	Diagnosis
719.79	Difficulty in walking involving joints of multiple sites	ICD-9-CM	Diagnosis
719.80	Other specified disorders of joint, site unspecified	ICD-9-CM	Diagnosis
719.81	Other specified disorders of shoulder joint	ICD-9-CM	Diagnosis
719.82	Other specified disorders of upper arm joint	ICD-9-CM	Diagnosis
719.83	Other specified disorders of forearm joint	ICD-9-CM	Diagnosis
719.84	Other specified disorders of hand joint	ICD-9-CM	Diagnosis
719.85	Other specified disorders of pelvic joint	ICD-9-CM	Diagnosis
719.86	Other specified disorders of lower leg joint	ICD-9-CM	Diagnosis
719.87	Other specified disorders of ankle and foot joint	ICD-9-CM	Diagnosis
719.88	Other specified disorders of joint of other specified site	ICD-9-CM	Diagnosis
719.89	Other specified disorders of joints of multiple sites	ICD-9-CM	Diagnosis
719.90	Unspecified disorder of joint, site unspecified	ICD-9-CM	Diagnosis
719.91	Unspecified disorder of shoulder joint	ICD-9-CM	Diagnosis
719.92	Unspecified disorder of upper arm joint	ICD-9-CM	Diagnosis
719.93	Unspecified disorder of forearm joint	ICD-9-CM	Diagnosis
719.94	Unspecified disorder of hand joint	ICD-9-CM	Diagnosis
719.95	Unspecified disorder of joint of pelvic region and thigh	ICD-9-CM	Diagnosis
719.96	Unspecified disorder of lower leg joint	ICD-9-CM	Diagnosis
719.97	Unspecified disorder of ankle and foot joint	ICD-9-CM	Diagnosis
719.98	Unspecified joint disorder of other specified site	ICD-9-CM	Diagnosis
719.99	Unspecified joint disorder of multiple sites	ICD-9-CM	Diagnosis
720.0	Ankylosing spondylitis	ICD-9-CM	Diagnosis
V13.4	Personal history of arthritis	ICD-9-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
M06.1	Adult-onset Still's disease	ICD-10-CM	Diagnosis
M45.1	Ankylosing spondylitis of occipito-atlanto-axial region	ICD-10-CM	Diagnosis
M45.6	Ankylosing spondylitis lumbar region	ICD-10-CM	Diagnosis
M45.0	Ankylosing spondylitis of multiple sites in spine	ICD-10-CM	Diagnosis
M45.2	Ankylosing spondylitis of cervical region	ICD-10-CM	Diagnosis
M45.3	Ankylosing spondylitis of cervicothoracic region	ICD-10-CM	Diagnosis
M45.7	Ankylosing spondylitis of lumbosacral region	ICD-10-CM	Diagnosis
M45.4	Ankylosing spondylitis of thoracic region	ICD-10-CM	Diagnosis
M45.5	Ankylosing spondylitis of thoracolumbar region	ICD-10-CM	Diagnosis
M45.8	Ankylosing spondylitis sacral and sacrococcygeal region	ICD-10-CM	Diagnosis
M45.9	Ankylosing spondylitis of unspecified sites in spine	ICD-10-CM	Diagnosis
M24.672	Ankylosis, left ankle	ICD-10-CM	Diagnosis
M24.622	Ankylosis, left elbow	ICD-10-CM	Diagnosis
M24.675	Ankylosis, left foot	ICD-10-CM	Diagnosis
M24.642	Ankylosis, left hand	ICD-10-CM	Diagnosis
M24.652	Ankylosis, left hip	ICD-10-CM	Diagnosis
M24.662	Ankylosis, left knee	ICD-10-CM	Diagnosis
M24.612	Ankylosis, left shoulder	ICD-10-CM	Diagnosis
M24.632	Ankylosis, left wrist	ICD-10-CM	Diagnosis
M24.671	Ankylosis, right ankle	ICD-10-CM	Diagnosis
M24.621	Ankylosis, right elbow	ICD-10-CM	Diagnosis
M24.674	Ankylosis, right foot	ICD-10-CM	Diagnosis
M24.641	Ankylosis, right hand	ICD-10-CM	Diagnosis
M24.651	Ankylosis, right hip	ICD-10-CM	Diagnosis
M24.661	Ankylosis, right knee	ICD-10-CM	Diagnosis
M24.611	Ankylosis, right shoulder	ICD-10-CM	Diagnosis
M24.631	Ankylosis, right wrist	ICD-10-CM	Diagnosis
M24.673	Ankylosis, unspecified ankle	ICD-10-CM	Diagnosis
M24.629	Ankylosis, unspecified elbow	ICD-10-CM	Diagnosis
M24.676	Ankylosis, unspecified foot	ICD-10-CM	Diagnosis
M24.649	Ankylosis, unspecified hand	ICD-10-CM	Diagnosis
M24.659	Ankylosis, unspecified hip	ICD-10-CM	Diagnosis
M24.60	Ankylosis, unspecified joint	ICD-10-CM	Diagnosis
M24.669	Ankylosis, unspecified knee	ICD-10-CM	Diagnosis
M24.619	Ankylosis, unspecified shoulder	ICD-10-CM	Diagnosis
M24.639	Ankylosis, unspecified wrist	ICD-10-CM	Diagnosis
M14.872	Arthropathies in other specified diseases classified elsewhere, left ankle and foot	ICD-10-CM	Diagnosis
M14.871	Arthropathies in other specified diseases classified elsewhere, right ankle and foot	ICD-10-CM	Diagnosis
M14.879	Arthropathies in other specified diseases classified elsewhere, unspecified ankle and foot	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
M14.819	Arthropathies in other specified diseases classified elsewhere, unspecified shoulder	ICD-10-CM	Diagnosis
M14.88	Arthropathies in other specified diseases classified elsewhere, vertebrae	ICD-10-CM	Diagnosis
M14.822	Arthropathies in other specified diseases classified elsewhere, left elbow	ICD-10-CM	Diagnosis
M14.842	Arthropathies in other specified diseases classified elsewhere, left hand	ICD-10-CM	Diagnosis
M14.852	Arthropathies in other specified diseases classified elsewhere, left hip	ICD-10-CM	Diagnosis
M14.862	Arthropathies in other specified diseases classified elsewhere, left knee	ICD-10-CM	Diagnosis
M14.812	Arthropathies in other specified diseases classified elsewhere, left shoulder	ICD-10-CM	Diagnosis
M14.832	Arthropathies in other specified diseases classified elsewhere, left wrist	ICD-10-CM	Diagnosis
M14.89	Arthropathies in other specified diseases classified elsewhere, multiple sites	ICD-10-CM	Diagnosis
M14.821	Arthropathies in other specified diseases classified elsewhere, right elbow	ICD-10-CM	Diagnosis
M14.841	Arthropathies in other specified diseases classified elsewhere, right hand	ICD-10-CM	Diagnosis
M14.851	Arthropathies in other specified diseases classified elsewhere, right hip	ICD-10-CM	Diagnosis
M14.861	Arthropathies in other specified diseases classified elsewhere, right knee	ICD-10-CM	Diagnosis
M14.811	Arthropathies in other specified diseases classified elsewhere, right shoulder	ICD-10-CM	Diagnosis
M14.831	Arthropathies in other specified diseases classified elsewhere, right wrist	ICD-10-CM	Diagnosis
M14.829	Arthropathies in other specified diseases classified elsewhere, unspecified elbow	ICD-10-CM	Diagnosis
M14.849	Arthropathies in other specified diseases classified elsewhere, unspecified hand	ICD-10-CM	Diagnosis
M14.859	Arthropathies in other specified diseases classified elsewhere, unspecified hip	ICD-10-CM	Diagnosis
M14.869	Arthropathies in other specified diseases classified elsewhere, unspecified knee	ICD-10-CM	Diagnosis
M14.80	Arthropathies in other specified diseases classified elsewhere, unspecified site	ICD-10-CM	Diagnosis
M14.839	Arthropathies in other specified diseases classified elsewhere, unspecified wrist	ICD-10-CM	Diagnosis
M02.072	Arthropathy following intestinal bypass, left ankle and foot	ICD-10-CM	Diagnosis
M02.071	Arthropathy following intestinal bypass, right ankle and foot	ICD-10-CM	Diagnosis
M02.079	Arthropathy following intestinal bypass, unspecified ankle and foot	ICD-10-CM	Diagnosis
M02.012	Arthropathy following intestinal bypass, left shoulder	ICD-10-CM	Diagnosis
M02.011	Arthropathy following intestinal bypass, right shoulder	ICD-10-CM	Diagnosis
M02.029	Arthropathy following intestinal bypass, unspecified elbow	ICD-10-CM	Diagnosis
M02.019	Arthropathy following intestinal bypass, unspecified shoulder	ICD-10-CM	Diagnosis
M02.039	Arthropathy following intestinal bypass, unspecified wrist	ICD-10-CM	Diagnosis
M02.08	Arthropathy following intestinal bypass, vertebrae	ICD-10-CM	Diagnosis
M02.052	Arthropathy following intestinal bypass, left hip	ICD-10-CM	Diagnosis
M02.022	Arthropathy following intestinal bypass, left elbow	ICD-10-CM	Diagnosis
M02.042	Arthropathy following intestinal bypass, left hand	ICD-10-CM	Diagnosis
M02.062	Arthropathy following intestinal bypass, left knee	ICD-10-CM	Diagnosis
M02.032	Arthropathy following intestinal bypass, left wrist	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

Code	Description	Code Type	Code Category
M02.09	Arthropathy following intestinal bypass, multiple sites	ICD-10-CM	Diagnosis
M02.021	Arthropathy following intestinal bypass, right elbow	ICD-10-CM	Diagnosis
M02.041	Arthropathy following intestinal bypass, right hand	ICD-10-CM	Diagnosis
M02.051	Arthropathy following intestinal bypass, right hip	ICD-10-CM	Diagnosis
M02.061	Arthropathy following intestinal bypass, right knee	ICD-10-CM	Diagnosis
M02.031	Arthropathy following intestinal bypass, right wrist	ICD-10-CM	Diagnosis
M02.049	Arthropathy following intestinal bypass, unspecified hand	ICD-10-CM	Diagnosis
M02.059	Arthropathy following intestinal bypass, unspecified hip	ICD-10-CM	Diagnosis
M02.069	Arthropathy following intestinal bypass, unspecified knee	ICD-10-CM	Diagnosis
M02.00	Arthropathy following intestinal bypass, unspecified site	ICD-10-CM	Diagnosis
M36.4	Arthropathy in hypersensitivity reactions classified elsewhere	ICD-10-CM	Diagnosis
M36.1	Arthropathy in neoplastic disease	ICD-10-CM	Diagnosis
M36.3	Arthropathy in other blood disorders	ICD-10-CM	Diagnosis
M12.9	Arthropathy, unspecified	ICD-10-CM	Diagnosis
M18.2	Bilateral post-traumatic osteoarthritis of first carpometacarpal joints	ICD-10-CM	Diagnosis
M16.2	Bilateral osteoarthritis resulting from hip dysplasia	ICD-10-CM	Diagnosis
M16.4	Bilateral post-traumatic osteoarthritis of hip	ICD-10-CM	Diagnosis
M17.2	Bilateral post-traumatic osteoarthritis of knee	ICD-10-CM	Diagnosis
M18.0	Bilateral primary osteoarthritis of first carpometacarpal joints	ICD-10-CM	Diagnosis
M16.0	Bilateral primary osteoarthritis of hip	ICD-10-CM	Diagnosis
M17.0	Bilateral primary osteoarthritis of knee	ICD-10-CM	Diagnosis
M15.2	Bouchard's nodes (with arthropathy)	ICD-10-CM	Diagnosis
M14.60	Charcot's joint, unspecified site	ICD-10-CM	Diagnosis
M14.672	Charcot's joint, left ankle and foot	ICD-10-CM	Diagnosis
M14.622	Charcot's joint, left elbow	ICD-10-CM	Diagnosis
M14.642	Charcot's joint, left hand	ICD-10-CM	Diagnosis
M14.652	Charcot's joint, left hip	ICD-10-CM	Diagnosis
M14.662	Charcot's joint, left knee	ICD-10-CM	Diagnosis
M14.612	Charcot's joint, left shoulder	ICD-10-CM	Diagnosis
M14.632	Charcot's joint, left wrist	ICD-10-CM	Diagnosis
M14.69	Charcot's joint, multiple sites	ICD-10-CM	Diagnosis
M14.671	Charcot's joint, right ankle and foot	ICD-10-CM	Diagnosis
M14.621	Charcot's joint, right elbow	ICD-10-CM	Diagnosis
M14.641	Charcot's joint, right hand	ICD-10-CM	Diagnosis
M14.651	Charcot's joint, right hip	ICD-10-CM	Diagnosis
M14.661	Charcot's joint, right knee	ICD-10-CM	Diagnosis
M14.611	Charcot's joint, right shoulder	ICD-10-CM	Diagnosis
M14.631	Charcot's joint, right wrist	ICD-10-CM	Diagnosis
M14.679	Charcot's joint, unspecified ankle and foot	ICD-10-CM	Diagnosis
M14.629	Charcot's joint, unspecified elbow	ICD-10-CM	Diagnosis
M14.649	Charcot's joint, unspecified hand	ICD-10-CM	Diagnosis
M14.659	Charcot's joint, unspecified hip	ICD-10-CM	Diagnosis
M14.669	Charcot's joint, unspecified knee	ICD-10-CM	Diagnosis



**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
M14.619	Charcot's joint, unspecified shoulder	ICD-10-CM	Diagnosis
M14.639	Charcot's joint, unspecified wrist	ICD-10-CM	Diagnosis
M14.68	Charcot's joint, vertebrae	ICD-10-CM	Diagnosis
M12.08	Chronic postrheumatic arthropathy [Jaccoud], other specified site	ICD-10-CM	Diagnosis
M12.019	Chronic postrheumatic arthropathy [Jaccoud], unspecified shoulder	ICD-10-CM	Diagnosis
M12.042	Chronic postrheumatic arthropathy [Jaccoud], left hand	ICD-10-CM	Diagnosis
M12.062	Chronic postrheumatic arthropathy [Jaccoud], left knee	ICD-10-CM	Diagnosis
M12.012	Chronic postrheumatic arthropathy [Jaccoud], left shoulder	ICD-10-CM	Diagnosis
M12.032	Chronic postrheumatic arthropathy [Jaccoud], left wrist	ICD-10-CM	Diagnosis
M12.09	Chronic postrheumatic arthropathy [Jaccoud], multiple sites	ICD-10-CM	Diagnosis
M12.041	Chronic postrheumatic arthropathy [Jaccoud], right hand	ICD-10-CM	Diagnosis
M12.061	Chronic postrheumatic arthropathy [Jaccoud], right knee	ICD-10-CM	Diagnosis
M12.011	Chronic postrheumatic arthropathy [Jaccoud], right shoulder	ICD-10-CM	Diagnosis
M12.031	Chronic postrheumatic arthropathy [Jaccoud], right wrist	ICD-10-CM	Diagnosis
M12.029	Chronic postrheumatic arthropathy [Jaccoud], unspecified elbow	ICD-10-CM	Diagnosis
M12.049	Chronic postrheumatic arthropathy [Jaccoud], unspecified hand	ICD-10-CM	Diagnosis
M12.059	Chronic postrheumatic arthropathy [Jaccoud], unspecified hip	ICD-10-CM	Diagnosis
M12.069	Chronic postrheumatic arthropathy [Jaccoud], unspecified knee	ICD-10-CM	Diagnosis
M12.00	Chronic postrheumatic arthropathy [Jaccoud], unspecified site	ICD-10-CM	Diagnosis
M12.039	Chronic postrheumatic arthropathy [Jaccoud], unspecified wrist	ICD-10-CM	Diagnosis
M12.022	Chronic postrheumatic arthropathy [Jaccoud], left elbow	ICD-10-CM	Diagnosis
M12.052	Chronic postrheumatic arthropathy [Jaccoud], left hip	ICD-10-CM	Diagnosis
M12.021	Chronic postrheumatic arthropathy [Jaccoud], right elbow	ICD-10-CM	Diagnosis
M12.051	Chronic postrheumatic arthropathy [Jaccoud], right hip	ICD-10-CM	Diagnosis
M12.072	Chronic postrheumatic arthropathy [Jaccoud], left ankle and foot	ICD-10-CM	Diagnosis
M12.071	Chronic postrheumatic arthropathy [Jaccoud], right ankle and foot	ICD-10-CM	Diagnosis
M12.079	Chronic postrheumatic arthropathy [Jaccoud], unspecified ankle and foot	ICD-10-CM	Diagnosis
R29.4	Clicking hip	ICD-10-CM	Diagnosis
M25.472	Effusion, left ankle	ICD-10-CM	Diagnosis
M25.422	Effusion, left elbow	ICD-10-CM	Diagnosis
M25.475	Effusion, left foot	ICD-10-CM	Diagnosis
M25.442	Effusion, left hand	ICD-10-CM	Diagnosis
M25.452	Effusion, left hip	ICD-10-CM	Diagnosis
M25.462	Effusion, left knee	ICD-10-CM	Diagnosis
M25.412	Effusion, left shoulder	ICD-10-CM	Diagnosis
M25.432	Effusion, left wrist	ICD-10-CM	Diagnosis
M25.48	Effusion, other site	ICD-10-CM	Diagnosis
M25.471	Effusion, right ankle	ICD-10-CM	Diagnosis
M25.421	Effusion, right elbow	ICD-10-CM	Diagnosis
M25.474	Effusion, right foot	ICD-10-CM	Diagnosis
M25.441	Effusion, right hand	ICD-10-CM	Diagnosis
M25.451	Effusion, right hip	ICD-10-CM	Diagnosis
M25.461	Effusion, right knee	ICD-10-CM	Diagnosis



**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
M25.411	Effusion, right shoulder	ICD-10-CM	Diagnosis
M25.431	Effusion, right wrist	ICD-10-CM	Diagnosis
M25.473	Effusion, unspecified ankle	ICD-10-CM	Diagnosis
M25.429	Effusion, unspecified elbow	ICD-10-CM	Diagnosis
M25.476	Effusion, unspecified foot	ICD-10-CM	Diagnosis
M25.449	Effusion, unspecified hand	ICD-10-CM	Diagnosis
M25.459	Effusion, unspecified hip	ICD-10-CM	Diagnosis
M25.40	Effusion, unspecified joint	ICD-10-CM	Diagnosis
M25.469	Effusion, unspecified knee	ICD-10-CM	Diagnosis
M25.419	Effusion, unspecified shoulder	ICD-10-CM	Diagnosis
M25.439	Effusion, unspecified wrist	ICD-10-CM	Diagnosis
M07.672	Enteropathic arthropathies, left ankle and foot	ICD-10-CM	Diagnosis
M07.622	Enteropathic arthropathies, left elbow	ICD-10-CM	Diagnosis
M07.642	Enteropathic arthropathies, left hand	ICD-10-CM	Diagnosis
M07.652	Enteropathic arthropathies, left hip	ICD-10-CM	Diagnosis
M07.662	Enteropathic arthropathies, left knee	ICD-10-CM	Diagnosis
M07.612	Enteropathic arthropathies, left shoulder	ICD-10-CM	Diagnosis
M07.632	Enteropathic arthropathies, left wrist	ICD-10-CM	Diagnosis
M07.69	Enteropathic arthropathies, multiple sites	ICD-10-CM	Diagnosis
M07.671	Enteropathic arthropathies, right ankle and foot	ICD-10-CM	Diagnosis
M07.621	Enteropathic arthropathies, right elbow	ICD-10-CM	Diagnosis
M07.641	Enteropathic arthropathies, right hand	ICD-10-CM	Diagnosis
M07.651	Enteropathic arthropathies, right hip	ICD-10-CM	Diagnosis
M07.661	Enteropathic arthropathies, right knee	ICD-10-CM	Diagnosis
M07.611	Enteropathic arthropathies, right shoulder	ICD-10-CM	Diagnosis
M07.631	Enteropathic arthropathies, right wrist	ICD-10-CM	Diagnosis
M07.679	Enteropathic arthropathies, unspecified ankle and foot	ICD-10-CM	Diagnosis
M07.629	Enteropathic arthropathies, unspecified elbow	ICD-10-CM	Diagnosis
M07.649	Enteropathic arthropathies, unspecified hand	ICD-10-CM	Diagnosis
M07.659	Enteropathic arthropathies, unspecified hip	ICD-10-CM	Diagnosis
M07.669	Enteropathic arthropathies, unspecified knee	ICD-10-CM	Diagnosis
M07.619	Enteropathic arthropathies, unspecified shoulder	ICD-10-CM	Diagnosis
M07.60	Enteropathic arthropathies, unspecified site	ICD-10-CM	Diagnosis
M07.639	Enteropathic arthropathies, unspecified wrist	ICD-10-CM	Diagnosis
M07.68	Enteropathic arthropathies, vertebrae	ICD-10-CM	Diagnosis
M15.4	Erosive (osteo)arthritis	ICD-10-CM	Diagnosis
M05.072	Felty's syndrome, left ankle and foot	ICD-10-CM	Diagnosis
M05.022	Felty's syndrome, left elbow	ICD-10-CM	Diagnosis
M05.042	Felty's syndrome, left hand	ICD-10-CM	Diagnosis
M05.052	Felty's syndrome, left hip	ICD-10-CM	Diagnosis
M05.062	Felty's syndrome, left knee	ICD-10-CM	Diagnosis
M05.012	Felty's syndrome, left shoulder	ICD-10-CM	Diagnosis
M05.032	Felty's syndrome, left wrist	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
M05.09	Felty's syndrome, multiple sites	ICD-10-CM	Diagnosis
M05.071	Felty's syndrome, right ankle and foot	ICD-10-CM	Diagnosis
M05.021	Felty's syndrome, right elbow	ICD-10-CM	Diagnosis
M05.041	Felty's syndrome, right hand	ICD-10-CM	Diagnosis
M05.051	Felty's syndrome, right hip	ICD-10-CM	Diagnosis
M05.061	Felty's syndrome, right knee	ICD-10-CM	Diagnosis
M05.011	Felty's syndrome, right shoulder	ICD-10-CM	Diagnosis
M05.031	Felty's syndrome, right wrist	ICD-10-CM	Diagnosis
M05.079	Felty's syndrome, unspecified ankle and foot	ICD-10-CM	Diagnosis
M05.029	Felty's syndrome, unspecified elbow	ICD-10-CM	Diagnosis
M05.049	Felty's syndrome, unspecified hand	ICD-10-CM	Diagnosis
M05.059	Felty's syndrome, unspecified hip	ICD-10-CM	Diagnosis
M05.069	Felty's syndrome, unspecified knee	ICD-10-CM	Diagnosis
M05.019	Felty's syndrome, unspecified shoulder	ICD-10-CM	Diagnosis
M05.00	Felty's syndrome, unspecified site	ICD-10-CM	Diagnosis
M05.039	Felty's syndrome, unspecified wrist	ICD-10-CM	Diagnosis
M25.172	Fistula, left ankle	ICD-10-CM	Diagnosis
M25.122	Fistula, left elbow	ICD-10-CM	Diagnosis
M25.175	Fistula, left foot	ICD-10-CM	Diagnosis
M25.142	Fistula, left hand	ICD-10-CM	Diagnosis
M25.152	Fistula, left hip	ICD-10-CM	Diagnosis
M25.162	Fistula, left knee	ICD-10-CM	Diagnosis
M25.112	Fistula, left shoulder	ICD-10-CM	Diagnosis
M25.132	Fistula, left wrist	ICD-10-CM	Diagnosis
M25.18	Fistula, other specified site	ICD-10-CM	Diagnosis
M25.171	Fistula, right ankle	ICD-10-CM	Diagnosis
M25.121	Fistula, right elbow	ICD-10-CM	Diagnosis
M25.174	Fistula, right foot	ICD-10-CM	Diagnosis
M25.141	Fistula, right hand	ICD-10-CM	Diagnosis
M25.151	Fistula, right hip	ICD-10-CM	Diagnosis
M25.161	Fistula, right knee	ICD-10-CM	Diagnosis
M25.111	Fistula, right shoulder	ICD-10-CM	Diagnosis
M25.131	Fistula, right wrist	ICD-10-CM	Diagnosis
M25.173	Fistula, unspecified ankle	ICD-10-CM	Diagnosis
M25.129	Fistula, unspecified elbow	ICD-10-CM	Diagnosis
M25.176	Fistula, unspecified foot	ICD-10-CM	Diagnosis
M25.149	Fistula, unspecified hand	ICD-10-CM	Diagnosis
M25.159	Fistula, unspecified hip	ICD-10-CM	Diagnosis
M25.10	Fistula, unspecified joint	ICD-10-CM	Diagnosis
M25.169	Fistula, unspecified knee	ICD-10-CM	Diagnosis
M25.119	Fistula, unspecified shoulder	ICD-10-CM	Diagnosis
M25.139	Fistula, unspecified wrist	ICD-10-CM	Diagnosis
M25.272	Flail joint, left ankle and foot	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
M25.222	Flail joint, left elbow	ICD-10-CM	Diagnosis
M25.242	Flail joint, left hand	ICD-10-CM	Diagnosis
M25.252	Flail joint, left hip	ICD-10-CM	Diagnosis
M25.262	Flail joint, left knee	ICD-10-CM	Diagnosis
M25.212	Flail joint, left shoulder	ICD-10-CM	Diagnosis
M25.232	Flail joint, left wrist	ICD-10-CM	Diagnosis
M25.28	Flail joint, other site	ICD-10-CM	Diagnosis
M25.271	Flail joint, right ankle and foot	ICD-10-CM	Diagnosis
M25.221	Flail joint, right elbow	ICD-10-CM	Diagnosis
M25.241	Flail joint, right hand	ICD-10-CM	Diagnosis
M25.251	Flail joint, right hip	ICD-10-CM	Diagnosis
M25.261	Flail joint, right knee	ICD-10-CM	Diagnosis
M25.211	Flail joint, right shoulder	ICD-10-CM	Diagnosis
M25.231	Flail joint, right wrist	ICD-10-CM	Diagnosis
M25.279	Flail joint, unspecified ankle and foot	ICD-10-CM	Diagnosis
M25.229	Flail joint, unspecified elbow	ICD-10-CM	Diagnosis
M25.249	Flail joint, unspecified hand	ICD-10-CM	Diagnosis
M25.259	Flail joint, unspecified hip	ICD-10-CM	Diagnosis
M25.20	Flail joint, unspecified joint	ICD-10-CM	Diagnosis
M25.269	Flail joint, unspecified knee	ICD-10-CM	Diagnosis
M25.219	Flail joint, unspecified shoulder	ICD-10-CM	Diagnosis
M25.239	Flail joint, unspecified wrist	ICD-10-CM	Diagnosis
M15.1	Heberden's nodes (with arthropathy)	ICD-10-CM	Diagnosis
M25.072	Hemarthrosis, left ankle	ICD-10-CM	Diagnosis
M25.022	Hemarthrosis, left elbow	ICD-10-CM	Diagnosis
M25.075	Hemarthrosis, left foot	ICD-10-CM	Diagnosis
M25.042	Hemarthrosis, left hand	ICD-10-CM	Diagnosis
M25.052	Hemarthrosis, left hip	ICD-10-CM	Diagnosis
M25.062	Hemarthrosis, left knee	ICD-10-CM	Diagnosis
M25.012	Hemarthrosis, left shoulder	ICD-10-CM	Diagnosis
M25.032	Hemarthrosis, left wrist	ICD-10-CM	Diagnosis
M25.08	Hemarthrosis, other specified site	ICD-10-CM	Diagnosis
M25.071	Hemarthrosis, right ankle	ICD-10-CM	Diagnosis
M25.021	Hemarthrosis, right elbow	ICD-10-CM	Diagnosis
M25.074	Hemarthrosis, right foot	ICD-10-CM	Diagnosis
M25.041	Hemarthrosis, right hand	ICD-10-CM	Diagnosis
M25.051	Hemarthrosis, right hip	ICD-10-CM	Diagnosis
M25.061	Hemarthrosis, right knee	ICD-10-CM	Diagnosis
M25.011	Hemarthrosis, right shoulder	ICD-10-CM	Diagnosis
M25.031	Hemarthrosis, right wrist	ICD-10-CM	Diagnosis
M25.073	Hemarthrosis, unspecified ankle	ICD-10-CM	Diagnosis
M25.029	Hemarthrosis, unspecified elbow	ICD-10-CM	Diagnosis
M25.076	Hemarthrosis, unspecified foot	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
M25.049	Hemarthrosis, unspecified hand	ICD-10-CM	Diagnosis
M25.059	Hemarthrosis, unspecified hip	ICD-10-CM	Diagnosis
M25.00	Hemarthrosis, unspecified joint	ICD-10-CM	Diagnosis
M25.069	Hemarthrosis, unspecified knee	ICD-10-CM	Diagnosis
M25.019	Hemarthrosis, unspecified shoulder	ICD-10-CM	Diagnosis
M25.039	Hemarthrosis, unspecified wrist	ICD-10-CM	Diagnosis
M36.2	Hemophilic arthropathy	ICD-10-CM	Diagnosis
M06.4	Inflammatory polyarthropathy	ICD-10-CM	Diagnosis
M12.472	Intermittent hydrarthrosis, left ankle and foot	ICD-10-CM	Diagnosis
M12.422	Intermittent hydrarthrosis, left elbow	ICD-10-CM	Diagnosis
M12.442	Intermittent hydrarthrosis, left hand	ICD-10-CM	Diagnosis
M12.452	Intermittent hydrarthrosis, left hip	ICD-10-CM	Diagnosis
M12.462	Intermittent hydrarthrosis, left knee	ICD-10-CM	Diagnosis
M12.412	Intermittent hydrarthrosis, left shoulder	ICD-10-CM	Diagnosis
M12.432	Intermittent hydrarthrosis, left wrist	ICD-10-CM	Diagnosis
M12.49	Intermittent hydrarthrosis, multiple sites	ICD-10-CM	Diagnosis
M12.48	Intermittent hydrarthrosis, other site	ICD-10-CM	Diagnosis
M12.471	Intermittent hydrarthrosis, right ankle and foot	ICD-10-CM	Diagnosis
M12.421	Intermittent hydrarthrosis, right elbow	ICD-10-CM	Diagnosis
M12.441	Intermittent hydrarthrosis, right hand	ICD-10-CM	Diagnosis
M12.451	Intermittent hydrarthrosis, right hip	ICD-10-CM	Diagnosis
M12.461	Intermittent hydrarthrosis, right knee	ICD-10-CM	Diagnosis
M12.411	Intermittent hydrarthrosis, right shoulder	ICD-10-CM	Diagnosis
M12.431	Intermittent hydrarthrosis, right wrist	ICD-10-CM	Diagnosis
M12.479	Intermittent hydrarthrosis, unspecified ankle and foot	ICD-10-CM	Diagnosis
M12.429	Intermittent hydrarthrosis, unspecified elbow	ICD-10-CM	Diagnosis
M12.449	Intermittent hydrarthrosis, unspecified hand	ICD-10-CM	Diagnosis
M12.459	Intermittent hydrarthrosis, unspecified hip	ICD-10-CM	Diagnosis
M12.469	Intermittent hydrarthrosis, unspecified knee	ICD-10-CM	Diagnosis
M12.419	Intermittent hydrarthrosis, unspecified shoulder	ICD-10-CM	Diagnosis
M12.40	Intermittent hydrarthrosis, unspecified site	ICD-10-CM	Diagnosis
M12.439	Intermittent hydrarthrosis, unspecified wrist	ICD-10-CM	Diagnosis
M24.9	Joint derangement, unspecified	ICD-10-CM	Diagnosis
M25.9	Joint disorder, unspecified	ICD-10-CM	Diagnosis
M08.1	Juvenile ankylosing spondylitis	ICD-10-CM	Diagnosis
M08.979	Juvenile arthritis, unspecified, unspecified ankle and foot	ICD-10-CM	Diagnosis
M08.919	Juvenile arthritis, unspecified, unspecified shoulder	ICD-10-CM	Diagnosis
M08.972	Juvenile arthritis, unspecified, left ankle and foot	ICD-10-CM	Diagnosis
M08.922	Juvenile arthritis, unspecified, left elbow	ICD-10-CM	Diagnosis
M08.942	Juvenile arthritis, unspecified, left hand	ICD-10-CM	Diagnosis
M08.952	Juvenile arthritis, unspecified, left hip	ICD-10-CM	Diagnosis
M08.962	Juvenile arthritis, unspecified, left knee	ICD-10-CM	Diagnosis
M08.912	Juvenile arthritis, unspecified, left shoulder	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
M08.932	Juvenile arthritis, unspecified, left wrist	ICD-10-CM	Diagnosis
M08.99	Juvenile arthritis, unspecified, multiple sites	ICD-10-CM	Diagnosis
M08.921	Juvenile arthritis, unspecified, right elbow	ICD-10-CM	Diagnosis
M08.941	Juvenile arthritis, unspecified, right hand	ICD-10-CM	Diagnosis
M08.951	Juvenile arthritis, unspecified, right hip	ICD-10-CM	Diagnosis
M08.961	Juvenile arthritis, unspecified, right knee	ICD-10-CM	Diagnosis
M08.911	Juvenile arthritis, unspecified, right shoulder	ICD-10-CM	Diagnosis
M08.931	Juvenile arthritis, unspecified, right wrist	ICD-10-CM	Diagnosis
M08.971	Juvenile arthritis, unspecified, right ankle and foot	ICD-10-CM	Diagnosis
M08.929	Juvenile arthritis, unspecified, unspecified elbow	ICD-10-CM	Diagnosis
M08.949	Juvenile arthritis, unspecified, unspecified hand	ICD-10-CM	Diagnosis
M08.959	Juvenile arthritis, unspecified, unspecified hip	ICD-10-CM	Diagnosis
M08.969	Juvenile arthritis, unspecified, unspecified knee	ICD-10-CM	Diagnosis
M08.90	Juvenile arthritis, unspecified, unspecified site	ICD-10-CM	Diagnosis
M08.939	Juvenile arthritis, unspecified, unspecified wrist	ICD-10-CM	Diagnosis
M08.98	Juvenile arthritis, unspecified, vertebrae	ICD-10-CM	Diagnosis
M08.219	Juvenile rheumatoid arthritis with systemic onset, unspecified shoulder	ICD-10-CM	Diagnosis
M08.222	Juvenile rheumatoid arthritis with systemic onset, left elbow	ICD-10-CM	Diagnosis
M08.242	Juvenile rheumatoid arthritis with systemic onset, left hand	ICD-10-CM	Diagnosis
M08.252	Juvenile rheumatoid arthritis with systemic onset, left hip	ICD-10-CM	Diagnosis
M08.262	Juvenile rheumatoid arthritis with systemic onset, left knee	ICD-10-CM	Diagnosis
M08.212	Juvenile rheumatoid arthritis with systemic onset, left shoulder	ICD-10-CM	Diagnosis
M08.232	Juvenile rheumatoid arthritis with systemic onset, left wrist	ICD-10-CM	Diagnosis
M08.272	Juvenile rheumatoid arthritis with systemic onset, left ankle and foot	ICD-10-CM	Diagnosis
M08.29	Juvenile rheumatoid arthritis with systemic onset, multiple sites	ICD-10-CM	Diagnosis
M08.221	Juvenile rheumatoid arthritis with systemic onset, right elbow	ICD-10-CM	Diagnosis
M08.241	Juvenile rheumatoid arthritis with systemic onset, right hand	ICD-10-CM	Diagnosis
M08.251	Juvenile rheumatoid arthritis with systemic onset, right hip	ICD-10-CM	Diagnosis
M08.261	Juvenile rheumatoid arthritis with systemic onset, right knee	ICD-10-CM	Diagnosis
M08.211	Juvenile rheumatoid arthritis with systemic onset, right shoulder	ICD-10-CM	Diagnosis
M08.231	Juvenile rheumatoid arthritis with systemic onset, right wrist	ICD-10-CM	Diagnosis
M08.271	Juvenile rheumatoid arthritis with systemic onset, right ankle and foot	ICD-10-CM	Diagnosis
M08.279	Juvenile rheumatoid arthritis with systemic onset, unspecified ankle and foot	ICD-10-CM	Diagnosis
M08.229	Juvenile rheumatoid arthritis with systemic onset, unspecified elbow	ICD-10-CM	Diagnosis
M08.239	Juvenile rheumatoid arthritis with systemic onset, unspecified wrist	ICD-10-CM	Diagnosis
M08.249	Juvenile rheumatoid arthritis with systemic onset, unspecified hand	ICD-10-CM	Diagnosis
M08.259	Juvenile rheumatoid arthritis with systemic onset, unspecified hip	ICD-10-CM	Diagnosis
M08.269	Juvenile rheumatoid arthritis with systemic onset, unspecified knee	ICD-10-CM	Diagnosis
M08.20	Juvenile rheumatoid arthritis with systemic onset, unspecified site	ICD-10-CM	Diagnosis
M08.28	Juvenile rheumatoid arthritis with systemic onset, vertebrae	ICD-10-CM	Diagnosis
M08.3	Juvenile rheumatoid polyarthritis (seronegative)	ICD-10-CM	Diagnosis
M12.172	Kaschin-Beck disease, left ankle and foot	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
M12.122	Kaschin-Beck disease, left elbow	ICD-10-CM	Diagnosis
M12.142	Kaschin-Beck disease, left hand	ICD-10-CM	Diagnosis
M12.152	Kaschin-Beck disease, left hip	ICD-10-CM	Diagnosis
M12.162	Kaschin-Beck disease, left knee	ICD-10-CM	Diagnosis
M12.112	Kaschin-Beck disease, left shoulder	ICD-10-CM	Diagnosis
M12.132	Kaschin-Beck disease, left wrist	ICD-10-CM	Diagnosis
M12.19	Kaschin-Beck disease, multiple sites	ICD-10-CM	Diagnosis
M12.171	Kaschin-Beck disease, right ankle and foot	ICD-10-CM	Diagnosis
M12.121	Kaschin-Beck disease, right elbow	ICD-10-CM	Diagnosis
M12.141	Kaschin-Beck disease, right hand	ICD-10-CM	Diagnosis
M12.151	Kaschin-Beck disease, right hip	ICD-10-CM	Diagnosis
M12.161	Kaschin-Beck disease, right knee	ICD-10-CM	Diagnosis
M12.111	Kaschin-Beck disease, right shoulder	ICD-10-CM	Diagnosis
M12.131	Kaschin-Beck disease, right wrist	ICD-10-CM	Diagnosis
M12.179	Kaschin-Beck disease, unspecified ankle and foot	ICD-10-CM	Diagnosis
M12.129	Kaschin-Beck disease, unspecified elbow	ICD-10-CM	Diagnosis
M12.149	Kaschin-Beck disease, unspecified hand	ICD-10-CM	Diagnosis
M12.159	Kaschin-Beck disease, unspecified hip	ICD-10-CM	Diagnosis
M12.169	Kaschin-Beck disease, unspecified knee	ICD-10-CM	Diagnosis
M12.119	Kaschin-Beck disease, unspecified shoulder	ICD-10-CM	Diagnosis
M12.10	Kaschin-Beck disease, unspecified site	ICD-10-CM	Diagnosis
M12.139	Kaschin-Beck disease, unspecified wrist	ICD-10-CM	Diagnosis
M12.18	Kaschin-Beck disease, vertebrae	ICD-10-CM	Diagnosis
M24.072	Loose body in left ankle	ICD-10-CM	Diagnosis
M24.022	Loose body in left elbow	ICD-10-CM	Diagnosis
M24.042	Loose body in left finger joint(s)	ICD-10-CM	Diagnosis
M24.052	Loose body in left hip	ICD-10-CM	Diagnosis
M24.012	Loose body in left shoulder	ICD-10-CM	Diagnosis
M24.075	Loose body in left toe joint(s)	ICD-10-CM	Diagnosis
M24.032	Loose body in left wrist	ICD-10-CM	Diagnosis
M24.071	Loose body in right ankle	ICD-10-CM	Diagnosis
M24.021	Loose body in right elbow	ICD-10-CM	Diagnosis
M24.041	Loose body in right finger joint(s)	ICD-10-CM	Diagnosis
M24.051	Loose body in right hip	ICD-10-CM	Diagnosis
M24.011	Loose body in right shoulder	ICD-10-CM	Diagnosis
M24.074	Loose body in right toe joint(s)	ICD-10-CM	Diagnosis
M24.031	Loose body in right wrist	ICD-10-CM	Diagnosis
M24.073	Loose body in unspecified ankle	ICD-10-CM	Diagnosis
M24.029	Loose body in unspecified elbow	ICD-10-CM	Diagnosis
M24.049	Loose body in unspecified finger joint(s)	ICD-10-CM	Diagnosis
M24.059	Loose body in unspecified hip	ICD-10-CM	Diagnosis
M24.00	Loose body in unspecified joint	ICD-10-CM	Diagnosis
M24.019	Loose body in unspecified shoulder	ICD-10-CM	Diagnosis



**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
M24.076	Loose body in unspecified toe joints	ICD-10-CM	Diagnosis
M24.039	Loose body in unspecified wrist	ICD-10-CM	Diagnosis
M24.08	Loose body, other site	ICD-10-CM	Diagnosis
M13.172	Monoarthritis, not elsewhere classified, left ankle and foot	ICD-10-CM	Diagnosis
M13.122	Monoarthritis, not elsewhere classified, left elbow	ICD-10-CM	Diagnosis
M13.112	Monoarthritis, not elsewhere classified, left shoulder	ICD-10-CM	Diagnosis
M13.132	Monoarthritis, not elsewhere classified, left wrist	ICD-10-CM	Diagnosis
M13.171	Monoarthritis, not elsewhere classified, right ankle and foot	ICD-10-CM	Diagnosis
M13.121	Monoarthritis, not elsewhere classified, right elbow	ICD-10-CM	Diagnosis
M13.141	Monoarthritis, not elsewhere classified, right hand	ICD-10-CM	Diagnosis
M13.161	Monoarthritis, not elsewhere classified, right knee	ICD-10-CM	Diagnosis
M13.111	Monoarthritis, not elsewhere classified, right shoulder	ICD-10-CM	Diagnosis
M13.131	Monoarthritis, not elsewhere classified, right wrist	ICD-10-CM	Diagnosis
M13.179	Monoarthritis, not elsewhere classified, unspecified ankle and foot	ICD-10-CM	Diagnosis
M13.129	Monoarthritis, not elsewhere classified, unspecified elbow	ICD-10-CM	Diagnosis
M13.149	Monoarthritis, not elsewhere classified, unspecified hand	ICD-10-CM	Diagnosis
M13.159	Monoarthritis, not elsewhere classified, unspecified hip	ICD-10-CM	Diagnosis
M13.169	Monoarthritis, not elsewhere classified, unspecified knee	ICD-10-CM	Diagnosis
M13.119	Monoarthritis, not elsewhere classified, unspecified shoulder	ICD-10-CM	Diagnosis
M13.10	Monoarthritis, not elsewhere classified, unspecified site	ICD-10-CM	Diagnosis
M13.139	Monoarthritis, not elsewhere classified, unspecified wrist	ICD-10-CM	Diagnosis
M13.142	Monoarthritis, not elsewhere classified, left hand	ICD-10-CM	Diagnosis
M13.152	Monoarthritis, not elsewhere classified, left hip	ICD-10-CM	Diagnosis
M13.162	Monoarthritis, not elsewhere classified, left knee	ICD-10-CM	Diagnosis
M13.151	Monoarthritis, not elsewhere classified, right hip	ICD-10-CM	Diagnosis
M18.9	Osteoarthritis of first carpometacarpal joint, unspecified	ICD-10-CM	Diagnosis
M16.9	Osteoarthritis of hip, unspecified	ICD-10-CM	Diagnosis
M17.9	Osteoarthritis of knee, unspecified	ICD-10-CM	Diagnosis
M25.772	Osteophyte, left ankle	ICD-10-CM	Diagnosis
M25.722	Osteophyte, left elbow	ICD-10-CM	Diagnosis
M25.775	Osteophyte, left foot	ICD-10-CM	Diagnosis
M25.742	Osteophyte, left hand	ICD-10-CM	Diagnosis
M25.752	Osteophyte, left hip	ICD-10-CM	Diagnosis
M25.762	Osteophyte, left knee	ICD-10-CM	Diagnosis
M25.712	Osteophyte, left shoulder	ICD-10-CM	Diagnosis
M25.732	Osteophyte, left wrist	ICD-10-CM	Diagnosis
M25.771	Osteophyte, right ankle	ICD-10-CM	Diagnosis
M25.721	Osteophyte, right elbow	ICD-10-CM	Diagnosis
M25.774	Osteophyte, right foot	ICD-10-CM	Diagnosis
M25.741	Osteophyte, right hand	ICD-10-CM	Diagnosis
M25.751	Osteophyte, right hip	ICD-10-CM	Diagnosis
M25.761	Osteophyte, right knee	ICD-10-CM	Diagnosis
M25.711	Osteophyte, right shoulder	ICD-10-CM	Diagnosis



**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

Code	Description	Code Type	Code Category
M25.731	Osteophyte, right wrist	ICD-10-CM	Diagnosis
M25.773	Osteophyte, unspecified ankle	ICD-10-CM	Diagnosis
M25.729	Osteophyte, unspecified elbow	ICD-10-CM	Diagnosis
M25.776	Osteophyte, unspecified foot	ICD-10-CM	Diagnosis
M25.749	Osteophyte, unspecified hand	ICD-10-CM	Diagnosis
M25.759	Osteophyte, unspecified hip	ICD-10-CM	Diagnosis
M25.70	Osteophyte, unspecified joint	ICD-10-CM	Diagnosis
M25.769	Osteophyte, unspecified knee	ICD-10-CM	Diagnosis
M25.719	Osteophyte, unspecified shoulder	ICD-10-CM	Diagnosis
M25.739	Osteophyte, unspecified wrist	ICD-10-CM	Diagnosis
M25.78	Osteophyte, vertebrae	ICD-10-CM	Diagnosis
M18.4	Other bilateral secondary osteoarthritis of first carpometacarpal joints	ICD-10-CM	Diagnosis
M06.872	Other specified rheumatoid arthritis, left ankle and foot	ICD-10-CM	Diagnosis
M06.89	Other specified rheumatoid arthritis, multiple sites	ICD-10-CM	Diagnosis
M06.871	Other specified rheumatoid arthritis, right ankle and foot	ICD-10-CM	Diagnosis
M06.879	Other specified rheumatoid arthritis, unspecified ankle and foot	ICD-10-CM	Diagnosis
M48.8X3	Other specified spondylopathies, cervicothoracic region	ICD-10-CM	Diagnosis
M12.879	Other specific arthropathies, not elsewhere classified, unspecified ankle and foot	ICD-10-CM	Diagnosis
M24.812	Other specific joint derangements of left shoulder, not elsewhere classified	ICD-10-CM	Diagnosis
M24.811	Other specific joint derangements of right shoulder, not elsewhere classified	ICD-10-CM	Diagnosis
M24.819	Other specific joint derangements of unspecified shoulder, not elsewhere classified	ICD-10-CM	Diagnosis
M06.812	Other specified rheumatoid arthritis, left shoulder	ICD-10-CM	Diagnosis
M06.811	Other specified rheumatoid arthritis, right shoulder	ICD-10-CM	Diagnosis
M06.819	Other specified rheumatoid arthritis, unspecified shoulder	ICD-10-CM	Diagnosis
M48.8X1	Other specified spondylopathies, occipito-atlanto-axial region	ICD-10-CM	Diagnosis
M48.8X8	Other specified spondylopathies, sacral and sacrococcygeal region	ICD-10-CM	Diagnosis
M18.50	Other unilateral secondary osteoarthritis of first carpometacarpal joint, unspecified hand	ICD-10-CM	Diagnosis
M18.52	Other unilateral secondary osteoarthritis of first carpometacarpal joint, left hand	ICD-10-CM	Diagnosis
M18.51	Other unilateral secondary osteoarthritis of first carpometacarpal joint, right hand	ICD-10-CM	Diagnosis
M16.6	Other bilateral secondary osteoarthritis of hip	ICD-10-CM	Diagnosis
M17.4	Other bilateral secondary osteoarthritis of knee	ICD-10-CM	Diagnosis
M25.372	Other instability, left ankle	ICD-10-CM	Diagnosis
M25.322	Other instability, left elbow	ICD-10-CM	Diagnosis
M25.375	Other instability, left foot	ICD-10-CM	Diagnosis
M25.342	Other instability, left hand	ICD-10-CM	Diagnosis
M25.352	Other instability, left hip	ICD-10-CM	Diagnosis
M25.362	Other instability, left knee	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
M25.312	Other instability, left shoulder	ICD-10-CM	Diagnosis
M25.332	Other instability, left wrist	ICD-10-CM	Diagnosis
M25.371	Other instability, right ankle	ICD-10-CM	Diagnosis
M25.321	Other instability, right elbow	ICD-10-CM	Diagnosis
M25.374	Other instability, right foot	ICD-10-CM	Diagnosis
M25.341	Other instability, right hand	ICD-10-CM	Diagnosis
M25.351	Other instability, right hip	ICD-10-CM	Diagnosis
M25.361	Other instability, right knee	ICD-10-CM	Diagnosis
M25.311	Other instability, right shoulder	ICD-10-CM	Diagnosis
M25.331	Other instability, right wrist	ICD-10-CM	Diagnosis
M25.373	Other instability, unspecified ankle	ICD-10-CM	Diagnosis
M25.329	Other instability, unspecified elbow	ICD-10-CM	Diagnosis
M25.376	Other instability, unspecified foot	ICD-10-CM	Diagnosis
M25.349	Other instability, unspecified hand	ICD-10-CM	Diagnosis
M25.359	Other instability, unspecified hip	ICD-10-CM	Diagnosis
M25.30	Other instability, unspecified joint	ICD-10-CM	Diagnosis
M25.369	Other instability, unspecified knee	ICD-10-CM	Diagnosis
M25.319	Other instability, unspecified shoulder	ICD-10-CM	Diagnosis
M25.339	Other instability, unspecified wrist	ICD-10-CM	Diagnosis
M08.872	Other juvenile arthritis, left ankle and foot	ICD-10-CM	Diagnosis
M08.822	Other juvenile arthritis, left elbow	ICD-10-CM	Diagnosis
M08.842	Other juvenile arthritis, left hand	ICD-10-CM	Diagnosis
M08.852	Other juvenile arthritis, left hip	ICD-10-CM	Diagnosis
M08.862	Other juvenile arthritis, left knee	ICD-10-CM	Diagnosis
M08.812	Other juvenile arthritis, left shoulder	ICD-10-CM	Diagnosis
M08.832	Other juvenile arthritis, left wrist	ICD-10-CM	Diagnosis
M08.89	Other juvenile arthritis, multiple sites	ICD-10-CM	Diagnosis
M08.88	Other juvenile arthritis, other specified site	ICD-10-CM	Diagnosis
M08.871	Other juvenile arthritis, right ankle and foot	ICD-10-CM	Diagnosis
M08.821	Other juvenile arthritis, right elbow	ICD-10-CM	Diagnosis
M08.841	Other juvenile arthritis, right hand	ICD-10-CM	Diagnosis
M08.851	Other juvenile arthritis, right hip	ICD-10-CM	Diagnosis
M08.861	Other juvenile arthritis, right knee	ICD-10-CM	Diagnosis
M08.811	Other juvenile arthritis, right shoulder	ICD-10-CM	Diagnosis
M08.831	Other juvenile arthritis, right wrist	ICD-10-CM	Diagnosis
M08.879	Other juvenile arthritis, unspecified ankle and foot	ICD-10-CM	Diagnosis
M08.829	Other juvenile arthritis, unspecified elbow	ICD-10-CM	Diagnosis
M08.849	Other juvenile arthritis, unspecified hand	ICD-10-CM	Diagnosis
M08.859	Other juvenile arthritis, unspecified hip	ICD-10-CM	Diagnosis
M08.869	Other juvenile arthritis, unspecified knee	ICD-10-CM	Diagnosis
M08.819	Other juvenile arthritis, unspecified shoulder	ICD-10-CM	Diagnosis
M08.80	Other juvenile arthritis, unspecified site	ICD-10-CM	Diagnosis
M08.839	Other juvenile arthritis, unspecified wrist	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
M15.8	Other polyosteoarthritis	ICD-10-CM	Diagnosis
M05.872	Other rheumatoid arthritis with rheumatoid factor of left ankle and foot	ICD-10-CM	Diagnosis
M05.871	Other rheumatoid arthritis with rheumatoid factor of right ankle and foot	ICD-10-CM	Diagnosis
M05.839	Other rheumatoid arthritis with rheumatoid factor of unspecified wrist	ICD-10-CM	Diagnosis
M05.879	Other rheumatoid arthritis with rheumatoid factor of unspecified ankle and foot	ICD-10-CM	Diagnosis
M05.819	Other rheumatoid arthritis with rheumatoid factor of unspecified shoulder	ICD-10-CM	Diagnosis
M05.829	Other rheumatoid arthritis with rheumatoid factor of unspecified elbow	ICD-10-CM	Diagnosis
M05.822	Other rheumatoid arthritis with rheumatoid factor of left elbow	ICD-10-CM	Diagnosis
M05.842	Other rheumatoid arthritis with rheumatoid factor of left hand	ICD-10-CM	Diagnosis
M05.852	Other rheumatoid arthritis with rheumatoid factor of left hip	ICD-10-CM	Diagnosis
M05.862	Other rheumatoid arthritis with rheumatoid factor of left knee	ICD-10-CM	Diagnosis
M05.812	Other rheumatoid arthritis with rheumatoid factor of left shoulder	ICD-10-CM	Diagnosis
M05.832	Other rheumatoid arthritis with rheumatoid factor of left wrist	ICD-10-CM	Diagnosis
M05.89	Other rheumatoid arthritis with rheumatoid factor of multiple sites	ICD-10-CM	Diagnosis
M05.821	Other rheumatoid arthritis with rheumatoid factor of right elbow	ICD-10-CM	Diagnosis
M05.841	Other rheumatoid arthritis with rheumatoid factor of right hand	ICD-10-CM	Diagnosis
M05.851	Other rheumatoid arthritis with rheumatoid factor of right hip	ICD-10-CM	Diagnosis
M05.861	Other rheumatoid arthritis with rheumatoid factor of right knee	ICD-10-CM	Diagnosis
M05.811	Other rheumatoid arthritis with rheumatoid factor of right shoulder	ICD-10-CM	Diagnosis
M05.831	Other rheumatoid arthritis with rheumatoid factor of right wrist	ICD-10-CM	Diagnosis
M05.849	Other rheumatoid arthritis with rheumatoid factor of unspecified hand	ICD-10-CM	Diagnosis
M05.859	Other rheumatoid arthritis with rheumatoid factor of unspecified hip	ICD-10-CM	Diagnosis
M05.869	Other rheumatoid arthritis with rheumatoid factor of unspecified knee	ICD-10-CM	Diagnosis
M05.80	Other rheumatoid arthritis with rheumatoid factor of unspecified site	ICD-10-CM	Diagnosis
M13.879	Other specified arthritis, unspecified ankle and foot	ICD-10-CM	Diagnosis
M25.879	Other specified joint disorders, unspecified ankle and foot	ICD-10-CM	Diagnosis
M48.8X7	Other specified spondylopathies, lumbosacral region	ICD-10-CM	Diagnosis
M48.8X5	Other specified spondylopathies, thoracolumbar region	ICD-10-CM	Diagnosis
M12.822	Other specific arthropathies, not elsewhere classified, left elbow	ICD-10-CM	Diagnosis
M12.842	Other specific arthropathies, not elsewhere classified, left hand	ICD-10-CM	Diagnosis
M12.852	Other specific arthropathies, not elsewhere classified, left hip	ICD-10-CM	Diagnosis
M12.862	Other specific arthropathies, not elsewhere classified, left knee	ICD-10-CM	Diagnosis
M12.812	Other specific arthropathies, not elsewhere classified, left shoulder	ICD-10-CM	Diagnosis
M12.832	Other specific arthropathies, not elsewhere classified, left wrist	ICD-10-CM	Diagnosis
M12.872	Other specific arthropathies, not elsewhere classified, left ankle and foot	ICD-10-CM	Diagnosis
M12.89	Other specific arthropathies, not elsewhere classified, multiple sites	ICD-10-CM	Diagnosis
M12.88	Other specific arthropathies, not elsewhere classified, other specified site	ICD-10-CM	Diagnosis
M12.821	Other specific arthropathies, not elsewhere classified, right elbow	ICD-10-CM	Diagnosis
M12.841	Other specific arthropathies, not elsewhere classified, right hand	ICD-10-CM	Diagnosis
M12.851	Other specific arthropathies, not elsewhere classified, right hip	ICD-10-CM	Diagnosis
M12.861	Other specific arthropathies, not elsewhere classified, right knee	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
M12.811	Other specific arthropathies, not elsewhere classified, right shoulder	ICD-10-CM	Diagnosis
M12.831	Other specific arthropathies, not elsewhere classified, right wrist	ICD-10-CM	Diagnosis
M12.871	Other specific arthropathies, not elsewhere classified, right ankle and foot	ICD-10-CM	Diagnosis
M12.829	Other specific arthropathies, not elsewhere classified, unspecified elbow	ICD-10-CM	Diagnosis
M12.849	Other specific arthropathies, not elsewhere classified, unspecified hand	ICD-10-CM	Diagnosis
M12.869	Other specific arthropathies, not elsewhere classified, unspecified knee	ICD-10-CM	Diagnosis
M12.819	Other specific arthropathies, not elsewhere classified, unspecified shoulder	ICD-10-CM	Diagnosis
M12.80	Other specific arthropathies, not elsewhere classified, unspecified site	ICD-10-CM	Diagnosis
M12.839	Other specific arthropathies, not elsewhere classified, unspecified wrist	ICD-10-CM	Diagnosis
M12.859	Other specific arthropathies, not elsewhere classified, unspecified hip	ICD-10-CM	Diagnosis
M24.872	Other specific joint derangements of left ankle, not elsewhere classified	ICD-10-CM	Diagnosis
M24.822	Other specific joint derangements of left elbow, not elsewhere classified	ICD-10-CM	Diagnosis
M24.875	Other specific joint derangements left foot, not elsewhere classified	ICD-10-CM	Diagnosis
M24.842	Other specific joint derangements of left hand, not elsewhere classified	ICD-10-CM	Diagnosis
M24.852	Other specific joint derangements of left hip, not elsewhere classified	ICD-10-CM	Diagnosis
M24.832	Other specific joint derangements of left wrist, not elsewhere classified	ICD-10-CM	Diagnosis
M24.874	Other specific joint derangements of right foot, not elsewhere classified	ICD-10-CM	Diagnosis
M24.841	Other specific joint derangements of right hand, not elsewhere classified	ICD-10-CM	Diagnosis
M24.851	Other specific joint derangements of right hip, not elsewhere classified	ICD-10-CM	Diagnosis
M24.871	Other specific joint derangements of right ankle, not elsewhere classified	ICD-10-CM	Diagnosis
M24.821	Other specific joint derangements of right elbow, not elsewhere classified	ICD-10-CM	Diagnosis
M24.831	Other specific joint derangements of right wrist, not elsewhere classified	ICD-10-CM	Diagnosis
M24.873	Other specific joint derangements of unspecified ankle, not elsewhere classified	ICD-10-CM	Diagnosis
M24.829	Other specific joint derangements of unspecified elbow, not elsewhere classified	ICD-10-CM	Diagnosis
M24.876	Other specific joint derangements of unspecified foot, not elsewhere classified	ICD-10-CM	Diagnosis
M24.849	Other specific joint derangements of unspecified hand, not elsewhere classified	ICD-10-CM	Diagnosis
M24.859	Other specific joint derangements of unspecified hip, not elsewhere classified	ICD-10-CM	Diagnosis
M24.80	Other specific joint derangements of unspecified joint, not elsewhere classified	ICD-10-CM	Diagnosis
M24.839	Other specific joint derangements of unspecified wrist, not elsewhere classified	ICD-10-CM	Diagnosis
M13.872	Other specified arthritis, left ankle and foot	ICD-10-CM	Diagnosis
M13.822	Other specified arthritis, left elbow	ICD-10-CM	Diagnosis
M13.842	Other specified arthritis, left hand	ICD-10-CM	Diagnosis
M13.852	Other specified arthritis, left hip	ICD-10-CM	Diagnosis
M13.862	Other specified arthritis, left knee	ICD-10-CM	Diagnosis
M13.812	Other specified arthritis, left shoulder	ICD-10-CM	Diagnosis
M13.832	Other specified arthritis, left wrist	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
M13.89	Other specified arthritis, multiple sites	ICD-10-CM	Diagnosis
M13.88	Other specified arthritis, other site	ICD-10-CM	Diagnosis
M13.871	Other specified arthritis, right ankle and foot	ICD-10-CM	Diagnosis
M13.821	Other specified arthritis, right elbow	ICD-10-CM	Diagnosis
M13.841	Other specified arthritis, right hand	ICD-10-CM	Diagnosis
M13.851	Other specified arthritis, right hip	ICD-10-CM	Diagnosis
M13.861	Other specified arthritis, right knee	ICD-10-CM	Diagnosis
M13.811	Other specified arthritis, right shoulder	ICD-10-CM	Diagnosis
M13.831	Other specified arthritis, right wrist	ICD-10-CM	Diagnosis
M13.829	Other specified arthritis, unspecified elbow	ICD-10-CM	Diagnosis
M13.849	Other specified arthritis, unspecified hand	ICD-10-CM	Diagnosis
M13.859	Other specified arthritis, unspecified hip	ICD-10-CM	Diagnosis
M13.869	Other specified arthritis, unspecified knee	ICD-10-CM	Diagnosis
M13.819	Other specified arthritis, unspecified shoulder	ICD-10-CM	Diagnosis
M13.80	Other specified arthritis, unspecified site	ICD-10-CM	Diagnosis
M13.839	Other specified arthritis, unspecified wrist	ICD-10-CM	Diagnosis
M25.822	Other specified joint disorders, left elbow	ICD-10-CM	Diagnosis
M25.842	Other specified joint disorders, left hand	ICD-10-CM	Diagnosis
M25.852	Other specified joint disorders, left hip	ICD-10-CM	Diagnosis
M25.862	Other specified joint disorders, left knee	ICD-10-CM	Diagnosis
M25.812	Other specified joint disorders, left shoulder	ICD-10-CM	Diagnosis
M25.832	Other specified joint disorders, left wrist	ICD-10-CM	Diagnosis
M25.872	Other specified joint disorders, left ankle and foot	ICD-10-CM	Diagnosis
M25.821	Other specified joint disorders, right elbow	ICD-10-CM	Diagnosis
M25.841	Other specified joint disorders, right hand	ICD-10-CM	Diagnosis
M25.851	Other specified joint disorders, right hip	ICD-10-CM	Diagnosis
M25.861	Other specified joint disorders, right knee	ICD-10-CM	Diagnosis
M25.811	Other specified joint disorders, right shoulder	ICD-10-CM	Diagnosis
M25.831	Other specified joint disorders, right wrist	ICD-10-CM	Diagnosis
M25.871	Other specified joint disorders, right ankle and foot	ICD-10-CM	Diagnosis
M25.829	Other specified joint disorders, unspecified elbow	ICD-10-CM	Diagnosis
M25.80	Other specified joint disorders, unspecified joint	ICD-10-CM	Diagnosis
M25.819	Other specified joint disorders, unspecified shoulder	ICD-10-CM	Diagnosis
M25.839	Other specified joint disorders, unspecified wrist	ICD-10-CM	Diagnosis
M25.849	Other specified joint disorders, unspecified hand	ICD-10-CM	Diagnosis
M25.859	Other specified joint disorders, unspecified hip	ICD-10-CM	Diagnosis
M25.869	Other specified joint disorders, unspecified knee	ICD-10-CM	Diagnosis
M06.80	Other specified rheumatoid arthritis, unspecified site	ICD-10-CM	Diagnosis
M06.822	Other specified rheumatoid arthritis, left elbow	ICD-10-CM	Diagnosis
M06.842	Other specified rheumatoid arthritis, left hand	ICD-10-CM	Diagnosis
M06.852	Other specified rheumatoid arthritis, left hip	ICD-10-CM	Diagnosis
M06.862	Other specified rheumatoid arthritis, left knee	ICD-10-CM	Diagnosis
M06.832	Other specified rheumatoid arthritis, left wrist	ICD-10-CM	Diagnosis



**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
M06.821	Other specified rheumatoid arthritis, right elbow	ICD-10-CM	Diagnosis
M06.841	Other specified rheumatoid arthritis, right hand	ICD-10-CM	Diagnosis
M06.851	Other specified rheumatoid arthritis, right hip	ICD-10-CM	Diagnosis
M06.861	Other specified rheumatoid arthritis, right knee	ICD-10-CM	Diagnosis
M06.831	Other specified rheumatoid arthritis, right wrist	ICD-10-CM	Diagnosis
M06.859	Other specified rheumatoid arthritis, unspecified hip	ICD-10-CM	Diagnosis
M06.829	Other specified rheumatoid arthritis, unspecified elbow	ICD-10-CM	Diagnosis
M06.849	Other specified rheumatoid arthritis, unspecified hand	ICD-10-CM	Diagnosis
M06.869	Other specified rheumatoid arthritis, unspecified knee	ICD-10-CM	Diagnosis
M06.839	Other specified rheumatoid arthritis, unspecified wrist	ICD-10-CM	Diagnosis
M06.88	Other specified rheumatoid arthritis, vertebrae	ICD-10-CM	Diagnosis
M48.8X2	Other specified spondylopathies, cervical region	ICD-10-CM	Diagnosis
M48.8X6	Other specified spondylopathies, lumbar region	ICD-10-CM	Diagnosis
M48.8X9	Other specified spondylopathies, site unspecified	ICD-10-CM	Diagnosis
M48.8X4	Other specified spondylopathies, thoracic region	ICD-10-CM	Diagnosis
M17.5	Other unilateral secondary osteoarthritis of knee	ICD-10-CM	Diagnosis
M16.7	Other unilateral secondary osteoarthritis of hip	ICD-10-CM	Diagnosis
M25.542	Pain in joints of left hand	ICD-10-CM	Diagnosis
M25.541	Pain in joints of right hand	ICD-10-CM	Diagnosis
M25.549	Pain in joints of unspecified hand	ICD-10-CM	Diagnosis
M25.572	Pain in left ankle and joints of left foot	ICD-10-CM	Diagnosis
M25.522	Pain in left elbow	ICD-10-CM	Diagnosis
M25.552	Pain in left hip	ICD-10-CM	Diagnosis
M25.562	Pain in left knee	ICD-10-CM	Diagnosis
M25.512	Pain in left shoulder	ICD-10-CM	Diagnosis
M25.532	Pain in left wrist	ICD-10-CM	Diagnosis
M25.571	Pain in right ankle and joints of right foot	ICD-10-CM	Diagnosis
M25.521	Pain in right elbow	ICD-10-CM	Diagnosis
M25.551	Pain in right hip	ICD-10-CM	Diagnosis
M25.561	Pain in right knee	ICD-10-CM	Diagnosis
M25.511	Pain in right shoulder	ICD-10-CM	Diagnosis
M25.531	Pain in right wrist	ICD-10-CM	Diagnosis
M25.579	Pain in unspecified ankle and joints of unspecified foot	ICD-10-CM	Diagnosis
M25.529	Pain in unspecified elbow	ICD-10-CM	Diagnosis
M25.559	Pain in unspecified hip	ICD-10-CM	Diagnosis
M25.50	Pain in unspecified joint	ICD-10-CM	Diagnosis
M25.569	Pain in unspecified knee	ICD-10-CM	Diagnosis
M25.519	Pain in unspecified shoulder	ICD-10-CM	Diagnosis
M25.539	Pain in unspecified wrist	ICD-10-CM	Diagnosis
M12.372	Palindromic rheumatism, left ankle and foot	ICD-10-CM	Diagnosis
M12.322	Palindromic rheumatism, left elbow	ICD-10-CM	Diagnosis
M12.342	Palindromic rheumatism, left hand	ICD-10-CM	Diagnosis
M12.352	Palindromic rheumatism, left hip	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
M12.362	Palindromic rheumatism, left knee	ICD-10-CM	Diagnosis
M12.312	Palindromic rheumatism, left shoulder	ICD-10-CM	Diagnosis
M12.332	Palindromic rheumatism, left wrist	ICD-10-CM	Diagnosis
M12.39	Palindromic rheumatism, multiple sites	ICD-10-CM	Diagnosis
M12.38	Palindromic rheumatism, other specified site	ICD-10-CM	Diagnosis
M12.371	Palindromic rheumatism, right ankle and foot	ICD-10-CM	Diagnosis
M12.321	Palindromic rheumatism, right elbow	ICD-10-CM	Diagnosis
M12.341	Palindromic rheumatism, right hand	ICD-10-CM	Diagnosis
M12.351	Palindromic rheumatism, right hip	ICD-10-CM	Diagnosis
M12.361	Palindromic rheumatism, right knee	ICD-10-CM	Diagnosis
M12.311	Palindromic rheumatism, right shoulder	ICD-10-CM	Diagnosis
M12.331	Palindromic rheumatism, right wrist	ICD-10-CM	Diagnosis
M12.379	Palindromic rheumatism, unspecified ankle and foot	ICD-10-CM	Diagnosis
M12.329	Palindromic rheumatism, unspecified elbow	ICD-10-CM	Diagnosis
M12.349	Palindromic rheumatism, unspecified hand	ICD-10-CM	Diagnosis
M12.359	Palindromic rheumatism, unspecified hip	ICD-10-CM	Diagnosis
M12.369	Palindromic rheumatism, unspecified knee	ICD-10-CM	Diagnosis
M12.319	Palindromic rheumatism, unspecified shoulder	ICD-10-CM	Diagnosis
M12.30	Palindromic rheumatism, unspecified site	ICD-10-CM	Diagnosis
M12.339	Palindromic rheumatism, unspecified wrist	ICD-10-CM	Diagnosis
M24.372	Pathological dislocation of left ankle, not elsewhere classified	ICD-10-CM	Diagnosis
M24.322	Pathological dislocation of left elbow, not elsewhere classified	ICD-10-CM	Diagnosis
M24.375	Pathological dislocation of left foot, not elsewhere classified	ICD-10-CM	Diagnosis
M24.342	Pathological dislocation of left hand, not elsewhere classified	ICD-10-CM	Diagnosis
M24.352	Pathological dislocation of left hip, not elsewhere classified	ICD-10-CM	Diagnosis
M24.362	Pathological dislocation of left knee, not elsewhere classified	ICD-10-CM	Diagnosis
M24.312	Pathological dislocation of left shoulder, not elsewhere classified	ICD-10-CM	Diagnosis
M24.332	Pathological dislocation of left wrist, not elsewhere classified	ICD-10-CM	Diagnosis
M24.371	Pathological dislocation of right ankle, not elsewhere classified	ICD-10-CM	Diagnosis
M24.321	Pathological dislocation of right elbow, not elsewhere classified	ICD-10-CM	Diagnosis
M24.374	Pathological dislocation of right foot, not elsewhere classified	ICD-10-CM	Diagnosis
M24.341	Pathological dislocation of right hand, not elsewhere classified	ICD-10-CM	Diagnosis
M24.351	Pathological dislocation of right hip, not elsewhere classified	ICD-10-CM	Diagnosis
M24.361	Pathological dislocation of right knee, not elsewhere classified	ICD-10-CM	Diagnosis
M24.311	Pathological dislocation of right shoulder, not elsewhere classified	ICD-10-CM	Diagnosis
M24.331	Pathological dislocation of right wrist, not elsewhere classified	ICD-10-CM	Diagnosis
M24.376	Pathological dislocation of unspecified foot, not elsewhere classified	ICD-10-CM	Diagnosis
M24.349	Pathological dislocation of unspecified hand, not elsewhere classified	ICD-10-CM	Diagnosis
M24.359	Pathological dislocation of unspecified hip, not elsewhere classified	ICD-10-CM	Diagnosis
M24.369	Pathological dislocation of unspecified knee, not elsewhere classified	ICD-10-CM	Diagnosis
M24.319	Pathological dislocation of unspecified shoulder, not elsewhere classified	ICD-10-CM	Diagnosis
M24.373	Pathological dislocation of unspecified ankle, not elsewhere classified	ICD-10-CM	Diagnosis
M24.329	Pathological dislocation of unspecified elbow, not elsewhere classified	ICD-10-CM	Diagnosis



**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
M24.30	Pathological dislocation of unspecified joint, not elsewhere classified	ICD-10-CM	Diagnosis
M24.339	Pathological dislocation of unspecified wrist, not elsewhere classified	ICD-10-CM	Diagnosis
M08.472	Pauciarticular juvenile rheumatoid arthritis, left ankle and foot	ICD-10-CM	Diagnosis
M08.422	Pauciarticular juvenile rheumatoid arthritis, left elbow	ICD-10-CM	Diagnosis
M08.442	Pauciarticular juvenile rheumatoid arthritis, left hand	ICD-10-CM	Diagnosis
M08.452	Pauciarticular juvenile rheumatoid arthritis, left hip	ICD-10-CM	Diagnosis
M08.462	Pauciarticular juvenile rheumatoid arthritis, left knee	ICD-10-CM	Diagnosis
M08.412	Pauciarticular juvenile rheumatoid arthritis, left shoulder	ICD-10-CM	Diagnosis
M08.432	Pauciarticular juvenile rheumatoid arthritis, left wrist	ICD-10-CM	Diagnosis
M08.471	Pauciarticular juvenile rheumatoid arthritis, right ankle and foot	ICD-10-CM	Diagnosis
M08.421	Pauciarticular juvenile rheumatoid arthritis, right elbow	ICD-10-CM	Diagnosis
M08.441	Pauciarticular juvenile rheumatoid arthritis, right hand	ICD-10-CM	Diagnosis
M08.451	Pauciarticular juvenile rheumatoid arthritis, right hip	ICD-10-CM	Diagnosis
M08.461	Pauciarticular juvenile rheumatoid arthritis, right knee	ICD-10-CM	Diagnosis
M08.411	Pauciarticular juvenile rheumatoid arthritis, right shoulder	ICD-10-CM	Diagnosis
M08.431	Pauciarticular juvenile rheumatoid arthritis, right wrist	ICD-10-CM	Diagnosis
M08.479	Pauciarticular juvenile rheumatoid arthritis, unspecified ankle and foot	ICD-10-CM	Diagnosis
M08.429	Pauciarticular juvenile rheumatoid arthritis, unspecified elbow	ICD-10-CM	Diagnosis
M08.449	Pauciarticular juvenile rheumatoid arthritis, unspecified hand	ICD-10-CM	Diagnosis
M08.459	Pauciarticular juvenile rheumatoid arthritis, unspecified hip	ICD-10-CM	Diagnosis
M08.469	Pauciarticular juvenile rheumatoid arthritis, unspecified knee	ICD-10-CM	Diagnosis
M08.419	Pauciarticular juvenile rheumatoid arthritis, unspecified shoulder	ICD-10-CM	Diagnosis
M08.40	Pauciarticular juvenile rheumatoid arthritis, unspecified site	ICD-10-CM	Diagnosis
M08.439	Pauciarticular juvenile rheumatoid arthritis, unspecified wrist	ICD-10-CM	Diagnosis
M08.48	Pauciarticular juvenile rheumatoid arthritis, vertebrae	ICD-10-CM	Diagnosis
M13.0	Polyarthritis, unspecified	ICD-10-CM	Diagnosis
M15.9	Polyosteoarthritis, unspecified	ICD-10-CM	Diagnosis
M19.172	Post-traumatic osteoarthritis, left ankle and foot	ICD-10-CM	Diagnosis
M19.122	Post-traumatic osteoarthritis, left elbow	ICD-10-CM	Diagnosis
M19.142	Post-traumatic osteoarthritis, left hand	ICD-10-CM	Diagnosis
M19.112	Post-traumatic osteoarthritis, left shoulder	ICD-10-CM	Diagnosis
M19.132	Post-traumatic osteoarthritis, left wrist	ICD-10-CM	Diagnosis
M19.171	Post-traumatic osteoarthritis, right ankle and foot	ICD-10-CM	Diagnosis
M19.121	Post-traumatic osteoarthritis, right elbow	ICD-10-CM	Diagnosis
M19.141	Post-traumatic osteoarthritis, right hand	ICD-10-CM	Diagnosis
M19.111	Post-traumatic osteoarthritis, right shoulder	ICD-10-CM	Diagnosis
M19.131	Post-traumatic osteoarthritis, right wrist	ICD-10-CM	Diagnosis
M19.179	Post-traumatic osteoarthritis, unspecified ankle and foot	ICD-10-CM	Diagnosis
M19.119	Post-traumatic osteoarthritis, unspecified shoulder	ICD-10-CM	Diagnosis
M19.129	Post-traumatic osteoarthritis, unspecified elbow	ICD-10-CM	Diagnosis
M19.149	Post-traumatic osteoarthritis, unspecified hand	ICD-10-CM	Diagnosis
M19.92	Post-traumatic osteoarthritis, unspecified site	ICD-10-CM	Diagnosis
M19.139	Post-traumatic osteoarthritis, unspecified wrist	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
M02.272	Postimmunization arthropathy, left ankle and foot	ICD-10-CM	Diagnosis
M02.222	Postimmunization arthropathy, left elbow	ICD-10-CM	Diagnosis
M02.242	Postimmunization arthropathy, left hand	ICD-10-CM	Diagnosis
M02.252	Postimmunization arthropathy, left hip	ICD-10-CM	Diagnosis
M02.262	Postimmunization arthropathy, left knee	ICD-10-CM	Diagnosis
M02.212	Postimmunization arthropathy, left shoulder	ICD-10-CM	Diagnosis
M02.232	Postimmunization arthropathy, left wrist	ICD-10-CM	Diagnosis
M02.29	Postimmunization arthropathy, multiple sites	ICD-10-CM	Diagnosis
M02.271	Postimmunization arthropathy, right ankle and foot	ICD-10-CM	Diagnosis
M02.221	Postimmunization arthropathy, right elbow	ICD-10-CM	Diagnosis
M02.241	Postimmunization arthropathy, right hand	ICD-10-CM	Diagnosis
M02.251	Postimmunization arthropathy, right hip	ICD-10-CM	Diagnosis
M02.261	Postimmunization arthropathy, right knee	ICD-10-CM	Diagnosis
M02.211	Postimmunization arthropathy, right shoulder	ICD-10-CM	Diagnosis
M02.231	Postimmunization arthropathy, right wrist	ICD-10-CM	Diagnosis
M02.279	Postimmunization arthropathy, unspecified ankle and foot	ICD-10-CM	Diagnosis
M02.219	Postimmunization arthropathy, unspecified shoulder	ICD-10-CM	Diagnosis
M02.229	Postimmunization arthropathy, unspecified elbow	ICD-10-CM	Diagnosis
M02.249	Postimmunization arthropathy, unspecified hand	ICD-10-CM	Diagnosis
M02.259	Postimmunization arthropathy, unspecified hip	ICD-10-CM	Diagnosis
M02.269	Postimmunization arthropathy, unspecified knee	ICD-10-CM	Diagnosis
M02.20	Postimmunization arthropathy, unspecified site	ICD-10-CM	Diagnosis
M02.239	Postimmunization arthropathy, unspecified wrist	ICD-10-CM	Diagnosis
M02.28	Postimmunization arthropathy, vertebrae	ICD-10-CM	Diagnosis
M15.0	Primary generalized (osteo)arthritis	ICD-10-CM	Diagnosis
M19.072	Primary osteoarthritis, left ankle and foot	ICD-10-CM	Diagnosis
M19.022	Primary osteoarthritis, left elbow	ICD-10-CM	Diagnosis
M19.042	Primary osteoarthritis, left hand	ICD-10-CM	Diagnosis
M19.012	Primary osteoarthritis, left shoulder	ICD-10-CM	Diagnosis
M19.032	Primary osteoarthritis, left wrist	ICD-10-CM	Diagnosis
M19.071	Primary osteoarthritis, right ankle and foot	ICD-10-CM	Diagnosis
M19.021	Primary osteoarthritis, right elbow	ICD-10-CM	Diagnosis
M19.041	Primary osteoarthritis, right hand	ICD-10-CM	Diagnosis
M19.011	Primary osteoarthritis, right shoulder	ICD-10-CM	Diagnosis
M19.031	Primary osteoarthritis, right wrist	ICD-10-CM	Diagnosis
M19.079	Primary osteoarthritis, unspecified ankle and foot	ICD-10-CM	Diagnosis
M19.029	Primary osteoarthritis, unspecified elbow	ICD-10-CM	Diagnosis
M19.049	Primary osteoarthritis, unspecified hand	ICD-10-CM	Diagnosis
M19.019	Primary osteoarthritis, unspecified shoulder	ICD-10-CM	Diagnosis
M19.91	Primary osteoarthritis, unspecified site	ICD-10-CM	Diagnosis
M19.039	Primary osteoarthritis, unspecified wrist	ICD-10-CM	Diagnosis
M24.7	Protrusio acetabuli	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
M05.672	Rheumatoid arthritis of left ankle and foot with involvement of other organs and systems	ICD-10-CM	Diagnosis
M05.622	Rheumatoid arthritis of left elbow with involvement of other organs and systems	ICD-10-CM	Diagnosis
M05.642	Rheumatoid arthritis of left hand with involvement of other organs and systems	ICD-10-CM	Diagnosis
M05.652	Rheumatoid arthritis of left hip with involvement of other organs and systems	ICD-10-CM	Diagnosis
M05.662	Rheumatoid arthritis of left knee with involvement of other organs and systems	ICD-10-CM	Diagnosis
M05.612	Rheumatoid arthritis of left shoulder with involvement of other organs and systems	ICD-10-CM	Diagnosis
M05.632	Rheumatoid arthritis of left wrist with involvement of other organs and systems	ICD-10-CM	Diagnosis
M05.69	Rheumatoid arthritis of multiple sites with involvement of other organs and systems	ICD-10-CM	Diagnosis
M05.671	Rheumatoid arthritis of right ankle and foot with involvement of other organs and systems	ICD-10-CM	Diagnosis
M05.621	Rheumatoid arthritis of right elbow with involvement of other organs and systems	ICD-10-CM	Diagnosis
M05.641	Rheumatoid arthritis of right hand with involvement of other organs and systems	ICD-10-CM	Diagnosis
M05.651	Rheumatoid arthritis of right hip with involvement of other organs and systems	ICD-10-CM	Diagnosis
M05.661	Rheumatoid arthritis of right knee with involvement of other organs and systems	ICD-10-CM	Diagnosis
M05.611	Rheumatoid arthritis of right shoulder with involvement of other organs and systems	ICD-10-CM	Diagnosis
M05.631	Rheumatoid arthritis of right wrist with involvement of other organs and systems	ICD-10-CM	Diagnosis
M05.679	Rheumatoid arthritis of unspecified ankle and foot with involvement of other organs and systems	ICD-10-CM	Diagnosis
M05.629	Rheumatoid arthritis of unspecified elbow with involvement of other organs and systems	ICD-10-CM	Diagnosis
M05.649	Rheumatoid arthritis of unspecified hand with involvement of other organs and systems	ICD-10-CM	Diagnosis
M05.659	Rheumatoid arthritis of unspecified hip with involvement of other organs and systems	ICD-10-CM	Diagnosis
M05.669	Rheumatoid arthritis of unspecified knee with involvement of other organs and systems	ICD-10-CM	Diagnosis
M05.619	Rheumatoid arthritis of unspecified shoulder with involvement of other organs and systems	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
M05.60	Rheumatoid arthritis of unspecified site with involvement of other organs and systems	ICD-10-CM	Diagnosis
M05.639	Rheumatoid arthritis of unspecified wrist with involvement of other organs and systems	ICD-10-CM	Diagnosis
M05.772	Rheumatoid arthritis with rheumatoid factor of left ankle and foot without organ or systems involvement	ICD-10-CM	Diagnosis
M05.771	Rheumatoid arthritis with rheumatoid factor of right ankle and foot without organ or systems involvement	ICD-10-CM	Diagnosis
M05.779	Rheumatoid arthritis with rheumatoid factor of unspecified ankle and foot without organ or systems involvement	ICD-10-CM	Diagnosis
M05.722	Rheumatoid arthritis with rheumatoid factor of left elbow without organ or systems involvement	ICD-10-CM	Diagnosis
M05.742	Rheumatoid arthritis with rheumatoid factor of left hand without organ or systems involvement	ICD-10-CM	Diagnosis
M05.752	Rheumatoid arthritis with rheumatoid factor of left hip without organ or systems involvement	ICD-10-CM	Diagnosis
M05.762	Rheumatoid arthritis with rheumatoid factor of left knee without organ or systems involvement	ICD-10-CM	Diagnosis
M05.712	Rheumatoid arthritis with rheumatoid factor of left shoulder without organ or systems involvement	ICD-10-CM	Diagnosis
M05.732	Rheumatoid arthritis with rheumatoid factor of left wrist without organ or systems involvement	ICD-10-CM	Diagnosis
M05.79	Rheumatoid arthritis with rheumatoid factor of multiple sites without organ or systems involvement	ICD-10-CM	Diagnosis
M05.721	Rheumatoid arthritis with rheumatoid factor of right elbow without organ or systems involvement	ICD-10-CM	Diagnosis
M05.741	Rheumatoid arthritis with rheumatoid factor of right hand without organ or systems involvement	ICD-10-CM	Diagnosis
M05.751	Rheumatoid arthritis with rheumatoid factor of right hip without organ or systems involvement	ICD-10-CM	Diagnosis
M05.761	Rheumatoid arthritis with rheumatoid factor of right knee without organ or systems involvement	ICD-10-CM	Diagnosis
M05.711	Rheumatoid arthritis with rheumatoid factor of right shoulder without organ or systems involvement	ICD-10-CM	Diagnosis
M05.731	Rheumatoid arthritis with rheumatoid factor of right wrist without organ or systems involvement	ICD-10-CM	Diagnosis
M05.729	Rheumatoid arthritis with rheumatoid factor of unspecified elbow without organ or systems involvement	ICD-10-CM	Diagnosis
M05.749	Rheumatoid arthritis with rheumatoid factor of unspecified hand without organ or systems involvement	ICD-10-CM	Diagnosis
M05.759	Rheumatoid arthritis with rheumatoid factor of unspecified hip without organ or systems involvement	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
M05.769	Rheumatoid arthritis with rheumatoid factor of unspecified knee without organ or systems involvement	ICD-10-CM	Diagnosis
M05.719	Rheumatoid arthritis with rheumatoid factor of unspecified shoulder without organ or systems involvement	ICD-10-CM	Diagnosis
M05.70	Rheumatoid arthritis with rheumatoid factor of unspecified site without organ or systems involvement	ICD-10-CM	Diagnosis
M05.739	Rheumatoid arthritis with rheumatoid factor of unspecified wrist without organ or systems involvement	ICD-10-CM	Diagnosis
M05.9	Rheumatoid arthritis with rheumatoid factor, unspecified	ICD-10-CM	Diagnosis
M06.072	Rheumatoid arthritis without rheumatoid factor, left ankle and foot	ICD-10-CM	Diagnosis
M06.022	Rheumatoid arthritis without rheumatoid factor, left elbow	ICD-10-CM	Diagnosis
M06.042	Rheumatoid arthritis without rheumatoid factor, left hand	ICD-10-CM	Diagnosis
M06.052	Rheumatoid arthritis without rheumatoid factor, left hip	ICD-10-CM	Diagnosis
M06.062	Rheumatoid arthritis without rheumatoid factor, left knee	ICD-10-CM	Diagnosis
M06.012	Rheumatoid arthritis without rheumatoid factor, left shoulder	ICD-10-CM	Diagnosis
M06.032	Rheumatoid arthritis without rheumatoid factor, left wrist	ICD-10-CM	Diagnosis
M06.09	Rheumatoid arthritis without rheumatoid factor, multiple sites	ICD-10-CM	Diagnosis
M06.071	Rheumatoid arthritis without rheumatoid factor, right ankle and foot	ICD-10-CM	Diagnosis
M06.021	Rheumatoid arthritis without rheumatoid factor, right elbow	ICD-10-CM	Diagnosis
M06.041	Rheumatoid arthritis without rheumatoid factor, right hand	ICD-10-CM	Diagnosis
M06.051	Rheumatoid arthritis without rheumatoid factor, right hip	ICD-10-CM	Diagnosis
M06.061	Rheumatoid arthritis without rheumatoid factor, right knee	ICD-10-CM	Diagnosis
M06.011	Rheumatoid arthritis without rheumatoid factor, right shoulder	ICD-10-CM	Diagnosis
M06.031	Rheumatoid arthritis without rheumatoid factor, right wrist	ICD-10-CM	Diagnosis
M06.079	Rheumatoid arthritis without rheumatoid factor, unspecified ankle and foot	ICD-10-CM	Diagnosis
M06.019	Rheumatoid arthritis without rheumatoid factor, unspecified shoulder	ICD-10-CM	Diagnosis
M06.029	Rheumatoid arthritis without rheumatoid factor, unspecified elbow	ICD-10-CM	Diagnosis
M06.049	Rheumatoid arthritis without rheumatoid factor, unspecified hand	ICD-10-CM	Diagnosis
M06.059	Rheumatoid arthritis without rheumatoid factor, unspecified hip	ICD-10-CM	Diagnosis
M06.069	Rheumatoid arthritis without rheumatoid factor, unspecified knee	ICD-10-CM	Diagnosis
M06.00	Rheumatoid arthritis without rheumatoid factor, unspecified site	ICD-10-CM	Diagnosis
M06.039	Rheumatoid arthritis without rheumatoid factor, unspecified wrist	ICD-10-CM	Diagnosis
M06.08	Rheumatoid arthritis without rheumatoid factor, vertebrae	ICD-10-CM	Diagnosis
M06.9	Rheumatoid arthritis, unspecified	ICD-10-CM	Diagnosis
M06.272	Rheumatoid bursitis, left ankle and foot	ICD-10-CM	Diagnosis
M06.222	Rheumatoid bursitis, left elbow	ICD-10-CM	Diagnosis
M06.242	Rheumatoid bursitis, left hand	ICD-10-CM	Diagnosis
M06.252	Rheumatoid bursitis, left hip	ICD-10-CM	Diagnosis
M06.262	Rheumatoid bursitis, left knee	ICD-10-CM	Diagnosis
M06.212	Rheumatoid bursitis, left shoulder	ICD-10-CM	Diagnosis
M06.232	Rheumatoid bursitis, left wrist	ICD-10-CM	Diagnosis
M06.29	Rheumatoid bursitis, multiple sites	ICD-10-CM	Diagnosis
M06.271	Rheumatoid bursitis, right ankle and foot	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
M06.221	Rheumatoid bursitis, right elbow	ICD-10-CM	Diagnosis
M06.241	Rheumatoid bursitis, right hand	ICD-10-CM	Diagnosis
M06.251	Rheumatoid bursitis, right hip	ICD-10-CM	Diagnosis
M06.261	Rheumatoid bursitis, right knee	ICD-10-CM	Diagnosis
M06.211	Rheumatoid bursitis, right shoulder	ICD-10-CM	Diagnosis
M06.231	Rheumatoid bursitis, right wrist	ICD-10-CM	Diagnosis
M06.279	Rheumatoid bursitis, unspecified ankle and foot	ICD-10-CM	Diagnosis
M06.229	Rheumatoid bursitis, unspecified elbow	ICD-10-CM	Diagnosis
M06.249	Rheumatoid bursitis, unspecified hand	ICD-10-CM	Diagnosis
M06.259	Rheumatoid bursitis, unspecified hip	ICD-10-CM	Diagnosis
M06.269	Rheumatoid bursitis, unspecified knee	ICD-10-CM	Diagnosis
M06.219	Rheumatoid bursitis, unspecified shoulder	ICD-10-CM	Diagnosis
M06.20	Rheumatoid bursitis, unspecified site	ICD-10-CM	Diagnosis
M06.239	Rheumatoid bursitis, unspecified wrist	ICD-10-CM	Diagnosis
M06.28	Rheumatoid bursitis, vertebrae	ICD-10-CM	Diagnosis
M05.372	Rheumatoid heart disease with rheumatoid arthritis of left ankle and foot	ICD-10-CM	Diagnosis
M05.329	Rheumatoid heart disease with rheumatoid arthritis of unspecified elbow	ICD-10-CM	Diagnosis
M05.349	Rheumatoid heart disease with rheumatoid arthritis of unspecified hand	ICD-10-CM	Diagnosis
M05.369	Rheumatoid heart disease with rheumatoid arthritis of unspecified knee	ICD-10-CM	Diagnosis
M05.30	Rheumatoid heart disease with rheumatoid arthritis of unspecified site	ICD-10-CM	Diagnosis
M05.339	Rheumatoid heart disease with rheumatoid arthritis of unspecified wrist	ICD-10-CM	Diagnosis
M05.371	Rheumatoid heart disease with rheumatoid arthritis of right ankle and foot	ICD-10-CM	Diagnosis
M05.379	Rheumatoid heart disease with rheumatoid arthritis of unspecified ankle and foot	ICD-10-CM	Diagnosis
M05.319	Rheumatoid heart disease with rheumatoid arthritis of unspecified shoulder	ICD-10-CM	Diagnosis
M05.322	Rheumatoid heart disease with rheumatoid arthritis of left elbow	ICD-10-CM	Diagnosis
M05.342	Rheumatoid heart disease with rheumatoid arthritis of left hand	ICD-10-CM	Diagnosis
M05.352	Rheumatoid heart disease with rheumatoid arthritis of left hip	ICD-10-CM	Diagnosis
M05.362	Rheumatoid heart disease with rheumatoid arthritis of left knee	ICD-10-CM	Diagnosis
M05.312	Rheumatoid heart disease with rheumatoid arthritis of left shoulder	ICD-10-CM	Diagnosis
M05.332	Rheumatoid heart disease with rheumatoid arthritis of left wrist	ICD-10-CM	Diagnosis
M05.39	Rheumatoid heart disease with rheumatoid arthritis of multiple sites	ICD-10-CM	Diagnosis
M05.321	Rheumatoid heart disease with rheumatoid arthritis of right elbow	ICD-10-CM	Diagnosis
M05.341	Rheumatoid heart disease with rheumatoid arthritis of right hand	ICD-10-CM	Diagnosis
M05.351	Rheumatoid heart disease with rheumatoid arthritis of right hip	ICD-10-CM	Diagnosis
M05.361	Rheumatoid heart disease with rheumatoid arthritis of right knee	ICD-10-CM	Diagnosis
M05.311	Rheumatoid heart disease with rheumatoid arthritis of right shoulder	ICD-10-CM	Diagnosis
M05.331	Rheumatoid heart disease with rheumatoid arthritis of right wrist	ICD-10-CM	Diagnosis
M05.359	Rheumatoid heart disease with rheumatoid arthritis of unspecified hip	ICD-10-CM	Diagnosis
M05.172	Rheumatoid lung disease with rheumatoid arthritis of left ankle and foot	ICD-10-CM	Diagnosis
M05.171	Rheumatoid lung disease with rheumatoid arthritis of right ankle and foot	ICD-10-CM	Diagnosis
M05.129	Rheumatoid lung disease with rheumatoid arthritis of unspecified elbow	ICD-10-CM	Diagnosis
M05.139	Rheumatoid lung disease with rheumatoid arthritis of unspecified wrist	ICD-10-CM	Diagnosis



**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
M05.179	Rheumatoid lung disease with rheumatoid arthritis of unspecified ankle and foot	ICD-10-CM	Diagnosis
M05.119	Rheumatoid lung disease with rheumatoid arthritis of unspecified shoulder	ICD-10-CM	Diagnosis
M05.122	Rheumatoid lung disease with rheumatoid arthritis of left elbow	ICD-10-CM	Diagnosis
M05.142	Rheumatoid lung disease with rheumatoid arthritis of left hand	ICD-10-CM	Diagnosis
M05.152	Rheumatoid lung disease with rheumatoid arthritis of left hip	ICD-10-CM	Diagnosis
M05.162	Rheumatoid lung disease with rheumatoid arthritis of left knee	ICD-10-CM	Diagnosis
M05.112	Rheumatoid lung disease with rheumatoid arthritis of left shoulder	ICD-10-CM	Diagnosis
M05.132	Rheumatoid lung disease with rheumatoid arthritis of left wrist	ICD-10-CM	Diagnosis
M05.19	Rheumatoid lung disease with rheumatoid arthritis of multiple sites	ICD-10-CM	Diagnosis
M05.121	Rheumatoid lung disease with rheumatoid arthritis of right elbow	ICD-10-CM	Diagnosis
M05.141	Rheumatoid lung disease with rheumatoid arthritis of right hand	ICD-10-CM	Diagnosis
M05.151	Rheumatoid lung disease with rheumatoid arthritis of right hip	ICD-10-CM	Diagnosis
M05.161	Rheumatoid lung disease with rheumatoid arthritis of right knee	ICD-10-CM	Diagnosis
M05.111	Rheumatoid lung disease with rheumatoid arthritis of right shoulder	ICD-10-CM	Diagnosis
M05.131	Rheumatoid lung disease with rheumatoid arthritis of right wrist	ICD-10-CM	Diagnosis
M05.149	Rheumatoid lung disease with rheumatoid arthritis of unspecified hand	ICD-10-CM	Diagnosis
M05.159	Rheumatoid lung disease with rheumatoid arthritis of unspecified hip	ICD-10-CM	Diagnosis
M05.169	Rheumatoid lung disease with rheumatoid arthritis of unspecified knee	ICD-10-CM	Diagnosis
M05.10	Rheumatoid lung disease with rheumatoid arthritis of unspecified site	ICD-10-CM	Diagnosis
M05.479	Rheumatoid myopathy with rheumatoid arthritis of unspecified ankle and foot	ICD-10-CM	Diagnosis
M05.472	Rheumatoid myopathy with rheumatoid arthritis of left ankle and foot	ICD-10-CM	Diagnosis
M05.422	Rheumatoid myopathy with rheumatoid arthritis of left elbow	ICD-10-CM	Diagnosis
M05.442	Rheumatoid myopathy with rheumatoid arthritis of left hand	ICD-10-CM	Diagnosis
M05.452	Rheumatoid myopathy with rheumatoid arthritis of left hip	ICD-10-CM	Diagnosis
M05.462	Rheumatoid myopathy with rheumatoid arthritis of left knee	ICD-10-CM	Diagnosis
M05.412	Rheumatoid myopathy with rheumatoid arthritis of left shoulder	ICD-10-CM	Diagnosis
M05.432	Rheumatoid myopathy with rheumatoid arthritis of left wrist	ICD-10-CM	Diagnosis
M05.49	Rheumatoid myopathy with rheumatoid arthritis of multiple sites	ICD-10-CM	Diagnosis
M05.471	Rheumatoid myopathy with rheumatoid arthritis of right ankle and foot	ICD-10-CM	Diagnosis
M05.421	Rheumatoid myopathy with rheumatoid arthritis of right elbow	ICD-10-CM	Diagnosis
M05.441	Rheumatoid myopathy with rheumatoid arthritis of right hand	ICD-10-CM	Diagnosis
M05.451	Rheumatoid myopathy with rheumatoid arthritis of right hip	ICD-10-CM	Diagnosis
M05.461	Rheumatoid myopathy with rheumatoid arthritis of right knee	ICD-10-CM	Diagnosis
M05.411	Rheumatoid myopathy with rheumatoid arthritis of right shoulder	ICD-10-CM	Diagnosis
M05.431	Rheumatoid myopathy with rheumatoid arthritis of right wrist	ICD-10-CM	Diagnosis
M05.429	Rheumatoid myopathy with rheumatoid arthritis of unspecified elbow	ICD-10-CM	Diagnosis
M05.449	Rheumatoid myopathy with rheumatoid arthritis of unspecified hand	ICD-10-CM	Diagnosis
M05.459	Rheumatoid myopathy with rheumatoid arthritis of unspecified hip	ICD-10-CM	Diagnosis
M05.469	Rheumatoid myopathy with rheumatoid arthritis of unspecified knee	ICD-10-CM	Diagnosis
M05.419	Rheumatoid myopathy with rheumatoid arthritis of unspecified shoulder	ICD-10-CM	Diagnosis



**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
M05.40	Rheumatoid myopathy with rheumatoid arthritis of unspecified site	ICD-10-CM	Diagnosis
M05.439	Rheumatoid myopathy with rheumatoid arthritis of unspecified wrist	ICD-10-CM	Diagnosis
M06.372	Rheumatoid nodule, left ankle and foot	ICD-10-CM	Diagnosis
M06.322	Rheumatoid nodule, left elbow	ICD-10-CM	Diagnosis
M06.342	Rheumatoid nodule, left hand	ICD-10-CM	Diagnosis
M06.352	Rheumatoid nodule, left hip	ICD-10-CM	Diagnosis
M06.362	Rheumatoid nodule, left knee	ICD-10-CM	Diagnosis
M06.312	Rheumatoid nodule, left shoulder	ICD-10-CM	Diagnosis
M06.332	Rheumatoid nodule, left wrist	ICD-10-CM	Diagnosis
M06.39	Rheumatoid nodule, multiple sites	ICD-10-CM	Diagnosis
M06.371	Rheumatoid nodule, right ankle and foot	ICD-10-CM	Diagnosis
M06.321	Rheumatoid nodule, right elbow	ICD-10-CM	Diagnosis
M06.341	Rheumatoid nodule, right hand	ICD-10-CM	Diagnosis
M06.351	Rheumatoid nodule, right hip	ICD-10-CM	Diagnosis
M06.361	Rheumatoid nodule, right knee	ICD-10-CM	Diagnosis
M06.311	Rheumatoid nodule, right shoulder	ICD-10-CM	Diagnosis
M06.331	Rheumatoid nodule, right wrist	ICD-10-CM	Diagnosis
M06.379	Rheumatoid nodule, unspecified ankle and foot	ICD-10-CM	Diagnosis
M06.329	Rheumatoid nodule, unspecified elbow	ICD-10-CM	Diagnosis
M06.349	Rheumatoid nodule, unspecified hand	ICD-10-CM	Diagnosis
M06.359	Rheumatoid nodule, unspecified hip	ICD-10-CM	Diagnosis
M06.369	Rheumatoid nodule, unspecified knee	ICD-10-CM	Diagnosis
M06.319	Rheumatoid nodule, unspecified shoulder	ICD-10-CM	Diagnosis
M06.30	Rheumatoid nodule, unspecified site	ICD-10-CM	Diagnosis
M06.339	Rheumatoid nodule, unspecified wrist	ICD-10-CM	Diagnosis
M06.38	Rheumatoid nodule, vertebrae	ICD-10-CM	Diagnosis
M05.549	Rheumatoid polyneuropathy with rheumatoid arthritis of unspecified hand	ICD-10-CM	Diagnosis
M05.559	Rheumatoid polyneuropathy with rheumatoid arthritis of unspecified hip	ICD-10-CM	Diagnosis
M05.569	Rheumatoid polyneuropathy with rheumatoid arthritis of unspecified knee	ICD-10-CM	Diagnosis
M05.50	Rheumatoid polyneuropathy with rheumatoid arthritis of unspecified site	ICD-10-CM	Diagnosis
M05.572	Rheumatoid polyneuropathy with rheumatoid arthritis of left ankle and foot	ICD-10-CM	Diagnosis
M05.571	Rheumatoid polyneuropathy with rheumatoid arthritis of right ankle and foot	ICD-10-CM	Diagnosis
M05.579	Rheumatoid polyneuropathy with rheumatoid arthritis of unspecified ankle and foot	ICD-10-CM	Diagnosis
M05.529	Rheumatoid polyneuropathy with rheumatoid arthritis of unspecified elbow	ICD-10-CM	Diagnosis
M05.519	Rheumatoid polyneuropathy with rheumatoid arthritis of unspecified shoulder	ICD-10-CM	Diagnosis
M05.539	Rheumatoid polyneuropathy with rheumatoid arthritis of unspecified wrist	ICD-10-CM	Diagnosis
M05.522	Rheumatoid polyneuropathy with rheumatoid arthritis of left elbow	ICD-10-CM	Diagnosis
M05.542	Rheumatoid polyneuropathy with rheumatoid arthritis of left hand	ICD-10-CM	Diagnosis
M05.552	Rheumatoid polyneuropathy with rheumatoid arthritis of left hip	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
M05.562	Rheumatoid polyneuropathy with rheumatoid arthritis of left knee	ICD-10-CM	Diagnosis
M05.512	Rheumatoid polyneuropathy with rheumatoid arthritis of left shoulder	ICD-10-CM	Diagnosis
M05.532	Rheumatoid polyneuropathy with rheumatoid arthritis of left wrist	ICD-10-CM	Diagnosis
M05.59	Rheumatoid polyneuropathy with rheumatoid arthritis of multiple sites	ICD-10-CM	Diagnosis
M05.521	Rheumatoid polyneuropathy with rheumatoid arthritis of right elbow	ICD-10-CM	Diagnosis
M05.541	Rheumatoid polyneuropathy with rheumatoid arthritis of right hand	ICD-10-CM	Diagnosis
M05.551	Rheumatoid polyneuropathy with rheumatoid arthritis of right hip	ICD-10-CM	Diagnosis
M05.561	Rheumatoid polyneuropathy with rheumatoid arthritis of right knee	ICD-10-CM	Diagnosis
M05.511	Rheumatoid polyneuropathy with rheumatoid arthritis of right shoulder	ICD-10-CM	Diagnosis
M05.531	Rheumatoid polyneuropathy with rheumatoid arthritis of right wrist	ICD-10-CM	Diagnosis
M05.219	Rheumatoid vasculitis with rheumatoid arthritis of unspecified shoulder	ICD-10-CM	Diagnosis
M05.279	Rheumatoid vasculitis with rheumatoid arthritis of unspecified ankle and foot	ICD-10-CM	Diagnosis
M05.272	Rheumatoid vasculitis with rheumatoid arthritis of left ankle and foot	ICD-10-CM	Diagnosis
M05.222	Rheumatoid vasculitis with rheumatoid arthritis of left elbow	ICD-10-CM	Diagnosis
M05.242	Rheumatoid vasculitis with rheumatoid arthritis of left hand	ICD-10-CM	Diagnosis
M05.252	Rheumatoid vasculitis with rheumatoid arthritis of left hip	ICD-10-CM	Diagnosis
M05.262	Rheumatoid vasculitis with rheumatoid arthritis of left knee	ICD-10-CM	Diagnosis
M05.212	Rheumatoid vasculitis with rheumatoid arthritis of left shoulder	ICD-10-CM	Diagnosis
M05.232	Rheumatoid vasculitis with rheumatoid arthritis of left wrist	ICD-10-CM	Diagnosis
M05.29	Rheumatoid vasculitis with rheumatoid arthritis of multiple sites	ICD-10-CM	Diagnosis
M05.271	Rheumatoid vasculitis with rheumatoid arthritis of right ankle and foot	ICD-10-CM	Diagnosis
M05.221	Rheumatoid vasculitis with rheumatoid arthritis of right elbow	ICD-10-CM	Diagnosis
M05.241	Rheumatoid vasculitis with rheumatoid arthritis of right hand	ICD-10-CM	Diagnosis
M05.251	Rheumatoid vasculitis with rheumatoid arthritis of right hip	ICD-10-CM	Diagnosis
M05.261	Rheumatoid vasculitis with rheumatoid arthritis of right knee	ICD-10-CM	Diagnosis
M05.211	Rheumatoid vasculitis with rheumatoid arthritis of right shoulder	ICD-10-CM	Diagnosis
M05.231	Rheumatoid vasculitis with rheumatoid arthritis of right wrist	ICD-10-CM	Diagnosis
M05.229	Rheumatoid vasculitis with rheumatoid arthritis of unspecified elbow	ICD-10-CM	Diagnosis
M05.249	Rheumatoid vasculitis with rheumatoid arthritis of unspecified hand	ICD-10-CM	Diagnosis
M05.259	Rheumatoid vasculitis with rheumatoid arthritis of unspecified hip	ICD-10-CM	Diagnosis
M05.269	Rheumatoid vasculitis with rheumatoid arthritis of unspecified knee	ICD-10-CM	Diagnosis
M05.20	Rheumatoid vasculitis with rheumatoid arthritis of unspecified site	ICD-10-CM	Diagnosis
M05.239	Rheumatoid vasculitis with rheumatoid arthritis of unspecified wrist	ICD-10-CM	Diagnosis
M19.279	Secondary osteoarthritis, unspecified ankle and foot	ICD-10-CM	Diagnosis
M15.3	Secondary multiple arthritis	ICD-10-CM	Diagnosis
M19.272	Secondary osteoarthritis, left ankle and foot	ICD-10-CM	Diagnosis
M19.222	Secondary osteoarthritis, left elbow	ICD-10-CM	Diagnosis
M19.242	Secondary osteoarthritis, left hand	ICD-10-CM	Diagnosis
M19.212	Secondary osteoarthritis, left shoulder	ICD-10-CM	Diagnosis
M19.232	Secondary osteoarthritis, left wrist	ICD-10-CM	Diagnosis
M19.271	Secondary osteoarthritis, right ankle and foot	ICD-10-CM	Diagnosis
M19.221	Secondary osteoarthritis, right elbow	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
M19.241	Secondary osteoarthritis, right hand	ICD-10-CM	Diagnosis
M19.211	Secondary osteoarthritis, right shoulder	ICD-10-CM	Diagnosis
M19.231	Secondary osteoarthritis, right wrist	ICD-10-CM	Diagnosis
M19.229	Secondary osteoarthritis, unspecified elbow	ICD-10-CM	Diagnosis
M19.249	Secondary osteoarthritis, unspecified hand	ICD-10-CM	Diagnosis
M19.219	Secondary osteoarthritis, unspecified shoulder	ICD-10-CM	Diagnosis
M19.93	Secondary osteoarthritis, unspecified site	ICD-10-CM	Diagnosis
M19.239	Secondary osteoarthritis, unspecified wrist	ICD-10-CM	Diagnosis
M25.672	Stiffness of left ankle, not elsewhere classified	ICD-10-CM	Diagnosis
M25.622	Stiffness of left elbow, not elsewhere classified	ICD-10-CM	Diagnosis
M25.675	Stiffness of left foot, not elsewhere classified	ICD-10-CM	Diagnosis
M25.642	Stiffness of left hand, not elsewhere classified	ICD-10-CM	Diagnosis
M25.652	Stiffness of left hip, not elsewhere classified	ICD-10-CM	Diagnosis
M25.662	Stiffness of left knee, not elsewhere classified	ICD-10-CM	Diagnosis
M25.612	Stiffness of left shoulder, not elsewhere classified	ICD-10-CM	Diagnosis
M25.632	Stiffness of left wrist, not elsewhere classified	ICD-10-CM	Diagnosis
M25.671	Stiffness of right ankle, not elsewhere classified	ICD-10-CM	Diagnosis
M25.621	Stiffness of right elbow, not elsewhere classified	ICD-10-CM	Diagnosis
M25.674	Stiffness of right foot, not elsewhere classified	ICD-10-CM	Diagnosis
M25.641	Stiffness of right hand, not elsewhere classified	ICD-10-CM	Diagnosis
M25.651	Stiffness of right hip, not elsewhere classified	ICD-10-CM	Diagnosis
M25.661	Stiffness of right knee, not elsewhere classified	ICD-10-CM	Diagnosis
M25.611	Stiffness of right shoulder, not elsewhere classified	ICD-10-CM	Diagnosis
M25.631	Stiffness of right wrist, not elsewhere classified	ICD-10-CM	Diagnosis
M25.673	Stiffness of unspecified ankle, not elsewhere classified	ICD-10-CM	Diagnosis
M25.629	Stiffness of unspecified elbow, not elsewhere classified	ICD-10-CM	Diagnosis
M25.676	Stiffness of unspecified foot, not elsewhere classified	ICD-10-CM	Diagnosis
M25.649	Stiffness of unspecified hand, not elsewhere classified	ICD-10-CM	Diagnosis
M25.659	Stiffness of unspecified hip, not elsewhere classified	ICD-10-CM	Diagnosis
M25.60	Stiffness of unspecified joint, not elsewhere classified	ICD-10-CM	Diagnosis
M25.669	Stiffness of unspecified knee, not elsewhere classified	ICD-10-CM	Diagnosis
M25.619	Stiffness of unspecified shoulder, not elsewhere classified	ICD-10-CM	Diagnosis
M25.639	Stiffness of unspecified wrist, not elsewhere classified	ICD-10-CM	Diagnosis
M16.32	Unilateral osteoarthritis resulting from hip dysplasia, left hip	ICD-10-CM	Diagnosis
M16.31	Unilateral osteoarthritis resulting from hip dysplasia, right hip	ICD-10-CM	Diagnosis
M16.30	Unilateral osteoarthritis resulting from hip dysplasia, unspecified hip	ICD-10-CM	Diagnosis
M18.30	Unilateral post-traumatic osteoarthritis of first carpometacarpal joint, unspecified hand	ICD-10-CM	Diagnosis
M18.32	Unilateral post-traumatic osteoarthritis of first carpometacarpal joint, left hand	ICD-10-CM	Diagnosis
M18.31	Unilateral post-traumatic osteoarthritis of first carpometacarpal joint, right hand	ICD-10-CM	Diagnosis
M18.12	Unilateral primary osteoarthritis of first carpometacarpal joint, left hand	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
M18.11	Unilateral primary osteoarthritis of first carpometacarpal joint, right hand	ICD-10-CM	Diagnosis
M18.10	Unilateral primary osteoarthritis of first carpometacarpal joint, unspecified hand	ICD-10-CM	Diagnosis
M17.30	Unilateral post-traumatic osteoarthritis, unspecified knee	ICD-10-CM	Diagnosis
M16.52	Unilateral post-traumatic osteoarthritis, left hip	ICD-10-CM	Diagnosis
M17.32	Unilateral post-traumatic osteoarthritis, left knee	ICD-10-CM	Diagnosis
M16.51	Unilateral post-traumatic osteoarthritis, right hip	ICD-10-CM	Diagnosis
M17.31	Unilateral post-traumatic osteoarthritis, right knee	ICD-10-CM	Diagnosis
M16.50	Unilateral post-traumatic osteoarthritis, unspecified hip	ICD-10-CM	Diagnosis
M16.12	Unilateral primary osteoarthritis, left hip	ICD-10-CM	Diagnosis
M17.12	Unilateral primary osteoarthritis, left knee	ICD-10-CM	Diagnosis
M16.11	Unilateral primary osteoarthritis, right hip	ICD-10-CM	Diagnosis
M17.11	Unilateral primary osteoarthritis, right knee	ICD-10-CM	Diagnosis
M16.10	Unilateral primary osteoarthritis, unspecified hip	ICD-10-CM	Diagnosis
M17.10	Unilateral primary osteoarthritis, unspecified knee	ICD-10-CM	Diagnosis
M08.072	Unspecified juvenile rheumatoid arthritis, left ankle and foot	ICD-10-CM	Diagnosis
M08.022	Unspecified juvenile rheumatoid arthritis, left elbow	ICD-10-CM	Diagnosis
M08.042	Unspecified juvenile rheumatoid arthritis, left hand	ICD-10-CM	Diagnosis
M08.052	Unspecified juvenile rheumatoid arthritis, left hip	ICD-10-CM	Diagnosis
M08.062	Unspecified juvenile rheumatoid arthritis, left knee	ICD-10-CM	Diagnosis
M08.012	Unspecified juvenile rheumatoid arthritis, left shoulder	ICD-10-CM	Diagnosis
M08.032	Unspecified juvenile rheumatoid arthritis, left wrist	ICD-10-CM	Diagnosis
M08.09	Unspecified juvenile rheumatoid arthritis, multiple sites	ICD-10-CM	Diagnosis
M08.00	Unspecified juvenile rheumatoid arthritis of unspecified site	ICD-10-CM	Diagnosis
M08.071	Unspecified juvenile rheumatoid arthritis, right ankle and foot	ICD-10-CM	Diagnosis
M08.021	Unspecified juvenile rheumatoid arthritis, right elbow	ICD-10-CM	Diagnosis
M08.041	Unspecified juvenile rheumatoid arthritis, right hand	ICD-10-CM	Diagnosis
M08.051	Unspecified juvenile rheumatoid arthritis, right hip	ICD-10-CM	Diagnosis
M08.061	Unspecified juvenile rheumatoid arthritis, right knee	ICD-10-CM	Diagnosis
M08.011	Unspecified juvenile rheumatoid arthritis, right shoulder	ICD-10-CM	Diagnosis
M08.031	Unspecified juvenile rheumatoid arthritis, right wrist	ICD-10-CM	Diagnosis
M08.079	Unspecified juvenile rheumatoid arthritis, unspecified ankle and foot	ICD-10-CM	Diagnosis
M08.029	Unspecified juvenile rheumatoid arthritis, unspecified elbow	ICD-10-CM	Diagnosis
M08.049	Unspecified juvenile rheumatoid arthritis, unspecified hand	ICD-10-CM	Diagnosis
M08.059	Unspecified juvenile rheumatoid arthritis, unspecified hip	ICD-10-CM	Diagnosis
M08.069	Unspecified juvenile rheumatoid arthritis, unspecified knee	ICD-10-CM	Diagnosis
M08.019	Unspecified juvenile rheumatoid arthritis, unspecified shoulder	ICD-10-CM	Diagnosis
M08.039	Unspecified juvenile rheumatoid arthritis, unspecified wrist	ICD-10-CM	Diagnosis
M08.08	Unspecified juvenile rheumatoid arthritis, vertebrae	ICD-10-CM	Diagnosis
M19.90	Unspecified osteoarthritis, unspecified site	ICD-10-CM	Diagnosis
M12.222	Villonodular synovitis (pigmented), left elbow	ICD-10-CM	Diagnosis
M12.242	Villonodular synovitis (pigmented), left hand	ICD-10-CM	Diagnosis
M12.252	Villonodular synovitis (pigmented), left hip	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
M12.262	Villonodular synovitis (pigmented), left knee	ICD-10-CM	Diagnosis
M12.212	Villonodular synovitis (pigmented), left shoulder	ICD-10-CM	Diagnosis
M12.232	Villonodular synovitis (pigmented), left wrist	ICD-10-CM	Diagnosis
M12.272	Villonodular synovitis (pigmented), left ankle and foot	ICD-10-CM	Diagnosis
M12.29	Villonodular synovitis (pigmented), multiple sites	ICD-10-CM	Diagnosis
M12.28	Villonodular synovitis (pigmented), other specified site	ICD-10-CM	Diagnosis
M12.221	Villonodular synovitis (pigmented), right elbow	ICD-10-CM	Diagnosis
M12.241	Villonodular synovitis (pigmented), right hand	ICD-10-CM	Diagnosis
M12.251	Villonodular synovitis (pigmented), right hip	ICD-10-CM	Diagnosis
M12.261	Villonodular synovitis (pigmented), right knee	ICD-10-CM	Diagnosis
M12.211	Villonodular synovitis (pigmented), right shoulder	ICD-10-CM	Diagnosis
M12.231	Villonodular synovitis (pigmented), right wrist	ICD-10-CM	Diagnosis
M12.271	Villonodular synovitis (pigmented), right ankle and foot	ICD-10-CM	Diagnosis
M12.279	Villonodular synovitis (pigmented), unspecified ankle and foot	ICD-10-CM	Diagnosis
M12.229	Villonodular synovitis (pigmented), unspecified elbow	ICD-10-CM	Diagnosis
M12.249	Villonodular synovitis (pigmented), unspecified hand	ICD-10-CM	Diagnosis
M12.269	Villonodular synovitis (pigmented), unspecified knee	ICD-10-CM	Diagnosis
M12.219	Villonodular synovitis (pigmented), unspecified shoulder	ICD-10-CM	Diagnosis
M12.20	Villonodular synovitis (pigmented), unspecified site	ICD-10-CM	Diagnosis
M12.239	Villonodular synovitis (pigmented), unspecified wrist	ICD-10-CM	Diagnosis
M12.259	Villonodular synovitis (pigmented), unspecified hip	ICD-10-CM	Diagnosis
<b>Back Pain &amp; Back Conditions</b>			
720.1	Spinal enthesopathy	ICD-9-CM	Diagnosis
720.2	Sacroiliitis, not elsewhere classified	ICD-9-CM	Diagnosis
720.81	Inflammatory spondylopathies in diseases classified elsewhere	ICD-9-CM	Diagnosis
720.89	Other inflammatory spondylopathies	ICD-9-CM	Diagnosis
720.9	Unspecified inflammatory spondylopathy	ICD-9-CM	Diagnosis
721.0	Cervical spondylosis without myelopathy	ICD-9-CM	Diagnosis
721.1	Cervical spondylosis with myelopathy	ICD-9-CM	Diagnosis
721.2	Thoracic spondylosis without myelopathy	ICD-9-CM	Diagnosis
721.3	Lumbosacral spondylosis without myelopathy	ICD-9-CM	Diagnosis
721.41	Spondylosis with myelopathy, thoracic region	ICD-9-CM	Diagnosis
721.42	Spondylosis with myelopathy, lumbar region	ICD-9-CM	Diagnosis
721.5	Kissing spine	ICD-9-CM	Diagnosis
721.6	Ankylosing vertebral hyperostosis	ICD-9-CM	Diagnosis
721.7	Traumatic spondylopathy	ICD-9-CM	Diagnosis
721.8	Other allied disorders of spine	ICD-9-CM	Diagnosis
721.90	Spondylosis of unspecified site without mention of myelopathy	ICD-9-CM	Diagnosis
721.91	Spondylosis of unspecified site with myelopathy	ICD-9-CM	Diagnosis
722.0	Displacement of cervical intervertebral disc without myelopathy	ICD-9-CM	Diagnosis
722.10	Displacement of lumbar intervertebral disc without myelopathy	ICD-9-CM	Diagnosis
722.11	Displacement of thoracic intervertebral disc without myelopathy	ICD-9-CM	Diagnosis
722.2	Displacement of intervertebral disc, site unspecified, without myelopathy	ICD-9-CM	Diagnosis



**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
722.30	Schmorl's nodes, unspecified region	ICD-9-CM	Diagnosis
722.31	Schmorl's nodes, thoracic region	ICD-9-CM	Diagnosis
722.32	Schmorl's nodes, lumbar region	ICD-9-CM	Diagnosis
722.39	Schmorl's nodes, other spinal region	ICD-9-CM	Diagnosis
722.4	Degeneration of cervical intervertebral disc	ICD-9-CM	Diagnosis
722.51	Degeneration of thoracic or thoracolumbar intervertebral disc	ICD-9-CM	Diagnosis
722.52	Degeneration of lumbar or lumbosacral intervertebral disc	ICD-9-CM	Diagnosis
722.6	Degeneration of intervertebral disc, site unspecified	ICD-9-CM	Diagnosis
722.70	Intervertebral disc disorder with myelopathy, unspecified region	ICD-9-CM	Diagnosis
722.71	Intervertebral cervical disc disorder with myelopathy, cervical region	ICD-9-CM	Diagnosis
722.72	Intervertebral thoracic disc disorder with myelopathy, thoracic region	ICD-9-CM	Diagnosis
722.73	Intervertebral lumbar disc disorder with myelopathy, lumbar region	ICD-9-CM	Diagnosis
722.80	Postlaminectomy syndrome, unspecified region	ICD-9-CM	Diagnosis
722.81	Postlaminectomy syndrome, cervical region	ICD-9-CM	Diagnosis
722.82	Postlaminectomy syndrome, thoracic region	ICD-9-CM	Diagnosis
722.83	Postlaminectomy syndrome, lumbar region	ICD-9-CM	Diagnosis
722.90	Other and unspecified disc disorder of unspecified region	ICD-9-CM	Diagnosis
722.91	Other and unspecified disc disorder of cervical region	ICD-9-CM	Diagnosis
722.92	Other and unspecified disc disorder of thoracic region	ICD-9-CM	Diagnosis
722.93	Other and unspecified disc disorder of lumbar region	ICD-9-CM	Diagnosis
723.0	Spinal stenosis in cervical region	ICD-9-CM	Diagnosis
723.1	Cervicalgia	ICD-9-CM	Diagnosis
723.2	Cervicocranial syndrome	ICD-9-CM	Diagnosis
723.3	Cervicobrachial syndrome (diffuse)	ICD-9-CM	Diagnosis
723.4	Brachial neuritis or radiculitis NOS	ICD-9-CM	Diagnosis
723.5	Torticollis, unspecified	ICD-9-CM	Diagnosis
723.6	Panniculitis specified as affecting neck	ICD-9-CM	Diagnosis
723.7	Ossification of posterior longitudinal ligament in cervical region	ICD-9-CM	Diagnosis
723.8	Other syndromes affecting cervical region	ICD-9-CM	Diagnosis
723.9	Unspecified musculoskeletal disorders and symptoms referable to neck	ICD-9-CM	Diagnosis
724.00	Spinal stenosis, unspecified region other than cervical	ICD-9-CM	Diagnosis
724.01	Spinal stenosis of thoracic region	ICD-9-CM	Diagnosis
724.02	Spinal stenosis of lumbar region, without neurogenic claudication	ICD-9-CM	Diagnosis
724.03	Spinal stenosis of lumbar region, with neurogenic claudication	ICD-9-CM	Diagnosis
724.09	Spinal stenosis, other region other than cervical	ICD-9-CM	Diagnosis
724.1	Pain in thoracic spine	ICD-9-CM	Diagnosis
724.2	Lumbago	ICD-9-CM	Diagnosis
724.3	Sciatica	ICD-9-CM	Diagnosis
724.4	Thoracic or lumbosacral neuritis or radiculitis, unspecified	ICD-9-CM	Diagnosis
724.5	Unspecified backache	ICD-9-CM	Diagnosis
724.6	Disorders of sacrum	ICD-9-CM	Diagnosis
724.70	Unspecified disorder of coccyx	ICD-9-CM	Diagnosis
724.71	Hypermobility of coccyx	ICD-9-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

Code	Description	Code Type	Code Category
724.79	Other disorder of coccyx	ICD-9-CM	Diagnosis
724.8	Other symptoms referable to back	ICD-9-CM	Diagnosis
724.9	Other unspecified back disorder	ICD-9-CM	Diagnosis
M48.11	Ankylosing hyperostosis [Forestier], occipito-atlanto-axial region	ICD-10-CM	Diagnosis
M48.12	Ankylosing hyperostosis [Forestier], cervical region	ICD-10-CM	Diagnosis
M48.13	Ankylosing hyperostosis [Forestier], cervicothoracic region	ICD-10-CM	Diagnosis
M48.16	Ankylosing hyperostosis [Forestier], lumbar region	ICD-10-CM	Diagnosis
M48.17	Ankylosing hyperostosis [Forestier], lumbosacral region	ICD-10-CM	Diagnosis
M48.19	Ankylosing hyperostosis [Forestier], multiple sites in spine	ICD-10-CM	Diagnosis
M48.18	Ankylosing hyperostosis [Forestier], sacral and sacrococcygeal region	ICD-10-CM	Diagnosis
M48.10	Ankylosing hyperostosis [Forestier], site unspecified	ICD-10-CM	Diagnosis
M48.14	Ankylosing hyperostosis [Forestier], thoracic region	ICD-10-CM	Diagnosis
M48.15	Ankylosing hyperostosis [Forestier], thoracolumbar region	ICD-10-CM	Diagnosis
M47.012	Anterior spinal artery compression syndromes, cervical region	ICD-10-CM	Diagnosis
M47.013	Anterior spinal artery compression syndromes, cervicothoracic region	ICD-10-CM	Diagnosis
M47.014	Anterior spinal artery compression syndromes, thoracic region	ICD-10-CM	Diagnosis
M47.015	Anterior spinal artery compression syndromes, thoracolumbar region	ICD-10-CM	Diagnosis
M47.011	Anterior spinal artery compression syndromes, occipito-atlanto-axial region	ICD-10-CM	Diagnosis
M47.016	Anterior spinal artery compression syndromes, lumbar region	ICD-10-CM	Diagnosis
M47.019	Anterior spinal artery compression syndromes, site unspecified	ICD-10-CM	Diagnosis
M50.020	Cervical disc disorder with myelopathy, mid-cervical region, unspecified level	ICD-10-CM	Diagnosis
M50.13	Cervical disc disorder with radiculopathy, cervicothoracic region	ICD-10-CM	Diagnosis
M50.91	Cervical disc disorder, unspecified, high cervical region	ICD-10-CM	Diagnosis
M50.03	Cervical disc disorder with myelopathy, cervicothoracic region	ICD-10-CM	Diagnosis
M50.01	Cervical disc disorder with myelopathy, high cervical region	ICD-10-CM	Diagnosis
M50.02	Cervical disc disorder with myelopathy, mid-cervical region	ICD-10-CM	Diagnosis
M50.00	Cervical disc disorder with myelopathy, unspecified cervical region	ICD-10-CM	Diagnosis
M50.11	Cervical disc disorder with radiculopathy, high cervical region	ICD-10-CM	Diagnosis
M50.12	Cervical disc disorder with radiculopathy, mid-cervical region	ICD-10-CM	Diagnosis
M50.10	Cervical disc disorder with radiculopathy, unspecified cervical region	ICD-10-CM	Diagnosis
M50.021	Cervical disc disorder at C4-C5 level with myelopathy	ICD-10-CM	Diagnosis
M50.022	Cervical disc disorder at C5-C6 level with myelopathy	ICD-10-CM	Diagnosis
M50.023	Cervical disc disorder at C6-C7 level with myelopathy	ICD-10-CM	Diagnosis
M50.121	Cervical disc disorder at C4-C5 level with radiculopathy	ICD-10-CM	Diagnosis
M50.122	Cervical disc disorder at C5-C6 level with radiculopathy	ICD-10-CM	Diagnosis
M50.123	Cervical disc disorder at C6-C7 level with radiculopathy	ICD-10-CM	Diagnosis
M50.93	Cervical disc disorder, unspecified, cervicothoracic region	ICD-10-CM	Diagnosis
M50.92	Cervical disc disorder, unspecified, mid-cervical region	ICD-10-CM	Diagnosis
M50.90	Cervical disc disorder, unspecified, unspecified cervical region	ICD-10-CM	Diagnosis
M54.2	Cervicalgia	ICD-10-CM	Diagnosis
M53.1	Cervicobrachial syndrome	ICD-10-CM	Diagnosis
M53.0	Cervicocranial syndrome	ICD-10-CM	Diagnosis



**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
M99.79	Connective tissue and disc stenosis of intervertebral foramina of abdomen and other regions	ICD-10-CM	Diagnosis
M99.77	Connective tissue and disc stenosis of intervertebral foramina of upper extremity	ICD-10-CM	Diagnosis
M99.71	Connective tissue and disc stenosis of intervertebral foramina of cervical region	ICD-10-CM	Diagnosis
M99.70	Connective tissue and disc stenosis of intervertebral foramina of head region	ICD-10-CM	Diagnosis
M99.76	Connective tissue and disc stenosis of intervertebral foramina of lower extremity	ICD-10-CM	Diagnosis
M99.73	Connective tissue and disc stenosis of intervertebral foramina of lumbar region	ICD-10-CM	Diagnosis
M99.75	Connective tissue and disc stenosis of intervertebral foramina of pelvic region	ICD-10-CM	Diagnosis
M99.78	Connective tissue and disc stenosis of intervertebral foramina of rib cage	ICD-10-CM	Diagnosis
M99.74	Connective tissue and disc stenosis of intervertebral foramina of sacral region	ICD-10-CM	Diagnosis
M99.72	Connective tissue and disc stenosis of intervertebral foramina of thoracic region	ICD-10-CM	Diagnosis
M99.49	Connective tissue stenosis of neural canal of abdomen and other regions	ICD-10-CM	Diagnosis
M99.41	Connective tissue stenosis of neural canal of cervical region	ICD-10-CM	Diagnosis
M99.43	Connective tissue stenosis of neural canal of lumbar region	ICD-10-CM	Diagnosis
M99.45	Connective tissue stenosis of neural canal of pelvic region	ICD-10-CM	Diagnosis
M99.42	Connective tissue stenosis of neural canal of thoracic region	ICD-10-CM	Diagnosis
M99.47	Connective tissue stenosis of neural canal of upper extremity	ICD-10-CM	Diagnosis
M99.40	Connective tissue stenosis of neural canal of head region	ICD-10-CM	Diagnosis
M99.46	Connective tissue stenosis of neural canal of lower extremity	ICD-10-CM	Diagnosis
M99.44	Connective tissue stenosis of neural canal of sacral region	ICD-10-CM	Diagnosis
M99.48	Connective tissue stenosis of neural canal of rib cage	ICD-10-CM	Diagnosis
M46.42	Discitis, unspecified, cervical region	ICD-10-CM	Diagnosis
M46.43	Discitis, unspecified, cervicothoracic region	ICD-10-CM	Diagnosis
M46.46	Discitis, unspecified, lumbar region	ICD-10-CM	Diagnosis
M46.47	Discitis, unspecified, lumbosacral region	ICD-10-CM	Diagnosis
M46.49	Discitis, unspecified, multiple sites in spine	ICD-10-CM	Diagnosis
M46.41	Discitis, unspecified, occipito-atlanto-axial region	ICD-10-CM	Diagnosis
M46.48	Discitis, unspecified, sacral and sacrococcygeal region	ICD-10-CM	Diagnosis
M46.40	Discitis, unspecified, site unspecified	ICD-10-CM	Diagnosis
M46.44	Discitis, unspecified, thoracic region	ICD-10-CM	Diagnosis
M46.45	Discitis, unspecified, thoracolumbar region	ICD-10-CM	Diagnosis
M54.9	Dorsalgia, unspecified	ICD-10-CM	Diagnosis
M53.9	Dorsopathy, unspecified	ICD-10-CM	Diagnosis
M43.22	Fusion of spine, cervical region	ICD-10-CM	Diagnosis
M43.23	Fusion of spine, cervicothoracic region	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
M43.26	Fusion of spine, lumbar region	ICD-10-CM	Diagnosis
M43.27	Fusion of spine, lumbosacral region	ICD-10-CM	Diagnosis
M43.21	Fusion of spine, occipito-atlanto-axial region	ICD-10-CM	Diagnosis
M43.28	Fusion of spine, sacral and sacrococcygeal region	ICD-10-CM	Diagnosis
M43.20	Fusion of spine, site unspecified	ICD-10-CM	Diagnosis
M43.24	Fusion of spine, thoracic region	ICD-10-CM	Diagnosis
M43.25	Fusion of spine, thoracolumbar region	ICD-10-CM	Diagnosis
M46.31	Infection of intervertebral disc (pyogenic), occipito-atlanto-axial region	ICD-10-CM	Diagnosis
M46.32	Infection of intervertebral disc (pyogenic), cervical region	ICD-10-CM	Diagnosis
M46.33	Infection of intervertebral disc (pyogenic), cervicothoracic region	ICD-10-CM	Diagnosis
M46.36	Infection of intervertebral disc (pyogenic), lumbar region	ICD-10-CM	Diagnosis
M46.37	Infection of intervertebral disc (pyogenic), lumbosacral region	ICD-10-CM	Diagnosis
M46.39	Infection of intervertebral disc (pyogenic), multiple sites in spine	ICD-10-CM	Diagnosis
M46.30	Infection of intervertebral disc (pyogenic), site unspecified	ICD-10-CM	Diagnosis
M46.38	Infection of intervertebral disc (pyogenic), sacral and sacrococcygeal region	ICD-10-CM	Diagnosis
M46.34	Infection of intervertebral disc (pyogenic), thoracic region	ICD-10-CM	Diagnosis
M46.35	Infection of intervertebral disc (pyogenic), thoracolumbar region	ICD-10-CM	Diagnosis
M51.15	Intervertebral disc disorders with radiculopathy, thoracolumbar region	ICD-10-CM	Diagnosis
M51.07	Intervertebral disc disorders with myelopathy, lumbosacral region	ICD-10-CM	Diagnosis
M51.06	Intervertebral disc disorders with myelopathy, lumbar region	ICD-10-CM	Diagnosis
M51.04	Intervertebral disc disorders with myelopathy, thoracic region	ICD-10-CM	Diagnosis
M51.05	Intervertebral disc disorders with myelopathy, thoracolumbar region	ICD-10-CM	Diagnosis
M51.17	Intervertebral disc disorders with radiculopathy, lumbosacral region	ICD-10-CM	Diagnosis
M51.16	Intervertebral disc disorders with radiculopathy, lumbar region	ICD-10-CM	Diagnosis
M51.14	Intervertebral disc disorders with radiculopathy, thoracic region	ICD-10-CM	Diagnosis
M99.51	Intervertebral disc stenosis of neural canal of cervical region	ICD-10-CM	Diagnosis
M99.50	Intervertebral disc stenosis of neural canal of head region	ICD-10-CM	Diagnosis
M99.56	Intervertebral disc stenosis of neural canal of lower extremity	ICD-10-CM	Diagnosis
M99.53	Intervertebral disc stenosis of neural canal of lumbar region	ICD-10-CM	Diagnosis
M99.55	Intervertebral disc stenosis of neural canal of pelvic region	ICD-10-CM	Diagnosis
M99.58	Intervertebral disc stenosis of neural canal of rib cage	ICD-10-CM	Diagnosis
M99.54	Intervertebral disc stenosis of neural canal of sacral region	ICD-10-CM	Diagnosis
M99.52	Intervertebral disc stenosis of neural canal of thoracic region	ICD-10-CM	Diagnosis
M99.57	Intervertebral disc stenosis of neural canal of upper extremity	ICD-10-CM	Diagnosis
M99.59	Intervertebral disc stenosis of neural canal of abdomen and other regions	ICD-10-CM	Diagnosis
M48.22	Kissing spine, cervical region	ICD-10-CM	Diagnosis
M48.23	Kissing spine, cervicothoracic region	ICD-10-CM	Diagnosis
M48.26	Kissing spine, lumbar region	ICD-10-CM	Diagnosis
M48.27	Kissing spine, lumbosacral region	ICD-10-CM	Diagnosis
M48.21	Kissing spine, occipito-atlanto-axial region	ICD-10-CM	Diagnosis
M48.20	Kissing spine, site unspecified	ICD-10-CM	Diagnosis
M48.24	Kissing spine, thoracic region	ICD-10-CM	Diagnosis
M48.25	Kissing spine, thoracolumbar region	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
M54.5	Low back pain	ICD-10-CM	Diagnosis
M54.42	Lumbago with sciatica, left side	ICD-10-CM	Diagnosis
M54.41	Lumbago with sciatica, right side	ICD-10-CM	Diagnosis
M54.40	Lumbago with sciatica, unspecified side	ICD-10-CM	Diagnosis
M50.120	Mid-cervical disc disorder, unspecified	ICD-10-CM	Diagnosis
M62.830	Muscle spasm of back	ICD-10-CM	Diagnosis
M54.81	Occipital neuralgia	ICD-10-CM	Diagnosis
M99.69	Osseous and subluxation stenosis of intervertebral foramina of abdomen and other regions	ICD-10-CM	Diagnosis
M99.61	Osseous and subluxation stenosis of intervertebral foramina of cervical region	ICD-10-CM	Diagnosis
M99.66	Osseous and subluxation stenosis of intervertebral foramina of lower extremity	ICD-10-CM	Diagnosis
M99.65	Osseous and subluxation stenosis of intervertebral foramina of pelvic region	ICD-10-CM	Diagnosis
M99.64	Osseous and subluxation stenosis of intervertebral foramina of sacral region	ICD-10-CM	Diagnosis
M99.62	Osseous and subluxation stenosis of intervertebral foramina of thoracic region	ICD-10-CM	Diagnosis
M99.67	Osseous and subluxation stenosis of intervertebral foramina of upper extremity	ICD-10-CM	Diagnosis
M99.39	Osseous stenosis of neural canal of abdomen and other regions	ICD-10-CM	Diagnosis
M99.31	Osseous stenosis of neural canal of cervical region	ICD-10-CM	Diagnosis
M99.36	Osseous stenosis of neural canal of lower extremity	ICD-10-CM	Diagnosis
M99.33	Osseous stenosis of neural canal of lumbar region	ICD-10-CM	Diagnosis
M99.35	Osseous stenosis of neural canal of pelvic region	ICD-10-CM	Diagnosis
M99.34	Osseous stenosis of neural canal of sacral region	ICD-10-CM	Diagnosis
M99.32	Osseous stenosis of neural canal of thoracic region	ICD-10-CM	Diagnosis
M99.37	Osseous stenosis of neural canal of upper extremity	ICD-10-CM	Diagnosis
M99.30	Osseous stenosis of neural canal of head region	ICD-10-CM	Diagnosis
M99.38	Osseous stenosis of neural canal of rib cage	ICD-10-CM	Diagnosis
M99.63	Osseous and subluxation stenosis of intervertebral foramina of lumbar region	ICD-10-CM	Diagnosis
M99.60	Osseous and subluxation stenosis of intervertebral foramina of head region	ICD-10-CM	Diagnosis
M99.68	Osseous and subluxation stenosis of intervertebral foramina of rib cage	ICD-10-CM	Diagnosis
M50.33	Other cervical disc degeneration, cervicothoracic region	ICD-10-CM	Diagnosis
M50.31	Other cervical disc degeneration, high cervical region	ICD-10-CM	Diagnosis
M50.32	Other cervical disc degeneration, mid-cervical region	ICD-10-CM	Diagnosis
M50.23	Other cervical disc displacement, cervicothoracic region	ICD-10-CM	Diagnosis
M50.22	Other cervical disc displacement, mid-cervical region	ICD-10-CM	Diagnosis
M50.21	Other cervical disc displacement, high cervical region	ICD-10-CM	Diagnosis
M50.83	Other cervical disc disorders, cervicothoracic region	ICD-10-CM	Diagnosis
M50.81	Other cervical disc disorders, high cervical region	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
M50.30	Other cervical disc degeneration, unspecified cervical region	ICD-10-CM	Diagnosis
M50.82	Other cervical disc disorders, mid-cervical region	ICD-10-CM	Diagnosis
M50.80	Other cervical disc disorders, unspecified cervical region	ICD-10-CM	Diagnosis
M50.20	Other cervical disc displacement, unspecified cervical region	ICD-10-CM	Diagnosis
M46.51	Other infective spondylopathies, occipito-atlanto-axial region	ICD-10-CM	Diagnosis
M46.59	Other infective spondylopathies, multiple sites in spine	ICD-10-CM	Diagnosis
M51.36	Other intervertebral disc degeneration, lumbar region	ICD-10-CM	Diagnosis
M51.37	Other intervertebral disc degeneration, lumbosacral region	ICD-10-CM	Diagnosis
M51.34	Other intervertebral disc degeneration, thoracic region	ICD-10-CM	Diagnosis
M51.35	Other intervertebral disc degeneration, thoracolumbar region	ICD-10-CM	Diagnosis
M51.27	Other intervertebral disc displacement, lumbosacral region	ICD-10-CM	Diagnosis
M51.26	Other intervertebral disc displacement, lumbar region	ICD-10-CM	Diagnosis
M51.24	Other intervertebral disc displacement, thoracic region	ICD-10-CM	Diagnosis
M51.25	Other intervertebral disc displacement, thoracolumbar region	ICD-10-CM	Diagnosis
M46.88	Other specified inflammatory spondylopathies, sacral and sacrococcygeal region	ICD-10-CM	Diagnosis
M46.82	Other specified inflammatory spondylopathies, cervical region	ICD-10-CM	Diagnosis
M46.83	Other specified inflammatory spondylopathies, cervicothoracic region	ICD-10-CM	Diagnosis
M46.86	Other specified inflammatory spondylopathies, lumbar region	ICD-10-CM	Diagnosis
M46.87	Other specified inflammatory spondylopathies, lumbosacral region	ICD-10-CM	Diagnosis
M46.89	Other specified inflammatory spondylopathies, multiple sites in spine	ICD-10-CM	Diagnosis
M46.81	Other specified inflammatory spondylopathies, occipito-atlanto-axial region	ICD-10-CM	Diagnosis
M46.84	Other specified inflammatory spondylopathies, thoracic region	ICD-10-CM	Diagnosis
M46.85	Other specified inflammatory spondylopathies, thoracolumbar region	ICD-10-CM	Diagnosis
M47.21	Other spondylosis with radiculopathy, occipito-atlanto-axial region	ICD-10-CM	Diagnosis
M47.28	Other spondylosis with radiculopathy, sacral and sacrococcygeal region	ICD-10-CM	Diagnosis
M47.22	Other spondylosis with radiculopathy, cervical region	ICD-10-CM	Diagnosis
M47.23	Other spondylosis with radiculopathy, cervicothoracic region	ICD-10-CM	Diagnosis
M47.26	Other spondylosis with radiculopathy, lumbar region	ICD-10-CM	Diagnosis
M47.27	Other spondylosis with radiculopathy, lumbosacral region	ICD-10-CM	Diagnosis
M47.24	Other spondylosis with radiculopathy, thoracic region	ICD-10-CM	Diagnosis
M47.25	Other spondylosis with radiculopathy, thoracolumbar region	ICD-10-CM	Diagnosis
M50.820	Other cervical disc disorders, mid-cervical region, unspecified level	ICD-10-CM	Diagnosis
M50.320	Other cervical disc degeneration, mid-cervical region, unspecified level	ICD-10-CM	Diagnosis
M50.321	Other cervical disc degeneration at C4-C5 level	ICD-10-CM	Diagnosis
M50.322	Other cervical disc degeneration at C5-C6 level	ICD-10-CM	Diagnosis
M50.323	Other cervical disc degeneration at C6-C7 level	ICD-10-CM	Diagnosis
M50.821	Other cervical disc disorders at C4-C5 level	ICD-10-CM	Diagnosis
M50.822	Other cervical disc disorders at C5-C6 level	ICD-10-CM	Diagnosis
M50.823	Other cervical disc disorders at C6-C7 level	ICD-10-CM	Diagnosis
M50.220	Other cervical disc displacement, mid-cervical region, unspecified level	ICD-10-CM	Diagnosis
M50.221	Other cervical disc displacement at C4-C5 level	ICD-10-CM	Diagnosis
M50.222	Other cervical disc displacement at C5-C6 level	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
M50.223	Other cervical disc displacement at C6-C7 level	ICD-10-CM	Diagnosis
M54.89	Other dorsalgia	ICD-10-CM	Diagnosis
M46.52	Other infective spondylopathies, cervical region	ICD-10-CM	Diagnosis
M46.53	Other infective spondylopathies, cervicothoracic region	ICD-10-CM	Diagnosis
M46.56	Other infective spondylopathies, lumbar region	ICD-10-CM	Diagnosis
M46.57	Other infective spondylopathies, lumbosacral region	ICD-10-CM	Diagnosis
M46.58	Other infective spondylopathies, sacral and sacrococcygeal region	ICD-10-CM	Diagnosis
M46.50	Other infective spondylopathies, site unspecified	ICD-10-CM	Diagnosis
M46.54	Other infective spondylopathies, thoracic region	ICD-10-CM	Diagnosis
M46.55	Other infective spondylopathies, thoracolumbar region	ICD-10-CM	Diagnosis
M51.87	Other intervertebral disc disorders, lumbosacral region	ICD-10-CM	Diagnosis
M51.84	Other intervertebral disc disorders, thoracic region	ICD-10-CM	Diagnosis
M51.85	Other intervertebral disc disorders, thoracolumbar region	ICD-10-CM	Diagnosis
M51.86	Other intervertebral disc disorders, lumbar region	ICD-10-CM	Diagnosis
M53.83	Other specified dorsopathies, cervicothoracic region	ICD-10-CM	Diagnosis
M53.81	Other specified dorsopathies, occipito-atlanto-axial region	ICD-10-CM	Diagnosis
M53.85	Other specified dorsopathies, thoracolumbar region	ICD-10-CM	Diagnosis
M46.80	Other specified inflammatory spondylopathies, site unspecified	ICD-10-CM	Diagnosis
M53.82	Other specified dorsopathies, cervical region	ICD-10-CM	Diagnosis
M53.86	Other specified dorsopathies, lumbar region	ICD-10-CM	Diagnosis
M53.87	Other specified dorsopathies, lumbosacral region	ICD-10-CM	Diagnosis
M53.88	Other specified dorsopathies, sacral and sacrococcygeal region	ICD-10-CM	Diagnosis
M53.80	Other specified dorsopathies, site unspecified	ICD-10-CM	Diagnosis
M53.84	Other specified dorsopathies, thoracic region	ICD-10-CM	Diagnosis
M47.11	Other spondylosis with myelopathy, occipito-atlanto-axial region	ICD-10-CM	Diagnosis
M47.892	Other spondylosis, cervical region	ICD-10-CM	Diagnosis
M47.893	Other spondylosis, cervicothoracic region	ICD-10-CM	Diagnosis
M47.896	Other spondylosis, lumbar region	ICD-10-CM	Diagnosis
M47.897	Other spondylosis, lumbosacral region	ICD-10-CM	Diagnosis
M47.18	Other spondylosis with myelopathy, sacral and sacrococcygeal region	ICD-10-CM	Diagnosis
M47.891	Other spondylosis, occipito-atlanto-axial region	ICD-10-CM	Diagnosis
M47.898	Other spondylosis, sacral and sacrococcygeal region	ICD-10-CM	Diagnosis
M47.899	Other spondylosis, site unspecified	ICD-10-CM	Diagnosis
M47.894	Other spondylosis, thoracic region	ICD-10-CM	Diagnosis
M47.895	Other spondylosis, thoracolumbar region	ICD-10-CM	Diagnosis
M47.10	Other spondylosis with myelopathy, site unspecified	ICD-10-CM	Diagnosis
M47.14	Other spondylosis with myelopathy, thoracic region	ICD-10-CM	Diagnosis
M47.12	Other spondylosis with myelopathy, cervical region	ICD-10-CM	Diagnosis
M47.13	Other spondylosis with myelopathy, cervicothoracic region	ICD-10-CM	Diagnosis
M47.17	Other spondylosis with myelopathy, lumbosacral region	ICD-10-CM	Diagnosis
M47.15	Other spondylosis with myelopathy, thoracolumbar region	ICD-10-CM	Diagnosis
M47.20	Other spondylosis with radiculopathy, site unspecified	ICD-10-CM	Diagnosis
M47.16	Other spondylosis with myelopathy, lumbar region	ICD-10-CM	Diagnosis



**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
M54.6	Pain in thoracic spine	ICD-10-CM	Diagnosis
M54.06	Panniculitis affecting regions of neck and back, lumbar region	ICD-10-CM	Diagnosis
M54.09	Panniculitis affecting regions, neck and back, multiple sites in spine	ICD-10-CM	Diagnosis
M54.03	Panniculitis affecting regions of neck and back, cervicothoracic region	ICD-10-CM	Diagnosis
M54.07	Panniculitis affecting regions of neck and back, lumbosacral region	ICD-10-CM	Diagnosis
M54.01	Panniculitis affecting regions of neck and back, occipito-atlanto-axial region	ICD-10-CM	Diagnosis
M54.05	Panniculitis affecting regions of neck and back, thoracolumbar region	ICD-10-CM	Diagnosis
M54.08	Panniculitis affecting regions of neck and back, sacral and sacrococcygeal region	ICD-10-CM	Diagnosis
M54.02	Panniculitis affecting regions of neck and back, cervical region	ICD-10-CM	Diagnosis
M54.04	Panniculitis affecting regions of neck and back, thoracic region	ICD-10-CM	Diagnosis
M54.00	Panniculitis affecting regions of neck and back, site unspecified	ICD-10-CM	Diagnosis
M96.1	Postlaminectomy syndrome, not elsewhere classified	ICD-10-CM	Diagnosis
M54.12	Radiculopathy, cervical region	ICD-10-CM	Diagnosis
M54.13	Radiculopathy, cervicothoracic region	ICD-10-CM	Diagnosis
M54.16	Radiculopathy, lumbar region	ICD-10-CM	Diagnosis
M54.17	Radiculopathy, lumbosacral region	ICD-10-CM	Diagnosis
M54.11	Radiculopathy, occipito-atlanto-axial region	ICD-10-CM	Diagnosis
M54.18	Radiculopathy, sacral and sacrococcygeal region	ICD-10-CM	Diagnosis
M54.10	Radiculopathy, site unspecified	ICD-10-CM	Diagnosis
M54.14	Radiculopathy, thoracic region	ICD-10-CM	Diagnosis
M54.15	Radiculopathy, thoracolumbar region	ICD-10-CM	Diagnosis
M53.3	Sacrococcygeal disorders, not elsewhere classified	ICD-10-CM	Diagnosis
M46.1	Sacroiliitis, not elsewhere classified	ICD-10-CM	Diagnosis
M51.46	Schmorl's nodes, lumbar region	ICD-10-CM	Diagnosis
M51.47	Schmorl's nodes, lumbosacral region	ICD-10-CM	Diagnosis
M51.44	Schmorl's nodes, thoracic region	ICD-10-CM	Diagnosis
M51.45	Schmorl's nodes, thoracolumbar region	ICD-10-CM	Diagnosis
M54.32	Sciatica, left side	ICD-10-CM	Diagnosis
M54.31	Sciatica, right side	ICD-10-CM	Diagnosis
M54.30	Sciatica, unspecified side	ICD-10-CM	Diagnosis
M46.02	Spinal enthesopathy, cervical region	ICD-10-CM	Diagnosis
M46.03	Spinal enthesopathy, cervicothoracic region	ICD-10-CM	Diagnosis
M46.06	Spinal enthesopathy, lumbar region	ICD-10-CM	Diagnosis
M46.07	Spinal enthesopathy, lumbosacral region	ICD-10-CM	Diagnosis
M46.09	Spinal enthesopathy, multiple sites in spine	ICD-10-CM	Diagnosis
M46.01	Spinal enthesopathy, occipito-atlanto-axial region	ICD-10-CM	Diagnosis
M46.08	Spinal enthesopathy, sacral and sacrococcygeal region	ICD-10-CM	Diagnosis
M46.00	Spinal enthesopathy, site unspecified	ICD-10-CM	Diagnosis
M46.04	Spinal enthesopathy, thoracic region	ICD-10-CM	Diagnosis
M46.05	Spinal enthesopathy, thoracolumbar region	ICD-10-CM	Diagnosis
M53.2X2	Spinal instabilities, cervical region	ICD-10-CM	Diagnosis
M53.2X3	Spinal instabilities, cervicothoracic region	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
M53.2X6	Spinal instabilities, lumbar region	ICD-10-CM	Diagnosis
M53.2X7	Spinal instabilities, lumbosacral region	ICD-10-CM	Diagnosis
M53.2X1	Spinal instabilities, occipito-atlanto-axial region	ICD-10-CM	Diagnosis
M53.2X8	Spinal instabilities, sacral and sacrococcygeal region	ICD-10-CM	Diagnosis
M53.2X9	Spinal instabilities, site unspecified	ICD-10-CM	Diagnosis
M53.2X4	Spinal instabilities, thoracic region	ICD-10-CM	Diagnosis
M53.2X5	Spinal instabilities, thoracolumbar region	ICD-10-CM	Diagnosis
M48.061	Spinal stenosis, lumbar region without neurogenic claudication	ICD-10-CM	Diagnosis
M48.062	Spinal stenosis, lumbar region with neurogenic claudication	ICD-10-CM	Diagnosis
M48.02	Spinal stenosis, cervical region	ICD-10-CM	Diagnosis
M48.03	Spinal stenosis, cervicothoracic region	ICD-10-CM	Diagnosis
M48.06	Spinal stenosis, lumbar region	ICD-10-CM	Diagnosis
M48.07	Spinal stenosis, lumbosacral region	ICD-10-CM	Diagnosis
M48.01	Spinal stenosis, occipito-atlanto-axial region	ICD-10-CM	Diagnosis
M48.08	Spinal stenosis, sacral and sacrococcygeal region	ICD-10-CM	Diagnosis
M48.00	Spinal stenosis, site unspecified	ICD-10-CM	Diagnosis
M48.04	Spinal stenosis, thoracic region	ICD-10-CM	Diagnosis
M48.05	Spinal stenosis, thoracolumbar region	ICD-10-CM	Diagnosis
M49.82	Spondylopathy in diseases classified elsewhere, cervical region	ICD-10-CM	Diagnosis
M49.86	Spondylopathy in diseases classified elsewhere, lumbar region	ICD-10-CM	Diagnosis
M49.80	Spondylopathy in diseases classified elsewhere, site unspecified	ICD-10-CM	Diagnosis
M49.81	Spondylopathy in diseases classified elsewhere, occipito-atlanto-axial region	ICD-10-CM	Diagnosis
M49.83	Spondylopathy in diseases classified elsewhere, cervicothoracic region	ICD-10-CM	Diagnosis
M49.87	Spondylopathy in diseases classified elsewhere, lumbosacral region	ICD-10-CM	Diagnosis
M49.89	Spondylopathy in diseases classified elsewhere, multiple sites in spine	ICD-10-CM	Diagnosis
M49.84	Spondylopathy in diseases classified elsewhere, thoracic region	ICD-10-CM	Diagnosis
M49.85	Spondylopathy in diseases classified elsewhere, thoracolumbar region	ICD-10-CM	Diagnosis
M49.88	Spondylopathy in diseases classified elsewhere, sacral and sacrococcygeal region	ICD-10-CM	Diagnosis
M48.9	Spondylopathy, unspecified	ICD-10-CM	Diagnosis
M47.9	Spondylosis, unspecified	ICD-10-CM	Diagnosis
M47.811	Spondylosis without myelopathy or radiculopathy, occipito-atlanto-axial region	ICD-10-CM	Diagnosis
M47.818	Spondylosis without myelopathy or radiculopathy, sacral and sacrococcygeal region	ICD-10-CM	Diagnosis
M47.812	Spondylosis without myelopathy or radiculopathy, cervical region	ICD-10-CM	Diagnosis
M47.816	Spondylosis without myelopathy or radiculopathy, lumbar region	ICD-10-CM	Diagnosis
M47.819	Spondylosis without myelopathy or radiculopathy, site unspecified	ICD-10-CM	Diagnosis
M47.814	Spondylosis without myelopathy or radiculopathy, thoracic region	ICD-10-CM	Diagnosis
M47.817	Spondylosis without myelopathy or radiculopathy, lumbosacral region	ICD-10-CM	Diagnosis
M47.813	Spondylosis without myelopathy or radiculopathy, cervicothoracic region	ICD-10-CM	Diagnosis
M47.815	Spondylosis without myelopathy or radiculopathy, thoracolumbar region	ICD-10-CM	Diagnosis
M99.29	Subluxation stenosis of neural canal of abdomen and other regions	ICD-10-CM	Diagnosis



**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

Code	Description	Code Type	Code Category
M99.22	Subluxation stenosis of neural canal of thoracic region	ICD-10-CM	Diagnosis
M99.21	Subluxation stenosis of neural canal of cervical region	ICD-10-CM	Diagnosis
M99.26	Subluxation stenosis of neural canal of lower extremity	ICD-10-CM	Diagnosis
M99.23	Subluxation stenosis of neural canal of lumbar region	ICD-10-CM	Diagnosis
M99.20	Subluxation stenosis of neural canal of head region	ICD-10-CM	Diagnosis
M99.25	Subluxation stenosis of neural canal of pelvic region	ICD-10-CM	Diagnosis
M99.24	Subluxation stenosis of neural canal of sacral region	ICD-10-CM	Diagnosis
M99.27	Subluxation stenosis of neural canal of upper extremity	ICD-10-CM	Diagnosis
M99.28	Subluxation stenosis of neural canal of rib cage	ICD-10-CM	Diagnosis
M43.6	Torticollis	ICD-10-CM	Diagnosis
M48.31	Traumatic spondylopathy, occipito-atlanto-axial region	ICD-10-CM	Diagnosis
M48.38	Traumatic spondylopathy, sacral and sacrococcygeal region	ICD-10-CM	Diagnosis
M48.32	Traumatic spondylopathy, cervical region	ICD-10-CM	Diagnosis
M48.33	Traumatic spondylopathy, cervicothoracic region	ICD-10-CM	Diagnosis
M48.36	Traumatic spondylopathy, lumbar region	ICD-10-CM	Diagnosis
M48.37	Traumatic spondylopathy, lumbosacral region	ICD-10-CM	Diagnosis
M48.30	Traumatic spondylopathy, site unspecified	ICD-10-CM	Diagnosis
M48.34	Traumatic spondylopathy, thoracic region	ICD-10-CM	Diagnosis
M48.35	Traumatic spondylopathy, thoracolumbar region	ICD-10-CM	Diagnosis
M50.920	Unspecified cervical disc disorder, mid-cervical region, unspecified level	ICD-10-CM	Diagnosis
M46.93	Unspecified inflammatory spondylopathy, cervicothoracic region	ICD-10-CM	Diagnosis
M46.97	Unspecified inflammatory spondylopathy, lumbosacral region	ICD-10-CM	Diagnosis
M46.99	Unspecified inflammatory spondylopathy, multiple sites in spine	ICD-10-CM	Diagnosis
M46.91	Unspecified inflammatory spondylopathy, occipito-atlanto-axial region	ICD-10-CM	Diagnosis
M46.98	Unspecified inflammatory spondylopathy, sacral and sacrococcygeal region	ICD-10-CM	Diagnosis
M46.95	Unspecified inflammatory spondylopathy, thoracolumbar region	ICD-10-CM	Diagnosis
M46.92	Unspecified inflammatory spondylopathy, cervical region	ICD-10-CM	Diagnosis
M46.96	Unspecified inflammatory spondylopathy, lumbar region	ICD-10-CM	Diagnosis
M46.90	Unspecified inflammatory spondylopathy, site unspecified	ICD-10-CM	Diagnosis
M46.94	Unspecified inflammatory spondylopathy, thoracic region	ICD-10-CM	Diagnosis
M51.9	Unspecified thoracic, thoracolumbar and lumbosacral intervertebral disc disorder	ICD-10-CM	Diagnosis
M50.921	Unspecified cervical disc disorder at C4-C5 level	ICD-10-CM	Diagnosis
M50.922	Unspecified cervical disc disorder at C5-C6 level	ICD-10-CM	Diagnosis
M50.923	Unspecified cervical disc disorder at C6-C7 level	ICD-10-CM	Diagnosis
M47.022	Vertebral artery compression syndromes, cervical region	ICD-10-CM	Diagnosis
M47.021	Vertebral artery compression syndromes, occipito-atlanto-axial region	ICD-10-CM	Diagnosis
M47.029	Vertebral artery compression syndromes, site unspecified	ICD-10-CM	Diagnosis
<b>Cancer</b>			
140.0	Malignant neoplasm of upper lip, vermilion border	ICD-9-CM	Diagnosis
140.1	Malignant neoplasm of lower lip, vermilion border	ICD-9-CM	Diagnosis
140.3	Malignant neoplasm of upper lip, inner aspect	ICD-9-CM	Diagnosis
140.4	Malignant neoplasm of lower lip, inner aspect	ICD-9-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
140.5	Malignant neoplasm of lip, inner aspect, unspecified as to upper or lower	ICD-9-CM	Diagnosis
140.6	Malignant neoplasm of commissure of lip	ICD-9-CM	Diagnosis
140.8	Malignant neoplasm of other sites of lip	ICD-9-CM	Diagnosis
140.9	Malignant neoplasm of lip, vermilion border, unspecified as to upper or lower	ICD-9-CM	Diagnosis
141.0	Malignant neoplasm of base of tongue	ICD-9-CM	Diagnosis
141.1	Malignant neoplasm of dorsal surface of tongue	ICD-9-CM	Diagnosis
141.2	Malignant neoplasm of tip and lateral border of tongue	ICD-9-CM	Diagnosis
141.3	Malignant neoplasm of ventral surface of tongue	ICD-9-CM	Diagnosis
141.4	Malignant neoplasm of anterior two-thirds of tongue, part unspecified	ICD-9-CM	Diagnosis
141.5	Malignant neoplasm of junctional zone of tongue	ICD-9-CM	Diagnosis
141.6	Malignant neoplasm of lingual tonsil	ICD-9-CM	Diagnosis
141.8	Malignant neoplasm of other sites of tongue	ICD-9-CM	Diagnosis
141.9	Malignant neoplasm of tongue, unspecified site	ICD-9-CM	Diagnosis
142.0	Malignant neoplasm of parotid gland	ICD-9-CM	Diagnosis
142.1	Malignant neoplasm of submandibular gland	ICD-9-CM	Diagnosis
142.2	Malignant neoplasm of sublingual gland	ICD-9-CM	Diagnosis
142.8	Malignant neoplasm of other major salivary glands	ICD-9-CM	Diagnosis
142.9	Malignant neoplasm of salivary gland, unspecified	ICD-9-CM	Diagnosis
143.0	Malignant neoplasm of upper gum	ICD-9-CM	Diagnosis
143.1	Malignant neoplasm of lower gum	ICD-9-CM	Diagnosis
143.8	Malignant neoplasm of other sites of gum	ICD-9-CM	Diagnosis
143.9	Malignant neoplasm of gum, unspecified site	ICD-9-CM	Diagnosis
144.0	Malignant neoplasm of anterior portion of floor of mouth	ICD-9-CM	Diagnosis
144.1	Malignant neoplasm of lateral portion of floor of mouth	ICD-9-CM	Diagnosis
144.8	Malignant neoplasm of other sites of floor of mouth	ICD-9-CM	Diagnosis
144.9	Malignant neoplasm of floor of mouth, part unspecified	ICD-9-CM	Diagnosis
145.0	Malignant neoplasm of cheek mucosa	ICD-9-CM	Diagnosis
145.1	Malignant neoplasm of vestibule of mouth	ICD-9-CM	Diagnosis
145.2	Malignant neoplasm of hard palate	ICD-9-CM	Diagnosis
145.3	Malignant neoplasm of soft palate	ICD-9-CM	Diagnosis
145.4	Malignant neoplasm of uvula	ICD-9-CM	Diagnosis
145.5	Malignant neoplasm of palate, unspecified	ICD-9-CM	Diagnosis
145.6	Malignant neoplasm of retromolar area	ICD-9-CM	Diagnosis
145.8	Malignant neoplasm of other specified parts of mouth	ICD-9-CM	Diagnosis
145.9	Malignant neoplasm of mouth, unspecified site	ICD-9-CM	Diagnosis
146.0	Malignant neoplasm of tonsil	ICD-9-CM	Diagnosis
146.1	Malignant neoplasm of tonsillar fossa	ICD-9-CM	Diagnosis
146.2	Malignant neoplasm of tonsillar pillars (anterior) (posterior)	ICD-9-CM	Diagnosis
146.3	Malignant neoplasm of vallecula	ICD-9-CM	Diagnosis
146.4	Malignant neoplasm of anterior aspect of epiglottis	ICD-9-CM	Diagnosis
146.5	Malignant neoplasm of junctional region of oropharynx	ICD-9-CM	Diagnosis
146.6	Malignant neoplasm of lateral wall of oropharynx	ICD-9-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
146.7	Malignant neoplasm of posterior wall of oropharynx	ICD-9-CM	Diagnosis
146.8	Malignant neoplasm of other specified sites of oropharynx	ICD-9-CM	Diagnosis
146.9	Malignant neoplasm of oropharynx, unspecified site	ICD-9-CM	Diagnosis
147.0	Malignant neoplasm of superior wall of nasopharynx	ICD-9-CM	Diagnosis
147.1	Malignant neoplasm of posterior wall of nasopharynx	ICD-9-CM	Diagnosis
147.2	Malignant neoplasm of lateral wall of nasopharynx	ICD-9-CM	Diagnosis
147.3	Malignant neoplasm of anterior wall of nasopharynx	ICD-9-CM	Diagnosis
147.8	Malignant neoplasm of other specified sites of nasopharynx	ICD-9-CM	Diagnosis
147.9	Malignant neoplasm of nasopharynx, unspecified site	ICD-9-CM	Diagnosis
148.0	Malignant neoplasm of postcricoid region of hypopharynx	ICD-9-CM	Diagnosis
148.1	Malignant neoplasm of pyriform sinus	ICD-9-CM	Diagnosis
148.2	Malignant neoplasm of aryepiglottic fold, hypopharyngeal aspect	ICD-9-CM	Diagnosis
148.3	Malignant neoplasm of posterior hypopharyngeal wall	ICD-9-CM	Diagnosis
148.8	Malignant neoplasm of other specified sites of hypopharynx	ICD-9-CM	Diagnosis
148.9	Malignant neoplasm of hypopharynx, unspecified site	ICD-9-CM	Diagnosis
149.0	Malignant neoplasm of pharynx, unspecified	ICD-9-CM	Diagnosis
149.1	Malignant neoplasm of Waldeyer's ring	ICD-9-CM	Diagnosis
149.8	Malignant neoplasm of other sites within the lip and oral cavity	ICD-9-CM	Diagnosis
149.9	Malignant neoplasm of ill-defined sites of lip and oral cavity	ICD-9-CM	Diagnosis
150.0	Malignant neoplasm of cervical esophagus	ICD-9-CM	Diagnosis
150.1	Malignant neoplasm of thoracic esophagus	ICD-9-CM	Diagnosis
150.2	Malignant neoplasm of abdominal esophagus	ICD-9-CM	Diagnosis
150.3	Malignant neoplasm of upper third of esophagus	ICD-9-CM	Diagnosis
150.4	Malignant neoplasm of middle third of esophagus	ICD-9-CM	Diagnosis
150.5	Malignant neoplasm of lower third of esophagus	ICD-9-CM	Diagnosis
150.8	Malignant neoplasm of other specified part of esophagus	ICD-9-CM	Diagnosis
150.9	Malignant neoplasm of esophagus, unspecified site	ICD-9-CM	Diagnosis
151.0	Malignant neoplasm of cardia	ICD-9-CM	Diagnosis
151.1	Malignant neoplasm of pylorus	ICD-9-CM	Diagnosis
151.2	Malignant neoplasm of pyloric antrum	ICD-9-CM	Diagnosis
151.3	Malignant neoplasm of fundus of stomach	ICD-9-CM	Diagnosis
151.4	Malignant neoplasm of body of stomach	ICD-9-CM	Diagnosis
151.5	Malignant neoplasm of lesser curvature of stomach, unspecified	ICD-9-CM	Diagnosis
151.6	Malignant neoplasm of greater curvature of stomach, unspecified	ICD-9-CM	Diagnosis
151.8	Malignant neoplasm of other specified sites of stomach	ICD-9-CM	Diagnosis
151.9	Malignant neoplasm of stomach, unspecified site	ICD-9-CM	Diagnosis
152.0	Malignant neoplasm of duodenum	ICD-9-CM	Diagnosis
152.1	Malignant neoplasm of jejunum	ICD-9-CM	Diagnosis
152.2	Malignant neoplasm of ileum	ICD-9-CM	Diagnosis
152.3	Malignant neoplasm of Meckel's diverticulum	ICD-9-CM	Diagnosis
152.8	Malignant neoplasm of other specified sites of small intestine	ICD-9-CM	Diagnosis
152.9	Malignant neoplasm of small intestine, unspecified site	ICD-9-CM	Diagnosis
153.0	Malignant neoplasm of hepatic flexure	ICD-9-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
153.1	Malignant neoplasm of transverse colon	ICD-9-CM	Diagnosis
153.2	Malignant neoplasm of descending colon	ICD-9-CM	Diagnosis
153.3	Malignant neoplasm of sigmoid colon	ICD-9-CM	Diagnosis
153.4	Malignant neoplasm of cecum	ICD-9-CM	Diagnosis
153.5	Malignant neoplasm of appendix	ICD-9-CM	Diagnosis
153.6	Malignant neoplasm of ascending colon	ICD-9-CM	Diagnosis
153.7	Malignant neoplasm of splenic flexure	ICD-9-CM	Diagnosis
153.8	Malignant neoplasm of other specified sites of large intestine	ICD-9-CM	Diagnosis
153.9	Malignant neoplasm of colon, unspecified site	ICD-9-CM	Diagnosis
154.0	Malignant neoplasm of rectosigmoid junction	ICD-9-CM	Diagnosis
154.1	Malignant neoplasm of rectum	ICD-9-CM	Diagnosis
154.2	Malignant neoplasm of anal canal	ICD-9-CM	Diagnosis
154.3	Malignant neoplasm of anus, unspecified site	ICD-9-CM	Diagnosis
154.8	Malignant neoplasm of other sites of rectum, rectosigmoid junction, and anus	ICD-9-CM	Diagnosis
155.0	Malignant neoplasm of liver, primary	ICD-9-CM	Diagnosis
155.1	Malignant neoplasm of intrahepatic bile ducts	ICD-9-CM	Diagnosis
155.2	Malignant neoplasm of liver, not specified as primary or secondary	ICD-9-CM	Diagnosis
156.0	Malignant neoplasm of gallbladder	ICD-9-CM	Diagnosis
156.1	Malignant neoplasm of extrahepatic bile ducts	ICD-9-CM	Diagnosis
156.2	Malignant neoplasm of ampulla of Vater	ICD-9-CM	Diagnosis
156.8	Malignant neoplasm of other specified sites of gallbladder and extrahepatic bile ducts	ICD-9-CM	Diagnosis
156.9	Malignant neoplasm of biliary tract, part unspecified site	ICD-9-CM	Diagnosis
157.0	Malignant neoplasm of head of pancreas	ICD-9-CM	Diagnosis
157.1	Malignant neoplasm of body of pancreas	ICD-9-CM	Diagnosis
157.2	Malignant neoplasm of tail of pancreas	ICD-9-CM	Diagnosis
157.3	Malignant neoplasm of pancreatic duct	ICD-9-CM	Diagnosis
157.4	Malignant neoplasm of islets of Langerhans	ICD-9-CM	Diagnosis
157.8	Malignant neoplasm of other specified sites of pancreas	ICD-9-CM	Diagnosis
157.9	Malignant neoplasm of pancreas, part unspecified	ICD-9-CM	Diagnosis
158.0	Malignant neoplasm of retroperitoneum	ICD-9-CM	Diagnosis
158.8	Malignant neoplasm of specified parts of peritoneum	ICD-9-CM	Diagnosis
158.9	Malignant neoplasm of peritoneum, unspecified	ICD-9-CM	Diagnosis
159.0	Malignant neoplasm of intestinal tract, part unspecified	ICD-9-CM	Diagnosis
159.1	Malignant neoplasm of spleen, not elsewhere classified	ICD-9-CM	Diagnosis
159.8	Malignant neoplasm of other sites of digestive system and intra-abdominal organs	ICD-9-CM	Diagnosis
159.9	Malignant neoplasm of ill-defined sites of digestive organs and peritoneum	ICD-9-CM	Diagnosis
160.0	Malignant neoplasm of nasal cavities	ICD-9-CM	Diagnosis
160.1	Malignant neoplasm of auditory tube, middle ear, and mastoid air cells	ICD-9-CM	Diagnosis
160.2	Malignant neoplasm of maxillary sinus	ICD-9-CM	Diagnosis
160.3	Malignant neoplasm of ethmoidal sinus	ICD-9-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
160.4	Malignant neoplasm of frontal sinus	ICD-9-CM	Diagnosis
160.5	Malignant neoplasm of sphenoidal sinus	ICD-9-CM	Diagnosis
160.8	Malignant neoplasm of other sites of nasal cavities, middle ear, and accessory sinuses	ICD-9-CM	Diagnosis
160.9	Malignant neoplasm of site of nasal cavities, middle ear, and accessory sinus, unspecified site	ICD-9-CM	Diagnosis
161.0	Malignant neoplasm of glottis	ICD-9-CM	Diagnosis
161.1	Malignant neoplasm of supraglottis	ICD-9-CM	Diagnosis
161.2	Malignant neoplasm of subglottis	ICD-9-CM	Diagnosis
161.3	Malignant neoplasm of laryngeal cartilages	ICD-9-CM	Diagnosis
161.8	Malignant neoplasm of other specified sites of larynx	ICD-9-CM	Diagnosis
161.9	Malignant neoplasm of larynx, unspecified site	ICD-9-CM	Diagnosis
162.0	Malignant neoplasm of trachea	ICD-9-CM	Diagnosis
162.2	Malignant neoplasm of main bronchus	ICD-9-CM	Diagnosis
162.3	Malignant neoplasm of upper lobe, bronchus, or lung	ICD-9-CM	Diagnosis
162.4	Malignant neoplasm of middle lobe, bronchus, or lung	ICD-9-CM	Diagnosis
162.5	Malignant neoplasm of lower lobe, bronchus, or lung	ICD-9-CM	Diagnosis
162.8	Malignant neoplasm of other parts of bronchus or lung	ICD-9-CM	Diagnosis
162.9	Malignant neoplasm of bronchus and lung, unspecified site	ICD-9-CM	Diagnosis
163.0	Malignant neoplasm of parietal pleura	ICD-9-CM	Diagnosis
163.1	Malignant neoplasm of visceral pleura	ICD-9-CM	Diagnosis
163.8	Malignant neoplasm of other specified sites of pleura	ICD-9-CM	Diagnosis
163.9	Malignant neoplasm of pleura, unspecified site	ICD-9-CM	Diagnosis
164.0	Malignant neoplasm of thymus	ICD-9-CM	Diagnosis
164.1	Malignant neoplasm of heart	ICD-9-CM	Diagnosis
164.2	Malignant neoplasm of anterior mediastinum	ICD-9-CM	Diagnosis
164.3	Malignant neoplasm of posterior mediastinum	ICD-9-CM	Diagnosis
164.8	Malignant neoplasm of other parts of mediastinum	ICD-9-CM	Diagnosis
164.9	Malignant neoplasm of mediastinum, part unspecified	ICD-9-CM	Diagnosis
165.0	Malignant neoplasm of upper respiratory tract, part unspecified	ICD-9-CM	Diagnosis
165.8	Malignant neoplasm of other sites within the respiratory system and intrathoracic organs	ICD-9-CM	Diagnosis
165.9	Malignant neoplasm of ill-defined sites within the respiratory system	ICD-9-CM	Diagnosis
170.0	Malignant neoplasm of bones of skull and face, except mandible	ICD-9-CM	Diagnosis
170.1	Malignant neoplasm of mandible	ICD-9-CM	Diagnosis
170.2	Malignant neoplasm of vertebral column, excluding sacrum and coccyx	ICD-9-CM	Diagnosis
170.3	Malignant neoplasm of ribs, sternum, and clavicle	ICD-9-CM	Diagnosis
170.4	Malignant neoplasm of scapula and long bones of upper limb	ICD-9-CM	Diagnosis
170.5	Malignant neoplasm of short bones of upper limb	ICD-9-CM	Diagnosis
170.6	Malignant neoplasm of pelvic bones, sacrum, and coccyx	ICD-9-CM	Diagnosis
170.7	Malignant neoplasm of long bones of lower limb	ICD-9-CM	Diagnosis
170.8	Malignant neoplasm of short bones of lower limb	ICD-9-CM	Diagnosis
170.9	Malignant neoplasm of bone and articular cartilage, site unspecified	ICD-9-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
171.0	Malignant neoplasm of connective and other soft tissue of head, face, and neck	ICD-9-CM	Diagnosis
171.2	Malignant neoplasm of connective and other soft tissue of upper limb, including shoulder	ICD-9-CM	Diagnosis
171.3	Malignant neoplasm of connective and other soft tissue of lower limb, including hip	ICD-9-CM	Diagnosis
171.4	Malignant neoplasm of connective and other soft tissue of thorax	ICD-9-CM	Diagnosis
171.5	Malignant neoplasm of connective and other soft tissue of abdomen	ICD-9-CM	Diagnosis
171.6	Malignant neoplasm of connective and other soft tissue of pelvis	ICD-9-CM	Diagnosis
171.7	Malignant neoplasm of connective and other soft tissue of trunk, unspecified site	ICD-9-CM	Diagnosis
171.8	Malignant neoplasm of other specified sites of connective and other soft tissue	ICD-9-CM	Diagnosis
171.9	Malignant neoplasm of connective and other soft tissue, site unspecified	ICD-9-CM	Diagnosis
172.0	Malignant melanoma of skin of lip	ICD-9-CM	Diagnosis
172.1	Malignant melanoma of skin of eyelid, including canthus	ICD-9-CM	Diagnosis
172.2	Malignant melanoma of skin of ear and external auditory canal	ICD-9-CM	Diagnosis
172.3	Malignant melanoma of skin of other and unspecified parts of face	ICD-9-CM	Diagnosis
172.4	Malignant melanoma of skin of scalp and neck	ICD-9-CM	Diagnosis
172.5	Malignant melanoma of skin of trunk, except scrotum	ICD-9-CM	Diagnosis
172.6	Malignant melanoma of skin of upper limb, including shoulder	ICD-9-CM	Diagnosis
172.7	Malignant melanoma of skin of lower limb, including hip	ICD-9-CM	Diagnosis
172.8	Malignant melanoma of other specified sites of skin	ICD-9-CM	Diagnosis
172.9	Melanoma of skin, site unspecified	ICD-9-CM	Diagnosis
174.0	Malignant neoplasm of nipple and areola of female breast	ICD-9-CM	Diagnosis
174.1	Malignant neoplasm of central portion of female breast	ICD-9-CM	Diagnosis
174.2	Malignant neoplasm of upper-inner quadrant of female breast	ICD-9-CM	Diagnosis
174.3	Malignant neoplasm of lower-inner quadrant of female breast	ICD-9-CM	Diagnosis
174.4	Malignant neoplasm of upper-outer quadrant of female breast	ICD-9-CM	Diagnosis
174.5	Malignant neoplasm of lower-outer quadrant of female breast	ICD-9-CM	Diagnosis
174.6	Malignant neoplasm of axillary tail of female breast	ICD-9-CM	Diagnosis
174.8	Malignant neoplasm of other specified sites of female breast	ICD-9-CM	Diagnosis
174.9	Malignant neoplasm of breast (female), unspecified site	ICD-9-CM	Diagnosis
175.0	Malignant neoplasm of nipple and areola of male breast	ICD-9-CM	Diagnosis
175.9	Malignant neoplasm of other and unspecified sites of male breast	ICD-9-CM	Diagnosis
176.0	Kaposi's sarcoma of skin	ICD-9-CM	Diagnosis
176.1	Kaposi's sarcoma of soft tissue	ICD-9-CM	Diagnosis
176.2	Kaposi's sarcoma of palate	ICD-9-CM	Diagnosis
176.3	Kaposi's sarcoma of gastrointestinal sites	ICD-9-CM	Diagnosis
176.4	Kaposi's sarcoma of lung	ICD-9-CM	Diagnosis
176.5	Kaposi's sarcoma of lymph nodes	ICD-9-CM	Diagnosis
176.8	Kaposi's sarcoma of other specified sites	ICD-9-CM	Diagnosis
176.9	Kaposi's sarcoma of unspecified site	ICD-9-CM	Diagnosis



**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
179	Malignant neoplasm of uterus, part unspecified	ICD-9-CM	Diagnosis
180.0	Malignant neoplasm of endocervix	ICD-9-CM	Diagnosis
180.1	Malignant neoplasm of exocervix	ICD-9-CM	Diagnosis
180.8	Malignant neoplasm of other specified sites of cervix	ICD-9-CM	Diagnosis
180.9	Malignant neoplasm of cervix uteri, unspecified site	ICD-9-CM	Diagnosis
181	Malignant neoplasm of placenta	ICD-9-CM	Diagnosis
182.0	Malignant neoplasm of corpus uteri, except isthmus	ICD-9-CM	Diagnosis
182.1	Malignant neoplasm of isthmus	ICD-9-CM	Diagnosis
182.8	Malignant neoplasm of other specified sites of body of uterus	ICD-9-CM	Diagnosis
183.0	Malignant neoplasm of ovary	ICD-9-CM	Diagnosis
183.2	Malignant neoplasm of fallopian tube	ICD-9-CM	Diagnosis
183.3	Malignant neoplasm of broad ligament of uterus	ICD-9-CM	Diagnosis
183.4	Malignant neoplasm of parametrium of uterus	ICD-9-CM	Diagnosis
183.5	Malignant neoplasm of round ligament of uterus	ICD-9-CM	Diagnosis
183.8	Malignant neoplasm of other specified sites of uterine adnexa	ICD-9-CM	Diagnosis
183.9	Malignant neoplasm of uterine adnexa, unspecified site	ICD-9-CM	Diagnosis
184.0	Malignant neoplasm of vagina	ICD-9-CM	Diagnosis
184.1	Malignant neoplasm of labia majora	ICD-9-CM	Diagnosis
184.2	Malignant neoplasm of labia minora	ICD-9-CM	Diagnosis
184.3	Malignant neoplasm of clitoris	ICD-9-CM	Diagnosis
184.4	Malignant neoplasm of vulva, unspecified site	ICD-9-CM	Diagnosis
184.8	Malignant neoplasm of other specified sites of female genital organs	ICD-9-CM	Diagnosis
184.9	Malignant neoplasm of female genital organ, site unspecified	ICD-9-CM	Diagnosis
185	Malignant neoplasm of prostate	ICD-9-CM	Diagnosis
186.0	Malignant neoplasm of undescended testis	ICD-9-CM	Diagnosis
186.9	Malignant neoplasm of other and unspecified testis	ICD-9-CM	Diagnosis
187.1	Malignant neoplasm of prepuce	ICD-9-CM	Diagnosis
187.2	Malignant neoplasm of glans penis	ICD-9-CM	Diagnosis
187.3	Malignant neoplasm of body of penis	ICD-9-CM	Diagnosis
187.4	Malignant neoplasm of penis, part unspecified	ICD-9-CM	Diagnosis
187.5	Malignant neoplasm of epididymis	ICD-9-CM	Diagnosis
187.6	Malignant neoplasm of spermatic cord	ICD-9-CM	Diagnosis
187.7	Malignant neoplasm of scrotum	ICD-9-CM	Diagnosis
187.8	Malignant neoplasm of other specified sites of male genital organs	ICD-9-CM	Diagnosis
187.9	Malignant neoplasm of male genital organ, site unspecified	ICD-9-CM	Diagnosis
188.0	Malignant neoplasm of trigone of urinary bladder	ICD-9-CM	Diagnosis
188.1	Malignant neoplasm of dome of urinary bladder	ICD-9-CM	Diagnosis
188.2	Malignant neoplasm of lateral wall of urinary bladder	ICD-9-CM	Diagnosis
188.3	Malignant neoplasm of anterior wall of urinary bladder	ICD-9-CM	Diagnosis
188.4	Malignant neoplasm of posterior wall of urinary bladder	ICD-9-CM	Diagnosis
188.5	Malignant neoplasm of bladder neck	ICD-9-CM	Diagnosis
188.6	Malignant neoplasm of ureteric orifice	ICD-9-CM	Diagnosis
188.7	Malignant neoplasm of urachus	ICD-9-CM	Diagnosis



**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
188.8	Malignant neoplasm of other specified sites of bladder	ICD-9-CM	Diagnosis
188.9	Malignant neoplasm of bladder, part unspecified	ICD-9-CM	Diagnosis
189.0	Malignant neoplasm of kidney, except pelvis	ICD-9-CM	Diagnosis
189.1	Malignant neoplasm of renal pelvis	ICD-9-CM	Diagnosis
189.2	Malignant neoplasm of ureter	ICD-9-CM	Diagnosis
189.3	Malignant neoplasm of urethra	ICD-9-CM	Diagnosis
189.4	Malignant neoplasm of paraurethral glands	ICD-9-CM	Diagnosis
189.8	Malignant neoplasm of other specified sites of urinary organs	ICD-9-CM	Diagnosis
189.9	Malignant neoplasm of urinary organ, site unspecified	ICD-9-CM	Diagnosis
190.0	Malignant neoplasm of eyeball, except conjunctiva, cornea, retina, and choroid	ICD-9-CM	Diagnosis
190.1	Malignant neoplasm of orbit	ICD-9-CM	Diagnosis
190.2	Malignant neoplasm of lacrimal gland	ICD-9-CM	Diagnosis
190.3	Malignant neoplasm of conjunctiva	ICD-9-CM	Diagnosis
190.4	Malignant neoplasm of cornea	ICD-9-CM	Diagnosis
190.5	Malignant neoplasm of retina	ICD-9-CM	Diagnosis
190.6	Malignant neoplasm of choroid	ICD-9-CM	Diagnosis
190.7	Malignant neoplasm of lacrimal duct	ICD-9-CM	Diagnosis
190.8	Malignant neoplasm of other specified sites of eye	ICD-9-CM	Diagnosis
190.9	Malignant neoplasm of eye, part unspecified	ICD-9-CM	Diagnosis
191.0	Malignant neoplasm of cerebrum, except lobes and ventricles	ICD-9-CM	Diagnosis
191.1	Malignant neoplasm of frontal lobe of brain	ICD-9-CM	Diagnosis
191.2	Malignant neoplasm of temporal lobe of brain	ICD-9-CM	Diagnosis
191.3	Malignant neoplasm of parietal lobe of brain	ICD-9-CM	Diagnosis
191.4	Malignant neoplasm of occipital lobe of brain	ICD-9-CM	Diagnosis
191.5	Malignant neoplasm of ventricles of brain	ICD-9-CM	Diagnosis
191.6	Malignant neoplasm of cerebellum NOS	ICD-9-CM	Diagnosis
191.7	Malignant neoplasm of brain stem	ICD-9-CM	Diagnosis
191.8	Malignant neoplasm of other parts of brain	ICD-9-CM	Diagnosis
191.9	Malignant neoplasm of brain, unspecified site	ICD-9-CM	Diagnosis
192.0	Malignant neoplasm of cranial nerves	ICD-9-CM	Diagnosis
192.1	Malignant neoplasm of cerebral meninges	ICD-9-CM	Diagnosis
192.2	Malignant neoplasm of spinal cord	ICD-9-CM	Diagnosis
192.3	Malignant neoplasm of spinal meninges	ICD-9-CM	Diagnosis
192.8	Malignant neoplasm of other specified sites of nervous system	ICD-9-CM	Diagnosis
192.9	Malignant neoplasm of nervous system, part unspecified	ICD-9-CM	Diagnosis
193	Malignant neoplasm of thyroid gland	ICD-9-CM	Diagnosis
194.0	Malignant neoplasm of adrenal gland	ICD-9-CM	Diagnosis
194.1	Malignant neoplasm of parathyroid gland	ICD-9-CM	Diagnosis
194.3	Malignant neoplasm of pituitary gland and craniopharyngeal duct	ICD-9-CM	Diagnosis
194.4	Malignant neoplasm of pineal gland	ICD-9-CM	Diagnosis
194.5	Malignant neoplasm of carotid body	ICD-9-CM	Diagnosis
194.6	Malignant neoplasm of aortic body and other paraganglia	ICD-9-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
194.8	Malignant neoplasm of other endocrine glands and related structures	ICD-9-CM	Diagnosis
194.9	Malignant neoplasm of endocrine gland, site unspecified	ICD-9-CM	Diagnosis
195.0	Malignant neoplasm of head, face, and neck	ICD-9-CM	Diagnosis
195.1	Malignant neoplasm of thorax	ICD-9-CM	Diagnosis
195.2	Malignant neoplasm of abdomen	ICD-9-CM	Diagnosis
195.3	Malignant neoplasm of pelvis	ICD-9-CM	Diagnosis
195.4	Malignant neoplasm of upper limb	ICD-9-CM	Diagnosis
195.5	Malignant neoplasm of lower limb	ICD-9-CM	Diagnosis
195.8	Malignant neoplasm of other specified sites	ICD-9-CM	Diagnosis
196.0	Secondary and unspecified malignant neoplasm of lymph nodes of head, face, and neck	ICD-9-CM	Diagnosis
196.1	Secondary and unspecified malignant neoplasm of intrathoracic lymph nodes	ICD-9-CM	Diagnosis
196.2	Secondary and unspecified malignant neoplasm of intra-abdominal lymph nodes	ICD-9-CM	Diagnosis
196.3	Secondary and unspecified malignant neoplasm of lymph nodes of axilla and upper limb	ICD-9-CM	Diagnosis
196.5	Secondary and unspecified malignant neoplasm of lymph nodes of inguinal region and lower limb	ICD-9-CM	Diagnosis
196.6	Secondary and unspecified malignant neoplasm of intrapelvic lymph nodes	ICD-9-CM	Diagnosis
196.8	Secondary and unspecified malignant neoplasm of lymph nodes of multiple sites	ICD-9-CM	Diagnosis
196.9	Secondary and unspecified malignant neoplasm of lymph nodes, site unspecified	ICD-9-CM	Diagnosis
197.0	Secondary malignant neoplasm of lung	ICD-9-CM	Diagnosis
197.1	Secondary malignant neoplasm of mediastinum	ICD-9-CM	Diagnosis
197.2	Secondary malignant neoplasm of pleura	ICD-9-CM	Diagnosis
197.3	Secondary malignant neoplasm of other respiratory organs	ICD-9-CM	Diagnosis
197.4	Secondary malignant neoplasm of small intestine including duodenum	ICD-9-CM	Diagnosis
197.5	Secondary malignant neoplasm of large intestine and rectum	ICD-9-CM	Diagnosis
197.6	Secondary malignant neoplasm of retroperitoneum and peritoneum	ICD-9-CM	Diagnosis
197.7	Secondary malignant neoplasm of liver	ICD-9-CM	Diagnosis
197.8	Secondary malignant neoplasm of other digestive organs and spleen	ICD-9-CM	Diagnosis
198.0	Secondary malignant neoplasm of kidney	ICD-9-CM	Diagnosis
198.1	Secondary malignant neoplasm of other urinary organs	ICD-9-CM	Diagnosis
198.2	Secondary malignant neoplasm of skin	ICD-9-CM	Diagnosis
198.3	Secondary malignant neoplasm of brain and spinal cord	ICD-9-CM	Diagnosis
198.4	Secondary malignant neoplasm of other parts of nervous system	ICD-9-CM	Diagnosis
198.5	Secondary malignant neoplasm of bone and bone marrow	ICD-9-CM	Diagnosis
198.6	Secondary malignant neoplasm of ovary	ICD-9-CM	Diagnosis
198.7	Secondary malignant neoplasm of adrenal gland	ICD-9-CM	Diagnosis
198.81	Secondary malignant neoplasm of breast	ICD-9-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
198.82	Secondary malignant neoplasm of genital organs	ICD-9-CM	Diagnosis
198.89	Secondary malignant neoplasm of other specified sites	ICD-9-CM	Diagnosis
199.0	Disseminated malignant neoplasm	ICD-9-CM	Diagnosis
199.1	Other malignant neoplasm of unspecified site	ICD-9-CM	Diagnosis
199.2	Malignant neoplasm associated with transplanted organ	ICD-9-CM	Diagnosis
200.00	Reticulosarcoma, unspecified site, extranodal and solid organ sites	ICD-9-CM	Diagnosis
200.01	Reticulosarcoma of lymph nodes of head, face, and neck	ICD-9-CM	Diagnosis
200.02	Reticulosarcoma of intrathoracic lymph nodes	ICD-9-CM	Diagnosis
200.03	Reticulosarcoma of intra-abdominal lymph nodes	ICD-9-CM	Diagnosis
200.04	Reticulosarcoma of lymph nodes of axilla and upper limb	ICD-9-CM	Diagnosis
200.05	Reticulosarcoma of lymph nodes of inguinal region and lower limb	ICD-9-CM	Diagnosis
200.06	Reticulosarcoma of intrapelvic lymph nodes	ICD-9-CM	Diagnosis
200.07	Reticulosarcoma of spleen	ICD-9-CM	Diagnosis
200.08	Reticulosarcoma of lymph nodes of multiple sites	ICD-9-CM	Diagnosis
200.10	Lymphosarcoma, unspecified site, extranodal and solid organ sites	ICD-9-CM	Diagnosis
200.11	Lymphosarcoma of lymph nodes of head, face, and neck	ICD-9-CM	Diagnosis
200.12	Lymphosarcoma of intrathoracic lymph nodes	ICD-9-CM	Diagnosis
200.13	Lymphosarcoma of intra-abdominal lymph nodes	ICD-9-CM	Diagnosis
200.14	Lymphosarcoma of lymph nodes of axilla and upper limb	ICD-9-CM	Diagnosis
200.15	Lymphosarcoma of lymph nodes of inguinal region and lower limb	ICD-9-CM	Diagnosis
200.16	Lymphosarcoma of intrapelvic lymph nodes	ICD-9-CM	Diagnosis
200.17	Lymphosarcoma of spleen	ICD-9-CM	Diagnosis
200.18	Lymphosarcoma of lymph nodes of multiple sites	ICD-9-CM	Diagnosis
200.20	Burkitt's tumor or lymphoma, unspecified site, extranodal and solid organ sites	ICD-9-CM	Diagnosis
200.21	Burkitt's tumor or lymphoma of lymph nodes of head, face, and neck	ICD-9-CM	Diagnosis
200.22	Burkitt's tumor or lymphoma of intrathoracic lymph nodes	ICD-9-CM	Diagnosis
200.23	Burkitt's tumor or lymphoma of intra-abdominal lymph nodes	ICD-9-CM	Diagnosis
200.24	Burkitt's tumor or lymphoma of lymph nodes of axilla and upper limb	ICD-9-CM	Diagnosis
200.25	Burkitt's tumor or lymphoma of lymph nodes of inguinal region and lower limb	ICD-9-CM	Diagnosis
200.26	Burkitt's tumor or lymphoma of intrapelvic lymph nodes	ICD-9-CM	Diagnosis
200.27	Burkitt's tumor or lymphoma of spleen	ICD-9-CM	Diagnosis
200.28	Burkitt's tumor or lymphoma of lymph nodes of multiple sites	ICD-9-CM	Diagnosis
200.30	Marginal zone lymphoma, unspecified site, extranodal and solid organ sites	ICD-9-CM	Diagnosis
200.31	Marginal zone lymphoma, lymph nodes of head, face, and neck	ICD-9-CM	Diagnosis
200.32	Marginal zone lymphoma, intrathoracic lymph nodes	ICD-9-CM	Diagnosis
200.33	Marginal zone lymphoma, intra-abdominal lymph nodes	ICD-9-CM	Diagnosis
200.34	Marginal zone lymphoma, lymph nodes of axilla and upper limb	ICD-9-CM	Diagnosis
200.35	Marginal zone lymphoma, lymph nodes of inguinal region and lower limb	ICD-9-CM	Diagnosis
200.36	Marginal zone lymphoma, intrapelvic lymph nodes	ICD-9-CM	Diagnosis
200.37	Marginal zone lymphoma, spleen	ICD-9-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
200.38	Marginal zone lymphoma, lymph nodes of multiple sites	ICD-9-CM	Diagnosis
200.40	Mantle cell lymphoma, unspecified site, extranodal and solid organ sites	ICD-9-CM	Diagnosis
200.41	Mantle cell lymphoma, lymph nodes of head, face, and neck	ICD-9-CM	Diagnosis
200.42	Mantle cell lymphoma, intrathoracic lymph nodes	ICD-9-CM	Diagnosis
200.43	Mantle cell lymphoma, intra-abdominal lymph nodes	ICD-9-CM	Diagnosis
200.44	Mantle cell lymphoma, lymph nodes of axilla and upper limb	ICD-9-CM	Diagnosis
200.45	Mantle cell lymphoma, lymph nodes of inguinal region and lower limb	ICD-9-CM	Diagnosis
200.46	Mantle cell lymphoma, intrapelvic lymph nodes	ICD-9-CM	Diagnosis
200.47	Mantle cell lymphoma, spleen	ICD-9-CM	Diagnosis
200.48	Mantle cell lymphoma, lymph nodes of multiple sites	ICD-9-CM	Diagnosis
200.50	Primary central nervous system lymphoma, unspecified site, extranodal and solid organ sites	ICD-9-CM	Diagnosis
200.51	Primary central nervous system lymphoma, lymph nodes of head, face, and neck	ICD-9-CM	Diagnosis
200.52	Primary central nervous system lymphoma, intrathoracic lymph nodes	ICD-9-CM	Diagnosis
200.53	Primary central nervous system lymphoma, intra-abdominal lymph nodes	ICD-9-CM	Diagnosis
200.54	Primary central nervous system lymphoma, lymph nodes of axilla and upper limb	ICD-9-CM	Diagnosis
200.55	Primary central nervous system lymphoma, lymph nodes of inguinal region and lower limb	ICD-9-CM	Diagnosis
200.56	Primary central nervous system lymphoma, intrapelvic lymph nodes	ICD-9-CM	Diagnosis
200.57	Primary central nervous system lymphoma, spleen	ICD-9-CM	Diagnosis
200.58	Primary central nervous system lymphoma, lymph nodes of multiple sites	ICD-9-CM	Diagnosis
200.60	Anaplastic large cell lymphoma, unspecified site, extranodal and solid organ sites	ICD-9-CM	Diagnosis
200.61	Anaplastic large cell lymphoma, lymph nodes of head, face, and neck	ICD-9-CM	Diagnosis
200.62	Anaplastic large cell lymphoma, intrathoracic lymph nodes	ICD-9-CM	Diagnosis
200.63	Anaplastic large cell lymphoma, intra-abdominal lymph nodes	ICD-9-CM	Diagnosis
200.64	Anaplastic large cell lymphoma, lymph nodes of axilla and upper limb	ICD-9-CM	Diagnosis
200.65	Anaplastic large cell lymphoma, lymph nodes of inguinal region and lower limb	ICD-9-CM	Diagnosis
200.66	Anaplastic large cell lymphoma, intrapelvic lymph nodes	ICD-9-CM	Diagnosis
200.67	Anaplastic large cell lymphoma, spleen	ICD-9-CM	Diagnosis
200.68	Anaplastic large cell lymphoma, lymph nodes of multiple sites	ICD-9-CM	Diagnosis
200.70	Large cell lymphoma, unspecified site, extranodal and solid organ sites	ICD-9-CM	Diagnosis
200.71	Large cell lymphoma, lymph nodes of head, face, and neck	ICD-9-CM	Diagnosis
200.72	Large cell lymphoma, intrathoracic lymph nodes	ICD-9-CM	Diagnosis
200.73	Large cell lymphoma, intra-abdominal lymph nodes	ICD-9-CM	Diagnosis
200.74	Large cell lymphoma, lymph nodes of axilla and upper limb	ICD-9-CM	Diagnosis
200.75	Large cell lymphoma, lymph nodes of inguinal region and lower limb	ICD-9-CM	Diagnosis
200.76	Large cell lymphoma, intrapelvic lymph nodes	ICD-9-CM	Diagnosis
200.77	Large cell lymphoma, spleen	ICD-9-CM	Diagnosis
200.78	Large cell lymphoma, lymph nodes of multiple sites	ICD-9-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
200.80	Other named variants, unspecified site, extranodal and solid organ sites	ICD-9-CM	Diagnosis
200.81	Other named variants of lymphosarcoma and reticulosarcoma of lymph nodes of head, face, and neck	ICD-9-CM	Diagnosis
200.82	Other named variants of lymphosarcoma and reticulosarcoma of intrathoracic lymph nodes	ICD-9-CM	Diagnosis
200.83	Other named variants of lymphosarcoma and reticulosarcoma of intra-abdominal lymph nodes	ICD-9-CM	Diagnosis
200.84	Other named variants of lymphosarcoma and reticulosarcoma of lymph nodes of axilla and upper limb	ICD-9-CM	Diagnosis
200.85	Other named variants of lymphosarcoma and reticulosarcoma of lymph nodes of inguinal region and lower limb	ICD-9-CM	Diagnosis
200.86	Other named variants of lymphosarcoma and reticulosarcoma of intrapelvic lymph nodes	ICD-9-CM	Diagnosis
200.87	Other named variants of lymphosarcoma and reticulosarcoma of spleen	ICD-9-CM	Diagnosis
200.88	Other named variants of lymphosarcoma and reticulosarcoma of lymph nodes of multiple sites	ICD-9-CM	Diagnosis
201.00	Hodgkin's paragranuloma, unspecified site, extranodal and solid organ sites	ICD-9-CM	Diagnosis
201.01	Hodgkin's paragranuloma of lymph nodes of head, face, and neck	ICD-9-CM	Diagnosis
201.02	Hodgkin's paragranuloma of intrathoracic lymph nodes	ICD-9-CM	Diagnosis
201.03	Hodgkin's paragranuloma of intra-abdominal lymph nodes	ICD-9-CM	Diagnosis
201.04	Hodgkin's paragranuloma of lymph nodes of axilla and upper limb	ICD-9-CM	Diagnosis
201.05	Hodgkin's paragranuloma of lymph nodes of inguinal region and lower limb	ICD-9-CM	Diagnosis
201.06	Hodgkin's paragranuloma of intrapelvic lymph nodes	ICD-9-CM	Diagnosis
201.07	Hodgkin's paragranuloma of spleen	ICD-9-CM	Diagnosis
201.08	Hodgkin's paragranuloma of lymph nodes of multiple sites	ICD-9-CM	Diagnosis
201.10	Hodgkin's granuloma, unspecified site, extranodal and solid organ sites	ICD-9-CM	Diagnosis
201.11	Hodgkin's granuloma of lymph nodes of head, face, and neck	ICD-9-CM	Diagnosis
201.12	Hodgkin's granuloma of intrathoracic lymph nodes	ICD-9-CM	Diagnosis
201.13	Hodgkin's granuloma of intra-abdominal lymph nodes	ICD-9-CM	Diagnosis
201.14	Hodgkin's granuloma of lymph nodes of axilla and upper limb	ICD-9-CM	Diagnosis
201.15	Hodgkin's granuloma of lymph nodes of inguinal region and lower limb	ICD-9-CM	Diagnosis
201.16	Hodgkin's granuloma of intrapelvic lymph nodes	ICD-9-CM	Diagnosis
201.17	Hodgkin's granuloma of spleen	ICD-9-CM	Diagnosis
201.18	Hodgkin's granuloma of lymph nodes of multiple sites	ICD-9-CM	Diagnosis
201.20	Hodgkin's sarcoma, unspecified site, extranodal and solid organ sites	ICD-9-CM	Diagnosis
201.21	Hodgkin's sarcoma of lymph nodes of head, face, and neck	ICD-9-CM	Diagnosis
201.22	Hodgkin's sarcoma of intrathoracic lymph nodes	ICD-9-CM	Diagnosis
201.23	Hodgkin's sarcoma of intra-abdominal lymph nodes	ICD-9-CM	Diagnosis
201.24	Hodgkin's sarcoma of lymph nodes of axilla and upper limb	ICD-9-CM	Diagnosis
201.25	Hodgkin's sarcoma of lymph nodes of inguinal region and lower limb	ICD-9-CM	Diagnosis
201.26	Hodgkin's sarcoma of intrapelvic lymph nodes	ICD-9-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
201.27	Hodgkin's sarcoma of spleen	ICD-9-CM	Diagnosis
201.28	Hodgkin's sarcoma of lymph nodes of multiple sites	ICD-9-CM	Diagnosis
201.40	Hodgkin's disease, lymphocytic-histiocytic predominance, unspecified site, extranodal and solid organ sites	ICD-9-CM	Diagnosis
201.41	Hodgkin's disease, lymphocytic-histiocytic predominance of lymph nodes of head, face, and neck	ICD-9-CM	Diagnosis
201.42	Hodgkin's disease, lymphocytic-histiocytic predominance of intrathoracic lymph nodes	ICD-9-CM	Diagnosis
201.43	Hodgkin's disease, lymphocytic-histiocytic predominance of intra-abdominal lymph nodes	ICD-9-CM	Diagnosis
201.44	Hodgkin's disease, lymphocytic-histiocytic predominance of lymph nodes of axilla and upper limb	ICD-9-CM	Diagnosis
201.45	Hodgkin's disease, lymphocytic-histiocytic predominance of lymph nodes of inguinal region and lower limb	ICD-9-CM	Diagnosis
201.46	Hodgkin's disease, lymphocytic-histiocytic predominance of intrapelvic lymph nodes	ICD-9-CM	Diagnosis
201.47	Hodgkin's disease, lymphocytic-histiocytic predominance of spleen	ICD-9-CM	Diagnosis
201.48	Hodgkin's disease, lymphocytic-histiocytic predominance of lymph nodes of multiple sites	ICD-9-CM	Diagnosis
201.50	Hodgkin's disease, nodular sclerosis, unspecified site, extranodal and solid organ sites	ICD-9-CM	Diagnosis
201.51	Hodgkin's disease, nodular sclerosis, of lymph nodes of head, face, and neck	ICD-9-CM	Diagnosis
201.52	Hodgkin's disease, nodular sclerosis, of intrathoracic lymph nodes	ICD-9-CM	Diagnosis
201.53	Hodgkin's disease, nodular sclerosis, of intra-abdominal lymph nodes	ICD-9-CM	Diagnosis
201.54	Hodgkin's disease, nodular sclerosis, of lymph nodes of axilla and upper limb	ICD-9-CM	Diagnosis
201.55	Hodgkin's disease, nodular sclerosis, of lymph nodes of inguinal region and lower limb	ICD-9-CM	Diagnosis
201.56	Hodgkin's disease, nodular sclerosis, of intrapelvic lymph nodes	ICD-9-CM	Diagnosis
201.57	Hodgkin's disease, nodular sclerosis, of spleen	ICD-9-CM	Diagnosis
201.58	Hodgkin's disease, nodular sclerosis, of lymph nodes of multiple sites	ICD-9-CM	Diagnosis
201.60	Hodgkin's disease, mixed cellularity, unspecified site, extranodal and solid organ sites	ICD-9-CM	Diagnosis
201.61	Hodgkin's disease, mixed cellularity, involving lymph nodes of head, face, and neck	ICD-9-CM	Diagnosis
201.62	Hodgkin's disease, mixed cellularity, of intrathoracic lymph nodes	ICD-9-CM	Diagnosis
201.63	Hodgkin's disease, mixed cellularity, of intra-abdominal lymph nodes	ICD-9-CM	Diagnosis
201.64	Hodgkin's disease, mixed cellularity, of lymph nodes of axilla and upper limb	ICD-9-CM	Diagnosis
201.65	Hodgkin's disease, mixed cellularity, of lymph nodes of inguinal region and lower limb	ICD-9-CM	Diagnosis
201.66	Hodgkin's disease, mixed cellularity, of intrapelvic lymph nodes	ICD-9-CM	Diagnosis



**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
201.67	Hodgkin's disease, mixed cellularity, of spleen	ICD-9-CM	Diagnosis
201.68	Hodgkin's disease, mixed cellularity, of lymph nodes of multiple sites	ICD-9-CM	Diagnosis
201.70	Hodgkin's disease, lymphocytic depletion, unspecified site, extranodal and solid organ sites	ICD-9-CM	Diagnosis
201.71	Hodgkin's disease, lymphocytic depletion, of lymph nodes of head, face, and neck	ICD-9-CM	Diagnosis
201.72	Hodgkin's disease, lymphocytic depletion, of intrathoracic lymph nodes	ICD-9-CM	Diagnosis
201.73	Hodgkin's disease, lymphocytic depletion, of intra-abdominal lymph nodes	ICD-9-CM	Diagnosis
201.74	Hodgkin's disease, lymphocytic depletion, of lymph nodes of axilla and upper limb	ICD-9-CM	Diagnosis
201.75	Hodgkin's disease, lymphocytic depletion, of lymph nodes of inguinal region and lower limb	ICD-9-CM	Diagnosis
201.76	Hodgkin's disease, lymphocytic depletion, of intrapelvic lymph nodes	ICD-9-CM	Diagnosis
201.77	Hodgkin's disease, lymphocytic depletion, of spleen	ICD-9-CM	Diagnosis
201.78	Hodgkin's disease, lymphocytic depletion, of lymph nodes of multiple sites	ICD-9-CM	Diagnosis
201.90	Hodgkin's disease, unspecified type, unspecified site, extranodal and solid organ sites	ICD-9-CM	Diagnosis
201.91	Hodgkin's disease, unspecified type, of lymph nodes of head, face, and neck	ICD-9-CM	Diagnosis
201.92	Hodgkin's disease, unspecified type, of intrathoracic lymph nodes	ICD-9-CM	Diagnosis
201.93	Hodgkin's disease, unspecified type, of intra-abdominal lymph nodes	ICD-9-CM	Diagnosis
201.94	Hodgkin's disease, unspecified type, of lymph nodes of axilla and upper limb	ICD-9-CM	Diagnosis
201.95	Hodgkin's disease, unspecified type, of lymph nodes of inguinal region and lower limb	ICD-9-CM	Diagnosis
201.96	Hodgkin's disease, unspecified type, of intrapelvic lymph nodes	ICD-9-CM	Diagnosis
201.97	Hodgkin's disease, unspecified type, of spleen	ICD-9-CM	Diagnosis
201.98	Hodgkin's disease, unspecified type, of lymph nodes of multiple sites	ICD-9-CM	Diagnosis
202.00	Nodular lymphoma, unspecified site, extranodal and solid organ sites	ICD-9-CM	Diagnosis
202.01	Nodular lymphoma of lymph nodes of head, face, and neck	ICD-9-CM	Diagnosis
202.02	Nodular lymphoma of intrathoracic lymph nodes	ICD-9-CM	Diagnosis
202.03	Nodular lymphoma of intra-abdominal lymph nodes	ICD-9-CM	Diagnosis
202.04	Nodular lymphoma of lymph nodes of axilla and upper limb	ICD-9-CM	Diagnosis
202.05	Nodular lymphoma of lymph nodes of inguinal region and lower limb	ICD-9-CM	Diagnosis
202.06	Nodular lymphoma of intrapelvic lymph nodes	ICD-9-CM	Diagnosis
202.07	Nodular lymphoma of spleen	ICD-9-CM	Diagnosis
202.08	Nodular lymphoma of lymph nodes of multiple sites	ICD-9-CM	Diagnosis
202.10	Mycosis fungoides, unspecified site, extranodal and solid organ sites	ICD-9-CM	Diagnosis
202.11	Mycosis fungoides of lymph nodes of head, face, and neck	ICD-9-CM	Diagnosis
202.12	Mycosis fungoides of intrathoracic lymph nodes	ICD-9-CM	Diagnosis
202.13	Mycosis fungoides of intra-abdominal lymph nodes	ICD-9-CM	Diagnosis



**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
202.14	Mycosis fungoides of lymph nodes of axilla and upper limb	ICD-9-CM	Diagnosis
202.15	Mycosis fungoides of lymph nodes of inguinal region and lower limb	ICD-9-CM	Diagnosis
202.16	Mycosis fungoides of intrapelvic lymph nodes	ICD-9-CM	Diagnosis
202.17	Mycosis fungoides of spleen	ICD-9-CM	Diagnosis
202.18	Mycosis fungoides of lymph nodes of multiple sites	ICD-9-CM	Diagnosis
202.20	Sezary's disease, unspecified site, extranodal and solid organ sites	ICD-9-CM	Diagnosis
202.21	Sezary's disease of lymph nodes of head, face, and neck	ICD-9-CM	Diagnosis
202.22	Sezary's disease of intrathoracic lymph nodes	ICD-9-CM	Diagnosis
202.23	Sezary's disease of intra-abdominal lymph nodes	ICD-9-CM	Diagnosis
202.24	Sezary's disease of lymph nodes of axilla and upper limb	ICD-9-CM	Diagnosis
202.25	Sezary's disease of lymph nodes of inguinal region and lower limb	ICD-9-CM	Diagnosis
202.26	Sezary's disease of intrapelvic lymph nodes	ICD-9-CM	Diagnosis
202.27	Sezary's disease of spleen	ICD-9-CM	Diagnosis
202.28	Sezary's disease of lymph nodes of multiple sites	ICD-9-CM	Diagnosis
202.30	Malignant histiocytosis, unspecified site, extranodal and solid organ sites	ICD-9-CM	Diagnosis
202.31	Malignant histiocytosis of lymph nodes of head, face, and neck	ICD-9-CM	Diagnosis
202.32	Malignant histiocytosis of intrathoracic lymph nodes	ICD-9-CM	Diagnosis
202.33	Malignant histiocytosis of intra-abdominal lymph nodes	ICD-9-CM	Diagnosis
202.34	Malignant histiocytosis of lymph nodes of axilla and upper limb	ICD-9-CM	Diagnosis
202.35	Malignant histiocytosis of lymph nodes of inguinal region and lower limb	ICD-9-CM	Diagnosis
202.36	Malignant histiocytosis of intrapelvic lymph nodes	ICD-9-CM	Diagnosis
202.37	Malignant histiocytosis of spleen	ICD-9-CM	Diagnosis
202.38	Malignant histiocytosis of lymph nodes of multiple sites	ICD-9-CM	Diagnosis
202.40	Leukemic reticuloendotheliosis, unspecified site, extranodal and solid organ sites	ICD-9-CM	Diagnosis
202.41	Leukemic reticuloendotheliosis of lymph nodes of head, face, and neck	ICD-9-CM	Diagnosis
202.42	Leukemic reticuloendotheliosis of intrathoracic lymph nodes	ICD-9-CM	Diagnosis
202.43	Leukemic reticuloendotheliosis of intra-abdominal lymph nodes	ICD-9-CM	Diagnosis
202.44	Leukemic reticuloendotheliosis of lymph nodes of axilla and upper limb	ICD-9-CM	Diagnosis
202.45	Leukemic reticuloendotheliosis of lymph nodes of inguinal region and lower limb	ICD-9-CM	Diagnosis
202.46	Leukemic reticuloendotheliosis of intrapelvic lymph nodes	ICD-9-CM	Diagnosis
202.47	Leukemic reticuloendotheliosis of spleen	ICD-9-CM	Diagnosis
202.48	Leukemic reticuloendotheliosis of lymph nodes of multiple sites	ICD-9-CM	Diagnosis
202.50	Letterer-Siwe disease, unspecified site, extranodal and solid organ sites	ICD-9-CM	Diagnosis
202.51	Letterer-Siwe disease of lymph nodes of head, face, and neck	ICD-9-CM	Diagnosis
202.52	Letterer-Siwe disease of intrathoracic lymph nodes	ICD-9-CM	Diagnosis
202.53	Letterer-Siwe disease of intra-abdominal lymph nodes	ICD-9-CM	Diagnosis
202.54	Letterer-Siwe disease of lymph nodes of axilla and upper limb	ICD-9-CM	Diagnosis
202.55	Letterer-Siwe disease of lymph nodes of inguinal region and lower limb	ICD-9-CM	Diagnosis
202.56	Letterer-Siwe disease of intrapelvic lymph nodes	ICD-9-CM	Diagnosis
202.57	Letterer-Siwe disease of spleen	ICD-9-CM	Diagnosis
202.58	Letterer-Siwe disease of lymph nodes of multiple sites	ICD-9-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
202.60	Malignant mast cell tumors, unspecified site, extranodal and solid organ sites	ICD-9-CM	Diagnosis
202.61	Malignant mast cell tumors of lymph nodes of head, face, and neck	ICD-9-CM	Diagnosis
202.62	Malignant mast cell tumors of intrathoracic lymph nodes	ICD-9-CM	Diagnosis
202.63	Malignant mast cell tumors of intra-abdominal lymph nodes	ICD-9-CM	Diagnosis
202.64	Malignant mast cell tumors of lymph nodes of axilla and upper limb	ICD-9-CM	Diagnosis
202.65	Malignant mast cell tumors of lymph nodes of inguinal region and lower limb	ICD-9-CM	Diagnosis
202.66	Malignant mast cell tumors of intrapelvic lymph nodes	ICD-9-CM	Diagnosis
202.67	Malignant mast cell tumors of spleen	ICD-9-CM	Diagnosis
202.68	Malignant mast cell tumors of lymph nodes of multiple sites	ICD-9-CM	Diagnosis
202.70	Peripheral T-cell lymphoma, unspecified site, extranodal and solid organ sites	ICD-9-CM	Diagnosis
202.71	Peripheral T-cell lymphoma, lymph nodes of head, face, and neck	ICD-9-CM	Diagnosis
202.72	Peripheral T-cell lymphoma, intrathoracic lymph nodes	ICD-9-CM	Diagnosis
202.73	Peripheral T-cell lymphoma, intra-abdominal lymph nodes	ICD-9-CM	Diagnosis
202.74	Peripheral T-cell lymphoma, lymph nodes of axilla and upper limb	ICD-9-CM	Diagnosis
202.75	Peripheral T-cell lymphoma, lymph nodes of inguinal region and lower limb	ICD-9-CM	Diagnosis
202.76	Peripheral T-cell lymphoma, intrapelvic lymph nodes	ICD-9-CM	Diagnosis
202.77	Peripheral T-cell lymphoma, spleen	ICD-9-CM	Diagnosis
202.78	Peripheral T-cell lymphoma, lymph nodes of multiple sites	ICD-9-CM	Diagnosis
202.80	Other malignant lymphomas, unspecified site, extranodal and solid organ sites	ICD-9-CM	Diagnosis
202.81	Other malignant lymphomas of lymph nodes of head, face, and neck	ICD-9-CM	Diagnosis
202.82	Other malignant lymphomas of intrathoracic lymph nodes	ICD-9-CM	Diagnosis
202.83	Other malignant lymphomas of intra-abdominal lymph nodes	ICD-9-CM	Diagnosis
202.84	Other malignant lymphomas of lymph nodes of axilla and upper limb	ICD-9-CM	Diagnosis
202.85	Other malignant lymphomas of lymph nodes of inguinal region and lower limb	ICD-9-CM	Diagnosis
202.86	Other malignant lymphomas of intrapelvic lymph nodes	ICD-9-CM	Diagnosis
202.87	Other malignant lymphomas of spleen	ICD-9-CM	Diagnosis
202.88	Other malignant lymphomas of lymph nodes of multiple sites	ICD-9-CM	Diagnosis
202.90	Other and unspecified malignant neoplasms of lymphoid and histiocytic tissue, unspecified site, extranodal and solid organ sites	ICD-9-CM	Diagnosis
202.91	Other and unspecified malignant neoplasms of lymphoid and histiocytic tissue of lymph nodes of head, face, and neck	ICD-9-CM	Diagnosis
202.92	Other and unspecified malignant neoplasms of lymphoid and histiocytic tissue of intrathoracic lymph nodes	ICD-9-CM	Diagnosis
202.93	Other and unspecified malignant neoplasms of lymphoid and histiocytic tissue of intra-abdominal lymph nodes	ICD-9-CM	Diagnosis
202.94	Other and unspecified malignant neoplasms of lymphoid and histiocytic tissue of lymph nodes of axilla and upper limb	ICD-9-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
202.95	Other and unspecified malignant neoplasms of lymphoid and histiocytic tissue of lymph nodes of inguinal region and lower limb	ICD-9-CM	Diagnosis
202.96	Other and unspecified malignant neoplasms of lymphoid and histiocytic tissue of intrapelvic lymph nodes	ICD-9-CM	Diagnosis
202.97	Other and unspecified malignant neoplasms of lymphoid and histiocytic tissue of spleen	ICD-9-CM	Diagnosis
202.98	Other and unspecified malignant neoplasms of lymphoid and histiocytic tissue of lymph nodes of multiple sites	ICD-9-CM	Diagnosis
203.0	Multiple myeloma	ICD-9-CM	Diagnosis
203.00	Multiple myeloma, without mention of having achieved remission	ICD-9-CM	Diagnosis
203.01	Multiple myeloma in remission	ICD-9-CM	Diagnosis
203.02	Multiple myeloma, in relapse	ICD-9-CM	Diagnosis
203.1	Plasma cell leukemia	ICD-9-CM	Diagnosis
203.10	Plasma cell leukemia, without mention of having achieved remission	ICD-9-CM	Diagnosis
203.11	Plasma cell leukemia in remission	ICD-9-CM	Diagnosis
203.12	Plasma cell leukemia, in relapse	ICD-9-CM	Diagnosis
203.8	Other immunoproliferative neoplasms	ICD-9-CM	Diagnosis
203.80	Other immunoproliferative neoplasms, without mention of having achieved remission	ICD-9-CM	Diagnosis
203.81	Other immunoproliferative neoplasms in remission	ICD-9-CM	Diagnosis
203.82	Other immunoproliferative neoplasms, in relapse	ICD-9-CM	Diagnosis
204.0	Acute lymphoid leukemia	ICD-9-CM	Diagnosis
204.00	Acute lymphoid leukemia, without mention of having achieved remission	ICD-9-CM	Diagnosis
204.01	Acute lymphoid leukemia in remission	ICD-9-CM	Diagnosis
204.02	Acute lymphoid leukemia, in relapse	ICD-9-CM	Diagnosis
204.1	Chronic lymphoid leukemia	ICD-9-CM	Diagnosis
204.10	Chronic lymphoid leukemia, without mention of having achieved remission	ICD-9-CM	Diagnosis
204.11	Chronic lymphoid leukemia in remission	ICD-9-CM	Diagnosis
204.12	Chronic lymphoid leukemia, in relapse	ICD-9-CM	Diagnosis
204.2	Subacute lymphoid leukemia	ICD-9-CM	Diagnosis
204.20	Subacute lymphoid leukemia, without mention of having achieved remission	ICD-9-CM	Diagnosis
204.21	Subacute lymphoid leukemia in remission	ICD-9-CM	Diagnosis
204.22	Subacute lymphoid leukemia, in relapse	ICD-9-CM	Diagnosis
204.8	Other lymphoid leukemia	ICD-9-CM	Diagnosis
204.80	Other lymphoid leukemia, without mention of having achieved remission	ICD-9-CM	Diagnosis
204.81	Other lymphoid leukemia in remission	ICD-9-CM	Diagnosis
204.82	Other lymphoid leukemia, in relapse	ICD-9-CM	Diagnosis
204.9	Unspecified lymphoid leukemia	ICD-9-CM	Diagnosis
204.90	Unspecified lymphoid leukemia, without mention of having achieved remission	ICD-9-CM	Diagnosis
204.91	Unspecified lymphoid leukemia in remission	ICD-9-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
204.92	Unspecified lymphoid leukemia, in relapse	ICD-9-CM	Diagnosis
205.0	Acute myeloid leukemia	ICD-9-CM	Diagnosis
205.00	Acute myeloid leukemia, without mention of having achieved remission	ICD-9-CM	Diagnosis
205.01	Acute myeloid leukemia in remission	ICD-9-CM	Diagnosis
205.02	Acute myeloid leukemia, in relapse	ICD-9-CM	Diagnosis
205.1	Chronic myeloid leukemia	ICD-9-CM	Diagnosis
205.10	Chronic myeloid leukemia, without mention of having achieved remission	ICD-9-CM	Diagnosis
205.11	Chronic myeloid leukemia in remission	ICD-9-CM	Diagnosis
205.12	Chronic myeloid leukemia, in relapse	ICD-9-CM	Diagnosis
205.2	Subacute myeloid leukemia	ICD-9-CM	Diagnosis
205.20	Subacute myeloid leukemia, without mention of having achieved remission	ICD-9-CM	Diagnosis
205.21	Subacute myeloid leukemia in remission	ICD-9-CM	Diagnosis
205.22	Subacute myeloid leukemia, in relapse	ICD-9-CM	Diagnosis
205.3	Myeloid sarcoma	ICD-9-CM	Diagnosis
205.30	Myeloid sarcoma, without mention of having achieved remission	ICD-9-CM	Diagnosis
205.31	Myeloid sarcoma in remission	ICD-9-CM	Diagnosis
205.32	Myeloid sarcoma, in relapse	ICD-9-CM	Diagnosis
205.8	Other myeloid leukemia	ICD-9-CM	Diagnosis
205.80	Other myeloid leukemia, without mention of having achieved remission	ICD-9-CM	Diagnosis
205.81	Other myeloid leukemia in remission	ICD-9-CM	Diagnosis
205.82	Other myeloid leukemia, in relapse	ICD-9-CM	Diagnosis
205.9	Unspecified myeloid leukemia	ICD-9-CM	Diagnosis
205.90	Unspecified myeloid leukemia, without mention of having achieved remission	ICD-9-CM	Diagnosis
205.91	Unspecified myeloid leukemia in remission	ICD-9-CM	Diagnosis
205.92	Unspecified myeloid leukemia, in relapse	ICD-9-CM	Diagnosis
206.0	Acute monocytic leukemia	ICD-9-CM	Diagnosis
206.00	Acute monocytic leukemia, without mention of having achieved remission	ICD-9-CM	Diagnosis
206.01	Acute monocytic leukemia in remission	ICD-9-CM	Diagnosis
206.02	Acute monocytic leukemia, in relapse	ICD-9-CM	Diagnosis
206.1	Chronic monocytic leukemia	ICD-9-CM	Diagnosis
206.10	Chronic monocytic leukemia, without mention of having achieved remission	ICD-9-CM	Diagnosis
206.11	Chronic monocytic leukemia in remission	ICD-9-CM	Diagnosis
206.12	Chronic monocytic leukemia, in relapse	ICD-9-CM	Diagnosis
206.2	Subacute monocytic leukemia	ICD-9-CM	Diagnosis
206.20	Subacute monocytic leukemia, without mention of having achieved remission	ICD-9-CM	Diagnosis
206.21	Subacute monocytic leukemia in remission	ICD-9-CM	Diagnosis
206.22	Subacute monocytic leukemia, in relapse	ICD-9-CM	Diagnosis
206.8	Other monocytic leukemia	ICD-9-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
206.80	Other monocytic leukemia, without mention of having achieved remission	ICD-9-CM	Diagnosis
206.81	Other monocytic leukemia in remission	ICD-9-CM	Diagnosis
206.82	Other monocytic leukemia, in relapse	ICD-9-CM	Diagnosis
206.9	Unspecified monocytic leukemia	ICD-9-CM	Diagnosis
206.90	Unspecified monocytic leukemia, without mention of having achieved remission	ICD-9-CM	Diagnosis
206.91	Unspecified monocytic leukemia in remission	ICD-9-CM	Diagnosis
206.92	Unspecified monocytic leukemia, in relapse	ICD-9-CM	Diagnosis
207.0	Acute erythremia and erythroleukemia	ICD-9-CM	Diagnosis
207.00	Acute erythremia and erythroleukemia, without mention of having achieved remission	ICD-9-CM	Diagnosis
207.01	Acute erythremia and erythroleukemia in remission	ICD-9-CM	Diagnosis
207.02	Acute erythremia and erythroleukemia, in relapse	ICD-9-CM	Diagnosis
207.1	Chronic erythremia	ICD-9-CM	Diagnosis
207.10	Chronic erythremia, without mention of having achieved remission	ICD-9-CM	Diagnosis
207.11	Chronic erythremia in remission	ICD-9-CM	Diagnosis
207.12	Chronic erythremia, in relapse	ICD-9-CM	Diagnosis
207.2	Megakaryocytic leukemia	ICD-9-CM	Diagnosis
207.20	Megakaryocytic leukemia, without mention of having achieved remission	ICD-9-CM	Diagnosis
207.21	Megakaryocytic leukemia in remission	ICD-9-CM	Diagnosis
207.22	Megakaryocytic leukemia, in relapse	ICD-9-CM	Diagnosis
207.8	Other specified leukemia	ICD-9-CM	Diagnosis
207.80	Other specified leukemia, without mention of having achieved remission	ICD-9-CM	Diagnosis
207.81	Other specified leukemia in remission	ICD-9-CM	Diagnosis
207.82	Other specified leukemia, in relapse	ICD-9-CM	Diagnosis
208.0	Acute leukemia of unspecified cell type	ICD-9-CM	Diagnosis
208.00	Acute leukemia of unspecified cell type, without mention of having achieved remission	ICD-9-CM	Diagnosis
208.01	Acute leukemia of unspecified cell type in remission	ICD-9-CM	Diagnosis
208.02	Acute leukemia of unspecified cell type, in relapse	ICD-9-CM	Diagnosis
208.1	Chronic leukemia of unspecified cell type	ICD-9-CM	Diagnosis
208.10	Chronic leukemia of unspecified cell type, without mention of having achieved remission	ICD-9-CM	Diagnosis
208.11	Chronic leukemia of unspecified cell type in remission	ICD-9-CM	Diagnosis
208.12	Chronic leukemia of unspecified cell type, in relapse	ICD-9-CM	Diagnosis
208.2	Subacute leukemia of unspecified cell type	ICD-9-CM	Diagnosis
208.20	Subacute leukemia of unspecified cell type, without mention of having achieved remission	ICD-9-CM	Diagnosis
208.21	Subacute leukemia of unspecified cell type in remission	ICD-9-CM	Diagnosis
208.22	Subacute leukemia of unspecified cell type, in relapse	ICD-9-CM	Diagnosis
208.8	Other leukemia of unspecified cell type	ICD-9-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
208.80	Other leukemia of unspecified cell type, without mention of having achieved remission	ICD-9-CM	Diagnosis
208.81	Other leukemia of unspecified cell type in remission	ICD-9-CM	Diagnosis
208.82	Other leukemia of unspecified cell type, in relapse	ICD-9-CM	Diagnosis
208.9	Unspecified leukemia	ICD-9-CM	Diagnosis
208.90	Unspecified leukemia, without mention of having achieved remission	ICD-9-CM	Diagnosis
208.91	Unspecified leukemia in remission	ICD-9-CM	Diagnosis
208.92	Unspecified leukemia, in relapse	ICD-9-CM	Diagnosis
209.00	Malignant carcinoid tumor of the small intestine, unspecified portion	ICD-9-CM	Diagnosis
209.01	Malignant carcinoid tumor of the duodenum	ICD-9-CM	Diagnosis
209.02	Malignant carcinoid tumor of the jejunum	ICD-9-CM	Diagnosis
209.03	Malignant carcinoid tumor of the ileum	ICD-9-CM	Diagnosis
209.10	Malignant carcinoid tumor of the large intestine, unspecified portion	ICD-9-CM	Diagnosis
209.11	Malignant carcinoid tumor of the appendix	ICD-9-CM	Diagnosis
209.12	Malignant carcinoid tumor of the cecum	ICD-9-CM	Diagnosis
209.13	Malignant carcinoid tumor of the ascending colon	ICD-9-CM	Diagnosis
209.14	Malignant carcinoid tumor of the transverse colon	ICD-9-CM	Diagnosis
209.15	Malignant carcinoid tumor of the descending colon	ICD-9-CM	Diagnosis
209.16	Malignant carcinoid tumor of the sigmoid colon	ICD-9-CM	Diagnosis
209.17	Malignant carcinoid tumor of the rectum	ICD-9-CM	Diagnosis
209.20	Malignant carcinoid tumor of unknown primary site	ICD-9-CM	Diagnosis
209.21	Malignant carcinoid tumor of the bronchus and lung	ICD-9-CM	Diagnosis
209.22	Malignant carcinoid tumor of the thymus	ICD-9-CM	Diagnosis
209.23	Malignant carcinoid tumor of the stomach	ICD-9-CM	Diagnosis
209.24	Malignant carcinoid tumor of the kidney	ICD-9-CM	Diagnosis
209.25	Malignant carcinoid tumor of foregut, not otherwise specified	ICD-9-CM	Diagnosis
209.26	Malignant carcinoid tumor of midgut, not otherwise specified	ICD-9-CM	Diagnosis
209.27	Malignant carcinoid tumor of hindgut, not otherwise specified	ICD-9-CM	Diagnosis
209.29	Malignant carcinoid tumor of other sites	ICD-9-CM	Diagnosis
209.30	Malignant poorly differentiated neuroendocrine carcinoma, any site	ICD-9-CM	Diagnosis
209.70	Secondary neuroendocrine tumor, unspecified site	ICD-9-CM	Diagnosis
209.71	Secondary neuroendocrine tumor of distant lymph nodes	ICD-9-CM	Diagnosis
209.72	Secondary neuroendocrine tumor of liver	ICD-9-CM	Diagnosis
209.73	Secondary neuroendocrine tumor of bone	ICD-9-CM	Diagnosis
209.74	Secondary neuroendocrine tumor of peritoneum	ICD-9-CM	Diagnosis
209.75	Secondary Merkel cell carcinoma	ICD-9-CM	Diagnosis
209.79	Secondary neuroendocrine tumor of other sites	ICD-9-CM	Diagnosis
230.0	Carcinoma in situ of lip, oral cavity, and pharynx	ICD-9-CM	Diagnosis
230.1	Carcinoma in situ of esophagus	ICD-9-CM	Diagnosis
230.2	Carcinoma in situ of stomach	ICD-9-CM	Diagnosis
230.3	Carcinoma in situ of colon	ICD-9-CM	Diagnosis
230.4	Carcinoma in situ of rectum	ICD-9-CM	Diagnosis
230.5	Carcinoma in situ of anal canal	ICD-9-CM	Diagnosis



**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
230.6	Carcinoma in situ of anus, unspecified	ICD-9-CM	Diagnosis
230.7	Carcinoma in situ of other and unspecified parts of intestine	ICD-9-CM	Diagnosis
230.8	Carcinoma in situ of liver and biliary system	ICD-9-CM	Diagnosis
230.9	Carcinoma in situ of other and unspecified digestive organs	ICD-9-CM	Diagnosis
231.0	Carcinoma in situ of larynx	ICD-9-CM	Diagnosis
231.1	Carcinoma in situ of trachea	ICD-9-CM	Diagnosis
231.2	Carcinoma in situ of bronchus and lung	ICD-9-CM	Diagnosis
231.8	Carcinoma in situ of other specified parts of respiratory system	ICD-9-CM	Diagnosis
231.9	Carcinoma in situ of respiratory system, part unspecified	ICD-9-CM	Diagnosis
233.0	Carcinoma in situ of breast	ICD-9-CM	Diagnosis
233.1	Carcinoma in situ of cervix uteri	ICD-9-CM	Diagnosis
233.2	Carcinoma in situ of other and unspecified parts of uterus	ICD-9-CM	Diagnosis
233.3	Carcinoma in situ, other and unspecified female genital organs	ICD-9-CM	Diagnosis
233.30	Carcinoma in situ, unspecified female genital organ	ICD-9-CM	Diagnosis
233.31	Carcinoma in situ, vagina	ICD-9-CM	Diagnosis
233.32	Carcinoma in situ, vulva	ICD-9-CM	Diagnosis
233.39	Carcinoma in situ, other female genital organ	ICD-9-CM	Diagnosis
233.4	Carcinoma in situ of prostate	ICD-9-CM	Diagnosis
233.5	Carcinoma in situ of penis	ICD-9-CM	Diagnosis
233.6	Carcinoma in situ of other and unspecified male genital organs	ICD-9-CM	Diagnosis
233.7	Carcinoma in situ of bladder	ICD-9-CM	Diagnosis
233.9	Carcinoma in situ of other and unspecified urinary organs	ICD-9-CM	Diagnosis
234.0	Carcinoma in situ of eye	ICD-9-CM	Diagnosis
234.8	Carcinoma in situ of other specified sites	ICD-9-CM	Diagnosis
234.9	Carcinoma in situ, site unspecified	ICD-9-CM	Diagnosis
258.02	Multiple endocrine neoplasia [MEN] type IIA	ICD-9-CM	Diagnosis
258.03	Multiple endocrine neoplasia [MEN] type IIB	ICD-9-CM	Diagnosis
511.81	Malignant pleural effusion	ICD-9-CM	Diagnosis
520.0	Anodontia	ICD-9-CM	Diagnosis
520.1	Supernumerary teeth	ICD-9-CM	Diagnosis
520.2	Abnormalities of size and form of teeth	ICD-9-CM	Diagnosis
520.3	Mottled teeth	ICD-9-CM	Diagnosis
520.4	Disturbances of tooth formation	ICD-9-CM	Diagnosis
520.5	Hereditary disturbances in tooth structure, not elsewhere classified	ICD-9-CM	Diagnosis
520.6	Disturbances in tooth eruption	ICD-9-CM	Diagnosis
520.7	Teething syndrome	ICD-9-CM	Diagnosis
520.8	Other specified disorders of tooth development and eruption	ICD-9-CM	Diagnosis
520.9	Unspecified disorder of tooth development and eruption	ICD-9-CM	Diagnosis
521.0	Dental caries	ICD-9-CM	Diagnosis
521.00	Unspecified dental caries	ICD-9-CM	Diagnosis
521.01	Dental caries limited to enamel	ICD-9-CM	Diagnosis
521.02	Dental caries extending into dentine	ICD-9-CM	Diagnosis
521.03	Dental caries extending into pulp	ICD-9-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
521.04	Arrested dental caries	ICD-9-CM	Diagnosis
521.05	Odontoclasia	ICD-9-CM	Diagnosis
521.06	Dental caries pit and fissure	ICD-9-CM	Diagnosis
521.07	Dental caries of smooth surface	ICD-9-CM	Diagnosis
521.08	Dental caries of root surface	ICD-9-CM	Diagnosis
521.09	Other dental caries	ICD-9-CM	Diagnosis
521.1	Diseases of hard tissues of teeth, excessive attrition (approximal wear) (occlusal wear)	ICD-9-CM	Diagnosis
521.10	Diseases of hard tissues of teeth, excessive attrition (approximal wear) (occlusal wear), unspecified	ICD-9-CM	Diagnosis
521.11	Diseases of hard tissues of teeth, excessive attrition (approximal wear) (occlusal wear), limited to enamel	ICD-9-CM	Diagnosis
521.12	Diseases of hard tissues of teeth, excessive attrition (approximal wear) (occlusal wear), extending into dentine	ICD-9-CM	Diagnosis
521.13	Diseases of hard tissues of teeth, excessive attrition (approximal wear) (occlusal wear), extending into pulp	ICD-9-CM	Diagnosis
521.14	Diseases of hard tissues of teeth, excessive attrition (approximal wear) (occlusal wear), localized	ICD-9-CM	Diagnosis
521.15	Diseases of hard tissues of teeth, excessive attrition (approximal wear) (occlusal wear), generalized	ICD-9-CM	Diagnosis
521.2	Diseases of hard tissues of teeth, abrasion	ICD-9-CM	Diagnosis
521.20	Diseases of hard tissues of teeth, abrasion, unspecified	ICD-9-CM	Diagnosis
521.21	Diseases of hard tissues of teeth, abrasion, limited to enamel	ICD-9-CM	Diagnosis
521.22	Diseases of hard tissues of teeth, abrasion, extending into dentine	ICD-9-CM	Diagnosis
521.23	Diseases of hard tissues of teeth, abrasion, extending into pulp	ICD-9-CM	Diagnosis
521.24	Diseases of hard tissues of teeth, abrasion, localized	ICD-9-CM	Diagnosis
521.25	Diseases of hard tissues of teeth, abrasion, generalized	ICD-9-CM	Diagnosis
521.3	Diseases of hard tissues of teeth, erosion	ICD-9-CM	Diagnosis
521.30	Diseases of hard tissues of teeth, erosion, unspecified	ICD-9-CM	Diagnosis
521.31	Diseases of hard tissues of teeth, erosion, limited to enamel	ICD-9-CM	Diagnosis
521.32	Diseases of hard tissues of teeth, erosion, extending into dentine	ICD-9-CM	Diagnosis
521.33	Diseases of hard tissues of teeth, erosion, extending into pulp	ICD-9-CM	Diagnosis
521.34	Diseases of hard tissues of teeth, erosion, localized	ICD-9-CM	Diagnosis
521.35	Diseases of hard tissues of teeth, erosion, generalized	ICD-9-CM	Diagnosis
521.4	Diseases of hard tissues of teeth, pathological resorption	ICD-9-CM	Diagnosis
521.40	Diseases of hard tissues of teeth, pathological resorption, unspecified	ICD-9-CM	Diagnosis
521.41	Diseases of hard tissues of teeth, pathological resorption, internal	ICD-9-CM	Diagnosis
521.42	Diseases of hard tissues of teeth, pathological resorption, external	ICD-9-CM	Diagnosis
521.49	Diseases of hard tissues of teeth, other pathological resorption	ICD-9-CM	Diagnosis
521.5	Hypercementosis	ICD-9-CM	Diagnosis
521.6	Ankylosis of teeth	ICD-9-CM	Diagnosis
521.7	Intrinsic posteruptive color changes	ICD-9-CM	Diagnosis
521.8	Other specific diseases of hard tissues of teeth	ICD-9-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
521.81	Cracked tooth	ICD-9-CM	Diagnosis
521.89	Other specific diseases of hard tissues of teeth	ICD-9-CM	Diagnosis
521.9	Unspecified disease of hard tissues of teeth	ICD-9-CM	Diagnosis
522.0	Pulpitis	ICD-9-CM	Diagnosis
522.1	Necrosis of dental pulp	ICD-9-CM	Diagnosis
522.2	Dental pulp degeneration	ICD-9-CM	Diagnosis
522.3	Abnormal hard tissue formation in dental pulp	ICD-9-CM	Diagnosis
522.4	Acute apical periodontitis of pulpal origin	ICD-9-CM	Diagnosis
522.5	Periapical abscess without sinus	ICD-9-CM	Diagnosis
522.6	Chronic apical periodontitis	ICD-9-CM	Diagnosis
522.7	Periapical abscess with sinus	ICD-9-CM	Diagnosis
522.8	Radicular cyst of dental pulp	ICD-9-CM	Diagnosis
522.9	Other and unspecified diseases of pulp and periapical tissues	ICD-9-CM	Diagnosis
523.0	Acute gingivitis	ICD-9-CM	Diagnosis
523.00	Acute gingivitis, plaque induced	ICD-9-CM	Diagnosis
523.01	Acute gingivitis, non-plaque induced	ICD-9-CM	Diagnosis
523.1	Chronic gingivitis	ICD-9-CM	Diagnosis
523.10	Chronic gingivitis, plaque induced	ICD-9-CM	Diagnosis
523.11	Chronic gingivitis, non-plaque induced	ICD-9-CM	Diagnosis
523.2	Gingival recession	ICD-9-CM	Diagnosis
523.20	Gingival recession, unspecified	ICD-9-CM	Diagnosis
523.21	Gingival recession, minimal	ICD-9-CM	Diagnosis
523.22	Gingival recession, moderate	ICD-9-CM	Diagnosis
523.23	Gingival recession, severe	ICD-9-CM	Diagnosis
523.24	Gingival recession, localized	ICD-9-CM	Diagnosis
523.25	Gingival recession, generalized	ICD-9-CM	Diagnosis
523.3	Aggressive and acute periodontitis	ICD-9-CM	Diagnosis
523.30	Aggressive periodontitis, unspecified	ICD-9-CM	Diagnosis
523.31	Aggressive periodontitis, localized	ICD-9-CM	Diagnosis
523.32	Aggressive periodontitis, generalized	ICD-9-CM	Diagnosis
523.33	Acute periodontitis	ICD-9-CM	Diagnosis
523.4	Chronic periodontitis	ICD-9-CM	Diagnosis
523.40	Chronic periodontitis, unspecified	ICD-9-CM	Diagnosis
523.41	Chronic periodontitis, localized	ICD-9-CM	Diagnosis
523.42	Chronic periodontitis, generalized	ICD-9-CM	Diagnosis
523.5	Periodontosis	ICD-9-CM	Diagnosis
523.6	Accretions on teeth	ICD-9-CM	Diagnosis
523.8	Other specified periodontal diseases	ICD-9-CM	Diagnosis
523.9	Unspecified gingival and periodontal disease	ICD-9-CM	Diagnosis
524.0	Major anomalies of jaw size	ICD-9-CM	Diagnosis
524.00	Unspecified major anomaly of jaw size	ICD-9-CM	Diagnosis
524.01	Maxillary hyperplasia	ICD-9-CM	Diagnosis
524.02	Mandibular hyperplasia	ICD-9-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
524.03	Maxillary hypoplasia	ICD-9-CM	Diagnosis
524.04	Mandibular hypoplasia	ICD-9-CM	Diagnosis
524.05	Macrogenia	ICD-9-CM	Diagnosis
524.06	Microgenia	ICD-9-CM	Diagnosis
524.07	Excessive tuberosity of jaw	ICD-9-CM	Diagnosis
524.09	Other specified major anomaly of jaw size	ICD-9-CM	Diagnosis
524.1	Anomalies of relationship of jaw to cranial base	ICD-9-CM	Diagnosis
524.10	Unspecified anomaly of relationship of jaw to cranial base	ICD-9-CM	Diagnosis
524.11	Maxillary asymmetry	ICD-9-CM	Diagnosis
524.12	Other jaw asymmetry	ICD-9-CM	Diagnosis
524.19	Other specified anomaly of relationship of jaw to cranial base	ICD-9-CM	Diagnosis
524.2	Anomalies of dental arch relationship	ICD-9-CM	Diagnosis
524.20	Unspecified anomaly of dental arch relationship	ICD-9-CM	Diagnosis
524.21	Malocclusion, Angle's class I	ICD-9-CM	Diagnosis
524.22	Malocclusion, Angle's class II	ICD-9-CM	Diagnosis
524.23	Malocclusion, Angle's class III	ICD-9-CM	Diagnosis
524.24	Anomaly of dental arch relationship, open anterior occlusal relationship	ICD-9-CM	Diagnosis
524.25	Anomaly of dental arch relationship, open posterior occlusal relationship	ICD-9-CM	Diagnosis
524.26	Anomaly of dental arch relationship, excessive horizontal overlap	ICD-9-CM	Diagnosis
524.27	Anomaly of dental arch relationship, reverse articulation	ICD-9-CM	Diagnosis
524.28	Anomaly of dental arch relationship, anomalies of interarch distance	ICD-9-CM	Diagnosis
524.29	Other anomalies of dental arch relationship	ICD-9-CM	Diagnosis
524.3	Anomalies of tooth position, fully erupted teeth	ICD-9-CM	Diagnosis
524.30	Anomaly of tooth position, unspecified	ICD-9-CM	Diagnosis
524.31	Crowding of teeth	ICD-9-CM	Diagnosis
524.32	Excessive spacing of teeth	ICD-9-CM	Diagnosis
524.33	Horizontal displacement of teeth	ICD-9-CM	Diagnosis
524.34	Vertical displacement of teeth	ICD-9-CM	Diagnosis
524.35	Rotation of tooth/teeth	ICD-9-CM	Diagnosis
524.36	Insufficient interocclusal distance of teeth (ridge)	ICD-9-CM	Diagnosis
524.37	Excessive interocclusal distance of teeth	ICD-9-CM	Diagnosis
524.39	Other anomalies of tooth position	ICD-9-CM	Diagnosis
524.4	Unspecified malocclusion	ICD-9-CM	Diagnosis
524.5	Dentofacial functional abnormalities	ICD-9-CM	Diagnosis
524.50	Dentofacial functional abnormality, unspecified	ICD-9-CM	Diagnosis
524.51	Abnormal jaw closure	ICD-9-CM	Diagnosis
524.52	Limited mandibular range of motion	ICD-9-CM	Diagnosis
524.53	Deviation in opening and closing of the mandible	ICD-9-CM	Diagnosis
524.54	Insufficient anterior guidance	ICD-9-CM	Diagnosis
524.55	Centric occlusion maximum intercuspation discrepancy	ICD-9-CM	Diagnosis
524.56	Dentofacial functional abnormality, non-working side interference	ICD-9-CM	Diagnosis
524.57	Lack of posterior occlusal support	ICD-9-CM	Diagnosis
524.59	Other dentofacial functional abnormalities	ICD-9-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
524.6	Temporomandibular joint disorders	ICD-9-CM	Diagnosis
524.60	Unspecified temporomandibular joint disorders	ICD-9-CM	Diagnosis
524.61	Adhesions and ankylosis (bony or fibrous) of temporomandibular joint	ICD-9-CM	Diagnosis
524.62	Arthralgia of temporomandibular joint	ICD-9-CM	Diagnosis
524.63	Articular disc disorder (reducing or non-reducing) of temporomandibular joint	ICD-9-CM	Diagnosis
524.64	Temporomandibular joint sounds on opening and/or closing the jaw	ICD-9-CM	Diagnosis
524.69	Other specified temporomandibular joint disorders	ICD-9-CM	Diagnosis
524.70	Unspecified alveolar anomaly	ICD-9-CM	Diagnosis
524.71	Alveolar maxillary hyperplasia	ICD-9-CM	Diagnosis
524.72	Alveolar mandibular hyperplasia	ICD-9-CM	Diagnosis
524.73	Alveolar maxillary hypoplasia	ICD-9-CM	Diagnosis
524.74	Alveolar mandibular hypoplasia	ICD-9-CM	Diagnosis
524.75	Vertical displacement of alveolus and teeth	ICD-9-CM	Diagnosis
524.76	Occlusal plane deviation	ICD-9-CM	Diagnosis
524.79	Other specified alveolar anomaly	ICD-9-CM	Diagnosis
524.8	Other specified dentofacial anomalies	ICD-9-CM	Diagnosis
524.81	Anterior soft tissue impingement	ICD-9-CM	Diagnosis
524.82	Posterior soft tissue impingement	ICD-9-CM	Diagnosis
524.89	Other specified dentofacial anomalies	ICD-9-CM	Diagnosis
524.9	Unspecified dentofacial anomalies	ICD-9-CM	Diagnosis
525.0	Exfoliation of teeth due to systemic causes	ICD-9-CM	Diagnosis
525.1	Loss of teeth due to trauma, extraction, or periodontal disease	ICD-9-CM	Diagnosis
525.10	Unspecified acquired absence of teeth	ICD-9-CM	Diagnosis
525.11	Loss of teeth due to trauma	ICD-9-CM	Diagnosis
525.12	Loss of teeth due to periodontal disease	ICD-9-CM	Diagnosis
525.13	Loss of teeth due to caries	ICD-9-CM	Diagnosis
525.19	Other loss of teeth	ICD-9-CM	Diagnosis
525.2	Atrophy of edentulous alveolar ridge	ICD-9-CM	Diagnosis
525.20	Unspecified atrophy of edentulous alveolar ridge	ICD-9-CM	Diagnosis
525.21	Minimal atrophy of the mandible	ICD-9-CM	Diagnosis
525.22	Moderate atrophy of the mandible	ICD-9-CM	Diagnosis
525.23	Severe atrophy of the mandible	ICD-9-CM	Diagnosis
525.24	Minimal atrophy of the maxilla	ICD-9-CM	Diagnosis
525.25	Moderate atrophy of the maxilla	ICD-9-CM	Diagnosis
525.26	Severe atrophy of the maxilla	ICD-9-CM	Diagnosis
525.3	Retained dental root	ICD-9-CM	Diagnosis
525.40	Complete edentulism, unspecified	ICD-9-CM	Diagnosis
525.41	Complete edentulism, class I	ICD-9-CM	Diagnosis
525.42	Complete edentulism, class II	ICD-9-CM	Diagnosis
525.43	Complete edentulism, class III	ICD-9-CM	Diagnosis
525.44	Complete edentulism, class IV	ICD-9-CM	Diagnosis
525.50	Partial edentulism, unspecified	ICD-9-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
525.51	Partial edentulism, class I	ICD-9-CM	Diagnosis
525.52	Partial edentulism, class II	ICD-9-CM	Diagnosis
525.53	Partial edentulism, class III	ICD-9-CM	Diagnosis
525.54	Partial edentulism, class IV	ICD-9-CM	Diagnosis
525.60	Unspecified unsatisfactory restoration of tooth	ICD-9-CM	Diagnosis
525.61	Open restoration margins	ICD-9-CM	Diagnosis
525.62	Unrepairable overhanging of dental restorative materials	ICD-9-CM	Diagnosis
525.63	Fractured dental restorative material without loss of material	ICD-9-CM	Diagnosis
525.64	Fractured dental restorative material with loss of material	ICD-9-CM	Diagnosis
525.65	Contour of existing restoration of tooth biologically incompatible with oral health	ICD-9-CM	Diagnosis
525.66	Allergy to existing dental restorative material	ICD-9-CM	Diagnosis
525.67	Poor aesthetics of existing restoration	ICD-9-CM	Diagnosis
525.69	Other unsatisfactory restoration of existing tooth	ICD-9-CM	Diagnosis
525.71	Osseointegration failure of dental implant	ICD-9-CM	Diagnosis
525.72	Post-osseointegration biological failure of dental implant	ICD-9-CM	Diagnosis
525.73	Post-osseointegration mechanical failure of dental implant	ICD-9-CM	Diagnosis
525.79	Other endosseous dental implant failure	ICD-9-CM	Diagnosis
525.8	Other specified disorders of the teeth and supporting structures	ICD-9-CM	Diagnosis
525.9	Unspecified disorder of the teeth and supporting structures	ICD-9-CM	Diagnosis
526.0	Developmental odontogenic cysts	ICD-9-CM	Diagnosis
526.1	Fissural cysts of jaw	ICD-9-CM	Diagnosis
526.2	Other cysts of jaws	ICD-9-CM	Diagnosis
526.3	Central giant cell (reparative) granuloma	ICD-9-CM	Diagnosis
526.4	Inflammatory conditions of jaw	ICD-9-CM	Diagnosis
526.5	Alveolitis of jaw	ICD-9-CM	Diagnosis
526.61	Perforation of root canal space	ICD-9-CM	Diagnosis
526.62	Endodontic overfill	ICD-9-CM	Diagnosis
526.63	Endodontic underfill	ICD-9-CM	Diagnosis
526.69	Other periradicular pathology associated with previous endodontic treatment	ICD-9-CM	Diagnosis
526.81	Exostosis of jaw	ICD-9-CM	Diagnosis
526.89	Other specified disease of the jaws	ICD-9-CM	Diagnosis
526.9	Unspecified disease of the jaws	ICD-9-CM	Diagnosis
733.1	Pathologic fracture	ICD-9-CM	Diagnosis
733.10	Pathologic fracture, unspecified site	ICD-9-CM	Diagnosis
733.11	Pathologic fracture of humerus	ICD-9-CM	Diagnosis
733.12	Pathologic fracture of distal radius and ulna	ICD-9-CM	Diagnosis
733.13	Pathologic fracture of vertebrae	ICD-9-CM	Diagnosis
733.14	Pathologic fracture of neck of femur	ICD-9-CM	Diagnosis
733.15	Pathologic fracture of other specified part of femur	ICD-9-CM	Diagnosis
733.16	Pathologic fracture of tibia and fibula	ICD-9-CM	Diagnosis
733.19	Pathologic fracture of other specified site	ICD-9-CM	Diagnosis



**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
733.93	Stress fracture of tibia or fibula	ICD-9-CM	Diagnosis
733.94	Stress fracture of the metatarsals	ICD-9-CM	Diagnosis
733.95	Stress fracture of other bone	ICD-9-CM	Diagnosis
733.96	Stress fracture of femoral neck	ICD-9-CM	Diagnosis
733.97	Stress fracture of shaft of femur	ICD-9-CM	Diagnosis
733.98	Stress fracture of pelvis	ICD-9-CM	Diagnosis
784.92	Jaw pain	ICD-9-CM	Diagnosis
789.51	Malignant ascites	ICD-9-CM	Diagnosis
795.0	Abnormal Papanicolaou smear of cervix and cervical HPV	ICD-9-CM	Diagnosis
795.01	Papanicolaou smear of cervix with atypical squamous cells of undetermined significance (ASC-US)	ICD-9-CM	Diagnosis
795.02	Papanicolaou smear of cervix with atypical squamous cells cannot exclude high grade squamous intraepithelial lesion (ASC-H)	ICD-9-CM	Diagnosis
795.03	Papanicolaou smear of cervix with low grade squamous intraepithelial lesion (LGSIL)	ICD-9-CM	Diagnosis
795.04	Papanicolaou smear of cervix with high grade squamous intraepithelial lesion (HGSIL)	ICD-9-CM	Diagnosis
795.06	Papanicolaou smear of cervix with cytologic evidence of malignancy	ICD-9-CM	Diagnosis
795.1	Abnormal Papanicolaou smear of vagina and vaginal HPV	ICD-9-CM	Diagnosis
795.10	Abnormal glandular Papanicolaou smear of vagina	ICD-9-CM	Diagnosis
795.11	Papanicolaou smear of vagina with atypical squamous cells of undetermined significance (ASC-US)	ICD-9-CM	Diagnosis
795.12	Papanicolaou smear of vagina with atypical squamous cells cannot exclude high grade squamous intraepithelial lesion (ASC-H)	ICD-9-CM	Diagnosis
795.13	Papanicolaou smear of vagina with low grade squamous intraepithelial lesion (LGSIL)	ICD-9-CM	Diagnosis
795.14	Papanicolaou smear of vagina with high grade squamous intraepithelial lesion (HGSIL)	ICD-9-CM	Diagnosis
795.16	Papanicolaou smear of vagina with cytologic evidence of malignancy	ICD-9-CM	Diagnosis
796.70	Abnormal glandular Papanicolaou smear of anus	ICD-9-CM	Diagnosis
796.71	Papanicolaou smear of anus with atypical squamous cells of undetermined significance (ASC-US)	ICD-9-CM	Diagnosis
796.72	Papanicolaou smear of anus with atypical squamous cells cannot exclude high grade squamous intraepithelial lesion (ASC-H)	ICD-9-CM	Diagnosis
796.73	Papanicolaou smear of anus with low grade squamous intraepithelial lesion (LGSIL)	ICD-9-CM	Diagnosis
796.74	Papanicolaou smear of anus with high grade squamous intraepithelial lesion (HGSIL)	ICD-9-CM	Diagnosis
796.76	Papanicolaou smear of anus with cytologic evidence of malignancy	ICD-9-CM	Diagnosis
V10.00	Personal history of malignant neoplasm of unspecified site in gastrointestinal tract	ICD-9-CM	Diagnosis
V10.01	Personal history of malignant neoplasm of tongue	ICD-9-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
V10.02	Personal history of malignant neoplasm of other and unspecified parts of oral cavity and pharynx	ICD-9-CM	Diagnosis
V10.03	Personal history of malignant neoplasm of esophagus	ICD-9-CM	Diagnosis
V10.04	Personal history of malignant neoplasm of stomach	ICD-9-CM	Diagnosis
V10.05	Personal history of malignant neoplasm of large intestine	ICD-9-CM	Diagnosis
V10.06	Personal history of malignant neoplasm of rectum, rectosigmoid junction, and anus	ICD-9-CM	Diagnosis
V10.07	Personal history of malignant neoplasm of liver	ICD-9-CM	Diagnosis
V10.09	Personal history of malignant neoplasm of other site in gastrointestinal tract	ICD-9-CM	Diagnosis
V10.11	Personal history of malignant neoplasm of bronchus and lung	ICD-9-CM	Diagnosis
V10.12	Personal history of malignant neoplasm of trachea	ICD-9-CM	Diagnosis
V10.20	Personal history of malignant neoplasm of unspecified respiratory organ	ICD-9-CM	Diagnosis
V10.21	Personal history of malignant neoplasm of larynx	ICD-9-CM	Diagnosis
V10.22	Personal history of malignant neoplasm of nasal cavities, middle ear, and accessory sinuses	ICD-9-CM	Diagnosis
V10.29	Personal history of malignant neoplasm of other respiratory and intrathoracic organs	ICD-9-CM	Diagnosis
V10.3	Personal history of malignant neoplasm of breast	ICD-9-CM	Diagnosis
V10.40	Personal history of malignant neoplasm of unspecified female genital organ	ICD-9-CM	Diagnosis
V10.41	Personal history of malignant neoplasm of cervix uteri	ICD-9-CM	Diagnosis
V10.42	Personal history of malignant neoplasm of other parts of uterus	ICD-9-CM	Diagnosis
V10.43	Personal history of malignant neoplasm of ovary	ICD-9-CM	Diagnosis
V10.44	Personal history of malignant neoplasm of other female genital organs	ICD-9-CM	Diagnosis
V10.45	Personal history of malignant neoplasm of unspecified male genital organ	ICD-9-CM	Diagnosis
V10.46	Personal history of malignant neoplasm of prostate	ICD-9-CM	Diagnosis
V10.47	Personal history of malignant neoplasm of testis	ICD-9-CM	Diagnosis
V10.48	Personal history of malignant neoplasm of epididymis	ICD-9-CM	Diagnosis
V10.49	Personal history of malignant neoplasm of other male genital organs	ICD-9-CM	Diagnosis
V10.50	Personal history of malignant neoplasm of unspecified urinary organ	ICD-9-CM	Diagnosis
V10.51	Personal history of malignant neoplasm of bladder	ICD-9-CM	Diagnosis
V10.52	Personal history of malignant neoplasm of kidney	ICD-9-CM	Diagnosis
V10.53	Personal history of malignant neoplasm, renal pelvis	ICD-9-CM	Diagnosis
V10.59	Personal history of malignant neoplasm of other urinary organ	ICD-9-CM	Diagnosis
V10.60	Personal history of unspecified leukemia	ICD-9-CM	Diagnosis
V10.61	Personal history of lymphoid leukemia	ICD-9-CM	Diagnosis
V10.62	Personal history of myeloid leukemia	ICD-9-CM	Diagnosis
V10.63	Personal history of monocytic leukemia	ICD-9-CM	Diagnosis
V10.69	Personal history of other leukemia	ICD-9-CM	Diagnosis
V10.71	Personal history of lymphosarcoma and reticulosarcoma	ICD-9-CM	Diagnosis
V10.72	Personal history of Hodgkin's disease	ICD-9-CM	Diagnosis
V10.79	Personal history of other lymphatic and hematopoietic neoplasm	ICD-9-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
V10.81	Personal history of malignant neoplasm of bone	ICD-9-CM	Diagnosis
V10.82	Personal history of malignant melanoma of skin	ICD-9-CM	Diagnosis
V10.84	Personal history of malignant neoplasm of eye	ICD-9-CM	Diagnosis
V10.85	Personal history of malignant neoplasm of brain	ICD-9-CM	Diagnosis
V10.86	Personal history of malignant neoplasm of other parts of nervous system	ICD-9-CM	Diagnosis
V10.87	Personal history of malignant neoplasm of thyroid	ICD-9-CM	Diagnosis
V10.88	Personal history of malignant neoplasm of other endocrine glands and related structures	ICD-9-CM	Diagnosis
V10.89	Personal history of malignant neoplasm of other site	ICD-9-CM	Diagnosis
V10.9	Other and unspecified personal history of malignant neoplasm	ICD-9-CM	Diagnosis
V10.90	Personal history of unspecified malignant neoplasm	ICD-9-CM	Diagnosis
V10.91	Personal history of malignant neuroendocrine tumor	ICD-9-CM	Diagnosis
V13.51	Personal history of pathologic fracture	ICD-9-CM	Diagnosis
V52.3	Fitting and adjustment of dental prosthetic device	ICD-9-CM	Diagnosis
V53.4	Fitting and adjustment of orthodontic devices	ICD-9-CM	Diagnosis
V58.0	Radiotherapy	ICD-9-CM	Diagnosis
V58.1	Encounter for antineoplastic chemotherapy and immunotherapy	ICD-9-CM	Diagnosis
V58.11	Encounter for antineoplastic chemotherapy	ICD-9-CM	Diagnosis
V58.12	Encounter for antineoplastic immunotherapy	ICD-9-CM	Diagnosis
V58.5	Orthodontics aftercare	ICD-9-CM	Diagnosis
V66.1	Convalescence following radiotherapy	ICD-9-CM	Diagnosis
V66.2	Convalescence following chemotherapy	ICD-9-CM	Diagnosis
V67.1	Radiotherapy follow-up examination	ICD-9-CM	Diagnosis
V67.2	Chemotherapy follow-up examination	ICD-9-CM	Diagnosis
V71.1	Observation for suspected malignant neoplasm	ICD-9-CM	Diagnosis
V72.2	Dental examination	ICD-9-CM	Diagnosis
K04.3	Abnormal hard tissue formation in pulp	ICD-10-CM	Diagnosis
M26.51	Abnormal jaw closure	ICD-10-CM	Diagnosis
K00.2	Abnormalities of size and form of teeth	ICD-10-CM	Diagnosis
K03.1	Abrasion of teeth	ICD-10-CM	Diagnosis
C92.A1	Acute myeloid leukemia with multilineage dysplasia, in remission	ICD-10-CM	Diagnosis
C92.A0	Acute myeloid leukemia with multilineage dysplasia, not having achieved remission	ICD-10-CM	Diagnosis
C92.A2	Acute myeloid leukemia with multilineage dysplasia, in relapse	ICD-10-CM	Diagnosis
K04.4	Acute apical periodontitis of pulpal origin	ICD-10-CM	Diagnosis
C94.02	Acute erythroid leukemia, in relapse	ICD-10-CM	Diagnosis
C94.01	Acute erythroid leukemia, in remission	ICD-10-CM	Diagnosis
C94.00	Acute erythroid leukemia, not having achieved remission	ICD-10-CM	Diagnosis
K05.01	Acute gingivitis, non-plaque induced	ICD-10-CM	Diagnosis
K05.00	Acute gingivitis, plaque induced	ICD-10-CM	Diagnosis
C95.02	Acute leukemia of unspecified cell type, in relapse	ICD-10-CM	Diagnosis
C95.01	Acute leukemia of unspecified cell type, in remission	ICD-10-CM	Diagnosis
C95.00	Acute leukemia of unspecified cell type not having achieved remission	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
C91.02	Acute lymphoblastic leukemia, in relapse	ICD-10-CM	Diagnosis
C91.01	Acute lymphoblastic leukemia, in remission	ICD-10-CM	Diagnosis
C91.00	Acute lymphoblastic leukemia not having achieved remission	ICD-10-CM	Diagnosis
C94.22	Acute megakaryoblastic leukemia, in relapse	ICD-10-CM	Diagnosis
C94.21	Acute megakaryoblastic leukemia, in remission	ICD-10-CM	Diagnosis
C94.20	Acute megakaryoblastic leukemia not having achieved remission	ICD-10-CM	Diagnosis
C93.02	Acute monoblastic/monocytic leukemia, in relapse	ICD-10-CM	Diagnosis
C93.01	Acute monoblastic/monocytic leukemia, in remission	ICD-10-CM	Diagnosis
C93.00	Acute monoblastic/monocytic leukemia, not having achieved remission	ICD-10-CM	Diagnosis
C92.02	Acute myeloblastic leukemia, in relapse	ICD-10-CM	Diagnosis
C92.01	Acute myeloblastic leukemia, in remission	ICD-10-CM	Diagnosis
C92.00	Acute myeloblastic leukemia, not having achieved remission	ICD-10-CM	Diagnosis
C92.62	Acute myeloid leukemia with 11q23-abnormality in relapse	ICD-10-CM	Diagnosis
C92.61	Acute myeloid leukemia with 11q23-abnormality in remission	ICD-10-CM	Diagnosis
C92.60	Acute myeloid leukemia with 11q23-abnormality not having achieved remission	ICD-10-CM	Diagnosis
C92.52	Acute myelomonocytic leukemia, in relapse	ICD-10-CM	Diagnosis
C92.51	Acute myelomonocytic leukemia, in remission	ICD-10-CM	Diagnosis
C92.50	Acute myelomonocytic leukemia, not having achieved remission	ICD-10-CM	Diagnosis
C94.40	Acute panmyelosis with myelofibrosis not having achieved remission	ICD-10-CM	Diagnosis
C94.42	Acute panmyelosis with myelofibrosis, in relapse	ICD-10-CM	Diagnosis
C94.41	Acute panmyelosis with myelofibrosis, in remission	ICD-10-CM	Diagnosis
C92.40	Acute promyelocytic leukemia, not having achieved remission	ICD-10-CM	Diagnosis
C92.42	Acute promyelocytic leukemia, in relapse	ICD-10-CM	Diagnosis
C92.41	Acute promyelocytic leukemia, in remission	ICD-10-CM	Diagnosis
M26.619	Adhesions and ankylosis of temporomandibular joint, unspecified side	ICD-10-CM	Diagnosis
M26.613	Adhesions and ankylosis of bilateral temporomandibular joint	ICD-10-CM	Diagnosis
M26.612	Adhesions and ankylosis of left temporomandibular joint	ICD-10-CM	Diagnosis
M26.61	Adhesions and ankylosis of temporomandibular joint	ICD-10-CM	Diagnosis
M26.611	Adhesions and ankylosis of right temporomandibular joint	ICD-10-CM	Diagnosis
C91.52	Adult T-cell lymphoma/leukemia (HTLV-1-associated), in relapse	ICD-10-CM	Diagnosis
C91.51	Adult T-cell lymphoma/leukemia (HTLV-1-associated), in remission	ICD-10-CM	Diagnosis
C91.50	Adult T-cell lymphoma/leukemia (HTLV-1-associated) not having achieved remission	ICD-10-CM	Diagnosis
M80.039G	Age-related osteoporosis with current pathological fracture, unspecified forearm, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
M80.069G	Age-related osteoporosis with current pathological fracture, unspecified lower leg, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
M80.072A	Age-related osteoporosis with current pathological fracture, left ankle and foot, initial encounter for fracture	ICD-10-CM	Diagnosis
M80.072G	Age-related osteoporosis with current pathological fracture, left ankle and foot, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
M80.072P	Age-related osteoporosis with current pathological fracture, left ankle and foot, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
M80.072K	Age-related osteoporosis with current pathological fracture, left ankle and foot, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
M80.072D	Age-related osteoporosis with current pathological fracture, left ankle and foot, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
M80.052G	Age-related osteoporosis with current pathological fracture, left femur, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
M80.052P	Age-related osteoporosis with current pathological fracture, left femur, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
M80.052K	Age-related osteoporosis with current pathological fracture, left femur, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
M80.052D	Age-related osteoporosis with current pathological fracture, left femur, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
M80.032A	Age-related osteoporosis with current pathological fracture, left forearm, initial encounter for fracture	ICD-10-CM	Diagnosis
M80.032G	Age-related osteoporosis with current pathological fracture, left forearm, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
M80.032P	Age-related osteoporosis with current pathological fracture, left forearm, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
M80.032K	Age-related osteoporosis with current pathological fracture, left forearm, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
M80.032D	Age-related osteoporosis with current pathological fracture, left forearm, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
M80.042G	Age-related osteoporosis with current pathological fracture, left hand, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
M80.042D	Age-related osteoporosis with current pathological fracture, left hand, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
M80.022G	Age-related osteoporosis with current pathological fracture, left humerus, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
M80.022D	Age-related osteoporosis with current pathological fracture, left humerus, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
M80.062A	Age-related osteoporosis with current pathological fracture, left lower leg, initial encounter for fracture	ICD-10-CM	Diagnosis
M80.062P	Age-related osteoporosis with current pathological fracture, left lower leg, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
M80.062K	Age-related osteoporosis with current pathological fracture, left lower leg, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
M80.062D	Age-related osteoporosis with current pathological fracture, left lower leg, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
M80.062G	Age-related osteoporosis with current pathological fracture, left lower leg, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
M80.012G	Age-related osteoporosis with current pathological fracture, left shoulder, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
M80.012P	Age-related osteoporosis with current pathological fracture, left shoulder, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
M80.012K	Age-related osteoporosis with current pathological fracture, left shoulder, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
M80.012D	Age-related osteoporosis with current pathological fracture, left shoulder, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
M80.071A	Age-related osteoporosis with current pathological fracture, right ankle and foot, initial encounter for fracture	ICD-10-CM	Diagnosis
M80.071G	Age-related osteoporosis with current pathological fracture, right ankle and foot, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
M80.071P	Age-related osteoporosis with current pathological fracture, right ankle and foot, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
M80.071K	Age-related osteoporosis with current pathological fracture, right ankle and foot, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
M80.071D	Age-related osteoporosis with current pathological fracture, right ankle and foot, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
M80.051G	Age-related osteoporosis with current pathological fracture, right femur, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
M80.051P	Age-related osteoporosis with current pathological fracture, right femur, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
M80.051K	Age-related osteoporosis with current pathological fracture, right femur, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
M80.051D	Age-related osteoporosis with current pathological fracture, right femur, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
M80.031A	Age-related osteoporosis with current pathological fracture, right forearm, initial encounter for fracture	ICD-10-CM	Diagnosis
M80.031G	Age-related osteoporosis with current pathological fracture, right forearm, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
M80.031P	Age-related osteoporosis with current pathological fracture, right forearm, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
M80.031K	Age-related osteoporosis with current pathological fracture, right forearm, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
M80.031D	Age-related osteoporosis with current pathological fracture, right forearm, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
M80.041G	Age-related osteoporosis with current pathological fracture, right hand, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
M80.041P	Age-related osteoporosis with current pathological fracture, right hand, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
M80.041K	Age-related osteoporosis with current pathological fracture, right hand, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis



**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
M80.041D	Age-related osteoporosis with current pathological fracture, right hand, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
M80.021G	Age-related osteoporosis with current pathological fracture, right humerus, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
M80.021D	Age-related osteoporosis with current pathological fracture, right humerus, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
M80.061A	Age-related osteoporosis with current pathological fracture, right lower leg, initial encounter for fracture	ICD-10-CM	Diagnosis
M80.061P	Age-related osteoporosis with current pathological fracture, right lower leg, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
M80.061K	Age-related osteoporosis with current pathological fracture, right lower leg, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
M80.061D	Age-related osteoporosis with current pathological fracture, right lower leg, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
M80.061G	Age-related osteoporosis with current pathological fracture, right lower leg, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
M80.011G	Age-related osteoporosis with current pathological fracture, right shoulder, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
M80.011P	Age-related osteoporosis with current pathological fracture, right shoulder, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
M80.011K	Age-related osteoporosis with current pathological fracture, right shoulder, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
M80.011D	Age-related osteoporosis with current pathological fracture, right shoulder, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
M80.079A	Age-related osteoporosis with current pathological fracture, unspecified ankle and foot, initial encounter for fracture	ICD-10-CM	Diagnosis
M80.079G	Age-related osteoporosis with current pathological fracture, unspecified ankle and foot, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
M80.079P	Age-related osteoporosis with current pathological fracture, unspecified ankle and foot, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
M80.079K	Age-related osteoporosis with current pathological fracture, unspecified ankle and foot, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
M80.079D	Age-related osteoporosis with current pathological fracture, unspecified ankle and foot, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
M80.059A	Age-related osteoporosis with current pathological fracture, unspecified femur, initial encounter for fracture	ICD-10-CM	Diagnosis
M80.059G	Age-related osteoporosis with current pathological fracture, unspecified femur, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
M80.059P	Age-related osteoporosis with current pathological fracture, unspecified femur, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
M80.059K	Age-related osteoporosis with current pathological fracture, unspecified femur, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
M80.059D	Age-related osteoporosis with current pathological fracture, unspecified femur, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
M80.039A	Age-related osteoporosis with current pathological fracture, unspecified forearm, initial encounter for fracture	ICD-10-CM	Diagnosis
M80.039D	Age-related osteoporosis with current pathological fracture, unspecified forearm, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
M80.039P	Age-related osteoporosis with current pathological fracture, unspecified forearm, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
M80.039K	Age-related osteoporosis with current pathological fracture, unspecified forearm, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
M80.049G	Age-related osteoporosis with current pathological fracture, unspecified hand, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
M80.049P	Age-related osteoporosis with current pathological fracture, unspecified hand, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
M80.049K	Age-related osteoporosis with current pathological fracture, unspecified hand, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
M80.049D	Age-related osteoporosis with current pathological fracture, unspecified hand, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
M80.029G	Age-related osteoporosis with current pathological fracture, unspecified humerus, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
M80.029P	Age-related osteoporosis with current pathological fracture, unspecified humerus, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
M80.029K	Age-related osteoporosis with current pathological fracture, unspecified humerus, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
M80.029D	Age-related osteoporosis with current pathological fracture, unspecified humerus, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
M80.069P	Age-related osteoporosis with current pathological fracture, unspecified lower leg, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
M80.069K	Age-related osteoporosis with current pathological fracture, unspecified lower leg, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
M80.069A	Age-related osteoporosis with current pathological fracture, unspecified lower leg, initial encounter for fracture	ICD-10-CM	Diagnosis
M80.069D	Age-related osteoporosis with current pathological fracture, unspecified lower leg, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
M80.019A	Age-related osteoporosis with current pathological fracture, unspecified shoulder, initial encounter for fracture	ICD-10-CM	Diagnosis
M80.019G	Age-related osteoporosis with current pathological fracture, unspecified shoulder, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
M80.019P	Age-related osteoporosis with current pathological fracture, unspecified shoulder, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
M80.019K	Age-related osteoporosis with current pathological fracture, unspecified shoulder, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
M80.019D	Age-related osteoporosis with current pathological fracture, unspecified shoulder, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
M80.00XP	Age-related osteoporosis with current pathological fracture, unspecified site, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
M80.00XK	Age-related osteoporosis with current pathological fracture, unspecified site, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
M80.08XA	Age-related osteoporosis with current pathological fracture, vertebra(e), initial encounter for fracture	ICD-10-CM	Diagnosis
M80.08XG	Age-related osteoporosis with current pathological fracture, vertebra(e), subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
M80.08XD	Age-related osteoporosis with current pathological fracture, vertebra(e), subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
M80.072S	Age-related osteoporosis with current pathological fracture, left ankle and foot, sequela	ICD-10-CM	Diagnosis
M80.052A	Age-related osteoporosis with current pathological fracture, left femur, initial encounter for fracture	ICD-10-CM	Diagnosis
M80.032S	Age-related osteoporosis with current pathological fracture, left forearm, sequela	ICD-10-CM	Diagnosis
M80.042A	Age-related osteoporosis with current pathological fracture, left hand, initial encounter for fracture	ICD-10-CM	Diagnosis
M80.042P	Age-related osteoporosis with current pathological fracture, left hand, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
M80.042K	Age-related osteoporosis with current pathological fracture, left hand, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
M80.022A	Age-related osteoporosis with current pathological fracture, left humerus, initial encounter for fracture	ICD-10-CM	Diagnosis
M80.022P	Age-related osteoporosis with current pathological fracture, left humerus, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
M80.022K	Age-related osteoporosis with current pathological fracture, left humerus, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
M80.062S	Age-related osteoporosis with current pathological fracture, left lower leg, sequela	ICD-10-CM	Diagnosis
M80.012A	Age-related osteoporosis with current pathological fracture, left shoulder, initial encounter for fracture	ICD-10-CM	Diagnosis
M80.071S	Age-related osteoporosis with current pathological fracture, right ankle and foot, sequela	ICD-10-CM	Diagnosis
M80.051A	Age-related osteoporosis with current pathological fracture, right femur, initial encounter for fracture	ICD-10-CM	Diagnosis
M80.031S	Age-related osteoporosis with current pathological fracture, right forearm, sequela	ICD-10-CM	Diagnosis
M80.041A	Age-related osteoporosis with current pathological fracture, right hand, initial encounter for fracture	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
M80.021A	Age-related osteoporosis with current pathological fracture, right humerus, initial encounter for fracture	ICD-10-CM	Diagnosis
M80.021P	Age-related osteoporosis with current pathological fracture, right humerus, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
M80.021K	Age-related osteoporosis with current pathological fracture, right humerus, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
M80.061S	Age-related osteoporosis with current pathological fracture, right lower leg, sequela	ICD-10-CM	Diagnosis
M80.011A	Age-related osteoporosis with current pathological fracture, right shoulder, initial encounter for fracture	ICD-10-CM	Diagnosis
M80.079S	Age-related osteoporosis with current pathological fracture, unspecified ankle and foot, sequela	ICD-10-CM	Diagnosis
M80.059S	Age-related osteoporosis with current pathological fracture, unspecified femur, sequela	ICD-10-CM	Diagnosis
M80.039S	Age-related osteoporosis with current pathological fracture, unspecified forearm, sequela	ICD-10-CM	Diagnosis
M80.049A	Age-related osteoporosis with current pathological fracture, unspecified hand, initial encounter for fracture	ICD-10-CM	Diagnosis
M80.029A	Age-related osteoporosis with current pathological fracture, unspecified humerus, initial encounter for fracture	ICD-10-CM	Diagnosis
M80.069S	Age-related osteoporosis with current pathological fracture, unspecified lower leg, sequela	ICD-10-CM	Diagnosis
M80.019S	Age-related osteoporosis with current pathological fracture, unspecified shoulder, sequela	ICD-10-CM	Diagnosis
M80.08XS	Age-related osteoporosis with current pathological fracture, vertebra(e), sequela	ICD-10-CM	Diagnosis
M80.08XP	Age-related osteoporosis with current pathological fracture, vertebra(e), subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
M80.08XK	Age-related osteoporosis with current pathological fracture, vertebra(e), subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
M80.00XG	Age-related osteoporosis with current pathological fracture, unspecified site, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
M80.00XD	Age-related osteoporosis with current pathological fracture, unspecified site, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
M80.00XA	Age-related osteoporosis with current pathological fracture, unspecified site, initial encounter for fracture	ICD-10-CM	Diagnosis
M80.052S	Age-related osteoporosis with current pathological fracture, left femur, sequela	ICD-10-CM	Diagnosis
M80.042S	Age-related osteoporosis with current pathological fracture, left hand, sequela	ICD-10-CM	Diagnosis
M80.012S	Age-related osteoporosis with current pathological fracture, left shoulder, sequela	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
M80.051S	Age-related osteoporosis with current pathological fracture, right femur, sequela	ICD-10-CM	Diagnosis
M80.041S	Age-related osteoporosis with current pathological fracture, right hand, sequela	ICD-10-CM	Diagnosis
M80.011S	Age-related osteoporosis with current pathological fracture, right shoulder, sequela	ICD-10-CM	Diagnosis
M80.049S	Age-related osteoporosis with current pathological fracture, unspecified hand, sequela	ICD-10-CM	Diagnosis
M80.029S	Age-related osteoporosis with current pathological fracture, unspecified humerus, sequela	ICD-10-CM	Diagnosis
M80.00XS	Age-related osteoporosis with current pathological fracture, unspecified site, sequela	ICD-10-CM	Diagnosis
M80.022S	Age-related osteoporosis with current pathological fracture, left humerus, sequela	ICD-10-CM	Diagnosis
M80.021S	Age-related osteoporosis with current pathological fracture, right humerus, sequela	ICD-10-CM	Diagnosis
K05.22	Aggressive periodontitis, generalized	ICD-10-CM	Diagnosis
K05.222	Aggressive periodontitis, generalized, moderate	ICD-10-CM	Diagnosis
K05.223	Aggressive periodontitis, generalized, severe	ICD-10-CM	Diagnosis
K05.221	Aggressive periodontitis, generalized, slight	ICD-10-CM	Diagnosis
K05.229	Aggressive periodontitis, generalized, unspecified severity	ICD-10-CM	Diagnosis
K05.21	Aggressive periodontitis, localized	ICD-10-CM	Diagnosis
K05.212	Aggressive periodontitis, localized, moderate	ICD-10-CM	Diagnosis
K05.213	Aggressive periodontitis, localized, severe	ICD-10-CM	Diagnosis
K05.211	Aggressive periodontitis, localized, slight	ICD-10-CM	Diagnosis
K05.219	Aggressive periodontitis, localized, unspecified severity	ICD-10-CM	Diagnosis
K05.20	Aggressive periodontitis, unspecified	ICD-10-CM	Diagnosis
C96.21	Aggressive systemic mastocytosis	ICD-10-CM	Diagnosis
K08.55	Allergy to existing dental restorative material	ICD-10-CM	Diagnosis
M26.72	Alveolar mandibular hyperplasia	ICD-10-CM	Diagnosis
M26.74	Alveolar mandibular hypoplasia	ICD-10-CM	Diagnosis
M26.71	Alveolar maxillary hyperplasia	ICD-10-CM	Diagnosis
M26.73	Alveolar maxillary hypoplasia	ICD-10-CM	Diagnosis
M27.3	Alveolitis of jaws	ICD-10-CM	Diagnosis
C84.79	Anaplastic large cell lymphoma, ALK-negative, extranodal and solid organ sites	ICD-10-CM	Diagnosis
C84.73	Anaplastic large cell lymphoma, ALK-negative, intra-abdominal lymph nodes	ICD-10-CM	Diagnosis
C84.76	Anaplastic large cell lymphoma, ALK-negative, intrapelvic lymph nodes	ICD-10-CM	Diagnosis
C84.72	Anaplastic large cell lymphoma, ALK-negative, intrathoracic lymph nodes	ICD-10-CM	Diagnosis
C84.71	Anaplastic large cell lymphoma, ALK-negative, lymph nodes of head, face, and neck	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
C84.74	Anaplastic large cell lymphoma, ALK-negative, lymph nodes of axilla and upper limb	ICD-10-CM	Diagnosis
C84.75	Anaplastic large cell lymphoma, ALK-negative, lymph nodes of inguinal region and lower limb	ICD-10-CM	Diagnosis
C84.78	Anaplastic large cell lymphoma, ALK-negative, lymph nodes of multiple sites	ICD-10-CM	Diagnosis
C84.77	Anaplastic large cell lymphoma, ALK-negative, spleen	ICD-10-CM	Diagnosis
C84.70	Anaplastic large cell lymphoma, ALK-negative, unspecified site	ICD-10-CM	Diagnosis
C84.63	Anaplastic large cell lymphoma, ALK-positive, intra-abdominal lymph nodes	ICD-10-CM	Diagnosis
C84.66	Anaplastic large cell lymphoma, ALK-positive, intrapelvic lymph nodes	ICD-10-CM	Diagnosis
C84.62	Anaplastic large cell lymphoma, ALK-positive, intrathoracic lymph nodes	ICD-10-CM	Diagnosis
C84.61	Anaplastic large cell lymphoma, ALK-positive, lymph nodes of head, face, and neck	ICD-10-CM	Diagnosis
C84.64	Anaplastic large cell lymphoma, ALK-positive, lymph nodes of axilla and upper limb	ICD-10-CM	Diagnosis
C84.65	Anaplastic large cell lymphoma, ALK-positive, lymph nodes of inguinal region and lower limb	ICD-10-CM	Diagnosis
C84.68	Anaplastic large cell lymphoma, ALK-positive, lymph nodes of multiple sites	ICD-10-CM	Diagnosis
C84.67	Anaplastic large cell lymphoma, ALK-positive, spleen	ICD-10-CM	Diagnosis
C84.60	Anaplastic large cell lymphoma, ALK-positive, unspecified site	ICD-10-CM	Diagnosis
C84.69	Anaplastic large cell lymphoma, ALK-positive, extranodal and solid organ sites	ICD-10-CM	Diagnosis
C86.5	Angioimmunoblastic T-cell lymphoma	ICD-10-CM	Diagnosis
C22.3	Angiosarcoma of liver	ICD-10-CM	Diagnosis
K03.5	Ankylosis of teeth	ICD-10-CM	Diagnosis
K00.0	Anodontia	ICD-10-CM	Diagnosis
M26.25	Anomalies of interarch distance	ICD-10-CM	Diagnosis
M26.81	Anterior soft tissue impingement	ICD-10-CM	Diagnosis
K02.3	Arrested dental caries	ICD-10-CM	Diagnosis
M26.623	Arthralgia of bilateral temporomandibular joint	ICD-10-CM	Diagnosis
M26.622	Arthralgia of left temporomandibular joint	ICD-10-CM	Diagnosis
M26.621	Arthralgia of right temporomandibular joint	ICD-10-CM	Diagnosis
M26.62	Arthralgia of temporomandibular joint	ICD-10-CM	Diagnosis
M26.629	Arthralgia of temporomandibular joint, unspecified side	ICD-10-CM	Diagnosis
M26.639	Articular disc disorder of temporomandibular joint, unspecified side	ICD-10-CM	Diagnosis
M26.633	Articular disc disorder of bilateral temporomandibular joint	ICD-10-CM	Diagnosis
M26.632	Articular disc disorder of left temporomandibular joint	ICD-10-CM	Diagnosis
M26.631	Articular disc disorder of right temporomandibular joint	ICD-10-CM	Diagnosis
M26.63	Articular disc disorder of temporomandibular joint	ICD-10-CM	Diagnosis
R85.611	Atypical squamous cells cannot exclude high grade squamous intraepithelial lesion on cytologic smear of anus (ASC-H)	ICD-10-CM	Diagnosis



**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
R87.611	Atypical squamous cells cannot exclude high grade squamous intraepithelial lesion on cytologic smear of cervix (ASC-H)	ICD-10-CM	Diagnosis
R87.621	Atypical squamous cells cannot exclude high grade squamous intraepithelial lesion on cytologic smear of vagina (ASC-H)	ICD-10-CM	Diagnosis
R87.620	Atypical squamous cells of undetermined significance on cytologic smear of vagina (ASC-US)	ICD-10-CM	Diagnosis
R87.610	Atypical squamous cells of undetermined significance on cytologic smear of cervix (ASC-US)	ICD-10-CM	Diagnosis
R85.610	Atypical squamous cells of undetermined significance on cytologic smear of anus (ASC-US)	ICD-10-CM	Diagnosis
C92.21	Atypical chronic myeloid leukemia, BCR/ABL-negative, in remission	ICD-10-CM	Diagnosis
C92.20	Atypical chronic myeloid leukemia, BCR/ABL-negative, not having achieved remission	ICD-10-CM	Diagnosis
C92.22	Atypical chronic myeloid leukemia, BCR/ABL-negative, in relapse	ICD-10-CM	Diagnosis
M26.603	Bilateral temporomandibular joint disorder, unspecified	ICD-10-CM	Diagnosis
C86.4	Blastic NK-cell lymphoma	ICD-10-CM	Diagnosis
C83.79	Burkitt lymphoma, extranodal and solid organ sites	ICD-10-CM	Diagnosis
C83.73	Burkitt lymphoma, intra-abdominal lymph nodes	ICD-10-CM	Diagnosis
C83.76	Burkitt lymphoma, intrapelvic lymph nodes	ICD-10-CM	Diagnosis
C83.72	Burkitt lymphoma, intrathoracic lymph nodes	ICD-10-CM	Diagnosis
C83.74	Burkitt lymphoma, lymph nodes of axilla and upper limb	ICD-10-CM	Diagnosis
C83.71	Burkitt lymphoma, lymph nodes of head, face, and neck	ICD-10-CM	Diagnosis
C83.78	Burkitt lymphoma, lymph nodes of multiple sites	ICD-10-CM	Diagnosis
C83.75	Burkitt lymphoma, lymph nodes of inguinal region and lower limb	ICD-10-CM	Diagnosis
C83.77	Burkitt lymphoma, spleen	ICD-10-CM	Diagnosis
C83.70	Burkitt lymphoma, unspecified site	ICD-10-CM	Diagnosis
D00.03	Carcinoma in situ of gingiva and edentulous alveolar ridge	ICD-10-CM	Diagnosis
D00.01	Carcinoma in situ of labial mucosa and vermilion border	ICD-10-CM	Diagnosis
D01.5	Carcinoma in situ of liver, gallbladder and bile ducts	ICD-10-CM	Diagnosis
D01.3	Carcinoma in situ of anus and anal canal	ICD-10-CM	Diagnosis
D09.0	Carcinoma in situ of bladder	ICD-10-CM	Diagnosis
D00.02	Carcinoma in situ of buccal mucosa	ICD-10-CM	Diagnosis
D06.9	Carcinoma in situ of cervix, unspecified	ICD-10-CM	Diagnosis
D01.0	Carcinoma in situ of colon	ICD-10-CM	Diagnosis
D01.9	Carcinoma in situ of digestive organ, unspecified	ICD-10-CM	Diagnosis
D06.0	Carcinoma in situ of endocervix	ICD-10-CM	Diagnosis
D07.0	Carcinoma in situ of endometrium	ICD-10-CM	Diagnosis
D00.1	Carcinoma in situ of esophagus	ICD-10-CM	Diagnosis
D06.1	Carcinoma in situ of exocervix	ICD-10-CM	Diagnosis
D00.06	Carcinoma in situ of floor of mouth	ICD-10-CM	Diagnosis
D00.05	Carcinoma in situ of hard palate	ICD-10-CM	Diagnosis
D02.0	Carcinoma in situ of larynx	ICD-10-CM	Diagnosis
D02.22	Carcinoma in situ of left bronchus and lung	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
D09.22	Carcinoma in situ of left eye	ICD-10-CM	Diagnosis
D07.39	Carcinoma in situ of other female genital organs	ICD-10-CM	Diagnosis
D07.69	Carcinoma in situ of other male genital organs	ICD-10-CM	Diagnosis
D06.7	Carcinoma in situ of other parts of cervix	ICD-10-CM	Diagnosis
D01.49	Carcinoma in situ of other parts of intestine	ICD-10-CM	Diagnosis
D09.8	Carcinoma in situ of other specified sites	ICD-10-CM	Diagnosis
D09.19	Carcinoma in situ of other urinary organs	ICD-10-CM	Diagnosis
D07.4	Carcinoma in situ of penis	ICD-10-CM	Diagnosis
D00.08	Carcinoma in situ of pharynx	ICD-10-CM	Diagnosis
D07.5	Carcinoma in situ of prostate	ICD-10-CM	Diagnosis
D01.1	Carcinoma in situ of rectosigmoid junction	ICD-10-CM	Diagnosis
D01.2	Carcinoma in situ of rectum	ICD-10-CM	Diagnosis
D02.21	Carcinoma in situ of right bronchus and lung	ICD-10-CM	Diagnosis
D09.21	Carcinoma in situ of right eye	ICD-10-CM	Diagnosis
D07.61	Carcinoma in situ of scrotum	ICD-10-CM	Diagnosis
D00.04	Carcinoma in situ of soft palate	ICD-10-CM	Diagnosis
D00.2	Carcinoma in situ of stomach	ICD-10-CM	Diagnosis
D00.07	Carcinoma in situ of tongue	ICD-10-CM	Diagnosis
D02.1	Carcinoma in situ of trachea	ICD-10-CM	Diagnosis
D07.30	Carcinoma in situ of unspecified female genital organs	ICD-10-CM	Diagnosis
D07.60	Carcinoma in situ of unspecified male genital organs	ICD-10-CM	Diagnosis
D01.40	Carcinoma in situ of unspecified part of intestine	ICD-10-CM	Diagnosis
D02.20	Carcinoma in situ of unspecified bronchus and lung	ICD-10-CM	Diagnosis
D09.20	Carcinoma in situ of unspecified eye	ICD-10-CM	Diagnosis
D09.10	Carcinoma in situ of unspecified urinary organ	ICD-10-CM	Diagnosis
D07.2	Carcinoma in situ of vagina	ICD-10-CM	Diagnosis
D07.1	Carcinoma in situ of vulva	ICD-10-CM	Diagnosis
D00.00	Carcinoma in situ of oral cavity, unspecified site	ICD-10-CM	Diagnosis
D01.7	Carcinoma in situ of other specified digestive organs	ICD-10-CM	Diagnosis
D02.3	Carcinoma in situ of other parts of respiratory system	ICD-10-CM	Diagnosis
D02.4	Carcinoma in situ of respiratory system, unspecified	ICD-10-CM	Diagnosis
D09.3	Carcinoma in situ of thyroid and other endocrine glands	ICD-10-CM	Diagnosis
D09.9	Carcinoma in situ, unspecified	ICD-10-CM	Diagnosis
M26.55	Centric occlusion maximum intercuspation discrepancy	ICD-10-CM	Diagnosis
K04.5	Chronic apical periodontitis	ICD-10-CM	Diagnosis
K05.11	Chronic gingivitis, non-plaque induced	ICD-10-CM	Diagnosis
K05.10	Chronic gingivitis, plaque induced	ICD-10-CM	Diagnosis
C95.12	Chronic leukemia of unspecified cell type, in relapse	ICD-10-CM	Diagnosis
C95.11	Chronic leukemia of unspecified cell type, in remission	ICD-10-CM	Diagnosis
C95.10	Chronic leukemia of unspecified cell type not having achieved remission	ICD-10-CM	Diagnosis
C91.11	Chronic lymphocytic leukemia of B-cell type in remission	ICD-10-CM	Diagnosis
C91.10	Chronic lymphocytic leukemia of B-cell type not having achieved remission	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
C91.12	Chronic lymphocytic leukemia of B-cell type in relapse	ICD-10-CM	Diagnosis
C92.12	Chronic myeloid leukemia, BCR/ABL-positive, in relapse	ICD-10-CM	Diagnosis
C92.11	Chronic myeloid leukemia, BCR/ABL-positive, in remission	ICD-10-CM	Diagnosis
C92.10	Chronic myeloid leukemia, BCR/ABL-positive, not having achieved remission	ICD-10-CM	Diagnosis
C93.12	Chronic myelomonocytic leukemia, in relapse	ICD-10-CM	Diagnosis
C93.11	Chronic myelomonocytic leukemia, in remission	ICD-10-CM	Diagnosis
C93.10	Chronic myelomonocytic leukemia not having achieved remission	ICD-10-CM	Diagnosis
K05.32	Chronic periodontitis, generalized	ICD-10-CM	Diagnosis
K05.322	Chronic periodontitis, generalized, moderate	ICD-10-CM	Diagnosis
K05.323	Chronic periodontitis, generalized, severe	ICD-10-CM	Diagnosis
K05.321	Chronic periodontitis, generalized, slight	ICD-10-CM	Diagnosis
K05.329	Chronic periodontitis, generalized, unspecified severity	ICD-10-CM	Diagnosis
K05.31	Chronic periodontitis, localized	ICD-10-CM	Diagnosis
K05.312	Chronic periodontitis, localized, moderate	ICD-10-CM	Diagnosis
K05.313	Chronic periodontitis, localized, severe	ICD-10-CM	Diagnosis
K05.311	Chronic periodontitis, localized, slight	ICD-10-CM	Diagnosis
K05.319	Chronic periodontitis, localized, unspecified severity	ICD-10-CM	Diagnosis
K05.30	Chronic periodontitis, unspecified	ICD-10-CM	Diagnosis
K08.131	Complete loss of teeth due to caries, class I	ICD-10-CM	Diagnosis
K08.132	Complete loss of teeth due to caries, class II	ICD-10-CM	Diagnosis
K08.133	Complete loss of teeth due to caries, class III	ICD-10-CM	Diagnosis
K08.134	Complete loss of teeth due to caries, class IV	ICD-10-CM	Diagnosis
K08.111	Complete loss of teeth due to trauma, class I	ICD-10-CM	Diagnosis
K08.112	Complete loss of teeth due to trauma, class II	ICD-10-CM	Diagnosis
K08.113	Complete loss of teeth due to trauma, class III	ICD-10-CM	Diagnosis
K08.114	Complete loss of teeth due to trauma, class IV	ICD-10-CM	Diagnosis
K08.101	Complete loss of teeth, unspecified cause, class I	ICD-10-CM	Diagnosis
K08.191	Complete loss of teeth due to other specified cause, class I	ICD-10-CM	Diagnosis
K08.192	Complete loss of teeth due to other specified cause, class II	ICD-10-CM	Diagnosis
K08.193	Complete loss of teeth due to other specified cause, class III	ICD-10-CM	Diagnosis
K08.194	Complete loss of teeth due to other specified cause, class IV	ICD-10-CM	Diagnosis
K08.199	Complete loss of teeth due to other specified cause, unspecified class	ICD-10-CM	Diagnosis
K08.121	Complete loss of teeth due to periodontal diseases, class I	ICD-10-CM	Diagnosis
K08.122	Complete loss of teeth due to periodontal diseases, class II	ICD-10-CM	Diagnosis
K08.123	Complete loss of teeth due to periodontal diseases, class III	ICD-10-CM	Diagnosis
K08.124	Complete loss of teeth due to periodontal diseases, class IV	ICD-10-CM	Diagnosis
K08.129	Complete loss of teeth due to periodontal diseases, unspecified class	ICD-10-CM	Diagnosis
K08.139	Complete loss of teeth due to caries, unspecified class	ICD-10-CM	Diagnosis
K08.119	Complete loss of teeth due to trauma, unspecified class	ICD-10-CM	Diagnosis
K08.109	Complete loss of teeth, unspecified cause, unspecified class	ICD-10-CM	Diagnosis
K08.102	Complete loss of teeth, unspecified cause, class II	ICD-10-CM	Diagnosis
K08.103	Complete loss of teeth, unspecified cause, class III	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
K08.104	Complete loss of teeth, unspecified cause, class IV	ICD-10-CM	Diagnosis
K08.54	Contour of existing restoration of tooth biologically incompatible with oral health	ICD-10-CM	Diagnosis
K03.81	Cracked tooth	ICD-10-CM	Diagnosis
M26.31	Crowding of fully erupted teeth	ICD-10-CM	Diagnosis
C82.63	Cutaneous follicle center lymphoma, intra-abdominal lymph nodes	ICD-10-CM	Diagnosis
C82.65	Cutaneous follicle center lymphoma, lymph nodes of inguinal region and lower limb	ICD-10-CM	Diagnosis
C82.69	Cutaneous follicle center lymphoma, extranodal and solid organ sites	ICD-10-CM	Diagnosis
C82.66	Cutaneous follicle center lymphoma, intrapelvic lymph nodes	ICD-10-CM	Diagnosis
C82.62	Cutaneous follicle center lymphoma, intrathoracic lymph nodes	ICD-10-CM	Diagnosis
C82.68	Cutaneous follicle center lymphoma, lymph nodes of multiple sites	ICD-10-CM	Diagnosis
C82.61	Cutaneous follicle center lymphoma, lymph nodes of head, face, and neck	ICD-10-CM	Diagnosis
C82.64	Cutaneous follicle center lymphoma, lymph nodes of axilla and upper limb	ICD-10-CM	Diagnosis
C82.67	Cutaneous follicle center lymphoma, spleen	ICD-10-CM	Diagnosis
C82.60	Cutaneous follicle center lymphoma, unspecified site	ICD-10-CM	Diagnosis
C84.A9	Cutaneous T-cell lymphoma, unspecified, extranodal and solid organ sites	ICD-10-CM	Diagnosis
C84.A3	Cutaneous T-cell lymphoma, unspecified, intra-abdominal lymph nodes	ICD-10-CM	Diagnosis
C84.A6	Cutaneous T-cell lymphoma, unspecified, intrapelvic lymph nodes	ICD-10-CM	Diagnosis
C84.A2	Cutaneous T-cell lymphoma, unspecified, intrathoracic lymph nodes	ICD-10-CM	Diagnosis
C84.A5	Cutaneous T-cell lymphoma, unspecified, lymph nodes of inguinal region and lower limb	ICD-10-CM	Diagnosis
C84.A4	Cutaneous T-cell lymphoma, unspecified, lymph nodes of axilla and upper limb	ICD-10-CM	Diagnosis
C84.A1	Cutaneous T-cell lymphoma, unspecified lymph nodes of head, face, and neck	ICD-10-CM	Diagnosis
C84.A8	Cutaneous T-cell lymphoma, unspecified, lymph nodes of multiple sites	ICD-10-CM	Diagnosis
C84.A0	Cutaneous T-cell lymphoma, unspecified, unspecified site	ICD-10-CM	Diagnosis
C84.A7	Cutaneous T-cell lymphoma, unspecified, spleen	ICD-10-CM	Diagnosis
R85.614	Cytologic evidence of malignancy on smear of anus	ICD-10-CM	Diagnosis
R87.614	Cytologic evidence of malignancy on smear of cervix	ICD-10-CM	Diagnosis
R87.624	Cytologic evidence of malignancy on smear of vagina	ICD-10-CM	Diagnosis
K02.51	Dental caries on pit and fissure surface limited to enamel	ICD-10-CM	Diagnosis
K02.63	Dental caries on smooth surface penetrating into pulp	ICD-10-CM	Diagnosis
K02.61	Dental caries on smooth surface limited to enamel	ICD-10-CM	Diagnosis
K02.53	Dental caries on pit and fissure surface penetrating into pulp	ICD-10-CM	Diagnosis
K02.52	Dental caries on pit and fissure surface penetrating into dentin	ICD-10-CM	Diagnosis
K02.62	Dental caries on smooth surface penetrating into dentin	ICD-10-CM	Diagnosis
K02.9	Dental caries, unspecified	ICD-10-CM	Diagnosis
Z98.811	Dental restoration status	ICD-10-CM	Diagnosis
K02.7	Dental root caries	ICD-10-CM	Diagnosis
Z98.810	Dental sealant status	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
M26.9	Dentofacial anomaly, unspecified	ICD-10-CM	Diagnosis
M26.50	Dentofacial functional abnormalities, unspecified	ICD-10-CM	Diagnosis
K03.6	Deposits [accretions] on teeth	ICD-10-CM	Diagnosis
M27.0	Developmental disorders of jaws	ICD-10-CM	Diagnosis
K09.1	Developmental (nonodontogenic) cysts of oral region	ICD-10-CM	Diagnosis
K09.0	Developmental odontogenic cysts	ICD-10-CM	Diagnosis
M26.53	Deviation in opening and closing of the mandible	ICD-10-CM	Diagnosis
C82.59	Diffuse follicle center lymphoma, extranodal and solid organ sites	ICD-10-CM	Diagnosis
C82.54	Diffuse follicle center lymphoma, lymph nodes of axilla and upper limb	ICD-10-CM	Diagnosis
C82.51	Diffuse follicle center lymphoma, lymph nodes of head, face, and neck	ICD-10-CM	Diagnosis
C82.55	Diffuse follicle center lymphoma, lymph nodes of inguinal region and lower limb	ICD-10-CM	Diagnosis
C82.53	Diffuse follicle center lymphoma, intra-abdominal lymph nodes	ICD-10-CM	Diagnosis
C82.56	Diffuse follicle center lymphoma, intrapelvic lymph nodes	ICD-10-CM	Diagnosis
C82.52	Diffuse follicle center lymphoma, intrathoracic lymph nodes	ICD-10-CM	Diagnosis
C82.58	Diffuse follicle center lymphoma, lymph nodes of multiple sites	ICD-10-CM	Diagnosis
C82.57	Diffuse follicle center lymphoma, spleen	ICD-10-CM	Diagnosis
C82.50	Diffuse follicle center lymphoma, unspecified site	ICD-10-CM	Diagnosis
C83.39	Diffuse large B-cell lymphoma, extranodal and solid organ sites	ICD-10-CM	Diagnosis
C83.33	Diffuse large B-cell lymphoma, intra-abdominal lymph nodes	ICD-10-CM	Diagnosis
C83.36	Diffuse large B-cell lymphoma, intrapelvic lymph nodes	ICD-10-CM	Diagnosis
C83.32	Diffuse large B-cell lymphoma, intrathoracic lymph nodes	ICD-10-CM	Diagnosis
C83.31	Diffuse large B-cell lymphoma, lymph nodes of head, face, and neck	ICD-10-CM	Diagnosis
C83.35	Diffuse large B-cell lymphoma, lymph nodes of inguinal region and lower limb	ICD-10-CM	Diagnosis
C83.34	Diffuse large B-cell lymphoma, lymph nodes of axilla and upper limb	ICD-10-CM	Diagnosis
C83.38	Diffuse large B-cell lymphoma, lymph nodes of multiple sites	ICD-10-CM	Diagnosis
C83.37	Diffuse large B-cell lymphoma, spleen	ICD-10-CM	Diagnosis
C83.30	Diffuse large B-cell lymphoma, unspecified site	ICD-10-CM	Diagnosis
K03.9	Disease of hard tissues of teeth, unspecified	ICD-10-CM	Diagnosis
M27.9	Disease of jaws, unspecified	ICD-10-CM	Diagnosis
S03.2XXA	Dislocation of tooth, initial encounter	ICD-10-CM	Diagnosis
S03.2XXS	Dislocation of tooth, sequela	ICD-10-CM	Diagnosis
S03.2XXD	Dislocation of tooth, subsequent encounter	ICD-10-CM	Diagnosis
K06.9	Disorder of gingiva and edentulous alveolar ridge, unspecified	ICD-10-CM	Diagnosis
K00.9	Disorder of tooth development, unspecified	ICD-10-CM	Diagnosis
K08.9	Disorder of teeth and supporting structures, unspecified	ICD-10-CM	Diagnosis
C80.0	Disseminated malignant neoplasm, unspecified	ICD-10-CM	Diagnosis
K00.6	Disturbances in tooth eruption	ICD-10-CM	Diagnosis
K00.4	Disturbances in tooth formation	ICD-10-CM	Diagnosis
K01.0	Embedded teeth	ICD-10-CM	Diagnosis
Z46.3	Encounter for fitting and adjustment of dental prosthetic device	ICD-10-CM	Diagnosis
Z46.4	Encounter for fitting and adjustment of orthodontic device	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
Z51.11	Encounter for antineoplastic chemotherapy	ICD-10-CM	Diagnosis
Z51.12	Encounter for antineoplastic immunotherapy	ICD-10-CM	Diagnosis
Z51.0	Encounter for antineoplastic radiation therapy	ICD-10-CM	Diagnosis
M27.52	Endodontic overfill	ICD-10-CM	Diagnosis
M27.53	Endodontic underfill	ICD-10-CM	Diagnosis
C86.2	Enteropathy-type (intestinal) T-cell lymphoma	ICD-10-CM	Diagnosis
K03.2	Erosion of teeth	ICD-10-CM	Diagnosis
M26.37	Excessive interocclusal distance of fully erupted teeth	ICD-10-CM	Diagnosis
K03.0	Excessive attrition of teeth	ICD-10-CM	Diagnosis
M26.23	Excessive horizontal overlap	ICD-10-CM	Diagnosis
M26.32	Excessive spacing of fully erupted teeth	ICD-10-CM	Diagnosis
M26.07	Excessive tuberosity of jaw	ICD-10-CM	Diagnosis
K08.0	Exfoliation of teeth due to systemic causes	ICD-10-CM	Diagnosis
C90.20	Extramedullary plasmacytoma not having achieved remission	ICD-10-CM	Diagnosis
C90.22	Extramedullary plasmacytoma in relapse	ICD-10-CM	Diagnosis
C90.21	Extramedullary plasmacytoma in remission	ICD-10-CM	Diagnosis
C88.4	Extranodal marginal zone B-cell lymphoma of mucosa-associated lymphoid tissue [MALT-lymphoma]	ICD-10-CM	Diagnosis
C86.0	Extranodal NK/T-cell lymphoma, nasal type	ICD-10-CM	Diagnosis
C82.45	Follicular lymphoma grade IIIb, lymph nodes of inguinal region and lower limb	ICD-10-CM	Diagnosis
C82.49	Follicular lymphoma grade IIIb, extranodal and solid organ sites	ICD-10-CM	Diagnosis
C82.29	Follicular lymphoma grade III, unspecified, extranodal and solid organ sites	ICD-10-CM	Diagnosis
C82.21	Follicular lymphoma grade III, unspecified, lymph nodes of head, face, and neck	ICD-10-CM	Diagnosis
C82.24	Follicular lymphoma grade III, unspecified, lymph nodes of axilla and upper limb	ICD-10-CM	Diagnosis
C82.25	Follicular lymphoma grade III, unspecified, lymph nodes of inguinal region and lower limb	ICD-10-CM	Diagnosis
C82.39	Follicular lymphoma grade IIIa, extranodal and solid organ sites	ICD-10-CM	Diagnosis
C82.09	Follicular lymphoma grade I, extranodal and solid organ sites	ICD-10-CM	Diagnosis
C82.03	Follicular lymphoma grade I, intra-abdominal lymph nodes	ICD-10-CM	Diagnosis
C82.06	Follicular lymphoma grade I, intrapelvic lymph nodes	ICD-10-CM	Diagnosis
C82.02	Follicular lymphoma grade I, intrathoracic lymph nodes	ICD-10-CM	Diagnosis
C82.04	Follicular lymphoma grade I, lymph nodes of axilla and upper limb	ICD-10-CM	Diagnosis
C82.01	Follicular lymphoma grade I, lymph nodes of head, face, and neck	ICD-10-CM	Diagnosis
C82.05	Follicular lymphoma grade I, lymph nodes of inguinal region and lower limb	ICD-10-CM	Diagnosis
C82.08	Follicular lymphoma grade I, lymph nodes of multiple sites	ICD-10-CM	Diagnosis
C82.07	Follicular lymphoma grade I, spleen	ICD-10-CM	Diagnosis
C82.00	Follicular lymphoma grade I, unspecified site	ICD-10-CM	Diagnosis
C82.19	Follicular lymphoma grade II, extranodal and solid organ sites	ICD-10-CM	Diagnosis



**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
C82.13	Follicular lymphoma grade II, intra-abdominal lymph nodes	ICD-10-CM	Diagnosis
C82.16	Follicular lymphoma grade II, intrapelvic lymph nodes	ICD-10-CM	Diagnosis
C82.12	Follicular lymphoma grade II, intrathoracic lymph nodes	ICD-10-CM	Diagnosis
C82.14	Follicular lymphoma grade II, lymph nodes of axilla and upper limb	ICD-10-CM	Diagnosis
C82.11	Follicular lymphoma grade II, lymph nodes of head, face, and neck	ICD-10-CM	Diagnosis
C82.15	Follicular lymphoma grade II, lymph nodes of inguinal region and lower limb	ICD-10-CM	Diagnosis
C82.18	Follicular lymphoma grade II, lymph nodes of multiple sites	ICD-10-CM	Diagnosis
C82.17	Follicular lymphoma grade II, spleen	ICD-10-CM	Diagnosis
C82.10	Follicular lymphoma grade II, unspecified site	ICD-10-CM	Diagnosis
C82.23	Follicular lymphoma grade III, unspecified, intra-abdominal lymph nodes	ICD-10-CM	Diagnosis
C82.26	Follicular lymphoma grade III, unspecified, intrapelvic lymph nodes	ICD-10-CM	Diagnosis
C82.22	Follicular lymphoma grade III, unspecified, intrathoracic lymph nodes	ICD-10-CM	Diagnosis
C82.28	Follicular lymphoma grade III, unspecified, lymph nodes of multiple sites	ICD-10-CM	Diagnosis
C82.20	Follicular lymphoma grade III, unspecified, unspecified site	ICD-10-CM	Diagnosis
C82.27	Follicular lymphoma grade III, unspecified, spleen	ICD-10-CM	Diagnosis
C82.33	Follicular lymphoma grade IIIa, intra-abdominal lymph nodes	ICD-10-CM	Diagnosis
C82.36	Follicular lymphoma grade IIIa, intrapelvic lymph nodes	ICD-10-CM	Diagnosis
C82.32	Follicular lymphoma grade IIIa, intrathoracic lymph nodes	ICD-10-CM	Diagnosis
C82.31	Follicular lymphoma grade IIIa, lymph nodes of head, face, and neck	ICD-10-CM	Diagnosis
C82.35	Follicular lymphoma grade IIIa, lymph nodes of inguinal region and lower limb	ICD-10-CM	Diagnosis
C82.34	Follicular lymphoma grade IIIa, lymph nodes of axilla and upper limb	ICD-10-CM	Diagnosis
C82.38	Follicular lymphoma grade IIIa, lymph nodes of multiple sites	ICD-10-CM	Diagnosis
C82.37	Follicular lymphoma grade IIIa, spleen	ICD-10-CM	Diagnosis
C82.30	Follicular lymphoma grade IIIa, unspecified site	ICD-10-CM	Diagnosis
C82.48	Follicular lymphoma grade IIIb, lymph nodes of multiple sites	ICD-10-CM	Diagnosis
C82.43	Follicular lymphoma grade IIIb, intra-abdominal lymph nodes	ICD-10-CM	Diagnosis
C82.46	Follicular lymphoma grade IIIb, intrapelvic lymph nodes	ICD-10-CM	Diagnosis
C82.42	Follicular lymphoma grade IIIb, intrathoracic lymph nodes	ICD-10-CM	Diagnosis
C82.41	Follicular lymphoma grade IIIb, lymph nodes of head, face, and neck	ICD-10-CM	Diagnosis
C82.44	Follicular lymphoma grade IIIb, lymph nodes of axilla and upper limb	ICD-10-CM	Diagnosis
C82.47	Follicular lymphoma grade IIIb, spleen	ICD-10-CM	Diagnosis
C82.40	Follicular lymphoma grade IIIb, unspecified site	ICD-10-CM	Diagnosis
C82.93	Follicular lymphoma, unspecified, intra-abdominal lymph nodes	ICD-10-CM	Diagnosis
C82.96	Follicular lymphoma, unspecified, intrapelvic lymph nodes	ICD-10-CM	Diagnosis
C82.92	Follicular lymphoma, unspecified, intrathoracic lymph nodes	ICD-10-CM	Diagnosis
C82.91	Follicular lymphoma, unspecified, lymph nodes of head, face, and neck	ICD-10-CM	Diagnosis
C82.94	Follicular lymphoma, unspecified, lymph nodes of axilla and upper limb	ICD-10-CM	Diagnosis
C82.95	Follicular lymphoma, unspecified, lymph nodes of inguinal region and lower limb	ICD-10-CM	Diagnosis
C82.99	Follicular lymphoma, unspecified, extranodal and solid organ sites	ICD-10-CM	Diagnosis
C82.98	Follicular lymphoma, unspecified, lymph nodes of multiple sites	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
C82.90	Follicular lymphoma, unspecified, unspecified site	ICD-10-CM	Diagnosis
C82.97	Follicular lymphoma, unspecified, spleen	ICD-10-CM	Diagnosis
K08.539	Fractured dental restorative material, unspecified	ICD-10-CM	Diagnosis
K08.531	Fractured dental restorative material with loss of material	ICD-10-CM	Diagnosis
K08.530	Fractured dental restorative material without loss of material	ICD-10-CM	Diagnosis
C49.A4	Gastrointestinal stromal tumor of large intestine	ICD-10-CM	Diagnosis
C49.A1	Gastrointestinal stromal tumor of esophagus	ICD-10-CM	Diagnosis
C49.A9	Gastrointestinal stromal tumor of other sites	ICD-10-CM	Diagnosis
C49.A5	Gastrointestinal stromal tumor of rectum	ICD-10-CM	Diagnosis
C49.A2	Gastrointestinal stromal tumor of stomach	ICD-10-CM	Diagnosis
C49.A3	Gastrointestinal stromal tumor of small intestine	ICD-10-CM	Diagnosis
C49.A0	Gastrointestinal stromal tumor, unspecified site	ICD-10-CM	Diagnosis
K06.021	Generalized gingival recession, minimal	ICD-10-CM	Diagnosis
K06.022	Generalized gingival recession, moderate	ICD-10-CM	Diagnosis
K06.023	Generalized gingival recession, severe	ICD-10-CM	Diagnosis
K06.020	Generalized gingival recession, unspecified	ICD-10-CM	Diagnosis
M27.1	Giant cell granuloma, central	ICD-10-CM	Diagnosis
K06.2	Gingival and edentulous alveolar ridge lesions associated with trauma	ICD-10-CM	Diagnosis
K06.1	Gingival enlargement	ICD-10-CM	Diagnosis
K06.0	Gingival recession	ICD-10-CM	Diagnosis
C91.42	Hairy cell leukemia, in relapse	ICD-10-CM	Diagnosis
C91.41	Hairy cell leukemia, in remission	ICD-10-CM	Diagnosis
C91.40	Hairy cell leukemia not having achieved remission	ICD-10-CM	Diagnosis
C88.2	Heavy chain disease	ICD-10-CM	Diagnosis
C22.2	Hepatoblastoma	ICD-10-CM	Diagnosis
C86.1	Hepatosplenic T-cell lymphoma	ICD-10-CM	Diagnosis
K00.5	Hereditary disturbances in tooth structure, not elsewhere classified	ICD-10-CM	Diagnosis
R87.613	High grade squamous intraepithelial lesion on cytologic smear of cervix (HGSIL)	ICD-10-CM	Diagnosis
R87.623	High grade squamous intraepithelial lesion on cytologic smear of vagina (HGSIL)	ICD-10-CM	Diagnosis
R85.613	High grade squamous intraepithelial lesion on cytologic smear of anus (HGSIL)	ICD-10-CM	Diagnosis
C96.A	Histiocytic sarcoma	ICD-10-CM	Diagnosis
C81.99	Hodgkin lymphoma, unspecified, extranodal and solid organ sites	ICD-10-CM	Diagnosis
C81.93	Hodgkin lymphoma, unspecified, intra-abdominal lymph nodes	ICD-10-CM	Diagnosis
C81.96	Hodgkin lymphoma, unspecified, intrapelvic lymph nodes	ICD-10-CM	Diagnosis
C81.92	Hodgkin lymphoma, unspecified, intrathoracic lymph nodes	ICD-10-CM	Diagnosis
C81.98	Hodgkin lymphoma, unspecified, lymph nodes of multiple sites	ICD-10-CM	Diagnosis
C81.94	Hodgkin lymphoma, unspecified, lymph nodes of axilla and upper limb	ICD-10-CM	Diagnosis
C81.91	Hodgkin lymphoma, unspecified, lymph nodes of head, face, and neck	ICD-10-CM	Diagnosis
C81.95	Hodgkin lymphoma, unspecified, lymph nodes of inguinal region and lower limb	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
C81.97	Hodgkin lymphoma, unspecified, spleen	ICD-10-CM	Diagnosis
C81.90	Hodgkin lymphoma, unspecified, unspecified site	ICD-10-CM	Diagnosis
K06.3	Horizontal alveolar bone loss	ICD-10-CM	Diagnosis
M26.33	Horizontal displacement of fully erupted tooth or teeth	ICD-10-CM	Diagnosis
K03.4	Hypercementosis	ICD-10-CM	Diagnosis
C88.3	Immunoproliferative small intestinal disease	ICD-10-CM	Diagnosis
K01.1	Impacted teeth	ICD-10-CM	Diagnosis
M27.2	Inflammatory conditions of jaws	ICD-10-CM	Diagnosis
M26.36	Insufficient interocclusal distance of fully erupted teeth (ridge)	ICD-10-CM	Diagnosis
M26.54	Insufficient anterior guidance	ICD-10-CM	Diagnosis
D05.12	Intraductal carcinoma in situ of left breast	ICD-10-CM	Diagnosis
D05.11	Intraductal carcinoma in situ of right breast	ICD-10-CM	Diagnosis
D05.10	Intraductal carcinoma in situ of unspecified breast	ICD-10-CM	Diagnosis
C22.1	Intrahepatic bile duct carcinoma	ICD-10-CM	Diagnosis
K04.02	Irreversible pulpitis	ICD-10-CM	Diagnosis
R68.84	Jaw pain	ICD-10-CM	Diagnosis
C93.32	Juvenile myelomonocytic leukemia, in relapse	ICD-10-CM	Diagnosis
C93.31	Juvenile myelomonocytic leukemia, in remission	ICD-10-CM	Diagnosis
C93.30	Juvenile myelomonocytic leukemia, not having achieved remission	ICD-10-CM	Diagnosis
C46.4	Kaposi's sarcoma of gastrointestinal sites	ICD-10-CM	Diagnosis
C46.52	Kaposi's sarcoma of left lung	ICD-10-CM	Diagnosis
C46.3	Kaposi's sarcoma of lymph nodes	ICD-10-CM	Diagnosis
C46.7	Kaposi's sarcoma of other sites	ICD-10-CM	Diagnosis
C46.2	Kaposi's sarcoma of palate	ICD-10-CM	Diagnosis
C46.51	Kaposi's sarcoma of right lung	ICD-10-CM	Diagnosis
C46.0	Kaposi's sarcoma of skin	ICD-10-CM	Diagnosis
C46.1	Kaposi's sarcoma of soft tissue	ICD-10-CM	Diagnosis
C46.50	Kaposi's sarcoma of unspecified lung	ICD-10-CM	Diagnosis
C46.9	Kaposi's sarcoma, unspecified	ICD-10-CM	Diagnosis
M26.57	Lack of posterior occlusal support	ICD-10-CM	Diagnosis
C81.39	Lymphocyte depleted Hodgkin lymphoma, extranodal and solid organ sites	ICD-10-CM	Diagnosis
C81.33	Lymphocyte depleted Hodgkin lymphoma, intra-abdominal lymph nodes	ICD-10-CM	Diagnosis
C81.36	Lymphocyte depleted Hodgkin lymphoma, intrapelvic lymph nodes	ICD-10-CM	Diagnosis
C81.32	Lymphocyte depleted Hodgkin lymphoma, intrathoracic lymph nodes	ICD-10-CM	Diagnosis
C81.35	Lymphocyte depleted Hodgkin lymphoma, lymph nodes of inguinal region and lower limb	ICD-10-CM	Diagnosis
C81.34	Lymphocyte depleted Hodgkin lymphoma, lymph nodes of axilla and upper limb	ICD-10-CM	Diagnosis
C81.31	Lymphocyte depleted Hodgkin lymphoma, lymph nodes of head, face, and neck	ICD-10-CM	Diagnosis
C81.38	Lymphocyte depleted Hodgkin lymphoma, lymph nodes of multiple sites	ICD-10-CM	Diagnosis
M26.602	Left temporomandibular joint disorder, unspecified	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
C95.90	Leukemia, unspecified not having achieved remission	ICD-10-CM	Diagnosis
C95.92	Leukemia, unspecified, in relapse	ICD-10-CM	Diagnosis
C95.91	Leukemia, unspecified, in remission	ICD-10-CM	Diagnosis
M26.52	Limited mandibular range of motion	ICD-10-CM	Diagnosis
C22.0	Liver cell carcinoma	ICD-10-CM	Diagnosis
D05.02	Lobular carcinoma in situ of left breast	ICD-10-CM	Diagnosis
D05.01	Lobular carcinoma in situ of right breast	ICD-10-CM	Diagnosis
D05.00	Lobular carcinoma in situ of unspecified breast	ICD-10-CM	Diagnosis
K06.011	Localized gingival recession, minimal	ICD-10-CM	Diagnosis
K06.012	Localized gingival recession, moderate	ICD-10-CM	Diagnosis
K06.013	Localized gingival recession, severe	ICD-10-CM	Diagnosis
K06.010	Localized gingival recession, unspecified	ICD-10-CM	Diagnosis
R87.612	Low grade squamous intraepithelial lesion on cytologic smear of cervix (LGSIL)	ICD-10-CM	Diagnosis
R87.622	Low grade squamous intraepithelial lesion on cytologic smear of vagina (LGSIL)	ICD-10-CM	Diagnosis
R85.612	Low grade squamous intraepithelial lesion on cytologic smear of anus (LGSIL)	ICD-10-CM	Diagnosis
C81.41	Lymphocyte-rich Hodgkin lymphoma, lymph nodes of head, face, and neck	ICD-10-CM	Diagnosis
C83.55	Lymphoblastic (diffuse) lymphoma, lymph nodes of inguinal region and lower limb	ICD-10-CM	Diagnosis
C83.59	Lymphoblastic (diffuse) lymphoma, extranodal and solid organ sites	ICD-10-CM	Diagnosis
C83.53	Lymphoblastic (diffuse) lymphoma, intra-abdominal lymph nodes	ICD-10-CM	Diagnosis
C83.56	Lymphoblastic (diffuse) lymphoma, intrapelvic lymph nodes	ICD-10-CM	Diagnosis
C83.52	Lymphoblastic (diffuse) lymphoma, intrathoracic lymph nodes	ICD-10-CM	Diagnosis
C83.54	Lymphoblastic (diffuse) lymphoma, lymph nodes of axilla and upper limb	ICD-10-CM	Diagnosis
C83.51	Lymphoblastic (diffuse) lymphoma, lymph nodes of head, face, and neck	ICD-10-CM	Diagnosis
C83.58	Lymphoblastic (diffuse) lymphoma, lymph nodes of multiple sites	ICD-10-CM	Diagnosis
C83.57	Lymphoblastic (diffuse) lymphoma, spleen	ICD-10-CM	Diagnosis
C83.50	Lymphoblastic (diffuse) lymphoma, unspecified site	ICD-10-CM	Diagnosis
C81.49	Lymphocyte-rich Hodgkin lymphoma, extranodal and solid organ sites	ICD-10-CM	Diagnosis
C81.45	Lymphocyte-rich Hodgkin lymphoma, lymph nodes of inguinal region and lower limb	ICD-10-CM	Diagnosis
C81.43	Lymphocyte-rich Hodgkin lymphoma, intra-abdominal lymph nodes	ICD-10-CM	Diagnosis
C81.46	Lymphocyte-rich Hodgkin lymphoma, intrapelvic lymph nodes	ICD-10-CM	Diagnosis
C81.42	Lymphocyte-rich Hodgkin lymphoma, intrathoracic lymph nodes	ICD-10-CM	Diagnosis
C81.44	Lymphocyte-rich Hodgkin lymphoma, lymph nodes of axilla and upper limb	ICD-10-CM	Diagnosis
C81.48	Lymphocyte-rich Hodgkin lymphoma, lymph nodes of multiple sites	ICD-10-CM	Diagnosis
C81.47	Lymphocyte-rich Hodgkin lymphoma, spleen	ICD-10-CM	Diagnosis
C81.40	Lymphocyte-rich Hodgkin lymphoma, unspecified site	ICD-10-CM	Diagnosis
C81.37	Lymphocyte depleted Hodgkin lymphoma, spleen	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
C81.30	Lymphocyte depleted Hodgkin lymphoma, unspecified site	ICD-10-CM	Diagnosis
C91.90	Lymphoid leukemia, unspecified not having achieved remission	ICD-10-CM	Diagnosis
C91.92	Lymphoid leukemia, unspecified, in relapse	ICD-10-CM	Diagnosis
C91.91	Lymphoid leukemia, unspecified, in remission	ICD-10-CM	Diagnosis
M26.05	Macrogenia	ICD-10-CM	Diagnosis
C21.8	Malignant neoplasm of overlapping sites of rectum, anus and anal canal	ICD-10-CM	Diagnosis
C63.8	Malignant neoplasm of overlapping sites of male genital organs	ICD-10-CM	Diagnosis
C47.10	Malignant neoplasm of peripheral nerves of unspecified upper limb, including shoulder	ICD-10-CM	Diagnosis
C47.22	Malignant neoplasm of peripheral nerves of left lower limb, including hip	ICD-10-CM	Diagnosis
C47.12	Malignant neoplasm of peripheral nerves of left upper limb, including shoulder	ICD-10-CM	Diagnosis
C47.21	Malignant neoplasm of peripheral nerves of right lower limb, including hip	ICD-10-CM	Diagnosis
C47.11	Malignant neoplasm of peripheral nerves of right upper limb, including shoulder	ICD-10-CM	Diagnosis
C47.20	Malignant neoplasm of peripheral nerves of unspecified lower limb, including hip	ICD-10-CM	Diagnosis
C96.9	Malignant neoplasm of lymphoid, hematopoietic and related tissue, unspecified	ICD-10-CM	Diagnosis
C57.8	Malignant neoplasm of overlapping sites of female genital organs	ICD-10-CM	Diagnosis
C50.122	Malignant neoplasm of central portion of left male breast	ICD-10-CM	Diagnosis
C50.112	Malignant neoplasm of central portion of left female breast	ICD-10-CM	Diagnosis
C50.121	Malignant neoplasm of central portion of right male breast	ICD-10-CM	Diagnosis
C50.111	Malignant neoplasm of central portion of right female breast	ICD-10-CM	Diagnosis
C50.119	Malignant neoplasm of central portion of unspecified female breast	ICD-10-CM	Diagnosis
C50.129	Malignant neoplasm of central portion of unspecified male breast	ICD-10-CM	Diagnosis
C49.22	Malignant neoplasm of connective and soft tissue of left lower limb, including hip	ICD-10-CM	Diagnosis
C49.12	Malignant neoplasm of connective and soft tissue of left upper limb, including shoulder	ICD-10-CM	Diagnosis
C49.21	Malignant neoplasm of connective and soft tissue of right lower limb, including hip	ICD-10-CM	Diagnosis
C49.11	Malignant neoplasm of connective and soft tissue of right upper limb, including shoulder	ICD-10-CM	Diagnosis
C49.20	Malignant neoplasm of connective and soft tissue of unspecified lower limb, including hip	ICD-10-CM	Diagnosis
C49.10	Malignant neoplasm of connective and soft tissue of unspecified upper limb, including shoulder	ICD-10-CM	Diagnosis
C50.312	Malignant neoplasm of lower-inner quadrant of left female breast	ICD-10-CM	Diagnosis
C50.322	Malignant neoplasm of lower-inner quadrant of left male breast	ICD-10-CM	Diagnosis
C50.311	Malignant neoplasm of lower-inner quadrant of right female breast	ICD-10-CM	Diagnosis
C50.321	Malignant neoplasm of lower-inner quadrant of right male breast	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
C50.319	Malignant neoplasm of lower-inner quadrant of unspecified female breast	ICD-10-CM	Diagnosis
C50.329	Malignant neoplasm of lower-inner quadrant of unspecified male breast	ICD-10-CM	Diagnosis
C50.512	Malignant neoplasm of lower-outer quadrant of left female breast	ICD-10-CM	Diagnosis
C50.522	Malignant neoplasm of lower-outer quadrant of left male breast	ICD-10-CM	Diagnosis
C50.511	Malignant neoplasm of lower-outer quadrant of right female breast	ICD-10-CM	Diagnosis
C50.521	Malignant neoplasm of lower-outer quadrant of right male breast	ICD-10-CM	Diagnosis
C50.519	Malignant neoplasm of lower-outer quadrant of unspecified female breast	ICD-10-CM	Diagnosis
C50.529	Malignant neoplasm of lower-outer quadrant of unspecified male breast	ICD-10-CM	Diagnosis
C50.022	Malignant neoplasm of nipple and areola, left male breast	ICD-10-CM	Diagnosis
C50.012	Malignant neoplasm of nipple and areola, left female breast	ICD-10-CM	Diagnosis
C50.021	Malignant neoplasm of nipple and areola, right male breast	ICD-10-CM	Diagnosis
C50.011	Malignant neoplasm of nipple and areola, right female breast	ICD-10-CM	Diagnosis
C50.019	Malignant neoplasm of nipple and areola, unspecified female breast	ICD-10-CM	Diagnosis
C50.029	Malignant neoplasm of nipple and areola, unspecified male breast	ICD-10-CM	Diagnosis
C17.9	Malignant neoplasm of small intestine, unspecified	ICD-10-CM	Diagnosis
C57.7	Malignant neoplasm of other specified female genital organs	ICD-10-CM	Diagnosis
C38.8	Malignant neoplasm of overlapping sites of heart, mediastinum and pleura	ICD-10-CM	Diagnosis
C76.8	Malignant neoplasm of other specified ill-defined sites	ICD-10-CM	Diagnosis
C50.212	Malignant neoplasm of upper-inner quadrant of left female breast	ICD-10-CM	Diagnosis
C50.222	Malignant neoplasm of upper-inner quadrant of left male breast	ICD-10-CM	Diagnosis
C50.211	Malignant neoplasm of upper-inner quadrant of right female breast	ICD-10-CM	Diagnosis
C50.221	Malignant neoplasm of upper-inner quadrant of right male breast	ICD-10-CM	Diagnosis
C50.229	Malignant neoplasm of upper-inner quadrant of unspecified male breast	ICD-10-CM	Diagnosis
C50.412	Malignant neoplasm of upper-outer quadrant of left female breast	ICD-10-CM	Diagnosis
C50.422	Malignant neoplasm of upper-outer quadrant of left male breast	ICD-10-CM	Diagnosis
C50.411	Malignant neoplasm of upper-outer quadrant of right female breast	ICD-10-CM	Diagnosis
C50.421	Malignant neoplasm of upper-outer quadrant of right male breast	ICD-10-CM	Diagnosis
C50.419	Malignant neoplasm of upper-outer quadrant of unspecified female breast	ICD-10-CM	Diagnosis
C50.429	Malignant neoplasm of upper-outer quadrant of unspecified male breast	ICD-10-CM	Diagnosis
C50.219	Malignant neoplasm of upper-inner quadrant of unspecified female breast	ICD-10-CM	Diagnosis
R18.0	Malignant ascites	ICD-10-CM	Diagnosis
C7A.094	Malignant carcinoid tumor of the foregut, unspecified	ICD-10-CM	Diagnosis
C7A.029	Malignant carcinoid tumor of the large intestine, unspecified portion	ICD-10-CM	Diagnosis
C7A.024	Malignant carcinoid tumor of the descending colon	ICD-10-CM	Diagnosis
C7A.020	Malignant carcinoid tumor of the appendix	ICD-10-CM	Diagnosis
C7A.022	Malignant carcinoid tumor of the ascending colon	ICD-10-CM	Diagnosis
C7A.090	Malignant carcinoid tumor of the bronchus and lung	ICD-10-CM	Diagnosis
C7A.021	Malignant carcinoid tumor of the cecum	ICD-10-CM	Diagnosis
C7A.010	Malignant carcinoid tumor of the duodenum	ICD-10-CM	Diagnosis



**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
C7A.096	Malignant carcinoid tumor of the hindgut, unspecified	ICD-10-CM	Diagnosis
C7A.012	Malignant carcinoid tumor of the ileum	ICD-10-CM	Diagnosis
C7A.011	Malignant carcinoid tumor of the jejunum	ICD-10-CM	Diagnosis
C7A.093	Malignant carcinoid tumor of the kidney	ICD-10-CM	Diagnosis
C7A.095	Malignant carcinoid tumor of the midgut, unspecified	ICD-10-CM	Diagnosis
C7A.026	Malignant carcinoid tumor of the rectum	ICD-10-CM	Diagnosis
C7A.025	Malignant carcinoid tumor of the sigmoid colon	ICD-10-CM	Diagnosis
C7A.092	Malignant carcinoid tumor of the stomach	ICD-10-CM	Diagnosis
C7A.091	Malignant carcinoid tumor of the thymus	ICD-10-CM	Diagnosis
C7A.023	Malignant carcinoid tumor of the transverse colon	ICD-10-CM	Diagnosis
C7A.00	Malignant carcinoid tumor of unspecified site	ICD-10-CM	Diagnosis
C7A.019	Malignant carcinoid tumor of the small intestine, unspecified portion	ICD-10-CM	Diagnosis
C7A.098	Malignant carcinoid tumors of other sites	ICD-10-CM	Diagnosis
C88.9	Malignant immunoproliferative disease, unspecified	ICD-10-CM	Diagnosis
C96.2	Malignant mast cell neoplasm	ICD-10-CM	Diagnosis
C96.20	Malignant mast cell neoplasm, unspecified	ICD-10-CM	Diagnosis
C43.62	Malignant melanoma of left upper limb, including shoulder	ICD-10-CM	Diagnosis
C43.22	Malignant melanoma of left ear and external auricular canal	ICD-10-CM	Diagnosis
C43.122	Malignant melanoma of left lower eyelid, including canthus	ICD-10-CM	Diagnosis
C43.121	Malignant melanoma of left upper eyelid, including canthus	ICD-10-CM	Diagnosis
C43.51	Malignant melanoma of anal skin	ICD-10-CM	Diagnosis
C43.12	Malignant melanoma of left eyelid, including canthus	ICD-10-CM	Diagnosis
C43.72	Malignant melanoma of left lower limb, including hip	ICD-10-CM	Diagnosis
C43.0	Malignant melanoma of lip	ICD-10-CM	Diagnosis
C43.31	Malignant melanoma of nose	ICD-10-CM	Diagnosis
C43.59	Malignant melanoma of other part of trunk	ICD-10-CM	Diagnosis
C43.39	Malignant melanoma of other parts of face	ICD-10-CM	Diagnosis
C43.8	Malignant melanoma of overlapping sites of skin	ICD-10-CM	Diagnosis
C43.11	Malignant melanoma of right eyelid, including canthus	ICD-10-CM	Diagnosis
C43.71	Malignant melanoma of right lower limb, including hip	ICD-10-CM	Diagnosis
C43.4	Malignant melanoma of scalp and neck	ICD-10-CM	Diagnosis
C43.52	Malignant melanoma of skin of breast	ICD-10-CM	Diagnosis
C43.9	Malignant melanoma of skin, unspecified	ICD-10-CM	Diagnosis
C43.30	Malignant melanoma of unspecified part of face	ICD-10-CM	Diagnosis
C43.61	Malignant melanoma of right upper limb, including shoulder	ICD-10-CM	Diagnosis
C43.21	Malignant melanoma of right ear and external auricular canal	ICD-10-CM	Diagnosis
C43.112	Malignant melanoma of right lower eyelid, including canthus	ICD-10-CM	Diagnosis
C43.111	Malignant melanoma of right upper eyelid, including canthus	ICD-10-CM	Diagnosis
C43.20	Malignant melanoma of unspecified ear and external auricular canal	ICD-10-CM	Diagnosis
C43.10	Malignant melanoma of unspecified eyelid, including canthus	ICD-10-CM	Diagnosis
C43.70	Malignant melanoma of unspecified lower limb, including hip	ICD-10-CM	Diagnosis
C43.60	Malignant melanoma of unspecified upper limb, including shoulder	ICD-10-CM	Diagnosis
C13.1	Malignant neoplasm of aryepiglottic fold, hypopharyngeal aspect	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
C14.8	Malignant neoplasm of overlapping sites of lip, oral cavity and pharynx	ICD-10-CM	Diagnosis
C02.3	Malignant neoplasm of anterior two-thirds of tongue, part unspecified	ICD-10-CM	Diagnosis
C10.1	Malignant neoplasm of anterior surface of epiglottis	ICD-10-CM	Diagnosis
C11.3	Malignant neoplasm of anterior wall of nasopharynx	ICD-10-CM	Diagnosis
C75.5	Malignant neoplasm of aortic body and other paraganglia	ICD-10-CM	Diagnosis
C80.2	Malignant neoplasm associated with transplanted organ	ICD-10-CM	Diagnosis
C50.612	Malignant neoplasm of axillary tail of left female breast	ICD-10-CM	Diagnosis
C50.622	Malignant neoplasm of axillary tail of left male breast	ICD-10-CM	Diagnosis
C50.611	Malignant neoplasm of axillary tail of right female breast	ICD-10-CM	Diagnosis
C50.621	Malignant neoplasm of axillary tail of right male breast	ICD-10-CM	Diagnosis
C50.619	Malignant neoplasm of axillary tail of unspecified female breast	ICD-10-CM	Diagnosis
C50.629	Malignant neoplasm of axillary tail of unspecified male breast	ICD-10-CM	Diagnosis
C41.9	Malignant neoplasm of bone and articular cartilage, unspecified	ICD-10-CM	Diagnosis
C71.0	Malignant neoplasm of cerebrum, except lobes and ventricles	ICD-10-CM	Diagnosis
C00.6	Malignant neoplasm of commissure of lip, unspecified	ICD-10-CM	Diagnosis
C49.6	Malignant neoplasm of connective and soft tissue of trunk, unspecified	ICD-10-CM	Diagnosis
C49.0	Malignant neoplasm of connective and soft tissue of head, face and neck	ICD-10-CM	Diagnosis
C49.4	Malignant neoplasm of connective and soft tissue of abdomen	ICD-10-CM	Diagnosis
C49.5	Malignant neoplasm of connective and soft tissue of pelvis	ICD-10-CM	Diagnosis
C49.3	Malignant neoplasm of connective and soft tissue of thorax	ICD-10-CM	Diagnosis
C49.9	Malignant neoplasm of connective and soft tissue, unspecified	ICD-10-CM	Diagnosis
C74.02	Malignant neoplasm of cortex of left adrenal gland	ICD-10-CM	Diagnosis
C74.01	Malignant neoplasm of cortex of right adrenal gland	ICD-10-CM	Diagnosis
C74.00	Malignant neoplasm of cortex of unspecified adrenal gland	ICD-10-CM	Diagnosis
C16.6	Malignant neoplasm of greater curvature of stomach, unspecified	ICD-10-CM	Diagnosis
C26.9	Malignant neoplasm of ill-defined sites within the digestive system	ICD-10-CM	Diagnosis
C26.0	Malignant neoplasm of intestinal tract, part unspecified	ICD-10-CM	Diagnosis
C11.2	Malignant neoplasm of lateral wall of nasopharynx	ICD-10-CM	Diagnosis
C69.52	Malignant neoplasm of left lacrimal gland and duct	ICD-10-CM	Diagnosis
C16.5	Malignant neoplasm of lesser curvature of stomach, unspecified	ICD-10-CM	Diagnosis
C22.9	Malignant neoplasm of liver, not specified as primary or secondary	ICD-10-CM	Diagnosis
C22.8	Malignant neoplasm of liver, primary, unspecified as to type	ICD-10-CM	Diagnosis
C40.22	Malignant neoplasm of long bones of left lower limb	ICD-10-CM	Diagnosis
C40.21	Malignant neoplasm of long bones of right lower limb	ICD-10-CM	Diagnosis
C40.20	Malignant neoplasm of long bones of unspecified lower limb	ICD-10-CM	Diagnosis
C34.32	Malignant neoplasm of lower lobe, left bronchus or lung	ICD-10-CM	Diagnosis
C34.31	Malignant neoplasm of lower lobe, right bronchus or lung	ICD-10-CM	Diagnosis
C34.30	Malignant neoplasm of lower lobe, unspecified bronchus or lung	ICD-10-CM	Diagnosis
C39.9	Malignant neoplasm of lower respiratory tract, part unspecified	ICD-10-CM	Diagnosis
C64.2	Malignant neoplasm of left kidney, except renal pelvis	ICD-10-CM	Diagnosis
C62.92	Malignant neoplasm of left testis, unspecified whether descended or undescended	ICD-10-CM	Diagnosis
C63.9	Malignant neoplasm of male genital organ, unspecified	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
C74.12	Malignant neoplasm of medulla of left adrenal gland	ICD-10-CM	Diagnosis
C74.11	Malignant neoplasm of medulla of right adrenal gland	ICD-10-CM	Diagnosis
C74.10	Malignant neoplasm of medulla of unspecified adrenal gland	ICD-10-CM	Diagnosis
C76.2	Malignant neoplasm of abdomen	ICD-10-CM	Diagnosis
C31.9	Malignant neoplasm of accessory sinus, unspecified	ICD-10-CM	Diagnosis
C24.1	Malignant neoplasm of ampulla of Vater	ICD-10-CM	Diagnosis
C21.1	Malignant neoplasm of anal canal	ICD-10-CM	Diagnosis
C04.0	Malignant neoplasm of anterior floor of mouth	ICD-10-CM	Diagnosis
C38.1	Malignant neoplasm of anterior mediastinum	ICD-10-CM	Diagnosis
C67.3	Malignant neoplasm of anterior wall of bladder	ICD-10-CM	Diagnosis
C21.0	Malignant neoplasm of anus, unspecified	ICD-10-CM	Diagnosis
C18.1	Malignant neoplasm of appendix	ICD-10-CM	Diagnosis
C18.2	Malignant neoplasm of ascending colon	ICD-10-CM	Diagnosis
C01	Malignant neoplasm of base of tongue	ICD-10-CM	Diagnosis
C24.9	Malignant neoplasm of biliary tract, unspecified	ICD-10-CM	Diagnosis
C67.5	Malignant neoplasm of bladder neck	ICD-10-CM	Diagnosis
C67.9	Malignant neoplasm of bladder, unspecified	ICD-10-CM	Diagnosis
C25.1	Malignant neoplasm of body of pancreas	ICD-10-CM	Diagnosis
C60.2	Malignant neoplasm of body of penis	ICD-10-CM	Diagnosis
C16.2	Malignant neoplasm of body of stomach	ICD-10-CM	Diagnosis
C41.0	Malignant neoplasm of bones of skull and face	ICD-10-CM	Diagnosis
C02.1	Malignant neoplasm of border of tongue	ICD-10-CM	Diagnosis
C71.7	Malignant neoplasm of brain stem	ICD-10-CM	Diagnosis
C71.9	Malignant neoplasm of brain, unspecified	ICD-10-CM	Diagnosis
C10.4	Malignant neoplasm of branchial cleft	ICD-10-CM	Diagnosis
C16.0	Malignant neoplasm of cardia	ICD-10-CM	Diagnosis
C75.4	Malignant neoplasm of carotid body	ICD-10-CM	Diagnosis
C72.1	Malignant neoplasm of cauda equina	ICD-10-CM	Diagnosis
C18.0	Malignant neoplasm of cecum	ICD-10-CM	Diagnosis
C72.9	Malignant neoplasm of central nervous system, unspecified	ICD-10-CM	Diagnosis
C71.6	Malignant neoplasm of cerebellum	ICD-10-CM	Diagnosis
C70.0	Malignant neoplasm of cerebral meninges	ICD-10-CM	Diagnosis
C71.5	Malignant neoplasm of cerebral ventricle	ICD-10-CM	Diagnosis
C53.9	Malignant neoplasm of cervix uteri, unspecified	ICD-10-CM	Diagnosis
C06.0	Malignant neoplasm of cheek mucosa	ICD-10-CM	Diagnosis
C51.2	Malignant neoplasm of clitoris	ICD-10-CM	Diagnosis
C21.2	Malignant neoplasm of cloacogenic zone	ICD-10-CM	Diagnosis
C18.9	Malignant neoplasm of colon, unspecified	ICD-10-CM	Diagnosis
C54.9	Malignant neoplasm of corpus uteri, unspecified	ICD-10-CM	Diagnosis
C75.2	Malignant neoplasm of craniopharyngeal duct	ICD-10-CM	Diagnosis
C62.12	Malignant neoplasm of descended left testis	ICD-10-CM	Diagnosis
C62.11	Malignant neoplasm of descended right testis	ICD-10-CM	Diagnosis
C18.6	Malignant neoplasm of descending colon	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
C67.1	Malignant neoplasm of dome of bladder	ICD-10-CM	Diagnosis
C02.0	Malignant neoplasm of dorsal surface of tongue	ICD-10-CM	Diagnosis
C17.0	Malignant neoplasm of duodenum	ICD-10-CM	Diagnosis
C53.0	Malignant neoplasm of endocervix	ICD-10-CM	Diagnosis
C75.9	Malignant neoplasm of endocrine gland, unspecified	ICD-10-CM	Diagnosis
C25.4	Malignant neoplasm of endocrine pancreas	ICD-10-CM	Diagnosis
C54.1	Malignant neoplasm of endometrium	ICD-10-CM	Diagnosis
C15.9	Malignant neoplasm of esophagus, unspecified	ICD-10-CM	Diagnosis
C31.1	Malignant neoplasm of ethmoidal sinus	ICD-10-CM	Diagnosis
C53.1	Malignant neoplasm of exocervix	ICD-10-CM	Diagnosis
C00.2	Malignant neoplasm of external lip, unspecified	ICD-10-CM	Diagnosis
C00.1	Malignant neoplasm of external lower lip	ICD-10-CM	Diagnosis
C00.0	Malignant neoplasm of external upper lip	ICD-10-CM	Diagnosis
C24.0	Malignant neoplasm of extrahepatic bile duct	ICD-10-CM	Diagnosis
C57.9	Malignant neoplasm of female genital organ, unspecified	ICD-10-CM	Diagnosis
C04.9	Malignant neoplasm of floor of mouth, unspecified	ICD-10-CM	Diagnosis
C71.1	Malignant neoplasm of frontal lobe	ICD-10-CM	Diagnosis
C31.2	Malignant neoplasm of frontal sinus	ICD-10-CM	Diagnosis
C16.1	Malignant neoplasm of fundus of stomach	ICD-10-CM	Diagnosis
C54.3	Malignant neoplasm of fundus uteri	ICD-10-CM	Diagnosis
C23	Malignant neoplasm of gallbladder	ICD-10-CM	Diagnosis
C60.1	Malignant neoplasm of glans penis	ICD-10-CM	Diagnosis
C32.0	Malignant neoplasm of glottis	ICD-10-CM	Diagnosis
C03.9	Malignant neoplasm of gum, unspecified	ICD-10-CM	Diagnosis
C05.0	Malignant neoplasm of hard palate	ICD-10-CM	Diagnosis
C76.0	Malignant neoplasm of head, face and neck	ICD-10-CM	Diagnosis
C25.0	Malignant neoplasm of head of pancreas	ICD-10-CM	Diagnosis
C38.0	Malignant neoplasm of heart	ICD-10-CM	Diagnosis
C18.3	Malignant neoplasm of hepatic flexure	ICD-10-CM	Diagnosis
C13.9	Malignant neoplasm of hypopharynx, unspecified	ICD-10-CM	Diagnosis
C17.2	Malignant neoplasm of ileum	ICD-10-CM	Diagnosis
C54.0	Malignant neoplasm of isthmus uteri	ICD-10-CM	Diagnosis
C17.1	Malignant neoplasm of jejunum	ICD-10-CM	Diagnosis
C51.0	Malignant neoplasm of labium majus	ICD-10-CM	Diagnosis
C51.1	Malignant neoplasm of labium minus	ICD-10-CM	Diagnosis
C32.3	Malignant neoplasm of laryngeal cartilage	ICD-10-CM	Diagnosis
C32.9	Malignant neoplasm of larynx, unspecified	ICD-10-CM	Diagnosis
C04.1	Malignant neoplasm of lateral floor of mouth	ICD-10-CM	Diagnosis
C67.2	Malignant neoplasm of lateral wall of bladder	ICD-10-CM	Diagnosis
C10.2	Malignant neoplasm of lateral wall of oropharynx	ICD-10-CM	Diagnosis
C72.42	Malignant neoplasm of left acoustic nerve	ICD-10-CM	Diagnosis
C57.12	Malignant neoplasm of left broad ligament	ICD-10-CM	Diagnosis
C69.32	Malignant neoplasm of left choroid	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
C69.42	Malignant neoplasm of left ciliary body	ICD-10-CM	Diagnosis
C69.02	Malignant neoplasm of left conjunctiva	ICD-10-CM	Diagnosis
C69.12	Malignant neoplasm of left cornea	ICD-10-CM	Diagnosis
C63.02	Malignant neoplasm of left epididymis	ICD-10-CM	Diagnosis
C57.02	Malignant neoplasm of left fallopian tube	ICD-10-CM	Diagnosis
C76.52	Malignant neoplasm of left lower limb	ICD-10-CM	Diagnosis
C34.02	Malignant neoplasm of left main bronchus	ICD-10-CM	Diagnosis
C72.22	Malignant neoplasm of left olfactory nerve	ICD-10-CM	Diagnosis
C72.32	Malignant neoplasm of left optic nerve	ICD-10-CM	Diagnosis
C69.62	Malignant neoplasm of left orbit	ICD-10-CM	Diagnosis
C56.2	Malignant neoplasm of left ovary	ICD-10-CM	Diagnosis
C65.2	Malignant neoplasm of left renal pelvis	ICD-10-CM	Diagnosis
C69.22	Malignant neoplasm of left retina	ICD-10-CM	Diagnosis
C57.22	Malignant neoplasm of left round ligament	ICD-10-CM	Diagnosis
C63.12	Malignant neoplasm of left spermatic cord	ICD-10-CM	Diagnosis
C76.42	Malignant neoplasm of left upper limb	ICD-10-CM	Diagnosis
C66.2	Malignant neoplasm of left ureter	ICD-10-CM	Diagnosis
C02.4	Malignant neoplasm of lingual tonsil	ICD-10-CM	Diagnosis
C00.5	Malignant neoplasm of lip, unspecified, inner aspect	ICD-10-CM	Diagnosis
C00.9	Malignant neoplasm of lip, unspecified	ICD-10-CM	Diagnosis
C03.1	Malignant neoplasm of lower gum	ICD-10-CM	Diagnosis
C00.4	Malignant neoplasm of lower lip, inner aspect	ICD-10-CM	Diagnosis
C15.5	Malignant neoplasm of lower third of esophagus	ICD-10-CM	Diagnosis
C08.9	Malignant neoplasm of major salivary gland, unspecified	ICD-10-CM	Diagnosis
C41.1	Malignant neoplasm of mandible	ICD-10-CM	Diagnosis
C31.0	Malignant neoplasm of maxillary sinus	ICD-10-CM	Diagnosis
C38.3	Malignant neoplasm of mediastinum, part unspecified	ICD-10-CM	Diagnosis
C70.9	Malignant neoplasm of meninges, unspecified	ICD-10-CM	Diagnosis
C30.1	Malignant neoplasm of middle ear	ICD-10-CM	Diagnosis
C34.2	Malignant neoplasm of middle lobe, bronchus or lung	ICD-10-CM	Diagnosis
C15.4	Malignant neoplasm of middle third of esophagus	ICD-10-CM	Diagnosis
C06.9	Malignant neoplasm of mouth, unspecified	ICD-10-CM	Diagnosis
C54.2	Malignant neoplasm of myometrium	ICD-10-CM	Diagnosis
C30.0	Malignant neoplasm of nasal cavity	ICD-10-CM	Diagnosis
C11.9	Malignant neoplasm of nasopharynx, unspecified	ICD-10-CM	Diagnosis
C71.4	Malignant neoplasm of occipital lobe	ICD-10-CM	Diagnosis
C10.9	Malignant neoplasm of oropharynx, unspecified	ICD-10-CM	Diagnosis
C72.59	Malignant neoplasm of other cranial nerves	ICD-10-CM	Diagnosis
C25.7	Malignant neoplasm of other parts of pancreas	ICD-10-CM	Diagnosis
C32.8	Malignant neoplasm of overlapping sites of larynx	ICD-10-CM	Diagnosis
C71.8	Malignant neoplasm of overlapping sites of brain	ICD-10-CM	Diagnosis
C18.8	Malignant neoplasm of overlapping sites of colon	ICD-10-CM	Diagnosis
C00.8	Malignant neoplasm of overlapping sites of lip	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
C60.8	Malignant neoplasm of overlapping sites of penis	ICD-10-CM	Diagnosis
C51.8	Malignant neoplasm of overlapping sites of vulva	ICD-10-CM	Diagnosis
C09.8	Malignant neoplasm of overlapping sites of tonsil	ICD-10-CM	Diagnosis
C05.9	Malignant neoplasm of palate, unspecified	ICD-10-CM	Diagnosis
C25.9	Malignant neoplasm of pancreas, unspecified	ICD-10-CM	Diagnosis
C25.3	Malignant neoplasm of pancreatic duct	ICD-10-CM	Diagnosis
C57.3	Malignant neoplasm of parametrium	ICD-10-CM	Diagnosis
C75.0	Malignant neoplasm of parathyroid gland	ICD-10-CM	Diagnosis
C68.1	Malignant neoplasm of paraurethral glands	ICD-10-CM	Diagnosis
C71.3	Malignant neoplasm of parietal lobe	ICD-10-CM	Diagnosis
C07	Malignant neoplasm of parotid gland	ICD-10-CM	Diagnosis
C76.3	Malignant neoplasm of pelvis	ICD-10-CM	Diagnosis
C60.9	Malignant neoplasm of penis, unspecified	ICD-10-CM	Diagnosis
C48.2	Malignant neoplasm of peritoneum, unspecified	ICD-10-CM	Diagnosis
C14.0	Malignant neoplasm of pharynx, unspecified	ICD-10-CM	Diagnosis
C75.3	Malignant neoplasm of pineal gland	ICD-10-CM	Diagnosis
C75.1	Malignant neoplasm of pituitary gland	ICD-10-CM	Diagnosis
C58	Malignant neoplasm of placenta	ICD-10-CM	Diagnosis
C38.4	Malignant neoplasm of pleura	ICD-10-CM	Diagnosis
C13.0	Malignant neoplasm of postcricoid region	ICD-10-CM	Diagnosis
C38.2	Malignant neoplasm of posterior mediastinum	ICD-10-CM	Diagnosis
C67.4	Malignant neoplasm of posterior wall of bladder	ICD-10-CM	Diagnosis
C10.3	Malignant neoplasm of posterior wall of oropharynx	ICD-10-CM	Diagnosis
C60.0	Malignant neoplasm of prepuce	ICD-10-CM	Diagnosis
C61	Malignant neoplasm of prostate	ICD-10-CM	Diagnosis
C16.3	Malignant neoplasm of pyloric antrum	ICD-10-CM	Diagnosis
C16.4	Malignant neoplasm of pylorus	ICD-10-CM	Diagnosis
C12	Malignant neoplasm of pyriform sinus	ICD-10-CM	Diagnosis
C19	Malignant neoplasm of rectosigmoid junction	ICD-10-CM	Diagnosis
C20	Malignant neoplasm of rectum	ICD-10-CM	Diagnosis
C06.2	Malignant neoplasm of retromolar area	ICD-10-CM	Diagnosis
C48.0	Malignant neoplasm of retroperitoneum	ICD-10-CM	Diagnosis
C41.3	Malignant neoplasm of ribs, sternum and clavicle	ICD-10-CM	Diagnosis
C72.41	Malignant neoplasm of right acoustic nerve	ICD-10-CM	Diagnosis
C57.11	Malignant neoplasm of right broad ligament	ICD-10-CM	Diagnosis
C69.31	Malignant neoplasm of right choroid	ICD-10-CM	Diagnosis
C69.41	Malignant neoplasm of right ciliary body	ICD-10-CM	Diagnosis
C69.01	Malignant neoplasm of right conjunctiva	ICD-10-CM	Diagnosis
C69.11	Malignant neoplasm of right cornea	ICD-10-CM	Diagnosis
C63.01	Malignant neoplasm of right epididymis	ICD-10-CM	Diagnosis
C57.01	Malignant neoplasm of right fallopian tube	ICD-10-CM	Diagnosis
C76.51	Malignant neoplasm of right lower limb	ICD-10-CM	Diagnosis
C34.01	Malignant neoplasm of right main bronchus	ICD-10-CM	Diagnosis



**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
C72.21	Malignant neoplasm of right olfactory nerve	ICD-10-CM	Diagnosis
C72.31	Malignant neoplasm of right optic nerve	ICD-10-CM	Diagnosis
C69.61	Malignant neoplasm of right orbit	ICD-10-CM	Diagnosis
C56.1	Malignant neoplasm of right ovary	ICD-10-CM	Diagnosis
C65.1	Malignant neoplasm of right renal pelvis	ICD-10-CM	Diagnosis
C69.21	Malignant neoplasm of right retina	ICD-10-CM	Diagnosis
C57.21	Malignant neoplasm of right round ligament	ICD-10-CM	Diagnosis
C63.11	Malignant neoplasm of right spermatic cord	ICD-10-CM	Diagnosis
C76.41	Malignant neoplasm of right upper limb	ICD-10-CM	Diagnosis
C66.1	Malignant neoplasm of right ureter	ICD-10-CM	Diagnosis
C63.2	Malignant neoplasm of scrotum	ICD-10-CM	Diagnosis
C18.7	Malignant neoplasm of sigmoid colon	ICD-10-CM	Diagnosis
C05.1	Malignant neoplasm of soft palate	ICD-10-CM	Diagnosis
C48.1	Malignant neoplasm of specified parts of peritoneum	ICD-10-CM	Diagnosis
C31.3	Malignant neoplasm of sphenoid sinus	ICD-10-CM	Diagnosis
C72.0	Malignant neoplasm of spinal cord	ICD-10-CM	Diagnosis
C70.1	Malignant neoplasm of spinal meninges	ICD-10-CM	Diagnosis
C26.1	Malignant neoplasm of spleen	ICD-10-CM	Diagnosis
C18.5	Malignant neoplasm of splenic flexure	ICD-10-CM	Diagnosis
C16.9	Malignant neoplasm of stomach, unspecified	ICD-10-CM	Diagnosis
C32.2	Malignant neoplasm of subglottis	ICD-10-CM	Diagnosis
C08.1	Malignant neoplasm of sublingual gland	ICD-10-CM	Diagnosis
C08.0	Malignant neoplasm of submandibular gland	ICD-10-CM	Diagnosis
C32.1	Malignant neoplasm of supraglottis	ICD-10-CM	Diagnosis
C25.2	Malignant neoplasm of tail of pancreas	ICD-10-CM	Diagnosis
C71.2	Malignant neoplasm of temporal lobe	ICD-10-CM	Diagnosis
C76.1	Malignant neoplasm of thorax	ICD-10-CM	Diagnosis
C37	Malignant neoplasm of thymus	ICD-10-CM	Diagnosis
C73	Malignant neoplasm of thyroid gland	ICD-10-CM	Diagnosis
C02.9	Malignant neoplasm of tongue, unspecified	ICD-10-CM	Diagnosis
C09.9	Malignant neoplasm of tonsil, unspecified	ICD-10-CM	Diagnosis
C09.0	Malignant neoplasm of tonsillar fossa	ICD-10-CM	Diagnosis
C09.1	Malignant neoplasm of tonsillar pillar (anterior) (posterior)	ICD-10-CM	Diagnosis
C33	Malignant neoplasm of trachea	ICD-10-CM	Diagnosis
C18.4	Malignant neoplasm of transverse colon	ICD-10-CM	Diagnosis
C67.0	Malignant neoplasm of trigone of bladder	ICD-10-CM	Diagnosis
C62.02	Malignant neoplasm of undescended left testis	ICD-10-CM	Diagnosis
C62.01	Malignant neoplasm of undescended right testis	ICD-10-CM	Diagnosis
C50.922	Malignant neoplasm of unspecified site of left male breast	ICD-10-CM	Diagnosis
C50.921	Malignant neoplasm of unspecified site of right male breast	ICD-10-CM	Diagnosis
C50.929	Malignant neoplasm of unspecified site of unspecified male breast	ICD-10-CM	Diagnosis
C57.20	Malignant neoplasm of unspecified round ligament	ICD-10-CM	Diagnosis
C72.40	Malignant neoplasm of unspecified acoustic nerve	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
C57.10	Malignant neoplasm of unspecified broad ligament	ICD-10-CM	Diagnosis
C69.30	Malignant neoplasm of unspecified choroid	ICD-10-CM	Diagnosis
C69.40	Malignant neoplasm of unspecified ciliary body	ICD-10-CM	Diagnosis
C69.00	Malignant neoplasm of unspecified conjunctiva	ICD-10-CM	Diagnosis
C69.10	Malignant neoplasm of unspecified cornea	ICD-10-CM	Diagnosis
C72.50	Malignant neoplasm of unspecified cranial nerve	ICD-10-CM	Diagnosis
C63.00	Malignant neoplasm of unspecified epididymis	ICD-10-CM	Diagnosis
C57.00	Malignant neoplasm of unspecified fallopian tube	ICD-10-CM	Diagnosis
C76.50	Malignant neoplasm of unspecified lower limb	ICD-10-CM	Diagnosis
C34.00	Malignant neoplasm of unspecified main bronchus	ICD-10-CM	Diagnosis
C72.30	Malignant neoplasm of unspecified optic nerve	ICD-10-CM	Diagnosis
C69.60	Malignant neoplasm of unspecified orbit	ICD-10-CM	Diagnosis
C56.9	Malignant neoplasm of unspecified ovary	ICD-10-CM	Diagnosis
C65.9	Malignant neoplasm of unspecified renal pelvis	ICD-10-CM	Diagnosis
C69.20	Malignant neoplasm of unspecified retina	ICD-10-CM	Diagnosis
C69.92	Malignant neoplasm of unspecified site of left eye	ICD-10-CM	Diagnosis
C69.91	Malignant neoplasm of unspecified site of right eye	ICD-10-CM	Diagnosis
C63.10	Malignant neoplasm of unspecified spermatic cord	ICD-10-CM	Diagnosis
C76.40	Malignant neoplasm of unspecified upper limb	ICD-10-CM	Diagnosis
C66.9	Malignant neoplasm of unspecified ureter	ICD-10-CM	Diagnosis
C03.0	Malignant neoplasm of upper gum	ICD-10-CM	Diagnosis
C00.3	Malignant neoplasm of upper lip, inner aspect	ICD-10-CM	Diagnosis
C15.3	Malignant neoplasm of upper third of esophagus	ICD-10-CM	Diagnosis
C67.7	Malignant neoplasm of urachus	ICD-10-CM	Diagnosis
C67.6	Malignant neoplasm of ureteric orifice	ICD-10-CM	Diagnosis
C68.0	Malignant neoplasm of urethra	ICD-10-CM	Diagnosis
C68.9	Malignant neoplasm of urinary organ, unspecified	ICD-10-CM	Diagnosis
C57.4	Malignant neoplasm of uterine adnexa, unspecified	ICD-10-CM	Diagnosis
C55	Malignant neoplasm of uterus, part unspecified	ICD-10-CM	Diagnosis
C05.2	Malignant neoplasm of uvula	ICD-10-CM	Diagnosis
C52	Malignant neoplasm of vagina	ICD-10-CM	Diagnosis
C10.0	Malignant neoplasm of vallecula	ICD-10-CM	Diagnosis
C02.2	Malignant neoplasm of ventral surface of tongue	ICD-10-CM	Diagnosis
C41.2	Malignant neoplasm of vertebral column	ICD-10-CM	Diagnosis
C06.1	Malignant neoplasm of vestibule of mouth	ICD-10-CM	Diagnosis
C51.9	Malignant neoplasm of vulva, unspecified	ICD-10-CM	Diagnosis
C14.2	Malignant neoplasm of Waldeyer's ring	ICD-10-CM	Diagnosis
C63.7	Malignant neoplasm of other specified male genital organs	ICD-10-CM	Diagnosis
C40.80	Malignant neoplasm of overlapping sites of bone and articular cartilage of unspecified limb	ICD-10-CM	Diagnosis
C34.82	Malignant neoplasm of overlapping sites of left bronchus and lung	ICD-10-CM	Diagnosis
C50.812	Malignant neoplasm of overlapping sites of left female breast	ICD-10-CM	Diagnosis
C24.8	Malignant neoplasm of overlapping sites of biliary tract	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
C34.81	Malignant neoplasm of overlapping sites of right bronchus and lung	ICD-10-CM	Diagnosis
C50.811	Malignant neoplasm of overlapping sites of right female breast	ICD-10-CM	Diagnosis
C50.819	Malignant neoplasm of overlapping sites of unspecified female breast	ICD-10-CM	Diagnosis
C31.8	Malignant neoplasm of overlapping sites of accessory sinuses	ICD-10-CM	Diagnosis
C40.82	Malignant neoplasm of overlapping sites of bone and articular cartilage of left limb	ICD-10-CM	Diagnosis
C40.81	Malignant neoplasm of overlapping sites of bone and articular cartilage of right limb	ICD-10-CM	Diagnosis
C49.8	Malignant neoplasm of overlapping sites of connective and soft tissue	ICD-10-CM	Diagnosis
C69.82	Malignant neoplasm of overlapping sites of left eye and adnexa	ICD-10-CM	Diagnosis
C50.822	Malignant neoplasm of overlapping sites of left male breast	ICD-10-CM	Diagnosis
C06.89	Malignant neoplasm of overlapping sites of other parts of mouth	ICD-10-CM	Diagnosis
C47.8	Malignant neoplasm of overlapping sites of peripheral nerves and autonomic nervous system	ICD-10-CM	Diagnosis
C48.8	Malignant neoplasm of overlapping sites of retroperitoneum and peritoneum	ICD-10-CM	Diagnosis
C69.81	Malignant neoplasm of overlapping sites of right eye and adnexa	ICD-10-CM	Diagnosis
C50.821	Malignant neoplasm of overlapping sites of right male breast	ICD-10-CM	Diagnosis
C17.8	Malignant neoplasm of overlapping sites of small intestine	ICD-10-CM	Diagnosis
C69.80	Malignant neoplasm of overlapping sites of unspecified eye and adnexa	ICD-10-CM	Diagnosis
C50.829	Malignant neoplasm of overlapping sites of unspecified male breast	ICD-10-CM	Diagnosis
C06.80	Malignant neoplasm of overlapping sites of unspecified parts of mouth	ICD-10-CM	Diagnosis
C68.8	Malignant neoplasm of overlapping sites of urinary organs	ICD-10-CM	Diagnosis
C53.8	Malignant neoplasm of overlapping sites of cervix uteri	ICD-10-CM	Diagnosis
C54.8	Malignant neoplasm of overlapping sites of corpus uteri	ICD-10-CM	Diagnosis
C15.8	Malignant neoplasm of overlapping sites of esophagus	ICD-10-CM	Diagnosis
C04.8	Malignant neoplasm of overlapping sites of floor of mouth	ICD-10-CM	Diagnosis
C13.8	Malignant neoplasm of overlapping sites of hypopharynx	ICD-10-CM	Diagnosis
C11.8	Malignant neoplasm of overlapping sites of nasopharynx	ICD-10-CM	Diagnosis
C67.8	Malignant neoplasm of overlapping sites of bladder	ICD-10-CM	Diagnosis
C05.8	Malignant neoplasm of overlapping sites of palate	ICD-10-CM	Diagnosis
C25.8	Malignant neoplasm of overlapping sites of pancreas	ICD-10-CM	Diagnosis
C16.8	Malignant neoplasm of overlapping sites of stomach	ICD-10-CM	Diagnosis
C02.8	Malignant neoplasm of overlapping sites of tongue	ICD-10-CM	Diagnosis
C10.8	Malignant neoplasm of overlapping sites of oropharynx	ICD-10-CM	Diagnosis
C34.80	Malignant neoplasm of overlapping sites of unspecified bronchus and lung	ICD-10-CM	Diagnosis
C41.4	Malignant neoplasm of pelvic bones, sacrum and coccyx	ICD-10-CM	Diagnosis
C47.9	Malignant neoplasm of peripheral nerves and autonomic nervous system, unspecified	ICD-10-CM	Diagnosis
C47.0	Malignant neoplasm of peripheral nerves of head, face and neck	ICD-10-CM	Diagnosis
C47.4	Malignant neoplasm of peripheral nerves of abdomen	ICD-10-CM	Diagnosis
C47.5	Malignant neoplasm of peripheral nerves of pelvis	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
C47.3	Malignant neoplasm of peripheral nerves of thorax	ICD-10-CM	Diagnosis
C47.6	Malignant neoplasm of peripheral nerves of trunk, unspecified	ICD-10-CM	Diagnosis
C13.2	Malignant neoplasm of posterior wall of hypopharynx	ICD-10-CM	Diagnosis
C11.1	Malignant neoplasm of posterior wall of nasopharynx	ICD-10-CM	Diagnosis
C69.51	Malignant neoplasm of right lacrimal gland and duct	ICD-10-CM	Diagnosis
C64.1	Malignant neoplasm of right kidney, except renal pelvis	ICD-10-CM	Diagnosis
C62.91	Malignant neoplasm of right testis, unspecified whether descended or undescended	ICD-10-CM	Diagnosis
C40.02	Malignant neoplasm of scapula and long bones of left upper limb	ICD-10-CM	Diagnosis
C40.01	Malignant neoplasm of scapula and long bones of right upper limb	ICD-10-CM	Diagnosis
C40.00	Malignant neoplasm of scapula and long bones of unspecified upper limb	ICD-10-CM	Diagnosis
C40.32	Malignant neoplasm of short bones of left lower limb	ICD-10-CM	Diagnosis
C40.12	Malignant neoplasm of short bones of left upper limb	ICD-10-CM	Diagnosis
C40.31	Malignant neoplasm of short bones of right lower limb	ICD-10-CM	Diagnosis
C40.11	Malignant neoplasm of short bones of right upper limb	ICD-10-CM	Diagnosis
C40.30	Malignant neoplasm of short bones of unspecified lower limb	ICD-10-CM	Diagnosis
C40.10	Malignant neoplasm of short bones of unspecified upper limb	ICD-10-CM	Diagnosis
C11.0	Malignant neoplasm of superior wall of nasopharynx	ICD-10-CM	Diagnosis
C40.92	Malignant neoplasm of unspecified bones and articular cartilage of left limb	ICD-10-CM	Diagnosis
C40.91	Malignant neoplasm of unspecified bones and articular cartilage of right limb	ICD-10-CM	Diagnosis
C40.90	Malignant neoplasm of unspecified bones and articular cartilage of unspecified limb	ICD-10-CM	Diagnosis
C64.9	Malignant neoplasm of unspecified kidney, except renal pelvis	ICD-10-CM	Diagnosis
C69.50	Malignant neoplasm of unspecified lacrimal gland and duct	ICD-10-CM	Diagnosis
C74.92	Malignant neoplasm of unspecified part of left adrenal gland	ICD-10-CM	Diagnosis
C34.92	Malignant neoplasm of unspecified part of left bronchus or lung	ICD-10-CM	Diagnosis
C74.91	Malignant neoplasm of unspecified part of right adrenal gland	ICD-10-CM	Diagnosis
C34.91	Malignant neoplasm of unspecified part of right bronchus or lung	ICD-10-CM	Diagnosis
C74.90	Malignant neoplasm of unspecified part of unspecified adrenal gland	ICD-10-CM	Diagnosis
C34.90	Malignant neoplasm of unspecified part of unspecified bronchus or lung	ICD-10-CM	Diagnosis
C50.912	Malignant neoplasm of unspecified site of left female breast	ICD-10-CM	Diagnosis
C50.911	Malignant neoplasm of unspecified site of right female breast	ICD-10-CM	Diagnosis
C50.919	Malignant neoplasm of unspecified site of unspecified female breast	ICD-10-CM	Diagnosis
C62.90	Malignant neoplasm of unspecified testis, unspecified whether descended or undescended	ICD-10-CM	Diagnosis
C62.00	Malignant neoplasm of unspecified undescended testis	ICD-10-CM	Diagnosis
C62.10	Malignant neoplasm of unspecified descended testis	ICD-10-CM	Diagnosis
C72.20	Malignant neoplasm of unspecified olfactory nerve	ICD-10-CM	Diagnosis
C69.90	Malignant neoplasm of unspecified site of unspecified eye	ICD-10-CM	Diagnosis
C34.12	Malignant neoplasm of upper lobe, left bronchus or lung	ICD-10-CM	Diagnosis
C34.11	Malignant neoplasm of upper lobe, right bronchus or lung	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

Code	Description	Code Type	Code Category
C34.10	Malignant neoplasm of upper lobe, unspecified bronchus or lung	ICD-10-CM	Diagnosis
C39.0	Malignant neoplasm of upper respiratory tract, part unspecified	ICD-10-CM	Diagnosis
C75.8	Malignant neoplasm with pluriglandular involvement, unspecified	ICD-10-CM	Diagnosis
J91.0	Malignant pleural effusion	ICD-10-CM	Diagnosis
C7A.1	Malignant poorly differentiated neuroendocrine tumors	ICD-10-CM	Diagnosis
C80.1	Malignant (primary) neoplasm, unspecified	ICD-10-CM	Diagnosis
M26.211	Malocclusion, Angle's class I	ICD-10-CM	Diagnosis
M26.212	Malocclusion, Angle's class II	ICD-10-CM	Diagnosis
M26.213	Malocclusion, Angle's class III	ICD-10-CM	Diagnosis
M26.219	Malocclusion, Angle's class, unspecified	ICD-10-CM	Diagnosis
M26.4	Malocclusion, unspecified	ICD-10-CM	Diagnosis
M26.03	Mandibular hyperplasia	ICD-10-CM	Diagnosis
M26.04	Mandibular hypoplasia	ICD-10-CM	Diagnosis
C83.13	Mantle cell lymphoma, intra-abdominal lymph nodes	ICD-10-CM	Diagnosis
C83.16	Mantle cell lymphoma, intrapelvic lymph nodes	ICD-10-CM	Diagnosis
C83.12	Mantle cell lymphoma, intrathoracic lymph nodes	ICD-10-CM	Diagnosis
C83.11	Mantle cell lymphoma, lymph nodes of head, face, and neck	ICD-10-CM	Diagnosis
C83.14	Mantle cell lymphoma, lymph nodes of axilla and upper limb	ICD-10-CM	Diagnosis
C83.18	Mantle cell lymphoma, lymph nodes of multiple sites	ICD-10-CM	Diagnosis
C83.15	Mantle cell lymphoma, lymph nodes of inguinal region and lower limb	ICD-10-CM	Diagnosis
C83.17	Mantle cell lymphoma, spleen	ICD-10-CM	Diagnosis
C83.10	Mantle cell lymphoma, unspecified site	ICD-10-CM	Diagnosis
C83.19	Mantle cell lymphoma, extranodal and solid organ sites	ICD-10-CM	Diagnosis
C94.32	Mast cell leukemia, in relapse	ICD-10-CM	Diagnosis
C94.31	Mast cell leukemia, in remission	ICD-10-CM	Diagnosis
C94.30	Mast cell leukemia not having achieved remission	ICD-10-CM	Diagnosis
C96.22	Mast cell sarcoma	ICD-10-CM	Diagnosis
C91.A2	Mature B-cell leukemia Burkitt-type, in relapse	ICD-10-CM	Diagnosis
C91.A1	Mature B-cell leukemia Burkitt-type, in remission	ICD-10-CM	Diagnosis
C91.A0	Mature B-cell leukemia Burkitt-type not having achieved remission	ICD-10-CM	Diagnosis
C84.99	Mature T/NK-cell lymphomas, unspecified, extranodal and solid organ sites	ICD-10-CM	Diagnosis
C84.93	Mature T/NK-cell lymphomas, unspecified, intra-abdominal lymph nodes	ICD-10-CM	Diagnosis
C84.96	Mature T/NK-cell lymphomas, unspecified, intrapelvic lymph nodes	ICD-10-CM	Diagnosis
C84.92	Mature T/NK-cell lymphomas, unspecified, intrathoracic lymph nodes	ICD-10-CM	Diagnosis
C84.98	Mature T/NK-cell lymphomas, unspecified, lymph nodes of multiple sites	ICD-10-CM	Diagnosis
C84.94	Mature T/NK-cell lymphomas, unspecified, lymph nodes of axilla and upper limb	ICD-10-CM	Diagnosis
C84.91	Mature T/NK-cell lymphomas, unspecified, lymph nodes of head, face, and neck	ICD-10-CM	Diagnosis
C84.95	Mature T/NK-cell lymphomas, unspecified, lymph nodes of inguinal region and lower limb	ICD-10-CM	Diagnosis
C84.90	Mature T/NK-cell lymphomas, unspecified, unspecified site	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
C84.97	Mature T/NK-cell lymphomas, unspecified, spleen	ICD-10-CM	Diagnosis
M26.11	Maxillary asymmetry	ICD-10-CM	Diagnosis
M26.01	Maxillary hyperplasia	ICD-10-CM	Diagnosis
M26.02	Maxillary hypoplasia	ICD-10-CM	Diagnosis
C81.29	Mixed cellularity Hodgkin lymphoma, extranodal and solid organ sites	ICD-10-CM	Diagnosis
C81.23	Mixed cellularity Hodgkin lymphoma, intra-abdominal lymph nodes	ICD-10-CM	Diagnosis
C81.26	Mixed cellularity Hodgkin lymphoma, intrapelvic lymph nodes	ICD-10-CM	Diagnosis
C81.22	Mixed cellularity Hodgkin lymphoma, intrathoracic lymph nodes	ICD-10-CM	Diagnosis
C81.25	Mixed cellularity Hodgkin lymphoma, lymph nodes of inguinal region and lower limb	ICD-10-CM	Diagnosis
C81.24	Mixed cellularity Hodgkin lymphoma, lymph nodes of axilla and upper limb	ICD-10-CM	Diagnosis
C81.21	Mixed cellularity Hodgkin lymphoma, lymph nodes of head, face, and neck	ICD-10-CM	Diagnosis
C17.3	Meckel's diverticulum, malignant	ICD-10-CM	Diagnosis
C85.29	Mediastinal (thymic) large B-cell lymphoma, extranodal and solid organ sites	ICD-10-CM	Diagnosis
C85.23	Mediastinal (thymic) large B-cell lymphoma, intra-abdominal lymph nodes	ICD-10-CM	Diagnosis
C85.26	Mediastinal (thymic) large B-cell lymphoma, intrapelvic lymph nodes	ICD-10-CM	Diagnosis
C85.22	Mediastinal (thymic) large B-cell lymphoma, intrathoracic lymph nodes	ICD-10-CM	Diagnosis
C85.24	Mediastinal (thymic) large B-cell lymphoma, lymph nodes of axilla and upper limb	ICD-10-CM	Diagnosis
C85.21	Mediastinal (thymic) large B-cell lymphoma, lymph nodes of head, face, and neck	ICD-10-CM	Diagnosis
C85.25	Mediastinal (thymic) large B-cell lymphoma, lymph nodes of inguinal region and lower limb	ICD-10-CM	Diagnosis
C85.28	Mediastinal (thymic) large B-cell lymphoma, lymph nodes of multiple sites	ICD-10-CM	Diagnosis
C85.20	Mediastinal (thymic) large B-cell lymphoma, unspecified site	ICD-10-CM	Diagnosis
C85.27	Mediastinal (thymic) large B-cell lymphoma, spleen	ICD-10-CM	Diagnosis
D03.22	Melanoma in situ of left ear and external auricular canal	ICD-10-CM	Diagnosis
D03.62	Melanoma in situ of left upper limb, including shoulder	ICD-10-CM	Diagnosis
D03.51	Melanoma in situ of anal skin	ICD-10-CM	Diagnosis
D03.52	Melanoma in situ of breast (skin) (soft tissue)	ICD-10-CM	Diagnosis
D03.12	Melanoma in situ of left eyelid, including canthus	ICD-10-CM	Diagnosis
D03.72	Melanoma in situ of left lower limb, including hip	ICD-10-CM	Diagnosis
D03.0	Melanoma in situ of lip	ICD-10-CM	Diagnosis
D03.122	Melanoma in situ of left lower eyelid, including canthus	ICD-10-CM	Diagnosis
D03.121	Melanoma in situ of left upper eyelid, including canthus	ICD-10-CM	Diagnosis
D03.59	Melanoma in situ of other part of trunk	ICD-10-CM	Diagnosis
D03.39	Melanoma in situ of other parts of face	ICD-10-CM	Diagnosis
D03.8	Melanoma in situ of other sites	ICD-10-CM	Diagnosis



**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

Code	Description	Code Type	Code Category
D03.11	Melanoma in situ of right eyelid, including canthus	ICD-10-CM	Diagnosis
D03.71	Melanoma in situ of right lower limb, including hip	ICD-10-CM	Diagnosis
D03.112	Melanoma in situ of right lower eyelid, including canthus	ICD-10-CM	Diagnosis
D03.111	Melanoma in situ of right upper eyelid, including canthus	ICD-10-CM	Diagnosis
D03.4	Melanoma in situ of scalp and neck	ICD-10-CM	Diagnosis
D03.70	Melanoma in situ of unspecified lower limb, including hip	ICD-10-CM	Diagnosis
D03.30	Melanoma in situ of unspecified part of face	ICD-10-CM	Diagnosis
D03.21	Melanoma in situ of right ear and external auricular canal	ICD-10-CM	Diagnosis
D03.61	Melanoma in situ of right upper limb, including shoulder	ICD-10-CM	Diagnosis
D03.20	Melanoma in situ of unspecified ear and external auricular canal	ICD-10-CM	Diagnosis
D03.60	Melanoma in situ of unspecified upper limb, including shoulder	ICD-10-CM	Diagnosis
D03.9	Melanoma in situ, unspecified	ICD-10-CM	Diagnosis
D03.10	Melanoma in situ of unspecified eyelid, including canthus	ICD-10-CM	Diagnosis
C45.7	Mesothelioma of other sites	ICD-10-CM	Diagnosis
C45.2	Mesothelioma of pericardium	ICD-10-CM	Diagnosis
C45.1	Mesothelioma of peritoneum	ICD-10-CM	Diagnosis
C45.0	Mesothelioma of pleura	ICD-10-CM	Diagnosis
C45.9	Mesothelioma, unspecified	ICD-10-CM	Diagnosis
M26.06	Microgenia	ICD-10-CM	Diagnosis
K08.24	Minimal atrophy of maxilla	ICD-10-CM	Diagnosis
K08.21	Minimal atrophy of the mandible	ICD-10-CM	Diagnosis
C81.28	Mixed cellularity Hodgkin lymphoma, lymph nodes of multiple sites	ICD-10-CM	Diagnosis
C81.27	Mixed cellularity Hodgkin lymphoma, spleen	ICD-10-CM	Diagnosis
C81.20	Mixed cellularity Hodgkin lymphoma, unspecified site	ICD-10-CM	Diagnosis
K08.22	Moderate atrophy of the mandible	ICD-10-CM	Diagnosis
K08.25	Moderate atrophy of the maxilla	ICD-10-CM	Diagnosis
C93.90	Monocytic leukemia, unspecified, not having achieved remission	ICD-10-CM	Diagnosis
C93.92	Monocytic leukemia, unspecified in relapse	ICD-10-CM	Diagnosis
C93.91	Monocytic leukemia, unspecified in remission	ICD-10-CM	Diagnosis
K00.3	Mottled teeth	ICD-10-CM	Diagnosis
C96.0	Multifocal and multisystemic (disseminated) Langerhans-cell histiocytosis	ICD-10-CM	Diagnosis
C96.5	Multifocal and unisystemic Langerhans-cell histiocytosis	ICD-10-CM	Diagnosis
E31.22	Multiple endocrine neoplasia [MEN] type IIA	ICD-10-CM	Diagnosis
E31.23	Multiple endocrine neoplasia [MEN] type IIB	ICD-10-CM	Diagnosis
C90.02	Multiple myeloma in relapse	ICD-10-CM	Diagnosis
C90.01	Multiple myeloma in remission	ICD-10-CM	Diagnosis
C90.00	Multiple myeloma not having achieved remission	ICD-10-CM	Diagnosis
C84.09	Mycosis fungoides, extranodal and solid organ sites	ICD-10-CM	Diagnosis
C84.03	Mycosis fungoides, intra-abdominal lymph nodes	ICD-10-CM	Diagnosis
C84.06	Mycosis fungoides, intrapelvic lymph nodes	ICD-10-CM	Diagnosis
C84.02	Mycosis fungoides, intrathoracic lymph nodes	ICD-10-CM	Diagnosis
C84.04	Mycosis fungoides, lymph nodes of axilla and upper limb	ICD-10-CM	Diagnosis
C84.01	Mycosis fungoides, lymph nodes of head, face, and neck	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
C84.05	Mycosis fungoides, lymph nodes of inguinal region and lower limb	ICD-10-CM	Diagnosis
C84.08	Mycosis fungoides, lymph nodes of multiple sites	ICD-10-CM	Diagnosis
C84.07	Mycosis fungoides, spleen	ICD-10-CM	Diagnosis
C84.00	Mycosis fungoides, unspecified site	ICD-10-CM	Diagnosis
C94.6	Myelodysplastic disease, not classified	ICD-10-CM	Diagnosis
C92.90	Myeloid leukemia, unspecified, not having achieved remission	ICD-10-CM	Diagnosis
C92.92	Myeloid leukemia, unspecified in relapse	ICD-10-CM	Diagnosis
C92.91	Myeloid leukemia, unspecified in remission	ICD-10-CM	Diagnosis
C92.32	Myeloid sarcoma, in relapse	ICD-10-CM	Diagnosis
C92.31	Myeloid sarcoma, in remission	ICD-10-CM	Diagnosis
C92.30	Myeloid sarcoma, not having achieved remission	ICD-10-CM	Diagnosis
K04.1	Necrosis of pulp	ICD-10-CM	Diagnosis
C81.13	Nodular sclerosis Hodgkin lymphoma, intra-abdominal lymph nodes	ICD-10-CM	Diagnosis
C81.12	Nodular sclerosis Hodgkin lymphoma, intrathoracic lymph nodes	ICD-10-CM	Diagnosis
C81.14	Nodular sclerosis Hodgkin lymphoma, lymph nodes of axilla and upper limb	ICD-10-CM	Diagnosis
C81.18	Nodular sclerosis Hodgkin lymphoma, lymph nodes of multiple sites	ICD-10-CM	Diagnosis
C81.17	Nodular sclerosis Hodgkin lymphoma, spleen	ICD-10-CM	Diagnosis
C81.10	Nodular sclerosis Hodgkin lymphoma, unspecified site	ICD-10-CM	Diagnosis
C81.09	Nodular lymphocyte predominant Hodgkin lymphoma, extranodal and solid organ sites	ICD-10-CM	Diagnosis
C81.05	Nodular lymphocyte predominant Hodgkin lymphoma, lymph nodes of inguinal region and lower limb	ICD-10-CM	Diagnosis
C81.03	Nodular lymphocyte predominant Hodgkin lymphoma, intra-abdominal lymph nodes	ICD-10-CM	Diagnosis
C81.06	Nodular lymphocyte predominant Hodgkin lymphoma, intrapelvic lymph nodes	ICD-10-CM	Diagnosis
C81.02	Nodular lymphocyte predominant Hodgkin lymphoma, intrathoracic lymph nodes	ICD-10-CM	Diagnosis
C81.08	Nodular lymphocyte predominant Hodgkin lymphoma, lymph nodes of multiple sites	ICD-10-CM	Diagnosis
C81.04	Nodular lymphocyte predominant Hodgkin lymphoma, lymph nodes of axilla and upper limb	ICD-10-CM	Diagnosis
C81.01	Nodular lymphocyte predominant Hodgkin lymphoma, lymph nodes of head, face, and neck	ICD-10-CM	Diagnosis
C81.07	Nodular lymphocyte predominant Hodgkin lymphoma, spleen	ICD-10-CM	Diagnosis
C81.00	Nodular lymphocyte predominant Hodgkin lymphoma, unspecified site	ICD-10-CM	Diagnosis
C81.15	Nodular sclerosis Hodgkin lymphoma, lymph nodes of inguinal region and lower limb	ICD-10-CM	Diagnosis
C81.16	Nodular sclerosis Hodgkin lymphoma, intrapelvic lymph nodes	ICD-10-CM	Diagnosis
C83.99	Non-follicular (diffuse) lymphoma, unspecified, extranodal and solid organ sites	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
C83.93	Non-follicular (diffuse) lymphoma, unspecified, intra-abdominal lymph nodes	ICD-10-CM	Diagnosis
C83.96	Non-follicular (diffuse) lymphoma, unspecified, intrapelvic lymph nodes	ICD-10-CM	Diagnosis
C83.92	Non-follicular (diffuse) lymphoma, unspecified, intrathoracic lymph nodes	ICD-10-CM	Diagnosis
C83.98	Non-follicular (diffuse) lymphoma, unspecified, lymph nodes of multiple sites	ICD-10-CM	Diagnosis
C83.94	Non-follicular (diffuse) lymphoma, unspecified, lymph nodes of axilla and upper limb	ICD-10-CM	Diagnosis
C83.91	Non-follicular (diffuse) lymphoma, unspecified, lymph nodes of head, face, and neck	ICD-10-CM	Diagnosis
C83.95	Non-follicular (diffuse) lymphoma, unspecified, lymph nodes of inguinal region and lower limb	ICD-10-CM	Diagnosis
C83.90	Non-follicular (diffuse) lymphoma, unspecified, unspecified site	ICD-10-CM	Diagnosis
C83.97	Non-follicular (diffuse) lymphoma, unspecified, spleen	ICD-10-CM	Diagnosis
C85.99	Non-Hodgkin lymphoma, unspecified, extranodal and solid organ sites	ICD-10-CM	Diagnosis
C85.93	Non-Hodgkin lymphoma, unspecified, intra-abdominal lymph nodes	ICD-10-CM	Diagnosis
C85.96	Non-Hodgkin lymphoma, unspecified, intrapelvic lymph nodes	ICD-10-CM	Diagnosis
C85.92	Non-Hodgkin lymphoma, unspecified, intrathoracic lymph nodes	ICD-10-CM	Diagnosis
C85.94	Non-Hodgkin lymphoma, unspecified, lymph nodes of axilla and upper limb	ICD-10-CM	Diagnosis
C85.91	Non-Hodgkin lymphoma, unspecified, lymph nodes of head, face, and neck	ICD-10-CM	Diagnosis
C85.95	Non-Hodgkin lymphoma, unspecified, lymph nodes of inguinal region and lower limb	ICD-10-CM	Diagnosis
C85.98	Non-Hodgkin lymphoma, unspecified, lymph nodes of multiple sites	ICD-10-CM	Diagnosis
C85.90	Non-Hodgkin lymphoma, unspecified, unspecified site	ICD-10-CM	Diagnosis
C85.97	Non-Hodgkin lymphoma, unspecified, spleen	ICD-10-CM	Diagnosis
M26.56	Non-working side interference	ICD-10-CM	Diagnosis
C81.19	Nodular sclerosis Hodgkin lymphoma, extranodal and solid organ sites	ICD-10-CM	Diagnosis
C81.11	Nodular sclerosis Hodgkin lymphoma, lymph nodes of head, face, and neck	ICD-10-CM	Diagnosis
M26.220	Open anterior occlusal relationship	ICD-10-CM	Diagnosis
M26.221	Open posterior occlusal relationship	ICD-10-CM	Diagnosis
K08.51	Open restoration margins of tooth	ICD-10-CM	Diagnosis
M27.61	Osseointegration failure of dental implant	ICD-10-CM	Diagnosis
M26.39	Other anomalies of tooth position of fully erupted tooth or teeth	ICD-10-CM	Diagnosis
C96.Z	Other specified malignant neoplasms of lymphoid, hematopoietic and related tissue	ICD-10-CM	Diagnosis
C84.Z9	Other mature T/NK-cell lymphomas, extranodal and solid organ sites	ICD-10-CM	Diagnosis
C84.Z3	Other mature T/NK-cell lymphomas, intra-abdominal lymph nodes	ICD-10-CM	Diagnosis
C84.Z6	Other mature T/NK-cell lymphomas, intrapelvic lymph nodes	ICD-10-CM	Diagnosis
C84.Z2	Other mature T/NK-cell lymphomas, intrathoracic lymph nodes	ICD-10-CM	Diagnosis
C84.Z4	Other mature T/NK-cell lymphomas, lymph nodes of axilla and upper limb	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
C84.Z1	Other mature T/NK-cell lymphomas, lymph nodes of head, face, and neck	ICD-10-CM	Diagnosis
C84.Z5	Other mature T/NK-cell lymphomas, lymph nodes of inguinal region and lower limb	ICD-10-CM	Diagnosis
C84.Z8	Other mature T/NK-cell lymphomas, lymph nodes of multiple sites	ICD-10-CM	Diagnosis
C84.Z7	Other mature T/NK-cell lymphomas, spleen	ICD-10-CM	Diagnosis
C83.89	Other non-follicular lymphoma, extranodal and solid organ sites	ICD-10-CM	Diagnosis
C83.83	Other non-follicular lymphoma, intra-abdominal lymph nodes	ICD-10-CM	Diagnosis
C83.86	Other non-follicular lymphoma, intrapelvic lymph nodes	ICD-10-CM	Diagnosis
C83.82	Other non-follicular lymphoma, intrathoracic lymph nodes	ICD-10-CM	Diagnosis
C83.84	Other non-follicular lymphoma, lymph nodes of axilla and upper limb	ICD-10-CM	Diagnosis
C83.81	Other non-follicular lymphoma, lymph nodes of head, face, and neck	ICD-10-CM	Diagnosis
C83.85	Other non-follicular lymphoma, lymph nodes of inguinal region and lower limb	ICD-10-CM	Diagnosis
C83.88	Other non-follicular lymphoma, lymph nodes of multiple sites	ICD-10-CM	Diagnosis
M80.819G	Other osteoporosis with current pathological fracture, unspecified shoulder, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
M80.872A	Other osteoporosis with current pathological fracture, left ankle and foot, initial encounter for fracture	ICD-10-CM	Diagnosis
M80.872G	Other osteoporosis with current pathological fracture, left ankle and foot, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
M80.872P	Other osteoporosis with current pathological fracture, left ankle and foot, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
M80.872K	Other osteoporosis with current pathological fracture, left ankle and foot, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
M80.872D	Other osteoporosis with current pathological fracture, left ankle and foot, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
M80.852A	Other osteoporosis with current pathological fracture, left femur, initial encounter for fracture	ICD-10-CM	Diagnosis
M80.852G	Other osteoporosis with current pathological fracture, left femur, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
M80.852P	Other osteoporosis with current pathological fracture, left femur, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
M80.852K	Other osteoporosis with current pathological fracture, left femur, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
M80.852D	Other osteoporosis with current pathological fracture, left femur, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
M80.832A	Other osteoporosis with current pathological fracture, left forearm, initial encounter for fracture	ICD-10-CM	Diagnosis
M80.832G	Other osteoporosis with current pathological fracture, left forearm, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
M80.832P	Other osteoporosis with current pathological fracture, left forearm, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
M80.832K	Other osteoporosis with current pathological fracture, left forearm, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
M80.832D	Other osteoporosis with current pathological fracture, left forearm, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
M80.842A	Other osteoporosis with current pathological fracture, left hand, initial encounter for fracture	ICD-10-CM	Diagnosis
M80.842G	Other osteoporosis with current pathological fracture, left hand, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
M80.842P	Other osteoporosis with current pathological fracture, left hand, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
M80.842K	Other osteoporosis with current pathological fracture, left hand, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
M80.842D	Other osteoporosis with current pathological fracture, left hand, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
M80.822A	Other osteoporosis with current pathological fracture, left humerus, initial encounter for fracture	ICD-10-CM	Diagnosis
M80.822G	Other osteoporosis with current pathological fracture, left humerus, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
M80.822P	Other osteoporosis with current pathological fracture, left humerus, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
M80.822K	Other osteoporosis with current pathological fracture, left humerus, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
M80.822D	Other osteoporosis with current pathological fracture, left humerus, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
M80.862A	Other osteoporosis with current pathological fracture, left lower leg, initial encounter for fracture	ICD-10-CM	Diagnosis
M80.862G	Other osteoporosis with current pathological fracture, left lower leg, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
M80.862P	Other osteoporosis with current pathological fracture, left lower leg, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
M80.862K	Other osteoporosis with current pathological fracture, left lower leg, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
M80.862D	Other osteoporosis with current pathological fracture, left lower leg, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
M80.812A	Other osteoporosis with current pathological fracture, left shoulder, initial encounter for fracture	ICD-10-CM	Diagnosis
M80.812G	Other osteoporosis with current pathological fracture, left shoulder, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
M80.812P	Other osteoporosis with current pathological fracture, left shoulder, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
M80.812K	Other osteoporosis with current pathological fracture, left shoulder, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
M80.812D	Other osteoporosis with current pathological fracture, left shoulder, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
M80.871A	Other osteoporosis with current pathological fracture, right ankle and foot, initial encounter for fracture	ICD-10-CM	Diagnosis
M80.871G	Other osteoporosis with current pathological fracture, right ankle and foot, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
M80.871P	Other osteoporosis with current pathological fracture, right ankle and foot, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
M80.871K	Other osteoporosis with current pathological fracture, right ankle and foot, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
M80.871D	Other osteoporosis with current pathological fracture, right ankle and foot, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
M80.851A	Other osteoporosis with current pathological fracture, right femur, initial encounter for fracture	ICD-10-CM	Diagnosis
M80.851G	Other osteoporosis with current pathological fracture, right femur, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
M80.851P	Other osteoporosis with current pathological fracture, right femur, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
M80.851K	Other osteoporosis with current pathological fracture, right femur, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
M80.851D	Other osteoporosis with current pathological fracture, right femur, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
M80.831A	Other osteoporosis with current pathological fracture, right forearm, initial encounter for fracture	ICD-10-CM	Diagnosis
M80.831G	Other osteoporosis with current pathological fracture, right forearm, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
M80.831P	Other osteoporosis with current pathological fracture, right forearm, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
M80.831K	Other osteoporosis with current pathological fracture, right forearm, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
M80.831D	Other osteoporosis with current pathological fracture, right forearm, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
M80.841A	Other osteoporosis with current pathological fracture, right hand, initial encounter for fracture	ICD-10-CM	Diagnosis
M80.841G	Other osteoporosis with current pathological fracture, right hand, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
M80.841P	Other osteoporosis with current pathological fracture, right hand, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
M80.841K	Other osteoporosis with current pathological fracture, right hand, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
M80.841D	Other osteoporosis with current pathological fracture, right hand, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis



**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
M80.821A	Other osteoporosis with current pathological fracture, right humerus, initial encounter for fracture	ICD-10-CM	Diagnosis
M80.821G	Other osteoporosis with current pathological fracture, right humerus, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
M80.821P	Other osteoporosis with current pathological fracture, right humerus, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
M80.821K	Other osteoporosis with current pathological fracture, right humerus, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
M80.821D	Other osteoporosis with current pathological fracture, right humerus, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
M80.861A	Other osteoporosis with current pathological fracture, right lower leg, initial encounter for fracture	ICD-10-CM	Diagnosis
M80.861G	Other osteoporosis with current pathological fracture, right lower leg, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
M80.861P	Other osteoporosis with current pathological fracture, right lower leg, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
M80.861K	Other osteoporosis with current pathological fracture, right lower leg, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
M80.861D	Other osteoporosis with current pathological fracture, right lower leg, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
M80.811A	Other osteoporosis with current pathological fracture, right shoulder, initial encounter for fracture	ICD-10-CM	Diagnosis
M80.811G	Other osteoporosis with current pathological fracture, right shoulder, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
M80.811P	Other osteoporosis with current pathological fracture, right shoulder, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
M80.811K	Other osteoporosis with current pathological fracture, right shoulder, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
M80.811D	Other osteoporosis with current pathological fracture, right shoulder, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
M80.879A	Other osteoporosis with current pathological fracture, unspecified ankle and foot, initial encounter for fracture	ICD-10-CM	Diagnosis
M80.879G	Other osteoporosis with current pathological fracture, unspecified ankle and foot, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
M80.879P	Other osteoporosis with current pathological fracture, unspecified ankle and foot, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
M80.879K	Other osteoporosis with current pathological fracture, unspecified ankle and foot, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
M80.879D	Other osteoporosis with current pathological fracture, unspecified ankle and foot, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
M80.859A	Other osteoporosis with current pathological fracture, unspecified femur, initial encounter for fracture	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
M80.859G	Other osteoporosis with current pathological fracture, unspecified femur, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
M80.859P	Other osteoporosis with current pathological fracture, unspecified femur, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
M80.859K	Other osteoporosis with current pathological fracture, unspecified femur, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
M80.859D	Other osteoporosis with current pathological fracture, unspecified femur, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
M80.839A	Other osteoporosis with current pathological fracture, unspecified forearm, initial encounter for fracture	ICD-10-CM	Diagnosis
M80.839G	Other osteoporosis with current pathological fracture, unspecified forearm, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
M80.839P	Other osteoporosis with current pathological fracture, unspecified forearm, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
M80.839K	Other osteoporosis with current pathological fracture, unspecified forearm, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
M80.839D	Other osteoporosis with current pathological fracture, unspecified forearm, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
M80.849A	Other osteoporosis with current pathological fracture, unspecified hand, initial encounter for fracture	ICD-10-CM	Diagnosis
M80.849G	Other osteoporosis with current pathological fracture, unspecified hand, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
M80.849P	Other osteoporosis with current pathological fracture, unspecified hand, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
M80.849K	Other osteoporosis with current pathological fracture, unspecified hand, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
M80.849D	Other osteoporosis with current pathological fracture, unspecified hand, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
M80.829A	Other osteoporosis with current pathological fracture, unspecified humerus, initial encounter for fracture	ICD-10-CM	Diagnosis
M80.829G	Other osteoporosis with current pathological fracture, unspecified humerus, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
M80.829P	Other osteoporosis with current pathological fracture, unspecified humerus, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
M80.829K	Other osteoporosis with current pathological fracture, unspecified humerus, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
M80.829D	Other osteoporosis with current pathological fracture, unspecified humerus, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
M80.869A	Other osteoporosis with current pathological fracture, unspecified lower leg, initial encounter for fracture	ICD-10-CM	Diagnosis
M80.869S	Other osteoporosis with current pathological fracture, unspecified lower leg, sequela	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
M80.869G	Other osteoporosis with current pathological fracture, unspecified lower leg, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
M80.869P	Other osteoporosis with current pathological fracture, unspecified lower leg, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
M80.869K	Other osteoporosis with current pathological fracture, unspecified lower leg, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
M80.869D	Other osteoporosis with current pathological fracture, unspecified lower leg, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
M80.819A	Other osteoporosis with current pathological fracture, unspecified shoulder, initial encounter for fracture	ICD-10-CM	Diagnosis
M80.819P	Other osteoporosis with current pathological fracture, unspecified shoulder, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
M80.819K	Other osteoporosis with current pathological fracture, unspecified shoulder, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
M80.819D	Other osteoporosis with current pathological fracture, unspecified shoulder, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
M80.80XA	Other osteoporosis with current pathological fracture, unspecified site, initial encounter for fracture	ICD-10-CM	Diagnosis
M80.80XG	Other osteoporosis with current pathological fracture, unspecified site, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
M80.80XP	Other osteoporosis with current pathological fracture, unspecified site, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
M80.80XK	Other osteoporosis with current pathological fracture, unspecified site, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
M80.80XD	Other osteoporosis with current pathological fracture, unspecified site, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
M80.88XA	Other osteoporosis with current pathological fracture, vertebra(e), initial encounter for fracture	ICD-10-CM	Diagnosis
M80.88XG	Other osteoporosis with current pathological fracture, vertebra(e), subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
M80.88XP	Other osteoporosis with current pathological fracture, vertebra(e), subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
M80.88XK	Other osteoporosis with current pathological fracture, vertebra(e), subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
M80.88XD	Other osteoporosis with current pathological fracture, vertebra(e), subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
M80.822S	Other osteoporosis with current pathological fracture, left humerus, sequela	ICD-10-CM	Diagnosis
M80.821S	Other osteoporosis with current pathological fracture, right humerus, sequela	ICD-10-CM	Diagnosis
M80.859S	Other osteoporosis with current pathological fracture, unspecified femur, sequela	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
M80.839S	Other osteoporosis with current pathological fracture, unspecified forearm, sequela	ICD-10-CM	Diagnosis
M80.829S	Other osteoporosis with current pathological fracture, unspecified humerus, sequela	ICD-10-CM	Diagnosis
M80.872S	Other osteoporosis with current pathological fracture, left ankle and foot, sequela	ICD-10-CM	Diagnosis
M80.852S	Other osteoporosis with current pathological fracture, left femur, sequela	ICD-10-CM	Diagnosis
M80.832S	Other osteoporosis with current pathological fracture, left forearm, sequela	ICD-10-CM	Diagnosis
M80.842S	Other osteoporosis with current pathological fracture, left hand, sequela	ICD-10-CM	Diagnosis
M80.862S	Other osteoporosis with current pathological fracture, left lower leg, sequela	ICD-10-CM	Diagnosis
M80.812S	Other osteoporosis with current pathological fracture, left shoulder, sequela	ICD-10-CM	Diagnosis
M80.871S	Other osteoporosis with current pathological fracture, right ankle and foot, sequela	ICD-10-CM	Diagnosis
M80.851S	Other osteoporosis with current pathological fracture, right femur, sequela	ICD-10-CM	Diagnosis
M80.831S	Other osteoporosis with current pathological fracture, right forearm, sequela	ICD-10-CM	Diagnosis
M80.841S	Other osteoporosis with current pathological fracture, right hand, sequela	ICD-10-CM	Diagnosis
M80.861S	Other osteoporosis with current pathological fracture, right lower leg, sequela	ICD-10-CM	Diagnosis
M80.811S	Other osteoporosis with current pathological fracture, right shoulder, sequela	ICD-10-CM	Diagnosis
M80.879S	Other osteoporosis with current pathological fracture, unspecified ankle and foot, sequela	ICD-10-CM	Diagnosis
M80.849S	Other osteoporosis with current pathological fracture, unspecified hand, sequela	ICD-10-CM	Diagnosis
M80.819S	Other osteoporosis with current pathological fracture, unspecified shoulder, sequela	ICD-10-CM	Diagnosis
M80.80XS	Other osteoporosis with current pathological fracture, unspecified site, sequela	ICD-10-CM	Diagnosis
M80.88XS	Other osteoporosis with current pathological fracture, vertebra(e), sequela	ICD-10-CM	Diagnosis
M27.59	Other periradicular pathology associated with previous endodontic treatment	ICD-10-CM	Diagnosis
M26.19	Other specified anomalies of jaw-cranial base relationship	ICD-10-CM	Diagnosis
K06.8	Other specified disorders of gingiva and edentulous alveolar ridge	ICD-10-CM	Diagnosis
K08.8	Other specified disorders of teeth and supporting structures	ICD-10-CM	Diagnosis
C82.89	Other types of follicular lymphoma, extranodal and solid organ sites	ICD-10-CM	Diagnosis
C82.84	Other types of follicular lymphoma, lymph nodes of axilla and upper limb	ICD-10-CM	Diagnosis
C82.81	Other types of follicular lymphoma, lymph nodes of head, face, and neck	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
C82.83	Other types of follicular lymphoma, intra-abdominal lymph nodes	ICD-10-CM	Diagnosis
C82.86	Other types of follicular lymphoma, intrapelvic lymph nodes	ICD-10-CM	Diagnosis
C82.82	Other types of follicular lymphoma, intrathoracic lymph nodes	ICD-10-CM	Diagnosis
C82.85	Other types of follicular lymphoma, lymph nodes of inguinal region and lower limb	ICD-10-CM	Diagnosis
C82.88	Other types of follicular lymphoma, lymph nodes of multiple sites	ICD-10-CM	Diagnosis
C85.89	Other specified types of non-Hodgkin lymphoma, extranodal and solid organ sites	ICD-10-CM	Diagnosis
C85.81	Other specified types of non-Hodgkin lymphoma, lymph nodes of head, face, and neck	ICD-10-CM	Diagnosis
C85.83	Other specified types of non-Hodgkin lymphoma, intra-abdominal lymph nodes	ICD-10-CM	Diagnosis
C85.86	Other specified types of non-Hodgkin lymphoma, intrapelvic lymph nodes	ICD-10-CM	Diagnosis
C85.82	Other specified types of non-Hodgkin lymphoma, intrathoracic lymph nodes	ICD-10-CM	Diagnosis
C85.85	Other specified types of non-Hodgkin lymphoma, lymph nodes of inguinal region and lower limb	ICD-10-CM	Diagnosis
C85.84	Other specified types of non-Hodgkin lymphoma, lymph nodes of axilla and upper limb	ICD-10-CM	Diagnosis
C85.88	Other specified types of non-Hodgkin lymphoma, lymph nodes of multiple sites	ICD-10-CM	Diagnosis
C85.87	Other specified types of non-Hodgkin lymphoma, spleen	ICD-10-CM	Diagnosis
C85.80	Other specified types of non-Hodgkin lymphoma, unspecified site	ICD-10-CM	Diagnosis
M26.29	Other anomalies of dental arch relationship	ICD-10-CM	Diagnosis
M27.49	Other cysts of jaw	ICD-10-CM	Diagnosis
Z98.818	Other dental procedure status	ICD-10-CM	Diagnosis
M26.89	Other dentofacial anomalies	ICD-10-CM	Diagnosis
M26.59	Other dentofacial functional abnormalities	ICD-10-CM	Diagnosis
K04.99	Other diseases of pulp and periapical tissues	ICD-10-CM	Diagnosis
K00.8	Other disorders of tooth development	ICD-10-CM	Diagnosis
M27.69	Other endosseous dental implant failure	ICD-10-CM	Diagnosis
C81.73	Other Hodgkin lymphoma, intra-abdominal lymph nodes	ICD-10-CM	Diagnosis
C81.76	Other Hodgkin lymphoma, intrapelvic lymph nodes	ICD-10-CM	Diagnosis
C81.72	Other Hodgkin lymphoma, intrathoracic lymph nodes	ICD-10-CM	Diagnosis
C81.71	Other Hodgkin lymphoma, lymph nodes of head, face, and neck	ICD-10-CM	Diagnosis
C81.74	Other Hodgkin lymphoma, lymph nodes of axilla and upper limb	ICD-10-CM	Diagnosis
C81.77	Other Hodgkin lymphoma, spleen	ICD-10-CM	Diagnosis
C81.70	Other Hodgkin lymphoma, unspecified site	ICD-10-CM	Diagnosis
C81.79	Other Hodgkin lymphoma, extranodal and solid organ sites	ICD-10-CM	Diagnosis
C81.75	Other Hodgkin lymphoma, lymph nodes of inguinal region and lower limb	ICD-10-CM	Diagnosis
C81.78	Other Hodgkin lymphoma, lymph nodes of multiple sites	ICD-10-CM	Diagnosis
M26.12	Other jaw asymmetry	ICD-10-CM	Diagnosis
C91.22	Other lymphoid leukemia, in relapse	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
C91.Z1	Other lymphoid leukemia, in remission	ICD-10-CM	Diagnosis
C91.Z0	Other lymphoid leukemia not having achieved remission	ICD-10-CM	Diagnosis
C88.8	Other malignant immunoproliferative diseases	ICD-10-CM	Diagnosis
C96.29	Other malignant mast cell neoplasm	ICD-10-CM	Diagnosis
C7A.8	Other malignant neuroendocrine tumors	ICD-10-CM	Diagnosis
C84.Z0	Other mature T/NK-cell lymphomas, unspecified site	ICD-10-CM	Diagnosis
C93.Z0	Other monocytic leukemia, not having achieved remission	ICD-10-CM	Diagnosis
C93.Z2	Other monocytic leukemia, in relapse	ICD-10-CM	Diagnosis
C93.Z1	Other monocytic leukemia, in remission	ICD-10-CM	Diagnosis
C92.Z2	Other myeloid leukemia, in relapse	ICD-10-CM	Diagnosis
C92.Z1	Other myeloid leukemia, in remission	ICD-10-CM	Diagnosis
C92.Z0	Other myeloid leukemia not having achieved remission	ICD-10-CM	Diagnosis
C83.87	Other non-follicular lymphoma, spleen	ICD-10-CM	Diagnosis
C83.80	Other non-follicular lymphoma, unspecified site	ICD-10-CM	Diagnosis
K05.5	Other periodontal diseases	ICD-10-CM	Diagnosis
C22.4	Other sarcomas of liver	ICD-10-CM	Diagnosis
C7B.8	Other secondary neuroendocrine tumors	ICD-10-CM	Diagnosis
D05.82	Other specified type of carcinoma in situ of left breast	ICD-10-CM	Diagnosis
D05.81	Other specified type of carcinoma in situ of right breast	ICD-10-CM	Diagnosis
D05.80	Other specified type of carcinoma in situ of unspecified breast	ICD-10-CM	Diagnosis
M26.79	Other specified alveolar anomalies	ICD-10-CM	Diagnosis
M26.09	Other specified anomalies of jaw size	ICD-10-CM	Diagnosis
C22.7	Other specified carcinomas of liver	ICD-10-CM	Diagnosis
K03.89	Other specified diseases of hard tissues of teeth	ICD-10-CM	Diagnosis
M27.8	Other specified diseases of jaws	ICD-10-CM	Diagnosis
M26.69	Other specified disorders of temporomandibular joint	ICD-10-CM	Diagnosis
K08.89	Other specified disorders of teeth and supporting structures	ICD-10-CM	Diagnosis
C94.82	Other specified leukemias, in relapse	ICD-10-CM	Diagnosis
C94.81	Other specified leukemias, in remission	ICD-10-CM	Diagnosis
C94.80	Other specified leukemias not having achieved remission	ICD-10-CM	Diagnosis
C82.87	Other types of follicular lymphoma, spleen	ICD-10-CM	Diagnosis
C82.80	Other types of follicular lymphoma, unspecified site	ICD-10-CM	Diagnosis
K08.59	Other unsatisfactory restoration of tooth	ICD-10-CM	Diagnosis
K08.421	Partial loss of teeth due to periodontal diseases, class I	ICD-10-CM	Diagnosis
K08.422	Partial loss of teeth due to periodontal diseases, class II	ICD-10-CM	Diagnosis
K08.423	Partial loss of teeth due to periodontal diseases, class III	ICD-10-CM	Diagnosis
K08.424	Partial loss of teeth due to periodontal diseases, class IV	ICD-10-CM	Diagnosis
K08.429	Partial loss of teeth due to periodontal diseases, unspecified class	ICD-10-CM	Diagnosis
K08.492	Partial loss of teeth due to other specified cause, class II	ICD-10-CM	Diagnosis
K08.493	Partial loss of teeth due to other specified cause, class III	ICD-10-CM	Diagnosis
K08.494	Partial loss of teeth due to other specified cause, class IV	ICD-10-CM	Diagnosis
K08.499	Partial loss of teeth due to other specified cause, unspecified class	ICD-10-CM	Diagnosis
K08.431	Partial loss of teeth due to caries, class I	ICD-10-CM	Diagnosis



**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
K08.432	Partial loss of teeth due to caries, class II	ICD-10-CM	Diagnosis
K08.433	Partial loss of teeth due to caries, class III	ICD-10-CM	Diagnosis
K08.434	Partial loss of teeth due to caries, class IV	ICD-10-CM	Diagnosis
K08.411	Partial loss of teeth due to trauma, class I	ICD-10-CM	Diagnosis
K08.412	Partial loss of teeth due to trauma, class II	ICD-10-CM	Diagnosis
K08.413	Partial loss of teeth due to trauma, class III	ICD-10-CM	Diagnosis
K08.414	Partial loss of teeth due to trauma, class IV	ICD-10-CM	Diagnosis
K08.401	Partial loss of teeth, unspecified cause, class I	ICD-10-CM	Diagnosis
K08.402	Partial loss of teeth, unspecified cause, class II	ICD-10-CM	Diagnosis
K08.404	Partial loss of teeth, unspecified cause, class IV	ICD-10-CM	Diagnosis
K08.439	Partial loss of teeth due to caries, unspecified class	ICD-10-CM	Diagnosis
K08.491	Partial loss of teeth due to other specified cause, class I	ICD-10-CM	Diagnosis
K08.419	Partial loss of teeth due to trauma, unspecified class	ICD-10-CM	Diagnosis
K08.409	Partial loss of teeth, unspecified cause, unspecified class	ICD-10-CM	Diagnosis
K08.403	Partial loss of teeth, unspecified cause, class III	ICD-10-CM	Diagnosis
M84.572S	Pathological fracture in neoplastic disease, left ankle, sequela	ICD-10-CM	Diagnosis
M84.575S	Pathological fracture in neoplastic disease, left foot, sequela	ICD-10-CM	Diagnosis
M84.532S	Pathological fracture in neoplastic disease, left ulna, sequela	ICD-10-CM	Diagnosis
M84.574S	Pathological fracture in neoplastic disease, right foot, sequela	ICD-10-CM	Diagnosis
M84.573S	Pathological fracture in neoplastic disease, unspecified ankle, sequela	ICD-10-CM	Diagnosis
M84.576S	Pathological fracture in neoplastic disease, unspecified foot, sequela	ICD-10-CM	Diagnosis
M84.559A	Pathological fracture in neoplastic disease, hip, unspecified, initial encounter for fracture	ICD-10-CM	Diagnosis
M84.559G	Pathological fracture in neoplastic disease, hip, unspecified, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
M84.559P	Pathological fracture in neoplastic disease, hip, unspecified, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
M84.559K	Pathological fracture in neoplastic disease, hip, unspecified, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
M84.559D	Pathological fracture in neoplastic disease, hip, unspecified, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
M84.572A	Pathological fracture in neoplastic disease, left ankle, initial encounter for fracture	ICD-10-CM	Diagnosis
M84.572G	Pathological fracture in neoplastic disease, left ankle, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
M84.572P	Pathological fracture in neoplastic disease, left ankle, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
M84.572K	Pathological fracture in neoplastic disease, left ankle, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
M84.572D	Pathological fracture in neoplastic disease, left ankle, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
M84.552G	Pathological fracture in neoplastic disease, left femur, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
M84.552K	Pathological fracture in neoplastic disease, left femur, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
M84.552D	Pathological fracture in neoplastic disease, left femur, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
M84.552P	Pathological fracture in neoplastic disease, left femur, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
M84.564A	Pathological fracture in neoplastic disease, left fibula, initial encounter for fracture	ICD-10-CM	Diagnosis
M84.564G	Pathological fracture in neoplastic disease, left fibula, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
M84.564P	Pathological fracture in neoplastic disease, left fibula, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
M84.564K	Pathological fracture in neoplastic disease, left fibula, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
M84.564D	Pathological fracture in neoplastic disease, left fibula, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
M84.575G	Pathological fracture in neoplastic disease, left foot, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
M84.575P	Pathological fracture in neoplastic disease, left foot, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
M84.575K	Pathological fracture in neoplastic disease, left foot, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
M84.575D	Pathological fracture in neoplastic disease, left foot, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
M84.542A	Pathological fracture in neoplastic disease, left hand, initial encounter for fracture	ICD-10-CM	Diagnosis
M84.542G	Pathological fracture in neoplastic disease, left hand, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
M84.542P	Pathological fracture in neoplastic disease, left hand, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
M84.542K	Pathological fracture in neoplastic disease, left hand, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
M84.542D	Pathological fracture in neoplastic disease, left hand, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
M84.522A	Pathological fracture in neoplastic disease, left humerus, initial encounter for fracture	ICD-10-CM	Diagnosis
M84.522G	Pathological fracture in neoplastic disease, left humerus, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
M84.522P	Pathological fracture in neoplastic disease, left humerus, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
M84.522K	Pathological fracture in neoplastic disease, left humerus, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
M84.522D	Pathological fracture in neoplastic disease, left humerus, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
M84.534A	Pathological fracture in neoplastic disease, left radius, initial encounter for fracture	ICD-10-CM	Diagnosis
M84.534G	Pathological fracture in neoplastic disease, left radius, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
M84.534P	Pathological fracture in neoplastic disease, left radius, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
M84.534K	Pathological fracture in neoplastic disease, left radius, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
M84.534D	Pathological fracture in neoplastic disease, left radius, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
M84.512G	Pathological fracture in neoplastic disease, left shoulder, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
M84.512P	Pathological fracture in neoplastic disease, left shoulder, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
M84.512K	Pathological fracture in neoplastic disease, left shoulder, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
M84.512D	Pathological fracture in neoplastic disease, left shoulder, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
M84.512A	Pathological fracture in neoplastic disease, left shoulder, initial encounter for fracture	ICD-10-CM	Diagnosis
M84.562A	Pathological fracture in neoplastic disease, left tibia, initial encounter for fracture	ICD-10-CM	Diagnosis
M84.562G	Pathological fracture in neoplastic disease, left tibia, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
M84.562P	Pathological fracture in neoplastic disease, left tibia, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
M84.562K	Pathological fracture in neoplastic disease, left tibia, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
M84.562D	Pathological fracture in neoplastic disease, left tibia, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
M84.532A	Pathological fracture in neoplastic disease, left ulna, initial encounter for fracture	ICD-10-CM	Diagnosis
M84.532G	Pathological fracture in neoplastic disease, left ulna, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
M84.532P	Pathological fracture in neoplastic disease, left ulna, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
M84.532K	Pathological fracture in neoplastic disease, left ulna, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
M84.532D	Pathological fracture in neoplastic disease, left ulna, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
M84.58XG	Pathological fracture in neoplastic disease, other specified site, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
M84.58XP	Pathological fracture in neoplastic disease, other specified site, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
M84.58XK	Pathological fracture in neoplastic disease, other specified site, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
M84.58XD	Pathological fracture in neoplastic disease, other specified site, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
M84.58XA	Pathological fracture in neoplastic disease, other specified site, initial encounter for fracture	ICD-10-CM	Diagnosis
M84.550G	Pathological fracture in neoplastic disease, pelvis, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
M84.550P	Pathological fracture in neoplastic disease, pelvis, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
M84.550K	Pathological fracture in neoplastic disease, pelvis, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
M84.550D	Pathological fracture in neoplastic disease, pelvis, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
M84.571A	Pathological fracture in neoplastic disease, right ankle, initial encounter for fracture	ICD-10-CM	Diagnosis
M84.571G	Pathological fracture in neoplastic disease, right ankle, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
M84.571P	Pathological fracture in neoplastic disease, right ankle, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
M84.571K	Pathological fracture in neoplastic disease, right ankle, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
M84.571D	Pathological fracture in neoplastic disease, right ankle, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
M84.551G	Pathological fracture in neoplastic disease, right femur, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
M84.551P	Pathological fracture in neoplastic disease, right femur, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
M84.551K	Pathological fracture in neoplastic disease, right femur, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
M84.551D	Pathological fracture in neoplastic disease, right femur, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
M84.563G	Pathological fracture in neoplastic disease, right fibula, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
M84.563P	Pathological fracture in neoplastic disease, right fibula, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
M84.563K	Pathological fracture in neoplastic disease, right fibula, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
M84.563D	Pathological fracture in neoplastic disease, right fibula, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
M84.574G	Pathological fracture in neoplastic disease, right foot, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
M84.574P	Pathological fracture in neoplastic disease, right foot, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
M84.574K	Pathological fracture in neoplastic disease, right foot, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
M84.574D	Pathological fracture in neoplastic disease, right foot, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
M84.541A	Pathological fracture in neoplastic disease, right hand, initial encounter for fracture	ICD-10-CM	Diagnosis
M84.541G	Pathological fracture in neoplastic disease, right hand, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
M84.541P	Pathological fracture in neoplastic disease, right hand, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
M84.541K	Pathological fracture in neoplastic disease, right hand, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
M84.541D	Pathological fracture in neoplastic disease, right hand, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
M84.521A	Pathological fracture in neoplastic disease, right humerus, initial encounter for fracture	ICD-10-CM	Diagnosis
M84.521G	Pathological fracture in neoplastic disease, right humerus, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
M84.521P	Pathological fracture in neoplastic disease, right humerus, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
M84.521K	Pathological fracture in neoplastic disease, right humerus, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
M84.521D	Pathological fracture in neoplastic disease, right humerus, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
M84.533A	Pathological fracture in neoplastic disease, right radius, initial encounter for fracture	ICD-10-CM	Diagnosis
M84.533G	Pathological fracture in neoplastic disease, right radius, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
M84.533P	Pathological fracture in neoplastic disease, right radius, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
M84.533K	Pathological fracture in neoplastic disease, right radius, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
M84.533D	Pathological fracture in neoplastic disease, right radius, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
M84.511G	Pathological fracture in neoplastic disease, right shoulder, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
M84.511P	Pathological fracture in neoplastic disease, right shoulder, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
M84.511K	Pathological fracture in neoplastic disease, right shoulder, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
M84.511D	Pathological fracture in neoplastic disease, right shoulder, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
M84.511A	Pathological fracture in neoplastic disease, right shoulder, initial encounter for fracture	ICD-10-CM	Diagnosis
M84.561A	Pathological fracture in neoplastic disease, right tibia, initial encounter for fracture	ICD-10-CM	Diagnosis
M84.561G	Pathological fracture in neoplastic disease, right tibia, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
M84.561P	Pathological fracture in neoplastic disease, right tibia, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
M84.561K	Pathological fracture in neoplastic disease, right tibia, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
M84.561D	Pathological fracture in neoplastic disease, right tibia, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
M84.531A	Pathological fracture in neoplastic disease, right ulna, initial encounter for fracture	ICD-10-CM	Diagnosis
M84.531G	Pathological fracture in neoplastic disease, right ulna, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
M84.531P	Pathological fracture in neoplastic disease, right ulna, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
M84.531K	Pathological fracture in neoplastic disease, right ulna, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
M84.531D	Pathological fracture in neoplastic disease, right ulna, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
M84.573A	Pathological fracture in neoplastic disease, unspecified ankle, initial encounter for fracture	ICD-10-CM	Diagnosis
M84.573G	Pathological fracture in neoplastic disease, unspecified ankle, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
M84.573P	Pathological fracture in neoplastic disease, unspecified ankle, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
M84.573K	Pathological fracture in neoplastic disease, unspecified ankle, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
M84.573D	Pathological fracture in neoplastic disease, unspecified ankle, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
M84.553A	Pathological fracture in neoplastic disease, unspecified femur, initial encounter for fracture	ICD-10-CM	Diagnosis
M84.553G	Pathological fracture in neoplastic disease, unspecified femur, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis



**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
M84.553P	Pathological fracture in neoplastic disease, unspecified femur, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
M84.553K	Pathological fracture in neoplastic disease, unspecified femur, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
M84.553D	Pathological fracture in neoplastic disease, unspecified femur, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
M84.576G	Pathological fracture in neoplastic disease, unspecified foot, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
M84.576P	Pathological fracture in neoplastic disease, unspecified foot, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
M84.576K	Pathological fracture in neoplastic disease, unspecified foot, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
M84.576D	Pathological fracture in neoplastic disease, unspecified foot, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
M84.549A	Pathological fracture in neoplastic disease, unspecified hand, initial encounter for fracture	ICD-10-CM	Diagnosis
M84.549G	Pathological fracture in neoplastic disease, unspecified hand, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
M84.549P	Pathological fracture in neoplastic disease, unspecified hand, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
M84.549K	Pathological fracture in neoplastic disease, unspecified hand, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
M84.549D	Pathological fracture in neoplastic disease, unspecified hand, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
M84.529A	Pathological fracture in neoplastic disease, unspecified humerus, initial encounter for fracture	ICD-10-CM	Diagnosis
M84.529G	Pathological fracture in neoplastic disease, unspecified humerus, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
M84.529P	Pathological fracture in neoplastic disease, unspecified humerus, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
M84.529K	Pathological fracture in neoplastic disease, unspecified humerus, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
M84.529D	Pathological fracture in neoplastic disease, unspecified humerus, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
M84.519G	Pathological fracture in neoplastic disease, unspecified shoulder, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
M84.519P	Pathological fracture in neoplastic disease, unspecified shoulder, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
M84.519K	Pathological fracture in neoplastic disease, unspecified shoulder, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
M84.519D	Pathological fracture in neoplastic disease, unspecified shoulder, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
M84.519A	Pathological fracture in neoplastic disease, unspecified shoulder, initial encounter for fracture	ICD-10-CM	Diagnosis
M84.50XA	Pathological fracture in neoplastic disease, unspecified site, initial encounter for fracture	ICD-10-CM	Diagnosis
M84.50XG	Pathological fracture in neoplastic disease, unspecified site, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
M84.50XP	Pathological fracture in neoplastic disease, unspecified site, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
M84.50XK	Pathological fracture in neoplastic disease, unspecified site, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
M84.50XD	Pathological fracture in neoplastic disease, unspecified site, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
M84.569A	Pathological fracture in neoplastic disease, unspecified tibia and fibula, initial encounter for fracture	ICD-10-CM	Diagnosis
M84.569G	Pathological fracture in neoplastic disease, unspecified tibia and fibula, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
M84.569P	Pathological fracture in neoplastic disease, unspecified tibia and fibula, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
M84.569K	Pathological fracture in neoplastic disease, unspecified tibia and fibula, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
M84.569D	Pathological fracture in neoplastic disease, unspecified tibia and fibula, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
M84.569S	Pathological fracture in neoplastic disease, unspecified tibia and fibula, sequela	ICD-10-CM	Diagnosis
M84.539A	Pathological fracture in neoplastic disease, unspecified ulna and radius, initial encounter for fracture	ICD-10-CM	Diagnosis
M84.539G	Pathological fracture in neoplastic disease, unspecified ulna and radius, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
M84.539P	Pathological fracture in neoplastic disease, unspecified ulna and radius, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
M84.539K	Pathological fracture in neoplastic disease, unspecified ulna and radius, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
M84.539D	Pathological fracture in neoplastic disease, unspecified ulna and radius, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
M84.652P	Pathological fracture in other disease, left femur, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
M84.652K	Pathological fracture in other disease, left femur, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
M84.632P	Pathological fracture in other disease, left ulna, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
M84.632K	Pathological fracture in other disease, left ulna, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
M84.663P	Pathological fracture in other disease, right fibula, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
M84.631P	Pathological fracture in other disease, right ulna, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
M84.631K	Pathological fracture in other disease, right ulna, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
M84.652G	Pathological fracture in other disease, left femur, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
M84.652D	Pathological fracture in other disease, left femur, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
M84.664G	Pathological fracture in other disease, left fibula, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
M84.664P	Pathological fracture in other disease, left fibula, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
M84.664K	Pathological fracture in other disease, left fibula, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
M84.664D	Pathological fracture in other disease, left fibula, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
M84.622D	Pathological fracture in other disease, left humerus, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
M84.622G	Pathological fracture in other disease, left humerus, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
M84.622P	Pathological fracture in other disease, left humerus, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
M84.622K	Pathological fracture in other disease, left humerus, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
M84.634G	Pathological fracture in other disease, left radius, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
M84.634P	Pathological fracture in other disease, left radius, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
M84.634K	Pathological fracture in other disease, left radius, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
M84.634D	Pathological fracture in other disease, left radius, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
M84.612G	Pathological fracture in other disease, left shoulder, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
M84.612P	Pathological fracture in other disease, left shoulder, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
M84.612K	Pathological fracture in other disease, left shoulder, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
M84.612D	Pathological fracture in other disease, left shoulder, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
M84.632G	Pathological fracture in other disease, left ulna, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
M84.632D	Pathological fracture in other disease, left ulna, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
M84.651G	Pathological fracture in other disease, right femur, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
M84.651D	Pathological fracture in other disease, right femur, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
M84.663G	Pathological fracture in other disease, right fibula, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
M84.663D	Pathological fracture in other disease, right fibula, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
M84.621G	Pathological fracture in other disease, right humerus, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
M84.621P	Pathological fracture in other disease, right humerus, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
M84.621K	Pathological fracture in other disease, right humerus, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
M84.621D	Pathological fracture in other disease, right humerus, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
M84.633G	Pathological fracture in other disease, right radius, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
M84.633P	Pathological fracture in other disease, right radius, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
M84.633K	Pathological fracture in other disease, right radius, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
M84.633D	Pathological fracture in other disease, right radius, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
M84.611G	Pathological fracture in other disease, right shoulder, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
M84.611P	Pathological fracture in other disease, right shoulder, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
M84.611K	Pathological fracture in other disease, right shoulder, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
M84.611D	Pathological fracture in other disease, right shoulder, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
M84.631G	Pathological fracture in other disease, right ulna, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
M84.631D	Pathological fracture in other disease, right ulna, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
M84.653G	Pathological fracture in other disease, unspecified femur, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
M84.653P	Pathological fracture in other disease, unspecified femur, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
M84.653K	Pathological fracture in other disease, unspecified femur, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
M84.653D	Pathological fracture in other disease, unspecified femur, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
M84.629G	Pathological fracture in other disease, unspecified humerus, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
M84.629P	Pathological fracture in other disease, unspecified humerus, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
M84.629K	Pathological fracture in other disease, unspecified humerus, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
M84.629D	Pathological fracture in other disease, unspecified humerus, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
M84.619A	Pathological fracture in other disease, unspecified shoulder, initial encounter for fracture	ICD-10-CM	Diagnosis
M84.619G	Pathological fracture in other disease, unspecified shoulder, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
M84.619P	Pathological fracture in other disease, unspecified shoulder, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
M84.619K	Pathological fracture in other disease, unspecified shoulder, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
M84.619D	Pathological fracture in other disease, unspecified shoulder, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
M84.669G	Pathological fracture in other disease, unspecified tibia and fibula, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
M84.669P	Pathological fracture in other disease, unspecified tibia and fibula, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
M84.669K	Pathological fracture in other disease, unspecified tibia and fibula, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
M84.669D	Pathological fracture in other disease, unspecified tibia and fibula, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
M84.639A	Pathological fracture in other disease, unspecified ulna and radius, initial encounter for fracture	ICD-10-CM	Diagnosis
M84.639G	Pathological fracture in other disease, unspecified ulna and radius, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
M84.639P	Pathological fracture in other disease, unspecified ulna and radius, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
M84.639K	Pathological fracture in other disease, unspecified ulna and radius, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
M84.639D	Pathological fracture in other disease, unspecified ulna and radius, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
M84.550S	Pathological fracture in neoplastic disease, pelvis, sequela	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
M84.563A	Pathological fracture in neoplastic disease, right fibula, initial encounter for fracture	ICD-10-CM	Diagnosis
M84.663K	Pathological fracture in other disease, right fibula, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
M84.459S	Pathological fracture, hip, unspecified, sequela	ICD-10-CM	Diagnosis
M84.472S	Pathological fracture, left ankle, sequela	ICD-10-CM	Diagnosis
M84.452S	Pathological fracture, left femur, sequela	ICD-10-CM	Diagnosis
M84.464S	Pathological fracture, left fibula, sequela	ICD-10-CM	Diagnosis
M84.445S	Pathological fracture, left finger(s), sequela	ICD-10-CM	Diagnosis
M84.475S	Pathological fracture, left foot, sequela	ICD-10-CM	Diagnosis
M84.442S	Pathological fracture, left hand, sequela	ICD-10-CM	Diagnosis
M84.422S	Pathological fracture, left humerus, sequela	ICD-10-CM	Diagnosis
M84.434S	Pathological fracture, left radius, sequela	ICD-10-CM	Diagnosis
M84.412S	Pathological fracture, left shoulder, sequela	ICD-10-CM	Diagnosis
M84.462S	Pathological fracture, left tibia, sequela	ICD-10-CM	Diagnosis
M84.478S	Pathological fracture, left toe(s), sequela	ICD-10-CM	Diagnosis
M84.432S	Pathological fracture, left ulna, sequela	ICD-10-CM	Diagnosis
M84.475A	Pathological fracture, left foot, initial encounter for fracture	ICD-10-CM	Diagnosis
M84.650S	Pathological fracture in other disease, pelvis, sequela	ICD-10-CM	Diagnosis
M84.48XS	Pathological fracture, other site, sequela	ICD-10-CM	Diagnosis
M84.454S	Pathological fracture, pelvis, sequela	ICD-10-CM	Diagnosis
M84.471S	Pathological fracture, right ankle, sequela	ICD-10-CM	Diagnosis
M84.451S	Pathological fracture, right femur, sequela	ICD-10-CM	Diagnosis
M84.463S	Pathological fracture, right fibula, sequela	ICD-10-CM	Diagnosis
M84.444S	Pathological fracture, right finger(s), sequela	ICD-10-CM	Diagnosis
M84.474S	Pathological fracture, right foot, sequela	ICD-10-CM	Diagnosis
M84.441S	Pathological fracture, right hand, sequela	ICD-10-CM	Diagnosis
M84.421S	Pathological fracture, right humerus, sequela	ICD-10-CM	Diagnosis
M84.433S	Pathological fracture, right radius, sequela	ICD-10-CM	Diagnosis
M84.411S	Pathological fracture, right shoulder, sequela	ICD-10-CM	Diagnosis
M84.461S	Pathological fracture, right tibia, sequela	ICD-10-CM	Diagnosis
M84.477S	Pathological fracture, right toe(s), sequela	ICD-10-CM	Diagnosis
M84.431S	Pathological fracture, right ulna, sequela	ICD-10-CM	Diagnosis
M84.474A	Pathological fracture, right foot, initial encounter for fracture	ICD-10-CM	Diagnosis
M84.446S	Pathological fracture, unspecified finger(s), sequela	ICD-10-CM	Diagnosis
M84.429S	Pathological fracture, unspecified humerus, sequela	ICD-10-CM	Diagnosis
M84.419S	Pathological fracture, unspecified shoulder, sequela	ICD-10-CM	Diagnosis
M84.469S	Pathological fracture, unspecified tibia and fibula, sequela	ICD-10-CM	Diagnosis
M84.439S	Pathological fracture, unspecified ulna and radius, sequela	ICD-10-CM	Diagnosis
M84.473S	Pathological fracture, unspecified ankle, sequela	ICD-10-CM	Diagnosis
M84.453S	Pathological fracture, unspecified femur, sequela	ICD-10-CM	Diagnosis
M84.476S	Pathological fracture, unspecified foot, sequela	ICD-10-CM	Diagnosis
M84.443S	Pathological fracture, unspecified hand, sequela	ICD-10-CM	Diagnosis



**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
M84.40XS	Pathological fracture, unspecified site, sequela	ICD-10-CM	Diagnosis
M84.479S	Pathological fracture, unspecified toe(s), sequela	ICD-10-CM	Diagnosis
M84.459A	Pathological fracture, hip, unspecified, initial encounter for fracture	ICD-10-CM	Diagnosis
M84.459D	Pathological fracture, hip, unspecified, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
M84.459G	Pathological fracture, hip, unspecified, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
M84.459P	Pathological fracture, hip, unspecified, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
M84.459K	Pathological fracture, hip, unspecified, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
M84.472A	Pathological fracture, left ankle, initial encounter for fracture	ICD-10-CM	Diagnosis
M84.472G	Pathological fracture, left ankle, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
M84.472P	Pathological fracture, left ankle, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
M84.472K	Pathological fracture, left ankle, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
M84.472D	Pathological fracture, left ankle, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
M84.452A	Pathological fracture, left femur, initial encounter for fracture	ICD-10-CM	Diagnosis
M84.452G	Pathological fracture, left femur, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
M84.452P	Pathological fracture, left femur, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
M84.452K	Pathological fracture, left femur, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
M84.452D	Pathological fracture, left femur, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
M84.464A	Pathological fracture, left fibula, initial encounter for fracture	ICD-10-CM	Diagnosis
M84.464G	Pathological fracture, left fibula, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
M84.464P	Pathological fracture, left fibula, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
M84.464K	Pathological fracture, left fibula, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
M84.464D	Pathological fracture, left fibula, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
M84.445A	Pathological fracture, left finger(s), initial encounter for fracture	ICD-10-CM	Diagnosis
M84.445G	Pathological fracture, left finger(s), subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
M84.445P	Pathological fracture, left finger(s), subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
M84.445K	Pathological fracture, left finger(s), subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
M84.445D	Pathological fracture, left finger(s), subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
M84.475G	Pathological fracture, left foot, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
M84.475P	Pathological fracture, left foot, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
M84.475K	Pathological fracture, left foot, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
M84.475D	Pathological fracture, left foot, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
M84.442A	Pathological fracture, left hand, initial encounter for fracture	ICD-10-CM	Diagnosis
M84.442G	Pathological fracture, left hand, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
M84.442P	Pathological fracture, left hand, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
M84.442K	Pathological fracture, left hand, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
M84.442D	Pathological fracture, left hand, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
M84.422P	Pathological fracture, left humerus, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
M84.422K	Pathological fracture, left humerus, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
M84.422A	Pathological fracture, left humerus, initial encounter for fracture	ICD-10-CM	Diagnosis
M84.422G	Pathological fracture, left humerus, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
M84.422D	Pathological fracture, left humerus, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
M84.434A	Pathological fracture, left radius, initial encounter for fracture	ICD-10-CM	Diagnosis
M84.434G	Pathological fracture, left radius, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
M84.434P	Pathological fracture, left radius, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
M84.434K	Pathological fracture, left radius, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
M84.434D	Pathological fracture, left radius, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
M84.412A	Pathological fracture, left shoulder, initial encounter for fracture	ICD-10-CM	Diagnosis
M84.412G	Pathological fracture, left shoulder, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
M84.412P	Pathological fracture, left shoulder, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
M84.412K	Pathological fracture, left shoulder, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
M84.412D	Pathological fracture, left shoulder, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
M84.462A	Pathological fracture, left tibia, initial encounter for fracture	ICD-10-CM	Diagnosis
M84.462D	Pathological fracture, left tibia, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
M84.462G	Pathological fracture, left tibia, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
M84.462P	Pathological fracture, left tibia, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
M84.462K	Pathological fracture, left tibia, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
M84.478A	Pathological fracture, left toe(s), initial encounter for fracture	ICD-10-CM	Diagnosis
M84.478G	Pathological fracture, left toe(s), subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
M84.478P	Pathological fracture, left toe(s), subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
M84.478K	Pathological fracture, left toe(s), subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
M84.478D	Pathological fracture, left toe(s), subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
M84.432A	Pathological fracture, left ulna, initial encounter for fracture	ICD-10-CM	Diagnosis
M84.432G	Pathological fracture, left ulna, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
M84.432P	Pathological fracture, left ulna, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
M84.432K	Pathological fracture, left ulna, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
M84.432D	Pathological fracture, left ulna, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
M84.559S	Pathological fracture in neoplastic disease, hip, unspecified, sequela	ICD-10-CM	Diagnosis
M84.552S	Pathological fracture in neoplastic disease, left femur, sequela	ICD-10-CM	Diagnosis
M84.542S	Pathological fracture in neoplastic disease, left hand, sequela	ICD-10-CM	Diagnosis
M84.534S	Pathological fracture in neoplastic disease, left radius, sequela	ICD-10-CM	Diagnosis
M84.562S	Pathological fracture in neoplastic disease, left tibia, sequela	ICD-10-CM	Diagnosis
M84.58XS	Pathological fracture in neoplastic disease, other specified site, sequela	ICD-10-CM	Diagnosis
M84.551S	Pathological fracture in neoplastic disease, right femur, sequela	ICD-10-CM	Diagnosis
M84.541S	Pathological fracture in neoplastic disease, right hand, sequela	ICD-10-CM	Diagnosis
M84.521S	Pathological fracture in neoplastic disease, right humerus, sequela	ICD-10-CM	Diagnosis
M84.533S	Pathological fracture in neoplastic disease, right radius, sequela	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
M84.561S	Pathological fracture in neoplastic disease, right tibia, sequela	ICD-10-CM	Diagnosis
M84.531S	Pathological fracture in neoplastic disease, right ulna, sequela	ICD-10-CM	Diagnosis
M84.553S	Pathological fracture in neoplastic disease, unspecified femur, sequela	ICD-10-CM	Diagnosis
M84.549S	Pathological fracture in neoplastic disease, unspecified hand, sequela	ICD-10-CM	Diagnosis
M84.50XS	Pathological fracture in neoplastic disease, unspecified site, sequela	ICD-10-CM	Diagnosis
M84.552A	Pathological fracture in neoplastic disease, left femur, initial encounter for fracture	ICD-10-CM	Diagnosis
M84.564S	Pathological fracture in neoplastic disease, left fibula, sequela	ICD-10-CM	Diagnosis
M84.575A	Pathological fracture in neoplastic disease, left foot, initial encounter for fracture	ICD-10-CM	Diagnosis
M84.522S	Pathological fracture in neoplastic disease, left humerus, sequela	ICD-10-CM	Diagnosis
M84.512S	Pathological fracture in neoplastic disease, left shoulder, sequela	ICD-10-CM	Diagnosis
M84.550A	Pathological fracture in neoplastic disease, pelvis, initial encounter for fracture	ICD-10-CM	Diagnosis
M84.571S	Pathological fracture in neoplastic disease, right ankle, sequela	ICD-10-CM	Diagnosis
M84.551A	Pathological fracture in neoplastic disease, right femur, initial encounter for fracture	ICD-10-CM	Diagnosis
M84.563S	Pathological fracture in neoplastic disease, right fibula, sequela	ICD-10-CM	Diagnosis
M84.574A	Pathological fracture in neoplastic disease, right foot, initial encounter for fracture	ICD-10-CM	Diagnosis
M84.511S	Pathological fracture in neoplastic disease, right shoulder, sequela	ICD-10-CM	Diagnosis
M84.576A	Pathological fracture in neoplastic disease, unspecified foot, initial encounter for fracture	ICD-10-CM	Diagnosis
M84.529S	Pathological fracture in neoplastic disease, unspecified humerus, sequela	ICD-10-CM	Diagnosis
M84.519S	Pathological fracture in neoplastic disease, unspecified shoulder, sequela	ICD-10-CM	Diagnosis
M84.539S	Pathological fracture in neoplastic disease, unspecified ulna and radius, sequela	ICD-10-CM	Diagnosis
M84.659S	Pathological fracture in other disease, hip, unspecified, sequela	ICD-10-CM	Diagnosis
M84.672S	Pathological fracture in other disease, left ankle, sequela	ICD-10-CM	Diagnosis
M84.652S	Pathological fracture in other disease, left femur, sequela	ICD-10-CM	Diagnosis
M84.664S	Pathological fracture in other disease, left fibula, sequela	ICD-10-CM	Diagnosis
M84.675A	Pathological fracture in other disease, left foot, initial encounter for fracture	ICD-10-CM	Diagnosis
M84.675S	Pathological fracture in other disease, left foot, sequela	ICD-10-CM	Diagnosis
M84.642S	Pathological fracture in other disease, left hand, sequela	ICD-10-CM	Diagnosis
M84.622S	Pathological fracture in other disease, left humerus, sequela	ICD-10-CM	Diagnosis
M84.634S	Pathological fracture in other disease, left radius, sequela	ICD-10-CM	Diagnosis
M84.612S	Pathological fracture in other disease, left shoulder, sequela	ICD-10-CM	Diagnosis
M84.662S	Pathological fracture in other disease, left tibia, sequela	ICD-10-CM	Diagnosis
M84.632S	Pathological fracture in other disease, left ulna, sequela	ICD-10-CM	Diagnosis
M84.68XS	Pathological fracture in other disease, other site, sequela	ICD-10-CM	Diagnosis
M84.650A	Pathological fracture in other disease, pelvis, initial encounter for fracture	ICD-10-CM	Diagnosis
M84.671S	Pathological fracture in other disease, right ankle, sequela	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
M84.651S	Pathological fracture in other disease, right femur, sequela	ICD-10-CM	Diagnosis
M84.663S	Pathological fracture in other disease, right fibula, sequela	ICD-10-CM	Diagnosis
M84.674A	Pathological fracture in other disease, right foot, initial encounter for fracture	ICD-10-CM	Diagnosis
M84.674S	Pathological fracture in other disease, right foot, sequela	ICD-10-CM	Diagnosis
M84.641S	Pathological fracture in other disease, right hand, sequela	ICD-10-CM	Diagnosis
M84.621S	Pathological fracture in other disease, right humerus, sequela	ICD-10-CM	Diagnosis
M84.633S	Pathological fracture in other disease, right radius, sequela	ICD-10-CM	Diagnosis
M84.611S	Pathological fracture in other disease, right shoulder, sequela	ICD-10-CM	Diagnosis
M84.661S	Pathological fracture in other disease, right tibia, sequela	ICD-10-CM	Diagnosis
M84.631S	Pathological fracture in other disease, right ulna, sequela	ICD-10-CM	Diagnosis
M84.673S	Pathological fracture in other disease, unspecified ankle, sequela	ICD-10-CM	Diagnosis
M84.653S	Pathological fracture in other disease, unspecified femur, sequela	ICD-10-CM	Diagnosis
M84.676S	Pathological fracture in other disease, unspecified foot, sequela	ICD-10-CM	Diagnosis
M84.649S	Pathological fracture in other disease, unspecified hand, sequela	ICD-10-CM	Diagnosis
M84.629S	Pathological fracture in other disease, unspecified humerus, sequela	ICD-10-CM	Diagnosis
M84.619S	Pathological fracture in other disease, unspecified shoulder, sequela	ICD-10-CM	Diagnosis
M84.60XS	Pathological fracture in other disease, unspecified site, sequela	ICD-10-CM	Diagnosis
M84.673G	Pathological fracture in other disease, unspecified ankle, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
M84.659A	Pathological fracture in other disease, hip, unspecified, initial encounter for fracture	ICD-10-CM	Diagnosis
M84.659G	Pathological fracture in other disease, hip, unspecified, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
M84.659P	Pathological fracture in other disease, hip, unspecified, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
M84.659K	Pathological fracture in other disease, hip, unspecified, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
M84.659D	Pathological fracture in other disease, hip, unspecified, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
M84.672G	Pathological fracture in other disease, left ankle, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
M84.672A	Pathological fracture in other disease, left ankle, initial encounter for fracture	ICD-10-CM	Diagnosis
M84.672P	Pathological fracture in other disease, left ankle, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
M84.672K	Pathological fracture in other disease, left ankle, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
M84.672D	Pathological fracture in other disease, left ankle, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
M84.652A	Pathological fracture in other disease, left femur, initial encounter for fracture	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
M84.664A	Pathological fracture in other disease, left fibula, initial encounter for fracture	ICD-10-CM	Diagnosis
M84.675G	Pathological fracture in other disease, left foot, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
M84.675P	Pathological fracture in other disease, left foot, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
M84.675K	Pathological fracture in other disease, left foot, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
M84.675D	Pathological fracture in other disease, left foot, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
M84.642A	Pathological fracture in other disease, left hand, initial encounter for fracture	ICD-10-CM	Diagnosis
M84.642G	Pathological fracture in other disease, left hand, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
M84.642P	Pathological fracture in other disease, left hand, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
M84.642K	Pathological fracture in other disease, left hand, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
M84.642D	Pathological fracture in other disease, left hand, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
M84.622A	Pathological fracture in other disease, left humerus, initial encounter for fracture	ICD-10-CM	Diagnosis
M84.634A	Pathological fracture in other disease, left radius, initial encounter for fracture	ICD-10-CM	Diagnosis
M84.612A	Pathological fracture in other disease, left shoulder, initial encounter for fracture	ICD-10-CM	Diagnosis
M84.662G	Pathological fracture in other disease, left tibia, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
M84.662A	Pathological fracture in other disease, left tibia, initial encounter for fracture	ICD-10-CM	Diagnosis
M84.662P	Pathological fracture in other disease, left tibia, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
M84.662K	Pathological fracture in other disease, left tibia, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
M84.662D	Pathological fracture in other disease, left tibia, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
M84.632A	Pathological fracture in other disease, left ulna, initial encounter for fracture	ICD-10-CM	Diagnosis
M84.68XA	Pathological fracture in other disease, other site, initial encounter for fracture	ICD-10-CM	Diagnosis
M84.68XG	Pathological fracture in other disease, other site, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis



**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
M84.68XP	Pathological fracture in other disease, other site, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
M84.68XK	Pathological fracture in other disease, other site, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
M84.68XD	Pathological fracture in other disease, other site, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
M84.650G	Pathological fracture in other disease, pelvis, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
M84.650P	Pathological fracture in other disease, pelvis, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
M84.650K	Pathological fracture in other disease, pelvis, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
M84.650D	Pathological fracture in other disease, pelvis, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
M84.671G	Pathological fracture in other disease, right ankle, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
M84.671A	Pathological fracture in other disease, right ankle, initial encounter for fracture	ICD-10-CM	Diagnosis
M84.671P	Pathological fracture in other disease, right ankle, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
M84.671K	Pathological fracture in other disease, right ankle, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
M84.671D	Pathological fracture in other disease, right ankle, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
M84.651A	Pathological fracture in other disease, right femur, initial encounter for fracture	ICD-10-CM	Diagnosis
M84.651P	Pathological fracture in other disease, right femur, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
M84.651K	Pathological fracture in other disease, right femur, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
M84.663A	Pathological fracture in other disease, right fibula, initial encounter for fracture	ICD-10-CM	Diagnosis
M84.674G	Pathological fracture in other disease, right foot, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
M84.674P	Pathological fracture in other disease, right foot, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
M84.674K	Pathological fracture in other disease, right foot, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
M84.674D	Pathological fracture in other disease, right foot, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
M84.641A	Pathological fracture in other disease, right hand, initial encounter for fracture	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
M84.641G	Pathological fracture in other disease, right hand, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
M84.641P	Pathological fracture in other disease, right hand, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
M84.641K	Pathological fracture in other disease, right hand, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
M84.641D	Pathological fracture in other disease, right hand, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
M84.621A	Pathological fracture in other disease, right humerus, initial encounter for fracture	ICD-10-CM	Diagnosis
M84.633A	Pathological fracture in other disease, right radius, initial encounter for fracture	ICD-10-CM	Diagnosis
M84.611A	Pathological fracture in other disease, right shoulder, initial encounter for fracture	ICD-10-CM	Diagnosis
M84.661G	Pathological fracture in other disease, right tibia, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
M84.661A	Pathological fracture in other disease, right tibia, initial encounter for fracture	ICD-10-CM	Diagnosis
M84.661P	Pathological fracture in other disease, right tibia, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
M84.661K	Pathological fracture in other disease, right tibia, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
M84.661D	Pathological fracture in other disease, right tibia, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
M84.631A	Pathological fracture in other disease, right ulna, initial encounter for fracture	ICD-10-CM	Diagnosis
M84.673P	Pathological fracture in other disease, unspecified ankle, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
M84.673K	Pathological fracture in other disease, unspecified ankle, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
M84.673D	Pathological fracture in other disease, unspecified ankle, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
M84.673A	Pathological fracture in other disease, unspecified ankle, initial encounter for fracture	ICD-10-CM	Diagnosis
M84.653A	Pathological fracture in other disease, unspecified femur, initial encounter for fracture	ICD-10-CM	Diagnosis
M84.676A	Pathological fracture in other disease, unspecified foot, initial encounter for fracture	ICD-10-CM	Diagnosis
M84.676G	Pathological fracture in other disease, unspecified foot, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
M84.676P	Pathological fracture in other disease, unspecified foot, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
M84.676K	Pathological fracture in other disease, unspecified foot, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
M84.676D	Pathological fracture in other disease, unspecified foot, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
M84.649A	Pathological fracture in other disease, unspecified hand, initial encounter for fracture	ICD-10-CM	Diagnosis
M84.649G	Pathological fracture in other disease, unspecified hand, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
M84.649P	Pathological fracture in other disease, unspecified hand, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
M84.649K	Pathological fracture in other disease, unspecified hand, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
M84.649D	Pathological fracture in other disease, unspecified hand, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
M84.629A	Pathological fracture in other disease, unspecified humerus, initial encounter for fracture	ICD-10-CM	Diagnosis
M84.60XA	Pathological fracture in other disease, unspecified site, initial encounter for fracture	ICD-10-CM	Diagnosis
M84.60XG	Pathological fracture in other disease, unspecified site, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
M84.60XP	Pathological fracture in other disease, unspecified site, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
M84.60XK	Pathological fracture in other disease, unspecified site, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
M84.60XD	Pathological fracture in other disease, unspecified site, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
M84.669A	Pathological fracture in other disease, unspecified tibia and fibula, initial encounter for fracture	ICD-10-CM	Diagnosis
M84.669S	Pathological fracture in other disease, unspecified tibia and fibula, sequela	ICD-10-CM	Diagnosis
M84.639S	Pathological fracture in other disease, unspecified ulna and radius, sequela	ICD-10-CM	Diagnosis
M84.48XA	Pathological fracture, other site, initial encounter for fracture	ICD-10-CM	Diagnosis
M84.48XD	Pathological fracture, other site, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
M84.48XG	Pathological fracture, other site, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
M84.48XP	Pathological fracture, other site, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
M84.48XK	Pathological fracture, other site, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
M84.454A	Pathological fracture, pelvis, initial encounter for fracture	ICD-10-CM	Diagnosis
M84.454G	Pathological fracture, pelvis, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
M84.454P	Pathological fracture, pelvis, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
M84.454K	Pathological fracture, pelvis, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
M84.454D	Pathological fracture, pelvis, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
M84.471A	Pathological fracture, right ankle, initial encounter for fracture	ICD-10-CM	Diagnosis
M84.471G	Pathological fracture, right ankle, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
M84.471P	Pathological fracture, right ankle, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
M84.471K	Pathological fracture, right ankle, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
M84.471D	Pathological fracture, right ankle, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
M84.451A	Pathological fracture, right femur, initial encounter for fracture	ICD-10-CM	Diagnosis
M84.451G	Pathological fracture, right femur, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
M84.451P	Pathological fracture, right femur, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
M84.451K	Pathological fracture, right femur, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
M84.451D	Pathological fracture, right femur, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
M84.463A	Pathological fracture, right fibula, initial encounter for fracture	ICD-10-CM	Diagnosis
M84.463G	Pathological fracture, right fibula, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
M84.463P	Pathological fracture, right fibula, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
M84.463K	Pathological fracture, right fibula, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
M84.463D	Pathological fracture, right fibula, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
M84.444A	Pathological fracture, right finger(s), initial encounter for fracture	ICD-10-CM	Diagnosis
M84.444G	Pathological fracture, right finger(s), subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
M84.444P	Pathological fracture, right finger(s), subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
M84.444K	Pathological fracture, right finger(s), subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
M84.444D	Pathological fracture, right finger(s), subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
M84.474G	Pathological fracture, right foot, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
M84.474P	Pathological fracture, right foot, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
M84.474K	Pathological fracture, right foot, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
M84.474D	Pathological fracture, right foot, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
M84.441A	Pathological fracture, right hand, initial encounter for fracture	ICD-10-CM	Diagnosis
M84.441G	Pathological fracture, right hand, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
M84.441P	Pathological fracture, right hand, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
M84.441K	Pathological fracture, right hand, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
M84.441D	Pathological fracture, right hand, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
M84.421A	Pathological fracture, right humerus, initial encounter for fracture	ICD-10-CM	Diagnosis
M84.421G	Pathological fracture, right humerus, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
M84.421P	Pathological fracture, right humerus, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
M84.421K	Pathological fracture, right humerus, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
M84.421D	Pathological fracture, right humerus, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
M84.433A	Pathological fracture, right radius, initial encounter for fracture	ICD-10-CM	Diagnosis
M84.433G	Pathological fracture, right radius, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
M84.433P	Pathological fracture, right radius, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
M84.433K	Pathological fracture, right radius, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
M84.433D	Pathological fracture, right radius, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
M84.411G	Pathological fracture, right shoulder, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
M84.411P	Pathological fracture, right shoulder, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
M84.411K	Pathological fracture, right shoulder, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
M84.411D	Pathological fracture, right shoulder, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
M84.411A	Pathological fracture, right shoulder, initial encounter for fracture	ICD-10-CM	Diagnosis
M84.461A	Pathological fracture, right tibia, initial encounter for fracture	ICD-10-CM	Diagnosis
M84.461D	Pathological fracture, right tibia, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
M84.461G	Pathological fracture, right tibia, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
M84.461P	Pathological fracture, right tibia, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
M84.461K	Pathological fracture, right tibia, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
M84.477A	Pathological fracture, right toe(s), initial encounter for fracture	ICD-10-CM	Diagnosis
M84.477G	Pathological fracture, right toe(s), subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
M84.477P	Pathological fracture, right toe(s), subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
M84.477K	Pathological fracture, right toe(s), subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
M84.477D	Pathological fracture, right toe(s), subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
M84.431A	Pathological fracture, right ulna, initial encounter for fracture	ICD-10-CM	Diagnosis
M84.431G	Pathological fracture, right ulna, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
M84.431P	Pathological fracture, right ulna, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
M84.431K	Pathological fracture, right ulna, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
M84.431D	Pathological fracture, right ulna, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
M84.473A	Pathological fracture, unspecified ankle, initial encounter for fracture	ICD-10-CM	Diagnosis
M84.473G	Pathological fracture, unspecified ankle, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
M84.473P	Pathological fracture, unspecified ankle, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
M84.473K	Pathological fracture, unspecified ankle, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
M84.473D	Pathological fracture, unspecified ankle, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
M84.453A	Pathological fracture, unspecified femur, initial encounter for fracture	ICD-10-CM	Diagnosis
M84.453G	Pathological fracture, unspecified femur, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
M84.453P	Pathological fracture, unspecified femur, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis



**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
M84.453K	Pathological fracture, unspecified femur, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
M84.453D	Pathological fracture, unspecified femur, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
M84.446A	Pathological fracture, unspecified finger(s), initial encounter for fracture	ICD-10-CM	Diagnosis
M84.446G	Pathological fracture, unspecified finger(s), subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
M84.446P	Pathological fracture, unspecified finger(s), subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
M84.446K	Pathological fracture, unspecified finger(s), subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
M84.446D	Pathological fracture, unspecified finger(s), subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
M84.476A	Pathological fracture, unspecified foot, initial encounter for fracture	ICD-10-CM	Diagnosis
M84.476G	Pathological fracture, unspecified foot, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
M84.476P	Pathological fracture, unspecified foot, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
M84.476K	Pathological fracture, unspecified foot, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
M84.476D	Pathological fracture, unspecified foot, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
M84.443A	Pathological fracture, unspecified hand, initial encounter for fracture	ICD-10-CM	Diagnosis
M84.443G	Pathological fracture, unspecified hand, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
M84.443P	Pathological fracture, unspecified hand, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
M84.443K	Pathological fracture, unspecified hand, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
M84.443D	Pathological fracture, unspecified hand, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
M84.429A	Pathological fracture, unspecified humerus, initial encounter for fracture	ICD-10-CM	Diagnosis
M84.429G	Pathological fracture, unspecified humerus, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
M84.429P	Pathological fracture, unspecified humerus, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
M84.429K	Pathological fracture, unspecified humerus, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
M84.429D	Pathological fracture, unspecified humerus, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
M84.419A	Pathological fracture, unspecified shoulder, initial encounter for fracture	ICD-10-CM	Diagnosis
M84.419G	Pathological fracture, unspecified shoulder, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
M84.419P	Pathological fracture, unspecified shoulder, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
M84.419K	Pathological fracture, unspecified shoulder, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
M84.419D	Pathological fracture, unspecified shoulder, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
M84.40XA	Pathological fracture, unspecified site, initial encounter for fracture	ICD-10-CM	Diagnosis
M84.40XG	Pathological fracture, unspecified site, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
M84.40XP	Pathological fracture, unspecified site, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
M84.40XK	Pathological fracture, unspecified site, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
M84.40XD	Pathological fracture, unspecified site, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
M84.469P	Pathological fracture, unspecified tibia and fibula, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
M84.469K	Pathological fracture, unspecified tibia and fibula, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
M84.469A	Pathological fracture, unspecified tibia and fibula, initial encounter for fracture	ICD-10-CM	Diagnosis
M84.469G	Pathological fracture, unspecified tibia and fibula, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
M84.469D	Pathological fracture, unspecified tibia and fibula, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
M84.479A	Pathological fracture, unspecified toe(s), initial encounter for fracture	ICD-10-CM	Diagnosis
M84.479G	Pathological fracture, unspecified toe(s), subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
M84.479P	Pathological fracture, unspecified toe(s), subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
M84.479K	Pathological fracture, unspecified toe(s), subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
M84.479D	Pathological fracture, unspecified toe(s), subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
M84.439A	Pathological fracture, unspecified ulna and radius, initial encounter for fracture	ICD-10-CM	Diagnosis
M84.439G	Pathological fracture, unspecified ulna and radius, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
M84.439P	Pathological fracture, unspecified ulna and radius, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
M84.439K	Pathological fracture, unspecified ulna and radius, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
M84.439D	Pathological fracture, unspecified ulna and radius, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
K03.3	Pathological resorption of teeth	ICD-10-CM	Diagnosis
M27.51	Perforation of root canal space due to endodontic treatment	ICD-10-CM	Diagnosis
K04.6	Periapical abscess with sinus	ICD-10-CM	Diagnosis
K04.7	Periapical abscess without sinus	ICD-10-CM	Diagnosis
K05.6	Periodontal disease, unspecified	ICD-10-CM	Diagnosis
K05.4	Periodontosis	ICD-10-CM	Diagnosis
C84.49	Peripheral T-cell lymphoma, not classified, extranodal and solid organ sites	ICD-10-CM	Diagnosis
C84.43	Peripheral T-cell lymphoma, not classified, intra-abdominal lymph nodes	ICD-10-CM	Diagnosis
C84.46	Peripheral T-cell lymphoma, not classified, intrapelvic lymph nodes	ICD-10-CM	Diagnosis
C84.42	Peripheral T-cell lymphoma, not classified, intrathoracic lymph nodes	ICD-10-CM	Diagnosis
C84.44	Peripheral T-cell lymphoma, not classified, lymph nodes of axilla and upper limb	ICD-10-CM	Diagnosis
C84.41	Peripheral T-cell lymphoma, not classified, lymph nodes of head, face, and neck	ICD-10-CM	Diagnosis
C84.45	Peripheral T-cell lymphoma, not classified, lymph nodes of inguinal region and lower limb	ICD-10-CM	Diagnosis
C84.48	Peripheral T-cell lymphoma, not classified, lymph nodes of multiple sites	ICD-10-CM	Diagnosis
C84.47	Peripheral T-cell lymphoma, not classified, spleen	ICD-10-CM	Diagnosis
C84.40	Peripheral T-cell lymphoma, not classified, unspecified site	ICD-10-CM	Diagnosis
Z85.520	Personal history of malignant carcinoid tumor of kidney	ICD-10-CM	Diagnosis
Z85.230	Personal history of malignant carcinoid tumor of thymus	ICD-10-CM	Diagnosis
Z85.040	Personal history of malignant carcinoid tumor of rectum	ICD-10-CM	Diagnosis
Z85.020	Personal history of malignant carcinoid tumor of stomach	ICD-10-CM	Diagnosis
Z85.42	Personal history of malignant neoplasm of other parts of uterus	ICD-10-CM	Diagnosis
Z85.41	Personal history of malignant neoplasm of cervix uteri	ICD-10-CM	Diagnosis
Z85.48	Personal history of malignant neoplasm of epididymis	ICD-10-CM	Diagnosis
Z85.51	Personal history of malignant neoplasm of bladder	ICD-10-CM	Diagnosis
Z85.01	Personal history of malignant neoplasm of esophagus	ICD-10-CM	Diagnosis
Z85.07	Personal history of malignant neoplasm of pancreas	ICD-10-CM	Diagnosis
Z85.46	Personal history of malignant neoplasm of prostate	ICD-10-CM	Diagnosis
Z85.850	Personal history of malignant neoplasm of thyroid	ICD-10-CM	Diagnosis
Z85.12	Personal history of malignant neoplasm of trachea	ICD-10-CM	Diagnosis
Z85.53	Personal history of malignant neoplasm of renal pelvis	ICD-10-CM	Diagnosis
Z85.831	Personal history of malignant neoplasm of soft tissue	ICD-10-CM	Diagnosis
Z85.9	Personal history of malignant neoplasm, unspecified	ICD-10-CM	Diagnosis
Z86.03	Personal history of neoplasm of uncertain behavior	ICD-10-CM	Diagnosis
Z86.012	Personal history of benign carcinoid tumor	ICD-10-CM	Diagnosis
Z87.310	Personal history of (healed) osteoporosis fracture	ICD-10-CM	Diagnosis
Z85.71	Personal history of Hodgkin lymphoma	ICD-10-CM	Diagnosis
Z86.000	Personal history of in-situ neoplasm of breast	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
Z86.008	Personal history of in-situ neoplasm of other site	ICD-10-CM	Diagnosis
Z86.001	Personal history of in-situ neoplasm of cervix uteri	ICD-10-CM	Diagnosis
Z85.6	Personal history of leukemia	ICD-10-CM	Diagnosis
Z85.820	Personal history of malignant melanoma of skin	ICD-10-CM	Diagnosis
Z85.830	Personal history of malignant neoplasm of bone	ICD-10-CM	Diagnosis
Z85.841	Personal history of malignant neoplasm of brain	ICD-10-CM	Diagnosis
Z85.840	Personal history of malignant neoplasm of eye	ICD-10-CM	Diagnosis
Z85.21	Personal history of malignant neoplasm of larynx	ICD-10-CM	Diagnosis
Z85.05	Personal history of malignant neoplasm of liver	ICD-10-CM	Diagnosis
Z85.43	Personal history of malignant neoplasm of ovary	ICD-10-CM	Diagnosis
Z85.47	Personal history of malignant neoplasm of testis	ICD-10-CM	Diagnosis
Z85.810	Personal history of malignant neoplasm of tongue	ICD-10-CM	Diagnosis
Z85.54	Personal history of malignant neoplasm of ureter	ICD-10-CM	Diagnosis
Z85.821	Personal history of Merkel cell carcinoma	ICD-10-CM	Diagnosis
Z85.72	Personal history of non-Hodgkin lymphomas	ICD-10-CM	Diagnosis
Z86.018	Personal history of other benign neoplasm	ICD-10-CM	Diagnosis
Z85.028	Personal history of other malignant neoplasm of stomach	ICD-10-CM	Diagnosis
Z85.528	Personal history of other malignant neoplasm of kidney	ICD-10-CM	Diagnosis
Z85.238	Personal history of other malignant neoplasm of thymus	ICD-10-CM	Diagnosis
Z85.3	Personal history of malignant neoplasm of breast	ICD-10-CM	Diagnosis
Z87.311	Personal history of (healed) other pathological fracture	ICD-10-CM	Diagnosis
Z85.22	Personal history of malignant neoplasm of nasal cavities, middle ear, and accessory sinuses	ICD-10-CM	Diagnosis
Z85.29	Personal history of malignant neoplasm of other respiratory and intrathoracic organs	ICD-10-CM	Diagnosis
Z85.818	Personal history of malignant neoplasm of other sites of lip, oral cavity, and pharynx	ICD-10-CM	Diagnosis
Z85.819	Personal history of malignant neoplasm of unspecified site of lip, oral cavity, and pharynx	ICD-10-CM	Diagnosis
Z85.110	Personal history of malignant carcinoid tumor of bronchus and lung	ICD-10-CM	Diagnosis
Z85.030	Personal history of malignant carcinoid tumor of large intestine	ICD-10-CM	Diagnosis
Z85.060	Personal history of malignant carcinoid tumor of small intestine	ICD-10-CM	Diagnosis
Z85.09	Personal history of malignant neoplasm of other digestive organs	ICD-10-CM	Diagnosis
Z85.858	Personal history of malignant neoplasm of other endocrine glands	ICD-10-CM	Diagnosis
Z85.44	Personal history of malignant neoplasm of other female genital organs	ICD-10-CM	Diagnosis
Z85.49	Personal history of malignant neoplasm of other male genital organs	ICD-10-CM	Diagnosis
Z85.89	Personal history of malignant neoplasm of other organs and systems	ICD-10-CM	Diagnosis
Z85.848	Personal history of malignant neoplasm of other parts of nervous tissue	ICD-10-CM	Diagnosis
Z85.00	Personal history of malignant neoplasm of unspecified digestive organ	ICD-10-CM	Diagnosis
Z85.40	Personal history of malignant neoplasm of unspecified female genital organ	ICD-10-CM	Diagnosis
Z85.20	Personal history of malignant neoplasm of unspecified respiratory organ	ICD-10-CM	Diagnosis
Z85.59	Personal history of malignant neoplasm of other urinary tract organ	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
Z85.45	Personal history of malignant neoplasm of unspecified male genital organ	ICD-10-CM	Diagnosis
Z85.50	Personal history of malignant neoplasm of unspecified urinary tract organ	ICD-10-CM	Diagnosis
Z85.79	Personal history of other malignant neoplasms of lymphoid, hematopoietic and related tissues	ICD-10-CM	Diagnosis
Z85.048	Personal history of other malignant neoplasm of rectum, rectosigmoid junction, and anus	ICD-10-CM	Diagnosis
Z85.118	Personal history of other malignant neoplasm of bronchus and lung	ICD-10-CM	Diagnosis
Z85.038	Personal history of other malignant neoplasm of large intestine	ICD-10-CM	Diagnosis
Z85.068	Personal history of other malignant neoplasm of small intestine	ICD-10-CM	Diagnosis
C90.12	Plasma cell leukemia in relapse	ICD-10-CM	Diagnosis
C90.11	Plasma cell leukemia in remission	ICD-10-CM	Diagnosis
C90.10	Plasma cell leukemia not having achieved remission	ICD-10-CM	Diagnosis
K08.56	Poor aesthetic of existing restoration of tooth	ICD-10-CM	Diagnosis
M27.62	Post-osseointegration biological failure of dental implant	ICD-10-CM	Diagnosis
M27.63	Post-osseointegration mechanical failure of dental implant	ICD-10-CM	Diagnosis
M26.82	Posterior soft tissue impingement	ICD-10-CM	Diagnosis
K03.7	Posteruptive color changes of dental hard tissues	ICD-10-CM	Diagnosis
Z96.5	Presence of tooth-root and mandibular implants	ICD-10-CM	Diagnosis
C86.6	Primary cutaneous CD30-positive T-cell proliferations	ICD-10-CM	Diagnosis
K08.81	Primary occlusal trauma	ICD-10-CM	Diagnosis
C91.32	Prolymphocytic leukemia of B-cell type, in relapse	ICD-10-CM	Diagnosis
C91.31	Prolymphocytic leukemia of B-cell type, in remission	ICD-10-CM	Diagnosis
C91.30	Prolymphocytic leukemia of B-cell type not having achieved remission	ICD-10-CM	Diagnosis
C91.62	Prolymphocytic leukemia of T-cell type, in relapse	ICD-10-CM	Diagnosis
C91.61	Prolymphocytic leukemia of T-cell type, in remission	ICD-10-CM	Diagnosis
C91.60	Prolymphocytic leukemia of T-cell type not having achieved remission	ICD-10-CM	Diagnosis
K04.2	Pulp degeneration	ICD-10-CM	Diagnosis
K04.0	Pulpitis	ICD-10-CM	Diagnosis
K04.8	Radicular cyst	ICD-10-CM	Diagnosis
K08.3	Retained dental root	ICD-10-CM	Diagnosis
M26.24	Reverse articulation	ICD-10-CM	Diagnosis
K04.01	Reversible pulpitis	ICD-10-CM	Diagnosis
M26.601	Right temporomandibular joint disorder, unspecified	ICD-10-CM	Diagnosis
M26.35	Rotation of fully erupted tooth or teeth	ICD-10-CM	Diagnosis
C96.4	Sarcoma of dendritic cells (accessory cells)	ICD-10-CM	Diagnosis
C77.3	Secondary and unspecified malignant neoplasm of axilla and upper limb lymph nodes	ICD-10-CM	Diagnosis
C77.1	Secondary and unspecified malignant neoplasm of intrathoracic lymph nodes	ICD-10-CM	Diagnosis
C77.0	Secondary and unspecified malignant neoplasm of lymph nodes of head, face and neck	ICD-10-CM	Diagnosis
C77.4	Secondary and unspecified malignant neoplasm of inguinal and lower limb lymph nodes	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
C77.2	Secondary and unspecified malignant neoplasm of intra-abdominal lymph nodes	ICD-10-CM	Diagnosis
C77.5	Secondary and unspecified malignant neoplasm of intrapelvic lymph nodes	ICD-10-CM	Diagnosis
C77.8	Secondary and unspecified malignant neoplasm of lymph nodes of multiple regions	ICD-10-CM	Diagnosis
C78.6	Secondary malignant neoplasm of retroperitoneum and peritoneum	ICD-10-CM	Diagnosis
C77.9	Secondary and unspecified malignant neoplasm of lymph node, unspecified	ICD-10-CM	Diagnosis
C7B.01	Secondary carcinoid tumors of distant lymph nodes	ICD-10-CM	Diagnosis
C7B.03	Secondary carcinoid tumors of bone	ICD-10-CM	Diagnosis
C7B.02	Secondary carcinoid tumors of liver	ICD-10-CM	Diagnosis
C7B.09	Secondary carcinoid tumors of other sites	ICD-10-CM	Diagnosis
C7B.04	Secondary carcinoid tumors of peritoneum	ICD-10-CM	Diagnosis
C7B.00	Secondary carcinoid tumors, unspecified site	ICD-10-CM	Diagnosis
C78.5	Secondary malignant neoplasm of large intestine and rectum	ICD-10-CM	Diagnosis
C78.7	Secondary malignant neoplasm of liver and intrahepatic bile duct	ICD-10-CM	Diagnosis
C79.02	Secondary malignant neoplasm of left kidney and renal pelvis	ICD-10-CM	Diagnosis
C78.89	Secondary malignant neoplasm of other digestive organs	ICD-10-CM	Diagnosis
C79.01	Secondary malignant neoplasm of right kidney and renal pelvis	ICD-10-CM	Diagnosis
C78.80	Secondary malignant neoplasm of unspecified digestive organ	ICD-10-CM	Diagnosis
C79.00	Secondary malignant neoplasm of unspecified kidney and renal pelvis	ICD-10-CM	Diagnosis
C78.30	Secondary malignant neoplasm of unspecified respiratory organ	ICD-10-CM	Diagnosis
C79.32	Secondary malignant neoplasm of cerebral meninges	ICD-10-CM	Diagnosis
C79.72	Secondary malignant neoplasm of left adrenal gland	ICD-10-CM	Diagnosis
C79.11	Secondary malignant neoplasm of bladder	ICD-10-CM	Diagnosis
C79.51	Secondary malignant neoplasm of bone	ICD-10-CM	Diagnosis
C79.52	Secondary malignant neoplasm of bone marrow	ICD-10-CM	Diagnosis
C79.31	Secondary malignant neoplasm of brain	ICD-10-CM	Diagnosis
C79.81	Secondary malignant neoplasm of breast	ICD-10-CM	Diagnosis
C79.82	Secondary malignant neoplasm of genital organs	ICD-10-CM	Diagnosis
C78.02	Secondary malignant neoplasm of left lung	ICD-10-CM	Diagnosis
C79.62	Secondary malignant neoplasm of left ovary	ICD-10-CM	Diagnosis
C78.1	Secondary malignant neoplasm of mediastinum	ICD-10-CM	Diagnosis
C78.39	Secondary malignant neoplasm of other respiratory organs	ICD-10-CM	Diagnosis
C78.2	Secondary malignant neoplasm of pleura	ICD-10-CM	Diagnosis
C78.01	Secondary malignant neoplasm of right lung	ICD-10-CM	Diagnosis
C79.61	Secondary malignant neoplasm of right ovary	ICD-10-CM	Diagnosis
C79.2	Secondary malignant neoplasm of skin	ICD-10-CM	Diagnosis
C78.4	Secondary malignant neoplasm of small intestine	ICD-10-CM	Diagnosis
C78.00	Secondary malignant neoplasm of unspecified lung	ICD-10-CM	Diagnosis
C79.9	Secondary malignant neoplasm of unspecified site	ICD-10-CM	Diagnosis
C79.49	Secondary malignant neoplasm of other parts of nervous system	ICD-10-CM	Diagnosis



**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

Code	Description	Code Type	Code Category
C79.89	Secondary malignant neoplasm of other specified sites	ICD-10-CM	Diagnosis
C79.19	Secondary malignant neoplasm of other urinary organs	ICD-10-CM	Diagnosis
C79.71	Secondary malignant neoplasm of right adrenal gland	ICD-10-CM	Diagnosis
C79.70	Secondary malignant neoplasm of unspecified adrenal gland	ICD-10-CM	Diagnosis
C79.40	Secondary malignant neoplasm of unspecified part of nervous system	ICD-10-CM	Diagnosis
C79.10	Secondary malignant neoplasm of unspecified urinary organs	ICD-10-CM	Diagnosis
C79.60	Secondary malignant neoplasm of unspecified ovary	ICD-10-CM	Diagnosis
C7B.1	Secondary Merkel cell carcinoma	ICD-10-CM	Diagnosis
K08.82	Secondary occlusal trauma	ICD-10-CM	Diagnosis
K08.23	Severe atrophy of the mandible	ICD-10-CM	Diagnosis
K08.26	Severe atrophy of the maxilla	ICD-10-CM	Diagnosis
C84.19	Sezary disease, extranodal and solid organ sites	ICD-10-CM	Diagnosis
C84.13	Sezary disease, intra-abdominal lymph nodes	ICD-10-CM	Diagnosis
C84.16	Sezary disease, intrapelvic lymph nodes	ICD-10-CM	Diagnosis
C84.12	Sezary disease, intrathoracic lymph nodes	ICD-10-CM	Diagnosis
C84.14	Sezary disease, lymph nodes of axilla and upper limb	ICD-10-CM	Diagnosis
C84.15	Sezary disease, lymph nodes of inguinal region and lower limb	ICD-10-CM	Diagnosis
C84.11	Sezary disease, lymph nodes of head, face, and neck	ICD-10-CM	Diagnosis
C84.18	Sezary disease, lymph nodes of multiple sites	ICD-10-CM	Diagnosis
C84.17	Sezary disease, spleen	ICD-10-CM	Diagnosis
C84.10	Sezary disease, unspecified site	ICD-10-CM	Diagnosis
C83.09	Small cell B-cell lymphoma, extranodal and solid organ sites	ICD-10-CM	Diagnosis
C83.03	Small cell B-cell lymphoma, intra-abdominal lymph nodes	ICD-10-CM	Diagnosis
C83.06	Small cell B-cell lymphoma, intrapelvic lymph nodes	ICD-10-CM	Diagnosis
C83.02	Small cell B-cell lymphoma, intrathoracic lymph nodes	ICD-10-CM	Diagnosis
C83.04	Small cell B-cell lymphoma, lymph nodes of axilla and upper limb	ICD-10-CM	Diagnosis
C83.01	Small cell B-cell lymphoma, lymph nodes of head, face, and neck	ICD-10-CM	Diagnosis
C83.05	Small cell B-cell lymphoma, lymph nodes of inguinal region and lower limb	ICD-10-CM	Diagnosis
C83.08	Small cell B-cell lymphoma, lymph nodes of multiple sites	ICD-10-CM	Diagnosis
C83.07	Small cell B-cell lymphoma, spleen	ICD-10-CM	Diagnosis
C83.00	Small cell B-cell lymphoma, unspecified site	ICD-10-CM	Diagnosis
C90.32	Solitary plasmacytoma in relapse	ICD-10-CM	Diagnosis
C90.31	Solitary plasmacytoma in remission	ICD-10-CM	Diagnosis
C90.30	Solitary plasmacytoma not having achieved remission	ICD-10-CM	Diagnosis
C86.3	Subcutaneous panniculitis-like T-cell lymphoma	ICD-10-CM	Diagnosis
K00.1	Supernumerary teeth	ICD-10-CM	Diagnosis
K00.7	Teething syndrome	ICD-10-CM	Diagnosis
M26.60	Temporomandibular joint disorder, unspecified	ICD-10-CM	Diagnosis
C96.6	Unifocal Langerhans-cell histiocytosis	ICD-10-CM	Diagnosis
K08.52	Unrepairable overhanging of dental restorative materials	ICD-10-CM	Diagnosis
M26.30	Unspecified anomaly of tooth position of fully erupted tooth or teeth	ICD-10-CM	Diagnosis
M26.10	Unspecified anomaly of jaw-cranial base relationship	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
C85.19	Unspecified B-cell lymphoma, extranodal and solid organ sites	ICD-10-CM	Diagnosis
C85.13	Unspecified B-cell lymphoma, intra-abdominal lymph nodes	ICD-10-CM	Diagnosis
C85.16	Unspecified B-cell lymphoma, intrapelvic lymph nodes	ICD-10-CM	Diagnosis
C85.12	Unspecified B-cell lymphoma, intrathoracic lymph nodes	ICD-10-CM	Diagnosis
C85.11	Unspecified B-cell lymphoma, lymph nodes of head, face, and neck	ICD-10-CM	Diagnosis
C85.18	Unspecified B-cell lymphoma, lymph nodes of multiple sites	ICD-10-CM	Diagnosis
C85.14	Unspecified B-cell lymphoma, lymph nodes of axilla and upper limb	ICD-10-CM	Diagnosis
C85.15	Unspecified B-cell lymphoma, lymph nodes of inguinal region and lower limb	ICD-10-CM	Diagnosis
K08.50	Unsatisfactory restoration of tooth, unspecified	ICD-10-CM	Diagnosis
M26.70	Unspecified alveolar anomaly	ICD-10-CM	Diagnosis
M26.20	Unspecified anomaly of dental arch relationship	ICD-10-CM	Diagnosis
M26.00	Unspecified anomaly of jaw size	ICD-10-CM	Diagnosis
K08.20	Unspecified atrophy of edentulous alveolar ridge	ICD-10-CM	Diagnosis
C85.17	Unspecified B-cell lymphoma, spleen	ICD-10-CM	Diagnosis
C85.10	Unspecified B-cell lymphoma, unspecified site	ICD-10-CM	Diagnosis
M27.40	Unspecified cyst of jaw	ICD-10-CM	Diagnosis
K04.90	Unspecified diseases of pulp and periapical tissues	ICD-10-CM	Diagnosis
M26.609	Unspecified temporomandibular joint disorder, unspecified side	ICD-10-CM	Diagnosis
D05.92	Unspecified type of carcinoma in situ of left breast	ICD-10-CM	Diagnosis
D05.91	Unspecified type of carcinoma in situ of right breast	ICD-10-CM	Diagnosis
D05.90	Unspecified type of carcinoma in situ of unspecified breast	ICD-10-CM	Diagnosis
M26.34	Vertical displacement of fully erupted tooth or teeth	ICD-10-CM	Diagnosis
C88.0	Waldenstrom macroglobulinemia	ICD-10-CM	Diagnosis
<b>Headache, Including Migraine</b>			
339.00	Cluster headache syndrome, unspecified	ICD-9-CM	Diagnosis
339.01	Episodic cluster headache	ICD-9-CM	Diagnosis
339.02	Chronic cluster headache	ICD-9-CM	Diagnosis
339.03	Episodic paroxysmal hemicrania	ICD-9-CM	Diagnosis
339.04	Chronic paroxysmal hemicrania	ICD-9-CM	Diagnosis
339.05	Short lasting unilateral neuralgiform headache with conjunctival injection and tearing	ICD-9-CM	Diagnosis
339.09	Other trigeminal autonomic cephalgias	ICD-9-CM	Diagnosis
339.10	Tension type headache, unspecified	ICD-9-CM	Diagnosis
339.11	Episodic tension type headache	ICD-9-CM	Diagnosis
339.12	Chronic tension type headache	ICD-9-CM	Diagnosis
339.20	Post-traumatic headache, unspecified	ICD-9-CM	Diagnosis
339.21	Acute post-traumatic headache	ICD-9-CM	Diagnosis
339.22	Chronic post-traumatic headache	ICD-9-CM	Diagnosis
339.3	Drug induced headache, not elsewhere classified	ICD-9-CM	Diagnosis
339.41	Hemicrania continua	ICD-9-CM	Diagnosis
339.42	New daily persistent headache	ICD-9-CM	Diagnosis
339.43	Primary thunderclap headache	ICD-9-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
339.44	Other complicated headache syndrome	ICD-9-CM	Diagnosis
339.81	Hypnic headache	ICD-9-CM	Diagnosis
339.82	Headache associated with sexual activity	ICD-9-CM	Diagnosis
339.83	Primary cough headache	ICD-9-CM	Diagnosis
339.84	Primary exertional headache	ICD-9-CM	Diagnosis
339.85	Primary stabbing headache	ICD-9-CM	Diagnosis
339.89	Other specified headache syndromes	ICD-9-CM	Diagnosis
346.0	Migraine with aura	ICD-9-CM	Diagnosis
346.00	Migraine with aura, without mention of intractable migraine without mention of status migrainosus	ICD-9-CM	Diagnosis
346.01	Migraine with aura, with intractable migraine, so stated, without mention of status migrainosus	ICD-9-CM	Diagnosis
346.02	Migraine with aura, without mention of intractable migraine with status migrainosus	ICD-9-CM	Diagnosis
346.03	Migraine with aura, with intractable migraine, so stated, with status migrainosus	ICD-9-CM	Diagnosis
346.1	Migraine without aura	ICD-9-CM	Diagnosis
346.10	Migraine without aura, without mention of intractable migraine without mention of status migrainosus	ICD-9-CM	Diagnosis
346.11	Migraine without aura, with intractable migraine, so stated, without mention of status migrainosus	ICD-9-CM	Diagnosis
346.12	Migraine without aura, without mention of intractable migraine with status migrainosus	ICD-9-CM	Diagnosis
346.13	Migraine without aura, with intractable migraine, so stated, with status migrainosus	ICD-9-CM	Diagnosis
346.2	Variants of migraine, not elsewhere classified	ICD-9-CM	Diagnosis
346.20	Variants of migraine, not elsewhere classified, without mention of intractable migraine without mention of status migrainosus	ICD-9-CM	Diagnosis
346.21	Variants of migraine, not elsewhere classified, with intractable migraine, so stated, without mention of status migrainosus	ICD-9-CM	Diagnosis
346.22	Variants of migraine, not elsewhere classified, without mention of intractable migraine with status migrainosus	ICD-9-CM	Diagnosis
346.23	Variants of migraine, not elsewhere classified, with intractable migraine, so stated, with status migrainosus	ICD-9-CM	Diagnosis
346.30	Hemiplegic migraine, without mention of intractable migraine without mention of status migrainosus	ICD-9-CM	Diagnosis
346.31	Hemiplegic migraine, with intractable migraine, so stated, without mention of status migrainosus	ICD-9-CM	Diagnosis
346.32	Hemiplegic migraine, without mention of intractable migraine with status migrainosus	ICD-9-CM	Diagnosis
346.33	Hemiplegic migraine, with intractable migraine, so stated, with status migrainosus	ICD-9-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
346.40	Menstrual migraine, without mention of intractable migraine without mention of status migrainosus	ICD-9-CM	Diagnosis
346.41	Menstrual migraine, with intractable migraine, so stated, without mention of status migrainosus	ICD-9-CM	Diagnosis
346.42	Menstrual migraine, without mention of intractable migraine with status migrainosus	ICD-9-CM	Diagnosis
346.43	Menstrual migraine, with intractable migraine, so stated, with status migrainosus	ICD-9-CM	Diagnosis
346.50	Persistent migraine aura without cerebral infarction, without mention of intractable migraine without mention of status migrainosus	ICD-9-CM	Diagnosis
346.51	Persistent migraine aura without cerebral infarction, with intractable migraine, so stated, without mention of status migrainosus	ICD-9-CM	Diagnosis
346.52	Persistent migraine aura without cerebral infarction, without mention of intractable migraine with status migrainosus	ICD-9-CM	Diagnosis
346.53	Persistent migraine aura without cerebral infarction, with intractable migraine, so stated, with status migrainosus	ICD-9-CM	Diagnosis
346.70	Chronic migraine without aura, without mention of intractable migraine without mention of status migrainosus	ICD-9-CM	Diagnosis
346.71	Chronic migraine without aura, with intractable migraine, so stated, without mention of status migrainosus	ICD-9-CM	Diagnosis
346.72	Chronic migraine without aura, without mention of intractable migraine with status migrainosus	ICD-9-CM	Diagnosis
346.73	Chronic migraine without aura, with intractable migraine, so stated, with status migrainosus	ICD-9-CM	Diagnosis
346.8	Other forms of migraine	ICD-9-CM	Diagnosis
346.80	Other forms of migraine, without mention of intractable migraine without mention of status migrainosus	ICD-9-CM	Diagnosis
346.81	Other forms of migraine, with intractable migraine, so stated, without mention of status migrainosus	ICD-9-CM	Diagnosis
346.82	Other forms of migraine, without mention of intractable migraine with status migrainosus	ICD-9-CM	Diagnosis
346.83	Other forms of migraine, with intractable migraine, so stated, with status migrainosus	ICD-9-CM	Diagnosis
346.9	Migraine, unspecified	ICD-9-CM	Diagnosis
346.90	Migraine, unspecified without mention of intractable migraine without mention of status migrainosus	ICD-9-CM	Diagnosis
346.91	Migraine, unspecified, with intractable migraine, so stated, without mention of status migrainosus	ICD-9-CM	Diagnosis
346.92	Migraine, unspecified, without mention of intractable migraine with status migrainosus	ICD-9-CM	Diagnosis
346.93	Migraine, unspecified, with intractable migraine, so stated, with status migrainosus	ICD-9-CM	Diagnosis
784.0	Headache	ICD-9-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
G43.D1	Abdominal migraine, intractable	ICD-10-CM	Diagnosis
G43.D0	Abdominal migraine, not intractable	ICD-10-CM	Diagnosis
G44.311	Acute post-traumatic headache, intractable	ICD-10-CM	Diagnosis
G44.319	Acute post-traumatic headache, not intractable	ICD-10-CM	Diagnosis
G44.021	Chronic cluster headache, intractable	ICD-10-CM	Diagnosis
G44.029	Chronic cluster headache, not intractable	ICD-10-CM	Diagnosis
G43.719	Chronic migraine without aura, intractable, without status migrainosus	ICD-10-CM	Diagnosis
G43.711	Chronic migraine without aura, intractable, with status migrainosus	ICD-10-CM	Diagnosis
G43.709	Chronic migraine without aura, not intractable, without status migrainosus	ICD-10-CM	Diagnosis
G43.701	Chronic migraine without aura, not intractable, with status migrainosus	ICD-10-CM	Diagnosis
G44.041	Chronic paroxysmal hemicrania, intractable	ICD-10-CM	Diagnosis
G44.049	Chronic paroxysmal hemicrania, not intractable	ICD-10-CM	Diagnosis
G44.321	Chronic post-traumatic headache, intractable	ICD-10-CM	Diagnosis
G44.329	Chronic post-traumatic headache, not intractable	ICD-10-CM	Diagnosis
G44.221	Chronic tension-type headache, intractable	ICD-10-CM	Diagnosis
G44.229	Chronic tension-type headache, not intractable	ICD-10-CM	Diagnosis
G44.001	Cluster headache syndrome, unspecified, intractable	ICD-10-CM	Diagnosis
G44.009	Cluster headache syndrome, unspecified, not intractable	ICD-10-CM	Diagnosis
G43.A1	Cyclical vomiting, intractable	ICD-10-CM	Diagnosis
G43.A0	Cyclical vomiting, not intractable	ICD-10-CM	Diagnosis
G44.41	Drug-induced headache, not elsewhere classified, intractable	ICD-10-CM	Diagnosis
G44.40	Drug-induced headache, not elsewhere classified, not intractable	ICD-10-CM	Diagnosis
G44.011	Episodic cluster headache, intractable	ICD-10-CM	Diagnosis
G44.019	Episodic cluster headache, not intractable	ICD-10-CM	Diagnosis
G44.031	Episodic paroxysmal hemicrania, intractable	ICD-10-CM	Diagnosis
G44.039	Episodic paroxysmal hemicrania, not intractable	ICD-10-CM	Diagnosis
G44.211	Episodic tension-type headache, intractable	ICD-10-CM	Diagnosis
G44.219	Episodic tension-type headache, not intractable	ICD-10-CM	Diagnosis
R51	Headache	ICD-10-CM	Diagnosis
G44.82	Headache associated with sexual activity	ICD-10-CM	Diagnosis
G44.51	Hemicrania continua	ICD-10-CM	Diagnosis
G43.419	Hemiplegic migraine, intractable, without status migrainosus	ICD-10-CM	Diagnosis
G43.411	Hemiplegic migraine, intractable, with status migrainosus	ICD-10-CM	Diagnosis
G43.409	Hemiplegic migraine, not intractable, without status migrainosus	ICD-10-CM	Diagnosis
G43.401	Hemiplegic migraine, not intractable, with status migrainosus	ICD-10-CM	Diagnosis
G44.81	Hypnic headache	ICD-10-CM	Diagnosis
G43.831	Menstrual migraine, intractable, with status migrainosus	ICD-10-CM	Diagnosis
G43.839	Menstrual migraine, intractable, without status migrainosus	ICD-10-CM	Diagnosis
G43.821	Menstrual migraine, not intractable, with status migrainosus	ICD-10-CM	Diagnosis
G43.829	Menstrual migraine, not intractable, without status migrainosus	ICD-10-CM	Diagnosis
G43.919	Migraine, unspecified, intractable, without status migrainosus	ICD-10-CM	Diagnosis
G43.911	Migraine, unspecified, intractable, with status migrainosus	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
G43.909	Migraine, unspecified, not intractable, without status migrainosus	ICD-10-CM	Diagnosis
G43.901	Migraine, unspecified, not intractable, with status migrainosus	ICD-10-CM	Diagnosis
G43.119	Migraine with aura, intractable, without status migrainosus	ICD-10-CM	Diagnosis
G43.111	Migraine with aura, intractable, with status migrainosus	ICD-10-CM	Diagnosis
G43.109	Migraine with aura, not intractable, without status migrainosus	ICD-10-CM	Diagnosis
G43.101	Migraine with aura, not intractable, with status migrainosus	ICD-10-CM	Diagnosis
G43.019	Migraine without aura, intractable, without status migrainosus	ICD-10-CM	Diagnosis
G43.011	Migraine without aura, intractable, with status migrainosus	ICD-10-CM	Diagnosis
G43.009	Migraine without aura, not intractable, without status migrainosus	ICD-10-CM	Diagnosis
G43.001	Migraine without aura, not intractable, with status migrainosus	ICD-10-CM	Diagnosis
G44.52	New daily persistent headache (NDPH)	ICD-10-CM	Diagnosis
G43.B1	Ophthalmoplegic migraine, intractable	ICD-10-CM	Diagnosis
G43.B0	Ophthalmoplegic migraine, not intractable	ICD-10-CM	Diagnosis
G43.809	Other migraine, not intractable, without status migrainosus	ICD-10-CM	Diagnosis
G43.801	Other migraine, not intractable, with status migrainosus	ICD-10-CM	Diagnosis
G44.099	Other trigeminal autonomic cephalgias (TAC), not intractable	ICD-10-CM	Diagnosis
G44.091	Other trigeminal autonomic cephalgias (TAC), intractable	ICD-10-CM	Diagnosis
G44.59	Other complicated headache syndrome	ICD-10-CM	Diagnosis
G44.89	Other headache syndrome	ICD-10-CM	Diagnosis
G43.819	Other migraine, intractable, without status migrainosus	ICD-10-CM	Diagnosis
G43.811	Other migraine, intractable, with status migrainosus	ICD-10-CM	Diagnosis
G43.C1	Periodic headache syndromes in child or adult, intractable	ICD-10-CM	Diagnosis
G43.C0	Periodic headache syndromes in child or adult, not intractable	ICD-10-CM	Diagnosis
G43.509	Persistent migraine aura without cerebral infarction, not intractable, without status migrainosus	ICD-10-CM	Diagnosis
G43.501	Persistent migraine aura without cerebral infarction, not intractable, with status migrainosus	ICD-10-CM	Diagnosis
G43.519	Persistent migraine aura without cerebral infarction, intractable, without status migrainosus	ICD-10-CM	Diagnosis
G43.511	Persistent migraine aura without cerebral infarction, intractable, with status migrainosus	ICD-10-CM	Diagnosis
G44.309	Post-traumatic headache, unspecified, not intractable	ICD-10-CM	Diagnosis
G44.301	Post-traumatic headache, unspecified, intractable	ICD-10-CM	Diagnosis
G44.83	Primary cough headache	ICD-10-CM	Diagnosis
G44.84	Primary exertional headache	ICD-10-CM	Diagnosis
G44.85	Primary stabbing headache	ICD-10-CM	Diagnosis
G44.53	Primary thunderclap headache	ICD-10-CM	Diagnosis
G44.051	Short lasting unilateral neuralgiform headache with conjunctival injection and tearing (SUNCT), intractable	ICD-10-CM	Diagnosis
G44.059	Short lasting unilateral neuralgiform headache with conjunctival injection and tearing (SUNCT), not intractable	ICD-10-CM	Diagnosis
G44.209	Tension-type headache, unspecified, not intractable	ICD-10-CM	Diagnosis
G44.201	Tension-type headache, unspecified, intractable	ICD-10-CM	Diagnosis



**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
G44.1	Vascular headache, not elsewhere classified	ICD-10-CM	Diagnosis
<b>Other Nervous System Conditions</b>			
325	Phlebitis and thrombophlebitis of intracranial venous sinuses	ICD-9-CM	Diagnosis
327.02	Insomnia due to mental disorder	ICD-9-CM	Diagnosis
327.15	Hypersomnia due to mental disorder	ICD-9-CM	Diagnosis
327.30	Circadian rhythm sleep disorder, unspecified	ICD-9-CM	Diagnosis
327.31	Circadian rhythm sleep disorder, delayed sleep phase type	ICD-9-CM	Diagnosis
327.32	Circadian rhythm sleep disorder, advanced sleep phase type	ICD-9-CM	Diagnosis
327.33	Circadian rhythm sleep disorder, irregular sleep-wake type	ICD-9-CM	Diagnosis
327.34	Circadian rhythm sleep disorder, free-running type	ICD-9-CM	Diagnosis
327.35	Circadian rhythm sleep disorder, jet lag type	ICD-9-CM	Diagnosis
327.36	Circadian rhythm sleep disorder, shift work type	ICD-9-CM	Diagnosis
327.37	Circadian rhythm sleep disorder in conditions classified elsewhere	ICD-9-CM	Diagnosis
327.39	Other circadian rhythm sleep disorder	ICD-9-CM	Diagnosis
327.53	Sleep related bruxism	ICD-9-CM	Diagnosis
331.83	Mild cognitive impairment, so stated	ICD-9-CM	Diagnosis
332.1	Secondary Parkinsonism	ICD-9-CM	Diagnosis
337.20	Unspecified reflex sympathetic dystrophy	ICD-9-CM	Diagnosis
337.21	Reflex sympathetic dystrophy of the upper limb	ICD-9-CM	Diagnosis
337.22	Reflex sympathetic dystrophy of the lower limb	ICD-9-CM	Diagnosis
337.29	Reflex sympathetic dystrophy of other specified site	ICD-9-CM	Diagnosis
338.0	Central pain syndrome	ICD-9-CM	Diagnosis
338.11	Acute pain due to trauma	ICD-9-CM	Diagnosis
338.12	Acute post-thoracotomy pain	ICD-9-CM	Diagnosis
338.18	Other acute postoperative pain	ICD-9-CM	Diagnosis
338.19	Other acute pain	ICD-9-CM	Diagnosis
338.21	Chronic pain due to trauma	ICD-9-CM	Diagnosis
338.22	Chronic post-thoracotomy pain	ICD-9-CM	Diagnosis
338.28	Other chronic postoperative pain	ICD-9-CM	Diagnosis
338.29	Other chronic pain	ICD-9-CM	Diagnosis
338.3	Neoplasm related pain (acute) (chronic)	ICD-9-CM	Diagnosis
338.4	Chronic pain syndrome	ICD-9-CM	Diagnosis
341.0	Neuromyelitis optica	ICD-9-CM	Diagnosis
341.1	Schilder's disease	ICD-9-CM	Diagnosis
341.8	Other demyelinating diseases of central nervous system	ICD-9-CM	Diagnosis
341.9	Unspecified demyelinating disease of central nervous system	ICD-9-CM	Diagnosis
344.61	Cauda equina syndrome with neurogenic bladder	ICD-9-CM	Diagnosis
347	Cataplexy and narcolepsy	ICD-9-CM	Diagnosis
347.00	Narcolepsy, without cataplexy	ICD-9-CM	Diagnosis
347.01	Narcolepsy, with cataplexy	ICD-9-CM	Diagnosis
347.10	Narcolepsy in conditions classified elsewhere, without cataplexy	ICD-9-CM	Diagnosis
347.11	Narcolepsy in conditions classified elsewhere, with cataplexy	ICD-9-CM	Diagnosis
348.0	Cerebral cysts	ICD-9-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
348.2	Benign intracranial hypertension	ICD-9-CM	Diagnosis
348.3	Encephalopathy, not elsewhere classified	ICD-9-CM	Diagnosis
348.30	Encephalopathy, unspecified	ICD-9-CM	Diagnosis
348.31	Metabolic encephalopathy	ICD-9-CM	Diagnosis
348.39	Other encephalopathy	ICD-9-CM	Diagnosis
348.4	Compression of brain	ICD-9-CM	Diagnosis
348.5	Cerebral edema	ICD-9-CM	Diagnosis
348.8	Other conditions of brain	ICD-9-CM	Diagnosis
348.81	Temporal sclerosis	ICD-9-CM	Diagnosis
348.82	Brain death	ICD-9-CM	Diagnosis
348.89	Other conditions of brain	ICD-9-CM	Diagnosis
348.9	Unspecified condition of brain	ICD-9-CM	Diagnosis
349.2	Disorders of meninges, not elsewhere classified	ICD-9-CM	Diagnosis
349.81	Cerebrospinal fluid rhinorrhea	ICD-9-CM	Diagnosis
349.82	Toxic encephalopathy	ICD-9-CM	Diagnosis
349.89	Other specified disorder of nervous system	ICD-9-CM	Diagnosis
349.9	Unspecified disorders of nervous system	ICD-9-CM	Diagnosis
350.1	Trigeminal neuralgia	ICD-9-CM	Diagnosis
350.2	Atypical face pain	ICD-9-CM	Diagnosis
350.8	Other specified trigeminal nerve disorders	ICD-9-CM	Diagnosis
350.9	Unspecified trigeminal nerve disorder	ICD-9-CM	Diagnosis
351.0	Bell's palsy	ICD-9-CM	Diagnosis
351.1	Geniculate ganglionitis	ICD-9-CM	Diagnosis
351.8	Other facial nerve disorders	ICD-9-CM	Diagnosis
351.9	Unspecified facial nerve disorder	ICD-9-CM	Diagnosis
352.0	Disorders of olfactory (1st) nerve	ICD-9-CM	Diagnosis
352.1	Glossopharyngeal neuralgia	ICD-9-CM	Diagnosis
352.2	Other disorders of glossopharyngeal (9th) nerve	ICD-9-CM	Diagnosis
352.3	Disorders of pneumogastric (10th) nerve	ICD-9-CM	Diagnosis
352.4	Disorders of accessory (11th) nerve	ICD-9-CM	Diagnosis
352.5	Disorders of hypoglossal (12th) nerve	ICD-9-CM	Diagnosis
352.6	Multiple cranial nerve palsies	ICD-9-CM	Diagnosis
352.9	Unspecified disorder of cranial nerves	ICD-9-CM	Diagnosis
353.0	Brachial plexus lesions	ICD-9-CM	Diagnosis
353.1	Lumbosacral plexus lesions	ICD-9-CM	Diagnosis
353.2	Cervical root lesions, not elsewhere classified	ICD-9-CM	Diagnosis
353.3	Thoracic root lesions, not elsewhere classified	ICD-9-CM	Diagnosis
353.4	Lumbosacral root lesions, not elsewhere classified	ICD-9-CM	Diagnosis
353.5	Neuralgic amyotrophy	ICD-9-CM	Diagnosis
353.6	Phantom limb (syndrome)	ICD-9-CM	Diagnosis
353.8	Other nerve root and plexus disorders	ICD-9-CM	Diagnosis
353.9	Unspecified nerve root and plexus disorder	ICD-9-CM	Diagnosis
354.0	Carpal tunnel syndrome	ICD-9-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
354.1	Other lesion of median nerve	ICD-9-CM	Diagnosis
354.2	Lesion of ulnar nerve	ICD-9-CM	Diagnosis
354.3	Lesion of radial nerve	ICD-9-CM	Diagnosis
354.4	Causalgia of upper limb	ICD-9-CM	Diagnosis
354.5	Mononeuritis multiplex	ICD-9-CM	Diagnosis
354.8	Other mononeuritis of upper limb	ICD-9-CM	Diagnosis
354.9	Unspecified mononeuritis of upper limb	ICD-9-CM	Diagnosis
355.0	Lesion of sciatic nerve	ICD-9-CM	Diagnosis
355.1	Meralgia paresthetica	ICD-9-CM	Diagnosis
355.2	Other lesion of femoral nerve	ICD-9-CM	Diagnosis
355.3	Lesion of lateral popliteal nerve	ICD-9-CM	Diagnosis
355.4	Lesion of medial popliteal nerve	ICD-9-CM	Diagnosis
355.5	Tarsal tunnel syndrome	ICD-9-CM	Diagnosis
355.6	Lesion of plantar nerve	ICD-9-CM	Diagnosis
355.7	Other mononeuritis of lower limb	ICD-9-CM	Diagnosis
355.71	Causalgia of lower limb	ICD-9-CM	Diagnosis
355.79	Other mononeuritis of lower limb	ICD-9-CM	Diagnosis
355.8	Unspecified mononeuritis of lower limb	ICD-9-CM	Diagnosis
355.9	Mononeuritis of unspecified site	ICD-9-CM	Diagnosis
356.0	Hereditary peripheral neuropathy	ICD-9-CM	Diagnosis
356.1	Peroneal muscular atrophy	ICD-9-CM	Diagnosis
356.2	Hereditary sensory neuropathy	ICD-9-CM	Diagnosis
356.3	Refsum's disease	ICD-9-CM	Diagnosis
356.4	Idiopathic progressive polyneuropathy	ICD-9-CM	Diagnosis
356.8	Other specified idiopathic peripheral neuropathy	ICD-9-CM	Diagnosis
356.9	Unspecified hereditary and idiopathic peripheral neuropathy	ICD-9-CM	Diagnosis
357.0	Acute infective polyneuritis	ICD-9-CM	Diagnosis
357.1	Polyneuropathy in collagen vascular disease	ICD-9-CM	Diagnosis
357.2	Polyneuropathy in diabetes	ICD-9-CM	Diagnosis
357.3	Polyneuropathy in malignant disease	ICD-9-CM	Diagnosis
357.4	Polyneuropathy in other diseases classified elsewhere	ICD-9-CM	Diagnosis
357.6	Polyneuropathy due to drugs	ICD-9-CM	Diagnosis
357.7	Polyneuropathy due to other toxic agents	ICD-9-CM	Diagnosis
357.8	Other inflammatory and toxic neuropathy	ICD-9-CM	Diagnosis
357.81	Chronic inflammatory demyelinating polyneuritis	ICD-9-CM	Diagnosis
357.82	Critical illness polyneuropathy	ICD-9-CM	Diagnosis
357.89	Other inflammatory and toxic neuropathy	ICD-9-CM	Diagnosis
357.9	Unspecified inflammatory and toxic neuropathy	ICD-9-CM	Diagnosis
358.0	Myasthenia gravis	ICD-9-CM	Diagnosis
358.00	Myasthenia gravis without (acute) exacerbation	ICD-9-CM	Diagnosis
358.01	Myasthenia gravis with (acute) exacerbation	ICD-9-CM	Diagnosis
358.1	Myasthenic syndromes in diseases classified elsewhere	ICD-9-CM	Diagnosis
358.2	Toxic myoneural disorders	ICD-9-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
358.30	Lambert-Eaton syndrome, unspecified	ICD-9-CM	Diagnosis
358.31	Lambert-Eaton syndrome in neoplastic disease	ICD-9-CM	Diagnosis
358.39	Lambert-Eaton syndrome in other diseases classified elsewhere	ICD-9-CM	Diagnosis
358.8	Other specified myoneural disorders	ICD-9-CM	Diagnosis
358.9	Unspecified myoneural disorders	ICD-9-CM	Diagnosis
359.0	Congenital hereditary muscular dystrophy	ICD-9-CM	Diagnosis
359.1	Hereditary progressive muscular dystrophy	ICD-9-CM	Diagnosis
359.2	Myotonic disorders	ICD-9-CM	Diagnosis
359.21	Myotonic muscular dystrophy	ICD-9-CM	Diagnosis
359.22	Myotonia congenita	ICD-9-CM	Diagnosis
359.23	Myotonic chondrodystrophy	ICD-9-CM	Diagnosis
359.24	Drug-induced myotonia	ICD-9-CM	Diagnosis
359.29	Other specified myotonic disorder	ICD-9-CM	Diagnosis
359.3	Periodic paralysis	ICD-9-CM	Diagnosis
359.4	Toxic myopathy	ICD-9-CM	Diagnosis
359.5	Myopathy in endocrine diseases classified elsewhere	ICD-9-CM	Diagnosis
359.6	Symptomatic inflammatory myopathy in diseases classified elsewhere	ICD-9-CM	Diagnosis
359.71	Inclusion body myositis	ICD-9-CM	Diagnosis
359.79	Other inflammatory and immune myopathies, NEC	ICD-9-CM	Diagnosis
359.8	Other myopathies	ICD-9-CM	Diagnosis
359.81	Critical illness myopathy	ICD-9-CM	Diagnosis
359.89	Other myopathies	ICD-9-CM	Diagnosis
359.9	Unspecified myopathy	ICD-9-CM	Diagnosis
781.0	Abnormal involuntary movements	ICD-9-CM	Diagnosis
781.1	Disturbances of sensation of smell and taste	ICD-9-CM	Diagnosis
781.2	Abnormality of gait	ICD-9-CM	Diagnosis
781.3	Lack of coordination	ICD-9-CM	Diagnosis
781.7	Tetany	ICD-9-CM	Diagnosis
781.8	Neurological neglect syndrome	ICD-9-CM	Diagnosis
782.0	Disturbance of skin sensation	ICD-9-CM	Diagnosis
784.3	Aphasia	ICD-9-CM	Diagnosis
784.5	Other speech disturbance	ICD-9-CM	Diagnosis
784.51	Dysarthria	ICD-9-CM	Diagnosis
784.52	Fluency disorder in conditions classified elsewhere	ICD-9-CM	Diagnosis
784.59	Other speech disturbance	ICD-9-CM	Diagnosis
784.60	Symbolic dysfunction, unspecified	ICD-9-CM	Diagnosis
784.61	Alexia and dyslexia	ICD-9-CM	Diagnosis
784.69	Other symbolic dysfunction	ICD-9-CM	Diagnosis
792.0	Nonspecific abnormal finding in cerebrospinal fluid	ICD-9-CM	Diagnosis
793.0	Nonspecific (abnormal) findings on radiological and other examination of skull and head	ICD-9-CM	Diagnosis
794.00	Unspecified abnormal function study of brain and central nervous system	ICD-9-CM	Diagnosis
794.01	Nonspecific abnormal echoencephalogram	ICD-9-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
794.02	Nonspecific abnormal electroencephalogram (EEG)	ICD-9-CM	Diagnosis
794.09	Other nonspecific abnormal result of function study of brain and central nervous system	ICD-9-CM	Diagnosis
794.10	Nonspecific abnormal response to unspecified nerve stimulation	ICD-9-CM	Diagnosis
794.11	Nonspecific abnormal retinal function studies	ICD-9-CM	Diagnosis
794.12	Nonspecific abnormal electro-oculogram (EOG)	ICD-9-CM	Diagnosis
794.13	Nonspecific abnormal visually evoked potential	ICD-9-CM	Diagnosis
794.14	Nonspecific abnormal oculomotor studies	ICD-9-CM	Diagnosis
794.15	Nonspecific abnormal auditory function studies	ICD-9-CM	Diagnosis
794.16	Nonspecific abnormal vestibular function studies	ICD-9-CM	Diagnosis
794.17	Nonspecific abnormal electromyogram (EMG)	ICD-9-CM	Diagnosis
794.19	Other nonspecific abnormal result of function study of peripheral nervous system and special senses	ICD-9-CM	Diagnosis
796.1	Abnormal reflex	ICD-9-CM	Diagnosis
799.51	Attention or concentration deficit	ICD-9-CM	Diagnosis
799.52	Cognitive communication deficit	ICD-9-CM	Diagnosis
799.53	Visuospatial deficit	ICD-9-CM	Diagnosis
799.54	Psychomotor deficit	ICD-9-CM	Diagnosis
799.55	Frontal lobe and executive function deficit	ICD-9-CM	Diagnosis
799.59	Other signs and symptoms involving cognition	ICD-9-CM	Diagnosis
V12.4	Personal history of disorders of nervous system and sense organs	ICD-9-CM	Diagnosis
V12.40	Unspecified disorder of nervous system and sense organs	ICD-9-CM	Diagnosis
V12.41	Benign neoplasm of the brain	ICD-9-CM	Diagnosis
V12.42	Personal history, Infections of the central nervous system	ICD-9-CM	Diagnosis
V12.49	Other disorders of nervous system and sense organs	ICD-9-CM	Diagnosis
V41.5	Problems with smell and taste	ICD-9-CM	Diagnosis
V45.2	Presence of cerebrospinal fluid drainage device	ICD-9-CM	Diagnosis
V48.4	Sensory problem with head	ICD-9-CM	Diagnosis
V48.5	Sensory problem with neck and trunk	ICD-9-CM	Diagnosis
V49.3	Sensory problems with limbs	ICD-9-CM	Diagnosis
V53.0	Fitting and adjustment of devices related to nervous system and special senses	ICD-9-CM	Diagnosis
V53.01	Fitting and adjustment of cerebral ventricular (communicating) shunt	ICD-9-CM	Diagnosis
V53.02	Neuropacemaker (brain) (peripheral nerve) (spinal cord)	ICD-9-CM	Diagnosis
V53.09	Fitting and adjustment of other devices related to nervous system and special senses	ICD-9-CM	Diagnosis
R25.0	Abnormal head movements	ICD-10-CM	Diagnosis
R29.2	Abnormal reflex	ICD-10-CM	Diagnosis
G36.1	Acute and subacute hemorrhagic leukoencephalitis [Hurst]	ICD-10-CM	Diagnosis
G36.9	Acute disseminated demyelination, unspecified	ICD-10-CM	Diagnosis
G95.11	Acute infarction of spinal cord (embolic) (nonembolic)	ICD-10-CM	Diagnosis
G89.11	Acute pain due to trauma	ICD-10-CM	Diagnosis
G89.12	Acute post-thoracotomy pain	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
G37.3	Acute transverse myelitis in demyelinating disease of central nervous system	ICD-10-CM	Diagnosis
R48.1	Agnosia	ICD-10-CM	Diagnosis
G72.1	Alcoholic myopathy	ICD-10-CM	Diagnosis
R20.0	Anesthesia of skin	ICD-10-CM	Diagnosis
R43.0	Anosmia	ICD-10-CM	Diagnosis
R47.01	Aphasia	ICD-10-CM	Diagnosis
R48.2	Apraxia	ICD-10-CM	Diagnosis
R27.0	Ataxia, unspecified	ICD-10-CM	Diagnosis
R26.0	Ataxic gait	ICD-10-CM	Diagnosis
R41.840	Attention and concentration deficit	ICD-10-CM	Diagnosis
G50.1	Atypical facial pain	ICD-10-CM	Diagnosis
G51.0	Bell's palsy	ICD-10-CM	Diagnosis
G93.2	Benign intracranial hypertension	ICD-10-CM	Diagnosis
G54.0	Brachial plexus disorders	ICD-10-CM	Diagnosis
G93.82	Brain death	ICD-10-CM	Diagnosis
G56.03	Carpal tunnel syndrome, bilateral upper limbs	ICD-10-CM	Diagnosis
G56.02	Carpal tunnel syndrome, left upper limb	ICD-10-CM	Diagnosis
G56.01	Carpal tunnel syndrome, right upper limb	ICD-10-CM	Diagnosis
G56.00	Carpal tunnel syndrome, unspecified upper limb	ICD-10-CM	Diagnosis
G57.73	Causalgia of bilateral lower limbs	ICD-10-CM	Diagnosis
G56.43	Causalgia of bilateral upper limbs	ICD-10-CM	Diagnosis
G57.72	Causalgia of left lower limb	ICD-10-CM	Diagnosis
G56.42	Causalgia of left upper limb	ICD-10-CM	Diagnosis
G57.71	Causalgia of right lower limb	ICD-10-CM	Diagnosis
G56.41	Causalgia of right upper limb	ICD-10-CM	Diagnosis
G57.70	Causalgia of unspecified lower limb	ICD-10-CM	Diagnosis
G56.40	Causalgia of unspecified upper limb	ICD-10-CM	Diagnosis
G37.1	Central demyelination of corpus callosum	ICD-10-CM	Diagnosis
G89.0	Central pain syndrome	ICD-10-CM	Diagnosis
G37.2	Central pontine myelinolysis	ICD-10-CM	Diagnosis
G93.0	Cerebral cysts	ICD-10-CM	Diagnosis
G93.6	Cerebral edema	ICD-10-CM	Diagnosis
G96.0	Cerebrospinal fluid leak	ICD-10-CM	Diagnosis
G54.2	Cervical root disorders, not elsewhere classified	ICD-10-CM	Diagnosis
G61.81	Chronic inflammatory demyelinating polyneuritis	ICD-10-CM	Diagnosis
G89.21	Chronic pain due to trauma	ICD-10-CM	Diagnosis
G89.4	Chronic pain syndrome	ICD-10-CM	Diagnosis
G89.22	Chronic post-thoracotomy pain	ICD-10-CM	Diagnosis
G47.22	Circadian rhythm sleep disorder, advanced sleep phase type	ICD-10-CM	Diagnosis
G47.21	Circadian rhythm sleep disorder, delayed sleep phase type	ICD-10-CM	Diagnosis
G47.27	Circadian rhythm sleep disorder in conditions classified elsewhere	ICD-10-CM	Diagnosis
G47.23	Circadian rhythm sleep disorder, irregular sleep wake type	ICD-10-CM	Diagnosis



**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
G47.24	Circadian rhythm sleep disorder, free running type	ICD-10-CM	Diagnosis
G47.25	Circadian rhythm sleep disorder, jet lag type	ICD-10-CM	Diagnosis
G47.26	Circadian rhythm sleep disorder, shift work type	ICD-10-CM	Diagnosis
G47.20	Circadian rhythm sleep disorder, unspecified type	ICD-10-CM	Diagnosis
G51.3	Clonic hemifacial spasm	ICD-10-CM	Diagnosis
G51.33	Clonic hemifacial spasm, bilateral	ICD-10-CM	Diagnosis
G51.32	Clonic hemifacial spasm, left	ICD-10-CM	Diagnosis
G51.31	Clonic hemifacial spasm, right	ICD-10-CM	Diagnosis
G51.39	Clonic hemifacial spasm, unspecified	ICD-10-CM	Diagnosis
R41.841	Cognitive communication deficit	ICD-10-CM	Diagnosis
G91.0	Communicating hydrocephalus	ICD-10-CM	Diagnosis
G90.522	Complex regional pain syndrome I of left lower limb	ICD-10-CM	Diagnosis
G90.512	Complex regional pain syndrome I of left upper limb	ICD-10-CM	Diagnosis
G90.59	Complex regional pain syndrome I of other specified site	ICD-10-CM	Diagnosis
G90.521	Complex regional pain syndrome I of right lower limb	ICD-10-CM	Diagnosis
G90.511	Complex regional pain syndrome I of right upper limb	ICD-10-CM	Diagnosis
G90.529	Complex regional pain syndrome I of unspecified lower limb	ICD-10-CM	Diagnosis
G90.519	Complex regional pain syndrome I of unspecified upper limb	ICD-10-CM	Diagnosis
G90.50	Complex regional pain syndrome I, unspecified	ICD-10-CM	Diagnosis
G90.523	Complex regional pain syndrome I of lower limb, bilateral	ICD-10-CM	Diagnosis
G90.513	Complex regional pain syndrome I of upper limb, bilateral	ICD-10-CM	Diagnosis
G93.5	Compression of brain	ICD-10-CM	Diagnosis
G37.5	Concentric sclerosis [Balo] of central nervous system	ICD-10-CM	Diagnosis
G70.2	Congenital and developmental myasthenia	ICD-10-CM	Diagnosis
G71.2	Congenital myopathies	ICD-10-CM	Diagnosis
G95.81	Conus medullaris syndrome	ICD-10-CM	Diagnosis
G52.9	Cranial nerve disorder, unspecified	ICD-10-CM	Diagnosis
G53	Cranial nerve disorders in diseases classified elsewhere	ICD-10-CM	Diagnosis
G72.81	Critical illness myopathy	ICD-10-CM	Diagnosis
G62.81	Critical illness polyneuropathy	ICD-10-CM	Diagnosis
B27.11	Cytomegaloviral mononucleosis with polyneuropathy	ICD-10-CM	Diagnosis
G37.9	Demyelinating disease of central nervous system, unspecified	ICD-10-CM	Diagnosis
R26.2	Difficulty in walking, not elsewhere classified	ICD-10-CM	Diagnosis
G37.0	Diffuse sclerosis of central nervous system	ICD-10-CM	Diagnosis
G95.9	Disease of spinal cord, unspecified	ICD-10-CM	Diagnosis
G93.9	Disorder of brain, unspecified	ICD-10-CM	Diagnosis
G96.9	Disorder of central nervous system, unspecified	ICD-10-CM	Diagnosis
G51.9	Disorder of facial nerve, unspecified	ICD-10-CM	Diagnosis
G50.9	Disorder of trigeminal nerve, unspecified	ICD-10-CM	Diagnosis
G90.9	Disorder of the autonomic nervous system, unspecified	ICD-10-CM	Diagnosis
G52.1	Disorders of glossopharyngeal nerve	ICD-10-CM	Diagnosis
G52.3	Disorders of hypoglossal nerve	ICD-10-CM	Diagnosis
G52.7	Disorders of multiple cranial nerves	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
G52.0	Disorders of olfactory nerve	ICD-10-CM	Diagnosis
G52.8	Disorders of other specified cranial nerves	ICD-10-CM	Diagnosis
G52.2	Disorders of vagus nerve	ICD-10-CM	Diagnosis
G72.0	Drug-induced myopathy	ICD-10-CM	Diagnosis
G62.0	Drug-induced polyneuropathy	ICD-10-CM	Diagnosis
G71.14	Drug induced myotonia	ICD-10-CM	Diagnosis
G71.01	Duchenne or Becker muscular dystrophy	ICD-10-CM	Diagnosis
R47.1	Dysarthria and anarthria	ICD-10-CM	Diagnosis
R47.02	Dysphasia	ICD-10-CM	Diagnosis
G93.40	Encephalopathy, unspecified	ICD-10-CM	Diagnosis
Z46.2	Encounter for fitting and adjustment of other devices related to nervous system and special senses	ICD-10-CM	Diagnosis
G51.4	Facial myokymia	ICD-10-CM	Diagnosis
G71.02	Facioscapulohumeral muscular dystrophy	ICD-10-CM	Diagnosis
R25.3	Fasciculation	ICD-10-CM	Diagnosis
R47.82	Fluency disorder in conditions classified elsewhere	ICD-10-CM	Diagnosis
R41.844	Frontal lobe and executive function deficit	ICD-10-CM	Diagnosis
B27.01	Gammaherpesviral mononucleosis with polyneuropathy	ICD-10-CM	Diagnosis
G51.1	Geniculate ganglionitis	ICD-10-CM	Diagnosis
G61.0	Guillain-Barre syndrome	ICD-10-CM	Diagnosis
G60.9	Hereditary and idiopathic neuropathy, unspecified	ICD-10-CM	Diagnosis
G60.0	Hereditary motor and sensory neuropathy	ICD-10-CM	Diagnosis
G90.2	Horner's syndrome	ICD-10-CM	Diagnosis
G91.4	Hydrocephalus in diseases classified elsewhere	ICD-10-CM	Diagnosis
G91.9	Hydrocephalus, unspecified	ICD-10-CM	Diagnosis
R20.3	Hyperesthesia	ICD-10-CM	Diagnosis
R20.1	Hypoesthesia of skin	ICD-10-CM	Diagnosis
G91.2	(Idiopathic) normal pressure hydrocephalus	ICD-10-CM	Diagnosis
G60.3	Idiopathic progressive neuropathy	ICD-10-CM	Diagnosis
G72.41	Inclusion body myositis [IBM]	ICD-10-CM	Diagnosis
B27.91	Infectious mononucleosis, unspecified with polyneuropathy	ICD-10-CM	Diagnosis
G61.9	Inflammatory polyneuropathy, unspecified	ICD-10-CM	Diagnosis
J10.81	Influenza due to other identified influenza virus with encephalopathy	ICD-10-CM	Diagnosis
G58.0	Intercostal neuropathy	ICD-10-CM	Diagnosis
R90.0	Intracranial space-occupying lesion found on diagnostic imaging of central nervous system	ICD-10-CM	Diagnosis
G08	Intracranial and intraspinal phlebitis and thrombophlebitis	ICD-10-CM	Diagnosis
G70.81	Lambert-Eaton syndrome in disease classified elsewhere	ICD-10-CM	Diagnosis
G73.1	Lambert-Eaton syndrome in neoplastic disease	ICD-10-CM	Diagnosis
G70.80	Lambert-Eaton syndrome, unspecified	ICD-10-CM	Diagnosis
G57.33	Lesion of lateral popliteal nerve, bilateral lower limbs	ICD-10-CM	Diagnosis
G57.32	Lesion of lateral popliteal nerve, left lower limb	ICD-10-CM	Diagnosis
G57.31	Lesion of lateral popliteal nerve, right lower limb	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
G57.30	Lesion of lateral popliteal nerve, unspecified lower limb	ICD-10-CM	Diagnosis
G57.42	Lesion of medial popliteal nerve, left lower limb	ICD-10-CM	Diagnosis
G57.41	Lesion of medial popliteal nerve, right lower limb	ICD-10-CM	Diagnosis
G57.40	Lesion of medial popliteal nerve, unspecified lower limb	ICD-10-CM	Diagnosis
G57.23	Lesion of femoral nerve, bilateral lower limbs	ICD-10-CM	Diagnosis
G57.22	Lesion of femoral nerve, left lower limb	ICD-10-CM	Diagnosis
G57.21	Lesion of femoral nerve, right lower limb	ICD-10-CM	Diagnosis
G57.20	Lesion of femoral nerve, unspecified lower limb	ICD-10-CM	Diagnosis
G57.43	Lesion of medial popliteal nerve, bilateral lower limbs	ICD-10-CM	Diagnosis
G57.63	Lesion of plantar nerve, bilateral lower limbs	ICD-10-CM	Diagnosis
G57.62	Lesion of plantar nerve, left lower limb	ICD-10-CM	Diagnosis
G57.61	Lesion of plantar nerve, right lower limb	ICD-10-CM	Diagnosis
G57.60	Lesion of plantar nerve, unspecified lower limb	ICD-10-CM	Diagnosis
G56.33	Lesion of radial nerve, bilateral upper limbs	ICD-10-CM	Diagnosis
G56.32	Lesion of radial nerve, left upper limb	ICD-10-CM	Diagnosis
G56.31	Lesion of radial nerve, right upper limb	ICD-10-CM	Diagnosis
G56.30	Lesion of radial nerve, unspecified upper limb	ICD-10-CM	Diagnosis
G57.03	Lesion of sciatic nerve, bilateral lower limbs	ICD-10-CM	Diagnosis
G57.02	Lesion of sciatic nerve, left lower limb	ICD-10-CM	Diagnosis
G57.01	Lesion of sciatic nerve, right lower limb	ICD-10-CM	Diagnosis
G57.00	Lesion of sciatic nerve, unspecified lower limb	ICD-10-CM	Diagnosis
G56.23	Lesion of ulnar nerve, bilateral upper limbs	ICD-10-CM	Diagnosis
G56.22	Lesion of ulnar nerve, left upper limb	ICD-10-CM	Diagnosis
G56.21	Lesion of ulnar nerve, right upper limb	ICD-10-CM	Diagnosis
G56.20	Lesion of ulnar nerve, unspecified upper limb	ICD-10-CM	Diagnosis
G54.1	Lumbosacral plexus disorders	ICD-10-CM	Diagnosis
G54.4	Lumbosacral root disorders, not elsewhere classified	ICD-10-CM	Diagnosis
G21.0	Malignant neuroleptic syndrome	ICD-10-CM	Diagnosis
G51.2	Melkersson's syndrome	ICD-10-CM	Diagnosis
G96.12	Meningeal adhesions (cerebral) (spinal)	ICD-10-CM	Diagnosis
G57.13	Meralgia paresthetica, bilateral lower limbs	ICD-10-CM	Diagnosis
G57.12	Meralgia paresthetica, left lower limb	ICD-10-CM	Diagnosis
G57.11	Meralgia paresthetica, right lower limb	ICD-10-CM	Diagnosis
G57.10	Meralgia paresthetica, unspecified lower limb	ICD-10-CM	Diagnosis
G93.41	Metabolic encephalopathy	ICD-10-CM	Diagnosis
G71.3	Mitochondrial myopathy, not elsewhere classified	ICD-10-CM	Diagnosis
G58.7	Mononeuritis multiplex	ICD-10-CM	Diagnosis
G59	Mononeuropathy in diseases classified elsewhere	ICD-10-CM	Diagnosis
G58.9	Mononeuropathy, unspecified	ICD-10-CM	Diagnosis
G61.82	Multifocal motor neuropathy	ICD-10-CM	Diagnosis
G71.0	Muscular dystrophy	ICD-10-CM	Diagnosis
G71.00	Muscular dystrophy, unspecified	ICD-10-CM	Diagnosis
G70.01	Myasthenia gravis with (acute) exacerbation	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
G70.00	Myasthenia gravis without (acute) exacerbation	ICD-10-CM	Diagnosis
G73.3	Myasthenic syndromes in other diseases classified elsewhere	ICD-10-CM	Diagnosis
G70.9	Myoneural disorder, unspecified	ICD-10-CM	Diagnosis
G72.2	Myopathy due to other toxic agents	ICD-10-CM	Diagnosis
G73.7	Myopathy in diseases classified elsewhere	ICD-10-CM	Diagnosis
G72.9	Myopathy, unspecified	ICD-10-CM	Diagnosis
G71.12	Myotonia congenita	ICD-10-CM	Diagnosis
G71.13	Myotonic chondrodystrophy	ICD-10-CM	Diagnosis
G71.11	Myotonic muscular dystrophy	ICD-10-CM	Diagnosis
G47.421	Narcolepsy in conditions classified elsewhere with cataplexy	ICD-10-CM	Diagnosis
G47.429	Narcolepsy in conditions classified elsewhere without cataplexy	ICD-10-CM	Diagnosis
G47.411	Narcolepsy with cataplexy	ICD-10-CM	Diagnosis
G47.419	Narcolepsy without cataplexy	ICD-10-CM	Diagnosis
G89.3	Neoplasm related pain (acute) (chronic)	ICD-10-CM	Diagnosis
G55	Nerve root and plexus compressions in diseases classified elsewhere	ICD-10-CM	Diagnosis
G54.9	Nerve root and plexus disorder, unspecified	ICD-10-CM	Diagnosis
G54.5	Neuralgic amyotrophy	ICD-10-CM	Diagnosis
G98.0	Neurogenic arthritis, not elsewhere classified	ICD-10-CM	Diagnosis
G21.11	Neuroleptic induced parkinsonism	ICD-10-CM	Diagnosis
R41.4	Neurologic neglect syndrome	ICD-10-CM	Diagnosis
G36.0	Neuromyelitis optica [Devic]	ICD-10-CM	Diagnosis
G60.2	Neuropathy in association with hereditary ataxia	ICD-10-CM	Diagnosis
G91.1	Obstructive hydrocephalus	ICD-10-CM	Diagnosis
G94	Other disorders of brain in diseases classified elsewhere	ICD-10-CM	Diagnosis
G99.8	Other specified disorders of nervous system in diseases classified elsewhere	ICD-10-CM	Diagnosis
G37.8	Other specified demyelinating diseases of central nervous system	ICD-10-CM	Diagnosis
R41.89	Other symptoms and signs involving cognitive functions and awareness	ICD-10-CM	Diagnosis
G13.1	Other systemic atrophy primarily affecting central nervous system in neoplastic disease	ICD-10-CM	Diagnosis
R25.8	Other abnormal involuntary movements	ICD-10-CM	Diagnosis
R26.89	Other abnormalities of gait and mobility	ICD-10-CM	Diagnosis
G89.18	Other acute postprocedural pain	ICD-10-CM	Diagnosis
G89.29	Other chronic pain	ICD-10-CM	Diagnosis
G89.28	Other chronic postprocedural pain	ICD-10-CM	Diagnosis
G47.29	Other circadian rhythm sleep disorder	ICD-10-CM	Diagnosis
G95.29	Other cord compression	ICD-10-CM	Diagnosis
G90.8	Other disorders of autonomic nervous system	ICD-10-CM	Diagnosis
G51.8	Other disorders of facial nerve	ICD-10-CM	Diagnosis
G96.19	Other disorders of meninges, not elsewhere classified	ICD-10-CM	Diagnosis
G98.8	Other disorders of nervous system	ICD-10-CM	Diagnosis
G64	Other disorders of peripheral nervous system	ICD-10-CM	Diagnosis
G50.8	Other disorders of trigeminal nerve	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
R20.8	Other disturbances of skin sensation	ICD-10-CM	Diagnosis
R43.8	Other disturbances of smell and taste	ICD-10-CM	Diagnosis
G21.19	Other drug induced secondary parkinsonism	ICD-10-CM	Diagnosis
G93.49	Other encephalopathy	ICD-10-CM	Diagnosis
G60.8	Other hereditary and idiopathic neuropathies	ICD-10-CM	Diagnosis
G91.8	Other hydrocephalus	ICD-10-CM	Diagnosis
B27.81	Other infectious mononucleosis with polyneuropathy	ICD-10-CM	Diagnosis
G72.49	Other inflammatory and immune myopathies, not elsewhere classified	ICD-10-CM	Diagnosis
G61.89	Other inflammatory polyneuropathies	ICD-10-CM	Diagnosis
R27.8	Other lack of coordination	ICD-10-CM	Diagnosis
G56.13	Other lesions of median nerve, bilateral upper limbs	ICD-10-CM	Diagnosis
G56.12	Other lesions of median nerve, left upper limb	ICD-10-CM	Diagnosis
G56.11	Other lesions of median nerve, right upper limb	ICD-10-CM	Diagnosis
G56.10	Other lesions of median nerve, unspecified upper limb	ICD-10-CM	Diagnosis
G54.8	Other nerve root and plexus disorders	ICD-10-CM	Diagnosis
G71.8	Other primary disorders of muscles	ICD-10-CM	Diagnosis
G21.8	Other secondary parkinsonism	ICD-10-CM	Diagnosis
G56.83	Other specified mononeuropathies of bilateral upper limbs	ICD-10-CM	Diagnosis
G36.8	Other specified acute disseminated demyelination	ICD-10-CM	Diagnosis
G95.89	Other specified diseases of spinal cord	ICD-10-CM	Diagnosis
G93.89	Other specified disorders of brain	ICD-10-CM	Diagnosis
G96.8	Other specified disorders of central nervous system	ICD-10-CM	Diagnosis
G58.8	Other specified mononeuropathies	ICD-10-CM	Diagnosis
G57.83	Other specified mononeuropathies of bilateral lower limbs	ICD-10-CM	Diagnosis
G57.82	Other specified mononeuropathies of left lower limb	ICD-10-CM	Diagnosis
G56.82	Other specified mononeuropathies of left upper limb	ICD-10-CM	Diagnosis
G57.81	Other specified mononeuropathies of right lower limb	ICD-10-CM	Diagnosis
G56.81	Other specified mononeuropathies of right upper limb	ICD-10-CM	Diagnosis
G57.80	Other specified mononeuropathies of unspecified lower limb	ICD-10-CM	Diagnosis
G56.80	Other specified mononeuropathies of unspecified upper limb	ICD-10-CM	Diagnosis
G71.09	Other specified muscular dystrophies	ICD-10-CM	Diagnosis
G70.89	Other specified myoneural disorders	ICD-10-CM	Diagnosis
G72.89	Other specified myopathies	ICD-10-CM	Diagnosis
G71.19	Other specified myotonic disorders	ICD-10-CM	Diagnosis
G62.89	Other specified polyneuropathies	ICD-10-CM	Diagnosis
R47.89	Other speech disturbances	ICD-10-CM	Diagnosis
R48.8	Other symbolic dysfunctions	ICD-10-CM	Diagnosis
G95.19	Other vascular myelopathies	ICD-10-CM	Diagnosis
R43.2	Parageusia	ICD-10-CM	Diagnosis
R26.1	Paralytic gait	ICD-10-CM	Diagnosis
G13.0	Paraneoplastic neuromyopathy and neuropathy	ICD-10-CM	Diagnosis
R20.2	Paresthesia of skin	ICD-10-CM	Diagnosis
R43.1	Parosmia	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
G72.3	Periodic paralysis	ICD-10-CM	Diagnosis
Z86.61	Personal history of infections of the central nervous system	ICD-10-CM	Diagnosis
Z86.011	Personal history of benign neoplasm of the brain	ICD-10-CM	Diagnosis
Z86.69	Personal history of other diseases of the nervous system and sense organs	ICD-10-CM	Diagnosis
G54.6	Phantom limb syndrome with pain	ICD-10-CM	Diagnosis
G54.7	Phantom limb syndrome without pain	ICD-10-CM	Diagnosis
G62.2	Polyneuropathy due to other toxic agents	ICD-10-CM	Diagnosis
G63	Polyneuropathy in diseases classified elsewhere	ICD-10-CM	Diagnosis
G62.9	Polyneuropathy, unspecified	ICD-10-CM	Diagnosis
G91.3	Post-traumatic hydrocephalus, unspecified	ICD-10-CM	Diagnosis
G21.3	Postencephalitic parkinsonism	ICD-10-CM	Diagnosis
Z98.2	Presence of cerebrospinal fluid drainage device	ICD-10-CM	Diagnosis
G71.9	Primary disorder of muscle, unspecified	ICD-10-CM	Diagnosis
R41.843	Psychomotor deficit	ICD-10-CM	Diagnosis
G62.82	Radiation-induced polyneuropathy	ICD-10-CM	Diagnosis
G60.1	Refsum's disease	ICD-10-CM	Diagnosis
G93.7	Reye's syndrome	ICD-10-CM	Diagnosis
G21.2	Secondary parkinsonism due to other external agents	ICD-10-CM	Diagnosis
G21.9	Secondary parkinsonism, unspecified	ICD-10-CM	Diagnosis
G65.0	Sequelae of Guillain-Barre syndrome	ICD-10-CM	Diagnosis
G65.1	Sequelae of other inflammatory polyneuropathy	ICD-10-CM	Diagnosis
G65.2	Sequelae of toxic polyneuropathy	ICD-10-CM	Diagnosis
G61.1	Serum neuropathy	ICD-10-CM	Diagnosis
G47.63	Sleep related bruxism	ICD-10-CM	Diagnosis
R47.81	Slurred speech	ICD-10-CM	Diagnosis
G37.4	Subacute necrotizing myelitis of central nervous system	ICD-10-CM	Diagnosis
G95.0	Syringomyelia and syringobulbia	ICD-10-CM	Diagnosis
G13.8	Systemic atrophy primarily affecting central nervous system in other diseases classified elsewhere	ICD-10-CM	Diagnosis
G13.2	Systemic atrophy primarily affecting the central nervous system in myxedema	ICD-10-CM	Diagnosis
G57.53	Tarsal tunnel syndrome, bilateral lower limbs	ICD-10-CM	Diagnosis
G57.52	Tarsal tunnel syndrome, left lower limb	ICD-10-CM	Diagnosis
G57.51	Tarsal tunnel syndrome, right lower limb	ICD-10-CM	Diagnosis
G57.50	Tarsal tunnel syndrome, unspecified lower limb	ICD-10-CM	Diagnosis
G93.81	Temporal sclerosis	ICD-10-CM	Diagnosis
R29.0	Tetany	ICD-10-CM	Diagnosis
G54.3	Thoracic root disorders, not elsewhere classified	ICD-10-CM	Diagnosis
G92	Toxic encephalopathy	ICD-10-CM	Diagnosis
G70.1	Toxic myoneural disorders	ICD-10-CM	Diagnosis
R25.1	Tremor, unspecified	ICD-10-CM	Diagnosis
G50.0	Trigeminal neuralgia	ICD-10-CM	Diagnosis



**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
R25.9	Unspecified abnormal involuntary movements	ICD-10-CM	Diagnosis
R26.9	Unspecified abnormalities of gait and mobility	ICD-10-CM	Diagnosis
G95.20	Unspecified cord compression	ICD-10-CM	Diagnosis
R20.9	Unspecified disturbances of skin sensation	ICD-10-CM	Diagnosis
R43.9	Unspecified disturbances of smell and taste	ICD-10-CM	Diagnosis
R27.9	Unspecified lack of coordination	ICD-10-CM	Diagnosis
G57.93	Unspecified mononeuropathy of bilateral lower limbs	ICD-10-CM	Diagnosis
G56.93	Unspecified mononeuropathy of bilateral upper limbs	ICD-10-CM	Diagnosis
G57.92	Unspecified mononeuropathy of left lower limb	ICD-10-CM	Diagnosis
G56.92	Unspecified mononeuropathy of left upper limb	ICD-10-CM	Diagnosis
G57.91	Unspecified mononeuropathy of right lower limb	ICD-10-CM	Diagnosis
G56.91	Unspecified mononeuropathy of right upper limb	ICD-10-CM	Diagnosis
G57.90	Unspecified mononeuropathy of unspecified lower limb	ICD-10-CM	Diagnosis
G56.90	Unspecified mononeuropathy of unspecified upper limb	ICD-10-CM	Diagnosis
R47.9	Unspecified speech disturbances	ICD-10-CM	Diagnosis
R48.9	Unspecified symbolic dysfunctions	ICD-10-CM	Diagnosis
R26.81	Unsteadiness on feet	ICD-10-CM	Diagnosis
G21.4	Vascular parkinsonism	ICD-10-CM	Diagnosis
R41.842	Visuospatial deficit	ICD-10-CM	Diagnosis
R90.82	White matter disease, unspecified	ICD-10-CM	Diagnosis
<b>Sickle Cell Anemia</b>			
282.41	Sickle-cell thalassemia without crisis	ICD-9-CM	Diagnosis
282.42	Sickle-cell thalassemia with crisis	ICD-9-CM	Diagnosis
282.5	Sickle-cell trait	ICD-9-CM	Diagnosis
282.60	Sickle-cell disease, unspecified	ICD-9-CM	Diagnosis
282.61	Hb-SS disease without crisis	ICD-9-CM	Diagnosis
282.62	Hb-SS disease with crisis	ICD-9-CM	Diagnosis
282.63	Sickle-cell/Hb-C disease without crisis	ICD-9-CM	Diagnosis
282.64	Sickle-cell/Hb-C disease with crisis	ICD-9-CM	Diagnosis
282.68	Other sickle-cell disease without crisis	ICD-9-CM	Diagnosis
282.69	Other sickle-cell disease with crisis	ICD-9-CM	Diagnosis
D57.01	Hb-SS disease with acute chest syndrome	ICD-10-CM	Diagnosis
D57.00	Hb-SS disease with crisis, unspecified	ICD-10-CM	Diagnosis
D57.02	Hb-SS disease with splenic sequestration	ICD-10-CM	Diagnosis
D57.812	Other sickle-cell disorders with splenic sequestration	ICD-10-CM	Diagnosis
D57.811	Other sickle-cell disorders with acute chest syndrome	ICD-10-CM	Diagnosis
D57.819	Other sickle-cell disorders with crisis, unspecified	ICD-10-CM	Diagnosis
D57.80	Other sickle-cell disorders without crisis	ICD-10-CM	Diagnosis
D57.1	Sickle-cell disease without crisis	ICD-10-CM	Diagnosis
D57.412	Sickle-cell thalassemia with splenic sequestration	ICD-10-CM	Diagnosis
D57.411	Sickle-cell thalassemia with acute chest syndrome	ICD-10-CM	Diagnosis
D57.419	Sickle-cell thalassemia with crisis, unspecified	ICD-10-CM	Diagnosis
D57.40	Sickle-cell thalassemia without crisis	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
D57.3	Sickle-cell trait	ICD-10-CM	Diagnosis
D57.212	Sickle-cell/Hb-C disease with splenic sequestration	ICD-10-CM	Diagnosis
D57.211	Sickle-cell/Hb-C disease with acute chest syndrome	ICD-10-CM	Diagnosis
D57.219	Sickle-cell/Hb-C disease with crisis, unspecified	ICD-10-CM	Diagnosis
D57.20	Sickle-cell/Hb-C disease without crisis	ICD-10-CM	Diagnosis
<b>Sprains, Strains, &amp; Contusions</b>			
840.0	Acromioclavicular (joint) (ligament) sprain and strain	ICD-9-CM	Diagnosis
840.1	Coracoclavicular (ligament) sprain and strain	ICD-9-CM	Diagnosis
840.2	Coracohumeral (ligament) sprain and strain	ICD-9-CM	Diagnosis
840.3	Infraspinatus (muscle) (tendon) sprain and strain	ICD-9-CM	Diagnosis
840.4	Rotator cuff (capsule) sprain and strain	ICD-9-CM	Diagnosis
840.5	Subscapularis (muscle) sprain and strain	ICD-9-CM	Diagnosis
840.6	Supraspinatus (muscle) (tendon) sprain and strain	ICD-9-CM	Diagnosis
840.7	Superior glenoid labrum lesions (SLAP)	ICD-9-CM	Diagnosis
840.8	Sprain and strain of other specified sites of shoulder and upper arm	ICD-9-CM	Diagnosis
840.9	Sprain and strain of unspecified site of shoulder and upper arm	ICD-9-CM	Diagnosis
841.0	Radial collateral ligament sprain and strain	ICD-9-CM	Diagnosis
841.1	Ulnar collateral ligament sprain and strain	ICD-9-CM	Diagnosis
841.2	Radiohumeral (joint) sprain and strain	ICD-9-CM	Diagnosis
841.3	Ulnohumeral (joint) sprain and strain	ICD-9-CM	Diagnosis
841.8	Sprain and strain of other specified sites of elbow and forearm	ICD-9-CM	Diagnosis
841.9	Sprain and strain of unspecified site of elbow and forearm	ICD-9-CM	Diagnosis
842.00	Sprain and strain of unspecified site of wrist	ICD-9-CM	Diagnosis
842.01	Sprain and strain of carpal (joint) of wrist	ICD-9-CM	Diagnosis
842.02	Sprain and strain of radiocarpal (joint) (ligament) of wrist	ICD-9-CM	Diagnosis
842.09	Other wrist sprain and strain	ICD-9-CM	Diagnosis
842.10	Sprain and strain of unspecified site of hand	ICD-9-CM	Diagnosis
842.11	Sprain and strain of carpometacarpal (joint) of hand	ICD-9-CM	Diagnosis
842.12	Sprain and strain of metacarpophalangeal (joint) of hand	ICD-9-CM	Diagnosis
842.13	Sprain and strain of interphalangeal (joint) of hand	ICD-9-CM	Diagnosis
842.19	Other hand sprain and strain	ICD-9-CM	Diagnosis
843.0	Iliofemoral (ligament) sprain and strain	ICD-9-CM	Diagnosis
843.1	Ischiocapsular (ligament) sprain and strain	ICD-9-CM	Diagnosis
843.8	Sprain and strain of other specified sites of hip and thigh	ICD-9-CM	Diagnosis
843.9	Sprain and strain of unspecified site of hip and thigh	ICD-9-CM	Diagnosis
844.0	Sprain and strain of lateral collateral ligament of knee	ICD-9-CM	Diagnosis
844.1	Sprain and strain of medial collateral ligament of knee	ICD-9-CM	Diagnosis
844.2	Sprain and strain of cruciate ligament of knee	ICD-9-CM	Diagnosis
844.3	Sprain and strain of tibiofibular (joint) (ligament) superior, of knee	ICD-9-CM	Diagnosis
844.8	Sprain and strain of other specified sites of knee and leg	ICD-9-CM	Diagnosis
844.9	Sprain and strain of unspecified site of knee and leg	ICD-9-CM	Diagnosis
845.00	Unspecified site of ankle sprain and strain	ICD-9-CM	Diagnosis
845.01	Sprain and strain of deltoid (ligament) of ankle	ICD-9-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
845.02	Sprain and strain of calcaneofibular (ligament)	ICD-9-CM	Diagnosis
845.03	Sprain and strain of tibiofibular (ligament)	ICD-9-CM	Diagnosis
845.09	Other ankle sprain and strain	ICD-9-CM	Diagnosis
845.10	Sprain and strain of unspecified site of foot	ICD-9-CM	Diagnosis
845.11	Sprain and strain of tarsometatarsal (joint) (ligament)	ICD-9-CM	Diagnosis
845.12	Sprain and strain of metatarsophalangeal (joint)	ICD-9-CM	Diagnosis
845.13	Sprain and strain of interphalangeal (joint), of toe	ICD-9-CM	Diagnosis
845.19	Other foot sprain and strain	ICD-9-CM	Diagnosis
846.0	Sprain and strain of lumbosacral (joint) (ligament)	ICD-9-CM	Diagnosis
846.1	Sprain and strain of sacroiliac (ligament)	ICD-9-CM	Diagnosis
846.2	Sprain and strain of sacrospinatus (ligament)	ICD-9-CM	Diagnosis
846.3	Sprain and strain of sacrotuberous (ligament)	ICD-9-CM	Diagnosis
846.8	Other specified sites of sacroiliac region sprain and strain	ICD-9-CM	Diagnosis
846.9	Unspecified site of sacroiliac region sprain and strain	ICD-9-CM	Diagnosis
847.0	Neck sprain and strain	ICD-9-CM	Diagnosis
847.1	Thoracic sprain and strain	ICD-9-CM	Diagnosis
847.2	Lumbar sprain and strain	ICD-9-CM	Diagnosis
847.3	Sprain and strain of sacrum	ICD-9-CM	Diagnosis
847.4	Sprain and strain of coccyx	ICD-9-CM	Diagnosis
847.9	Sprain and strain of unspecified site of back	ICD-9-CM	Diagnosis
848.0	Sprain and strain of septal cartilage of nose	ICD-9-CM	Diagnosis
848.1	Sprain and strain of jaw	ICD-9-CM	Diagnosis
848.2	Sprain and strain of thyroid region	ICD-9-CM	Diagnosis
848.3	Sprain and strain of ribs	ICD-9-CM	Diagnosis
848.40	Sprain and strain of sternum, unspecified part	ICD-9-CM	Diagnosis
848.41	Sprain and strain of sternoclavicular (joint) (ligament)	ICD-9-CM	Diagnosis
848.42	Sprain and strain of chondrosternal (joint)	ICD-9-CM	Diagnosis
848.49	Other sprain and strains of sternum	ICD-9-CM	Diagnosis
848.5	Pelvic sprain and strains	ICD-9-CM	Diagnosis
848.8	Other specified sites of sprains and strains	ICD-9-CM	Diagnosis
848.9	Unspecified site of sprain and strain	ICD-9-CM	Diagnosis
905.7	Late effect of sprain and strain without mention of tendon injury	ICD-9-CM	Diagnosis
906.2	Late effect of superficial injury	ICD-9-CM	Diagnosis
906.3	Late effect of contusion	ICD-9-CM	Diagnosis
910.0	Face, neck, and scalp, except eye, abrasion or friction burn, without mention of infection	ICD-9-CM	Diagnosis
910.1	Face, neck, and scalp except eye, abrasion or friction burn, infected	ICD-9-CM	Diagnosis
910.2	Face, neck, and scalp except eye, blister, without mention of infection	ICD-9-CM	Diagnosis
910.3	Face, neck, and scalp except eye, blister, infected	ICD-9-CM	Diagnosis
910.4	Face, neck, and scalp except eye, insect bite, nonvenomous, without mention of infection	ICD-9-CM	Diagnosis
910.5	Face, neck, and scalp except eye, insect bite, nonvenomous, infected	ICD-9-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
910.6	Face, neck, and scalp, except eye, superficial foreign body (splinter), without major open wound or mention of infection	ICD-9-CM	Diagnosis
910.7	Face, neck, and scalp except eye, superficial foreign body (splinter), without major open wound, infected	ICD-9-CM	Diagnosis
910.8	Other and unspecified superficial injury of face, neck, and scalp, without mention of infection	ICD-9-CM	Diagnosis
910.9	Other and unspecified superficial injury of face, neck, and scalp, infected	ICD-9-CM	Diagnosis
911.0	Trunk abrasion or friction burn, without mention of infection	ICD-9-CM	Diagnosis
911.1	Trunk abrasion or friction burn, infected	ICD-9-CM	Diagnosis
911.2	Trunk blister, without mention of infection	ICD-9-CM	Diagnosis
911.3	Trunk blister, infected	ICD-9-CM	Diagnosis
911.4	Trunk, insect bite, nonvenomous, without mention of infection	ICD-9-CM	Diagnosis
911.5	Trunk, insect bite, nonvenomous, infected	ICD-9-CM	Diagnosis
911.6	Trunk, superficial foreign body (splinter), without major open wound and without mention of infection	ICD-9-CM	Diagnosis
911.7	Trunk, superficial foreign body (splinter), without major open wound, infected	ICD-9-CM	Diagnosis
911.8	Other and unspecified superficial injury of trunk, without mention of infection	ICD-9-CM	Diagnosis
911.9	Other and unspecified superficial injury of trunk, infected	ICD-9-CM	Diagnosis
912.0	Shoulder and upper arm, abrasion or friction burn, without mention of infection	ICD-9-CM	Diagnosis
912.1	Shoulder and upper arm, abrasion or friction burn, infected	ICD-9-CM	Diagnosis
912.2	Shoulder and upper arm, blister, without mention of infection	ICD-9-CM	Diagnosis
912.3	Shoulder and upper arm, blister, infected	ICD-9-CM	Diagnosis
912.4	Shoulder and upper arm, insect bite, nonvenomous, without mention of infection	ICD-9-CM	Diagnosis
912.5	Shoulder and upper arm, insect bite, nonvenomous, infected	ICD-9-CM	Diagnosis
912.6	Shoulder and upper arm, superficial foreign body (splinter), without major open wound and without mention of infection	ICD-9-CM	Diagnosis
912.7	Shoulder and upper arm, superficial foreign body (splinter), without major open wound, infected	ICD-9-CM	Diagnosis
912.8	Other and unspecified superficial injury of shoulder and upper arm, without mention of infection	ICD-9-CM	Diagnosis
912.9	Other and unspecified superficial injury of shoulder and upper arm, infected	ICD-9-CM	Diagnosis
913.0	Elbow, forearm, and wrist, abrasion or friction burn, without mention of infection	ICD-9-CM	Diagnosis
913.1	Elbow, forearm, and wrist, abrasion or friction burn, infected	ICD-9-CM	Diagnosis
913.2	Elbow, forearm, and wrist, blister, without mention of infection	ICD-9-CM	Diagnosis
913.3	Elbow, forearm, and wrist, blister infected	ICD-9-CM	Diagnosis
913.4	Elbow, forearm, and wrist, insect bite, nonvenomous, without mention of infection	ICD-9-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
913.5	Elbow, forearm, and wrist, insect bite, nonvenomous, infected	ICD-9-CM	Diagnosis
913.6	Elbow, forearm, and wrist, superficial foreign body (splinter), without major open wound and without mention of infection	ICD-9-CM	Diagnosis
913.7	Elbow, forearm, and wrist, superficial foreign body (splinter), without major open wound, infected	ICD-9-CM	Diagnosis
913.8	Other and unspecified superficial injury of elbow, forearm, and wrist, without mention of infection	ICD-9-CM	Diagnosis
913.9	Other and unspecified superficial injury of elbow, forearm, and wrist, infected	ICD-9-CM	Diagnosis
914.0	Hand(s) except finger(s) alone, abrasion or friction burn, without mention of infection	ICD-9-CM	Diagnosis
914.1	Hand(s) except finger(s) alone, abrasion or friction burn, infected	ICD-9-CM	Diagnosis
914.2	Hand(s) except finger(s) alone, blister, without mention of infection	ICD-9-CM	Diagnosis
914.3	Hand(s) except finger(s) alone, blister, infected	ICD-9-CM	Diagnosis
914.4	Hand(s) except finger(s) alone, insect bite, nonvenomous, without mention of infection	ICD-9-CM	Diagnosis
914.5	Hand(s) except finger(s) alone, insect bite, nonvenomous, infected	ICD-9-CM	Diagnosis
914.6	Hand(s) except finger(s) alone, superficial foreign body (splinter), without major open wound and without mention of infection	ICD-9-CM	Diagnosis
914.7	Hand(s) except finger(s) alone, superficial foreign body (splinter) without major open wound, infected	ICD-9-CM	Diagnosis
914.8	Other and unspecified superficial injury of hand(s) except finger(s) alone, without mention of infection	ICD-9-CM	Diagnosis
914.9	Other and unspecified superficial injury of hand(s) except finger(s) alone, infected	ICD-9-CM	Diagnosis
915.0	Abrasion or friction burn of finger, without mention of infection	ICD-9-CM	Diagnosis
915.1	Finger, abrasion or friction burn, infected	ICD-9-CM	Diagnosis
915.2	Finger, blister, without mention of infection	ICD-9-CM	Diagnosis
915.3	Finger, blister, infected	ICD-9-CM	Diagnosis
915.4	Finger, insect bite, nonvenomous, without mention of infection	ICD-9-CM	Diagnosis
915.5	Finger, insect bite, nonvenomous, infected	ICD-9-CM	Diagnosis
915.6	Finger, superficial foreign body (splinter), without major open wound and without mention of infection	ICD-9-CM	Diagnosis
915.7	Finger, superficial foreign body (splinter), without major open wound, infected	ICD-9-CM	Diagnosis
915.8	Other and unspecified superficial injury of finger without mention of infection	ICD-9-CM	Diagnosis
915.9	Other and unspecified superficial injury of finger, infected	ICD-9-CM	Diagnosis
916.0	Hip, thigh, leg, and ankle, abrasion or friction burn, without mention of infection	ICD-9-CM	Diagnosis
916.1	Hip, thigh, leg, and ankle, abrasion or friction burn, infected	ICD-9-CM	Diagnosis
916.2	Hip, thigh, leg, and ankle, blister, without mention of infection	ICD-9-CM	Diagnosis
916.3	Hip, thigh, leg, and ankle, blister, infected	ICD-9-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
916.4	Hip, thigh, leg, and ankle, insect bite, nonvenomous, without mention of infection	ICD-9-CM	Diagnosis
916.5	Hip, thigh, leg, and ankle, insect bite, nonvenomous, infected	ICD-9-CM	Diagnosis
916.6	Hip, thigh, leg, and ankle, superficial foreign body (splinter), without major open wound and without mention of infection	ICD-9-CM	Diagnosis
916.7	Hip, thigh, leg, and ankle, superficial foreign body (splinter), without major open wound, infected	ICD-9-CM	Diagnosis
916.8	Other and unspecified superficial injury of hip, thigh, leg, and ankle, without mention of infection	ICD-9-CM	Diagnosis
916.9	Other and unspecified superficial injury of hip, thigh, leg, and ankle, infected	ICD-9-CM	Diagnosis
917.0	Abrasion or friction burn of foot and toe(s), without mention of infection	ICD-9-CM	Diagnosis
917.1	Foot and toe(s), abrasion or friction burn, infected	ICD-9-CM	Diagnosis
917.2	Foot and toe(s), blister, without mention of infection	ICD-9-CM	Diagnosis
917.3	Foot and toe(s), blister, infected	ICD-9-CM	Diagnosis
917.4	Foot and toe(s), insect bite, nonvenomous, without mention of infection	ICD-9-CM	Diagnosis
917.5	Foot and toe(s), insect bite, nonvenomous, infected	ICD-9-CM	Diagnosis
917.6	Foot and toe(s), superficial foreign body (splinter), without major open wound and without mention of infection	ICD-9-CM	Diagnosis
917.7	Foot and toe(s), superficial foreign body (splinter), without major open wound, infected	ICD-9-CM	Diagnosis
917.8	Other and unspecified superficial injury of foot and toes, without mention of infection	ICD-9-CM	Diagnosis
917.9	Other and unspecified superficial injury of foot and toes, infected	ICD-9-CM	Diagnosis
918.0	Superficial injury of eyelids and periocular area	ICD-9-CM	Diagnosis
918.1	Superficial injury of cornea	ICD-9-CM	Diagnosis
918.2	Superficial injury of conjunctiva	ICD-9-CM	Diagnosis
918.9	Other and unspecified superficial injuries of eye	ICD-9-CM	Diagnosis
919.0	Abrasion or friction burn of other, multiple, and unspecified sites, without mention of infection	ICD-9-CM	Diagnosis
919.1	Other, multiple, and unspecified sites, abrasion or friction burn, infected	ICD-9-CM	Diagnosis
919.2	Other, multiple, and unspecified sites, blister, without mention of infection	ICD-9-CM	Diagnosis
919.3	Other, multiple, and unspecified sites, blister, infected	ICD-9-CM	Diagnosis
919.4	Other, multiple, and unspecified sites, insect bite, nonvenomous, without mention of infection	ICD-9-CM	Diagnosis
919.5	Other, multiple, and unspecified sites, insect bite, nonvenomous, infected	ICD-9-CM	Diagnosis
919.6	Other, multiple, and unspecified sites, superficial foreign body (splinter), without major open wound and without mention of infection	ICD-9-CM	Diagnosis
919.7	Other, multiple, and unspecified sites, superficial foreign body (splinter), without major open wound, infected	ICD-9-CM	Diagnosis
919.8	Other and unspecified superficial injury of other, multiple, and unspecified sites, without mention of infection	ICD-9-CM	Diagnosis



**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
919.9	Other and unspecified superficial injury of other, multiple, and unspecified sites, infected	ICD-9-CM	Diagnosis
920	Contusion of face, scalp, and neck except eye(s)	ICD-9-CM	Diagnosis
921.0	Black eye, not otherwise specified	ICD-9-CM	Diagnosis
921.1	Contusion of eyelids and periocular area	ICD-9-CM	Diagnosis
921.2	Contusion of orbital tissues	ICD-9-CM	Diagnosis
921.3	Contusion of eyeball	ICD-9-CM	Diagnosis
921.9	Unspecified contusion of eye	ICD-9-CM	Diagnosis
922.0	Contusion of breast	ICD-9-CM	Diagnosis
922.1	Contusion of chest wall	ICD-9-CM	Diagnosis
922.2	Contusion of abdominal wall	ICD-9-CM	Diagnosis
922.3	Contusion of trunk	ICD-9-CM	Diagnosis
922.31	Contusion of back	ICD-9-CM	Diagnosis
922.32	Contusion of buttock	ICD-9-CM	Diagnosis
922.33	Contusion of interscapular region	ICD-9-CM	Diagnosis
922.4	Contusion of genital organs	ICD-9-CM	Diagnosis
922.8	Contusion of multiple sites of trunk	ICD-9-CM	Diagnosis
922.9	Contusion of unspecified part of trunk	ICD-9-CM	Diagnosis
923.00	Contusion of shoulder region	ICD-9-CM	Diagnosis
923.01	Contusion of scapular region	ICD-9-CM	Diagnosis
923.02	Contusion of axillary region	ICD-9-CM	Diagnosis
923.03	Contusion of upper arm	ICD-9-CM	Diagnosis
923.09	Contusion of multiple sites of shoulder and upper arm	ICD-9-CM	Diagnosis
923.10	Contusion of forearm	ICD-9-CM	Diagnosis
923.11	Contusion of elbow	ICD-9-CM	Diagnosis
923.20	Contusion of hand(s)	ICD-9-CM	Diagnosis
923.21	Contusion of wrist	ICD-9-CM	Diagnosis
923.3	Contusion of finger	ICD-9-CM	Diagnosis
923.8	Contusion of multiple sites of upper limb	ICD-9-CM	Diagnosis
923.9	Contusion of unspecified part of upper limb	ICD-9-CM	Diagnosis
924.00	Contusion of thigh	ICD-9-CM	Diagnosis
924.01	Contusion of hip	ICD-9-CM	Diagnosis
924.10	Contusion of lower leg	ICD-9-CM	Diagnosis
924.11	Contusion of knee	ICD-9-CM	Diagnosis
924.20	Contusion of foot	ICD-9-CM	Diagnosis
924.21	Contusion of ankle	ICD-9-CM	Diagnosis
924.3	Contusion of toe	ICD-9-CM	Diagnosis
924.4	Contusion of multiple sites of lower limb	ICD-9-CM	Diagnosis
924.5	Contusion of unspecified part of lower limb	ICD-9-CM	Diagnosis
924.8	Contusion of multiple sites, not elsewhere classified	ICD-9-CM	Diagnosis
924.9	Contusion of unspecified site	ICD-9-CM	Diagnosis
S20.112D	Abrasion of breast, left breast, subsequent encounter	ICD-10-CM	Diagnosis
S20.111A	Abrasion of breast, right breast, initial encounter	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S20.111D	Abrasion of breast, right breast, subsequent encounter	ICD-10-CM	Diagnosis
S20.119A	Abrasion of breast, unspecified breast, initial encounter	ICD-10-CM	Diagnosis
S20.119D	Abrasion of breast, unspecified breast, subsequent encounter	ICD-10-CM	Diagnosis
S90.512A	Abrasion, left ankle, initial encounter	ICD-10-CM	Diagnosis
S90.512S	Abrasion, left ankle, sequela	ICD-10-CM	Diagnosis
S90.512D	Abrasion, left ankle, subsequent encounter	ICD-10-CM	Diagnosis
S20.412A	Abrasion of left back wall of thorax, initial encounter	ICD-10-CM	Diagnosis
S90.812A	Abrasion, left foot, initial encounter	ICD-10-CM	Diagnosis
S90.812S	Abrasion, left foot, sequela	ICD-10-CM	Diagnosis
S90.812D	Abrasion, left foot, subsequent encounter	ICD-10-CM	Diagnosis
S90.412A	Abrasion, left great toe, initial encounter	ICD-10-CM	Diagnosis
S90.412S	Abrasion, left great toe, sequela	ICD-10-CM	Diagnosis
S90.412D	Abrasion, left great toe, subsequent encounter	ICD-10-CM	Diagnosis
S70.212A	Abrasion, left hip, initial encounter	ICD-10-CM	Diagnosis
S70.212S	Abrasion, left hip, sequela	ICD-10-CM	Diagnosis
S70.212D	Abrasion, left hip, subsequent encounter	ICD-10-CM	Diagnosis
S80.212A	Abrasion, left knee, initial encounter	ICD-10-CM	Diagnosis
S80.212S	Abrasion, left knee, sequela	ICD-10-CM	Diagnosis
S80.212D	Abrasion, left knee, subsequent encounter	ICD-10-CM	Diagnosis
S80.812A	Abrasion, left lower leg, initial encounter	ICD-10-CM	Diagnosis
S80.812S	Abrasion, left lower leg, sequela	ICD-10-CM	Diagnosis
S80.812D	Abrasion, left lower leg, subsequent encounter	ICD-10-CM	Diagnosis
S70.312A	Abrasion, left thigh, initial encounter	ICD-10-CM	Diagnosis
S70.312S	Abrasion, left thigh, sequela	ICD-10-CM	Diagnosis
S70.312D	Abrasion, left thigh, subsequent encounter	ICD-10-CM	Diagnosis
S30.810A	Abrasion of lower back and pelvis, initial encounter	ICD-10-CM	Diagnosis
S30.810D	Abrasion of lower back and pelvis, subsequent encounter	ICD-10-CM	Diagnosis
S20.412D	Abrasion of left back wall of thorax, subsequent encounter	ICD-10-CM	Diagnosis
S00.212A	Abrasion of left eyelid and periocular area, initial encounter	ICD-10-CM	Diagnosis
S00.212S	Abrasion of left eyelid and periocular area, sequela	ICD-10-CM	Diagnosis
S00.212D	Abrasion of left eyelid and periocular area, subsequent encounter	ICD-10-CM	Diagnosis
S20.312A	Abrasion of left front wall of thorax, initial encounter	ICD-10-CM	Diagnosis
S20.312D	Abrasion of left front wall of thorax, subsequent encounter	ICD-10-CM	Diagnosis
S90.415A	Abrasion, left lesser toe(s), initial encounter	ICD-10-CM	Diagnosis
S90.415S	Abrasion, left lesser toe(s), sequela	ICD-10-CM	Diagnosis
S90.415D	Abrasion, left lesser toe(s), subsequent encounter	ICD-10-CM	Diagnosis
S30.811A	Abrasion of abdominal wall, initial encounter	ICD-10-CM	Diagnosis
S30.811S	Abrasion of abdominal wall, sequela	ICD-10-CM	Diagnosis
S30.811D	Abrasion of abdominal wall, subsequent encounter	ICD-10-CM	Diagnosis
S30.817A	Abrasion of anus, initial encounter	ICD-10-CM	Diagnosis
S30.817S	Abrasion of anus, sequela	ICD-10-CM	Diagnosis
S30.817D	Abrasion of anus, subsequent encounter	ICD-10-CM	Diagnosis
S20.112A	Abrasion of breast, left breast, initial encounter	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S20.112S	Abrasion of breast, left breast, sequela	ICD-10-CM	Diagnosis
S20.111S	Abrasion of breast, right breast, sequela	ICD-10-CM	Diagnosis
S20.119S	Abrasion of breast, unspecified breast, sequela	ICD-10-CM	Diagnosis
S20.412S	Abrasion of left back wall of thorax, sequela	ICD-10-CM	Diagnosis
S00.412A	Abrasion of left ear, initial encounter	ICD-10-CM	Diagnosis
S00.412S	Abrasion of left ear, sequela	ICD-10-CM	Diagnosis
S00.412D	Abrasion of left ear, subsequent encounter	ICD-10-CM	Diagnosis
S50.312A	Abrasion of left elbow, initial encounter	ICD-10-CM	Diagnosis
S50.312S	Abrasion of left elbow, sequela	ICD-10-CM	Diagnosis
S50.312D	Abrasion of left elbow, subsequent encounter	ICD-10-CM	Diagnosis
S50.812A	Abrasion of left forearm, initial encounter	ICD-10-CM	Diagnosis
S50.812S	Abrasion of left forearm, sequela	ICD-10-CM	Diagnosis
S50.812D	Abrasion of left forearm, subsequent encounter	ICD-10-CM	Diagnosis
S20.312S	Abrasion of left front wall of thorax, sequela	ICD-10-CM	Diagnosis
S60.512A	Abrasion of left hand, initial encounter	ICD-10-CM	Diagnosis
S60.512S	Abrasion of left hand, sequela	ICD-10-CM	Diagnosis
S60.512D	Abrasion of left hand, subsequent encounter	ICD-10-CM	Diagnosis
S60.411A	Abrasion of left index finger, initial encounter	ICD-10-CM	Diagnosis
S60.411S	Abrasion of left index finger, sequela	ICD-10-CM	Diagnosis
S60.411D	Abrasion of left index finger, subsequent encounter	ICD-10-CM	Diagnosis
S60.417A	Abrasion of left little finger, initial encounter	ICD-10-CM	Diagnosis
S60.417S	Abrasion of left little finger, sequela	ICD-10-CM	Diagnosis
S60.417D	Abrasion of left little finger, subsequent encounter	ICD-10-CM	Diagnosis
S60.413A	Abrasion of left middle finger, initial encounter	ICD-10-CM	Diagnosis
S60.413S	Abrasion of left middle finger, sequela	ICD-10-CM	Diagnosis
S60.413D	Abrasion of left middle finger, subsequent encounter	ICD-10-CM	Diagnosis
S60.415A	Abrasion of left ring finger, initial encounter	ICD-10-CM	Diagnosis
S60.415S	Abrasion of left ring finger, sequela	ICD-10-CM	Diagnosis
S60.415D	Abrasion of left ring finger, subsequent encounter	ICD-10-CM	Diagnosis
S40.212A	Abrasion of left shoulder, initial encounter	ICD-10-CM	Diagnosis
S40.212S	Abrasion of left shoulder, sequela	ICD-10-CM	Diagnosis
S40.212D	Abrasion of left shoulder, subsequent encounter	ICD-10-CM	Diagnosis
S60.312A	Abrasion of left thumb, initial encounter	ICD-10-CM	Diagnosis
S60.312S	Abrasion of left thumb, sequela	ICD-10-CM	Diagnosis
S60.312D	Abrasion of left thumb, subsequent encounter	ICD-10-CM	Diagnosis
S40.812A	Abrasion of left upper arm, initial encounter	ICD-10-CM	Diagnosis
S40.812S	Abrasion of left upper arm, sequela	ICD-10-CM	Diagnosis
S40.812D	Abrasion of left upper arm, subsequent encounter	ICD-10-CM	Diagnosis
S60.812A	Abrasion of left wrist, initial encounter	ICD-10-CM	Diagnosis
S60.812S	Abrasion of left wrist, sequela	ICD-10-CM	Diagnosis
S60.812D	Abrasion of left wrist, subsequent encounter	ICD-10-CM	Diagnosis
S00.511A	Abrasion of lip, initial encounter	ICD-10-CM	Diagnosis
S00.511S	Abrasion of lip, sequela	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S00.511D	Abrasion of lip, subsequent encounter	ICD-10-CM	Diagnosis
S30.810S	Abrasion of lower back and pelvis, sequela	ICD-10-CM	Diagnosis
S00.31XA	Abrasion of nose, initial encounter	ICD-10-CM	Diagnosis
S00.31XS	Abrasion of nose, sequela	ICD-10-CM	Diagnosis
S00.31XD	Abrasion of nose, subsequent encounter	ICD-10-CM	Diagnosis
S00.512A	Abrasion of oral cavity, initial encounter	ICD-10-CM	Diagnosis
S00.512S	Abrasion of oral cavity, sequela	ICD-10-CM	Diagnosis
S00.512D	Abrasion of oral cavity, subsequent encounter	ICD-10-CM	Diagnosis
S60.418A	Abrasion of other finger, initial encounter	ICD-10-CM	Diagnosis
S60.418S	Abrasion of other finger, sequela	ICD-10-CM	Diagnosis
S60.418D	Abrasion of other finger, subsequent encounter	ICD-10-CM	Diagnosis
S10.81XA	Abrasion of other specified part of neck, initial encounter	ICD-10-CM	Diagnosis
S10.81XS	Abrasion of other specified part of neck, sequela	ICD-10-CM	Diagnosis
S30.812A	Abrasion of penis, initial encounter	ICD-10-CM	Diagnosis
S30.812S	Abrasion of penis, sequela	ICD-10-CM	Diagnosis
S30.812D	Abrasion of penis, subsequent encounter	ICD-10-CM	Diagnosis
S20.411S	Abrasion of right back wall of thorax, sequela	ICD-10-CM	Diagnosis
S00.411A	Abrasion of right ear, initial encounter	ICD-10-CM	Diagnosis
S00.411S	Abrasion of right ear, sequela	ICD-10-CM	Diagnosis
S00.411D	Abrasion of right ear, subsequent encounter	ICD-10-CM	Diagnosis
S50.311A	Abrasion of right elbow, initial encounter	ICD-10-CM	Diagnosis
S50.311S	Abrasion of right elbow, sequela	ICD-10-CM	Diagnosis
S50.311D	Abrasion of right elbow, subsequent encounter	ICD-10-CM	Diagnosis
S50.811A	Abrasion of right forearm, initial encounter	ICD-10-CM	Diagnosis
S50.811S	Abrasion of right forearm, sequela	ICD-10-CM	Diagnosis
S50.811D	Abrasion of right forearm, subsequent encounter	ICD-10-CM	Diagnosis
S20.311S	Abrasion of right front wall of thorax, sequela	ICD-10-CM	Diagnosis
S60.511A	Abrasion of right hand, initial encounter	ICD-10-CM	Diagnosis
S60.511S	Abrasion of right hand, sequela	ICD-10-CM	Diagnosis
S60.511D	Abrasion of right hand, subsequent encounter	ICD-10-CM	Diagnosis
S60.410A	Abrasion of right index finger, initial encounter	ICD-10-CM	Diagnosis
S60.410S	Abrasion of right index finger, sequela	ICD-10-CM	Diagnosis
S60.410D	Abrasion of right index finger, subsequent encounter	ICD-10-CM	Diagnosis
S60.416A	Abrasion of right little finger, initial encounter	ICD-10-CM	Diagnosis
S60.416S	Abrasion of right little finger, sequela	ICD-10-CM	Diagnosis
S60.412A	Abrasion of right middle finger, initial encounter	ICD-10-CM	Diagnosis
S60.412S	Abrasion of right middle finger, sequela	ICD-10-CM	Diagnosis
S60.414A	Abrasion of right ring finger, initial encounter	ICD-10-CM	Diagnosis
S60.414S	Abrasion of right ring finger, sequela	ICD-10-CM	Diagnosis
S60.414D	Abrasion of right ring finger, subsequent encounter	ICD-10-CM	Diagnosis
S40.211A	Abrasion of right shoulder, initial encounter	ICD-10-CM	Diagnosis
S40.211S	Abrasion of right shoulder, sequela	ICD-10-CM	Diagnosis
S40.211D	Abrasion of right shoulder, subsequent encounter	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S60.311A	Abrasion of right thumb, initial encounter	ICD-10-CM	Diagnosis
S60.311S	Abrasion of right thumb, sequela	ICD-10-CM	Diagnosis
S60.311D	Abrasion of right thumb, subsequent encounter	ICD-10-CM	Diagnosis
S40.811A	Abrasion of right upper arm, initial encounter	ICD-10-CM	Diagnosis
S40.811S	Abrasion of right upper arm, sequela	ICD-10-CM	Diagnosis
S40.811D	Abrasion of right upper arm, subsequent encounter	ICD-10-CM	Diagnosis
S60.811A	Abrasion of right wrist, initial encounter	ICD-10-CM	Diagnosis
S60.811S	Abrasion of right wrist, sequela	ICD-10-CM	Diagnosis
S60.811D	Abrasion of right wrist, subsequent encounter	ICD-10-CM	Diagnosis
S60.416D	Abrasion of right little finger, subsequent encounter	ICD-10-CM	Diagnosis
S60.412D	Abrasion of right middle finger, subsequent encounter	ICD-10-CM	Diagnosis
S00.01XA	Abrasion of scalp, initial encounter	ICD-10-CM	Diagnosis
S00.01XS	Abrasion of scalp, sequela	ICD-10-CM	Diagnosis
S00.01XD	Abrasion of scalp, subsequent encounter	ICD-10-CM	Diagnosis
S30.813A	Abrasion of scrotum and testes, initial encounter	ICD-10-CM	Diagnosis
S30.813S	Abrasion of scrotum and testes, sequela	ICD-10-CM	Diagnosis
S10.11XA	Abrasion of throat, initial encounter	ICD-10-CM	Diagnosis
S10.11XS	Abrasion of throat, sequela	ICD-10-CM	Diagnosis
S10.11XD	Abrasion of throat, subsequent encounter	ICD-10-CM	Diagnosis
S00.419A	Abrasion of unspecified ear, initial encounter	ICD-10-CM	Diagnosis
S00.419S	Abrasion of unspecified ear, sequela	ICD-10-CM	Diagnosis
S00.419D	Abrasion of unspecified ear, subsequent encounter	ICD-10-CM	Diagnosis
S50.319A	Abrasion of unspecified elbow, initial encounter	ICD-10-CM	Diagnosis
S50.319S	Abrasion of unspecified elbow, sequela	ICD-10-CM	Diagnosis
S60.419A	Abrasion of unspecified finger, initial encounter	ICD-10-CM	Diagnosis
S60.419S	Abrasion of unspecified finger, sequela	ICD-10-CM	Diagnosis
S50.819A	Abrasion of unspecified forearm, initial encounter	ICD-10-CM	Diagnosis
S50.819D	Abrasion of unspecified forearm, subsequent encounter	ICD-10-CM	Diagnosis
S60.519A	Abrasion of unspecified hand, initial encounter	ICD-10-CM	Diagnosis
S60.519S	Abrasion of unspecified hand, sequela	ICD-10-CM	Diagnosis
S60.519D	Abrasion of unspecified hand, subsequent encounter	ICD-10-CM	Diagnosis
S10.91XS	Abrasion of unspecified part of neck, sequela	ICD-10-CM	Diagnosis
S20.91XS	Abrasion of unspecified parts of thorax, sequela	ICD-10-CM	Diagnosis
S40.219S	Abrasion of unspecified shoulder, sequela	ICD-10-CM	Diagnosis
S60.319A	Abrasion of unspecified thumb, initial encounter	ICD-10-CM	Diagnosis
S60.319S	Abrasion of unspecified thumb, sequela	ICD-10-CM	Diagnosis
S60.319D	Abrasion of unspecified thumb, subsequent encounter	ICD-10-CM	Diagnosis
S40.819S	Abrasion of unspecified upper arm, sequela	ICD-10-CM	Diagnosis
S60.819A	Abrasion of unspecified wrist, initial encounter	ICD-10-CM	Diagnosis
S60.819S	Abrasion of unspecified wrist, sequela	ICD-10-CM	Diagnosis
S60.819D	Abrasion of unspecified wrist, subsequent encounter	ICD-10-CM	Diagnosis
S30.814D	Abrasion of vagina and vulva, subsequent encounter	ICD-10-CM	Diagnosis
S30.814A	Abrasion of vagina and vulva, initial encounter	ICD-10-CM	Diagnosis



**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

Code	Description	Code Type	Code Category
S30.814S	Abrasion of vagina and vulva, sequela	ICD-10-CM	Diagnosis
S00.81XA	Abrasion of other part of head, initial encounter	ICD-10-CM	Diagnosis
S00.81XS	Abrasion of other part of head, sequela	ICD-10-CM	Diagnosis
S00.81XD	Abrasion of other part of head, subsequent encounter	ICD-10-CM	Diagnosis
S10.81XD	Abrasion of other specified part of neck, subsequent encounter	ICD-10-CM	Diagnosis
S90.511A	Abrasion, right ankle, initial encounter	ICD-10-CM	Diagnosis
S90.511S	Abrasion, right ankle, sequela	ICD-10-CM	Diagnosis
S90.511D	Abrasion, right ankle, subsequent encounter	ICD-10-CM	Diagnosis
S90.811A	Abrasion, right foot, initial encounter	ICD-10-CM	Diagnosis
S90.811S	Abrasion, right foot, sequela	ICD-10-CM	Diagnosis
S90.811D	Abrasion, right foot, subsequent encounter	ICD-10-CM	Diagnosis
S90.411A	Abrasion, right great toe, initial encounter	ICD-10-CM	Diagnosis
S90.411S	Abrasion, right great toe, sequela	ICD-10-CM	Diagnosis
S90.411D	Abrasion, right great toe, subsequent encounter	ICD-10-CM	Diagnosis
S70.211A	Abrasion, right hip, initial encounter	ICD-10-CM	Diagnosis
S70.211S	Abrasion, right hip, sequela	ICD-10-CM	Diagnosis
S70.211D	Abrasion, right hip, subsequent encounter	ICD-10-CM	Diagnosis
S80.211A	Abrasion, right knee, initial encounter	ICD-10-CM	Diagnosis
S80.211S	Abrasion, right knee, sequela	ICD-10-CM	Diagnosis
S80.211D	Abrasion, right knee, subsequent encounter	ICD-10-CM	Diagnosis
S80.811A	Abrasion, right lower leg, initial encounter	ICD-10-CM	Diagnosis
S80.811S	Abrasion, right lower leg, sequela	ICD-10-CM	Diagnosis
S80.811D	Abrasion, right lower leg, subsequent encounter	ICD-10-CM	Diagnosis
S70.311A	Abrasion, right thigh, initial encounter	ICD-10-CM	Diagnosis
S70.311S	Abrasion, right thigh, sequela	ICD-10-CM	Diagnosis
S70.311D	Abrasion, right thigh, subsequent encounter	ICD-10-CM	Diagnosis
S20.411A	Abrasion of right back wall of thorax, initial encounter	ICD-10-CM	Diagnosis
S20.411D	Abrasion of right back wall of thorax, subsequent encounter	ICD-10-CM	Diagnosis
S00.211A	Abrasion of right eyelid and periocular area, initial encounter	ICD-10-CM	Diagnosis
S00.211S	Abrasion of right eyelid and periocular area, sequela	ICD-10-CM	Diagnosis
S00.211D	Abrasion of right eyelid and periocular area, subsequent encounter	ICD-10-CM	Diagnosis
S20.311A	Abrasion of right front wall of thorax, initial encounter	ICD-10-CM	Diagnosis
S20.311D	Abrasion of right front wall of thorax, subsequent encounter	ICD-10-CM	Diagnosis
S90.414A	Abrasion, right lesser toe(s), initial encounter	ICD-10-CM	Diagnosis
S90.414S	Abrasion, right lesser toe(s), sequela	ICD-10-CM	Diagnosis
S90.414D	Abrasion, right lesser toe(s), subsequent encounter	ICD-10-CM	Diagnosis
S30.813D	Abrasion of scrotum and testes, subsequent encounter	ICD-10-CM	Diagnosis
S20.419A	Abrasion of unspecified back wall of thorax, initial encounter	ICD-10-CM	Diagnosis
S20.419D	Abrasion of unspecified back wall of thorax, subsequent encounter	ICD-10-CM	Diagnosis
S30.816D	Abrasion of unspecified external genital organs, female, subsequent encounter	ICD-10-CM	Diagnosis
S30.816A	Abrasion of unspecified external genital organs, female, initial encounter	ICD-10-CM	Diagnosis
S30.816S	Abrasion of unspecified external genital organs, female, sequela	ICD-10-CM	Diagnosis



**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S30.815A	Abrasion of unspecified external genital organs, male, initial encounter	ICD-10-CM	Diagnosis
S30.815S	Abrasion of unspecified external genital organs, male, sequela	ICD-10-CM	Diagnosis
S30.815D	Abrasion of unspecified external genital organs, male, subsequent encounter	ICD-10-CM	Diagnosis
S00.219A	Abrasion of unspecified eyelid and periocular area, initial encounter	ICD-10-CM	Diagnosis
S00.219S	Abrasion of unspecified eyelid and periocular area, sequela	ICD-10-CM	Diagnosis
S00.219D	Abrasion of unspecified eyelid and periocular area, subsequent encounter	ICD-10-CM	Diagnosis
S20.319A	Abrasion of unspecified front wall of thorax, initial encounter	ICD-10-CM	Diagnosis
S20.319D	Abrasion of unspecified front wall of thorax, subsequent encounter	ICD-10-CM	Diagnosis
S00.91XD	Abrasion of unspecified part of head, subsequent encounter	ICD-10-CM	Diagnosis
S10.91XD	Abrasion of unspecified part of neck, subsequent encounter	ICD-10-CM	Diagnosis
S20.91XA	Abrasion of unspecified parts of thorax, initial encounter	ICD-10-CM	Diagnosis
S20.91XD	Abrasion of unspecified parts of thorax, subsequent encounter	ICD-10-CM	Diagnosis
S40.219D	Abrasion of unspecified shoulder, subsequent encounter	ICD-10-CM	Diagnosis
S90.519A	Abrasion, unspecified ankle, initial encounter	ICD-10-CM	Diagnosis
S90.519S	Abrasion, unspecified ankle, sequela	ICD-10-CM	Diagnosis
S90.519D	Abrasion, unspecified ankle, subsequent encounter	ICD-10-CM	Diagnosis
S20.419S	Abrasion of unspecified back wall of thorax, sequela	ICD-10-CM	Diagnosis
S50.319D	Abrasion of unspecified elbow, subsequent encounter	ICD-10-CM	Diagnosis
S60.419D	Abrasion of unspecified finger, subsequent encounter	ICD-10-CM	Diagnosis
S90.819A	Abrasion, unspecified foot, initial encounter	ICD-10-CM	Diagnosis
S90.819S	Abrasion, unspecified foot, sequela	ICD-10-CM	Diagnosis
S90.819D	Abrasion, unspecified foot, subsequent encounter	ICD-10-CM	Diagnosis
S50.819S	Abrasion of unspecified forearm, sequela	ICD-10-CM	Diagnosis
S20.319S	Abrasion of unspecified front wall of thorax, sequela	ICD-10-CM	Diagnosis
S90.413A	Abrasion, unspecified great toe, initial encounter	ICD-10-CM	Diagnosis
S90.413S	Abrasion, unspecified great toe, sequela	ICD-10-CM	Diagnosis
S90.413D	Abrasion, unspecified great toe, subsequent encounter	ICD-10-CM	Diagnosis
S70.219A	Abrasion, unspecified hip, initial encounter	ICD-10-CM	Diagnosis
S70.219S	Abrasion, unspecified hip, sequela	ICD-10-CM	Diagnosis
S70.219D	Abrasion, unspecified hip, subsequent encounter	ICD-10-CM	Diagnosis
S80.219A	Abrasion, unspecified knee, initial encounter	ICD-10-CM	Diagnosis
S80.219S	Abrasion, unspecified knee, sequela	ICD-10-CM	Diagnosis
S80.219D	Abrasion, unspecified knee, subsequent encounter	ICD-10-CM	Diagnosis
S90.416A	Abrasion, unspecified lesser toe(s), initial encounter	ICD-10-CM	Diagnosis
S90.416S	Abrasion, unspecified lesser toe(s), sequela	ICD-10-CM	Diagnosis
S90.416D	Abrasion, unspecified lesser toe(s), subsequent encounter	ICD-10-CM	Diagnosis
S80.819A	Abrasion, unspecified lower leg, initial encounter	ICD-10-CM	Diagnosis
S80.819S	Abrasion, unspecified lower leg, sequela	ICD-10-CM	Diagnosis
S80.819D	Abrasion, unspecified lower leg, subsequent encounter	ICD-10-CM	Diagnosis
S00.91XA	Abrasion of unspecified part of head, initial encounter	ICD-10-CM	Diagnosis
S10.91XA	Abrasion of unspecified part of neck, initial encounter	ICD-10-CM	Diagnosis
S00.91XS	Abrasion of unspecified part of head, sequela	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S40.219A	Abrasion of unspecified shoulder, initial encounter	ICD-10-CM	Diagnosis
S70.319A	Abrasion, unspecified thigh, initial encounter	ICD-10-CM	Diagnosis
S70.319S	Abrasion, unspecified thigh, sequela	ICD-10-CM	Diagnosis
S70.319D	Abrasion, unspecified thigh, subsequent encounter	ICD-10-CM	Diagnosis
S40.819A	Abrasion of unspecified upper arm, initial encounter	ICD-10-CM	Diagnosis
S40.819D	Abrasion of unspecified upper arm, subsequent encounter	ICD-10-CM	Diagnosis
S70.222A	Blister (nonthermal), left hip, initial encounter	ICD-10-CM	Diagnosis
S70.222S	Blister (nonthermal), left hip, sequela	ICD-10-CM	Diagnosis
S70.222D	Blister (nonthermal), left hip, subsequent encounter	ICD-10-CM	Diagnosis
S70.322A	Blister (nonthermal), left thigh, initial encounter	ICD-10-CM	Diagnosis
S70.322S	Blister (nonthermal), left thigh, sequela	ICD-10-CM	Diagnosis
S70.322D	Blister (nonthermal), left thigh, subsequent encounter	ICD-10-CM	Diagnosis
S30.825S	Blister (nonthermal) of unspecified external genital organs, male, sequela	ICD-10-CM	Diagnosis
S30.821D	Blister (nonthermal) of abdominal wall, subsequent encounter	ICD-10-CM	Diagnosis
S30.821A	Blister (nonthermal) of abdominal wall, initial encounter	ICD-10-CM	Diagnosis
S20.122A	Blister (nonthermal) of breast, left breast, initial encounter	ICD-10-CM	Diagnosis
S20.121S	Blister (nonthermal) of breast, right breast, sequela	ICD-10-CM	Diagnosis
S20.121A	Blister (nonthermal) of breast, right breast, initial encounter	ICD-10-CM	Diagnosis
S20.129A	Blister (nonthermal) of breast, unspecified breast, initial encounter	ICD-10-CM	Diagnosis
S20.129S	Blister (nonthermal) of breast, unspecified breast, sequela	ICD-10-CM	Diagnosis
S90.522A	Blister (nonthermal), left ankle, initial encounter	ICD-10-CM	Diagnosis
S90.522S	Blister (nonthermal), left ankle, sequela	ICD-10-CM	Diagnosis
S90.522D	Blister (nonthermal), left ankle, subsequent encounter	ICD-10-CM	Diagnosis
S20.422S	Blister (nonthermal) of left back wall of thorax, sequela	ICD-10-CM	Diagnosis
S00.422D	Blister (nonthermal) of left ear, subsequent encounter	ICD-10-CM	Diagnosis
S50.322A	Blister (nonthermal) of left elbow, initial encounter	ICD-10-CM	Diagnosis
S90.822A	Blister (nonthermal), left foot, initial encounter	ICD-10-CM	Diagnosis
S90.822S	Blister (nonthermal), left foot, sequela	ICD-10-CM	Diagnosis
S90.822D	Blister (nonthermal), left foot, subsequent encounter	ICD-10-CM	Diagnosis
S50.822S	Blister (nonthermal) of left forearm, sequela	ICD-10-CM	Diagnosis
S90.422S	Blister (nonthermal), left great toe, sequela	ICD-10-CM	Diagnosis
S80.222A	Blister (nonthermal), left knee, initial encounter	ICD-10-CM	Diagnosis
S80.222S	Blister (nonthermal), left knee, sequela	ICD-10-CM	Diagnosis
S80.222D	Blister (nonthermal), left knee, subsequent encounter	ICD-10-CM	Diagnosis
S80.822S	Blister (nonthermal), left lower leg, sequela	ICD-10-CM	Diagnosis
S30.820D	Blister (nonthermal) of lower back and pelvis, subsequent encounter	ICD-10-CM	Diagnosis
S30.820A	Blister (nonthermal) of lower back and pelvis, initial encounter	ICD-10-CM	Diagnosis
S30.820S	Blister (nonthermal) of lower back and pelvis, sequela	ICD-10-CM	Diagnosis
S20.422A	Blister (nonthermal) of left back wall of thorax, initial encounter	ICD-10-CM	Diagnosis
S20.422D	Blister (nonthermal) of left back wall of thorax, subsequent encounter	ICD-10-CM	Diagnosis
S50.322D	Blister (nonthermal) of left elbow, subsequent encounter	ICD-10-CM	Diagnosis
S50.822A	Blister (nonthermal) of left forearm, initial encounter	ICD-10-CM	Diagnosis
S50.822D	Blister (nonthermal) of left forearm, subsequent encounter	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S20.322A	Blister (nonthermal) of left front wall of thorax, initial encounter	ICD-10-CM	Diagnosis
S20.322S	Blister (nonthermal) of left front wall of thorax, sequela	ICD-10-CM	Diagnosis
S20.322D	Blister (nonthermal) of left front wall of thorax, subsequent encounter	ICD-10-CM	Diagnosis
S90.422A	Blister (nonthermal), left great toe, initial encounter	ICD-10-CM	Diagnosis
S90.422D	Blister (nonthermal), left great toe, subsequent encounter	ICD-10-CM	Diagnosis
S60.421A	Blister (nonthermal) of left index finger, initial encounter	ICD-10-CM	Diagnosis
S60.421S	Blister (nonthermal) of left index finger, sequela	ICD-10-CM	Diagnosis
S60.421D	Blister (nonthermal) of left index finger, subsequent encounter	ICD-10-CM	Diagnosis
S90.425A	Blister (nonthermal), left lesser toe(s), initial encounter	ICD-10-CM	Diagnosis
S90.425S	Blister (nonthermal), left lesser toe(s), sequela	ICD-10-CM	Diagnosis
S90.425D	Blister (nonthermal), left lesser toe(s), subsequent encounter	ICD-10-CM	Diagnosis
S60.427A	Blister (nonthermal) of left little finger, initial encounter	ICD-10-CM	Diagnosis
S60.427D	Blister (nonthermal) of left little finger, subsequent encounter	ICD-10-CM	Diagnosis
S80.822A	Blister (nonthermal), left lower leg, initial encounter	ICD-10-CM	Diagnosis
S80.822D	Blister (nonthermal), left lower leg, subsequent encounter	ICD-10-CM	Diagnosis
S60.423A	Blister (nonthermal) of left middle finger, initial encounter	ICD-10-CM	Diagnosis
S60.423S	Blister (nonthermal) of left middle finger, sequela	ICD-10-CM	Diagnosis
S60.423D	Blister (nonthermal) of left middle finger, subsequent encounter	ICD-10-CM	Diagnosis
S60.425A	Blister (nonthermal) of left ring finger, initial encounter	ICD-10-CM	Diagnosis
S60.425S	Blister (nonthermal) of left ring finger, sequela	ICD-10-CM	Diagnosis
S60.425D	Blister (nonthermal) of left ring finger, subsequent encounter	ICD-10-CM	Diagnosis
S40.222A	Blister (nonthermal) of left shoulder, initial encounter	ICD-10-CM	Diagnosis
S40.222D	Blister (nonthermal) of left shoulder, subsequent encounter	ICD-10-CM	Diagnosis
S40.822A	Blister (nonthermal) of left upper arm, initial encounter	ICD-10-CM	Diagnosis
S40.822D	Blister (nonthermal) of left upper arm, subsequent encounter	ICD-10-CM	Diagnosis
S30.821S	Blister (nonthermal) of abdominal wall, sequela	ICD-10-CM	Diagnosis
S30.827A	Blister (nonthermal) of anus, initial encounter	ICD-10-CM	Diagnosis
S30.827S	Blister (nonthermal) of anus, sequela	ICD-10-CM	Diagnosis
S30.827D	Blister (nonthermal) of anus, subsequent encounter	ICD-10-CM	Diagnosis
S20.122S	Blister (nonthermal) of breast, left breast, sequela	ICD-10-CM	Diagnosis
S00.422A	Blister (nonthermal) of left ear, initial encounter	ICD-10-CM	Diagnosis
S00.422S	Blister (nonthermal) of left ear, sequela	ICD-10-CM	Diagnosis
S50.322S	Blister (nonthermal) of left elbow, sequela	ICD-10-CM	Diagnosis
S60.522A	Blister (nonthermal) of left hand, initial encounter	ICD-10-CM	Diagnosis
S60.522S	Blister (nonthermal) of left hand, sequela	ICD-10-CM	Diagnosis
S60.522D	Blister (nonthermal) of left hand, subsequent encounter	ICD-10-CM	Diagnosis
S60.427S	Blister (nonthermal) of left little finger, sequela	ICD-10-CM	Diagnosis
S40.222S	Blister (nonthermal) of left shoulder, sequela	ICD-10-CM	Diagnosis
S60.322A	Blister (nonthermal) of left thumb, initial encounter	ICD-10-CM	Diagnosis
S60.322S	Blister (nonthermal) of left thumb, sequela	ICD-10-CM	Diagnosis
S40.822S	Blister (nonthermal) of left upper arm, sequela	ICD-10-CM	Diagnosis
S60.822A	Blister (nonthermal) of left wrist, initial encounter	ICD-10-CM	Diagnosis
S60.822S	Blister (nonthermal) of left wrist, sequela	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S60.822D	Blister (nonthermal) of left wrist, subsequent encounter	ICD-10-CM	Diagnosis
S00.521A	Blister (nonthermal) of lip, initial encounter	ICD-10-CM	Diagnosis
S00.521S	Blister (nonthermal) of lip, sequela	ICD-10-CM	Diagnosis
S00.521D	Blister (nonthermal) of lip, subsequent encounter	ICD-10-CM	Diagnosis
S60.322D	Blister (nonthermal) of left thumb, subsequent encounter	ICD-10-CM	Diagnosis
S00.32XA	Blister (nonthermal) of nose, initial encounter	ICD-10-CM	Diagnosis
S00.32XS	Blister (nonthermal) of nose, sequela	ICD-10-CM	Diagnosis
S00.32XD	Blister (nonthermal) of nose, subsequent encounter	ICD-10-CM	Diagnosis
S00.522S	Blister (nonthermal) of oral cavity, sequela	ICD-10-CM	Diagnosis
S10.82XS	Blister (nonthermal) of other specified part of neck, sequela	ICD-10-CM	Diagnosis
S60.428S	Blister (nonthermal) of other finger, sequela	ICD-10-CM	Diagnosis
S00.82XS	Blister (nonthermal) of other part of head, sequela	ICD-10-CM	Diagnosis
S30.822A	Blister (nonthermal) of penis, initial encounter	ICD-10-CM	Diagnosis
S30.822S	Blister (nonthermal) of penis, sequela	ICD-10-CM	Diagnosis
S30.822D	Blister (nonthermal) of penis, subsequent encounter	ICD-10-CM	Diagnosis
S00.421S	Blister (nonthermal) of right ear, sequela	ICD-10-CM	Diagnosis
S50.321S	Blister (nonthermal) of right elbow, sequela	ICD-10-CM	Diagnosis
S50.821S	Blister (nonthermal) of right forearm, sequela	ICD-10-CM	Diagnosis
S40.221S	Blister (nonthermal) of right shoulder, sequela	ICD-10-CM	Diagnosis
S60.321A	Blister (nonthermal) of right thumb, initial encounter	ICD-10-CM	Diagnosis
S60.321S	Blister (nonthermal) of right thumb, sequela	ICD-10-CM	Diagnosis
S40.821S	Blister (nonthermal) of right upper arm, sequela	ICD-10-CM	Diagnosis
S60.821S	Blister (nonthermal) of right wrist, sequela	ICD-10-CM	Diagnosis
S60.321D	Blister (nonthermal) of right thumb, subsequent encounter	ICD-10-CM	Diagnosis
S00.02XA	Blister (nonthermal) of scalp, initial encounter	ICD-10-CM	Diagnosis
S00.02XS	Blister (nonthermal) of scalp, sequela	ICD-10-CM	Diagnosis
S00.02XD	Blister (nonthermal) of scalp, subsequent encounter	ICD-10-CM	Diagnosis
S30.823S	Blister (nonthermal) of scrotum and testes, sequela	ICD-10-CM	Diagnosis
S10.12XA	Blister (nonthermal) of throat, initial encounter	ICD-10-CM	Diagnosis
S10.12XS	Blister (nonthermal) of throat, sequela	ICD-10-CM	Diagnosis
S60.329A	Blister (nonthermal) of unspecified thumb, initial encounter	ICD-10-CM	Diagnosis
S60.329D	Blister (nonthermal) of unspecified thumb, subsequent encounter	ICD-10-CM	Diagnosis
S60.829A	Blister (nonthermal) of unspecified wrist, initial encounter	ICD-10-CM	Diagnosis
S60.829D	Blister (nonthermal) of unspecified wrist, subsequent encounter	ICD-10-CM	Diagnosis
S00.429S	Blister (nonthermal) of unspecified ear, sequela	ICD-10-CM	Diagnosis
S50.329S	Blister (nonthermal) of unspecified elbow, sequela	ICD-10-CM	Diagnosis
S60.429S	Blister (nonthermal) of unspecified finger, sequela	ICD-10-CM	Diagnosis
S60.329S	Blister (nonthermal) of unspecified thumb, sequela	ICD-10-CM	Diagnosis
S60.829S	Blister (nonthermal) of unspecified wrist, sequela	ICD-10-CM	Diagnosis
S30.824S	Blister (nonthermal) of vagina and vulva, sequela	ICD-10-CM	Diagnosis
S00.522A	Blister (nonthermal) of oral cavity, initial encounter	ICD-10-CM	Diagnosis
S00.522D	Blister (nonthermal) of oral cavity, subsequent encounter	ICD-10-CM	Diagnosis
S00.82XA	Blister (nonthermal) of other part of head, initial encounter	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S00.82XD	Blister (nonthermal) of other part of head, subsequent encounter	ICD-10-CM	Diagnosis
S10.82XA	Blister (nonthermal) of other specified part of neck, initial encounter	ICD-10-CM	Diagnosis
S10.82XD	Blister (nonthermal) of other specified part of neck, subsequent encounter	ICD-10-CM	Diagnosis
S60.428A	Blister (nonthermal) of other finger, initial encounter	ICD-10-CM	Diagnosis
S60.428D	Blister (nonthermal) of other finger, subsequent encounter	ICD-10-CM	Diagnosis
S90.521A	Blister (nonthermal), right ankle, initial encounter	ICD-10-CM	Diagnosis
S90.521S	Blister (nonthermal), right ankle, sequela	ICD-10-CM	Diagnosis
S90.521D	Blister (nonthermal), right ankle, subsequent encounter	ICD-10-CM	Diagnosis
S00.421A	Blister (nonthermal) of right ear, initial encounter	ICD-10-CM	Diagnosis
S90.821A	Blister (nonthermal), right foot, initial encounter	ICD-10-CM	Diagnosis
S90.821S	Blister (nonthermal), right foot, sequela	ICD-10-CM	Diagnosis
S90.821D	Blister (nonthermal), right foot, subsequent encounter	ICD-10-CM	Diagnosis
S90.421S	Blister (nonthermal), right great toe, sequela	ICD-10-CM	Diagnosis
S60.521A	Blister (nonthermal) of right hand, initial encounter	ICD-10-CM	Diagnosis
S60.521S	Blister (nonthermal) of right hand, sequela	ICD-10-CM	Diagnosis
S60.521D	Blister (nonthermal) of right hand, subsequent encounter	ICD-10-CM	Diagnosis
S80.221A	Blister (nonthermal), right knee, initial encounter	ICD-10-CM	Diagnosis
S80.221S	Blister (nonthermal), right knee, sequela	ICD-10-CM	Diagnosis
S80.221D	Blister (nonthermal), right knee, subsequent encounter	ICD-10-CM	Diagnosis
S80.821S	Blister (nonthermal), right lower leg, sequela	ICD-10-CM	Diagnosis
S60.821A	Blister (nonthermal) of right wrist, initial encounter	ICD-10-CM	Diagnosis
S20.421A	Blister (nonthermal) of right back wall of thorax, initial encounter	ICD-10-CM	Diagnosis
S20.421S	Blister (nonthermal) of right back wall of thorax, sequela	ICD-10-CM	Diagnosis
S20.421D	Blister (nonthermal) of right back wall of thorax, subsequent encounter	ICD-10-CM	Diagnosis
S00.421D	Blister (nonthermal) of right ear, subsequent encounter	ICD-10-CM	Diagnosis
S50.321A	Blister (nonthermal) of right elbow, initial encounter	ICD-10-CM	Diagnosis
S50.321D	Blister (nonthermal) of right elbow, subsequent encounter	ICD-10-CM	Diagnosis
S50.821A	Blister (nonthermal) of right forearm, initial encounter	ICD-10-CM	Diagnosis
S50.821D	Blister (nonthermal) of right forearm, subsequent encounter	ICD-10-CM	Diagnosis
S20.321A	Blister (nonthermal) of right front wall of thorax, initial encounter	ICD-10-CM	Diagnosis
S20.321S	Blister (nonthermal) of right front wall of thorax, sequela	ICD-10-CM	Diagnosis
S90.421A	Blister (nonthermal), right great toe, initial encounter	ICD-10-CM	Diagnosis
S90.421D	Blister (nonthermal), right great toe, subsequent encounter	ICD-10-CM	Diagnosis
S60.420A	Blister (nonthermal) of right index finger, initial encounter	ICD-10-CM	Diagnosis
S60.420S	Blister (nonthermal) of right index finger, sequela	ICD-10-CM	Diagnosis
S60.420D	Blister (nonthermal) of right index finger, subsequent encounter	ICD-10-CM	Diagnosis
S90.424A	Blister (nonthermal), right lesser toe(s), initial encounter	ICD-10-CM	Diagnosis
S90.424S	Blister (nonthermal), right lesser toe(s), sequela	ICD-10-CM	Diagnosis
S90.424D	Blister (nonthermal), right lesser toe(s), subsequent encounter	ICD-10-CM	Diagnosis
S60.426A	Blister (nonthermal) of right little finger, initial encounter	ICD-10-CM	Diagnosis
S60.426S	Blister (nonthermal) of right little finger, sequela	ICD-10-CM	Diagnosis
S60.426D	Blister (nonthermal) of right little finger, subsequent encounter	ICD-10-CM	Diagnosis



**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S80.821A	Blister (nonthermal), right lower leg, initial encounter	ICD-10-CM	Diagnosis
S80.821D	Blister (nonthermal), right lower leg, subsequent encounter	ICD-10-CM	Diagnosis
S60.422A	Blister (nonthermal) of right middle finger, initial encounter	ICD-10-CM	Diagnosis
S60.422S	Blister (nonthermal) of right middle finger, sequela	ICD-10-CM	Diagnosis
S60.422D	Blister (nonthermal) of right middle finger, subsequent encounter	ICD-10-CM	Diagnosis
S60.424A	Blister (nonthermal) of right ring finger, initial encounter	ICD-10-CM	Diagnosis
S60.424S	Blister (nonthermal) of right ring finger, sequela	ICD-10-CM	Diagnosis
S60.424D	Blister (nonthermal) of right ring finger, subsequent encounter	ICD-10-CM	Diagnosis
S40.221A	Blister (nonthermal) of right shoulder, initial encounter	ICD-10-CM	Diagnosis
S40.221D	Blister (nonthermal) of right shoulder, subsequent encounter	ICD-10-CM	Diagnosis
S40.821A	Blister (nonthermal) of right upper arm, initial encounter	ICD-10-CM	Diagnosis
S40.821D	Blister (nonthermal) of right upper arm, subsequent encounter	ICD-10-CM	Diagnosis
S60.821D	Blister (nonthermal) of right wrist, subsequent encounter	ICD-10-CM	Diagnosis
S30.823A	Blister (nonthermal) of scrotum and testes, initial encounter	ICD-10-CM	Diagnosis
S30.823D	Blister (nonthermal) of scrotum and testes, subsequent encounter	ICD-10-CM	Diagnosis
S10.12XD	Blister (nonthermal) of throat, subsequent encounter	ICD-10-CM	Diagnosis
S20.429A	Blister (nonthermal) of unspecified back wall of thorax, initial encounter	ICD-10-CM	Diagnosis
S20.429S	Blister (nonthermal) of unspecified back wall of thorax, sequela	ICD-10-CM	Diagnosis
S20.429D	Blister (nonthermal) of unspecified back wall of thorax, subsequent encounter	ICD-10-CM	Diagnosis
S00.429A	Blister (nonthermal) of unspecified ear, initial encounter	ICD-10-CM	Diagnosis
S00.429D	Blister (nonthermal) of unspecified ear, subsequent encounter	ICD-10-CM	Diagnosis
S50.329A	Blister (nonthermal) of unspecified elbow, initial encounter	ICD-10-CM	Diagnosis
S50.329D	Blister (nonthermal) of unspecified elbow, subsequent encounter	ICD-10-CM	Diagnosis
S30.825A	Blister (nonthermal) of unspecified external genital organs, male, initial encounter	ICD-10-CM	Diagnosis
S30.825D	Blister (nonthermal) of unspecified external genital organs, male, subsequent encounter	ICD-10-CM	Diagnosis
S60.429A	Blister (nonthermal) of unspecified finger, initial encounter	ICD-10-CM	Diagnosis
S60.429D	Blister (nonthermal) of unspecified finger, subsequent encounter	ICD-10-CM	Diagnosis
S50.829A	Blister (nonthermal) of unspecified forearm, initial encounter	ICD-10-CM	Diagnosis
S50.829D	Blister (nonthermal) of unspecified forearm, subsequent encounter	ICD-10-CM	Diagnosis
S20.329A	Blister (nonthermal) of unspecified front wall of thorax, initial encounter	ICD-10-CM	Diagnosis
S20.329S	Blister (nonthermal) of unspecified front wall of thorax, sequela	ICD-10-CM	Diagnosis
S20.329D	Blister (nonthermal) of unspecified front wall of thorax, subsequent encounter	ICD-10-CM	Diagnosis
S90.423A	Blister (nonthermal), unspecified great toe, initial encounter	ICD-10-CM	Diagnosis
S90.423D	Blister (nonthermal), unspecified great toe, subsequent encounter	ICD-10-CM	Diagnosis
S60.529A	Blister (nonthermal) of unspecified hand, initial encounter	ICD-10-CM	Diagnosis
S60.529S	Blister (nonthermal) of unspecified hand, sequela	ICD-10-CM	Diagnosis
S60.529D	Blister (nonthermal) of unspecified hand, subsequent encounter	ICD-10-CM	Diagnosis
S80.229A	Blister (nonthermal), unspecified knee, initial encounter	ICD-10-CM	Diagnosis
S80.229D	Blister (nonthermal), unspecified knee, subsequent encounter	ICD-10-CM	Diagnosis



**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S90.426A	Blister (nonthermal), unspecified lesser toe(s), initial encounter	ICD-10-CM	Diagnosis
S90.426S	Blister (nonthermal), unspecified lesser toe(s), sequela	ICD-10-CM	Diagnosis
S90.426D	Blister (nonthermal), unspecified lesser toe(s), subsequent encounter	ICD-10-CM	Diagnosis
S80.829A	Blister (nonthermal), unspecified lower leg, initial encounter	ICD-10-CM	Diagnosis
S80.829D	Blister (nonthermal), unspecified lower leg, subsequent encounter	ICD-10-CM	Diagnosis
S00.92XA	Blister (nonthermal) of unspecified part of head, initial encounter	ICD-10-CM	Diagnosis
S00.92XD	Blister (nonthermal) of unspecified part of head, subsequent encounter	ICD-10-CM	Diagnosis
S10.92XA	Blister (nonthermal) of unspecified part of neck, initial encounter	ICD-10-CM	Diagnosis
S10.92XD	Blister (nonthermal) of unspecified part of neck, subsequent encounter	ICD-10-CM	Diagnosis
S20.92XA	Blister (nonthermal) of unspecified parts of thorax, initial encounter	ICD-10-CM	Diagnosis
S20.92XS	Blister (nonthermal) of unspecified parts of thorax, sequela	ICD-10-CM	Diagnosis
S20.92XD	Blister (nonthermal) of unspecified parts of thorax, subsequent encounter	ICD-10-CM	Diagnosis
S40.229A	Blister (nonthermal) of unspecified shoulder, initial encounter	ICD-10-CM	Diagnosis
S40.229D	Blister (nonthermal) of unspecified shoulder, subsequent encounter	ICD-10-CM	Diagnosis
S40.829A	Blister (nonthermal) of unspecified upper arm, initial encounter	ICD-10-CM	Diagnosis
S40.829D	Blister (nonthermal) of unspecified upper arm, subsequent encounter	ICD-10-CM	Diagnosis
S90.529A	Blister (nonthermal), unspecified ankle, initial encounter	ICD-10-CM	Diagnosis
S90.529S	Blister (nonthermal), unspecified ankle, sequela	ICD-10-CM	Diagnosis
S90.529D	Blister (nonthermal), unspecified ankle, subsequent encounter	ICD-10-CM	Diagnosis
S90.829A	Blister (nonthermal), unspecified foot, initial encounter	ICD-10-CM	Diagnosis
S90.829S	Blister (nonthermal), unspecified foot, sequela	ICD-10-CM	Diagnosis
S90.829D	Blister (nonthermal), unspecified foot, subsequent encounter	ICD-10-CM	Diagnosis
S50.829S	Blister (nonthermal) of unspecified forearm, sequela	ICD-10-CM	Diagnosis
S90.423S	Blister (nonthermal), unspecified great toe, sequela	ICD-10-CM	Diagnosis
S80.229S	Blister (nonthermal), unspecified knee, sequela	ICD-10-CM	Diagnosis
S80.829S	Blister (nonthermal), unspecified lower leg, sequela	ICD-10-CM	Diagnosis
S00.92XS	Blister (nonthermal) of unspecified part of head, sequela	ICD-10-CM	Diagnosis
S10.92XS	Blister (nonthermal) of unspecified part of neck, sequela	ICD-10-CM	Diagnosis
S40.229S	Blister (nonthermal) of unspecified shoulder, sequela	ICD-10-CM	Diagnosis
S40.829S	Blister (nonthermal) of unspecified upper arm, sequela	ICD-10-CM	Diagnosis
S30.824A	Blister (nonthermal) of vagina and vulva, initial encounter	ICD-10-CM	Diagnosis
S30.824D	Blister (nonthermal) of vagina and vulva, subsequent encounter	ICD-10-CM	Diagnosis
S00.222S	Blister (nonthermal) of left eyelid and periocular area, sequela	ICD-10-CM	Diagnosis
S00.222A	Blister (nonthermal) of left eyelid and periocular area, initial encounter	ICD-10-CM	Diagnosis
S00.222D	Blister (nonthermal) of left eyelid and periocular area, subsequent encounter	ICD-10-CM	Diagnosis
S00.221D	Blister (nonthermal) of right eyelid and periocular area, subsequent encounter	ICD-10-CM	Diagnosis
S00.221S	Blister (nonthermal) of right eyelid and periocular area, sequela	ICD-10-CM	Diagnosis
S00.221A	Blister (nonthermal) of right eyelid and periocular area, initial encounter	ICD-10-CM	Diagnosis
S00.229S	Blister (nonthermal) of unspecified eyelid and periocular area, sequela	ICD-10-CM	Diagnosis
S00.229A	Blister (nonthermal) of unspecified eyelid and periocular area, initial encounter	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S00.229D	Blister (nonthermal) of unspecified eyelid and periocular area, subsequent encounter	ICD-10-CM	Diagnosis
S70.221A	Blister (nonthermal), right hip, initial encounter	ICD-10-CM	Diagnosis
S70.221S	Blister (nonthermal), right hip, sequela	ICD-10-CM	Diagnosis
S70.221D	Blister (nonthermal), right hip, subsequent encounter	ICD-10-CM	Diagnosis
S70.321A	Blister (nonthermal), right thigh, initial encounter	ICD-10-CM	Diagnosis
S70.321S	Blister (nonthermal), right thigh, sequela	ICD-10-CM	Diagnosis
S70.321D	Blister (nonthermal), right thigh, subsequent encounter	ICD-10-CM	Diagnosis
S30.826A	Blister (nonthermal) of unspecified external genital organs, female, initial encounter	ICD-10-CM	Diagnosis
S30.826S	Blister (nonthermal) of unspecified external genital organs, female, sequela	ICD-10-CM	Diagnosis
S30.826D	Blister (nonthermal) of unspecified external genital organs, female, subsequent encounter	ICD-10-CM	Diagnosis
S70.229A	Blister (nonthermal), unspecified hip, initial encounter	ICD-10-CM	Diagnosis
S70.229S	Blister (nonthermal), unspecified hip, sequela	ICD-10-CM	Diagnosis
S70.229D	Blister (nonthermal), unspecified hip, subsequent encounter	ICD-10-CM	Diagnosis
S70.329A	Blister (nonthermal), unspecified thigh, initial encounter	ICD-10-CM	Diagnosis
S70.329S	Blister (nonthermal), unspecified thigh, sequela	ICD-10-CM	Diagnosis
S70.329D	Blister (nonthermal), unspecified thigh, subsequent encounter	ICD-10-CM	Diagnosis
S20.122D	Blister (nonthermal) of breast, left breast, subsequent encounter	ICD-10-CM	Diagnosis
S20.121D	Blister (nonthermal) of breast, right breast, subsequent encounter	ICD-10-CM	Diagnosis
S20.129D	Blister (nonthermal) of breast, unspecified breast, subsequent encounter	ICD-10-CM	Diagnosis
S20.321D	Blister (nonthermal) of right front wall of thorax, subsequent encounter	ICD-10-CM	Diagnosis
S60.032S	Contusion of left middle finger without damage to nail, sequela	ICD-10-CM	Diagnosis
S20.219D	Contusion of unspecified front wall of thorax, subsequent encounter	ICD-10-CM	Diagnosis
S20.00XA	Contusion of breast, unspecified breast, initial encounter	ICD-10-CM	Diagnosis
S20.00XD	Contusion of breast, unspecified breast, subsequent encounter	ICD-10-CM	Diagnosis
S05.12XD	Contusion of eyeball and orbital tissues, left eye, subsequent encounter	ICD-10-CM	Diagnosis
S05.11XD	Contusion of eyeball and orbital tissues, right eye, subsequent encounter	ICD-10-CM	Diagnosis
S05.10XD	Contusion of eyeball and orbital tissues, unspecified eye, subsequent encounter	ICD-10-CM	Diagnosis
S05.10XA	Contusion of eyeball and orbital tissues, unspecified eye, initial encounter	ICD-10-CM	Diagnosis
S05.12XA	Contusion of eyeball and orbital tissues, left eye, initial encounter	ICD-10-CM	Diagnosis
S05.12XS	Contusion of eyeball and orbital tissues, left eye, sequela	ICD-10-CM	Diagnosis
S05.11XA	Contusion of eyeball and orbital tissues, right eye, initial encounter	ICD-10-CM	Diagnosis
S05.11XS	Contusion of eyeball and orbital tissues, right eye, sequela	ICD-10-CM	Diagnosis
S05.10XS	Contusion of eyeball and orbital tissues, unspecified eye, sequela	ICD-10-CM	Diagnosis
S00.12XS	Contusion of left eyelid and periocular area, sequela	ICD-10-CM	Diagnosis
S20.212A	Contusion of left front wall of thorax, initial encounter	ICD-10-CM	Diagnosis
S60.112S	Contusion of left thumb with damage to nail, sequela	ICD-10-CM	Diagnosis
S60.012S	Contusion of left thumb without damage to nail, sequela	ICD-10-CM	Diagnosis
S30.0XXA	Contusion of lower back and pelvis, initial encounter	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S30.0XXD	Contusion of lower back and pelvis, subsequent encounter	ICD-10-CM	Diagnosis
S20.222A	Contusion of left back wall of thorax, initial encounter	ICD-10-CM	Diagnosis
S20.222D	Contusion of left back wall of thorax, subsequent encounter	ICD-10-CM	Diagnosis
S00.12XA	Contusion of left eyelid and periocular area, initial encounter	ICD-10-CM	Diagnosis
S00.12XD	Contusion of left eyelid and periocular area, subsequent encounter	ICD-10-CM	Diagnosis
S20.212D	Contusion of left front wall of thorax, subsequent encounter	ICD-10-CM	Diagnosis
S90.212A	Contusion of left great toe with damage to nail, initial encounter	ICD-10-CM	Diagnosis
S90.212S	Contusion of left great toe with damage to nail, sequela	ICD-10-CM	Diagnosis
S90.212D	Contusion of left great toe with damage to nail, subsequent encounter	ICD-10-CM	Diagnosis
S90.112A	Contusion of left great toe without damage to nail, initial encounter	ICD-10-CM	Diagnosis
S90.112D	Contusion of left great toe without damage to nail, subsequent encounter	ICD-10-CM	Diagnosis
S90.112S	Contusion of left great toe without damage to nail, sequela	ICD-10-CM	Diagnosis
S60.122S	Contusion of left index finger with damage to nail, sequela	ICD-10-CM	Diagnosis
S60.122A	Contusion of left index finger with damage to nail, initial encounter	ICD-10-CM	Diagnosis
S60.022A	Contusion of left index finger without damage to nail, initial encounter	ICD-10-CM	Diagnosis
S60.022S	Contusion of left index finger without damage to nail, sequela	ICD-10-CM	Diagnosis
S60.022D	Contusion of left index finger without damage to nail, subsequent encounter	ICD-10-CM	Diagnosis
S60.122D	Contusion of left index finger with damage to nail, subsequent encounter	ICD-10-CM	Diagnosis
S90.222A	Contusion of left lesser toe(s) with damage to nail, initial encounter	ICD-10-CM	Diagnosis
S90.222S	Contusion of left lesser toe(s) with damage to nail, sequela	ICD-10-CM	Diagnosis
S90.222D	Contusion of left lesser toe(s) with damage to nail, subsequent encounter	ICD-10-CM	Diagnosis
S90.122A	Contusion of left lesser toe(s) without damage to nail, initial encounter	ICD-10-CM	Diagnosis
S90.122S	Contusion of left lesser toe(s) without damage to nail, sequela	ICD-10-CM	Diagnosis
S90.122D	Contusion of left lesser toe(s) without damage to nail, subsequent encounter	ICD-10-CM	Diagnosis
S60.152A	Contusion of left little finger with damage to nail, initial encounter	ICD-10-CM	Diagnosis
S60.152S	Contusion of left little finger with damage to nail, sequela	ICD-10-CM	Diagnosis
S60.052A	Contusion of left little finger without damage to nail, initial encounter	ICD-10-CM	Diagnosis
S60.052S	Contusion of left little finger without damage to nail, sequela	ICD-10-CM	Diagnosis
S60.052D	Contusion of left little finger without damage to nail, subsequent encounter	ICD-10-CM	Diagnosis
S60.152D	Contusion of left little finger with damage to nail, subsequent encounter	ICD-10-CM	Diagnosis
S60.132A	Contusion of left middle finger with damage to nail, initial encounter	ICD-10-CM	Diagnosis
S60.132S	Contusion of left middle finger with damage to nail, sequela	ICD-10-CM	Diagnosis
S60.132D	Contusion of left middle finger with damage to nail, subsequent encounter	ICD-10-CM	Diagnosis
S60.032A	Contusion of left middle finger without damage to nail, initial encounter	ICD-10-CM	Diagnosis
S60.032D	Contusion of left middle finger without damage to nail, subsequent encounter	ICD-10-CM	Diagnosis
S60.142A	Contusion of left ring finger with damage to nail, initial encounter	ICD-10-CM	Diagnosis
S60.142S	Contusion of left ring finger with damage to nail, sequela	ICD-10-CM	Diagnosis
S60.142D	Contusion of left ring finger with damage to nail, subsequent encounter	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S60.042A	Contusion of left ring finger without damage to nail, initial encounter	ICD-10-CM	Diagnosis
S60.042S	Contusion of left ring finger without damage to nail, sequela	ICD-10-CM	Diagnosis
S60.042D	Contusion of left ring finger without damage to nail, subsequent encounter	ICD-10-CM	Diagnosis
S60.112D	Contusion of left thumb with damage to nail, subsequent encounter	ICD-10-CM	Diagnosis
S60.112A	Contusion of left thumb with damage to nail, initial encounter	ICD-10-CM	Diagnosis
S60.012A	Contusion of left thumb without damage to nail, initial encounter	ICD-10-CM	Diagnosis
S60.012D	Contusion of left thumb without damage to nail, subsequent encounter	ICD-10-CM	Diagnosis
S30.1XXA	Contusion of abdominal wall, initial encounter	ICD-10-CM	Diagnosis
S30.1XXS	Contusion of abdominal wall, sequela	ICD-10-CM	Diagnosis
S30.1XXD	Contusion of abdominal wall, subsequent encounter	ICD-10-CM	Diagnosis
S30.3XXA	Contusion of anus, initial encounter	ICD-10-CM	Diagnosis
S30.3XXS	Contusion of anus, sequela	ICD-10-CM	Diagnosis
S30.3XXD	Contusion of anus, subsequent encounter	ICD-10-CM	Diagnosis
S20.00XS	Contusion of breast, unspecified breast, sequela	ICD-10-CM	Diagnosis
S90.02XA	Contusion of left ankle, initial encounter	ICD-10-CM	Diagnosis
S90.02XS	Contusion of left ankle, sequela	ICD-10-CM	Diagnosis
S90.02XD	Contusion of left ankle, subsequent encounter	ICD-10-CM	Diagnosis
S20.222S	Contusion of left back wall of thorax, sequela	ICD-10-CM	Diagnosis
S20.02XA	Contusion of left breast, initial encounter	ICD-10-CM	Diagnosis
S20.02XS	Contusion of left breast, sequela	ICD-10-CM	Diagnosis
S20.02XD	Contusion of left breast, subsequent encounter	ICD-10-CM	Diagnosis
S00.432A	Contusion of left ear, initial encounter	ICD-10-CM	Diagnosis
S00.432S	Contusion of left ear, sequela	ICD-10-CM	Diagnosis
S00.432D	Contusion of left ear, subsequent encounter	ICD-10-CM	Diagnosis
S50.02XA	Contusion of left elbow, initial encounter	ICD-10-CM	Diagnosis
S50.02XS	Contusion of left elbow, sequela	ICD-10-CM	Diagnosis
S50.02XD	Contusion of left elbow, subsequent encounter	ICD-10-CM	Diagnosis
S90.32XA	Contusion of left foot, initial encounter	ICD-10-CM	Diagnosis
S90.32XS	Contusion of left foot, sequela	ICD-10-CM	Diagnosis
S90.32XD	Contusion of left foot, subsequent encounter	ICD-10-CM	Diagnosis
S50.12XA	Contusion of left forearm, initial encounter	ICD-10-CM	Diagnosis
S50.12XS	Contusion of left forearm, sequela	ICD-10-CM	Diagnosis
S50.12XD	Contusion of left forearm, subsequent encounter	ICD-10-CM	Diagnosis
S20.212S	Contusion of left front wall of thorax, sequela	ICD-10-CM	Diagnosis
S60.222A	Contusion of left hand, initial encounter	ICD-10-CM	Diagnosis
S60.222S	Contusion of left hand, sequela	ICD-10-CM	Diagnosis
S60.222D	Contusion of left hand, subsequent encounter	ICD-10-CM	Diagnosis
S70.02XA	Contusion of left hip, initial encounter	ICD-10-CM	Diagnosis
S70.02XS	Contusion of left hip, sequela	ICD-10-CM	Diagnosis
S70.02XD	Contusion of left hip, subsequent encounter	ICD-10-CM	Diagnosis
S80.02XA	Contusion of left knee, initial encounter	ICD-10-CM	Diagnosis
S80.02XS	Contusion of left knee, sequela	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S80.02XD	Contusion of left knee, subsequent encounter	ICD-10-CM	Diagnosis
S80.12XA	Contusion of left lower leg, initial encounter	ICD-10-CM	Diagnosis
S80.12XS	Contusion of left lower leg, sequela	ICD-10-CM	Diagnosis
S80.12XD	Contusion of left lower leg, subsequent encounter	ICD-10-CM	Diagnosis
S40.012A	Contusion of left shoulder, initial encounter	ICD-10-CM	Diagnosis
S40.012S	Contusion of left shoulder, sequela	ICD-10-CM	Diagnosis
S40.012D	Contusion of left shoulder, subsequent encounter	ICD-10-CM	Diagnosis
S70.12XA	Contusion of left thigh, initial encounter	ICD-10-CM	Diagnosis
S70.12XS	Contusion of left thigh, sequela	ICD-10-CM	Diagnosis
S70.12XD	Contusion of left thigh, subsequent encounter	ICD-10-CM	Diagnosis
S40.022A	Contusion of left upper arm, initial encounter	ICD-10-CM	Diagnosis
S40.022S	Contusion of left upper arm, sequela	ICD-10-CM	Diagnosis
S40.022D	Contusion of left upper arm, subsequent encounter	ICD-10-CM	Diagnosis
S60.212A	Contusion of left wrist, initial encounter	ICD-10-CM	Diagnosis
S60.212S	Contusion of left wrist, sequela	ICD-10-CM	Diagnosis
S60.212D	Contusion of left wrist, subsequent encounter	ICD-10-CM	Diagnosis
S00.531A	Contusion of lip, initial encounter	ICD-10-CM	Diagnosis
S00.531S	Contusion of lip, sequela	ICD-10-CM	Diagnosis
S00.531D	Contusion of lip, subsequent encounter	ICD-10-CM	Diagnosis
S30.0XXS	Contusion of lower back and pelvis, sequela	ICD-10-CM	Diagnosis
S00.33XA	Contusion of nose, initial encounter	ICD-10-CM	Diagnosis
S00.33XS	Contusion of nose, sequela	ICD-10-CM	Diagnosis
S00.33XD	Contusion of nose, subsequent encounter	ICD-10-CM	Diagnosis
S00.532A	Contusion of oral cavity, initial encounter	ICD-10-CM	Diagnosis
S00.532S	Contusion of oral cavity, sequela	ICD-10-CM	Diagnosis
S00.532D	Contusion of oral cavity, subsequent encounter	ICD-10-CM	Diagnosis
S10.83XS	Contusion of other specified part of neck, sequela	ICD-10-CM	Diagnosis
S30.21XA	Contusion of penis, initial encounter	ICD-10-CM	Diagnosis
S30.21XS	Contusion of penis, sequela	ICD-10-CM	Diagnosis
S30.21XD	Contusion of penis, subsequent encounter	ICD-10-CM	Diagnosis
S90.01XA	Contusion of right ankle, initial encounter	ICD-10-CM	Diagnosis
S90.01XS	Contusion of right ankle, sequela	ICD-10-CM	Diagnosis
S90.01XD	Contusion of right ankle, subsequent encounter	ICD-10-CM	Diagnosis
S20.221S	Contusion of right back wall of thorax, sequela	ICD-10-CM	Diagnosis
S20.01XA	Contusion of right breast, initial encounter	ICD-10-CM	Diagnosis
S20.01XS	Contusion of right breast, sequela	ICD-10-CM	Diagnosis
S20.01XD	Contusion of right breast, subsequent encounter	ICD-10-CM	Diagnosis
S00.431A	Contusion of right ear, initial encounter	ICD-10-CM	Diagnosis
S00.431S	Contusion of right ear, sequela	ICD-10-CM	Diagnosis
S00.431D	Contusion of right ear, subsequent encounter	ICD-10-CM	Diagnosis
S50.01XA	Contusion of right elbow, initial encounter	ICD-10-CM	Diagnosis
S50.01XS	Contusion of right elbow, sequela	ICD-10-CM	Diagnosis
S50.01XD	Contusion of right elbow, subsequent encounter	ICD-10-CM	Diagnosis



**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S90.31XA	Contusion of right foot, initial encounter	ICD-10-CM	Diagnosis
S90.31XS	Contusion of right foot, sequela	ICD-10-CM	Diagnosis
S90.31XD	Contusion of right foot, subsequent encounter	ICD-10-CM	Diagnosis
S50.11XA	Contusion of right forearm, initial encounter	ICD-10-CM	Diagnosis
S50.11XS	Contusion of right forearm, sequela	ICD-10-CM	Diagnosis
S50.11XD	Contusion of right forearm, subsequent encounter	ICD-10-CM	Diagnosis
S20.211S	Contusion of right front wall of thorax, sequela	ICD-10-CM	Diagnosis
S60.221A	Contusion of right hand, initial encounter	ICD-10-CM	Diagnosis
S60.221S	Contusion of right hand, sequela	ICD-10-CM	Diagnosis
S60.221D	Contusion of right hand, subsequent encounter	ICD-10-CM	Diagnosis
S70.01XA	Contusion of right hip, initial encounter	ICD-10-CM	Diagnosis
S70.01XS	Contusion of right hip, sequela	ICD-10-CM	Diagnosis
S70.01XD	Contusion of right hip, subsequent encounter	ICD-10-CM	Diagnosis
S80.01XA	Contusion of right knee, initial encounter	ICD-10-CM	Diagnosis
S80.01XS	Contusion of right knee, sequela	ICD-10-CM	Diagnosis
S80.01XD	Contusion of right knee, subsequent encounter	ICD-10-CM	Diagnosis
S80.11XA	Contusion of right lower leg, initial encounter	ICD-10-CM	Diagnosis
S80.11XS	Contusion of right lower leg, sequela	ICD-10-CM	Diagnosis
S80.11XD	Contusion of right lower leg, subsequent encounter	ICD-10-CM	Diagnosis
S40.011A	Contusion of right shoulder, initial encounter	ICD-10-CM	Diagnosis
S40.011S	Contusion of right shoulder, sequela	ICD-10-CM	Diagnosis
S40.011D	Contusion of right shoulder, subsequent encounter	ICD-10-CM	Diagnosis
S70.11XA	Contusion of right thigh, initial encounter	ICD-10-CM	Diagnosis
S70.11XS	Contusion of right thigh, sequela	ICD-10-CM	Diagnosis
S70.11XD	Contusion of right thigh, subsequent encounter	ICD-10-CM	Diagnosis
S40.021A	Contusion of right upper arm, initial encounter	ICD-10-CM	Diagnosis
S40.021S	Contusion of right upper arm, sequela	ICD-10-CM	Diagnosis
S60.211A	Contusion of right wrist, initial encounter	ICD-10-CM	Diagnosis
S60.211S	Contusion of right wrist, sequela	ICD-10-CM	Diagnosis
S60.211D	Contusion of right wrist, subsequent encounter	ICD-10-CM	Diagnosis
S00.03XA	Contusion of scalp, initial encounter	ICD-10-CM	Diagnosis
S00.03XS	Contusion of scalp, sequela	ICD-10-CM	Diagnosis
S00.03XD	Contusion of scalp, subsequent encounter	ICD-10-CM	Diagnosis
S30.22XA	Contusion of scrotum and testes, initial encounter	ICD-10-CM	Diagnosis
S30.22XS	Contusion of scrotum and testes, sequela	ICD-10-CM	Diagnosis
S20.20XS	Contusion of thorax, unspecified, sequela	ICD-10-CM	Diagnosis
S10.0XXA	Contusion of throat, initial encounter	ICD-10-CM	Diagnosis
S10.0XXS	Contusion of throat, sequela	ICD-10-CM	Diagnosis
S10.0XXD	Contusion of throat, subsequent encounter	ICD-10-CM	Diagnosis
S90.00XA	Contusion of unspecified ankle, initial encounter	ICD-10-CM	Diagnosis
S90.00XS	Contusion of unspecified ankle, sequela	ICD-10-CM	Diagnosis
S90.00XD	Contusion of unspecified ankle, subsequent encounter	ICD-10-CM	Diagnosis
S00.439A	Contusion of unspecified ear, initial encounter	ICD-10-CM	Diagnosis



**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S00.439S	Contusion of unspecified ear, sequela	ICD-10-CM	Diagnosis
S50.00XA	Contusion of unspecified elbow, initial encounter	ICD-10-CM	Diagnosis
S50.00XS	Contusion of unspecified elbow, sequela	ICD-10-CM	Diagnosis
S90.30XA	Contusion of unspecified foot, initial encounter	ICD-10-CM	Diagnosis
S90.30XS	Contusion of unspecified foot, sequela	ICD-10-CM	Diagnosis
S90.30XD	Contusion of unspecified foot, subsequent encounter	ICD-10-CM	Diagnosis
S50.10XS	Contusion of unspecified forearm, sequela	ICD-10-CM	Diagnosis
S60.229A	Contusion of unspecified hand, initial encounter	ICD-10-CM	Diagnosis
S60.229S	Contusion of unspecified hand, sequela	ICD-10-CM	Diagnosis
S70.00XA	Contusion of unspecified hip, initial encounter	ICD-10-CM	Diagnosis
S70.00XS	Contusion of unspecified hip, sequela	ICD-10-CM	Diagnosis
S80.00XA	Contusion of unspecified knee, initial encounter	ICD-10-CM	Diagnosis
S80.00XS	Contusion of unspecified knee, sequela	ICD-10-CM	Diagnosis
S80.10XS	Contusion of unspecified lower leg, sequela	ICD-10-CM	Diagnosis
S00.93XS	Contusion of unspecified part of head, sequela	ICD-10-CM	Diagnosis
S10.93XS	Contusion of unspecified part of neck, sequela	ICD-10-CM	Diagnosis
S40.019S	Contusion of unspecified shoulder, sequela	ICD-10-CM	Diagnosis
S70.10XA	Contusion of unspecified thigh, initial encounter	ICD-10-CM	Diagnosis
S70.10XS	Contusion of unspecified thigh, sequela	ICD-10-CM	Diagnosis
S40.029S	Contusion of unspecified upper arm, sequela	ICD-10-CM	Diagnosis
S60.219A	Contusion of unspecified wrist, initial encounter	ICD-10-CM	Diagnosis
S60.219S	Contusion of unspecified wrist, sequela	ICD-10-CM	Diagnosis
S30.23XD	Contusion of vagina and vulva, subsequent encounter	ICD-10-CM	Diagnosis
S30.23XA	Contusion of vagina and vulva, initial encounter	ICD-10-CM	Diagnosis
S30.23XS	Contusion of vagina and vulva, sequela	ICD-10-CM	Diagnosis
S00.83XD	Contusion of other part of head, subsequent encounter	ICD-10-CM	Diagnosis
S00.83XA	Contusion of other part of head, initial encounter	ICD-10-CM	Diagnosis
S00.83XS	Contusion of other part of head, sequela	ICD-10-CM	Diagnosis
S10.83XD	Contusion of other specified part of neck, subsequent encounter	ICD-10-CM	Diagnosis
S10.83XA	Contusion of other specified part of neck, initial encounter	ICD-10-CM	Diagnosis
S00.11XS	Contusion of right eyelid and periorcular area, sequela	ICD-10-CM	Diagnosis
S60.111S	Contusion of right thumb with damage to nail, sequela	ICD-10-CM	Diagnosis
S40.021D	Contusion of right upper arm, subsequent encounter	ICD-10-CM	Diagnosis
S20.221A	Contusion of right back wall of thorax, initial encounter	ICD-10-CM	Diagnosis
S20.221D	Contusion of right back wall of thorax, subsequent encounter	ICD-10-CM	Diagnosis
S00.11XA	Contusion of right eyelid and periorcular area, initial encounter	ICD-10-CM	Diagnosis
S00.11XD	Contusion of right eyelid and periorcular area, subsequent encounter	ICD-10-CM	Diagnosis
S20.211A	Contusion of right front wall of thorax, initial encounter	ICD-10-CM	Diagnosis
S20.211D	Contusion of right front wall of thorax, subsequent encounter	ICD-10-CM	Diagnosis
S90.211A	Contusion of right great toe with damage to nail, initial encounter	ICD-10-CM	Diagnosis
S90.211S	Contusion of right great toe with damage to nail, sequela	ICD-10-CM	Diagnosis
S90.211D	Contusion of right great toe with damage to nail, subsequent encounter	ICD-10-CM	Diagnosis
S90.111A	Contusion of right great toe without damage to nail, initial encounter	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S90.111D	Contusion of right great toe without damage to nail, subsequent encounter	ICD-10-CM	Diagnosis
S90.111S	Contusion of right great toe without damage to nail, sequela	ICD-10-CM	Diagnosis
S60.121S	Contusion of right index finger with damage to nail, sequela	ICD-10-CM	Diagnosis
S60.121A	Contusion of right index finger with damage to nail, initial encounter	ICD-10-CM	Diagnosis
S60.021A	Contusion of right index finger without damage to nail, initial encounter	ICD-10-CM	Diagnosis
S60.021S	Contusion of right index finger without damage to nail, sequela	ICD-10-CM	Diagnosis
S60.021D	Contusion of right index finger without damage to nail, subsequent encounter	ICD-10-CM	Diagnosis
S60.121D	Contusion of right index finger with damage to nail, subsequent encounter	ICD-10-CM	Diagnosis
S90.221A	Contusion of right lesser toe(s) with damage to nail, initial encounter	ICD-10-CM	Diagnosis
S90.221S	Contusion of right lesser toe(s) with damage to nail, sequela	ICD-10-CM	Diagnosis
S90.221D	Contusion of right lesser toe(s) with damage to nail, subsequent encounter	ICD-10-CM	Diagnosis
S90.121A	Contusion of right lesser toe(s) without damage to nail, initial encounter	ICD-10-CM	Diagnosis
S90.121S	Contusion of right lesser toe(s) without damage to nail, sequela	ICD-10-CM	Diagnosis
S90.121D	Contusion of right lesser toe(s) without damage to nail, subsequent encounter	ICD-10-CM	Diagnosis
S60.151A	Contusion of right little finger with damage to nail, initial encounter	ICD-10-CM	Diagnosis
S60.151S	Contusion of right little finger with damage to nail, sequela	ICD-10-CM	Diagnosis
S60.151D	Contusion of right little finger with damage to nail, subsequent encounter	ICD-10-CM	Diagnosis
S60.051A	Contusion of right little finger without damage to nail, initial encounter	ICD-10-CM	Diagnosis
S60.051S	Contusion of right little finger without damage to nail, sequela	ICD-10-CM	Diagnosis
S60.051D	Contusion of right little finger without damage to nail, subsequent encounter	ICD-10-CM	Diagnosis
S60.131A	Contusion of right middle finger with damage to nail, initial encounter	ICD-10-CM	Diagnosis
S60.131S	Contusion of right middle finger with damage to nail, sequela	ICD-10-CM	Diagnosis
S60.131D	Contusion of right middle finger with damage to nail, subsequent encounter	ICD-10-CM	Diagnosis
S60.031A	Contusion of right middle finger without damage to nail, initial encounter	ICD-10-CM	Diagnosis
S60.031S	Contusion of right middle finger without damage to nail, sequela	ICD-10-CM	Diagnosis
S60.031D	Contusion of right middle finger without damage to nail, subsequent encounter	ICD-10-CM	Diagnosis
S60.141A	Contusion of right ring finger with damage to nail, initial encounter	ICD-10-CM	Diagnosis
S60.141S	Contusion of right ring finger with damage to nail, sequela	ICD-10-CM	Diagnosis
S60.141D	Contusion of right ring finger with damage to nail, subsequent encounter	ICD-10-CM	Diagnosis
S60.041A	Contusion of right ring finger without damage to nail, initial encounter	ICD-10-CM	Diagnosis
S60.041S	Contusion of right ring finger without damage to nail, sequela	ICD-10-CM	Diagnosis
S60.041D	Contusion of right ring finger without damage to nail, subsequent encounter	ICD-10-CM	Diagnosis
S60.111A	Contusion of right thumb with damage to nail, initial encounter	ICD-10-CM	Diagnosis
S60.111D	Contusion of right thumb with damage to nail, subsequent encounter	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S60.011A	Contusion of right thumb without damage to nail, initial encounter	ICD-10-CM	Diagnosis
S60.011D	Contusion of right thumb without damage to nail, subsequent encounter	ICD-10-CM	Diagnosis
S60.011S	Contusion of right thumb without damage to nail, sequela	ICD-10-CM	Diagnosis
S30.22XD	Contusion of scrotum and testes, subsequent encounter	ICD-10-CM	Diagnosis
S20.20XD	Contusion of thorax, unspecified, subsequent encounter	ICD-10-CM	Diagnosis
S20.20XA	Contusion of thorax, unspecified, initial encounter	ICD-10-CM	Diagnosis
S20.229A	Contusion of unspecified back wall of thorax, initial encounter	ICD-10-CM	Diagnosis
S20.229D	Contusion of unspecified back wall of thorax, subsequent encounter	ICD-10-CM	Diagnosis
S30.202D	Contusion of unspecified external genital organ, female, subsequent encounter	ICD-10-CM	Diagnosis
S30.201D	Contusion of unspecified external genital organ, male, subsequent encounter	ICD-10-CM	Diagnosis
S30.202A	Contusion of unspecified external genital organ, female, initial encounter	ICD-10-CM	Diagnosis
S30.202S	Contusion of unspecified external genital organ, female, sequela	ICD-10-CM	Diagnosis
S30.201A	Contusion of unspecified external genital organ, male, initial encounter	ICD-10-CM	Diagnosis
S30.201S	Contusion of unspecified external genital organ, male, sequela	ICD-10-CM	Diagnosis
S00.10XA	Contusion of unspecified eyelid and periocular area, initial encounter	ICD-10-CM	Diagnosis
S00.10XS	Contusion of unspecified eyelid and periocular area, sequela	ICD-10-CM	Diagnosis
S00.10XD	Contusion of unspecified eyelid and periocular area, subsequent encounter	ICD-10-CM	Diagnosis
S60.10XA	Contusion of unspecified finger with damage to nail, initial encounter	ICD-10-CM	Diagnosis
S60.10XS	Contusion of unspecified finger with damage to nail, sequela	ICD-10-CM	Diagnosis
S60.10XD	Contusion of unspecified finger with damage to nail, subsequent encounter	ICD-10-CM	Diagnosis
S60.00XA	Contusion of unspecified finger without damage to nail, initial encounter	ICD-10-CM	Diagnosis
S60.00XD	Contusion of unspecified finger without damage to nail, subsequent encounter	ICD-10-CM	Diagnosis
S60.00XS	Contusion of unspecified finger without damage to nail, sequela	ICD-10-CM	Diagnosis
S50.10XD	Contusion of unspecified forearm, subsequent encounter	ICD-10-CM	Diagnosis
S20.219A	Contusion of unspecified front wall of thorax, initial encounter	ICD-10-CM	Diagnosis
S90.219A	Contusion of unspecified great toe with damage to nail, initial encounter	ICD-10-CM	Diagnosis
S90.219S	Contusion of unspecified great toe with damage to nail, sequela	ICD-10-CM	Diagnosis
S90.219D	Contusion of unspecified great toe with damage to nail, subsequent encounter	ICD-10-CM	Diagnosis
S90.119D	Contusion of unspecified great toe without damage to nail, subsequent encounter	ICD-10-CM	Diagnosis
S90.119A	Contusion of unspecified great toe without damage to nail, initial encounter	ICD-10-CM	Diagnosis
S90.119S	Contusion of unspecified great toe without damage to nail, sequela	ICD-10-CM	Diagnosis
S60.129S	Contusion of unspecified index finger with damage to nail, sequela	ICD-10-CM	Diagnosis
S60.129D	Contusion of unspecified index finger with damage to nail, subsequent encounter	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S60.129A	Contusion of unspecified index finger with damage to nail, initial encounter	ICD-10-CM	Diagnosis
S60.029A	Contusion of unspecified index finger without damage to nail, initial encounter	ICD-10-CM	Diagnosis
S60.029S	Contusion of unspecified index finger without damage to nail, sequela	ICD-10-CM	Diagnosis
S60.029D	Contusion of unspecified index finger without damage to nail, subsequent encounter	ICD-10-CM	Diagnosis
S90.229A	Contusion of unspecified lesser toe(s) with damage to nail, initial encounter	ICD-10-CM	Diagnosis
S90.229S	Contusion of unspecified lesser toe(s) with damage to nail, sequela	ICD-10-CM	Diagnosis
S90.229D	Contusion of unspecified lesser toe(s) with damage to nail, subsequent encounter	ICD-10-CM	Diagnosis
S90.129A	Contusion of unspecified lesser toe(s) without damage to nail, initial encounter	ICD-10-CM	Diagnosis
S90.129D	Contusion of unspecified lesser toe(s) without damage to nail, subsequent encounter	ICD-10-CM	Diagnosis
S90.129S	Contusion of unspecified lesser toe(s) without damage to nail, sequela	ICD-10-CM	Diagnosis
S60.159A	Contusion of unspecified little finger with damage to nail, initial encounter	ICD-10-CM	Diagnosis
S60.159S	Contusion of unspecified little finger with damage to nail, sequela	ICD-10-CM	Diagnosis
S60.159D	Contusion of unspecified little finger with damage to nail, subsequent encounter	ICD-10-CM	Diagnosis
S60.059A	Contusion of unspecified little finger without damage to nail, initial encounter	ICD-10-CM	Diagnosis
S60.059S	Contusion of unspecified little finger without damage to nail, sequela	ICD-10-CM	Diagnosis
S60.059D	Contusion of unspecified little finger without damage to nail, subsequent encounter	ICD-10-CM	Diagnosis
S80.10XA	Contusion of unspecified lower leg, initial encounter	ICD-10-CM	Diagnosis
S80.10XD	Contusion of unspecified lower leg, subsequent encounter	ICD-10-CM	Diagnosis
S60.039D	Contusion of unspecified middle finger without damage to nail, subsequent encounter	ICD-10-CM	Diagnosis
S60.139A	Contusion of unspecified middle finger with damage to nail, initial encounter	ICD-10-CM	Diagnosis
S60.139S	Contusion of unspecified middle finger with damage to nail, sequela	ICD-10-CM	Diagnosis
S60.139D	Contusion of unspecified middle finger with damage to nail, subsequent encounter	ICD-10-CM	Diagnosis
S60.039A	Contusion of unspecified middle finger without damage to nail, initial encounter	ICD-10-CM	Diagnosis
S60.039S	Contusion of unspecified middle finger without damage to nail, sequela	ICD-10-CM	Diagnosis
S00.93XA	Contusion of unspecified part of head, initial encounter	ICD-10-CM	Diagnosis
S00.93XD	Contusion of unspecified part of head, subsequent encounter	ICD-10-CM	Diagnosis
S10.93XA	Contusion of unspecified part of neck, initial encounter	ICD-10-CM	Diagnosis
S10.93XD	Contusion of unspecified part of neck, subsequent encounter	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S60.149A	Contusion of unspecified ring finger with damage to nail, initial encounter	ICD-10-CM	Diagnosis
S60.149S	Contusion of unspecified ring finger with damage to nail, sequela	ICD-10-CM	Diagnosis
S60.149D	Contusion of unspecified ring finger with damage to nail, subsequent encounter	ICD-10-CM	Diagnosis
S60.049A	Contusion of unspecified ring finger without damage to nail, initial encounter	ICD-10-CM	Diagnosis
S60.049S	Contusion of unspecified ring finger without damage to nail, sequela	ICD-10-CM	Diagnosis
S60.049D	Contusion of unspecified ring finger without damage to nail, subsequent encounter	ICD-10-CM	Diagnosis
S60.119D	Contusion of unspecified thumb with damage to nail, subsequent encounter	ICD-10-CM	Diagnosis
S60.119A	Contusion of unspecified thumb with damage to nail, initial encounter	ICD-10-CM	Diagnosis
S60.119S	Contusion of unspecified thumb with damage to nail, sequela	ICD-10-CM	Diagnosis
S60.019A	Contusion of unspecified thumb without damage to nail, initial encounter	ICD-10-CM	Diagnosis
S60.019S	Contusion of unspecified thumb without damage to nail, sequela	ICD-10-CM	Diagnosis
S40.019D	Contusion of unspecified shoulder, subsequent encounter	ICD-10-CM	Diagnosis
S20.229S	Contusion of unspecified back wall of thorax, sequela	ICD-10-CM	Diagnosis
S00.439D	Contusion of unspecified ear, subsequent encounter	ICD-10-CM	Diagnosis
S50.00XD	Contusion of unspecified elbow, subsequent encounter	ICD-10-CM	Diagnosis
S50.10XA	Contusion of unspecified forearm, initial encounter	ICD-10-CM	Diagnosis
S20.219S	Contusion of unspecified front wall of thorax, sequela	ICD-10-CM	Diagnosis
S60.229D	Contusion of unspecified hand, subsequent encounter	ICD-10-CM	Diagnosis
S70.00XD	Contusion of unspecified hip, subsequent encounter	ICD-10-CM	Diagnosis
S80.00XD	Contusion of unspecified knee, subsequent encounter	ICD-10-CM	Diagnosis
S40.019A	Contusion of unspecified shoulder, initial encounter	ICD-10-CM	Diagnosis
S70.10XD	Contusion of unspecified thigh, subsequent encounter	ICD-10-CM	Diagnosis
S40.029A	Contusion of unspecified upper arm, initial encounter	ICD-10-CM	Diagnosis
S40.029D	Contusion of unspecified upper arm, subsequent encounter	ICD-10-CM	Diagnosis
S60.219D	Contusion of unspecified wrist, subsequent encounter	ICD-10-CM	Diagnosis
S60.019D	Contusion of unspecified thumb without damage to nail, subsequent encounter	ICD-10-CM	Diagnosis
S03.1XXD	Dislocation of septal cartilage of nose, subsequent encounter	ICD-10-CM	Diagnosis
S03.1XXA	Dislocation of septal cartilage of nose, initial encounter	ICD-10-CM	Diagnosis
S00.249D	External constriction of unspecified eyelid and periocular area, subsequent encounter	ICD-10-CM	Diagnosis
S20.141D	External constriction of part of breast, right breast, subsequent encounter	ICD-10-CM	Diagnosis
S00.242S	External constriction of left eyelid and periocular area, sequela	ICD-10-CM	Diagnosis
S00.242A	External constriction of left eyelid and periocular area, initial encounter	ICD-10-CM	Diagnosis
S00.242D	External constriction of left eyelid and periocular area, subsequent encounter	ICD-10-CM	Diagnosis
S20.342A	External constriction of left front wall of thorax, initial encounter	ICD-10-CM	Diagnosis
S20.342D	External constriction of left front wall of thorax, subsequent encounter	ICD-10-CM	Diagnosis
S20.142D	External constriction of part of breast, left breast, subsequent encounter	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S20.149A	External constriction of part of breast, unspecified breast, initial encounter	ICD-10-CM	Diagnosis
S20.149D	External constriction of part of breast, unspecified breast, subsequent encounter	ICD-10-CM	Diagnosis
S00.241S	External constriction of right eyelid and periocular area, sequela	ICD-10-CM	Diagnosis
S00.241A	External constriction of right eyelid and periocular area, initial encounter	ICD-10-CM	Diagnosis
S00.241D	External constriction of right eyelid and periocular area, subsequent encounter	ICD-10-CM	Diagnosis
S20.341A	External constriction of right front wall of thorax, initial encounter	ICD-10-CM	Diagnosis
S20.341D	External constriction of right front wall of thorax, subsequent encounter	ICD-10-CM	Diagnosis
S30.845A	External constriction of unspecified external genital organs, male, initial encounter	ICD-10-CM	Diagnosis
S30.846A	External constriction of unspecified external genital organs, female, initial encounter	ICD-10-CM	Diagnosis
S30.846S	External constriction of unspecified external genital organs, female, sequela	ICD-10-CM	Diagnosis
S30.846D	External constriction of unspecified external genital organs, female, subsequent encounter	ICD-10-CM	Diagnosis
S30.845S	External constriction of unspecified external genital organs, male, sequela	ICD-10-CM	Diagnosis
S30.845D	External constriction of unspecified external genital organs, male, subsequent encounter	ICD-10-CM	Diagnosis
S00.249S	External constriction of unspecified eyelid and periocular area, sequela	ICD-10-CM	Diagnosis
S00.249A	External constriction of unspecified eyelid and periocular area, initial encounter	ICD-10-CM	Diagnosis
S20.349A	External constriction of unspecified front wall of thorax, initial encounter	ICD-10-CM	Diagnosis
S20.349D	External constriction of unspecified front wall of thorax, subsequent encounter	ICD-10-CM	Diagnosis
S10.94XD	External constriction of unspecified part of neck, subsequent encounter	ICD-10-CM	Diagnosis
S20.94XD	External constriction of unspecified parts of thorax, subsequent encounter	ICD-10-CM	Diagnosis
S20.141A	External constriction of part of breast, right breast, initial encounter	ICD-10-CM	Diagnosis
S30.841A	External constriction of abdominal wall, initial encounter	ICD-10-CM	Diagnosis
S30.841D	External constriction of abdominal wall, subsequent encounter	ICD-10-CM	Diagnosis
S90.542S	External constriction, left ankle, sequela	ICD-10-CM	Diagnosis
S00.442A	External constriction of left ear, initial encounter	ICD-10-CM	Diagnosis
S90.842A	External constriction, left foot, initial encounter	ICD-10-CM	Diagnosis
S90.842S	External constriction, left foot, sequela	ICD-10-CM	Diagnosis
S90.842D	External constriction, left foot, subsequent encounter	ICD-10-CM	Diagnosis
S50.842A	External constriction of left forearm, initial encounter	ICD-10-CM	Diagnosis
S50.842S	External constriction of left forearm, sequela	ICD-10-CM	Diagnosis
S50.842D	External constriction of left forearm, subsequent encounter	ICD-10-CM	Diagnosis
S70.242A	External constriction, left hip, initial encounter	ICD-10-CM	Diagnosis
S70.242S	External constriction, left hip, sequela	ICD-10-CM	Diagnosis



**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S80.242S	External constriction, left knee, sequela	ICD-10-CM	Diagnosis
S80.842S	External constriction, left lower leg, sequela	ICD-10-CM	Diagnosis
S60.443S	External constriction of left middle finger, sequela	ICD-10-CM	Diagnosis
S70.342S	External constriction, left thigh, sequela	ICD-10-CM	Diagnosis
S00.541D	External constriction of lip, subsequent encounter	ICD-10-CM	Diagnosis
S30.840D	External constriction of lower back and pelvis, subsequent encounter	ICD-10-CM	Diagnosis
S30.840A	External constriction of lower back and pelvis, initial encounter	ICD-10-CM	Diagnosis
S30.840S	External constriction of lower back and pelvis, sequela	ICD-10-CM	Diagnosis
S90.542A	External constriction, left ankle, initial encounter	ICD-10-CM	Diagnosis
S90.542D	External constriction, left ankle, subsequent encounter	ICD-10-CM	Diagnosis
S20.442A	External constriction of left back wall of thorax, initial encounter	ICD-10-CM	Diagnosis
S20.442S	External constriction of left back wall of thorax, sequela	ICD-10-CM	Diagnosis
S20.442D	External constriction of left back wall of thorax, subsequent encounter	ICD-10-CM	Diagnosis
S00.442D	External constriction of left ear, subsequent encounter	ICD-10-CM	Diagnosis
S50.342A	External constriction of left elbow, initial encounter	ICD-10-CM	Diagnosis
S50.342D	External constriction of left elbow, subsequent encounter	ICD-10-CM	Diagnosis
S20.342S	External constriction of left front wall of thorax, sequela	ICD-10-CM	Diagnosis
S90.442A	External constriction, left great toe, initial encounter	ICD-10-CM	Diagnosis
S90.442S	External constriction, left great toe, sequela	ICD-10-CM	Diagnosis
S90.442D	External constriction, left great toe, subsequent encounter	ICD-10-CM	Diagnosis
S60.542A	External constriction of left hand, initial encounter	ICD-10-CM	Diagnosis
S60.542S	External constriction of left hand, sequela	ICD-10-CM	Diagnosis
S60.542D	External constriction of left hand, subsequent encounter	ICD-10-CM	Diagnosis
S70.242D	External constriction, left hip, subsequent encounter	ICD-10-CM	Diagnosis
S60.441A	External constriction of left index finger, initial encounter	ICD-10-CM	Diagnosis
S60.441S	External constriction of left index finger, sequela	ICD-10-CM	Diagnosis
S60.441D	External constriction of left index finger, subsequent encounter	ICD-10-CM	Diagnosis
S80.242A	External constriction, left knee, initial encounter	ICD-10-CM	Diagnosis
S80.242D	External constriction, left knee, subsequent encounter	ICD-10-CM	Diagnosis
S90.445A	External constriction, left lesser toe(s), initial encounter	ICD-10-CM	Diagnosis
S90.445S	External constriction, left lesser toe(s), sequela	ICD-10-CM	Diagnosis
S90.445D	External constriction, left lesser toe(s), subsequent encounter	ICD-10-CM	Diagnosis
S60.447A	External constriction of left little finger, initial encounter	ICD-10-CM	Diagnosis
S60.447S	External constriction of left little finger, sequela	ICD-10-CM	Diagnosis
S60.447D	External constriction of left little finger, subsequent encounter	ICD-10-CM	Diagnosis
S80.842A	External constriction, left lower leg, initial encounter	ICD-10-CM	Diagnosis
S80.842D	External constriction, left lower leg, subsequent encounter	ICD-10-CM	Diagnosis
S60.443A	External constriction of left middle finger, initial encounter	ICD-10-CM	Diagnosis
S60.443D	External constriction of left middle finger, subsequent encounter	ICD-10-CM	Diagnosis
S60.445A	External constriction of left ring finger, initial encounter	ICD-10-CM	Diagnosis
S60.445S	External constriction of left ring finger, sequela	ICD-10-CM	Diagnosis
S60.445D	External constriction of left ring finger, subsequent encounter	ICD-10-CM	Diagnosis
S40.242A	External constriction of left shoulder, initial encounter	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S40.242D	External constriction of left shoulder, subsequent encounter	ICD-10-CM	Diagnosis
S70.342A	External constriction, left thigh, initial encounter	ICD-10-CM	Diagnosis
S70.342D	External constriction, left thigh, subsequent encounter	ICD-10-CM	Diagnosis
S60.342A	External constriction of left thumb, initial encounter	ICD-10-CM	Diagnosis
S60.342D	External constriction of left thumb, subsequent encounter	ICD-10-CM	Diagnosis
S40.842A	External constriction of left upper arm, initial encounter	ICD-10-CM	Diagnosis
S40.842D	External constriction of left upper arm, subsequent encounter	ICD-10-CM	Diagnosis
S00.34XD	External constriction of nose, subsequent encounter	ICD-10-CM	Diagnosis
S30.841S	External constriction of abdominal wall, sequela	ICD-10-CM	Diagnosis
S00.442S	External constriction of left ear, sequela	ICD-10-CM	Diagnosis
S50.342S	External constriction of left elbow, sequela	ICD-10-CM	Diagnosis
S40.242S	External constriction of left shoulder, sequela	ICD-10-CM	Diagnosis
S60.342S	External constriction of left thumb, sequela	ICD-10-CM	Diagnosis
S40.842S	External constriction of left upper arm, sequela	ICD-10-CM	Diagnosis
S60.842A	External constriction of left wrist, initial encounter	ICD-10-CM	Diagnosis
S60.842S	External constriction of left wrist, sequela	ICD-10-CM	Diagnosis
S60.842D	External constriction of left wrist, subsequent encounter	ICD-10-CM	Diagnosis
S00.541A	External constriction of lip, initial encounter	ICD-10-CM	Diagnosis
S00.541S	External constriction of lip, sequela	ICD-10-CM	Diagnosis
S00.34XA	External constriction of nose, initial encounter	ICD-10-CM	Diagnosis
S00.34XS	External constriction of nose, sequela	ICD-10-CM	Diagnosis
S00.542S	External constriction of oral cavity, sequela	ICD-10-CM	Diagnosis
S00.04XS	External constriction of part of scalp, sequela	ICD-10-CM	Diagnosis
S10.14XS	External constriction of part of throat, sequela	ICD-10-CM	Diagnosis
S30.842A	External constriction of penis, initial encounter	ICD-10-CM	Diagnosis
S30.842S	External constriction of penis, sequela	ICD-10-CM	Diagnosis
S00.441S	External constriction of right ear, sequela	ICD-10-CM	Diagnosis
S50.341S	External constriction of right elbow, sequela	ICD-10-CM	Diagnosis
S40.241S	External constriction of right shoulder, sequela	ICD-10-CM	Diagnosis
S60.341S	External constriction of right thumb, sequela	ICD-10-CM	Diagnosis
S40.841S	External constriction of right upper arm, sequela	ICD-10-CM	Diagnosis
S60.341A	External constriction of right thumb, initial encounter	ICD-10-CM	Diagnosis
S60.341D	External constriction of right thumb, subsequent encounter	ICD-10-CM	Diagnosis
S60.841A	External constriction of right wrist, initial encounter	ICD-10-CM	Diagnosis
S60.841S	External constriction of right wrist, sequela	ICD-10-CM	Diagnosis
S60.841D	External constriction of right wrist, subsequent encounter	ICD-10-CM	Diagnosis
S50.849A	External constriction of unspecified forearm, initial encounter	ICD-10-CM	Diagnosis
S50.849S	External constriction of unspecified forearm, sequela	ICD-10-CM	Diagnosis
S50.849D	External constriction of unspecified forearm, subsequent encounter	ICD-10-CM	Diagnosis
S60.849A	External constriction of unspecified wrist, initial encounter	ICD-10-CM	Diagnosis
S60.849S	External constriction of unspecified wrist, sequela	ICD-10-CM	Diagnosis
S60.849D	External constriction of unspecified wrist, subsequent encounter	ICD-10-CM	Diagnosis
S00.449S	External constriction of unspecified ear, sequela	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S30.844S	External constriction of vagina and vulva, sequela	ICD-10-CM	Diagnosis
S00.542D	External constriction of oral cavity, subsequent encounter	ICD-10-CM	Diagnosis
S00.542A	External constriction of oral cavity, initial encounter	ICD-10-CM	Diagnosis
S60.448A	External constriction of other finger, initial encounter	ICD-10-CM	Diagnosis
S60.448D	External constriction of other finger, subsequent encounter	ICD-10-CM	Diagnosis
S00.84XA	External constriction of other part of head, initial encounter	ICD-10-CM	Diagnosis
S00.84XD	External constriction of other part of head, subsequent encounter	ICD-10-CM	Diagnosis
S00.84XS	External constriction of other part of head, sequela	ICD-10-CM	Diagnosis
S10.84XA	External constriction of other specified part of neck, initial encounter	ICD-10-CM	Diagnosis
S10.84XD	External constriction of other specified part of neck, subsequent encounter	ICD-10-CM	Diagnosis
S10.84XS	External constriction of other specified part of neck, sequela	ICD-10-CM	Diagnosis
S60.448S	External constriction of other finger, sequela	ICD-10-CM	Diagnosis
S20.142A	External constriction of part of breast, left breast, initial encounter	ICD-10-CM	Diagnosis
S20.142S	External constriction of part of breast, left breast, sequela	ICD-10-CM	Diagnosis
S20.141S	External constriction of part of breast, right breast, sequela	ICD-10-CM	Diagnosis
S20.149S	External constriction of part of breast, unspecified breast, sequela	ICD-10-CM	Diagnosis
S00.04XA	External constriction of part of scalp, initial encounter	ICD-10-CM	Diagnosis
S00.04XD	External constriction of part of scalp, subsequent encounter	ICD-10-CM	Diagnosis
S10.14XA	External constriction of part of throat, initial encounter	ICD-10-CM	Diagnosis
S10.14XD	External constriction of part of throat, subsequent encounter	ICD-10-CM	Diagnosis
S30.842D	External constriction of penis, subsequent encounter	ICD-10-CM	Diagnosis
S90.541S	External constriction, right ankle, sequela	ICD-10-CM	Diagnosis
S90.841A	External constriction, right foot, initial encounter	ICD-10-CM	Diagnosis
S90.841S	External constriction, right foot, sequela	ICD-10-CM	Diagnosis
S90.841D	External constriction, right foot, subsequent encounter	ICD-10-CM	Diagnosis
S50.841A	External constriction of right forearm, initial encounter	ICD-10-CM	Diagnosis
S50.841S	External constriction of right forearm, sequela	ICD-10-CM	Diagnosis
S50.841D	External constriction of right forearm, subsequent encounter	ICD-10-CM	Diagnosis
S70.241S	External constriction, right hip, sequela	ICD-10-CM	Diagnosis
S80.241S	External constriction, right knee, sequela	ICD-10-CM	Diagnosis
S80.841S	External constriction, right lower leg, sequela	ICD-10-CM	Diagnosis
S60.444S	External constriction of right ring finger, sequela	ICD-10-CM	Diagnosis
S70.341S	External constriction, right thigh, sequela	ICD-10-CM	Diagnosis
S90.541A	External constriction, right ankle, initial encounter	ICD-10-CM	Diagnosis
S90.541D	External constriction, right ankle, subsequent encounter	ICD-10-CM	Diagnosis
S20.441A	External constriction of right back wall of thorax, initial encounter	ICD-10-CM	Diagnosis
S20.441S	External constriction of right back wall of thorax, sequela	ICD-10-CM	Diagnosis
S20.441D	External constriction of right back wall of thorax, subsequent encounter	ICD-10-CM	Diagnosis
S00.441A	External constriction of right ear, initial encounter	ICD-10-CM	Diagnosis
S00.441D	External constriction of right ear, subsequent encounter	ICD-10-CM	Diagnosis
S50.341A	External constriction of right elbow, initial encounter	ICD-10-CM	Diagnosis
S50.341D	External constriction of right elbow, subsequent encounter	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S20.341S	External constriction of right front wall of thorax, sequela	ICD-10-CM	Diagnosis
S90.441A	External constriction, right great toe, initial encounter	ICD-10-CM	Diagnosis
S90.441S	External constriction, right great toe, sequela	ICD-10-CM	Diagnosis
S90.441D	External constriction, right great toe, subsequent encounter	ICD-10-CM	Diagnosis
S60.541A	External constriction of right hand, initial encounter	ICD-10-CM	Diagnosis
S60.541S	External constriction of right hand, sequela	ICD-10-CM	Diagnosis
S60.541D	External constriction of right hand, subsequent encounter	ICD-10-CM	Diagnosis
S70.241A	External constriction, right hip, initial encounter	ICD-10-CM	Diagnosis
S70.241D	External constriction, right hip, subsequent encounter	ICD-10-CM	Diagnosis
S60.440A	External constriction of right index finger, initial encounter	ICD-10-CM	Diagnosis
S60.440S	External constriction of right index finger, sequela	ICD-10-CM	Diagnosis
S60.440D	External constriction of right index finger, subsequent encounter	ICD-10-CM	Diagnosis
S80.241A	External constriction, right knee, initial encounter	ICD-10-CM	Diagnosis
S80.241D	External constriction, right knee, subsequent encounter	ICD-10-CM	Diagnosis
S90.444A	External constriction, right lesser toe(s), initial encounter	ICD-10-CM	Diagnosis
S90.444S	External constriction, right lesser toe(s), sequela	ICD-10-CM	Diagnosis
S90.444D	External constriction, right lesser toe(s), subsequent encounter	ICD-10-CM	Diagnosis
S60.446A	External constriction of right little finger, initial encounter	ICD-10-CM	Diagnosis
S60.446S	External constriction of right little finger, sequela	ICD-10-CM	Diagnosis
S60.446D	External constriction of right little finger, subsequent encounter	ICD-10-CM	Diagnosis
S80.841A	External constriction, right lower leg, initial encounter	ICD-10-CM	Diagnosis
S80.841D	External constriction, right lower leg, subsequent encounter	ICD-10-CM	Diagnosis
S60.442A	External constriction of right middle finger, initial encounter	ICD-10-CM	Diagnosis
S60.442S	External constriction of right middle finger, sequela	ICD-10-CM	Diagnosis
S60.442D	External constriction of right middle finger, subsequent encounter	ICD-10-CM	Diagnosis
S60.444A	External constriction of right ring finger, initial encounter	ICD-10-CM	Diagnosis
S60.444D	External constriction of right ring finger, subsequent encounter	ICD-10-CM	Diagnosis
S40.241A	External constriction of right shoulder, initial encounter	ICD-10-CM	Diagnosis
S40.241D	External constriction of right shoulder, subsequent encounter	ICD-10-CM	Diagnosis
S70.341A	External constriction, right thigh, initial encounter	ICD-10-CM	Diagnosis
S70.341D	External constriction, right thigh, subsequent encounter	ICD-10-CM	Diagnosis
S40.841A	External constriction of right upper arm, initial encounter	ICD-10-CM	Diagnosis
S40.841D	External constriction of right upper arm, subsequent encounter	ICD-10-CM	Diagnosis
S30.843A	External constriction of scrotum and testes, initial encounter	ICD-10-CM	Diagnosis
S30.843S	External constriction of scrotum and testes, sequela	ICD-10-CM	Diagnosis
S30.843D	External constriction of scrotum and testes, subsequent encounter	ICD-10-CM	Diagnosis
S20.449A	External constriction of unspecified back wall of thorax, initial encounter	ICD-10-CM	Diagnosis
S20.449S	External constriction of unspecified back wall of thorax, sequela	ICD-10-CM	Diagnosis
S20.449D	External constriction of unspecified back wall of thorax, subsequent encounter	ICD-10-CM	Diagnosis
S00.449A	External constriction of unspecified ear, initial encounter	ICD-10-CM	Diagnosis
S00.449D	External constriction of unspecified ear, subsequent encounter	ICD-10-CM	Diagnosis
S50.349A	External constriction of unspecified elbow, initial encounter	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S50.349D	External constriction of unspecified elbow, subsequent encounter	ICD-10-CM	Diagnosis
S60.449A	External constriction of unspecified finger, initial encounter	ICD-10-CM	Diagnosis
S60.449S	External constriction of unspecified finger, sequela	ICD-10-CM	Diagnosis
S60.449D	External constriction of unspecified finger, subsequent encounter	ICD-10-CM	Diagnosis
S20.349S	External constriction of unspecified front wall of thorax, sequela	ICD-10-CM	Diagnosis
S90.443A	External constriction, unspecified great toe, initial encounter	ICD-10-CM	Diagnosis
S90.443S	External constriction, unspecified great toe, sequela	ICD-10-CM	Diagnosis
S90.443D	External constriction, unspecified great toe, subsequent encounter	ICD-10-CM	Diagnosis
S60.549A	External constriction of unspecified hand, initial encounter	ICD-10-CM	Diagnosis
S60.549S	External constriction of unspecified hand, sequela	ICD-10-CM	Diagnosis
S60.549D	External constriction of unspecified hand, subsequent encounter	ICD-10-CM	Diagnosis
S70.249A	External constriction, unspecified hip, initial encounter	ICD-10-CM	Diagnosis
S70.249D	External constriction, unspecified hip, subsequent encounter	ICD-10-CM	Diagnosis
S80.249A	External constriction, unspecified knee, initial encounter	ICD-10-CM	Diagnosis
S80.249D	External constriction, unspecified knee, subsequent encounter	ICD-10-CM	Diagnosis
S90.446A	External constriction, unspecified lesser toe(s), initial encounter	ICD-10-CM	Diagnosis
S90.446S	External constriction, unspecified lesser toe(s), sequela	ICD-10-CM	Diagnosis
S90.446D	External constriction, unspecified lesser toe(s), subsequent encounter	ICD-10-CM	Diagnosis
S80.849A	External constriction, unspecified lower leg, initial encounter	ICD-10-CM	Diagnosis
S80.849S	External constriction, unspecified lower leg, sequela	ICD-10-CM	Diagnosis
S80.849D	External constriction, unspecified lower leg, subsequent encounter	ICD-10-CM	Diagnosis
S00.94XA	External constriction of unspecified part of head, initial encounter	ICD-10-CM	Diagnosis
S00.94XS	External constriction of unspecified part of head, sequela	ICD-10-CM	Diagnosis
S00.94XD	External constriction of unspecified part of head, subsequent encounter	ICD-10-CM	Diagnosis
S10.94XA	External constriction of unspecified part of neck, initial encounter	ICD-10-CM	Diagnosis
S10.94XS	External constriction of unspecified part of neck, sequela	ICD-10-CM	Diagnosis
S20.94XA	External constriction of unspecified parts of thorax, initial encounter	ICD-10-CM	Diagnosis
S20.94XS	External constriction of unspecified parts of thorax, sequela	ICD-10-CM	Diagnosis
S40.249A	External constriction of unspecified shoulder, initial encounter	ICD-10-CM	Diagnosis
S40.249S	External constriction of unspecified shoulder, sequela	ICD-10-CM	Diagnosis
S40.249D	External constriction of unspecified shoulder, subsequent encounter	ICD-10-CM	Diagnosis
S70.349A	External constriction, unspecified thigh, initial encounter	ICD-10-CM	Diagnosis
S70.349D	External constriction, unspecified thigh, subsequent encounter	ICD-10-CM	Diagnosis
S60.349D	External constriction of unspecified thumb, subsequent encounter	ICD-10-CM	Diagnosis
S60.349A	External constriction of unspecified thumb, initial encounter	ICD-10-CM	Diagnosis
S40.849A	External constriction of unspecified upper arm, initial encounter	ICD-10-CM	Diagnosis
S40.849S	External constriction of unspecified upper arm, sequela	ICD-10-CM	Diagnosis
S40.849D	External constriction of unspecified upper arm, subsequent encounter	ICD-10-CM	Diagnosis
S90.549A	External constriction, unspecified ankle, initial encounter	ICD-10-CM	Diagnosis
S90.549S	External constriction, unspecified ankle, sequela	ICD-10-CM	Diagnosis
S90.549D	External constriction, unspecified ankle, subsequent encounter	ICD-10-CM	Diagnosis
S50.349S	External constriction of unspecified elbow, sequela	ICD-10-CM	Diagnosis
S90.849A	External constriction, unspecified foot, initial encounter	ICD-10-CM	Diagnosis



**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S90.849D	External constriction, unspecified foot, subsequent encounter	ICD-10-CM	Diagnosis
S90.849S	External constriction, unspecified foot, sequela	ICD-10-CM	Diagnosis
S70.249S	External constriction, unspecified hip, sequela	ICD-10-CM	Diagnosis
S80.249S	External constriction, unspecified knee, sequela	ICD-10-CM	Diagnosis
S70.349S	External constriction, unspecified thigh, sequela	ICD-10-CM	Diagnosis
S60.349S	External constriction of unspecified thumb, sequela	ICD-10-CM	Diagnosis
S30.844A	External constriction of vagina and vulva, initial encounter	ICD-10-CM	Diagnosis
S30.844D	External constriction of vagina and vulva, subsequent encounter	ICD-10-CM	Diagnosis
S73.112A	Iliofemoral ligament sprain of left hip, initial encounter	ICD-10-CM	Diagnosis
S73.112D	Iliofemoral ligament sprain of left hip, subsequent encounter	ICD-10-CM	Diagnosis
S73.112S	Iliofemoral ligament sprain of left hip, sequela	ICD-10-CM	Diagnosis
S73.111S	Iliofemoral ligament sprain of right hip, sequela	ICD-10-CM	Diagnosis
S73.111A	Iliofemoral ligament sprain of right hip, initial encounter	ICD-10-CM	Diagnosis
S73.111D	Iliofemoral ligament sprain of right hip, subsequent encounter	ICD-10-CM	Diagnosis
S73.119A	Iliofemoral ligament sprain of unspecified hip, initial encounter	ICD-10-CM	Diagnosis
S73.119S	Iliofemoral ligament sprain of unspecified hip, sequela	ICD-10-CM	Diagnosis
S73.119D	Iliofemoral ligament sprain of unspecified hip, subsequent encounter	ICD-10-CM	Diagnosis
S05.00XA	Injury of conjunctiva and corneal abrasion without foreign body, unspecified eye, initial encounter	ICD-10-CM	Diagnosis
S05.00XD	Injury of conjunctiva and corneal abrasion without foreign body, unspecified eye, subsequent encounter	ICD-10-CM	Diagnosis
S05.02XD	Injury of conjunctiva and corneal abrasion without foreign body, left eye, subsequent encounter	ICD-10-CM	Diagnosis
S05.02XA	Injury of conjunctiva and corneal abrasion without foreign body, left eye, initial encounter	ICD-10-CM	Diagnosis
S05.02XS	Injury of conjunctiva and corneal abrasion without foreign body, left eye, sequela	ICD-10-CM	Diagnosis
S05.01XA	Injury of conjunctiva and corneal abrasion without foreign body, right eye, initial encounter	ICD-10-CM	Diagnosis
S05.01XS	Injury of conjunctiva and corneal abrasion without foreign body, right eye, sequela	ICD-10-CM	Diagnosis
S05.01XD	Injury of conjunctiva and corneal abrasion without foreign body, right eye, subsequent encounter	ICD-10-CM	Diagnosis
S05.00XS	Injury of conjunctiva and corneal abrasion without foreign body, unspecified eye, sequela	ICD-10-CM	Diagnosis
S00.562D	Insect bite (nonvenomous) of oral cavity, subsequent encounter	ICD-10-CM	Diagnosis
S20.162A	Insect bite (nonvenomous) of breast, left breast, initial encounter	ICD-10-CM	Diagnosis
S20.162D	Insect bite (nonvenomous) of breast, left breast, subsequent encounter	ICD-10-CM	Diagnosis
S20.161A	Insect bite (nonvenomous) of breast, right breast, initial encounter	ICD-10-CM	Diagnosis
S20.169A	Insect bite (nonvenomous) of breast, unspecified breast, initial encounter	ICD-10-CM	Diagnosis
S20.169S	Insect bite (nonvenomous) of breast, unspecified breast, sequela	ICD-10-CM	Diagnosis
S20.169D	Insect bite (nonvenomous) of breast, unspecified breast, subsequent encounter	ICD-10-CM	Diagnosis



**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S20.161D	Insect bite (nonvenomous) of breast, right breast, subsequent encounter	ICD-10-CM	Diagnosis
S00.86XA	Insect bite (nonvenomous) of other part of head, initial encounter	ICD-10-CM	Diagnosis
S00.86XD	Insect bite (nonvenomous) of other part of head, subsequent encounter	ICD-10-CM	Diagnosis
S00.86XS	Insect bite (nonvenomous) of other part of head, sequela	ICD-10-CM	Diagnosis
S00.262S	Insect bite (nonvenomous) of left eyelid and periocular area, sequela	ICD-10-CM	Diagnosis
S00.262A	Insect bite (nonvenomous) of left eyelid and periocular area, initial encounter	ICD-10-CM	Diagnosis
S00.262D	Insect bite (nonvenomous) of left eyelid and periocular area, subsequent encounter	ICD-10-CM	Diagnosis
S00.261S	Insect bite (nonvenomous) of right eyelid and periocular area, sequela	ICD-10-CM	Diagnosis
S00.261A	Insect bite (nonvenomous) of right eyelid and periocular area, initial encounter	ICD-10-CM	Diagnosis
S00.261D	Insect bite (nonvenomous) of right eyelid and periocular area, subsequent encounter	ICD-10-CM	Diagnosis
S00.269S	Insect bite (nonvenomous) of unspecified eyelid and periocular area, sequela	ICD-10-CM	Diagnosis
S00.269D	Insect bite (nonvenomous) of unspecified eyelid and periocular area, subsequent encounter	ICD-10-CM	Diagnosis
S00.269A	Insect bite (nonvenomous) of unspecified eyelid and periocular area, initial encounter	ICD-10-CM	Diagnosis
S30.861A	Insect bite (nonvenomous) of abdominal wall, initial encounter	ICD-10-CM	Diagnosis
S30.861D	Insect bite (nonvenomous) of abdominal wall, subsequent encounter	ICD-10-CM	Diagnosis
S70.262A	Insect bite (nonvenomous), left hip, initial encounter	ICD-10-CM	Diagnosis
S70.262S	Insect bite (nonvenomous), left hip, sequela	ICD-10-CM	Diagnosis
S70.262D	Insect bite (nonvenomous), left hip, subsequent encounter	ICD-10-CM	Diagnosis
S70.362A	Insect bite (nonvenomous), left thigh, initial encounter	ICD-10-CM	Diagnosis
S70.362S	Insect bite (nonvenomous), left thigh, sequela	ICD-10-CM	Diagnosis
S70.362D	Insect bite (nonvenomous), left thigh, subsequent encounter	ICD-10-CM	Diagnosis
S30.860A	Insect bite (nonvenomous) of lower back and pelvis, initial encounter	ICD-10-CM	Diagnosis
S30.860S	Insect bite (nonvenomous) of lower back and pelvis, sequela	ICD-10-CM	Diagnosis
S30.860D	Insect bite (nonvenomous) of lower back and pelvis, subsequent encounter	ICD-10-CM	Diagnosis
S20.462D	Insect bite (nonvenomous) of left back wall of thorax, subsequent encounter	ICD-10-CM	Diagnosis
S20.462A	Insect bite (nonvenomous) of left back wall of thorax, initial encounter	ICD-10-CM	Diagnosis
S20.362A	Insect bite (nonvenomous) of left front wall of thorax, initial encounter	ICD-10-CM	Diagnosis
S20.361A	Insect bite (nonvenomous) of right front wall of thorax, initial encounter	ICD-10-CM	Diagnosis
S20.361D	Insect bite (nonvenomous) of right front wall of thorax, subsequent encounter	ICD-10-CM	Diagnosis
S30.863A	Insect bite (nonvenomous) of scrotum and testes, initial encounter	ICD-10-CM	Diagnosis
S20.469A	Insect bite (nonvenomous) of unspecified back wall of thorax, initial encounter	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S20.469D	Insect bite (nonvenomous) of unspecified back wall of thorax, subsequent encounter	ICD-10-CM	Diagnosis
S20.369A	Insect bite (nonvenomous) of unspecified front wall of thorax, initial encounter	ICD-10-CM	Diagnosis
S20.369S	Insect bite (nonvenomous) of unspecified front wall of thorax, sequela	ICD-10-CM	Diagnosis
S20.369D	Insect bite (nonvenomous) of unspecified front wall of thorax, subsequent encounter	ICD-10-CM	Diagnosis
S30.864D	Insect bite (nonvenomous) of vagina and vulva, subsequent encounter	ICD-10-CM	Diagnosis
S30.861S	Insect bite (nonvenomous) of abdominal wall, sequela	ICD-10-CM	Diagnosis
S30.867A	Insect bite (nonvenomous) of anus, initial encounter	ICD-10-CM	Diagnosis
S30.867D	Insect bite (nonvenomous) of anus, subsequent encounter	ICD-10-CM	Diagnosis
S20.162S	Insect bite (nonvenomous) of breast, left breast, sequela	ICD-10-CM	Diagnosis
S20.161S	Insect bite (nonvenomous) of breast, right breast, sequela	ICD-10-CM	Diagnosis
S90.562A	Insect bite (nonvenomous), left ankle, initial encounter	ICD-10-CM	Diagnosis
S90.562S	Insect bite (nonvenomous), left ankle, sequela	ICD-10-CM	Diagnosis
S90.562D	Insect bite (nonvenomous), left ankle, subsequent encounter	ICD-10-CM	Diagnosis
S90.862A	Insect bite (nonvenomous), left foot, initial encounter	ICD-10-CM	Diagnosis
S90.862S	Insect bite (nonvenomous), left foot, sequela	ICD-10-CM	Diagnosis
S90.862D	Insect bite (nonvenomous), left foot, subsequent encounter	ICD-10-CM	Diagnosis
S50.862S	Insect bite (nonvenomous) of left forearm, sequela	ICD-10-CM	Diagnosis
S80.262S	Insect bite (nonvenomous), left knee, sequela	ICD-10-CM	Diagnosis
S80.862S	Insect bite (nonvenomous), left lower leg, sequela	ICD-10-CM	Diagnosis
S40.862S	Insect bite (nonvenomous) of left upper arm, sequela	ICD-10-CM	Diagnosis
S00.561D	Insect bite (nonvenomous) of lip, subsequent encounter	ICD-10-CM	Diagnosis
S20.462S	Insect bite (nonvenomous) of left back wall of thorax, sequela	ICD-10-CM	Diagnosis
S00.462A	Insect bite (nonvenomous) of left ear, initial encounter	ICD-10-CM	Diagnosis
S00.462D	Insect bite (nonvenomous) of left ear, subsequent encounter	ICD-10-CM	Diagnosis
S50.362A	Insect bite (nonvenomous) of left elbow, initial encounter	ICD-10-CM	Diagnosis
S50.362D	Insect bite (nonvenomous) of left elbow, subsequent encounter	ICD-10-CM	Diagnosis
S50.862A	Insect bite (nonvenomous) of left forearm, initial encounter	ICD-10-CM	Diagnosis
S50.862D	Insect bite (nonvenomous) of left forearm, subsequent encounter	ICD-10-CM	Diagnosis
S20.362S	Insect bite (nonvenomous) of left front wall of thorax, sequela	ICD-10-CM	Diagnosis
S20.362D	Insect bite (nonvenomous) of left front wall of thorax, subsequent encounter	ICD-10-CM	Diagnosis
S90.462A	Insect bite (nonvenomous), left great toe, initial encounter	ICD-10-CM	Diagnosis
S90.462S	Insect bite (nonvenomous), left great toe, sequela	ICD-10-CM	Diagnosis
S90.462D	Insect bite (nonvenomous), left great toe, subsequent encounter	ICD-10-CM	Diagnosis
S60.562A	Insect bite (nonvenomous) of left hand, initial encounter	ICD-10-CM	Diagnosis
S60.562S	Insect bite (nonvenomous) of left hand, sequela	ICD-10-CM	Diagnosis
S60.562D	Insect bite (nonvenomous) of left hand, subsequent encounter	ICD-10-CM	Diagnosis
S60.461A	Insect bite (nonvenomous) of left index finger, initial encounter	ICD-10-CM	Diagnosis
S60.461S	Insect bite (nonvenomous) of left index finger, sequela	ICD-10-CM	Diagnosis
S60.461D	Insect bite (nonvenomous) of left index finger, subsequent encounter	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S80.262A	Insect bite (nonvenomous), left knee, initial encounter	ICD-10-CM	Diagnosis
S80.262D	Insect bite (nonvenomous), left knee, subsequent encounter	ICD-10-CM	Diagnosis
S90.465A	Insect bite (nonvenomous), left lesser toe(s), initial encounter	ICD-10-CM	Diagnosis
S90.465S	Insect bite (nonvenomous), left lesser toe(s), sequela	ICD-10-CM	Diagnosis
S90.465D	Insect bite (nonvenomous), left lesser toe(s), subsequent encounter	ICD-10-CM	Diagnosis
S60.467A	Insect bite (nonvenomous) of left little finger, initial encounter	ICD-10-CM	Diagnosis
S60.467S	Insect bite (nonvenomous) of left little finger, sequela	ICD-10-CM	Diagnosis
S60.467D	Insect bite (nonvenomous) of left little finger, subsequent encounter	ICD-10-CM	Diagnosis
S80.862A	Insect bite (nonvenomous), left lower leg, initial encounter	ICD-10-CM	Diagnosis
S80.862D	Insect bite (nonvenomous), left lower leg, subsequent encounter	ICD-10-CM	Diagnosis
S60.463A	Insect bite (nonvenomous) of left middle finger, initial encounter	ICD-10-CM	Diagnosis
S60.463S	Insect bite (nonvenomous) of left middle finger, sequela	ICD-10-CM	Diagnosis
S60.463D	Insect bite (nonvenomous) of left middle finger, subsequent encounter	ICD-10-CM	Diagnosis
S60.465A	Insect bite (nonvenomous) of left ring finger, initial encounter	ICD-10-CM	Diagnosis
S60.465S	Insect bite (nonvenomous) of left ring finger, sequela	ICD-10-CM	Diagnosis
S60.465D	Insect bite (nonvenomous) of left ring finger, subsequent encounter	ICD-10-CM	Diagnosis
S40.262D	Insect bite (nonvenomous) of left shoulder, subsequent encounter	ICD-10-CM	Diagnosis
S40.262A	Insect bite (nonvenomous) of left shoulder, initial encounter	ICD-10-CM	Diagnosis
S60.362D	Insect bite (nonvenomous) of left thumb, subsequent encounter	ICD-10-CM	Diagnosis
S40.862A	Insect bite (nonvenomous) of left upper arm, initial encounter	ICD-10-CM	Diagnosis
S40.862D	Insect bite (nonvenomous) of left upper arm, subsequent encounter	ICD-10-CM	Diagnosis
S00.36XA	Insect bite (nonvenomous) of nose, initial encounter	ICD-10-CM	Diagnosis
S00.36XD	Insect bite (nonvenomous) of nose, subsequent encounter	ICD-10-CM	Diagnosis
S30.867S	Insect bite (nonvenomous) of anus, sequela	ICD-10-CM	Diagnosis
S00.462S	Insect bite (nonvenomous) of left ear, sequela	ICD-10-CM	Diagnosis
S50.362S	Insect bite (nonvenomous) of left elbow, sequela	ICD-10-CM	Diagnosis
S40.262S	Insect bite (nonvenomous) of left shoulder, sequela	ICD-10-CM	Diagnosis
S60.362S	Insect bite (nonvenomous) of left thumb, sequela	ICD-10-CM	Diagnosis
S60.862A	Insect bite (nonvenomous) of left wrist, initial encounter	ICD-10-CM	Diagnosis
S60.862S	Insect bite (nonvenomous) of left wrist, sequela	ICD-10-CM	Diagnosis
S60.862D	Insect bite (nonvenomous) of left wrist, subsequent encounter	ICD-10-CM	Diagnosis
S00.561A	Insect bite (nonvenomous) of lip, initial encounter	ICD-10-CM	Diagnosis
S00.561S	Insect bite (nonvenomous) of lip, sequela	ICD-10-CM	Diagnosis
S60.362A	Insect bite (nonvenomous) of left thumb, initial encounter	ICD-10-CM	Diagnosis
S00.36XS	Insect bite (nonvenomous) of nose, sequela	ICD-10-CM	Diagnosis
S00.562S	Insect bite (nonvenomous) of oral cavity, sequela	ICD-10-CM	Diagnosis
S30.862S	Insect bite (nonvenomous) of penis, sequela	ICD-10-CM	Diagnosis
S00.461S	Insect bite (nonvenomous) of right ear, sequela	ICD-10-CM	Diagnosis
S50.361S	Insect bite (nonvenomous) of right elbow, sequela	ICD-10-CM	Diagnosis
S50.861S	Insect bite (nonvenomous) of right forearm, sequela	ICD-10-CM	Diagnosis
S60.361S	Insect bite (nonvenomous) of right thumb, sequela	ICD-10-CM	Diagnosis
S60.861A	Insect bite (nonvenomous) of right wrist, initial encounter	ICD-10-CM	Diagnosis
S60.861S	Insect bite (nonvenomous) of right wrist, sequela	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S60.861D	Insect bite (nonvenomous) of right wrist, subsequent encounter	ICD-10-CM	Diagnosis
S60.361A	Insect bite (nonvenomous) of right thumb, initial encounter	ICD-10-CM	Diagnosis
S60.361D	Insect bite (nonvenomous) of right thumb, subsequent encounter	ICD-10-CM	Diagnosis
S00.06XS	Insect bite (nonvenomous) of scalp, sequela	ICD-10-CM	Diagnosis
S10.16XS	Insect bite (nonvenomous) of throat, sequela	ICD-10-CM	Diagnosis
S60.369A	Insect bite (nonvenomous) of unspecified thumb, initial encounter	ICD-10-CM	Diagnosis
S60.369D	Insect bite (nonvenomous) of unspecified thumb, subsequent encounter	ICD-10-CM	Diagnosis
S60.869A	Insect bite (nonvenomous) of unspecified wrist, initial encounter	ICD-10-CM	Diagnosis
S60.869S	Insect bite (nonvenomous) of unspecified wrist, sequela	ICD-10-CM	Diagnosis
S60.869D	Insect bite (nonvenomous) of unspecified wrist, subsequent encounter	ICD-10-CM	Diagnosis
S00.562A	Insect bite (nonvenomous) of oral cavity, initial encounter	ICD-10-CM	Diagnosis
S60.468A	Insect bite (nonvenomous) of other finger, initial encounter	ICD-10-CM	Diagnosis
S60.468D	Insect bite (nonvenomous) of other finger, subsequent encounter	ICD-10-CM	Diagnosis
S60.468S	Insect bite (nonvenomous) of other finger, sequela	ICD-10-CM	Diagnosis
S30.862A	Insect bite (nonvenomous) of penis, initial encounter	ICD-10-CM	Diagnosis
S30.862D	Insect bite (nonvenomous) of penis, subsequent encounter	ICD-10-CM	Diagnosis
S90.561A	Insect bite (nonvenomous), right ankle, initial encounter	ICD-10-CM	Diagnosis
S90.561S	Insect bite (nonvenomous), right ankle, sequela	ICD-10-CM	Diagnosis
S90.561D	Insect bite (nonvenomous), right ankle, subsequent encounter	ICD-10-CM	Diagnosis
S90.861A	Insect bite (nonvenomous), right foot, initial encounter	ICD-10-CM	Diagnosis
S90.861S	Insect bite (nonvenomous), right foot, sequela	ICD-10-CM	Diagnosis
S90.861D	Insect bite (nonvenomous), right foot, subsequent encounter	ICD-10-CM	Diagnosis
S80.261S	Insect bite (nonvenomous), right knee, sequela	ICD-10-CM	Diagnosis
S80.861S	Insect bite (nonvenomous), right lower leg, sequela	ICD-10-CM	Diagnosis
S40.261S	Insect bite (nonvenomous) of right shoulder, sequela	ICD-10-CM	Diagnosis
S40.861S	Insect bite (nonvenomous) of right upper arm, sequela	ICD-10-CM	Diagnosis
S20.461A	Insect bite (nonvenomous) of right back wall of thorax, initial encounter	ICD-10-CM	Diagnosis
S20.461S	Insect bite (nonvenomous) of right back wall of thorax, sequela	ICD-10-CM	Diagnosis
S20.461D	Insect bite (nonvenomous) of right back wall of thorax, subsequent encounter	ICD-10-CM	Diagnosis
S00.461A	Insect bite (nonvenomous) of right ear, initial encounter	ICD-10-CM	Diagnosis
S00.461D	Insect bite (nonvenomous) of right ear, subsequent encounter	ICD-10-CM	Diagnosis
S50.361A	Insect bite (nonvenomous) of right elbow, initial encounter	ICD-10-CM	Diagnosis
S50.361D	Insect bite (nonvenomous) of right elbow, subsequent encounter	ICD-10-CM	Diagnosis
S50.861D	Insect bite (nonvenomous) of right forearm, subsequent encounter	ICD-10-CM	Diagnosis
S20.361S	Insect bite (nonvenomous) of right front wall of thorax, sequela	ICD-10-CM	Diagnosis
S90.461A	Insect bite (nonvenomous), right great toe, initial encounter	ICD-10-CM	Diagnosis
S90.461S	Insect bite (nonvenomous), right great toe, sequela	ICD-10-CM	Diagnosis
S90.461D	Insect bite (nonvenomous), right great toe, subsequent encounter	ICD-10-CM	Diagnosis
S60.561A	Insect bite (nonvenomous) of right hand, initial encounter	ICD-10-CM	Diagnosis
S60.561S	Insect bite (nonvenomous) of right hand, sequela	ICD-10-CM	Diagnosis
S60.561D	Insect bite (nonvenomous) of right hand, subsequent encounter	ICD-10-CM	Diagnosis
S60.460A	Insect bite (nonvenomous) of right index finger, initial encounter	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S60.460S	Insect bite (nonvenomous) of right index finger, sequela	ICD-10-CM	Diagnosis
S60.460D	Insect bite (nonvenomous) of right index finger, subsequent encounter	ICD-10-CM	Diagnosis
S80.261A	Insect bite (nonvenomous), right knee, initial encounter	ICD-10-CM	Diagnosis
S80.261D	Insect bite (nonvenomous), right knee, subsequent encounter	ICD-10-CM	Diagnosis
S90.464A	Insect bite (nonvenomous), right lesser toe(s), initial encounter	ICD-10-CM	Diagnosis
S90.464S	Insect bite (nonvenomous), right lesser toe(s), sequela	ICD-10-CM	Diagnosis
S90.464D	Insect bite (nonvenomous), right lesser toe(s), subsequent encounter	ICD-10-CM	Diagnosis
S60.466A	Insect bite (nonvenomous) of right little finger, initial encounter	ICD-10-CM	Diagnosis
S60.466S	Insect bite (nonvenomous) of right little finger, sequela	ICD-10-CM	Diagnosis
S60.466D	Insect bite (nonvenomous) of right little finger, subsequent encounter	ICD-10-CM	Diagnosis
S80.861A	Insect bite (nonvenomous), right lower leg, initial encounter	ICD-10-CM	Diagnosis
S80.861D	Insect bite (nonvenomous), right lower leg, subsequent encounter	ICD-10-CM	Diagnosis
S60.462A	Insect bite (nonvenomous) of right middle finger, initial encounter	ICD-10-CM	Diagnosis
S60.462S	Insect bite (nonvenomous) of right middle finger, sequela	ICD-10-CM	Diagnosis
S60.462D	Insect bite (nonvenomous) of right middle finger, subsequent encounter	ICD-10-CM	Diagnosis
S60.464A	Insect bite (nonvenomous) of right ring finger, initial encounter	ICD-10-CM	Diagnosis
S60.464S	Insect bite (nonvenomous) of right ring finger, sequela	ICD-10-CM	Diagnosis
S60.464D	Insect bite (nonvenomous) of right ring finger, subsequent encounter	ICD-10-CM	Diagnosis
S40.261D	Insect bite (nonvenomous) of right shoulder, subsequent encounter	ICD-10-CM	Diagnosis
S40.261A	Insect bite (nonvenomous) of right shoulder, initial encounter	ICD-10-CM	Diagnosis
S40.861A	Insect bite (nonvenomous) of right upper arm, initial encounter	ICD-10-CM	Diagnosis
S40.861D	Insect bite (nonvenomous) of right upper arm, subsequent encounter	ICD-10-CM	Diagnosis
S00.06XA	Insect bite (nonvenomous) of scalp, initial encounter	ICD-10-CM	Diagnosis
S00.06XD	Insect bite (nonvenomous) of scalp, subsequent encounter	ICD-10-CM	Diagnosis
S30.863S	Insect bite (nonvenomous) of scrotum and testes, sequela	ICD-10-CM	Diagnosis
S30.863D	Insect bite (nonvenomous) of scrotum and testes, subsequent encounter	ICD-10-CM	Diagnosis
S10.16XA	Insect bite (nonvenomous) of throat, initial encounter	ICD-10-CM	Diagnosis
S10.16XD	Insect bite (nonvenomous) of throat, subsequent encounter	ICD-10-CM	Diagnosis
S90.569D	Insect bite (nonvenomous), unspecified ankle, subsequent encounter	ICD-10-CM	Diagnosis
S90.569A	Insect bite (nonvenomous), unspecified ankle, initial encounter	ICD-10-CM	Diagnosis
S90.569S	Insect bite (nonvenomous), unspecified ankle, sequela	ICD-10-CM	Diagnosis
S20.469S	Insect bite (nonvenomous) of unspecified back wall of thorax, sequela	ICD-10-CM	Diagnosis
S00.469A	Insect bite (nonvenomous) of unspecified ear, initial encounter	ICD-10-CM	Diagnosis
S00.469D	Insect bite (nonvenomous) of unspecified ear, subsequent encounter	ICD-10-CM	Diagnosis
S50.369A	Insect bite (nonvenomous) of unspecified elbow, initial encounter	ICD-10-CM	Diagnosis
S50.369S	Insect bite (nonvenomous) of unspecified elbow, sequela	ICD-10-CM	Diagnosis
S50.369D	Insect bite (nonvenomous) of unspecified elbow, subsequent encounter	ICD-10-CM	Diagnosis
S60.469A	Insect bite (nonvenomous) of unspecified finger, initial encounter	ICD-10-CM	Diagnosis
S60.469S	Insect bite (nonvenomous) of unspecified finger, sequela	ICD-10-CM	Diagnosis
S60.469D	Insect bite (nonvenomous) of unspecified finger, subsequent encounter	ICD-10-CM	Diagnosis
S50.869D	Insect bite (nonvenomous) of unspecified forearm, subsequent encounter	ICD-10-CM	Diagnosis
S50.869A	Insect bite (nonvenomous) of unspecified forearm, initial encounter	ICD-10-CM	Diagnosis
S50.869S	Insect bite (nonvenomous) of unspecified forearm, sequela	ICD-10-CM	Diagnosis



**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S90.463A	Insect bite (nonvenomous), unspecified great toe, initial encounter	ICD-10-CM	Diagnosis
S90.463S	Insect bite (nonvenomous), unspecified great toe, sequela	ICD-10-CM	Diagnosis
S90.463D	Insect bite (nonvenomous), unspecified great toe, subsequent encounter	ICD-10-CM	Diagnosis
S60.569A	Insect bite (nonvenomous) of unspecified hand, initial encounter	ICD-10-CM	Diagnosis
S60.569S	Insect bite (nonvenomous) of unspecified hand, sequela	ICD-10-CM	Diagnosis
S60.569D	Insect bite (nonvenomous) of unspecified hand, subsequent encounter	ICD-10-CM	Diagnosis
S80.269A	Insect bite (nonvenomous), unspecified knee, initial encounter	ICD-10-CM	Diagnosis
S80.269D	Insect bite (nonvenomous), unspecified knee, subsequent encounter	ICD-10-CM	Diagnosis
S90.466A	Insect bite (nonvenomous), unspecified lesser toe(s), initial encounter	ICD-10-CM	Diagnosis
S90.466S	Insect bite (nonvenomous), unspecified lesser toe(s), sequela	ICD-10-CM	Diagnosis
S90.466D	Insect bite (nonvenomous), unspecified lesser toe(s), subsequent encounter	ICD-10-CM	Diagnosis
S80.869A	Insect bite (nonvenomous), unspecified lower leg, initial encounter	ICD-10-CM	Diagnosis
S80.869S	Insect bite (nonvenomous), unspecified lower leg, sequela	ICD-10-CM	Diagnosis
S80.869D	Insect bite (nonvenomous), unspecified lower leg, subsequent encounter	ICD-10-CM	Diagnosis
S00.96XA	Insect bite (nonvenomous) of unspecified part of head, initial encounter	ICD-10-CM	Diagnosis
S00.96XS	Insect bite (nonvenomous) of unspecified part of head, sequela	ICD-10-CM	Diagnosis
S00.96XD	Insect bite (nonvenomous) of unspecified part of head, subsequent encounter	ICD-10-CM	Diagnosis
S20.96XA	Insect bite (nonvenomous) of unspecified parts of thorax, initial encounter	ICD-10-CM	Diagnosis
S20.96XS	Insect bite (nonvenomous) of unspecified parts of thorax, sequela	ICD-10-CM	Diagnosis
S20.96XD	Insect bite (nonvenomous) of unspecified parts of thorax, subsequent encounter	ICD-10-CM	Diagnosis
S40.269D	Insect bite (nonvenomous) of unspecified shoulder, subsequent encounter	ICD-10-CM	Diagnosis
S40.269A	Insect bite (nonvenomous) of unspecified shoulder, initial encounter	ICD-10-CM	Diagnosis
S40.269S	Insect bite (nonvenomous) of unspecified shoulder, sequela	ICD-10-CM	Diagnosis
S60.369S	Insect bite (nonvenomous) of unspecified thumb, sequela	ICD-10-CM	Diagnosis
S40.869A	Insect bite (nonvenomous) of unspecified upper arm, initial encounter	ICD-10-CM	Diagnosis
S40.869S	Insect bite (nonvenomous) of unspecified upper arm, sequela	ICD-10-CM	Diagnosis
S40.869D	Insect bite (nonvenomous) of unspecified upper arm, subsequent encounter	ICD-10-CM	Diagnosis
S00.469S	Insect bite (nonvenomous) of unspecified ear, sequela	ICD-10-CM	Diagnosis
S90.869A	Insect bite (nonvenomous), unspecified foot, initial encounter	ICD-10-CM	Diagnosis
S90.869S	Insect bite (nonvenomous), unspecified foot, sequela	ICD-10-CM	Diagnosis
S90.869D	Insect bite (nonvenomous), unspecified foot, subsequent encounter	ICD-10-CM	Diagnosis
S80.269S	Insect bite (nonvenomous), unspecified knee, sequela	ICD-10-CM	Diagnosis
S30.864A	Insect bite (nonvenomous) of vagina and vulva, initial encounter	ICD-10-CM	Diagnosis
S30.864S	Insect bite (nonvenomous) of vagina and vulva, sequela	ICD-10-CM	Diagnosis
S10.86XS	Insect bite of other specified part of neck, sequela	ICD-10-CM	Diagnosis
S10.96XS	Insect bite of unspecified part of neck, sequela	ICD-10-CM	Diagnosis
S10.86XD	Insect bite of other specified part of neck, subsequent encounter	ICD-10-CM	Diagnosis



**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S10.86XA	Insect bite of other specified part of neck, initial encounter	ICD-10-CM	Diagnosis
S50.861A	Insect bite (nonvenomous) of right forearm, initial encounter	ICD-10-CM	Diagnosis
S70.261A	Insect bite (nonvenomous), right hip, initial encounter	ICD-10-CM	Diagnosis
S70.261S	Insect bite (nonvenomous), right hip, sequela	ICD-10-CM	Diagnosis
S70.261D	Insect bite (nonvenomous), right hip, subsequent encounter	ICD-10-CM	Diagnosis
S70.361A	Insect bite (nonvenomous), right thigh, initial encounter	ICD-10-CM	Diagnosis
S70.361S	Insect bite (nonvenomous), right thigh, sequela	ICD-10-CM	Diagnosis
S70.361D	Insect bite (nonvenomous), right thigh, subsequent encounter	ICD-10-CM	Diagnosis
S30.866A	Insect bite (nonvenomous) of unspecified external genital organs, female, initial encounter	ICD-10-CM	Diagnosis
S30.866S	Insect bite (nonvenomous) of unspecified external genital organs, female, sequela	ICD-10-CM	Diagnosis
S30.866D	Insect bite (nonvenomous) of unspecified external genital organs, female, subsequent encounter	ICD-10-CM	Diagnosis
S30.865A	Insect bite (nonvenomous) of unspecified external genital organs, male, initial encounter	ICD-10-CM	Diagnosis
S30.865S	Insect bite (nonvenomous) of unspecified external genital organs, male, sequela	ICD-10-CM	Diagnosis
S30.865D	Insect bite (nonvenomous) of unspecified external genital organs, male, subsequent encounter	ICD-10-CM	Diagnosis
S10.96XA	Insect bite of unspecified part of neck, initial encounter	ICD-10-CM	Diagnosis
S10.96XD	Insect bite of unspecified part of neck, subsequent encounter	ICD-10-CM	Diagnosis
S70.269A	Insect bite (nonvenomous), unspecified hip, initial encounter	ICD-10-CM	Diagnosis
S70.269S	Insect bite (nonvenomous), unspecified hip, sequela	ICD-10-CM	Diagnosis
S70.269D	Insect bite (nonvenomous), unspecified hip, subsequent encounter	ICD-10-CM	Diagnosis
S70.369A	Insect bite (nonvenomous), unspecified thigh, initial encounter	ICD-10-CM	Diagnosis
S70.369S	Insect bite (nonvenomous), unspecified thigh, sequela	ICD-10-CM	Diagnosis
S70.369D	Insect bite (nonvenomous), unspecified thigh, subsequent encounter	ICD-10-CM	Diagnosis
S73.122S	Ischiocapsular ligament sprain of left hip, sequela	ICD-10-CM	Diagnosis
S73.122A	Ischiocapsular ligament sprain of left hip, initial encounter	ICD-10-CM	Diagnosis
S73.122D	Ischiocapsular ligament sprain of left hip, subsequent encounter	ICD-10-CM	Diagnosis
S73.121S	Ischiocapsular ligament sprain of right hip, sequela	ICD-10-CM	Diagnosis
S73.121A	Ischiocapsular ligament sprain of right hip, initial encounter	ICD-10-CM	Diagnosis
S73.121D	Ischiocapsular ligament sprain of right hip, subsequent encounter	ICD-10-CM	Diagnosis
S73.129A	Ischiocapsular ligament sprain of unspecified hip, initial encounter	ICD-10-CM	Diagnosis
S73.129S	Ischiocapsular ligament sprain of unspecified hip, sequela	ICD-10-CM	Diagnosis
S73.129D	Ischiocapsular ligament sprain of unspecified hip, subsequent encounter	ICD-10-CM	Diagnosis
S20.171D	Other superficial bite of breast, right breast, subsequent encounter	ICD-10-CM	Diagnosis
S20.179D	Other superficial bite of breast, unspecified breast, subsequent encounter	ICD-10-CM	Diagnosis
S00.272A	Other superficial bite of left eyelid and periocular area, initial encounter	ICD-10-CM	Diagnosis
S00.272S	Other superficial bite of left eyelid and periocular area, sequela	ICD-10-CM	Diagnosis
S00.272D	Other superficial bite of left eyelid and periocular area, subsequent encounter	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S10.87XD	Other superficial bite of other specified part of neck, subsequent encounter	ICD-10-CM	Diagnosis
S00.271A	Other superficial bite of right eyelid and periocular area, initial encounter	ICD-10-CM	Diagnosis
S00.271D	Other superficial bite of right eyelid and periocular area, subsequent encounter	ICD-10-CM	Diagnosis
S00.271S	Other superficial bite of right eyelid and periocular area, sequela	ICD-10-CM	Diagnosis
S30.876A	Other superficial bite of unspecified external genital organs, female, initial encounter	ICD-10-CM	Diagnosis
S30.875D	Other superficial bite of unspecified external genital organs, male, subsequent encounter	ICD-10-CM	Diagnosis
S00.279A	Other superficial bite of unspecified eyelid and periocular area, initial encounter	ICD-10-CM	Diagnosis
S00.279S	Other superficial bite of unspecified eyelid and periocular area, sequela	ICD-10-CM	Diagnosis
S00.279D	Other superficial bite of unspecified eyelid and periocular area, subsequent encounter	ICD-10-CM	Diagnosis
S00.97XD	Other superficial bite of unspecified part of head, subsequent encounter	ICD-10-CM	Diagnosis
S20.172A	Other superficial bite of breast, left breast, initial encounter	ICD-10-CM	Diagnosis
S20.179A	Other superficial bite of breast, unspecified breast, initial encounter	ICD-10-CM	Diagnosis
S70.271D	Other superficial bite of hip, right hip, subsequent encounter	ICD-10-CM	Diagnosis
S40.272A	Other superficial bite of left shoulder, initial encounter	ICD-10-CM	Diagnosis
S40.272D	Other superficial bite of left shoulder, subsequent encounter	ICD-10-CM	Diagnosis
S10.87XA	Other superficial bite of other specified part of neck, initial encounter	ICD-10-CM	Diagnosis
S20.379A	Other superficial bite of unspecified front wall of thorax, initial encounter	ICD-10-CM	Diagnosis
S00.97XA	Other superficial bite of unspecified part of head, initial encounter	ICD-10-CM	Diagnosis
S20.97XA	Other superficial bite of unspecified parts of thorax, initial encounter	ICD-10-CM	Diagnosis
S20.97XD	Other superficial bite of unspecified parts of thorax, subsequent encounter	ICD-10-CM	Diagnosis
S40.279A	Other superficial bite of unspecified shoulder, initial encounter	ICD-10-CM	Diagnosis
S40.279D	Other superficial bite of unspecified shoulder, subsequent encounter	ICD-10-CM	Diagnosis
S63.592A	Other specified sprain of left wrist, initial encounter	ICD-10-CM	Diagnosis
S63.592S	Other specified sprain of left wrist, sequela	ICD-10-CM	Diagnosis
S63.592D	Other specified sprain of left wrist, subsequent encounter	ICD-10-CM	Diagnosis
S63.591A	Other specified sprain of right wrist, initial encounter	ICD-10-CM	Diagnosis
S63.591S	Other specified sprain of right wrist, sequela	ICD-10-CM	Diagnosis
S63.591D	Other specified sprain of right wrist, subsequent encounter	ICD-10-CM	Diagnosis
S63.599A	Other specified sprain of unspecified wrist, initial encounter	ICD-10-CM	Diagnosis
S63.599S	Other specified sprain of unspecified wrist, sequela	ICD-10-CM	Diagnosis
S63.599D	Other specified sprain of unspecified wrist, subsequent encounter	ICD-10-CM	Diagnosis
S63.691A	Other sprain of left index finger, initial encounter	ICD-10-CM	Diagnosis
S63.695A	Other sprain of left ring finger, initial encounter	ICD-10-CM	Diagnosis
S63.695S	Other sprain of left ring finger, sequela	ICD-10-CM	Diagnosis
S63.695D	Other sprain of left ring finger, subsequent encounter	ICD-10-CM	Diagnosis
S63.691D	Other sprain of left index finger, subsequent encounter	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S63.697A	Other sprain of left little finger, initial encounter	ICD-10-CM	Diagnosis
S63.697S	Other sprain of left little finger, sequela	ICD-10-CM	Diagnosis
S63.697D	Other sprain of left little finger, subsequent encounter	ICD-10-CM	Diagnosis
S63.693A	Other sprain of left middle finger, initial encounter	ICD-10-CM	Diagnosis
S63.693D	Other sprain of left middle finger, subsequent encounter	ICD-10-CM	Diagnosis
S43.492A	Other sprain of left shoulder joint, initial encounter	ICD-10-CM	Diagnosis
S43.492D	Other sprain of left shoulder joint, subsequent encounter	ICD-10-CM	Diagnosis
S53.492A	Other sprain of left elbow, initial encounter	ICD-10-CM	Diagnosis
S53.492S	Other sprain of left elbow, sequela	ICD-10-CM	Diagnosis
S53.492D	Other sprain of left elbow, subsequent encounter	ICD-10-CM	Diagnosis
S93.692A	Other sprain of left foot, initial encounter	ICD-10-CM	Diagnosis
S93.692S	Other sprain of left foot, sequela	ICD-10-CM	Diagnosis
S93.692D	Other sprain of left foot, subsequent encounter	ICD-10-CM	Diagnosis
S73.192A	Other sprain of left hip, initial encounter	ICD-10-CM	Diagnosis
S73.192S	Other sprain of left hip, sequela	ICD-10-CM	Diagnosis
S73.192D	Other sprain of left hip, subsequent encounter	ICD-10-CM	Diagnosis
S63.691S	Other sprain of left index finger, sequela	ICD-10-CM	Diagnosis
S63.693S	Other sprain of left middle finger, sequela	ICD-10-CM	Diagnosis
S43.492S	Other sprain of left shoulder joint, sequela	ICD-10-CM	Diagnosis
S63.682A	Other sprain of left thumb, initial encounter	ICD-10-CM	Diagnosis
S63.682S	Other sprain of left thumb, sequela	ICD-10-CM	Diagnosis
S63.682D	Other sprain of left thumb, subsequent encounter	ICD-10-CM	Diagnosis
S63.698A	Other sprain of other finger, initial encounter	ICD-10-CM	Diagnosis
S63.698S	Other sprain of other finger, sequela	ICD-10-CM	Diagnosis
S53.491A	Other sprain of right elbow, initial encounter	ICD-10-CM	Diagnosis
S53.491S	Other sprain of right elbow, sequela	ICD-10-CM	Diagnosis
S53.491D	Other sprain of right elbow, subsequent encounter	ICD-10-CM	Diagnosis
S93.691A	Other sprain of right foot, initial encounter	ICD-10-CM	Diagnosis
S93.691S	Other sprain of right foot, sequela	ICD-10-CM	Diagnosis
S93.691D	Other sprain of right foot, subsequent encounter	ICD-10-CM	Diagnosis
S73.191A	Other sprain of right hip, initial encounter	ICD-10-CM	Diagnosis
S73.191S	Other sprain of right hip, sequela	ICD-10-CM	Diagnosis
S73.191D	Other sprain of right hip, subsequent encounter	ICD-10-CM	Diagnosis
S63.690S	Other sprain of right index finger, sequela	ICD-10-CM	Diagnosis
S63.692S	Other sprain of right middle finger, sequela	ICD-10-CM	Diagnosis
S63.694S	Other sprain of right ring finger, sequela	ICD-10-CM	Diagnosis
S43.491S	Other sprain of right shoulder joint, sequela	ICD-10-CM	Diagnosis
S63.681A	Other sprain of right thumb, initial encounter	ICD-10-CM	Diagnosis
S63.681S	Other sprain of right thumb, sequela	ICD-10-CM	Diagnosis
S63.681D	Other sprain of right thumb, subsequent encounter	ICD-10-CM	Diagnosis
S23.428A	Other sprain of sternum, initial encounter	ICD-10-CM	Diagnosis
S23.428S	Other sprain of sternum, sequela	ICD-10-CM	Diagnosis
S23.428D	Other sprain of sternum, subsequent encounter	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S53.499S	Other sprain of unspecified elbow, sequela	ICD-10-CM	Diagnosis
S63.699S	Other sprain of unspecified finger, sequela	ICD-10-CM	Diagnosis
S93.699S	Other sprain of unspecified foot, sequela	ICD-10-CM	Diagnosis
S73.199S	Other sprain of unspecified hip, sequela	ICD-10-CM	Diagnosis
S63.689S	Other sprain of unspecified thumb, sequela	ICD-10-CM	Diagnosis
S63.698D	Other sprain of other finger, subsequent encounter	ICD-10-CM	Diagnosis
S63.694A	Other sprain of right ring finger, initial encounter	ICD-10-CM	Diagnosis
S63.690A	Other sprain of right index finger, initial encounter	ICD-10-CM	Diagnosis
S63.690D	Other sprain of right index finger, subsequent encounter	ICD-10-CM	Diagnosis
S63.696A	Other sprain of right little finger, initial encounter	ICD-10-CM	Diagnosis
S63.696S	Other sprain of right little finger, sequela	ICD-10-CM	Diagnosis
S63.696D	Other sprain of right little finger, subsequent encounter	ICD-10-CM	Diagnosis
S63.692A	Other sprain of right middle finger, initial encounter	ICD-10-CM	Diagnosis
S63.692D	Other sprain of right middle finger, subsequent encounter	ICD-10-CM	Diagnosis
S63.694D	Other sprain of right ring finger, subsequent encounter	ICD-10-CM	Diagnosis
S43.491A	Other sprain of right shoulder joint, initial encounter	ICD-10-CM	Diagnosis
S43.491D	Other sprain of right shoulder joint, subsequent encounter	ICD-10-CM	Diagnosis
S53.499D	Other sprain of unspecified elbow, subsequent encounter	ICD-10-CM	Diagnosis
S63.699A	Other sprain of unspecified finger, initial encounter	ICD-10-CM	Diagnosis
S63.699D	Other sprain of unspecified finger, subsequent encounter	ICD-10-CM	Diagnosis
S43.499A	Other sprain of unspecified shoulder joint, initial encounter	ICD-10-CM	Diagnosis
S43.499D	Other sprain of unspecified shoulder joint, subsequent encounter	ICD-10-CM	Diagnosis
S63.689D	Other sprain of unspecified thumb, subsequent encounter	ICD-10-CM	Diagnosis
S53.499A	Other sprain of unspecified elbow, initial encounter	ICD-10-CM	Diagnosis
S93.699A	Other sprain of unspecified foot, initial encounter	ICD-10-CM	Diagnosis
S93.699D	Other sprain of unspecified foot, subsequent encounter	ICD-10-CM	Diagnosis
S73.199A	Other sprain of unspecified hip, initial encounter	ICD-10-CM	Diagnosis
S73.199D	Other sprain of unspecified hip, subsequent encounter	ICD-10-CM	Diagnosis
S43.499S	Other sprain of unspecified shoulder joint, sequela	ICD-10-CM	Diagnosis
S63.689A	Other sprain of unspecified thumb, initial encounter	ICD-10-CM	Diagnosis
S30.870D	Other superficial bite of lower back and pelvis, subsequent encounter	ICD-10-CM	Diagnosis
S00.87XD	Other superficial bite of other part of head, subsequent encounter	ICD-10-CM	Diagnosis
S30.876S	Other superficial bite of unspecified external genital organs, female, sequela	ICD-10-CM	Diagnosis
S30.876D	Other superficial bite of unspecified external genital organs, female, subsequent encounter	ICD-10-CM	Diagnosis
S30.875A	Other superficial bite of unspecified external genital organs, male, initial encounter	ICD-10-CM	Diagnosis
S30.875S	Other superficial bite of unspecified external genital organs, male, sequela	ICD-10-CM	Diagnosis
S10.97XD	Other superficial bite of unspecified part of neck, subsequent encounter	ICD-10-CM	Diagnosis
S30.871A	Other superficial bite of abdominal wall, initial encounter	ICD-10-CM	Diagnosis
S30.871D	Other superficial bite of abdominal wall, subsequent encounter	ICD-10-CM	Diagnosis
S90.572A	Other superficial bite of ankle, left ankle, initial encounter	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

Code	Description	Code Type	Code Category
S90.572S	Other superficial bite of ankle, left ankle, sequela	ICD-10-CM	Diagnosis
S90.572D	Other superficial bite of ankle, left ankle, subsequent encounter	ICD-10-CM	Diagnosis
S90.571A	Other superficial bite of ankle, right ankle, initial encounter	ICD-10-CM	Diagnosis
S90.571S	Other superficial bite of ankle, right ankle, sequela	ICD-10-CM	Diagnosis
S90.571D	Other superficial bite of ankle, right ankle, subsequent encounter	ICD-10-CM	Diagnosis
S90.579A	Other superficial bite of ankle, unspecified ankle, initial encounter	ICD-10-CM	Diagnosis
S90.579S	Other superficial bite of ankle, unspecified ankle, sequela	ICD-10-CM	Diagnosis
S90.579D	Other superficial bite of ankle, unspecified ankle, subsequent encounter	ICD-10-CM	Diagnosis
S30.877D	Other superficial bite of anus, subsequent encounter	ICD-10-CM	Diagnosis
S20.172S	Other superficial bite of breast, left breast, sequela	ICD-10-CM	Diagnosis
S20.172D	Other superficial bite of breast, left breast, subsequent encounter	ICD-10-CM	Diagnosis
S20.171A	Other superficial bite of breast, right breast, initial encounter	ICD-10-CM	Diagnosis
S20.171S	Other superficial bite of breast, right breast, sequela	ICD-10-CM	Diagnosis
S20.179S	Other superficial bite of breast, unspecified breast, sequela	ICD-10-CM	Diagnosis
S60.572A	Other superficial bite of hand of left hand, initial encounter	ICD-10-CM	Diagnosis
S60.572S	Other superficial bite of hand of left hand, sequela	ICD-10-CM	Diagnosis
S60.572D	Other superficial bite of hand of left hand, subsequent encounter	ICD-10-CM	Diagnosis
S60.571A	Other superficial bite of hand of right hand, initial encounter	ICD-10-CM	Diagnosis
S60.571S	Other superficial bite of hand of right hand, sequela	ICD-10-CM	Diagnosis
S60.571D	Other superficial bite of hand of right hand, subsequent encounter	ICD-10-CM	Diagnosis
S60.579A	Other superficial bite of hand of unspecified hand, initial encounter	ICD-10-CM	Diagnosis
S60.579S	Other superficial bite of hand of unspecified hand, sequela	ICD-10-CM	Diagnosis
S60.579D	Other superficial bite of hand of unspecified hand, subsequent encounter	ICD-10-CM	Diagnosis
S70.272A	Other superficial bite of hip, left hip, initial encounter	ICD-10-CM	Diagnosis
S70.272D	Other superficial bite of hip, left hip, subsequent encounter	ICD-10-CM	Diagnosis
S70.271A	Other superficial bite of hip, right hip, initial encounter	ICD-10-CM	Diagnosis
S70.279A	Other superficial bite of hip, unspecified hip, initial encounter	ICD-10-CM	Diagnosis
S70.279S	Other superficial bite of hip, unspecified hip, sequela	ICD-10-CM	Diagnosis
S70.279D	Other superficial bite of hip, unspecified hip, subsequent encounter	ICD-10-CM	Diagnosis
S50.372S	Other superficial bite of left elbow, sequela	ICD-10-CM	Diagnosis
S90.872A	Other superficial bite of left foot, initial encounter	ICD-10-CM	Diagnosis
S90.872D	Other superficial bite of left foot, subsequent encounter	ICD-10-CM	Diagnosis
S50.872A	Other superficial bite of left forearm, initial encounter	ICD-10-CM	Diagnosis
S50.872S	Other superficial bite of left forearm, sequela	ICD-10-CM	Diagnosis
S50.872D	Other superficial bite of left forearm, subsequent encounter	ICD-10-CM	Diagnosis
S80.872S	Other superficial bite, left lower leg, sequela	ICD-10-CM	Diagnosis
S70.372A	Other superficial bite of left thigh, initial encounter	ICD-10-CM	Diagnosis
S70.372S	Other superficial bite of left thigh, sequela	ICD-10-CM	Diagnosis
S70.372D	Other superficial bite of left thigh, subsequent encounter	ICD-10-CM	Diagnosis
S60.372A	Other superficial bite of left thumb, initial encounter	ICD-10-CM	Diagnosis
S60.372D	Other superficial bite of left thumb, subsequent encounter	ICD-10-CM	Diagnosis
S00.571A	Other superficial bite of lip, initial encounter	ICD-10-CM	Diagnosis
S00.571S	Other superficial bite of lip, sequela	ICD-10-CM	Diagnosis



**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S00.571D	Other superficial bite of lip, subsequent encounter	ICD-10-CM	Diagnosis
S30.870S	Other superficial bite of lower back and pelvis, sequela	ICD-10-CM	Diagnosis
S30.870A	Other superficial bite of lower back and pelvis, initial encounter	ICD-10-CM	Diagnosis
S20.472A	Other superficial bite of left back wall of thorax, initial encounter	ICD-10-CM	Diagnosis
S20.472S	Other superficial bite of left back wall of thorax, sequela	ICD-10-CM	Diagnosis
S20.472D	Other superficial bite of left back wall of thorax, subsequent encounter	ICD-10-CM	Diagnosis
S00.472A	Other superficial bite of left ear, initial encounter	ICD-10-CM	Diagnosis
S00.472D	Other superficial bite of left ear, subsequent encounter	ICD-10-CM	Diagnosis
S50.372A	Other superficial bite of left elbow, initial encounter	ICD-10-CM	Diagnosis
S50.372D	Other superficial bite of left elbow, subsequent encounter	ICD-10-CM	Diagnosis
S20.372A	Other superficial bite of left front wall of thorax, initial encounter	ICD-10-CM	Diagnosis
S20.372S	Other superficial bite of left front wall of thorax, sequela	ICD-10-CM	Diagnosis
S20.372D	Other superficial bite of left front wall of thorax, subsequent encounter	ICD-10-CM	Diagnosis
S90.472A	Other superficial bite of left great toe, initial encounter	ICD-10-CM	Diagnosis
S90.472S	Other superficial bite of left great toe, sequela	ICD-10-CM	Diagnosis
S90.472D	Other superficial bite of left great toe, subsequent encounter	ICD-10-CM	Diagnosis
S60.471A	Other superficial bite of left index finger, initial encounter	ICD-10-CM	Diagnosis
S60.471S	Other superficial bite of left index finger, sequela	ICD-10-CM	Diagnosis
S60.471D	Other superficial bite of left index finger, subsequent encounter	ICD-10-CM	Diagnosis
S80.272A	Other superficial bite of left knee, initial encounter	ICD-10-CM	Diagnosis
S80.272D	Other superficial bite of left knee, subsequent encounter	ICD-10-CM	Diagnosis
S90.475A	Other superficial bite of left lesser toe(s), initial encounter	ICD-10-CM	Diagnosis
S90.475S	Other superficial bite of left lesser toe(s), sequela	ICD-10-CM	Diagnosis
S90.475D	Other superficial bite of left lesser toe(s), subsequent encounter	ICD-10-CM	Diagnosis
S60.477A	Other superficial bite of left little finger, initial encounter	ICD-10-CM	Diagnosis
S60.477S	Other superficial bite of left little finger, sequela	ICD-10-CM	Diagnosis
S60.477D	Other superficial bite of left little finger, subsequent encounter	ICD-10-CM	Diagnosis
S80.872A	Other superficial bite, left lower leg, initial encounter	ICD-10-CM	Diagnosis
S80.872D	Other superficial bite, left lower leg, subsequent encounter	ICD-10-CM	Diagnosis
S60.473A	Other superficial bite of left middle finger, initial encounter	ICD-10-CM	Diagnosis
S60.473S	Other superficial bite of left middle finger, sequela	ICD-10-CM	Diagnosis
S60.473D	Other superficial bite of left middle finger, subsequent encounter	ICD-10-CM	Diagnosis
S60.475A	Other superficial bite of left ring finger, initial encounter	ICD-10-CM	Diagnosis
S60.475S	Other superficial bite of left ring finger, sequela	ICD-10-CM	Diagnosis
S60.475D	Other superficial bite of left ring finger, subsequent encounter	ICD-10-CM	Diagnosis
S40.872A	Other superficial bite of left upper arm, initial encounter	ICD-10-CM	Diagnosis
S40.872D	Other superficial bite of left upper arm, subsequent encounter	ICD-10-CM	Diagnosis
S00.37XD	Other superficial bite of nose, subsequent encounter	ICD-10-CM	Diagnosis
S30.871S	Other superficial bite of abdominal wall, sequela	ICD-10-CM	Diagnosis
S30.877A	Other superficial bite of anus, initial encounter	ICD-10-CM	Diagnosis
S30.877S	Other superficial bite of anus, sequela	ICD-10-CM	Diagnosis
S70.272S	Other superficial bite of hip, left hip, sequela	ICD-10-CM	Diagnosis
S70.271S	Other superficial bite of hip, right hip, sequela	ICD-10-CM	Diagnosis



**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S00.472S	Other superficial bite of left ear, sequela	ICD-10-CM	Diagnosis
S90.872S	Other superficial bite of left foot, sequela	ICD-10-CM	Diagnosis
S80.272S	Other superficial bite of left knee, sequela	ICD-10-CM	Diagnosis
S40.272S	Other superficial bite of left shoulder, sequela	ICD-10-CM	Diagnosis
S60.372S	Other superficial bite of left thumb, sequela	ICD-10-CM	Diagnosis
S40.872S	Other superficial bite of left upper arm, sequela	ICD-10-CM	Diagnosis
S60.872A	Other superficial bite of left wrist, initial encounter	ICD-10-CM	Diagnosis
S60.872S	Other superficial bite of left wrist, sequela	ICD-10-CM	Diagnosis
S00.37XA	Other superficial bite of nose, initial encounter	ICD-10-CM	Diagnosis
S00.37XS	Other superficial bite of nose, sequela	ICD-10-CM	Diagnosis
S60.478S	Other superficial bite of other finger, sequela	ICD-10-CM	Diagnosis
S30.872S	Other superficial bite of penis, sequela	ICD-10-CM	Diagnosis
S00.471S	Other superficial bite of right ear, sequela	ICD-10-CM	Diagnosis
S50.371S	Other superficial bite of right elbow, sequela	ICD-10-CM	Diagnosis
S90.871S	Other superficial bite of right foot, sequela	ICD-10-CM	Diagnosis
S80.271S	Other superficial bite of right knee, sequela	ICD-10-CM	Diagnosis
S40.271S	Other superficial bite of right shoulder, sequela	ICD-10-CM	Diagnosis
S70.371S	Other superficial bite of right thigh, sequela	ICD-10-CM	Diagnosis
S60.871A	Other superficial bite of right wrist, initial encounter	ICD-10-CM	Diagnosis
S60.871S	Other superficial bite of right wrist, sequela	ICD-10-CM	Diagnosis
S60.871D	Other superficial bite of right wrist, subsequent encounter	ICD-10-CM	Diagnosis
S60.371A	Other superficial bite of right thumb, initial encounter	ICD-10-CM	Diagnosis
S60.371D	Other superficial bite of right thumb, subsequent encounter	ICD-10-CM	Diagnosis
S00.07XS	Other superficial bite of scalp, sequela	ICD-10-CM	Diagnosis
S10.17XS	Other superficial bite of throat, sequela	ICD-10-CM	Diagnosis
S60.379A	Other superficial bite of unspecified thumb, initial encounter	ICD-10-CM	Diagnosis
S60.379S	Other superficial bite of unspecified thumb, sequela	ICD-10-CM	Diagnosis
S60.379D	Other superficial bite of unspecified thumb, subsequent encounter	ICD-10-CM	Diagnosis
S60.879A	Other superficial bite of unspecified wrist, initial encounter	ICD-10-CM	Diagnosis
S60.879S	Other superficial bite of unspecified wrist, sequela	ICD-10-CM	Diagnosis
S60.879D	Other superficial bite of unspecified wrist, subsequent encounter	ICD-10-CM	Diagnosis
S00.572A	Other superficial bite of oral cavity, initial encounter	ICD-10-CM	Diagnosis
S00.572S	Other superficial bite of oral cavity, sequela	ICD-10-CM	Diagnosis
S00.572D	Other superficial bite of oral cavity, subsequent encounter	ICD-10-CM	Diagnosis
S00.87XA	Other superficial bite of other part of head, initial encounter	ICD-10-CM	Diagnosis
S10.87XS	Other superficial bite of other specified part of neck, sequela	ICD-10-CM	Diagnosis
S60.478A	Other superficial bite of other finger, initial encounter	ICD-10-CM	Diagnosis
S60.478D	Other superficial bite of other finger, subsequent encounter	ICD-10-CM	Diagnosis
S00.87XS	Other superficial bite of other part of head, sequela	ICD-10-CM	Diagnosis
S30.872A	Other superficial bite of penis, initial encounter	ICD-10-CM	Diagnosis
S30.872D	Other superficial bite of penis, subsequent encounter	ICD-10-CM	Diagnosis
S90.871A	Other superficial bite of right foot, initial encounter	ICD-10-CM	Diagnosis
S90.871D	Other superficial bite of right foot, subsequent encounter	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S50.871A	Other superficial bite of right forearm, initial encounter	ICD-10-CM	Diagnosis
S50.871S	Other superficial bite of right forearm, sequela	ICD-10-CM	Diagnosis
S50.871D	Other superficial bite of right forearm, subsequent encounter	ICD-10-CM	Diagnosis
S80.871S	Other superficial bite, right lower leg, sequela	ICD-10-CM	Diagnosis
S70.371A	Other superficial bite of right thigh, initial encounter	ICD-10-CM	Diagnosis
S70.371D	Other superficial bite of right thigh, subsequent encounter	ICD-10-CM	Diagnosis
S60.371S	Other superficial bite of right thumb, sequela	ICD-10-CM	Diagnosis
S40.871S	Other superficial bite of right upper arm, sequela	ICD-10-CM	Diagnosis
S20.471A	Other superficial bite of right back wall of thorax, initial encounter	ICD-10-CM	Diagnosis
S20.471S	Other superficial bite of right back wall of thorax, sequela	ICD-10-CM	Diagnosis
S20.471D	Other superficial bite of right back wall of thorax, subsequent encounter	ICD-10-CM	Diagnosis
S00.471A	Other superficial bite of right ear, initial encounter	ICD-10-CM	Diagnosis
S00.471D	Other superficial bite of right ear, subsequent encounter	ICD-10-CM	Diagnosis
S50.371A	Other superficial bite of right elbow, initial encounter	ICD-10-CM	Diagnosis
S50.371D	Other superficial bite of right elbow, subsequent encounter	ICD-10-CM	Diagnosis
S20.371A	Other superficial bite of right front wall of thorax, initial encounter	ICD-10-CM	Diagnosis
S20.371S	Other superficial bite of right front wall of thorax, sequela	ICD-10-CM	Diagnosis
S20.371D	Other superficial bite of right front wall of thorax, subsequent encounter	ICD-10-CM	Diagnosis
S90.471A	Other superficial bite of right great toe, initial encounter	ICD-10-CM	Diagnosis
S90.471S	Other superficial bite of right great toe, sequela	ICD-10-CM	Diagnosis
S90.471D	Other superficial bite of right great toe, subsequent encounter	ICD-10-CM	Diagnosis
S60.470A	Other superficial bite of right index finger, initial encounter	ICD-10-CM	Diagnosis
S60.470S	Other superficial bite of right index finger, sequela	ICD-10-CM	Diagnosis
S60.470D	Other superficial bite of right index finger, subsequent encounter	ICD-10-CM	Diagnosis
S80.271A	Other superficial bite of right knee, initial encounter	ICD-10-CM	Diagnosis
S80.271D	Other superficial bite of right knee, subsequent encounter	ICD-10-CM	Diagnosis
S90.474A	Other superficial bite of right lesser toe(s), initial encounter	ICD-10-CM	Diagnosis
S90.474S	Other superficial bite of right lesser toe(s), sequela	ICD-10-CM	Diagnosis
S90.474D	Other superficial bite of right lesser toe(s), subsequent encounter	ICD-10-CM	Diagnosis
S60.476A	Other superficial bite of right little finger, initial encounter	ICD-10-CM	Diagnosis
S60.476S	Other superficial bite of right little finger, sequela	ICD-10-CM	Diagnosis
S60.476D	Other superficial bite of right little finger, subsequent encounter	ICD-10-CM	Diagnosis
S80.871A	Other superficial bite, right lower leg, initial encounter	ICD-10-CM	Diagnosis
S80.871D	Other superficial bite, right lower leg, subsequent encounter	ICD-10-CM	Diagnosis
S60.472A	Other superficial bite of right middle finger, initial encounter	ICD-10-CM	Diagnosis
S60.472S	Other superficial bite of right middle finger, sequela	ICD-10-CM	Diagnosis
S60.472D	Other superficial bite of right middle finger, subsequent encounter	ICD-10-CM	Diagnosis
S60.474A	Other superficial bite of right ring finger, initial encounter	ICD-10-CM	Diagnosis
S60.474S	Other superficial bite of right ring finger, sequela	ICD-10-CM	Diagnosis
S60.474D	Other superficial bite of right ring finger, subsequent encounter	ICD-10-CM	Diagnosis
S40.271A	Other superficial bite of right shoulder, initial encounter	ICD-10-CM	Diagnosis
S40.271D	Other superficial bite of right shoulder, subsequent encounter	ICD-10-CM	Diagnosis
S40.871A	Other superficial bite of right upper arm, initial encounter	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S40.871D	Other superficial bite of right upper arm, subsequent encounter	ICD-10-CM	Diagnosis
S00.07XA	Other superficial bite of scalp, initial encounter	ICD-10-CM	Diagnosis
S00.07XD	Other superficial bite of scalp, subsequent encounter	ICD-10-CM	Diagnosis
S30.873A	Other superficial bite of scrotum and testes, initial encounter	ICD-10-CM	Diagnosis
S30.873S	Other superficial bite of scrotum and testes, sequela	ICD-10-CM	Diagnosis
S30.873D	Other superficial bite of scrotum and testes, subsequent encounter	ICD-10-CM	Diagnosis
S10.17XA	Other superficial bite of throat, initial encounter	ICD-10-CM	Diagnosis
S10.17XD	Other superficial bite of throat, subsequent encounter	ICD-10-CM	Diagnosis
S20.479A	Other superficial bite of unspecified back wall of thorax, initial encounter	ICD-10-CM	Diagnosis
S20.479S	Other superficial bite of unspecified back wall of thorax, sequela	ICD-10-CM	Diagnosis
S20.479D	Other superficial bite of unspecified back wall of thorax, subsequent encounter	ICD-10-CM	Diagnosis
S00.479A	Other superficial bite of unspecified ear, initial encounter	ICD-10-CM	Diagnosis
S00.479D	Other superficial bite of unspecified ear, subsequent encounter	ICD-10-CM	Diagnosis
S50.379A	Other superficial bite of unspecified elbow, initial encounter	ICD-10-CM	Diagnosis
S50.379D	Other superficial bite of unspecified elbow, subsequent encounter	ICD-10-CM	Diagnosis
S60.479A	Other superficial bite of unspecified finger, initial encounter	ICD-10-CM	Diagnosis
S60.479S	Other superficial bite of unspecified finger, sequela	ICD-10-CM	Diagnosis
S60.479D	Other superficial bite of unspecified finger, subsequent encounter	ICD-10-CM	Diagnosis
S90.879A	Other superficial bite of unspecified foot, initial encounter	ICD-10-CM	Diagnosis
S90.879D	Other superficial bite of unspecified foot, subsequent encounter	ICD-10-CM	Diagnosis
S50.879A	Other superficial bite of unspecified forearm, initial encounter	ICD-10-CM	Diagnosis
S50.879S	Other superficial bite of unspecified forearm, sequela	ICD-10-CM	Diagnosis
S50.879D	Other superficial bite of unspecified forearm, subsequent encounter	ICD-10-CM	Diagnosis
S20.379D	Other superficial bite of unspecified front wall of thorax, subsequent encounter	ICD-10-CM	Diagnosis
S20.379S	Other superficial bite of unspecified front wall of thorax, sequela	ICD-10-CM	Diagnosis
S90.473A	Other superficial bite of unspecified great toe, initial encounter	ICD-10-CM	Diagnosis
S90.473S	Other superficial bite of unspecified great toe, sequela	ICD-10-CM	Diagnosis
S90.473D	Other superficial bite of unspecified great toe, subsequent encounter	ICD-10-CM	Diagnosis
S80.279A	Other superficial bite of unspecified knee, initial encounter	ICD-10-CM	Diagnosis
S80.279D	Other superficial bite of unspecified knee, subsequent encounter	ICD-10-CM	Diagnosis
S90.476A	Other superficial bite of unspecified lesser toe(s), initial encounter	ICD-10-CM	Diagnosis
S90.476S	Other superficial bite of unspecified lesser toe(s), sequela	ICD-10-CM	Diagnosis
S90.476D	Other superficial bite of unspecified lesser toe(s), subsequent encounter	ICD-10-CM	Diagnosis
S80.879A	Other superficial bite, unspecified lower leg, initial encounter	ICD-10-CM	Diagnosis
S80.879S	Other superficial bite, unspecified lower leg, sequela	ICD-10-CM	Diagnosis
S80.879D	Other superficial bite, unspecified lower leg, subsequent encounter	ICD-10-CM	Diagnosis
S00.97XS	Other superficial bite of unspecified part of head, sequela	ICD-10-CM	Diagnosis
S10.97XA	Other superficial bite of unspecified part of neck, initial encounter	ICD-10-CM	Diagnosis
S10.97XS	Other superficial bite of unspecified part of neck, sequela	ICD-10-CM	Diagnosis
S20.97XS	Other superficial bite of unspecified parts of thorax, sequela	ICD-10-CM	Diagnosis
S40.279S	Other superficial bite of unspecified shoulder, sequela	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S40.879A	Other superficial bite of unspecified upper arm, initial encounter	ICD-10-CM	Diagnosis
S40.879S	Other superficial bite of unspecified upper arm, sequela	ICD-10-CM	Diagnosis
S40.879D	Other superficial bite of unspecified upper arm, subsequent encounter	ICD-10-CM	Diagnosis
S00.479S	Other superficial bite of unspecified ear, sequela	ICD-10-CM	Diagnosis
S50.379S	Other superficial bite of unspecified elbow, sequela	ICD-10-CM	Diagnosis
S90.879S	Other superficial bite of unspecified foot, sequela	ICD-10-CM	Diagnosis
S80.279S	Other superficial bite of unspecified knee, sequela	ICD-10-CM	Diagnosis
S70.379A	Other superficial bite of unspecified thigh, initial encounter	ICD-10-CM	Diagnosis
S70.379S	Other superficial bite of unspecified thigh, sequela	ICD-10-CM	Diagnosis
S70.379D	Other superficial bite of unspecified thigh, subsequent encounter	ICD-10-CM	Diagnosis
S30.874A	Other superficial bite of vagina and vulva, initial encounter	ICD-10-CM	Diagnosis
S30.874D	Other superficial bite of vagina and vulva, subsequent encounter	ICD-10-CM	Diagnosis
S60.392S	Other superficial injuries of left thumb, sequela	ICD-10-CM	Diagnosis
S60.392A	Other superficial injuries of left thumb, initial encounter	ICD-10-CM	Diagnosis
S60.392D	Other superficial injuries of left thumb, subsequent encounter	ICD-10-CM	Diagnosis
S60.391S	Other superficial injuries of right thumb, sequela	ICD-10-CM	Diagnosis
S60.391A	Other superficial injuries of right thumb, initial encounter	ICD-10-CM	Diagnosis
S60.391D	Other superficial injuries of right thumb, subsequent encounter	ICD-10-CM	Diagnosis
S60.399A	Other superficial injuries of unspecified thumb, initial encounter	ICD-10-CM	Diagnosis
S60.399D	Other superficial injuries of unspecified thumb, subsequent encounter	ICD-10-CM	Diagnosis
S60.399S	Other superficial injuries of unspecified thumb, sequela	ICD-10-CM	Diagnosis
S30.874S	Other superficial bite of vagina and vulva, sequela	ICD-10-CM	Diagnosis
S60.872D	Other superficial bite of left wrist, subsequent encounter	ICD-10-CM	Diagnosis
S53.432A	Radial collateral ligament sprain of left elbow, initial encounter	ICD-10-CM	Diagnosis
S53.432S	Radial collateral ligament sprain of left elbow, sequela	ICD-10-CM	Diagnosis
S53.432D	Radial collateral ligament sprain of left elbow, subsequent encounter	ICD-10-CM	Diagnosis
S53.431A	Radial collateral ligament sprain of right elbow, initial encounter	ICD-10-CM	Diagnosis
S53.431S	Radial collateral ligament sprain of right elbow, sequela	ICD-10-CM	Diagnosis
S53.431D	Radial collateral ligament sprain of right elbow, subsequent encounter	ICD-10-CM	Diagnosis
S53.439A	Radial collateral ligament sprain of unspecified elbow, initial encounter	ICD-10-CM	Diagnosis
S53.439S	Radial collateral ligament sprain of unspecified elbow, sequela	ICD-10-CM	Diagnosis
S53.439D	Radial collateral ligament sprain of unspecified elbow, subsequent encounter	ICD-10-CM	Diagnosis
S53.412A	Radiohumeral (joint) sprain of left elbow, initial encounter	ICD-10-CM	Diagnosis
S53.412D	Radiohumeral (joint) sprain of left elbow, subsequent encounter	ICD-10-CM	Diagnosis
S53.412S	Radiohumeral (joint) sprain of left elbow, sequela	ICD-10-CM	Diagnosis
S53.411S	Radiohumeral (joint) sprain of right elbow, sequela	ICD-10-CM	Diagnosis
S53.411A	Radiohumeral (joint) sprain of right elbow, initial encounter	ICD-10-CM	Diagnosis
S53.411D	Radiohumeral (joint) sprain of right elbow, subsequent encounter	ICD-10-CM	Diagnosis
S53.419A	Radiohumeral (joint) sprain of unspecified elbow, initial encounter	ICD-10-CM	Diagnosis
S53.419S	Radiohumeral (joint) sprain of unspecified elbow, sequela	ICD-10-CM	Diagnosis
S53.419D	Radiohumeral (joint) sprain of unspecified elbow, subsequent encounter	ICD-10-CM	Diagnosis
S83.512A	Sprain of anterior cruciate ligament of left knee, initial encounter	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S83.512S	Sprain of anterior cruciate ligament of left knee, sequela	ICD-10-CM	Diagnosis
S83.512D	Sprain of anterior cruciate ligament of left knee, subsequent encounter	ICD-10-CM	Diagnosis
S83.511A	Sprain of anterior cruciate ligament of right knee, initial encounter	ICD-10-CM	Diagnosis
S83.511S	Sprain of anterior cruciate ligament of right knee, sequela	ICD-10-CM	Diagnosis
S83.511D	Sprain of anterior cruciate ligament of right knee, subsequent encounter	ICD-10-CM	Diagnosis
S83.519A	Sprain of anterior cruciate ligament of unspecified knee, initial encounter	ICD-10-CM	Diagnosis
S83.519S	Sprain of anterior cruciate ligament of unspecified knee, sequela	ICD-10-CM	Diagnosis
S83.519D	Sprain of anterior cruciate ligament of unspecified knee, subsequent encounter	ICD-10-CM	Diagnosis
S93.412A	Sprain of calcaneofibular ligament of left ankle, initial encounter	ICD-10-CM	Diagnosis
S93.412D	Sprain of calcaneofibular ligament of left ankle, subsequent encounter	ICD-10-CM	Diagnosis
S93.411A	Sprain of calcaneofibular ligament of right ankle, initial encounter	ICD-10-CM	Diagnosis
S93.411D	Sprain of calcaneofibular ligament of right ankle, subsequent encounter	ICD-10-CM	Diagnosis
S93.419A	Sprain of calcaneofibular ligament of unspecified ankle, initial encounter	ICD-10-CM	Diagnosis
S93.419D	Sprain of calcaneofibular ligament of unspecified ankle, subsequent encounter	ICD-10-CM	Diagnosis
S93.412S	Sprain of calcaneofibular ligament of left ankle, sequela	ICD-10-CM	Diagnosis
S93.411S	Sprain of calcaneofibular ligament of right ankle, sequela	ICD-10-CM	Diagnosis
S93.419S	Sprain of calcaneofibular ligament of unspecified ankle, sequela	ICD-10-CM	Diagnosis
S63.512S	Sprain of carpal joint of left wrist, sequela	ICD-10-CM	Diagnosis
S63.511S	Sprain of carpal joint of right wrist, sequela	ICD-10-CM	Diagnosis
S23.421D	Sprain of chondrosternal joint, subsequent encounter	ICD-10-CM	Diagnosis
S93.422A	Sprain of deltoid ligament of left ankle, initial encounter	ICD-10-CM	Diagnosis
S93.422D	Sprain of deltoid ligament of left ankle, subsequent encounter	ICD-10-CM	Diagnosis
S93.422S	Sprain of deltoid ligament of left ankle, sequela	ICD-10-CM	Diagnosis
S93.421S	Sprain of deltoid ligament of right ankle, sequela	ICD-10-CM	Diagnosis
S93.421A	Sprain of deltoid ligament of right ankle, initial encounter	ICD-10-CM	Diagnosis
S93.421D	Sprain of deltoid ligament of right ankle, subsequent encounter	ICD-10-CM	Diagnosis
S93.429A	Sprain of deltoid ligament of unspecified ankle, initial encounter	ICD-10-CM	Diagnosis
S93.429S	Sprain of deltoid ligament of unspecified ankle, sequela	ICD-10-CM	Diagnosis
S93.429D	Sprain of deltoid ligament of unspecified ankle, subsequent encounter	ICD-10-CM	Diagnosis
S63.637A	Sprain of interphalangeal joint of left little finger, initial encounter	ICD-10-CM	Diagnosis
S63.637S	Sprain of interphalangeal joint of left little finger, sequela	ICD-10-CM	Diagnosis
S63.637D	Sprain of interphalangeal joint of left little finger, subsequent encounter	ICD-10-CM	Diagnosis
S63.633A	Sprain of interphalangeal joint of left middle finger, initial encounter	ICD-10-CM	Diagnosis
S63.633S	Sprain of interphalangeal joint of left middle finger, sequela	ICD-10-CM	Diagnosis
S63.633D	Sprain of interphalangeal joint of left middle finger, subsequent encounter	ICD-10-CM	Diagnosis
S63.635A	Sprain of interphalangeal joint of left ring finger, initial encounter	ICD-10-CM	Diagnosis
S63.635S	Sprain of interphalangeal joint of left ring finger, sequela	ICD-10-CM	Diagnosis
S63.635D	Sprain of interphalangeal joint of left ring finger, subsequent encounter	ICD-10-CM	Diagnosis
S63.636A	Sprain of interphalangeal joint of right little finger, initial encounter	ICD-10-CM	Diagnosis
S63.636S	Sprain of interphalangeal joint of right little finger, sequela	ICD-10-CM	Diagnosis



**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S63.636D	Sprain of interphalangeal joint of right little finger, subsequent encounter	ICD-10-CM	Diagnosis
S63.632A	Sprain of interphalangeal joint of right middle finger, initial encounter	ICD-10-CM	Diagnosis
S63.632S	Sprain of interphalangeal joint of right middle finger, sequela	ICD-10-CM	Diagnosis
S63.632D	Sprain of interphalangeal joint of right middle finger, subsequent encounter	ICD-10-CM	Diagnosis
S63.634A	Sprain of interphalangeal joint of right ring finger, initial encounter	ICD-10-CM	Diagnosis
S63.634S	Sprain of interphalangeal joint of right ring finger, sequela	ICD-10-CM	Diagnosis
S63.634D	Sprain of interphalangeal joint of right ring finger, subsequent encounter	ICD-10-CM	Diagnosis
S63.631A	Sprain of interphalangeal joint of left index finger, initial encounter	ICD-10-CM	Diagnosis
S63.631S	Sprain of interphalangeal joint of left index finger, sequela	ICD-10-CM	Diagnosis
S63.631D	Sprain of interphalangeal joint of left index finger, subsequent encounter	ICD-10-CM	Diagnosis
S63.622D	Sprain of interphalangeal joint of left thumb, subsequent encounter	ICD-10-CM	Diagnosis
S63.622A	Sprain of interphalangeal joint of left thumb, initial encounter	ICD-10-CM	Diagnosis
S63.622S	Sprain of interphalangeal joint of left thumb, sequela	ICD-10-CM	Diagnosis
S63.630A	Sprain of interphalangeal joint of right index finger, initial encounter	ICD-10-CM	Diagnosis
S63.630S	Sprain of interphalangeal joint of right index finger, sequela	ICD-10-CM	Diagnosis
S63.630D	Sprain of interphalangeal joint of right index finger, subsequent encounter	ICD-10-CM	Diagnosis
S63.621A	Sprain of interphalangeal joint of right thumb, initial encounter	ICD-10-CM	Diagnosis
S63.621S	Sprain of interphalangeal joint of right thumb, sequela	ICD-10-CM	Diagnosis
S63.621D	Sprain of interphalangeal joint of right thumb, subsequent encounter	ICD-10-CM	Diagnosis
S63.639A	Sprain of interphalangeal joint of unspecified finger, initial encounter	ICD-10-CM	Diagnosis
S63.639S	Sprain of interphalangeal joint of unspecified finger, sequela	ICD-10-CM	Diagnosis
S63.639D	Sprain of interphalangeal joint of unspecified finger, subsequent encounter	ICD-10-CM	Diagnosis
S63.629A	Sprain of interphalangeal joint of unspecified thumb, initial encounter	ICD-10-CM	Diagnosis
S63.629S	Sprain of interphalangeal joint of unspecified thumb, sequela	ICD-10-CM	Diagnosis
S63.629D	Sprain of interphalangeal joint of unspecified thumb, subsequent encounter	ICD-10-CM	Diagnosis
S93.519S	Sprain of interphalangeal joint of unspecified toe(s), sequela	ICD-10-CM	Diagnosis
S93.512A	Sprain of interphalangeal joint of left great toe, initial encounter	ICD-10-CM	Diagnosis
S93.512S	Sprain of interphalangeal joint of left great toe, sequela	ICD-10-CM	Diagnosis
S93.512D	Sprain of interphalangeal joint of left great toe, subsequent encounter	ICD-10-CM	Diagnosis
S93.515A	Sprain of interphalangeal joint of left lesser toe(s), initial encounter	ICD-10-CM	Diagnosis
S93.515S	Sprain of interphalangeal joint of left lesser toe(s), sequela	ICD-10-CM	Diagnosis
S93.515D	Sprain of interphalangeal joint of left lesser toe(s), subsequent encounter	ICD-10-CM	Diagnosis
S93.511A	Sprain of interphalangeal joint of right great toe, initial encounter	ICD-10-CM	Diagnosis
S93.511S	Sprain of interphalangeal joint of right great toe, sequela	ICD-10-CM	Diagnosis
S93.511D	Sprain of interphalangeal joint of right great toe, subsequent encounter	ICD-10-CM	Diagnosis
S93.514A	Sprain of interphalangeal joint of right lesser toe(s), initial encounter	ICD-10-CM	Diagnosis
S93.514S	Sprain of interphalangeal joint of right lesser toe(s), sequela	ICD-10-CM	Diagnosis
S93.514D	Sprain of interphalangeal joint of right lesser toe(s), subsequent encounter	ICD-10-CM	Diagnosis
S93.513A	Sprain of interphalangeal joint of unspecified great toe, initial encounter	ICD-10-CM	Diagnosis



**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S93.513S	Sprain of interphalangeal joint of unspecified great toe, sequela	ICD-10-CM	Diagnosis
S93.513D	Sprain of interphalangeal joint of unspecified great toe, subsequent encounter	ICD-10-CM	Diagnosis
S93.516A	Sprain of interphalangeal joint of unspecified lesser toe(s), initial encounter	ICD-10-CM	Diagnosis
S93.516S	Sprain of interphalangeal joint of unspecified lesser toe(s), sequela	ICD-10-CM	Diagnosis
S93.516D	Sprain of interphalangeal joint of unspecified lesser toe(s), subsequent encounter	ICD-10-CM	Diagnosis
S93.519A	Sprain of interphalangeal joint of unspecified toe(s), initial encounter	ICD-10-CM	Diagnosis
S93.519D	Sprain of interphalangeal joint of unspecified toe(s), subsequent encounter	ICD-10-CM	Diagnosis
S03.40XD	Sprain of jaw, unspecified side, subsequent encounter	ICD-10-CM	Diagnosis
S03.8XXD	Sprain of joints and ligaments of other parts of head, subsequent encounter	ICD-10-CM	Diagnosis
S13.8XXD	Sprain of joints and ligaments of other parts of neck, subsequent encounter	ICD-10-CM	Diagnosis
S03.9XXD	Sprain of joints and ligaments of unspecified parts of head, subsequent encounter	ICD-10-CM	Diagnosis
S13.9XXD	Sprain of joints and ligaments of unspecified parts of neck, subsequent encounter	ICD-10-CM	Diagnosis
S03.8XXA	Sprain of joints and ligaments of other parts of head, initial encounter	ICD-10-CM	Diagnosis
S13.8XXA	Sprain of joints and ligaments of other parts of neck, initial encounter	ICD-10-CM	Diagnosis
S03.9XXA	Sprain of joints and ligaments of unspecified parts of head, initial encounter	ICD-10-CM	Diagnosis
S13.9XXA	Sprain of joints and ligaments of unspecified parts of neck, initial encounter	ICD-10-CM	Diagnosis
S03.8XXS	Sprain of joints and ligaments of other parts of head, sequela	ICD-10-CM	Diagnosis
S13.8XXS	Sprain of joints and ligaments of other parts of neck, sequela	ICD-10-CM	Diagnosis
S03.9XXS	Sprain of joints and ligaments of unspecified parts of head, sequela	ICD-10-CM	Diagnosis
S13.9XXS	Sprain of joints and ligaments of unspecified parts of neck, sequela	ICD-10-CM	Diagnosis
S83.422A	Sprain of lateral collateral ligament of left knee, initial encounter	ICD-10-CM	Diagnosis
S83.422S	Sprain of lateral collateral ligament of left knee, sequela	ICD-10-CM	Diagnosis
S83.422D	Sprain of lateral collateral ligament of left knee, subsequent encounter	ICD-10-CM	Diagnosis
S83.421A	Sprain of lateral collateral ligament of right knee, initial encounter	ICD-10-CM	Diagnosis
S83.421S	Sprain of lateral collateral ligament of right knee, sequela	ICD-10-CM	Diagnosis
S83.421D	Sprain of lateral collateral ligament of right knee, subsequent encounter	ICD-10-CM	Diagnosis
S83.429A	Sprain of lateral collateral ligament of unspecified knee, initial encounter	ICD-10-CM	Diagnosis
S83.429S	Sprain of lateral collateral ligament of unspecified knee, sequela	ICD-10-CM	Diagnosis
S83.429D	Sprain of lateral collateral ligament of unspecified knee, subsequent encounter	ICD-10-CM	Diagnosis
S13.4XXA	Sprain of ligaments of cervical spine, initial encounter	ICD-10-CM	Diagnosis
S33.5XXA	Sprain of ligaments of lumbar spine, initial encounter	ICD-10-CM	Diagnosis
S33.5XXD	Sprain of ligaments of lumbar spine, subsequent encounter	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S13.4XXD	Sprain of ligaments of cervical spine, subsequent encounter	ICD-10-CM	Diagnosis
S13.4XXS	Sprain of ligaments of cervical spine, sequela	ICD-10-CM	Diagnosis
S23.3XXA	Sprain of ligaments of thoracic spine, initial encounter	ICD-10-CM	Diagnosis
S23.3XXD	Sprain of ligaments of thoracic spine, subsequent encounter	ICD-10-CM	Diagnosis
S43.52XA	Sprain of left acromioclavicular joint, initial encounter	ICD-10-CM	Diagnosis
S43.52XD	Sprain of left acromioclavicular joint, subsequent encounter	ICD-10-CM	Diagnosis
S43.412A	Sprain of left coracohumeral (ligament), initial encounter	ICD-10-CM	Diagnosis
S43.412D	Sprain of left coracohumeral (ligament), subsequent encounter	ICD-10-CM	Diagnosis
S43.422A	Sprain of left rotator cuff capsule, initial encounter	ICD-10-CM	Diagnosis
S43.422D	Sprain of left rotator cuff capsule, subsequent encounter	ICD-10-CM	Diagnosis
S43.62XA	Sprain of left sternoclavicular joint, initial encounter	ICD-10-CM	Diagnosis
S43.62XD	Sprain of left sternoclavicular joint, subsequent encounter	ICD-10-CM	Diagnosis
S83.412A	Sprain of medial collateral ligament of left knee, initial encounter	ICD-10-CM	Diagnosis
S83.412S	Sprain of medial collateral ligament of left knee, sequela	ICD-10-CM	Diagnosis
S83.412D	Sprain of medial collateral ligament of left knee, subsequent encounter	ICD-10-CM	Diagnosis
S83.411A	Sprain of medial collateral ligament of right knee, initial encounter	ICD-10-CM	Diagnosis
S83.411S	Sprain of medial collateral ligament of right knee, sequela	ICD-10-CM	Diagnosis
S83.411D	Sprain of medial collateral ligament of right knee, subsequent encounter	ICD-10-CM	Diagnosis
S83.419A	Sprain of medial collateral ligament of unspecified knee, initial encounter	ICD-10-CM	Diagnosis
S83.419S	Sprain of medial collateral ligament of unspecified knee, sequela	ICD-10-CM	Diagnosis
S83.419D	Sprain of medial collateral ligament of unspecified knee, subsequent encounter	ICD-10-CM	Diagnosis
S63.651A	Sprain of metacarpophalangeal joint of left index finger, initial encounter	ICD-10-CM	Diagnosis
S63.651S	Sprain of metacarpophalangeal joint of left index finger, sequela	ICD-10-CM	Diagnosis
S63.651D	Sprain of metacarpophalangeal joint of left index finger, subsequent encounter	ICD-10-CM	Diagnosis
S63.657A	Sprain of metacarpophalangeal joint of left little finger, initial encounter	ICD-10-CM	Diagnosis
S63.657S	Sprain of metacarpophalangeal joint of left little finger, sequela	ICD-10-CM	Diagnosis
S63.657D	Sprain of metacarpophalangeal joint of left little finger, subsequent encounter	ICD-10-CM	Diagnosis
S63.653A	Sprain of metacarpophalangeal joint of left middle finger, initial encounter	ICD-10-CM	Diagnosis
S63.653S	Sprain of metacarpophalangeal joint of left middle finger, sequela	ICD-10-CM	Diagnosis
S63.653D	Sprain of metacarpophalangeal joint of left middle finger, subsequent encounter	ICD-10-CM	Diagnosis
S63.655A	Sprain of metacarpophalangeal joint of left ring finger, initial encounter	ICD-10-CM	Diagnosis
S63.655S	Sprain of metacarpophalangeal joint of left ring finger, sequela	ICD-10-CM	Diagnosis
S63.655D	Sprain of metacarpophalangeal joint of left ring finger, subsequent encounter	ICD-10-CM	Diagnosis
S63.650A	Sprain of metacarpophalangeal joint of right index finger, initial encounter	ICD-10-CM	Diagnosis
S63.650S	Sprain of metacarpophalangeal joint of right index finger, sequela	ICD-10-CM	Diagnosis
S63.650D	Sprain of metacarpophalangeal joint of right index finger, subsequent encounter	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S63.656A	Sprain of metacarpophalangeal joint of right little finger, initial encounter	ICD-10-CM	Diagnosis
S63.656S	Sprain of metacarpophalangeal joint of right little finger, sequela	ICD-10-CM	Diagnosis
S63.656D	Sprain of metacarpophalangeal joint of right little finger, subsequent encounter	ICD-10-CM	Diagnosis
S63.652A	Sprain of metacarpophalangeal joint of right middle finger, initial encounter	ICD-10-CM	Diagnosis
S63.652S	Sprain of metacarpophalangeal joint of right middle finger, sequela	ICD-10-CM	Diagnosis
S63.652D	Sprain of metacarpophalangeal joint of right middle finger, subsequent encounter	ICD-10-CM	Diagnosis
S63.654A	Sprain of metacarpophalangeal joint of right ring finger, initial encounter	ICD-10-CM	Diagnosis
S63.654S	Sprain of metacarpophalangeal joint of right ring finger, sequela	ICD-10-CM	Diagnosis
S63.654D	Sprain of metacarpophalangeal joint of right ring finger, subsequent encounter	ICD-10-CM	Diagnosis
S63.642A	Sprain of metacarpophalangeal joint of left thumb, initial encounter	ICD-10-CM	Diagnosis
S63.642S	Sprain of metacarpophalangeal joint of left thumb, sequela	ICD-10-CM	Diagnosis
S63.642D	Sprain of metacarpophalangeal joint of left thumb, subsequent encounter	ICD-10-CM	Diagnosis
S63.658A	Sprain of metacarpophalangeal joint of other finger, initial encounter	ICD-10-CM	Diagnosis
S63.658S	Sprain of metacarpophalangeal joint of other finger, sequela	ICD-10-CM	Diagnosis
S63.658D	Sprain of metacarpophalangeal joint of other finger, subsequent encounter	ICD-10-CM	Diagnosis
S63.641S	Sprain of metacarpophalangeal joint of right thumb, sequela	ICD-10-CM	Diagnosis
S63.641A	Sprain of metacarpophalangeal joint of right thumb, initial encounter	ICD-10-CM	Diagnosis
S63.641D	Sprain of metacarpophalangeal joint of right thumb, subsequent encounter	ICD-10-CM	Diagnosis
S63.659A	Sprain of metacarpophalangeal joint of unspecified finger, initial encounter	ICD-10-CM	Diagnosis
S63.659S	Sprain of metacarpophalangeal joint of unspecified finger, sequela	ICD-10-CM	Diagnosis
S63.659D	Sprain of metacarpophalangeal joint of unspecified finger, subsequent encounter	ICD-10-CM	Diagnosis
S63.649A	Sprain of metacarpophalangeal joint of unspecified thumb, initial encounter	ICD-10-CM	Diagnosis
S63.649S	Sprain of metacarpophalangeal joint of unspecified thumb, sequela	ICD-10-CM	Diagnosis
S63.649D	Sprain of metacarpophalangeal joint of unspecified thumb, subsequent encounter	ICD-10-CM	Diagnosis
S93.522A	Sprain of metatarsophalangeal joint of left great toe, initial encounter	ICD-10-CM	Diagnosis
S93.522S	Sprain of metatarsophalangeal joint of left great toe, sequela	ICD-10-CM	Diagnosis
S93.522D	Sprain of metatarsophalangeal joint of left great toe, subsequent encounter	ICD-10-CM	Diagnosis
S93.525A	Sprain of metatarsophalangeal joint of left lesser toe(s), initial encounter	ICD-10-CM	Diagnosis
S93.525S	Sprain of metatarsophalangeal joint of left lesser toe(s), sequela	ICD-10-CM	Diagnosis
S93.525D	Sprain of metatarsophalangeal joint of left lesser toe(s), subsequent encounter	ICD-10-CM	Diagnosis
S93.521A	Sprain of metatarsophalangeal joint of right great toe, initial encounter	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S93.521S	Sprain of metatarsophalangeal joint of right great toe, sequela	ICD-10-CM	Diagnosis
S93.521D	Sprain of metatarsophalangeal joint of right great toe, subsequent encounter	ICD-10-CM	Diagnosis
S93.524A	Sprain of metatarsophalangeal joint of right lesser toe(s), initial encounter	ICD-10-CM	Diagnosis
S93.524S	Sprain of metatarsophalangeal joint of right lesser toe(s), sequela	ICD-10-CM	Diagnosis
S93.524D	Sprain of metatarsophalangeal joint of right lesser toe(s), subsequent encounter	ICD-10-CM	Diagnosis
S93.523A	Sprain of metatarsophalangeal joint of unspecified great toe, initial encounter	ICD-10-CM	Diagnosis
S93.523S	Sprain of metatarsophalangeal joint of unspecified great toe, sequela	ICD-10-CM	Diagnosis
S93.523D	Sprain of metatarsophalangeal joint of unspecified great toe, subsequent encounter	ICD-10-CM	Diagnosis
S93.526A	Sprain of metatarsophalangeal joint of unspecified lesser toe(s), initial encounter	ICD-10-CM	Diagnosis
S93.526S	Sprain of metatarsophalangeal joint of unspecified lesser toe(s), sequela	ICD-10-CM	Diagnosis
S93.526D	Sprain of metatarsophalangeal joint of unspecified lesser toe(s), subsequent encounter	ICD-10-CM	Diagnosis
S93.529A	Sprain of metatarsophalangeal joint of unspecified toe(s), initial encounter	ICD-10-CM	Diagnosis
S93.529S	Sprain of metatarsophalangeal joint of unspecified toe(s), sequela	ICD-10-CM	Diagnosis
S93.529D	Sprain of metatarsophalangeal joint of unspecified toe(s), subsequent encounter	ICD-10-CM	Diagnosis
S63.512A	Sprain of carpal joint of left wrist, initial encounter	ICD-10-CM	Diagnosis
S63.512D	Sprain of carpal joint of left wrist, subsequent encounter	ICD-10-CM	Diagnosis
S63.511A	Sprain of carpal joint of right wrist, initial encounter	ICD-10-CM	Diagnosis
S63.511D	Sprain of carpal joint of right wrist, subsequent encounter	ICD-10-CM	Diagnosis
S63.519A	Sprain of carpal joint of unspecified wrist, initial encounter	ICD-10-CM	Diagnosis
S63.519S	Sprain of carpal joint of unspecified wrist, sequela	ICD-10-CM	Diagnosis
S63.519D	Sprain of carpal joint of unspecified wrist, subsequent encounter	ICD-10-CM	Diagnosis
S23.421A	Sprain of chondrosternal joint, initial encounter	ICD-10-CM	Diagnosis
S23.421S	Sprain of chondrosternal joint, sequela	ICD-10-CM	Diagnosis
S63.638A	Sprain of interphalangeal joint of other finger, initial encounter	ICD-10-CM	Diagnosis
S63.638S	Sprain of interphalangeal joint of other finger, sequela	ICD-10-CM	Diagnosis
S63.638D	Sprain of interphalangeal joint of other finger, subsequent encounter	ICD-10-CM	Diagnosis
S03.43XA	Sprain of jaw, bilateral, initial encounter	ICD-10-CM	Diagnosis
S03.43XS	Sprain of jaw, bilateral, sequela	ICD-10-CM	Diagnosis
S03.43XD	Sprain of jaw, bilateral, subsequent encounter	ICD-10-CM	Diagnosis
S03.4XXA	Sprain of jaw, initial encounter	ICD-10-CM	Diagnosis
S03.42XA	Sprain of jaw, left side, initial encounter	ICD-10-CM	Diagnosis
S03.42XS	Sprain of jaw, left side, sequela	ICD-10-CM	Diagnosis
S03.42XD	Sprain of jaw, left side, subsequent encounter	ICD-10-CM	Diagnosis
S03.41XA	Sprain of jaw, right side, initial encounter	ICD-10-CM	Diagnosis
S03.41XS	Sprain of jaw, right side, sequela	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S03.41XD	Sprain of jaw, right side, subsequent encounter	ICD-10-CM	Diagnosis
S03.4XXS	Sprain of jaw, sequela	ICD-10-CM	Diagnosis
S03.4XXD	Sprain of jaw, subsequent encounter	ICD-10-CM	Diagnosis
S03.40XA	Sprain of jaw, unspecified side, initial encounter	ICD-10-CM	Diagnosis
S03.40XS	Sprain of jaw, unspecified side, sequela	ICD-10-CM	Diagnosis
S43.52XS	Sprain of left acromioclavicular joint, sequela	ICD-10-CM	Diagnosis
S43.412S	Sprain of left coracohumeral (ligament), sequela	ICD-10-CM	Diagnosis
S43.422S	Sprain of left rotator cuff capsule, sequela	ICD-10-CM	Diagnosis
S43.62XS	Sprain of left sternoclavicular joint, sequela	ICD-10-CM	Diagnosis
S33.5XXS	Sprain of ligaments of lumbar spine, sequela	ICD-10-CM	Diagnosis
S23.3XXS	Sprain of ligaments of thoracic spine, sequela	ICD-10-CM	Diagnosis
S93.492S	Sprain of other ligament of left ankle, sequela	ICD-10-CM	Diagnosis
S93.491S	Sprain of other ligament of right ankle, sequela	ICD-10-CM	Diagnosis
S23.8XXS	Sprain of other specified parts of thorax, sequela	ICD-10-CM	Diagnosis
S23.41XA	Sprain of ribs, initial encounter	ICD-10-CM	Diagnosis
S23.41XS	Sprain of ribs, sequela	ICD-10-CM	Diagnosis
S23.41XD	Sprain of ribs, subsequent encounter	ICD-10-CM	Diagnosis
S43.51XS	Sprain of right acromioclavicular joint, sequela	ICD-10-CM	Diagnosis
S43.411S	Sprain of right coracohumeral (ligament), sequela	ICD-10-CM	Diagnosis
S43.421S	Sprain of right rotator cuff capsule, sequela	ICD-10-CM	Diagnosis
S43.61XS	Sprain of right sternoclavicular joint, sequela	ICD-10-CM	Diagnosis
S33.6XXA	Sprain of sacroiliac joint, initial encounter	ICD-10-CM	Diagnosis
S33.6XXS	Sprain of sacroiliac joint, sequela	ICD-10-CM	Diagnosis
S33.6XXD	Sprain of sacroiliac joint, subsequent encounter	ICD-10-CM	Diagnosis
S93.612S	Sprain of tarsal ligament of left foot, sequela	ICD-10-CM	Diagnosis
S93.611S	Sprain of tarsal ligament of right foot, sequela	ICD-10-CM	Diagnosis
S23.9XXS	Sprain of unspecified parts of thorax, sequela	ICD-10-CM	Diagnosis
S33.8XXD	Sprain of other parts of lumbar spine and pelvis, subsequent encounter	ICD-10-CM	Diagnosis
S33.8XXA	Sprain of other parts of lumbar spine and pelvis, initial encounter	ICD-10-CM	Diagnosis
S43.82XA	Sprain of other specified parts of left shoulder girdle, initial encounter	ICD-10-CM	Diagnosis
S43.82XD	Sprain of other specified parts of left shoulder girdle, subsequent encounter	ICD-10-CM	Diagnosis
S43.82XS	Sprain of other specified parts of left shoulder girdle, sequela	ICD-10-CM	Diagnosis
S43.81XA	Sprain of other specified parts of right shoulder girdle, initial encounter	ICD-10-CM	Diagnosis
S43.81XS	Sprain of other specified parts of right shoulder girdle, sequela	ICD-10-CM	Diagnosis
S43.81XD	Sprain of other specified parts of right shoulder girdle, subsequent encounter	ICD-10-CM	Diagnosis
S43.80XA	Sprain of other specified parts of unspecified shoulder girdle, initial encounter	ICD-10-CM	Diagnosis
S43.80XS	Sprain of other specified parts of unspecified shoulder girdle, sequela	ICD-10-CM	Diagnosis
S43.80XD	Sprain of other specified parts of unspecified shoulder girdle, subsequent encounter	ICD-10-CM	Diagnosis
S93.492A	Sprain of other ligament of left ankle, initial encounter	ICD-10-CM	Diagnosis



**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S93.492D	Sprain of other ligament of left ankle, subsequent encounter	ICD-10-CM	Diagnosis
S93.491A	Sprain of other ligament of right ankle, initial encounter	ICD-10-CM	Diagnosis
S93.491D	Sprain of other ligament of right ankle, subsequent encounter	ICD-10-CM	Diagnosis
S93.499A	Sprain of other ligament of unspecified ankle, initial encounter	ICD-10-CM	Diagnosis
S93.499D	Sprain of other ligament of unspecified ankle, subsequent encounter	ICD-10-CM	Diagnosis
S93.499S	Sprain of other ligament of unspecified ankle, sequela	ICD-10-CM	Diagnosis
S63.8X2A	Sprain of other part of left wrist and hand, initial encounter	ICD-10-CM	Diagnosis
S63.8X2S	Sprain of other part of left wrist and hand, sequela	ICD-10-CM	Diagnosis
S63.8X2D	Sprain of other part of left wrist and hand, subsequent encounter	ICD-10-CM	Diagnosis
S63.8X1A	Sprain of other part of right wrist and hand, initial encounter	ICD-10-CM	Diagnosis
S63.8X1S	Sprain of other part of right wrist and hand, sequela	ICD-10-CM	Diagnosis
S63.8X1D	Sprain of other part of right wrist and hand, subsequent encounter	ICD-10-CM	Diagnosis
S63.8X9A	Sprain of other part of unspecified wrist and hand, initial encounter	ICD-10-CM	Diagnosis
S63.8X9S	Sprain of other part of unspecified wrist and hand, sequela	ICD-10-CM	Diagnosis
S63.8X9D	Sprain of other part of unspecified wrist and hand, subsequent encounter	ICD-10-CM	Diagnosis
S33.8XXS	Sprain of other parts of lumbar spine and pelvis, sequela	ICD-10-CM	Diagnosis
S83.8X2A	Sprain of other specified parts of left knee, initial encounter	ICD-10-CM	Diagnosis
S83.8X2S	Sprain of other specified parts of left knee, sequela	ICD-10-CM	Diagnosis
S83.8X2D	Sprain of other specified parts of left knee, subsequent encounter	ICD-10-CM	Diagnosis
S23.8XXA	Sprain of other specified parts of thorax, initial encounter	ICD-10-CM	Diagnosis
S83.8X1A	Sprain of other specified parts of right knee, initial encounter	ICD-10-CM	Diagnosis
S83.8X1S	Sprain of other specified parts of right knee, sequela	ICD-10-CM	Diagnosis
S83.8X1D	Sprain of other specified parts of right knee, subsequent encounter	ICD-10-CM	Diagnosis
S23.8XXD	Sprain of other specified parts of thorax, subsequent encounter	ICD-10-CM	Diagnosis
S83.8X9A	Sprain of other specified parts of unspecified knee, initial encounter	ICD-10-CM	Diagnosis
S83.8X9S	Sprain of other specified parts of unspecified knee, sequela	ICD-10-CM	Diagnosis
S83.8X9D	Sprain of other specified parts of unspecified knee, subsequent encounter	ICD-10-CM	Diagnosis
S83.522A	Sprain of posterior cruciate ligament of left knee, initial encounter	ICD-10-CM	Diagnosis
S83.522S	Sprain of posterior cruciate ligament of left knee, sequela	ICD-10-CM	Diagnosis
S83.522D	Sprain of posterior cruciate ligament of left knee, subsequent encounter	ICD-10-CM	Diagnosis
S83.521A	Sprain of posterior cruciate ligament of right knee, initial encounter	ICD-10-CM	Diagnosis
S83.521S	Sprain of posterior cruciate ligament of right knee, sequela	ICD-10-CM	Diagnosis
S83.521D	Sprain of posterior cruciate ligament of right knee, subsequent encounter	ICD-10-CM	Diagnosis
S83.529A	Sprain of posterior cruciate ligament of unspecified knee, initial encounter	ICD-10-CM	Diagnosis
S83.529D	Sprain of posterior cruciate ligament of unspecified knee, subsequent encounter	ICD-10-CM	Diagnosis
S83.529S	Sprain of posterior cruciate ligament of unspecified knee, sequela	ICD-10-CM	Diagnosis
S63.522A	Sprain of radiocarpal joint of left wrist, initial encounter	ICD-10-CM	Diagnosis
S63.522S	Sprain of radiocarpal joint of left wrist, sequela	ICD-10-CM	Diagnosis
S63.522D	Sprain of radiocarpal joint of left wrist, subsequent encounter	ICD-10-CM	Diagnosis
S63.521S	Sprain of radiocarpal joint of right wrist, sequela	ICD-10-CM	Diagnosis
S63.521A	Sprain of radiocarpal joint of right wrist, initial encounter	ICD-10-CM	Diagnosis
S63.521D	Sprain of radiocarpal joint of right wrist, subsequent encounter	ICD-10-CM	Diagnosis



**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S63.529A	Sprain of radiocarpal joint of unspecified wrist, initial encounter	ICD-10-CM	Diagnosis
S63.529S	Sprain of radiocarpal joint of unspecified wrist, sequela	ICD-10-CM	Diagnosis
S63.529D	Sprain of radiocarpal joint of unspecified wrist, subsequent encounter	ICD-10-CM	Diagnosis
S43.51XA	Sprain of right acromioclavicular joint, initial encounter	ICD-10-CM	Diagnosis
S43.51XD	Sprain of right acromioclavicular joint, subsequent encounter	ICD-10-CM	Diagnosis
S43.411A	Sprain of right coracohumeral (ligament), initial encounter	ICD-10-CM	Diagnosis
S43.411D	Sprain of right coracohumeral (ligament), subsequent encounter	ICD-10-CM	Diagnosis
S43.421A	Sprain of right rotator cuff capsule, initial encounter	ICD-10-CM	Diagnosis
S43.421D	Sprain of right rotator cuff capsule, subsequent encounter	ICD-10-CM	Diagnosis
S43.61XA	Sprain of right sternoclavicular joint, initial encounter	ICD-10-CM	Diagnosis
S43.61XD	Sprain of right sternoclavicular joint, subsequent encounter	ICD-10-CM	Diagnosis
S23.420A	Sprain of sternoclavicular (joint) (ligament), initial encounter	ICD-10-CM	Diagnosis
S23.420D	Sprain of sternoclavicular (joint) (ligament), subsequent encounter	ICD-10-CM	Diagnosis
S23.420S	Sprain of sternoclavicular (joint) (ligament), sequela	ICD-10-CM	Diagnosis
S83.62XA	Sprain of the superior tibiofibular joint and ligament, left knee, initial encounter	ICD-10-CM	Diagnosis
S83.62XS	Sprain of the superior tibiofibular joint and ligament, left knee, sequela	ICD-10-CM	Diagnosis
S83.62XD	Sprain of the superior tibiofibular joint and ligament, left knee, subsequent encounter	ICD-10-CM	Diagnosis
S83.61XA	Sprain of the superior tibiofibular joint and ligament, right knee, initial encounter	ICD-10-CM	Diagnosis
S83.61XS	Sprain of the superior tibiofibular joint and ligament, right knee, sequela	ICD-10-CM	Diagnosis
S83.61XD	Sprain of the superior tibiofibular joint and ligament, right knee, subsequent encounter	ICD-10-CM	Diagnosis
S83.60XA	Sprain of the superior tibiofibular joint and ligament, unspecified knee, initial encounter	ICD-10-CM	Diagnosis
S83.60XS	Sprain of the superior tibiofibular joint and ligament, unspecified knee, sequela	ICD-10-CM	Diagnosis
S83.60XD	Sprain of the superior tibiofibular joint and ligament, unspecified knee, subsequent encounter	ICD-10-CM	Diagnosis
S93.612A	Sprain of tarsal ligament of left foot, initial encounter	ICD-10-CM	Diagnosis
S93.612D	Sprain of tarsal ligament of left foot, subsequent encounter	ICD-10-CM	Diagnosis
S93.611A	Sprain of tarsal ligament of right foot, initial encounter	ICD-10-CM	Diagnosis
S93.611D	Sprain of tarsal ligament of right foot, subsequent encounter	ICD-10-CM	Diagnosis
S93.619A	Sprain of tarsal ligament of unspecified foot, initial encounter	ICD-10-CM	Diagnosis
S93.619D	Sprain of tarsal ligament of unspecified foot, subsequent encounter	ICD-10-CM	Diagnosis
S93.619S	Sprain of tarsal ligament of unspecified foot, sequela	ICD-10-CM	Diagnosis
S93.622A	Sprain of tarsometatarsal ligament of left foot, initial encounter	ICD-10-CM	Diagnosis
S93.622S	Sprain of tarsometatarsal ligament of left foot, sequela	ICD-10-CM	Diagnosis
S93.622D	Sprain of tarsometatarsal ligament of left foot, subsequent encounter	ICD-10-CM	Diagnosis
S93.621A	Sprain of tarsometatarsal ligament of right foot, initial encounter	ICD-10-CM	Diagnosis
S93.621S	Sprain of tarsometatarsal ligament of right foot, sequela	ICD-10-CM	Diagnosis
S93.621D	Sprain of tarsometatarsal ligament of right foot, subsequent encounter	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S93.629A	Sprain of tarsometatarsal ligament of unspecified foot, initial encounter	ICD-10-CM	Diagnosis
S93.629S	Sprain of tarsometatarsal ligament of unspecified foot, sequela	ICD-10-CM	Diagnosis
S93.629D	Sprain of tarsometatarsal ligament of unspecified foot, subsequent encounter	ICD-10-CM	Diagnosis
S13.5XXA	Sprain of thyroid region, initial encounter	ICD-10-CM	Diagnosis
S13.5XXS	Sprain of thyroid region, sequela	ICD-10-CM	Diagnosis
S13.5XXD	Sprain of thyroid region, subsequent encounter	ICD-10-CM	Diagnosis
S93.432S	Sprain of tibiofibular ligament of left ankle, sequela	ICD-10-CM	Diagnosis
S93.432A	Sprain of tibiofibular ligament of left ankle, initial encounter	ICD-10-CM	Diagnosis
S93.432D	Sprain of tibiofibular ligament of left ankle, subsequent encounter	ICD-10-CM	Diagnosis
S93.431S	Sprain of tibiofibular ligament of right ankle, sequela	ICD-10-CM	Diagnosis
S93.431A	Sprain of tibiofibular ligament of right ankle, initial encounter	ICD-10-CM	Diagnosis
S93.431D	Sprain of tibiofibular ligament of right ankle, subsequent encounter	ICD-10-CM	Diagnosis
S93.439A	Sprain of tibiofibular ligament of unspecified ankle, initial encounter	ICD-10-CM	Diagnosis
S93.439D	Sprain of tibiofibular ligament of unspecified ankle, subsequent encounter	ICD-10-CM	Diagnosis
S93.439S	Sprain of tibiofibular ligament of unspecified ankle, sequela	ICD-10-CM	Diagnosis
S83.402A	Sprain of unspecified collateral ligament of left knee, initial encounter	ICD-10-CM	Diagnosis
S83.402D	Sprain of unspecified collateral ligament of left knee, subsequent encounter	ICD-10-CM	Diagnosis
S83.402S	Sprain of unspecified collateral ligament of left knee, sequela	ICD-10-CM	Diagnosis
S83.401A	Sprain of unspecified collateral ligament of right knee, initial encounter	ICD-10-CM	Diagnosis
S83.401D	Sprain of unspecified collateral ligament of right knee, subsequent encounter	ICD-10-CM	Diagnosis
S83.401S	Sprain of unspecified collateral ligament of right knee, sequela	ICD-10-CM	Diagnosis
S83.409D	Sprain of unspecified collateral ligament of unspecified knee, subsequent encounter	ICD-10-CM	Diagnosis
S83.409A	Sprain of unspecified collateral ligament of unspecified knee, initial encounter	ICD-10-CM	Diagnosis
S83.409S	Sprain of unspecified collateral ligament of unspecified knee, sequela	ICD-10-CM	Diagnosis
S43.419A	Sprain of unspecified coracohumeral (ligament), initial encounter	ICD-10-CM	Diagnosis
S43.419S	Sprain of unspecified coracohumeral (ligament), sequela	ICD-10-CM	Diagnosis
S43.419D	Sprain of unspecified coracohumeral (ligament), subsequent encounter	ICD-10-CM	Diagnosis
S83.502A	Sprain of unspecified cruciate ligament of left knee, initial encounter	ICD-10-CM	Diagnosis
S83.502S	Sprain of unspecified cruciate ligament of left knee, sequela	ICD-10-CM	Diagnosis
S83.502D	Sprain of unspecified cruciate ligament of left knee, subsequent encounter	ICD-10-CM	Diagnosis
S83.501A	Sprain of unspecified cruciate ligament of right knee, initial encounter	ICD-10-CM	Diagnosis
S83.501S	Sprain of unspecified cruciate ligament of right knee, sequela	ICD-10-CM	Diagnosis
S83.501D	Sprain of unspecified cruciate ligament of right knee, subsequent encounter	ICD-10-CM	Diagnosis
S83.509A	Sprain of unspecified cruciate ligament of unspecified knee, initial encounter	ICD-10-CM	Diagnosis
S83.509S	Sprain of unspecified cruciate ligament of unspecified knee, sequela	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S83.509D	Sprain of unspecified cruciate ligament of unspecified knee, subsequent encounter	ICD-10-CM	Diagnosis
S93.402A	Sprain of unspecified ligament of left ankle, initial encounter	ICD-10-CM	Diagnosis
S93.402D	Sprain of unspecified ligament of left ankle, subsequent encounter	ICD-10-CM	Diagnosis
S93.401D	Sprain of unspecified ligament of right ankle, subsequent encounter	ICD-10-CM	Diagnosis
S93.409A	Sprain of unspecified ligament of unspecified ankle, initial encounter	ICD-10-CM	Diagnosis
S93.409D	Sprain of unspecified ligament of unspecified ankle, subsequent encounter	ICD-10-CM	Diagnosis
S93.409S	Sprain of unspecified ligament of unspecified ankle, sequela	ICD-10-CM	Diagnosis
S63.92XA	Sprain of unspecified part of left wrist and hand, initial encounter	ICD-10-CM	Diagnosis
S63.92XS	Sprain of unspecified part of left wrist and hand, sequela	ICD-10-CM	Diagnosis
S63.92XD	Sprain of unspecified part of left wrist and hand, subsequent encounter	ICD-10-CM	Diagnosis
S63.91XA	Sprain of unspecified part of right wrist and hand, initial encounter	ICD-10-CM	Diagnosis
S63.91XS	Sprain of unspecified part of right wrist and hand, sequela	ICD-10-CM	Diagnosis
S63.91XD	Sprain of unspecified part of right wrist and hand, subsequent encounter	ICD-10-CM	Diagnosis
S63.90XA	Sprain of unspecified part of unspecified wrist and hand, initial encounter	ICD-10-CM	Diagnosis
S63.90XS	Sprain of unspecified part of unspecified wrist and hand, sequela	ICD-10-CM	Diagnosis
S63.90XD	Sprain of unspecified part of unspecified wrist and hand, subsequent encounter	ICD-10-CM	Diagnosis
S43.92XA	Sprain of unspecified parts of left shoulder girdle, initial encounter	ICD-10-CM	Diagnosis
S43.92XS	Sprain of unspecified parts of left shoulder girdle, sequela	ICD-10-CM	Diagnosis
S43.92XD	Sprain of unspecified parts of left shoulder girdle, subsequent encounter	ICD-10-CM	Diagnosis
S33.9XXD	Sprain of unspecified parts of lumbar spine and pelvis, subsequent encounter	ICD-10-CM	Diagnosis
S33.9XXA	Sprain of unspecified parts of lumbar spine and pelvis, initial encounter	ICD-10-CM	Diagnosis
S33.9XXS	Sprain of unspecified parts of lumbar spine and pelvis, sequela	ICD-10-CM	Diagnosis
S43.91XA	Sprain of unspecified parts of right shoulder girdle, initial encounter	ICD-10-CM	Diagnosis
S43.91XS	Sprain of unspecified parts of right shoulder girdle, sequela	ICD-10-CM	Diagnosis
S43.91XD	Sprain of unspecified parts of right shoulder girdle, subsequent encounter	ICD-10-CM	Diagnosis
S23.9XXA	Sprain of unspecified parts of thorax, initial encounter	ICD-10-CM	Diagnosis
S23.9XXD	Sprain of unspecified parts of thorax, subsequent encounter	ICD-10-CM	Diagnosis
S43.90XD	Sprain of unspecified parts of unspecified shoulder girdle, subsequent encounter	ICD-10-CM	Diagnosis
S43.90XA	Sprain of unspecified parts of unspecified shoulder girdle, initial encounter	ICD-10-CM	Diagnosis
S43.90XS	Sprain of unspecified parts of unspecified shoulder girdle, sequela	ICD-10-CM	Diagnosis
S43.429A	Sprain of unspecified rotator cuff capsule, initial encounter	ICD-10-CM	Diagnosis
S43.429D	Sprain of unspecified rotator cuff capsule, subsequent encounter	ICD-10-CM	Diagnosis
S43.60XA	Sprain of unspecified sternoclavicular joint, initial encounter	ICD-10-CM	Diagnosis
S43.60XS	Sprain of unspecified sternoclavicular joint, sequela	ICD-10-CM	Diagnosis
S43.60XD	Sprain of unspecified sternoclavicular joint, subsequent encounter	ICD-10-CM	Diagnosis
S43.50XA	Sprain of unspecified acromioclavicular joint, initial encounter	ICD-10-CM	Diagnosis
S43.50XS	Sprain of unspecified acromioclavicular joint, sequela	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S43.50XD	Sprain of unspecified acromioclavicular joint, subsequent encounter	ICD-10-CM	Diagnosis
S93.401A	Sprain of unspecified ligament of right ankle, initial encounter	ICD-10-CM	Diagnosis
S93.402S	Sprain of unspecified ligament of left ankle, sequela	ICD-10-CM	Diagnosis
S93.401S	Sprain of unspecified ligament of right ankle, sequela	ICD-10-CM	Diagnosis
S43.429S	Sprain of unspecified rotator cuff capsule, sequela	ICD-10-CM	Diagnosis
S83.92XS	Sprain of unspecified site of left knee, sequela	ICD-10-CM	Diagnosis
S83.92XA	Sprain of unspecified site of left knee, initial encounter	ICD-10-CM	Diagnosis
S83.92XD	Sprain of unspecified site of left knee, subsequent encounter	ICD-10-CM	Diagnosis
S83.91XS	Sprain of unspecified site of right knee, sequela	ICD-10-CM	Diagnosis
S83.91XA	Sprain of unspecified site of right knee, initial encounter	ICD-10-CM	Diagnosis
S83.91XD	Sprain of unspecified site of right knee, subsequent encounter	ICD-10-CM	Diagnosis
S83.90XA	Sprain of unspecified site of unspecified knee, initial encounter	ICD-10-CM	Diagnosis
S83.90XS	Sprain of unspecified site of unspecified knee, sequela	ICD-10-CM	Diagnosis
S83.90XD	Sprain of unspecified site of unspecified knee, subsequent encounter	ICD-10-CM	Diagnosis
S76.212A	Strain of adductor muscle, fascia and tendon of left thigh, initial encounter	ICD-10-CM	Diagnosis
S76.212S	Strain of adductor muscle, fascia and tendon of left thigh, sequela	ICD-10-CM	Diagnosis
S76.212D	Strain of adductor muscle, fascia and tendon of left thigh, subsequent encounter	ICD-10-CM	Diagnosis
S76.211A	Strain of adductor muscle, fascia and tendon of right thigh, initial encounter	ICD-10-CM	Diagnosis
S76.211S	Strain of adductor muscle, fascia and tendon of right thigh, sequela	ICD-10-CM	Diagnosis
S76.211D	Strain of adductor muscle, fascia and tendon of right thigh, subsequent encounter	ICD-10-CM	Diagnosis
S76.219A	Strain of adductor muscle, fascia and tendon of unspecified thigh, initial encounter	ICD-10-CM	Diagnosis
S76.219S	Strain of adductor muscle, fascia and tendon of unspecified thigh, sequela	ICD-10-CM	Diagnosis
S76.219D	Strain of adductor muscle, fascia and tendon of unspecified thigh, subsequent encounter	ICD-10-CM	Diagnosis
S66.311A	Strain of extensor muscle, fascia and tendon of left index finger at wrist and hand level, initial encounter	ICD-10-CM	Diagnosis
S66.311S	Strain of extensor muscle, fascia and tendon of left index finger at wrist and hand level, sequela	ICD-10-CM	Diagnosis
S66.311D	Strain of extensor muscle, fascia and tendon of left index finger at wrist and hand level, subsequent encounter	ICD-10-CM	Diagnosis
S66.317A	Strain of extensor muscle, fascia and tendon of left little finger at wrist and hand level, initial encounter	ICD-10-CM	Diagnosis
S66.317S	Strain of extensor muscle, fascia and tendon of left little finger at wrist and hand level, sequela	ICD-10-CM	Diagnosis
S66.317D	Strain of extensor muscle, fascia and tendon of left little finger at wrist and hand level, subsequent encounter	ICD-10-CM	Diagnosis
S66.313A	Strain of extensor muscle, fascia and tendon of left middle finger at wrist and hand level, initial encounter	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S66.313S	Strain of extensor muscle, fascia and tendon of left middle finger at wrist and hand level, sequela	ICD-10-CM	Diagnosis
S66.313D	Strain of extensor muscle, fascia and tendon of left middle finger at wrist and hand level, subsequent encounter	ICD-10-CM	Diagnosis
S66.315A	Strain of extensor muscle, fascia and tendon of left ring finger at wrist and hand level, initial encounter	ICD-10-CM	Diagnosis
S66.315S	Strain of extensor muscle, fascia and tendon of left ring finger at wrist and hand level, sequela	ICD-10-CM	Diagnosis
S66.315D	Strain of extensor muscle, fascia and tendon of left ring finger at wrist and hand level, subsequent encounter	ICD-10-CM	Diagnosis
S66.212A	Strain of extensor muscle, fascia and tendon of left thumb at wrist and hand level, initial encounter	ICD-10-CM	Diagnosis
S66.212S	Strain of extensor muscle, fascia and tendon of left thumb at wrist and hand level, sequela	ICD-10-CM	Diagnosis
S66.212D	Strain of extensor muscle, fascia and tendon of left thumb at wrist and hand level, subsequent encounter	ICD-10-CM	Diagnosis
S66.318A	Strain of extensor muscle, fascia and tendon of other finger at wrist and hand level, initial encounter	ICD-10-CM	Diagnosis
S66.318S	Strain of extensor muscle, fascia and tendon of other finger at wrist and hand level, sequela	ICD-10-CM	Diagnosis
S66.318D	Strain of extensor muscle, fascia and tendon of other finger at wrist and hand level, subsequent encounter	ICD-10-CM	Diagnosis
S66.310A	Strain of extensor muscle, fascia and tendon of right index finger at wrist and hand level, initial encounter	ICD-10-CM	Diagnosis
S66.310S	Strain of extensor muscle, fascia and tendon of right index finger at wrist and hand level, sequela	ICD-10-CM	Diagnosis
S66.310D	Strain of extensor muscle, fascia and tendon of right index finger at wrist and hand level, subsequent encounter	ICD-10-CM	Diagnosis
S66.316A	Strain of extensor muscle, fascia and tendon of right little finger at wrist and hand level, initial encounter	ICD-10-CM	Diagnosis
S66.316S	Strain of extensor muscle, fascia and tendon of right little finger at wrist and hand level, sequela	ICD-10-CM	Diagnosis
S66.316D	Strain of extensor muscle, fascia and tendon of right little finger at wrist and hand level, subsequent encounter	ICD-10-CM	Diagnosis
S66.312A	Strain of extensor muscle, fascia and tendon of right middle finger at wrist and hand level, initial encounter	ICD-10-CM	Diagnosis
S66.312S	Strain of extensor muscle, fascia and tendon of right middle finger at wrist and hand level, sequela	ICD-10-CM	Diagnosis
S66.312D	Strain of extensor muscle, fascia and tendon of right middle finger at wrist and hand level, subsequent encounter	ICD-10-CM	Diagnosis
S66.314A	Strain of extensor muscle, fascia and tendon of right ring finger at wrist and hand level, initial encounter	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S66.314S	Strain of extensor muscle, fascia and tendon of right ring finger at wrist and hand level, sequela	ICD-10-CM	Diagnosis
S66.314D	Strain of extensor muscle, fascia and tendon of right ring finger at wrist and hand level, subsequent encounter	ICD-10-CM	Diagnosis
S66.211A	Strain of extensor muscle, fascia and tendon of right thumb at wrist and hand level, initial encounter	ICD-10-CM	Diagnosis
S66.211S	Strain of extensor muscle, fascia and tendon of right thumb at wrist and hand level, sequela	ICD-10-CM	Diagnosis
S66.211D	Strain of extensor muscle, fascia and tendon of right thumb at wrist and hand level, subsequent encounter	ICD-10-CM	Diagnosis
S66.319A	Strain of extensor muscle, fascia and tendon of unspecified finger at wrist and hand level, initial encounter	ICD-10-CM	Diagnosis
S66.319S	Strain of extensor muscle, fascia and tendon of unspecified finger at wrist and hand level, sequela	ICD-10-CM	Diagnosis
S66.319D	Strain of extensor muscle, fascia and tendon of unspecified finger at wrist and hand level, subsequent encounter	ICD-10-CM	Diagnosis
S66.219A	Strain of extensor muscle, fascia and tendon of unspecified thumb at wrist and hand level, initial encounter	ICD-10-CM	Diagnosis
S66.219S	Strain of extensor muscle, fascia and tendon of unspecified thumb at wrist and hand level, sequela	ICD-10-CM	Diagnosis
S66.219D	Strain of extensor muscle, fascia and tendon of unspecified thumb at wrist and hand level, subsequent encounter	ICD-10-CM	Diagnosis
S66.111A	Strain of flexor muscle, fascia and tendon of left index finger at wrist and hand level, initial encounter	ICD-10-CM	Diagnosis
S66.111S	Strain of flexor muscle, fascia and tendon of left index finger at wrist and hand level, sequela	ICD-10-CM	Diagnosis
S66.111D	Strain of flexor muscle, fascia and tendon of left index finger at wrist and hand level, subsequent encounter	ICD-10-CM	Diagnosis
S66.117A	Strain of flexor muscle, fascia and tendon of left little finger at wrist and hand level, initial encounter	ICD-10-CM	Diagnosis
S66.117S	Strain of flexor muscle, fascia and tendon of left little finger at wrist and hand level, sequela	ICD-10-CM	Diagnosis
S66.117D	Strain of flexor muscle, fascia and tendon of left little finger at wrist and hand level, subsequent encounter	ICD-10-CM	Diagnosis
S66.113A	Strain of flexor muscle, fascia and tendon of left middle finger at wrist and hand level, initial encounter	ICD-10-CM	Diagnosis
S66.113S	Strain of flexor muscle, fascia and tendon of left middle finger at wrist and hand level, sequela	ICD-10-CM	Diagnosis
S66.113D	Strain of flexor muscle, fascia and tendon of left middle finger at wrist and hand level, subsequent encounter	ICD-10-CM	Diagnosis
S66.115A	Strain of flexor muscle, fascia and tendon of left ring finger at wrist and hand level, initial encounter	ICD-10-CM	Diagnosis



**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S66.115S	Strain of flexor muscle, fascia and tendon of left ring finger at wrist and hand level, sequela	ICD-10-CM	Diagnosis
S66.115D	Strain of flexor muscle, fascia and tendon of left ring finger at wrist and hand level, subsequent encounter	ICD-10-CM	Diagnosis
S66.118A	Strain of flexor muscle, fascia and tendon of other finger at wrist and hand level, initial encounter	ICD-10-CM	Diagnosis
S66.118S	Strain of flexor muscle, fascia and tendon of other finger at wrist and hand level, sequela	ICD-10-CM	Diagnosis
S66.118D	Strain of flexor muscle, fascia and tendon of other finger at wrist and hand level, subsequent encounter	ICD-10-CM	Diagnosis
S66.110A	Strain of flexor muscle, fascia and tendon of right index finger at wrist and hand level, initial encounter	ICD-10-CM	Diagnosis
S66.110S	Strain of flexor muscle, fascia and tendon of right index finger at wrist and hand level, sequela	ICD-10-CM	Diagnosis
S66.110D	Strain of flexor muscle, fascia and tendon of right index finger at wrist and hand level, subsequent encounter	ICD-10-CM	Diagnosis
S66.116A	Strain of flexor muscle, fascia and tendon of right little finger at wrist and hand level, initial encounter	ICD-10-CM	Diagnosis
S66.116S	Strain of flexor muscle, fascia and tendon of right little finger at wrist and hand level, sequela	ICD-10-CM	Diagnosis
S66.116D	Strain of flexor muscle, fascia and tendon of right little finger at wrist and hand level, subsequent encounter	ICD-10-CM	Diagnosis
S66.112A	Strain of flexor muscle, fascia and tendon of right middle finger at wrist and hand level, initial encounter	ICD-10-CM	Diagnosis
S66.112S	Strain of flexor muscle, fascia and tendon of right middle finger at wrist and hand level, sequela	ICD-10-CM	Diagnosis
S66.112D	Strain of flexor muscle, fascia and tendon of right middle finger at wrist and hand level, subsequent encounter	ICD-10-CM	Diagnosis
S66.114A	Strain of flexor muscle, fascia and tendon of right ring finger at wrist and hand level, initial encounter	ICD-10-CM	Diagnosis
S66.114S	Strain of flexor muscle, fascia and tendon of right ring finger at wrist and hand level, sequela	ICD-10-CM	Diagnosis
S66.114D	Strain of flexor muscle, fascia and tendon of right ring finger at wrist and hand level, subsequent encounter	ICD-10-CM	Diagnosis
S66.119A	Strain of flexor muscle, fascia and tendon of unspecified finger at wrist and hand level, initial encounter	ICD-10-CM	Diagnosis
S66.119S	Strain of flexor muscle, fascia and tendon of unspecified finger at wrist and hand level, sequela	ICD-10-CM	Diagnosis
S66.119D	Strain of flexor muscle, fascia and tendon of unspecified finger at wrist and hand level, subsequent encounter	ICD-10-CM	Diagnosis
S66.511A	Strain of intrinsic muscle, fascia and tendon of left index finger at wrist and hand level, initial encounter	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S66.511S	Strain of intrinsic muscle, fascia and tendon of left index finger at wrist and hand level, sequela	ICD-10-CM	Diagnosis
S66.511D	Strain of intrinsic muscle, fascia and tendon of left index finger at wrist and hand level, subsequent encounter	ICD-10-CM	Diagnosis
S66.517A	Strain of intrinsic muscle, fascia and tendon of left little finger at wrist and hand level, initial encounter	ICD-10-CM	Diagnosis
S66.517S	Strain of intrinsic muscle, fascia and tendon of left little finger at wrist and hand level, sequela	ICD-10-CM	Diagnosis
S66.517D	Strain of intrinsic muscle, fascia and tendon of left little finger at wrist and hand level, subsequent encounter	ICD-10-CM	Diagnosis
S66.513A	Strain of intrinsic muscle, fascia and tendon of left middle finger at wrist and hand level, initial encounter	ICD-10-CM	Diagnosis
S66.513S	Strain of intrinsic muscle, fascia and tendon of left middle finger at wrist and hand level, sequela	ICD-10-CM	Diagnosis
S66.513D	Strain of intrinsic muscle, fascia and tendon of left middle finger at wrist and hand level, subsequent encounter	ICD-10-CM	Diagnosis
S66.515A	Strain of intrinsic muscle, fascia and tendon of left ring finger at wrist and hand level, initial encounter	ICD-10-CM	Diagnosis
S66.515S	Strain of intrinsic muscle, fascia and tendon of left ring finger at wrist and hand level, sequela	ICD-10-CM	Diagnosis
S66.515D	Strain of intrinsic muscle, fascia and tendon of left ring finger at wrist and hand level, subsequent encounter	ICD-10-CM	Diagnosis
S66.412A	Strain of intrinsic muscle, fascia and tendon of left thumb at wrist and hand level, initial encounter	ICD-10-CM	Diagnosis
S66.412S	Strain of intrinsic muscle, fascia and tendon of left thumb at wrist and hand level, sequela	ICD-10-CM	Diagnosis
S66.412D	Strain of intrinsic muscle, fascia and tendon of left thumb at wrist and hand level, subsequent encounter	ICD-10-CM	Diagnosis
S66.518A	Strain of intrinsic muscle, fascia and tendon of other finger at wrist and hand level, initial encounter	ICD-10-CM	Diagnosis
S66.518S	Strain of intrinsic muscle, fascia and tendon of other finger at wrist and hand level, sequela	ICD-10-CM	Diagnosis
S66.518D	Strain of intrinsic muscle, fascia and tendon of other finger at wrist and hand level, subsequent encounter	ICD-10-CM	Diagnosis
S66.510A	Strain of intrinsic muscle, fascia and tendon of right index finger at wrist and hand level, initial encounter	ICD-10-CM	Diagnosis
S66.510S	Strain of intrinsic muscle, fascia and tendon of right index finger at wrist and hand level, sequela	ICD-10-CM	Diagnosis
S66.510D	Strain of intrinsic muscle, fascia and tendon of right index finger at wrist and hand level, subsequent encounter	ICD-10-CM	Diagnosis
S66.516A	Strain of intrinsic muscle, fascia and tendon of right little finger at wrist and hand level, initial encounter	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S66.516S	Strain of intrinsic muscle, fascia and tendon of right little finger at wrist and hand level, sequela	ICD-10-CM	Diagnosis
S66.516D	Strain of intrinsic muscle, fascia and tendon of right little finger at wrist and hand level, subsequent encounter	ICD-10-CM	Diagnosis
S66.512A	Strain of intrinsic muscle, fascia and tendon of right middle finger at wrist and hand level, initial encounter	ICD-10-CM	Diagnosis
S66.512S	Strain of intrinsic muscle, fascia and tendon of right middle finger at wrist and hand level, sequela	ICD-10-CM	Diagnosis
S66.512D	Strain of intrinsic muscle, fascia and tendon of right middle finger at wrist and hand level, subsequent encounter	ICD-10-CM	Diagnosis
S66.514A	Strain of intrinsic muscle, fascia and tendon of right ring finger at wrist and hand level, initial encounter	ICD-10-CM	Diagnosis
S66.514S	Strain of intrinsic muscle, fascia and tendon of right ring finger at wrist and hand level, sequela	ICD-10-CM	Diagnosis
S66.514D	Strain of intrinsic muscle, fascia and tendon of right ring finger at wrist and hand level, subsequent encounter	ICD-10-CM	Diagnosis
S66.411A	Strain of intrinsic muscle, fascia and tendon of right thumb at wrist and hand level, initial encounter	ICD-10-CM	Diagnosis
S66.411S	Strain of intrinsic muscle, fascia and tendon of right thumb at wrist and hand level, sequela	ICD-10-CM	Diagnosis
S66.411D	Strain of intrinsic muscle, fascia and tendon of right thumb at wrist and hand level, subsequent encounter	ICD-10-CM	Diagnosis
S66.519A	Strain of intrinsic muscle, fascia and tendon of unspecified finger at wrist and hand level, initial encounter	ICD-10-CM	Diagnosis
S66.519S	Strain of intrinsic muscle, fascia and tendon of unspecified finger at wrist and hand level, sequela	ICD-10-CM	Diagnosis
S66.519D	Strain of intrinsic muscle, fascia and tendon of unspecified finger at wrist and hand level, subsequent encounter	ICD-10-CM	Diagnosis
S66.419A	Strain of intrinsic muscle, fascia and tendon of unspecified thumb at wrist and hand level, initial encounter	ICD-10-CM	Diagnosis
S66.419S	Strain of intrinsic muscle, fascia and tendon of unspecified thumb at wrist and hand level, sequela	ICD-10-CM	Diagnosis
S66.419D	Strain of intrinsic muscle, fascia and tendon of unspecified thumb at wrist and hand level, subsequent encounter	ICD-10-CM	Diagnosis
S96.212A	Strain of intrinsic muscle and tendon at ankle and foot level, left foot, initial encounter	ICD-10-CM	Diagnosis
S96.212S	Strain of intrinsic muscle and tendon at ankle and foot level, left foot, sequela	ICD-10-CM	Diagnosis
S96.212D	Strain of intrinsic muscle and tendon at ankle and foot level, left foot, subsequent encounter	ICD-10-CM	Diagnosis
S96.211A	Strain of intrinsic muscle and tendon at ankle and foot level, right foot, initial encounter	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S96.211S	Strain of intrinsic muscle and tendon at ankle and foot level, right foot, sequela	ICD-10-CM	Diagnosis
S96.211D	Strain of intrinsic muscle and tendon at ankle and foot level, right foot, subsequent encounter	ICD-10-CM	Diagnosis
S96.219A	Strain of intrinsic muscle and tendon at ankle and foot level, unspecified foot, initial encounter	ICD-10-CM	Diagnosis
S96.219S	Strain of intrinsic muscle and tendon at ankle and foot level, unspecified foot, sequela	ICD-10-CM	Diagnosis
S96.219D	Strain of intrinsic muscle and tendon at ankle and foot level, unspecified foot, subsequent encounter	ICD-10-CM	Diagnosis
S86.012A	Strain of left Achilles tendon, initial encounter	ICD-10-CM	Diagnosis
S86.012D	Strain of left Achilles tendon, subsequent encounter	ICD-10-CM	Diagnosis
S66.012A	Strain of long flexor muscle, fascia and tendon of left thumb at wrist and hand level, initial encounter	ICD-10-CM	Diagnosis
S66.012S	Strain of long flexor muscle, fascia and tendon of left thumb at wrist and hand level, sequela	ICD-10-CM	Diagnosis
S66.012D	Strain of long flexor muscle, fascia and tendon of left thumb at wrist and hand level, subsequent encounter	ICD-10-CM	Diagnosis
S66.011A	Strain of long flexor muscle, fascia and tendon of right thumb at wrist and hand level, initial encounter	ICD-10-CM	Diagnosis
S66.011S	Strain of long flexor muscle, fascia and tendon of right thumb at wrist and hand level, sequela	ICD-10-CM	Diagnosis
S66.011D	Strain of long flexor muscle, fascia and tendon of right thumb at wrist and hand level, subsequent encounter	ICD-10-CM	Diagnosis
S66.019A	Strain of long flexor muscle, fascia and tendon of unspecified thumb at wrist and hand level, initial encounter	ICD-10-CM	Diagnosis
S66.019S	Strain of long flexor muscle, fascia and tendon of unspecified thumb at wrist and hand level, sequela	ICD-10-CM	Diagnosis
S66.019D	Strain of long flexor muscle, fascia and tendon of unspecified thumb at wrist and hand level, subsequent encounter	ICD-10-CM	Diagnosis
S76.112A	Strain of left quadriceps muscle, fascia and tendon, initial encounter	ICD-10-CM	Diagnosis
S76.112S	Strain of left quadriceps muscle, fascia and tendon, sequela	ICD-10-CM	Diagnosis
S76.112D	Strain of left quadriceps muscle, fascia and tendon, subsequent encounter	ICD-10-CM	Diagnosis
S46.119A	Strain of muscle, fascia and tendon of long head of biceps, unspecified arm, initial encounter	ICD-10-CM	Diagnosis
S46.012S	Strain of muscle(s) and tendon(s) of the rotator cuff of left shoulder, sequela	ICD-10-CM	Diagnosis
S46.012D	Strain of muscle(s) and tendon(s) of the rotator cuff of left shoulder, subsequent encounter	ICD-10-CM	Diagnosis
S46.011S	Strain of muscle(s) and tendon(s) of the rotator cuff of right shoulder, sequela	ICD-10-CM	Diagnosis
S46.011D	Strain of muscle(s) and tendon(s) of the rotator cuff of right shoulder, subsequent encounter	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S46.019S	Strain of muscle(s) and tendon(s) of the rotator cuff of unspecified shoulder, sequela	ICD-10-CM	Diagnosis
S46.112S	Strain of muscle, fascia and tendon of long head of biceps, left arm, sequela	ICD-10-CM	Diagnosis
S46.111S	Strain of muscle, fascia and tendon of long head of biceps, right arm, sequela	ICD-10-CM	Diagnosis
S46.119S	Strain of muscle, fascia and tendon of long head of biceps, unspecified arm, sequela	ICD-10-CM	Diagnosis
S16.1XXD	Strain of muscle, fascia and tendon at neck level, subsequent encounter	ICD-10-CM	Diagnosis
S46.212A	Strain of muscle, fascia and tendon of other parts of biceps, left arm, initial encounter	ICD-10-CM	Diagnosis
S46.212S	Strain of muscle, fascia and tendon of other parts of biceps, left arm, sequela	ICD-10-CM	Diagnosis
S46.211A	Strain of muscle, fascia and tendon of other parts of biceps, right arm, initial encounter	ICD-10-CM	Diagnosis
S46.211S	Strain of muscle, fascia and tendon of other parts of biceps, right arm, sequela	ICD-10-CM	Diagnosis
S46.219S	Strain of muscle, fascia and tendon of other parts of biceps, unspecified arm, sequela	ICD-10-CM	Diagnosis
S46.219D	Strain of muscle, fascia and tendon of other parts of biceps, unspecified arm, subsequent encounter	ICD-10-CM	Diagnosis
S46.212D	Strain of muscle, fascia and tendon of other parts of biceps, left arm, subsequent encounter	ICD-10-CM	Diagnosis
S46.211D	Strain of muscle, fascia and tendon of other parts of biceps, right arm, subsequent encounter	ICD-10-CM	Diagnosis
S46.312D	Strain of muscle, fascia and tendon of triceps, left arm, subsequent encounter	ICD-10-CM	Diagnosis
S46.311D	Strain of muscle, fascia and tendon of triceps, right arm, subsequent encounter	ICD-10-CM	Diagnosis
S46.319D	Strain of muscle, fascia and tendon of triceps, unspecified arm, subsequent encounter	ICD-10-CM	Diagnosis
S96.112A	Strain of muscle and tendon of long extensor muscle of toe at ankle and foot level, left foot, initial encounter	ICD-10-CM	Diagnosis
S96.112S	Strain of muscle and tendon of long extensor muscle of toe at ankle and foot level, left foot, sequela	ICD-10-CM	Diagnosis
S96.112D	Strain of muscle and tendon of long extensor muscle of toe at ankle and foot level, left foot, subsequent encounter	ICD-10-CM	Diagnosis
S96.111A	Strain of muscle and tendon of long extensor muscle of toe at ankle and foot level, right foot, initial encounter	ICD-10-CM	Diagnosis
S96.111S	Strain of muscle and tendon of long extensor muscle of toe at ankle and foot level, right foot, sequela	ICD-10-CM	Diagnosis
S96.111D	Strain of muscle and tendon of long extensor muscle of toe at ankle and foot level, right foot, subsequent encounter	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S96.119A	Strain of muscle and tendon of long extensor muscle of toe at ankle and foot level, unspecified foot, initial encounter	ICD-10-CM	Diagnosis
S96.119S	Strain of muscle and tendon of long extensor muscle of toe at ankle and foot level, unspecified foot, sequela	ICD-10-CM	Diagnosis
S96.119D	Strain of muscle and tendon of long extensor muscle of toe at ankle and foot level, unspecified foot, subsequent encounter	ICD-10-CM	Diagnosis
S96.012A	Strain of muscle and tendon of long flexor muscle of toe at ankle and foot level, left foot, initial encounter	ICD-10-CM	Diagnosis
S96.012S	Strain of muscle and tendon of long flexor muscle of toe at ankle and foot level, left foot, sequela	ICD-10-CM	Diagnosis
S96.012D	Strain of muscle and tendon of long flexor muscle of toe at ankle and foot level, left foot, subsequent encounter	ICD-10-CM	Diagnosis
S96.011A	Strain of muscle and tendon of long flexor muscle of toe at ankle and foot level, right foot, initial encounter	ICD-10-CM	Diagnosis
S96.011S	Strain of muscle and tendon of long flexor muscle of toe at ankle and foot level, right foot, sequela	ICD-10-CM	Diagnosis
S96.011D	Strain of muscle and tendon of long flexor muscle of toe at ankle and foot level, right foot, subsequent encounter	ICD-10-CM	Diagnosis
S96.019A	Strain of muscle and tendon of long flexor muscle of toe at ankle and foot level, unspecified foot, initial encounter	ICD-10-CM	Diagnosis
S96.019S	Strain of muscle and tendon of long flexor muscle of toe at ankle and foot level, unspecified foot, sequela	ICD-10-CM	Diagnosis
S96.019D	Strain of muscle and tendon of long flexor muscle of toe at ankle and foot level, unspecified foot, subsequent encounter	ICD-10-CM	Diagnosis
S86.312A	Strain of muscle(s) and tendon(s) of peroneal muscle group at lower leg level, left leg, initial encounter	ICD-10-CM	Diagnosis
S86.312S	Strain of muscle(s) and tendon(s) of peroneal muscle group at lower leg level, left leg, sequela	ICD-10-CM	Diagnosis
S86.312D	Strain of muscle(s) and tendon(s) of peroneal muscle group at lower leg level, left leg, subsequent encounter	ICD-10-CM	Diagnosis
S86.311A	Strain of muscle(s) and tendon(s) of peroneal muscle group at lower leg level, right leg, initial encounter	ICD-10-CM	Diagnosis
S86.311S	Strain of muscle(s) and tendon(s) of peroneal muscle group at lower leg level, right leg, sequela	ICD-10-CM	Diagnosis
S86.311D	Strain of muscle(s) and tendon(s) of peroneal muscle group at lower leg level, right leg, subsequent encounter	ICD-10-CM	Diagnosis
S86.319A	Strain of muscle(s) and tendon(s) of peroneal muscle group at lower leg level, unspecified leg, initial encounter	ICD-10-CM	Diagnosis
S86.319S	Strain of muscle(s) and tendon(s) of peroneal muscle group at lower leg level, unspecified leg, sequela	ICD-10-CM	Diagnosis
S86.319D	Strain of muscle(s) and tendon(s) of peroneal muscle group at lower leg level, unspecified leg, subsequent encounter	ICD-10-CM	Diagnosis



**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S46.012A	Strain of muscle(s) and tendon(s) of the rotator cuff of left shoulder, initial encounter	ICD-10-CM	Diagnosis
S46.019A	Strain of muscle(s) and tendon(s) of the rotator cuff of unspecified shoulder, initial encounter	ICD-10-CM	Diagnosis
S29.012A	Strain of muscle and tendon of back wall of thorax, initial encounter	ICD-10-CM	Diagnosis
S29.012S	Strain of muscle and tendon of back wall of thorax, sequela	ICD-10-CM	Diagnosis
S29.012D	Strain of muscle and tendon of back wall of thorax, subsequent encounter	ICD-10-CM	Diagnosis
S29.011A	Strain of muscle and tendon of front wall of thorax, initial encounter	ICD-10-CM	Diagnosis
S29.011S	Strain of muscle and tendon of front wall of thorax, sequela	ICD-10-CM	Diagnosis
S29.011D	Strain of muscle and tendon of front wall of thorax, subsequent encounter	ICD-10-CM	Diagnosis
S09.11XD	Strain of muscle and tendon of head, subsequent encounter	ICD-10-CM	Diagnosis
S09.11XA	Strain of muscle and tendon of head, initial encounter	ICD-10-CM	Diagnosis
S29.019A	Strain of muscle and tendon of unspecified wall of thorax, initial encounter	ICD-10-CM	Diagnosis
S29.019S	Strain of muscle and tendon of unspecified wall of thorax, sequela	ICD-10-CM	Diagnosis
S29.019D	Strain of muscle and tendon of unspecified wall of thorax, subsequent encounter	ICD-10-CM	Diagnosis
S16.1XXS	Strain of muscle, fascia and tendon at neck level, sequela	ICD-10-CM	Diagnosis
S16.1XXA	Strain of muscle, fascia and tendon at neck level, initial encounter	ICD-10-CM	Diagnosis
S76.312A	Strain of muscle, fascia and tendon of the posterior muscle group at thigh level, left thigh, initial encounter	ICD-10-CM	Diagnosis
S76.312S	Strain of muscle, fascia and tendon of the posterior muscle group at thigh level, left thigh, sequela	ICD-10-CM	Diagnosis
S76.312D	Strain of muscle, fascia and tendon of the posterior muscle group at thigh level, left thigh, subsequent encounter	ICD-10-CM	Diagnosis
S76.311A	Strain of muscle, fascia and tendon of the posterior muscle group at thigh level, right thigh, initial encounter	ICD-10-CM	Diagnosis
S76.311S	Strain of muscle, fascia and tendon of the posterior muscle group at thigh level, right thigh, sequela	ICD-10-CM	Diagnosis
S76.311D	Strain of muscle, fascia and tendon of the posterior muscle group at thigh level, right thigh, subsequent encounter	ICD-10-CM	Diagnosis
S76.319A	Strain of muscle, fascia and tendon of the posterior muscle group at thigh level, unspecified thigh, initial encounter	ICD-10-CM	Diagnosis
S76.319S	Strain of muscle, fascia and tendon of the posterior muscle group at thigh level, unspecified thigh, sequela	ICD-10-CM	Diagnosis
S76.319D	Strain of muscle, fascia and tendon of the posterior muscle group at thigh level, unspecified thigh, subsequent encounter	ICD-10-CM	Diagnosis
S46.312S	Strain of muscle, fascia and tendon of triceps, left arm, sequela	ICD-10-CM	Diagnosis
S46.311S	Strain of muscle, fascia and tendon of triceps, right arm, sequela	ICD-10-CM	Diagnosis
S46.312A	Strain of muscle, fascia and tendon of triceps, left arm, initial encounter	ICD-10-CM	Diagnosis
S46.311A	Strain of muscle, fascia and tendon of triceps, right arm, initial encounter	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S46.319A	Strain of muscle, fascia and tendon of triceps, unspecified arm, initial encounter	ICD-10-CM	Diagnosis
S46.319S	Strain of muscle, fascia and tendon of triceps, unspecified arm, sequela	ICD-10-CM	Diagnosis
S39.011A	Strain of muscle, fascia and tendon of abdomen, initial encounter	ICD-10-CM	Diagnosis
S39.011D	Strain of muscle, fascia and tendon of abdomen, subsequent encounter	ICD-10-CM	Diagnosis
S39.012A	Strain of muscle, fascia and tendon of lower back, initial encounter	ICD-10-CM	Diagnosis
S39.012S	Strain of muscle, fascia and tendon of lower back, sequela	ICD-10-CM	Diagnosis
S39.012D	Strain of muscle, fascia and tendon of lower back, subsequent encounter	ICD-10-CM	Diagnosis
S39.011S	Strain of muscle, fascia and tendon of abdomen, sequela	ICD-10-CM	Diagnosis
S39.013S	Strain of muscle, fascia and tendon of pelvis, sequela	ICD-10-CM	Diagnosis
S39.013A	Strain of muscle, fascia and tendon of pelvis, initial encounter	ICD-10-CM	Diagnosis
S39.013D	Strain of muscle, fascia and tendon of pelvis, subsequent encounter	ICD-10-CM	Diagnosis
S76.012A	Strain of muscle, fascia and tendon of left hip, initial encounter	ICD-10-CM	Diagnosis
S76.012S	Strain of muscle, fascia and tendon of left hip, sequela	ICD-10-CM	Diagnosis
S76.012D	Strain of muscle, fascia and tendon of left hip, subsequent encounter	ICD-10-CM	Diagnosis
S76.011S	Strain of muscle, fascia and tendon of right hip, sequela	ICD-10-CM	Diagnosis
S76.011A	Strain of muscle, fascia and tendon of right hip, initial encounter	ICD-10-CM	Diagnosis
S76.011D	Strain of muscle, fascia and tendon of right hip, subsequent encounter	ICD-10-CM	Diagnosis
S76.019A	Strain of muscle, fascia and tendon of unspecified hip, initial encounter	ICD-10-CM	Diagnosis
S76.019S	Strain of muscle, fascia and tendon of unspecified hip, sequela	ICD-10-CM	Diagnosis
S76.019D	Strain of muscle, fascia and tendon of unspecified hip, subsequent encounter	ICD-10-CM	Diagnosis
S86.012S	Strain of left Achilles tendon, sequela	ICD-10-CM	Diagnosis
S09.11XS	Strain of muscle and tendon of head, sequela	ICD-10-CM	Diagnosis
S86.011S	Strain of right Achilles tendon, sequela	ICD-10-CM	Diagnosis
S86.019S	Strain of unspecified Achilles tendon, sequela	ICD-10-CM	Diagnosis
S46.812A	Strain of other muscles, fascia and tendons at shoulder and upper arm level, left arm, initial encounter	ICD-10-CM	Diagnosis
S46.812S	Strain of other muscles, fascia and tendons at shoulder and upper arm level, left arm, sequela	ICD-10-CM	Diagnosis
S46.812D	Strain of other muscles, fascia and tendons at shoulder and upper arm level, left arm, subsequent encounter	ICD-10-CM	Diagnosis
S46.811A	Strain of other muscles, fascia and tendons at shoulder and upper arm level, right arm, initial encounter	ICD-10-CM	Diagnosis
S46.811S	Strain of other muscles, fascia and tendons at shoulder and upper arm level, right arm, sequela	ICD-10-CM	Diagnosis
S46.811D	Strain of other muscles, fascia and tendons at shoulder and upper arm level, right arm, subsequent encounter	ICD-10-CM	Diagnosis
S46.819S	Strain of other muscles, fascia and tendons at shoulder and upper arm level, unspecified arm, sequela	ICD-10-CM	Diagnosis
S46.819D	Strain of other muscles, fascia and tendons at shoulder and upper arm level, unspecified arm, subsequent encounter	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S46.819A	Strain of other muscles, fascia and tendons at shoulder and upper arm level, unspecified arm, initial encounter	ICD-10-CM	Diagnosis
S96.812S	Strain of other specified muscles and tendons at ankle and foot level, left foot, sequela	ICD-10-CM	Diagnosis
S96.811S	Strain of other specified muscles and tendons at ankle and foot level, right foot, sequela	ICD-10-CM	Diagnosis
S96.819S	Strain of other specified muscles and tendons at ankle and foot level, unspecified foot, sequela	ICD-10-CM	Diagnosis
S96.812A	Strain of other specified muscles and tendons at ankle and foot level, left foot, initial encounter	ICD-10-CM	Diagnosis
S96.812D	Strain of other specified muscles and tendons at ankle and foot level, left foot, subsequent encounter	ICD-10-CM	Diagnosis
S96.811A	Strain of other specified muscles and tendons at ankle and foot level, right foot, initial encounter	ICD-10-CM	Diagnosis
S96.811D	Strain of other specified muscles and tendons at ankle and foot level, right foot, subsequent encounter	ICD-10-CM	Diagnosis
S96.819A	Strain of other specified muscles and tendons at ankle and foot level, unspecified foot, initial encounter	ICD-10-CM	Diagnosis
S96.819D	Strain of other specified muscles and tendons at ankle and foot level, unspecified foot, subsequent encounter	ICD-10-CM	Diagnosis
S86.212A	Strain of muscle(s) and tendon(s) of anterior muscle group at lower leg level, left leg, initial encounter	ICD-10-CM	Diagnosis
S86.212S	Strain of muscle(s) and tendon(s) of anterior muscle group at lower leg level, left leg, sequela	ICD-10-CM	Diagnosis
S86.212D	Strain of muscle(s) and tendon(s) of anterior muscle group at lower leg level, left leg, subsequent encounter	ICD-10-CM	Diagnosis
S86.211A	Strain of muscle(s) and tendon(s) of anterior muscle group at lower leg level, right leg, initial encounter	ICD-10-CM	Diagnosis
S86.211S	Strain of muscle(s) and tendon(s) of anterior muscle group at lower leg level, right leg, sequela	ICD-10-CM	Diagnosis
S86.211D	Strain of muscle(s) and tendon(s) of anterior muscle group at lower leg level, right leg, subsequent encounter	ICD-10-CM	Diagnosis
S86.219A	Strain of muscle(s) and tendon(s) of anterior muscle group at lower leg level, unspecified leg, initial encounter	ICD-10-CM	Diagnosis
S86.219S	Strain of muscle(s) and tendon(s) of anterior muscle group at lower leg level, unspecified leg, sequela	ICD-10-CM	Diagnosis
S86.219D	Strain of muscle(s) and tendon(s) of anterior muscle group at lower leg level, unspecified leg, subsequent encounter	ICD-10-CM	Diagnosis
S86.112A	Strain of other muscle(s) and tendon(s) of posterior muscle group at lower leg level, left leg, initial encounter	ICD-10-CM	Diagnosis
S86.112S	Strain of other muscle(s) and tendon(s) of posterior muscle group at lower leg level, left leg, sequela	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S86.112D	Strain of other muscle(s) and tendon(s) of posterior muscle group at lower leg level, left leg, subsequent encounter	ICD-10-CM	Diagnosis
S86.111A	Strain of other muscle(s) and tendon(s) of posterior muscle group at lower leg level, right leg, initial encounter	ICD-10-CM	Diagnosis
S86.111S	Strain of other muscle(s) and tendon(s) of posterior muscle group at lower leg level, right leg, sequela	ICD-10-CM	Diagnosis
S86.111D	Strain of other muscle(s) and tendon(s) of posterior muscle group at lower leg level, right leg, subsequent encounter	ICD-10-CM	Diagnosis
S86.119A	Strain of other muscle(s) and tendon(s) of posterior muscle group at lower leg level, unspecified leg, initial encounter	ICD-10-CM	Diagnosis
S86.119S	Strain of other muscle(s) and tendon(s) of posterior muscle group at lower leg level, unspecified leg, sequela	ICD-10-CM	Diagnosis
S86.119D	Strain of other muscle(s) and tendon(s) of posterior muscle group at lower leg level, unspecified leg, subsequent encounter	ICD-10-CM	Diagnosis
S86.819A	Strain of other muscle(s) and tendon(s) at lower leg level, unspecified leg, initial encounter	ICD-10-CM	Diagnosis
S86.819S	Strain of other muscle(s) and tendon(s) at lower leg level, unspecified leg, sequela	ICD-10-CM	Diagnosis
S86.812A	Strain of other muscle(s) and tendon(s) at lower leg level, left leg, initial encounter	ICD-10-CM	Diagnosis
S86.812S	Strain of other muscle(s) and tendon(s) at lower leg level, left leg, sequela	ICD-10-CM	Diagnosis
S86.812D	Strain of other muscle(s) and tendon(s) at lower leg level, left leg, subsequent encounter	ICD-10-CM	Diagnosis
S86.811A	Strain of other muscle(s) and tendon(s) at lower leg level, right leg, initial encounter	ICD-10-CM	Diagnosis
S86.811S	Strain of other muscle(s) and tendon(s) at lower leg level, right leg, sequela	ICD-10-CM	Diagnosis
S86.811D	Strain of other muscle(s) and tendon(s) at lower leg level, right leg, subsequent encounter	ICD-10-CM	Diagnosis
S86.819D	Strain of other muscle(s) and tendon(s) at lower leg level, unspecified leg, subsequent encounter	ICD-10-CM	Diagnosis
S66.812A	Strain of other specified muscles, fascia and tendons at wrist and hand level, left hand, initial encounter	ICD-10-CM	Diagnosis
S66.812S	Strain of other specified muscles, fascia and tendons at wrist and hand level, left hand, sequela	ICD-10-CM	Diagnosis
S66.812D	Strain of other specified muscles, fascia and tendons at wrist and hand level, left hand, subsequent encounter	ICD-10-CM	Diagnosis
S66.811A	Strain of other specified muscles, fascia and tendons at wrist and hand level, right hand, initial encounter	ICD-10-CM	Diagnosis
S66.811S	Strain of other specified muscles, fascia and tendons at wrist and hand level, right hand, sequela	ICD-10-CM	Diagnosis
S66.811D	Strain of other specified muscles, fascia and tendons at wrist and hand level, right hand, subsequent encounter	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S66.819A	Strain of other specified muscles, fascia and tendons at wrist and hand level, unspecified hand, initial encounter	ICD-10-CM	Diagnosis
S66.819S	Strain of other specified muscles, fascia and tendons at wrist and hand level, unspecified hand, sequela	ICD-10-CM	Diagnosis
S66.819D	Strain of other specified muscles, fascia and tendons at wrist and hand level, unspecified hand, subsequent encounter	ICD-10-CM	Diagnosis
S76.812A	Strain of other specified muscles, fascia and tendons at thigh level, left thigh, initial encounter	ICD-10-CM	Diagnosis
S76.812S	Strain of other specified muscles, fascia and tendons at thigh level, left thigh, sequela	ICD-10-CM	Diagnosis
S76.812D	Strain of other specified muscles, fascia and tendons at thigh level, left thigh, subsequent encounter	ICD-10-CM	Diagnosis
S76.811A	Strain of other specified muscles, fascia and tendons at thigh level, right thigh, initial encounter	ICD-10-CM	Diagnosis
S76.811S	Strain of other specified muscles, fascia and tendons at thigh level, right thigh, sequela	ICD-10-CM	Diagnosis
S76.811D	Strain of other specified muscles, fascia and tendons at thigh level, right thigh, subsequent encounter	ICD-10-CM	Diagnosis
S76.819A	Strain of other specified muscles, fascia and tendons at thigh level, unspecified thigh, initial encounter	ICD-10-CM	Diagnosis
S76.819S	Strain of other specified muscles, fascia and tendons at thigh level, unspecified thigh, sequela	ICD-10-CM	Diagnosis
S76.819D	Strain of other specified muscles, fascia and tendons at thigh level, unspecified thigh, subsequent encounter	ICD-10-CM	Diagnosis
S86.011A	Strain of right Achilles tendon, initial encounter	ICD-10-CM	Diagnosis
S86.011D	Strain of right Achilles tendon, subsequent encounter	ICD-10-CM	Diagnosis
S76.111A	Strain of right quadriceps muscle, fascia and tendon, initial encounter	ICD-10-CM	Diagnosis
S76.119A	Strain of unspecified quadriceps muscle, fascia and tendon, initial encounter	ICD-10-CM	Diagnosis
S76.111S	Strain of right quadriceps muscle, fascia and tendon, sequela	ICD-10-CM	Diagnosis
S76.119S	Strain of unspecified quadriceps muscle, fascia and tendon, sequela	ICD-10-CM	Diagnosis
S76.111D	Strain of right quadriceps muscle, fascia and tendon, subsequent encounter	ICD-10-CM	Diagnosis
S76.119D	Strain of unspecified quadriceps muscle, fascia and tendon, subsequent encounter	ICD-10-CM	Diagnosis
S86.019A	Strain of unspecified Achilles tendon, initial encounter	ICD-10-CM	Diagnosis
S86.019D	Strain of unspecified Achilles tendon, subsequent encounter	ICD-10-CM	Diagnosis
S66.919A	Strain of unspecified muscle, fascia and tendon at wrist and hand level, unspecified hand, initial encounter	ICD-10-CM	Diagnosis
S66.919S	Strain of unspecified muscle, fascia and tendon at wrist and hand level, unspecified hand, sequela	ICD-10-CM	Diagnosis
S66.919D	Strain of unspecified muscle, fascia and tendon at wrist and hand level, unspecified hand, subsequent encounter	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S66.912A	Strain of unspecified muscle, fascia and tendon at wrist and hand level, left hand, initial encounter	ICD-10-CM	Diagnosis
S66.912S	Strain of unspecified muscle, fascia and tendon at wrist and hand level, left hand, sequela	ICD-10-CM	Diagnosis
S66.912D	Strain of unspecified muscle, fascia and tendon at wrist and hand level, left hand, subsequent encounter	ICD-10-CM	Diagnosis
S66.911A	Strain of unspecified muscle, fascia and tendon at wrist and hand level, right hand, initial encounter	ICD-10-CM	Diagnosis
S66.911S	Strain of unspecified muscle, fascia and tendon at wrist and hand level, right hand, sequela	ICD-10-CM	Diagnosis
S66.911D	Strain of unspecified muscle, fascia and tendon at wrist and hand level, right hand, subsequent encounter	ICD-10-CM	Diagnosis
S96.912A	Strain of unspecified muscle and tendon at ankle and foot level, left foot, initial encounter	ICD-10-CM	Diagnosis
S96.912S	Strain of unspecified muscle and tendon at ankle and foot level, left foot, sequela	ICD-10-CM	Diagnosis
S96.912D	Strain of unspecified muscle and tendon at ankle and foot level, left foot, subsequent encounter	ICD-10-CM	Diagnosis
S96.911A	Strain of unspecified muscle and tendon at ankle and foot level, right foot, initial encounter	ICD-10-CM	Diagnosis
S96.911S	Strain of unspecified muscle and tendon at ankle and foot level, right foot, sequela	ICD-10-CM	Diagnosis
S96.911D	Strain of unspecified muscle and tendon at ankle and foot level, right foot, subsequent encounter	ICD-10-CM	Diagnosis
S96.919A	Strain of unspecified muscle and tendon at ankle and foot level, unspecified foot, initial encounter	ICD-10-CM	Diagnosis
S96.919S	Strain of unspecified muscle and tendon at ankle and foot level, unspecified foot, sequela	ICD-10-CM	Diagnosis
S96.919D	Strain of unspecified muscle and tendon at ankle and foot level, unspecified foot, subsequent encounter	ICD-10-CM	Diagnosis
S76.912A	Strain of unspecified muscles, fascia and tendons at thigh level, left thigh, initial encounter	ICD-10-CM	Diagnosis
S76.912S	Strain of unspecified muscles, fascia and tendons at thigh level, left thigh, sequela	ICD-10-CM	Diagnosis
S76.912D	Strain of unspecified muscles, fascia and tendons at thigh level, left thigh, subsequent encounter	ICD-10-CM	Diagnosis
S76.911A	Strain of unspecified muscles, fascia and tendons at thigh level, right thigh, initial encounter	ICD-10-CM	Diagnosis
S76.911S	Strain of unspecified muscles, fascia and tendons at thigh level, right thigh, sequela	ICD-10-CM	Diagnosis
S76.911D	Strain of unspecified muscles, fascia and tendons at thigh level, right thigh, subsequent encounter	ICD-10-CM	Diagnosis



**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S76.919A	Strain of unspecified muscles, fascia and tendons at thigh level, unspecified thigh, initial encounter	ICD-10-CM	Diagnosis
S76.919S	Strain of unspecified muscles, fascia and tendons at thigh level, unspecified thigh, sequela	ICD-10-CM	Diagnosis
S76.919D	Strain of unspecified muscles, fascia and tendons at thigh level, unspecified thigh, subsequent encounter	ICD-10-CM	Diagnosis
S86.912A	Strain of unspecified muscle(s) and tendon(s) at lower leg level, left leg, initial encounter	ICD-10-CM	Diagnosis
S86.912S	Strain of unspecified muscle(s) and tendon(s) at lower leg level, left leg, sequela	ICD-10-CM	Diagnosis
S86.912D	Strain of unspecified muscle(s) and tendon(s) at lower leg level, left leg, subsequent encounter	ICD-10-CM	Diagnosis
S86.911A	Strain of unspecified muscle(s) and tendon(s) at lower leg level, right leg, initial encounter	ICD-10-CM	Diagnosis
S86.911S	Strain of unspecified muscle(s) and tendon(s) at lower leg level, right leg, sequela	ICD-10-CM	Diagnosis
S86.911D	Strain of unspecified muscle(s) and tendon(s) at lower leg level, right leg, subsequent encounter	ICD-10-CM	Diagnosis
S86.919A	Strain of unspecified muscle(s) and tendon(s) at lower leg level, unspecified leg, initial encounter	ICD-10-CM	Diagnosis
S86.919S	Strain of unspecified muscle(s) and tendon(s) at lower leg level, unspecified leg, sequela	ICD-10-CM	Diagnosis
S86.919D	Strain of unspecified muscle(s) and tendon(s) at lower leg level, unspecified leg, subsequent encounter	ICD-10-CM	Diagnosis
S56.412A	Strain of extensor muscle, fascia and tendon of left index finger at forearm level, initial encounter	ICD-10-CM	Diagnosis
S56.412S	Strain of extensor muscle, fascia and tendon of left index finger at forearm level, sequela	ICD-10-CM	Diagnosis
S56.412D	Strain of extensor muscle, fascia and tendon of left index finger at forearm level, subsequent encounter	ICD-10-CM	Diagnosis
S56.414A	Strain of extensor muscle, fascia and tendon of left middle finger at forearm level, initial encounter	ICD-10-CM	Diagnosis
S56.414D	Strain of extensor muscle, fascia and tendon of left middle finger at forearm level, subsequent encounter	ICD-10-CM	Diagnosis
S56.414S	Strain of extensor muscle, fascia and tendon of left middle finger at forearm level, sequela	ICD-10-CM	Diagnosis
S56.416A	Strain of extensor muscle, fascia and tendon of left ring finger at forearm level, initial encounter	ICD-10-CM	Diagnosis
S56.416S	Strain of extensor muscle, fascia and tendon of left ring finger at forearm level, sequela	ICD-10-CM	Diagnosis
S56.416D	Strain of extensor muscle, fascia and tendon of left ring finger at forearm level, subsequent encounter	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S56.413A	Strain of extensor muscle, fascia and tendon of right middle finger at forearm level, initial encounter	ICD-10-CM	Diagnosis
S56.413S	Strain of extensor muscle, fascia and tendon of right middle finger at forearm level, sequela	ICD-10-CM	Diagnosis
S56.413D	Strain of extensor muscle, fascia and tendon of right middle finger at forearm level, subsequent encounter	ICD-10-CM	Diagnosis
S56.415A	Strain of extensor muscle, fascia and tendon of right ring finger at forearm level, initial encounter	ICD-10-CM	Diagnosis
S56.415S	Strain of extensor muscle, fascia and tendon of right ring finger at forearm level, sequela	ICD-10-CM	Diagnosis
S56.415D	Strain of extensor muscle, fascia and tendon of right ring finger at forearm level, subsequent encounter	ICD-10-CM	Diagnosis
S56.418A	Strain of extensor muscle, fascia and tendon of left little finger at forearm level, initial encounter	ICD-10-CM	Diagnosis
S56.418S	Strain of extensor muscle, fascia and tendon of left little finger at forearm level, sequela	ICD-10-CM	Diagnosis
S56.418D	Strain of extensor muscle, fascia and tendon of left little finger at forearm level, subsequent encounter	ICD-10-CM	Diagnosis
S56.411A	Strain of extensor muscle, fascia and tendon of right index finger at forearm level, initial encounter	ICD-10-CM	Diagnosis
S56.411S	Strain of extensor muscle, fascia and tendon of right index finger at forearm level, sequela	ICD-10-CM	Diagnosis
S56.411D	Strain of extensor muscle, fascia and tendon of right index finger at forearm level, subsequent encounter	ICD-10-CM	Diagnosis
S56.417A	Strain of extensor muscle, fascia and tendon of right little finger at forearm level, initial encounter	ICD-10-CM	Diagnosis
S56.417S	Strain of extensor muscle, fascia and tendon of right little finger at forearm level, sequela	ICD-10-CM	Diagnosis
S56.417D	Strain of extensor muscle, fascia and tendon of right little finger at forearm level, subsequent encounter	ICD-10-CM	Diagnosis
S56.419A	Strain of extensor muscle, fascia and tendon of finger, unspecified finger at forearm level, initial encounter	ICD-10-CM	Diagnosis
S56.419S	Strain of extensor muscle, fascia and tendon of finger, unspecified finger at forearm level, sequela	ICD-10-CM	Diagnosis
S56.419D	Strain of extensor muscle, fascia and tendon of finger, unspecified finger at forearm level, subsequent encounter	ICD-10-CM	Diagnosis
S56.312A	Strain of extensor or abductor muscles, fascia and tendons of left thumb at forearm level, initial encounter	ICD-10-CM	Diagnosis
S56.312S	Strain of extensor or abductor muscles, fascia and tendons of left thumb at forearm level, sequela	ICD-10-CM	Diagnosis
S56.312D	Strain of extensor or abductor muscles, fascia and tendons of left thumb at forearm level, subsequent encounter	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S56.311A	Strain of extensor or abductor muscles, fascia and tendons of right thumb at forearm level, initial encounter	ICD-10-CM	Diagnosis
S56.311S	Strain of extensor or abductor muscles, fascia and tendons of right thumb at forearm level, sequela	ICD-10-CM	Diagnosis
S56.311D	Strain of extensor or abductor muscles, fascia and tendons of right thumb at forearm level, subsequent encounter	ICD-10-CM	Diagnosis
S56.319A	Strain of extensor or abductor muscles, fascia and tendons of unspecified thumb at forearm level, initial encounter	ICD-10-CM	Diagnosis
S56.319S	Strain of extensor or abductor muscles, fascia and tendons of unspecified thumb at forearm level, sequela	ICD-10-CM	Diagnosis
S56.319D	Strain of extensor or abductor muscles, fascia and tendons of unspecified thumb at forearm level, subsequent encounter	ICD-10-CM	Diagnosis
S56.119A	Strain of flexor muscle, fascia and tendon of finger of unspecified finger at forearm level, initial encounter	ICD-10-CM	Diagnosis
S56.119S	Strain of flexor muscle, fascia and tendon of finger of unspecified finger at forearm level, sequela	ICD-10-CM	Diagnosis
S56.119D	Strain of flexor muscle, fascia and tendon of finger of unspecified finger at forearm level, subsequent encounter	ICD-10-CM	Diagnosis
S56.112A	Strain of flexor muscle, fascia and tendon of left index finger at forearm level, initial encounter	ICD-10-CM	Diagnosis
S56.112S	Strain of flexor muscle, fascia and tendon of left index finger at forearm level, sequela	ICD-10-CM	Diagnosis
S56.112D	Strain of flexor muscle, fascia and tendon of left index finger at forearm level, subsequent encounter	ICD-10-CM	Diagnosis
S56.118A	Strain of flexor muscle, fascia and tendon of left little finger at forearm level, initial encounter	ICD-10-CM	Diagnosis
S56.118S	Strain of flexor muscle, fascia and tendon of left little finger at forearm level, sequela	ICD-10-CM	Diagnosis
S56.118D	Strain of flexor muscle, fascia and tendon of left little finger at forearm level, subsequent encounter	ICD-10-CM	Diagnosis
S56.114A	Strain of flexor muscle, fascia and tendon of left middle finger at forearm level, initial encounter	ICD-10-CM	Diagnosis
S56.114S	Strain of flexor muscle, fascia and tendon of left middle finger at forearm level, sequela	ICD-10-CM	Diagnosis
S56.114D	Strain of flexor muscle, fascia and tendon of left middle finger at forearm level, subsequent encounter	ICD-10-CM	Diagnosis
S56.116A	Strain of flexor muscle, fascia and tendon of left ring finger at forearm level, initial encounter	ICD-10-CM	Diagnosis
S56.116S	Strain of flexor muscle, fascia and tendon of left ring finger at forearm level, sequela	ICD-10-CM	Diagnosis
S56.116D	Strain of flexor muscle, fascia and tendon of left ring finger at forearm level, subsequent encounter	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S56.111A	Strain of flexor muscle, fascia and tendon of right index finger at forearm level, initial encounter	ICD-10-CM	Diagnosis
S56.111S	Strain of flexor muscle, fascia and tendon of right index finger at forearm level, sequela	ICD-10-CM	Diagnosis
S56.111D	Strain of flexor muscle, fascia and tendon of right index finger at forearm level, subsequent encounter	ICD-10-CM	Diagnosis
S56.117A	Strain of flexor muscle, fascia and tendon of right little finger at forearm level, initial encounter	ICD-10-CM	Diagnosis
S56.117S	Strain of flexor muscle, fascia and tendon of right little finger at forearm level, sequela	ICD-10-CM	Diagnosis
S56.117D	Strain of flexor muscle, fascia and tendon of right little finger at forearm level, subsequent encounter	ICD-10-CM	Diagnosis
S56.113A	Strain of flexor muscle, fascia and tendon of right middle finger at forearm level, initial encounter	ICD-10-CM	Diagnosis
S56.113S	Strain of flexor muscle, fascia and tendon of right middle finger at forearm level, sequela	ICD-10-CM	Diagnosis
S56.113D	Strain of flexor muscle, fascia and tendon of right middle finger at forearm level, subsequent encounter	ICD-10-CM	Diagnosis
S56.115A	Strain of flexor muscle, fascia and tendon of right ring finger at forearm level, initial encounter	ICD-10-CM	Diagnosis
S56.115S	Strain of flexor muscle, fascia and tendon of right ring finger at forearm level, sequela	ICD-10-CM	Diagnosis
S56.115D	Strain of flexor muscle, fascia and tendon of right ring finger at forearm level, subsequent encounter	ICD-10-CM	Diagnosis
S56.012A	Strain of flexor muscle, fascia and tendon of left thumb at forearm level, initial encounter	ICD-10-CM	Diagnosis
S56.012S	Strain of flexor muscle, fascia and tendon of left thumb at forearm level, sequela	ICD-10-CM	Diagnosis
S56.012D	Strain of flexor muscle, fascia and tendon of left thumb at forearm level, subsequent encounter	ICD-10-CM	Diagnosis
S56.011A	Strain of flexor muscle, fascia and tendon of right thumb at forearm level, initial encounter	ICD-10-CM	Diagnosis
S56.011S	Strain of flexor muscle, fascia and tendon of right thumb at forearm level, sequela	ICD-10-CM	Diagnosis
S56.011D	Strain of flexor muscle, fascia and tendon of right thumb at forearm level, subsequent encounter	ICD-10-CM	Diagnosis
S56.019A	Strain of flexor muscle, fascia and tendon of unspecified thumb at forearm level, initial encounter	ICD-10-CM	Diagnosis
S56.019S	Strain of flexor muscle, fascia and tendon of unspecified thumb at forearm level, sequela	ICD-10-CM	Diagnosis
S56.019D	Strain of flexor muscle, fascia and tendon of unspecified thumb at forearm level, subsequent encounter	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S46.112A	Strain of muscle, fascia and tendon of long head of biceps, left arm, initial encounter	ICD-10-CM	Diagnosis
S46.112D	Strain of muscle, fascia and tendon of long head of biceps, left arm, subsequent encounter	ICD-10-CM	Diagnosis
S46.111A	Strain of muscle, fascia and tendon of long head of biceps, right arm, initial encounter	ICD-10-CM	Diagnosis
S46.111D	Strain of muscle, fascia and tendon of long head of biceps, right arm, subsequent encounter	ICD-10-CM	Diagnosis
S46.119D	Strain of muscle, fascia and tendon of long head of biceps, unspecified arm, subsequent encounter	ICD-10-CM	Diagnosis
S46.219A	Strain of muscle, fascia and tendon of other parts of biceps, unspecified arm, initial encounter	ICD-10-CM	Diagnosis
S46.011A	Strain of muscle(s) and tendon(s) of the rotator cuff of right shoulder, initial encounter	ICD-10-CM	Diagnosis
S46.019D	Strain of muscle(s) and tendon(s) of the rotator cuff of unspecified shoulder, subsequent encounter	ICD-10-CM	Diagnosis
S56.511A	Strain of other extensor muscle, fascia and tendon at forearm level, right arm, initial encounter	ICD-10-CM	Diagnosis
S56.511S	Strain of other extensor muscle, fascia and tendon at forearm level, right arm, sequela	ICD-10-CM	Diagnosis
S56.511D	Strain of other extensor muscle, fascia and tendon at forearm level, right arm, subsequent encounter	ICD-10-CM	Diagnosis
S56.512A	Strain of other extensor muscle, fascia and tendon at forearm level, left arm, initial encounter	ICD-10-CM	Diagnosis
S56.512S	Strain of other extensor muscle, fascia and tendon at forearm level, left arm, sequela	ICD-10-CM	Diagnosis
S56.512D	Strain of other extensor muscle, fascia and tendon at forearm level, left arm, subsequent encounter	ICD-10-CM	Diagnosis
S56.519A	Strain of other extensor muscle, fascia and tendon at forearm level, unspecified arm, initial encounter	ICD-10-CM	Diagnosis
S56.519S	Strain of other extensor muscle, fascia and tendon at forearm level, unspecified arm, sequela	ICD-10-CM	Diagnosis
S56.519D	Strain of other extensor muscle, fascia and tendon at forearm level, unspecified arm, subsequent encounter	ICD-10-CM	Diagnosis
S56.212A	Strain of other flexor muscle, fascia and tendon at forearm level, left arm, initial encounter	ICD-10-CM	Diagnosis
S56.212S	Strain of other flexor muscle, fascia and tendon at forearm level, left arm, sequela	ICD-10-CM	Diagnosis
S56.212D	Strain of other flexor muscle, fascia and tendon at forearm level, left arm, subsequent encounter	ICD-10-CM	Diagnosis
S56.219A	Strain of other flexor muscle, fascia and tendon at forearm level, unspecified arm, initial encounter	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S56.219S	Strain of other flexor muscle, fascia and tendon at forearm level, unspecified arm, sequela	ICD-10-CM	Diagnosis
S56.219D	Strain of other flexor muscle, fascia and tendon at forearm level, unspecified arm, subsequent encounter	ICD-10-CM	Diagnosis
S56.211A	Strain of other flexor muscle, fascia and tendon at forearm level, right arm, initial encounter	ICD-10-CM	Diagnosis
S56.211S	Strain of other flexor muscle, fascia and tendon at forearm level, right arm, sequela	ICD-10-CM	Diagnosis
S56.211D	Strain of other flexor muscle, fascia and tendon at forearm level, right arm, subsequent encounter	ICD-10-CM	Diagnosis
S56.812A	Strain of other muscles, fascia and tendons at forearm level, left arm, initial encounter	ICD-10-CM	Diagnosis
S56.812S	Strain of other muscles, fascia and tendons at forearm level, left arm, sequela	ICD-10-CM	Diagnosis
S56.812D	Strain of other muscles, fascia and tendons at forearm level, left arm, subsequent encounter	ICD-10-CM	Diagnosis
S56.811A	Strain of other muscles, fascia and tendons at forearm level, right arm, initial encounter	ICD-10-CM	Diagnosis
S56.811S	Strain of other muscles, fascia and tendons at forearm level, right arm, sequela	ICD-10-CM	Diagnosis
S56.811D	Strain of other muscles, fascia and tendons at forearm level, right arm, subsequent encounter	ICD-10-CM	Diagnosis
S56.819A	Strain of other muscles, fascia and tendons at forearm level, unspecified arm, initial encounter	ICD-10-CM	Diagnosis
S56.819S	Strain of other muscles, fascia and tendons at forearm level, unspecified arm, sequela	ICD-10-CM	Diagnosis
S56.819D	Strain of other muscles, fascia and tendons at forearm level, unspecified arm, subsequent encounter	ICD-10-CM	Diagnosis
S46.912A	Strain of unspecified muscle, fascia and tendon at shoulder and upper arm level, left arm, initial encounter	ICD-10-CM	Diagnosis
S46.912S	Strain of unspecified muscle, fascia and tendon at shoulder and upper arm level, left arm, sequela	ICD-10-CM	Diagnosis
S46.912D	Strain of unspecified muscle, fascia and tendon at shoulder and upper arm level, left arm, subsequent encounter	ICD-10-CM	Diagnosis
S46.911A	Strain of unspecified muscle, fascia and tendon at shoulder and upper arm level, right arm, initial encounter	ICD-10-CM	Diagnosis
S46.911S	Strain of unspecified muscle, fascia and tendon at shoulder and upper arm level, right arm, sequela	ICD-10-CM	Diagnosis
S46.911D	Strain of unspecified muscle, fascia and tendon at shoulder and upper arm level, right arm, subsequent encounter	ICD-10-CM	Diagnosis
S46.919A	Strain of unspecified muscle, fascia and tendon at shoulder and upper arm level, unspecified arm, initial encounter	ICD-10-CM	Diagnosis



**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S46.919S	Strain of unspecified muscle, fascia and tendon at shoulder and upper arm level, unspecified arm, sequela	ICD-10-CM	Diagnosis
S46.919D	Strain of unspecified muscle, fascia and tendon at shoulder and upper arm level, unspecified arm, subsequent encounter	ICD-10-CM	Diagnosis
S56.912S	Strain of unspecified muscles, fascia and tendons at forearm level, left arm, sequela	ICD-10-CM	Diagnosis
S56.911S	Strain of unspecified muscles, fascia and tendons at forearm level, right arm, sequela	ICD-10-CM	Diagnosis
S56.919S	Strain of unspecified muscles, fascia and tendons at forearm level, unspecified arm, sequela	ICD-10-CM	Diagnosis
S56.912A	Strain of unspecified muscles, fascia and tendons at forearm level, left arm, initial encounter	ICD-10-CM	Diagnosis
S56.912D	Strain of unspecified muscles, fascia and tendons at forearm level, left arm, subsequent encounter	ICD-10-CM	Diagnosis
S56.911A	Strain of unspecified muscles, fascia and tendons at forearm level, right arm, initial encounter	ICD-10-CM	Diagnosis
S56.911D	Strain of unspecified muscles, fascia and tendons at forearm level, right arm, subsequent encounter	ICD-10-CM	Diagnosis
S56.919A	Strain of unspecified muscles, fascia and tendons at forearm level, unspecified arm, initial encounter	ICD-10-CM	Diagnosis
S56.919D	Strain of unspecified muscles, fascia and tendons at forearm level, unspecified arm, subsequent encounter	ICD-10-CM	Diagnosis
S30.856D	Superficial foreign body of unspecified external genital organs, female, subsequent encounter	ICD-10-CM	Diagnosis
S30.855D	Superficial foreign body of unspecified external genital organs, male, subsequent encounter	ICD-10-CM	Diagnosis
S30.856A	Superficial foreign body of unspecified external genital organs, female, initial encounter	ICD-10-CM	Diagnosis
S30.856S	Superficial foreign body of unspecified external genital organs, female, sequela	ICD-10-CM	Diagnosis
S30.855A	Superficial foreign body of unspecified external genital organs, male, initial encounter	ICD-10-CM	Diagnosis
S30.855S	Superficial foreign body of unspecified external genital organs, male, sequela	ICD-10-CM	Diagnosis
S20.359D	Superficial foreign body of unspecified front wall of thorax, subsequent encounter	ICD-10-CM	Diagnosis
S20.152A	Superficial foreign body of breast, left breast, initial encounter	ICD-10-CM	Diagnosis
S20.152S	Superficial foreign body of breast, left breast, sequela	ICD-10-CM	Diagnosis
S20.152D	Superficial foreign body of breast, left breast, subsequent encounter	ICD-10-CM	Diagnosis
S20.151A	Superficial foreign body of breast, right breast, initial encounter	ICD-10-CM	Diagnosis
S20.151S	Superficial foreign body of breast, right breast, sequela	ICD-10-CM	Diagnosis
S20.151D	Superficial foreign body of breast, right breast, subsequent encounter	ICD-10-CM	Diagnosis
S20.159A	Superficial foreign body of breast, unspecified breast, initial encounter	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S20.159S	Superficial foreign body of breast, unspecified breast, sequela	ICD-10-CM	Diagnosis
S20.159D	Superficial foreign body of breast, unspecified breast, subsequent encounter	ICD-10-CM	Diagnosis
S30.850A	Superficial foreign body of lower back and pelvis, initial encounter	ICD-10-CM	Diagnosis
S30.850S	Superficial foreign body of lower back and pelvis, sequela	ICD-10-CM	Diagnosis
S30.850D	Superficial foreign body of lower back and pelvis, subsequent encounter	ICD-10-CM	Diagnosis
S20.452A	Superficial foreign body of left back wall of thorax, initial encounter	ICD-10-CM	Diagnosis
S20.452S	Superficial foreign body of left back wall of thorax, sequela	ICD-10-CM	Diagnosis
S20.452D	Superficial foreign body of left back wall of thorax, subsequent encounter	ICD-10-CM	Diagnosis
S00.452D	Superficial foreign body of left ear, subsequent encounter	ICD-10-CM	Diagnosis
S20.352A	Superficial foreign body of left front wall of thorax, initial encounter	ICD-10-CM	Diagnosis
S20.352S	Superficial foreign body of left front wall of thorax, sequela	ICD-10-CM	Diagnosis
S20.352D	Superficial foreign body of left front wall of thorax, subsequent encounter	ICD-10-CM	Diagnosis
S60.451A	Superficial foreign body of left index finger, initial encounter	ICD-10-CM	Diagnosis
S60.451S	Superficial foreign body of left index finger, sequela	ICD-10-CM	Diagnosis
S60.451D	Superficial foreign body of left index finger, subsequent encounter	ICD-10-CM	Diagnosis
S60.457A	Superficial foreign body of left little finger, initial encounter	ICD-10-CM	Diagnosis
S60.457S	Superficial foreign body of left little finger, sequela	ICD-10-CM	Diagnosis
S60.457D	Superficial foreign body of left little finger, subsequent encounter	ICD-10-CM	Diagnosis
S60.453A	Superficial foreign body of left middle finger, initial encounter	ICD-10-CM	Diagnosis
S60.453S	Superficial foreign body of left middle finger, sequela	ICD-10-CM	Diagnosis
S60.453D	Superficial foreign body of left middle finger, subsequent encounter	ICD-10-CM	Diagnosis
S60.455A	Superficial foreign body of left ring finger, initial encounter	ICD-10-CM	Diagnosis
S60.455S	Superficial foreign body of left ring finger, sequela	ICD-10-CM	Diagnosis
S60.455D	Superficial foreign body of left ring finger, subsequent encounter	ICD-10-CM	Diagnosis
S00.35XD	Superficial foreign body of nose, subsequent encounter	ICD-10-CM	Diagnosis
S60.458S	Superficial foreign body of other finger, sequela	ICD-10-CM	Diagnosis
S00.552A	Superficial foreign body of oral cavity, initial encounter	ICD-10-CM	Diagnosis
S00.552D	Superficial foreign body of oral cavity, subsequent encounter	ICD-10-CM	Diagnosis
S60.458A	Superficial foreign body of other finger, initial encounter	ICD-10-CM	Diagnosis
S60.458D	Superficial foreign body of other finger, subsequent encounter	ICD-10-CM	Diagnosis
S00.85XA	Superficial foreign body of other part of head, initial encounter	ICD-10-CM	Diagnosis
S00.85XD	Superficial foreign body of other part of head, subsequent encounter	ICD-10-CM	Diagnosis
S10.85XA	Superficial foreign body of other specified part of neck, initial encounter	ICD-10-CM	Diagnosis
S10.85XD	Superficial foreign body of other specified part of neck, subsequent encounter	ICD-10-CM	Diagnosis
S20.451A	Superficial foreign body of right back wall of thorax, initial encounter	ICD-10-CM	Diagnosis
S20.451S	Superficial foreign body of right back wall of thorax, sequela	ICD-10-CM	Diagnosis
S20.451D	Superficial foreign body of right back wall of thorax, subsequent encounter	ICD-10-CM	Diagnosis
S00.451D	Superficial foreign body of right ear, subsequent encounter	ICD-10-CM	Diagnosis
S20.351A	Superficial foreign body of right front wall of thorax, initial encounter	ICD-10-CM	Diagnosis
S20.351S	Superficial foreign body of right front wall of thorax, sequela	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S20.351D	Superficial foreign body of right front wall of thorax, subsequent encounter	ICD-10-CM	Diagnosis
S60.450A	Superficial foreign body of right index finger, initial encounter	ICD-10-CM	Diagnosis
S60.450S	Superficial foreign body of right index finger, sequela	ICD-10-CM	Diagnosis
S60.450D	Superficial foreign body of right index finger, subsequent encounter	ICD-10-CM	Diagnosis
S60.456A	Superficial foreign body of right little finger, initial encounter	ICD-10-CM	Diagnosis
S60.456S	Superficial foreign body of right little finger, sequela	ICD-10-CM	Diagnosis
S60.456D	Superficial foreign body of right little finger, subsequent encounter	ICD-10-CM	Diagnosis
S60.452A	Superficial foreign body of right middle finger, initial encounter	ICD-10-CM	Diagnosis
S60.452S	Superficial foreign body of right middle finger, sequela	ICD-10-CM	Diagnosis
S60.452D	Superficial foreign body of right middle finger, subsequent encounter	ICD-10-CM	Diagnosis
S60.454A	Superficial foreign body of right ring finger, initial encounter	ICD-10-CM	Diagnosis
S60.454S	Superficial foreign body of right ring finger, sequela	ICD-10-CM	Diagnosis
S60.454D	Superficial foreign body of right ring finger, subsequent encounter	ICD-10-CM	Diagnosis
S00.05XD	Superficial foreign body of scalp, subsequent encounter	ICD-10-CM	Diagnosis
S30.853A	Superficial foreign body of scrotum and testes, initial encounter	ICD-10-CM	Diagnosis
S30.853S	Superficial foreign body of scrotum and testes, sequela	ICD-10-CM	Diagnosis
S30.853D	Superficial foreign body of scrotum and testes, subsequent encounter	ICD-10-CM	Diagnosis
S20.459A	Superficial foreign body of unspecified back wall of thorax, initial encounter	ICD-10-CM	Diagnosis
S20.459S	Superficial foreign body of unspecified back wall of thorax, sequela	ICD-10-CM	Diagnosis
S20.459D	Superficial foreign body of unspecified back wall of thorax, subsequent encounter	ICD-10-CM	Diagnosis
S00.459D	Superficial foreign body of unspecified ear, subsequent encounter	ICD-10-CM	Diagnosis
S60.459A	Superficial foreign body of unspecified finger, initial encounter	ICD-10-CM	Diagnosis
S60.459S	Superficial foreign body of unspecified finger, sequela	ICD-10-CM	Diagnosis
S60.459D	Superficial foreign body of unspecified finger, subsequent encounter	ICD-10-CM	Diagnosis
S20.359A	Superficial foreign body of unspecified front wall of thorax, initial encounter	ICD-10-CM	Diagnosis
S20.359S	Superficial foreign body of unspecified front wall of thorax, sequela	ICD-10-CM	Diagnosis
S00.95XA	Superficial foreign body of unspecified part of head, initial encounter	ICD-10-CM	Diagnosis
S00.95XD	Superficial foreign body of unspecified part of head, subsequent encounter	ICD-10-CM	Diagnosis
S70.359D	Superficial foreign body, unspecified thigh, subsequent encounter	ICD-10-CM	Diagnosis
S30.854A	Superficial foreign body of vagina and vulva, initial encounter	ICD-10-CM	Diagnosis
S30.854D	Superficial foreign body of vagina and vulva, subsequent encounter	ICD-10-CM	Diagnosis
S30.851A	Superficial foreign body of abdominal wall, initial encounter	ICD-10-CM	Diagnosis
S30.851S	Superficial foreign body of abdominal wall, sequela	ICD-10-CM	Diagnosis
S30.851D	Superficial foreign body of abdominal wall, subsequent encounter	ICD-10-CM	Diagnosis
S30.857A	Superficial foreign body of anus, initial encounter	ICD-10-CM	Diagnosis
S30.857D	Superficial foreign body of anus, subsequent encounter	ICD-10-CM	Diagnosis
S90.552D	Superficial foreign body, left ankle, subsequent encounter	ICD-10-CM	Diagnosis
S90.552A	Superficial foreign body, left ankle, initial encounter	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S90.552S	Superficial foreign body, left ankle, sequela	ICD-10-CM	Diagnosis
S90.852A	Superficial foreign body, left foot, initial encounter	ICD-10-CM	Diagnosis
S90.852S	Superficial foreign body, left foot, sequela	ICD-10-CM	Diagnosis
S90.852D	Superficial foreign body, left foot, subsequent encounter	ICD-10-CM	Diagnosis
S70.252S	Superficial foreign body, left hip, sequela	ICD-10-CM	Diagnosis
S80.252S	Superficial foreign body, left knee, sequela	ICD-10-CM	Diagnosis
S80.852S	Superficial foreign body, left lower leg, sequela	ICD-10-CM	Diagnosis
S40.252S	Superficial foreign body of left shoulder, sequela	ICD-10-CM	Diagnosis
S70.352S	Superficial foreign body, left thigh, sequela	ICD-10-CM	Diagnosis
S40.852S	Superficial foreign body of left upper arm, sequela	ICD-10-CM	Diagnosis
S00.551A	Superficial foreign body of lip, initial encounter	ICD-10-CM	Diagnosis
S00.551D	Superficial foreign body of lip, subsequent encounter	ICD-10-CM	Diagnosis
S00.452A	Superficial foreign body of left ear, initial encounter	ICD-10-CM	Diagnosis
S50.352A	Superficial foreign body of left elbow, initial encounter	ICD-10-CM	Diagnosis
S50.352D	Superficial foreign body of left elbow, subsequent encounter	ICD-10-CM	Diagnosis
S50.852A	Superficial foreign body of left forearm, initial encounter	ICD-10-CM	Diagnosis
S50.852D	Superficial foreign body of left forearm, subsequent encounter	ICD-10-CM	Diagnosis
S90.452A	Superficial foreign body, left great toe, initial encounter	ICD-10-CM	Diagnosis
S90.452S	Superficial foreign body, left great toe, sequela	ICD-10-CM	Diagnosis
S90.452D	Superficial foreign body, left great toe, subsequent encounter	ICD-10-CM	Diagnosis
S60.552A	Superficial foreign body of left hand, initial encounter	ICD-10-CM	Diagnosis
S60.552S	Superficial foreign body of left hand, sequela	ICD-10-CM	Diagnosis
S60.552D	Superficial foreign body of left hand, subsequent encounter	ICD-10-CM	Diagnosis
S70.252A	Superficial foreign body, left hip, initial encounter	ICD-10-CM	Diagnosis
S70.252D	Superficial foreign body, left hip, subsequent encounter	ICD-10-CM	Diagnosis
S80.252A	Superficial foreign body, left knee, initial encounter	ICD-10-CM	Diagnosis
S80.252D	Superficial foreign body, left knee, subsequent encounter	ICD-10-CM	Diagnosis
S90.455A	Superficial foreign body, left lesser toe(s), initial encounter	ICD-10-CM	Diagnosis
S90.455S	Superficial foreign body, left lesser toe(s), sequela	ICD-10-CM	Diagnosis
S90.455D	Superficial foreign body, left lesser toe(s), subsequent encounter	ICD-10-CM	Diagnosis
S80.852A	Superficial foreign body, left lower leg, initial encounter	ICD-10-CM	Diagnosis
S80.852D	Superficial foreign body, left lower leg, subsequent encounter	ICD-10-CM	Diagnosis
S40.252A	Superficial foreign body of left shoulder, initial encounter	ICD-10-CM	Diagnosis
S40.252D	Superficial foreign body of left shoulder, subsequent encounter	ICD-10-CM	Diagnosis
S70.352A	Superficial foreign body, left thigh, initial encounter	ICD-10-CM	Diagnosis
S70.352D	Superficial foreign body, left thigh, subsequent encounter	ICD-10-CM	Diagnosis
S60.352A	Superficial foreign body of left thumb, initial encounter	ICD-10-CM	Diagnosis
S60.352D	Superficial foreign body of left thumb, subsequent encounter	ICD-10-CM	Diagnosis
S40.852A	Superficial foreign body of left upper arm, initial encounter	ICD-10-CM	Diagnosis
S40.852D	Superficial foreign body of left upper arm, subsequent encounter	ICD-10-CM	Diagnosis
S00.35XA	Superficial foreign body of nose, initial encounter	ICD-10-CM	Diagnosis
S30.857S	Superficial foreign body of anus, sequela	ICD-10-CM	Diagnosis
S00.452S	Superficial foreign body of left ear, sequela	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S50.352S	Superficial foreign body of left elbow, sequela	ICD-10-CM	Diagnosis
S50.852S	Superficial foreign body of left forearm, sequela	ICD-10-CM	Diagnosis
S60.352S	Superficial foreign body of left thumb, sequela	ICD-10-CM	Diagnosis
S60.852A	Superficial foreign body of left wrist, initial encounter	ICD-10-CM	Diagnosis
S60.852S	Superficial foreign body of left wrist, sequela	ICD-10-CM	Diagnosis
S60.852D	Superficial foreign body of left wrist, subsequent encounter	ICD-10-CM	Diagnosis
S00.551S	Superficial foreign body of lip, sequela	ICD-10-CM	Diagnosis
S00.35XS	Superficial foreign body of nose, sequela	ICD-10-CM	Diagnosis
S00.552S	Superficial foreign body of oral cavity, sequela	ICD-10-CM	Diagnosis
S30.852S	Superficial foreign body of penis, sequela	ICD-10-CM	Diagnosis
S00.451S	Superficial foreign body of right ear, sequela	ICD-10-CM	Diagnosis
S50.851S	Superficial foreign body of right forearm, sequela	ICD-10-CM	Diagnosis
S50.851D	Superficial foreign body of right forearm, subsequent encounter	ICD-10-CM	Diagnosis
S60.351S	Superficial foreign body of right thumb, sequela	ICD-10-CM	Diagnosis
S60.851S	Superficial foreign body of right wrist, sequela	ICD-10-CM	Diagnosis
S50.851A	Superficial foreign body of right forearm, initial encounter	ICD-10-CM	Diagnosis
S60.851A	Superficial foreign body of right wrist, initial encounter	ICD-10-CM	Diagnosis
S60.851D	Superficial foreign body of right wrist, subsequent encounter	ICD-10-CM	Diagnosis
S00.05XS	Superficial foreign body of scalp, sequela	ICD-10-CM	Diagnosis
S10.15XS	Superficial foreign body of throat, sequela	ICD-10-CM	Diagnosis
S60.859A	Superficial foreign body of unspecified wrist, initial encounter	ICD-10-CM	Diagnosis
S60.859D	Superficial foreign body of unspecified wrist, subsequent encounter	ICD-10-CM	Diagnosis
S10.85XS	Superficial foreign body of other specified part of neck, sequela	ICD-10-CM	Diagnosis
S00.85XS	Superficial foreign body of other part of head, sequela	ICD-10-CM	Diagnosis
S30.852A	Superficial foreign body of penis, initial encounter	ICD-10-CM	Diagnosis
S30.852D	Superficial foreign body of penis, subsequent encounter	ICD-10-CM	Diagnosis
S90.551A	Superficial foreign body, right ankle, initial encounter	ICD-10-CM	Diagnosis
S90.551S	Superficial foreign body, right ankle, sequela	ICD-10-CM	Diagnosis
S90.551D	Superficial foreign body, right ankle, subsequent encounter	ICD-10-CM	Diagnosis
S50.351S	Superficial foreign body of right elbow, sequela	ICD-10-CM	Diagnosis
S90.851A	Superficial foreign body, right foot, initial encounter	ICD-10-CM	Diagnosis
S90.851S	Superficial foreign body, right foot, sequela	ICD-10-CM	Diagnosis
S90.851D	Superficial foreign body, right foot, subsequent encounter	ICD-10-CM	Diagnosis
S70.251S	Superficial foreign body, right hip, sequela	ICD-10-CM	Diagnosis
S80.251S	Superficial foreign body, right knee, sequela	ICD-10-CM	Diagnosis
S80.851S	Superficial foreign body, right lower leg, sequela	ICD-10-CM	Diagnosis
S40.251S	Superficial foreign body of right shoulder, sequela	ICD-10-CM	Diagnosis
S70.351S	Superficial foreign body, right thigh, sequela	ICD-10-CM	Diagnosis
S40.851S	Superficial foreign body of right upper arm, sequela	ICD-10-CM	Diagnosis
S00.451A	Superficial foreign body of right ear, initial encounter	ICD-10-CM	Diagnosis
S50.351A	Superficial foreign body of right elbow, initial encounter	ICD-10-CM	Diagnosis
S50.351D	Superficial foreign body of right elbow, subsequent encounter	ICD-10-CM	Diagnosis
S90.451A	Superficial foreign body, right great toe, initial encounter	ICD-10-CM	Diagnosis



**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S90.451S	Superficial foreign body, right great toe, sequela	ICD-10-CM	Diagnosis
S90.451D	Superficial foreign body, right great toe, subsequent encounter	ICD-10-CM	Diagnosis
S60.551A	Superficial foreign body of right hand, initial encounter	ICD-10-CM	Diagnosis
S60.551S	Superficial foreign body of right hand, sequela	ICD-10-CM	Diagnosis
S60.551D	Superficial foreign body of right hand, subsequent encounter	ICD-10-CM	Diagnosis
S70.251A	Superficial foreign body, right hip, initial encounter	ICD-10-CM	Diagnosis
S70.251D	Superficial foreign body, right hip, subsequent encounter	ICD-10-CM	Diagnosis
S80.251A	Superficial foreign body, right knee, initial encounter	ICD-10-CM	Diagnosis
S80.251D	Superficial foreign body, right knee, subsequent encounter	ICD-10-CM	Diagnosis
S90.454A	Superficial foreign body, right lesser toe(s), initial encounter	ICD-10-CM	Diagnosis
S90.454S	Superficial foreign body, right lesser toe(s), sequela	ICD-10-CM	Diagnosis
S90.454D	Superficial foreign body, right lesser toe(s), subsequent encounter	ICD-10-CM	Diagnosis
S80.851A	Superficial foreign body, right lower leg, initial encounter	ICD-10-CM	Diagnosis
S80.851D	Superficial foreign body, right lower leg, subsequent encounter	ICD-10-CM	Diagnosis
S40.251A	Superficial foreign body of right shoulder, initial encounter	ICD-10-CM	Diagnosis
S40.251D	Superficial foreign body of right shoulder, subsequent encounter	ICD-10-CM	Diagnosis
S70.351A	Superficial foreign body, right thigh, initial encounter	ICD-10-CM	Diagnosis
S70.351D	Superficial foreign body, right thigh, subsequent encounter	ICD-10-CM	Diagnosis
S60.351A	Superficial foreign body of right thumb, initial encounter	ICD-10-CM	Diagnosis
S60.351D	Superficial foreign body of right thumb, subsequent encounter	ICD-10-CM	Diagnosis
S40.851A	Superficial foreign body of right upper arm, initial encounter	ICD-10-CM	Diagnosis
S40.851D	Superficial foreign body of right upper arm, subsequent encounter	ICD-10-CM	Diagnosis
S00.05XA	Superficial foreign body of scalp, initial encounter	ICD-10-CM	Diagnosis
S10.15XA	Superficial foreign body of throat, initial encounter	ICD-10-CM	Diagnosis
S10.15XD	Superficial foreign body of throat, subsequent encounter	ICD-10-CM	Diagnosis
S90.559A	Superficial foreign body, unspecified ankle, initial encounter	ICD-10-CM	Diagnosis
S90.559S	Superficial foreign body, unspecified ankle, sequela	ICD-10-CM	Diagnosis
S90.559D	Superficial foreign body, unspecified ankle, subsequent encounter	ICD-10-CM	Diagnosis
S00.459A	Superficial foreign body of unspecified ear, initial encounter	ICD-10-CM	Diagnosis
S50.359A	Superficial foreign body of unspecified elbow, initial encounter	ICD-10-CM	Diagnosis
S50.359S	Superficial foreign body of unspecified elbow, sequela	ICD-10-CM	Diagnosis
S50.359D	Superficial foreign body of unspecified elbow, subsequent encounter	ICD-10-CM	Diagnosis
S90.859A	Superficial foreign body, unspecified foot, initial encounter	ICD-10-CM	Diagnosis
S90.859S	Superficial foreign body, unspecified foot, sequela	ICD-10-CM	Diagnosis
S90.859D	Superficial foreign body, unspecified foot, subsequent encounter	ICD-10-CM	Diagnosis
S50.859A	Superficial foreign body of unspecified forearm, initial encounter	ICD-10-CM	Diagnosis
S50.859S	Superficial foreign body of unspecified forearm, sequela	ICD-10-CM	Diagnosis
S50.859D	Superficial foreign body of unspecified forearm, subsequent encounter	ICD-10-CM	Diagnosis
S90.453A	Superficial foreign body, unspecified great toe, initial encounter	ICD-10-CM	Diagnosis
S90.453D	Superficial foreign body, unspecified great toe, subsequent encounter	ICD-10-CM	Diagnosis
S90.453S	Superficial foreign body, unspecified great toe, sequela	ICD-10-CM	Diagnosis
S60.559A	Superficial foreign body of unspecified hand, initial encounter	ICD-10-CM	Diagnosis
S60.559S	Superficial foreign body of unspecified hand, sequela	ICD-10-CM	Diagnosis



**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S60.559D	Superficial foreign body of unspecified hand, subsequent encounter	ICD-10-CM	Diagnosis
S70.259A	Superficial foreign body, unspecified hip, initial encounter	ICD-10-CM	Diagnosis
S70.259D	Superficial foreign body, unspecified hip, subsequent encounter	ICD-10-CM	Diagnosis
S80.259A	Superficial foreign body, unspecified knee, initial encounter	ICD-10-CM	Diagnosis
S80.259S	Superficial foreign body, unspecified knee, sequela	ICD-10-CM	Diagnosis
S80.259D	Superficial foreign body, unspecified knee, subsequent encounter	ICD-10-CM	Diagnosis
S90.456A	Superficial foreign body, unspecified lesser toe(s), initial encounter	ICD-10-CM	Diagnosis
S90.456S	Superficial foreign body, unspecified lesser toe(s), sequela	ICD-10-CM	Diagnosis
S90.456D	Superficial foreign body, unspecified lesser toe(s), subsequent encounter	ICD-10-CM	Diagnosis
S80.859A	Superficial foreign body, unspecified lower leg, initial encounter	ICD-10-CM	Diagnosis
S80.859S	Superficial foreign body, unspecified lower leg, sequela	ICD-10-CM	Diagnosis
S80.859D	Superficial foreign body, unspecified lower leg, subsequent encounter	ICD-10-CM	Diagnosis
S00.95XS	Superficial foreign body of unspecified part of head, sequela	ICD-10-CM	Diagnosis
S10.95XA	Superficial foreign body of unspecified part of neck, initial encounter	ICD-10-CM	Diagnosis
S10.95XS	Superficial foreign body of unspecified part of neck, sequela	ICD-10-CM	Diagnosis
S10.95XD	Superficial foreign body of unspecified part of neck, subsequent encounter	ICD-10-CM	Diagnosis
S20.95XA	Superficial foreign body of unspecified parts of thorax, initial encounter	ICD-10-CM	Diagnosis
S20.95XS	Superficial foreign body of unspecified parts of thorax, sequela	ICD-10-CM	Diagnosis
S20.95XD	Superficial foreign body of unspecified parts of thorax, subsequent encounter	ICD-10-CM	Diagnosis
S40.259A	Superficial foreign body of unspecified shoulder, initial encounter	ICD-10-CM	Diagnosis
S40.259S	Superficial foreign body of unspecified shoulder, sequela	ICD-10-CM	Diagnosis
S40.259D	Superficial foreign body of unspecified shoulder, subsequent encounter	ICD-10-CM	Diagnosis
S70.359A	Superficial foreign body, unspecified thigh, initial encounter	ICD-10-CM	Diagnosis
S70.359S	Superficial foreign body, unspecified thigh, sequela	ICD-10-CM	Diagnosis
S60.359A	Superficial foreign body of unspecified thumb, initial encounter	ICD-10-CM	Diagnosis
S60.359S	Superficial foreign body of unspecified thumb, sequela	ICD-10-CM	Diagnosis
S60.359D	Superficial foreign body of unspecified thumb, subsequent encounter	ICD-10-CM	Diagnosis
S40.859A	Superficial foreign body of unspecified upper arm, initial encounter	ICD-10-CM	Diagnosis
S40.859S	Superficial foreign body of unspecified upper arm, sequela	ICD-10-CM	Diagnosis
S40.859D	Superficial foreign body of unspecified upper arm, subsequent encounter	ICD-10-CM	Diagnosis
S60.859S	Superficial foreign body of unspecified wrist, sequela	ICD-10-CM	Diagnosis
S00.459S	Superficial foreign body of unspecified ear, sequela	ICD-10-CM	Diagnosis
S70.259S	Superficial foreign body, unspecified hip, sequela	ICD-10-CM	Diagnosis
S30.854S	Superficial foreign body of vagina and vulva, sequela	ICD-10-CM	Diagnosis
S00.252A	Superficial foreign body of left eyelid and periocular area, initial encounter	ICD-10-CM	Diagnosis
S00.252D	Superficial foreign body of left eyelid and periocular area, subsequent encounter	ICD-10-CM	Diagnosis
S00.252S	Superficial foreign body of left eyelid and periocular area, sequela	ICD-10-CM	Diagnosis
S00.251A	Superficial foreign body of right eyelid and periocular area, initial encounter	ICD-10-CM	Diagnosis
S00.251S	Superficial foreign body of right eyelid and periocular area, sequela	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S00.251D	Superficial foreign body of right eyelid and periocular area, subsequent encounter	ICD-10-CM	Diagnosis
S00.259A	Superficial foreign body of unspecified eyelid and periocular area, initial encounter	ICD-10-CM	Diagnosis
S00.259D	Superficial foreign body of unspecified eyelid and periocular area, subsequent encounter	ICD-10-CM	Diagnosis
S00.259S	Superficial foreign body of unspecified eyelid and periocular area, sequela	ICD-10-CM	Diagnosis
S43.432A	Superior glenoid labrum lesion of left shoulder, initial encounter	ICD-10-CM	Diagnosis
S43.432S	Superior glenoid labrum lesion of left shoulder, sequela	ICD-10-CM	Diagnosis
S43.432D	Superior glenoid labrum lesion of left shoulder, subsequent encounter	ICD-10-CM	Diagnosis
S43.431A	Superior glenoid labrum lesion of right shoulder, initial encounter	ICD-10-CM	Diagnosis
S43.431S	Superior glenoid labrum lesion of right shoulder, sequela	ICD-10-CM	Diagnosis
S43.431D	Superior glenoid labrum lesion of right shoulder, subsequent encounter	ICD-10-CM	Diagnosis
S43.439A	Superior glenoid labrum lesion of unspecified shoulder, initial encounter	ICD-10-CM	Diagnosis
S43.439S	Superior glenoid labrum lesion of unspecified shoulder, sequela	ICD-10-CM	Diagnosis
S43.439D	Superior glenoid labrum lesion of unspecified shoulder, subsequent encounter	ICD-10-CM	Diagnosis
S63.417A	Traumatic rupture of collateral ligament of left little finger at metacarpophalangeal and interphalangeal joint, initial encounter	ICD-10-CM	Diagnosis
S63.417S	Traumatic rupture of collateral ligament of left little finger at metacarpophalangeal and interphalangeal joint, sequela	ICD-10-CM	Diagnosis
S63.417D	Traumatic rupture of collateral ligament of left little finger at metacarpophalangeal and interphalangeal joint, subsequent encounter	ICD-10-CM	Diagnosis
S63.418A	Traumatic rupture of collateral ligament of other finger at metacarpophalangeal and interphalangeal joint, initial encounter	ICD-10-CM	Diagnosis
S63.418S	Traumatic rupture of collateral ligament of other finger at metacarpophalangeal and interphalangeal joint, sequela	ICD-10-CM	Diagnosis
S63.418D	Traumatic rupture of collateral ligament of other finger at metacarpophalangeal and interphalangeal joint, subsequent encounter	ICD-10-CM	Diagnosis
S63.416S	Traumatic rupture of collateral ligament of right little finger at metacarpophalangeal and interphalangeal joint, sequela	ICD-10-CM	Diagnosis
S63.419A	Traumatic rupture of collateral ligament of unspecified finger at metacarpophalangeal and interphalangeal joint, initial encounter	ICD-10-CM	Diagnosis
S63.419D	Traumatic rupture of collateral ligament of unspecified finger at metacarpophalangeal and interphalangeal joint, subsequent encounter	ICD-10-CM	Diagnosis
S63.419S	Traumatic rupture of collateral ligament of unspecified finger at metacarpophalangeal and interphalangeal joint, sequela	ICD-10-CM	Diagnosis
S63.490A	Traumatic rupture of other ligament of right index finger at metacarpophalangeal and interphalangeal joint, initial encounter	ICD-10-CM	Diagnosis
S63.490S	Traumatic rupture of other ligament of right index finger at metacarpophalangeal and interphalangeal joint, sequela	ICD-10-CM	Diagnosis
S63.490D	Traumatic rupture of other ligament of right index finger at metacarpophalangeal and interphalangeal joint, subsequent encounter	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S63.421A	Traumatic rupture of palmar ligament of left index finger at metacarpophalangeal and interphalangeal joint, initial encounter	ICD-10-CM	Diagnosis
S63.421S	Traumatic rupture of palmar ligament of left index finger at metacarpophalangeal and interphalangeal joint, sequela	ICD-10-CM	Diagnosis
S63.421D	Traumatic rupture of palmar ligament of left index finger at metacarpophalangeal and interphalangeal joint, subsequent encounter	ICD-10-CM	Diagnosis
S63.427A	Traumatic rupture of palmar ligament of left little finger at metacarpophalangeal and interphalangeal joint, initial encounter	ICD-10-CM	Diagnosis
S63.427S	Traumatic rupture of palmar ligament of left little finger at metacarpophalangeal and interphalangeal joint, sequela	ICD-10-CM	Diagnosis
S63.427D	Traumatic rupture of palmar ligament of left little finger at metacarpophalangeal and interphalangeal joint, subsequent encounter	ICD-10-CM	Diagnosis
S63.423A	Traumatic rupture of palmar ligament of left middle finger at metacarpophalangeal and interphalangeal joint, initial encounter	ICD-10-CM	Diagnosis
S63.423S	Traumatic rupture of palmar ligament of left middle finger at metacarpophalangeal and interphalangeal joint, sequela	ICD-10-CM	Diagnosis
S63.423D	Traumatic rupture of palmar ligament of left middle finger at metacarpophalangeal and interphalangeal joint, subsequent encounter	ICD-10-CM	Diagnosis
S63.425A	Traumatic rupture of palmar ligament of left ring finger at metacarpophalangeal and interphalangeal joint, initial encounter	ICD-10-CM	Diagnosis
S63.425S	Traumatic rupture of palmar ligament of left ring finger at metacarpophalangeal and interphalangeal joint, sequela	ICD-10-CM	Diagnosis
S63.425D	Traumatic rupture of palmar ligament of left ring finger at metacarpophalangeal and interphalangeal joint, subsequent encounter	ICD-10-CM	Diagnosis
S63.428A	Traumatic rupture of palmar ligament of other finger at metacarpophalangeal and interphalangeal joint, initial encounter	ICD-10-CM	Diagnosis
S63.428S	Traumatic rupture of palmar ligament of other finger at metacarpophalangeal and interphalangeal joint, sequela	ICD-10-CM	Diagnosis
S63.428D	Traumatic rupture of palmar ligament of other finger at metacarpophalangeal and interphalangeal joint, subsequent encounter	ICD-10-CM	Diagnosis
S63.420A	Traumatic rupture of palmar ligament of right index finger at metacarpophalangeal and interphalangeal joint, initial encounter	ICD-10-CM	Diagnosis
S63.420S	Traumatic rupture of palmar ligament of right index finger at metacarpophalangeal and interphalangeal joint, sequela	ICD-10-CM	Diagnosis
S63.420D	Traumatic rupture of palmar ligament of right index finger at metacarpophalangeal and interphalangeal joint, subsequent encounter	ICD-10-CM	Diagnosis
S63.426A	Traumatic rupture of palmar ligament of right little finger at metacarpophalangeal and interphalangeal joint, initial encounter	ICD-10-CM	Diagnosis
S63.426S	Traumatic rupture of palmar ligament of right little finger at metacarpophalangeal and interphalangeal joint, sequela	ICD-10-CM	Diagnosis
S63.426D	Traumatic rupture of palmar ligament of right little finger at metacarpophalangeal and interphalangeal joint, subsequent encounter	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S63.422A	Traumatic rupture of palmar ligament of right middle finger at metacarpophalangeal and interphalangeal joint, initial encounter	ICD-10-CM	Diagnosis
S63.422S	Traumatic rupture of palmar ligament of right middle finger at metacarpophalangeal and interphalangeal joint, sequela	ICD-10-CM	Diagnosis
S63.422D	Traumatic rupture of palmar ligament of right middle finger at metacarpophalangeal and interphalangeal joint, subsequent encounter	ICD-10-CM	Diagnosis
S63.424A	Traumatic rupture of palmar ligament of right ring finger at metacarpophalangeal and interphalangeal joint, initial encounter	ICD-10-CM	Diagnosis
S63.424S	Traumatic rupture of palmar ligament of right ring finger at metacarpophalangeal and interphalangeal joint, sequela	ICD-10-CM	Diagnosis
S63.424D	Traumatic rupture of palmar ligament of right ring finger at metacarpophalangeal and interphalangeal joint, subsequent encounter	ICD-10-CM	Diagnosis
S63.429A	Traumatic rupture of palmar ligament of unspecified finger at metacarpophalangeal and interphalangeal joint, initial encounter	ICD-10-CM	Diagnosis
S63.429S	Traumatic rupture of palmar ligament of unspecified finger at metacarpophalangeal and interphalangeal joint, sequela	ICD-10-CM	Diagnosis
S63.429D	Traumatic rupture of palmar ligament of unspecified finger at metacarpophalangeal and interphalangeal joint, subsequent encounter	ICD-10-CM	Diagnosis
S63.431A	Traumatic rupture of volar plate of left index finger at metacarpophalangeal and interphalangeal joint, initial encounter	ICD-10-CM	Diagnosis
S63.431S	Traumatic rupture of volar plate of left index finger at metacarpophalangeal and interphalangeal joint, sequela	ICD-10-CM	Diagnosis
S63.431D	Traumatic rupture of volar plate of left index finger at metacarpophalangeal and interphalangeal joint, subsequent encounter	ICD-10-CM	Diagnosis
S63.437A	Traumatic rupture of volar plate of left little finger at metacarpophalangeal and interphalangeal joint, initial encounter	ICD-10-CM	Diagnosis
S63.437S	Traumatic rupture of volar plate of left little finger at metacarpophalangeal and interphalangeal joint, sequela	ICD-10-CM	Diagnosis
S63.437D	Traumatic rupture of volar plate of left little finger at metacarpophalangeal and interphalangeal joint, subsequent encounter	ICD-10-CM	Diagnosis
S63.433A	Traumatic rupture of volar plate of left middle finger at metacarpophalangeal and interphalangeal joint, initial encounter	ICD-10-CM	Diagnosis
S63.433S	Traumatic rupture of volar plate of left middle finger at metacarpophalangeal and interphalangeal joint, sequela	ICD-10-CM	Diagnosis
S63.433D	Traumatic rupture of volar plate of left middle finger at metacarpophalangeal and interphalangeal joint, subsequent encounter	ICD-10-CM	Diagnosis
S63.435A	Traumatic rupture of volar plate of left ring finger at metacarpophalangeal and interphalangeal joint, initial encounter	ICD-10-CM	Diagnosis
S63.435S	Traumatic rupture of volar plate of left ring finger at metacarpophalangeal and interphalangeal joint, sequela	ICD-10-CM	Diagnosis
S63.435D	Traumatic rupture of volar plate of left ring finger at metacarpophalangeal and interphalangeal joint, subsequent encounter	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S63.438A	Traumatic rupture of volar plate of other finger at metacarpophalangeal and interphalangeal joint, initial encounter	ICD-10-CM	Diagnosis
S63.438S	Traumatic rupture of volar plate of other finger at metacarpophalangeal and interphalangeal joint, sequela	ICD-10-CM	Diagnosis
S63.438D	Traumatic rupture of volar plate of other finger at metacarpophalangeal and interphalangeal joint, subsequent encounter	ICD-10-CM	Diagnosis
S63.430A	Traumatic rupture of volar plate of right index finger at metacarpophalangeal and interphalangeal joint, initial encounter	ICD-10-CM	Diagnosis
S63.430S	Traumatic rupture of volar plate of right index finger at metacarpophalangeal and interphalangeal joint, sequela	ICD-10-CM	Diagnosis
S63.430D	Traumatic rupture of volar plate of right index finger at metacarpophalangeal and interphalangeal joint, subsequent encounter	ICD-10-CM	Diagnosis
S63.436A	Traumatic rupture of volar plate of right little finger at metacarpophalangeal and interphalangeal joint, initial encounter	ICD-10-CM	Diagnosis
S63.436S	Traumatic rupture of volar plate of right little finger at metacarpophalangeal and interphalangeal joint, sequela	ICD-10-CM	Diagnosis
S63.436D	Traumatic rupture of volar plate of right little finger at metacarpophalangeal and interphalangeal joint, subsequent encounter	ICD-10-CM	Diagnosis
S63.432A	Traumatic rupture of volar plate of right middle finger at metacarpophalangeal and interphalangeal joint, initial encounter	ICD-10-CM	Diagnosis
S63.432S	Traumatic rupture of volar plate of right middle finger at metacarpophalangeal and interphalangeal joint, sequela	ICD-10-CM	Diagnosis
S63.432D	Traumatic rupture of volar plate of right middle finger at metacarpophalangeal and interphalangeal joint, subsequent encounter	ICD-10-CM	Diagnosis
S63.434A	Traumatic rupture of volar plate of right ring finger at metacarpophalangeal and interphalangeal joint, initial encounter	ICD-10-CM	Diagnosis
S63.434S	Traumatic rupture of volar plate of right ring finger at metacarpophalangeal and interphalangeal joint, sequela	ICD-10-CM	Diagnosis
S63.434D	Traumatic rupture of volar plate of right ring finger at metacarpophalangeal and interphalangeal joint, subsequent encounter	ICD-10-CM	Diagnosis
S63.439A	Traumatic rupture of volar plate of unspecified finger at metacarpophalangeal and interphalangeal joint, initial encounter	ICD-10-CM	Diagnosis
S63.439S	Traumatic rupture of volar plate of unspecified finger at metacarpophalangeal and interphalangeal joint, sequela	ICD-10-CM	Diagnosis
S63.439D	Traumatic rupture of volar plate of unspecified finger at metacarpophalangeal and interphalangeal joint, subsequent encounter	ICD-10-CM	Diagnosis
S63.411A	Traumatic rupture of collateral ligament of left index finger at metacarpophalangeal and interphalangeal joint, initial encounter	ICD-10-CM	Diagnosis
S63.411S	Traumatic rupture of collateral ligament of left index finger at metacarpophalangeal and interphalangeal joint, sequela	ICD-10-CM	Diagnosis
S63.411D	Traumatic rupture of collateral ligament of left index finger at metacarpophalangeal and interphalangeal joint, subsequent encounter	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S63.413A	Traumatic rupture of collateral ligament of left middle finger at metacarpophalangeal and interphalangeal joint, initial encounter	ICD-10-CM	Diagnosis
S63.413S	Traumatic rupture of collateral ligament of left middle finger at metacarpophalangeal and interphalangeal joint, sequela	ICD-10-CM	Diagnosis
S63.413D	Traumatic rupture of collateral ligament of left middle finger at metacarpophalangeal and interphalangeal joint, subsequent encounter	ICD-10-CM	Diagnosis
S63.415A	Traumatic rupture of collateral ligament of left ring finger at metacarpophalangeal and interphalangeal joint, initial encounter	ICD-10-CM	Diagnosis
S63.415S	Traumatic rupture of collateral ligament of left ring finger at metacarpophalangeal and interphalangeal joint, sequela	ICD-10-CM	Diagnosis
S63.415D	Traumatic rupture of collateral ligament of left ring finger at metacarpophalangeal and interphalangeal joint, subsequent encounter	ICD-10-CM	Diagnosis
S63.410A	Traumatic rupture of collateral ligament of right index finger at metacarpophalangeal and interphalangeal joint, initial encounter	ICD-10-CM	Diagnosis
S63.410S	Traumatic rupture of collateral ligament of right index finger at metacarpophalangeal and interphalangeal joint, sequela	ICD-10-CM	Diagnosis
S63.410D	Traumatic rupture of collateral ligament of right index finger at metacarpophalangeal and interphalangeal joint, subsequent encounter	ICD-10-CM	Diagnosis
S63.416A	Traumatic rupture of collateral ligament of right little finger at metacarpophalangeal and interphalangeal joint, initial encounter	ICD-10-CM	Diagnosis
S63.416D	Traumatic rupture of collateral ligament of right little finger at metacarpophalangeal and interphalangeal joint, subsequent encounter	ICD-10-CM	Diagnosis
S63.412A	Traumatic rupture of collateral ligament of right middle finger at metacarpophalangeal and interphalangeal joint, initial encounter	ICD-10-CM	Diagnosis
S63.412S	Traumatic rupture of collateral ligament of right middle finger at metacarpophalangeal and interphalangeal joint, sequela	ICD-10-CM	Diagnosis
S63.412D	Traumatic rupture of collateral ligament of right middle finger at metacarpophalangeal and interphalangeal joint, subsequent encounter	ICD-10-CM	Diagnosis
S63.414A	Traumatic rupture of collateral ligament of right ring finger at metacarpophalangeal and interphalangeal joint, initial encounter	ICD-10-CM	Diagnosis
S63.414S	Traumatic rupture of collateral ligament of right ring finger at metacarpophalangeal and interphalangeal joint, sequela	ICD-10-CM	Diagnosis
S63.414D	Traumatic rupture of collateral ligament of right ring finger at metacarpophalangeal and interphalangeal joint, subsequent encounter	ICD-10-CM	Diagnosis
S63.401A	Traumatic rupture of unspecified ligament of left index finger at metacarpophalangeal and interphalangeal joint, initial encounter	ICD-10-CM	Diagnosis
S63.401S	Traumatic rupture of unspecified ligament of left index finger at metacarpophalangeal and interphalangeal joint, sequela	ICD-10-CM	Diagnosis
S63.401D	Traumatic rupture of unspecified ligament of left index finger at metacarpophalangeal and interphalangeal joint, subsequent encounter	ICD-10-CM	Diagnosis
S63.407A	Traumatic rupture of unspecified ligament of left little finger at metacarpophalangeal and interphalangeal joint, initial encounter	ICD-10-CM	Diagnosis



**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S63.407S	Traumatic rupture of unspecified ligament of left little finger at metacarpophalangeal and interphalangeal joint, sequela	ICD-10-CM	Diagnosis
S63.407D	Traumatic rupture of unspecified ligament of left little finger at metacarpophalangeal and interphalangeal joint, subsequent encounter	ICD-10-CM	Diagnosis
S63.403A	Traumatic rupture of unspecified ligament of left middle finger at metacarpophalangeal and interphalangeal joint, initial encounter	ICD-10-CM	Diagnosis
S63.403S	Traumatic rupture of unspecified ligament of left middle finger at metacarpophalangeal and interphalangeal joint, sequela	ICD-10-CM	Diagnosis
S63.403D	Traumatic rupture of unspecified ligament of left middle finger at metacarpophalangeal and interphalangeal joint, subsequent encounter	ICD-10-CM	Diagnosis
S63.405A	Traumatic rupture of unspecified ligament of left ring finger at metacarpophalangeal and interphalangeal joint, initial encounter	ICD-10-CM	Diagnosis
S63.405S	Traumatic rupture of unspecified ligament of left ring finger at metacarpophalangeal and interphalangeal joint, sequela	ICD-10-CM	Diagnosis
S63.405D	Traumatic rupture of unspecified ligament of left ring finger at metacarpophalangeal and interphalangeal joint, subsequent encounter	ICD-10-CM	Diagnosis
S63.408A	Traumatic rupture of unspecified ligament of other finger at metacarpophalangeal and interphalangeal joint, initial encounter	ICD-10-CM	Diagnosis
S63.408S	Traumatic rupture of unspecified ligament of other finger at metacarpophalangeal and interphalangeal joint, sequela	ICD-10-CM	Diagnosis
S63.408D	Traumatic rupture of unspecified ligament of other finger at metacarpophalangeal and interphalangeal joint, subsequent encounter	ICD-10-CM	Diagnosis
S63.406A	Traumatic rupture of unspecified ligament of right little finger at metacarpophalangeal and interphalangeal joint, initial encounter	ICD-10-CM	Diagnosis
S63.406S	Traumatic rupture of unspecified ligament of right little finger at metacarpophalangeal and interphalangeal joint, sequela	ICD-10-CM	Diagnosis
S63.406D	Traumatic rupture of unspecified ligament of right little finger at metacarpophalangeal and interphalangeal joint, subsequent encounter	ICD-10-CM	Diagnosis
S63.402A	Traumatic rupture of unspecified ligament of right middle finger at metacarpophalangeal and interphalangeal joint, initial encounter	ICD-10-CM	Diagnosis
S63.402S	Traumatic rupture of unspecified ligament of right middle finger at metacarpophalangeal and interphalangeal joint, sequela	ICD-10-CM	Diagnosis
S63.402D	Traumatic rupture of unspecified ligament of right middle finger at metacarpophalangeal and interphalangeal joint, subsequent encounter	ICD-10-CM	Diagnosis
S63.404S	Traumatic rupture of unspecified ligament of right ring finger at metacarpophalangeal and interphalangeal joint, sequela	ICD-10-CM	Diagnosis
S63.404D	Traumatic rupture of unspecified ligament of right ring finger at metacarpophalangeal and interphalangeal joint, subsequent encounter	ICD-10-CM	Diagnosis
S63.404A	Traumatic rupture of unspecified ligament of right ring finger at metacarpophalangeal and interphalangeal joint, initial encounter	ICD-10-CM	Diagnosis
S63.409A	Traumatic rupture of unspecified ligament of unspecified finger at metacarpophalangeal and interphalangeal joint, initial encounter	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S63.409S	Traumatic rupture of unspecified ligament of unspecified finger at metacarpophalangeal and interphalangeal joint, sequela	ICD-10-CM	Diagnosis
S63.409D	Traumatic rupture of unspecified ligament of unspecified finger at metacarpophalangeal and interphalangeal joint, subsequent encounter	ICD-10-CM	Diagnosis
S63.301A	Traumatic rupture of unspecified ligament of right wrist, initial encounter	ICD-10-CM	Diagnosis
S63.491A	Traumatic rupture of other ligament of left index finger at metacarpophalangeal and interphalangeal joint, initial encounter	ICD-10-CM	Diagnosis
S63.491S	Traumatic rupture of other ligament of left index finger at metacarpophalangeal and interphalangeal joint, sequela	ICD-10-CM	Diagnosis
S63.491D	Traumatic rupture of other ligament of left index finger at metacarpophalangeal and interphalangeal joint, subsequent encounter	ICD-10-CM	Diagnosis
S63.497A	Traumatic rupture of other ligament of left little finger at metacarpophalangeal and interphalangeal joint, initial encounter	ICD-10-CM	Diagnosis
S63.497S	Traumatic rupture of other ligament of left little finger at metacarpophalangeal and interphalangeal joint, sequela	ICD-10-CM	Diagnosis
S63.497D	Traumatic rupture of other ligament of left little finger at metacarpophalangeal and interphalangeal joint, subsequent encounter	ICD-10-CM	Diagnosis
S63.493A	Traumatic rupture of other ligament of left middle finger at metacarpophalangeal and interphalangeal joint, initial encounter	ICD-10-CM	Diagnosis
S63.493S	Traumatic rupture of other ligament of left middle finger at metacarpophalangeal and interphalangeal joint, sequela	ICD-10-CM	Diagnosis
S63.493D	Traumatic rupture of other ligament of left middle finger at metacarpophalangeal and interphalangeal joint, subsequent encounter	ICD-10-CM	Diagnosis
S63.495A	Traumatic rupture of other ligament of left ring finger at metacarpophalangeal and interphalangeal joint, initial encounter	ICD-10-CM	Diagnosis
S63.495S	Traumatic rupture of other ligament of left ring finger at metacarpophalangeal and interphalangeal joint, sequela	ICD-10-CM	Diagnosis
S63.495D	Traumatic rupture of other ligament of left ring finger at metacarpophalangeal and interphalangeal joint, subsequent encounter	ICD-10-CM	Diagnosis
S63.498A	Traumatic rupture of other ligament of other finger at metacarpophalangeal and interphalangeal joint, initial encounter	ICD-10-CM	Diagnosis
S63.498S	Traumatic rupture of other ligament of other finger at metacarpophalangeal and interphalangeal joint, sequela	ICD-10-CM	Diagnosis
S63.498D	Traumatic rupture of other ligament of other finger at metacarpophalangeal and interphalangeal joint, subsequent encounter	ICD-10-CM	Diagnosis
S63.496A	Traumatic rupture of other ligament of right little finger at metacarpophalangeal and interphalangeal joint, initial encounter	ICD-10-CM	Diagnosis
S63.496S	Traumatic rupture of other ligament of right little finger at metacarpophalangeal and interphalangeal joint, sequela	ICD-10-CM	Diagnosis
S63.496D	Traumatic rupture of other ligament of right little finger at metacarpophalangeal and interphalangeal joint, subsequent encounter	ICD-10-CM	Diagnosis
S63.492A	Traumatic rupture of other ligament of right middle finger at metacarpophalangeal and interphalangeal joint, initial encounter	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S63.492S	Traumatic rupture of other ligament of right middle finger at metacarpophalangeal and interphalangeal joint, sequela	ICD-10-CM	Diagnosis
S63.492D	Traumatic rupture of other ligament of right middle finger at metacarpophalangeal and interphalangeal joint, subsequent encounter	ICD-10-CM	Diagnosis
S63.494A	Traumatic rupture of other ligament of right ring finger at metacarpophalangeal and interphalangeal joint, initial encounter	ICD-10-CM	Diagnosis
S63.494S	Traumatic rupture of other ligament of right ring finger at metacarpophalangeal and interphalangeal joint, sequela	ICD-10-CM	Diagnosis
S63.494D	Traumatic rupture of other ligament of right ring finger at metacarpophalangeal and interphalangeal joint, subsequent encounter	ICD-10-CM	Diagnosis
S63.499A	Traumatic rupture of other ligament of unspecified finger at metacarpophalangeal and interphalangeal joint, initial encounter	ICD-10-CM	Diagnosis
S63.499S	Traumatic rupture of other ligament of unspecified finger at metacarpophalangeal and interphalangeal joint, sequela	ICD-10-CM	Diagnosis
S63.499D	Traumatic rupture of other ligament of unspecified finger at metacarpophalangeal and interphalangeal joint, subsequent encounter	ICD-10-CM	Diagnosis
S63.312A	Traumatic rupture of collateral ligament of left wrist, initial encounter	ICD-10-CM	Diagnosis
S63.312S	Traumatic rupture of collateral ligament of left wrist, sequela	ICD-10-CM	Diagnosis
S63.312D	Traumatic rupture of collateral ligament of left wrist, subsequent encounter	ICD-10-CM	Diagnosis
S63.311A	Traumatic rupture of collateral ligament of right wrist, initial encounter	ICD-10-CM	Diagnosis
S63.311S	Traumatic rupture of collateral ligament of right wrist, sequela	ICD-10-CM	Diagnosis
S63.311D	Traumatic rupture of collateral ligament of right wrist, subsequent encounter	ICD-10-CM	Diagnosis
S63.319A	Traumatic rupture of collateral ligament of unspecified wrist, initial encounter	ICD-10-CM	Diagnosis
S63.319S	Traumatic rupture of collateral ligament of unspecified wrist, sequela	ICD-10-CM	Diagnosis
S63.319D	Traumatic rupture of collateral ligament of unspecified wrist, subsequent encounter	ICD-10-CM	Diagnosis
S53.22XA	Traumatic rupture of left radial collateral ligament, initial encounter	ICD-10-CM	Diagnosis
S53.22XS	Traumatic rupture of left radial collateral ligament, sequela	ICD-10-CM	Diagnosis
S53.22XD	Traumatic rupture of left radial collateral ligament, subsequent encounter	ICD-10-CM	Diagnosis
S63.322A	Traumatic rupture of left radiocarpal ligament, initial encounter	ICD-10-CM	Diagnosis
S63.322S	Traumatic rupture of left radiocarpal ligament, sequela	ICD-10-CM	Diagnosis
S63.322D	Traumatic rupture of left radiocarpal ligament, subsequent encounter	ICD-10-CM	Diagnosis
S53.32XA	Traumatic rupture of left ulnar collateral ligament, initial encounter	ICD-10-CM	Diagnosis
S53.32XS	Traumatic rupture of left ulnar collateral ligament, sequela	ICD-10-CM	Diagnosis
S53.32XD	Traumatic rupture of left ulnar collateral ligament, subsequent encounter	ICD-10-CM	Diagnosis
S63.332A	Traumatic rupture of left ulnocarpal (palmar) ligament, initial encounter	ICD-10-CM	Diagnosis
S63.332S	Traumatic rupture of left ulnocarpal (palmar) ligament, sequela	ICD-10-CM	Diagnosis
S63.332D	Traumatic rupture of left ulnocarpal (palmar) ligament, subsequent encounter	ICD-10-CM	Diagnosis
S63.392S	Traumatic rupture of other ligament of left wrist, sequela	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S63.392A	Traumatic rupture of other ligament of left wrist, initial encounter	ICD-10-CM	Diagnosis
S63.392D	Traumatic rupture of other ligament of left wrist, subsequent encounter	ICD-10-CM	Diagnosis
S63.391A	Traumatic rupture of other ligament of right wrist, initial encounter	ICD-10-CM	Diagnosis
S63.391S	Traumatic rupture of other ligament of right wrist, sequela	ICD-10-CM	Diagnosis
S63.391D	Traumatic rupture of other ligament of right wrist, subsequent encounter	ICD-10-CM	Diagnosis
S63.399A	Traumatic rupture of other ligament of unspecified wrist, initial encounter	ICD-10-CM	Diagnosis
S63.399S	Traumatic rupture of other ligament of unspecified wrist, sequela	ICD-10-CM	Diagnosis
S63.399D	Traumatic rupture of other ligament of unspecified wrist, subsequent encounter	ICD-10-CM	Diagnosis
S53.21XA	Traumatic rupture of right radial collateral ligament, initial encounter	ICD-10-CM	Diagnosis
S53.21XS	Traumatic rupture of right radial collateral ligament, sequela	ICD-10-CM	Diagnosis
S53.21XD	Traumatic rupture of right radial collateral ligament, subsequent encounter	ICD-10-CM	Diagnosis
S63.321A	Traumatic rupture of right radiocarpal ligament, initial encounter	ICD-10-CM	Diagnosis
S63.321S	Traumatic rupture of right radiocarpal ligament, sequela	ICD-10-CM	Diagnosis
S63.321D	Traumatic rupture of right radiocarpal ligament, subsequent encounter	ICD-10-CM	Diagnosis
S53.31XA	Traumatic rupture of right ulnar collateral ligament, initial encounter	ICD-10-CM	Diagnosis
S53.31XS	Traumatic rupture of right ulnar collateral ligament, sequela	ICD-10-CM	Diagnosis
S53.31XD	Traumatic rupture of right ulnar collateral ligament, subsequent encounter	ICD-10-CM	Diagnosis
S63.331A	Traumatic rupture of right ulnocarpal (palmar) ligament, initial encounter	ICD-10-CM	Diagnosis
S63.331S	Traumatic rupture of right ulnocarpal (palmar) ligament, sequela	ICD-10-CM	Diagnosis
S63.331D	Traumatic rupture of right ulnocarpal (palmar) ligament, subsequent encounter	ICD-10-CM	Diagnosis
S63.400A	Traumatic rupture of unspecified ligament of right index finger at metacarpophalangeal and interphalangeal joint, initial encounter	ICD-10-CM	Diagnosis
S63.400S	Traumatic rupture of unspecified ligament of right index finger at metacarpophalangeal and interphalangeal joint, sequela	ICD-10-CM	Diagnosis
S63.400D	Traumatic rupture of unspecified ligament of right index finger at metacarpophalangeal and interphalangeal joint, subsequent encounter	ICD-10-CM	Diagnosis
S63.302A	Traumatic rupture of unspecified ligament of left wrist, initial encounter	ICD-10-CM	Diagnosis
S63.302S	Traumatic rupture of unspecified ligament of left wrist, sequela	ICD-10-CM	Diagnosis
S63.302D	Traumatic rupture of unspecified ligament of left wrist, subsequent encounter	ICD-10-CM	Diagnosis
S63.301S	Traumatic rupture of unspecified ligament of right wrist, sequela	ICD-10-CM	Diagnosis
S63.301D	Traumatic rupture of unspecified ligament of right wrist, subsequent encounter	ICD-10-CM	Diagnosis
S63.309A	Traumatic rupture of unspecified ligament of unspecified wrist, initial encounter	ICD-10-CM	Diagnosis
S63.309S	Traumatic rupture of unspecified ligament of unspecified wrist, sequela	ICD-10-CM	Diagnosis
S63.309D	Traumatic rupture of unspecified ligament of unspecified wrist, subsequent encounter	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S53.20XA	Traumatic rupture of unspecified radial collateral ligament, initial encounter	ICD-10-CM	Diagnosis
S53.20XS	Traumatic rupture of unspecified radial collateral ligament, sequela	ICD-10-CM	Diagnosis
S53.20XD	Traumatic rupture of unspecified radial collateral ligament, subsequent encounter	ICD-10-CM	Diagnosis
S63.329A	Traumatic rupture of unspecified radiocarpal ligament, initial encounter	ICD-10-CM	Diagnosis
S63.329S	Traumatic rupture of unspecified radiocarpal ligament, sequela	ICD-10-CM	Diagnosis
S63.329D	Traumatic rupture of unspecified radiocarpal ligament, subsequent encounter	ICD-10-CM	Diagnosis
S53.30XA	Traumatic rupture of unspecified ulnar collateral ligament, initial encounter	ICD-10-CM	Diagnosis
S53.30XS	Traumatic rupture of unspecified ulnar collateral ligament, sequela	ICD-10-CM	Diagnosis
S53.30XD	Traumatic rupture of unspecified ulnar collateral ligament, subsequent encounter	ICD-10-CM	Diagnosis
S63.339A	Traumatic rupture of unspecified ulnocarpal (palmar) ligament, initial encounter	ICD-10-CM	Diagnosis
S63.339S	Traumatic rupture of unspecified ulnocarpal (palmar) ligament, sequela	ICD-10-CM	Diagnosis
S63.339D	Traumatic rupture of unspecified ulnocarpal (palmar) ligament, subsequent encounter	ICD-10-CM	Diagnosis
S53.442D	Ulnar collateral ligament sprain of left elbow, subsequent encounter	ICD-10-CM	Diagnosis
S53.442A	Ulnar collateral ligament sprain of left elbow, initial encounter	ICD-10-CM	Diagnosis
S53.442S	Ulnar collateral ligament sprain of left elbow, sequela	ICD-10-CM	Diagnosis
S53.441A	Ulnar collateral ligament sprain of right elbow, initial encounter	ICD-10-CM	Diagnosis
S53.441S	Ulnar collateral ligament sprain of right elbow, sequela	ICD-10-CM	Diagnosis
S53.441D	Ulnar collateral ligament sprain of right elbow, subsequent encounter	ICD-10-CM	Diagnosis
S53.449A	Ulnar collateral ligament sprain of unspecified elbow, initial encounter	ICD-10-CM	Diagnosis
S53.449S	Ulnar collateral ligament sprain of unspecified elbow, sequela	ICD-10-CM	Diagnosis
S53.449D	Ulnar collateral ligament sprain of unspecified elbow, subsequent encounter	ICD-10-CM	Diagnosis
S53.422A	Ulnohumeral (joint) sprain of left elbow, initial encounter	ICD-10-CM	Diagnosis
S53.422D	Ulnohumeral (joint) sprain of left elbow, subsequent encounter	ICD-10-CM	Diagnosis
S53.422S	Ulnohumeral (joint) sprain of left elbow, sequela	ICD-10-CM	Diagnosis
S53.421S	Ulnohumeral (joint) sprain of right elbow, sequela	ICD-10-CM	Diagnosis
S53.421A	Ulnohumeral (joint) sprain of right elbow, initial encounter	ICD-10-CM	Diagnosis
S53.421D	Ulnohumeral (joint) sprain of right elbow, subsequent encounter	ICD-10-CM	Diagnosis
S53.429A	Ulnohumeral (joint) sprain of unspecified elbow, initial encounter	ICD-10-CM	Diagnosis
S53.429S	Ulnohumeral (joint) sprain of unspecified elbow, sequela	ICD-10-CM	Diagnosis
S53.429D	Ulnohumeral (joint) sprain of unspecified elbow, subsequent encounter	ICD-10-CM	Diagnosis
S63.509A	Unspecified sprain of unspecified wrist, initial encounter	ICD-10-CM	Diagnosis
S00.202A	Unspecified superficial injury of left eyelid and periocular area, initial encounter	ICD-10-CM	Diagnosis
S00.202D	Unspecified superficial injury of left eyelid and periocular area, subsequent encounter	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S00.201D	Unspecified superficial injury of right eyelid and periocular area, subsequent encounter	ICD-10-CM	Diagnosis
S30.97XA	Unspecified superficial injury of unspecified external genital organs, female, initial encounter	ICD-10-CM	Diagnosis
S00.209A	Unspecified superficial injury of unspecified eyelid and periocular area, initial encounter	ICD-10-CM	Diagnosis
S00.209D	Unspecified superficial injury of unspecified eyelid and periocular area, subsequent encounter	ICD-10-CM	Diagnosis
S00.201A	Unspecified superficial injury of right eyelid and periocular area, initial encounter	ICD-10-CM	Diagnosis
S20.102A	Unspecified superficial injuries of breast, left breast, initial encounter	ICD-10-CM	Diagnosis
S20.102S	Unspecified superficial injuries of breast, left breast, sequela	ICD-10-CM	Diagnosis
S20.102D	Unspecified superficial injuries of breast, left breast, subsequent encounter	ICD-10-CM	Diagnosis
S20.101A	Unspecified superficial injuries of breast, right breast, initial encounter	ICD-10-CM	Diagnosis
S20.101S	Unspecified superficial injuries of breast, right breast, sequela	ICD-10-CM	Diagnosis
S20.101D	Unspecified superficial injuries of breast, right breast, subsequent encounter	ICD-10-CM	Diagnosis
S20.109A	Unspecified superficial injuries of breast, unspecified breast, initial encounter	ICD-10-CM	Diagnosis
S20.109S	Unspecified superficial injuries of breast, unspecified breast, sequela	ICD-10-CM	Diagnosis
S20.109D	Unspecified superficial injuries of breast, unspecified breast, subsequent encounter	ICD-10-CM	Diagnosis
S20.402A	Unspecified superficial injuries of left back wall of thorax, initial encounter	ICD-10-CM	Diagnosis
S20.402S	Unspecified superficial injuries of left back wall of thorax, sequela	ICD-10-CM	Diagnosis
S20.402D	Unspecified superficial injuries of left back wall of thorax, subsequent encounter	ICD-10-CM	Diagnosis
S20.302D	Unspecified superficial injuries of left front wall of thorax, subsequent encounter	ICD-10-CM	Diagnosis
S20.302A	Unspecified superficial injuries of left front wall of thorax, initial encounter	ICD-10-CM	Diagnosis
S20.302S	Unspecified superficial injuries of left front wall of thorax, sequela	ICD-10-CM	Diagnosis
S20.401D	Unspecified superficial injuries of right back wall of thorax, subsequent encounter	ICD-10-CM	Diagnosis
S20.401A	Unspecified superficial injuries of right back wall of thorax, initial encounter	ICD-10-CM	Diagnosis
S20.401S	Unspecified superficial injuries of right back wall of thorax, sequela	ICD-10-CM	Diagnosis
S20.301D	Unspecified superficial injuries of right front wall of thorax, subsequent encounter	ICD-10-CM	Diagnosis
S20.301A	Unspecified superficial injuries of right front wall of thorax, initial encounter	ICD-10-CM	Diagnosis
S20.301S	Unspecified superficial injuries of right front wall of thorax, sequela	ICD-10-CM	Diagnosis



**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S20.409D	Unspecified superficial injuries of unspecified back wall of thorax, subsequent encounter	ICD-10-CM	Diagnosis
S20.409A	Unspecified superficial injuries of unspecified back wall of thorax, initial encounter	ICD-10-CM	Diagnosis
S20.409S	Unspecified superficial injuries of unspecified back wall of thorax, sequela	ICD-10-CM	Diagnosis
S20.309D	Unspecified superficial injuries of unspecified front wall of thorax, subsequent encounter	ICD-10-CM	Diagnosis
S20.309A	Unspecified superficial injuries of unspecified front wall of thorax, initial encounter	ICD-10-CM	Diagnosis
S20.309S	Unspecified superficial injuries of unspecified front wall of thorax, sequela	ICD-10-CM	Diagnosis
S30.91XD	Unspecified superficial injury of lower back and pelvis, subsequent encounter	ICD-10-CM	Diagnosis
S30.91XA	Unspecified superficial injury of lower back and pelvis, initial encounter	ICD-10-CM	Diagnosis
S00.202S	Unspecified superficial injury of left eyelid and periocular area, sequela	ICD-10-CM	Diagnosis
S00.201S	Unspecified superficial injury of right eyelid and periocular area, sequela	ICD-10-CM	Diagnosis
S30.94XD	Unspecified superficial injury of scrotum and testes, subsequent encounter	ICD-10-CM	Diagnosis
S30.97XD	Unspecified superficial injury of unspecified external genital organs, female, subsequent encounter	ICD-10-CM	Diagnosis
S30.96XA	Unspecified superficial injury of unspecified external genital organs, male, initial encounter	ICD-10-CM	Diagnosis
S30.96XS	Unspecified superficial injury of unspecified external genital organs, male, sequela	ICD-10-CM	Diagnosis
S30.96XD	Unspecified superficial injury of unspecified external genital organs, male, subsequent encounter	ICD-10-CM	Diagnosis
S00.209S	Unspecified superficial injury of unspecified eyelid and periocular area, sequela	ICD-10-CM	Diagnosis
S10.90XD	Unspecified superficial injury of unspecified part of neck, subsequent encounter	ICD-10-CM	Diagnosis
S30.92XA	Unspecified superficial injury of abdominal wall, initial encounter	ICD-10-CM	Diagnosis
S30.92XS	Unspecified superficial injury of abdominal wall, sequela	ICD-10-CM	Diagnosis
S30.92XD	Unspecified superficial injury of abdominal wall, subsequent encounter	ICD-10-CM	Diagnosis
S30.98XA	Unspecified superficial injury of anus, initial encounter	ICD-10-CM	Diagnosis
S30.98XD	Unspecified superficial injury of anus, subsequent encounter	ICD-10-CM	Diagnosis
S30.91XS	Unspecified superficial injury of lower back and pelvis, sequela	ICD-10-CM	Diagnosis
S90.912A	Unspecified superficial injury of left ankle, initial encounter	ICD-10-CM	Diagnosis
S90.912D	Unspecified superficial injury of left ankle, subsequent encounter	ICD-10-CM	Diagnosis
S90.932A	Unspecified superficial injury of left great toe, initial encounter	ICD-10-CM	Diagnosis
S90.932S	Unspecified superficial injury of left great toe, sequela	ICD-10-CM	Diagnosis
S90.932D	Unspecified superficial injury of left great toe, subsequent encounter	ICD-10-CM	Diagnosis
S90.935A	Unspecified superficial injury of left lesser toe(s), initial encounter	ICD-10-CM	Diagnosis
S90.935S	Unspecified superficial injury of left lesser toe(s), sequela	ICD-10-CM	Diagnosis
S90.935D	Unspecified superficial injury of left lesser toe(s), subsequent encounter	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S80.922A	Unspecified superficial injury of left lower leg, initial encounter	ICD-10-CM	Diagnosis
S80.922S	Unspecified superficial injury of left lower leg, sequela	ICD-10-CM	Diagnosis
S80.922D	Unspecified superficial injury of left lower leg, subsequent encounter	ICD-10-CM	Diagnosis
S00.80XA	Unspecified superficial injury of other part of head, initial encounter	ICD-10-CM	Diagnosis
S00.80XD	Unspecified superficial injury of other part of head, subsequent encounter	ICD-10-CM	Diagnosis
S10.80XA	Unspecified superficial injury of other specified part of neck, initial encounter	ICD-10-CM	Diagnosis
S10.80XD	Unspecified superficial injury of other specified part of neck, subsequent encounter	ICD-10-CM	Diagnosis
S00.80XS	Unspecified superficial injury of other part of head, sequela	ICD-10-CM	Diagnosis
S10.80XS	Unspecified superficial injury of other specified part of neck, sequela	ICD-10-CM	Diagnosis
S30.93XA	Unspecified superficial injury of penis, initial encounter	ICD-10-CM	Diagnosis
S30.93XD	Unspecified superficial injury of penis, subsequent encounter	ICD-10-CM	Diagnosis
S90.911A	Unspecified superficial injury of right ankle, initial encounter	ICD-10-CM	Diagnosis
S90.911D	Unspecified superficial injury of right ankle, subsequent encounter	ICD-10-CM	Diagnosis
S90.931A	Unspecified superficial injury of right great toe, initial encounter	ICD-10-CM	Diagnosis
S90.931S	Unspecified superficial injury of right great toe, sequela	ICD-10-CM	Diagnosis
S90.931D	Unspecified superficial injury of right great toe, subsequent encounter	ICD-10-CM	Diagnosis
S90.934A	Unspecified superficial injury of right lesser toe(s), initial encounter	ICD-10-CM	Diagnosis
S90.934S	Unspecified superficial injury of right lesser toe(s), sequela	ICD-10-CM	Diagnosis
S90.934D	Unspecified superficial injury of right lesser toe(s), subsequent encounter	ICD-10-CM	Diagnosis
S80.921A	Unspecified superficial injury of right lower leg, initial encounter	ICD-10-CM	Diagnosis
S80.921S	Unspecified superficial injury of right lower leg, sequela	ICD-10-CM	Diagnosis
S80.921D	Unspecified superficial injury of right lower leg, subsequent encounter	ICD-10-CM	Diagnosis
S30.94XA	Unspecified superficial injury of scrotum and testes, initial encounter	ICD-10-CM	Diagnosis
S30.94XS	Unspecified superficial injury of scrotum and testes, sequela	ICD-10-CM	Diagnosis
S90.919D	Unspecified superficial injury of unspecified ankle, subsequent encounter	ICD-10-CM	Diagnosis
S90.919A	Unspecified superficial injury of unspecified ankle, initial encounter	ICD-10-CM	Diagnosis
S30.97XS	Unspecified superficial injury of unspecified external genital organs, female, sequela	ICD-10-CM	Diagnosis
S90.933A	Unspecified superficial injury of unspecified great toe, initial encounter	ICD-10-CM	Diagnosis
S90.933S	Unspecified superficial injury of unspecified great toe, sequela	ICD-10-CM	Diagnosis
S90.933D	Unspecified superficial injury of unspecified great toe, subsequent encounter	ICD-10-CM	Diagnosis
S80.919A	Unspecified superficial injury of unspecified knee, initial encounter	ICD-10-CM	Diagnosis
S80.919D	Unspecified superficial injury of unspecified knee, subsequent encounter	ICD-10-CM	Diagnosis
S90.936A	Unspecified superficial injury of unspecified lesser toe(s), initial encounter	ICD-10-CM	Diagnosis
S90.936D	Unspecified superficial injury of unspecified lesser toe(s), subsequent encounter	ICD-10-CM	Diagnosis
S90.936S	Unspecified superficial injury of unspecified lesser toe(s), sequela	ICD-10-CM	Diagnosis
S80.929A	Unspecified superficial injury of unspecified lower leg, initial encounter	ICD-10-CM	Diagnosis
S80.929S	Unspecified superficial injury of unspecified lower leg, sequela	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S80.929D	Unspecified superficial injury of unspecified lower leg, subsequent encounter	ICD-10-CM	Diagnosis
S00.90XA	Unspecified superficial injury of unspecified part of head, initial encounter	ICD-10-CM	Diagnosis
S00.90XS	Unspecified superficial injury of unspecified part of head, sequela	ICD-10-CM	Diagnosis
S00.90XD	Unspecified superficial injury of unspecified part of head, subsequent encounter	ICD-10-CM	Diagnosis
S10.90XA	Unspecified superficial injury of unspecified part of neck, initial encounter	ICD-10-CM	Diagnosis
S10.90XS	Unspecified superficial injury of unspecified part of neck, sequela	ICD-10-CM	Diagnosis
S20.90XA	Unspecified superficial injury of unspecified parts of thorax, initial encounter	ICD-10-CM	Diagnosis
S20.90XS	Unspecified superficial injury of unspecified parts of thorax, sequela	ICD-10-CM	Diagnosis
S20.90XD	Unspecified superficial injury of unspecified parts of thorax, subsequent encounter	ICD-10-CM	Diagnosis
S90.919S	Unspecified superficial injury of unspecified ankle, sequela	ICD-10-CM	Diagnosis
S80.919S	Unspecified superficial injury of unspecified knee, sequela	ICD-10-CM	Diagnosis
S30.95XA	Unspecified superficial injury of vagina and vulva, initial encounter	ICD-10-CM	Diagnosis
S30.95XS	Unspecified superficial injury of vagina and vulva, sequela	ICD-10-CM	Diagnosis
S30.95XD	Unspecified superficial injury of vagina and vulva, subsequent encounter	ICD-10-CM	Diagnosis
S00.502D	Unspecified superficial injury of oral cavity, subsequent encounter	ICD-10-CM	Diagnosis
S10.10XA	Unspecified superficial injuries of throat, initial encounter	ICD-10-CM	Diagnosis
S10.10XS	Unspecified superficial injuries of throat, sequela	ICD-10-CM	Diagnosis
S10.10XD	Unspecified superficial injuries of throat, subsequent encounter	ICD-10-CM	Diagnosis
S00.501A	Unspecified superficial injury of lip, initial encounter	ICD-10-CM	Diagnosis
S00.501D	Unspecified superficial injury of lip, subsequent encounter	ICD-10-CM	Diagnosis
S00.30XA	Unspecified superficial injury of nose, initial encounter	ICD-10-CM	Diagnosis
S00.30XD	Unspecified superficial injury of nose, subsequent encounter	ICD-10-CM	Diagnosis
S00.501S	Unspecified superficial injury of lip, sequela	ICD-10-CM	Diagnosis
S00.00XS	Unspecified superficial injury of scalp, sequela	ICD-10-CM	Diagnosis
S00.502A	Unspecified superficial injury of oral cavity, initial encounter	ICD-10-CM	Diagnosis
S00.502S	Unspecified superficial injury of oral cavity, sequela	ICD-10-CM	Diagnosis
S00.00XA	Unspecified superficial injury of scalp, initial encounter	ICD-10-CM	Diagnosis
S00.00XD	Unspecified superficial injury of scalp, subsequent encounter	ICD-10-CM	Diagnosis
S53.402A	Unspecified sprain of left elbow, initial encounter	ICD-10-CM	Diagnosis
S93.602A	Unspecified sprain of left foot, initial encounter	ICD-10-CM	Diagnosis
S93.602D	Unspecified sprain of left foot, subsequent encounter	ICD-10-CM	Diagnosis
S93.502A	Unspecified sprain of left great toe, initial encounter	ICD-10-CM	Diagnosis
S93.502D	Unspecified sprain of left great toe, subsequent encounter	ICD-10-CM	Diagnosis
S93.505S	Unspecified sprain of left lesser toe(s), sequela	ICD-10-CM	Diagnosis
S63.502A	Unspecified sprain of left wrist, initial encounter	ICD-10-CM	Diagnosis
S53.402D	Unspecified sprain of left elbow, subsequent encounter	ICD-10-CM	Diagnosis
S63.611A	Unspecified sprain of left index finger, initial encounter	ICD-10-CM	Diagnosis
S63.611S	Unspecified sprain of left index finger, sequela	ICD-10-CM	Diagnosis
S63.611D	Unspecified sprain of left index finger, subsequent encounter	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S93.505A	Unspecified sprain of left lesser toe(s), initial encounter	ICD-10-CM	Diagnosis
S93.505D	Unspecified sprain of left lesser toe(s), subsequent encounter	ICD-10-CM	Diagnosis
S63.617A	Unspecified sprain of left little finger, initial encounter	ICD-10-CM	Diagnosis
S63.617D	Unspecified sprain of left little finger, subsequent encounter	ICD-10-CM	Diagnosis
S63.613A	Unspecified sprain of left middle finger, initial encounter	ICD-10-CM	Diagnosis
S63.613D	Unspecified sprain of left middle finger, subsequent encounter	ICD-10-CM	Diagnosis
S63.615A	Unspecified sprain of left ring finger, initial encounter	ICD-10-CM	Diagnosis
S63.615D	Unspecified sprain of left ring finger, subsequent encounter	ICD-10-CM	Diagnosis
S43.402A	Unspecified sprain of left shoulder joint, initial encounter	ICD-10-CM	Diagnosis
S43.402S	Unspecified sprain of left shoulder joint, sequela	ICD-10-CM	Diagnosis
S43.402D	Unspecified sprain of left shoulder joint, subsequent encounter	ICD-10-CM	Diagnosis
S63.602A	Unspecified sprain of left thumb, initial encounter	ICD-10-CM	Diagnosis
S63.602S	Unspecified sprain of left thumb, sequela	ICD-10-CM	Diagnosis
S63.602D	Unspecified sprain of left thumb, subsequent encounter	ICD-10-CM	Diagnosis
S63.502D	Unspecified sprain of left wrist, subsequent encounter	ICD-10-CM	Diagnosis
S53.402S	Unspecified sprain of left elbow, sequela	ICD-10-CM	Diagnosis
S93.602S	Unspecified sprain of left foot, sequela	ICD-10-CM	Diagnosis
S93.502S	Unspecified sprain of left great toe, sequela	ICD-10-CM	Diagnosis
S73.102A	Unspecified sprain of left hip, initial encounter	ICD-10-CM	Diagnosis
S73.102S	Unspecified sprain of left hip, sequela	ICD-10-CM	Diagnosis
S73.102D	Unspecified sprain of left hip, subsequent encounter	ICD-10-CM	Diagnosis
S63.617S	Unspecified sprain of left little finger, sequela	ICD-10-CM	Diagnosis
S63.613S	Unspecified sprain of left middle finger, sequela	ICD-10-CM	Diagnosis
S63.615S	Unspecified sprain of left ring finger, sequela	ICD-10-CM	Diagnosis
S63.502S	Unspecified sprain of left wrist, sequela	ICD-10-CM	Diagnosis
S63.618S	Unspecified sprain of other finger, sequela	ICD-10-CM	Diagnosis
S53.401S	Unspecified sprain of right elbow, sequela	ICD-10-CM	Diagnosis
S93.601S	Unspecified sprain of right foot, sequela	ICD-10-CM	Diagnosis
S93.501S	Unspecified sprain of right great toe, sequela	ICD-10-CM	Diagnosis
S73.101S	Unspecified sprain of right hip, sequela	ICD-10-CM	Diagnosis
S63.614S	Unspecified sprain of right ring finger, sequela	ICD-10-CM	Diagnosis
S63.501S	Unspecified sprain of right wrist, sequela	ICD-10-CM	Diagnosis
S23.429A	Unspecified sprain of sternum, initial encounter	ICD-10-CM	Diagnosis
S23.429S	Unspecified sprain of sternum, sequela	ICD-10-CM	Diagnosis
S53.409S	Unspecified sprain of unspecified elbow, sequela	ICD-10-CM	Diagnosis
S63.619S	Unspecified sprain of unspecified finger, sequela	ICD-10-CM	Diagnosis
S93.609S	Unspecified sprain of unspecified foot, sequela	ICD-10-CM	Diagnosis
S73.109S	Unspecified sprain of unspecified hip, sequela	ICD-10-CM	Diagnosis
S63.609S	Unspecified sprain of unspecified thumb, sequela	ICD-10-CM	Diagnosis
S63.509S	Unspecified sprain of unspecified wrist, sequela	ICD-10-CM	Diagnosis
S63.509D	Unspecified sprain of unspecified wrist, subsequent encounter	ICD-10-CM	Diagnosis
S63.618A	Unspecified sprain of other finger, initial encounter	ICD-10-CM	Diagnosis
S63.618D	Unspecified sprain of other finger, subsequent encounter	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S53.401A	Unspecified sprain of right elbow, initial encounter	ICD-10-CM	Diagnosis
S93.601A	Unspecified sprain of right foot, initial encounter	ICD-10-CM	Diagnosis
S93.601D	Unspecified sprain of right foot, subsequent encounter	ICD-10-CM	Diagnosis
S93.501A	Unspecified sprain of right great toe, initial encounter	ICD-10-CM	Diagnosis
S93.501D	Unspecified sprain of right great toe, subsequent encounter	ICD-10-CM	Diagnosis
S73.101A	Unspecified sprain of right hip, initial encounter	ICD-10-CM	Diagnosis
S73.101D	Unspecified sprain of right hip, subsequent encounter	ICD-10-CM	Diagnosis
S93.504S	Unspecified sprain of right lesser toe(s), sequela	ICD-10-CM	Diagnosis
S63.616S	Unspecified sprain of right little finger, sequela	ICD-10-CM	Diagnosis
S63.612S	Unspecified sprain of right middle finger, sequela	ICD-10-CM	Diagnosis
S43.401S	Unspecified sprain of right shoulder joint, sequela	ICD-10-CM	Diagnosis
S63.501A	Unspecified sprain of right wrist, initial encounter	ICD-10-CM	Diagnosis
S53.401D	Unspecified sprain of right elbow, subsequent encounter	ICD-10-CM	Diagnosis
S63.610A	Unspecified sprain of right index finger, initial encounter	ICD-10-CM	Diagnosis
S63.610S	Unspecified sprain of right index finger, sequela	ICD-10-CM	Diagnosis
S63.610D	Unspecified sprain of right index finger, subsequent encounter	ICD-10-CM	Diagnosis
S93.504A	Unspecified sprain of right lesser toe(s), initial encounter	ICD-10-CM	Diagnosis
S93.504D	Unspecified sprain of right lesser toe(s), subsequent encounter	ICD-10-CM	Diagnosis
S63.616A	Unspecified sprain of right little finger, initial encounter	ICD-10-CM	Diagnosis
S63.616D	Unspecified sprain of right little finger, subsequent encounter	ICD-10-CM	Diagnosis
S63.612A	Unspecified sprain of right middle finger, initial encounter	ICD-10-CM	Diagnosis
S63.612D	Unspecified sprain of right middle finger, subsequent encounter	ICD-10-CM	Diagnosis
S63.614A	Unspecified sprain of right ring finger, initial encounter	ICD-10-CM	Diagnosis
S63.614D	Unspecified sprain of right ring finger, subsequent encounter	ICD-10-CM	Diagnosis
S43.401A	Unspecified sprain of right shoulder joint, initial encounter	ICD-10-CM	Diagnosis
S43.401D	Unspecified sprain of right shoulder joint, subsequent encounter	ICD-10-CM	Diagnosis
S63.601A	Unspecified sprain of right thumb, initial encounter	ICD-10-CM	Diagnosis
S63.601S	Unspecified sprain of right thumb, sequela	ICD-10-CM	Diagnosis
S63.601D	Unspecified sprain of right thumb, subsequent encounter	ICD-10-CM	Diagnosis
S63.501D	Unspecified sprain of right wrist, subsequent encounter	ICD-10-CM	Diagnosis
S23.429D	Unspecified sprain of sternum, subsequent encounter	ICD-10-CM	Diagnosis
S53.409D	Unspecified sprain of unspecified elbow, subsequent encounter	ICD-10-CM	Diagnosis
S63.619D	Unspecified sprain of unspecified finger, subsequent encounter	ICD-10-CM	Diagnosis
S93.503A	Unspecified sprain of unspecified great toe, initial encounter	ICD-10-CM	Diagnosis
S93.503D	Unspecified sprain of unspecified great toe, subsequent encounter	ICD-10-CM	Diagnosis
S93.506A	Unspecified sprain of unspecified lesser toe(s), initial encounter	ICD-10-CM	Diagnosis
S93.506S	Unspecified sprain of unspecified lesser toe(s), sequela	ICD-10-CM	Diagnosis
S93.506D	Unspecified sprain of unspecified lesser toe(s), subsequent encounter	ICD-10-CM	Diagnosis
S43.409A	Unspecified sprain of unspecified shoulder joint, initial encounter	ICD-10-CM	Diagnosis
S43.409S	Unspecified sprain of unspecified shoulder joint, sequela	ICD-10-CM	Diagnosis
S43.409D	Unspecified sprain of unspecified shoulder joint, subsequent encounter	ICD-10-CM	Diagnosis
S63.609D	Unspecified sprain of unspecified thumb, subsequent encounter	ICD-10-CM	Diagnosis
S93.509A	Unspecified sprain of unspecified toe(s), initial encounter	ICD-10-CM	Diagnosis



**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S93.509D	Unspecified sprain of unspecified toe(s), subsequent encounter	ICD-10-CM	Diagnosis
S53.409A	Unspecified sprain of unspecified elbow, initial encounter	ICD-10-CM	Diagnosis
S63.619A	Unspecified sprain of unspecified finger, initial encounter	ICD-10-CM	Diagnosis
S93.609A	Unspecified sprain of unspecified foot, initial encounter	ICD-10-CM	Diagnosis
S93.609D	Unspecified sprain of unspecified foot, subsequent encounter	ICD-10-CM	Diagnosis
S93.503S	Unspecified sprain of unspecified great toe, sequela	ICD-10-CM	Diagnosis
S73.109A	Unspecified sprain of unspecified hip, initial encounter	ICD-10-CM	Diagnosis
S73.109D	Unspecified sprain of unspecified hip, subsequent encounter	ICD-10-CM	Diagnosis
S63.609A	Unspecified sprain of unspecified thumb, initial encounter	ICD-10-CM	Diagnosis
S93.509S	Unspecified sprain of unspecified toe(s), sequela	ICD-10-CM	Diagnosis
S60.942S	Unspecified superficial injury of right middle finger, sequela	ICD-10-CM	Diagnosis
S60.941A	Unspecified superficial injury of left index finger, initial encounter	ICD-10-CM	Diagnosis
S60.941S	Unspecified superficial injury of left index finger, sequela	ICD-10-CM	Diagnosis
S60.941D	Unspecified superficial injury of left index finger, subsequent encounter	ICD-10-CM	Diagnosis
S60.943A	Unspecified superficial injury of left middle finger, initial encounter	ICD-10-CM	Diagnosis
S60.943S	Unspecified superficial injury of left middle finger, sequela	ICD-10-CM	Diagnosis
S60.943D	Unspecified superficial injury of left middle finger, subsequent encounter	ICD-10-CM	Diagnosis
S60.922A	Unspecified superficial injury of left hand, initial encounter	ICD-10-CM	Diagnosis
S60.922S	Unspecified superficial injury of left hand, sequela	ICD-10-CM	Diagnosis
S60.922D	Unspecified superficial injury of left hand, subsequent encounter	ICD-10-CM	Diagnosis
S60.932A	Unspecified superficial injury of left thumb, initial encounter	ICD-10-CM	Diagnosis
S60.932D	Unspecified superficial injury of left thumb, subsequent encounter	ICD-10-CM	Diagnosis
S60.912A	Unspecified superficial injury of left wrist, initial encounter	ICD-10-CM	Diagnosis
S60.912S	Unspecified superficial injury of left wrist, sequela	ICD-10-CM	Diagnosis
S60.912D	Unspecified superficial injury of left wrist, subsequent encounter	ICD-10-CM	Diagnosis
S60.921A	Unspecified superficial injury of right hand, initial encounter	ICD-10-CM	Diagnosis
S60.921S	Unspecified superficial injury of right hand, sequela	ICD-10-CM	Diagnosis
S60.921D	Unspecified superficial injury of right hand, subsequent encounter	ICD-10-CM	Diagnosis
S60.931A	Unspecified superficial injury of right thumb, initial encounter	ICD-10-CM	Diagnosis
S60.931S	Unspecified superficial injury of right thumb, sequela	ICD-10-CM	Diagnosis
S60.931D	Unspecified superficial injury of right thumb, subsequent encounter	ICD-10-CM	Diagnosis
S60.911A	Unspecified superficial injury of right wrist, initial encounter	ICD-10-CM	Diagnosis
S60.911S	Unspecified superficial injury of right wrist, sequela	ICD-10-CM	Diagnosis
S60.911D	Unspecified superficial injury of right wrist, subsequent encounter	ICD-10-CM	Diagnosis
S60.929A	Unspecified superficial injury of unspecified hand, initial encounter	ICD-10-CM	Diagnosis
S60.929S	Unspecified superficial injury of unspecified hand, sequela	ICD-10-CM	Diagnosis
S60.929D	Unspecified superficial injury of unspecified hand, subsequent encounter	ICD-10-CM	Diagnosis
S60.940A	Unspecified superficial injury of right index finger, initial encounter	ICD-10-CM	Diagnosis
S60.940S	Unspecified superficial injury of right index finger, sequela	ICD-10-CM	Diagnosis
S60.940D	Unspecified superficial injury of right index finger, subsequent encounter	ICD-10-CM	Diagnosis
S60.942A	Unspecified superficial injury of right middle finger, initial encounter	ICD-10-CM	Diagnosis
S60.942D	Unspecified superficial injury of right middle finger, subsequent encounter	ICD-10-CM	Diagnosis



**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S60.919A	Unspecified superficial injury of unspecified wrist, initial encounter	ICD-10-CM	Diagnosis
S60.919S	Unspecified superficial injury of unspecified wrist, sequela	ICD-10-CM	Diagnosis
S60.919D	Unspecified superficial injury of unspecified wrist, subsequent encounter	ICD-10-CM	Diagnosis
S60.947A	Unspecified superficial injury of left little finger, initial encounter	ICD-10-CM	Diagnosis
S60.947S	Unspecified superficial injury of left little finger, sequela	ICD-10-CM	Diagnosis
S60.947D	Unspecified superficial injury of left little finger, subsequent encounter	ICD-10-CM	Diagnosis
S60.945A	Unspecified superficial injury of left ring finger, initial encounter	ICD-10-CM	Diagnosis
S60.945S	Unspecified superficial injury of left ring finger, sequela	ICD-10-CM	Diagnosis
S60.945D	Unspecified superficial injury of left ring finger, subsequent encounter	ICD-10-CM	Diagnosis
S60.946A	Unspecified superficial injury of right little finger, initial encounter	ICD-10-CM	Diagnosis
S60.946S	Unspecified superficial injury of right little finger, sequela	ICD-10-CM	Diagnosis
S60.946D	Unspecified superficial injury of right little finger, subsequent encounter	ICD-10-CM	Diagnosis
S60.944A	Unspecified superficial injury of right ring finger, initial encounter	ICD-10-CM	Diagnosis
S60.944S	Unspecified superficial injury of right ring finger, sequela	ICD-10-CM	Diagnosis
S60.944D	Unspecified superficial injury of right ring finger, subsequent encounter	ICD-10-CM	Diagnosis
S40.911A	Unspecified superficial injury of right shoulder, initial encounter	ICD-10-CM	Diagnosis
S40.929A	Unspecified superficial injury of unspecified upper arm, initial encounter	ICD-10-CM	Diagnosis
S40.929D	Unspecified superficial injury of unspecified upper arm, subsequent encounter	ICD-10-CM	Diagnosis
S00.402S	Unspecified superficial injury of left ear, sequela	ICD-10-CM	Diagnosis
S00.402D	Unspecified superficial injury of left ear, subsequent encounter	ICD-10-CM	Diagnosis
S90.922A	Unspecified superficial injury of left foot, initial encounter	ICD-10-CM	Diagnosis
S90.922S	Unspecified superficial injury of left foot, sequela	ICD-10-CM	Diagnosis
S90.922D	Unspecified superficial injury of left foot, subsequent encounter	ICD-10-CM	Diagnosis
S70.912S	Unspecified superficial injury of left hip, sequela	ICD-10-CM	Diagnosis
S80.912S	Unspecified superficial injury of left knee, sequela	ICD-10-CM	Diagnosis
S90.912S	Unspecified superficial injury of left ankle, sequela	ICD-10-CM	Diagnosis
S50.902D	Unspecified superficial injury of left elbow, subsequent encounter	ICD-10-CM	Diagnosis
S50.902A	Unspecified superficial injury of left elbow, initial encounter	ICD-10-CM	Diagnosis
S50.902S	Unspecified superficial injury of left elbow, sequela	ICD-10-CM	Diagnosis
S50.912A	Unspecified superficial injury of left forearm, initial encounter	ICD-10-CM	Diagnosis
S50.912S	Unspecified superficial injury of left forearm, sequela	ICD-10-CM	Diagnosis
S50.912D	Unspecified superficial injury of left forearm, subsequent encounter	ICD-10-CM	Diagnosis
S70.912A	Unspecified superficial injury of left hip, initial encounter	ICD-10-CM	Diagnosis
S70.912D	Unspecified superficial injury of left hip, subsequent encounter	ICD-10-CM	Diagnosis
S80.912A	Unspecified superficial injury of left knee, initial encounter	ICD-10-CM	Diagnosis
S80.912D	Unspecified superficial injury of left knee, subsequent encounter	ICD-10-CM	Diagnosis
S40.912D	Unspecified superficial injury of left shoulder, subsequent encounter	ICD-10-CM	Diagnosis
S40.912A	Unspecified superficial injury of left shoulder, initial encounter	ICD-10-CM	Diagnosis
S40.912S	Unspecified superficial injury of left shoulder, sequela	ICD-10-CM	Diagnosis
S70.922A	Unspecified superficial injury of left thigh, initial encounter	ICD-10-CM	Diagnosis
S70.922S	Unspecified superficial injury of left thigh, sequela	ICD-10-CM	Diagnosis
S70.922D	Unspecified superficial injury of left thigh, subsequent encounter	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S60.932S	Unspecified superficial injury of left thumb, sequela	ICD-10-CM	Diagnosis
S40.922A	Unspecified superficial injury of left upper arm, initial encounter	ICD-10-CM	Diagnosis
S40.922S	Unspecified superficial injury of left upper arm, sequela	ICD-10-CM	Diagnosis
S40.922D	Unspecified superficial injury of left upper arm, subsequent encounter	ICD-10-CM	Diagnosis
S30.98XS	Unspecified superficial injury of anus, sequela	ICD-10-CM	Diagnosis
S00.402A	Unspecified superficial injury of left ear, initial encounter	ICD-10-CM	Diagnosis
S00.30XS	Unspecified superficial injury of nose, sequela	ICD-10-CM	Diagnosis
S30.93XS	Unspecified superficial injury of penis, sequela	ICD-10-CM	Diagnosis
S00.401A	Unspecified superficial injury of right ear, initial encounter	ICD-10-CM	Diagnosis
S60.948A	Unspecified superficial injury of other finger, initial encounter	ICD-10-CM	Diagnosis
S60.948D	Unspecified superficial injury of other finger, subsequent encounter	ICD-10-CM	Diagnosis
S60.948S	Unspecified superficial injury of other finger, sequela	ICD-10-CM	Diagnosis
S00.401S	Unspecified superficial injury of right ear, sequela	ICD-10-CM	Diagnosis
S00.401D	Unspecified superficial injury of right ear, subsequent encounter	ICD-10-CM	Diagnosis
S70.911S	Unspecified superficial injury of right hip, sequela	ICD-10-CM	Diagnosis
S90.911S	Unspecified superficial injury of right ankle, sequela	ICD-10-CM	Diagnosis
S50.901D	Unspecified superficial injury of right elbow, subsequent encounter	ICD-10-CM	Diagnosis
S50.901A	Unspecified superficial injury of right elbow, initial encounter	ICD-10-CM	Diagnosis
S50.901S	Unspecified superficial injury of right elbow, sequela	ICD-10-CM	Diagnosis
S90.921A	Unspecified superficial injury of right foot, initial encounter	ICD-10-CM	Diagnosis
S90.921S	Unspecified superficial injury of right foot, sequela	ICD-10-CM	Diagnosis
S90.921D	Unspecified superficial injury of right foot, subsequent encounter	ICD-10-CM	Diagnosis
S50.911A	Unspecified superficial injury of right forearm, initial encounter	ICD-10-CM	Diagnosis
S50.911S	Unspecified superficial injury of right forearm, sequela	ICD-10-CM	Diagnosis
S50.911D	Unspecified superficial injury of right forearm, subsequent encounter	ICD-10-CM	Diagnosis
S70.911A	Unspecified superficial injury of right hip, initial encounter	ICD-10-CM	Diagnosis
S70.911D	Unspecified superficial injury of right hip, subsequent encounter	ICD-10-CM	Diagnosis
S80.911A	Unspecified superficial injury of right knee, initial encounter	ICD-10-CM	Diagnosis
S80.911D	Unspecified superficial injury of right knee, subsequent encounter	ICD-10-CM	Diagnosis
S80.911S	Unspecified superficial injury of right knee, sequela	ICD-10-CM	Diagnosis
S40.911D	Unspecified superficial injury of right shoulder, subsequent encounter	ICD-10-CM	Diagnosis
S40.911S	Unspecified superficial injury of right shoulder, sequela	ICD-10-CM	Diagnosis
S70.921A	Unspecified superficial injury of right thigh, initial encounter	ICD-10-CM	Diagnosis
S70.921S	Unspecified superficial injury of right thigh, sequela	ICD-10-CM	Diagnosis
S70.921D	Unspecified superficial injury of right thigh, subsequent encounter	ICD-10-CM	Diagnosis
S40.921A	Unspecified superficial injury of right upper arm, initial encounter	ICD-10-CM	Diagnosis
S40.921S	Unspecified superficial injury of right upper arm, sequela	ICD-10-CM	Diagnosis
S40.921D	Unspecified superficial injury of right upper arm, subsequent encounter	ICD-10-CM	Diagnosis
S00.409A	Unspecified superficial injury of unspecified ear, initial encounter	ICD-10-CM	Diagnosis
S00.409S	Unspecified superficial injury of unspecified ear, sequela	ICD-10-CM	Diagnosis
S00.409D	Unspecified superficial injury of unspecified ear, subsequent encounter	ICD-10-CM	Diagnosis
S50.909D	Unspecified superficial injury of unspecified elbow, subsequent encounter	ICD-10-CM	Diagnosis
S50.909A	Unspecified superficial injury of unspecified elbow, initial encounter	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S50.909S	Unspecified superficial injury of unspecified elbow, sequela	ICD-10-CM	Diagnosis
S60.949A	Unspecified superficial injury of unspecified finger, initial encounter	ICD-10-CM	Diagnosis
S60.949S	Unspecified superficial injury of unspecified finger, sequela	ICD-10-CM	Diagnosis
S60.949D	Unspecified superficial injury of unspecified finger, subsequent encounter	ICD-10-CM	Diagnosis
S90.929A	Unspecified superficial injury of unspecified foot, initial encounter	ICD-10-CM	Diagnosis
S90.929S	Unspecified superficial injury of unspecified foot, sequela	ICD-10-CM	Diagnosis
S90.929D	Unspecified superficial injury of unspecified foot, subsequent encounter	ICD-10-CM	Diagnosis
S50.919A	Unspecified superficial injury of unspecified forearm, initial encounter	ICD-10-CM	Diagnosis
S50.919S	Unspecified superficial injury of unspecified forearm, sequela	ICD-10-CM	Diagnosis
S50.919D	Unspecified superficial injury of unspecified forearm, subsequent encounter	ICD-10-CM	Diagnosis
S70.919A	Unspecified superficial injury of unspecified hip, initial encounter	ICD-10-CM	Diagnosis
S70.919S	Unspecified superficial injury of unspecified hip, sequela	ICD-10-CM	Diagnosis
S70.919D	Unspecified superficial injury of unspecified hip, subsequent encounter	ICD-10-CM	Diagnosis
S40.919D	Unspecified superficial injury of unspecified shoulder, subsequent encounter	ICD-10-CM	Diagnosis
S40.919A	Unspecified superficial injury of unspecified shoulder, initial encounter	ICD-10-CM	Diagnosis
S40.919S	Unspecified superficial injury of unspecified shoulder, sequela	ICD-10-CM	Diagnosis
S70.929A	Unspecified superficial injury of unspecified thigh, initial encounter	ICD-10-CM	Diagnosis
S70.929S	Unspecified superficial injury of unspecified thigh, sequela	ICD-10-CM	Diagnosis
S70.929D	Unspecified superficial injury of unspecified thigh, subsequent encounter	ICD-10-CM	Diagnosis
S60.939A	Unspecified superficial injury of unspecified thumb, initial encounter	ICD-10-CM	Diagnosis
S60.939S	Unspecified superficial injury of unspecified thumb, sequela	ICD-10-CM	Diagnosis
S60.939D	Unspecified superficial injury of unspecified thumb, subsequent encounter	ICD-10-CM	Diagnosis
S40.929S	Unspecified superficial injury of unspecified upper arm, sequela	ICD-10-CM	Diagnosis
<b>Trauma, Injury, Fracture, &amp; Burns</b>			
716.10	Traumatic arthropathy, site unspecified	ICD-9-CM	Diagnosis
716.11	Traumatic arthropathy, shoulder region	ICD-9-CM	Diagnosis
716.12	Traumatic arthropathy, upper arm	ICD-9-CM	Diagnosis
716.13	Traumatic arthropathy, forearm	ICD-9-CM	Diagnosis
716.14	Traumatic arthropathy, hand	ICD-9-CM	Diagnosis
716.15	Traumatic arthropathy, pelvic region and thigh	ICD-9-CM	Diagnosis
716.16	Traumatic arthropathy, lower leg	ICD-9-CM	Diagnosis
716.17	Traumatic arthropathy, ankle and foot	ICD-9-CM	Diagnosis
716.18	Traumatic arthropathy, other specified sites	ICD-9-CM	Diagnosis
716.19	Traumatic arthropathy, multiple sites	ICD-9-CM	Diagnosis
717.0	Old bucket handle tear of medial meniscus	ICD-9-CM	Diagnosis
717.1	Derangement of anterior horn of medial meniscus	ICD-9-CM	Diagnosis
717.2	Derangement of posterior horn of medial meniscus	ICD-9-CM	Diagnosis
717.3	Other and unspecified derangement of medial meniscus	ICD-9-CM	Diagnosis
717.40	Unspecified derangement of lateral meniscus	ICD-9-CM	Diagnosis
717.41	Bucket handle tear of lateral meniscus	ICD-9-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
717.42	Derangement of anterior horn of lateral meniscus	ICD-9-CM	Diagnosis
717.43	Derangement of posterior horn of lateral meniscus	ICD-9-CM	Diagnosis
717.49	Other derangement of lateral meniscus	ICD-9-CM	Diagnosis
717.5	Derangement of meniscus, not elsewhere classified	ICD-9-CM	Diagnosis
717.6	Loose body in knee	ICD-9-CM	Diagnosis
717.7	Chondromalacia of patella	ICD-9-CM	Diagnosis
717.81	Old disruption of lateral collateral ligament	ICD-9-CM	Diagnosis
717.82	Old disruption of medial collateral ligament	ICD-9-CM	Diagnosis
717.83	Old disruption of anterior cruciate ligament	ICD-9-CM	Diagnosis
717.84	Old disruption of posterior cruciate ligament	ICD-9-CM	Diagnosis
717.85	Old disruption of other ligament of knee	ICD-9-CM	Diagnosis
717.89	Other internal derangement of knee	ICD-9-CM	Diagnosis
717.9	Unspecified internal derangement of knee	ICD-9-CM	Diagnosis
718.00	Articular cartilage disorder, site unspecified	ICD-9-CM	Diagnosis
718.01	Articular cartilage disorder, shoulder region	ICD-9-CM	Diagnosis
718.02	Articular cartilage disorder, upper arm	ICD-9-CM	Diagnosis
718.03	Articular cartilage disorder, forearm	ICD-9-CM	Diagnosis
718.04	Articular cartilage disorder, hand	ICD-9-CM	Diagnosis
718.05	Articular cartilage disorder, pelvic region and thigh	ICD-9-CM	Diagnosis
718.07	Articular cartilage disorder, ankle and foot	ICD-9-CM	Diagnosis
718.08	Articular cartilage disorder, other specified site	ICD-9-CM	Diagnosis
718.09	Articular cartilage disorder, multiple sites	ICD-9-CM	Diagnosis
718.30	Recurrent dislocation of joint, site unspecified	ICD-9-CM	Diagnosis
718.31	Recurrent dislocation of shoulder joint	ICD-9-CM	Diagnosis
718.32	Recurrent dislocation of upper arm joint	ICD-9-CM	Diagnosis
718.33	Recurrent dislocation of forearm joint	ICD-9-CM	Diagnosis
718.34	Recurrent dislocation of hand joint	ICD-9-CM	Diagnosis
718.35	Recurrent dislocation of pelvic region and thigh joint	ICD-9-CM	Diagnosis
718.36	Recurrent dislocation of lower leg joint	ICD-9-CM	Diagnosis
718.37	Recurrent dislocation of ankle and foot joint	ICD-9-CM	Diagnosis
718.38	Recurrent dislocation of joint of other specified site	ICD-9-CM	Diagnosis
718.39	Recurrent dislocation of joint of multiple sites	ICD-9-CM	Diagnosis
800.00	Closed fracture of vault of skull without mention of intracranial injury, unspecified state of consciousness	ICD-9-CM	Diagnosis
800.01	Closed fracture of vault of skull without mention of intracranial injury, no loss of consciousness	ICD-9-CM	Diagnosis
800.02	Closed fracture of vault of skull without mention of intracranial injury, brief (less than one hour) loss of consciousness	ICD-9-CM	Diagnosis
800.03	Closed fracture of vault of skull without mention of intracranial injury, moderate (1-24 hours) loss of consciousness	ICD-9-CM	Diagnosis
800.04	Closed fracture of vault of skull without mention of intracranial injury, prolonged (more than 24 hours) loss of consciousness and return to pre-existing conscious level	ICD-9-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
800.05	Closed fracture of vault of skull without mention of intracranial injury, prolonged (more than 24 hours) loss of consciousness, without return to pre-existing conscious level	ICD-9-CM	Diagnosis
800.06	Closed fracture of vault of skull without mention of intracranial injury, loss of consciousness of unspecified duration	ICD-9-CM	Diagnosis
800.09	Closed fracture of vault of skull without mention of intracranial injury, unspecified concussion	ICD-9-CM	Diagnosis
800.50	Open fracture of vault of skull without mention of intracranial injury, unspecified state of consciousness	ICD-9-CM	Diagnosis
800.51	Open fracture of vault of skull without mention of intracranial injury, no loss of consciousness	ICD-9-CM	Diagnosis
800.52	Open fracture of vault of skull without mention of intracranial injury, brief (less than one hour) loss of consciousness	ICD-9-CM	Diagnosis
800.53	Open fracture of vault of skull without mention of intracranial injury, moderate (1-24 hours) loss of consciousness	ICD-9-CM	Diagnosis
800.54	Open fracture of vault of skull without mention of intracranial injury, prolonged (more than 24 hours) loss of consciousness and return to pre-existing conscious level	ICD-9-CM	Diagnosis
800.55	Open fracture of vault of skull without mention of intracranial injury, prolonged (more than 24 hours) loss of consciousness, without return to pre-existing conscious level	ICD-9-CM	Diagnosis
800.56	Open fracture of vault of skull without mention of intracranial injury, loss of consciousness of unspecified duration	ICD-9-CM	Diagnosis
800.59	Open fracture of vault of skull without mention of intracranial injury, unspecified concussion	ICD-9-CM	Diagnosis
801.00	Closed fracture of base of skull without mention of intracranial injury, unspecified state of consciousness	ICD-9-CM	Diagnosis
801.01	Closed fracture of base of skull without mention of intracranial injury, no loss of consciousness	ICD-9-CM	Diagnosis
801.02	Closed fracture of base of skull without mention of intracranial injury, brief (less than one hour) loss of consciousness	ICD-9-CM	Diagnosis
801.03	Closed fracture of base of skull without mention of intracranial injury, moderate (1-24 hours) loss of consciousness	ICD-9-CM	Diagnosis
801.04	Closed fracture of base of skull without mention of intracranial injury, prolonged (more than 24 hours) loss of consciousness and return to pre-existing conscious level	ICD-9-CM	Diagnosis
801.05	Closed fracture of base of skull without mention of intracranial injury, prolonged (more than 24 hours) loss of consciousness, without return to pre-existing conscious level	ICD-9-CM	Diagnosis
801.06	Closed fracture of base of skull without mention of intracranial injury, loss of consciousness of unspecified duration	ICD-9-CM	Diagnosis
801.09	Closed fracture of base of skull without mention of intracranial injury, unspecified concussion	ICD-9-CM	Diagnosis



**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
801.50	Open fracture of base of skull without mention of intracranial injury, unspecified state of consciousness	ICD-9-CM	Diagnosis
801.51	Open fracture of base of skull without mention of intracranial injury, no loss of consciousness	ICD-9-CM	Diagnosis
801.52	Open fracture of base of skull without mention of intracranial injury, brief (less than one hour) loss of consciousness	ICD-9-CM	Diagnosis
801.53	Open fracture of base of skull without mention of intracranial injury, moderate (1-24 hours) loss of consciousness	ICD-9-CM	Diagnosis
801.54	Open fracture of base of skull without mention of intracranial injury, prolonged (more than 24 hours) loss of consciousness and return to pre-existing conscious level	ICD-9-CM	Diagnosis
801.55	Open fracture of base of skull without mention of intracranial injury, prolonged (more than 24 hours) loss of consciousness, without return to pre-existing conscious level	ICD-9-CM	Diagnosis
801.56	Open fracture of base of skull without mention of intracranial injury, loss of consciousness of unspecified duration	ICD-9-CM	Diagnosis
801.59	Open fracture of base of skull without mention of intracranial injury, unspecified concussion	ICD-9-CM	Diagnosis
802.0	Nasal bones, closed fracture	ICD-9-CM	Diagnosis
802.1	Nasal bones, open fracture	ICD-9-CM	Diagnosis
802.20	Closed fracture of unspecified site of mandible	ICD-9-CM	Diagnosis
802.21	Closed fracture of condylar process of mandible	ICD-9-CM	Diagnosis
802.22	Closed fracture of subcondylar process of mandible	ICD-9-CM	Diagnosis
802.23	Closed fracture of coronoid process of mandible	ICD-9-CM	Diagnosis
802.24	Closed fracture of unspecified part of ramus of mandible	ICD-9-CM	Diagnosis
802.25	Closed fracture of angle of jaw	ICD-9-CM	Diagnosis
802.26	Closed fracture of symphysis of body of mandible	ICD-9-CM	Diagnosis
802.27	Closed fracture of alveolar border of body of mandible	ICD-9-CM	Diagnosis
802.28	Closed fracture of other and unspecified part of body of mandible	ICD-9-CM	Diagnosis
802.29	Closed fracture of multiple sites of mandible	ICD-9-CM	Diagnosis
802.30	Open fracture of unspecified site of mandible	ICD-9-CM	Diagnosis
802.31	Open fracture of condylar process of mandible	ICD-9-CM	Diagnosis
802.32	Open fracture of subcondylar process of mandible	ICD-9-CM	Diagnosis
802.33	Open fracture of coronoid process of mandible	ICD-9-CM	Diagnosis
802.34	Open fracture of unspecified part of ramus of mandible	ICD-9-CM	Diagnosis
802.35	Open fracture of angle of jaw	ICD-9-CM	Diagnosis
802.36	Open fracture of symphysis of body of mandible	ICD-9-CM	Diagnosis
802.37	Open fracture of alveolar border of body of mandible	ICD-9-CM	Diagnosis
802.38	Open fracture of other and unspecified part of body of mandible	ICD-9-CM	Diagnosis
802.39	Open fracture of multiple sites of mandible	ICD-9-CM	Diagnosis
802.4	Malar and maxillary bones, closed fracture	ICD-9-CM	Diagnosis
802.5	Malar and maxillary bones, open fracture	ICD-9-CM	Diagnosis
802.6	Orbital floor (blow-out), closed fracture	ICD-9-CM	Diagnosis



**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
802.7	Orbital floor (blow-out), open fracture	ICD-9-CM	Diagnosis
802.8	Other facial bones, closed fracture	ICD-9-CM	Diagnosis
802.9	Other facial bones, open fracture	ICD-9-CM	Diagnosis
803.00	Other closed skull fracture without mention of intracranial injury, unspecified state of consciousness	ICD-9-CM	Diagnosis
803.01	Other closed skull fracture without mention of intracranial injury, no loss of consciousness	ICD-9-CM	Diagnosis
803.02	Other closed skull fracture without mention of intracranial injury, brief (less than one hour) loss of consciousness	ICD-9-CM	Diagnosis
803.03	Other closed skull fracture without mention of intracranial injury, moderate (1-24 hours) loss of consciousness	ICD-9-CM	Diagnosis
803.04	Other closed skull fracture without mention of intracranial injury, prolonged (more than 24 hours) loss of consciousness and return to pre-existing conscious level	ICD-9-CM	Diagnosis
803.05	Other closed skull fracture without mention of intracranial injury, prolonged (more than 24 hours) loss of consciousness, without return to pre-existing conscious level	ICD-9-CM	Diagnosis
803.06	Other closed skull fracture without mention of intracranial injury, loss of consciousness of unspecified duration	ICD-9-CM	Diagnosis
803.09	Other closed skull fracture without mention of intracranial injury, unspecified concussion	ICD-9-CM	Diagnosis
803.50	Other open skull fracture without mention of injury, state of consciousness unspecified	ICD-9-CM	Diagnosis
803.51	Other open skull fracture without mention of intracranial injury, no loss of consciousness	ICD-9-CM	Diagnosis
803.52	Other open skull fracture without mention of intracranial injury, brief (less than one hour) loss of consciousness	ICD-9-CM	Diagnosis
803.53	Other open skull fracture without mention of intracranial injury, moderate (1-24 hours) loss of consciousness	ICD-9-CM	Diagnosis
803.54	Other open skull fracture without mention of intracranial injury, prolonged (more than 24 hours) loss of consciousness and return to pre-existing conscious level	ICD-9-CM	Diagnosis
803.55	Other open skull fracture without mention of intracranial injury, prolonged (more than 24 hours) loss of consciousness, without return to pre-existing conscious level	ICD-9-CM	Diagnosis
803.56	Other open skull fracture without mention of intracranial injury, loss of consciousness of unspecified duration	ICD-9-CM	Diagnosis
803.59	Other open skull fracture without mention of intracranial injury, unspecified concussion	ICD-9-CM	Diagnosis
804.00	Closed fractures involving skull or face with other bones, without mention of intracranial injury, unspecified state of consciousness	ICD-9-CM	Diagnosis
804.01	Closed fractures involving skull or face with other bones, without mention of intracranial injury, no loss of consciousness	ICD-9-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
804.02	Closed fractures involving skull or face with other bones, without mention of intracranial injury, brief (less than one hour) loss of consciousness	ICD-9-CM	Diagnosis
804.03	Closed fractures involving skull or face with other bones, without mention of intracranial injury, moderate (1-24 hours) loss of consciousness	ICD-9-CM	Diagnosis
804.04	Closed fractures involving skull or face with other bones, without mention or intracranial injury, prolonged (more than 24 hours) loss of consciousness and return to pre-existing conscious level	ICD-9-CM	Diagnosis
804.05	Closed fractures involving skull of face with other bones, without mention of intracranial injury, prolonged (more than 24 hours) loss of consciousness, without return to pre-existing conscious level	ICD-9-CM	Diagnosis
804.06	Closed fractures involving skull of face with other bones, without mention of intracranial injury, loss of consciousness of unspecified duration	ICD-9-CM	Diagnosis
804.09	Closed fractures involving skull of face with other bones, without mention of intracranial injury, unspecified concussion	ICD-9-CM	Diagnosis
804.50	Open fractures involving skull or face with other bones, without mention of intracranial injury, unspecified state of consciousness	ICD-9-CM	Diagnosis
804.51	Open fractures involving skull or face with other bones, without mention of intracranial injury, no loss of consciousness	ICD-9-CM	Diagnosis
804.52	Open fractures involving skull or face with other bones, without mention of intracranial injury, brief (less than one hour) loss of consciousness	ICD-9-CM	Diagnosis
804.53	Open fractures involving skull or face with other bones, without mention of intracranial injury, moderate (1-24 hours) loss of consciousness	ICD-9-CM	Diagnosis
804.54	Open fractures involving skull or face with other bones, without mention of intracranial injury, prolonged (more than 24 hours) loss of consciousness and return to pre-existing conscious level	ICD-9-CM	Diagnosis
804.55	Open fractures involving skull or face with other bones, without mention of intracranial injury, prolonged (more than 24 hours) loss of consciousness, without return to pre-existing conscious level	ICD-9-CM	Diagnosis
804.56	Open fractures involving skull or face with other bones, without mention of intracranial injury, loss of consciousness of unspecified duration	ICD-9-CM	Diagnosis
804.59	Open fractures involving skull or face with other bones, without mention of intracranial injury, unspecified concussion	ICD-9-CM	Diagnosis
805.00	Closed fracture of cervical vertebra, unspecified level without mention of spinal cord injury	ICD-9-CM	Diagnosis
805.01	Closed fracture of first cervical vertebra without mention of spinal cord injury	ICD-9-CM	Diagnosis
805.02	Closed fracture of second cervical vertebra without mention of spinal cord injury	ICD-9-CM	Diagnosis
805.03	Closed fracture of third cervical vertebra without mention of spinal cord injury	ICD-9-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
805.04	Closed fracture of fourth cervical vertebra without mention of spinal cord injury	ICD-9-CM	Diagnosis
805.05	Closed fracture of fifth cervical vertebra without mention of spinal cord injury	ICD-9-CM	Diagnosis
805.06	Closed fracture of sixth cervical vertebra without mention of spinal cord injury	ICD-9-CM	Diagnosis
805.07	Closed fracture of seventh cervical vertebra without mention of spinal cord injury	ICD-9-CM	Diagnosis
805.08	Closed fracture of multiple cervical vertebrae without mention of spinal cord injury	ICD-9-CM	Diagnosis
805.10	Open fracture of cervical vertebra, unspecified level without mention of spinal cord injury	ICD-9-CM	Diagnosis
805.11	Open fracture of first cervical vertebra without mention of spinal cord injury	ICD-9-CM	Diagnosis
805.12	Open fracture of second cervical vertebra without mention of spinal cord injury	ICD-9-CM	Diagnosis
805.13	Open fracture of third cervical vertebra without mention of spinal cord injury	ICD-9-CM	Diagnosis
805.14	Open fracture of fourth cervical vertebra without mention of spinal cord injury	ICD-9-CM	Diagnosis
805.15	Open fracture of fifth cervical vertebra without mention of spinal cord injury	ICD-9-CM	Diagnosis
805.16	Open fracture of sixth cervical vertebra without mention of spinal cord injury	ICD-9-CM	Diagnosis
805.17	Open fracture of seventh cervical vertebra without mention of spinal cord injury	ICD-9-CM	Diagnosis
805.18	Open fracture of multiple cervical vertebrae without mention of spinal cord injury	ICD-9-CM	Diagnosis
805.2	Closed fracture of dorsal (thoracic) vertebra without mention of spinal cord injury	ICD-9-CM	Diagnosis
805.3	Open fracture of dorsal (thoracic) vertebra without mention of spinal cord injury	ICD-9-CM	Diagnosis
805.4	Closed fracture of lumbar vertebra without mention of spinal cord injury	ICD-9-CM	Diagnosis
805.5	Open fracture of lumbar vertebra without mention of spinal cord injury	ICD-9-CM	Diagnosis
805.6	Closed fracture of sacrum and coccyx without mention of spinal cord injury	ICD-9-CM	Diagnosis
805.7	Open fracture of sacrum and coccyx without mention of spinal cord injury	ICD-9-CM	Diagnosis
805.8	Closed fracture of unspecified part of vertebral column without mention of spinal cord injury	ICD-9-CM	Diagnosis
805.9	Open fracture of unspecified part of vertebral column without mention of spinal cord injury	ICD-9-CM	Diagnosis
807.00	Closed fracture of rib(s), unspecified	ICD-9-CM	Diagnosis
807.01	Closed fracture of one rib	ICD-9-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
807.02	Closed fracture of two ribs	ICD-9-CM	Diagnosis
807.03	Closed fracture of three ribs	ICD-9-CM	Diagnosis
807.04	Closed fracture of four ribs	ICD-9-CM	Diagnosis
807.05	Closed fracture of five ribs	ICD-9-CM	Diagnosis
807.06	Closed fracture of six ribs	ICD-9-CM	Diagnosis
807.07	Closed fracture of seven ribs	ICD-9-CM	Diagnosis
807.08	Closed fracture of eight or more ribs	ICD-9-CM	Diagnosis
807.09	Closed fracture of multiple ribs, unspecified	ICD-9-CM	Diagnosis
807.10	Open fracture of rib(s), unspecified	ICD-9-CM	Diagnosis
807.11	Open fracture of one rib	ICD-9-CM	Diagnosis
807.12	Open fracture of two ribs	ICD-9-CM	Diagnosis
807.13	Open fracture of three ribs	ICD-9-CM	Diagnosis
807.14	Open fracture of four ribs	ICD-9-CM	Diagnosis
807.15	Open fracture of five ribs	ICD-9-CM	Diagnosis
807.16	Open fracture of six ribs	ICD-9-CM	Diagnosis
807.17	Open fracture of seven ribs	ICD-9-CM	Diagnosis
807.18	Open fracture of eight or more ribs	ICD-9-CM	Diagnosis
807.19	Open fracture of multiple ribs, unspecified	ICD-9-CM	Diagnosis
807.2	Closed fracture of sternum	ICD-9-CM	Diagnosis
807.3	Open fracture of sternum	ICD-9-CM	Diagnosis
807.4	Flail chest	ICD-9-CM	Diagnosis
807.5	Closed fracture of larynx and trachea	ICD-9-CM	Diagnosis
807.6	Open fracture of larynx and trachea	ICD-9-CM	Diagnosis
808.0	Closed fracture of acetabulum	ICD-9-CM	Diagnosis
808.1	Open fracture of acetabulum	ICD-9-CM	Diagnosis
808.2	Closed fracture of pubis	ICD-9-CM	Diagnosis
808.3	Open fracture of pubis	ICD-9-CM	Diagnosis
808.41	Closed fracture of ilium	ICD-9-CM	Diagnosis
808.42	Closed fracture of ischium	ICD-9-CM	Diagnosis
808.43	Multiple closed pelvic fractures with disruption of pelvic circle	ICD-9-CM	Diagnosis
808.44	Multiple closed pelvic fractures without disruption of pelvic circle	ICD-9-CM	Diagnosis
808.49	Closed fracture of other specified part of pelvis	ICD-9-CM	Diagnosis
808.51	Open fracture of ilium	ICD-9-CM	Diagnosis
808.52	Open fracture of ischium	ICD-9-CM	Diagnosis
808.53	Multiple open pelvic fractures with disruption of pelvic circle	ICD-9-CM	Diagnosis
808.54	Multiple open pelvic fractures without disruption of pelvic circle	ICD-9-CM	Diagnosis
808.59	Open fracture of other specified part of pelvis	ICD-9-CM	Diagnosis
808.8	Unspecified closed fracture of pelvis	ICD-9-CM	Diagnosis
808.9	Unspecified open fracture of pelvis	ICD-9-CM	Diagnosis
809.0	Fracture of bones of trunk, closed	ICD-9-CM	Diagnosis
809.1	Fracture of bones of trunk, open	ICD-9-CM	Diagnosis
810.00	Unspecified part of closed fracture of clavicle	ICD-9-CM	Diagnosis
810.01	Closed fracture of sternal end of clavicle	ICD-9-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
810.02	Closed fracture of shaft of clavicle	ICD-9-CM	Diagnosis
810.03	Closed fracture of acromial end of clavicle	ICD-9-CM	Diagnosis
810.10	Unspecified part of open fracture of clavicle	ICD-9-CM	Diagnosis
810.11	Open fracture of sternal end of clavicle	ICD-9-CM	Diagnosis
810.12	Open fracture of shaft of clavicle	ICD-9-CM	Diagnosis
810.13	Open fracture of acromial end of clavicle	ICD-9-CM	Diagnosis
811.00	Closed fracture of unspecified part of scapula	ICD-9-CM	Diagnosis
811.01	Closed fracture of acromial process of scapula	ICD-9-CM	Diagnosis
811.02	Closed fracture of coracoid process of scapula	ICD-9-CM	Diagnosis
811.03	Closed fracture of glenoid cavity and neck of scapula	ICD-9-CM	Diagnosis
811.09	Closed fracture of other part of scapula	ICD-9-CM	Diagnosis
811.10	Open fracture of unspecified part of scapula	ICD-9-CM	Diagnosis
811.11	Open fracture of acromial process of scapula	ICD-9-CM	Diagnosis
811.12	Open fracture of coracoid process	ICD-9-CM	Diagnosis
811.13	Open fracture of glenoid cavity and neck of scapula	ICD-9-CM	Diagnosis
811.19	Open fracture of other part of scapula	ICD-9-CM	Diagnosis
812.00	Closed fracture of unspecified part of upper end of humerus	ICD-9-CM	Diagnosis
812.01	Closed fracture of surgical neck of humerus	ICD-9-CM	Diagnosis
812.02	Closed fracture of anatomical neck of humerus	ICD-9-CM	Diagnosis
812.03	Closed fracture of greater tuberosity of humerus	ICD-9-CM	Diagnosis
812.09	Other closed fractures of upper end of humerus	ICD-9-CM	Diagnosis
812.10	Open fracture of unspecified part of upper end of humerus	ICD-9-CM	Diagnosis
812.11	Open fracture of surgical neck of humerus	ICD-9-CM	Diagnosis
812.12	Open fracture of anatomical neck of humerus	ICD-9-CM	Diagnosis
812.13	Open fracture of greater tuberosity of humerus	ICD-9-CM	Diagnosis
812.19	Other open fracture of upper end of humerus	ICD-9-CM	Diagnosis
812.20	Closed fracture of unspecified part of humerus	ICD-9-CM	Diagnosis
812.21	Closed fracture of shaft of humerus	ICD-9-CM	Diagnosis
812.30	Open fracture of unspecified part of humerus	ICD-9-CM	Diagnosis
812.31	Open fracture of shaft of humerus	ICD-9-CM	Diagnosis
812.40	Closed fracture of unspecified part of lower end of humerus	ICD-9-CM	Diagnosis
812.41	Closed fracture of supracondylar humerus	ICD-9-CM	Diagnosis
812.42	Closed fracture of lateral condyle of humerus	ICD-9-CM	Diagnosis
812.43	Closed fracture of medial condyle of humerus	ICD-9-CM	Diagnosis
812.44	Closed fracture of unspecified condyle(s) of humerus	ICD-9-CM	Diagnosis
812.49	Other closed fracture of lower end of humerus	ICD-9-CM	Diagnosis
812.50	Open fracture of unspecified part of lower end of humerus	ICD-9-CM	Diagnosis
812.51	Open fracture of supracondylar humerus	ICD-9-CM	Diagnosis
812.52	Open fracture of lateral condyle of humerus	ICD-9-CM	Diagnosis
812.53	Open fracture of medial condyle of humerus	ICD-9-CM	Diagnosis
812.54	Open fracture of unspecified condyle(s) of humerus	ICD-9-CM	Diagnosis
812.59	Other open fracture of lower end of humerus	ICD-9-CM	Diagnosis
813.00	Unspecified fracture of radius and ulna, upper end of forearm, closed	ICD-9-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
813.01	Closed fracture of olecranon process of ulna	ICD-9-CM	Diagnosis
813.02	Closed fracture of coronoid process of ulna	ICD-9-CM	Diagnosis
813.03	Closed Monteggia's fracture	ICD-9-CM	Diagnosis
813.04	Other and unspecified closed fractures of proximal end of ulna (alone)	ICD-9-CM	Diagnosis
813.05	Closed fracture of head of radius	ICD-9-CM	Diagnosis
813.06	Closed fracture of neck of radius	ICD-9-CM	Diagnosis
813.07	Other and unspecified closed fractures of proximal end of radius (alone)	ICD-9-CM	Diagnosis
813.08	Closed fracture of radius with ulna, upper end (any part)	ICD-9-CM	Diagnosis
813.10	Unspecified open fracture of upper end of forearm	ICD-9-CM	Diagnosis
813.11	Open fracture of olecranon process of ulna	ICD-9-CM	Diagnosis
813.12	Open fracture of coronoid process of ulna	ICD-9-CM	Diagnosis
813.13	Open Monteggia's fracture	ICD-9-CM	Diagnosis
813.14	Other and unspecified open fractures of proximal end of ulna (alone)	ICD-9-CM	Diagnosis
813.15	Open fracture of head of radius	ICD-9-CM	Diagnosis
813.16	Open fracture of neck of radius	ICD-9-CM	Diagnosis
813.17	Other and unspecified open fractures of proximal end of radius (alone)	ICD-9-CM	Diagnosis
813.18	Open fracture of radius with ulna, upper end (any part)	ICD-9-CM	Diagnosis
813.20	Unspecified closed fracture of shaft of radius or ulna	ICD-9-CM	Diagnosis
813.21	Closed fracture of shaft of radius (alone)	ICD-9-CM	Diagnosis
813.22	Closed fracture of shaft of ulna (alone)	ICD-9-CM	Diagnosis
813.23	Closed fracture of shaft of radius with ulna	ICD-9-CM	Diagnosis
813.30	Unspecified open fracture of shaft of radius or ulna	ICD-9-CM	Diagnosis
813.31	Open fracture of shaft of radius (alone)	ICD-9-CM	Diagnosis
813.32	Open fracture of shaft of ulna (alone)	ICD-9-CM	Diagnosis
813.33	Open fracture of shaft of radius with ulna	ICD-9-CM	Diagnosis
813.40	Unspecified closed fracture of lower end of forearm	ICD-9-CM	Diagnosis
813.41	Closed Colles' fracture	ICD-9-CM	Diagnosis
813.42	Other closed fractures of distal end of radius (alone)	ICD-9-CM	Diagnosis
813.43	Closed fracture of distal end of ulna (alone)	ICD-9-CM	Diagnosis
813.44	Closed fracture of lower end of radius with ulna	ICD-9-CM	Diagnosis
813.45	Torus fracture of radius (alone)	ICD-9-CM	Diagnosis
813.46	Torus fracture of ulna (alone)	ICD-9-CM	Diagnosis
813.47	Torus fracture of radius and ulna	ICD-9-CM	Diagnosis
813.50	Unspecified open fracture of lower end of forearm	ICD-9-CM	Diagnosis
813.51	Open Colles' fracture	ICD-9-CM	Diagnosis
813.52	Other open fractures of distal end of radius (alone)	ICD-9-CM	Diagnosis
813.53	Open fracture of distal end of ulna (alone)	ICD-9-CM	Diagnosis
813.54	Open fracture of lower end of radius with ulna	ICD-9-CM	Diagnosis
813.80	Closed fracture of unspecified part of forearm	ICD-9-CM	Diagnosis
813.81	Closed fracture of unspecified part of radius (alone)	ICD-9-CM	Diagnosis
813.82	Closed fracture of unspecified part of ulna (alone)	ICD-9-CM	Diagnosis
813.83	Closed fracture of unspecified part of radius with ulna	ICD-9-CM	Diagnosis
813.90	Open fracture of unspecified part of forearm	ICD-9-CM	Diagnosis



**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
813.91	Open fracture of unspecified part of radius (alone)	ICD-9-CM	Diagnosis
813.92	Open fracture of unspecified part of ulna (alone)	ICD-9-CM	Diagnosis
813.93	Open fracture of unspecified part of radius with ulna	ICD-9-CM	Diagnosis
814.00	Unspecified closed fracture of carpal bone	ICD-9-CM	Diagnosis
814.01	Closed fracture of navicular (scaphoid) bone of wrist	ICD-9-CM	Diagnosis
814.02	Closed fracture of lunate (semilunar) bone of wrist	ICD-9-CM	Diagnosis
814.03	Closed fracture of triquetral (cuneiform) bone of wrist	ICD-9-CM	Diagnosis
814.04	Closed fracture of pisiform bone of wrist	ICD-9-CM	Diagnosis
814.05	Closed fracture of trapezium bone (larger multangular) of wrist	ICD-9-CM	Diagnosis
814.06	Closed fracture of trapezoid bone (smaller multangular) of wrist	ICD-9-CM	Diagnosis
814.07	Closed fracture of capitate bone (os magnum) of wrist	ICD-9-CM	Diagnosis
814.08	Closed fracture of hamate (unciform) bone of wrist	ICD-9-CM	Diagnosis
814.09	Closed fracture of other bone of wrist	ICD-9-CM	Diagnosis
814.10	Unspecified open fracture of carpal bone	ICD-9-CM	Diagnosis
814.11	Open fracture of navicular (scaphoid) bone of wrist	ICD-9-CM	Diagnosis
814.12	Open fracture of lunate (semilunar) bone of wrist	ICD-9-CM	Diagnosis
814.13	Open fracture of triquetral (cuneiform) bone of wrist	ICD-9-CM	Diagnosis
814.14	Open fracture of pisiform bone of wrist	ICD-9-CM	Diagnosis
814.15	Open fracture of trapezium bone (larger multangular) of wrist	ICD-9-CM	Diagnosis
814.16	Open fracture of trapezoid bone (smaller multangular) of wrist	ICD-9-CM	Diagnosis
814.17	Open fracture of capitate bone (os magnum) of wrist	ICD-9-CM	Diagnosis
814.18	Open fracture of hamate (unciform) bone of wrist	ICD-9-CM	Diagnosis
814.19	Open fracture of other bone of wrist	ICD-9-CM	Diagnosis
815.00	Closed fracture of metacarpal bone(s), site unspecified	ICD-9-CM	Diagnosis
815.01	Closed fracture of base of thumb (first) metacarpal bone(s)	ICD-9-CM	Diagnosis
815.02	Closed fracture of base of other metacarpal bone(s)	ICD-9-CM	Diagnosis
815.03	Closed fracture of shaft of metacarpal bone(s)	ICD-9-CM	Diagnosis
815.04	Closed fracture of neck of metacarpal bone(s)	ICD-9-CM	Diagnosis
815.09	Closed fracture of multiple sites of metacarpus	ICD-9-CM	Diagnosis
815.10	Open fracture of metacarpal bone(s), site unspecified	ICD-9-CM	Diagnosis
815.11	Open fracture of base of thumb (first) metacarpal bone(s)	ICD-9-CM	Diagnosis
815.12	Open fracture of base of other metacarpal bone(s)	ICD-9-CM	Diagnosis
815.13	Open fracture of shaft of metacarpal bone(s)	ICD-9-CM	Diagnosis
815.14	Open fracture of neck of metacarpal bone(s)	ICD-9-CM	Diagnosis
815.19	Open fracture of multiple sites of metacarpus	ICD-9-CM	Diagnosis
816.00	Closed fracture of unspecified phalanx or phalanges of hand	ICD-9-CM	Diagnosis
816.01	Closed fracture of middle or proximal phalanx or phalanges of hand	ICD-9-CM	Diagnosis
816.02	Closed fracture of distal phalanx or phalanges of hand	ICD-9-CM	Diagnosis
816.03	Closed fracture of multiple sites of phalanx or phalanges of hand	ICD-9-CM	Diagnosis
816.10	Open fracture of phalanx or phalanges of hand, unspecified	ICD-9-CM	Diagnosis
816.11	Open fracture of middle or proximal phalanx or phalanges of hand	ICD-9-CM	Diagnosis
816.12	Open fracture of distal phalanx or phalanges of hand	ICD-9-CM	Diagnosis
816.13	Open fractures of multiple sites of phalanx or phalanges of hand	ICD-9-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
817.0	Multiple closed fractures of hand bones	ICD-9-CM	Diagnosis
817.1	Multiple open fractures of hand bones	ICD-9-CM	Diagnosis
818.0	III-defined closed fractures of upper limb	ICD-9-CM	Diagnosis
818.1	III-defined open fractures of upper limb	ICD-9-CM	Diagnosis
819.0	Multiple closed fractures involving both upper limbs, and upper limb with rib(s) and sternum	ICD-9-CM	Diagnosis
819.1	Multiple open fractures involving both upper limbs, and upper limb with rib(s) and sternum	ICD-9-CM	Diagnosis
820.00	Closed fracture of unspecified intracapsular section of neck of femur	ICD-9-CM	Diagnosis
820.01	Closed fracture of epiphysis (separation) (upper) of neck of femur	ICD-9-CM	Diagnosis
820.02	Closed fracture of midcervical section of femur	ICD-9-CM	Diagnosis
820.03	Closed fracture of base of neck of femur	ICD-9-CM	Diagnosis
820.09	Other closed transcervical fracture of femur	ICD-9-CM	Diagnosis
820.10	Open fracture of unspecified intracapsular section of neck of femur	ICD-9-CM	Diagnosis
820.11	Open fracture of epiphysis (separation) (upper) of neck of femur	ICD-9-CM	Diagnosis
820.12	Open fracture of midcervical section of femur	ICD-9-CM	Diagnosis
820.13	Open fracture of base of neck of femur	ICD-9-CM	Diagnosis
820.19	Other open transcervical fracture of femur	ICD-9-CM	Diagnosis
820.20	Closed fracture of unspecified trochanteric section of femur	ICD-9-CM	Diagnosis
820.21	Closed fracture of intertrochanteric section of femur	ICD-9-CM	Diagnosis
820.22	Closed fracture of subtrochanteric section of femur	ICD-9-CM	Diagnosis
820.30	Open fracture of unspecified trochanteric section of femur	ICD-9-CM	Diagnosis
820.31	Open fracture of intertrochanteric section of femur	ICD-9-CM	Diagnosis
820.32	Open fracture of subtrochanteric section of femur	ICD-9-CM	Diagnosis
820.8	Closed fracture of unspecified part of neck of femur	ICD-9-CM	Diagnosis
820.9	Open fracture of unspecified part of neck of femur	ICD-9-CM	Diagnosis
821.00	Closed fracture of unspecified part of femur	ICD-9-CM	Diagnosis
821.01	Closed fracture of shaft of femur	ICD-9-CM	Diagnosis
821.10	Open fracture of unspecified part of femur	ICD-9-CM	Diagnosis
821.11	Open fracture of shaft of femur	ICD-9-CM	Diagnosis
821.20	Closed fracture of unspecified part of lower end of femur	ICD-9-CM	Diagnosis
821.21	Closed fracture of femoral condyle	ICD-9-CM	Diagnosis
821.22	Closed fracture of lower epiphysis of femur	ICD-9-CM	Diagnosis
821.23	Closed supracondylar fracture of femur	ICD-9-CM	Diagnosis
821.29	Other closed fracture of lower end of femur	ICD-9-CM	Diagnosis
821.30	Open fracture of unspecified part of lower end of femur	ICD-9-CM	Diagnosis
821.31	Open fracture of femoral condyle	ICD-9-CM	Diagnosis
821.32	Open fracture of lower epiphysis of femur	ICD-9-CM	Diagnosis
821.33	Open supracondylar fracture of femur	ICD-9-CM	Diagnosis
821.39	Other open fracture of lower end of femur	ICD-9-CM	Diagnosis
822.0	Closed fracture of patella	ICD-9-CM	Diagnosis
822.1	Open fracture of patella	ICD-9-CM	Diagnosis
823.00	Closed fracture of upper end of tibia	ICD-9-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
823.01	Closed fracture of upper end of fibula	ICD-9-CM	Diagnosis
823.02	Closed fracture of upper end of fibula with tibia	ICD-9-CM	Diagnosis
823.10	Open fracture of upper end of tibia	ICD-9-CM	Diagnosis
823.11	Open fracture of upper end of fibula	ICD-9-CM	Diagnosis
823.12	Open fracture of upper end of fibula with tibia	ICD-9-CM	Diagnosis
823.20	Closed fracture of shaft of tibia	ICD-9-CM	Diagnosis
823.21	Closed fracture of shaft of fibula	ICD-9-CM	Diagnosis
823.22	Closed fracture of shaft of fibula with tibia	ICD-9-CM	Diagnosis
823.30	Open fracture of shaft of tibia	ICD-9-CM	Diagnosis
823.31	Open fracture of shaft of fibula	ICD-9-CM	Diagnosis
823.32	Open fracture of shaft of fibula with tibia	ICD-9-CM	Diagnosis
823.40	Torus fracture of tibia alone	ICD-9-CM	Diagnosis
823.41	Torus fracture of fibula alone	ICD-9-CM	Diagnosis
823.42	Torus fracture of fibula with tibia	ICD-9-CM	Diagnosis
823.80	Closed fracture of unspecified part of tibia	ICD-9-CM	Diagnosis
823.81	Closed fracture of unspecified part of fibula	ICD-9-CM	Diagnosis
823.82	Closed fracture of unspecified part of fibula with tibia	ICD-9-CM	Diagnosis
823.90	Open fracture of unspecified part of tibia	ICD-9-CM	Diagnosis
823.91	Open fracture of unspecified part of fibula	ICD-9-CM	Diagnosis
823.92	Open fracture of unspecified part of fibula with tibia	ICD-9-CM	Diagnosis
824.0	Closed fracture of medial malleolus	ICD-9-CM	Diagnosis
824.1	Open fracture of medial malleolus	ICD-9-CM	Diagnosis
824.2	Closed fracture of lateral malleolus	ICD-9-CM	Diagnosis
824.3	Open fracture of lateral malleolus	ICD-9-CM	Diagnosis
824.4	Closed bimalleolar fracture	ICD-9-CM	Diagnosis
824.5	Open bimalleolar fracture	ICD-9-CM	Diagnosis
824.6	Closed trimalleolar fracture	ICD-9-CM	Diagnosis
824.7	Open trimalleolar fracture	ICD-9-CM	Diagnosis
824.8	Unspecified closed fracture of ankle	ICD-9-CM	Diagnosis
824.9	Unspecified open fracture of ankle	ICD-9-CM	Diagnosis
825.0	Closed fracture of calcaneus	ICD-9-CM	Diagnosis
825.1	Open fracture of calcaneus	ICD-9-CM	Diagnosis
825.20	Closed fracture of unspecified bone(s) of foot (except toes)	ICD-9-CM	Diagnosis
825.21	Closed fracture of astragalus	ICD-9-CM	Diagnosis
825.22	Closed fracture of navicular (scaphoid) bone of foot	ICD-9-CM	Diagnosis
825.23	Closed fracture of cuboid bone	ICD-9-CM	Diagnosis
825.24	Closed fracture of cuneiform bone of foot	ICD-9-CM	Diagnosis
825.25	Closed fracture of metatarsal bone(s)	ICD-9-CM	Diagnosis
825.29	Other closed fracture of tarsal and metatarsal bones	ICD-9-CM	Diagnosis
825.30	Open fracture of unspecified bone(s) of foot (except toes)	ICD-9-CM	Diagnosis
825.31	Open fracture of astragalus	ICD-9-CM	Diagnosis
825.32	Open fracture of navicular (scaphoid) bone of foot	ICD-9-CM	Diagnosis
825.33	Open fracture of cuboid bone	ICD-9-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
825.34	Open fracture of cuneiform bone of foot,	ICD-9-CM	Diagnosis
825.35	Open fracture of metatarsal bone(s)	ICD-9-CM	Diagnosis
825.39	Other open fractures of tarsal and metatarsal bones	ICD-9-CM	Diagnosis
826.0	Closed fracture of one or more phalanges of foot	ICD-9-CM	Diagnosis
826.1	Open fracture of one or more phalanges of foot	ICD-9-CM	Diagnosis
827.0	Other, multiple and ill-defined closed fractures of lower limb	ICD-9-CM	Diagnosis
827.1	Other, multiple and ill-defined open fractures of lower limb	ICD-9-CM	Diagnosis
828.0	Multiple closed fractures involving both lower limbs, lower with upper limb, and lower limb(s) with rib(s) and sternum	ICD-9-CM	Diagnosis
828.1	Multiple fractures involving both lower limbs, lower with upper limb, and lower limb(s) with rib(s) and sternum, open	ICD-9-CM	Diagnosis
829.0	Closed fracture of unspecified bone	ICD-9-CM	Diagnosis
829.1	Open fracture of unspecified bone	ICD-9-CM	Diagnosis
830.0	Closed dislocation of jaw	ICD-9-CM	Diagnosis
830.1	Open dislocation of jaw	ICD-9-CM	Diagnosis
831.00	Closed dislocation of shoulder, unspecified site	ICD-9-CM	Diagnosis
831.01	Closed anterior dislocation of humerus	ICD-9-CM	Diagnosis
831.02	Closed posterior dislocation of humerus	ICD-9-CM	Diagnosis
831.03	Closed inferior dislocation of humerus	ICD-9-CM	Diagnosis
831.04	Closed dislocation of acromioclavicular (joint)	ICD-9-CM	Diagnosis
831.09	Closed dislocation of other site of shoulder	ICD-9-CM	Diagnosis
831.10	Open unspecified dislocation of shoulder	ICD-9-CM	Diagnosis
831.11	Open anterior dislocation of humerus	ICD-9-CM	Diagnosis
831.12	Open posterior dislocation of humerus	ICD-9-CM	Diagnosis
831.13	Open inferior dislocation of humerus	ICD-9-CM	Diagnosis
831.14	Open dislocation of acromioclavicular (joint)	ICD-9-CM	Diagnosis
831.19	Open dislocation of other site of shoulder	ICD-9-CM	Diagnosis
832.00	Closed unspecified dislocation of elbow	ICD-9-CM	Diagnosis
832.01	Closed anterior dislocation of elbow	ICD-9-CM	Diagnosis
832.02	Closed posterior dislocation of elbow	ICD-9-CM	Diagnosis
832.03	Closed medial dislocation of elbow	ICD-9-CM	Diagnosis
832.04	Closed lateral dislocation of elbow	ICD-9-CM	Diagnosis
832.09	Closed dislocation of other site of elbow	ICD-9-CM	Diagnosis
832.10	Open unspecified dislocation of elbow	ICD-9-CM	Diagnosis
832.11	Open anterior dislocation of elbow	ICD-9-CM	Diagnosis
832.12	Open posterior dislocation of elbow	ICD-9-CM	Diagnosis
832.13	Open medial dislocation of elbow	ICD-9-CM	Diagnosis
832.14	Open lateral dislocation of elbow	ICD-9-CM	Diagnosis
832.19	Open dislocation of other site of elbow	ICD-9-CM	Diagnosis
832.2	Nursemaid's elbow	ICD-9-CM	Diagnosis
833.00	Closed dislocation of wrist, unspecified part	ICD-9-CM	Diagnosis
833.01	Closed dislocation of distal radioulnar (joint)	ICD-9-CM	Diagnosis
833.02	Closed dislocation of radiocarpal (joint)	ICD-9-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
833.03	Closed dislocation of midcarpal (joint)	ICD-9-CM	Diagnosis
833.04	Closed dislocation of carpometacarpal (joint)	ICD-9-CM	Diagnosis
833.05	Closed dislocation of proximal end of metacarpal (bone)	ICD-9-CM	Diagnosis
833.09	Closed dislocation of other part of wrist	ICD-9-CM	Diagnosis
833.10	Open dislocation of wrist, unspecified part	ICD-9-CM	Diagnosis
833.11	Open dislocation of distal radioulnar (joint)	ICD-9-CM	Diagnosis
833.12	Open dislocation of radiocarpal (joint)	ICD-9-CM	Diagnosis
833.13	Open dislocation of midcarpal (joint)	ICD-9-CM	Diagnosis
833.14	Open dislocation of carpometacarpal (joint)	ICD-9-CM	Diagnosis
833.15	Open dislocation of proximal end of metacarpal (bone)	ICD-9-CM	Diagnosis
833.19	Open dislocation of other part of wrist	ICD-9-CM	Diagnosis
834.00	Closed dislocation of finger, unspecified part	ICD-9-CM	Diagnosis
834.01	Closed dislocation of metacarpophalangeal (joint)	ICD-9-CM	Diagnosis
834.02	Closed dislocation of interphalangeal (joint), hand	ICD-9-CM	Diagnosis
834.10	Open dislocation of finger, unspecified part	ICD-9-CM	Diagnosis
834.11	Open dislocation of metacarpophalangeal (joint)	ICD-9-CM	Diagnosis
834.12	Open dislocation interphalangeal (joint), hand	ICD-9-CM	Diagnosis
835.00	Closed dislocation of hip, unspecified site	ICD-9-CM	Diagnosis
835.01	Closed posterior dislocation of hip	ICD-9-CM	Diagnosis
835.02	Closed obturator dislocation of hip	ICD-9-CM	Diagnosis
835.03	Other closed anterior dislocation of hip	ICD-9-CM	Diagnosis
835.10	Open dislocation of hip, unspecified site	ICD-9-CM	Diagnosis
835.11	Open posterior dislocation of hip	ICD-9-CM	Diagnosis
835.12	Open obturator dislocation of hip	ICD-9-CM	Diagnosis
835.13	Other open anterior dislocation of hip	ICD-9-CM	Diagnosis
836.0	Tear of medial cartilage or meniscus of knee, current	ICD-9-CM	Diagnosis
836.1	Tear of lateral cartilage or meniscus of knee, current	ICD-9-CM	Diagnosis
836.2	Other tear of cartilage or meniscus of knee, current	ICD-9-CM	Diagnosis
836.3	Closed dislocation of patella	ICD-9-CM	Diagnosis
836.4	Open dislocation of patella	ICD-9-CM	Diagnosis
836.50	Closed dislocation of knee, unspecified part	ICD-9-CM	Diagnosis
836.51	Closed anterior dislocation of tibia, proximal end	ICD-9-CM	Diagnosis
836.52	Closed posterior dislocation of tibia, proximal end	ICD-9-CM	Diagnosis
836.53	Closed medial dislocation of tibia, proximal end	ICD-9-CM	Diagnosis
836.54	Closed lateral dislocation of tibia, proximal end	ICD-9-CM	Diagnosis
836.59	Other closed dislocation of knee	ICD-9-CM	Diagnosis
836.60	Open dislocation of knee unspecified part	ICD-9-CM	Diagnosis
836.61	Open anterior dislocation of tibia, proximal end	ICD-9-CM	Diagnosis
836.62	Open posterior dislocation of tibia, proximal end	ICD-9-CM	Diagnosis
836.63	Open medial dislocation of tibia, proximal end	ICD-9-CM	Diagnosis
836.64	Open lateral dislocation of tibia, proximal end	ICD-9-CM	Diagnosis
836.69	Other open dislocation of knee	ICD-9-CM	Diagnosis
837.0	Closed dislocation of ankle	ICD-9-CM	Diagnosis



**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
837.1	Open dislocation of ankle	ICD-9-CM	Diagnosis
838.00	Closed dislocation of foot, unspecified part	ICD-9-CM	Diagnosis
838.01	Closed dislocation of tarsal (bone), joint unspecified	ICD-9-CM	Diagnosis
838.02	Closed dislocation of midtarsal (joint)	ICD-9-CM	Diagnosis
838.03	Closed dislocation of tarsometatarsal (joint)	ICD-9-CM	Diagnosis
838.04	Closed dislocation of metatarsal (bone), joint unspecified	ICD-9-CM	Diagnosis
838.05	Closed dislocation of metatarsophalangeal (joint)	ICD-9-CM	Diagnosis
838.06	Closed dislocation of interphalangeal (joint), foot	ICD-9-CM	Diagnosis
838.09	Closed dislocation of other part of foot	ICD-9-CM	Diagnosis
838.10	Open dislocation of foot, unspecified part	ICD-9-CM	Diagnosis
838.11	Open dislocation of tarsal (bone), joint unspecified	ICD-9-CM	Diagnosis
838.12	Open dislocation of midtarsal (joint)	ICD-9-CM	Diagnosis
838.13	Open dislocation of tarsometatarsal (joint)	ICD-9-CM	Diagnosis
838.14	Open dislocation of metatarsal (bone), joint unspecified	ICD-9-CM	Diagnosis
838.15	Open dislocation of metatarsophalangeal (joint)	ICD-9-CM	Diagnosis
838.16	Open dislocation of interphalangeal (joint), foot	ICD-9-CM	Diagnosis
838.19	Open dislocation of other part of foot	ICD-9-CM	Diagnosis
839.00	Closed dislocation, unspecified cervical vertebra	ICD-9-CM	Diagnosis
839.01	Closed dislocation, first cervical vertebra	ICD-9-CM	Diagnosis
839.02	Closed dislocation, second cervical vertebra	ICD-9-CM	Diagnosis
839.03	Closed dislocation, third cervical vertebra	ICD-9-CM	Diagnosis
839.04	Closed dislocation, fourth cervical vertebra	ICD-9-CM	Diagnosis
839.05	Closed dislocation, fifth cervical vertebra	ICD-9-CM	Diagnosis
839.06	Closed dislocation, sixth cervical vertebra	ICD-9-CM	Diagnosis
839.07	Closed dislocation, seventh cervical vertebra	ICD-9-CM	Diagnosis
839.08	Closed dislocation, multiple cervical vertebrae	ICD-9-CM	Diagnosis
839.10	Open dislocation, unspecified cervical vertebra	ICD-9-CM	Diagnosis
839.11	Open dislocation, first cervical vertebra	ICD-9-CM	Diagnosis
839.12	Open dislocation, second cervical vertebra	ICD-9-CM	Diagnosis
839.13	Open dislocation, third cervical vertebra	ICD-9-CM	Diagnosis
839.14	Open dislocation, fourth cervical vertebra	ICD-9-CM	Diagnosis
839.15	Open dislocation, fifth cervical vertebra	ICD-9-CM	Diagnosis
839.16	Open dislocation, sixth cervical vertebra	ICD-9-CM	Diagnosis
839.17	Open dislocation, seventh cervical vertebra	ICD-9-CM	Diagnosis
839.18	Open dislocation, multiple cervical vertebrae	ICD-9-CM	Diagnosis
839.20	Closed dislocation, lumbar vertebra	ICD-9-CM	Diagnosis
839.21	Closed dislocation, thoracic vertebra	ICD-9-CM	Diagnosis
839.30	Open dislocation, lumbar vertebra	ICD-9-CM	Diagnosis
839.31	Open dislocation, thoracic vertebra	ICD-9-CM	Diagnosis
839.40	Closed dislocation, vertebra, unspecified site	ICD-9-CM	Diagnosis
839.41	Closed dislocation, coccyx	ICD-9-CM	Diagnosis
839.42	Closed dislocation, sacrum	ICD-9-CM	Diagnosis
839.49	Closed dislocation, other vertebra	ICD-9-CM	Diagnosis



**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
839.50	Open dislocation, vertebra, unspecified site	ICD-9-CM	Diagnosis
839.51	Open dislocation, coccyx	ICD-9-CM	Diagnosis
839.52	Open dislocation, sacrum	ICD-9-CM	Diagnosis
839.59	Open dislocation, other vertebra	ICD-9-CM	Diagnosis
839.61	Closed dislocation, sternum	ICD-9-CM	Diagnosis
839.69	Closed dislocation, other location	ICD-9-CM	Diagnosis
839.71	Open dislocation, sternum	ICD-9-CM	Diagnosis
839.79	Open dislocation, other location	ICD-9-CM	Diagnosis
839.8	Closed dislocation, multiple and ill-defined sites	ICD-9-CM	Diagnosis
839.9	Open dislocation, multiple and ill-defined sites	ICD-9-CM	Diagnosis
870.0	Laceration of skin of eyelid and periocular area	ICD-9-CM	Diagnosis
870.1	Laceration of eyelid, full-thickness, not involving lacrimal passages	ICD-9-CM	Diagnosis
870.2	Laceration of eyelid involving lacrimal passages	ICD-9-CM	Diagnosis
870.3	Penetrating wound of orbit, without mention of foreign body	ICD-9-CM	Diagnosis
870.4	Penetrating wound of orbit with foreign body	ICD-9-CM	Diagnosis
870.8	Other specified open wound of ocular adnexa	ICD-9-CM	Diagnosis
870.9	Unspecified open wound of ocular adnexa	ICD-9-CM	Diagnosis
871.0	Ocular laceration without prolapse of intraocular tissue	ICD-9-CM	Diagnosis
871.1	Ocular laceration with prolapse or exposure of intraocular tissue	ICD-9-CM	Diagnosis
871.2	Rupture of eye with partial loss of intraocular tissue	ICD-9-CM	Diagnosis
871.3	Avulsion of eye	ICD-9-CM	Diagnosis
871.4	Unspecified laceration of eye	ICD-9-CM	Diagnosis
871.5	Penetration of eyeball with magnetic foreign body	ICD-9-CM	Diagnosis
871.6	Penetration of eyeball with (nonmagnetic) foreign body	ICD-9-CM	Diagnosis
871.7	Unspecified ocular penetration	ICD-9-CM	Diagnosis
871.9	Unspecified open wound of eyeball	ICD-9-CM	Diagnosis
872.00	Open wound of external ear, unspecified site, without mention of complication	ICD-9-CM	Diagnosis
872.01	Open wound of auricle, without mention of complication	ICD-9-CM	Diagnosis
872.02	Open wound of auditory canal, without mention of complication	ICD-9-CM	Diagnosis
872.10	Open wound of external ear, unspecified site, complicated	ICD-9-CM	Diagnosis
872.11	Open wound of auricle, complicated	ICD-9-CM	Diagnosis
872.12	Open wound of auditory canal, complicated	ICD-9-CM	Diagnosis
872.61	Open wound of ear drum, without mention of complication	ICD-9-CM	Diagnosis
872.62	Open wound of ossicles, without mention of complication	ICD-9-CM	Diagnosis
872.63	Open wound of Eustachian tube, without mention of complication	ICD-9-CM	Diagnosis
872.64	Open wound of cochlea, without mention of complication	ICD-9-CM	Diagnosis
872.69	Open wound of other and multiple sites, without mention of complication	ICD-9-CM	Diagnosis
872.71	Open wound of ear drum, complicated	ICD-9-CM	Diagnosis
872.72	Open wound of ossicles, complicated	ICD-9-CM	Diagnosis
872.73	Open wound of Eustachian tube, complicated	ICD-9-CM	Diagnosis
872.74	Open wound of cochlea, complicated	ICD-9-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
872.79	Open wound of other and multiple sites, complicated	ICD-9-CM	Diagnosis
872.8	Open wound of ear, part unspecified, without mention of complication	ICD-9-CM	Diagnosis
872.9	Open wound of ear, part unspecified, complicated	ICD-9-CM	Diagnosis
873.0	Open wound of scalp, without mention of complication	ICD-9-CM	Diagnosis
873.1	Open wound of scalp, complicated	ICD-9-CM	Diagnosis
873.20	Open wound of nose, unspecified site, without mention of complication	ICD-9-CM	Diagnosis
873.21	Open wound of nasal septum, without mention of complication	ICD-9-CM	Diagnosis
873.22	Open wound of nasal cavity, without mention of complication	ICD-9-CM	Diagnosis
873.23	Open wound of nasal sinus, without mention of complication	ICD-9-CM	Diagnosis
873.29	Open wound of nose, multiple sites, without mention of complication	ICD-9-CM	Diagnosis
873.30	Open wound of nose, unspecified site, complicated	ICD-9-CM	Diagnosis
873.31	Open wound of nasal septum, complicated	ICD-9-CM	Diagnosis
873.32	Open wound of nasal cavity, complicated	ICD-9-CM	Diagnosis
873.33	Open wound of nasal sinus, complicated	ICD-9-CM	Diagnosis
873.39	Open wound of nose, multiple sites, complicated	ICD-9-CM	Diagnosis
873.40	Open wound of face, unspecified site, without mention of complication	ICD-9-CM	Diagnosis
873.41	Open wound of cheek, without mention of complication	ICD-9-CM	Diagnosis
873.42	Open wound of forehead, without mention of complication	ICD-9-CM	Diagnosis
873.43	Open wound of lip, without mention of complication	ICD-9-CM	Diagnosis
873.44	Open wound of jaw, without mention of complication	ICD-9-CM	Diagnosis
873.49	Open wound of face, other and multiple sites, without mention of complication	ICD-9-CM	Diagnosis
873.50	Open wound of face, unspecified site, complicated	ICD-9-CM	Diagnosis
873.51	Open wound of cheek, complicated	ICD-9-CM	Diagnosis
873.52	Open wound of forehead, complicated	ICD-9-CM	Diagnosis
873.53	Open wound of lip, complicated	ICD-9-CM	Diagnosis
873.54	Open wound of jaw, complicated	ICD-9-CM	Diagnosis
873.59	Open wound of face, other and multiple sites, complicated	ICD-9-CM	Diagnosis
873.60	Open wound of mouth, unspecified site, without mention of complication	ICD-9-CM	Diagnosis
873.61	Open wound of buccal mucosa, without mention of complication	ICD-9-CM	Diagnosis
873.62	Open wound of gum (alveolar process), without mention of complication	ICD-9-CM	Diagnosis
873.63	Tooth (broken) (fractured) (due to trauma), without mention of complication	ICD-9-CM	Diagnosis
873.64	Open wound of tongue and floor of mouth, without mention of complication	ICD-9-CM	Diagnosis
873.65	Open wound of palate, without mention of complication	ICD-9-CM	Diagnosis
873.69	Open wound of mouth, other and multiple sites, without mention of complication	ICD-9-CM	Diagnosis
873.70	Open wound of mouth, unspecified site, complicated	ICD-9-CM	Diagnosis
873.71	Open wound of buccal mucosa, complicated	ICD-9-CM	Diagnosis
873.72	Open wound of gum (alveolar process), complicated	ICD-9-CM	Diagnosis
873.73	Tooth (broken) (fractured) (due to trauma), complicated	ICD-9-CM	Diagnosis
873.74	Open wound of tongue and floor of mouth, complicated	ICD-9-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
873.75	Open wound of palate, complicated	ICD-9-CM	Diagnosis
873.79	Open wound of mouth, other and multiple sites, complicated	ICD-9-CM	Diagnosis
873.8	Other and unspecified open wound of head without mention of complication	ICD-9-CM	Diagnosis
873.9	Other and unspecified open wound of head, complicated	ICD-9-CM	Diagnosis
874.00	Open wound of larynx with trachea, without mention of complication	ICD-9-CM	Diagnosis
874.01	Open wound of larynx, without mention of complication	ICD-9-CM	Diagnosis
874.02	Open wound of trachea, without mention of complication	ICD-9-CM	Diagnosis
874.10	Open wound of larynx with trachea, complicated	ICD-9-CM	Diagnosis
874.11	Open wound of larynx, complicated	ICD-9-CM	Diagnosis
874.12	Open wound of trachea, complicated	ICD-9-CM	Diagnosis
874.2	Open wound of thyroid gland, without mention of complication	ICD-9-CM	Diagnosis
874.3	Open wound of thyroid gland, complicated	ICD-9-CM	Diagnosis
874.4	Open wound of pharynx, without mention of complication	ICD-9-CM	Diagnosis
874.5	Open wound of pharynx, complicated	ICD-9-CM	Diagnosis
874.8	Open wound of other and unspecified parts of neck, without mention of complication	ICD-9-CM	Diagnosis
874.9	Open wound of other and unspecified parts of neck, complicated	ICD-9-CM	Diagnosis
875.0	Open wound of chest (wall), without mention of complication	ICD-9-CM	Diagnosis
875.1	Open wound of chest (wall), complicated	ICD-9-CM	Diagnosis
876.0	Open wound of back, without mention of complication	ICD-9-CM	Diagnosis
876.1	Open wound of back, complicated	ICD-9-CM	Diagnosis
877.0	Open wound of buttock, without mention of complication	ICD-9-CM	Diagnosis
877.1	Open wound of buttock, complicated	ICD-9-CM	Diagnosis
878.0	Open wound of penis, without mention of complication	ICD-9-CM	Diagnosis
878.1	Open wound of penis, complicated	ICD-9-CM	Diagnosis
878.2	Open wound of scrotum and testes, without mention of complication	ICD-9-CM	Diagnosis
878.3	Open wound of scrotum and testes, complicated	ICD-9-CM	Diagnosis
878.4	Open wound of vulva, without mention of complication	ICD-9-CM	Diagnosis
878.5	Open wound of vulva, complicated	ICD-9-CM	Diagnosis
878.6	Open wound of vagina, without mention of complication	ICD-9-CM	Diagnosis
878.7	Open wound of vagina, complicated	ICD-9-CM	Diagnosis
878.8	Open wound of other and unspecified parts of genital organs, without mention of complication	ICD-9-CM	Diagnosis
878.9	Open wound of other and unspecified parts of genital organs, complicated	ICD-9-CM	Diagnosis
879.0	Open wound of breast, without mention of complication	ICD-9-CM	Diagnosis
879.1	Open wound of breast, complicated	ICD-9-CM	Diagnosis
879.2	Open wound of abdominal wall, anterior, without mention of complication	ICD-9-CM	Diagnosis
879.3	Open wound of abdominal wall, anterior, complicated	ICD-9-CM	Diagnosis
879.4	Open wound of abdominal wall, lateral, without mention of complication	ICD-9-CM	Diagnosis
879.5	Open wound of abdominal wall, lateral, complicated	ICD-9-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
879.6	Open wound of other and unspecified parts of trunk, without mention of complication	ICD-9-CM	Diagnosis
879.7	Open wound of other and unspecified parts of trunk, complicated	ICD-9-CM	Diagnosis
879.8	Open wound(s) (multiple) of unspecified site(s), without mention of complication	ICD-9-CM	Diagnosis
879.9	Open wound(s) (multiple) of unspecified site(s), complicated	ICD-9-CM	Diagnosis
880.00	Open wound of shoulder region, without mention of complication	ICD-9-CM	Diagnosis
880.01	Open wound of scapular region, without mention of complication	ICD-9-CM	Diagnosis
880.02	Open wound of axillary region, without mention of complication	ICD-9-CM	Diagnosis
880.03	Open wound of upper arm, without mention of complication	ICD-9-CM	Diagnosis
880.09	Open wound of multiple sites of shoulder and upper arm, without mention of complication	ICD-9-CM	Diagnosis
880.10	Open wound of shoulder region, complicated	ICD-9-CM	Diagnosis
880.11	Open wound of scapular region, complicated	ICD-9-CM	Diagnosis
880.12	Open wound of axillary region, complicated	ICD-9-CM	Diagnosis
880.13	Open wound of upper arm, complicated	ICD-9-CM	Diagnosis
880.19	Open wound of multiple sites of shoulder and upper arm, complicated	ICD-9-CM	Diagnosis
880.20	Open wound of shoulder region, with tendon involvement	ICD-9-CM	Diagnosis
880.21	Open wound of scapular region, with tendon involvement	ICD-9-CM	Diagnosis
880.22	Open wound of axillary region, with tendon involvement	ICD-9-CM	Diagnosis
880.23	Open wound of upper arm, with tendon involvement	ICD-9-CM	Diagnosis
880.29	Open wound of multiple sites of shoulder and upper arm, with tendon involvement	ICD-9-CM	Diagnosis
881.00	Open wound of forearm, without mention of complication	ICD-9-CM	Diagnosis
881.01	Open wound of elbow, without mention of complication	ICD-9-CM	Diagnosis
881.02	Open wound of wrist, without mention of complication	ICD-9-CM	Diagnosis
881.10	Open wound of forearm, complicated	ICD-9-CM	Diagnosis
881.11	Open wound of elbow, complicated	ICD-9-CM	Diagnosis
881.12	Open wound of wrist, complicated	ICD-9-CM	Diagnosis
881.20	Open wound of forearm, with tendon involvement	ICD-9-CM	Diagnosis
881.21	Open wound of elbow, with tendon involvement	ICD-9-CM	Diagnosis
881.22	Open wound of wrist, with tendon involvement	ICD-9-CM	Diagnosis
882.0	Open wound of hand except finger(s) alone, without mention of complication	ICD-9-CM	Diagnosis
882.1	Open wound of hand except finger(s) alone, complicated	ICD-9-CM	Diagnosis
882.2	Open wound of hand except finger(s) alone, with tendon involvement	ICD-9-CM	Diagnosis
883.0	Open wound of finger(s), without mention of complication	ICD-9-CM	Diagnosis
883.1	Open wound of finger(s), complicated	ICD-9-CM	Diagnosis
883.2	Open wound of finger(s), with tendon involvement	ICD-9-CM	Diagnosis
884.0	Multiple and unspecified open wound of upper limb, without mention of complication	ICD-9-CM	Diagnosis
884.1	Multiple and unspecified open wound of upper limb, complicated	ICD-9-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
884.2	Multiple and unspecified open wound of upper limb, with tendon involvement	ICD-9-CM	Diagnosis
885.0	Traumatic amputation of thumb (complete) (partial), without mention of complication	ICD-9-CM	Diagnosis
885.1	Traumatic amputation of thumb (complete) (partial), complicated	ICD-9-CM	Diagnosis
886.0	Traumatic amputation of other finger(s) (complete) (partial), without mention of complication	ICD-9-CM	Diagnosis
886.1	Traumatic amputation of other finger(s) (complete) (partial), complicated	ICD-9-CM	Diagnosis
887.0	Traumatic amputation of arm and hand (complete) (partial), unilateral, below elbow, without mention of complication	ICD-9-CM	Diagnosis
887.1	Traumatic amputation of arm and hand (complete) (partial), unilateral, below elbow, complicated	ICD-9-CM	Diagnosis
887.2	Traumatic amputation of arm and hand (complete) (partial), unilateral, at or above elbow, without mention of complication	ICD-9-CM	Diagnosis
887.3	Traumatic amputation of arm and hand (complete) (partial), unilateral, at or above elbow, complicated	ICD-9-CM	Diagnosis
887.4	Traumatic amputation of arm and hand (complete) (partial), unilateral, level not specified, without mention of complication	ICD-9-CM	Diagnosis
887.5	Traumatic amputation of arm and hand (complete) (partial), unilateral, level not specified, complicated	ICD-9-CM	Diagnosis
887.6	Traumatic amputation of arm and hand (complete) (partial), bilateral (any level), without mention of complication	ICD-9-CM	Diagnosis
887.7	Traumatic amputation of arm and hand (complete) (partial), bilateral (any level), complicated	ICD-9-CM	Diagnosis
890.0	Open wound of hip and thigh, without mention of complication	ICD-9-CM	Diagnosis
890.1	Open wound of hip and thigh, complicated	ICD-9-CM	Diagnosis
890.2	Open wound of hip and thigh, with tendon involvement	ICD-9-CM	Diagnosis
891.0	Open wound of knee, leg (except thigh), and ankle, without mention of complication	ICD-9-CM	Diagnosis
891.1	Open wound of knee, leg (except thigh), and ankle, complicated	ICD-9-CM	Diagnosis
891.2	Open wound of knee, leg (except thigh), and ankle, with tendon involvement	ICD-9-CM	Diagnosis
892.0	Open wound of foot except toe(s) alone, without mention of complication	ICD-9-CM	Diagnosis
892.1	Open wound of foot except toe(s) alone, complicated	ICD-9-CM	Diagnosis
892.2	Open wound of foot except toe(s) alone, with tendon involvement	ICD-9-CM	Diagnosis
893.0	Open wound of toe(s), without mention of complication	ICD-9-CM	Diagnosis
893.1	Open wound of toe(s), complicated	ICD-9-CM	Diagnosis
893.2	Open wound of toe(s), with tendon involvement	ICD-9-CM	Diagnosis
894.0	Multiple and unspecified open wound of lower limb, without mention of complication	ICD-9-CM	Diagnosis
894.1	Multiple and unspecified open wound of lower limb, complicated	ICD-9-CM	Diagnosis
894.2	Multiple and unspecified open wound of lower limb, with tendon involvement	ICD-9-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
895.0	Traumatic amputation of toe(s) (complete) (partial), without mention of complication	ICD-9-CM	Diagnosis
895.1	Traumatic amputation of toe(s) (complete) (partial), complicated	ICD-9-CM	Diagnosis
896.0	Traumatic amputation of foot (complete) (partial), unilateral, without mention of complication	ICD-9-CM	Diagnosis
896.1	Traumatic amputation of foot (complete) (partial), unilateral, complicated	ICD-9-CM	Diagnosis
896.2	Traumatic amputation of foot (complete) (partial), bilateral, without mention of complication	ICD-9-CM	Diagnosis
896.3	Traumatic amputation of foot (complete) (partial), bilateral, complicated	ICD-9-CM	Diagnosis
897.0	Traumatic amputation of leg(s) (complete) (partial), unilateral, below knee, without mention of complication	ICD-9-CM	Diagnosis
897.1	Traumatic amputation of leg(s) (complete) (partial), unilateral, below knee, complicated	ICD-9-CM	Diagnosis
897.2	Traumatic amputation of leg(s) (complete) (partial), unilateral, at or above knee, without mention of complication	ICD-9-CM	Diagnosis
897.3	Traumatic amputation of leg(s) (complete) (partial), unilateral, at or above knee, complicated	ICD-9-CM	Diagnosis
897.4	Traumatic amputation of leg(s) (complete) (partial), unilateral, level not specified, without mention of complication	ICD-9-CM	Diagnosis
897.5	Traumatic amputation of leg(s) (complete) (partial), unilateral, level not specified, complicated	ICD-9-CM	Diagnosis
897.6	Traumatic amputation of leg(s) (complete) (partial), bilateral (any level), without mention of complication	ICD-9-CM	Diagnosis
897.7	Traumatic amputation of leg(s) (complete) (partial), bilateral (any level), complicated	ICD-9-CM	Diagnosis
905.0	Late effect of fracture of skull and face bones	ICD-9-CM	Diagnosis
905.1	Late effect of fracture of spine and trunk without mention of spinal cord lesion	ICD-9-CM	Diagnosis
905.2	Late effect of fracture of upper extremities	ICD-9-CM	Diagnosis
905.3	Late effect of fracture of neck of femur	ICD-9-CM	Diagnosis
905.4	Late effect of fracture of lower extremities	ICD-9-CM	Diagnosis
905.5	Late effect of fracture of multiple and unspecified bones	ICD-9-CM	Diagnosis
905.6	Late effect of dislocation	ICD-9-CM	Diagnosis
905.8	Late effect of tendon injury	ICD-9-CM	Diagnosis
905.9	Late effect of traumatic amputation	ICD-9-CM	Diagnosis
906.0	Late effect of open wound of head, neck, and trunk	ICD-9-CM	Diagnosis
906.1	Late effect of open wound of extremities without mention of tendon injury	ICD-9-CM	Diagnosis
906.5	Late effect of burn of eye, face, head, and neck	ICD-9-CM	Diagnosis
906.6	Late effect of burn of wrist and hand	ICD-9-CM	Diagnosis
906.7	Late effect of burn of other extremities	ICD-9-CM	Diagnosis
906.8	Late effect of burns of other specified sites	ICD-9-CM	Diagnosis
906.9	Late effect of burn of unspecified site	ICD-9-CM	Diagnosis



**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
940.0	Chemical burn of eyelids and periocular area	ICD-9-CM	Diagnosis
940.1	Other burns of eyelids and periocular area	ICD-9-CM	Diagnosis
940.2	Alkaline chemical burn of cornea and conjunctival sac	ICD-9-CM	Diagnosis
940.3	Acid chemical burn of cornea and conjunctival sac	ICD-9-CM	Diagnosis
940.4	Other burn of cornea and conjunctival sac	ICD-9-CM	Diagnosis
940.5	Burn with resulting rupture and destruction of eyeball	ICD-9-CM	Diagnosis
940.9	Unspecified burn of eye and adnexa	ICD-9-CM	Diagnosis
941.00	Burn of unspecified degree of unspecified site of face and head	ICD-9-CM	Diagnosis
941.01	Burn of unspecified degree of ear (any part)	ICD-9-CM	Diagnosis
941.02	Burn of unspecified degree of eye (with other parts of face, head, and neck)	ICD-9-CM	Diagnosis
941.03	Burn of unspecified degree of lip(s)	ICD-9-CM	Diagnosis
941.04	Burn of unspecified degree of chin	ICD-9-CM	Diagnosis
941.05	Burn of unspecified degree of nose (septum)	ICD-9-CM	Diagnosis
941.06	Burn of unspecified degree of scalp (any part)	ICD-9-CM	Diagnosis
941.07	Burn of unspecified degree of forehead and cheek	ICD-9-CM	Diagnosis
941.08	Burn of unspecified degree of neck	ICD-9-CM	Diagnosis
941.09	Burn of unspecified degree of multiple sites (except with eye) of face, head, and neck	ICD-9-CM	Diagnosis
941.10	Erythema due to burn (first degree) of unspecified site of face and head	ICD-9-CM	Diagnosis
941.11	Erythema due to burn (first degree) of ear (any part)	ICD-9-CM	Diagnosis
941.12	Erythema due to burn (first degree) of eye (with other parts face, head, and neck)	ICD-9-CM	Diagnosis
941.13	Erythema due to burn (first degree) of lip(s)	ICD-9-CM	Diagnosis
941.14	Erythema due to burn (first degree) of chin	ICD-9-CM	Diagnosis
941.15	Erythema due to burn (first degree) of nose (septum)	ICD-9-CM	Diagnosis
941.16	Erythema due to burn (first degree) of scalp (any part)	ICD-9-CM	Diagnosis
941.17	Erythema due to burn (first degree) of forehead and cheek	ICD-9-CM	Diagnosis
941.18	Erythema due to burn (first degree) of neck	ICD-9-CM	Diagnosis
941.19	Erythema due to burn (first degree) of multiple sites (except with eye) of face, head, and neck	ICD-9-CM	Diagnosis
941.20	Blisters, with epidermal loss due to burn (second degree) of face and head, unspecified site	ICD-9-CM	Diagnosis
941.21	Blisters, with epidermal loss due to burn (second degree) of ear (any part)	ICD-9-CM	Diagnosis
941.22	Blisters, with epidermal loss due to burn (second degree) of eye (with other parts of face, head, and neck)	ICD-9-CM	Diagnosis
941.23	Blisters, with epidermal loss due to burn (second degree) of lip(s)	ICD-9-CM	Diagnosis
941.24	Blisters, with epidermal loss due to burn (second degree) of chin	ICD-9-CM	Diagnosis
941.25	Blisters, with epidermal loss due to burn (second degree) of nose (septum)	ICD-9-CM	Diagnosis
941.26	Blisters, with epidermal loss due to burn (second degree) of scalp (any part)	ICD-9-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
941.27	Blisters, with epidermal loss due to burn (second degree) of forehead and cheek	ICD-9-CM	Diagnosis
941.28	Blisters, with epidermal loss due to burn (second degree) of neck	ICD-9-CM	Diagnosis
941.29	Blisters, with epidermal loss due to burn (second degree) of multiple sites (except with eye) of face, head, and neck	ICD-9-CM	Diagnosis
941.30	Full-thickness skin loss due to burn (third degree NOS) of unspecified site of face and head	ICD-9-CM	Diagnosis
941.31	Full-thickness skin loss due to burn (third degree NOS) of ear (any part)	ICD-9-CM	Diagnosis
941.32	Full-thickness skin loss due to burn (third degree NOS) of eye (with other parts of face, head, and neck)	ICD-9-CM	Diagnosis
941.33	Full-thickness skin loss due to burn (third degree NOS) of lip(s)	ICD-9-CM	Diagnosis
941.34	Full-thickness skin loss due to burn (third degree NOS) of chin	ICD-9-CM	Diagnosis
941.35	Full-thickness skin loss due to burn (third degree NOS) of nose (septum)	ICD-9-CM	Diagnosis
941.36	Full-thickness skin loss due to burn (third degree NOS) of scalp (any part)	ICD-9-CM	Diagnosis
941.37	Full-thickness skin loss due to burn (third degree NOS) of forehead and cheek	ICD-9-CM	Diagnosis
941.38	Full-thickness skin loss due to burn (third degree NOS) of neck	ICD-9-CM	Diagnosis
941.39	Full-thickness skin loss due to burn (third degree NOS) of multiple sites (except with eye) of face, head, and neck	ICD-9-CM	Diagnosis
941.40	Deep necrosis of underlying tissues due to burn (deep third degree) of unspecified site of face and head, without mention of loss of a body part	ICD-9-CM	Diagnosis
941.41	Deep necrosis of underlying tissues due to burn (deep third degree) of ear (any part), without mention of loss of a body part	ICD-9-CM	Diagnosis
941.42	Deep necrosis of underlying tissues due to burn (deep third degree) of eye (with other parts of face, head, and neck), without mention of loss of a body part	ICD-9-CM	Diagnosis
941.43	Deep necrosis of underlying tissues due to burn (deep third degree) of lip(s), without mention of loss of a body part	ICD-9-CM	Diagnosis
941.44	Deep necrosis of underlying tissues due to burn (deep third degree) of chin, without mention of loss of a body part	ICD-9-CM	Diagnosis
941.45	Deep necrosis of underlying tissues due to burn (deep third degree) of nose (septum), without mention of loss of a body part	ICD-9-CM	Diagnosis
941.46	Deep necrosis of underlying tissues due to burn (deep third degree) of scalp (any part), without mention of loss of a body part	ICD-9-CM	Diagnosis
941.47	Deep necrosis of underlying tissues due to burn (deep third degree) of forehead and cheek, without mention of loss of a body part	ICD-9-CM	Diagnosis
941.48	Deep necrosis of underlying tissues due to burn (deep third degree) of neck, without mention of loss of a body part	ICD-9-CM	Diagnosis
941.49	Deep necrosis of underlying tissues due to burn (deep third degree) of multiple sites (except with eye) of face, head, and neck, without mention of loss of a body part	ICD-9-CM	Diagnosis
941.50	Deep necrosis of underlying tissues due to burn (deep third degree) of face and head, unspecified site, with loss of a body part	ICD-9-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
941.51	Deep necrosis of underlying tissues due to burn (deep third degree) of ear (any part), with loss of a body part	ICD-9-CM	Diagnosis
941.52	Deep necrosis of underlying tissues due to burn (deep third degree) of eye (with other parts of face, head, and neck), with loss of a body part	ICD-9-CM	Diagnosis
941.53	Deep necrosis of underlying tissues due to burn (deep third degree) of lip(s), with loss of a body part	ICD-9-CM	Diagnosis
941.54	Deep necrosis of underlying tissues due to burn (deep third degree) of chin, with loss of a body part	ICD-9-CM	Diagnosis
941.55	Deep necrosis of underlying tissues due to burn (deep third degree) of nose (septum), with loss of a body part	ICD-9-CM	Diagnosis
941.56	Deep necrosis of underlying tissues due to burn (deep third degree) of scalp (any part), with loss of a body part	ICD-9-CM	Diagnosis
941.57	Deep necrosis of underlying tissues due to burn (deep third degree) of forehead and cheek, with loss of a body part	ICD-9-CM	Diagnosis
941.58	Deep necrosis of underlying tissues due to burn (deep third degree) of neck, with loss of a body part	ICD-9-CM	Diagnosis
941.59	Deep necrosis of underlying tissues due to burn (deep third degree) of multiple sites (except eye) of face, head, and neck, with loss of a body part	ICD-9-CM	Diagnosis
942.00	Burn of unspecified degree of trunk, unspecified site	ICD-9-CM	Diagnosis
942.01	Burn of trunk, unspecified degree of breast	ICD-9-CM	Diagnosis
942.02	Burn of trunk, unspecified degree of chest wall, excluding breast and nipple	ICD-9-CM	Diagnosis
942.03	Burn of trunk, unspecified degree of abdominal wall	ICD-9-CM	Diagnosis
942.04	Burn of trunk, unspecified degree of back (any part)	ICD-9-CM	Diagnosis
942.05	Burn of trunk, unspecified degree of genitalia	ICD-9-CM	Diagnosis
942.09	Burn of trunk, unspecified degree of other and multiple sites	ICD-9-CM	Diagnosis
942.10	Erythema due to burn (first degree) of unspecified site of trunk	ICD-9-CM	Diagnosis
942.11	Erythema due to burn (first degree) of breast	ICD-9-CM	Diagnosis
942.12	Erythema due to burn (first degree) of chest wall, excluding breast and nipple	ICD-9-CM	Diagnosis
942.13	Erythema due to burn (first degree) of abdominal wall	ICD-9-CM	Diagnosis
942.14	Erythema due to burn (first degree) of back (any part)	ICD-9-CM	Diagnosis
942.15	Erythema due to burn (first degree) of genitalia	ICD-9-CM	Diagnosis
942.19	Erythema due to burn (first degree) of other and multiple sites of trunk	ICD-9-CM	Diagnosis
942.20	Blisters with epidermal loss due to burn (second degree) of unspecified site of trunk	ICD-9-CM	Diagnosis
942.21	Blisters with epidermal loss due to burn (second degree) of breast	ICD-9-CM	Diagnosis
942.22	Blisters with epidermal loss due to burn (second degree) of chest wall, excluding breast and nipple	ICD-9-CM	Diagnosis
942.23	Blisters with epidermal loss due to burn (second degree) of abdominal wall	ICD-9-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
942.24	Blisters with epidermal loss due to burn (second degree) of back (any part)	ICD-9-CM	Diagnosis
942.25	Blisters with epidermal loss due to burn (second degree) of genitalia	ICD-9-CM	Diagnosis
942.29	Blisters with epidermal loss due to burn (second degree) of other and multiple sites of trunk	ICD-9-CM	Diagnosis
942.30	Full-thickness skin loss due to burn (third degree NOS) of unspecified site of trunk	ICD-9-CM	Diagnosis
942.31	Full-thickness skin loss due to burn (third degree NOS) of breast	ICD-9-CM	Diagnosis
942.32	Full-thickness skin loss due to burn (third degree NOS) of chest wall, excluding breast and nipple	ICD-9-CM	Diagnosis
942.33	Full-thickness skin loss due to burn (third degree NOS) of abdominal wall	ICD-9-CM	Diagnosis
942.34	Full-thickness skin loss due to burn (third degree NOS) of back (any part)	ICD-9-CM	Diagnosis
942.35	Full-thickness skin loss due to burn (third degree NOS) of genitalia	ICD-9-CM	Diagnosis
942.39	Full-thickness skin loss due to burn (third degree NOS) of other and multiple sites of trunk	ICD-9-CM	Diagnosis
942.40	Deep necrosis of underlying tissues due to burn (deep third degree) of trunk, unspecified site, without mention of loss of a body part	ICD-9-CM	Diagnosis
942.41	Deep necrosis of underlying tissues due to burn (deep third degree) of breast, without mention of loss of a body part	ICD-9-CM	Diagnosis
942.42	Deep necrosis of underlying tissues due to burn (deep third degree) of chest wall, excluding breast and nipple, without mention of loss of a body part	ICD-9-CM	Diagnosis
942.43	Deep necrosis of underlying tissues due to burn (deep third degree) of abdominal wall, without mention of loss of a body part	ICD-9-CM	Diagnosis
942.44	Deep necrosis of underlying tissues due to burn (deep third degree) of back (any part), without mention of loss of a body part	ICD-9-CM	Diagnosis
942.45	Deep necrosis of underlying tissues due to burn (deep third degree) of genitalia, without mention of loss of a body part	ICD-9-CM	Diagnosis
942.49	Deep necrosis of underlying tissues due to burn (deep third degree) of other and multiple sites of trunk, without mention of loss of a body part	ICD-9-CM	Diagnosis
942.50	Deep necrosis of underlying tissues due to burn (deep third degree) of unspecified site of trunk, with loss of a body part	ICD-9-CM	Diagnosis
942.51	Deep necrosis of underlying tissues due to burn (deep third degree) of breast, with loss of a body part	ICD-9-CM	Diagnosis
942.52	Deep necrosis of underlying tissues due to burn (deep third degree) of chest wall, excluding breast and nipple, with loss of a body part	ICD-9-CM	Diagnosis
942.53	Deep necrosis of underlying tissues due to burn (deep third degree) of abdominal wall with loss of a body part	ICD-9-CM	Diagnosis
942.54	Deep necrosis of underlying tissues due to burn (deep third degree) of back (any part), with loss of a body part	ICD-9-CM	Diagnosis
942.55	Deep necrosis of underlying tissues due to burn (deep third degree) of genitalia, with loss of a body part	ICD-9-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
942.59	Deep necrosis of underlying tissues due to burn (deep third degree) of other and multiple sites of trunk, with loss of a body part	ICD-9-CM	Diagnosis
943.00	Burn of unspecified degree of unspecified site of upper limb	ICD-9-CM	Diagnosis
943.01	Burn of unspecified degree of forearm	ICD-9-CM	Diagnosis
943.02	Burn of unspecified degree of elbow	ICD-9-CM	Diagnosis
943.03	Burn of unspecified degree of upper arm	ICD-9-CM	Diagnosis
943.04	Burn of unspecified degree of axilla	ICD-9-CM	Diagnosis
943.05	Burn of unspecified degree of shoulder	ICD-9-CM	Diagnosis
943.06	Burn of unspecified degree of scapular region	ICD-9-CM	Diagnosis
943.09	Burn of unspecified degree multiple sites of upper limb, except wrist and hand	ICD-9-CM	Diagnosis
943.10	Erythema due to burn (first degree) of unspecified site of upper limb	ICD-9-CM	Diagnosis
943.11	Erythema due to burn (first degree) of forearm	ICD-9-CM	Diagnosis
943.12	Erythema due to burn (first degree) of elbow	ICD-9-CM	Diagnosis
943.13	Erythema due to burn (first degree) of upper arm	ICD-9-CM	Diagnosis
943.14	Erythema due to burn (first degree) of axilla	ICD-9-CM	Diagnosis
943.15	Erythema due to burn (first degree) of shoulder	ICD-9-CM	Diagnosis
943.16	Erythema due to burn (first degree) of scapular region	ICD-9-CM	Diagnosis
943.19	Erythema due to burn (first degree) of multiple sites of upper limb, except wrist and hand	ICD-9-CM	Diagnosis
943.20	Blisters with epidermal loss due to burn (second degree) of unspecified site of upper limb	ICD-9-CM	Diagnosis
943.21	Blisters with epidermal loss due to burn (second degree) of forearm	ICD-9-CM	Diagnosis
943.22	Blisters with epidermal loss due to burn (second degree) of elbow	ICD-9-CM	Diagnosis
943.23	Blisters with epidermal loss due to burn (second degree) of upper arm	ICD-9-CM	Diagnosis
943.24	Blisters with epidermal loss due to burn (second degree) of axilla	ICD-9-CM	Diagnosis
943.25	Blisters with epidermal loss due to burn (second degree) of shoulder	ICD-9-CM	Diagnosis
943.26	Blisters with epidermal loss due to burn (second degree) of scapular region	ICD-9-CM	Diagnosis
943.29	Blisters with epidermal loss due to burn (second degree) of multiple sites of upper limb, except wrist and hand	ICD-9-CM	Diagnosis
943.30	Full-thickness skin loss due to burn (third degree NOS) of unspecified site of upper limb	ICD-9-CM	Diagnosis
943.31	Full-thickness skin loss due to burn (third degree NOS) of forearm	ICD-9-CM	Diagnosis
943.32	Full-thickness skin loss due to burn (third degree NOS) of elbow	ICD-9-CM	Diagnosis
943.33	Full-thickness skin loss due to burn (third degree NOS) of upper arm	ICD-9-CM	Diagnosis
943.34	Full-thickness skin loss due to burn (third degree NOS) of axilla	ICD-9-CM	Diagnosis
943.35	Full-thickness skin loss due to burn (third degree NOS) of shoulder	ICD-9-CM	Diagnosis
943.36	Full-thickness skin loss due to burn (third degree NOS) of scapular region	ICD-9-CM	Diagnosis
943.39	Full-thickness skin loss due to burn (third degree NOS) of multiple sites of upper limb, except wrist and hand	ICD-9-CM	Diagnosis
943.40	Deep necrosis of underlying tissues due to burn (deep third degree) of unspecified site of upper limb, without mention of loss of a body part	ICD-9-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
943.41	Deep necrosis of underlying tissues due to burn (deep third degree) of forearm, without mention of loss of a body part	ICD-9-CM	Diagnosis
943.42	Deep necrosis of underlying tissues due to burn (deep third degree) of elbow, without mention of loss of a body part	ICD-9-CM	Diagnosis
943.43	Deep necrosis of underlying tissues due to burn (deep third degree) of upper arm, without mention of loss of a body part	ICD-9-CM	Diagnosis
943.44	Deep necrosis of underlying tissues due to burn (deep third degree) of axilla, without mention of loss of a body part	ICD-9-CM	Diagnosis
943.45	Deep necrosis of underlying tissues due to burn (deep third degree) of shoulder, without mention of loss of a body part	ICD-9-CM	Diagnosis
943.46	Deep necrosis of underlying tissues due to burn (deep third degree) of scapular region, without mention of loss of a body part	ICD-9-CM	Diagnosis
943.49	Deep necrosis of underlying tissues due to burn (deep third degree) of multiple sites of upper limb, except wrist and hand, without mention of loss of a body part	ICD-9-CM	Diagnosis
943.50	Deep necrosis of underlying tissues due to burn (deep third degree) of unspecified site of upper limb, with loss of a body part	ICD-9-CM	Diagnosis
943.51	Deep necrosis of underlying tissues due to burn (deep third degree) of forearm, with loss of a body part	ICD-9-CM	Diagnosis
943.52	Deep necrosis of underlying tissues due to burn (deep third degree) of elbow, with loss of a body part	ICD-9-CM	Diagnosis
943.53	Deep necrosis of underlying tissues due to burn (deep third degree) of upper arm, with loss of upper a body part	ICD-9-CM	Diagnosis
943.54	Deep necrosis of underlying tissues due to burn (deep third degree) of axilla, with loss of a body part	ICD-9-CM	Diagnosis
943.55	Deep necrosis of underlying tissues due to burn (deep third degree) of shoulder, with loss of a body part	ICD-9-CM	Diagnosis
943.56	Deep necrosis of underlying tissues due to burn (deep third degree) of scapular region, with loss of a body part	ICD-9-CM	Diagnosis
943.59	Deep necrosis of underlying tissues due to burn (deep third degree) of multiple sites of upper limb, except wrist and hand, with loss of a body part	ICD-9-CM	Diagnosis
944.00	Burn of unspecified degree of unspecified site of hand	ICD-9-CM	Diagnosis
944.01	Burn of unspecified degree of single digit [finger (nail)] other than thumb	ICD-9-CM	Diagnosis
944.02	Burn of unspecified degree of thumb (nail)	ICD-9-CM	Diagnosis
944.03	Burn of unspecified degree of two or more digits of hand, not including thumb	ICD-9-CM	Diagnosis
944.04	Burn of unspecified degree of two or more digits of hand, including thumb	ICD-9-CM	Diagnosis
944.05	Burn of unspecified degree of palm of hand	ICD-9-CM	Diagnosis
944.06	Burn of unspecified degree of back of hand	ICD-9-CM	Diagnosis
944.07	Burn of unspecified degree of wrist	ICD-9-CM	Diagnosis
944.08	Burn of unspecified degree of multiple sites of wrist(s) and hand(s)	ICD-9-CM	Diagnosis



**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
944.10	Erythema due to burn (first degree) of unspecified site of hand	ICD-9-CM	Diagnosis
944.11	Erythema due to burn (first degree) of single digit [finger (nail)] other than thumb	ICD-9-CM	Diagnosis
944.12	Erythema due to burn (first degree) of thumb (nail)	ICD-9-CM	Diagnosis
944.13	Erythema due to burn (first degree) of two or more digits of hand, not including thumb	ICD-9-CM	Diagnosis
944.14	Erythema due to burn (first degree) of two or more digits of hand including thumb	ICD-9-CM	Diagnosis
944.15	Erythema due to burn (first degree) of palm of hand	ICD-9-CM	Diagnosis
944.16	Erythema due to burn (first degree) of back of hand	ICD-9-CM	Diagnosis
944.17	Erythema due to burn (first degree) of wrist	ICD-9-CM	Diagnosis
944.18	Erythema due to burn (first degree) of multiple sites of wrist(s) and hand(s)	ICD-9-CM	Diagnosis
944.20	Blisters with epidermal loss due to burn (second degree) of unspecified site of hand	ICD-9-CM	Diagnosis
944.21	Blisters with epidermal loss due to burn (second degree) of single digit [finger (nail)] other than thumb	ICD-9-CM	Diagnosis
944.22	Blisters with epidermal loss due to burn of (second degree) of thumb (nail)	ICD-9-CM	Diagnosis
944.23	Blisters with epidermal loss due to burn (second degree) of two or more digits of hand, not including thumb	ICD-9-CM	Diagnosis
944.24	Blisters with epidermal loss due to burn (second degree) of two or more digits of hand including thumb	ICD-9-CM	Diagnosis
944.25	Blisters with epidermal loss due to burn (second degree) of palm of hand	ICD-9-CM	Diagnosis
944.26	Blisters with epidermal loss due to burn (second degree) of back of hand	ICD-9-CM	Diagnosis
944.27	Blisters with epidermal loss due to burn (second degree) of wrist	ICD-9-CM	Diagnosis
944.28	Blisters with epidermal loss due to burn (second degree) of multiple sites of wrist(s) and hand(s)	ICD-9-CM	Diagnosis
944.30	Full-thickness skin loss due to burn (third degree NOS) of unspecified site of hand	ICD-9-CM	Diagnosis
944.31	Full-thickness skin loss due to burn (third degree NOS) of single digit [finger (nail)] other than thumb	ICD-9-CM	Diagnosis
944.32	Full-thickness skin loss due to burn (third degree NOS) of thumb (nail)	ICD-9-CM	Diagnosis
944.33	Full-thickness skin loss due to burn (third degree NOS) of two or more digits of hand, not including thumb	ICD-9-CM	Diagnosis
944.34	Full-thickness skin loss due to burn (third degree NOS) of two or more digits of hand including thumb	ICD-9-CM	Diagnosis
944.35	Full-thickness skin loss due to burn (third degree NOS) of palm of hand	ICD-9-CM	Diagnosis
944.36	Full-thickness skin loss due to burn (third degree NOS) of back of hand	ICD-9-CM	Diagnosis
944.37	Full-thickness skin loss due to burn (third degree NOS) of wrist	ICD-9-CM	Diagnosis
944.38	Full-thickness skin loss due to burn (third degree NOS) of multiple sites of wrist(s) and hand(s)	ICD-9-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
944.40	Deep necrosis of underlying tissues due to burn (deep third degree) of unspecified site of hand, without mention of loss of a body part	ICD-9-CM	Diagnosis
944.41	Deep necrosis of underlying tissues due to burn (deep third degree) of single digit [finger (nail)] other than thumb, without mention of loss of a body part	ICD-9-CM	Diagnosis
944.42	Deep necrosis of underlying tissues due to burn (deep third degree) of thumb (nail), without mention of loss of a body part	ICD-9-CM	Diagnosis
944.43	Deep necrosis of underlying tissues due to burn (deep third degree) of two or more digits of hand, not including thumb, without mention of loss of a body part	ICD-9-CM	Diagnosis
944.44	Deep necrosis of underlying tissues due to burn (deep third degree) of two or more digits of hand including thumb, without mention of loss of a body part	ICD-9-CM	Diagnosis
944.45	Deep necrosis of underlying tissues due to burn (deep third degree) of palm of hand, without mention of loss of a body part	ICD-9-CM	Diagnosis
944.46	Deep necrosis of underlying tissues due to burn (deep third degree) of back of hand, without mention of loss of a body part	ICD-9-CM	Diagnosis
944.47	Deep necrosis of underlying tissues due to burn (deep third degree) of wrist, without mention of loss of a body part	ICD-9-CM	Diagnosis
944.48	Deep necrosis of underlying tissues due to burn (deep third degree) of multiple sites of wrist(s) and hand(s), without mention of loss of a body part	ICD-9-CM	Diagnosis
944.50	Deep necrosis of underlying tissues due to burn (deep third degree) of unspecified site of hand, with loss of a body part	ICD-9-CM	Diagnosis
944.51	Deep necrosis of underlying tissues due to burn (deep third degree) of single digit (finger (nail)) other than thumb, with loss of a body part	ICD-9-CM	Diagnosis
944.52	Deep necrosis of underlying tissues due to burn (deep third degree) of thumb (nail), with loss of a body part	ICD-9-CM	Diagnosis
944.53	Deep necrosis of underlying tissues due to burn (deep third degree) of two or more digits of hand, not including thumb, with loss of a body part	ICD-9-CM	Diagnosis
944.54	Deep necrosis of underlying tissues due to burn (deep third degree) of two or more digits of hand including thumb, with loss of a body part	ICD-9-CM	Diagnosis
944.55	Deep necrosis of underlying tissues due to burn (deep third degree) of palm of hand, with loss of a body part	ICD-9-CM	Diagnosis
944.56	Deep necrosis of underlying tissues due to burn (deep third degree) of back of hand, with loss of a body part	ICD-9-CM	Diagnosis
944.57	Deep necrosis of underlying tissues due to burn (deep third degree) of wrist, with loss of a body part	ICD-9-CM	Diagnosis
944.58	Deep necrosis of underlying tissues due to burn (deep third degree) of multiple sites of wrist(s) and hand(s), with loss of a body part	ICD-9-CM	Diagnosis
945.00	Burn of unspecified degree of unspecified site of lower limb (leg)	ICD-9-CM	Diagnosis
945.01	Burn of unspecified degree of toe(s) (nail)	ICD-9-CM	Diagnosis
945.02	Burn of unspecified degree of foot	ICD-9-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
945.03	Burn of unspecified degree of ankle	ICD-9-CM	Diagnosis
945.04	Burn of unspecified degree of lower leg	ICD-9-CM	Diagnosis
945.05	Burn of unspecified degree of knee	ICD-9-CM	Diagnosis
945.06	Burn of unspecified degree of thigh (any part)	ICD-9-CM	Diagnosis
945.09	Burn of unspecified degree of multiple sites of lower limb(s)	ICD-9-CM	Diagnosis
945.10	Erythema due to burn (first degree) of unspecified site of lower limb (leg)	ICD-9-CM	Diagnosis
945.11	Erythema due to burn (first degree) of toe(s) (nail)	ICD-9-CM	Diagnosis
945.12	Erythema due to burn (first degree) of foot	ICD-9-CM	Diagnosis
945.13	Erythema due to burn (first degree) of ankle	ICD-9-CM	Diagnosis
945.14	Erythema due to burn (first degree) of lower leg	ICD-9-CM	Diagnosis
945.15	Erythema due to burn (first degree) of knee	ICD-9-CM	Diagnosis
945.16	Erythema due to burn (first degree) of thigh (any part)	ICD-9-CM	Diagnosis
945.19	Erythema due to burn (first degree) of multiple sites of lower limb(s)	ICD-9-CM	Diagnosis
945.20	Blisters with epidermal loss due to burn (second degree) of unspecified site of lower limb (leg)	ICD-9-CM	Diagnosis
945.21	Blisters with epidermal loss due to burn (second degree) of toe(s) (nail)	ICD-9-CM	Diagnosis
945.22	Blisters with epidermal loss due to burn (second degree) of foot	ICD-9-CM	Diagnosis
945.23	Blisters with epidermal loss due to burn (second degree) of ankle	ICD-9-CM	Diagnosis
945.24	Blisters with epidermal loss due to burn (second degree) of lower leg	ICD-9-CM	Diagnosis
945.25	Blisters with epidermal loss due to burn (second degree) of knee	ICD-9-CM	Diagnosis
945.26	Blisters with epidermal loss due to burn (second degree) of thigh (any part)	ICD-9-CM	Diagnosis
945.29	Blisters with epidermal loss due to burn (second degree) of multiple sites of lower limb(s)	ICD-9-CM	Diagnosis
945.30	Full-thickness skin loss due to burn (third degree NOS) of unspecified site of lower limb	ICD-9-CM	Diagnosis
945.31	Full-thickness skin loss due to burn (third degree NOS) of toe(s) (nail)	ICD-9-CM	Diagnosis
945.32	Full-thickness skin loss due to burn (third degree NOS) of foot	ICD-9-CM	Diagnosis
945.33	Full-thickness skin loss due to burn (third degree NOS) of ankle	ICD-9-CM	Diagnosis
945.34	Full-thickness skin loss due to burn (third degree NOS) of lower leg	ICD-9-CM	Diagnosis
945.35	Full-thickness skin loss due to burn (third degree NOS) of knee	ICD-9-CM	Diagnosis
945.36	Full-thickness skin loss due to burn (third degree NOS) of thigh (any part)	ICD-9-CM	Diagnosis
945.39	Full-thickness skin loss due to burn (third degree NOS) of multiple sites of lower limb(s)	ICD-9-CM	Diagnosis
945.40	Deep necrosis of underlying tissues due to burn (deep third degree) of unspecified site of lower limb (leg), without mention of loss of a body part	ICD-9-CM	Diagnosis
945.41	Deep necrosis of underlying tissues due to burn (deep third degree) of toe(s) (nail), without mention of loss of a body part	ICD-9-CM	Diagnosis
945.42	Deep necrosis of underlying tissues due to burn (deep third degree) of foot, without mention of loss of a body part	ICD-9-CM	Diagnosis
945.43	Deep necrosis of underlying tissues due to burn (deep third degree) of ankle, without mention of loss of a body part	ICD-9-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
945.44	Deep necrosis of underlying tissues due to burn (deep third degree) of lower leg, without mention of loss of a body part	ICD-9-CM	Diagnosis
945.45	Deep necrosis of underlying tissues due to burn (deep third degree) of knee, without mention of loss of a body part	ICD-9-CM	Diagnosis
945.46	Deep necrosis of underlying tissues due to burn (deep third degree) of thigh (any part), without mention of loss of a body part	ICD-9-CM	Diagnosis
945.49	Deep necrosis of underlying tissues due to burn (deep third degree) of multiple sites of lower limb(s), without mention of loss of a body part	ICD-9-CM	Diagnosis
945.50	Deep necrosis of underlying tissues due to burn (deep third degree) of unspecified site lower limb (leg), with loss of a body part	ICD-9-CM	Diagnosis
945.51	Deep necrosis of underlying tissues due to burn (deep third degree) of toe(s) (nail), with loss of a body part	ICD-9-CM	Diagnosis
945.52	Deep necrosis of underlying tissues due to burn (deep third degree) of foot, with loss of a body part	ICD-9-CM	Diagnosis
945.53	Deep necrosis of underlying tissues due to burn (deep third degree) of ankle, with loss of a body part	ICD-9-CM	Diagnosis
945.54	Deep necrosis of underlying tissues due to burn (deep third degree) of lower leg, with loss of a body part	ICD-9-CM	Diagnosis
945.55	Deep necrosis of underlying tissues due to burn (deep third degree) of knee, with loss of a body part	ICD-9-CM	Diagnosis
945.56	Deep necrosis of underlying tissues due to burn (deep third degree) of thigh (any part), with loss of a body part	ICD-9-CM	Diagnosis
945.59	Deep necrosis of underlying tissues due to burn (deep third degree) of multiple sites of lower limb(s), with loss of a body part	ICD-9-CM	Diagnosis
946.0	Burns of multiple specified sites, unspecified degree	ICD-9-CM	Diagnosis
946.1	Erythema due to burn (first degree) of multiple specified sites	ICD-9-CM	Diagnosis
946.2	Blisters with epidermal loss due to burn (second degree) of multiple specified sites	ICD-9-CM	Diagnosis
946.3	Full-thickness skin loss due to burn (third degree NOS) of multiple specified sites	ICD-9-CM	Diagnosis
946.4	Deep necrosis of underlying tissues due to burn (deep third degree) of multiple specified sites, without mention of loss of a body part	ICD-9-CM	Diagnosis
946.5	Deep necrosis of underlying tissues due to burn (deep third degree) of multiple specified sites, with loss of a body part	ICD-9-CM	Diagnosis
947.0	Burn of mouth and pharynx	ICD-9-CM	Diagnosis
947.1	Burn of larynx, trachea, and lung	ICD-9-CM	Diagnosis
947.2	Burn of esophagus	ICD-9-CM	Diagnosis
947.3	Burn of gastrointestinal tract	ICD-9-CM	Diagnosis
947.4	Burn of vagina and uterus	ICD-9-CM	Diagnosis
947.8	Burn of other specified sites of internal organs	ICD-9-CM	Diagnosis
947.9	Burn of internal organs, unspecified site	ICD-9-CM	Diagnosis
948.00	Burn (any degree) involving less than 10% of body surface with third degree burn of less than 10% or unspecified amount	ICD-9-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
948.10	Burn (any degree) involving 10-19% of body surface with third degree burn of less than 10% or unspecified amount	ICD-9-CM	Diagnosis
948.11	Burn (any degree) involving 10-19% of body surface with third degree burn of 10-19%	ICD-9-CM	Diagnosis
948.20	Burn (any degree) involving 20-29% of body surface with third degree burn of less than 10% or unspecified amount	ICD-9-CM	Diagnosis
948.21	Burn (any degree) involving 20-29% of body surface with third degree burn of 10-19%	ICD-9-CM	Diagnosis
948.22	Burn (any degree) involving 20-29% of body surface with third degree burn of 20-29%	ICD-9-CM	Diagnosis
948.30	Burn (any degree) involving 30-39% of body surface with third degree burn of less than 10% or unspecified amount	ICD-9-CM	Diagnosis
948.31	Burn (any degree) involving 30-39% of body surface with third degree burn of 10-19%	ICD-9-CM	Diagnosis
948.32	Burn (any degree) involving 30-39% of body surface with third degree burn of 20-29%	ICD-9-CM	Diagnosis
948.33	Burn (any degree) involving 30-39% of body surface with third degree burn of 30-39%	ICD-9-CM	Diagnosis
948.40	Burn (any degree) involving 40-49% of body surface with third degree burn of less than 10% or unspecified amount	ICD-9-CM	Diagnosis
948.41	Burn (any degree) involving 40-49% of body surface with third degree burn of 10-19%	ICD-9-CM	Diagnosis
948.42	Burn (any degree) involving 40-49% of body surface with third degree burn of 20-29%	ICD-9-CM	Diagnosis
948.43	Burn (any degree) involving 40-49% of body surface with third degree burn of 30-39%	ICD-9-CM	Diagnosis
948.44	Burn (any degree) involving 40-49% of body surface with third degree burn of 40-49%	ICD-9-CM	Diagnosis
948.50	Burn (any degree) involving 50-59% of body surface with third degree burn of less than 10% or unspecified amount	ICD-9-CM	Diagnosis
948.51	Burn (any degree) involving 50-59% of body surface with third degree burn of 10-19%	ICD-9-CM	Diagnosis
948.52	Burn (any degree) involving 50-59% of body surface with third degree burn of 20-29%	ICD-9-CM	Diagnosis
948.53	Burn (any degree) involving 50-59% of body surface with third degree burn of 30-39%	ICD-9-CM	Diagnosis
948.54	Burn (any degree) involving 50-59% of body surface with third degree burn of 40-49%	ICD-9-CM	Diagnosis
948.55	Burn (any degree) involving 50-59% of body surface with third degree burn of 50-59%	ICD-9-CM	Diagnosis
948.60	Burn (any degree) involving 60-69% of body surface with third degree burn of less than 10% or unspecified amount	ICD-9-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
948.61	Burn (any degree) involving 60-69% of body surface with third degree burn of 10-19%	ICD-9-CM	Diagnosis
948.62	Burn (any degree) involving 60-69% of body surface with third degree burn of 20-29%	ICD-9-CM	Diagnosis
948.63	Burn (any degree) involving 60-69% of body surface with third degree burn of 30-39%	ICD-9-CM	Diagnosis
948.64	Burn (any degree) involving 60-69% of body surface with third degree burn of 40-49%	ICD-9-CM	Diagnosis
948.65	Burn (any degree) involving 60-69% of body surface with third degree burn of 50-59%	ICD-9-CM	Diagnosis
948.66	Burn (any degree) involving 60-69% of body surface with third degree burn of 60-69%	ICD-9-CM	Diagnosis
948.70	Burn (any degree) involving 70-79% of body surface with third degree burn of less than 10% or unspecified amount	ICD-9-CM	Diagnosis
948.71	Burn (any degree) involving 70-79% of body surface with third degree burn of 10-19%	ICD-9-CM	Diagnosis
948.72	Burn (any degree) involving 70-79% of body surface with third degree burn of 20-29%	ICD-9-CM	Diagnosis
948.73	Burn (any degree) involving 70-79% of body surface with third degree burn of 30-39%	ICD-9-CM	Diagnosis
948.74	Burn (any degree) involving 70-79% of body surface with third degree burn of 40-49%	ICD-9-CM	Diagnosis
948.75	Burn (any degree) involving 70-79% of body surface with third degree burn of 50-59%	ICD-9-CM	Diagnosis
948.76	Burn (any degree) involving 70-79% of body surface with third degree burn of 60-69%	ICD-9-CM	Diagnosis
948.77	Burn (any degree) involving 70-79% of body surface with third degree burn of 70-79%	ICD-9-CM	Diagnosis
948.80	Burn (any degree) involving 80-89% of body surface with third degree burn of less than 10% or unspecified amount	ICD-9-CM	Diagnosis
948.81	Burn (any degree) involving 80-89% of body surface with third degree burn of 10-19%	ICD-9-CM	Diagnosis
948.82	Burn (any degree) involving 80-89% of body surface with third degree burn of 20-29%	ICD-9-CM	Diagnosis
948.83	Burn (any degree) involving 80-89% of body surface with third degree burn of 30-39%	ICD-9-CM	Diagnosis
948.84	Burn (any degree) involving 80-89% of body surface with third degree burn of 40-49%	ICD-9-CM	Diagnosis
948.85	Burn (any degree) involving 80-89% of body surface with third degree burn of 50-59%	ICD-9-CM	Diagnosis
948.86	Burn (any degree) involving 80-89% of body surface with third degree burn of 60-69%	ICD-9-CM	Diagnosis



**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
948.87	Burn (any degree) involving 80-89% of body surface with third degree burn of 70-79%	ICD-9-CM	Diagnosis
948.88	Burn (any degree) involving 80-89% of body surface with third degree burn of 80-89%	ICD-9-CM	Diagnosis
948.90	Burn (any degree) involving 90% or more of body surface with third degree burn of less than 10% or unspecified amount	ICD-9-CM	Diagnosis
948.91	Burn (any degree) involving 90% or more of body surface with third degree burn of 10-19%	ICD-9-CM	Diagnosis
948.92	Burn (any degree) involving 90% or more of body surface with third degree burn of 20-29%	ICD-9-CM	Diagnosis
948.93	Burn (any degree) involving 90% or more of body surface with third degree burn of 30-39%	ICD-9-CM	Diagnosis
948.94	Burn (any degree) involving 90% or more of body surface with third degree burn of 40-49%	ICD-9-CM	Diagnosis
948.95	Burn (any degree) involving 90% or more of body surface with third degree burn of 50-59%	ICD-9-CM	Diagnosis
948.96	Burn (any degree) involving 90% or more of body surface with third degree burn of 60-69%	ICD-9-CM	Diagnosis
948.97	Burn (any degree) involving 90% or more of body surface with third degree burn of 70-79%	ICD-9-CM	Diagnosis
948.98	Burn (any degree) involving 90% or more of body surface with third degree burn of 80-89%	ICD-9-CM	Diagnosis
948.99	Burn (any degree) involving 90% or more of body surface with third degree burn of 90% or more of body surface	ICD-9-CM	Diagnosis
949.0	Burn of unspecified site, unspecified degree	ICD-9-CM	Diagnosis
949.1	Erythema due to burn (first degree), unspecified site	ICD-9-CM	Diagnosis
949.2	Blisters with epidermal loss due to burn (second degree), unspecified site	ICD-9-CM	Diagnosis
949.3	Full-thickness skin loss due to burn (third degree NOS), unspecified site	ICD-9-CM	Diagnosis
949.4	Deep necrosis of underlying tissue due to burn (deep third degree), unspecified site without mention of loss of body part	ICD-9-CM	Diagnosis
949.5	Deep necrosis of underlying tissues due to burn (deep third degree, unspecified site with loss of body part	ICD-9-CM	Diagnosis
V13.52	Personal history of stress fracture	ICD-9-CM	Diagnosis
V54.0	Aftercare involving internal fixation device	ICD-9-CM	Diagnosis
V54.01	Encounter for removal of internal fixation device	ICD-9-CM	Diagnosis
V54.02	Encounter for lengthening/adjustment of growth rod	ICD-9-CM	Diagnosis
V54.09	Other aftercare involving internal fixation device	ICD-9-CM	Diagnosis
V54.10	Aftercare for healing traumatic fracture of arm, unspecified	ICD-9-CM	Diagnosis
V54.11	Aftercare for healing traumatic fracture of upper arm	ICD-9-CM	Diagnosis
V54.12	Aftercare for healing traumatic fracture of lower arm	ICD-9-CM	Diagnosis
V54.13	Aftercare for healing traumatic fracture of hip	ICD-9-CM	Diagnosis
V54.14	Aftercare for healing traumatic fracture of leg, unspecified	ICD-9-CM	Diagnosis
V54.15	Aftercare for healing traumatic fracture of upper leg	ICD-9-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
V54.16	Aftercare for healing traumatic fracture of lower leg	ICD-9-CM	Diagnosis
V54.17	Aftercare for healing traumatic fracture of vertebrae	ICD-9-CM	Diagnosis
V54.19	Aftercare for healing traumatic fracture of other bone	ICD-9-CM	Diagnosis
V54.20	Aftercare for healing pathologic fracture of arm, unspecified	ICD-9-CM	Diagnosis
V54.21	Aftercare for healing pathologic fracture of upper arm	ICD-9-CM	Diagnosis
V54.22	Aftercare for healing pathologic fracture of lower arm	ICD-9-CM	Diagnosis
V54.23	Aftercare for healing pathologic fracture of hip	ICD-9-CM	Diagnosis
V54.24	Aftercare for healing pathologic fracture of leg, unspecified	ICD-9-CM	Diagnosis
V54.25	Aftercare for healing pathologic fracture of upper leg	ICD-9-CM	Diagnosis
V54.26	Aftercare for healing pathologic fracture of lower leg	ICD-9-CM	Diagnosis
V54.27	Aftercare for healing pathologic fracture of vertebrae	ICD-9-CM	Diagnosis
V54.29	Aftercare for healing pathologic fracture of other bone	ICD-9-CM	Diagnosis
V66.4	Convalescence following treatment of fracture	ICD-9-CM	Diagnosis
V67.4	Treatment of healed fracture follow-up examination	ICD-9-CM	Diagnosis
S42.222D	2-part displaced fracture of surgical neck of left humerus, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S42.222A	2-part displaced fracture of surgical neck of left humerus, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.222B	2-part displaced fracture of surgical neck of left humerus, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.222S	2-part displaced fracture of surgical neck of left humerus, sequela	ICD-10-CM	Diagnosis
S42.222G	2-part displaced fracture of surgical neck of left humerus, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S42.222P	2-part displaced fracture of surgical neck of left humerus, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S42.222K	2-part displaced fracture of surgical neck of left humerus, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S42.221A	2-part displaced fracture of surgical neck of right humerus, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.221B	2-part displaced fracture of surgical neck of right humerus, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.221S	2-part displaced fracture of surgical neck of right humerus, sequela	ICD-10-CM	Diagnosis
S42.221G	2-part displaced fracture of surgical neck of right humerus, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S42.221P	2-part displaced fracture of surgical neck of right humerus, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S42.221K	2-part displaced fracture of surgical neck of right humerus, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S42.221D	2-part displaced fracture of surgical neck of right humerus, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S42.223S	2-part displaced fracture of surgical neck of unspecified humerus, sequela	ICD-10-CM	Diagnosis
S42.223G	2-part displaced fracture of surgical neck of unspecified humerus, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S42.223P	2-part displaced fracture of surgical neck of unspecified humerus, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S42.223K	2-part displaced fracture of surgical neck of unspecified humerus, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S42.223D	2-part displaced fracture of surgical neck of unspecified humerus, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S42.223B	2-part displaced fracture of surgical neck of unspecified humerus, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.223A	2-part displaced fracture of surgical neck of unspecified humerus, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.224G	2-part nondisplaced fracture of surgical neck of right humerus, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S42.224K	2-part nondisplaced fracture of surgical neck of right humerus, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S42.225G	2-part nondisplaced fracture of surgical neck of left humerus, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S42.225P	2-part nondisplaced fracture of surgical neck of left humerus, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S42.225K	2-part nondisplaced fracture of surgical neck of left humerus, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S42.224P	2-part nondisplaced fracture of surgical neck of right humerus, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S42.224D	2-part nondisplaced fracture of surgical neck of right humerus, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S42.224A	2-part nondisplaced fracture of surgical neck of right humerus, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.224B	2-part nondisplaced fracture of surgical neck of right humerus, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.226S	2-part nondisplaced fracture of surgical neck of unspecified humerus, sequela	ICD-10-CM	Diagnosis
S42.225A	2-part nondisplaced fracture of surgical neck of left humerus, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.225B	2-part nondisplaced fracture of surgical neck of left humerus, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.225D	2-part nondisplaced fracture of surgical neck of left humerus, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S42.225S	2-part nondisplaced fracture of surgical neck of left humerus, sequela	ICD-10-CM	Diagnosis
S42.224S	2-part nondisplaced fracture of surgical neck of right humerus, sequela	ICD-10-CM	Diagnosis
S42.226G	2-part nondisplaced fracture of surgical neck of unspecified humerus, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S42.226D	2-part nondisplaced fracture of surgical neck of unspecified humerus, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S42.226P	2-part nondisplaced fracture of surgical neck of unspecified humerus, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S42.226K	2-part nondisplaced fracture of surgical neck of unspecified humerus, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S42.226A	2-part nondisplaced fracture of surgical neck of unspecified humerus, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.226B	2-part nondisplaced fracture of surgical neck of unspecified humerus, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.232S	3-part fracture of surgical neck of left humerus, sequela	ICD-10-CM	Diagnosis
S42.231S	3-part fracture of surgical neck of right humerus, sequela	ICD-10-CM	Diagnosis
S42.239S	3-part fracture of surgical neck of unspecified humerus, sequela	ICD-10-CM	Diagnosis
S42.232A	3-part fracture of surgical neck of left humerus, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.232B	3-part fracture of surgical neck of left humerus, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.232G	3-part fracture of surgical neck of left humerus, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S42.232P	3-part fracture of surgical neck of left humerus, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S42.232K	3-part fracture of surgical neck of left humerus, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S42.232D	3-part fracture of surgical neck of left humerus, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S42.231A	3-part fracture of surgical neck of right humerus, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.231B	3-part fracture of surgical neck of right humerus, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.231G	3-part fracture of surgical neck of right humerus, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S42.231P	3-part fracture of surgical neck of right humerus, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S42.231K	3-part fracture of surgical neck of right humerus, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S42.231D	3-part fracture of surgical neck of right humerus, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S42.239G	3-part fracture of surgical neck of unspecified humerus, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S42.239P	3-part fracture of surgical neck of unspecified humerus, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S42.239K	3-part fracture of surgical neck of unspecified humerus, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S42.239A	3-part fracture of surgical neck of unspecified humerus, initial encounter for closed fracture	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S42.239B	3-part fracture of surgical neck of unspecified humerus, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.239D	3-part fracture of surgical neck of unspecified humerus, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S42.242S	4-part fracture of surgical neck of left humerus, sequela	ICD-10-CM	Diagnosis
S42.241S	4-part fracture of surgical neck of right humerus, sequela	ICD-10-CM	Diagnosis
S42.249S	4-part fracture of surgical neck of unspecified humerus, sequela	ICD-10-CM	Diagnosis
S42.242A	4-part fracture of surgical neck of left humerus, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.242B	4-part fracture of surgical neck of left humerus, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.242G	4-part fracture of surgical neck of left humerus, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S42.242P	4-part fracture of surgical neck of left humerus, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S42.242K	4-part fracture of surgical neck of left humerus, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S42.242D	4-part fracture of surgical neck of left humerus, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S42.241A	4-part fracture of surgical neck of right humerus, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.241B	4-part fracture of surgical neck of right humerus, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.241G	4-part fracture of surgical neck of right humerus, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S42.241P	4-part fracture of surgical neck of right humerus, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S42.241K	4-part fracture of surgical neck of right humerus, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S42.241D	4-part fracture of surgical neck of right humerus, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S42.249A	4-part fracture of surgical neck of unspecified humerus, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.249B	4-part fracture of surgical neck of unspecified humerus, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.249G	4-part fracture of surgical neck of unspecified humerus, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S42.249P	4-part fracture of surgical neck of unspecified humerus, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S42.249K	4-part fracture of surgical neck of unspecified humerus, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S42.249D	4-part fracture of surgical neck of unspecified humerus, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S12.110A	Anterior displaced Type II dens fracture, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S12.110G	Anterior displaced Type II dens fracture, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S42.012A	Anterior displaced fracture of sternal end of left clavicle, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.012B	Anterior displaced fracture of sternal end of left clavicle, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.011A	Anterior displaced fracture of sternal end of right clavicle, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.011B	Anterior displaced fracture of sternal end of right clavicle, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.011D	Anterior displaced fracture of sternal end of right clavicle, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S42.011G	Anterior displaced fracture of sternal end of right clavicle, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S42.013D	Anterior displaced fracture of sternal end of unspecified clavicle, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S42.012P	Anterior displaced fracture of sternal end of left clavicle, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S42.012K	Anterior displaced fracture of sternal end of left clavicle, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S42.011P	Anterior displaced fracture of sternal end of right clavicle, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S42.011K	Anterior displaced fracture of sternal end of right clavicle, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S42.013G	Anterior displaced fracture of sternal end of unspecified clavicle, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S42.012S	Anterior displaced fracture of sternal end of left clavicle, sequela	ICD-10-CM	Diagnosis
S42.011S	Anterior displaced fracture of sternal end of right clavicle, sequela	ICD-10-CM	Diagnosis
S42.013S	Anterior displaced fracture of sternal end of unspecified clavicle, sequela	ICD-10-CM	Diagnosis
S42.012D	Anterior displaced fracture of sternal end of left clavicle, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S42.013A	Anterior displaced fracture of sternal end of unspecified clavicle, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.013B	Anterior displaced fracture of sternal end of unspecified clavicle, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.013P	Anterior displaced fracture of sternal end of unspecified clavicle, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S42.013K	Anterior displaced fracture of sternal end of unspecified clavicle, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S42.012G	Anterior displaced fracture of sternal end of left clavicle, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis



**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S53.116D	Anterior dislocation of unspecified ulnohumeral joint, subsequent encounter	ICD-10-CM	Diagnosis
S43.215S	Anterior dislocation of left sternoclavicular joint, sequela	ICD-10-CM	Diagnosis
S43.015A	Anterior dislocation of left humerus, initial encounter	ICD-10-CM	Diagnosis
S43.015D	Anterior dislocation of left humerus, subsequent encounter	ICD-10-CM	Diagnosis
S53.015A	Anterior dislocation of left radial head, initial encounter	ICD-10-CM	Diagnosis
S53.015D	Anterior dislocation of left radial head, subsequent encounter	ICD-10-CM	Diagnosis
S43.215A	Anterior dislocation of left sternoclavicular joint, initial encounter	ICD-10-CM	Diagnosis
S43.215D	Anterior dislocation of left sternoclavicular joint, subsequent encounter	ICD-10-CM	Diagnosis
S53.115A	Anterior dislocation of left ulnohumeral joint, initial encounter	ICD-10-CM	Diagnosis
S53.115S	Anterior dislocation of left ulnohumeral joint, sequela	ICD-10-CM	Diagnosis
S53.115D	Anterior dislocation of left ulnohumeral joint, subsequent encounter	ICD-10-CM	Diagnosis
S43.015S	Anterior dislocation of left humerus, sequela	ICD-10-CM	Diagnosis
S53.015S	Anterior dislocation of left radial head, sequela	ICD-10-CM	Diagnosis
S43.014S	Anterior dislocation of right humerus, sequela	ICD-10-CM	Diagnosis
S83.115A	Anterior dislocation of proximal end of tibia, left knee, initial encounter	ICD-10-CM	Diagnosis
S83.115S	Anterior dislocation of proximal end of tibia, left knee, sequela	ICD-10-CM	Diagnosis
S83.115D	Anterior dislocation of proximal end of tibia, left knee, subsequent encounter	ICD-10-CM	Diagnosis
S83.114A	Anterior dislocation of proximal end of tibia, right knee, initial encounter	ICD-10-CM	Diagnosis
S83.114S	Anterior dislocation of proximal end of tibia, right knee, sequela	ICD-10-CM	Diagnosis
S83.114D	Anterior dislocation of proximal end of tibia, right knee, subsequent encounter	ICD-10-CM	Diagnosis
S83.116A	Anterior dislocation of proximal end of tibia, unspecified knee, initial encounter	ICD-10-CM	Diagnosis
S83.116S	Anterior dislocation of proximal end of tibia, unspecified knee, sequela	ICD-10-CM	Diagnosis
S83.116D	Anterior dislocation of proximal end of tibia, unspecified knee, subsequent encounter	ICD-10-CM	Diagnosis
S53.014S	Anterior dislocation of right radial head, sequela	ICD-10-CM	Diagnosis
S43.214S	Anterior dislocation of right sternoclavicular joint, sequela	ICD-10-CM	Diagnosis
S43.014A	Anterior dislocation of right humerus, initial encounter	ICD-10-CM	Diagnosis
S43.014D	Anterior dislocation of right humerus, subsequent encounter	ICD-10-CM	Diagnosis
S53.014A	Anterior dislocation of right radial head, initial encounter	ICD-10-CM	Diagnosis
S53.014D	Anterior dislocation of right radial head, subsequent encounter	ICD-10-CM	Diagnosis
S43.214A	Anterior dislocation of right sternoclavicular joint, initial encounter	ICD-10-CM	Diagnosis
S43.214D	Anterior dislocation of right sternoclavicular joint, subsequent encounter	ICD-10-CM	Diagnosis
S53.114A	Anterior dislocation of right ulnohumeral joint, initial encounter	ICD-10-CM	Diagnosis
S53.114S	Anterior dislocation of right ulnohumeral joint, sequela	ICD-10-CM	Diagnosis
S53.114D	Anterior dislocation of right ulnohumeral joint, subsequent encounter	ICD-10-CM	Diagnosis
S43.016A	Anterior dislocation of unspecified humerus, initial encounter	ICD-10-CM	Diagnosis
S43.016D	Anterior dislocation of unspecified humerus, subsequent encounter	ICD-10-CM	Diagnosis
S53.016A	Anterior dislocation of unspecified radial head, initial encounter	ICD-10-CM	Diagnosis
S53.016S	Anterior dislocation of unspecified radial head, sequela	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S53.016D	Anterior dislocation of unspecified radial head, subsequent encounter	ICD-10-CM	Diagnosis
S43.216A	Anterior dislocation of unspecified sternoclavicular joint, initial encounter	ICD-10-CM	Diagnosis
S43.216S	Anterior dislocation of unspecified sternoclavicular joint, sequela	ICD-10-CM	Diagnosis
S43.216D	Anterior dislocation of unspecified sternoclavicular joint, subsequent encounter	ICD-10-CM	Diagnosis
S53.116A	Anterior dislocation of unspecified ulnohumeral joint, initial encounter	ICD-10-CM	Diagnosis
S53.116S	Anterior dislocation of unspecified ulnohumeral joint, sequela	ICD-10-CM	Diagnosis
S43.016S	Anterior dislocation of unspecified humerus, sequela	ICD-10-CM	Diagnosis
S12.110S	Anterior displaced Type II dens fracture, sequela	ICD-10-CM	Diagnosis
S12.110B	Anterior displaced Type II dens fracture, initial encounter for open fracture	ICD-10-CM	Diagnosis
S12.110K	Anterior displaced Type II dens fracture, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S12.110D	Anterior displaced Type II dens fracture, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S43.212S	Anterior subluxation of left sternoclavicular joint, sequela	ICD-10-CM	Diagnosis
S43.012A	Anterior subluxation of left humerus, initial encounter	ICD-10-CM	Diagnosis
S43.012D	Anterior subluxation of left humerus, subsequent encounter	ICD-10-CM	Diagnosis
S53.012A	Anterior subluxation of left radial head, initial encounter	ICD-10-CM	Diagnosis
S53.012D	Anterior subluxation of left radial head, subsequent encounter	ICD-10-CM	Diagnosis
S43.212A	Anterior subluxation of left sternoclavicular joint, initial encounter	ICD-10-CM	Diagnosis
S43.212D	Anterior subluxation of left sternoclavicular joint, subsequent encounter	ICD-10-CM	Diagnosis
S53.112A	Anterior subluxation of left ulnohumeral joint, initial encounter	ICD-10-CM	Diagnosis
S53.112S	Anterior subluxation of left ulnohumeral joint, sequela	ICD-10-CM	Diagnosis
S53.112D	Anterior subluxation of left ulnohumeral joint, subsequent encounter	ICD-10-CM	Diagnosis
S43.012S	Anterior subluxation of left humerus, sequela	ICD-10-CM	Diagnosis
S53.012S	Anterior subluxation of left radial head, sequela	ICD-10-CM	Diagnosis
S43.011S	Anterior subluxation of right humerus, sequela	ICD-10-CM	Diagnosis
S83.112A	Anterior subluxation of proximal end of tibia, left knee, initial encounter	ICD-10-CM	Diagnosis
S83.112S	Anterior subluxation of proximal end of tibia, left knee, sequela	ICD-10-CM	Diagnosis
S83.112D	Anterior subluxation of proximal end of tibia, left knee, subsequent encounter	ICD-10-CM	Diagnosis
S83.111A	Anterior subluxation of proximal end of tibia, right knee, initial encounter	ICD-10-CM	Diagnosis
S83.111S	Anterior subluxation of proximal end of tibia, right knee, sequela	ICD-10-CM	Diagnosis
S83.111D	Anterior subluxation of proximal end of tibia, right knee, subsequent encounter	ICD-10-CM	Diagnosis
S83.113A	Anterior subluxation of proximal end of tibia, unspecified knee, initial encounter	ICD-10-CM	Diagnosis
S83.113S	Anterior subluxation of proximal end of tibia, unspecified knee, sequela	ICD-10-CM	Diagnosis
S83.113D	Anterior subluxation of proximal end of tibia, unspecified knee, subsequent encounter	ICD-10-CM	Diagnosis
S53.011S	Anterior subluxation of right radial head, sequela	ICD-10-CM	Diagnosis
S43.211S	Anterior subluxation of right sternoclavicular joint, sequela	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S43.011A	Anterior subluxation of right humerus, initial encounter	ICD-10-CM	Diagnosis
S43.011D	Anterior subluxation of right humerus, subsequent encounter	ICD-10-CM	Diagnosis
S53.011A	Anterior subluxation of right radial head, initial encounter	ICD-10-CM	Diagnosis
S53.011D	Anterior subluxation of right radial head, subsequent encounter	ICD-10-CM	Diagnosis
S43.211A	Anterior subluxation of right sternoclavicular joint, initial encounter	ICD-10-CM	Diagnosis
S43.211D	Anterior subluxation of right sternoclavicular joint, subsequent encounter	ICD-10-CM	Diagnosis
S53.111A	Anterior subluxation of right ulnohumeral joint, initial encounter	ICD-10-CM	Diagnosis
S53.111S	Anterior subluxation of right ulnohumeral joint, sequela	ICD-10-CM	Diagnosis
S53.111D	Anterior subluxation of right ulnohumeral joint, subsequent encounter	ICD-10-CM	Diagnosis
S43.013A	Anterior subluxation of unspecified humerus, initial encounter	ICD-10-CM	Diagnosis
S43.013D	Anterior subluxation of unspecified humerus, subsequent encounter	ICD-10-CM	Diagnosis
S53.013A	Anterior subluxation of unspecified radial head, initial encounter	ICD-10-CM	Diagnosis
S53.013S	Anterior subluxation of unspecified radial head, sequela	ICD-10-CM	Diagnosis
S53.013D	Anterior subluxation of unspecified radial head, subsequent encounter	ICD-10-CM	Diagnosis
S43.213A	Anterior subluxation of unspecified sternoclavicular joint, initial encounter	ICD-10-CM	Diagnosis
S43.213D	Anterior subluxation of unspecified sternoclavicular joint, subsequent encounter	ICD-10-CM	Diagnosis
S53.113A	Anterior subluxation of unspecified ulnohumeral joint, initial encounter	ICD-10-CM	Diagnosis
S53.113S	Anterior subluxation of unspecified ulnohumeral joint, sequela	ICD-10-CM	Diagnosis
S53.113D	Anterior subluxation of unspecified ulnohumeral joint, subsequent encounter	ICD-10-CM	Diagnosis
S43.013S	Anterior subluxation of unspecified humerus, sequela	ICD-10-CM	Diagnosis
S43.213S	Anterior subluxation of unspecified sternoclavicular joint, sequela	ICD-10-CM	Diagnosis
M84.750A	Atypical femoral fracture, unspecified, initial encounter for fracture	ICD-10-CM	Diagnosis
M84.750G	Atypical femoral fracture, unspecified, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
M84.750P	Atypical femoral fracture, unspecified, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
M84.750K	Atypical femoral fracture, unspecified, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
M84.750S	Atypical femoral fracture, unspecified, sequela	ICD-10-CM	Diagnosis
M84.750D	Atypical femoral fracture, unspecified, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S05.72XA	Avulsion of left eye, initial encounter	ICD-10-CM	Diagnosis
S05.71XA	Avulsion of right eye, initial encounter	ICD-10-CM	Diagnosis
S08.0XXA	Avulsion of scalp, initial encounter	ICD-10-CM	Diagnosis
S08.0XXS	Avulsion of scalp, sequela	ICD-10-CM	Diagnosis
S08.0XXD	Avulsion of scalp, subsequent encounter	ICD-10-CM	Diagnosis
S05.70XA	Avulsion of unspecified eye, initial encounter	ICD-10-CM	Diagnosis
S52.562S	Barton's fracture of left radius, sequela	ICD-10-CM	Diagnosis
S52.561S	Barton's fracture of right radius, sequela	ICD-10-CM	Diagnosis
S52.569S	Barton's fracture of unspecified radius, sequela	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S52.562A	Barton's fracture of left radius, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.562B	Barton's fracture of left radius, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S52.562C	Barton's fracture of left radius, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S52.562G	Barton's fracture of left radius, subsequent encounter for closed fracture with delayed healing	ICD-10-CM	Diagnosis
S52.562P	Barton's fracture of left radius, subsequent encounter for closed fracture with malunion	ICD-10-CM	Diagnosis
S52.562K	Barton's fracture of left radius, subsequent encounter for closed fracture with nonunion	ICD-10-CM	Diagnosis
S52.562M	Barton's fracture of left radius, subsequent encounter for open fracture type I or II with nonunion	ICD-10-CM	Diagnosis
S52.562H	Barton's fracture of left radius, subsequent encounter for open fracture type I or II with delayed healing	ICD-10-CM	Diagnosis
S52.562J	Barton's fracture of left radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD-10-CM	Diagnosis
S52.562Q	Barton's fracture of left radius, subsequent encounter for open fracture type I or II with malunion	ICD-10-CM	Diagnosis
S52.562E	Barton's fracture of left radius, subsequent encounter for open fracture type I or II with routine healing	ICD-10-CM	Diagnosis
S52.562R	Barton's fracture of left radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD-10-CM	Diagnosis
S52.562N	Barton's fracture of left radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD-10-CM	Diagnosis
S52.562F	Barton's fracture of left radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD-10-CM	Diagnosis
S52.562D	Barton's fracture of left radius, subsequent encounter for closed fracture with routine healing	ICD-10-CM	Diagnosis
S52.561B	Barton's fracture of right radius, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S52.561C	Barton's fracture of right radius, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S52.561A	Barton's fracture of right radius, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.561G	Barton's fracture of right radius, subsequent encounter for closed fracture with delayed healing	ICD-10-CM	Diagnosis
S52.561P	Barton's fracture of right radius, subsequent encounter for closed fracture with malunion	ICD-10-CM	Diagnosis
S52.561K	Barton's fracture of right radius, subsequent encounter for closed fracture with nonunion	ICD-10-CM	Diagnosis
S52.561Q	Barton's fracture of right radius, subsequent encounter for open fracture type I or II with malunion	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S52.561H	Barton's fracture of right radius, subsequent encounter for open fracture type I or II with delayed healing	ICD-10-CM	Diagnosis
S52.561J	Barton's fracture of right radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD-10-CM	Diagnosis
S52.561M	Barton's fracture of right radius, subsequent encounter for open fracture type I or II with nonunion	ICD-10-CM	Diagnosis
S52.561E	Barton's fracture of right radius, subsequent encounter for open fracture type I or II with routine healing	ICD-10-CM	Diagnosis
S52.561R	Barton's fracture of right radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD-10-CM	Diagnosis
S52.561N	Barton's fracture of right radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD-10-CM	Diagnosis
S52.561F	Barton's fracture of right radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD-10-CM	Diagnosis
S52.561D	Barton's fracture of right radius, subsequent encounter for closed fracture with routine healing	ICD-10-CM	Diagnosis
S52.569A	Barton's fracture of unspecified radius, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.569B	Barton's fracture of unspecified radius, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S52.569C	Barton's fracture of unspecified radius, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S52.569G	Barton's fracture of unspecified radius, subsequent encounter for closed fracture with delayed healing	ICD-10-CM	Diagnosis
S52.569P	Barton's fracture of unspecified radius, subsequent encounter for closed fracture with malunion	ICD-10-CM	Diagnosis
S52.569K	Barton's fracture of unspecified radius, subsequent encounter for closed fracture with nonunion	ICD-10-CM	Diagnosis
S52.569H	Barton's fracture of unspecified radius, subsequent encounter for open fracture type I or II with delayed healing	ICD-10-CM	Diagnosis
S52.569E	Barton's fracture of unspecified radius, subsequent encounter for open fracture type I or II with routine healing	ICD-10-CM	Diagnosis
S52.569J	Barton's fracture of unspecified radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD-10-CM	Diagnosis
S52.569R	Barton's fracture of unspecified radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD-10-CM	Diagnosis
S52.569N	Barton's fracture of unspecified radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD-10-CM	Diagnosis
S52.569F	Barton's fracture of unspecified radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD-10-CM	Diagnosis
S52.569Q	Barton's fracture of unspecified radius, subsequent encounter for open fracture type I or II with malunion	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S52.569M	Barton's fracture of unspecified radius, subsequent encounter for open fracture type I or II with nonunion	ICD-10-CM	Diagnosis
S52.569D	Barton's fracture of unspecified radius, subsequent encounter for closed fracture with routine healing	ICD-10-CM	Diagnosis
S62.212S	Bennett's fracture, left hand, sequela	ICD-10-CM	Diagnosis
S62.211S	Bennett's fracture, right hand, sequela	ICD-10-CM	Diagnosis
S62.213S	Bennett's fracture, unspecified hand, sequela	ICD-10-CM	Diagnosis
S62.212A	Bennett's fracture, left hand, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S62.212B	Bennett's fracture, left hand, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.212P	Bennett's fracture, left hand, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S62.212K	Bennett's fracture, left hand, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S62.212G	Bennett's fracture, left hand, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S62.212D	Bennett's fracture, left hand, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S62.211A	Bennett's fracture, right hand, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S62.211B	Bennett's fracture, right hand, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.211P	Bennett's fracture, right hand, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S62.211K	Bennett's fracture, right hand, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S62.211G	Bennett's fracture, right hand, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S62.211D	Bennett's fracture, right hand, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S62.213A	Bennett's fracture, unspecified hand, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S62.213B	Bennett's fracture, unspecified hand, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.213P	Bennett's fracture, unspecified hand, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S62.213K	Bennett's fracture, unspecified hand, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S62.213G	Bennett's fracture, unspecified hand, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S62.213D	Bennett's fracture, unspecified hand, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S52.382C	Bent bone of left radius, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S52.382A	Bent bone of left radius, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.382B	Bent bone of left radius, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S52.382Q	Bent bone of left radius, subsequent encounter for open fracture type I or II with malunion	ICD-10-CM	Diagnosis



**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S52.382M	Bent bone of left radius, subsequent encounter for open fracture type I or II with nonunion	ICD-10-CM	Diagnosis
S52.382E	Bent bone of left radius, subsequent encounter for open fracture type I or II with routine healing	ICD-10-CM	Diagnosis
S52.382H	Bent bone of left radius, subsequent encounter for open fracture type I or II with delayed healing	ICD-10-CM	Diagnosis
S52.382J	Bent bone of left radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD-10-CM	Diagnosis
S52.382F	Bent bone of left radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD-10-CM	Diagnosis
S52.382R	Bent bone of left radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD-10-CM	Diagnosis
S52.382N	Bent bone of left radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD-10-CM	Diagnosis
S52.382D	Bent bone of left radius, subsequent encounter for closed fracture with routine healing	ICD-10-CM	Diagnosis
S52.382G	Bent bone of left radius, subsequent encounter for closed fracture with delayed healing	ICD-10-CM	Diagnosis
S52.382P	Bent bone of left radius, subsequent encounter for closed fracture with malunion	ICD-10-CM	Diagnosis
S52.382K	Bent bone of left radius, subsequent encounter for closed fracture with nonunion	ICD-10-CM	Diagnosis
S52.282A	Bent bone of left ulna, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.282B	Bent bone of left ulna, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S52.282C	Bent bone of left ulna, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S52.282J	Bent bone of left ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD-10-CM	Diagnosis
S52.282F	Bent bone of left ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD-10-CM	Diagnosis
S52.282G	Bent bone of left ulna, subsequent encounter for closed fracture with delayed healing	ICD-10-CM	Diagnosis
S52.282P	Bent bone of left ulna, subsequent encounter for closed fracture with malunion	ICD-10-CM	Diagnosis
S52.282K	Bent bone of left ulna, subsequent encounter for closed fracture with nonunion	ICD-10-CM	Diagnosis
S52.282D	Bent bone of left ulna, subsequent encounter for closed fracture with routine healing	ICD-10-CM	Diagnosis
S52.282H	Bent bone of left ulna, subsequent encounter for open fracture type I or II with delayed healing	ICD-10-CM	Diagnosis
S52.282E	Bent bone of left ulna, subsequent encounter for open fracture type I or II with routine healing	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S52.282R	Bent bone of left ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD-10-CM	Diagnosis
S52.282N	Bent bone of left ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD-10-CM	Diagnosis
S52.282Q	Bent bone of left ulna, subsequent encounter for open fracture type I or II with malunion	ICD-10-CM	Diagnosis
S52.282M	Bent bone of left ulna, subsequent encounter for open fracture type I or II with nonunion	ICD-10-CM	Diagnosis
S52.382S	Bent bone of left radius, sequela	ICD-10-CM	Diagnosis
S52.282S	Bent bone of left ulna, sequela	ICD-10-CM	Diagnosis
S52.381S	Bent bone of right radius, sequela	ICD-10-CM	Diagnosis
S52.281S	Bent bone of right ulna, sequela	ICD-10-CM	Diagnosis
S52.389S	Bent bone of unspecified radius, sequela	ICD-10-CM	Diagnosis
S52.283S	Bent bone of unspecified ulna, sequela	ICD-10-CM	Diagnosis
S52.381C	Bent bone of right radius, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S52.381A	Bent bone of right radius, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.381B	Bent bone of right radius, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S52.381Q	Bent bone of right radius, subsequent encounter for open fracture type I or II with malunion	ICD-10-CM	Diagnosis
S52.381M	Bent bone of right radius, subsequent encounter for open fracture type I or II with nonunion	ICD-10-CM	Diagnosis
S52.381E	Bent bone of right radius, subsequent encounter for open fracture type I or II with routine healing	ICD-10-CM	Diagnosis
S52.381J	Bent bone of right radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD-10-CM	Diagnosis
S52.381F	Bent bone of right radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD-10-CM	Diagnosis
S52.381H	Bent bone of right radius, subsequent encounter for open fracture type I or II with delayed healing	ICD-10-CM	Diagnosis
S52.381R	Bent bone of right radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD-10-CM	Diagnosis
S52.381N	Bent bone of right radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD-10-CM	Diagnosis
S52.381D	Bent bone of right radius, subsequent encounter for closed fracture with routine healing	ICD-10-CM	Diagnosis
S52.381G	Bent bone of right radius, subsequent encounter for closed fracture with delayed healing	ICD-10-CM	Diagnosis
S52.381P	Bent bone of right radius, subsequent encounter for closed fracture with malunion	ICD-10-CM	Diagnosis
S52.381K	Bent bone of right radius, subsequent encounter for closed fracture with nonunion	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S52.281C	Bent bone of right ulna, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S52.281A	Bent bone of right ulna, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.281B	Bent bone of right ulna, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S52.281J	Bent bone of right ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD-10-CM	Diagnosis
S52.281N	Bent bone of right ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD-10-CM	Diagnosis
S52.281F	Bent bone of right ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD-10-CM	Diagnosis
S52.281D	Bent bone of right ulna, subsequent encounter for closed fracture with routine healing	ICD-10-CM	Diagnosis
S52.281G	Bent bone of right ulna, subsequent encounter for closed fracture with delayed healing	ICD-10-CM	Diagnosis
S52.281P	Bent bone of right ulna, subsequent encounter for closed fracture with malunion	ICD-10-CM	Diagnosis
S52.281K	Bent bone of right ulna, subsequent encounter for closed fracture with nonunion	ICD-10-CM	Diagnosis
S52.281H	Bent bone of right ulna, subsequent encounter for open fracture type I or II with delayed healing	ICD-10-CM	Diagnosis
S52.281E	Bent bone of right ulna, subsequent encounter for open fracture type I or II with routine healing	ICD-10-CM	Diagnosis
S52.281R	Bent bone of right ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD-10-CM	Diagnosis
S52.281M	Bent bone of right ulna, subsequent encounter for open fracture type I or II with nonunion	ICD-10-CM	Diagnosis
S52.281Q	Bent bone of right ulna, subsequent encounter for open fracture type I or II with malunion	ICD-10-CM	Diagnosis
S52.389C	Bent bone of unspecified radius, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S52.389A	Bent bone of unspecified radius, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.389B	Bent bone of unspecified radius, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S52.389Q	Bent bone of unspecified radius, subsequent encounter for open fracture type I or II with malunion	ICD-10-CM	Diagnosis
S52.389M	Bent bone of unspecified radius, subsequent encounter for open fracture type I or II with nonunion	ICD-10-CM	Diagnosis
S52.389E	Bent bone of unspecified radius, subsequent encounter for open fracture type I or II with routine healing	ICD-10-CM	Diagnosis
S52.389J	Bent bone of unspecified radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD-10-CM	Diagnosis
S52.389R	Bent bone of unspecified radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S52.389N	Bent bone of unspecified radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD-10-CM	Diagnosis
S52.389F	Bent bone of unspecified radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD-10-CM	Diagnosis
S52.389H	Bent bone of unspecified radius, subsequent encounter for open fracture type I or II with delayed healing	ICD-10-CM	Diagnosis
S52.389D	Bent bone of unspecified radius, subsequent encounter for closed fracture with routine healing	ICD-10-CM	Diagnosis
S52.389G	Bent bone of unspecified radius, subsequent encounter for closed fracture with delayed healing	ICD-10-CM	Diagnosis
S52.389P	Bent bone of unspecified radius, subsequent encounter for closed fracture with malunion	ICD-10-CM	Diagnosis
S52.389K	Bent bone of unspecified radius, subsequent encounter for closed fracture with nonunion	ICD-10-CM	Diagnosis
S52.283C	Bent bone of unspecified ulna, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S52.283A	Bent bone of unspecified ulna, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.283B	Bent bone of unspecified ulna, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S52.283M	Bent bone of unspecified ulna, subsequent encounter for open fracture type I or II with nonunion	ICD-10-CM	Diagnosis
S52.283D	Bent bone of unspecified ulna, subsequent encounter for closed fracture with routine healing	ICD-10-CM	Diagnosis
S52.283G	Bent bone of unspecified ulna, subsequent encounter for closed fracture with delayed healing	ICD-10-CM	Diagnosis
S52.283P	Bent bone of unspecified ulna, subsequent encounter for closed fracture with malunion	ICD-10-CM	Diagnosis
S52.283K	Bent bone of unspecified ulna, subsequent encounter for closed fracture with nonunion	ICD-10-CM	Diagnosis
S52.283H	Bent bone of unspecified ulna, subsequent encounter for open fracture type I or II with delayed healing	ICD-10-CM	Diagnosis
S52.283Q	Bent bone of unspecified ulna, subsequent encounter for open fracture type I or II with malunion	ICD-10-CM	Diagnosis
S52.283E	Bent bone of unspecified ulna, subsequent encounter for open fracture type I or II with routine healing	ICD-10-CM	Diagnosis
S52.283F	Bent bone of unspecified ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD-10-CM	Diagnosis
S52.283J	Bent bone of unspecified ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD-10-CM	Diagnosis
S52.283R	Bent bone of unspecified ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD-10-CM	Diagnosis
S52.283N	Bent bone of unspecified ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S83.252S	Bucket-handle tear of lateral meniscus, current injury, left knee, sequela	ICD-10-CM	Diagnosis
S83.252D	Bucket-handle tear of lateral meniscus, current injury, left knee, subsequent encounter	ICD-10-CM	Diagnosis
S83.251A	Bucket-handle tear of lateral meniscus, current injury, right knee, initial encounter	ICD-10-CM	Diagnosis
S83.251S	Bucket-handle tear of lateral meniscus, current injury, right knee, sequela	ICD-10-CM	Diagnosis
S83.251D	Bucket-handle tear of lateral meniscus, current injury, right knee, subsequent encounter	ICD-10-CM	Diagnosis
S83.259A	Bucket-handle tear of lateral meniscus, current injury, unspecified knee, initial encounter	ICD-10-CM	Diagnosis
S83.259S	Bucket-handle tear of lateral meniscus, current injury, unspecified knee, sequela	ICD-10-CM	Diagnosis
S83.259D	Bucket-handle tear of lateral meniscus, current injury, unspecified knee, subsequent encounter	ICD-10-CM	Diagnosis
S83.252A	Bucket-handle tear of lateral meniscus, current injury, left knee, initial encounter	ICD-10-CM	Diagnosis
S83.212A	Bucket-handle tear of medial meniscus, current injury, left knee, initial encounter	ICD-10-CM	Diagnosis
S83.212D	Bucket-handle tear of medial meniscus, current injury, left knee, subsequent encounter	ICD-10-CM	Diagnosis
S83.212S	Bucket-handle tear of medial meniscus, current injury, left knee, sequela	ICD-10-CM	Diagnosis
S83.211A	Bucket-handle tear of medial meniscus, current injury, right knee, initial encounter	ICD-10-CM	Diagnosis
S83.211D	Bucket-handle tear of medial meniscus, current injury, right knee, subsequent encounter	ICD-10-CM	Diagnosis
S83.211S	Bucket-handle tear of medial meniscus, current injury, right knee, sequela	ICD-10-CM	Diagnosis
S83.219A	Bucket-handle tear of medial meniscus, current injury, unspecified knee, initial encounter	ICD-10-CM	Diagnosis
S83.219S	Bucket-handle tear of medial meniscus, current injury, unspecified knee, sequela	ICD-10-CM	Diagnosis
S83.219D	Bucket-handle tear of medial meniscus, current injury, unspecified knee, subsequent encounter	ICD-10-CM	Diagnosis
S83.201A	Bucket-handle tear of unspecified meniscus, current injury, left knee, initial encounter	ICD-10-CM	Diagnosis
S83.201D	Bucket-handle tear of unspecified meniscus, current injury, left knee, subsequent encounter	ICD-10-CM	Diagnosis
S83.201S	Bucket-handle tear of unspecified meniscus, current injury, left knee, sequela	ICD-10-CM	Diagnosis
S83.200A	Bucket-handle tear of unspecified meniscus, current injury, right knee, initial encounter	ICD-10-CM	Diagnosis
S83.200D	Bucket-handle tear of unspecified meniscus, current injury, right knee, subsequent encounter	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S83.200S	Bucket-handle tear of unspecified meniscus, current injury, right knee, sequela	ICD-10-CM	Diagnosis
S83.202A	Bucket-handle tear of unspecified meniscus, current injury, unspecified knee, initial encounter	ICD-10-CM	Diagnosis
S83.202S	Bucket-handle tear of unspecified meniscus, current injury, unspecified knee, sequela	ICD-10-CM	Diagnosis
S83.202D	Bucket-handle tear of unspecified meniscus, current injury, unspecified knee, subsequent encounter	ICD-10-CM	Diagnosis
T21.17XA	Burn of first degree of female genital region, initial encounter	ICD-10-CM	Diagnosis
T21.17XD	Burn of first degree of female genital region, subsequent encounter	ICD-10-CM	Diagnosis
T20.10XA	Burn of first degree of head, face, and neck, unspecified site, initial encounter	ICD-10-CM	Diagnosis
T20.10XS	Burn of first degree of head, face, and neck, unspecified site, sequela	ICD-10-CM	Diagnosis
T20.10XD	Burn of first degree of head, face, and neck, unspecified site, subsequent encounter	ICD-10-CM	Diagnosis
T23.142A	Burn of first degree of multiple left fingers (nail), including thumb, initial encounter	ICD-10-CM	Diagnosis
T23.142S	Burn of first degree of multiple left fingers (nail), including thumb, sequela	ICD-10-CM	Diagnosis
T23.142D	Burn of first degree of multiple left fingers (nail), including thumb, subsequent encounter	ICD-10-CM	Diagnosis
T23.132S	Burn of first degree of multiple left fingers (nail), not including thumb, sequela	ICD-10-CM	Diagnosis
T23.132A	Burn of first degree of multiple left fingers (nail), not including thumb, initial encounter	ICD-10-CM	Diagnosis
T23.132D	Burn of first degree of multiple left fingers (nail), not including thumb, subsequent encounter	ICD-10-CM	Diagnosis
T23.131S	Burn of first degree of multiple right fingers (nail), not including thumb, sequela	ICD-10-CM	Diagnosis
T23.131D	Burn of first degree of multiple right fingers (nail), not including thumb, subsequent encounter	ICD-10-CM	Diagnosis
T23.131A	Burn of first degree of multiple right fingers (nail), not including thumb, initial encounter	ICD-10-CM	Diagnosis
T23.141A	Burn of first degree of multiple right fingers (nail), including thumb, initial encounter	ICD-10-CM	Diagnosis
T23.141S	Burn of first degree of multiple right fingers (nail), including thumb, sequela	ICD-10-CM	Diagnosis
T23.141D	Burn of first degree of multiple right fingers (nail), including thumb, subsequent encounter	ICD-10-CM	Diagnosis
T20.19XD	Burn of first degree of multiple sites of head, face, and neck, subsequent encounter	ICD-10-CM	Diagnosis
T22.192S	Burn of first degree of multiple sites of left shoulder and upper limb, except wrist and hand, sequela	ICD-10-CM	Diagnosis



**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
T22.192D	Burn of first degree of multiple sites of left shoulder and upper limb, except wrist and hand, subsequent encounter	ICD-10-CM	Diagnosis
T22.192A	Burn of first degree of multiple sites of left shoulder and upper limb, except wrist and hand, initial encounter	ICD-10-CM	Diagnosis
T22.191S	Burn of first degree of multiple sites of right shoulder and upper limb, except wrist and hand, sequela	ICD-10-CM	Diagnosis
T22.191D	Burn of first degree of multiple sites of right shoulder and upper limb, except wrist and hand, subsequent encounter	ICD-10-CM	Diagnosis
T22.191A	Burn of first degree of multiple sites of right shoulder and upper limb, except wrist and hand, initial encounter	ICD-10-CM	Diagnosis
T24.199A	Burn of first degree of multiple sites of unspecified lower limb, except ankle and foot, initial encounter	ICD-10-CM	Diagnosis
T22.199A	Burn of first degree of multiple sites of unspecified shoulder and upper limb, except wrist and hand, initial encounter	ICD-10-CM	Diagnosis
T22.199S	Burn of first degree of multiple sites of unspecified shoulder and upper limb, except wrist and hand, sequela	ICD-10-CM	Diagnosis
T22.199D	Burn of first degree of multiple sites of unspecified shoulder and upper limb, except wrist and hand, subsequent encounter	ICD-10-CM	Diagnosis
T20.19XA	Burn of first degree of multiple sites of head, face, and neck, initial encounter	ICD-10-CM	Diagnosis
T20.19XS	Burn of first degree of multiple sites of head, face, and neck, sequela	ICD-10-CM	Diagnosis
T25.192A	Burn of first degree of multiple sites of left ankle and foot, initial encounter	ICD-10-CM	Diagnosis
T25.192S	Burn of first degree of multiple sites of left ankle and foot, sequela	ICD-10-CM	Diagnosis
T25.192D	Burn of first degree of multiple sites of left ankle and foot, subsequent encounter	ICD-10-CM	Diagnosis
T24.192A	Burn of first degree of multiple sites of left lower limb, except ankle and foot, initial encounter	ICD-10-CM	Diagnosis
T24.192S	Burn of first degree of multiple sites of left lower limb, except ankle and foot, sequela	ICD-10-CM	Diagnosis
T24.192D	Burn of first degree of multiple sites of left lower limb, except ankle and foot, subsequent encounter	ICD-10-CM	Diagnosis
T23.192A	Burn of first degree of multiple sites of left wrist and hand, initial encounter	ICD-10-CM	Diagnosis
T23.192S	Burn of first degree of multiple sites of left wrist and hand, sequela	ICD-10-CM	Diagnosis
T23.192D	Burn of first degree of multiple sites of left wrist and hand, subsequent encounter	ICD-10-CM	Diagnosis
T25.191A	Burn of first degree of multiple sites of right ankle and foot, initial encounter	ICD-10-CM	Diagnosis
T25.191S	Burn of first degree of multiple sites of right ankle and foot, sequela	ICD-10-CM	Diagnosis
T25.191D	Burn of first degree of multiple sites of right ankle and foot, subsequent encounter	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
T24.191A	Burn of first degree of multiple sites of right lower limb, except ankle and foot, initial encounter	ICD-10-CM	Diagnosis
T24.191S	Burn of first degree of multiple sites of right lower limb, except ankle and foot, sequela	ICD-10-CM	Diagnosis
T24.191D	Burn of first degree of multiple sites of right lower limb, except ankle and foot, subsequent encounter	ICD-10-CM	Diagnosis
T23.191A	Burn of first degree of multiple sites of right wrist and hand, initial encounter	ICD-10-CM	Diagnosis
T23.191S	Burn of first degree of multiple sites of right wrist and hand, sequela	ICD-10-CM	Diagnosis
T23.191D	Burn of first degree of multiple sites of right wrist and hand, subsequent encounter	ICD-10-CM	Diagnosis
T25.199A	Burn of first degree of multiple sites of unspecified ankle and foot, initial encounter	ICD-10-CM	Diagnosis
T25.199S	Burn of first degree of multiple sites of unspecified ankle and foot, sequela	ICD-10-CM	Diagnosis
T25.199D	Burn of first degree of multiple sites of unspecified ankle and foot, subsequent encounter	ICD-10-CM	Diagnosis
T24.199S	Burn of first degree of multiple sites of unspecified lower limb, except ankle and foot, sequela	ICD-10-CM	Diagnosis
T24.199D	Burn of first degree of multiple sites of unspecified lower limb, except ankle and foot, subsequent encounter	ICD-10-CM	Diagnosis
T23.199A	Burn of first degree of multiple sites of unspecified wrist and hand, initial encounter	ICD-10-CM	Diagnosis
T23.199S	Burn of first degree of multiple sites of unspecified wrist and hand, sequela	ICD-10-CM	Diagnosis
T23.199D	Burn of first degree of multiple sites of unspecified wrist and hand, subsequent encounter	ICD-10-CM	Diagnosis
T22.10XA	Burn of first degree of shoulder and upper limb, except wrist and hand, unspecified site, initial encounter	ICD-10-CM	Diagnosis
T22.10XS	Burn of first degree of shoulder and upper limb, except wrist and hand, unspecified site, sequela	ICD-10-CM	Diagnosis
T22.10XD	Burn of first degree of shoulder and upper limb, except wrist and hand, unspecified site, subsequent encounter	ICD-10-CM	Diagnosis
T23.122A	Burn of first degree of single left finger (nail) except thumb, initial encounter	ICD-10-CM	Diagnosis
T23.122S	Burn of first degree of single left finger (nail) except thumb, sequela	ICD-10-CM	Diagnosis
T23.122D	Burn of first degree of single left finger (nail) except thumb, subsequent encounter	ICD-10-CM	Diagnosis
T23.121A	Burn of first degree of single right finger (nail) except thumb, initial encounter	ICD-10-CM	Diagnosis
T23.121S	Burn of first degree of single right finger (nail) except thumb, sequela	ICD-10-CM	Diagnosis
T23.121D	Burn of first degree of single right finger (nail) except thumb, subsequent encounter	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
T23.149S	Burn of first degree of unspecified multiple fingers (nail), including thumb, sequela	ICD-10-CM	Diagnosis
T23.149D	Burn of first degree of unspecified multiple fingers (nail), including thumb, subsequent encounter	ICD-10-CM	Diagnosis
T23.139S	Burn of first degree of unspecified multiple fingers (nail), not including thumb, sequela	ICD-10-CM	Diagnosis
T23.139A	Burn of first degree of unspecified multiple fingers (nail), not including thumb, initial encounter	ICD-10-CM	Diagnosis
T23.139D	Burn of first degree of unspecified multiple fingers (nail), not including thumb, subsequent encounter	ICD-10-CM	Diagnosis
T23.129S	Burn of first degree of unspecified single finger (nail) except thumb, sequela	ICD-10-CM	Diagnosis
T23.129D	Burn of first degree of unspecified single finger (nail) except thumb, subsequent encounter	ICD-10-CM	Diagnosis
T23.129A	Burn of first degree of unspecified single finger (nail) except thumb, initial encounter	ICD-10-CM	Diagnosis
T24.102A	Burn of first degree of unspecified site of left lower limb, except ankle and foot, initial encounter	ICD-10-CM	Diagnosis
T24.102S	Burn of first degree of unspecified site of left lower limb, except ankle and foot, sequela	ICD-10-CM	Diagnosis
T24.102D	Burn of first degree of unspecified site of left lower limb, except ankle and foot, subsequent encounter	ICD-10-CM	Diagnosis
T24.101A	Burn of first degree of unspecified site of right lower limb, except ankle and foot, initial encounter	ICD-10-CM	Diagnosis
T24.101S	Burn of first degree of unspecified site of right lower limb, except ankle and foot, sequela	ICD-10-CM	Diagnosis
T24.101D	Burn of first degree of unspecified site of right lower limb, except ankle and foot, subsequent encounter	ICD-10-CM	Diagnosis
T24.109S	Burn of first degree of unspecified site of unspecified lower limb, except ankle and foot, sequela	ICD-10-CM	Diagnosis
T24.109D	Burn of first degree of unspecified site of unspecified lower limb, except ankle and foot, subsequent encounter	ICD-10-CM	Diagnosis
T24.109A	Burn of first degree of unspecified site of unspecified lower limb, except ankle and foot, initial encounter	ICD-10-CM	Diagnosis
T21.12XA	Burn of first degree of abdominal wall, initial encounter	ICD-10-CM	Diagnosis
T21.12XD	Burn of first degree of abdominal wall, subsequent encounter	ICD-10-CM	Diagnosis
T23.162A	Burn of first degree of back of left hand, initial encounter	ICD-10-CM	Diagnosis
T23.162D	Burn of first degree of back of left hand, subsequent encounter	ICD-10-CM	Diagnosis
T23.161A	Burn of first degree of back of right hand, initial encounter	ICD-10-CM	Diagnosis
T23.161D	Burn of first degree of back of right hand, subsequent encounter	ICD-10-CM	Diagnosis
T23.169A	Burn of first degree of back of unspecified hand, initial encounter	ICD-10-CM	Diagnosis
T23.169D	Burn of first degree of back of unspecified hand, subsequent encounter	ICD-10-CM	Diagnosis
T23.102S	Burn of first degree of left hand, unspecified site, sequela	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
T22.152A	Burn of first degree of left shoulder, initial encounter	ICD-10-CM	Diagnosis
T22.152D	Burn of first degree of left shoulder, subsequent encounter	ICD-10-CM	Diagnosis
T24.112A	Burn of first degree of left thigh, initial encounter	ICD-10-CM	Diagnosis
T24.112D	Burn of first degree of left thigh, subsequent encounter	ICD-10-CM	Diagnosis
T23.112A	Burn of first degree of left thumb (nail), initial encounter	ICD-10-CM	Diagnosis
T23.112D	Burn of first degree of left thumb (nail), subsequent encounter	ICD-10-CM	Diagnosis
T25.132A	Burn of first degree of left toe(s) (nail), initial encounter	ICD-10-CM	Diagnosis
T25.132D	Burn of first degree of left toe(s) (nail), subsequent encounter	ICD-10-CM	Diagnosis
T22.132A	Burn of first degree of left upper arm, initial encounter	ICD-10-CM	Diagnosis
T22.132D	Burn of first degree of left upper arm, subsequent encounter	ICD-10-CM	Diagnosis
T23.172D	Burn of first degree of left wrist, subsequent encounter	ICD-10-CM	Diagnosis
T20.112A	Burn of first degree of left ear [any part, except ear drum], initial encounter	ICD-10-CM	Diagnosis
T20.112S	Burn of first degree of left ear [any part, except ear drum], sequela	ICD-10-CM	Diagnosis
T20.112D	Burn of first degree of left ear [any part, except ear drum], subsequent encounter	ICD-10-CM	Diagnosis
T23.102A	Burn of first degree of left hand, unspecified site, initial encounter	ICD-10-CM	Diagnosis
T23.102D	Burn of first degree of left hand, unspecified site, subsequent encounter	ICD-10-CM	Diagnosis
T24.132D	Burn of first degree of left lower leg, subsequent encounter	ICD-10-CM	Diagnosis
T24.132A	Burn of first degree of left lower leg, initial encounter	ICD-10-CM	Diagnosis
T22.162A	Burn of first degree of left scapular region, initial encounter	ICD-10-CM	Diagnosis
T22.162D	Burn of first degree of left scapular region, subsequent encounter	ICD-10-CM	Diagnosis
T21.16XA	Burn of first degree of male genital region, initial encounter	ICD-10-CM	Diagnosis
T21.16XD	Burn of first degree of male genital region, subsequent encounter	ICD-10-CM	Diagnosis
T22.111A	Burn of first degree of right forearm, initial encounter	ICD-10-CM	Diagnosis
T22.111D	Burn of first degree of right forearm, subsequent encounter	ICD-10-CM	Diagnosis
T24.121A	Burn of first degree of right knee, initial encounter	ICD-10-CM	Diagnosis
T24.121D	Burn of first degree of right knee, subsequent encounter	ICD-10-CM	Diagnosis
T23.151D	Burn of first degree of right palm, subsequent encounter	ICD-10-CM	Diagnosis
T22.151A	Burn of first degree of right shoulder, initial encounter	ICD-10-CM	Diagnosis
T22.151D	Burn of first degree of right shoulder, subsequent encounter	ICD-10-CM	Diagnosis
T24.111A	Burn of first degree of right thigh, initial encounter	ICD-10-CM	Diagnosis
T24.111D	Burn of first degree of right thigh, subsequent encounter	ICD-10-CM	Diagnosis
T23.111A	Burn of first degree of right thumb (nail), initial encounter	ICD-10-CM	Diagnosis
T23.111D	Burn of first degree of right thumb (nail), subsequent encounter	ICD-10-CM	Diagnosis
T23.171D	Burn of first degree of right wrist, subsequent encounter	ICD-10-CM	Diagnosis
T20.111A	Burn of first degree of right ear [any part, except ear drum], initial encounter	ICD-10-CM	Diagnosis
T20.111S	Burn of first degree of right ear [any part, except ear drum], sequela	ICD-10-CM	Diagnosis
T20.111D	Burn of first degree of right ear [any part, except ear drum], subsequent encounter	ICD-10-CM	Diagnosis
T23.101A	Burn of first degree of right hand, unspecified site, initial encounter	ICD-10-CM	Diagnosis
T23.101D	Burn of first degree of right hand, unspecified site, subsequent encounter	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
T23.101S	Burn of first degree of right hand, unspecified site, sequela	ICD-10-CM	Diagnosis
T24.131D	Burn of first degree of right lower leg, subsequent encounter	ICD-10-CM	Diagnosis
T24.131A	Burn of first degree of right lower leg, initial encounter	ICD-10-CM	Diagnosis
T22.161A	Burn of first degree of right scapular region, initial encounter	ICD-10-CM	Diagnosis
T22.161D	Burn of first degree of right scapular region, subsequent encounter	ICD-10-CM	Diagnosis
T25.131A	Burn of first degree of right toe(s) (nail), initial encounter	ICD-10-CM	Diagnosis
T25.131D	Burn of first degree of right toe(s) (nail), subsequent encounter	ICD-10-CM	Diagnosis
T20.15XA	Burn of first degree of scalp [any part], initial encounter	ICD-10-CM	Diagnosis
T20.15XD	Burn of first degree of scalp [any part], subsequent encounter	ICD-10-CM	Diagnosis
T20.119A	Burn of first degree of unspecified ear [any part, except ear drum], initial encounter	ICD-10-CM	Diagnosis
T20.119S	Burn of first degree of unspecified ear [any part, except ear drum], sequela	ICD-10-CM	Diagnosis
T20.119D	Burn of first degree of unspecified ear [any part, except ear drum], subsequent encounter	ICD-10-CM	Diagnosis
T25.129A	Burn of first degree of unspecified foot, initial encounter	ICD-10-CM	Diagnosis
T25.129D	Burn of first degree of unspecified foot, subsequent encounter	ICD-10-CM	Diagnosis
T23.109A	Burn of first degree of unspecified hand, unspecified site, initial encounter	ICD-10-CM	Diagnosis
T23.109S	Burn of first degree of unspecified hand, unspecified site, sequela	ICD-10-CM	Diagnosis
T23.109D	Burn of first degree of unspecified hand, unspecified site, subsequent encounter	ICD-10-CM	Diagnosis
T24.139D	Burn of first degree of unspecified lower leg, subsequent encounter	ICD-10-CM	Diagnosis
T24.139A	Burn of first degree of unspecified lower leg, initial encounter	ICD-10-CM	Diagnosis
T23.159A	Burn of first degree of unspecified palm, initial encounter	ICD-10-CM	Diagnosis
T23.159D	Burn of first degree of unspecified palm, subsequent encounter	ICD-10-CM	Diagnosis
T22.169A	Burn of first degree of unspecified scapular region, initial encounter	ICD-10-CM	Diagnosis
T22.169S	Burn of first degree of unspecified scapular region, sequela	ICD-10-CM	Diagnosis
T22.169D	Burn of first degree of unspecified scapular region, subsequent encounter	ICD-10-CM	Diagnosis
T22.159A	Burn of first degree of unspecified shoulder, initial encounter	ICD-10-CM	Diagnosis
T22.159D	Burn of first degree of unspecified shoulder, subsequent encounter	ICD-10-CM	Diagnosis
T23.119A	Burn of first degree of unspecified thumb (nail), initial encounter	ICD-10-CM	Diagnosis
T23.119D	Burn of first degree of unspecified thumb (nail), subsequent encounter	ICD-10-CM	Diagnosis
T25.139A	Burn of first degree of unspecified toe(s) (nail), initial encounter	ICD-10-CM	Diagnosis
T25.139D	Burn of first degree of unspecified toe(s) (nail), subsequent encounter	ICD-10-CM	Diagnosis
T22.139A	Burn of first degree of unspecified upper arm, initial encounter	ICD-10-CM	Diagnosis
T22.139D	Burn of first degree of unspecified upper arm, subsequent encounter	ICD-10-CM	Diagnosis
T23.179A	Burn of first degree of unspecified wrist, initial encounter	ICD-10-CM	Diagnosis
T23.179D	Burn of first degree of unspecified wrist, subsequent encounter	ICD-10-CM	Diagnosis
T23.149A	Burn of first degree of unspecified multiple fingers (nail), including thumb, initial encounter	ICD-10-CM	Diagnosis
T21.27XA	Burn of second degree of female genital region, initial encounter	ICD-10-CM	Diagnosis
T21.27XD	Burn of second degree of female genital region, subsequent encounter	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
T20.20XA	Burn of second degree of head, face, and neck, unspecified site, initial encounter	ICD-10-CM	Diagnosis
T20.20XS	Burn of second degree of head, face, and neck, unspecified site, sequela	ICD-10-CM	Diagnosis
T20.20XD	Burn of second degree of head, face, and neck, unspecified site, subsequent encounter	ICD-10-CM	Diagnosis
T23.202A	Burn of second degree of left hand, unspecified site, initial encounter	ICD-10-CM	Diagnosis
T23.202D	Burn of second degree of left hand, unspecified site, subsequent encounter	ICD-10-CM	Diagnosis
T23.242A	Burn of second degree of multiple left fingers (nail), including thumb, initial encounter	ICD-10-CM	Diagnosis
T23.242S	Burn of second degree of multiple left fingers (nail), including thumb, sequela	ICD-10-CM	Diagnosis
T23.242D	Burn of second degree of multiple left fingers (nail), including thumb, subsequent encounter	ICD-10-CM	Diagnosis
T23.232A	Burn of second degree of multiple left fingers (nail), not including thumb, initial encounter	ICD-10-CM	Diagnosis
T23.232S	Burn of second degree of multiple left fingers (nail), not including thumb, sequela	ICD-10-CM	Diagnosis
T23.232D	Burn of second degree of multiple left fingers (nail), not including thumb, subsequent encounter	ICD-10-CM	Diagnosis
T23.241A	Burn of second degree of multiple right fingers (nail), including thumb, initial encounter	ICD-10-CM	Diagnosis
T23.241S	Burn of second degree of multiple right fingers (nail), including thumb, sequela	ICD-10-CM	Diagnosis
T23.241D	Burn of second degree of multiple right fingers (nail), including thumb, subsequent encounter	ICD-10-CM	Diagnosis
T23.231A	Burn of second degree of multiple right fingers (nail), not including thumb, initial encounter	ICD-10-CM	Diagnosis
T23.231S	Burn of second degree of multiple right fingers (nail), not including thumb, sequela	ICD-10-CM	Diagnosis
T23.231D	Burn of second degree of multiple right fingers (nail), not including thumb, subsequent encounter	ICD-10-CM	Diagnosis
T20.29XD	Burn of second degree of multiple sites of head, face, and neck, subsequent encounter	ICD-10-CM	Diagnosis
T22.292S	Burn of second degree of multiple sites of left shoulder and upper limb, except wrist and hand, sequela	ICD-10-CM	Diagnosis
T22.292A	Burn of second degree of multiple sites of left shoulder and upper limb, except wrist and hand, initial encounter	ICD-10-CM	Diagnosis
T22.292D	Burn of second degree of multiple sites of left shoulder and upper limb, except wrist and hand, subsequent encounter	ICD-10-CM	Diagnosis
T22.291S	Burn of second degree of multiple sites of right shoulder and upper limb, except wrist and hand, sequela	ICD-10-CM	Diagnosis



**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
T22.291A	Burn of second degree of multiple sites of right shoulder and upper limb, except wrist and hand, initial encounter	ICD-10-CM	Diagnosis
T22.291D	Burn of second degree of multiple sites of right shoulder and upper limb, except wrist and hand, subsequent encounter	ICD-10-CM	Diagnosis
T24.299A	Burn of second degree of multiple sites of unspecified lower limb, except ankle and foot, initial encounter	ICD-10-CM	Diagnosis
T22.299A	Burn of second degree of multiple sites of unspecified shoulder and upper limb, except wrist and hand, initial encounter	ICD-10-CM	Diagnosis
T22.299S	Burn of second degree of multiple sites of unspecified shoulder and upper limb, except wrist and hand, sequela	ICD-10-CM	Diagnosis
T22.299D	Burn of second degree of multiple sites of unspecified shoulder and upper limb, except wrist and hand, subsequent encounter	ICD-10-CM	Diagnosis
T20.29XA	Burn of second degree of multiple sites of head, face, and neck, initial encounter	ICD-10-CM	Diagnosis
T20.29XS	Burn of second degree of multiple sites of head, face, and neck, sequela	ICD-10-CM	Diagnosis
T25.292A	Burn of second degree of multiple sites of left ankle and foot, initial encounter	ICD-10-CM	Diagnosis
T25.292S	Burn of second degree of multiple sites of left ankle and foot, sequela	ICD-10-CM	Diagnosis
T25.292D	Burn of second degree of multiple sites of left ankle and foot, subsequent encounter	ICD-10-CM	Diagnosis
T24.292A	Burn of second degree of multiple sites of left lower limb, except ankle and foot, initial encounter	ICD-10-CM	Diagnosis
T24.292S	Burn of second degree of multiple sites of left lower limb, except ankle and foot, sequela	ICD-10-CM	Diagnosis
T24.292D	Burn of second degree of multiple sites of left lower limb, except ankle and foot, subsequent encounter	ICD-10-CM	Diagnosis
T23.292A	Burn of second degree of multiple sites of left wrist and hand, initial encounter	ICD-10-CM	Diagnosis
T23.292S	Burn of second degree of multiple sites of left wrist and hand, sequela	ICD-10-CM	Diagnosis
T23.292D	Burn of second degree of multiple sites of left wrist and hand, subsequent encounter	ICD-10-CM	Diagnosis
T25.291A	Burn of second degree of multiple sites of right ankle and foot, initial encounter	ICD-10-CM	Diagnosis
T25.291S	Burn of second degree of multiple sites of right ankle and foot, sequela	ICD-10-CM	Diagnosis
T25.291D	Burn of second degree of multiple sites of right ankle and foot, subsequent encounter	ICD-10-CM	Diagnosis
T24.291A	Burn of second degree of multiple sites of right lower limb, except ankle and foot, initial encounter	ICD-10-CM	Diagnosis
T24.291S	Burn of second degree of multiple sites of right lower limb, except ankle and foot, sequela	ICD-10-CM	Diagnosis
T24.291D	Burn of second degree of multiple sites of right lower limb, except ankle and foot, subsequent encounter	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
T23.291A	Burn of second degree of multiple sites of right wrist and hand, initial encounter	ICD-10-CM	Diagnosis
T23.291S	Burn of second degree of multiple sites of right wrist and hand, sequela	ICD-10-CM	Diagnosis
T23.291D	Burn of second degree of multiple sites of right wrist and hand, subsequent encounter	ICD-10-CM	Diagnosis
T25.299A	Burn of second degree of multiple sites of unspecified ankle and foot, initial encounter	ICD-10-CM	Diagnosis
T25.299S	Burn of second degree of multiple sites of unspecified ankle and foot, sequela	ICD-10-CM	Diagnosis
T25.299D	Burn of second degree of multiple sites of unspecified ankle and foot, subsequent encounter	ICD-10-CM	Diagnosis
T24.299S	Burn of second degree of multiple sites of unspecified lower limb, except ankle and foot, sequela	ICD-10-CM	Diagnosis
T24.299D	Burn of second degree of multiple sites of unspecified lower limb, except ankle and foot, subsequent encounter	ICD-10-CM	Diagnosis
T23.299A	Burn of second degree of multiple sites of unspecified wrist and hand, initial encounter	ICD-10-CM	Diagnosis
T23.299S	Burn of second degree of multiple sites of unspecified wrist and hand, sequela	ICD-10-CM	Diagnosis
T23.299D	Burn of second degree of multiple sites of unspecified wrist and hand, subsequent encounter	ICD-10-CM	Diagnosis
T23.239A	Burn of second degree of unspecified multiple fingers (nail), not including thumb, initial encounter	ICD-10-CM	Diagnosis
T23.239S	Burn of second degree of unspecified multiple fingers (nail), not including thumb, sequela	ICD-10-CM	Diagnosis
T23.239D	Burn of second degree of unspecified multiple fingers (nail), not including thumb, subsequent encounter	ICD-10-CM	Diagnosis
T23.201A	Burn of second degree of right hand, unspecified site, initial encounter	ICD-10-CM	Diagnosis
T23.201D	Burn of second degree of right hand, unspecified site, subsequent encounter	ICD-10-CM	Diagnosis
T22.20XA	Burn of second degree of shoulder and upper limb, except wrist and hand, unspecified site, initial encounter	ICD-10-CM	Diagnosis
T22.20XS	Burn of second degree of shoulder and upper limb, except wrist and hand, unspecified site, sequela	ICD-10-CM	Diagnosis
T22.20XD	Burn of second degree of shoulder and upper limb, except wrist and hand, unspecified site, subsequent encounter	ICD-10-CM	Diagnosis
T23.222A	Burn of second degree of single left finger (nail) except thumb, initial encounter	ICD-10-CM	Diagnosis
T23.222S	Burn of second degree of single left finger (nail) except thumb, sequela	ICD-10-CM	Diagnosis
T23.222D	Burn of second degree of single left finger (nail) except thumb, subsequent encounter	ICD-10-CM	Diagnosis
T23.221A	Burn of second degree of single right finger (nail) except thumb, initial encounter	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
T23.221S	Burn of second degree of single right finger (nail) except thumb, sequela	ICD-10-CM	Diagnosis
T23.221D	Burn of second degree of single right finger (nail) except thumb, subsequent encounter	ICD-10-CM	Diagnosis
T23.209D	Burn of second degree of unspecified hand, unspecified site, subsequent encounter	ICD-10-CM	Diagnosis
T23.209S	Burn of second degree of unspecified hand, unspecified site, sequela	ICD-10-CM	Diagnosis
T23.249A	Burn of second degree of unspecified multiple fingers (nail), including thumb, initial encounter	ICD-10-CM	Diagnosis
T23.249S	Burn of second degree of unspecified multiple fingers (nail), including thumb, sequela	ICD-10-CM	Diagnosis
T23.249D	Burn of second degree of unspecified multiple fingers (nail), including thumb, subsequent encounter	ICD-10-CM	Diagnosis
T23.229A	Burn of second degree of unspecified single finger (nail) except thumb, initial encounter	ICD-10-CM	Diagnosis
T23.229S	Burn of second degree of unspecified single finger (nail) except thumb, sequela	ICD-10-CM	Diagnosis
T23.229D	Burn of second degree of unspecified single finger (nail) except thumb, subsequent encounter	ICD-10-CM	Diagnosis
T24.202A	Burn of second degree of unspecified site of left lower limb, except ankle and foot, initial encounter	ICD-10-CM	Diagnosis
T24.202S	Burn of second degree of unspecified site of left lower limb, except ankle and foot, sequela	ICD-10-CM	Diagnosis
T24.202D	Burn of second degree of unspecified site of left lower limb, except ankle and foot, subsequent encounter	ICD-10-CM	Diagnosis
T24.201A	Burn of second degree of unspecified site of right lower limb, except ankle and foot, initial encounter	ICD-10-CM	Diagnosis
T24.209S	Burn of second degree of unspecified site of unspecified lower limb, except ankle and foot, sequela	ICD-10-CM	Diagnosis
T24.209D	Burn of second degree of unspecified site of unspecified lower limb, except ankle and foot, subsequent encounter	ICD-10-CM	Diagnosis
T24.209A	Burn of second degree of unspecified site of unspecified lower limb, except ankle and foot, initial encounter	ICD-10-CM	Diagnosis
T24.201S	Burn of second degree of unspecified site of right lower limb, except ankle and foot, sequela	ICD-10-CM	Diagnosis
T24.201D	Burn of second degree of unspecified site of right lower limb, except ankle and foot, subsequent encounter	ICD-10-CM	Diagnosis
T21.22XA	Burn of second degree of abdominal wall, initial encounter	ICD-10-CM	Diagnosis
T21.22XD	Burn of second degree of abdominal wall, subsequent encounter	ICD-10-CM	Diagnosis
T23.262A	Burn of second degree of back of left hand, initial encounter	ICD-10-CM	Diagnosis
T23.262D	Burn of second degree of back of left hand, subsequent encounter	ICD-10-CM	Diagnosis
T23.261A	Burn of second degree of back of right hand, initial encounter	ICD-10-CM	Diagnosis
T23.261D	Burn of second degree of back of right hand, subsequent encounter	ICD-10-CM	Diagnosis
T23.269A	Burn of second degree of back of unspecified hand, initial encounter	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
T23.269D	Burn of second degree of back of unspecified hand, subsequent encounter	ICD-10-CM	Diagnosis
T20.212A	Burn of second degree of left ear [any part, except ear drum], initial encounter	ICD-10-CM	Diagnosis
T20.212S	Burn of second degree of left ear [any part, except ear drum], sequela	ICD-10-CM	Diagnosis
T20.212D	Burn of second degree of left ear [any part, except ear drum], subsequent encounter	ICD-10-CM	Diagnosis
T23.202S	Burn of second degree of left hand, unspecified site, sequela	ICD-10-CM	Diagnosis
T24.232A	Burn of second degree of left lower leg, initial encounter	ICD-10-CM	Diagnosis
T24.232D	Burn of second degree of left lower leg, subsequent encounter	ICD-10-CM	Diagnosis
T22.262A	Burn of second degree of left scapular region, initial encounter	ICD-10-CM	Diagnosis
T22.262D	Burn of second degree of left scapular region, subsequent encounter	ICD-10-CM	Diagnosis
T23.212A	Burn of second degree of left thumb (nail), initial encounter	ICD-10-CM	Diagnosis
T23.212D	Burn of second degree of left thumb (nail), subsequent encounter	ICD-10-CM	Diagnosis
T25.232A	Burn of second degree of left toe(s) (nail), initial encounter	ICD-10-CM	Diagnosis
T25.232D	Burn of second degree of left toe(s) (nail), subsequent encounter	ICD-10-CM	Diagnosis
T22.232A	Burn of second degree of left upper arm, initial encounter	ICD-10-CM	Diagnosis
T22.232D	Burn of second degree of left upper arm, subsequent encounter	ICD-10-CM	Diagnosis
T21.26XA	Burn of second degree of male genital region, initial encounter	ICD-10-CM	Diagnosis
T21.26XD	Burn of second degree of male genital region, subsequent encounter	ICD-10-CM	Diagnosis
T21.29XA	Burn of second degree of other site of trunk, initial encounter	ICD-10-CM	Diagnosis
T21.29XD	Burn of second degree of other site of trunk, subsequent encounter	ICD-10-CM	Diagnosis
T20.211A	Burn of second degree of right ear [any part, except ear drum], initial encounter	ICD-10-CM	Diagnosis
T20.211S	Burn of second degree of right ear [any part, except ear drum], sequela	ICD-10-CM	Diagnosis
T20.211D	Burn of second degree of right ear [any part, except ear drum], subsequent encounter	ICD-10-CM	Diagnosis
T23.201S	Burn of second degree of right hand, unspecified site, sequela	ICD-10-CM	Diagnosis
T24.231A	Burn of second degree of right lower leg, initial encounter	ICD-10-CM	Diagnosis
T24.231D	Burn of second degree of right lower leg, subsequent encounter	ICD-10-CM	Diagnosis
T22.261A	Burn of second degree of right scapular region, initial encounter	ICD-10-CM	Diagnosis
T22.261D	Burn of second degree of right scapular region, subsequent encounter	ICD-10-CM	Diagnosis
T23.211A	Burn of second degree of right thumb (nail), initial encounter	ICD-10-CM	Diagnosis
T23.211D	Burn of second degree of right thumb (nail), subsequent encounter	ICD-10-CM	Diagnosis
T25.231A	Burn of second degree of right toe(s) (nail), initial encounter	ICD-10-CM	Diagnosis
T25.231D	Burn of second degree of right toe(s) (nail), subsequent encounter	ICD-10-CM	Diagnosis
T22.231A	Burn of second degree of right upper arm, initial encounter	ICD-10-CM	Diagnosis
T22.231D	Burn of second degree of right upper arm, subsequent encounter	ICD-10-CM	Diagnosis
T21.20XA	Burn of second degree of trunk, unspecified site, initial encounter	ICD-10-CM	Diagnosis
T21.20XD	Burn of second degree of trunk, unspecified site, subsequent encounter	ICD-10-CM	Diagnosis
T21.20XS	Burn of second degree of trunk, unspecified site, sequela	ICD-10-CM	Diagnosis
T25.219A	Burn of second degree of unspecified ankle, initial encounter	ICD-10-CM	Diagnosis
T25.219D	Burn of second degree of unspecified ankle, subsequent encounter	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
T20.219A	Burn of second degree of unspecified ear [any part, except ear drum], initial encounter	ICD-10-CM	Diagnosis
T20.219S	Burn of second degree of unspecified ear [any part, except ear drum], sequela	ICD-10-CM	Diagnosis
T20.219D	Burn of second degree of unspecified ear [any part, except ear drum], subsequent encounter	ICD-10-CM	Diagnosis
T25.229A	Burn of second degree of unspecified foot, initial encounter	ICD-10-CM	Diagnosis
T25.229D	Burn of second degree of unspecified foot, subsequent encounter	ICD-10-CM	Diagnosis
T22.219A	Burn of second degree of unspecified forearm, initial encounter	ICD-10-CM	Diagnosis
T22.219D	Burn of second degree of unspecified forearm, subsequent encounter	ICD-10-CM	Diagnosis
T23.209A	Burn of second degree of unspecified hand, unspecified site, initial encounter	ICD-10-CM	Diagnosis
T24.229A	Burn of second degree of unspecified knee, initial encounter	ICD-10-CM	Diagnosis
T24.229D	Burn of second degree of unspecified knee, subsequent encounter	ICD-10-CM	Diagnosis
T24.239A	Burn of second degree of unspecified lower leg, initial encounter	ICD-10-CM	Diagnosis
T24.239D	Burn of second degree of unspecified lower leg, subsequent encounter	ICD-10-CM	Diagnosis
T23.259A	Burn of second degree of unspecified palm, initial encounter	ICD-10-CM	Diagnosis
T23.259D	Burn of second degree of unspecified palm, subsequent encounter	ICD-10-CM	Diagnosis
T22.269A	Burn of second degree of unspecified scapular region, initial encounter	ICD-10-CM	Diagnosis
T22.269S	Burn of second degree of unspecified scapular region, sequela	ICD-10-CM	Diagnosis
T22.269D	Burn of second degree of unspecified scapular region, subsequent encounter	ICD-10-CM	Diagnosis
T22.259A	Burn of second degree of unspecified shoulder, initial encounter	ICD-10-CM	Diagnosis
T22.259D	Burn of second degree of unspecified shoulder, subsequent encounter	ICD-10-CM	Diagnosis
T24.219A	Burn of second degree of unspecified thigh, initial encounter	ICD-10-CM	Diagnosis
T24.219D	Burn of second degree of unspecified thigh, subsequent encounter	ICD-10-CM	Diagnosis
T23.219A	Burn of second degree of unspecified thumb (nail), initial encounter	ICD-10-CM	Diagnosis
T23.219D	Burn of second degree of unspecified thumb (nail), subsequent encounter	ICD-10-CM	Diagnosis
T25.239A	Burn of second degree of unspecified toe(s) (nail), initial encounter	ICD-10-CM	Diagnosis
T25.239D	Burn of second degree of unspecified toe(s) (nail), subsequent encounter	ICD-10-CM	Diagnosis
T22.239A	Burn of second degree of unspecified upper arm, initial encounter	ICD-10-CM	Diagnosis
T22.239D	Burn of second degree of unspecified upper arm, subsequent encounter	ICD-10-CM	Diagnosis
T23.279A	Burn of second degree of unspecified wrist, initial encounter	ICD-10-CM	Diagnosis
T23.279D	Burn of second degree of unspecified wrist, subsequent encounter	ICD-10-CM	Diagnosis
T23.219S	Burn of second degree of unspecified thumb (nail), sequela	ICD-10-CM	Diagnosis
T20.30XA	Burn of third degree of head, face, and neck, unspecified site, initial encounter	ICD-10-CM	Diagnosis
T20.30XS	Burn of third degree of head, face, and neck, unspecified site, sequela	ICD-10-CM	Diagnosis
T20.30XD	Burn of third degree of head, face, and neck, unspecified site, subsequent encounter	ICD-10-CM	Diagnosis
T23.342A	Burn of third degree of multiple left fingers (nail), including thumb, initial encounter	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
T23.342S	Burn of third degree of multiple left fingers (nail), including thumb, sequela	ICD-10-CM	Diagnosis
T23.342D	Burn of third degree of multiple left fingers (nail), including thumb, subsequent encounter	ICD-10-CM	Diagnosis
T23.332S	Burn of third degree of multiple left fingers (nail), not including thumb, sequela	ICD-10-CM	Diagnosis
T23.332A	Burn of third degree of multiple left fingers (nail), not including thumb, initial encounter	ICD-10-CM	Diagnosis
T23.332D	Burn of third degree of multiple left fingers (nail), not including thumb, subsequent encounter	ICD-10-CM	Diagnosis
T23.341A	Burn of third degree of multiple right fingers (nail), including thumb, initial encounter	ICD-10-CM	Diagnosis
T23.341S	Burn of third degree of multiple right fingers (nail), including thumb, sequela	ICD-10-CM	Diagnosis
T23.341D	Burn of third degree of multiple right fingers (nail), including thumb, subsequent encounter	ICD-10-CM	Diagnosis
T23.331S	Burn of third degree of multiple right fingers (nail), not including thumb, sequela	ICD-10-CM	Diagnosis
T23.331A	Burn of third degree of multiple right fingers (nail), not including thumb, initial encounter	ICD-10-CM	Diagnosis
T23.331D	Burn of third degree of multiple right fingers (nail), not including thumb, subsequent encounter	ICD-10-CM	Diagnosis
T24.392A	Burn of third degree of multiple sites of left lower limb, except ankle and foot, initial encounter	ICD-10-CM	Diagnosis
T24.392D	Burn of third degree of multiple sites of left lower limb, except ankle and foot, subsequent encounter	ICD-10-CM	Diagnosis
T22.392A	Burn of third degree of multiple sites of left shoulder and upper limb, except wrist and hand, initial encounter	ICD-10-CM	Diagnosis
T22.392S	Burn of third degree of multiple sites of left shoulder and upper limb, except wrist and hand, sequela	ICD-10-CM	Diagnosis
T22.392D	Burn of third degree of multiple sites of left shoulder and upper limb, except wrist and hand, subsequent encounter	ICD-10-CM	Diagnosis
T24.391A	Burn of third degree of multiple sites of right lower limb, except ankle and foot, initial encounter	ICD-10-CM	Diagnosis
T24.391D	Burn of third degree of multiple sites of right lower limb, except ankle and foot, subsequent encounter	ICD-10-CM	Diagnosis
T22.391A	Burn of third degree of multiple sites of right shoulder and upper limb, except wrist and hand, initial encounter	ICD-10-CM	Diagnosis
T22.391S	Burn of third degree of multiple sites of right shoulder and upper limb, except wrist and hand, sequela	ICD-10-CM	Diagnosis
T22.391D	Burn of third degree of multiple sites of right shoulder and upper limb, except wrist and hand, subsequent encounter	ICD-10-CM	Diagnosis



**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
T24.399A	Burn of third degree of multiple sites of unspecified lower limb, except ankle and foot, initial encounter	ICD-10-CM	Diagnosis
T24.399D	Burn of third degree of multiple sites of unspecified lower limb, except ankle and foot, subsequent encounter	ICD-10-CM	Diagnosis
T24.399S	Burn of third degree of multiple sites of unspecified lower limb, except ankle and foot, sequela	ICD-10-CM	Diagnosis
T22.399A	Burn of third degree of multiple sites of unspecified shoulder and upper limb, except wrist and hand, initial encounter	ICD-10-CM	Diagnosis
T22.399S	Burn of third degree of multiple sites of unspecified shoulder and upper limb, except wrist and hand, sequela	ICD-10-CM	Diagnosis
T22.399D	Burn of third degree of multiple sites of unspecified shoulder and upper limb, except wrist and hand, subsequent encounter	ICD-10-CM	Diagnosis
T23.399D	Burn of third degree of multiple sites of unspecified wrist and hand, subsequent encounter	ICD-10-CM	Diagnosis
T20.39XA	Burn of third degree of multiple sites of head, face, and neck, initial encounter	ICD-10-CM	Diagnosis
T20.39XD	Burn of third degree of multiple sites of head, face, and neck, subsequent encounter	ICD-10-CM	Diagnosis
T25.392A	Burn of third degree of multiple sites of left ankle and foot, initial encounter	ICD-10-CM	Diagnosis
T25.392S	Burn of third degree of multiple sites of left ankle and foot, sequela	ICD-10-CM	Diagnosis
T25.392D	Burn of third degree of multiple sites of left ankle and foot, subsequent encounter	ICD-10-CM	Diagnosis
T24.392S	Burn of third degree of multiple sites of left lower limb, except ankle and foot, sequela	ICD-10-CM	Diagnosis
T23.392A	Burn of third degree of multiple sites of left wrist and hand, initial encounter	ICD-10-CM	Diagnosis
T23.392S	Burn of third degree of multiple sites of left wrist and hand, sequela	ICD-10-CM	Diagnosis
T23.392D	Burn of third degree of multiple sites of left wrist and hand, subsequent encounter	ICD-10-CM	Diagnosis
T25.391A	Burn of third degree of multiple sites of right ankle and foot, initial encounter	ICD-10-CM	Diagnosis
T25.391S	Burn of third degree of multiple sites of right ankle and foot, sequela	ICD-10-CM	Diagnosis
T25.391D	Burn of third degree of multiple sites of right ankle and foot, subsequent encounter	ICD-10-CM	Diagnosis
T24.391S	Burn of third degree of multiple sites of right lower limb, except ankle and foot, sequela	ICD-10-CM	Diagnosis
T23.391A	Burn of third degree of multiple sites of right wrist and hand, initial encounter	ICD-10-CM	Diagnosis
T23.391S	Burn of third degree of multiple sites of right wrist and hand, sequela	ICD-10-CM	Diagnosis
T23.391D	Burn of third degree of multiple sites of right wrist and hand, subsequent encounter	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
T25.399A	Burn of third degree of multiple sites of unspecified ankle and foot, initial encounter	ICD-10-CM	Diagnosis
T25.399S	Burn of third degree of multiple sites of unspecified ankle and foot, sequela	ICD-10-CM	Diagnosis
T25.399D	Burn of third degree of multiple sites of unspecified ankle and foot, subsequent encounter	ICD-10-CM	Diagnosis
T23.399A	Burn of third degree of multiple sites of unspecified wrist and hand, initial encounter	ICD-10-CM	Diagnosis
T23.399S	Burn of third degree of multiple sites of unspecified wrist and hand, sequela	ICD-10-CM	Diagnosis
T23.339S	Burn of third degree of unspecified multiple fingers (nail), not including thumb, sequela	ICD-10-CM	Diagnosis
T23.339A	Burn of third degree of unspecified multiple fingers (nail), not including thumb, initial encounter	ICD-10-CM	Diagnosis
T23.339D	Burn of third degree of unspecified multiple fingers (nail), not including thumb, subsequent encounter	ICD-10-CM	Diagnosis
T22.30XA	Burn of third degree of shoulder and upper limb, except wrist and hand, unspecified site, initial encounter	ICD-10-CM	Diagnosis
T22.30XS	Burn of third degree of shoulder and upper limb, except wrist and hand, unspecified site, sequela	ICD-10-CM	Diagnosis
T22.30XD	Burn of third degree of shoulder and upper limb, except wrist and hand, unspecified site, subsequent encounter	ICD-10-CM	Diagnosis
T23.322S	Burn of third degree of single left finger (nail) except thumb, sequela	ICD-10-CM	Diagnosis
T23.322D	Burn of third degree of single left finger (nail) except thumb, subsequent encounter	ICD-10-CM	Diagnosis
T23.322A	Burn of third degree of single left finger (nail) except thumb, initial encounter	ICD-10-CM	Diagnosis
T23.321S	Burn of third degree of single right finger (nail) except thumb, sequela	ICD-10-CM	Diagnosis
T23.321D	Burn of third degree of single right finger (nail) except thumb, subsequent encounter	ICD-10-CM	Diagnosis
T23.321A	Burn of third degree of single right finger (nail) except thumb, initial encounter	ICD-10-CM	Diagnosis
T23.329S	Burn of third degree of unspecified single finger (nail) except thumb, sequela	ICD-10-CM	Diagnosis
T23.329A	Burn of third degree of unspecified single finger (nail) except thumb, initial encounter	ICD-10-CM	Diagnosis
T23.329D	Burn of third degree of unspecified single finger (nail) except thumb, subsequent encounter	ICD-10-CM	Diagnosis
T23.349A	Burn of third degree of unspecified multiple fingers (nail), including thumb, initial encounter	ICD-10-CM	Diagnosis
T23.349S	Burn of third degree of unspecified multiple fingers (nail), including thumb, sequela	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
T23.349D	Burn of third degree of unspecified multiple fingers (nail), including thumb, subsequent encounter	ICD-10-CM	Diagnosis
T24.302A	Burn of third degree of unspecified site of left lower limb, except ankle and foot, initial encounter	ICD-10-CM	Diagnosis
T24.301A	Burn of third degree of unspecified site of right lower limb, except ankle and foot, initial encounter	ICD-10-CM	Diagnosis
T24.309A	Burn of third degree of unspecified site of unspecified lower limb, except ankle and foot, initial encounter	ICD-10-CM	Diagnosis
T24.309S	Burn of third degree of unspecified site of unspecified lower limb, except ankle and foot, sequela	ICD-10-CM	Diagnosis
T24.309D	Burn of third degree of unspecified site of unspecified lower limb, except ankle and foot, subsequent encounter	ICD-10-CM	Diagnosis
T24.302S	Burn of third degree of unspecified site of left lower limb, except ankle and foot, sequela	ICD-10-CM	Diagnosis
T24.302D	Burn of third degree of unspecified site of left lower limb, except ankle and foot, subsequent encounter	ICD-10-CM	Diagnosis
T24.301S	Burn of third degree of unspecified site of right lower limb, except ankle and foot, sequela	ICD-10-CM	Diagnosis
T24.301D	Burn of third degree of unspecified site of right lower limb, except ankle and foot, subsequent encounter	ICD-10-CM	Diagnosis
T22.322A	Burn of third degree of left elbow, initial encounter	ICD-10-CM	Diagnosis
T22.322D	Burn of third degree of left elbow, subsequent encounter	ICD-10-CM	Diagnosis
T22.321A	Burn of third degree of right elbow, initial encounter	ICD-10-CM	Diagnosis
T22.321D	Burn of third degree of right elbow, subsequent encounter	ICD-10-CM	Diagnosis
T26.12XA	Burn of cornea and conjunctival sac, left eye, initial encounter	ICD-10-CM	Diagnosis
T26.12XD	Burn of cornea and conjunctival sac, left eye, subsequent encounter	ICD-10-CM	Diagnosis
T26.11XA	Burn of cornea and conjunctival sac, right eye, initial encounter	ICD-10-CM	Diagnosis
T26.11XD	Burn of cornea and conjunctival sac, right eye, subsequent encounter	ICD-10-CM	Diagnosis
T26.12XS	Burn of cornea and conjunctival sac, left eye, sequela	ICD-10-CM	Diagnosis
T26.11XS	Burn of cornea and conjunctival sac, right eye, sequela	ICD-10-CM	Diagnosis
T26.10XA	Burn of cornea and conjunctival sac, unspecified eye, initial encounter	ICD-10-CM	Diagnosis
T26.10XS	Burn of cornea and conjunctival sac, unspecified eye, sequela	ICD-10-CM	Diagnosis
T26.10XD	Burn of cornea and conjunctival sac, unspecified eye, subsequent encounter	ICD-10-CM	Diagnosis
T23.169S	Burn of first degree of back of unspecified hand, sequela	ICD-10-CM	Diagnosis
T21.15XD	Burn of first degree of buttock, subsequent encounter	ICD-10-CM	Diagnosis
T21.11XA	Burn of first degree of chest wall, initial encounter	ICD-10-CM	Diagnosis
T21.11XD	Burn of first degree of chest wall, subsequent encounter	ICD-10-CM	Diagnosis
T21.17XS	Burn of first degree of female genital region, sequela	ICD-10-CM	Diagnosis
T20.16XA	Burn of first degree of forehead and cheek, initial encounter	ICD-10-CM	Diagnosis
T20.16XD	Burn of first degree of forehead and cheek, subsequent encounter	ICD-10-CM	Diagnosis
T25.112A	Burn of first degree of left ankle, initial encounter	ICD-10-CM	Diagnosis
T22.142A	Burn of first degree of left axilla, initial encounter	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
T22.142D	Burn of first degree of left axilla, subsequent encounter	ICD-10-CM	Diagnosis
T22.122A	Burn of first degree of left elbow, initial encounter	ICD-10-CM	Diagnosis
T22.122D	Burn of first degree of left elbow, subsequent encounter	ICD-10-CM	Diagnosis
T25.122D	Burn of first degree of left foot, subsequent encounter	ICD-10-CM	Diagnosis
T22.112A	Burn of first degree of left forearm, initial encounter	ICD-10-CM	Diagnosis
T22.112D	Burn of first degree of left forearm, subsequent encounter	ICD-10-CM	Diagnosis
T24.122D	Burn of first degree of left knee, subsequent encounter	ICD-10-CM	Diagnosis
T23.152D	Burn of first degree of left palm, subsequent encounter	ICD-10-CM	Diagnosis
T22.162S	Burn of first degree of left scapular region, sequela	ICD-10-CM	Diagnosis
T23.172A	Burn of first degree of left wrist, initial encounter	ICD-10-CM	Diagnosis
T21.14XA	Burn of first degree of lower back, initial encounter	ICD-10-CM	Diagnosis
T21.14XD	Burn of first degree of lower back, subsequent encounter	ICD-10-CM	Diagnosis
T25.112D	Burn of first degree of left ankle, subsequent encounter	ICD-10-CM	Diagnosis
T20.14XA	Burn of first degree of nose (septum), initial encounter	ICD-10-CM	Diagnosis
T20.14XD	Burn of first degree of nose (septum), subsequent encounter	ICD-10-CM	Diagnosis
T23.162S	Burn of first degree of back of left hand, sequela	ICD-10-CM	Diagnosis
T23.161S	Burn of first degree of back of right hand, sequela	ICD-10-CM	Diagnosis
T21.15XA	Burn of first degree of buttock, initial encounter	ICD-10-CM	Diagnosis
T20.16XS	Burn of first degree of forehead and cheek, sequela	ICD-10-CM	Diagnosis
T25.122A	Burn of first degree of left foot, initial encounter	ICD-10-CM	Diagnosis
T24.122A	Burn of first degree of left knee, initial encounter	ICD-10-CM	Diagnosis
T23.152A	Burn of first degree of left palm, initial encounter	ICD-10-CM	Diagnosis
T21.16XS	Burn of first degree of male genital region, sequela	ICD-10-CM	Diagnosis
T20.17XD	Burn of first degree of neck, subsequent encounter	ICD-10-CM	Diagnosis
T21.19XS	Burn of first degree of other site of trunk, sequela	ICD-10-CM	Diagnosis
T25.119S	Burn of first degree of unspecified ankle, sequela	ICD-10-CM	Diagnosis
T22.149S	Burn of first degree of unspecified axilla, sequela	ICD-10-CM	Diagnosis
T22.129S	Burn of first degree of unspecified elbow, sequela	ICD-10-CM	Diagnosis
T22.119S	Burn of first degree of unspecified forearm, sequela	ICD-10-CM	Diagnosis
T24.119S	Burn of first degree of unspecified thigh, sequela	ICD-10-CM	Diagnosis
T23.179S	Burn of first degree of unspecified wrist, sequela	ICD-10-CM	Diagnosis
T21.19XA	Burn of first degree of other site of trunk, initial encounter	ICD-10-CM	Diagnosis
T21.19XD	Burn of first degree of other site of trunk, subsequent encounter	ICD-10-CM	Diagnosis
T25.111A	Burn of first degree of right ankle, initial encounter	ICD-10-CM	Diagnosis
T22.141A	Burn of first degree of right axilla, initial encounter	ICD-10-CM	Diagnosis
T22.141D	Burn of first degree of right axilla, subsequent encounter	ICD-10-CM	Diagnosis
T22.121A	Burn of first degree of right elbow, initial encounter	ICD-10-CM	Diagnosis
T22.121D	Burn of first degree of right elbow, subsequent encounter	ICD-10-CM	Diagnosis
T25.121A	Burn of first degree of right foot, initial encounter	ICD-10-CM	Diagnosis
T23.151A	Burn of first degree of right palm, initial encounter	ICD-10-CM	Diagnosis
T22.161S	Burn of first degree of right scapular region, sequela	ICD-10-CM	Diagnosis
T22.131A	Burn of first degree of right upper arm, initial encounter	ICD-10-CM	Diagnosis
T22.131D	Burn of first degree of right upper arm, subsequent encounter	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
T23.171A	Burn of first degree of right wrist, initial encounter	ICD-10-CM	Diagnosis
T25.111D	Burn of first degree of right ankle, subsequent encounter	ICD-10-CM	Diagnosis
T25.121D	Burn of first degree of right foot, subsequent encounter	ICD-10-CM	Diagnosis
T21.10XA	Burn of first degree of trunk, unspecified site, initial encounter	ICD-10-CM	Diagnosis
T21.10XD	Burn of first degree of trunk, unspecified site, subsequent encounter	ICD-10-CM	Diagnosis
T21.10XS	Burn of first degree of trunk, unspecified site, sequela	ICD-10-CM	Diagnosis
T25.119A	Burn of first degree of unspecified ankle, initial encounter	ICD-10-CM	Diagnosis
T25.119D	Burn of first degree of unspecified ankle, subsequent encounter	ICD-10-CM	Diagnosis
T22.149A	Burn of first degree of unspecified axilla, initial encounter	ICD-10-CM	Diagnosis
T22.149D	Burn of first degree of unspecified axilla, subsequent encounter	ICD-10-CM	Diagnosis
T22.129A	Burn of first degree of unspecified elbow, initial encounter	ICD-10-CM	Diagnosis
T22.129D	Burn of first degree of unspecified elbow, subsequent encounter	ICD-10-CM	Diagnosis
T22.119A	Burn of first degree of unspecified forearm, initial encounter	ICD-10-CM	Diagnosis
T22.119D	Burn of first degree of unspecified forearm, subsequent encounter	ICD-10-CM	Diagnosis
T24.129A	Burn of first degree of unspecified knee, initial encounter	ICD-10-CM	Diagnosis
T24.129D	Burn of first degree of unspecified knee, subsequent encounter	ICD-10-CM	Diagnosis
T24.119A	Burn of first degree of unspecified thigh, initial encounter	ICD-10-CM	Diagnosis
T24.119D	Burn of first degree of unspecified thigh, subsequent encounter	ICD-10-CM	Diagnosis
T24.139S	Burn of first degree of unspecified lower leg, sequela	ICD-10-CM	Diagnosis
T22.159S	Burn of first degree of unspecified shoulder, sequela	ICD-10-CM	Diagnosis
T23.119S	Burn of first degree of unspecified thumb (nail), sequela	ICD-10-CM	Diagnosis
T25.139S	Burn of first degree of unspecified toe(s) (nail), sequela	ICD-10-CM	Diagnosis
T22.139S	Burn of first degree of unspecified upper arm, sequela	ICD-10-CM	Diagnosis
T21.13XA	Burn of first degree of upper back, initial encounter	ICD-10-CM	Diagnosis
T21.13XD	Burn of first degree of upper back, subsequent encounter	ICD-10-CM	Diagnosis
T28.3XXA	Burn of internal genitourinary organs, initial encounter	ICD-10-CM	Diagnosis
T28.3XXD	Burn of internal genitourinary organs, subsequent encounter	ICD-10-CM	Diagnosis
T27.1XXD	Burn involving larynx and trachea with lung, subsequent encounter	ICD-10-CM	Diagnosis
T27.1XXS	Burn involving larynx and trachea with lung, sequela	ICD-10-CM	Diagnosis
T27.1XXA	Burn involving larynx and trachea with lung, initial encounter	ICD-10-CM	Diagnosis
T26.42XS	Burn of left eye and adnexa, part unspecified, sequela	ICD-10-CM	Diagnosis
T26.42XA	Burn of left eye and adnexa, part unspecified, initial encounter	ICD-10-CM	Diagnosis
T26.42XD	Burn of left eye and adnexa, part unspecified, subsequent encounter	ICD-10-CM	Diagnosis
T26.02XA	Burn of left eyelid and periocular area, initial encounter	ICD-10-CM	Diagnosis
T26.02XD	Burn of left eyelid and periocular area, subsequent encounter	ICD-10-CM	Diagnosis
T28.1XXA	Burn of esophagus, initial encounter	ICD-10-CM	Diagnosis
T28.1XXS	Burn of esophagus, sequela	ICD-10-CM	Diagnosis
T28.1XXD	Burn of esophagus, subsequent encounter	ICD-10-CM	Diagnosis
T20.13XD	Burn of first degree of chin, subsequent encounter	ICD-10-CM	Diagnosis
T20.12XD	Burn of first degree of lip(s), subsequent encounter	ICD-10-CM	Diagnosis
T21.12XS	Burn of first degree of abdominal wall, sequela	ICD-10-CM	Diagnosis
T21.15XS	Burn of first degree of buttock, sequela	ICD-10-CM	Diagnosis
T21.11XS	Burn of first degree of chest wall, sequela	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
T20.13XA	Burn of first degree of chin, initial encounter	ICD-10-CM	Diagnosis
T20.13XS	Burn of first degree of chin, sequela	ICD-10-CM	Diagnosis
T25.112S	Burn of first degree of left ankle, sequela	ICD-10-CM	Diagnosis
T22.142S	Burn of first degree of left axilla, sequela	ICD-10-CM	Diagnosis
T22.122S	Burn of first degree of left elbow, sequela	ICD-10-CM	Diagnosis
T25.122S	Burn of first degree of left foot, sequela	ICD-10-CM	Diagnosis
T22.112S	Burn of first degree of left forearm, sequela	ICD-10-CM	Diagnosis
T24.122S	Burn of first degree of left knee, sequela	ICD-10-CM	Diagnosis
T24.132S	Burn of first degree of left lower leg, sequela	ICD-10-CM	Diagnosis
T23.152S	Burn of first degree of left palm, sequela	ICD-10-CM	Diagnosis
T22.152S	Burn of first degree of left shoulder, sequela	ICD-10-CM	Diagnosis
T24.112S	Burn of first degree of left thigh, sequela	ICD-10-CM	Diagnosis
T23.112S	Burn of first degree of left thumb (nail), sequela	ICD-10-CM	Diagnosis
T25.132S	Burn of first degree of left toe(s) (nail), sequela	ICD-10-CM	Diagnosis
T22.132S	Burn of first degree of left upper arm, sequela	ICD-10-CM	Diagnosis
T23.172S	Burn of first degree of left wrist, sequela	ICD-10-CM	Diagnosis
T20.12XA	Burn of first degree of lip(s), initial encounter	ICD-10-CM	Diagnosis
T20.12XS	Burn of first degree of lip(s), sequela	ICD-10-CM	Diagnosis
T21.14XS	Burn of first degree of lower back, sequela	ICD-10-CM	Diagnosis
T20.17XA	Burn of first degree of neck, initial encounter	ICD-10-CM	Diagnosis
T20.17XS	Burn of first degree of neck, sequela	ICD-10-CM	Diagnosis
T20.14XS	Burn of first degree of nose (septum), sequela	ICD-10-CM	Diagnosis
T25.111S	Burn of first degree of right ankle, sequela	ICD-10-CM	Diagnosis
T22.141S	Burn of first degree of right axilla, sequela	ICD-10-CM	Diagnosis
T22.121S	Burn of first degree of right elbow, sequela	ICD-10-CM	Diagnosis
T25.121S	Burn of first degree of right foot, sequela	ICD-10-CM	Diagnosis
T22.111S	Burn of first degree of right forearm, sequela	ICD-10-CM	Diagnosis
T24.121S	Burn of first degree of right knee, sequela	ICD-10-CM	Diagnosis
T24.131S	Burn of first degree of right lower leg, sequela	ICD-10-CM	Diagnosis
T23.151S	Burn of first degree of right palm, sequela	ICD-10-CM	Diagnosis
T22.151S	Burn of first degree of right shoulder, sequela	ICD-10-CM	Diagnosis
T24.111S	Burn of first degree of right thigh, sequela	ICD-10-CM	Diagnosis
T23.111S	Burn of first degree of right thumb (nail), sequela	ICD-10-CM	Diagnosis
T25.131S	Burn of first degree of right toe(s) (nail), sequela	ICD-10-CM	Diagnosis
T22.131S	Burn of first degree of right upper arm, sequela	ICD-10-CM	Diagnosis
T23.171S	Burn of first degree of right wrist, sequela	ICD-10-CM	Diagnosis
T20.15XS	Burn of first degree of scalp [any part], sequela	ICD-10-CM	Diagnosis
T25.129S	Burn of first degree of unspecified foot, sequela	ICD-10-CM	Diagnosis
T24.129S	Burn of first degree of unspecified knee, sequela	ICD-10-CM	Diagnosis
T23.159S	Burn of first degree of unspecified palm, sequela	ICD-10-CM	Diagnosis
T21.13XS	Burn of first degree of upper back, sequela	ICD-10-CM	Diagnosis
T28.3XXS	Burn of internal genitourinary organs, sequela	ICD-10-CM	Diagnosis
T27.0XXA	Burn of larynx and trachea, initial encounter	ICD-10-CM	Diagnosis



**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
T27.0XXS	Burn of larynx and trachea, sequela	ICD-10-CM	Diagnosis
T27.0XXD	Burn of larynx and trachea, subsequent encounter	ICD-10-CM	Diagnosis
T28.412A	Burn of left ear drum, initial encounter	ICD-10-CM	Diagnosis
T28.412S	Burn of left ear drum, sequela	ICD-10-CM	Diagnosis
T28.412D	Burn of left ear drum, subsequent encounter	ICD-10-CM	Diagnosis
T26.02XS	Burn of left eyelid and periocular area, sequela	ICD-10-CM	Diagnosis
T28.0XXA	Burn of mouth and pharynx, initial encounter	ICD-10-CM	Diagnosis
T28.0XXS	Burn of mouth and pharynx, sequela	ICD-10-CM	Diagnosis
T28.0XXD	Burn of mouth and pharynx, subsequent encounter	ICD-10-CM	Diagnosis
T28.49XA	Burn of other internal organ, initial encounter	ICD-10-CM	Diagnosis
T28.49XS	Burn of other internal organ, sequela	ICD-10-CM	Diagnosis
T28.2XXS	Burn of other parts of alimentary tract, sequela	ICD-10-CM	Diagnosis
T27.2XXS	Burn of other parts of respiratory tract, sequela	ICD-10-CM	Diagnosis
T28.411A	Burn of right ear drum, initial encounter	ICD-10-CM	Diagnosis
T28.411S	Burn of right ear drum, sequela	ICD-10-CM	Diagnosis
T28.411D	Burn of right ear drum, subsequent encounter	ICD-10-CM	Diagnosis
T26.01XS	Burn of right eyelid and periocular area, sequela	ICD-10-CM	Diagnosis
T20.23XD	Burn of second degree of chin, subsequent encounter	ICD-10-CM	Diagnosis
T20.22XD	Burn of second degree of lip(s), subsequent encounter	ICD-10-CM	Diagnosis
T20.27XD	Burn of second degree of neck, subsequent encounter	ICD-10-CM	Diagnosis
T21.22XS	Burn of second degree of abdominal wall, sequela	ICD-10-CM	Diagnosis
T21.25XS	Burn of second degree of buttock, sequela	ICD-10-CM	Diagnosis
T21.21XS	Burn of second degree of chest wall, sequela	ICD-10-CM	Diagnosis
T20.23XA	Burn of second degree of chin, initial encounter	ICD-10-CM	Diagnosis
T20.23XS	Burn of second degree of chin, sequela	ICD-10-CM	Diagnosis
T25.212S	Burn of second degree of left ankle, sequela	ICD-10-CM	Diagnosis
T22.242S	Burn of second degree of left axilla, sequela	ICD-10-CM	Diagnosis
T22.222S	Burn of second degree of left elbow, sequela	ICD-10-CM	Diagnosis
T25.222S	Burn of second degree of left foot, sequela	ICD-10-CM	Diagnosis
T22.212S	Burn of second degree of left forearm, sequela	ICD-10-CM	Diagnosis
T24.222S	Burn of second degree of left knee, sequela	ICD-10-CM	Diagnosis
T24.232S	Burn of second degree of left lower leg, sequela	ICD-10-CM	Diagnosis
T23.252S	Burn of second degree of left palm, sequela	ICD-10-CM	Diagnosis
T22.252S	Burn of second degree of left shoulder, sequela	ICD-10-CM	Diagnosis
T24.212S	Burn of second degree of left thigh, sequela	ICD-10-CM	Diagnosis
T23.212S	Burn of second degree of left thumb (nail), sequela	ICD-10-CM	Diagnosis
T25.232S	Burn of second degree of left toe(s) (nail), sequela	ICD-10-CM	Diagnosis
T22.232S	Burn of second degree of left upper arm, sequela	ICD-10-CM	Diagnosis
T23.272S	Burn of second degree of left wrist, sequela	ICD-10-CM	Diagnosis
T20.22XA	Burn of second degree of lip(s), initial encounter	ICD-10-CM	Diagnosis
T20.22XS	Burn of second degree of lip(s), sequela	ICD-10-CM	Diagnosis
T21.24XS	Burn of second degree of lower back, sequela	ICD-10-CM	Diagnosis
T20.27XA	Burn of second degree of neck, initial encounter	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

Code	Description	Code Type	Code Category
T20.27XS	Burn of second degree of neck, sequela	ICD-10-CM	Diagnosis
T20.24XS	Burn of second degree of nose (septum), sequela	ICD-10-CM	Diagnosis
T25.211S	Burn of second degree of right ankle, sequela	ICD-10-CM	Diagnosis
T22.241S	Burn of second degree of right axilla, sequela	ICD-10-CM	Diagnosis
T22.221S	Burn of second degree of right elbow, sequela	ICD-10-CM	Diagnosis
T25.221S	Burn of second degree of right foot, sequela	ICD-10-CM	Diagnosis
T22.211S	Burn of second degree of right forearm, sequela	ICD-10-CM	Diagnosis
T24.221S	Burn of second degree of right knee, sequela	ICD-10-CM	Diagnosis
T24.231S	Burn of second degree of right lower leg, sequela	ICD-10-CM	Diagnosis
T23.251S	Burn of second degree of right palm, sequela	ICD-10-CM	Diagnosis
T22.251S	Burn of second degree of right shoulder, sequela	ICD-10-CM	Diagnosis
T24.211S	Burn of second degree of right thigh, sequela	ICD-10-CM	Diagnosis
T25.231S	Burn of second degree of right toe(s) (nail), sequela	ICD-10-CM	Diagnosis
T22.231S	Burn of second degree of right upper arm, sequela	ICD-10-CM	Diagnosis
T23.271S	Burn of second degree of right wrist, sequela	ICD-10-CM	Diagnosis
T20.25XS	Burn of second degree of scalp [any part], sequela	ICD-10-CM	Diagnosis
T21.23XS	Burn of second degree of upper back, sequela	ICD-10-CM	Diagnosis
T20.33XD	Burn of third degree of chin, subsequent encounter	ICD-10-CM	Diagnosis
T20.32XD	Burn of third degree of lip(s), subsequent encounter	ICD-10-CM	Diagnosis
T20.37XD	Burn of third degree of neck, subsequent encounter	ICD-10-CM	Diagnosis
T21.32XS	Burn of third degree of abdominal wall, sequela	ICD-10-CM	Diagnosis
T21.35XS	Burn of third degree of buttock, sequela	ICD-10-CM	Diagnosis
T21.31XS	Burn of third degree of chest wall, sequela	ICD-10-CM	Diagnosis
T20.33XA	Burn of third degree of chin, initial encounter	ICD-10-CM	Diagnosis
T20.33XS	Burn of third degree of chin, sequela	ICD-10-CM	Diagnosis
T20.36XS	Burn of third degree of forehead and cheek, sequela	ICD-10-CM	Diagnosis
T25.312S	Burn of third degree of left ankle, sequela	ICD-10-CM	Diagnosis
T22.342S	Burn of third degree of left axilla, sequela	ICD-10-CM	Diagnosis
T22.322S	Burn of third degree of left elbow, sequela	ICD-10-CM	Diagnosis
T25.322S	Burn of third degree of left foot, sequela	ICD-10-CM	Diagnosis
T22.312S	Burn of third degree of left forearm, sequela	ICD-10-CM	Diagnosis
T24.322S	Burn of third degree of left knee, sequela	ICD-10-CM	Diagnosis
T24.332S	Burn of third degree of left lower leg, sequela	ICD-10-CM	Diagnosis
T23.352S	Burn of third degree of left palm, sequela	ICD-10-CM	Diagnosis
T22.352S	Burn of third degree of left shoulder, sequela	ICD-10-CM	Diagnosis
T24.312S	Burn of third degree of left thigh, sequela	ICD-10-CM	Diagnosis
T23.312S	Burn of third degree of left thumb (nail), sequela	ICD-10-CM	Diagnosis
T25.332S	Burn of third degree of left toe(s) (nail), sequela	ICD-10-CM	Diagnosis
T22.332S	Burn of third degree of left upper arm, sequela	ICD-10-CM	Diagnosis
T23.372S	Burn of third degree of left wrist, sequela	ICD-10-CM	Diagnosis
T20.32XA	Burn of third degree of lip(s), initial encounter	ICD-10-CM	Diagnosis
T20.32XS	Burn of third degree of lip(s), sequela	ICD-10-CM	Diagnosis
T21.34XS	Burn of third degree of lower back, sequela	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
T20.37XA	Burn of third degree of neck, initial encounter	ICD-10-CM	Diagnosis
T20.37XS	Burn of third degree of neck, sequela	ICD-10-CM	Diagnosis
T20.34XS	Burn of third degree of nose (septum), sequela	ICD-10-CM	Diagnosis
T25.311S	Burn of third degree of right ankle, sequela	ICD-10-CM	Diagnosis
T22.341S	Burn of third degree of right axilla, sequela	ICD-10-CM	Diagnosis
T22.321S	Burn of third degree of right elbow, sequela	ICD-10-CM	Diagnosis
T25.321S	Burn of third degree of right foot, sequela	ICD-10-CM	Diagnosis
T22.311S	Burn of third degree of right forearm, sequela	ICD-10-CM	Diagnosis
T24.321S	Burn of third degree of right knee, sequela	ICD-10-CM	Diagnosis
T24.331S	Burn of third degree of right lower leg, sequela	ICD-10-CM	Diagnosis
T23.351S	Burn of third degree of right palm, sequela	ICD-10-CM	Diagnosis
T22.351S	Burn of third degree of right shoulder, sequela	ICD-10-CM	Diagnosis
T24.311S	Burn of third degree of right thigh, sequela	ICD-10-CM	Diagnosis
T23.311S	Burn of third degree of right thumb (nail), sequela	ICD-10-CM	Diagnosis
T25.331S	Burn of third degree of right toe(s) (nail), sequela	ICD-10-CM	Diagnosis
T22.331S	Burn of third degree of right upper arm, sequela	ICD-10-CM	Diagnosis
T23.371S	Burn of third degree of right wrist, sequela	ICD-10-CM	Diagnosis
T20.35XS	Burn of third degree of scalp [any part], sequela	ICD-10-CM	Diagnosis
T25.329S	Burn of third degree of unspecified foot, sequela	ICD-10-CM	Diagnosis
T24.329S	Burn of third degree of unspecified knee, sequela	ICD-10-CM	Diagnosis
T23.359S	Burn of third degree of unspecified palm, sequela	ICD-10-CM	Diagnosis
T21.33XS	Burn of third degree of upper back, sequela	ICD-10-CM	Diagnosis
T21.05XS	Burn of unspecified degree of buttock, sequela	ICD-10-CM	Diagnosis
T20.03XS	Burn of unspecified degree of chin, sequela	ICD-10-CM	Diagnosis
T25.012S	Burn of unspecified degree of left ankle, sequela	ICD-10-CM	Diagnosis
T22.022S	Burn of unspecified degree of left elbow, sequela	ICD-10-CM	Diagnosis
T25.022S	Burn of unspecified degree of left foot, sequela	ICD-10-CM	Diagnosis
T24.022S	Burn of unspecified degree of left knee, sequela	ICD-10-CM	Diagnosis
T23.052S	Burn of unspecified degree of left palm, sequela	ICD-10-CM	Diagnosis
T24.012S	Burn of unspecified degree of left thigh, sequela	ICD-10-CM	Diagnosis
T23.072S	Burn of unspecified degree of left wrist, sequela	ICD-10-CM	Diagnosis
T20.02XS	Burn of unspecified degree of lip(s), sequela	ICD-10-CM	Diagnosis
T21.04XS	Burn of unspecified degree of lower back, sequela	ICD-10-CM	Diagnosis
T20.07XS	Burn of unspecified degree of neck, sequela	ICD-10-CM	Diagnosis
T25.021S	Burn of unspecified degree of right foot, sequela	ICD-10-CM	Diagnosis
T24.021S	Burn of unspecified degree of right knee, sequela	ICD-10-CM	Diagnosis
T23.051S	Burn of unspecified degree of right palm, sequela	ICD-10-CM	Diagnosis
T21.03XS	Burn of unspecified degree of upper back, sequela	ICD-10-CM	Diagnosis
T28.419A	Burn of unspecified ear drum, initial encounter	ICD-10-CM	Diagnosis
T28.419S	Burn of unspecified ear drum, sequela	ICD-10-CM	Diagnosis
T28.40XS	Burn of unspecified internal organ, sequela	ICD-10-CM	Diagnosis
T27.2XXA	Burn of other parts of respiratory tract, initial encounter	ICD-10-CM	Diagnosis
T27.2XXD	Burn of other parts of respiratory tract, subsequent encounter	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
T28.49XD	Burn of other internal organ, subsequent encounter	ICD-10-CM	Diagnosis
T28.2XXA	Burn of other parts of alimentary tract, initial encounter	ICD-10-CM	Diagnosis
T28.2XXD	Burn of other parts of alimentary tract, subsequent encounter	ICD-10-CM	Diagnosis
T27.3XXA	Burn of respiratory tract, part unspecified, initial encounter	ICD-10-CM	Diagnosis
T27.3XXD	Burn of respiratory tract, part unspecified, subsequent encounter	ICD-10-CM	Diagnosis
T27.3XXS	Burn of respiratory tract, part unspecified, sequela	ICD-10-CM	Diagnosis
T26.22XA	Burn with resulting rupture and destruction of left eyeball, initial encounter	ICD-10-CM	Diagnosis
T26.22XD	Burn with resulting rupture and destruction of left eyeball, subsequent encounter	ICD-10-CM	Diagnosis
T26.21XA	Burn with resulting rupture and destruction of right eyeball, initial encounter	ICD-10-CM	Diagnosis
T26.21XD	Burn with resulting rupture and destruction of right eyeball, subsequent encounter	ICD-10-CM	Diagnosis
T26.20XA	Burn with resulting rupture and destruction of unspecified eyeball, initial encounter	ICD-10-CM	Diagnosis
T26.20XS	Burn with resulting rupture and destruction of unspecified eyeball, sequela	ICD-10-CM	Diagnosis
T26.20XD	Burn with resulting rupture and destruction of unspecified eyeball, subsequent encounter	ICD-10-CM	Diagnosis
T26.21XS	Burn with resulting rupture and destruction of right eyeball, sequela	ICD-10-CM	Diagnosis
T26.22XS	Burn with resulting rupture and destruction of left eyeball, sequela	ICD-10-CM	Diagnosis
T26.41XS	Burn of right eye and adnexa, part unspecified, sequela	ICD-10-CM	Diagnosis
T26.41XA	Burn of right eye and adnexa, part unspecified, initial encounter	ICD-10-CM	Diagnosis
T26.41XD	Burn of right eye and adnexa, part unspecified, subsequent encounter	ICD-10-CM	Diagnosis
T26.01XA	Burn of right eyelid and periocular area, initial encounter	ICD-10-CM	Diagnosis
T26.01XD	Burn of right eyelid and periocular area, subsequent encounter	ICD-10-CM	Diagnosis
T23.269S	Burn of second degree of back of unspecified hand, sequela	ICD-10-CM	Diagnosis
T21.25XD	Burn of second degree of buttock, subsequent encounter	ICD-10-CM	Diagnosis
T21.21XA	Burn of second degree of chest wall, initial encounter	ICD-10-CM	Diagnosis
T21.21XD	Burn of second degree of chest wall, subsequent encounter	ICD-10-CM	Diagnosis
T21.27XS	Burn of second degree of female genital region, sequela	ICD-10-CM	Diagnosis
T20.26XA	Burn of second degree of forehead and cheek, initial encounter	ICD-10-CM	Diagnosis
T20.26XD	Burn of second degree of forehead and cheek, subsequent encounter	ICD-10-CM	Diagnosis
T25.212A	Burn of second degree of left ankle, initial encounter	ICD-10-CM	Diagnosis
T22.242A	Burn of second degree of left axilla, initial encounter	ICD-10-CM	Diagnosis
T22.242D	Burn of second degree of left axilla, subsequent encounter	ICD-10-CM	Diagnosis
T22.222A	Burn of second degree of left elbow, initial encounter	ICD-10-CM	Diagnosis
T22.222D	Burn of second degree of left elbow, subsequent encounter	ICD-10-CM	Diagnosis
T25.222A	Burn of second degree of left foot, initial encounter	ICD-10-CM	Diagnosis
T23.252A	Burn of second degree of left palm, initial encounter	ICD-10-CM	Diagnosis
T23.252D	Burn of second degree of left palm, subsequent encounter	ICD-10-CM	Diagnosis
T22.262S	Burn of second degree of left scapular region, sequela	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
T24.212A	Burn of second degree of left thigh, initial encounter	ICD-10-CM	Diagnosis
T24.212D	Burn of second degree of left thigh, subsequent encounter	ICD-10-CM	Diagnosis
T23.272A	Burn of second degree of left wrist, initial encounter	ICD-10-CM	Diagnosis
T23.272D	Burn of second degree of left wrist, subsequent encounter	ICD-10-CM	Diagnosis
T21.24XA	Burn of second degree of lower back, initial encounter	ICD-10-CM	Diagnosis
T21.24XD	Burn of second degree of lower back, subsequent encounter	ICD-10-CM	Diagnosis
T25.212D	Burn of second degree of left ankle, subsequent encounter	ICD-10-CM	Diagnosis
T25.222D	Burn of second degree of left foot, subsequent encounter	ICD-10-CM	Diagnosis
T22.212A	Burn of second degree of left forearm, initial encounter	ICD-10-CM	Diagnosis
T22.212D	Burn of second degree of left forearm, subsequent encounter	ICD-10-CM	Diagnosis
T24.222A	Burn of second degree of left knee, initial encounter	ICD-10-CM	Diagnosis
T24.222D	Burn of second degree of left knee, subsequent encounter	ICD-10-CM	Diagnosis
T22.252A	Burn of second degree of left shoulder, initial encounter	ICD-10-CM	Diagnosis
T22.252D	Burn of second degree of left shoulder, subsequent encounter	ICD-10-CM	Diagnosis
T21.26XS	Burn of second degree of male genital region, sequela	ICD-10-CM	Diagnosis
T20.24XA	Burn of second degree of nose (septum), initial encounter	ICD-10-CM	Diagnosis
T20.24XD	Burn of second degree of nose (septum), subsequent encounter	ICD-10-CM	Diagnosis
T23.262S	Burn of second degree of back of left hand, sequela	ICD-10-CM	Diagnosis
T23.261S	Burn of second degree of back of right hand, sequela	ICD-10-CM	Diagnosis
T21.25XA	Burn of second degree of buttock, initial encounter	ICD-10-CM	Diagnosis
T20.26XS	Burn of second degree of forehead and cheek, sequela	ICD-10-CM	Diagnosis
T23.211S	Burn of second degree of right thumb (nail), sequela	ICD-10-CM	Diagnosis
T25.219S	Burn of second degree of unspecified ankle, sequela	ICD-10-CM	Diagnosis
T22.249S	Burn of second degree of unspecified axilla, sequela	ICD-10-CM	Diagnosis
T22.229S	Burn of second degree of unspecified elbow, sequela	ICD-10-CM	Diagnosis
T25.229S	Burn of second degree of unspecified foot, sequela	ICD-10-CM	Diagnosis
T24.229S	Burn of second degree of unspecified knee, sequela	ICD-10-CM	Diagnosis
T23.259S	Burn of second degree of unspecified palm, sequela	ICD-10-CM	Diagnosis
T24.219S	Burn of second degree of unspecified thigh, sequela	ICD-10-CM	Diagnosis
T23.279S	Burn of second degree of unspecified wrist, sequela	ICD-10-CM	Diagnosis
T21.29XS	Burn of second degree of other site of trunk, sequela	ICD-10-CM	Diagnosis
T25.211A	Burn of second degree of right ankle, initial encounter	ICD-10-CM	Diagnosis
T22.221A	Burn of second degree of right elbow, initial encounter	ICD-10-CM	Diagnosis
T25.221A	Burn of second degree of right foot, initial encounter	ICD-10-CM	Diagnosis
T23.251A	Burn of second degree of right palm, initial encounter	ICD-10-CM	Diagnosis
T23.251D	Burn of second degree of right palm, subsequent encounter	ICD-10-CM	Diagnosis
T22.261S	Burn of second degree of right scapular region, sequela	ICD-10-CM	Diagnosis
T24.211A	Burn of second degree of right thigh, initial encounter	ICD-10-CM	Diagnosis
T23.271A	Burn of second degree of right wrist, initial encounter	ICD-10-CM	Diagnosis
T23.271D	Burn of second degree of right wrist, subsequent encounter	ICD-10-CM	Diagnosis
T25.211D	Burn of second degree of right ankle, subsequent encounter	ICD-10-CM	Diagnosis
T22.241A	Burn of second degree of right axilla, initial encounter	ICD-10-CM	Diagnosis
T22.241D	Burn of second degree of right axilla, subsequent encounter	ICD-10-CM	Diagnosis



**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
T22.221D	Burn of second degree of right elbow, subsequent encounter	ICD-10-CM	Diagnosis
T25.221D	Burn of second degree of right foot, subsequent encounter	ICD-10-CM	Diagnosis
T22.211A	Burn of second degree of right forearm, initial encounter	ICD-10-CM	Diagnosis
T22.211D	Burn of second degree of right forearm, subsequent encounter	ICD-10-CM	Diagnosis
T24.221A	Burn of second degree of right knee, initial encounter	ICD-10-CM	Diagnosis
T24.221D	Burn of second degree of right knee, subsequent encounter	ICD-10-CM	Diagnosis
T22.251A	Burn of second degree of right shoulder, initial encounter	ICD-10-CM	Diagnosis
T22.251D	Burn of second degree of right shoulder, subsequent encounter	ICD-10-CM	Diagnosis
T24.211D	Burn of second degree of right thigh, subsequent encounter	ICD-10-CM	Diagnosis
T20.25XA	Burn of second degree of scalp [any part], initial encounter	ICD-10-CM	Diagnosis
T20.25XD	Burn of second degree of scalp [any part], subsequent encounter	ICD-10-CM	Diagnosis
T22.249A	Burn of second degree of unspecified axilla, initial encounter	ICD-10-CM	Diagnosis
T22.249D	Burn of second degree of unspecified axilla, subsequent encounter	ICD-10-CM	Diagnosis
T22.229A	Burn of second degree of unspecified elbow, initial encounter	ICD-10-CM	Diagnosis
T22.229D	Burn of second degree of unspecified elbow, subsequent encounter	ICD-10-CM	Diagnosis
T22.219S	Burn of second degree of unspecified forearm, sequela	ICD-10-CM	Diagnosis
T24.239S	Burn of second degree of unspecified lower leg, sequela	ICD-10-CM	Diagnosis
T22.259S	Burn of second degree of unspecified shoulder, sequela	ICD-10-CM	Diagnosis
T25.239S	Burn of second degree of unspecified toe(s) (nail), sequela	ICD-10-CM	Diagnosis
T22.239S	Burn of second degree of unspecified upper arm, sequela	ICD-10-CM	Diagnosis
T21.23XA	Burn of second degree of upper back, initial encounter	ICD-10-CM	Diagnosis
T21.23XD	Burn of second degree of upper back, subsequent encounter	ICD-10-CM	Diagnosis
T21.37XA	Burn of third degree of female genital region, initial encounter	ICD-10-CM	Diagnosis
T21.37XD	Burn of third degree of female genital region, subsequent encounter	ICD-10-CM	Diagnosis
T20.36XA	Burn of third degree of forehead and cheek, initial encounter	ICD-10-CM	Diagnosis
T20.36XD	Burn of third degree of forehead and cheek, subsequent encounter	ICD-10-CM	Diagnosis
T20.312A	Burn of third degree of left ear [any part, except ear drum], initial encounter	ICD-10-CM	Diagnosis
T20.312D	Burn of third degree of left ear [any part, except ear drum], subsequent encounter	ICD-10-CM	Diagnosis
T23.302A	Burn of third degree of left hand, unspecified site, initial encounter	ICD-10-CM	Diagnosis
T23.302D	Burn of third degree of left hand, unspecified site, subsequent encounter	ICD-10-CM	Diagnosis
T22.362A	Burn of third degree of left scapular region, initial encounter	ICD-10-CM	Diagnosis
T22.362D	Burn of third degree of left scapular region, subsequent encounter	ICD-10-CM	Diagnosis
T21.36XA	Burn of third degree of male genital region, initial encounter	ICD-10-CM	Diagnosis
T21.36XD	Burn of third degree of male genital region, subsequent encounter	ICD-10-CM	Diagnosis
T20.39XS	Burn of third degree of multiple sites of head, face, and neck, sequela	ICD-10-CM	Diagnosis
T21.39XD	Burn of third degree of other site of trunk, subsequent encounter	ICD-10-CM	Diagnosis
T20.311A	Burn of third degree of right ear [any part, except ear drum], initial encounter	ICD-10-CM	Diagnosis
T20.311S	Burn of third degree of right ear [any part, except ear drum], sequela	ICD-10-CM	Diagnosis
T20.311D	Burn of third degree of right ear [any part, except ear drum], subsequent encounter	ICD-10-CM	Diagnosis



**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
T23.301A	Burn of third degree of right hand, unspecified site, initial encounter	ICD-10-CM	Diagnosis
T23.301D	Burn of third degree of right hand, unspecified site, subsequent encounter	ICD-10-CM	Diagnosis
T22.361A	Burn of third degree of right scapular region, initial encounter	ICD-10-CM	Diagnosis
T22.361D	Burn of third degree of right scapular region, subsequent encounter	ICD-10-CM	Diagnosis
T21.30XA	Burn of third degree of trunk, unspecified site, initial encounter	ICD-10-CM	Diagnosis
T21.30XD	Burn of third degree of trunk, unspecified site, subsequent encounter	ICD-10-CM	Diagnosis
T20.319A	Burn of third degree of unspecified ear [any part, except ear drum], initial encounter	ICD-10-CM	Diagnosis
T20.319S	Burn of third degree of unspecified ear [any part, except ear drum], sequela	ICD-10-CM	Diagnosis
T20.319D	Burn of third degree of unspecified ear [any part, except ear drum], subsequent encounter	ICD-10-CM	Diagnosis
T23.309A	Burn of third degree of unspecified hand, unspecified site, initial encounter	ICD-10-CM	Diagnosis
T23.309D	Burn of third degree of unspecified hand, unspecified site, subsequent encounter	ICD-10-CM	Diagnosis
T22.369D	Burn of third degree of unspecified scapular region, subsequent encounter	ICD-10-CM	Diagnosis
T22.369A	Burn of third degree of unspecified scapular region, initial encounter	ICD-10-CM	Diagnosis
T21.32XA	Burn of third degree of abdominal wall, initial encounter	ICD-10-CM	Diagnosis
T21.32XD	Burn of third degree of abdominal wall, subsequent encounter	ICD-10-CM	Diagnosis
T23.362A	Burn of third degree of back of left hand, initial encounter	ICD-10-CM	Diagnosis
T23.362D	Burn of third degree of back of left hand, subsequent encounter	ICD-10-CM	Diagnosis
T23.361A	Burn of third degree of back of right hand, initial encounter	ICD-10-CM	Diagnosis
T23.361D	Burn of third degree of back of right hand, subsequent encounter	ICD-10-CM	Diagnosis
T23.369A	Burn of third degree of back of unspecified hand, initial encounter	ICD-10-CM	Diagnosis
T23.369D	Burn of third degree of back of unspecified hand, subsequent encounter	ICD-10-CM	Diagnosis
T23.369S	Burn of third degree of back of unspecified hand, sequela	ICD-10-CM	Diagnosis
T21.35XD	Burn of third degree of buttock, subsequent encounter	ICD-10-CM	Diagnosis
T21.31XA	Burn of third degree of chest wall, initial encounter	ICD-10-CM	Diagnosis
T21.31XD	Burn of third degree of chest wall, subsequent encounter	ICD-10-CM	Diagnosis
T21.37XS	Burn of third degree of female genital region, sequela	ICD-10-CM	Diagnosis
T25.312A	Burn of third degree of left ankle, initial encounter	ICD-10-CM	Diagnosis
T22.342A	Burn of third degree of left axilla, initial encounter	ICD-10-CM	Diagnosis
T22.342D	Burn of third degree of left axilla, subsequent encounter	ICD-10-CM	Diagnosis
T25.322D	Burn of third degree of left foot, subsequent encounter	ICD-10-CM	Diagnosis
T22.312A	Burn of third degree of left forearm, initial encounter	ICD-10-CM	Diagnosis
T24.322D	Burn of third degree of left knee, subsequent encounter	ICD-10-CM	Diagnosis
T23.352D	Burn of third degree of left palm, subsequent encounter	ICD-10-CM	Diagnosis
T22.362S	Burn of third degree of left scapular region, sequela	ICD-10-CM	Diagnosis
T24.312A	Burn of third degree of left thigh, initial encounter	ICD-10-CM	Diagnosis
T23.372A	Burn of third degree of left wrist, initial encounter	ICD-10-CM	Diagnosis
T23.372D	Burn of third degree of left wrist, subsequent encounter	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
T21.34XA	Burn of third degree of lower back, initial encounter	ICD-10-CM	Diagnosis
T21.34XD	Burn of third degree of lower back, subsequent encounter	ICD-10-CM	Diagnosis
T25.312D	Burn of third degree of left ankle, subsequent encounter	ICD-10-CM	Diagnosis
T20.312S	Burn of third degree of left ear [any part, except ear drum], sequela	ICD-10-CM	Diagnosis
T22.312D	Burn of third degree of left forearm, subsequent encounter	ICD-10-CM	Diagnosis
T23.302S	Burn of third degree of left hand, unspecified site, sequela	ICD-10-CM	Diagnosis
T24.332A	Burn of third degree of left lower leg, initial encounter	ICD-10-CM	Diagnosis
T24.332D	Burn of third degree of left lower leg, subsequent encounter	ICD-10-CM	Diagnosis
T22.352A	Burn of third degree of left shoulder, initial encounter	ICD-10-CM	Diagnosis
T22.352D	Burn of third degree of left shoulder, subsequent encounter	ICD-10-CM	Diagnosis
T24.312D	Burn of third degree of left thigh, subsequent encounter	ICD-10-CM	Diagnosis
T23.312A	Burn of third degree of left thumb (nail), initial encounter	ICD-10-CM	Diagnosis
T23.312D	Burn of third degree of left thumb (nail), subsequent encounter	ICD-10-CM	Diagnosis
T25.332A	Burn of third degree of left toe(s) (nail), initial encounter	ICD-10-CM	Diagnosis
T25.332D	Burn of third degree of left toe(s) (nail), subsequent encounter	ICD-10-CM	Diagnosis
T22.332A	Burn of third degree of left upper arm, initial encounter	ICD-10-CM	Diagnosis
T22.332D	Burn of third degree of left upper arm, subsequent encounter	ICD-10-CM	Diagnosis
T20.34XA	Burn of third degree of nose (septum), initial encounter	ICD-10-CM	Diagnosis
T20.34XD	Burn of third degree of nose (septum), subsequent encounter	ICD-10-CM	Diagnosis
T23.362S	Burn of third degree of back of left hand, sequela	ICD-10-CM	Diagnosis
T23.361S	Burn of third degree of back of right hand, sequela	ICD-10-CM	Diagnosis
T21.35XA	Burn of third degree of buttock, initial encounter	ICD-10-CM	Diagnosis
T25.322A	Burn of third degree of left foot, initial encounter	ICD-10-CM	Diagnosis
T24.322A	Burn of third degree of left knee, initial encounter	ICD-10-CM	Diagnosis
T23.352A	Burn of third degree of left palm, initial encounter	ICD-10-CM	Diagnosis
T21.36XS	Burn of third degree of male genital region, sequela	ICD-10-CM	Diagnosis
T21.39XS	Burn of third degree of other site of trunk, sequela	ICD-10-CM	Diagnosis
T25.319S	Burn of third degree of unspecified ankle, sequela	ICD-10-CM	Diagnosis
T22.349S	Burn of third degree of unspecified axilla, sequela	ICD-10-CM	Diagnosis
T22.329S	Burn of third degree of unspecified elbow, sequela	ICD-10-CM	Diagnosis
T22.319S	Burn of third degree of unspecified forearm, sequela	ICD-10-CM	Diagnosis
T24.319S	Burn of third degree of unspecified thigh, sequela	ICD-10-CM	Diagnosis
T23.379S	Burn of third degree of unspecified wrist, sequela	ICD-10-CM	Diagnosis
T21.39XA	Burn of third degree of other site of trunk, initial encounter	ICD-10-CM	Diagnosis
T25.311A	Burn of third degree of right ankle, initial encounter	ICD-10-CM	Diagnosis
T22.341A	Burn of third degree of right axilla, initial encounter	ICD-10-CM	Diagnosis
T22.341D	Burn of third degree of right axilla, subsequent encounter	ICD-10-CM	Diagnosis
T25.321A	Burn of third degree of right foot, initial encounter	ICD-10-CM	Diagnosis
T24.321A	Burn of third degree of right knee, initial encounter	ICD-10-CM	Diagnosis
T23.351A	Burn of third degree of right palm, initial encounter	ICD-10-CM	Diagnosis
T23.351D	Burn of third degree of right palm, subsequent encounter	ICD-10-CM	Diagnosis
T22.361S	Burn of third degree of right scapular region, sequela	ICD-10-CM	Diagnosis
T23.371A	Burn of third degree of right wrist, initial encounter	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
T23.371D	Burn of third degree of right wrist, subsequent encounter	ICD-10-CM	Diagnosis
T25.311D	Burn of third degree of right ankle, subsequent encounter	ICD-10-CM	Diagnosis
T25.321D	Burn of third degree of right foot, subsequent encounter	ICD-10-CM	Diagnosis
T22.311A	Burn of third degree of right forearm, initial encounter	ICD-10-CM	Diagnosis
T22.311D	Burn of third degree of right forearm, subsequent encounter	ICD-10-CM	Diagnosis
T23.301S	Burn of third degree of right hand, unspecified site, sequela	ICD-10-CM	Diagnosis
T24.321D	Burn of third degree of right knee, subsequent encounter	ICD-10-CM	Diagnosis
T24.331A	Burn of third degree of right lower leg, initial encounter	ICD-10-CM	Diagnosis
T24.331D	Burn of third degree of right lower leg, subsequent encounter	ICD-10-CM	Diagnosis
T22.351A	Burn of third degree of right shoulder, initial encounter	ICD-10-CM	Diagnosis
T22.351D	Burn of third degree of right shoulder, subsequent encounter	ICD-10-CM	Diagnosis
T24.311A	Burn of third degree of right thigh, initial encounter	ICD-10-CM	Diagnosis
T24.311D	Burn of third degree of right thigh, subsequent encounter	ICD-10-CM	Diagnosis
T23.311A	Burn of third degree of right thumb (nail), initial encounter	ICD-10-CM	Diagnosis
T23.311D	Burn of third degree of right thumb (nail), subsequent encounter	ICD-10-CM	Diagnosis
T25.331A	Burn of third degree of right toe(s) (nail), initial encounter	ICD-10-CM	Diagnosis
T25.331D	Burn of third degree of right toe(s) (nail), subsequent encounter	ICD-10-CM	Diagnosis
T22.331A	Burn of third degree of right upper arm, initial encounter	ICD-10-CM	Diagnosis
T22.331D	Burn of third degree of right upper arm, subsequent encounter	ICD-10-CM	Diagnosis
T20.35XA	Burn of third degree of scalp [any part], initial encounter	ICD-10-CM	Diagnosis
T20.35XD	Burn of third degree of scalp [any part], subsequent encounter	ICD-10-CM	Diagnosis
T21.30XS	Burn of third degree of trunk, unspecified site, sequela	ICD-10-CM	Diagnosis
T25.319A	Burn of third degree of unspecified ankle, initial encounter	ICD-10-CM	Diagnosis
T25.319D	Burn of third degree of unspecified ankle, subsequent encounter	ICD-10-CM	Diagnosis
T22.349A	Burn of third degree of unspecified axilla, initial encounter	ICD-10-CM	Diagnosis
T22.349D	Burn of third degree of unspecified axilla, subsequent encounter	ICD-10-CM	Diagnosis
T22.329A	Burn of third degree of unspecified elbow, initial encounter	ICD-10-CM	Diagnosis
T22.329D	Burn of third degree of unspecified elbow, subsequent encounter	ICD-10-CM	Diagnosis
T25.329A	Burn of third degree of unspecified foot, initial encounter	ICD-10-CM	Diagnosis
T25.329D	Burn of third degree of unspecified foot, subsequent encounter	ICD-10-CM	Diagnosis
T22.319A	Burn of third degree of unspecified forearm, initial encounter	ICD-10-CM	Diagnosis
T22.319D	Burn of third degree of unspecified forearm, subsequent encounter	ICD-10-CM	Diagnosis
T23.309S	Burn of third degree of unspecified hand, unspecified site, sequela	ICD-10-CM	Diagnosis
T24.329A	Burn of third degree of unspecified knee, initial encounter	ICD-10-CM	Diagnosis
T24.329D	Burn of third degree of unspecified knee, subsequent encounter	ICD-10-CM	Diagnosis
T24.339A	Burn of third degree of unspecified lower leg, initial encounter	ICD-10-CM	Diagnosis
T24.339D	Burn of third degree of unspecified lower leg, subsequent encounter	ICD-10-CM	Diagnosis
T23.359A	Burn of third degree of unspecified palm, initial encounter	ICD-10-CM	Diagnosis
T23.359D	Burn of third degree of unspecified palm, subsequent encounter	ICD-10-CM	Diagnosis
T22.369S	Burn of third degree of unspecified scapular region, sequela	ICD-10-CM	Diagnosis
T22.359A	Burn of third degree of unspecified shoulder, initial encounter	ICD-10-CM	Diagnosis
T22.359D	Burn of third degree of unspecified shoulder, subsequent encounter	ICD-10-CM	Diagnosis
T24.319A	Burn of third degree of unspecified thigh, initial encounter	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
T24.319D	Burn of third degree of unspecified thigh, subsequent encounter	ICD-10-CM	Diagnosis
T23.319A	Burn of third degree of unspecified thumb (nail), initial encounter	ICD-10-CM	Diagnosis
T23.319D	Burn of third degree of unspecified thumb (nail), subsequent encounter	ICD-10-CM	Diagnosis
T25.339A	Burn of third degree of unspecified toe(s) (nail), initial encounter	ICD-10-CM	Diagnosis
T25.339D	Burn of third degree of unspecified toe(s) (nail), subsequent encounter	ICD-10-CM	Diagnosis
T22.339A	Burn of third degree of unspecified upper arm, initial encounter	ICD-10-CM	Diagnosis
T22.339D	Burn of third degree of unspecified upper arm, subsequent encounter	ICD-10-CM	Diagnosis
T23.379A	Burn of third degree of unspecified wrist, initial encounter	ICD-10-CM	Diagnosis
T23.379D	Burn of third degree of unspecified wrist, subsequent encounter	ICD-10-CM	Diagnosis
T24.339S	Burn of third degree of unspecified lower leg, sequela	ICD-10-CM	Diagnosis
T22.359S	Burn of third degree of unspecified shoulder, sequela	ICD-10-CM	Diagnosis
T23.319S	Burn of third degree of unspecified thumb (nail), sequela	ICD-10-CM	Diagnosis
T25.339S	Burn of third degree of unspecified toe(s) (nail), sequela	ICD-10-CM	Diagnosis
T22.339S	Burn of third degree of unspecified upper arm, sequela	ICD-10-CM	Diagnosis
T21.33XA	Burn of third degree of upper back, initial encounter	ICD-10-CM	Diagnosis
T21.33XD	Burn of third degree of upper back, subsequent encounter	ICD-10-CM	Diagnosis
T21.07XA	Burn of unspecified degree of female genital region, initial encounter	ICD-10-CM	Diagnosis
T21.07XD	Burn of unspecified degree of female genital region, subsequent encounter	ICD-10-CM	Diagnosis
T20.00XA	Burn of unspecified degree of head, face, and neck, unspecified site, initial encounter	ICD-10-CM	Diagnosis
T20.00XS	Burn of unspecified degree of head, face, and neck, unspecified site, sequela	ICD-10-CM	Diagnosis
T20.00XD	Burn of unspecified degree of head, face, and neck, unspecified site, subsequent encounter	ICD-10-CM	Diagnosis
T22.062A	Burn of unspecified degree of left scapular region, initial encounter	ICD-10-CM	Diagnosis
T22.062D	Burn of unspecified degree of left scapular region, subsequent encounter	ICD-10-CM	Diagnosis
T23.042A	Burn of unspecified degree of multiple left fingers (nail), including thumb, initial encounter	ICD-10-CM	Diagnosis
T23.042S	Burn of unspecified degree of multiple left fingers (nail), including thumb, sequela	ICD-10-CM	Diagnosis
T23.042D	Burn of unspecified degree of multiple left fingers (nail), including thumb, subsequent encounter	ICD-10-CM	Diagnosis
T23.032A	Burn of unspecified degree of multiple left fingers (nail), not including thumb, initial encounter	ICD-10-CM	Diagnosis
T23.032S	Burn of unspecified degree of multiple left fingers (nail), not including thumb, sequela	ICD-10-CM	Diagnosis
T23.032D	Burn of unspecified degree of multiple left fingers (nail), not including thumb, subsequent encounter	ICD-10-CM	Diagnosis
T23.041A	Burn of unspecified degree of multiple right fingers (nail), including thumb, initial encounter	ICD-10-CM	Diagnosis
T23.041S	Burn of unspecified degree of multiple right fingers (nail), including thumb, sequela	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
T23.041D	Burn of unspecified degree of multiple right fingers (nail), including thumb, subsequent encounter	ICD-10-CM	Diagnosis
T23.031A	Burn of unspecified degree of multiple right fingers (nail), not including thumb, initial encounter	ICD-10-CM	Diagnosis
T23.031S	Burn of unspecified degree of multiple right fingers (nail), not including thumb, sequela	ICD-10-CM	Diagnosis
T23.031D	Burn of unspecified degree of multiple right fingers (nail), not including thumb, subsequent encounter	ICD-10-CM	Diagnosis
T22.092S	Burn of unspecified degree of multiple sites of left shoulder and upper limb, except wrist and hand, sequela	ICD-10-CM	Diagnosis
T22.092D	Burn of unspecified degree of multiple sites of left shoulder and upper limb, except wrist and hand, subsequent encounter	ICD-10-CM	Diagnosis
T22.092A	Burn of unspecified degree of multiple sites of left shoulder and upper limb, except wrist and hand, initial encounter	ICD-10-CM	Diagnosis
T22.091S	Burn of unspecified degree of multiple sites of right shoulder and upper limb, except wrist and hand, sequela	ICD-10-CM	Diagnosis
T22.091D	Burn of unspecified degree of multiple sites of right shoulder and upper limb, except wrist and hand, subsequent encounter	ICD-10-CM	Diagnosis
T22.091A	Burn of unspecified degree of multiple sites of right shoulder and upper limb, except wrist and hand, initial encounter	ICD-10-CM	Diagnosis
T24.099A	Burn of unspecified degree of multiple sites of unspecified lower limb, except ankle and foot, initial encounter	ICD-10-CM	Diagnosis
T22.099S	Burn of unspecified degree of multiple sites of unspecified shoulder and upper limb, except wrist and hand, sequela	ICD-10-CM	Diagnosis
T22.099A	Burn of unspecified degree of multiple sites of unspecified shoulder and upper limb, except wrist and hand, initial encounter	ICD-10-CM	Diagnosis
T22.099D	Burn of unspecified degree of multiple sites of unspecified shoulder and upper limb, except wrist and hand, subsequent encounter	ICD-10-CM	Diagnosis
T20.09XA	Burn of unspecified degree of multiple sites of head, face, and neck, initial encounter	ICD-10-CM	Diagnosis
T20.09XS	Burn of unspecified degree of multiple sites of head, face, and neck, sequela	ICD-10-CM	Diagnosis
T20.09XD	Burn of unspecified degree of multiple sites of head, face, and neck, subsequent encounter	ICD-10-CM	Diagnosis
T25.092A	Burn of unspecified degree of multiple sites of left ankle and foot, initial encounter	ICD-10-CM	Diagnosis
T25.092S	Burn of unspecified degree of multiple sites of left ankle and foot, sequela	ICD-10-CM	Diagnosis
T25.092D	Burn of unspecified degree of multiple sites of left ankle and foot, subsequent encounter	ICD-10-CM	Diagnosis
T24.092A	Burn of unspecified degree of multiple sites of left lower limb, except ankle and foot, initial encounter	ICD-10-CM	Diagnosis
T24.092S	Burn of unspecified degree of multiple sites of left lower limb, except ankle and foot, sequela	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
T24.092D	Burn of unspecified degree of multiple sites of left lower limb, except ankle and foot, subsequent encounter	ICD-10-CM	Diagnosis
T23.092A	Burn of unspecified degree of multiple sites of left wrist and hand, initial encounter	ICD-10-CM	Diagnosis
T23.092S	Burn of unspecified degree of multiple sites of left wrist and hand, sequela	ICD-10-CM	Diagnosis
T23.092D	Burn of unspecified degree of multiple sites of left wrist and hand, subsequent encounter	ICD-10-CM	Diagnosis
T25.091A	Burn of unspecified degree of multiple sites of right ankle and foot, initial encounter	ICD-10-CM	Diagnosis
T25.091S	Burn of unspecified degree of multiple sites of right ankle and foot, sequela	ICD-10-CM	Diagnosis
T25.091D	Burn of unspecified degree of multiple sites of right ankle and foot, subsequent encounter	ICD-10-CM	Diagnosis
T24.091A	Burn of unspecified degree of multiple sites of right lower limb, except ankle and foot, initial encounter	ICD-10-CM	Diagnosis
T24.091S	Burn of unspecified degree of multiple sites of right lower limb, except ankle and foot, sequela	ICD-10-CM	Diagnosis
T24.091D	Burn of unspecified degree of multiple sites of right lower limb, except ankle and foot, subsequent encounter	ICD-10-CM	Diagnosis
T23.091A	Burn of unspecified degree of multiple sites of right wrist and hand, initial encounter	ICD-10-CM	Diagnosis
T23.091S	Burn of unspecified degree of multiple sites of right wrist and hand, sequela	ICD-10-CM	Diagnosis
T23.091D	Burn of unspecified degree of multiple sites of right wrist and hand, subsequent encounter	ICD-10-CM	Diagnosis
T25.099A	Burn of unspecified degree of multiple sites of unspecified ankle and foot, initial encounter	ICD-10-CM	Diagnosis
T25.099S	Burn of unspecified degree of multiple sites of unspecified ankle and foot, sequela	ICD-10-CM	Diagnosis
T25.099D	Burn of unspecified degree of multiple sites of unspecified ankle and foot, subsequent encounter	ICD-10-CM	Diagnosis
T24.099S	Burn of unspecified degree of multiple sites of unspecified lower limb, except ankle and foot, sequela	ICD-10-CM	Diagnosis
T24.099D	Burn of unspecified degree of multiple sites of unspecified lower limb, except ankle and foot, subsequent encounter	ICD-10-CM	Diagnosis
T23.099A	Burn of unspecified degree of multiple sites of unspecified wrist and hand, initial encounter	ICD-10-CM	Diagnosis
T23.099S	Burn of unspecified degree of multiple sites of unspecified wrist and hand, sequela	ICD-10-CM	Diagnosis
T23.099D	Burn of unspecified degree of multiple sites of unspecified wrist and hand, subsequent encounter	ICD-10-CM	Diagnosis
T22.061A	Burn of unspecified degree of right scapular region, initial encounter	ICD-10-CM	Diagnosis



**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
T22.061D	Burn of unspecified degree of right scapular region, subsequent encounter	ICD-10-CM	Diagnosis
T22.00XA	Burn of unspecified degree of shoulder and upper limb, except wrist and hand, unspecified site, initial encounter	ICD-10-CM	Diagnosis
T22.00XS	Burn of unspecified degree of shoulder and upper limb, except wrist and hand, unspecified site, sequela	ICD-10-CM	Diagnosis
T22.00XD	Burn of unspecified degree of shoulder and upper limb, except wrist and hand, unspecified site, subsequent encounter	ICD-10-CM	Diagnosis
T23.022A	Burn of unspecified degree of single left finger (nail) except thumb, initial encounter	ICD-10-CM	Diagnosis
T23.022S	Burn of unspecified degree of single left finger (nail) except thumb, sequela	ICD-10-CM	Diagnosis
T23.022D	Burn of unspecified degree of single left finger (nail) except thumb, subsequent encounter	ICD-10-CM	Diagnosis
T23.021A	Burn of unspecified degree of single right finger (nail) except thumb, initial encounter	ICD-10-CM	Diagnosis
T23.021S	Burn of unspecified degree of single right finger (nail) except thumb, sequela	ICD-10-CM	Diagnosis
T23.021D	Burn of unspecified degree of single right finger (nail) except thumb, subsequent encounter	ICD-10-CM	Diagnosis
T23.049A	Burn of unspecified degree of unspecified multiple fingers (nail), including thumb, initial encounter	ICD-10-CM	Diagnosis
T23.039A	Burn of unspecified degree of unspecified multiple fingers (nail), not including thumb, initial encounter	ICD-10-CM	Diagnosis
T23.039S	Burn of unspecified degree of unspecified multiple fingers (nail), not including thumb, sequela	ICD-10-CM	Diagnosis
T23.039D	Burn of unspecified degree of unspecified multiple fingers (nail), not including thumb, subsequent encounter	ICD-10-CM	Diagnosis
T23.049S	Burn of unspecified degree of unspecified multiple fingers (nail), including thumb, sequela	ICD-10-CM	Diagnosis
T23.049D	Burn of unspecified degree of unspecified multiple fingers (nail), including thumb, subsequent encounter	ICD-10-CM	Diagnosis
T22.069A	Burn of unspecified degree of unspecified scapular region, initial encounter	ICD-10-CM	Diagnosis
T22.069D	Burn of unspecified degree of unspecified scapular region, subsequent encounter	ICD-10-CM	Diagnosis
T23.029S	Burn of unspecified degree of unspecified single finger (nail) except thumb, sequela	ICD-10-CM	Diagnosis
T23.029D	Burn of unspecified degree of unspecified single finger (nail) except thumb, subsequent encounter	ICD-10-CM	Diagnosis
T23.029A	Burn of unspecified degree of unspecified single finger (nail) except thumb, initial encounter	ICD-10-CM	Diagnosis
T24.002A	Burn of unspecified degree of unspecified site of left lower limb, except ankle and foot, initial encounter	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
T24.002D	Burn of unspecified degree of unspecified site of left lower limb, except ankle and foot, subsequent encounter	ICD-10-CM	Diagnosis
T24.002S	Burn of unspecified degree of unspecified site of left lower limb, except ankle and foot, sequela	ICD-10-CM	Diagnosis
T24.001A	Burn of unspecified degree of unspecified site of right lower limb, except ankle and foot, initial encounter	ICD-10-CM	Diagnosis
T24.001D	Burn of unspecified degree of unspecified site of right lower limb, except ankle and foot, subsequent encounter	ICD-10-CM	Diagnosis
T24.001S	Burn of unspecified degree of unspecified site of right lower limb, except ankle and foot, sequela	ICD-10-CM	Diagnosis
T24.009S	Burn of unspecified degree of unspecified site of unspecified lower limb, except ankle and foot, sequela	ICD-10-CM	Diagnosis
T24.009D	Burn of unspecified degree of unspecified site of unspecified lower limb, except ankle and foot, subsequent encounter	ICD-10-CM	Diagnosis
T21.02XA	Burn of unspecified degree of abdominal wall, initial encounter	ICD-10-CM	Diagnosis
T21.02XD	Burn of unspecified degree of abdominal wall, subsequent encounter	ICD-10-CM	Diagnosis
T23.062A	Burn of unspecified degree of back of left hand, initial encounter	ICD-10-CM	Diagnosis
T23.062D	Burn of unspecified degree of back of left hand, subsequent encounter	ICD-10-CM	Diagnosis
T23.061A	Burn of unspecified degree of back of right hand, initial encounter	ICD-10-CM	Diagnosis
T23.061D	Burn of unspecified degree of back of right hand, subsequent encounter	ICD-10-CM	Diagnosis
T23.069A	Burn of unspecified degree of back of unspecified hand, initial encounter	ICD-10-CM	Diagnosis
T23.069D	Burn of unspecified degree of back of unspecified hand, subsequent encounter	ICD-10-CM	Diagnosis
T23.069S	Burn of unspecified degree of back of unspecified hand, sequela	ICD-10-CM	Diagnosis
T21.05XA	Burn of unspecified degree of buttock, initial encounter	ICD-10-CM	Diagnosis
T21.05XD	Burn of unspecified degree of buttock, subsequent encounter	ICD-10-CM	Diagnosis
T21.01XA	Burn of unspecified degree of chest wall, initial encounter	ICD-10-CM	Diagnosis
T21.01XD	Burn of unspecified degree of chest wall, subsequent encounter	ICD-10-CM	Diagnosis
T21.07XS	Burn of unspecified degree of female genital region, sequela	ICD-10-CM	Diagnosis
T20.06XA	Burn of unspecified degree of forehead and cheek, initial encounter	ICD-10-CM	Diagnosis
T20.06XD	Burn of unspecified degree of forehead and cheek, subsequent encounter	ICD-10-CM	Diagnosis
T22.042A	Burn of unspecified degree of left axilla, initial encounter	ICD-10-CM	Diagnosis
T22.042D	Burn of unspecified degree of left axilla, subsequent encounter	ICD-10-CM	Diagnosis
T22.022A	Burn of unspecified degree of left elbow, initial encounter	ICD-10-CM	Diagnosis
T22.022D	Burn of unspecified degree of left elbow, subsequent encounter	ICD-10-CM	Diagnosis
T22.012A	Burn of unspecified degree of left forearm, initial encounter	ICD-10-CM	Diagnosis
T22.012D	Burn of unspecified degree of left forearm, subsequent encounter	ICD-10-CM	Diagnosis
T22.032A	Burn of unspecified degree of left upper arm, initial encounter	ICD-10-CM	Diagnosis
T22.032D	Burn of unspecified degree of left upper arm, subsequent encounter	ICD-10-CM	Diagnosis
T21.04XA	Burn of unspecified degree of lower back, initial encounter	ICD-10-CM	Diagnosis
T21.04XD	Burn of unspecified degree of lower back, subsequent encounter	ICD-10-CM	Diagnosis
T25.012A	Burn of unspecified degree of left ankle, initial encounter	ICD-10-CM	Diagnosis
T25.012D	Burn of unspecified degree of left ankle, subsequent encounter	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
T20.012A	Burn of unspecified degree of left ear [any part, except ear drum], initial encounter	ICD-10-CM	Diagnosis
T20.012S	Burn of unspecified degree of left ear [any part, except ear drum], sequela	ICD-10-CM	Diagnosis
T20.012D	Burn of unspecified degree of left ear [any part, except ear drum], subsequent encounter	ICD-10-CM	Diagnosis
T25.022A	Burn of unspecified degree of left foot, initial encounter	ICD-10-CM	Diagnosis
T25.022D	Burn of unspecified degree of left foot, subsequent encounter	ICD-10-CM	Diagnosis
T23.002A	Burn of unspecified degree of left hand, unspecified site, initial encounter	ICD-10-CM	Diagnosis
T23.002D	Burn of unspecified degree of left hand, unspecified site, subsequent encounter	ICD-10-CM	Diagnosis
T23.002S	Burn of unspecified degree of left hand, unspecified site, sequela	ICD-10-CM	Diagnosis
T24.022A	Burn of unspecified degree of left knee, initial encounter	ICD-10-CM	Diagnosis
T24.022D	Burn of unspecified degree of left knee, subsequent encounter	ICD-10-CM	Diagnosis
T24.032A	Burn of unspecified degree of left lower leg, initial encounter	ICD-10-CM	Diagnosis
T24.032D	Burn of unspecified degree of left lower leg, subsequent encounter	ICD-10-CM	Diagnosis
T23.052A	Burn of unspecified degree of left palm, initial encounter	ICD-10-CM	Diagnosis
T23.052D	Burn of unspecified degree of left palm, subsequent encounter	ICD-10-CM	Diagnosis
T22.062S	Burn of unspecified degree of left scapular region, sequela	ICD-10-CM	Diagnosis
T22.052A	Burn of unspecified degree of left shoulder, initial encounter	ICD-10-CM	Diagnosis
T22.052D	Burn of unspecified degree of left shoulder, subsequent encounter	ICD-10-CM	Diagnosis
T24.012A	Burn of unspecified degree of left thigh, initial encounter	ICD-10-CM	Diagnosis
T24.012D	Burn of unspecified degree of left thigh, subsequent encounter	ICD-10-CM	Diagnosis
T23.012A	Burn of unspecified degree of left thumb (nail), initial encounter	ICD-10-CM	Diagnosis
T23.012D	Burn of unspecified degree of left thumb (nail), subsequent encounter	ICD-10-CM	Diagnosis
T25.032A	Burn of unspecified degree of left toe(s) (nail), initial encounter	ICD-10-CM	Diagnosis
T25.032D	Burn of unspecified degree of left toe(s) (nail), subsequent encounter	ICD-10-CM	Diagnosis
T23.072A	Burn of unspecified degree of left wrist, initial encounter	ICD-10-CM	Diagnosis
T23.072D	Burn of unspecified degree of left wrist, subsequent encounter	ICD-10-CM	Diagnosis
T21.06XA	Burn of unspecified degree of male genital region, initial encounter	ICD-10-CM	Diagnosis
T21.06XS	Burn of unspecified degree of male genital region, sequela	ICD-10-CM	Diagnosis
T21.06XD	Burn of unspecified degree of male genital region, subsequent encounter	ICD-10-CM	Diagnosis
T21.09XA	Burn of unspecified degree of other site of trunk, initial encounter	ICD-10-CM	Diagnosis
T21.09XD	Burn of unspecified degree of other site of trunk, subsequent encounter	ICD-10-CM	Diagnosis
T22.021A	Burn of unspecified degree of right elbow, initial encounter	ICD-10-CM	Diagnosis
T22.021D	Burn of unspecified degree of right elbow, subsequent encounter	ICD-10-CM	Diagnosis
T22.011A	Burn of unspecified degree of right forearm, initial encounter	ICD-10-CM	Diagnosis
T22.011D	Burn of unspecified degree of right forearm, subsequent encounter	ICD-10-CM	Diagnosis
T25.011A	Burn of unspecified degree of right ankle, initial encounter	ICD-10-CM	Diagnosis
T25.011D	Burn of unspecified degree of right ankle, subsequent encounter	ICD-10-CM	Diagnosis
T22.041A	Burn of unspecified degree of right axilla, initial encounter	ICD-10-CM	Diagnosis
T22.041D	Burn of unspecified degree of right axilla, subsequent encounter	ICD-10-CM	Diagnosis
T20.011A	Burn of unspecified degree of right ear [any part, except ear drum], initial encounter	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
T20.011S	Burn of unspecified degree of right ear [any part, except ear drum], sequela	ICD-10-CM	Diagnosis
T20.011D	Burn of unspecified degree of right ear [any part, except ear drum], subsequent encounter	ICD-10-CM	Diagnosis
T25.021A	Burn of unspecified degree of right foot, initial encounter	ICD-10-CM	Diagnosis
T25.021D	Burn of unspecified degree of right foot, subsequent encounter	ICD-10-CM	Diagnosis
T23.001A	Burn of unspecified degree of right hand, unspecified site, initial encounter	ICD-10-CM	Diagnosis
T23.001D	Burn of unspecified degree of right hand, unspecified site, subsequent encounter	ICD-10-CM	Diagnosis
T23.001S	Burn of unspecified degree of right hand, unspecified site, sequela	ICD-10-CM	Diagnosis
T24.021A	Burn of unspecified degree of right knee, initial encounter	ICD-10-CM	Diagnosis
T24.021D	Burn of unspecified degree of right knee, subsequent encounter	ICD-10-CM	Diagnosis
T24.031A	Burn of unspecified degree of right lower leg, initial encounter	ICD-10-CM	Diagnosis
T24.031D	Burn of unspecified degree of right lower leg, subsequent encounter	ICD-10-CM	Diagnosis
T23.051A	Burn of unspecified degree of right palm, initial encounter	ICD-10-CM	Diagnosis
T23.051D	Burn of unspecified degree of right palm, subsequent encounter	ICD-10-CM	Diagnosis
T22.061S	Burn of unspecified degree of right scapular region, sequela	ICD-10-CM	Diagnosis
T22.051A	Burn of unspecified degree of right shoulder, initial encounter	ICD-10-CM	Diagnosis
T22.051D	Burn of unspecified degree of right shoulder, subsequent encounter	ICD-10-CM	Diagnosis
T24.011A	Burn of unspecified degree of right thigh, initial encounter	ICD-10-CM	Diagnosis
T24.011D	Burn of unspecified degree of right thigh, subsequent encounter	ICD-10-CM	Diagnosis
T23.011A	Burn of unspecified degree of right thumb (nail), initial encounter	ICD-10-CM	Diagnosis
T23.011D	Burn of unspecified degree of right thumb (nail), subsequent encounter	ICD-10-CM	Diagnosis
T25.031A	Burn of unspecified degree of right toe(s) (nail), initial encounter	ICD-10-CM	Diagnosis
T25.031D	Burn of unspecified degree of right toe(s) (nail), subsequent encounter	ICD-10-CM	Diagnosis
T22.031A	Burn of unspecified degree of right upper arm, initial encounter	ICD-10-CM	Diagnosis
T22.031D	Burn of unspecified degree of right upper arm, subsequent encounter	ICD-10-CM	Diagnosis
T23.071A	Burn of unspecified degree of right wrist, initial encounter	ICD-10-CM	Diagnosis
T23.071D	Burn of unspecified degree of right wrist, subsequent encounter	ICD-10-CM	Diagnosis
T20.05XA	Burn of unspecified degree of scalp [any part], initial encounter	ICD-10-CM	Diagnosis
T20.05XD	Burn of unspecified degree of scalp [any part], subsequent encounter	ICD-10-CM	Diagnosis
T21.00XA	Burn of unspecified degree of trunk, unspecified site, initial encounter	ICD-10-CM	Diagnosis
T21.00XD	Burn of unspecified degree of trunk, unspecified site, subsequent encounter	ICD-10-CM	Diagnosis
T21.00XS	Burn of unspecified degree of trunk, unspecified site, sequela	ICD-10-CM	Diagnosis
T25.019A	Burn of unspecified degree of unspecified ankle, initial encounter	ICD-10-CM	Diagnosis
T25.019D	Burn of unspecified degree of unspecified ankle, subsequent encounter	ICD-10-CM	Diagnosis
T22.049A	Burn of unspecified degree of unspecified axilla, initial encounter	ICD-10-CM	Diagnosis
T22.049D	Burn of unspecified degree of unspecified axilla, subsequent encounter	ICD-10-CM	Diagnosis
T20.019A	Burn of unspecified degree of unspecified ear [any part, except ear drum], initial encounter	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
T20.019S	Burn of unspecified degree of unspecified ear [any part, except ear drum], sequela	ICD-10-CM	Diagnosis
T20.019D	Burn of unspecified degree of unspecified ear [any part, except ear drum], subsequent encounter	ICD-10-CM	Diagnosis
T22.029A	Burn of unspecified degree of unspecified elbow, initial encounter	ICD-10-CM	Diagnosis
T22.029D	Burn of unspecified degree of unspecified elbow, subsequent encounter	ICD-10-CM	Diagnosis
T25.029A	Burn of unspecified degree of unspecified foot, initial encounter	ICD-10-CM	Diagnosis
T25.029D	Burn of unspecified degree of unspecified foot, subsequent encounter	ICD-10-CM	Diagnosis
T22.019A	Burn of unspecified degree of unspecified forearm, initial encounter	ICD-10-CM	Diagnosis
T22.019D	Burn of unspecified degree of unspecified forearm, subsequent encounter	ICD-10-CM	Diagnosis
T23.009A	Burn of unspecified degree of unspecified hand, unspecified site, initial encounter	ICD-10-CM	Diagnosis
T23.009S	Burn of unspecified degree of unspecified hand, unspecified site, sequela	ICD-10-CM	Diagnosis
T23.009D	Burn of unspecified degree of unspecified hand, unspecified site, subsequent encounter	ICD-10-CM	Diagnosis
T24.029A	Burn of unspecified degree of unspecified knee, initial encounter	ICD-10-CM	Diagnosis
T24.029D	Burn of unspecified degree of unspecified knee, subsequent encounter	ICD-10-CM	Diagnosis
T24.039A	Burn of unspecified degree of unspecified lower leg, initial encounter	ICD-10-CM	Diagnosis
T24.039D	Burn of unspecified degree of unspecified lower leg, subsequent encounter	ICD-10-CM	Diagnosis
T23.059A	Burn of unspecified degree of unspecified palm, initial encounter	ICD-10-CM	Diagnosis
T23.059D	Burn of unspecified degree of unspecified palm, subsequent encounter	ICD-10-CM	Diagnosis
T22.069S	Burn of unspecified degree of unspecified scapular region, sequela	ICD-10-CM	Diagnosis
T22.059A	Burn of unspecified degree of unspecified shoulder, initial encounter	ICD-10-CM	Diagnosis
T22.059D	Burn of unspecified degree of unspecified shoulder, subsequent encounter	ICD-10-CM	Diagnosis
T24.019A	Burn of unspecified degree of unspecified thigh, initial encounter	ICD-10-CM	Diagnosis
T24.019D	Burn of unspecified degree of unspecified thigh, subsequent encounter	ICD-10-CM	Diagnosis
T23.019A	Burn of unspecified degree of unspecified thumb (nail), initial encounter	ICD-10-CM	Diagnosis
T23.019D	Burn of unspecified degree of unspecified thumb (nail), subsequent encounter	ICD-10-CM	Diagnosis
T25.039A	Burn of unspecified degree of unspecified toe(s) (nail), initial encounter	ICD-10-CM	Diagnosis
T25.039D	Burn of unspecified degree of unspecified toe(s) (nail), subsequent encounter	ICD-10-CM	Diagnosis
T22.039A	Burn of unspecified degree of unspecified upper arm, initial encounter	ICD-10-CM	Diagnosis
T22.039D	Burn of unspecified degree of unspecified upper arm, subsequent encounter	ICD-10-CM	Diagnosis
T23.079A	Burn of unspecified degree of unspecified wrist, initial encounter	ICD-10-CM	Diagnosis
T23.079D	Burn of unspecified degree of unspecified wrist, subsequent encounter	ICD-10-CM	Diagnosis
T25.019S	Burn of unspecified degree of unspecified ankle, sequela	ICD-10-CM	Diagnosis
T22.049S	Burn of unspecified degree of unspecified axilla, sequela	ICD-10-CM	Diagnosis
T22.029S	Burn of unspecified degree of unspecified elbow, sequela	ICD-10-CM	Diagnosis
T22.019S	Burn of unspecified degree of unspecified forearm, sequela	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
T24.039S	Burn of unspecified degree of unspecified lower leg, sequela	ICD-10-CM	Diagnosis
T22.059S	Burn of unspecified degree of unspecified shoulder, sequela	ICD-10-CM	Diagnosis
T24.019S	Burn of unspecified degree of unspecified thigh, sequela	ICD-10-CM	Diagnosis
T23.019S	Burn of unspecified degree of unspecified thumb (nail), sequela	ICD-10-CM	Diagnosis
T25.039S	Burn of unspecified degree of unspecified toe(s) (nail), sequela	ICD-10-CM	Diagnosis
T22.039S	Burn of unspecified degree of unspecified upper arm, sequela	ICD-10-CM	Diagnosis
T23.079S	Burn of unspecified degree of unspecified wrist, sequela	ICD-10-CM	Diagnosis
T21.03XA	Burn of unspecified degree of upper back, initial encounter	ICD-10-CM	Diagnosis
T21.03XD	Burn of unspecified degree of upper back, subsequent encounter	ICD-10-CM	Diagnosis
T24.009A	Burn of unspecified degree of unspecified site of unspecified lower limb, except ankle and foot, initial encounter	ICD-10-CM	Diagnosis
T26.40XA	Burn of unspecified eye and adnexa, part unspecified, initial encounter	ICD-10-CM	Diagnosis
T26.40XD	Burn of unspecified eye and adnexa, part unspecified, subsequent encounter	ICD-10-CM	Diagnosis
T26.40XS	Burn of unspecified eye and adnexa, part unspecified, sequela	ICD-10-CM	Diagnosis
T26.00XA	Burn of unspecified eyelid and periocular area, initial encounter	ICD-10-CM	Diagnosis
T26.00XS	Burn of unspecified eyelid and periocular area, sequela	ICD-10-CM	Diagnosis
T26.00XD	Burn of unspecified eyelid and periocular area, subsequent encounter	ICD-10-CM	Diagnosis
T28.40XA	Burn of unspecified internal organ, initial encounter	ICD-10-CM	Diagnosis
T28.40XD	Burn of unspecified internal organ, subsequent encounter	ICD-10-CM	Diagnosis
T30.0	Burn of unspecified body region, unspecified degree	ICD-10-CM	Diagnosis
T21.02XS	Burn of unspecified degree of abdominal wall, sequela	ICD-10-CM	Diagnosis
T23.062S	Burn of unspecified degree of back of left hand, sequela	ICD-10-CM	Diagnosis
T23.061S	Burn of unspecified degree of back of right hand, sequela	ICD-10-CM	Diagnosis
T20.03XA	Burn of unspecified degree of chin, initial encounter	ICD-10-CM	Diagnosis
T20.03XD	Burn of unspecified degree of chin, subsequent encounter	ICD-10-CM	Diagnosis
T20.06XS	Burn of unspecified degree of forehead and cheek, sequela	ICD-10-CM	Diagnosis
T24.032S	Burn of unspecified degree of left lower leg, sequela	ICD-10-CM	Diagnosis
T23.012S	Burn of unspecified degree of left thumb (nail), sequela	ICD-10-CM	Diagnosis
T25.032S	Burn of unspecified degree of left toe(s) (nail), sequela	ICD-10-CM	Diagnosis
T22.032S	Burn of unspecified degree of left upper arm, sequela	ICD-10-CM	Diagnosis
T20.02XA	Burn of unspecified degree of lip(s), initial encounter	ICD-10-CM	Diagnosis
T20.02XD	Burn of unspecified degree of lip(s), subsequent encounter	ICD-10-CM	Diagnosis
T20.07XA	Burn of unspecified degree of neck, initial encounter	ICD-10-CM	Diagnosis
T20.07XD	Burn of unspecified degree of neck, subsequent encounter	ICD-10-CM	Diagnosis
T20.04XA	Burn of unspecified degree of nose (septum), initial encounter	ICD-10-CM	Diagnosis
T20.04XD	Burn of unspecified degree of nose (septum), subsequent encounter	ICD-10-CM	Diagnosis
T21.01XS	Burn of unspecified degree of chest wall, sequela	ICD-10-CM	Diagnosis
T22.042S	Burn of unspecified degree of left axilla, sequela	ICD-10-CM	Diagnosis
T22.012S	Burn of unspecified degree of left forearm, sequela	ICD-10-CM	Diagnosis
T22.052S	Burn of unspecified degree of left shoulder, sequela	ICD-10-CM	Diagnosis
T20.04XS	Burn of unspecified degree of nose (septum), sequela	ICD-10-CM	Diagnosis
T25.011S	Burn of unspecified degree of right ankle, sequela	ICD-10-CM	Diagnosis



**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
T22.041S	Burn of unspecified degree of right axilla, sequela	ICD-10-CM	Diagnosis
T22.021S	Burn of unspecified degree of right elbow, sequela	ICD-10-CM	Diagnosis
T22.011S	Burn of unspecified degree of right forearm, sequela	ICD-10-CM	Diagnosis
T24.011S	Burn of unspecified degree of right thigh, sequela	ICD-10-CM	Diagnosis
T23.071S	Burn of unspecified degree of right wrist, sequela	ICD-10-CM	Diagnosis
T21.09XS	Burn of unspecified degree of other site of trunk, sequela	ICD-10-CM	Diagnosis
T24.031S	Burn of unspecified degree of right lower leg, sequela	ICD-10-CM	Diagnosis
T22.051S	Burn of unspecified degree of right shoulder, sequela	ICD-10-CM	Diagnosis
T23.011S	Burn of unspecified degree of right thumb (nail), sequela	ICD-10-CM	Diagnosis
T25.031S	Burn of unspecified degree of right toe(s) (nail), sequela	ICD-10-CM	Diagnosis
T22.031S	Burn of unspecified degree of right upper arm, sequela	ICD-10-CM	Diagnosis
T20.05XS	Burn of unspecified degree of scalp [any part], sequela	ICD-10-CM	Diagnosis
T25.029S	Burn of unspecified degree of unspecified foot, sequela	ICD-10-CM	Diagnosis
T24.029S	Burn of unspecified degree of unspecified knee, sequela	ICD-10-CM	Diagnosis
T23.059S	Burn of unspecified degree of unspecified palm, sequela	ICD-10-CM	Diagnosis
T28.419D	Burn of unspecified ear drum, subsequent encounter	ICD-10-CM	Diagnosis
T31.10	Burns involving 10-19% of body surface with 0% to 9% third degree burns	ICD-10-CM	Diagnosis
T31.11	Burns involving 10-19% of body surface with 10-19% third degree burns	ICD-10-CM	Diagnosis
T31.20	Burns involving 20-29% of body surface with 0% to 9% third degree burns	ICD-10-CM	Diagnosis
T31.21	Burns involving 20-29% of body surface with 10-19% third degree burns	ICD-10-CM	Diagnosis
T31.22	Burns involving 20-29% of body surface with 20-29% third degree burns	ICD-10-CM	Diagnosis
T31.30	Burns involving 30-39% of body surface with 0% to 9% third degree burns	ICD-10-CM	Diagnosis
T31.31	Burns involving 30-39% of body surface with 10-19% third degree burns	ICD-10-CM	Diagnosis
T31.32	Burns involving 30-39% of body surface with 20-29% third degree burns	ICD-10-CM	Diagnosis
T31.33	Burns involving 30-39% of body surface with 30-39% third degree burns	ICD-10-CM	Diagnosis
T31.40	Burns involving 40-49% of body surface with 0% to 9% third degree burns	ICD-10-CM	Diagnosis
T31.41	Burns involving 40-49% of body surface with 10-19% third degree burns	ICD-10-CM	Diagnosis
T31.42	Burns involving 40-49% of body surface with 20-29% third degree burns	ICD-10-CM	Diagnosis
T31.43	Burns involving 40-49% of body surface with 30-39% third degree burns	ICD-10-CM	Diagnosis
T31.44	Burns involving 40-49% of body surface with 40-49% third degree burns	ICD-10-CM	Diagnosis
T31.50	Burns involving 50-59% of body surface with 0% to 9% third degree burns	ICD-10-CM	Diagnosis
T31.51	Burns involving 50-59% of body surface with 10-19% third degree burns	ICD-10-CM	Diagnosis
T31.52	Burns involving 50-59% of body surface with 20-29% third degree burns	ICD-10-CM	Diagnosis
T31.53	Burns involving 50-59% of body surface with 30-39% third degree burns	ICD-10-CM	Diagnosis
T31.54	Burns involving 50-59% of body surface with 40-49% third degree burns	ICD-10-CM	Diagnosis
T31.55	Burns involving 50-59% of body surface with 50-59% third degree burns	ICD-10-CM	Diagnosis
T31.60	Burns involving 60-69% of body surface with 0% to 9% third degree burns	ICD-10-CM	Diagnosis
T31.61	Burns involving 60-69% of body surface with 10-19% third degree burns	ICD-10-CM	Diagnosis
T31.62	Burns involving 60-69% of body surface with 20-29% third degree burns	ICD-10-CM	Diagnosis
T31.63	Burns involving 60-69% of body surface with 30-39% third degree burns	ICD-10-CM	Diagnosis
T31.64	Burns involving 60-69% of body surface with 40-49% third degree burns	ICD-10-CM	Diagnosis
T31.65	Burns involving 60-69% of body surface with 50-59% third degree burns	ICD-10-CM	Diagnosis
T31.66	Burns involving 60-69% of body surface with 60-69% third degree burns	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
T31.70	Burns involving 70-79% of body surface with 0% to 9% third degree burns	ICD-10-CM	Diagnosis
T31.71	Burns involving 70-79% of body surface with 10-19% third degree burns	ICD-10-CM	Diagnosis
T31.72	Burns involving 70-79% of body surface with 20-29% third degree burns	ICD-10-CM	Diagnosis
T31.73	Burns involving 70-79% of body surface with 30-39% third degree burns	ICD-10-CM	Diagnosis
T31.74	Burns involving 70-79% of body surface with 40-49% third degree burns	ICD-10-CM	Diagnosis
T31.75	Burns involving 70-79% of body surface with 50-59% third degree burns	ICD-10-CM	Diagnosis
T31.76	Burns involving 70-79% of body surface with 60-69% third degree burns	ICD-10-CM	Diagnosis
T31.77	Burns involving 70-79% of body surface with 70-79% third degree burns	ICD-10-CM	Diagnosis
T31.80	Burns involving 80-89% of body surface with 0% to 9% third degree burns	ICD-10-CM	Diagnosis
T31.81	Burns involving 80-89% of body surface with 10-19% third degree burns	ICD-10-CM	Diagnosis
T31.82	Burns involving 80-89% of body surface with 20-29% third degree burns	ICD-10-CM	Diagnosis
T31.83	Burns involving 80-89% of body surface with 30-39% third degree burns	ICD-10-CM	Diagnosis
T31.84	Burns involving 80-89% of body surface with 40-49% third degree burns	ICD-10-CM	Diagnosis
T31.85	Burns involving 80-89% of body surface with 50-59% third degree burns	ICD-10-CM	Diagnosis
T31.86	Burns involving 80-89% of body surface with 60-69% third degree burns	ICD-10-CM	Diagnosis
T31.87	Burns involving 80-89% of body surface with 70-79% third degree burns	ICD-10-CM	Diagnosis
T31.88	Burns involving 80-89% of body surface with 80-89% third degree burns	ICD-10-CM	Diagnosis
T31.90	Burns involving 90% or more of body surface with 0% to 9% third degree burns	ICD-10-CM	Diagnosis
T31.91	Burns involving 90% or more of body surface with 10-19% third degree burns	ICD-10-CM	Diagnosis
T31.92	Burns involving 90% or more of body surface with 20-29% third degree burns	ICD-10-CM	Diagnosis
T31.93	Burns involving 90% or more of body surface with 30-39% third degree burns	ICD-10-CM	Diagnosis
T31.94	Burns involving 90% or more of body surface with 40-49% third degree burns	ICD-10-CM	Diagnosis
T31.95	Burns involving 90% or more of body surface with 50-59% third degree burns	ICD-10-CM	Diagnosis
T31.96	Burns involving 90% or more of body surface with 60-69% third degree burns	ICD-10-CM	Diagnosis
T31.97	Burns involving 90% or more of body surface with 70-79% third degree burns	ICD-10-CM	Diagnosis
T31.98	Burns involving 90% or more of body surface with 80-89% third degree burns	ICD-10-CM	Diagnosis
T31.99	Burns involving 90% or more of body surface with 90% or more third degree burns	ICD-10-CM	Diagnosis
T31.0	Burns involving less than 10% of body surface	ICD-10-CM	Diagnosis
T26.32XS	Burns of other specified parts of left eye and adnexa, sequela	ICD-10-CM	Diagnosis
T26.32XA	Burns of other specified parts of left eye and adnexa, initial encounter	ICD-10-CM	Diagnosis
T26.32XD	Burns of other specified parts of left eye and adnexa, subsequent encounter	ICD-10-CM	Diagnosis
T26.31XS	Burns of other specified parts of right eye and adnexa, sequela	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
T26.31XA	Burns of other specified parts of right eye and adnexa, initial encounter	ICD-10-CM	Diagnosis
T26.31XD	Burns of other specified parts of right eye and adnexa, subsequent encounter	ICD-10-CM	Diagnosis
T26.30XA	Burns of other specified parts of unspecified eye and adnexa, initial encounter	ICD-10-CM	Diagnosis
T26.30XS	Burns of other specified parts of unspecified eye and adnexa, sequela	ICD-10-CM	Diagnosis
T26.30XD	Burns of other specified parts of unspecified eye and adnexa, subsequent encounter	ICD-10-CM	Diagnosis
S73.045A	Central dislocation of left hip, initial encounter	ICD-10-CM	Diagnosis
S73.045D	Central dislocation of left hip, subsequent encounter	ICD-10-CM	Diagnosis
S73.045S	Central dislocation of left hip, sequela	ICD-10-CM	Diagnosis
S73.044S	Central dislocation of right hip, sequela	ICD-10-CM	Diagnosis
S73.046S	Central dislocation of unspecified hip, sequela	ICD-10-CM	Diagnosis
S73.044A	Central dislocation of right hip, initial encounter	ICD-10-CM	Diagnosis
S73.044D	Central dislocation of right hip, subsequent encounter	ICD-10-CM	Diagnosis
S73.046A	Central dislocation of unspecified hip, initial encounter	ICD-10-CM	Diagnosis
S73.046D	Central dislocation of unspecified hip, subsequent encounter	ICD-10-CM	Diagnosis
S73.042A	Central subluxation of left hip, initial encounter	ICD-10-CM	Diagnosis
S73.042D	Central subluxation of left hip, subsequent encounter	ICD-10-CM	Diagnosis
S73.042S	Central subluxation of left hip, sequela	ICD-10-CM	Diagnosis
S73.041S	Central subluxation of right hip, sequela	ICD-10-CM	Diagnosis
S73.043S	Central subluxation of unspecified hip, sequela	ICD-10-CM	Diagnosis
S73.041A	Central subluxation of right hip, initial encounter	ICD-10-CM	Diagnosis
S73.041D	Central subluxation of right hip, subsequent encounter	ICD-10-CM	Diagnosis
S73.043A	Central subluxation of unspecified hip, initial encounter	ICD-10-CM	Diagnosis
S73.043D	Central subluxation of unspecified hip, subsequent encounter	ICD-10-CM	Diagnosis
M22.42	Chondromalacia patellae, left knee	ICD-10-CM	Diagnosis
M22.41	Chondromalacia patellae, right knee	ICD-10-CM	Diagnosis
M22.40	Chondromalacia patellae, unspecified knee	ICD-10-CM	Diagnosis
M23.52	Chronic instability of knee, left knee	ICD-10-CM	Diagnosis
M23.51	Chronic instability of knee, right knee	ICD-10-CM	Diagnosis
M23.50	Chronic instability of knee, unspecified knee	ICD-10-CM	Diagnosis
M84.758G	Complete oblique atypical femoral fracture, left leg, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
M84.758D	Complete oblique atypical femoral fracture, left leg, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
M84.757G	Complete oblique atypical femoral fracture, right leg, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
M84.757D	Complete oblique atypical femoral fracture, right leg, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
M84.759G	Complete oblique atypical femoral fracture, unspecified leg, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
M84.759P	Complete oblique atypical femoral fracture, unspecified leg, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
M84.759K	Complete oblique atypical femoral fracture, unspecified leg, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
M84.759D	Complete oblique atypical femoral fracture, unspecified leg, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
M84.758P	Complete oblique atypical femoral fracture, left leg, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
M84.758K	Complete oblique atypical femoral fracture, left leg, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
M84.759A	Complete oblique atypical femoral fracture, unspecified leg, initial encounter for fracture	ICD-10-CM	Diagnosis
M84.757P	Complete oblique atypical femoral fracture, right leg, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
M84.757K	Complete oblique atypical femoral fracture, right leg, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
M84.758A	Complete oblique atypical femoral fracture, left leg, initial encounter for fracture	ICD-10-CM	Diagnosis
M84.757A	Complete oblique atypical femoral fracture, right leg, initial encounter for fracture	ICD-10-CM	Diagnosis
M84.755P	Complete transverse atypical femoral fracture, left leg, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
M84.755K	Complete transverse atypical femoral fracture, left leg, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
M84.755D	Complete transverse atypical femoral fracture, left leg, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
M84.754P	Complete transverse atypical femoral fracture, right leg, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
M84.754K	Complete transverse atypical femoral fracture, right leg, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
M84.754D	Complete transverse atypical femoral fracture, right leg, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
M84.756P	Complete transverse atypical femoral fracture, unspecified leg, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
M84.756K	Complete transverse atypical femoral fracture, unspecified leg, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
M84.756D	Complete transverse atypical femoral fracture, unspecified leg, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
M84.756A	Complete transverse atypical femoral fracture, unspecified leg, initial encounter for fracture	ICD-10-CM	Diagnosis
M84.755S	Complete transverse atypical femoral fracture, left leg, sequela	ICD-10-CM	Diagnosis
M84.754S	Complete transverse atypical femoral fracture, right leg, sequela	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
M84.755A	Complete transverse atypical femoral fracture, left leg, initial encounter for fracture	ICD-10-CM	Diagnosis
M84.754A	Complete transverse atypical femoral fracture, right leg, initial encounter for fracture	ICD-10-CM	Diagnosis
M84.756S	Complete transverse atypical femoral fracture, unspecified leg, sequela	ICD-10-CM	Diagnosis
S48.119A	Complete traumatic amputation at level between unspecified shoulder and elbow, initial encounter	ICD-10-CM	Diagnosis
S48.119D	Complete traumatic amputation at level between unspecified shoulder and elbow, subsequent encounter	ICD-10-CM	Diagnosis
S48.912A	Complete traumatic amputation of left shoulder and upper arm, level unspecified, initial encounter	ICD-10-CM	Diagnosis
S48.911A	Complete traumatic amputation of right shoulder and upper arm, level unspecified, initial encounter	ICD-10-CM	Diagnosis
S48.919D	Complete traumatic amputation of unspecified shoulder and upper arm, level unspecified, subsequent encounter	ICD-10-CM	Diagnosis
S48.919A	Complete traumatic amputation of unspecified shoulder and upper arm, level unspecified, initial encounter	ICD-10-CM	Diagnosis
S48.112S	Complete traumatic amputation at level between left shoulder and elbow, sequela	ICD-10-CM	Diagnosis
S48.111S	Complete traumatic amputation at level between right shoulder and elbow, sequela	ICD-10-CM	Diagnosis
S48.119S	Complete traumatic amputation at level between unspecified shoulder and elbow, sequela	ICD-10-CM	Diagnosis
S48.112D	Complete traumatic amputation at level between left shoulder and elbow, subsequent encounter	ICD-10-CM	Diagnosis
S48.111D	Complete traumatic amputation at level between right shoulder and elbow, subsequent encounter	ICD-10-CM	Diagnosis
S48.912D	Complete traumatic amputation of left shoulder and upper arm, level unspecified, subsequent encounter	ICD-10-CM	Diagnosis
S48.912S	Complete traumatic amputation of left shoulder and upper arm, level unspecified, sequela	ICD-10-CM	Diagnosis
S48.112A	Complete traumatic amputation at level between left shoulder and elbow, initial encounter	ICD-10-CM	Diagnosis
S48.111A	Complete traumatic amputation at level between right shoulder and elbow, initial encounter	ICD-10-CM	Diagnosis
S48.911D	Complete traumatic amputation of right shoulder and upper arm, level unspecified, subsequent encounter	ICD-10-CM	Diagnosis
S48.911S	Complete traumatic amputation of right shoulder and upper arm, level unspecified, sequela	ICD-10-CM	Diagnosis
S48.919S	Complete traumatic amputation of unspecified shoulder and upper arm, level unspecified, sequela	ICD-10-CM	Diagnosis
S68.719A	Complete traumatic transmetacarpal amputation of unspecified hand, initial encounter	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S68.719S	Complete traumatic transmetacarpal amputation of unspecified hand, sequela	ICD-10-CM	Diagnosis
S68.719D	Complete traumatic transmetacarpal amputation of unspecified hand, subsequent encounter	ICD-10-CM	Diagnosis
S68.611A	Complete traumatic transphalangeal amputation of left index finger, initial encounter	ICD-10-CM	Diagnosis
S68.611S	Complete traumatic transphalangeal amputation of left index finger, sequela	ICD-10-CM	Diagnosis
S68.611D	Complete traumatic transphalangeal amputation of left index finger, subsequent encounter	ICD-10-CM	Diagnosis
S68.617A	Complete traumatic transphalangeal amputation of left little finger, initial encounter	ICD-10-CM	Diagnosis
S68.617S	Complete traumatic transphalangeal amputation of left little finger, sequela	ICD-10-CM	Diagnosis
S68.617D	Complete traumatic transphalangeal amputation of left little finger, subsequent encounter	ICD-10-CM	Diagnosis
S68.613A	Complete traumatic transphalangeal amputation of left middle finger, initial encounter	ICD-10-CM	Diagnosis
S68.613S	Complete traumatic transphalangeal amputation of left middle finger, sequela	ICD-10-CM	Diagnosis
S68.613D	Complete traumatic transphalangeal amputation of left middle finger, subsequent encounter	ICD-10-CM	Diagnosis
S68.615A	Complete traumatic transphalangeal amputation of left ring finger, initial encounter	ICD-10-CM	Diagnosis
S68.615S	Complete traumatic transphalangeal amputation of left ring finger, sequela	ICD-10-CM	Diagnosis
S68.615D	Complete traumatic transphalangeal amputation of left ring finger, subsequent encounter	ICD-10-CM	Diagnosis
S68.618A	Complete traumatic transphalangeal amputation of other finger, initial encounter	ICD-10-CM	Diagnosis
S68.618S	Complete traumatic transphalangeal amputation of other finger, sequela	ICD-10-CM	Diagnosis
S68.618D	Complete traumatic transphalangeal amputation of other finger, subsequent encounter	ICD-10-CM	Diagnosis
S68.610A	Complete traumatic transphalangeal amputation of right index finger, initial encounter	ICD-10-CM	Diagnosis
S68.610S	Complete traumatic transphalangeal amputation of right index finger, sequela	ICD-10-CM	Diagnosis
S68.610D	Complete traumatic transphalangeal amputation of right index finger, subsequent encounter	ICD-10-CM	Diagnosis
S68.616A	Complete traumatic transphalangeal amputation of right little finger, initial encounter	ICD-10-CM	Diagnosis
S68.616S	Complete traumatic transphalangeal amputation of right little finger, sequela	ICD-10-CM	Diagnosis



**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S68.616D	Complete traumatic transphalangeal amputation of right little finger, subsequent encounter	ICD-10-CM	Diagnosis
S68.612A	Complete traumatic transphalangeal amputation of right middle finger, initial encounter	ICD-10-CM	Diagnosis
S68.612S	Complete traumatic transphalangeal amputation of right middle finger, sequela	ICD-10-CM	Diagnosis
S68.612D	Complete traumatic transphalangeal amputation of right middle finger, subsequent encounter	ICD-10-CM	Diagnosis
S68.614A	Complete traumatic transphalangeal amputation of right ring finger, initial encounter	ICD-10-CM	Diagnosis
S68.614S	Complete traumatic transphalangeal amputation of right ring finger, sequela	ICD-10-CM	Diagnosis
S68.614D	Complete traumatic transphalangeal amputation of right ring finger, subsequent encounter	ICD-10-CM	Diagnosis
S68.619A	Complete traumatic transphalangeal amputation of unspecified finger, initial encounter	ICD-10-CM	Diagnosis
S68.619S	Complete traumatic transphalangeal amputation of unspecified finger, sequela	ICD-10-CM	Diagnosis
S68.619D	Complete traumatic transphalangeal amputation of unspecified finger, subsequent encounter	ICD-10-CM	Diagnosis
M84.755G	Complete transverse atypical femoral fracture, left leg, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
M84.754G	Complete transverse atypical femoral fracture, right leg, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
M84.756G	Complete transverse atypical femoral fracture, unspecified leg, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S48.012D	Complete traumatic amputation at left shoulder joint, subsequent encounter	ICD-10-CM	Diagnosis
S48.011D	Complete traumatic amputation at right shoulder joint, subsequent encounter	ICD-10-CM	Diagnosis
S48.019D	Complete traumatic amputation at unspecified shoulder joint, subsequent encounter	ICD-10-CM	Diagnosis
M48.56XG	Collapsed vertebra, not elsewhere classified, lumbar region, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
M48.57XG	Collapsed vertebra, not elsewhere classified, lumbosacral region, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
M48.55XG	Collapsed vertebra, not elsewhere classified, thoracolumbar region, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
M48.55XD	Collapsed vertebra, not elsewhere classified, thoracolumbar region, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
M48.53XG	Collapsed vertebra, not elsewhere classified, cervicothoracic region, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
M48.58XA	Collapsed vertebra, not elsewhere classified, sacral and sacrococcygeal region, initial encounter for fracture	ICD-10-CM	Diagnosis
M48.51XG	Collapsed vertebra, not elsewhere classified, occipito-atlanto-axial region, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
M48.52XS	Collapsed vertebra, not elsewhere classified, cervical region, sequela of fracture	ICD-10-CM	Diagnosis
M48.52XA	Collapsed vertebra, not elsewhere classified, cervical region, initial encounter for fracture	ICD-10-CM	Diagnosis
M48.52XG	Collapsed vertebra, not elsewhere classified, cervical region, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
M48.52XD	Collapsed vertebra, not elsewhere classified, cervical region, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
M48.53XS	Collapsed vertebra, not elsewhere classified, cervicothoracic region, sequela of fracture	ICD-10-CM	Diagnosis
M48.53XD	Collapsed vertebra, not elsewhere classified, cervicothoracic region, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
M48.56XA	Collapsed vertebra, not elsewhere classified, lumbar region, initial encounter for fracture	ICD-10-CM	Diagnosis
M48.56XD	Collapsed vertebra, not elsewhere classified, lumbar region, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
M48.57XD	Collapsed vertebra, not elsewhere classified, lumbosacral region, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
M48.57XS	Collapsed vertebra, not elsewhere classified, lumbosacral region, sequela of fracture	ICD-10-CM	Diagnosis
M48.57XA	Collapsed vertebra, not elsewhere classified, lumbosacral region, initial encounter for fracture	ICD-10-CM	Diagnosis
M48.58XS	Collapsed vertebra, not elsewhere classified, sacral and sacrococcygeal region, sequela of fracture	ICD-10-CM	Diagnosis
M48.58XG	Collapsed vertebra, not elsewhere classified, sacral and sacrococcygeal region, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
M48.58XD	Collapsed vertebra, not elsewhere classified, sacral and sacrococcygeal region, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
M48.50XG	Collapsed vertebra, not elsewhere classified, site unspecified, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
M48.50XD	Collapsed vertebra, not elsewhere classified, site unspecified, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
M48.54XS	Collapsed vertebra, not elsewhere classified, thoracic region, sequela of fracture	ICD-10-CM	Diagnosis
M48.54XG	Collapsed vertebra, not elsewhere classified, thoracic region, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
M48.54XD	Collapsed vertebra, not elsewhere classified, thoracic region, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
M48.54XA	Collapsed vertebra, not elsewhere classified, thoracic region, initial encounter for fracture	ICD-10-CM	Diagnosis
M48.55XA	Collapsed vertebra, not elsewhere classified, thoracolumbar region, initial encounter for fracture	ICD-10-CM	Diagnosis
M48.55XS	Collapsed vertebra, not elsewhere classified, thoracolumbar region, sequela of fracture	ICD-10-CM	Diagnosis
M48.56XS	Collapsed vertebra, not elsewhere classified, lumbar region, sequela of fracture	ICD-10-CM	Diagnosis
M48.51XS	Collapsed vertebra, not elsewhere classified, occipito-atlanto-axial region, sequela of fracture	ICD-10-CM	Diagnosis
M48.51XA	Collapsed vertebra, not elsewhere classified, occipito-atlanto-axial region, initial encounter for fracture	ICD-10-CM	Diagnosis
M48.51XD	Collapsed vertebra, not elsewhere classified, occipito-atlanto-axial region, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
M48.50XA	Collapsed vertebra, not elsewhere classified, site unspecified, initial encounter for fracture	ICD-10-CM	Diagnosis
M48.50XS	Collapsed vertebra, not elsewhere classified, site unspecified, sequela of fracture	ICD-10-CM	Diagnosis
M48.53XA	Collapsed vertebra, not elsewhere classified, cervicothoracic region, initial encounter for fracture	ICD-10-CM	Diagnosis
S52.532S	Colles' fracture of left radius, sequela	ICD-10-CM	Diagnosis
S52.531S	Colles' fracture of right radius, sequela	ICD-10-CM	Diagnosis
S52.539S	Colles' fracture of unspecified radius, sequela	ICD-10-CM	Diagnosis
S52.532C	Colles' fracture of left radius, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S52.532A	Colles' fracture of left radius, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.532B	Colles' fracture of left radius, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S52.532Q	Colles' fracture of left radius, subsequent encounter for open fracture type I or II with malunion	ICD-10-CM	Diagnosis
S52.532M	Colles' fracture of left radius, subsequent encounter for open fracture type I or II with nonunion	ICD-10-CM	Diagnosis
S52.532E	Colles' fracture of left radius, subsequent encounter for open fracture type I or II with routine healing	ICD-10-CM	Diagnosis
S52.532H	Colles' fracture of left radius, subsequent encounter for open fracture type I or II with delayed healing	ICD-10-CM	Diagnosis
S52.532J	Colles' fracture of left radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD-10-CM	Diagnosis
S52.532R	Colles' fracture of left radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD-10-CM	Diagnosis
S52.532N	Colles' fracture of left radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD-10-CM	Diagnosis
S52.532F	Colles' fracture of left radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S52.532D	Colles' fracture of left radius, subsequent encounter for closed fracture with routine healing	ICD-10-CM	Diagnosis
S52.532G	Colles' fracture of left radius, subsequent encounter for closed fracture with delayed healing	ICD-10-CM	Diagnosis
S52.532P	Colles' fracture of left radius, subsequent encounter for closed fracture with malunion	ICD-10-CM	Diagnosis
S52.532K	Colles' fracture of left radius, subsequent encounter for closed fracture with nonunion	ICD-10-CM	Diagnosis
S52.531C	Colles' fracture of right radius, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S52.531A	Colles' fracture of right radius, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.531B	Colles' fracture of right radius, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S52.531Q	Colles' fracture of right radius, subsequent encounter for open fracture type I or II with malunion	ICD-10-CM	Diagnosis
S52.531M	Colles' fracture of right radius, subsequent encounter for open fracture type I or II with nonunion	ICD-10-CM	Diagnosis
S52.531E	Colles' fracture of right radius, subsequent encounter for open fracture type I or II with routine healing	ICD-10-CM	Diagnosis
S52.531H	Colles' fracture of right radius, subsequent encounter for open fracture type I or II with delayed healing	ICD-10-CM	Diagnosis
S52.531J	Colles' fracture of right radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD-10-CM	Diagnosis
S52.531R	Colles' fracture of right radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD-10-CM	Diagnosis
S52.531N	Colles' fracture of right radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD-10-CM	Diagnosis
S52.531F	Colles' fracture of right radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD-10-CM	Diagnosis
S52.531D	Colles' fracture of right radius, subsequent encounter for closed fracture with routine healing	ICD-10-CM	Diagnosis
S52.531G	Colles' fracture of right radius, subsequent encounter for closed fracture with delayed healing	ICD-10-CM	Diagnosis
S52.531P	Colles' fracture of right radius, subsequent encounter for closed fracture with malunion	ICD-10-CM	Diagnosis
S52.531K	Colles' fracture of right radius, subsequent encounter for closed fracture with nonunion	ICD-10-CM	Diagnosis
S52.539B	Colles' fracture of unspecified radius, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S52.539C	Colles' fracture of unspecified radius, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S52.539A	Colles' fracture of unspecified radius, initial encounter for closed fracture	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S52.539Q	Colles' fracture of unspecified radius, subsequent encounter for open fracture type I or II with malunion	ICD-10-CM	Diagnosis
S52.539M	Colles' fracture of unspecified radius, subsequent encounter for open fracture type I or II with nonunion	ICD-10-CM	Diagnosis
S52.539E	Colles' fracture of unspecified radius, subsequent encounter for open fracture type I or II with routine healing	ICD-10-CM	Diagnosis
S52.539H	Colles' fracture of unspecified radius, subsequent encounter for open fracture type I or II with delayed healing	ICD-10-CM	Diagnosis
S52.539J	Colles' fracture of unspecified radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD-10-CM	Diagnosis
S52.539R	Colles' fracture of unspecified radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD-10-CM	Diagnosis
S52.539N	Colles' fracture of unspecified radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD-10-CM	Diagnosis
S52.539F	Colles' fracture of unspecified radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD-10-CM	Diagnosis
S52.539D	Colles' fracture of unspecified radius, subsequent encounter for closed fracture with routine healing	ICD-10-CM	Diagnosis
S52.539G	Colles' fracture of unspecified radius, subsequent encounter for closed fracture with delayed healing	ICD-10-CM	Diagnosis
S52.539P	Colles' fracture of unspecified radius, subsequent encounter for closed fracture with malunion	ICD-10-CM	Diagnosis
S52.539K	Colles' fracture of unspecified radius, subsequent encounter for closed fracture with nonunion	ICD-10-CM	Diagnosis
M84.758S	Complete oblique atypical femoral fracture, left leg, sequela	ICD-10-CM	Diagnosis
M84.757S	Complete oblique atypical femoral fracture, right leg, sequela	ICD-10-CM	Diagnosis
M84.759S	Complete oblique atypical femoral fracture, unspecified leg, sequela	ICD-10-CM	Diagnosis
S98.212A	Complete traumatic amputation of two or more left lesser toes, initial encounter	ICD-10-CM	Diagnosis
S98.212S	Complete traumatic amputation of two or more left lesser toes, sequela	ICD-10-CM	Diagnosis
S98.212D	Complete traumatic amputation of two or more left lesser toes, subsequent encounter	ICD-10-CM	Diagnosis
S98.211A	Complete traumatic amputation of two or more right lesser toes, initial encounter	ICD-10-CM	Diagnosis
S98.211S	Complete traumatic amputation of two or more right lesser toes, sequela	ICD-10-CM	Diagnosis
S98.211D	Complete traumatic amputation of two or more right lesser toes, subsequent encounter	ICD-10-CM	Diagnosis
S98.219A	Complete traumatic amputation of two or more unspecified lesser toes, initial encounter	ICD-10-CM	Diagnosis
S98.219S	Complete traumatic amputation of two or more unspecified lesser toes, sequela	ICD-10-CM	Diagnosis
S98.219D	Complete traumatic amputation of two or more unspecified lesser toes, subsequent encounter	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S88.112A	Complete traumatic amputation at level between knee and ankle, left lower leg, initial encounter	ICD-10-CM	Diagnosis
S88.112S	Complete traumatic amputation at level between knee and ankle, left lower leg, sequela	ICD-10-CM	Diagnosis
S88.112D	Complete traumatic amputation at level between knee and ankle, left lower leg, subsequent encounter	ICD-10-CM	Diagnosis
S88.111A	Complete traumatic amputation at level between knee and ankle, right lower leg, initial encounter	ICD-10-CM	Diagnosis
S88.111S	Complete traumatic amputation at level between knee and ankle, right lower leg, sequela	ICD-10-CM	Diagnosis
S88.111D	Complete traumatic amputation at level between knee and ankle, right lower leg, subsequent encounter	ICD-10-CM	Diagnosis
S88.119A	Complete traumatic amputation at level between knee and ankle, unspecified lower leg, initial encounter	ICD-10-CM	Diagnosis
S88.119S	Complete traumatic amputation at level between knee and ankle, unspecified lower leg, sequela	ICD-10-CM	Diagnosis
S88.119D	Complete traumatic amputation at level between knee and ankle, unspecified lower leg, subsequent encounter	ICD-10-CM	Diagnosis
S58.112A	Complete traumatic amputation at level between elbow and wrist, left arm, initial encounter	ICD-10-CM	Diagnosis
S58.112S	Complete traumatic amputation at level between elbow and wrist, left arm, sequela	ICD-10-CM	Diagnosis
S58.112D	Complete traumatic amputation at level between elbow and wrist, left arm, subsequent encounter	ICD-10-CM	Diagnosis
S58.111A	Complete traumatic amputation at level between elbow and wrist, right arm, initial encounter	ICD-10-CM	Diagnosis
S58.111S	Complete traumatic amputation at level between elbow and wrist, right arm, sequela	ICD-10-CM	Diagnosis
S58.111D	Complete traumatic amputation at level between elbow and wrist, right arm, subsequent encounter	ICD-10-CM	Diagnosis
S58.119A	Complete traumatic amputation at level between elbow and wrist, unspecified arm, initial encounter	ICD-10-CM	Diagnosis
S58.119S	Complete traumatic amputation at level between elbow and wrist, unspecified arm, sequela	ICD-10-CM	Diagnosis
S58.119D	Complete traumatic amputation at level between elbow and wrist, unspecified arm, subsequent encounter	ICD-10-CM	Diagnosis
S88.912A	Complete traumatic amputation of left lower leg, level unspecified, initial encounter	ICD-10-CM	Diagnosis
S88.912D	Complete traumatic amputation of left lower leg, level unspecified, subsequent encounter	ICD-10-CM	Diagnosis
S88.912S	Complete traumatic amputation of left lower leg, level unspecified, sequela	ICD-10-CM	Diagnosis



**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S88.911A	Complete traumatic amputation of right lower leg, level unspecified, initial encounter	ICD-10-CM	Diagnosis
S88.911D	Complete traumatic amputation of right lower leg, level unspecified, subsequent encounter	ICD-10-CM	Diagnosis
S88.911S	Complete traumatic amputation of right lower leg, level unspecified, sequela	ICD-10-CM	Diagnosis
S88.919A	Complete traumatic amputation of unspecified lower leg, level unspecified, initial encounter	ICD-10-CM	Diagnosis
S88.919S	Complete traumatic amputation of unspecified lower leg, level unspecified, sequela	ICD-10-CM	Diagnosis
S88.919D	Complete traumatic amputation of unspecified lower leg, level unspecified, subsequent encounter	ICD-10-CM	Diagnosis
S58.919A	Complete traumatic amputation of unspecified forearm, level unspecified, initial encounter	ICD-10-CM	Diagnosis
S58.919S	Complete traumatic amputation of unspecified forearm, level unspecified, sequela	ICD-10-CM	Diagnosis
S58.919D	Complete traumatic amputation of unspecified forearm, level unspecified, subsequent encounter	ICD-10-CM	Diagnosis
S68.512A	Complete traumatic transphalangeal amputation of left thumb, initial encounter	ICD-10-CM	Diagnosis
S68.512S	Complete traumatic transphalangeal amputation of left thumb, sequela	ICD-10-CM	Diagnosis
S68.512D	Complete traumatic transphalangeal amputation of left thumb, subsequent encounter	ICD-10-CM	Diagnosis
S68.511A	Complete traumatic transphalangeal amputation of right thumb, initial encounter	ICD-10-CM	Diagnosis
S68.511S	Complete traumatic transphalangeal amputation of right thumb, sequela	ICD-10-CM	Diagnosis
S68.511D	Complete traumatic transphalangeal amputation of right thumb, subsequent encounter	ICD-10-CM	Diagnosis
S68.519A	Complete traumatic transphalangeal amputation of unspecified thumb, initial encounter	ICD-10-CM	Diagnosis
S68.519S	Complete traumatic transphalangeal amputation of unspecified thumb, sequela	ICD-10-CM	Diagnosis
S68.519D	Complete traumatic transphalangeal amputation of unspecified thumb, subsequent encounter	ICD-10-CM	Diagnosis
S38.211A	Complete traumatic amputation of female external genital organs, initial encounter	ICD-10-CM	Diagnosis
S38.211S	Complete traumatic amputation of female external genital organs, sequela	ICD-10-CM	Diagnosis
S38.211D	Complete traumatic amputation of female external genital organs, subsequent encounter	ICD-10-CM	Diagnosis
S38.231D	Complete traumatic amputation of scrotum and testis, subsequent encounter	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S68.712A	Complete traumatic transmetacarpal amputation of left hand, initial encounter	ICD-10-CM	Diagnosis
S68.712S	Complete traumatic transmetacarpal amputation of left hand, sequela	ICD-10-CM	Diagnosis
S68.712D	Complete traumatic transmetacarpal amputation of left hand, subsequent encounter	ICD-10-CM	Diagnosis
S68.711A	Complete traumatic transmetacarpal amputation of right hand, initial encounter	ICD-10-CM	Diagnosis
S68.711S	Complete traumatic transmetacarpal amputation of right hand, sequela	ICD-10-CM	Diagnosis
S68.711D	Complete traumatic transmetacarpal amputation of right hand, subsequent encounter	ICD-10-CM	Diagnosis
S78.919A	Complete traumatic amputation of unspecified hip and thigh, level unspecified, initial encounter	ICD-10-CM	Diagnosis
S98.132A	Complete traumatic amputation of one left lesser toe, initial encounter	ICD-10-CM	Diagnosis
S98.132D	Complete traumatic amputation of one left lesser toe, subsequent encounter	ICD-10-CM	Diagnosis
S98.132S	Complete traumatic amputation of one left lesser toe, sequela	ICD-10-CM	Diagnosis
S98.131A	Complete traumatic amputation of one right lesser toe, initial encounter	ICD-10-CM	Diagnosis
S98.131D	Complete traumatic amputation of one right lesser toe, subsequent encounter	ICD-10-CM	Diagnosis
S98.131S	Complete traumatic amputation of one right lesser toe, sequela	ICD-10-CM	Diagnosis
S98.139A	Complete traumatic amputation of one unspecified lesser toe, initial encounter	ICD-10-CM	Diagnosis
S98.139S	Complete traumatic amputation of one unspecified lesser toe, sequela	ICD-10-CM	Diagnosis
S98.139D	Complete traumatic amputation of one unspecified lesser toe, subsequent encounter	ICD-10-CM	Diagnosis
S78.112A	Complete traumatic amputation at level between left hip and knee, initial encounter	ICD-10-CM	Diagnosis
S78.112S	Complete traumatic amputation at level between left hip and knee, sequela	ICD-10-CM	Diagnosis
S78.112D	Complete traumatic amputation at level between left hip and knee, subsequent encounter	ICD-10-CM	Diagnosis
S78.111A	Complete traumatic amputation at level between right hip and knee, initial encounter	ICD-10-CM	Diagnosis
S78.111S	Complete traumatic amputation at level between right hip and knee, sequela	ICD-10-CM	Diagnosis
S78.111D	Complete traumatic amputation at level between right hip and knee, subsequent encounter	ICD-10-CM	Diagnosis
S78.119A	Complete traumatic amputation at level between unspecified hip and knee, initial encounter	ICD-10-CM	Diagnosis
S78.119D	Complete traumatic amputation at level between unspecified hip and knee, subsequent encounter	ICD-10-CM	Diagnosis
S78.119S	Complete traumatic amputation at level between unspecified hip and knee, sequela	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S88.012A	Complete traumatic amputation at knee level, left lower leg, initial encounter	ICD-10-CM	Diagnosis
S88.012S	Complete traumatic amputation at knee level, left lower leg, sequela	ICD-10-CM	Diagnosis
S88.012D	Complete traumatic amputation at knee level, left lower leg, subsequent encounter	ICD-10-CM	Diagnosis
S88.011A	Complete traumatic amputation at knee level, right lower leg, initial encounter	ICD-10-CM	Diagnosis
S88.011S	Complete traumatic amputation at knee level, right lower leg, sequela	ICD-10-CM	Diagnosis
S88.011D	Complete traumatic amputation at knee level, right lower leg, subsequent encounter	ICD-10-CM	Diagnosis
S88.019A	Complete traumatic amputation at knee level, unspecified lower leg, initial encounter	ICD-10-CM	Diagnosis
S88.019S	Complete traumatic amputation at knee level, unspecified lower leg, sequela	ICD-10-CM	Diagnosis
S88.019D	Complete traumatic amputation at knee level, unspecified lower leg, subsequent encounter	ICD-10-CM	Diagnosis
S98.912S	Complete traumatic amputation of left foot, level unspecified, sequela	ICD-10-CM	Diagnosis
S98.012S	Complete traumatic amputation of left foot at ankle level, sequela	ICD-10-CM	Diagnosis
S98.012D	Complete traumatic amputation of left foot at ankle level, subsequent encounter	ICD-10-CM	Diagnosis
S98.012A	Complete traumatic amputation of left foot at ankle level, initial encounter	ICD-10-CM	Diagnosis
S98.912A	Complete traumatic amputation of left foot, level unspecified, initial encounter	ICD-10-CM	Diagnosis
S98.912D	Complete traumatic amputation of left foot, level unspecified, subsequent encounter	ICD-10-CM	Diagnosis
S98.112A	Complete traumatic amputation of left great toe, initial encounter	ICD-10-CM	Diagnosis
S98.112S	Complete traumatic amputation of left great toe, sequela	ICD-10-CM	Diagnosis
S98.112D	Complete traumatic amputation of left great toe, subsequent encounter	ICD-10-CM	Diagnosis
S68.412A	Complete traumatic amputation of left hand at wrist level, initial encounter	ICD-10-CM	Diagnosis
S68.412S	Complete traumatic amputation of left hand at wrist level, sequela	ICD-10-CM	Diagnosis
S68.412D	Complete traumatic amputation of left hand at wrist level, subsequent encounter	ICD-10-CM	Diagnosis
S78.012A	Complete traumatic amputation at left hip joint, initial encounter	ICD-10-CM	Diagnosis
S78.012S	Complete traumatic amputation at left hip joint, sequela	ICD-10-CM	Diagnosis
S78.012D	Complete traumatic amputation at left hip joint, subsequent encounter	ICD-10-CM	Diagnosis
S78.912A	Complete traumatic amputation of left hip and thigh, level unspecified, initial encounter	ICD-10-CM	Diagnosis
S78.912S	Complete traumatic amputation of left hip and thigh, level unspecified, sequela	ICD-10-CM	Diagnosis
S78.912D	Complete traumatic amputation of left hip and thigh, level unspecified, subsequent encounter	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S98.312A	Complete traumatic amputation of left midfoot, initial encounter	ICD-10-CM	Diagnosis
S98.312D	Complete traumatic amputation of left midfoot, subsequent encounter	ICD-10-CM	Diagnosis
S48.012A	Complete traumatic amputation at left shoulder joint, initial encounter	ICD-10-CM	Diagnosis
S48.012S	Complete traumatic amputation at left shoulder joint, sequela	ICD-10-CM	Diagnosis
S38.221A	Complete traumatic amputation of penis, initial encounter	ICD-10-CM	Diagnosis
S38.221D	Complete traumatic amputation of penis, subsequent encounter	ICD-10-CM	Diagnosis
S98.911S	Complete traumatic amputation of right foot, level unspecified, sequela	ICD-10-CM	Diagnosis
S98.011S	Complete traumatic amputation of right foot at ankle level, sequela	ICD-10-CM	Diagnosis
S98.011D	Complete traumatic amputation of right foot at ankle level, subsequent encounter	ICD-10-CM	Diagnosis
S98.011A	Complete traumatic amputation of right foot at ankle level, initial encounter	ICD-10-CM	Diagnosis
S98.911A	Complete traumatic amputation of right foot, level unspecified, initial encounter	ICD-10-CM	Diagnosis
S98.911D	Complete traumatic amputation of right foot, level unspecified, subsequent encounter	ICD-10-CM	Diagnosis
S98.111A	Complete traumatic amputation of right great toe, initial encounter	ICD-10-CM	Diagnosis
S98.111S	Complete traumatic amputation of right great toe, sequela	ICD-10-CM	Diagnosis
S98.111D	Complete traumatic amputation of right great toe, subsequent encounter	ICD-10-CM	Diagnosis
S68.411A	Complete traumatic amputation of right hand at wrist level, initial encounter	ICD-10-CM	Diagnosis
S68.411S	Complete traumatic amputation of right hand at wrist level, sequela	ICD-10-CM	Diagnosis
S68.411D	Complete traumatic amputation of right hand at wrist level, subsequent encounter	ICD-10-CM	Diagnosis
S78.011A	Complete traumatic amputation at right hip joint, initial encounter	ICD-10-CM	Diagnosis
S78.011S	Complete traumatic amputation at right hip joint, sequela	ICD-10-CM	Diagnosis
S78.011D	Complete traumatic amputation at right hip joint, subsequent encounter	ICD-10-CM	Diagnosis
S78.911A	Complete traumatic amputation of right hip and thigh, level unspecified, initial encounter	ICD-10-CM	Diagnosis
S78.911S	Complete traumatic amputation of right hip and thigh, level unspecified, sequela	ICD-10-CM	Diagnosis
S78.911D	Complete traumatic amputation of right hip and thigh, level unspecified, subsequent encounter	ICD-10-CM	Diagnosis
S98.311A	Complete traumatic amputation of right midfoot, initial encounter	ICD-10-CM	Diagnosis
S98.311D	Complete traumatic amputation of right midfoot, subsequent encounter	ICD-10-CM	Diagnosis
S48.011A	Complete traumatic amputation at right shoulder joint, initial encounter	ICD-10-CM	Diagnosis
S48.011S	Complete traumatic amputation at right shoulder joint, sequela	ICD-10-CM	Diagnosis
S38.231A	Complete traumatic amputation of scrotum and testis, initial encounter	ICD-10-CM	Diagnosis
S38.231S	Complete traumatic amputation of scrotum and testis, sequela	ICD-10-CM	Diagnosis
S98.019S	Complete traumatic amputation of unspecified foot at ankle level, sequela	ICD-10-CM	Diagnosis
S98.019A	Complete traumatic amputation of unspecified foot at ankle level, initial encounter	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S98.019D	Complete traumatic amputation of unspecified foot at ankle level, subsequent encounter	ICD-10-CM	Diagnosis
S98.919A	Complete traumatic amputation of unspecified foot, level unspecified, initial encounter	ICD-10-CM	Diagnosis
S98.919S	Complete traumatic amputation of unspecified foot, level unspecified, sequela	ICD-10-CM	Diagnosis
S98.919D	Complete traumatic amputation of unspecified foot, level unspecified, subsequent encounter	ICD-10-CM	Diagnosis
S98.119A	Complete traumatic amputation of unspecified great toe, initial encounter	ICD-10-CM	Diagnosis
S98.119S	Complete traumatic amputation of unspecified great toe, sequela	ICD-10-CM	Diagnosis
S98.119D	Complete traumatic amputation of unspecified great toe, subsequent encounter	ICD-10-CM	Diagnosis
S68.419A	Complete traumatic amputation of unspecified hand at wrist level, initial encounter	ICD-10-CM	Diagnosis
S68.419S	Complete traumatic amputation of unspecified hand at wrist level, sequela	ICD-10-CM	Diagnosis
S68.419D	Complete traumatic amputation of unspecified hand at wrist level, subsequent encounter	ICD-10-CM	Diagnosis
S78.019A	Complete traumatic amputation at unspecified hip joint, initial encounter	ICD-10-CM	Diagnosis
S78.019S	Complete traumatic amputation at unspecified hip joint, sequela	ICD-10-CM	Diagnosis
S78.019D	Complete traumatic amputation at unspecified hip joint, subsequent encounter	ICD-10-CM	Diagnosis
S78.919S	Complete traumatic amputation of unspecified hip and thigh, level unspecified, sequela	ICD-10-CM	Diagnosis
S78.919D	Complete traumatic amputation of unspecified hip and thigh, level unspecified, subsequent encounter	ICD-10-CM	Diagnosis
S98.319A	Complete traumatic amputation of unspecified midfoot, initial encounter	ICD-10-CM	Diagnosis
S98.319S	Complete traumatic amputation of unspecified midfoot, sequela	ICD-10-CM	Diagnosis
S98.319D	Complete traumatic amputation of unspecified midfoot, subsequent encounter	ICD-10-CM	Diagnosis
S48.019A	Complete traumatic amputation at unspecified shoulder joint, initial encounter	ICD-10-CM	Diagnosis
S48.019S	Complete traumatic amputation at unspecified shoulder joint, sequela	ICD-10-CM	Diagnosis
S58.012A	Complete traumatic amputation at elbow level, left arm, initial encounter	ICD-10-CM	Diagnosis
S58.012S	Complete traumatic amputation at elbow level, left arm, sequela	ICD-10-CM	Diagnosis
S58.012D	Complete traumatic amputation at elbow level, left arm, subsequent encounter	ICD-10-CM	Diagnosis
S58.011A	Complete traumatic amputation at elbow level, right arm, initial encounter	ICD-10-CM	Diagnosis
S58.011S	Complete traumatic amputation at elbow level, right arm, sequela	ICD-10-CM	Diagnosis
S58.011D	Complete traumatic amputation at elbow level, right arm, subsequent encounter	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S58.019A	Complete traumatic amputation at elbow level, unspecified arm, initial encounter	ICD-10-CM	Diagnosis
S58.019S	Complete traumatic amputation at elbow level, unspecified arm, sequela	ICD-10-CM	Diagnosis
S58.019D	Complete traumatic amputation at elbow level, unspecified arm, subsequent encounter	ICD-10-CM	Diagnosis
S08.112S	Complete traumatic amputation of left ear, sequela	ICD-10-CM	Diagnosis
S28.212A	Complete traumatic amputation of left breast, initial encounter	ICD-10-CM	Diagnosis
S28.212S	Complete traumatic amputation of left breast, sequela	ICD-10-CM	Diagnosis
S28.212D	Complete traumatic amputation of left breast, subsequent encounter	ICD-10-CM	Diagnosis
S08.112A	Complete traumatic amputation of left ear, initial encounter	ICD-10-CM	Diagnosis
S08.112D	Complete traumatic amputation of left ear, subsequent encounter	ICD-10-CM	Diagnosis
S58.912A	Complete traumatic amputation of left forearm, level unspecified, initial encounter	ICD-10-CM	Diagnosis
S58.912S	Complete traumatic amputation of left forearm, level unspecified, sequela	ICD-10-CM	Diagnosis
S58.912D	Complete traumatic amputation of left forearm, level unspecified, subsequent encounter	ICD-10-CM	Diagnosis
S98.312S	Complete traumatic amputation of left midfoot, sequela	ICD-10-CM	Diagnosis
S08.811A	Complete traumatic amputation of nose, initial encounter	ICD-10-CM	Diagnosis
S08.811D	Complete traumatic amputation of nose, subsequent encounter	ICD-10-CM	Diagnosis
S08.811S	Complete traumatic amputation of nose, sequela	ICD-10-CM	Diagnosis
S38.221S	Complete traumatic amputation of penis, sequela	ICD-10-CM	Diagnosis
S08.111S	Complete traumatic amputation of right ear, sequela	ICD-10-CM	Diagnosis
S28.211A	Complete traumatic amputation of right breast, initial encounter	ICD-10-CM	Diagnosis
S28.211S	Complete traumatic amputation of right breast, sequela	ICD-10-CM	Diagnosis
S28.211D	Complete traumatic amputation of right breast, subsequent encounter	ICD-10-CM	Diagnosis
S08.111A	Complete traumatic amputation of right ear, initial encounter	ICD-10-CM	Diagnosis
S08.111D	Complete traumatic amputation of right ear, subsequent encounter	ICD-10-CM	Diagnosis
S58.911A	Complete traumatic amputation of right forearm, level unspecified, initial encounter	ICD-10-CM	Diagnosis
S58.911S	Complete traumatic amputation of right forearm, level unspecified, sequela	ICD-10-CM	Diagnosis
S58.911D	Complete traumatic amputation of right forearm, level unspecified, subsequent encounter	ICD-10-CM	Diagnosis
S98.311S	Complete traumatic amputation of right midfoot, sequela	ICD-10-CM	Diagnosis
S28.219A	Complete traumatic amputation of unspecified breast, initial encounter	ICD-10-CM	Diagnosis
S28.219S	Complete traumatic amputation of unspecified breast, sequela	ICD-10-CM	Diagnosis
S28.219D	Complete traumatic amputation of unspecified breast, subsequent encounter	ICD-10-CM	Diagnosis
S08.119A	Complete traumatic amputation of unspecified ear, initial encounter	ICD-10-CM	Diagnosis
S08.119S	Complete traumatic amputation of unspecified ear, sequela	ICD-10-CM	Diagnosis
S08.119D	Complete traumatic amputation of unspecified ear, subsequent encounter	ICD-10-CM	Diagnosis



**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S68.111A	Complete traumatic metacarpophalangeal amputation of left index finger, initial encounter	ICD-10-CM	Diagnosis
S68.111S	Complete traumatic metacarpophalangeal amputation of left index finger, sequela	ICD-10-CM	Diagnosis
S68.111D	Complete traumatic metacarpophalangeal amputation of left index finger, subsequent encounter	ICD-10-CM	Diagnosis
S68.117A	Complete traumatic metacarpophalangeal amputation of left little finger, initial encounter	ICD-10-CM	Diagnosis
S68.117S	Complete traumatic metacarpophalangeal amputation of left little finger, sequela	ICD-10-CM	Diagnosis
S68.117D	Complete traumatic metacarpophalangeal amputation of left little finger, subsequent encounter	ICD-10-CM	Diagnosis
S68.113A	Complete traumatic metacarpophalangeal amputation of left middle finger, initial encounter	ICD-10-CM	Diagnosis
S68.113S	Complete traumatic metacarpophalangeal amputation of left middle finger, sequela	ICD-10-CM	Diagnosis
S68.113D	Complete traumatic metacarpophalangeal amputation of left middle finger, subsequent encounter	ICD-10-CM	Diagnosis
S68.115A	Complete traumatic metacarpophalangeal amputation of left ring finger, initial encounter	ICD-10-CM	Diagnosis
S68.115S	Complete traumatic metacarpophalangeal amputation of left ring finger, sequela	ICD-10-CM	Diagnosis
S68.115D	Complete traumatic metacarpophalangeal amputation of left ring finger, subsequent encounter	ICD-10-CM	Diagnosis
S68.118A	Complete traumatic metacarpophalangeal amputation of other finger, initial encounter	ICD-10-CM	Diagnosis
S68.118S	Complete traumatic metacarpophalangeal amputation of other finger, sequela	ICD-10-CM	Diagnosis
S68.118D	Complete traumatic metacarpophalangeal amputation of other finger, subsequent encounter	ICD-10-CM	Diagnosis
S68.110A	Complete traumatic metacarpophalangeal amputation of right index finger, initial encounter	ICD-10-CM	Diagnosis
S68.110S	Complete traumatic metacarpophalangeal amputation of right index finger, sequela	ICD-10-CM	Diagnosis
S68.110D	Complete traumatic metacarpophalangeal amputation of right index finger, subsequent encounter	ICD-10-CM	Diagnosis
S68.116A	Complete traumatic metacarpophalangeal amputation of right little finger, initial encounter	ICD-10-CM	Diagnosis
S68.116S	Complete traumatic metacarpophalangeal amputation of right little finger, sequela	ICD-10-CM	Diagnosis
S68.116D	Complete traumatic metacarpophalangeal amputation of right little finger, subsequent encounter	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S68.112A	Complete traumatic metacarpophalangeal amputation of right middle finger, initial encounter	ICD-10-CM	Diagnosis
S68.112S	Complete traumatic metacarpophalangeal amputation of right middle finger, sequela	ICD-10-CM	Diagnosis
S68.112D	Complete traumatic metacarpophalangeal amputation of right middle finger, subsequent encounter	ICD-10-CM	Diagnosis
S68.114A	Complete traumatic metacarpophalangeal amputation of right ring finger, initial encounter	ICD-10-CM	Diagnosis
S68.114S	Complete traumatic metacarpophalangeal amputation of right ring finger, sequela	ICD-10-CM	Diagnosis
S68.114D	Complete traumatic metacarpophalangeal amputation of right ring finger, subsequent encounter	ICD-10-CM	Diagnosis
S68.119A	Complete traumatic metacarpophalangeal amputation of unspecified finger, initial encounter	ICD-10-CM	Diagnosis
S68.119S	Complete traumatic metacarpophalangeal amputation of unspecified finger, sequela	ICD-10-CM	Diagnosis
S68.119D	Complete traumatic metacarpophalangeal amputation of unspecified finger, subsequent encounter	ICD-10-CM	Diagnosis
S68.019A	Complete traumatic metacarpophalangeal amputation of unspecified thumb, initial encounter	ICD-10-CM	Diagnosis
S68.019S	Complete traumatic metacarpophalangeal amputation of unspecified thumb, sequela	ICD-10-CM	Diagnosis
S68.019D	Complete traumatic metacarpophalangeal amputation of unspecified thumb, subsequent encounter	ICD-10-CM	Diagnosis
S68.012A	Complete traumatic metacarpophalangeal amputation of left thumb, initial encounter	ICD-10-CM	Diagnosis
S68.012S	Complete traumatic metacarpophalangeal amputation of left thumb, sequela	ICD-10-CM	Diagnosis
S68.012D	Complete traumatic metacarpophalangeal amputation of left thumb, subsequent encounter	ICD-10-CM	Diagnosis
S68.011A	Complete traumatic metacarpophalangeal amputation of right thumb, initial encounter	ICD-10-CM	Diagnosis
S68.011S	Complete traumatic metacarpophalangeal amputation of right thumb, sequela	ICD-10-CM	Diagnosis
S68.011D	Complete traumatic metacarpophalangeal amputation of right thumb, subsequent encounter	ICD-10-CM	Diagnosis
S83.272A	Complex tear of lateral meniscus, current injury, left knee, initial encounter	ICD-10-CM	Diagnosis
S83.272S	Complex tear of lateral meniscus, current injury, left knee, sequela	ICD-10-CM	Diagnosis
S83.272D	Complex tear of lateral meniscus, current injury, left knee, subsequent encounter	ICD-10-CM	Diagnosis
S83.271A	Complex tear of lateral meniscus, current injury, right knee, initial encounter	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S83.271S	Complex tear of lateral meniscus, current injury, right knee, sequela	ICD-10-CM	Diagnosis
S83.271D	Complex tear of lateral meniscus, current injury, right knee, subsequent encounter	ICD-10-CM	Diagnosis
S83.279A	Complex tear of lateral meniscus, current injury, unspecified knee, initial encounter	ICD-10-CM	Diagnosis
S83.279S	Complex tear of lateral meniscus, current injury, unspecified knee, sequela	ICD-10-CM	Diagnosis
S83.279D	Complex tear of lateral meniscus, current injury, unspecified knee, subsequent encounter	ICD-10-CM	Diagnosis
S83.232A	Complex tear of medial meniscus, current injury, left knee, initial encounter	ICD-10-CM	Diagnosis
S83.232D	Complex tear of medial meniscus, current injury, left knee, subsequent encounter	ICD-10-CM	Diagnosis
S83.232S	Complex tear of medial meniscus, current injury, left knee, sequela	ICD-10-CM	Diagnosis
S83.231A	Complex tear of medial meniscus, current injury, right knee, initial encounter	ICD-10-CM	Diagnosis
S83.231D	Complex tear of medial meniscus, current injury, right knee, subsequent encounter	ICD-10-CM	Diagnosis
S83.231S	Complex tear of medial meniscus, current injury, right knee, sequela	ICD-10-CM	Diagnosis
S83.239A	Complex tear of medial meniscus, current injury, unspecified knee, initial encounter	ICD-10-CM	Diagnosis
S83.239S	Complex tear of medial meniscus, current injury, unspecified knee, sequela	ICD-10-CM	Diagnosis
S83.239D	Complex tear of medial meniscus, current injury, unspecified knee, subsequent encounter	ICD-10-CM	Diagnosis
T24.592D	Corrosion of first degree of multiple sites of left lower limb, except ankle and foot, subsequent encounter	ICD-10-CM	Diagnosis
T24.592A	Corrosion of first degree of multiple sites of left lower limb, except ankle and foot, initial encounter	ICD-10-CM	Diagnosis
T22.592A	Corrosion of first degree of multiple sites of left shoulder and upper limb, except wrist and hand, initial encounter	ICD-10-CM	Diagnosis
T22.592S	Corrosion of first degree of multiple sites of left shoulder and upper limb, except wrist and hand, sequela	ICD-10-CM	Diagnosis
T22.592D	Corrosion of first degree of multiple sites of left shoulder and upper limb, except wrist and hand, subsequent encounter	ICD-10-CM	Diagnosis
T24.591D	Corrosion of first degree of multiple sites of right lower limb, except ankle and foot, subsequent encounter	ICD-10-CM	Diagnosis
T24.591A	Corrosion of first degree of multiple sites of right lower limb, except ankle and foot, initial encounter	ICD-10-CM	Diagnosis
T22.591A	Corrosion of first degree of multiple sites of right shoulder and upper limb, except wrist and hand, initial encounter	ICD-10-CM	Diagnosis
T22.591S	Corrosion of first degree of multiple sites of right shoulder and upper limb, except wrist and hand, sequela	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
T22.591D	Corrosion of first degree of multiple sites of right shoulder and upper limb, except wrist and hand, subsequent encounter	ICD-10-CM	Diagnosis
T24.599A	Corrosion of first degree of multiple sites of unspecified lower limb, except ankle and foot, initial encounter	ICD-10-CM	Diagnosis
T24.599D	Corrosion of first degree of multiple sites of unspecified lower limb, except ankle and foot, subsequent encounter	ICD-10-CM	Diagnosis
T22.599A	Corrosion of first degree of multiple sites of unspecified shoulder and upper limb, except wrist and hand, initial encounter	ICD-10-CM	Diagnosis
T22.599S	Corrosion of first degree of multiple sites of unspecified shoulder and upper limb, except wrist and hand, sequela	ICD-10-CM	Diagnosis
T22.599D	Corrosion of first degree of multiple sites of unspecified shoulder and upper limb, except wrist and hand, subsequent encounter	ICD-10-CM	Diagnosis
T23.592A	Corrosion of first degree of multiple sites of left wrist and hand, initial encounter	ICD-10-CM	Diagnosis
T23.592D	Corrosion of first degree of multiple sites of left wrist and hand, subsequent encounter	ICD-10-CM	Diagnosis
T23.591A	Corrosion of first degree of multiple sites of right wrist and hand, initial encounter	ICD-10-CM	Diagnosis
T23.591D	Corrosion of first degree of multiple sites of right wrist and hand, subsequent encounter	ICD-10-CM	Diagnosis
T23.599A	Corrosion of first degree of multiple sites of unspecified wrist and hand, initial encounter	ICD-10-CM	Diagnosis
T23.599D	Corrosion of first degree of multiple sites of unspecified wrist and hand, subsequent encounter	ICD-10-CM	Diagnosis
T22.50XA	Corrosion of first degree of shoulder and upper limb, except wrist and hand unspecified site, initial encounter	ICD-10-CM	Diagnosis
T22.50XS	Corrosion of first degree of shoulder and upper limb, except wrist and hand unspecified site, sequela	ICD-10-CM	Diagnosis
T22.50XD	Corrosion of first degree of shoulder and upper limb, except wrist and hand unspecified site, subsequent encounter	ICD-10-CM	Diagnosis
T24.502A	Corrosion of first degree of unspecified site of left lower limb, except ankle and foot, initial encounter	ICD-10-CM	Diagnosis
T24.502D	Corrosion of first degree of unspecified site of left lower limb, except ankle and foot, subsequent encounter	ICD-10-CM	Diagnosis
T24.501A	Corrosion of first degree of unspecified site of right lower limb, except ankle and foot, initial encounter	ICD-10-CM	Diagnosis
T24.501D	Corrosion of first degree of unspecified site of right lower limb, except ankle and foot, subsequent encounter	ICD-10-CM	Diagnosis
T24.509D	Corrosion of first degree of unspecified site of unspecified lower limb, except ankle and foot, subsequent encounter	ICD-10-CM	Diagnosis
T24.509A	Corrosion of first degree of unspecified site of unspecified lower limb, except ankle and foot, initial encounter	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
T24.692A	Corrosion of second degree of multiple sites of left lower limb, except ankle and foot, initial encounter	ICD-10-CM	Diagnosis
T24.692D	Corrosion of second degree of multiple sites of left lower limb, except ankle and foot, subsequent encounter	ICD-10-CM	Diagnosis
T22.692A	Corrosion of second degree of multiple sites of left shoulder and upper limb, except wrist and hand, initial encounter	ICD-10-CM	Diagnosis
T22.692S	Corrosion of second degree of multiple sites of left shoulder and upper limb, except wrist and hand, sequela	ICD-10-CM	Diagnosis
T22.692D	Corrosion of second degree of multiple sites of left shoulder and upper limb, except wrist and hand, subsequent encounter	ICD-10-CM	Diagnosis
T24.691A	Corrosion of second degree of multiple sites of right lower limb, except ankle and foot, initial encounter	ICD-10-CM	Diagnosis
T24.691D	Corrosion of second degree of multiple sites of right lower limb, except ankle and foot, subsequent encounter	ICD-10-CM	Diagnosis
T22.691A	Corrosion of second degree of multiple sites of right shoulder and upper limb, except wrist and hand, initial encounter	ICD-10-CM	Diagnosis
T22.691S	Corrosion of second degree of multiple sites of right shoulder and upper limb, except wrist and hand, sequela	ICD-10-CM	Diagnosis
T22.691D	Corrosion of second degree of multiple sites of right shoulder and upper limb, except wrist and hand, subsequent encounter	ICD-10-CM	Diagnosis
T24.699A	Corrosion of second degree of multiple sites of unspecified lower limb, except ankle and foot, initial encounter	ICD-10-CM	Diagnosis
T24.699D	Corrosion of second degree of multiple sites of unspecified lower limb, except ankle and foot, subsequent encounter	ICD-10-CM	Diagnosis
T22.699A	Corrosion of second degree of multiple sites of unspecified shoulder and upper limb, except wrist and hand, initial encounter	ICD-10-CM	Diagnosis
T22.699S	Corrosion of second degree of multiple sites of unspecified shoulder and upper limb, except wrist and hand, sequela	ICD-10-CM	Diagnosis
T22.699D	Corrosion of second degree of multiple sites of unspecified shoulder and upper limb, except wrist and hand, subsequent encounter	ICD-10-CM	Diagnosis
T22.60XA	Corrosion of second degree of shoulder and upper limb, except wrist and hand, unspecified site, initial encounter	ICD-10-CM	Diagnosis
T22.60XS	Corrosion of second degree of shoulder and upper limb, except wrist and hand, unspecified site, sequela	ICD-10-CM	Diagnosis
T22.60XD	Corrosion of second degree of shoulder and upper limb, except wrist and hand, unspecified site, subsequent encounter	ICD-10-CM	Diagnosis
T24.602A	Corrosion of second degree of unspecified site of left lower limb, except ankle and foot, initial encounter	ICD-10-CM	Diagnosis
T24.602D	Corrosion of second degree of unspecified site of left lower limb, except ankle and foot, subsequent encounter	ICD-10-CM	Diagnosis
T24.601A	Corrosion of second degree of unspecified site of right lower limb, except ankle and foot, initial encounter	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
T24.601D	Corrosion of second degree of unspecified site of right lower limb, except ankle and foot, subsequent encounter	ICD-10-CM	Diagnosis
T24.609D	Corrosion of second degree of unspecified site of unspecified lower limb, except ankle and foot, subsequent encounter	ICD-10-CM	Diagnosis
T24.609A	Corrosion of second degree of unspecified site of unspecified lower limb, except ankle and foot, initial encounter	ICD-10-CM	Diagnosis
T20.70XA	Corrosion of third degree of head, face, and neck, unspecified site, initial encounter	ICD-10-CM	Diagnosis
T20.70XD	Corrosion of third degree of head, face, and neck, unspecified site, subsequent encounter	ICD-10-CM	Diagnosis
T24.792A	Corrosion of third degree of multiple sites of left lower limb, except ankle and foot, initial encounter	ICD-10-CM	Diagnosis
T24.792D	Corrosion of third degree of multiple sites of left lower limb, except ankle and foot, subsequent encounter	ICD-10-CM	Diagnosis
T22.792A	Corrosion of third degree of multiple sites of left shoulder and upper limb, except wrist and hand, initial encounter	ICD-10-CM	Diagnosis
T22.792S	Corrosion of third degree of multiple sites of left shoulder and upper limb, except wrist and hand, sequela	ICD-10-CM	Diagnosis
T22.792D	Corrosion of third degree of multiple sites of left shoulder and upper limb, except wrist and hand, subsequent encounter	ICD-10-CM	Diagnosis
T24.791A	Corrosion of third degree of multiple sites of right lower limb, except ankle and foot, initial encounter	ICD-10-CM	Diagnosis
T24.791D	Corrosion of third degree of multiple sites of right lower limb, except ankle and foot, subsequent encounter	ICD-10-CM	Diagnosis
T22.791A	Corrosion of third degree of multiple sites of right shoulder and upper limb, except wrist and hand, initial encounter	ICD-10-CM	Diagnosis
T22.791S	Corrosion of third degree of multiple sites of right shoulder and upper limb, except wrist and hand, sequela	ICD-10-CM	Diagnosis
T22.791D	Corrosion of third degree of multiple sites of right shoulder and upper limb, except wrist and hand, subsequent encounter	ICD-10-CM	Diagnosis
T24.799A	Corrosion of third degree of multiple sites of unspecified lower limb, except ankle and foot, initial encounter	ICD-10-CM	Diagnosis
T24.799D	Corrosion of third degree of multiple sites of unspecified lower limb, except ankle and foot, subsequent encounter	ICD-10-CM	Diagnosis
T22.799A	Corrosion of third degree of multiple sites of unspecified shoulder and upper limb, except wrist and hand, initial encounter	ICD-10-CM	Diagnosis
T22.799S	Corrosion of third degree of multiple sites of unspecified shoulder and upper limb, except wrist and hand, sequela	ICD-10-CM	Diagnosis
T22.799D	Corrosion of third degree of multiple sites of unspecified shoulder and upper limb, except wrist and hand, subsequent encounter	ICD-10-CM	Diagnosis
T22.70XA	Corrosion of third degree of shoulder and upper limb, except wrist and hand, unspecified site, initial encounter	ICD-10-CM	Diagnosis



**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
T22.70XS	Corrosion of third degree of shoulder and upper limb, except wrist and hand, unspecified site, sequela	ICD-10-CM	Diagnosis
T22.70XD	Corrosion of third degree of shoulder and upper limb, except wrist and hand, unspecified site, subsequent encounter	ICD-10-CM	Diagnosis
T24.702A	Corrosion of third degree of unspecified site of left lower limb, except ankle and foot, initial encounter	ICD-10-CM	Diagnosis
T24.702D	Corrosion of third degree of unspecified site of left lower limb, except ankle and foot, subsequent encounter	ICD-10-CM	Diagnosis
T24.701A	Corrosion of third degree of unspecified site of right lower limb, except ankle and foot, initial encounter	ICD-10-CM	Diagnosis
T24.701D	Corrosion of third degree of unspecified site of right lower limb, except ankle and foot, subsequent encounter	ICD-10-CM	Diagnosis
T24.709A	Corrosion of third degree of unspecified site of unspecified lower limb, except ankle and foot, initial encounter	ICD-10-CM	Diagnosis
T24.709D	Corrosion of third degree of unspecified site of unspecified lower limb, except ankle and foot, subsequent encounter	ICD-10-CM	Diagnosis
T20.40XA	Corrosion of unspecified degree of head, face, and neck, unspecified site, initial encounter	ICD-10-CM	Diagnosis
T20.40XD	Corrosion of unspecified degree of head, face, and neck, unspecified site, subsequent encounter	ICD-10-CM	Diagnosis
T20.49XA	Corrosion of unspecified degree of multiple sites of head, face, and neck, initial encounter	ICD-10-CM	Diagnosis
T20.49XD	Corrosion of unspecified degree of multiple sites of head, face, and neck, subsequent encounter	ICD-10-CM	Diagnosis
T24.492D	Corrosion of unspecified degree of multiple sites of left lower limb, except ankle and foot, subsequent encounter	ICD-10-CM	Diagnosis
T24.492A	Corrosion of unspecified degree of multiple sites of left lower limb, except ankle and foot, initial encounter	ICD-10-CM	Diagnosis
T22.492A	Corrosion of unspecified degree of multiple sites of left shoulder and upper limb, except wrist and hand, initial encounter	ICD-10-CM	Diagnosis
T22.492S	Corrosion of unspecified degree of multiple sites of left shoulder and upper limb, except wrist and hand, sequela	ICD-10-CM	Diagnosis
T22.492D	Corrosion of unspecified degree of multiple sites of left shoulder and upper limb, except wrist and hand, subsequent encounter	ICD-10-CM	Diagnosis
T24.491D	Corrosion of unspecified degree of multiple sites of right lower limb, except ankle and foot, subsequent encounter	ICD-10-CM	Diagnosis
T24.491A	Corrosion of unspecified degree of multiple sites of right lower limb, except ankle and foot, initial encounter	ICD-10-CM	Diagnosis
T22.491A	Corrosion of unspecified degree of multiple sites of right shoulder and upper limb, except wrist and hand, initial encounter	ICD-10-CM	Diagnosis
T22.491S	Corrosion of unspecified degree of multiple sites of right shoulder and upper limb, except wrist and hand, sequela	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
T22.491D	Corrosion of unspecified degree of multiple sites of right shoulder and upper limb, except wrist and hand, subsequent encounter	ICD-10-CM	Diagnosis
T24.499S	Corrosion of unspecified degree of multiple sites of unspecified lower limb, except ankle and foot, sequela	ICD-10-CM	Diagnosis
T24.499A	Corrosion of unspecified degree of multiple sites of unspecified lower limb, except ankle and foot, initial encounter	ICD-10-CM	Diagnosis
T24.499D	Corrosion of unspecified degree of multiple sites of unspecified lower limb, except ankle and foot, subsequent encounter	ICD-10-CM	Diagnosis
T22.499A	Corrosion of unspecified degree of multiple sites of unspecified shoulder and upper limb, except wrist and hand, initial encounter	ICD-10-CM	Diagnosis
T22.499S	Corrosion of unspecified degree of multiple sites of unspecified shoulder and upper limb, except wrist and hand, sequela	ICD-10-CM	Diagnosis
T22.499D	Corrosion of unspecified degree of multiple sites of unspecified shoulder and upper limb, except wrist and hand, subsequent encounter	ICD-10-CM	Diagnosis
T22.40XA	Corrosion of unspecified degree of shoulder and upper limb, except wrist and hand, unspecified site, initial encounter	ICD-10-CM	Diagnosis
T22.40XD	Corrosion of unspecified degree of shoulder and upper limb, except wrist and hand, unspecified site, subsequent encounter	ICD-10-CM	Diagnosis
T24.402A	Corrosion of unspecified degree of unspecified site of left lower limb, except ankle and foot, initial encounter	ICD-10-CM	Diagnosis
T24.402D	Corrosion of unspecified degree of unspecified site of left lower limb, except ankle and foot, subsequent encounter	ICD-10-CM	Diagnosis
T24.401A	Corrosion of unspecified degree of unspecified site of right lower limb, except ankle and foot, initial encounter	ICD-10-CM	Diagnosis
T24.401D	Corrosion of unspecified degree of unspecified site of right lower limb, except ankle and foot, subsequent encounter	ICD-10-CM	Diagnosis
T24.409D	Corrosion of unspecified degree of unspecified site of unspecified lower limb, except ankle and foot, subsequent encounter	ICD-10-CM	Diagnosis
T24.409A	Corrosion of unspecified degree of unspecified site of unspecified lower limb, except ankle and foot, initial encounter	ICD-10-CM	Diagnosis
T23.522A	Corrosion of first degree of single left finger (nail) except thumb, initial encounter	ICD-10-CM	Diagnosis
T23.522S	Corrosion of first degree of single left finger (nail) except thumb, sequela	ICD-10-CM	Diagnosis
T23.522D	Corrosion of first degree of single left finger (nail) except thumb, subsequent encounter	ICD-10-CM	Diagnosis
T23.521A	Corrosion of first degree of single right finger (nail) except thumb, initial encounter	ICD-10-CM	Diagnosis
T23.521S	Corrosion of first degree of single right finger (nail) except thumb, sequela	ICD-10-CM	Diagnosis
T23.521D	Corrosion of first degree of single right finger (nail) except thumb, subsequent encounter	ICD-10-CM	Diagnosis
T23.529A	Corrosion of first degree of unspecified single finger (nail) except thumb, initial encounter	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
T23.529S	Corrosion of first degree of unspecified single finger (nail) except thumb, sequela	ICD-10-CM	Diagnosis
T23.529D	Corrosion of first degree of unspecified single finger (nail) except thumb, subsequent encounter	ICD-10-CM	Diagnosis
T21.57XA	Corrosion of first degree of female genital region, initial encounter	ICD-10-CM	Diagnosis
T21.57XS	Corrosion of first degree of female genital region, sequela	ICD-10-CM	Diagnosis
T21.57XD	Corrosion of first degree of female genital region, subsequent encounter	ICD-10-CM	Diagnosis
T20.50XS	Corrosion of first degree of head, face, and neck, unspecified site, sequela	ICD-10-CM	Diagnosis
T20.50XD	Corrosion of first degree of head, face, and neck, unspecified site, subsequent encounter	ICD-10-CM	Diagnosis
T20.50XA	Corrosion of first degree of head, face, and neck, unspecified site, initial encounter	ICD-10-CM	Diagnosis
T23.552A	Corrosion of first degree of left palm, initial encounter	ICD-10-CM	Diagnosis
T23.552D	Corrosion of first degree of left palm, subsequent encounter	ICD-10-CM	Diagnosis
T23.572A	Corrosion of first degree of left wrist, initial encounter	ICD-10-CM	Diagnosis
T23.572D	Corrosion of first degree of left wrist, subsequent encounter	ICD-10-CM	Diagnosis
T20.512A	Corrosion of first degree of left ear [any part, except ear drum], initial encounter	ICD-10-CM	Diagnosis
T20.512D	Corrosion of first degree of left ear [any part, except ear drum], subsequent encounter	ICD-10-CM	Diagnosis
T20.512S	Corrosion of first degree of left ear [any part, except ear drum], sequela	ICD-10-CM	Diagnosis
T22.562A	Corrosion of first degree of left scapular region, initial encounter	ICD-10-CM	Diagnosis
T22.562D	Corrosion of first degree of left scapular region, subsequent encounter	ICD-10-CM	Diagnosis
T23.532A	Corrosion of first degree of multiple left fingers (nail), not including thumb, initial encounter	ICD-10-CM	Diagnosis
T23.532S	Corrosion of first degree of multiple left fingers (nail), not including thumb, sequela	ICD-10-CM	Diagnosis
T23.532D	Corrosion of first degree of multiple left fingers (nail), not including thumb, subsequent encounter	ICD-10-CM	Diagnosis
T23.542A	Corrosion of first degree of multiple left fingers (nail), including thumb, initial encounter	ICD-10-CM	Diagnosis
T23.542S	Corrosion of first degree of multiple left fingers (nail), including thumb, sequela	ICD-10-CM	Diagnosis
T23.542D	Corrosion of first degree of multiple left fingers (nail), including thumb, subsequent encounter	ICD-10-CM	Diagnosis
T23.531A	Corrosion of first degree of multiple right fingers (nail), not including thumb, initial encounter	ICD-10-CM	Diagnosis
T23.531S	Corrosion of first degree of multiple right fingers (nail), not including thumb, sequela	ICD-10-CM	Diagnosis
T23.531D	Corrosion of first degree of multiple right fingers (nail), not including thumb, subsequent encounter	ICD-10-CM	Diagnosis
T23.541A	Corrosion of first degree of multiple right fingers (nail), including thumb, initial encounter	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
T23.541S	Corrosion of first degree of multiple right fingers (nail), including thumb, sequela	ICD-10-CM	Diagnosis
T23.541D	Corrosion of first degree of multiple right fingers (nail), including thumb, subsequent encounter	ICD-10-CM	Diagnosis
T20.59XA	Corrosion of first degree of multiple sites of head, face, and neck, initial encounter	ICD-10-CM	Diagnosis
T20.59XD	Corrosion of first degree of multiple sites of head, face, and neck, subsequent encounter	ICD-10-CM	Diagnosis
T24.592S	Corrosion of first degree of multiple sites of left lower limb, except ankle and foot, sequela	ICD-10-CM	Diagnosis
T24.591S	Corrosion of first degree of multiple sites of right lower limb, except ankle and foot, sequela	ICD-10-CM	Diagnosis
T24.599S	Corrosion of first degree of multiple sites of unspecified lower limb, except ankle and foot, sequela	ICD-10-CM	Diagnosis
T20.59XS	Corrosion of first degree of multiple sites of head, face, and neck, sequela	ICD-10-CM	Diagnosis
T25.592A	Corrosion of first degree of multiple sites of left ankle and foot, initial encounter	ICD-10-CM	Diagnosis
T25.592S	Corrosion of first degree of multiple sites of left ankle and foot, sequela	ICD-10-CM	Diagnosis
T25.592D	Corrosion of first degree of multiple sites of left ankle and foot, subsequent encounter	ICD-10-CM	Diagnosis
T23.592S	Corrosion of first degree of multiple sites of left wrist and hand, sequela	ICD-10-CM	Diagnosis
T25.591A	Corrosion of first degree of multiple sites of right ankle and foot, initial encounter	ICD-10-CM	Diagnosis
T25.591S	Corrosion of first degree of multiple sites of right ankle and foot, sequela	ICD-10-CM	Diagnosis
T25.591D	Corrosion of first degree of multiple sites of right ankle and foot, subsequent encounter	ICD-10-CM	Diagnosis
T23.591S	Corrosion of first degree of multiple sites of right wrist and hand, sequela	ICD-10-CM	Diagnosis
T25.599A	Corrosion of first degree of multiple sites of unspecified ankle and foot, initial encounter	ICD-10-CM	Diagnosis
T25.599S	Corrosion of first degree of multiple sites of unspecified ankle and foot, sequela	ICD-10-CM	Diagnosis
T25.599D	Corrosion of first degree of multiple sites of unspecified ankle and foot, subsequent encounter	ICD-10-CM	Diagnosis
T23.599S	Corrosion of first degree of multiple sites of unspecified wrist and hand, sequela	ICD-10-CM	Diagnosis
T23.539A	Corrosion of first degree of unspecified multiple fingers (nail), not including thumb, initial encounter	ICD-10-CM	Diagnosis
T23.539S	Corrosion of first degree of unspecified multiple fingers (nail), not including thumb, sequela	ICD-10-CM	Diagnosis
T23.539D	Corrosion of first degree of unspecified multiple fingers (nail), not including thumb, subsequent encounter	ICD-10-CM	Diagnosis
T25.511A	Corrosion of first degree of right ankle, initial encounter	ICD-10-CM	Diagnosis
T25.511D	Corrosion of first degree of right ankle, subsequent encounter	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
T23.551A	Corrosion of first degree of right palm, initial encounter	ICD-10-CM	Diagnosis
T23.551D	Corrosion of first degree of right palm, subsequent encounter	ICD-10-CM	Diagnosis
T20.511A	Corrosion of first degree of right ear [any part, except ear drum], initial encounter	ICD-10-CM	Diagnosis
T20.511D	Corrosion of first degree of right ear [any part, except ear drum], subsequent encounter	ICD-10-CM	Diagnosis
T20.511S	Corrosion of first degree of right ear [any part, except ear drum], sequela	ICD-10-CM	Diagnosis
T23.501A	Corrosion of first degree of right hand, unspecified site, initial encounter	ICD-10-CM	Diagnosis
T23.501D	Corrosion of first degree of right hand, unspecified site, subsequent encounter	ICD-10-CM	Diagnosis
T22.561A	Corrosion of first degree of right scapular region, initial encounter	ICD-10-CM	Diagnosis
T22.561D	Corrosion of first degree of right scapular region, subsequent encounter	ICD-10-CM	Diagnosis
T20.519A	Corrosion of first degree of unspecified ear [any part, except ear drum], initial encounter	ICD-10-CM	Diagnosis
T20.519D	Corrosion of first degree of unspecified ear [any part, except ear drum], subsequent encounter	ICD-10-CM	Diagnosis
T20.519S	Corrosion of first degree of unspecified ear [any part, except ear drum], sequela	ICD-10-CM	Diagnosis
T23.509A	Corrosion of first degree of unspecified hand, unspecified site, initial encounter	ICD-10-CM	Diagnosis
T23.509D	Corrosion of first degree of unspecified hand, unspecified site, subsequent encounter	ICD-10-CM	Diagnosis
T23.549A	Corrosion of first degree of unspecified multiple fingers (nail), including thumb, initial encounter	ICD-10-CM	Diagnosis
T23.549S	Corrosion of first degree of unspecified multiple fingers (nail), including thumb, sequela	ICD-10-CM	Diagnosis
T23.549D	Corrosion of first degree of unspecified multiple fingers (nail), including thumb, subsequent encounter	ICD-10-CM	Diagnosis
T22.569A	Corrosion of first degree of unspecified scapular region, initial encounter	ICD-10-CM	Diagnosis
T22.569D	Corrosion of first degree of unspecified scapular region, subsequent encounter	ICD-10-CM	Diagnosis
T24.502S	Corrosion of first degree of unspecified site of left lower limb, except ankle and foot, sequela	ICD-10-CM	Diagnosis
T24.501S	Corrosion of first degree of unspecified site of right lower limb, except ankle and foot, sequela	ICD-10-CM	Diagnosis
T24.509S	Corrosion of first degree of unspecified site of unspecified lower limb, except ankle and foot, sequela	ICD-10-CM	Diagnosis
T23.562A	Corrosion of first degree of back of left hand, initial encounter	ICD-10-CM	Diagnosis
T23.562D	Corrosion of first degree of back of left hand, subsequent encounter	ICD-10-CM	Diagnosis
T23.561A	Corrosion of first degree of back of right hand, initial encounter	ICD-10-CM	Diagnosis
T23.561D	Corrosion of first degree of back of right hand, subsequent encounter	ICD-10-CM	Diagnosis
T23.569A	Corrosion of first degree of back of unspecified hand, initial encounter	ICD-10-CM	Diagnosis
T23.569S	Corrosion of first degree of back of unspecified hand, sequela	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
T23.569D	Corrosion of first degree of back of unspecified hand, subsequent encounter	ICD-10-CM	Diagnosis
T22.542A	Corrosion of first degree of left axilla, initial encounter	ICD-10-CM	Diagnosis
T25.522A	Corrosion of first degree of left foot, initial encounter	ICD-10-CM	Diagnosis
T25.512A	Corrosion of first degree of left ankle, initial encounter	ICD-10-CM	Diagnosis
T25.512D	Corrosion of first degree of left ankle, subsequent encounter	ICD-10-CM	Diagnosis
T22.542D	Corrosion of first degree of left axilla, subsequent encounter	ICD-10-CM	Diagnosis
T22.522A	Corrosion of first degree of left elbow, initial encounter	ICD-10-CM	Diagnosis
T22.522D	Corrosion of first degree of left elbow, subsequent encounter	ICD-10-CM	Diagnosis
T25.522D	Corrosion of first degree of left foot, subsequent encounter	ICD-10-CM	Diagnosis
T23.502A	Corrosion of first degree of left hand, unspecified site, initial encounter	ICD-10-CM	Diagnosis
T23.502S	Corrosion of first degree of left hand, unspecified site, sequela	ICD-10-CM	Diagnosis
T23.502D	Corrosion of first degree of left hand, unspecified site, subsequent encounter	ICD-10-CM	Diagnosis
T22.562S	Corrosion of first degree of left scapular region, sequela	ICD-10-CM	Diagnosis
T22.552A	Corrosion of first degree of left shoulder, initial encounter	ICD-10-CM	Diagnosis
T22.552D	Corrosion of first degree of left shoulder, subsequent encounter	ICD-10-CM	Diagnosis
T23.512A	Corrosion of first degree of left thumb (nail), initial encounter	ICD-10-CM	Diagnosis
T23.512D	Corrosion of first degree of left thumb (nail), subsequent encounter	ICD-10-CM	Diagnosis
T25.532A	Corrosion of first degree of left toe(s) (nail), initial encounter	ICD-10-CM	Diagnosis
T25.532D	Corrosion of first degree of left toe(s) (nail), subsequent encounter	ICD-10-CM	Diagnosis
T22.532A	Corrosion of first degree of left upper arm, initial encounter	ICD-10-CM	Diagnosis
T22.532D	Corrosion of first degree of left upper arm, subsequent encounter	ICD-10-CM	Diagnosis
T20.54XA	Corrosion of first degree of nose (septum), initial encounter	ICD-10-CM	Diagnosis
T20.54XD	Corrosion of first degree of nose (septum), subsequent encounter	ICD-10-CM	Diagnosis
T20.55XS	Corrosion of first degree of scalp [any part], sequela	ICD-10-CM	Diagnosis
T22.541A	Corrosion of first degree of right axilla, initial encounter	ICD-10-CM	Diagnosis
T22.541D	Corrosion of first degree of right axilla, subsequent encounter	ICD-10-CM	Diagnosis
T22.521A	Corrosion of first degree of right elbow, initial encounter	ICD-10-CM	Diagnosis
T22.521D	Corrosion of first degree of right elbow, subsequent encounter	ICD-10-CM	Diagnosis
T25.521A	Corrosion of first degree of right foot, initial encounter	ICD-10-CM	Diagnosis
T25.521D	Corrosion of first degree of right foot, subsequent encounter	ICD-10-CM	Diagnosis
T23.501S	Corrosion of first degree of right hand, unspecified site, sequela	ICD-10-CM	Diagnosis
T22.561S	Corrosion of first degree of right scapular region, sequela	ICD-10-CM	Diagnosis
T22.551A	Corrosion of first degree of right shoulder, initial encounter	ICD-10-CM	Diagnosis
T22.551D	Corrosion of first degree of right shoulder, subsequent encounter	ICD-10-CM	Diagnosis
T23.511A	Corrosion of first degree of right thumb (nail), initial encounter	ICD-10-CM	Diagnosis
T23.511D	Corrosion of first degree of right thumb (nail), subsequent encounter	ICD-10-CM	Diagnosis
T25.531A	Corrosion of first degree of right toe(s) (nail), initial encounter	ICD-10-CM	Diagnosis
T25.531D	Corrosion of first degree of right toe(s) (nail), subsequent encounter	ICD-10-CM	Diagnosis
T22.531A	Corrosion of first degree of right upper arm, initial encounter	ICD-10-CM	Diagnosis
T22.531D	Corrosion of first degree of right upper arm, subsequent encounter	ICD-10-CM	Diagnosis
T23.571A	Corrosion of first degree of right wrist, initial encounter	ICD-10-CM	Diagnosis



**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
T23.571D	Corrosion of first degree of right wrist, subsequent encounter	ICD-10-CM	Diagnosis
T20.55XA	Corrosion of first degree of scalp [any part], initial encounter	ICD-10-CM	Diagnosis
T20.55XD	Corrosion of first degree of scalp [any part], subsequent encounter	ICD-10-CM	Diagnosis
T25.519A	Corrosion of first degree of unspecified ankle, initial encounter	ICD-10-CM	Diagnosis
T25.519D	Corrosion of first degree of unspecified ankle, subsequent encounter	ICD-10-CM	Diagnosis
T22.549A	Corrosion of first degree of unspecified axilla, initial encounter	ICD-10-CM	Diagnosis
T22.549D	Corrosion of first degree of unspecified axilla, subsequent encounter	ICD-10-CM	Diagnosis
T22.529A	Corrosion of first degree of unspecified elbow, initial encounter	ICD-10-CM	Diagnosis
T22.529D	Corrosion of first degree of unspecified elbow, subsequent encounter	ICD-10-CM	Diagnosis
T25.529A	Corrosion of first degree of unspecified foot, initial encounter	ICD-10-CM	Diagnosis
T25.529D	Corrosion of first degree of unspecified foot, subsequent encounter	ICD-10-CM	Diagnosis
T23.509S	Corrosion of first degree of unspecified hand, unspecified site, sequela	ICD-10-CM	Diagnosis
T23.559A	Corrosion of first degree of unspecified palm, initial encounter	ICD-10-CM	Diagnosis
T23.559D	Corrosion of first degree of unspecified palm, subsequent encounter	ICD-10-CM	Diagnosis
T22.569S	Corrosion of first degree of unspecified scapular region, sequela	ICD-10-CM	Diagnosis
T22.559A	Corrosion of first degree of unspecified shoulder, initial encounter	ICD-10-CM	Diagnosis
T22.559S	Corrosion of first degree of unspecified shoulder, sequela	ICD-10-CM	Diagnosis
T22.559D	Corrosion of first degree of unspecified shoulder, subsequent encounter	ICD-10-CM	Diagnosis
T23.519A	Corrosion of first degree of unspecified thumb (nail), initial encounter	ICD-10-CM	Diagnosis
T23.519S	Corrosion of first degree of unspecified thumb (nail), sequela	ICD-10-CM	Diagnosis
T23.519D	Corrosion of first degree of unspecified thumb (nail), subsequent encounter	ICD-10-CM	Diagnosis
T25.539A	Corrosion of first degree of unspecified toe(s) (nail), initial encounter	ICD-10-CM	Diagnosis
T25.539S	Corrosion of first degree of unspecified toe(s) (nail), sequela	ICD-10-CM	Diagnosis
T25.539D	Corrosion of first degree of unspecified toe(s) (nail), subsequent encounter	ICD-10-CM	Diagnosis
T22.539A	Corrosion of first degree of unspecified upper arm, initial encounter	ICD-10-CM	Diagnosis
T22.539S	Corrosion of first degree of unspecified upper arm, sequela	ICD-10-CM	Diagnosis
T22.539D	Corrosion of first degree of unspecified upper arm, subsequent encounter	ICD-10-CM	Diagnosis
T23.579A	Corrosion of first degree of unspecified wrist, initial encounter	ICD-10-CM	Diagnosis
T23.579D	Corrosion of first degree of unspecified wrist, subsequent encounter	ICD-10-CM	Diagnosis
T22.549S	Corrosion of first degree of unspecified axilla, sequela	ICD-10-CM	Diagnosis
T22.611A	Corrosion of second degree of right forearm, initial encounter	ICD-10-CM	Diagnosis
T23.622A	Corrosion of second degree of single left finger (nail) except thumb, initial encounter	ICD-10-CM	Diagnosis
T23.622S	Corrosion of second degree of single left finger (nail) except thumb, sequela	ICD-10-CM	Diagnosis
T23.622D	Corrosion of second degree of single left finger (nail) except thumb, subsequent encounter	ICD-10-CM	Diagnosis
T23.621S	Corrosion of second degree of single right finger (nail) except thumb, sequela	ICD-10-CM	Diagnosis
T23.621A	Corrosion of second degree of single right finger (nail) except thumb, initial encounter	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
T23.621D	Corrosion of second degree of single right finger (nail) except thumb, subsequent encounter	ICD-10-CM	Diagnosis
T23.662A	Corrosion of second degree back of left hand, initial encounter	ICD-10-CM	Diagnosis
T23.662D	Corrosion of second degree back of left hand, subsequent encounter	ICD-10-CM	Diagnosis
T23.661A	Corrosion of second degree back of right hand, initial encounter	ICD-10-CM	Diagnosis
T23.661D	Corrosion of second degree back of right hand, subsequent encounter	ICD-10-CM	Diagnosis
T23.669A	Corrosion of second degree back of unspecified hand, initial encounter	ICD-10-CM	Diagnosis
T23.669D	Corrosion of second degree back of unspecified hand, subsequent encounter	ICD-10-CM	Diagnosis
T21.67XA	Corrosion of second degree of female genital region, initial encounter	ICD-10-CM	Diagnosis
T21.67XS	Corrosion of second degree of female genital region, sequela	ICD-10-CM	Diagnosis
T21.67XD	Corrosion of second degree of female genital region, subsequent encounter	ICD-10-CM	Diagnosis
T20.66XA	Corrosion of second degree of forehead and cheek, initial encounter	ICD-10-CM	Diagnosis
T20.66XD	Corrosion of second degree of forehead and cheek, subsequent encounter	ICD-10-CM	Diagnosis
T20.60XD	Corrosion of second degree of head, face, and neck, unspecified site, subsequent encounter	ICD-10-CM	Diagnosis
T20.60XS	Corrosion of second degree of head, face, and neck, unspecified site, sequela	ICD-10-CM	Diagnosis
T20.60XA	Corrosion of second degree of head, face, and neck, unspecified site, initial encounter	ICD-10-CM	Diagnosis
T23.602A	Corrosion of second degree of left hand, unspecified site, initial encounter	ICD-10-CM	Diagnosis
T23.602D	Corrosion of second degree of left hand, unspecified site, subsequent encounter	ICD-10-CM	Diagnosis
T22.662A	Corrosion of second degree of left scapular region, initial encounter	ICD-10-CM	Diagnosis
T22.662D	Corrosion of second degree of left scapular region, subsequent encounter	ICD-10-CM	Diagnosis
T21.66XA	Corrosion of second degree of male genital region, initial encounter	ICD-10-CM	Diagnosis
T21.66XS	Corrosion of second degree of male genital region, sequela	ICD-10-CM	Diagnosis
T21.66XD	Corrosion of second degree of male genital region, subsequent encounter	ICD-10-CM	Diagnosis
T23.632A	Corrosion of second degree of multiple left fingers (nail), not including thumb, initial encounter	ICD-10-CM	Diagnosis
T23.632S	Corrosion of second degree of multiple left fingers (nail), not including thumb, sequela	ICD-10-CM	Diagnosis
T23.632D	Corrosion of second degree of multiple left fingers (nail), not including thumb, subsequent encounter	ICD-10-CM	Diagnosis
T23.642A	Corrosion of second degree of multiple left fingers (nail), including thumb, initial encounter	ICD-10-CM	Diagnosis
T23.642S	Corrosion of second degree of multiple left fingers (nail), including thumb, sequela	ICD-10-CM	Diagnosis
T23.642D	Corrosion of second degree of multiple left fingers (nail), including thumb, subsequent encounter	ICD-10-CM	Diagnosis
T23.631A	Corrosion of second degree of multiple right fingers (nail), not including thumb, initial encounter	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
T23.631S	Corrosion of second degree of multiple right fingers (nail), not including thumb, sequela	ICD-10-CM	Diagnosis
T23.631D	Corrosion of second degree of multiple right fingers (nail), not including thumb, subsequent encounter	ICD-10-CM	Diagnosis
T23.641A	Corrosion of second degree of multiple right fingers (nail), including thumb, initial encounter	ICD-10-CM	Diagnosis
T23.641S	Corrosion of second degree of multiple right fingers (nail), including thumb, sequela	ICD-10-CM	Diagnosis
T23.641D	Corrosion of second degree of multiple right fingers (nail), including thumb, subsequent encounter	ICD-10-CM	Diagnosis
T20.69XA	Corrosion of second degree of multiple sites of head, face, and neck, initial encounter	ICD-10-CM	Diagnosis
T24.692S	Corrosion of second degree of multiple sites of left lower limb, except ankle and foot, sequela	ICD-10-CM	Diagnosis
T24.691S	Corrosion of second degree of multiple sites of right lower limb, except ankle and foot, sequela	ICD-10-CM	Diagnosis
T24.699S	Corrosion of second degree of multiple sites of unspecified lower limb, except ankle and foot, sequela	ICD-10-CM	Diagnosis
T20.69XS	Corrosion of second degree of multiple sites of head, face, and neck, sequela	ICD-10-CM	Diagnosis
T20.69XD	Corrosion of second degree of multiple sites of head, face, and neck, subsequent encounter	ICD-10-CM	Diagnosis
T23.692S	Corrosion of second degree of multiple sites of left wrist and hand, sequela	ICD-10-CM	Diagnosis
T23.692D	Corrosion of second degree of multiple sites of left wrist and hand, subsequent encounter	ICD-10-CM	Diagnosis
T23.692A	Corrosion of second degree of multiple sites of left wrist and hand, initial encounter	ICD-10-CM	Diagnosis
T23.691S	Corrosion of second degree of multiple sites of right wrist and hand, sequela	ICD-10-CM	Diagnosis
T23.691D	Corrosion of second degree of multiple sites of right wrist and hand, subsequent encounter	ICD-10-CM	Diagnosis
T23.691A	Corrosion of second degree of multiple sites of right wrist and hand, initial encounter	ICD-10-CM	Diagnosis
T23.699S	Corrosion of second degree of multiple sites of unspecified wrist and hand, sequela	ICD-10-CM	Diagnosis
T23.699D	Corrosion of second degree of multiple sites of unspecified wrist and hand, subsequent encounter	ICD-10-CM	Diagnosis
T23.699A	Corrosion of second degree of multiple sites of unspecified wrist and hand, initial encounter	ICD-10-CM	Diagnosis
T23.639A	Corrosion of second degree of unspecified multiple fingers (nail), not including thumb, initial encounter	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
T23.639S	Corrosion of second degree of unspecified multiple fingers (nail), not including thumb, sequela	ICD-10-CM	Diagnosis
T23.639D	Corrosion of second degree of unspecified multiple fingers (nail), not including thumb, subsequent encounter	ICD-10-CM	Diagnosis
T23.601A	Corrosion of second degree of right hand, unspecified site, initial encounter	ICD-10-CM	Diagnosis
T23.601D	Corrosion of second degree of right hand, unspecified site, subsequent encounter	ICD-10-CM	Diagnosis
T22.661A	Corrosion of second degree of right scapular region, initial encounter	ICD-10-CM	Diagnosis
T22.661D	Corrosion of second degree of right scapular region, subsequent encounter	ICD-10-CM	Diagnosis
T23.629A	Corrosion of second degree of unspecified single finger (nail) except thumb, initial encounter	ICD-10-CM	Diagnosis
T23.629S	Corrosion of second degree of unspecified single finger (nail) except thumb, sequela	ICD-10-CM	Diagnosis
T23.629D	Corrosion of second degree of unspecified single finger (nail) except thumb, subsequent encounter	ICD-10-CM	Diagnosis
T20.619A	Corrosion of second degree of unspecified ear [any part, except ear drum], initial encounter	ICD-10-CM	Diagnosis
T20.619D	Corrosion of second degree of unspecified ear [any part, except ear drum], subsequent encounter	ICD-10-CM	Diagnosis
T20.619S	Corrosion of second degree of unspecified ear [any part, except ear drum], sequela	ICD-10-CM	Diagnosis
T23.609A	Corrosion of second degree of unspecified hand, unspecified site, initial encounter	ICD-10-CM	Diagnosis
T23.609D	Corrosion of second degree of unspecified hand, unspecified site, subsequent encounter	ICD-10-CM	Diagnosis
T24.639A	Corrosion of second degree of unspecified lower leg, initial encounter	ICD-10-CM	Diagnosis
T24.639D	Corrosion of second degree of unspecified lower leg, subsequent encounter	ICD-10-CM	Diagnosis
T23.649A	Corrosion of second degree of unspecified multiple fingers (nail), including thumb, initial encounter	ICD-10-CM	Diagnosis
T23.649S	Corrosion of second degree of unspecified multiple fingers (nail), including thumb, sequela	ICD-10-CM	Diagnosis
T23.649D	Corrosion of second degree of unspecified multiple fingers (nail), including thumb, subsequent encounter	ICD-10-CM	Diagnosis
T22.669A	Corrosion of second degree of unspecified scapular region, initial encounter	ICD-10-CM	Diagnosis
T22.669D	Corrosion of second degree of unspecified scapular region, subsequent encounter	ICD-10-CM	Diagnosis
T24.602S	Corrosion of second degree of unspecified site of left lower limb, except ankle and foot, sequela	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
T24.601S	Corrosion of second degree of unspecified site of right lower limb, except ankle and foot, sequela	ICD-10-CM	Diagnosis
T24.609S	Corrosion of second degree of unspecified site of unspecified lower limb, except ankle and foot, sequela	ICD-10-CM	Diagnosis
T21.62XA	Corrosion of second degree of abdominal wall, initial encounter	ICD-10-CM	Diagnosis
T21.62XD	Corrosion of second degree of abdominal wall, subsequent encounter	ICD-10-CM	Diagnosis
T23.662S	Corrosion of second degree back of left hand, sequela	ICD-10-CM	Diagnosis
T23.661S	Corrosion of second degree back of right hand, sequela	ICD-10-CM	Diagnosis
T23.669S	Corrosion of second degree back of unspecified hand, sequela	ICD-10-CM	Diagnosis
T21.65XA	Corrosion of second degree of buttock, initial encounter	ICD-10-CM	Diagnosis
T21.65XD	Corrosion of second degree of buttock, subsequent encounter	ICD-10-CM	Diagnosis
T21.61XA	Corrosion of second degree of chest wall, initial encounter	ICD-10-CM	Diagnosis
T21.61XD	Corrosion of second degree of chest wall, subsequent encounter	ICD-10-CM	Diagnosis
T21.64XA	Corrosion of second degree of lower back, initial encounter	ICD-10-CM	Diagnosis
T21.64XD	Corrosion of second degree of lower back, subsequent encounter	ICD-10-CM	Diagnosis
T25.692A	Corrosion of second degree of left ankle and foot, initial encounter	ICD-10-CM	Diagnosis
T25.692D	Corrosion of second degree of left ankle and foot, subsequent encounter	ICD-10-CM	Diagnosis
T25.612A	Corrosion of second degree of left ankle, initial encounter	ICD-10-CM	Diagnosis
T25.612D	Corrosion of second degree of left ankle, subsequent encounter	ICD-10-CM	Diagnosis
T22.642A	Corrosion of second degree of left axilla, initial encounter	ICD-10-CM	Diagnosis
T22.642D	Corrosion of second degree of left axilla, subsequent encounter	ICD-10-CM	Diagnosis
T20.612A	Corrosion of second degree of left ear [any part, except ear drum], initial encounter	ICD-10-CM	Diagnosis
T20.612D	Corrosion of second degree of left ear [any part, except ear drum], subsequent encounter	ICD-10-CM	Diagnosis
T20.612S	Corrosion of second degree of left ear [any part, except ear drum], sequela	ICD-10-CM	Diagnosis
T22.622A	Corrosion of second degree of left elbow, initial encounter	ICD-10-CM	Diagnosis
T22.622D	Corrosion of second degree of left elbow, subsequent encounter	ICD-10-CM	Diagnosis
T25.622A	Corrosion of second degree of left foot, initial encounter	ICD-10-CM	Diagnosis
T25.622D	Corrosion of second degree of left foot, subsequent encounter	ICD-10-CM	Diagnosis
T22.612A	Corrosion of second degree of left forearm, initial encounter	ICD-10-CM	Diagnosis
T22.612D	Corrosion of second degree of left forearm, subsequent encounter	ICD-10-CM	Diagnosis
T23.602S	Corrosion of second degree of left hand, unspecified site, sequela	ICD-10-CM	Diagnosis
T23.652A	Corrosion of second degree of left palm, initial encounter	ICD-10-CM	Diagnosis
T23.652D	Corrosion of second degree of left palm, subsequent encounter	ICD-10-CM	Diagnosis
T22.662S	Corrosion of second degree of left scapular region, sequela	ICD-10-CM	Diagnosis
T22.652A	Corrosion of second degree of left shoulder, initial encounter	ICD-10-CM	Diagnosis
T22.652D	Corrosion of second degree of left shoulder, subsequent encounter	ICD-10-CM	Diagnosis
T23.612A	Corrosion of second degree of left thumb (nail), initial encounter	ICD-10-CM	Diagnosis
T23.612D	Corrosion of second degree of left thumb (nail), subsequent encounter	ICD-10-CM	Diagnosis
T25.632A	Corrosion of second degree of left toe(s) (nail), initial encounter	ICD-10-CM	Diagnosis
T25.632D	Corrosion of second degree of left toe(s) (nail), subsequent encounter	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
T22.632A	Corrosion of second degree of left upper arm, initial encounter	ICD-10-CM	Diagnosis
T22.632D	Corrosion of second degree of left upper arm, subsequent encounter	ICD-10-CM	Diagnosis
T23.672A	Corrosion of second degree of left wrist, initial encounter	ICD-10-CM	Diagnosis
T23.672D	Corrosion of second degree of left wrist, subsequent encounter	ICD-10-CM	Diagnosis
T20.64XA	Corrosion of second degree of nose (septum), initial encounter	ICD-10-CM	Diagnosis
T20.64XD	Corrosion of second degree of nose (septum), subsequent encounter	ICD-10-CM	Diagnosis
T21.69XA	Corrosion of second degree of other site of trunk, initial encounter	ICD-10-CM	Diagnosis
T21.69XD	Corrosion of second degree of other site of trunk, subsequent encounter	ICD-10-CM	Diagnosis
T21.69XS	Corrosion of second degree of other site of trunk, sequela	ICD-10-CM	Diagnosis
T25.691A	Corrosion of second degree of right ankle and foot, initial encounter	ICD-10-CM	Diagnosis
T25.691D	Corrosion of second degree of right ankle and foot, subsequent encounter	ICD-10-CM	Diagnosis
T25.611A	Corrosion of second degree of right ankle, initial encounter	ICD-10-CM	Diagnosis
T25.611D	Corrosion of second degree of right ankle, subsequent encounter	ICD-10-CM	Diagnosis
T22.641A	Corrosion of second degree of right axilla, initial encounter	ICD-10-CM	Diagnosis
T22.641D	Corrosion of second degree of right axilla, subsequent encounter	ICD-10-CM	Diagnosis
T20.611A	Corrosion of second degree of right ear [any part, except ear drum], initial encounter	ICD-10-CM	Diagnosis
T20.611D	Corrosion of second degree of right ear [any part, except ear drum], subsequent encounter	ICD-10-CM	Diagnosis
T20.611S	Corrosion of second degree of right ear [any part, except ear drum], sequela	ICD-10-CM	Diagnosis
T22.621A	Corrosion of second degree of right elbow, initial encounter	ICD-10-CM	Diagnosis
T22.621D	Corrosion of second degree of right elbow, subsequent encounter	ICD-10-CM	Diagnosis
T25.621A	Corrosion of second degree of right foot, initial encounter	ICD-10-CM	Diagnosis
T25.621D	Corrosion of second degree of right foot, subsequent encounter	ICD-10-CM	Diagnosis
T22.611D	Corrosion of second degree of right forearm, subsequent encounter	ICD-10-CM	Diagnosis
T23.601S	Corrosion of second degree of right hand, unspecified site, sequela	ICD-10-CM	Diagnosis
T23.651A	Corrosion of second degree of right palm, initial encounter	ICD-10-CM	Diagnosis
T23.651D	Corrosion of second degree of right palm, subsequent encounter	ICD-10-CM	Diagnosis
T22.661S	Corrosion of second degree of right scapular region, sequela	ICD-10-CM	Diagnosis
T22.651A	Corrosion of second degree of right shoulder, initial encounter	ICD-10-CM	Diagnosis
T22.651D	Corrosion of second degree of right shoulder, subsequent encounter	ICD-10-CM	Diagnosis
T23.611A	Corrosion of second degree of right thumb (nail), initial encounter	ICD-10-CM	Diagnosis
T23.611D	Corrosion of second degree of right thumb (nail), subsequent encounter	ICD-10-CM	Diagnosis
T25.631A	Corrosion of second degree of right toe(s) (nail), initial encounter	ICD-10-CM	Diagnosis
T25.631D	Corrosion of second degree of right toe(s) (nail), subsequent encounter	ICD-10-CM	Diagnosis
T22.631A	Corrosion of second degree of right upper arm, initial encounter	ICD-10-CM	Diagnosis
T22.631D	Corrosion of second degree of right upper arm, subsequent encounter	ICD-10-CM	Diagnosis
T23.671A	Corrosion of second degree of right wrist, initial encounter	ICD-10-CM	Diagnosis
T23.671D	Corrosion of second degree of right wrist, subsequent encounter	ICD-10-CM	Diagnosis
T20.65XA	Corrosion of second degree of scalp [any part], initial encounter	ICD-10-CM	Diagnosis
T20.65XD	Corrosion of second degree of scalp [any part], subsequent encounter	ICD-10-CM	Diagnosis
T21.60XA	Corrosion of second degree of trunk, unspecified site, initial encounter	ICD-10-CM	Diagnosis



**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
T21.60XS	Corrosion of second degree of trunk, unspecified site, sequela	ICD-10-CM	Diagnosis
T21.60XD	Corrosion of second degree of trunk, unspecified site, subsequent encounter	ICD-10-CM	Diagnosis
T25.699A	Corrosion of second degree of unspecified ankle and foot, initial encounter	ICD-10-CM	Diagnosis
T25.699D	Corrosion of second degree of unspecified ankle and foot, subsequent encounter	ICD-10-CM	Diagnosis
T25.699S	Corrosion of second degree of unspecified ankle and foot, sequela	ICD-10-CM	Diagnosis
T25.619A	Corrosion of second degree of unspecified ankle, initial encounter	ICD-10-CM	Diagnosis
T25.619D	Corrosion of second degree of unspecified ankle, subsequent encounter	ICD-10-CM	Diagnosis
T22.649A	Corrosion of second degree of unspecified axilla, initial encounter	ICD-10-CM	Diagnosis
T22.649D	Corrosion of second degree of unspecified axilla, subsequent encounter	ICD-10-CM	Diagnosis
T22.629A	Corrosion of second degree of unspecified elbow, initial encounter	ICD-10-CM	Diagnosis
T22.629D	Corrosion of second degree of unspecified elbow, subsequent encounter	ICD-10-CM	Diagnosis
T25.629A	Corrosion of second degree of unspecified foot, initial encounter	ICD-10-CM	Diagnosis
T25.629D	Corrosion of second degree of unspecified foot, subsequent encounter	ICD-10-CM	Diagnosis
T22.619A	Corrosion of second degree of unspecified forearm, initial encounter	ICD-10-CM	Diagnosis
T22.619D	Corrosion of second degree of unspecified forearm, subsequent encounter	ICD-10-CM	Diagnosis
T23.609S	Corrosion of second degree of unspecified hand, unspecified site, sequela	ICD-10-CM	Diagnosis
T23.659A	Corrosion of second degree of unspecified palm, initial encounter	ICD-10-CM	Diagnosis
T23.659D	Corrosion of second degree of unspecified palm, subsequent encounter	ICD-10-CM	Diagnosis
T22.669S	Corrosion of second degree of unspecified scapular region, sequela	ICD-10-CM	Diagnosis
T22.659A	Corrosion of second degree of unspecified shoulder, initial encounter	ICD-10-CM	Diagnosis
T22.659S	Corrosion of second degree of unspecified shoulder, sequela	ICD-10-CM	Diagnosis
T22.659D	Corrosion of second degree of unspecified shoulder, subsequent encounter	ICD-10-CM	Diagnosis
T23.619A	Corrosion of second degree of unspecified thumb (nail), initial encounter	ICD-10-CM	Diagnosis
T23.619S	Corrosion of second degree of unspecified thumb (nail), sequela	ICD-10-CM	Diagnosis
T23.619D	Corrosion of second degree of unspecified thumb (nail), subsequent encounter	ICD-10-CM	Diagnosis
T25.639A	Corrosion of second degree of unspecified toe(s) (nail), initial encounter	ICD-10-CM	Diagnosis
T25.639S	Corrosion of second degree of unspecified toe(s) (nail), sequela	ICD-10-CM	Diagnosis
T25.639D	Corrosion of second degree of unspecified toe(s) (nail), subsequent encounter	ICD-10-CM	Diagnosis
T22.639A	Corrosion of second degree of unspecified upper arm, initial encounter	ICD-10-CM	Diagnosis
T22.639S	Corrosion of second degree of unspecified upper arm, sequela	ICD-10-CM	Diagnosis
T22.639D	Corrosion of second degree of unspecified upper arm, subsequent encounter	ICD-10-CM	Diagnosis
T23.679A	Corrosion of second degree of unspecified wrist, initial encounter	ICD-10-CM	Diagnosis
T23.679D	Corrosion of second degree of unspecified wrist, subsequent encounter	ICD-10-CM	Diagnosis
T25.619S	Corrosion of second degree of unspecified ankle, sequela	ICD-10-CM	Diagnosis
T22.649S	Corrosion of second degree of unspecified axilla, sequela	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
T22.629S	Corrosion of second degree of unspecified elbow, sequela	ICD-10-CM	Diagnosis
T22.619S	Corrosion of second degree of unspecified forearm, sequela	ICD-10-CM	Diagnosis
T23.679S	Corrosion of second degree of unspecified wrist, sequela	ICD-10-CM	Diagnosis
T21.63XA	Corrosion of second degree of upper back, initial encounter	ICD-10-CM	Diagnosis
T21.63XD	Corrosion of second degree of upper back, subsequent encounter	ICD-10-CM	Diagnosis
T23.722A	Corrosion of third degree of single left finger (nail) except thumb, initial encounter	ICD-10-CM	Diagnosis
T23.722S	Corrosion of third degree of single left finger (nail) except thumb, sequela	ICD-10-CM	Diagnosis
T23.722D	Corrosion of third degree of single left finger (nail) except thumb, subsequent encounter	ICD-10-CM	Diagnosis
T23.721A	Corrosion of third degree of single right finger (nail) except thumb, initial encounter	ICD-10-CM	Diagnosis
T23.721S	Corrosion of third degree of single right finger (nail) except thumb, sequela	ICD-10-CM	Diagnosis
T23.721D	Corrosion of third degree of single right finger (nail) except thumb, subsequent encounter	ICD-10-CM	Diagnosis
T21.77XA	Corrosion of third degree of female genital region, initial encounter	ICD-10-CM	Diagnosis
T21.77XS	Corrosion of third degree of female genital region, sequela	ICD-10-CM	Diagnosis
T21.77XD	Corrosion of third degree of female genital region, subsequent encounter	ICD-10-CM	Diagnosis
T20.70XS	Corrosion of third degree of head, face, and neck, unspecified site, sequela	ICD-10-CM	Diagnosis
T20.712A	Corrosion of third degree of left ear [any part, except ear drum], initial encounter	ICD-10-CM	Diagnosis
T20.712D	Corrosion of third degree of left ear [any part, except ear drum], subsequent encounter	ICD-10-CM	Diagnosis
T20.712S	Corrosion of third degree of left ear [any part, except ear drum], sequela	ICD-10-CM	Diagnosis
T23.702A	Corrosion of third degree of left hand, unspecified site, initial encounter	ICD-10-CM	Diagnosis
T23.702D	Corrosion of third degree of left hand, unspecified site, subsequent encounter	ICD-10-CM	Diagnosis
T22.762A	Corrosion of third degree of left scapular region, initial encounter	ICD-10-CM	Diagnosis
T22.762D	Corrosion of third degree of left scapular region, subsequent encounter	ICD-10-CM	Diagnosis
T23.732S	Corrosion of third degree of multiple left fingers (nail), not including thumb, sequela	ICD-10-CM	Diagnosis
T23.732D	Corrosion of third degree of multiple left fingers (nail), not including thumb, subsequent encounter	ICD-10-CM	Diagnosis
T23.742A	Corrosion of third degree of multiple left fingers (nail), including thumb, initial encounter	ICD-10-CM	Diagnosis
T23.742S	Corrosion of third degree of multiple left fingers (nail), including thumb, sequela	ICD-10-CM	Diagnosis
T23.742D	Corrosion of third degree of multiple left fingers (nail), including thumb, subsequent encounter	ICD-10-CM	Diagnosis
T23.732A	Corrosion of third degree of multiple left fingers (nail), not including thumb, initial encounter	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
T23.731S	Corrosion of third degree of multiple right fingers (nail), not including thumb, sequela	ICD-10-CM	Diagnosis
T23.731D	Corrosion of third degree of multiple right fingers (nail), not including thumb, subsequent encounter	ICD-10-CM	Diagnosis
T23.741A	Corrosion of third degree of multiple right fingers (nail), including thumb, initial encounter	ICD-10-CM	Diagnosis
T23.741S	Corrosion of third degree of multiple right fingers (nail), including thumb, sequela	ICD-10-CM	Diagnosis
T23.741D	Corrosion of third degree of multiple right fingers (nail), including thumb, subsequent encounter	ICD-10-CM	Diagnosis
T23.731A	Corrosion of third degree of multiple right fingers (nail), not including thumb, initial encounter	ICD-10-CM	Diagnosis
T20.79XA	Corrosion of third degree of multiple sites of head, face, and neck, initial encounter	ICD-10-CM	Diagnosis
T20.79XD	Corrosion of third degree of multiple sites of head, face, and neck, subsequent encounter	ICD-10-CM	Diagnosis
T25.792D	Corrosion of third degree of multiple sites of left ankle and foot, subsequent encounter	ICD-10-CM	Diagnosis
T24.792S	Corrosion of third degree of multiple sites of left lower limb, except ankle and foot, sequela	ICD-10-CM	Diagnosis
T23.792A	Corrosion of third degree of multiple sites of left wrist and hand, initial encounter	ICD-10-CM	Diagnosis
T25.791D	Corrosion of third degree of multiple sites of right ankle and foot, subsequent encounter	ICD-10-CM	Diagnosis
T24.791S	Corrosion of third degree of multiple sites of right lower limb, except ankle and foot, sequela	ICD-10-CM	Diagnosis
T23.791A	Corrosion of third degree of multiple sites of right wrist and hand, initial encounter	ICD-10-CM	Diagnosis
T25.799D	Corrosion of third degree of multiple sites of unspecified ankle and foot, subsequent encounter	ICD-10-CM	Diagnosis
T24.799S	Corrosion of third degree of multiple sites of unspecified lower limb, except ankle and foot, sequela	ICD-10-CM	Diagnosis
T23.799S	Corrosion of third degree of multiple sites of unspecified wrist and hand, sequela	ICD-10-CM	Diagnosis
T23.799D	Corrosion of third degree of multiple sites of unspecified wrist and hand, subsequent encounter	ICD-10-CM	Diagnosis
T23.799A	Corrosion of third degree of multiple sites of unspecified wrist and hand, initial encounter	ICD-10-CM	Diagnosis
T20.79XS	Corrosion of third degree of multiple sites of head, face, and neck, sequela	ICD-10-CM	Diagnosis
T25.792A	Corrosion of third degree of multiple sites of left ankle and foot, initial encounter	ICD-10-CM	Diagnosis
T25.792S	Corrosion of third degree of multiple sites of left ankle and foot, sequela	ICD-10-CM	Diagnosis
T23.792S	Corrosion of third degree of multiple sites of left wrist and hand, sequela	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
T23.792D	Corrosion of third degree of multiple sites of left wrist and hand, subsequent encounter	ICD-10-CM	Diagnosis
T25.791A	Corrosion of third degree of multiple sites of right ankle and foot, initial encounter	ICD-10-CM	Diagnosis
T25.791S	Corrosion of third degree of multiple sites of right ankle and foot, sequela	ICD-10-CM	Diagnosis
T23.791S	Corrosion of third degree of multiple sites of right wrist and hand, sequela	ICD-10-CM	Diagnosis
T23.791D	Corrosion of third degree of multiple sites of right wrist and hand, subsequent encounter	ICD-10-CM	Diagnosis
T25.799A	Corrosion of third degree of multiple sites of unspecified ankle and foot, initial encounter	ICD-10-CM	Diagnosis
T25.799S	Corrosion of third degree of multiple sites of unspecified ankle and foot, sequela	ICD-10-CM	Diagnosis
T23.749A	Corrosion of third degree of unspecified multiple fingers (nail), including thumb, initial encounter	ICD-10-CM	Diagnosis
T23.749S	Corrosion of third degree of unspecified multiple fingers (nail), including thumb, sequela	ICD-10-CM	Diagnosis
T23.749D	Corrosion of third degree of unspecified multiple fingers (nail), including thumb, subsequent encounter	ICD-10-CM	Diagnosis
T23.739A	Corrosion of third degree of unspecified multiple fingers (nail), not including thumb, initial encounter	ICD-10-CM	Diagnosis
T23.739S	Corrosion of third degree of unspecified multiple fingers (nail), not including thumb, sequela	ICD-10-CM	Diagnosis
T23.739D	Corrosion of third degree of unspecified multiple fingers (nail), not including thumb, subsequent encounter	ICD-10-CM	Diagnosis
T20.711A	Corrosion of third degree of right ear [any part, except ear drum], initial encounter	ICD-10-CM	Diagnosis
T20.711D	Corrosion of third degree of right ear [any part, except ear drum], subsequent encounter	ICD-10-CM	Diagnosis
T20.711S	Corrosion of third degree of right ear [any part, except ear drum], sequela	ICD-10-CM	Diagnosis
T23.701A	Corrosion of third degree of right hand, unspecified site, initial encounter	ICD-10-CM	Diagnosis
T23.701D	Corrosion of third degree of right hand, unspecified site, subsequent encounter	ICD-10-CM	Diagnosis
T22.761A	Corrosion of third degree of right scapular region, initial encounter	ICD-10-CM	Diagnosis
T22.761D	Corrosion of third degree of right scapular region, subsequent encounter	ICD-10-CM	Diagnosis
T23.729A	Corrosion of third degree of unspecified single finger (nail) except thumb, initial encounter	ICD-10-CM	Diagnosis
T23.729S	Corrosion of third degree of unspecified single finger (nail) except thumb, sequela	ICD-10-CM	Diagnosis
T23.729D	Corrosion of third degree of unspecified single finger (nail) except thumb, subsequent encounter	ICD-10-CM	Diagnosis
T20.719A	Corrosion of third degree of unspecified ear [any part, except ear drum], initial encounter	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
T20.719D	Corrosion of third degree of unspecified ear [any part, except ear drum], subsequent encounter	ICD-10-CM	Diagnosis
T20.719S	Corrosion of third degree of unspecified ear [any part, except ear drum], sequela	ICD-10-CM	Diagnosis
T22.769A	Corrosion of third degree of unspecified scapular region, initial encounter	ICD-10-CM	Diagnosis
T22.769D	Corrosion of third degree of unspecified scapular region, subsequent encounter	ICD-10-CM	Diagnosis
T24.702S	Corrosion of third degree of unspecified site of left lower limb, except ankle and foot, sequela	ICD-10-CM	Diagnosis
T24.701S	Corrosion of third degree of unspecified site of right lower limb, except ankle and foot, sequela	ICD-10-CM	Diagnosis
T24.709S	Corrosion of third degree of unspecified site of unspecified lower limb, except ankle and foot, sequela	ICD-10-CM	Diagnosis
T21.70XA	Corrosion of third degree of trunk, unspecified site, initial encounter	ICD-10-CM	Diagnosis
T21.70XS	Corrosion of third degree of trunk, unspecified site, sequela	ICD-10-CM	Diagnosis
T21.70XD	Corrosion of third degree of trunk, unspecified site, subsequent encounter	ICD-10-CM	Diagnosis
T26.62XA	Corrosion of cornea and conjunctival sac, left eye, initial encounter	ICD-10-CM	Diagnosis
T26.62XS	Corrosion of cornea and conjunctival sac, left eye, sequela	ICD-10-CM	Diagnosis
T26.62XD	Corrosion of cornea and conjunctival sac, left eye, subsequent encounter	ICD-10-CM	Diagnosis
T26.61XA	Corrosion of cornea and conjunctival sac, right eye, initial encounter	ICD-10-CM	Diagnosis
T26.61XS	Corrosion of cornea and conjunctival sac, right eye, sequela	ICD-10-CM	Diagnosis
T26.61XD	Corrosion of cornea and conjunctival sac, right eye, subsequent encounter	ICD-10-CM	Diagnosis
T26.60XA	Corrosion of cornea and conjunctival sac, unspecified eye, initial encounter	ICD-10-CM	Diagnosis
T26.60XS	Corrosion of cornea and conjunctival sac, unspecified eye, sequela	ICD-10-CM	Diagnosis
T26.60XD	Corrosion of cornea and conjunctival sac, unspecified eye, subsequent encounter	ICD-10-CM	Diagnosis
T21.52XA	Corrosion of first degree of abdominal wall, initial encounter	ICD-10-CM	Diagnosis
T21.52XD	Corrosion of first degree of abdominal wall, subsequent encounter	ICD-10-CM	Diagnosis
T24.532A	Corrosion of first degree of left lower leg, initial encounter	ICD-10-CM	Diagnosis
T24.532D	Corrosion of first degree of left lower leg, subsequent encounter	ICD-10-CM	Diagnosis
T21.56XD	Corrosion of first degree of male genital region, subsequent encounter	ICD-10-CM	Diagnosis
T21.56XA	Corrosion of first degree of male genital region, initial encounter	ICD-10-CM	Diagnosis
T21.56XS	Corrosion of first degree of male genital region, sequela	ICD-10-CM	Diagnosis
T21.59XA	Corrosion of first degree of other site of trunk, initial encounter	ICD-10-CM	Diagnosis
T21.59XD	Corrosion of first degree of other site of trunk, subsequent encounter	ICD-10-CM	Diagnosis
T24.531A	Corrosion of first degree of right lower leg, initial encounter	ICD-10-CM	Diagnosis
T24.531D	Corrosion of first degree of right lower leg, subsequent encounter	ICD-10-CM	Diagnosis
T21.50XA	Corrosion of first degree of trunk, unspecified site, initial encounter	ICD-10-CM	Diagnosis
T24.539A	Corrosion of first degree of unspecified lower leg, initial encounter	ICD-10-CM	Diagnosis
T24.539D	Corrosion of first degree of unspecified lower leg, subsequent encounter	ICD-10-CM	Diagnosis
T23.562S	Corrosion of first degree of back of left hand, sequela	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
T23.561S	Corrosion of first degree of back of right hand, sequela	ICD-10-CM	Diagnosis
T21.55XA	Corrosion of first degree of buttock, initial encounter	ICD-10-CM	Diagnosis
T21.55XD	Corrosion of first degree of buttock, subsequent encounter	ICD-10-CM	Diagnosis
T21.51XA	Corrosion of first degree of chest wall, initial encounter	ICD-10-CM	Diagnosis
T21.51XD	Corrosion of first degree of chest wall, subsequent encounter	ICD-10-CM	Diagnosis
T20.53XA	Corrosion of first degree of chin, initial encounter	ICD-10-CM	Diagnosis
T20.53XD	Corrosion of first degree of chin, subsequent encounter	ICD-10-CM	Diagnosis
T20.56XA	Corrosion of first degree of forehead and cheek, initial encounter	ICD-10-CM	Diagnosis
T20.56XD	Corrosion of first degree of forehead and cheek, subsequent encounter	ICD-10-CM	Diagnosis
T23.512S	Corrosion of first degree of left thumb (nail), sequela	ICD-10-CM	Diagnosis
T20.52XA	Corrosion of first degree of lip(s), initial encounter	ICD-10-CM	Diagnosis
T20.52XD	Corrosion of first degree of lip(s), subsequent encounter	ICD-10-CM	Diagnosis
T21.54XA	Corrosion of first degree of lower back, initial encounter	ICD-10-CM	Diagnosis
T21.54XD	Corrosion of first degree of lower back, subsequent encounter	ICD-10-CM	Diagnosis
T22.512A	Corrosion of first degree of left forearm, initial encounter	ICD-10-CM	Diagnosis
T22.512D	Corrosion of first degree of left forearm, subsequent encounter	ICD-10-CM	Diagnosis
T24.522A	Corrosion of first degree of left knee, initial encounter	ICD-10-CM	Diagnosis
T24.522D	Corrosion of first degree of left knee, subsequent encounter	ICD-10-CM	Diagnosis
T24.512A	Corrosion of first degree of left thigh, initial encounter	ICD-10-CM	Diagnosis
T24.512D	Corrosion of first degree of left thigh, subsequent encounter	ICD-10-CM	Diagnosis
T20.57XD	Corrosion of first degree of neck, subsequent encounter	ICD-10-CM	Diagnosis
T21.52XS	Corrosion of first degree of abdominal wall, sequela	ICD-10-CM	Diagnosis
T22.512S	Corrosion of first degree of left forearm, sequela	ICD-10-CM	Diagnosis
T24.532S	Corrosion of first degree of left lower leg, sequela	ICD-10-CM	Diagnosis
T22.552S	Corrosion of first degree of left shoulder, sequela	ICD-10-CM	Diagnosis
T25.532S	Corrosion of first degree of left toe(s) (nail), sequela	ICD-10-CM	Diagnosis
T22.532S	Corrosion of first degree of left upper arm, sequela	ICD-10-CM	Diagnosis
T20.57XA	Corrosion of first degree of neck, initial encounter	ICD-10-CM	Diagnosis
T22.541S	Corrosion of first degree of right axilla, sequela	ICD-10-CM	Diagnosis
T22.511S	Corrosion of first degree of right forearm, sequela	ICD-10-CM	Diagnosis
T22.551S	Corrosion of first degree of right shoulder, sequela	ICD-10-CM	Diagnosis
T21.59XS	Corrosion of first degree of other site of trunk, sequela	ICD-10-CM	Diagnosis
T24.531S	Corrosion of first degree of right lower leg, sequela	ICD-10-CM	Diagnosis
T23.511S	Corrosion of first degree of right thumb (nail), sequela	ICD-10-CM	Diagnosis
T25.531S	Corrosion of first degree of right toe(s) (nail), sequela	ICD-10-CM	Diagnosis
T22.531S	Corrosion of first degree of right upper arm, sequela	ICD-10-CM	Diagnosis
T22.511A	Corrosion of first degree of right forearm, initial encounter	ICD-10-CM	Diagnosis
T22.511D	Corrosion of first degree of right forearm, subsequent encounter	ICD-10-CM	Diagnosis
T24.521A	Corrosion of first degree of right knee, initial encounter	ICD-10-CM	Diagnosis
T24.521D	Corrosion of first degree of right knee, subsequent encounter	ICD-10-CM	Diagnosis
T24.511A	Corrosion of first degree of right thigh, initial encounter	ICD-10-CM	Diagnosis
T24.511D	Corrosion of first degree of right thigh, subsequent encounter	ICD-10-CM	Diagnosis
T21.50XS	Corrosion of first degree of trunk, unspecified site, sequela	ICD-10-CM	Diagnosis



**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
T21.50XD	Corrosion of first degree of trunk, unspecified site, subsequent encounter	ICD-10-CM	Diagnosis
T22.519A	Corrosion of first degree of unspecified forearm, initial encounter	ICD-10-CM	Diagnosis
T22.519S	Corrosion of first degree of unspecified forearm, sequela	ICD-10-CM	Diagnosis
T22.519D	Corrosion of first degree of unspecified forearm, subsequent encounter	ICD-10-CM	Diagnosis
T24.529A	Corrosion of first degree of unspecified knee, initial encounter	ICD-10-CM	Diagnosis
T24.529D	Corrosion of first degree of unspecified knee, subsequent encounter	ICD-10-CM	Diagnosis
T24.539S	Corrosion of first degree of unspecified lower leg, sequela	ICD-10-CM	Diagnosis
T24.519A	Corrosion of first degree of unspecified thigh, initial encounter	ICD-10-CM	Diagnosis
T24.519D	Corrosion of first degree of unspecified thigh, subsequent encounter	ICD-10-CM	Diagnosis
T25.519S	Corrosion of first degree of unspecified ankle, sequela	ICD-10-CM	Diagnosis
T22.529S	Corrosion of first degree of unspecified elbow, sequela	ICD-10-CM	Diagnosis
T25.529S	Corrosion of first degree of unspecified foot, sequela	ICD-10-CM	Diagnosis
T24.529S	Corrosion of first degree of unspecified knee, sequela	ICD-10-CM	Diagnosis
T23.559S	Corrosion of first degree of unspecified palm, sequela	ICD-10-CM	Diagnosis
T24.519S	Corrosion of first degree of unspecified thigh, sequela	ICD-10-CM	Diagnosis
T23.579S	Corrosion of first degree of unspecified wrist, sequela	ICD-10-CM	Diagnosis
T21.53XA	Corrosion of first degree of upper back, initial encounter	ICD-10-CM	Diagnosis
T21.53XD	Corrosion of first degree of upper back, subsequent encounter	ICD-10-CM	Diagnosis
T28.8XXA	Corrosion of internal genitourinary organs, initial encounter	ICD-10-CM	Diagnosis
T28.8XXS	Corrosion of internal genitourinary organs, sequela	ICD-10-CM	Diagnosis
T28.8XXD	Corrosion of internal genitourinary organs, subsequent encounter	ICD-10-CM	Diagnosis
T27.5XXD	Corrosion involving larynx and trachea with lung, subsequent encounter	ICD-10-CM	Diagnosis
T27.5XXA	Corrosion involving larynx and trachea with lung, initial encounter	ICD-10-CM	Diagnosis
T27.5XXS	Corrosion involving larynx and trachea with lung, sequela	ICD-10-CM	Diagnosis
T26.52XA	Corrosion of left eyelid and periocular area, initial encounter	ICD-10-CM	Diagnosis
T26.52XS	Corrosion of left eyelid and periocular area, sequela	ICD-10-CM	Diagnosis
T26.52XD	Corrosion of left eyelid and periocular area, subsequent encounter	ICD-10-CM	Diagnosis
T26.92XA	Corrosion of left eye and adnexa, part unspecified, initial encounter	ICD-10-CM	Diagnosis
T26.92XS	Corrosion of left eye and adnexa, part unspecified, sequela	ICD-10-CM	Diagnosis
T26.92XD	Corrosion of left eye and adnexa, part unspecified, subsequent encounter	ICD-10-CM	Diagnosis
T28.5XXD	Corrosion of mouth and pharynx, subsequent encounter	ICD-10-CM	Diagnosis
T28.6XXA	Corrosion of esophagus, initial encounter	ICD-10-CM	Diagnosis
T28.6XXS	Corrosion of esophagus, sequela	ICD-10-CM	Diagnosis
T28.6XXD	Corrosion of esophagus, subsequent encounter	ICD-10-CM	Diagnosis
T21.55XS	Corrosion of first degree of buttock, sequela	ICD-10-CM	Diagnosis
T21.51XS	Corrosion of first degree of chest wall, sequela	ICD-10-CM	Diagnosis
T20.53XS	Corrosion of first degree of chin, sequela	ICD-10-CM	Diagnosis
T20.56XS	Corrosion of first degree of forehead and cheek, sequela	ICD-10-CM	Diagnosis
T25.512S	Corrosion of first degree of left ankle, sequela	ICD-10-CM	Diagnosis
T22.542S	Corrosion of first degree of left axilla, sequela	ICD-10-CM	Diagnosis
T22.522S	Corrosion of first degree of left elbow, sequela	ICD-10-CM	Diagnosis
T25.522S	Corrosion of first degree of left foot, sequela	ICD-10-CM	Diagnosis
T24.522S	Corrosion of first degree of left knee, sequela	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

Code	Description	Code Type	Code Category
T23.552S	Corrosion of first degree of left palm, sequela	ICD-10-CM	Diagnosis
T24.512S	Corrosion of first degree of left thigh, sequela	ICD-10-CM	Diagnosis
T23.572S	Corrosion of first degree of left wrist, sequela	ICD-10-CM	Diagnosis
T20.52XS	Corrosion of first degree of lip(s), sequela	ICD-10-CM	Diagnosis
T21.54XS	Corrosion of first degree of lower back, sequela	ICD-10-CM	Diagnosis
T20.57XS	Corrosion of first degree of neck, sequela	ICD-10-CM	Diagnosis
T20.54XS	Corrosion of first degree of nose (septum), sequela	ICD-10-CM	Diagnosis
T25.511S	Corrosion of first degree of right ankle, sequela	ICD-10-CM	Diagnosis
T22.521S	Corrosion of first degree of right elbow, sequela	ICD-10-CM	Diagnosis
T25.521S	Corrosion of first degree of right foot, sequela	ICD-10-CM	Diagnosis
T24.521S	Corrosion of first degree of right knee, sequela	ICD-10-CM	Diagnosis
T23.551S	Corrosion of first degree of right palm, sequela	ICD-10-CM	Diagnosis
T24.511S	Corrosion of first degree of right thigh, sequela	ICD-10-CM	Diagnosis
T23.571S	Corrosion of first degree of right wrist, sequela	ICD-10-CM	Diagnosis
T21.53XS	Corrosion of first degree of upper back, sequela	ICD-10-CM	Diagnosis
T27.4XXA	Corrosion of larynx and trachea, initial encounter	ICD-10-CM	Diagnosis
T27.4XXD	Corrosion of larynx and trachea, subsequent encounter	ICD-10-CM	Diagnosis
T27.4XXS	Corrosion of larynx and trachea, sequela	ICD-10-CM	Diagnosis
T28.5XXA	Corrosion of mouth and pharynx, initial encounter	ICD-10-CM	Diagnosis
T28.5XXS	Corrosion of mouth and pharynx, sequela	ICD-10-CM	Diagnosis
T21.65XS	Corrosion of second degree of buttock, sequela	ICD-10-CM	Diagnosis
T21.61XS	Corrosion of second degree of chest wall, sequela	ICD-10-CM	Diagnosis
T20.63XS	Corrosion of second degree of chin, sequela	ICD-10-CM	Diagnosis
T25.612S	Corrosion of second degree of left ankle, sequela	ICD-10-CM	Diagnosis
T22.622S	Corrosion of second degree of left elbow, sequela	ICD-10-CM	Diagnosis
T25.622S	Corrosion of second degree of left foot, sequela	ICD-10-CM	Diagnosis
T24.622S	Corrosion of second degree of left knee, sequela	ICD-10-CM	Diagnosis
T23.652S	Corrosion of second degree of left palm, sequela	ICD-10-CM	Diagnosis
T24.612S	Corrosion of second degree of left thigh, sequela	ICD-10-CM	Diagnosis
T23.672S	Corrosion of second degree of left wrist, sequela	ICD-10-CM	Diagnosis
T21.64XS	Corrosion of second degree of lower back, sequela	ICD-10-CM	Diagnosis
T20.67XS	Corrosion of second degree of neck, sequela	ICD-10-CM	Diagnosis
T25.621S	Corrosion of second degree of right foot, sequela	ICD-10-CM	Diagnosis
T24.621S	Corrosion of second degree of right knee, sequela	ICD-10-CM	Diagnosis
T23.651S	Corrosion of second degree of right palm, sequela	ICD-10-CM	Diagnosis
T21.63XS	Corrosion of second degree of upper back, sequela	ICD-10-CM	Diagnosis
T21.75XS	Corrosion of third degree of buttock, sequela	ICD-10-CM	Diagnosis
T21.71XS	Corrosion of third degree of chest wall, sequela	ICD-10-CM	Diagnosis
T20.73XS	Corrosion of third degree of chin, sequela	ICD-10-CM	Diagnosis
T25.712S	Corrosion of third degree of left ankle, sequela	ICD-10-CM	Diagnosis
T22.742S	Corrosion of third degree of left axilla, sequela	ICD-10-CM	Diagnosis
T22.722S	Corrosion of third degree of left elbow, sequela	ICD-10-CM	Diagnosis
T25.722S	Corrosion of third degree of left foot, sequela	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
T24.722S	Corrosion of third degree of left knee, sequela	ICD-10-CM	Diagnosis
T23.752S	Corrosion of third degree of left palm, sequela	ICD-10-CM	Diagnosis
T24.712S	Corrosion of third degree of left thigh, sequela	ICD-10-CM	Diagnosis
T23.772S	Corrosion of third degree of left wrist, sequela	ICD-10-CM	Diagnosis
T20.72XS	Corrosion of third degree of lip(s), sequela	ICD-10-CM	Diagnosis
T21.74XS	Corrosion of third degree of lower back, sequela	ICD-10-CM	Diagnosis
T20.77XS	Corrosion of third degree of neck, sequela	ICD-10-CM	Diagnosis
T20.74XS	Corrosion of third degree of nose (septum), sequela	ICD-10-CM	Diagnosis
T25.711S	Corrosion of third degree of right ankle, sequela	ICD-10-CM	Diagnosis
T22.721S	Corrosion of third degree of right elbow, sequela	ICD-10-CM	Diagnosis
T25.721S	Corrosion of third degree of right foot, sequela	ICD-10-CM	Diagnosis
T24.721S	Corrosion of third degree of right knee, sequela	ICD-10-CM	Diagnosis
T23.751S	Corrosion of third degree of right palm, sequela	ICD-10-CM	Diagnosis
T24.711S	Corrosion of third degree of right thigh, sequela	ICD-10-CM	Diagnosis
T23.771S	Corrosion of third degree of right wrist, sequela	ICD-10-CM	Diagnosis
T21.73XS	Corrosion of third degree of upper back, sequela	ICD-10-CM	Diagnosis
T20.43XS	Corrosion of unspecified degree of chin, sequela	ICD-10-CM	Diagnosis
T20.42XS	Corrosion of unspecified degree of lip(s), sequela	ICD-10-CM	Diagnosis
T20.47XS	Corrosion of unspecified degree of neck, sequela	ICD-10-CM	Diagnosis
T28.7XXA	Corrosion of other parts of alimentary tract, initial encounter	ICD-10-CM	Diagnosis
T28.7XXD	Corrosion of other parts of alimentary tract, subsequent encounter	ICD-10-CM	Diagnosis
T27.6XXD	Corrosion of other parts of respiratory tract, subsequent encounter	ICD-10-CM	Diagnosis
T27.6XXA	Corrosion of other parts of respiratory tract, initial encounter	ICD-10-CM	Diagnosis
T28.7XXS	Corrosion of other parts of alimentary tract, sequela	ICD-10-CM	Diagnosis
T27.6XXS	Corrosion of other parts of respiratory tract, sequela	ICD-10-CM	Diagnosis
T27.7XXA	Corrosion of respiratory tract, part unspecified, initial encounter	ICD-10-CM	Diagnosis
T27.7XXS	Corrosion of respiratory tract, part unspecified, sequela	ICD-10-CM	Diagnosis
T27.7XXD	Corrosion of respiratory tract, part unspecified, subsequent encounter	ICD-10-CM	Diagnosis
T26.70XS	Corrosion with resulting rupture and destruction of unspecified eyeball, sequela	ICD-10-CM	Diagnosis
T26.72XS	Corrosion with resulting rupture and destruction of left eyeball, sequela	ICD-10-CM	Diagnosis
T26.71XS	Corrosion with resulting rupture and destruction of right eyeball, sequela	ICD-10-CM	Diagnosis
T26.51XS	Corrosion of right eyelid and periocular area, sequela	ICD-10-CM	Diagnosis
T26.91XA	Corrosion of right eye and adnexa, part unspecified, initial encounter	ICD-10-CM	Diagnosis
T26.91XS	Corrosion of right eye and adnexa, part unspecified, sequela	ICD-10-CM	Diagnosis
T26.91XD	Corrosion of right eye and adnexa, part unspecified, subsequent encounter	ICD-10-CM	Diagnosis
T26.51XA	Corrosion of right eyelid and periocular area, initial encounter	ICD-10-CM	Diagnosis
T26.51XD	Corrosion of right eyelid and periocular area, subsequent encounter	ICD-10-CM	Diagnosis
T24.632A	Corrosion of second degree of left lower leg, initial encounter	ICD-10-CM	Diagnosis
T24.632D	Corrosion of second degree of left lower leg, subsequent encounter	ICD-10-CM	Diagnosis
T24.631A	Corrosion of second degree of right lower leg, initial encounter	ICD-10-CM	Diagnosis
T24.631D	Corrosion of second degree of right lower leg, subsequent encounter	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
T21.62XS	Corrosion of second degree of abdominal wall, sequela	ICD-10-CM	Diagnosis
T20.63XA	Corrosion of second degree of chin, initial encounter	ICD-10-CM	Diagnosis
T20.63XD	Corrosion of second degree of chin, subsequent encounter	ICD-10-CM	Diagnosis
T20.66XS	Corrosion of second degree of forehead and cheek, sequela	ICD-10-CM	Diagnosis
T24.632S	Corrosion of second degree of left lower leg, sequela	ICD-10-CM	Diagnosis
T23.612S	Corrosion of second degree of left thumb (nail), sequela	ICD-10-CM	Diagnosis
T25.632S	Corrosion of second degree of left toe(s) (nail), sequela	ICD-10-CM	Diagnosis
T22.632S	Corrosion of second degree of left upper arm, sequela	ICD-10-CM	Diagnosis
T20.62XA	Corrosion of second degree of lip(s), initial encounter	ICD-10-CM	Diagnosis
T20.62XD	Corrosion of second degree of lip(s), subsequent encounter	ICD-10-CM	Diagnosis
T25.692S	Corrosion of second degree of left ankle and foot, sequela	ICD-10-CM	Diagnosis
T24.622A	Corrosion of second degree of left knee, initial encounter	ICD-10-CM	Diagnosis
T24.622D	Corrosion of second degree of left knee, subsequent encounter	ICD-10-CM	Diagnosis
T24.612A	Corrosion of second degree of left thigh, initial encounter	ICD-10-CM	Diagnosis
T24.612D	Corrosion of second degree of left thigh, subsequent encounter	ICD-10-CM	Diagnosis
T20.67XA	Corrosion of second degree of neck, initial encounter	ICD-10-CM	Diagnosis
T20.67XD	Corrosion of second degree of neck, subsequent encounter	ICD-10-CM	Diagnosis
T22.642S	Corrosion of second degree of left axilla, sequela	ICD-10-CM	Diagnosis
T22.612S	Corrosion of second degree of left forearm, sequela	ICD-10-CM	Diagnosis
T22.652S	Corrosion of second degree of left shoulder, sequela	ICD-10-CM	Diagnosis
T20.62XS	Corrosion of second degree of lip(s), sequela	ICD-10-CM	Diagnosis
T20.64XS	Corrosion of second degree of nose (septum), sequela	ICD-10-CM	Diagnosis
T25.611S	Corrosion of second degree of right ankle, sequela	ICD-10-CM	Diagnosis
T22.641S	Corrosion of second degree of right axilla, sequela	ICD-10-CM	Diagnosis
T22.621S	Corrosion of second degree of right elbow, sequela	ICD-10-CM	Diagnosis
T22.611S	Corrosion of second degree of right forearm, sequela	ICD-10-CM	Diagnosis
T24.611S	Corrosion of second degree of right thigh, sequela	ICD-10-CM	Diagnosis
T23.671S	Corrosion of second degree of right wrist, sequela	ICD-10-CM	Diagnosis
T24.631S	Corrosion of second degree of right lower leg, sequela	ICD-10-CM	Diagnosis
T22.651S	Corrosion of second degree of right shoulder, sequela	ICD-10-CM	Diagnosis
T23.611S	Corrosion of second degree of right thumb (nail), sequela	ICD-10-CM	Diagnosis
T25.631S	Corrosion of second degree of right toe(s) (nail), sequela	ICD-10-CM	Diagnosis
T22.631S	Corrosion of second degree of right upper arm, sequela	ICD-10-CM	Diagnosis
T25.691S	Corrosion of second degree of right ankle and foot, sequela	ICD-10-CM	Diagnosis
T24.621A	Corrosion of second degree of right knee, initial encounter	ICD-10-CM	Diagnosis
T24.621D	Corrosion of second degree of right knee, subsequent encounter	ICD-10-CM	Diagnosis
T24.611A	Corrosion of second degree of right thigh, initial encounter	ICD-10-CM	Diagnosis
T24.611D	Corrosion of second degree of right thigh, subsequent encounter	ICD-10-CM	Diagnosis
T20.65XS	Corrosion of second degree of scalp [any part], sequela	ICD-10-CM	Diagnosis
T24.629A	Corrosion of second degree of unspecified knee, initial encounter	ICD-10-CM	Diagnosis
T24.629D	Corrosion of second degree of unspecified knee, subsequent encounter	ICD-10-CM	Diagnosis
T24.639S	Corrosion of second degree of unspecified lower leg, sequela	ICD-10-CM	Diagnosis
T24.619A	Corrosion of second degree of unspecified thigh, initial encounter	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
T24.619S	Corrosion of second degree of unspecified thigh, sequela	ICD-10-CM	Diagnosis
T24.619D	Corrosion of second degree of unspecified thigh, subsequent encounter	ICD-10-CM	Diagnosis
T25.629S	Corrosion of second degree of unspecified foot, sequela	ICD-10-CM	Diagnosis
T24.629S	Corrosion of second degree of unspecified knee, sequela	ICD-10-CM	Diagnosis
T23.659S	Corrosion of second degree of unspecified palm, sequela	ICD-10-CM	Diagnosis
T21.72XA	Corrosion of third degree of abdominal wall, initial encounter	ICD-10-CM	Diagnosis
T21.72XD	Corrosion of third degree of abdominal wall, subsequent encounter	ICD-10-CM	Diagnosis
T23.762A	Corrosion of third degree of back of left hand, initial encounter	ICD-10-CM	Diagnosis
T23.762D	Corrosion of third degree of back of left hand, subsequent encounter	ICD-10-CM	Diagnosis
T23.761A	Corrosion of third degree of back of right hand, initial encounter	ICD-10-CM	Diagnosis
T23.761D	Corrosion of third degree of back of right hand, subsequent encounter	ICD-10-CM	Diagnosis
T20.76XA	Corrosion of third degree of forehead and cheek, initial encounter	ICD-10-CM	Diagnosis
T20.76XD	Corrosion of third degree of forehead and cheek, subsequent encounter	ICD-10-CM	Diagnosis
T24.732A	Corrosion of third degree of left lower leg, initial encounter	ICD-10-CM	Diagnosis
T24.732D	Corrosion of third degree of left lower leg, subsequent encounter	ICD-10-CM	Diagnosis
T22.762S	Corrosion of third degree of left scapular region, sequela	ICD-10-CM	Diagnosis
T22.752A	Corrosion of third degree of left shoulder, initial encounter	ICD-10-CM	Diagnosis
T22.752D	Corrosion of third degree of left shoulder, subsequent encounter	ICD-10-CM	Diagnosis
T23.712A	Corrosion of third degree of left thumb (nail), initial encounter	ICD-10-CM	Diagnosis
T23.712D	Corrosion of third degree of left thumb (nail), subsequent encounter	ICD-10-CM	Diagnosis
T25.732A	Corrosion of third degree of left toe(s) (nail), initial encounter	ICD-10-CM	Diagnosis
T25.732D	Corrosion of third degree of left toe(s) (nail), subsequent encounter	ICD-10-CM	Diagnosis
T22.732A	Corrosion of third degree of left upper arm, initial encounter	ICD-10-CM	Diagnosis
T22.732D	Corrosion of third degree of left upper arm, subsequent encounter	ICD-10-CM	Diagnosis
T21.76XA	Corrosion of third degree of male genital region, initial encounter	ICD-10-CM	Diagnosis
T21.76XS	Corrosion of third degree of male genital region, sequela	ICD-10-CM	Diagnosis
T21.76XD	Corrosion of third degree of male genital region, subsequent encounter	ICD-10-CM	Diagnosis
T20.74XA	Corrosion of third degree of nose (septum), initial encounter	ICD-10-CM	Diagnosis
T20.74XD	Corrosion of third degree of nose (septum), subsequent encounter	ICD-10-CM	Diagnosis
T21.79XA	Corrosion of third degree of other site of trunk, initial encounter	ICD-10-CM	Diagnosis
T21.79XD	Corrosion of third degree of other site of trunk, subsequent encounter	ICD-10-CM	Diagnosis
T21.79XS	Corrosion of third degree of other site of trunk, sequela	ICD-10-CM	Diagnosis
T24.731A	Corrosion of third degree of right lower leg, initial encounter	ICD-10-CM	Diagnosis
T24.731D	Corrosion of third degree of right lower leg, subsequent encounter	ICD-10-CM	Diagnosis
T22.761S	Corrosion of third degree of right scapular region, sequela	ICD-10-CM	Diagnosis
T22.751A	Corrosion of third degree of right shoulder, initial encounter	ICD-10-CM	Diagnosis
T22.751D	Corrosion of third degree of right shoulder, subsequent encounter	ICD-10-CM	Diagnosis
T23.711A	Corrosion of third degree of right thumb (nail), initial encounter	ICD-10-CM	Diagnosis
T23.711D	Corrosion of third degree of right thumb (nail), subsequent encounter	ICD-10-CM	Diagnosis
T25.731A	Corrosion of third degree of right toe(s) (nail), initial encounter	ICD-10-CM	Diagnosis
T25.731D	Corrosion of third degree of right toe(s) (nail), subsequent encounter	ICD-10-CM	Diagnosis
T22.731A	Corrosion of third degree of right upper arm, initial encounter	ICD-10-CM	Diagnosis
T22.731D	Corrosion of third degree of right upper arm, subsequent encounter	ICD-10-CM	Diagnosis



**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
T20.75XA	Corrosion of third degree of scalp [any part], initial encounter	ICD-10-CM	Diagnosis
T20.75XD	Corrosion of third degree of scalp [any part], subsequent encounter	ICD-10-CM	Diagnosis
T22.719A	Corrosion of third degree of unspecified forearm, initial encounter	ICD-10-CM	Diagnosis
T22.719D	Corrosion of third degree of unspecified forearm, subsequent encounter	ICD-10-CM	Diagnosis
T23.709A	Corrosion of third degree of unspecified hand, unspecified site, initial encounter	ICD-10-CM	Diagnosis
T23.709D	Corrosion of third degree of unspecified hand, unspecified site, subsequent encounter	ICD-10-CM	Diagnosis
T24.739A	Corrosion of third degree of unspecified lower leg, initial encounter	ICD-10-CM	Diagnosis
T24.739D	Corrosion of third degree of unspecified lower leg, subsequent encounter	ICD-10-CM	Diagnosis
T22.769S	Corrosion of third degree of unspecified scapular region, sequela	ICD-10-CM	Diagnosis
T22.759A	Corrosion of third degree of unspecified shoulder, initial encounter	ICD-10-CM	Diagnosis
T22.759D	Corrosion of third degree of unspecified shoulder, subsequent encounter	ICD-10-CM	Diagnosis
T23.719A	Corrosion of third degree of unspecified thumb (nail), initial encounter	ICD-10-CM	Diagnosis
T23.719D	Corrosion of third degree of unspecified thumb (nail), subsequent encounter	ICD-10-CM	Diagnosis
T25.739A	Corrosion of third degree of unspecified toe(s) (nail), initial encounter	ICD-10-CM	Diagnosis
T25.739D	Corrosion of third degree of unspecified toe(s) (nail), subsequent encounter	ICD-10-CM	Diagnosis
T22.739A	Corrosion of third degree of unspecified upper arm, initial encounter	ICD-10-CM	Diagnosis
T22.739D	Corrosion of third degree of unspecified upper arm, subsequent encounter	ICD-10-CM	Diagnosis
T23.779D	Corrosion of third degree of unspecified wrist, subsequent encounter	ICD-10-CM	Diagnosis
T23.762S	Corrosion of third degree of back of left hand, sequela	ICD-10-CM	Diagnosis
T23.761S	Corrosion of third degree of back of right hand, sequela	ICD-10-CM	Diagnosis
T23.769A	Corrosion of third degree back of unspecified hand, initial encounter	ICD-10-CM	Diagnosis
T23.769D	Corrosion of third degree back of unspecified hand, subsequent encounter	ICD-10-CM	Diagnosis
T21.75XA	Corrosion of third degree of buttock, initial encounter	ICD-10-CM	Diagnosis
T21.75XD	Corrosion of third degree of buttock, subsequent encounter	ICD-10-CM	Diagnosis
T21.71XA	Corrosion of third degree of chest wall, initial encounter	ICD-10-CM	Diagnosis
T21.71XD	Corrosion of third degree of chest wall, subsequent encounter	ICD-10-CM	Diagnosis
T20.73XD	Corrosion of third degree of chin, subsequent encounter	ICD-10-CM	Diagnosis
T20.76XS	Corrosion of third degree of forehead and cheek, sequela	ICD-10-CM	Diagnosis
T23.712S	Corrosion of third degree of left thumb (nail), sequela	ICD-10-CM	Diagnosis
T20.72XD	Corrosion of third degree of lip(s), subsequent encounter	ICD-10-CM	Diagnosis
T21.74XA	Corrosion of third degree of lower back, initial encounter	ICD-10-CM	Diagnosis
T21.74XD	Corrosion of third degree of lower back, subsequent encounter	ICD-10-CM	Diagnosis
T25.712A	Corrosion of third degree of left ankle, initial encounter	ICD-10-CM	Diagnosis
T25.712D	Corrosion of third degree of left ankle, subsequent encounter	ICD-10-CM	Diagnosis
T22.742A	Corrosion of third degree of left axilla, initial encounter	ICD-10-CM	Diagnosis
T22.742D	Corrosion of third degree of left axilla, subsequent encounter	ICD-10-CM	Diagnosis
T22.722A	Corrosion of third degree of left elbow, initial encounter	ICD-10-CM	Diagnosis



**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
T22.722D	Corrosion of third degree of left elbow, subsequent encounter	ICD-10-CM	Diagnosis
T25.722A	Corrosion of third degree of left foot, initial encounter	ICD-10-CM	Diagnosis
T25.722D	Corrosion of third degree of left foot, subsequent encounter	ICD-10-CM	Diagnosis
T22.712A	Corrosion of third degree of left forearm, initial encounter	ICD-10-CM	Diagnosis
T22.712D	Corrosion of third degree of left forearm, subsequent encounter	ICD-10-CM	Diagnosis
T23.702S	Corrosion of third degree of left hand, unspecified site, sequela	ICD-10-CM	Diagnosis
T24.722A	Corrosion of third degree of left knee, initial encounter	ICD-10-CM	Diagnosis
T24.722D	Corrosion of third degree of left knee, subsequent encounter	ICD-10-CM	Diagnosis
T23.752A	Corrosion of third degree of left palm, initial encounter	ICD-10-CM	Diagnosis
T23.752D	Corrosion of third degree of left palm, subsequent encounter	ICD-10-CM	Diagnosis
T24.712A	Corrosion of third degree of left thigh, initial encounter	ICD-10-CM	Diagnosis
T24.712D	Corrosion of third degree of left thigh, subsequent encounter	ICD-10-CM	Diagnosis
T23.772A	Corrosion of third degree of left wrist, initial encounter	ICD-10-CM	Diagnosis
T23.772D	Corrosion of third degree of left wrist, subsequent encounter	ICD-10-CM	Diagnosis
T20.77XD	Corrosion of third degree of neck, subsequent encounter	ICD-10-CM	Diagnosis
T21.72XS	Corrosion of third degree of abdominal wall, sequela	ICD-10-CM	Diagnosis
T20.73XA	Corrosion of third degree of chin, initial encounter	ICD-10-CM	Diagnosis
T22.712S	Corrosion of third degree of left forearm, sequela	ICD-10-CM	Diagnosis
T24.732S	Corrosion of third degree of left lower leg, sequela	ICD-10-CM	Diagnosis
T22.752S	Corrosion of third degree of left shoulder, sequela	ICD-10-CM	Diagnosis
T25.732S	Corrosion of third degree of left toe(s) (nail), sequela	ICD-10-CM	Diagnosis
T22.732S	Corrosion of third degree of left upper arm, sequela	ICD-10-CM	Diagnosis
T20.72XA	Corrosion of third degree of lip(s), initial encounter	ICD-10-CM	Diagnosis
T20.77XA	Corrosion of third degree of neck, initial encounter	ICD-10-CM	Diagnosis
T22.741S	Corrosion of third degree of right axilla, sequela	ICD-10-CM	Diagnosis
T22.711S	Corrosion of third degree of right forearm, sequela	ICD-10-CM	Diagnosis
T22.751S	Corrosion of third degree of right shoulder, sequela	ICD-10-CM	Diagnosis
T20.75XS	Corrosion of third degree of scalp [any part], sequela	ICD-10-CM	Diagnosis
T24.731S	Corrosion of third degree of right lower leg, sequela	ICD-10-CM	Diagnosis
T23.711S	Corrosion of third degree of right thumb (nail), sequela	ICD-10-CM	Diagnosis
T25.731S	Corrosion of third degree of right toe(s) (nail), sequela	ICD-10-CM	Diagnosis
T22.731S	Corrosion of third degree of right upper arm, sequela	ICD-10-CM	Diagnosis
T25.711A	Corrosion of third degree of right ankle, initial encounter	ICD-10-CM	Diagnosis
T25.711D	Corrosion of third degree of right ankle, subsequent encounter	ICD-10-CM	Diagnosis
T22.741A	Corrosion of third degree of right axilla, initial encounter	ICD-10-CM	Diagnosis
T22.741D	Corrosion of third degree of right axilla, subsequent encounter	ICD-10-CM	Diagnosis
T22.721A	Corrosion of third degree of right elbow, initial encounter	ICD-10-CM	Diagnosis
T22.721D	Corrosion of third degree of right elbow, subsequent encounter	ICD-10-CM	Diagnosis
T25.721A	Corrosion of third degree of right foot, initial encounter	ICD-10-CM	Diagnosis
T25.721D	Corrosion of third degree of right foot, subsequent encounter	ICD-10-CM	Diagnosis
T22.711A	Corrosion of third degree of right forearm, initial encounter	ICD-10-CM	Diagnosis
T22.711D	Corrosion of third degree of right forearm, subsequent encounter	ICD-10-CM	Diagnosis
T23.701S	Corrosion of third degree of right hand, unspecified site, sequela	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
T24.721A	Corrosion of third degree of right knee, initial encounter	ICD-10-CM	Diagnosis
T24.721D	Corrosion of third degree of right knee, subsequent encounter	ICD-10-CM	Diagnosis
T23.751A	Corrosion of third degree of right palm, initial encounter	ICD-10-CM	Diagnosis
T23.751D	Corrosion of third degree of right palm, subsequent encounter	ICD-10-CM	Diagnosis
T24.711A	Corrosion of third degree of right thigh, initial encounter	ICD-10-CM	Diagnosis
T24.711D	Corrosion of third degree of right thigh, subsequent encounter	ICD-10-CM	Diagnosis
T23.771A	Corrosion of third degree of right wrist, initial encounter	ICD-10-CM	Diagnosis
T23.771D	Corrosion of third degree of right wrist, subsequent encounter	ICD-10-CM	Diagnosis
T25.719A	Corrosion of third degree of unspecified ankle, initial encounter	ICD-10-CM	Diagnosis
T25.719D	Corrosion of third degree of unspecified ankle, subsequent encounter	ICD-10-CM	Diagnosis
T22.749A	Corrosion of third degree of unspecified axilla, initial encounter	ICD-10-CM	Diagnosis
T22.749S	Corrosion of third degree of unspecified axilla, sequela	ICD-10-CM	Diagnosis
T22.749D	Corrosion of third degree of unspecified axilla, subsequent encounter	ICD-10-CM	Diagnosis
T23.769S	Corrosion of third degree back of unspecified hand, sequela	ICD-10-CM	Diagnosis
T22.729A	Corrosion of third degree of unspecified elbow, initial encounter	ICD-10-CM	Diagnosis
T22.729D	Corrosion of third degree of unspecified elbow, subsequent encounter	ICD-10-CM	Diagnosis
T25.729A	Corrosion of third degree of unspecified foot, initial encounter	ICD-10-CM	Diagnosis
T25.729D	Corrosion of third degree of unspecified foot, subsequent encounter	ICD-10-CM	Diagnosis
T22.719S	Corrosion of third degree of unspecified forearm, sequela	ICD-10-CM	Diagnosis
T23.709S	Corrosion of third degree of unspecified hand, unspecified site, sequela	ICD-10-CM	Diagnosis
T24.729A	Corrosion of third degree of unspecified knee, initial encounter	ICD-10-CM	Diagnosis
T24.729D	Corrosion of third degree of unspecified knee, subsequent encounter	ICD-10-CM	Diagnosis
T24.739S	Corrosion of third degree of unspecified lower leg, sequela	ICD-10-CM	Diagnosis
T23.759A	Corrosion of third degree of unspecified palm, initial encounter	ICD-10-CM	Diagnosis
T23.759D	Corrosion of third degree of unspecified palm, subsequent encounter	ICD-10-CM	Diagnosis
T22.759S	Corrosion of third degree of unspecified shoulder, sequela	ICD-10-CM	Diagnosis
T24.719A	Corrosion of third degree of unspecified thigh, initial encounter	ICD-10-CM	Diagnosis
T24.719D	Corrosion of third degree of unspecified thigh, subsequent encounter	ICD-10-CM	Diagnosis
T23.719S	Corrosion of third degree of unspecified thumb (nail), sequela	ICD-10-CM	Diagnosis
T25.739S	Corrosion of third degree of unspecified toe(s) (nail), sequela	ICD-10-CM	Diagnosis
T22.739S	Corrosion of third degree of unspecified upper arm, sequela	ICD-10-CM	Diagnosis
T23.779A	Corrosion of third degree of unspecified wrist, initial encounter	ICD-10-CM	Diagnosis
T25.719S	Corrosion of third degree of unspecified ankle, sequela	ICD-10-CM	Diagnosis
T22.729S	Corrosion of third degree of unspecified elbow, sequela	ICD-10-CM	Diagnosis
T25.729S	Corrosion of third degree of unspecified foot, sequela	ICD-10-CM	Diagnosis
T24.729S	Corrosion of third degree of unspecified knee, sequela	ICD-10-CM	Diagnosis
T23.759S	Corrosion of third degree of unspecified palm, sequela	ICD-10-CM	Diagnosis
T24.719S	Corrosion of third degree of unspecified thigh, sequela	ICD-10-CM	Diagnosis
T23.779S	Corrosion of third degree of unspecified wrist, sequela	ICD-10-CM	Diagnosis
T21.73XA	Corrosion of third degree of upper back, initial encounter	ICD-10-CM	Diagnosis
T21.73XD	Corrosion of third degree of upper back, subsequent encounter	ICD-10-CM	Diagnosis
T30.4	Corrosion of unspecified body region, unspecified degree	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
T23.422A	Corrosion of unspecified degree of single left finger (nail) except thumb, initial encounter	ICD-10-CM	Diagnosis
T23.422S	Corrosion of unspecified degree of single left finger (nail) except thumb, sequela	ICD-10-CM	Diagnosis
T23.422D	Corrosion of unspecified degree of single left finger (nail) except thumb, subsequent encounter	ICD-10-CM	Diagnosis
T23.421A	Corrosion of unspecified degree of single right finger (nail) except thumb, initial encounter	ICD-10-CM	Diagnosis
T23.421S	Corrosion of unspecified degree of single right finger (nail) except thumb, sequela	ICD-10-CM	Diagnosis
T23.421D	Corrosion of unspecified degree of single right finger (nail) except thumb, subsequent encounter	ICD-10-CM	Diagnosis
T21.42XA	Corrosion of unspecified degree of abdominal wall, initial encounter	ICD-10-CM	Diagnosis
T21.42XD	Corrosion of unspecified degree of abdominal wall, subsequent encounter	ICD-10-CM	Diagnosis
T21.47XD	Corrosion of unspecified degree of female genital region, subsequent encounter	ICD-10-CM	Diagnosis
T21.47XA	Corrosion of unspecified degree of female genital region, initial encounter	ICD-10-CM	Diagnosis
T21.47XS	Corrosion of unspecified degree of female genital region, sequela	ICD-10-CM	Diagnosis
T20.46XA	Corrosion of unspecified degree of forehead and cheek, initial encounter	ICD-10-CM	Diagnosis
T20.46XD	Corrosion of unspecified degree of forehead and cheek, subsequent encounter	ICD-10-CM	Diagnosis
T20.40XS	Corrosion of unspecified degree of head, face, and neck, unspecified site, sequela	ICD-10-CM	Diagnosis
T20.412A	Corrosion of unspecified degree of left ear [any part, except ear drum], initial encounter	ICD-10-CM	Diagnosis
T20.412D	Corrosion of unspecified degree of left ear [any part, except ear drum], subsequent encounter	ICD-10-CM	Diagnosis
T20.412S	Corrosion of unspecified degree of left ear [any part, except ear drum], sequela	ICD-10-CM	Diagnosis
T22.462A	Corrosion of unspecified degree of left scapular region, initial encounter	ICD-10-CM	Diagnosis
T22.462D	Corrosion of unspecified degree of left scapular region, subsequent encounter	ICD-10-CM	Diagnosis
T23.412A	Corrosion of unspecified degree of left thumb (nail), initial encounter	ICD-10-CM	Diagnosis
T23.412D	Corrosion of unspecified degree of left thumb (nail), subsequent encounter	ICD-10-CM	Diagnosis
T21.46XA	Corrosion of unspecified degree of male genital region, initial encounter	ICD-10-CM	Diagnosis
T21.46XD	Corrosion of unspecified degree of male genital region, subsequent encounter	ICD-10-CM	Diagnosis
T23.442S	Corrosion of unspecified degree of multiple left fingers (nail), including thumb, sequela	ICD-10-CM	Diagnosis
T23.432S	Corrosion of unspecified degree of multiple left fingers (nail), not including thumb, sequela	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
T23.442A	Corrosion of unspecified degree of multiple left fingers (nail), including thumb, initial encounter	ICD-10-CM	Diagnosis
T23.442D	Corrosion of unspecified degree of multiple left fingers (nail), including thumb, subsequent encounter	ICD-10-CM	Diagnosis
T23.432A	Corrosion of unspecified degree of multiple left fingers (nail), not including thumb, initial encounter	ICD-10-CM	Diagnosis
T23.432D	Corrosion of unspecified degree of multiple left fingers (nail), not including thumb, subsequent encounter	ICD-10-CM	Diagnosis
T23.441S	Corrosion of unspecified degree of multiple right fingers (nail), including thumb, sequela	ICD-10-CM	Diagnosis
T23.431S	Corrosion of unspecified degree of multiple right fingers (nail), not including thumb, sequela	ICD-10-CM	Diagnosis
T23.431D	Corrosion of unspecified degree of multiple right fingers (nail), not including thumb, subsequent encounter	ICD-10-CM	Diagnosis
T23.441A	Corrosion of unspecified degree of multiple right fingers (nail), including thumb, initial encounter	ICD-10-CM	Diagnosis
T23.441D	Corrosion of unspecified degree of multiple right fingers (nail), including thumb, subsequent encounter	ICD-10-CM	Diagnosis
T23.431A	Corrosion of unspecified degree of multiple right fingers (nail), not including thumb, initial encounter	ICD-10-CM	Diagnosis
T24.492S	Corrosion of unspecified degree of multiple sites of left lower limb, except ankle and foot, sequela	ICD-10-CM	Diagnosis
T24.491S	Corrosion of unspecified degree of multiple sites of right lower limb, except ankle and foot, sequela	ICD-10-CM	Diagnosis
T23.499D	Corrosion of unspecified degree of multiple sites of unspecified wrist and hand, subsequent encounter	ICD-10-CM	Diagnosis
T23.499A	Corrosion of unspecified degree of multiple sites of unspecified wrist and hand, initial encounter	ICD-10-CM	Diagnosis
T20.49XS	Corrosion of unspecified degree of multiple sites of head, face, and neck, sequela	ICD-10-CM	Diagnosis
T25.492A	Corrosion of unspecified degree of multiple sites of left ankle and foot, initial encounter	ICD-10-CM	Diagnosis
T25.492S	Corrosion of unspecified degree of multiple sites of left ankle and foot, sequela	ICD-10-CM	Diagnosis
T25.492D	Corrosion of unspecified degree of multiple sites of left ankle and foot, subsequent encounter	ICD-10-CM	Diagnosis
T23.492S	Corrosion of unspecified degree of multiple sites of left wrist and hand, sequela	ICD-10-CM	Diagnosis
T23.492D	Corrosion of unspecified degree of multiple sites of left wrist and hand, subsequent encounter	ICD-10-CM	Diagnosis
T23.492A	Corrosion of unspecified degree of multiple sites of left wrist and hand, initial encounter	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
T25.491A	Corrosion of unspecified degree of multiple sites of right ankle and foot, initial encounter	ICD-10-CM	Diagnosis
T25.491S	Corrosion of unspecified degree of multiple sites of right ankle and foot, sequela	ICD-10-CM	Diagnosis
T25.491D	Corrosion of unspecified degree of multiple sites of right ankle and foot, subsequent encounter	ICD-10-CM	Diagnosis
T23.491S	Corrosion of unspecified degree of multiple sites of right wrist and hand, sequela	ICD-10-CM	Diagnosis
T23.491D	Corrosion of unspecified degree of multiple sites of right wrist and hand, subsequent encounter	ICD-10-CM	Diagnosis
T23.491A	Corrosion of unspecified degree of multiple sites of right wrist and hand, initial encounter	ICD-10-CM	Diagnosis
T25.499A	Corrosion of unspecified degree of multiple sites of unspecified ankle and foot, initial encounter	ICD-10-CM	Diagnosis
T25.499S	Corrosion of unspecified degree of multiple sites of unspecified ankle and foot, sequela	ICD-10-CM	Diagnosis
T25.499D	Corrosion of unspecified degree of multiple sites of unspecified ankle and foot, subsequent encounter	ICD-10-CM	Diagnosis
T23.499S	Corrosion of unspecified degree of multiple sites of unspecified wrist and hand, sequela	ICD-10-CM	Diagnosis
T21.49XA	Corrosion of unspecified degree of other site of trunk, initial encounter	ICD-10-CM	Diagnosis
T21.49XD	Corrosion of unspecified degree of other site of trunk, subsequent encounter	ICD-10-CM	Diagnosis
T20.411A	Corrosion of unspecified degree of right ear [any part, except ear drum], initial encounter	ICD-10-CM	Diagnosis
T20.411S	Corrosion of unspecified degree of right ear [any part, except ear drum], sequela	ICD-10-CM	Diagnosis
T20.411D	Corrosion of unspecified degree of right ear [any part, except ear drum], subsequent encounter	ICD-10-CM	Diagnosis
T22.461A	Corrosion of unspecified degree of right scapular region, initial encounter	ICD-10-CM	Diagnosis
T22.461D	Corrosion of unspecified degree of right scapular region, subsequent encounter	ICD-10-CM	Diagnosis
T23.411A	Corrosion of unspecified degree of right thumb (nail), initial encounter	ICD-10-CM	Diagnosis
T23.411D	Corrosion of unspecified degree of right thumb (nail), subsequent encounter	ICD-10-CM	Diagnosis
T22.40XS	Corrosion of unspecified degree of shoulder and upper limb, except wrist and hand, unspecified site, sequela	ICD-10-CM	Diagnosis
T21.40XA	Corrosion of unspecified degree of trunk, unspecified site, initial encounter	ICD-10-CM	Diagnosis
T21.40XD	Corrosion of unspecified degree of trunk, unspecified site, subsequent encounter	ICD-10-CM	Diagnosis
T23.429A	Corrosion of unspecified degree of unspecified single finger (nail) except thumb, initial encounter	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
T23.429S	Corrosion of unspecified degree of unspecified single finger (nail) except thumb, sequela	ICD-10-CM	Diagnosis
T23.429D	Corrosion of unspecified degree of unspecified single finger (nail) except thumb, subsequent encounter	ICD-10-CM	Diagnosis
T20.419A	Corrosion of unspecified degree of unspecified ear [any part, except ear drum], initial encounter	ICD-10-CM	Diagnosis
T20.419S	Corrosion of unspecified degree of unspecified ear [any part, except ear drum], sequela	ICD-10-CM	Diagnosis
T20.419D	Corrosion of unspecified degree of unspecified ear [any part, except ear drum], subsequent encounter	ICD-10-CM	Diagnosis
T23.409A	Corrosion of unspecified degree of unspecified hand, unspecified site, initial encounter	ICD-10-CM	Diagnosis
T23.409D	Corrosion of unspecified degree of unspecified hand, unspecified site, subsequent encounter	ICD-10-CM	Diagnosis
T24.439A	Corrosion of unspecified degree of unspecified lower leg, initial encounter	ICD-10-CM	Diagnosis
T24.439D	Corrosion of unspecified degree of unspecified lower leg, subsequent encounter	ICD-10-CM	Diagnosis
T23.439D	Corrosion of unspecified degree of unspecified multiple fingers (nail), not including thumb, subsequent encounter	ICD-10-CM	Diagnosis
T23.439S	Corrosion of unspecified degree of unspecified multiple fingers (nail), not including thumb, sequela	ICD-10-CM	Diagnosis
T23.449A	Corrosion of unspecified degree of unspecified multiple fingers (nail), including thumb, initial encounter	ICD-10-CM	Diagnosis
T23.449S	Corrosion of unspecified degree of unspecified multiple fingers (nail), including thumb, sequela	ICD-10-CM	Diagnosis
T23.449D	Corrosion of unspecified degree of unspecified multiple fingers (nail), including thumb, subsequent encounter	ICD-10-CM	Diagnosis
T23.439A	Corrosion of unspecified degree of unspecified multiple fingers (nail), not including thumb, initial encounter	ICD-10-CM	Diagnosis
T22.469A	Corrosion of unspecified degree of unspecified scapular region, initial encounter	ICD-10-CM	Diagnosis
T22.469D	Corrosion of unspecified degree of unspecified scapular region, subsequent encounter	ICD-10-CM	Diagnosis
T24.402S	Corrosion of unspecified degree of unspecified site of left lower limb, except ankle and foot, sequela	ICD-10-CM	Diagnosis
T24.401S	Corrosion of unspecified degree of unspecified site of right lower limb, except ankle and foot, sequela	ICD-10-CM	Diagnosis
T24.409S	Corrosion of unspecified degree of unspecified site of unspecified lower limb, except ankle and foot, sequela	ICD-10-CM	Diagnosis
T23.419A	Corrosion of unspecified degree of unspecified thumb (nail), initial encounter	ICD-10-CM	Diagnosis
T23.419D	Corrosion of unspecified degree of unspecified thumb (nail), subsequent encounter	ICD-10-CM	Diagnosis



**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
T25.439A	Corrosion of unspecified degree of unspecified toe(s) (nail), initial encounter	ICD-10-CM	Diagnosis
T25.439D	Corrosion of unspecified degree of unspecified toe(s) (nail), subsequent encounter	ICD-10-CM	Diagnosis
T22.439A	Corrosion of unspecified degree of unspecified upper arm, initial encounter	ICD-10-CM	Diagnosis
T22.439D	Corrosion of unspecified degree of unspecified upper arm, subsequent encounter	ICD-10-CM	Diagnosis
T21.42XS	Corrosion of unspecified degree of abdominal wall, sequela	ICD-10-CM	Diagnosis
T23.462A	Corrosion of unspecified degree of back of left hand, initial encounter	ICD-10-CM	Diagnosis
T23.462S	Corrosion of unspecified degree of back of left hand, sequela	ICD-10-CM	Diagnosis
T23.462D	Corrosion of unspecified degree of back of left hand, subsequent encounter	ICD-10-CM	Diagnosis
T23.461A	Corrosion of unspecified degree of back of right hand, initial encounter	ICD-10-CM	Diagnosis
T23.461S	Corrosion of unspecified degree of back of right hand, sequela	ICD-10-CM	Diagnosis
T23.461D	Corrosion of unspecified degree of back of right hand, subsequent encounter	ICD-10-CM	Diagnosis
T23.469A	Corrosion of unspecified degree of back of unspecified hand, initial encounter	ICD-10-CM	Diagnosis
T23.469S	Corrosion of unspecified degree of back of unspecified hand, sequela	ICD-10-CM	Diagnosis
T23.469D	Corrosion of unspecified degree of back of unspecified hand, subsequent encounter	ICD-10-CM	Diagnosis
T21.45XA	Corrosion of unspecified degree of buttock, initial encounter	ICD-10-CM	Diagnosis
T21.45XD	Corrosion of unspecified degree of buttock, subsequent encounter	ICD-10-CM	Diagnosis
T21.41XA	Corrosion of unspecified degree of chest wall, initial encounter	ICD-10-CM	Diagnosis
T21.41XD	Corrosion of unspecified degree of chest wall, subsequent encounter	ICD-10-CM	Diagnosis
T20.43XA	Corrosion of unspecified degree of chin, initial encounter	ICD-10-CM	Diagnosis
T20.43XD	Corrosion of unspecified degree of chin, subsequent encounter	ICD-10-CM	Diagnosis
T20.46XS	Corrosion of unspecified degree of forehead and cheek, sequela	ICD-10-CM	Diagnosis
T22.412D	Corrosion of unspecified degree of left forearm, subsequent encounter	ICD-10-CM	Diagnosis
T20.42XA	Corrosion of unspecified degree of lip(s), initial encounter	ICD-10-CM	Diagnosis
T20.42XD	Corrosion of unspecified degree of lip(s), subsequent encounter	ICD-10-CM	Diagnosis
T21.44XA	Corrosion of unspecified degree of lower back, initial encounter	ICD-10-CM	Diagnosis
T21.44XD	Corrosion of unspecified degree of lower back, subsequent encounter	ICD-10-CM	Diagnosis
T25.412A	Corrosion of unspecified degree of left ankle, initial encounter	ICD-10-CM	Diagnosis
T25.412D	Corrosion of unspecified degree of left ankle, subsequent encounter	ICD-10-CM	Diagnosis
T22.442A	Corrosion of unspecified degree of left axilla, initial encounter	ICD-10-CM	Diagnosis
T22.442D	Corrosion of unspecified degree of left axilla, subsequent encounter	ICD-10-CM	Diagnosis
T22.422A	Corrosion of unspecified degree of left elbow, initial encounter	ICD-10-CM	Diagnosis
T22.422D	Corrosion of unspecified degree of left elbow, subsequent encounter	ICD-10-CM	Diagnosis
T25.422A	Corrosion of unspecified degree of left foot, initial encounter	ICD-10-CM	Diagnosis
T25.422D	Corrosion of unspecified degree of left foot, subsequent encounter	ICD-10-CM	Diagnosis
T22.412A	Corrosion of unspecified degree of left forearm, initial encounter	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
T23.402A	Corrosion of unspecified degree of left hand, unspecified site, initial encounter	ICD-10-CM	Diagnosis
T23.402S	Corrosion of unspecified degree of left hand, unspecified site, sequela	ICD-10-CM	Diagnosis
T23.402D	Corrosion of unspecified degree of left hand, unspecified site, subsequent encounter	ICD-10-CM	Diagnosis
T24.422A	Corrosion of unspecified degree of left knee, initial encounter	ICD-10-CM	Diagnosis
T24.422D	Corrosion of unspecified degree of left knee, subsequent encounter	ICD-10-CM	Diagnosis
T24.432A	Corrosion of unspecified degree of left lower leg, initial encounter	ICD-10-CM	Diagnosis
T24.432S	Corrosion of unspecified degree of left lower leg, sequela	ICD-10-CM	Diagnosis
T24.432D	Corrosion of unspecified degree of left lower leg, subsequent encounter	ICD-10-CM	Diagnosis
T23.452A	Corrosion of unspecified degree of left palm, initial encounter	ICD-10-CM	Diagnosis
T23.452D	Corrosion of unspecified degree of left palm, subsequent encounter	ICD-10-CM	Diagnosis
T22.462S	Corrosion of unspecified degree of left scapular region, sequela	ICD-10-CM	Diagnosis
T22.452A	Corrosion of unspecified degree of left shoulder, initial encounter	ICD-10-CM	Diagnosis
T22.452D	Corrosion of unspecified degree of left shoulder, subsequent encounter	ICD-10-CM	Diagnosis
T24.412A	Corrosion of unspecified degree of left thigh, initial encounter	ICD-10-CM	Diagnosis
T24.412D	Corrosion of unspecified degree of left thigh, subsequent encounter	ICD-10-CM	Diagnosis
T23.412S	Corrosion of unspecified degree of left thumb (nail), sequela	ICD-10-CM	Diagnosis
T25.432A	Corrosion of unspecified degree of left toe(s) (nail), initial encounter	ICD-10-CM	Diagnosis
T25.432S	Corrosion of unspecified degree of left toe(s) (nail), sequela	ICD-10-CM	Diagnosis
T25.432D	Corrosion of unspecified degree of left toe(s) (nail), subsequent encounter	ICD-10-CM	Diagnosis
T22.432A	Corrosion of unspecified degree of left upper arm, initial encounter	ICD-10-CM	Diagnosis
T22.432S	Corrosion of unspecified degree of left upper arm, sequela	ICD-10-CM	Diagnosis
T22.432D	Corrosion of unspecified degree of left upper arm, subsequent encounter	ICD-10-CM	Diagnosis
T23.472A	Corrosion of unspecified degree of left wrist, initial encounter	ICD-10-CM	Diagnosis
T23.472D	Corrosion of unspecified degree of left wrist, subsequent encounter	ICD-10-CM	Diagnosis
T21.46XS	Corrosion of unspecified degree of male genital region, sequela	ICD-10-CM	Diagnosis
T20.47XA	Corrosion of unspecified degree of neck, initial encounter	ICD-10-CM	Diagnosis
T20.47XD	Corrosion of unspecified degree of neck, subsequent encounter	ICD-10-CM	Diagnosis
T20.44XA	Corrosion of unspecified degree of nose (septum), initial encounter	ICD-10-CM	Diagnosis
T20.44XD	Corrosion of unspecified degree of nose (septum), subsequent encounter	ICD-10-CM	Diagnosis
T21.49XS	Corrosion of unspecified degree of other site of trunk, sequela	ICD-10-CM	Diagnosis
T25.411A	Corrosion of unspecified degree of right ankle, initial encounter	ICD-10-CM	Diagnosis
T25.411D	Corrosion of unspecified degree of right ankle, subsequent encounter	ICD-10-CM	Diagnosis
T22.441A	Corrosion of unspecified degree of right axilla, initial encounter	ICD-10-CM	Diagnosis
T22.441D	Corrosion of unspecified degree of right axilla, subsequent encounter	ICD-10-CM	Diagnosis
T22.421A	Corrosion of unspecified degree of right elbow, initial encounter	ICD-10-CM	Diagnosis
T22.421D	Corrosion of unspecified degree of right elbow, subsequent encounter	ICD-10-CM	Diagnosis
T25.421A	Corrosion of unspecified degree of right foot, initial encounter	ICD-10-CM	Diagnosis
T25.421D	Corrosion of unspecified degree of right foot, subsequent encounter	ICD-10-CM	Diagnosis
T22.411A	Corrosion of unspecified degree of right forearm, initial encounter	ICD-10-CM	Diagnosis
T22.411D	Corrosion of unspecified degree of right forearm, subsequent encounter	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
T23.401A	Corrosion of unspecified degree of right hand, unspecified site, initial encounter	ICD-10-CM	Diagnosis
T23.401S	Corrosion of unspecified degree of right hand, unspecified site, sequela	ICD-10-CM	Diagnosis
T23.401D	Corrosion of unspecified degree of right hand, unspecified site, subsequent encounter	ICD-10-CM	Diagnosis
T24.421A	Corrosion of unspecified degree of right knee, initial encounter	ICD-10-CM	Diagnosis
T24.421D	Corrosion of unspecified degree of right knee, subsequent encounter	ICD-10-CM	Diagnosis
T24.431A	Corrosion of unspecified degree of right lower leg, initial encounter	ICD-10-CM	Diagnosis
T24.431S	Corrosion of unspecified degree of right lower leg, sequela	ICD-10-CM	Diagnosis
T24.431D	Corrosion of unspecified degree of right lower leg, subsequent encounter	ICD-10-CM	Diagnosis
T23.451A	Corrosion of unspecified degree of right palm, initial encounter	ICD-10-CM	Diagnosis
T23.451D	Corrosion of unspecified degree of right palm, subsequent encounter	ICD-10-CM	Diagnosis
T22.461S	Corrosion of unspecified degree of right scapular region, sequela	ICD-10-CM	Diagnosis
T22.451A	Corrosion of unspecified degree of right shoulder, initial encounter	ICD-10-CM	Diagnosis
T22.451D	Corrosion of unspecified degree of right shoulder, subsequent encounter	ICD-10-CM	Diagnosis
T24.411A	Corrosion of unspecified degree of right thigh, initial encounter	ICD-10-CM	Diagnosis
T24.411D	Corrosion of unspecified degree of right thigh, subsequent encounter	ICD-10-CM	Diagnosis
T23.411S	Corrosion of unspecified degree of right thumb (nail), sequela	ICD-10-CM	Diagnosis
T25.431A	Corrosion of unspecified degree of right toe(s) (nail), initial encounter	ICD-10-CM	Diagnosis
T25.431S	Corrosion of unspecified degree of right toe(s) (nail), sequela	ICD-10-CM	Diagnosis
T25.431D	Corrosion of unspecified degree of right toe(s) (nail), subsequent encounter	ICD-10-CM	Diagnosis
T22.431A	Corrosion of unspecified degree of right upper arm, initial encounter	ICD-10-CM	Diagnosis
T22.431S	Corrosion of unspecified degree of right upper arm, sequela	ICD-10-CM	Diagnosis
T22.431D	Corrosion of unspecified degree of right upper arm, subsequent encounter	ICD-10-CM	Diagnosis
T23.471A	Corrosion of unspecified degree of right wrist, initial encounter	ICD-10-CM	Diagnosis
T23.471D	Corrosion of unspecified degree of right wrist, subsequent encounter	ICD-10-CM	Diagnosis
T20.45XA	Corrosion of unspecified degree of scalp [any part], initial encounter	ICD-10-CM	Diagnosis
T20.45XS	Corrosion of unspecified degree of scalp [any part], sequela	ICD-10-CM	Diagnosis
T20.45XD	Corrosion of unspecified degree of scalp [any part], subsequent encounter	ICD-10-CM	Diagnosis
T21.40XS	Corrosion of unspecified degree of trunk, unspecified site, sequela	ICD-10-CM	Diagnosis
T25.419A	Corrosion of unspecified degree of unspecified ankle, initial encounter	ICD-10-CM	Diagnosis
T25.419D	Corrosion of unspecified degree of unspecified ankle, subsequent encounter	ICD-10-CM	Diagnosis
T22.449A	Corrosion of unspecified degree of unspecified axilla, initial encounter	ICD-10-CM	Diagnosis
T22.449D	Corrosion of unspecified degree of unspecified axilla, subsequent encounter	ICD-10-CM	Diagnosis
T22.429A	Corrosion of unspecified degree of unspecified elbow, initial encounter	ICD-10-CM	Diagnosis
T22.429D	Corrosion of unspecified degree of unspecified elbow, subsequent encounter	ICD-10-CM	Diagnosis
T25.429A	Corrosion of unspecified degree of unspecified foot, initial encounter	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
T25.429D	Corrosion of unspecified degree of unspecified foot, subsequent encounter	ICD-10-CM	Diagnosis
T22.419A	Corrosion of unspecified degree of unspecified forearm, initial encounter	ICD-10-CM	Diagnosis
T22.419D	Corrosion of unspecified degree of unspecified forearm, subsequent encounter	ICD-10-CM	Diagnosis
T23.409S	Corrosion of unspecified degree of unspecified hand, unspecified site, sequela	ICD-10-CM	Diagnosis
T24.429A	Corrosion of unspecified degree of unspecified knee, initial encounter	ICD-10-CM	Diagnosis
T24.429D	Corrosion of unspecified degree of unspecified knee, subsequent encounter	ICD-10-CM	Diagnosis
T24.439S	Corrosion of unspecified degree of unspecified lower leg, sequela	ICD-10-CM	Diagnosis
T23.459A	Corrosion of unspecified degree of unspecified palm, initial encounter	ICD-10-CM	Diagnosis
T23.459D	Corrosion of unspecified degree of unspecified palm, subsequent encounter	ICD-10-CM	Diagnosis
T22.469S	Corrosion of unspecified degree of unspecified scapular region, sequela	ICD-10-CM	Diagnosis
T22.459A	Corrosion of unspecified degree of unspecified shoulder, initial encounter	ICD-10-CM	Diagnosis
T22.459S	Corrosion of unspecified degree of unspecified shoulder, sequela	ICD-10-CM	Diagnosis
T22.459D	Corrosion of unspecified degree of unspecified shoulder, subsequent encounter	ICD-10-CM	Diagnosis
T24.419A	Corrosion of unspecified degree of unspecified thigh, initial encounter	ICD-10-CM	Diagnosis
T24.419D	Corrosion of unspecified degree of unspecified thigh, subsequent encounter	ICD-10-CM	Diagnosis
T23.419S	Corrosion of unspecified degree of unspecified thumb (nail), sequela	ICD-10-CM	Diagnosis
T25.439S	Corrosion of unspecified degree of unspecified toe(s) (nail), sequela	ICD-10-CM	Diagnosis
T22.439S	Corrosion of unspecified degree of unspecified upper arm, sequela	ICD-10-CM	Diagnosis
T23.479A	Corrosion of unspecified degree of unspecified wrist, initial encounter	ICD-10-CM	Diagnosis
T23.479D	Corrosion of unspecified degree of unspecified wrist, subsequent encounter	ICD-10-CM	Diagnosis
T25.419S	Corrosion of unspecified degree of unspecified ankle, sequela	ICD-10-CM	Diagnosis
T22.449S	Corrosion of unspecified degree of unspecified axilla, sequela	ICD-10-CM	Diagnosis
T22.429S	Corrosion of unspecified degree of unspecified elbow, sequela	ICD-10-CM	Diagnosis
T25.429S	Corrosion of unspecified degree of unspecified foot, sequela	ICD-10-CM	Diagnosis
T22.419S	Corrosion of unspecified degree of unspecified forearm, sequela	ICD-10-CM	Diagnosis
T24.429S	Corrosion of unspecified degree of unspecified knee, sequela	ICD-10-CM	Diagnosis
T23.459S	Corrosion of unspecified degree of unspecified palm, sequela	ICD-10-CM	Diagnosis
T24.419S	Corrosion of unspecified degree of unspecified thigh, sequela	ICD-10-CM	Diagnosis
T23.479S	Corrosion of unspecified degree of unspecified wrist, sequela	ICD-10-CM	Diagnosis
T21.43XA	Corrosion of unspecified degree of upper back, initial encounter	ICD-10-CM	Diagnosis
T21.43XD	Corrosion of unspecified degree of upper back, subsequent encounter	ICD-10-CM	Diagnosis
T26.90XA	Corrosion of unspecified eye and adnexa, part unspecified, initial encounter	ICD-10-CM	Diagnosis
T26.90XS	Corrosion of unspecified eye and adnexa, part unspecified, sequela	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
T26.90XD	Corrosion of unspecified eye and adnexa, part unspecified, subsequent encounter	ICD-10-CM	Diagnosis
T26.50XA	Corrosion of unspecified eyelid and periocular area, initial encounter	ICD-10-CM	Diagnosis
T26.50XS	Corrosion of unspecified eyelid and periocular area, sequela	ICD-10-CM	Diagnosis
T26.50XD	Corrosion of unspecified eyelid and periocular area, subsequent encounter	ICD-10-CM	Diagnosis
T21.41XS	Corrosion of unspecified degree of chest wall, sequela	ICD-10-CM	Diagnosis
T25.412S	Corrosion of unspecified degree of left ankle, sequela	ICD-10-CM	Diagnosis
T22.442S	Corrosion of unspecified degree of left axilla, sequela	ICD-10-CM	Diagnosis
T22.422S	Corrosion of unspecified degree of left elbow, sequela	ICD-10-CM	Diagnosis
T25.422S	Corrosion of unspecified degree of left foot, sequela	ICD-10-CM	Diagnosis
T24.422S	Corrosion of unspecified degree of left knee, sequela	ICD-10-CM	Diagnosis
T23.452S	Corrosion of unspecified degree of left palm, sequela	ICD-10-CM	Diagnosis
T24.412S	Corrosion of unspecified degree of left thigh, sequela	ICD-10-CM	Diagnosis
T23.472S	Corrosion of unspecified degree of left wrist, sequela	ICD-10-CM	Diagnosis
T21.44XS	Corrosion of unspecified degree of lower back, sequela	ICD-10-CM	Diagnosis
T22.412S	Corrosion of unspecified degree of left forearm, sequela	ICD-10-CM	Diagnosis
T22.452S	Corrosion of unspecified degree of left shoulder, sequela	ICD-10-CM	Diagnosis
T20.44XS	Corrosion of unspecified degree of nose (septum), sequela	ICD-10-CM	Diagnosis
T21.45XS	Corrosion of unspecified degree of buttock, sequela	ICD-10-CM	Diagnosis
T25.411S	Corrosion of unspecified degree of right ankle, sequela	ICD-10-CM	Diagnosis
T22.421S	Corrosion of unspecified degree of right elbow, sequela	ICD-10-CM	Diagnosis
T25.421S	Corrosion of unspecified degree of right foot, sequela	ICD-10-CM	Diagnosis
T24.421S	Corrosion of unspecified degree of right knee, sequela	ICD-10-CM	Diagnosis
T23.451S	Corrosion of unspecified degree of right palm, sequela	ICD-10-CM	Diagnosis
T24.411S	Corrosion of unspecified degree of right thigh, sequela	ICD-10-CM	Diagnosis
T23.471S	Corrosion of unspecified degree of right wrist, sequela	ICD-10-CM	Diagnosis
T22.441S	Corrosion of unspecified degree of right axilla, sequela	ICD-10-CM	Diagnosis
T22.411S	Corrosion of unspecified degree of right forearm, sequela	ICD-10-CM	Diagnosis
T22.451S	Corrosion of unspecified degree of right shoulder, sequela	ICD-10-CM	Diagnosis
T21.43XS	Corrosion of unspecified degree of upper back, sequela	ICD-10-CM	Diagnosis
T26.72XA	Corrosion with resulting rupture and destruction of left eyeball, initial encounter	ICD-10-CM	Diagnosis
T26.72XD	Corrosion with resulting rupture and destruction of left eyeball, subsequent encounter	ICD-10-CM	Diagnosis
T26.71XA	Corrosion with resulting rupture and destruction of right eyeball, initial encounter	ICD-10-CM	Diagnosis
T26.71XD	Corrosion with resulting rupture and destruction of right eyeball, subsequent encounter	ICD-10-CM	Diagnosis
T26.70XA	Corrosion with resulting rupture and destruction of unspecified eyeball, initial encounter	ICD-10-CM	Diagnosis
T26.70XD	Corrosion with resulting rupture and destruction of unspecified eyeball, subsequent encounter	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
T32.10	Corrosions involving 10-19% of body surface with 0% to 9% third degree corrosion	ICD-10-CM	Diagnosis
T32.11	Corrosions involving 10-19% of body surface with 10-19% third degree corrosion	ICD-10-CM	Diagnosis
T32.20	Corrosions involving 20-29% of body surface with 0% to 9% third degree corrosion	ICD-10-CM	Diagnosis
T32.21	Corrosions involving 20-29% of body surface with 10-19% third degree corrosion	ICD-10-CM	Diagnosis
T32.22	Corrosions involving 20-29% of body surface with 20-29% third degree corrosion	ICD-10-CM	Diagnosis
T32.30	Corrosions involving 30-39% of body surface with 0% to 9% third degree corrosion	ICD-10-CM	Diagnosis
T32.31	Corrosions involving 30-39% of body surface with 10-19% third degree corrosion	ICD-10-CM	Diagnosis
T32.32	Corrosions involving 30-39% of body surface with 20-29% third degree corrosion	ICD-10-CM	Diagnosis
T32.33	Corrosions involving 30-39% of body surface with 30-39% third degree corrosion	ICD-10-CM	Diagnosis
T32.40	Corrosions involving 40-49% of body surface with 0% to 9% third degree corrosion	ICD-10-CM	Diagnosis
T32.41	Corrosions involving 40-49% of body surface with 10-19% third degree corrosion	ICD-10-CM	Diagnosis
T32.42	Corrosions involving 40-49% of body surface with 20-29% third degree corrosion	ICD-10-CM	Diagnosis
T32.43	Corrosions involving 40-49% of body surface with 30-39% third degree corrosion	ICD-10-CM	Diagnosis
T32.44	Corrosions involving 40-49% of body surface with 40-49% third degree corrosion	ICD-10-CM	Diagnosis
T32.50	Corrosions involving 50-59% of body surface with 0% to 9% third degree corrosion	ICD-10-CM	Diagnosis
T32.51	Corrosions involving 50-59% of body surface with 10-19% third degree corrosion	ICD-10-CM	Diagnosis
T32.52	Corrosions involving 50-59% of body surface with 20-29% third degree corrosion	ICD-10-CM	Diagnosis
T32.53	Corrosions involving 50-59% of body surface with 30-39% third degree corrosion	ICD-10-CM	Diagnosis
T32.54	Corrosions involving 50-59% of body surface with 40-49% third degree corrosion	ICD-10-CM	Diagnosis
T32.55	Corrosions involving 50-59% of body surface with 50-59% third degree corrosion	ICD-10-CM	Diagnosis
T32.60	Corrosions involving 60-69% of body surface with 0% to 9% third degree corrosion	ICD-10-CM	Diagnosis



**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
T32.61	Corrosions involving 60-69% of body surface with 10-19% third degree corrosion	ICD-10-CM	Diagnosis
T32.62	Corrosions involving 60-69% of body surface with 20-29% third degree corrosion	ICD-10-CM	Diagnosis
T32.63	Corrosions involving 60-69% of body surface with 30-39% third degree corrosion	ICD-10-CM	Diagnosis
T32.64	Corrosions involving 60-69% of body surface with 40-49% third degree corrosion	ICD-10-CM	Diagnosis
T32.65	Corrosions involving 60-69% of body surface with 50-59% third degree corrosion	ICD-10-CM	Diagnosis
T32.66	Corrosions involving 60-69% of body surface with 60-69% third degree corrosion	ICD-10-CM	Diagnosis
T32.70	Corrosions involving 70-79% of body surface with 0% to 9% third degree corrosion	ICD-10-CM	Diagnosis
T32.71	Corrosions involving 70-79% of body surface with 10-19% third degree corrosion	ICD-10-CM	Diagnosis
T32.72	Corrosions involving 70-79% of body surface with 20-29% third degree corrosion	ICD-10-CM	Diagnosis
T32.73	Corrosions involving 70-79% of body surface with 30-39% third degree corrosion	ICD-10-CM	Diagnosis
T32.74	Corrosions involving 70-79% of body surface with 40-49% third degree corrosion	ICD-10-CM	Diagnosis
T32.75	Corrosions involving 70-79% of body surface with 50-59% third degree corrosion	ICD-10-CM	Diagnosis
T32.76	Corrosions involving 70-79% of body surface with 60-69% third degree corrosion	ICD-10-CM	Diagnosis
T32.77	Corrosions involving 70-79% of body surface with 70-79% third degree corrosion	ICD-10-CM	Diagnosis
T32.80	Corrosions involving 80-89% of body surface with 0% to 9% third degree corrosion	ICD-10-CM	Diagnosis
T32.81	Corrosions involving 80-89% of body surface with 10-19% third degree corrosion	ICD-10-CM	Diagnosis
T32.82	Corrosions involving 80-89% of body surface with 20-29% third degree corrosion	ICD-10-CM	Diagnosis
T32.83	Corrosions involving 80-89% of body surface with 30-39% third degree corrosion	ICD-10-CM	Diagnosis
T32.84	Corrosions involving 80-89% of body surface with 40-49% third degree corrosion	ICD-10-CM	Diagnosis
T32.85	Corrosions involving 80-89% of body surface with 50-59% third degree corrosion	ICD-10-CM	Diagnosis
T32.86	Corrosions involving 80-89% of body surface with 60-69% third degree corrosion	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
T32.87	Corrosions involving 80-89% of body surface with 70-79% third degree corrosion	ICD-10-CM	Diagnosis
T32.88	Corrosions involving 80-89% of body surface with 80-89% third degree corrosion	ICD-10-CM	Diagnosis
T32.99	Corrosions involving 90% or more of body surface with 90% or more third degree corrosion	ICD-10-CM	Diagnosis
T32.90	Corrosions involving 90% or more of body surface with 0% to 9% third degree corrosion	ICD-10-CM	Diagnosis
T32.91	Corrosions involving 90% or more of body surface with 10-19% third degree corrosion	ICD-10-CM	Diagnosis
T32.92	Corrosions involving 90% or more of body surface with 20-29% third degree corrosion	ICD-10-CM	Diagnosis
T32.93	Corrosions involving 90% or more of body surface with 30-39% third degree corrosion	ICD-10-CM	Diagnosis
T32.94	Corrosions involving 90% or more of body surface with 40-49% third degree corrosion	ICD-10-CM	Diagnosis
T32.95	Corrosions involving 90% or more of body surface with 50-59% third degree corrosion	ICD-10-CM	Diagnosis
T32.96	Corrosions involving 90% or more of body surface with 60-69% third degree corrosion	ICD-10-CM	Diagnosis
T32.97	Corrosions involving 90% or more of body surface with 70-79% third degree corrosion	ICD-10-CM	Diagnosis
T32.98	Corrosions involving 90% or more of body surface with 80-89% third degree corrosion	ICD-10-CM	Diagnosis
T32.0	Corrosions involving less than 10% of body surface	ICD-10-CM	Diagnosis
T28.912A	Corrosions of left ear drum, initial encounter	ICD-10-CM	Diagnosis
T28.912S	Corrosions of left ear drum, sequela	ICD-10-CM	Diagnosis
T28.912D	Corrosions of left ear drum, subsequent encounter	ICD-10-CM	Diagnosis
T28.99XS	Corrosions of other internal organs, sequela	ICD-10-CM	Diagnosis
T28.911A	Corrosions of right ear drum, initial encounter	ICD-10-CM	Diagnosis
T28.911S	Corrosions of right ear drum, sequela	ICD-10-CM	Diagnosis
T28.919S	Corrosions of unspecified ear drum, sequela	ICD-10-CM	Diagnosis
T26.82XA	Corrosions of other specified parts of left eye and adnexa, initial encounter	ICD-10-CM	Diagnosis
T26.82XD	Corrosions of other specified parts of left eye and adnexa, subsequent encounter	ICD-10-CM	Diagnosis
T26.82XS	Corrosions of other specified parts of left eye and adnexa, sequela	ICD-10-CM	Diagnosis
T26.80XA	Corrosions of other specified parts of unspecified eye and adnexa, initial encounter	ICD-10-CM	Diagnosis
T26.80XD	Corrosions of other specified parts of unspecified eye and adnexa, subsequent encounter	ICD-10-CM	Diagnosis
T26.81XA	Corrosions of other specified parts of right eye and adnexa, initial encounter	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

Code	Description	Code Type	Code Category
T26.81XS	Corrosions of other specified parts of right eye and adnexa, sequela	ICD-10-CM	Diagnosis
T26.81XD	Corrosions of other specified parts of right eye and adnexa, subsequent encounter	ICD-10-CM	Diagnosis
T26.80XS	Corrosions of other specified parts of unspecified eye and adnexa, sequela	ICD-10-CM	Diagnosis
T28.99XA	Corrosions of other internal organs, initial encounter	ICD-10-CM	Diagnosis
T28.99XD	Corrosions of other internal organs, subsequent encounter	ICD-10-CM	Diagnosis
T28.911D	Corrosions of right ear drum, subsequent encounter	ICD-10-CM	Diagnosis
T28.919A	Corrosions of unspecified ear drum, initial encounter	ICD-10-CM	Diagnosis
T28.919D	Corrosions of unspecified ear drum, subsequent encounter	ICD-10-CM	Diagnosis
T28.90XA	Corrosions of unspecified internal organs, initial encounter	ICD-10-CM	Diagnosis
T28.90XD	Corrosions of unspecified internal organs, subsequent encounter	ICD-10-CM	Diagnosis
T28.90XS	Corrosions of unspecified internal organs, sequela	ICD-10-CM	Diagnosis
M23.042	Cystic meniscus, anterior horn of lateral meniscus, left knee	ICD-10-CM	Diagnosis
M23.041	Cystic meniscus, anterior horn of lateral meniscus, right knee	ICD-10-CM	Diagnosis
M23.049	Cystic meniscus, anterior horn of lateral meniscus, unspecified knee	ICD-10-CM	Diagnosis
M23.019	Cystic meniscus, anterior horn of medial meniscus, unspecified knee	ICD-10-CM	Diagnosis
M23.012	Cystic meniscus, anterior horn of medial meniscus, left knee	ICD-10-CM	Diagnosis
M23.011	Cystic meniscus, anterior horn of medial meniscus, right knee	ICD-10-CM	Diagnosis
M23.062	Cystic meniscus, other lateral meniscus, left knee	ICD-10-CM	Diagnosis
M23.061	Cystic meniscus, other lateral meniscus, right knee	ICD-10-CM	Diagnosis
M23.069	Cystic meniscus, other lateral meniscus, unspecified knee	ICD-10-CM	Diagnosis
M23.032	Cystic meniscus, other medial meniscus, left knee	ICD-10-CM	Diagnosis
M23.031	Cystic meniscus, other medial meniscus, right knee	ICD-10-CM	Diagnosis
M23.039	Cystic meniscus, other medial meniscus, unspecified knee	ICD-10-CM	Diagnosis
M23.052	Cystic meniscus, posterior horn of lateral meniscus, left knee	ICD-10-CM	Diagnosis
M23.051	Cystic meniscus, posterior horn of lateral meniscus, right knee	ICD-10-CM	Diagnosis
M23.059	Cystic meniscus, posterior horn of lateral meniscus, unspecified knee	ICD-10-CM	Diagnosis
M23.022	Cystic meniscus, posterior horn of medial meniscus, left knee	ICD-10-CM	Diagnosis
M23.021	Cystic meniscus, posterior horn of medial meniscus, right knee	ICD-10-CM	Diagnosis
M23.029	Cystic meniscus, posterior horn of medial meniscus, unspecified knee	ICD-10-CM	Diagnosis
M23.001	Cystic meniscus, unspecified lateral meniscus, left knee	ICD-10-CM	Diagnosis
M23.000	Cystic meniscus, unspecified lateral meniscus, right knee	ICD-10-CM	Diagnosis
M23.002	Cystic meniscus, unspecified lateral meniscus, unspecified knee	ICD-10-CM	Diagnosis
M23.004	Cystic meniscus, unspecified medial meniscus, left knee	ICD-10-CM	Diagnosis
M23.003	Cystic meniscus, unspecified medial meniscus, right knee	ICD-10-CM	Diagnosis
M23.005	Cystic meniscus, unspecified medial meniscus, unspecified knee	ICD-10-CM	Diagnosis
M23.009	Cystic meniscus, unspecified meniscus, unspecified knee	ICD-10-CM	Diagnosis
M23.007	Cystic meniscus, unspecified meniscus, left knee	ICD-10-CM	Diagnosis
M23.006	Cystic meniscus, unspecified meniscus, right knee	ICD-10-CM	Diagnosis
M23.242	Derangement of anterior horn of lateral meniscus due to old tear or injury, left knee	ICD-10-CM	Diagnosis
M23.241	Derangement of anterior horn of lateral meniscus due to old tear or injury, right knee	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
M23.249	Derangement of anterior horn of lateral meniscus due to old tear or injury, unspecified knee	ICD-10-CM	Diagnosis
M23.212	Derangement of anterior horn of medial meniscus due to old tear or injury, left knee	ICD-10-CM	Diagnosis
M23.211	Derangement of anterior horn of medial meniscus due to old tear or injury, right knee	ICD-10-CM	Diagnosis
M23.219	Derangement of anterior horn of medial meniscus due to old tear or injury, unspecified knee	ICD-10-CM	Diagnosis
M23.262	Derangement of other lateral meniscus due to old tear or injury, left knee	ICD-10-CM	Diagnosis
M23.261	Derangement of other lateral meniscus due to old tear or injury, right knee	ICD-10-CM	Diagnosis
M23.239	Derangement of other medial meniscus due to old tear or injury, unspecified knee	ICD-10-CM	Diagnosis
M23.232	Derangement of other medial meniscus due to old tear or injury, left knee	ICD-10-CM	Diagnosis
M23.231	Derangement of other medial meniscus due to old tear or injury, right knee	ICD-10-CM	Diagnosis
M23.252	Derangement of posterior horn of lateral meniscus due to old tear or injury, left knee	ICD-10-CM	Diagnosis
M23.251	Derangement of posterior horn of lateral meniscus due to old tear or injury, right knee	ICD-10-CM	Diagnosis
M23.259	Derangement of posterior horn of lateral meniscus due to old tear or injury, unspecified knee	ICD-10-CM	Diagnosis
M23.229	Derangement of posterior horn of medial meniscus due to old tear or injury, unspecified knee	ICD-10-CM	Diagnosis
M23.222	Derangement of posterior horn of medial meniscus due to old tear or injury, left knee	ICD-10-CM	Diagnosis
M23.221	Derangement of posterior horn of medial meniscus due to old tear or injury, right knee	ICD-10-CM	Diagnosis
M23.205	Derangement of unspecified medial meniscus due to old tear or injury, unspecified knee	ICD-10-CM	Diagnosis
M23.207	Derangement of unspecified meniscus due to old tear or injury, left knee	ICD-10-CM	Diagnosis
M23.206	Derangement of unspecified meniscus due to old tear or injury, right knee	ICD-10-CM	Diagnosis
M23.209	Derangement of unspecified meniscus due to old tear or injury, unspecified knee	ICD-10-CM	Diagnosis
M23.202	Derangement of unspecified lateral meniscus due to old tear or injury, unspecified knee	ICD-10-CM	Diagnosis
M23.201	Derangement of unspecified lateral meniscus due to old tear or injury, left knee	ICD-10-CM	Diagnosis
M23.200	Derangement of unspecified lateral meniscus due to old tear or injury, right knee	ICD-10-CM	Diagnosis
M23.204	Derangement of unspecified medial meniscus due to old tear or injury, left knee	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
M23.203	Derangement of unspecified medial meniscus due to old tear or injury, right knee	ICD-10-CM	Diagnosis
M23.269	Derangement of other lateral meniscus due to old tear or injury, unspecified knee	ICD-10-CM	Diagnosis
S13.131D	Dislocation of C2/C3 cervical vertebrae, subsequent encounter	ICD-10-CM	Diagnosis
S13.141D	Dislocation of C3/C4 cervical vertebrae, subsequent encounter	ICD-10-CM	Diagnosis
S13.151D	Dislocation of C4/C5 cervical vertebrae, subsequent encounter	ICD-10-CM	Diagnosis
S13.161D	Dislocation of C5/C6 cervical vertebrae, subsequent encounter	ICD-10-CM	Diagnosis
S13.171D	Dislocation of C6/C7 cervical vertebrae, subsequent encounter	ICD-10-CM	Diagnosis
S13.181D	Dislocation of C7/T1 cervical vertebrae, subsequent encounter	ICD-10-CM	Diagnosis
S33.111D	Dislocation of L1/L2 lumbar vertebra, subsequent encounter	ICD-10-CM	Diagnosis
S33.131D	Dislocation of L3/L4 lumbar vertebra, subsequent encounter	ICD-10-CM	Diagnosis
S33.39XD	Dislocation of other parts of lumbar spine and pelvis, subsequent encounter	ICD-10-CM	Diagnosis
S33.39XA	Dislocation of other parts of lumbar spine and pelvis, initial encounter	ICD-10-CM	Diagnosis
S33.39XS	Dislocation of other parts of lumbar spine and pelvis, sequela	ICD-10-CM	Diagnosis
S63.283A	Dislocation of proximal interphalangeal joint of left middle finger, initial encounter	ICD-10-CM	Diagnosis
S63.283S	Dislocation of proximal interphalangeal joint of left middle finger, sequela	ICD-10-CM	Diagnosis
S63.283D	Dislocation of proximal interphalangeal joint of left middle finger, subsequent encounter	ICD-10-CM	Diagnosis
S63.285A	Dislocation of proximal interphalangeal joint of left ring finger, initial encounter	ICD-10-CM	Diagnosis
S33.2XXD	Dislocation of sacroiliac and sacrococcygeal joint, subsequent encounter	ICD-10-CM	Diagnosis
S33.2XXA	Dislocation of sacroiliac and sacrococcygeal joint, initial encounter	ICD-10-CM	Diagnosis
S33.2XXS	Dislocation of sacroiliac and sacrococcygeal joint, sequela	ICD-10-CM	Diagnosis
S93.325A	Dislocation of tarsometatarsal joint of left foot, initial encounter	ICD-10-CM	Diagnosis
S93.325S	Dislocation of tarsometatarsal joint of left foot, sequela	ICD-10-CM	Diagnosis
S93.325D	Dislocation of tarsometatarsal joint of left foot, subsequent encounter	ICD-10-CM	Diagnosis
S93.324A	Dislocation of tarsometatarsal joint of right foot, initial encounter	ICD-10-CM	Diagnosis
S93.324S	Dislocation of tarsometatarsal joint of right foot, sequela	ICD-10-CM	Diagnosis
S93.324D	Dislocation of tarsometatarsal joint of right foot, subsequent encounter	ICD-10-CM	Diagnosis
S93.326A	Dislocation of tarsometatarsal joint of unspecified foot, initial encounter	ICD-10-CM	Diagnosis
S93.326S	Dislocation of tarsometatarsal joint of unspecified foot, sequela	ICD-10-CM	Diagnosis
S93.326D	Dislocation of tarsometatarsal joint of unspecified foot, subsequent encounter	ICD-10-CM	Diagnosis
S33.30XD	Dislocation of unspecified parts of lumbar spine and pelvis, subsequent encounter	ICD-10-CM	Diagnosis
S33.30XA	Dislocation of unspecified parts of lumbar spine and pelvis, initial encounter	ICD-10-CM	Diagnosis
S33.30XS	Dislocation of unspecified parts of lumbar spine and pelvis, sequela	ICD-10-CM	Diagnosis
S13.111D	Dislocation of C0/C1 cervical vertebrae, subsequent encounter	ICD-10-CM	Diagnosis
S13.111A	Dislocation of C0/C1 cervical vertebrae, initial encounter	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S13.121A	Dislocation of C1/C2 cervical vertebrae, initial encounter	ICD-10-CM	Diagnosis
S13.121D	Dislocation of C1/C2 cervical vertebrae, subsequent encounter	ICD-10-CM	Diagnosis
S13.131A	Dislocation of C2/C3 cervical vertebrae, initial encounter	ICD-10-CM	Diagnosis
S13.141A	Dislocation of C3/C4 cervical vertebrae, initial encounter	ICD-10-CM	Diagnosis
S13.151A	Dislocation of C4/C5 cervical vertebrae, initial encounter	ICD-10-CM	Diagnosis
S13.161A	Dislocation of C5/C6 cervical vertebrae, initial encounter	ICD-10-CM	Diagnosis
S13.171A	Dislocation of C6/C7 cervical vertebrae, initial encounter	ICD-10-CM	Diagnosis
S13.181A	Dislocation of C7/T1 cervical vertebrae, initial encounter	ICD-10-CM	Diagnosis
S63.045S	Dislocation of carpometacarpal joint of left thumb, sequela	ICD-10-CM	Diagnosis
S63.045A	Dislocation of carpometacarpal joint of left thumb, initial encounter	ICD-10-CM	Diagnosis
S63.045D	Dislocation of carpometacarpal joint of left thumb, subsequent encounter	ICD-10-CM	Diagnosis
S63.044A	Dislocation of carpometacarpal joint of right thumb, initial encounter	ICD-10-CM	Diagnosis
S63.044S	Dislocation of carpometacarpal joint of right thumb, sequela	ICD-10-CM	Diagnosis
S63.044D	Dislocation of carpometacarpal joint of right thumb, subsequent encounter	ICD-10-CM	Diagnosis
S63.046A	Dislocation of carpometacarpal joint of unspecified thumb, initial encounter	ICD-10-CM	Diagnosis
S63.046S	Dislocation of carpometacarpal joint of unspecified thumb, sequela	ICD-10-CM	Diagnosis
S63.046D	Dislocation of carpometacarpal joint of unspecified thumb, subsequent encounter	ICD-10-CM	Diagnosis
S63.075A	Dislocation of distal end of left ulna, initial encounter	ICD-10-CM	Diagnosis
S63.075D	Dislocation of distal end of left ulna, subsequent encounter	ICD-10-CM	Diagnosis
S63.074A	Dislocation of distal end of right ulna, initial encounter	ICD-10-CM	Diagnosis
S63.074D	Dislocation of distal end of right ulna, subsequent encounter	ICD-10-CM	Diagnosis
S63.076A	Dislocation of distal end of unspecified ulna, initial encounter	ICD-10-CM	Diagnosis
S63.076S	Dislocation of distal end of unspecified ulna, sequela	ICD-10-CM	Diagnosis
S63.291A	Dislocation of distal interphalangeal joint of left index finger, initial encounter	ICD-10-CM	Diagnosis
S63.291S	Dislocation of distal interphalangeal joint of left index finger, sequela	ICD-10-CM	Diagnosis
S63.291D	Dislocation of distal interphalangeal joint of left index finger, subsequent encounter	ICD-10-CM	Diagnosis
S63.297A	Dislocation of distal interphalangeal joint of left little finger, initial encounter	ICD-10-CM	Diagnosis
S63.297S	Dislocation of distal interphalangeal joint of left little finger, sequela	ICD-10-CM	Diagnosis
S63.297D	Dislocation of distal interphalangeal joint of left little finger, subsequent encounter	ICD-10-CM	Diagnosis
S63.293A	Dislocation of distal interphalangeal joint of left middle finger, initial encounter	ICD-10-CM	Diagnosis
S63.293S	Dislocation of distal interphalangeal joint of left middle finger, sequela	ICD-10-CM	Diagnosis
S63.293D	Dislocation of distal interphalangeal joint of left middle finger, subsequent encounter	ICD-10-CM	Diagnosis
S63.295A	Dislocation of distal interphalangeal joint of left ring finger, initial encounter	ICD-10-CM	Diagnosis



**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S63.295S	Dislocation of distal interphalangeal joint of left ring finger, sequela	ICD-10-CM	Diagnosis
S63.295D	Dislocation of distal interphalangeal joint of left ring finger, subsequent encounter	ICD-10-CM	Diagnosis
S63.145A	Dislocation of distal interphalangeal joint of left thumb, initial encounter	ICD-10-CM	Diagnosis
S63.145S	Dislocation of distal interphalangeal joint of left thumb, sequela	ICD-10-CM	Diagnosis
S63.145D	Dislocation of distal interphalangeal joint of left thumb, subsequent encounter	ICD-10-CM	Diagnosis
S63.298A	Dislocation of distal interphalangeal joint of other finger, initial encounter	ICD-10-CM	Diagnosis
S63.298S	Dislocation of distal interphalangeal joint of other finger, sequela	ICD-10-CM	Diagnosis
S63.298D	Dislocation of distal interphalangeal joint of other finger, subsequent encounter	ICD-10-CM	Diagnosis
S63.290A	Dislocation of distal interphalangeal joint of right index finger, initial encounter	ICD-10-CM	Diagnosis
S63.290S	Dislocation of distal interphalangeal joint of right index finger, sequela	ICD-10-CM	Diagnosis
S63.290D	Dislocation of distal interphalangeal joint of right index finger, subsequent encounter	ICD-10-CM	Diagnosis
S63.296A	Dislocation of distal interphalangeal joint of right little finger, initial encounter	ICD-10-CM	Diagnosis
S63.296S	Dislocation of distal interphalangeal joint of right little finger, sequela	ICD-10-CM	Diagnosis
S63.296D	Dislocation of distal interphalangeal joint of right little finger, subsequent encounter	ICD-10-CM	Diagnosis
S63.292A	Dislocation of distal interphalangeal joint of right middle finger, initial encounter	ICD-10-CM	Diagnosis
S63.292S	Dislocation of distal interphalangeal joint of right middle finger, sequela	ICD-10-CM	Diagnosis
S63.292D	Dislocation of distal interphalangeal joint of right middle finger, subsequent encounter	ICD-10-CM	Diagnosis
S63.294A	Dislocation of distal interphalangeal joint of right ring finger, initial encounter	ICD-10-CM	Diagnosis
S63.294S	Dislocation of distal interphalangeal joint of right ring finger, sequela	ICD-10-CM	Diagnosis
S63.294D	Dislocation of distal interphalangeal joint of right ring finger, subsequent encounter	ICD-10-CM	Diagnosis
S63.144A	Dislocation of distal interphalangeal joint of right thumb, initial encounter	ICD-10-CM	Diagnosis
S63.144S	Dislocation of distal interphalangeal joint of right thumb, sequela	ICD-10-CM	Diagnosis
S63.144D	Dislocation of distal interphalangeal joint of right thumb, subsequent encounter	ICD-10-CM	Diagnosis
S63.299A	Dislocation of distal interphalangeal joint of unspecified finger, initial encounter	ICD-10-CM	Diagnosis
S63.299S	Dislocation of distal interphalangeal joint of unspecified finger, sequela	ICD-10-CM	Diagnosis
S63.299D	Dislocation of distal interphalangeal joint of unspecified finger, subsequent encounter	ICD-10-CM	Diagnosis
S63.146A	Dislocation of distal interphalangeal joint of unspecified thumb, initial encounter	ICD-10-CM	Diagnosis
S63.146S	Dislocation of distal interphalangeal joint of unspecified thumb, sequela	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S63.146D	Dislocation of distal interphalangeal joint of unspecified thumb, subsequent encounter	ICD-10-CM	Diagnosis
S63.015A	Dislocation of distal radioulnar joint of left wrist, initial encounter	ICD-10-CM	Diagnosis
S63.014A	Dislocation of distal radioulnar joint of right wrist, initial encounter	ICD-10-CM	Diagnosis
S63.016A	Dislocation of distal radioulnar joint of unspecified wrist, initial encounter	ICD-10-CM	Diagnosis
S63.016S	Dislocation of distal radioulnar joint of unspecified wrist, sequela	ICD-10-CM	Diagnosis
S63.016D	Dislocation of distal radioulnar joint of unspecified wrist, subsequent encounter	ICD-10-CM	Diagnosis
S63.015S	Dislocation of distal radioulnar joint of left wrist, sequela	ICD-10-CM	Diagnosis
S63.015D	Dislocation of distal radioulnar joint of left wrist, subsequent encounter	ICD-10-CM	Diagnosis
S63.014S	Dislocation of distal radioulnar joint of right wrist, sequela	ICD-10-CM	Diagnosis
S63.014D	Dislocation of distal radioulnar joint of right wrist, subsequent encounter	ICD-10-CM	Diagnosis
S63.076D	Dislocation of distal end of unspecified ulna, subsequent encounter	ICD-10-CM	Diagnosis
S63.125S	Dislocation of interphalangeal joint of left thumb, sequela	ICD-10-CM	Diagnosis
S63.125A	Dislocation of interphalangeal joint of left thumb, initial encounter	ICD-10-CM	Diagnosis
S63.125D	Dislocation of interphalangeal joint of left thumb, subsequent encounter	ICD-10-CM	Diagnosis
S63.124A	Dislocation of interphalangeal joint of right thumb, initial encounter	ICD-10-CM	Diagnosis
S63.124S	Dislocation of interphalangeal joint of right thumb, sequela	ICD-10-CM	Diagnosis
S63.124D	Dislocation of interphalangeal joint of right thumb, subsequent encounter	ICD-10-CM	Diagnosis
S63.126A	Dislocation of interphalangeal joint of unspecified thumb, initial encounter	ICD-10-CM	Diagnosis
S63.126S	Dislocation of interphalangeal joint of unspecified thumb, sequela	ICD-10-CM	Diagnosis
S63.126D	Dislocation of interphalangeal joint of unspecified thumb, subsequent encounter	ICD-10-CM	Diagnosis
S93.112A	Dislocation of interphalangeal joint of left great toe, initial encounter	ICD-10-CM	Diagnosis
S93.112S	Dislocation of interphalangeal joint of left great toe, sequela	ICD-10-CM	Diagnosis
S93.112D	Dislocation of interphalangeal joint of left great toe, subsequent encounter	ICD-10-CM	Diagnosis
S93.115A	Dislocation of interphalangeal joint of left lesser toe(s), initial encounter	ICD-10-CM	Diagnosis
S93.115S	Dislocation of interphalangeal joint of left lesser toe(s), sequela	ICD-10-CM	Diagnosis
S93.115D	Dislocation of interphalangeal joint of left lesser toe(s), subsequent encounter	ICD-10-CM	Diagnosis
S93.111A	Dislocation of interphalangeal joint of right great toe, initial encounter	ICD-10-CM	Diagnosis
S93.111S	Dislocation of interphalangeal joint of right great toe, sequela	ICD-10-CM	Diagnosis
S93.111D	Dislocation of interphalangeal joint of right great toe, subsequent encounter	ICD-10-CM	Diagnosis
S93.114A	Dislocation of interphalangeal joint of right lesser toe(s), initial encounter	ICD-10-CM	Diagnosis
S93.114S	Dislocation of interphalangeal joint of right lesser toe(s), sequela	ICD-10-CM	Diagnosis
S93.114D	Dislocation of interphalangeal joint of right lesser toe(s), subsequent encounter	ICD-10-CM	Diagnosis
S93.113A	Dislocation of interphalangeal joint of unspecified great toe, initial encounter	ICD-10-CM	Diagnosis
S93.113S	Dislocation of interphalangeal joint of unspecified great toe, sequela	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S93.113D	Dislocation of interphalangeal joint of unspecified great toe, subsequent encounter	ICD-10-CM	Diagnosis
S93.116A	Dislocation of interphalangeal joint of unspecified lesser toe(s), initial encounter	ICD-10-CM	Diagnosis
S93.116S	Dislocation of interphalangeal joint of unspecified lesser toe(s), sequela	ICD-10-CM	Diagnosis
S93.116D	Dislocation of interphalangeal joint of unspecified lesser toe(s), subsequent encounter	ICD-10-CM	Diagnosis
S93.119A	Dislocation of interphalangeal joint of unspecified toe(s), initial encounter	ICD-10-CM	Diagnosis
S93.119S	Dislocation of interphalangeal joint of unspecified toe(s), sequela	ICD-10-CM	Diagnosis
S93.119D	Dislocation of interphalangeal joint of unspecified toe(s), subsequent encounter	ICD-10-CM	Diagnosis
S03.03XD	Dislocation of jaw, bilateral, subsequent encounter	ICD-10-CM	Diagnosis
S03.02XD	Dislocation of jaw, left side, subsequent encounter	ICD-10-CM	Diagnosis
S03.01XD	Dislocation of jaw, right side, subsequent encounter	ICD-10-CM	Diagnosis
S03.00XA	Dislocation of jaw, unspecified side, initial encounter	ICD-10-CM	Diagnosis
S03.00XD	Dislocation of jaw, unspecified side, subsequent encounter	ICD-10-CM	Diagnosis
S33.111A	Dislocation of L1/L2 lumbar vertebra, initial encounter	ICD-10-CM	Diagnosis
S33.111S	Dislocation of L1/L2 lumbar vertebra, sequela	ICD-10-CM	Diagnosis
S33.121A	Dislocation of L2/L3 lumbar vertebra, initial encounter	ICD-10-CM	Diagnosis
S33.121S	Dislocation of L2/L3 lumbar vertebra, sequela	ICD-10-CM	Diagnosis
S33.121D	Dislocation of L2/L3 lumbar vertebra, subsequent encounter	ICD-10-CM	Diagnosis
S33.131A	Dislocation of L3/L4 lumbar vertebra, initial encounter	ICD-10-CM	Diagnosis
S33.131S	Dislocation of L3/L4 lumbar vertebra, sequela	ICD-10-CM	Diagnosis
S33.141A	Dislocation of L4/L5 lumbar vertebra, initial encounter	ICD-10-CM	Diagnosis
S33.141S	Dislocation of L4/L5 lumbar vertebra, sequela	ICD-10-CM	Diagnosis
S33.141D	Dislocation of L4/L5 lumbar vertebra, subsequent encounter	ICD-10-CM	Diagnosis
S93.05XA	Dislocation of left ankle joint, initial encounter	ICD-10-CM	Diagnosis
S93.05XD	Dislocation of left ankle joint, subsequent encounter	ICD-10-CM	Diagnosis
S43.132A	Dislocation of left acromioclavicular joint, greater than 200% displacement, initial encounter	ICD-10-CM	Diagnosis
S43.132S	Dislocation of left acromioclavicular joint, greater than 200% displacement, sequela	ICD-10-CM	Diagnosis
S43.132D	Dislocation of left acromioclavicular joint, greater than 200% displacement, subsequent encounter	ICD-10-CM	Diagnosis
S43.122A	Dislocation of left acromioclavicular joint, 100%-200% displacement, initial encounter	ICD-10-CM	Diagnosis
S43.122S	Dislocation of left acromioclavicular joint, 100%-200% displacement, sequela	ICD-10-CM	Diagnosis
S43.122D	Dislocation of left acromioclavicular joint, 100%-200% displacement, subsequent encounter	ICD-10-CM	Diagnosis
S63.261A	Dislocation of metacarpophalangeal joint of left index finger, initial encounter	ICD-10-CM	Diagnosis
S63.261S	Dislocation of metacarpophalangeal joint of left index finger, sequela	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S63.261D	Dislocation of metacarpophalangeal joint of left index finger, subsequent encounter	ICD-10-CM	Diagnosis
S63.267A	Dislocation of metacarpophalangeal joint of left little finger, initial encounter	ICD-10-CM	Diagnosis
S63.267S	Dislocation of metacarpophalangeal joint of left little finger, sequela	ICD-10-CM	Diagnosis
S63.267D	Dislocation of metacarpophalangeal joint of left little finger, subsequent encounter	ICD-10-CM	Diagnosis
S63.263A	Dislocation of metacarpophalangeal joint of left middle finger, initial encounter	ICD-10-CM	Diagnosis
S63.263S	Dislocation of metacarpophalangeal joint of left middle finger, sequela	ICD-10-CM	Diagnosis
S63.263D	Dislocation of metacarpophalangeal joint of left middle finger, subsequent encounter	ICD-10-CM	Diagnosis
S63.265A	Dislocation of metacarpophalangeal joint of left ring finger, initial encounter	ICD-10-CM	Diagnosis
S63.265S	Dislocation of metacarpophalangeal joint of left ring finger, sequela	ICD-10-CM	Diagnosis
S63.265D	Dislocation of metacarpophalangeal joint of left ring finger, subsequent encounter	ICD-10-CM	Diagnosis
S63.115A	Dislocation of metacarpophalangeal joint of left thumb, initial encounter	ICD-10-CM	Diagnosis
S63.115S	Dislocation of metacarpophalangeal joint of left thumb, sequela	ICD-10-CM	Diagnosis
S63.115D	Dislocation of metacarpophalangeal joint of left thumb, subsequent encounter	ICD-10-CM	Diagnosis
S63.268A	Dislocation of metacarpophalangeal joint of other finger, initial encounter	ICD-10-CM	Diagnosis
S63.268S	Dislocation of metacarpophalangeal joint of other finger, sequela	ICD-10-CM	Diagnosis
S63.268D	Dislocation of metacarpophalangeal joint of other finger, subsequent encounter	ICD-10-CM	Diagnosis
S63.260A	Dislocation of metacarpophalangeal joint of right index finger, initial encounter	ICD-10-CM	Diagnosis
S63.260S	Dislocation of metacarpophalangeal joint of right index finger, sequela	ICD-10-CM	Diagnosis
S63.260D	Dislocation of metacarpophalangeal joint of right index finger, subsequent encounter	ICD-10-CM	Diagnosis
S63.266A	Dislocation of metacarpophalangeal joint of right little finger, initial encounter	ICD-10-CM	Diagnosis
S63.266S	Dislocation of metacarpophalangeal joint of right little finger, sequela	ICD-10-CM	Diagnosis
S63.266D	Dislocation of metacarpophalangeal joint of right little finger, subsequent encounter	ICD-10-CM	Diagnosis
S63.262A	Dislocation of metacarpophalangeal joint of right middle finger, initial encounter	ICD-10-CM	Diagnosis
S63.262S	Dislocation of metacarpophalangeal joint of right middle finger, sequela	ICD-10-CM	Diagnosis
S63.262D	Dislocation of metacarpophalangeal joint of right middle finger, subsequent encounter	ICD-10-CM	Diagnosis
S63.264A	Dislocation of metacarpophalangeal joint of right ring finger, initial encounter	ICD-10-CM	Diagnosis
S63.264S	Dislocation of metacarpophalangeal joint of right ring finger, sequela	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S63.264D	Dislocation of metacarpophalangeal joint of right ring finger, subsequent encounter	ICD-10-CM	Diagnosis
S63.114A	Dislocation of metacarpophalangeal joint of right thumb, initial encounter	ICD-10-CM	Diagnosis
S63.114S	Dislocation of metacarpophalangeal joint of right thumb, sequela	ICD-10-CM	Diagnosis
S63.114D	Dislocation of metacarpophalangeal joint of right thumb, subsequent encounter	ICD-10-CM	Diagnosis
S63.269A	Dislocation of metacarpophalangeal joint of unspecified finger, initial encounter	ICD-10-CM	Diagnosis
S63.269S	Dislocation of metacarpophalangeal joint of unspecified finger, sequela	ICD-10-CM	Diagnosis
S63.269D	Dislocation of metacarpophalangeal joint of unspecified finger, subsequent encounter	ICD-10-CM	Diagnosis
S63.116A	Dislocation of metacarpophalangeal joint of unspecified thumb, initial encounter	ICD-10-CM	Diagnosis
S63.116S	Dislocation of metacarpophalangeal joint of unspecified thumb, sequela	ICD-10-CM	Diagnosis
S63.116D	Dislocation of metacarpophalangeal joint of unspecified thumb, subsequent encounter	ICD-10-CM	Diagnosis
S63.065A	Dislocation of metacarpal (bone), proximal end of left hand, initial encounter	ICD-10-CM	Diagnosis
S63.065D	Dislocation of metacarpal (bone), proximal end of left hand, subsequent encounter	ICD-10-CM	Diagnosis
S63.064A	Dislocation of metacarpal (bone), proximal end of right hand, initial encounter	ICD-10-CM	Diagnosis
S63.064D	Dislocation of metacarpal (bone), proximal end of right hand, subsequent encounter	ICD-10-CM	Diagnosis
S63.066A	Dislocation of metacarpal (bone), proximal end of unspecified hand, initial encounter	ICD-10-CM	Diagnosis
S63.066S	Dislocation of metacarpal (bone), proximal end of unspecified hand, sequela	ICD-10-CM	Diagnosis
S63.066D	Dislocation of metacarpal (bone), proximal end of unspecified hand, subsequent encounter	ICD-10-CM	Diagnosis
S63.065S	Dislocation of metacarpal (bone), proximal end of left hand, sequela	ICD-10-CM	Diagnosis
S63.064S	Dislocation of metacarpal (bone), proximal end of right hand, sequela	ICD-10-CM	Diagnosis
S63.035S	Dislocation of midcarpal joint of left wrist, sequela	ICD-10-CM	Diagnosis
S63.035A	Dislocation of midcarpal joint of left wrist, initial encounter	ICD-10-CM	Diagnosis
S63.035D	Dislocation of midcarpal joint of left wrist, subsequent encounter	ICD-10-CM	Diagnosis
S63.034S	Dislocation of midcarpal joint of right wrist, sequela	ICD-10-CM	Diagnosis
S63.034A	Dislocation of midcarpal joint of right wrist, initial encounter	ICD-10-CM	Diagnosis
S63.034D	Dislocation of midcarpal joint of right wrist, subsequent encounter	ICD-10-CM	Diagnosis
S63.036A	Dislocation of midcarpal joint of unspecified wrist, initial encounter	ICD-10-CM	Diagnosis
S63.036S	Dislocation of midcarpal joint of unspecified wrist, sequela	ICD-10-CM	Diagnosis
S63.036D	Dislocation of midcarpal joint of unspecified wrist, subsequent encounter	ICD-10-CM	Diagnosis
S93.122A	Dislocation of metatarsophalangeal joint of left great toe, initial encounter	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S93.122S	Dislocation of metatarsophalangeal joint of left great toe, sequela	ICD-10-CM	Diagnosis
S93.122D	Dislocation of metatarsophalangeal joint of left great toe, subsequent encounter	ICD-10-CM	Diagnosis
S93.125A	Dislocation of metatarsophalangeal joint of left lesser toe(s), initial encounter	ICD-10-CM	Diagnosis
S93.125S	Dislocation of metatarsophalangeal joint of left lesser toe(s), sequela	ICD-10-CM	Diagnosis
S93.125D	Dislocation of metatarsophalangeal joint of left lesser toe(s), subsequent encounter	ICD-10-CM	Diagnosis
S93.121A	Dislocation of metatarsophalangeal joint of right great toe, initial encounter	ICD-10-CM	Diagnosis
S93.121S	Dislocation of metatarsophalangeal joint of right great toe, sequela	ICD-10-CM	Diagnosis
S93.121D	Dislocation of metatarsophalangeal joint of right great toe, subsequent encounter	ICD-10-CM	Diagnosis
S93.124A	Dislocation of metatarsophalangeal joint of right lesser toe(s), initial encounter	ICD-10-CM	Diagnosis
S93.124S	Dislocation of metatarsophalangeal joint of right lesser toe(s), sequela	ICD-10-CM	Diagnosis
S93.124D	Dislocation of metatarsophalangeal joint of right lesser toe(s), subsequent encounter	ICD-10-CM	Diagnosis
S93.123A	Dislocation of metatarsophalangeal joint of unspecified great toe, initial encounter	ICD-10-CM	Diagnosis
S93.123S	Dislocation of metatarsophalangeal joint of unspecified great toe, sequela	ICD-10-CM	Diagnosis
S93.123D	Dislocation of metatarsophalangeal joint of unspecified great toe, subsequent encounter	ICD-10-CM	Diagnosis
S93.126A	Dislocation of metatarsophalangeal joint of unspecified lesser toe(s), initial encounter	ICD-10-CM	Diagnosis
S93.126S	Dislocation of metatarsophalangeal joint of unspecified lesser toe(s), sequela	ICD-10-CM	Diagnosis
S93.126D	Dislocation of metatarsophalangeal joint of unspecified lesser toe(s), subsequent encounter	ICD-10-CM	Diagnosis
S93.129A	Dislocation of metatarsophalangeal joint of unspecified toe(s), initial encounter	ICD-10-CM	Diagnosis
S93.129S	Dislocation of metatarsophalangeal joint of unspecified toe(s), sequela	ICD-10-CM	Diagnosis
S93.129D	Dislocation of metatarsophalangeal joint of unspecified toe(s), subsequent encounter	ICD-10-CM	Diagnosis
S13.111S	Dislocation of C0/C1 cervical vertebrae, sequela	ICD-10-CM	Diagnosis
S13.121S	Dislocation of C1/C2 cervical vertebrae, sequela	ICD-10-CM	Diagnosis
S13.131S	Dislocation of C2/C3 cervical vertebrae, sequela	ICD-10-CM	Diagnosis
S13.141S	Dislocation of C3/C4 cervical vertebrae, sequela	ICD-10-CM	Diagnosis
S13.151S	Dislocation of C4/C5 cervical vertebrae, sequela	ICD-10-CM	Diagnosis
S13.161S	Dislocation of C5/C6 cervical vertebrae, sequela	ICD-10-CM	Diagnosis
S13.171S	Dislocation of C6/C7 cervical vertebrae, sequela	ICD-10-CM	Diagnosis
S13.181S	Dislocation of C7/T1 cervical vertebrae, sequela	ICD-10-CM	Diagnosis
S63.075S	Dislocation of distal end of left ulna, sequela	ICD-10-CM	Diagnosis



**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S63.074S	Dislocation of distal end of right ulna, sequela	ICD-10-CM	Diagnosis
S03.03XA	Dislocation of jaw, bilateral, initial encounter	ICD-10-CM	Diagnosis
S03.03XS	Dislocation of jaw, bilateral, sequela	ICD-10-CM	Diagnosis
S03.0XXA	Dislocation of jaw, initial encounter	ICD-10-CM	Diagnosis
S03.02XA	Dislocation of jaw, left side, initial encounter	ICD-10-CM	Diagnosis
S03.02XS	Dislocation of jaw, left side, sequela	ICD-10-CM	Diagnosis
S03.01XA	Dislocation of jaw, right side, initial encounter	ICD-10-CM	Diagnosis
S03.01XS	Dislocation of jaw, right side, sequela	ICD-10-CM	Diagnosis
S03.0XXS	Dislocation of jaw, sequela	ICD-10-CM	Diagnosis
S03.0XXD	Dislocation of jaw, subsequent encounter	ICD-10-CM	Diagnosis
S03.00XS	Dislocation of jaw, unspecified side, sequela	ICD-10-CM	Diagnosis
S93.05XS	Dislocation of left ankle joint, sequela	ICD-10-CM	Diagnosis
S43.315A	Dislocation of left scapula, initial encounter	ICD-10-CM	Diagnosis
S43.315S	Dislocation of left scapula, sequela	ICD-10-CM	Diagnosis
S43.315D	Dislocation of left scapula, subsequent encounter	ICD-10-CM	Diagnosis
S13.29XS	Dislocation of other parts of neck, sequela	ICD-10-CM	Diagnosis
S23.29XS	Dislocation of other parts of thorax, sequela	ICD-10-CM	Diagnosis
S93.04XS	Dislocation of right ankle joint, sequela	ICD-10-CM	Diagnosis
S43.314A	Dislocation of right scapula, initial encounter	ICD-10-CM	Diagnosis
S43.314S	Dislocation of right scapula, sequela	ICD-10-CM	Diagnosis
S03.1XXS	Dislocation of septal cartilage of nose, sequela	ICD-10-CM	Diagnosis
S23.111S	Dislocation of T1/T2 thoracic vertebra, sequela	ICD-10-CM	Diagnosis
S23.161S	Dislocation of T10/T11 thoracic vertebra, sequela	ICD-10-CM	Diagnosis
S23.163S	Dislocation of T11/T12 thoracic vertebra, sequela	ICD-10-CM	Diagnosis
S23.171S	Dislocation of T12/L1 thoracic vertebra, sequela	ICD-10-CM	Diagnosis
S23.121S	Dislocation of T2/T3 thoracic vertebra, sequela	ICD-10-CM	Diagnosis
S23.121D	Dislocation of T2/T3 thoracic vertebra, subsequent encounter	ICD-10-CM	Diagnosis
S23.123S	Dislocation of T3/T4 thoracic vertebra, sequela	ICD-10-CM	Diagnosis
S23.131S	Dislocation of T4/T5 thoracic vertebra, sequela	ICD-10-CM	Diagnosis
S23.133S	Dislocation of T5/T6 thoracic vertebra, sequela	ICD-10-CM	Diagnosis
S23.141S	Dislocation of T6/T7 thoracic vertebra, sequela	ICD-10-CM	Diagnosis
S23.143S	Dislocation of T7/T8 thoracic vertebra, sequela	ICD-10-CM	Diagnosis
S23.151S	Dislocation of T8/T9 thoracic vertebra, sequela	ICD-10-CM	Diagnosis
S23.153S	Dislocation of T9/T10 thoracic vertebra, sequela	ICD-10-CM	Diagnosis
S93.06XS	Dislocation of unspecified ankle joint, sequela	ICD-10-CM	Diagnosis
S13.20XS	Dislocation of unspecified parts of neck, sequela	ICD-10-CM	Diagnosis
S43.316S	Dislocation of unspecified scapula, sequela	ICD-10-CM	Diagnosis
S63.055A	Dislocation of other carpometacarpal joint of left hand, initial encounter	ICD-10-CM	Diagnosis
S63.055S	Dislocation of other carpometacarpal joint of left hand, sequela	ICD-10-CM	Diagnosis
S63.055D	Dislocation of other carpometacarpal joint of left hand, subsequent encounter	ICD-10-CM	Diagnosis
S63.054A	Dislocation of other carpometacarpal joint of right hand, initial encounter	ICD-10-CM	Diagnosis
S63.054S	Dislocation of other carpometacarpal joint of right hand, sequela	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S63.054D	Dislocation of other carpometacarpal joint of right hand, subsequent encounter	ICD-10-CM	Diagnosis
S63.056A	Dislocation of other carpometacarpal joint of unspecified hand, initial encounter	ICD-10-CM	Diagnosis
S63.056S	Dislocation of other carpometacarpal joint of unspecified hand, sequela	ICD-10-CM	Diagnosis
S63.056D	Dislocation of other carpometacarpal joint of unspecified hand, subsequent encounter	ICD-10-CM	Diagnosis
S43.395A	Dislocation of other parts of left shoulder girdle, initial encounter	ICD-10-CM	Diagnosis
S43.395S	Dislocation of other parts of left shoulder girdle, sequela	ICD-10-CM	Diagnosis
S43.395D	Dislocation of other parts of left shoulder girdle, subsequent encounter	ICD-10-CM	Diagnosis
S43.394A	Dislocation of other parts of right shoulder girdle, initial encounter	ICD-10-CM	Diagnosis
S43.394S	Dislocation of other parts of right shoulder girdle, sequela	ICD-10-CM	Diagnosis
S43.394D	Dislocation of other parts of right shoulder girdle, subsequent encounter	ICD-10-CM	Diagnosis
S43.396A	Dislocation of other parts of unspecified shoulder girdle, initial encounter	ICD-10-CM	Diagnosis
S43.396S	Dislocation of other parts of unspecified shoulder girdle, sequela	ICD-10-CM	Diagnosis
S43.396D	Dislocation of other parts of unspecified shoulder girdle, subsequent encounter	ICD-10-CM	Diagnosis
S13.29XA	Dislocation of other parts of neck, initial encounter	ICD-10-CM	Diagnosis
S13.29XD	Dislocation of other parts of neck, subsequent encounter	ICD-10-CM	Diagnosis
S23.29XA	Dislocation of other parts of thorax, initial encounter	ICD-10-CM	Diagnosis
S23.29XD	Dislocation of other parts of thorax, subsequent encounter	ICD-10-CM	Diagnosis
S63.281A	Dislocation of proximal interphalangeal joint of left index finger, initial encounter	ICD-10-CM	Diagnosis
S63.281S	Dislocation of proximal interphalangeal joint of left index finger, sequela	ICD-10-CM	Diagnosis
S63.281D	Dislocation of proximal interphalangeal joint of left index finger, subsequent encounter	ICD-10-CM	Diagnosis
S63.287A	Dislocation of proximal interphalangeal joint of left little finger, initial encounter	ICD-10-CM	Diagnosis
S63.287S	Dislocation of proximal interphalangeal joint of left little finger, sequela	ICD-10-CM	Diagnosis
S63.287D	Dislocation of proximal interphalangeal joint of left little finger, subsequent encounter	ICD-10-CM	Diagnosis
S63.285S	Dislocation of proximal interphalangeal joint of left ring finger, sequela	ICD-10-CM	Diagnosis
S63.285D	Dislocation of proximal interphalangeal joint of left ring finger, subsequent encounter	ICD-10-CM	Diagnosis
S63.288A	Dislocation of proximal interphalangeal joint of other finger, initial encounter	ICD-10-CM	Diagnosis
S63.288S	Dislocation of proximal interphalangeal joint of other finger, sequela	ICD-10-CM	Diagnosis
S63.288D	Dislocation of proximal interphalangeal joint of other finger, subsequent encounter	ICD-10-CM	Diagnosis
S63.280A	Dislocation of proximal interphalangeal joint of right index finger, initial encounter	ICD-10-CM	Diagnosis
S63.280S	Dislocation of proximal interphalangeal joint of right index finger, sequela	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S63.280D	Dislocation of proximal interphalangeal joint of right index finger, subsequent encounter	ICD-10-CM	Diagnosis
S63.286A	Dislocation of proximal interphalangeal joint of right little finger, initial encounter	ICD-10-CM	Diagnosis
S63.286S	Dislocation of proximal interphalangeal joint of right little finger, sequela	ICD-10-CM	Diagnosis
S63.286D	Dislocation of proximal interphalangeal joint of right little finger, subsequent encounter	ICD-10-CM	Diagnosis
S63.282A	Dislocation of proximal interphalangeal joint of right middle finger, initial encounter	ICD-10-CM	Diagnosis
S63.282S	Dislocation of proximal interphalangeal joint of right middle finger, sequela	ICD-10-CM	Diagnosis
S63.282D	Dislocation of proximal interphalangeal joint of right middle finger, subsequent encounter	ICD-10-CM	Diagnosis
S63.284A	Dislocation of proximal interphalangeal joint of right ring finger, initial encounter	ICD-10-CM	Diagnosis
S63.284S	Dislocation of proximal interphalangeal joint of right ring finger, sequela	ICD-10-CM	Diagnosis
S63.284D	Dislocation of proximal interphalangeal joint of right ring finger, subsequent encounter	ICD-10-CM	Diagnosis
S63.289A	Dislocation of proximal interphalangeal joint of unspecified finger, initial encounter	ICD-10-CM	Diagnosis
S63.289D	Dislocation of proximal interphalangeal joint of unspecified finger, subsequent encounter	ICD-10-CM	Diagnosis
S63.135A	Dislocation of proximal interphalangeal joint of left thumb, initial encounter	ICD-10-CM	Diagnosis
S63.135S	Dislocation of proximal interphalangeal joint of left thumb, sequela	ICD-10-CM	Diagnosis
S63.135D	Dislocation of proximal interphalangeal joint of left thumb, subsequent encounter	ICD-10-CM	Diagnosis
S63.134A	Dislocation of proximal interphalangeal joint of right thumb, initial encounter	ICD-10-CM	Diagnosis
S63.134S	Dislocation of proximal interphalangeal joint of right thumb, sequela	ICD-10-CM	Diagnosis
S63.134D	Dislocation of proximal interphalangeal joint of right thumb, subsequent encounter	ICD-10-CM	Diagnosis
S63.289S	Dislocation of proximal interphalangeal joint of unspecified finger, sequela	ICD-10-CM	Diagnosis
S63.136A	Dislocation of proximal interphalangeal joint of unspecified thumb, initial encounter	ICD-10-CM	Diagnosis
S63.136S	Dislocation of proximal interphalangeal joint of unspecified thumb, sequela	ICD-10-CM	Diagnosis
S63.136D	Dislocation of proximal interphalangeal joint of unspecified thumb, subsequent encounter	ICD-10-CM	Diagnosis
S63.025S	Dislocation of radiocarpal joint of left wrist, sequela	ICD-10-CM	Diagnosis
S63.025A	Dislocation of radiocarpal joint of left wrist, initial encounter	ICD-10-CM	Diagnosis
S63.025D	Dislocation of radiocarpal joint of left wrist, subsequent encounter	ICD-10-CM	Diagnosis
S63.024A	Dislocation of radiocarpal joint of right wrist, initial encounter	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S63.024S	Dislocation of radiocarpal joint of right wrist, sequela	ICD-10-CM	Diagnosis
S63.024D	Dislocation of radiocarpal joint of right wrist, subsequent encounter	ICD-10-CM	Diagnosis
S63.026A	Dislocation of radiocarpal joint of unspecified wrist, initial encounter	ICD-10-CM	Diagnosis
S63.026S	Dislocation of radiocarpal joint of unspecified wrist, sequela	ICD-10-CM	Diagnosis
S63.026D	Dislocation of radiocarpal joint of unspecified wrist, subsequent encounter	ICD-10-CM	Diagnosis
S93.04XA	Dislocation of right ankle joint, initial encounter	ICD-10-CM	Diagnosis
S93.04XD	Dislocation of right ankle joint, subsequent encounter	ICD-10-CM	Diagnosis
S43.314D	Dislocation of right scapula, subsequent encounter	ICD-10-CM	Diagnosis
S43.131A	Dislocation of right acromioclavicular joint, greater than 200% displacement, initial encounter	ICD-10-CM	Diagnosis
S43.131S	Dislocation of right acromioclavicular joint, greater than 200% displacement, sequela	ICD-10-CM	Diagnosis
S43.131D	Dislocation of right acromioclavicular joint, greater than 200% displacement, subsequent encounter	ICD-10-CM	Diagnosis
S43.121A	Dislocation of right acromioclavicular joint, 100%-200% displacement, initial encounter	ICD-10-CM	Diagnosis
S43.121S	Dislocation of right acromioclavicular joint, 100%-200% displacement, sequela	ICD-10-CM	Diagnosis
S43.121D	Dislocation of right acromioclavicular joint, 100%-200% displacement, subsequent encounter	ICD-10-CM	Diagnosis
S23.111A	Dislocation of T1/T2 thoracic vertebra, initial encounter	ICD-10-CM	Diagnosis
S23.111D	Dislocation of T1/T2 thoracic vertebra, subsequent encounter	ICD-10-CM	Diagnosis
S23.161A	Dislocation of T10/T11 thoracic vertebra, initial encounter	ICD-10-CM	Diagnosis
S23.161D	Dislocation of T10/T11 thoracic vertebra, subsequent encounter	ICD-10-CM	Diagnosis
S23.163A	Dislocation of T11/T12 thoracic vertebra, initial encounter	ICD-10-CM	Diagnosis
S23.163D	Dislocation of T11/T12 thoracic vertebra, subsequent encounter	ICD-10-CM	Diagnosis
S23.171A	Dislocation of T12/L1 thoracic vertebra, initial encounter	ICD-10-CM	Diagnosis
S23.171D	Dislocation of T12/L1 thoracic vertebra, subsequent encounter	ICD-10-CM	Diagnosis
S23.121A	Dislocation of T2/T3 thoracic vertebra, initial encounter	ICD-10-CM	Diagnosis
S23.123A	Dislocation of T3/T4 thoracic vertebra, initial encounter	ICD-10-CM	Diagnosis
S23.123D	Dislocation of T3/T4 thoracic vertebra, subsequent encounter	ICD-10-CM	Diagnosis
S23.131A	Dislocation of T4/T5 thoracic vertebra, initial encounter	ICD-10-CM	Diagnosis
S23.131D	Dislocation of T4/T5 thoracic vertebra, subsequent encounter	ICD-10-CM	Diagnosis
S23.133A	Dislocation of T5/T6 thoracic vertebra, initial encounter	ICD-10-CM	Diagnosis
S23.133D	Dislocation of T5/T6 thoracic vertebra, subsequent encounter	ICD-10-CM	Diagnosis
S23.141A	Dislocation of T6/T7 thoracic vertebra, initial encounter	ICD-10-CM	Diagnosis
S23.141D	Dislocation of T6/T7 thoracic vertebra, subsequent encounter	ICD-10-CM	Diagnosis
S23.143A	Dislocation of T7/T8 thoracic vertebra, initial encounter	ICD-10-CM	Diagnosis
S23.143D	Dislocation of T7/T8 thoracic vertebra, subsequent encounter	ICD-10-CM	Diagnosis
S23.151A	Dislocation of T8/T9 thoracic vertebra, initial encounter	ICD-10-CM	Diagnosis
S23.151D	Dislocation of T8/T9 thoracic vertebra, subsequent encounter	ICD-10-CM	Diagnosis
S23.153A	Dislocation of T9/T10 thoracic vertebra, initial encounter	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S23.153D	Dislocation of T9/T10 thoracic vertebra, subsequent encounter	ICD-10-CM	Diagnosis
S93.315A	Dislocation of tarsal joint of left foot, initial encounter	ICD-10-CM	Diagnosis
S93.315D	Dislocation of tarsal joint of left foot, subsequent encounter	ICD-10-CM	Diagnosis
S93.315S	Dislocation of tarsal joint of left foot, sequela	ICD-10-CM	Diagnosis
S93.314S	Dislocation of tarsal joint of right foot, sequela	ICD-10-CM	Diagnosis
S93.314A	Dislocation of tarsal joint of right foot, initial encounter	ICD-10-CM	Diagnosis
S93.314D	Dislocation of tarsal joint of right foot, subsequent encounter	ICD-10-CM	Diagnosis
S93.316A	Dislocation of tarsal joint of unspecified foot, initial encounter	ICD-10-CM	Diagnosis
S93.316S	Dislocation of tarsal joint of unspecified foot, sequela	ICD-10-CM	Diagnosis
S93.316D	Dislocation of tarsal joint of unspecified foot, subsequent encounter	ICD-10-CM	Diagnosis
S43.139A	Dislocation of unspecified acromioclavicular joint, greater than 200% displacement, initial encounter	ICD-10-CM	Diagnosis
S43.139S	Dislocation of unspecified acromioclavicular joint, greater than 200% displacement, sequela	ICD-10-CM	Diagnosis
S43.139D	Dislocation of unspecified acromioclavicular joint, greater than 200% displacement, subsequent encounter	ICD-10-CM	Diagnosis
S43.129A	Dislocation of unspecified acromioclavicular joint, 100%-200% displacement, initial encounter	ICD-10-CM	Diagnosis
S43.129S	Dislocation of unspecified acromioclavicular joint, 100%-200% displacement, sequela	ICD-10-CM	Diagnosis
S43.129D	Dislocation of unspecified acromioclavicular joint, 100%-200% displacement, subsequent encounter	ICD-10-CM	Diagnosis
S93.06XA	Dislocation of unspecified ankle joint, initial encounter	ICD-10-CM	Diagnosis
S93.06XD	Dislocation of unspecified ankle joint, subsequent encounter	ICD-10-CM	Diagnosis
S13.101A	Dislocation of unspecified cervical vertebrae, initial encounter	ICD-10-CM	Diagnosis
S13.101S	Dislocation of unspecified cervical vertebrae, sequela	ICD-10-CM	Diagnosis
S13.101D	Dislocation of unspecified cervical vertebrae, subsequent encounter	ICD-10-CM	Diagnosis
S63.271A	Dislocation of unspecified interphalangeal joint of left index finger, initial encounter	ICD-10-CM	Diagnosis
S63.271S	Dislocation of unspecified interphalangeal joint of left index finger, sequela	ICD-10-CM	Diagnosis
S63.271D	Dislocation of unspecified interphalangeal joint of left index finger, subsequent encounter	ICD-10-CM	Diagnosis
S63.277A	Dislocation of unspecified interphalangeal joint of left little finger, initial encounter	ICD-10-CM	Diagnosis
S63.277S	Dislocation of unspecified interphalangeal joint of left little finger, sequela	ICD-10-CM	Diagnosis
S63.277D	Dislocation of unspecified interphalangeal joint of left little finger, subsequent encounter	ICD-10-CM	Diagnosis
S63.273A	Dislocation of unspecified interphalangeal joint of left middle finger, initial encounter	ICD-10-CM	Diagnosis
S63.273S	Dislocation of unspecified interphalangeal joint of left middle finger, sequela	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S63.273D	Dislocation of unspecified interphalangeal joint of left middle finger, subsequent encounter	ICD-10-CM	Diagnosis
S63.275A	Dislocation of unspecified interphalangeal joint of left ring finger, initial encounter	ICD-10-CM	Diagnosis
S63.275S	Dislocation of unspecified interphalangeal joint of left ring finger, sequela	ICD-10-CM	Diagnosis
S63.275D	Dislocation of unspecified interphalangeal joint of left ring finger, subsequent encounter	ICD-10-CM	Diagnosis
S63.278A	Dislocation of unspecified interphalangeal joint of other finger, initial encounter	ICD-10-CM	Diagnosis
S63.278S	Dislocation of unspecified interphalangeal joint of other finger, sequela	ICD-10-CM	Diagnosis
S63.278D	Dislocation of unspecified interphalangeal joint of other finger, subsequent encounter	ICD-10-CM	Diagnosis
S63.270A	Dislocation of unspecified interphalangeal joint of right index finger, initial encounter	ICD-10-CM	Diagnosis
S63.270S	Dislocation of unspecified interphalangeal joint of right index finger, sequela	ICD-10-CM	Diagnosis
S63.270D	Dislocation of unspecified interphalangeal joint of right index finger, subsequent encounter	ICD-10-CM	Diagnosis
S63.276A	Dislocation of unspecified interphalangeal joint of right little finger, initial encounter	ICD-10-CM	Diagnosis
S63.276S	Dislocation of unspecified interphalangeal joint of right little finger, sequela	ICD-10-CM	Diagnosis
S63.276D	Dislocation of unspecified interphalangeal joint of right little finger, subsequent encounter	ICD-10-CM	Diagnosis
S63.272A	Dislocation of unspecified interphalangeal joint of right middle finger, initial encounter	ICD-10-CM	Diagnosis
S63.272S	Dislocation of unspecified interphalangeal joint of right middle finger, sequela	ICD-10-CM	Diagnosis
S63.272D	Dislocation of unspecified interphalangeal joint of right middle finger, subsequent encounter	ICD-10-CM	Diagnosis
S63.274A	Dislocation of unspecified interphalangeal joint of right ring finger, initial encounter	ICD-10-CM	Diagnosis
S63.274S	Dislocation of unspecified interphalangeal joint of right ring finger, sequela	ICD-10-CM	Diagnosis
S63.274D	Dislocation of unspecified interphalangeal joint of right ring finger, subsequent encounter	ICD-10-CM	Diagnosis
S63.279A	Dislocation of unspecified interphalangeal joint of unspecified finger, initial encounter	ICD-10-CM	Diagnosis
S63.279S	Dislocation of unspecified interphalangeal joint of unspecified finger, sequela	ICD-10-CM	Diagnosis
S63.279D	Dislocation of unspecified interphalangeal joint of unspecified finger, subsequent encounter	ICD-10-CM	Diagnosis
S33.101A	Dislocation of unspecified lumbar vertebra, initial encounter	ICD-10-CM	Diagnosis



**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S33.101D	Dislocation of unspecified lumbar vertebra, subsequent encounter	ICD-10-CM	Diagnosis
S23.20XA	Dislocation of unspecified part of thorax, initial encounter	ICD-10-CM	Diagnosis
S23.20XD	Dislocation of unspecified part of thorax, subsequent encounter	ICD-10-CM	Diagnosis
S43.305A	Dislocation of unspecified parts of left shoulder girdle, initial encounter	ICD-10-CM	Diagnosis
S43.305S	Dislocation of unspecified parts of left shoulder girdle, sequela	ICD-10-CM	Diagnosis
S43.305D	Dislocation of unspecified parts of left shoulder girdle, subsequent encounter	ICD-10-CM	Diagnosis
S13.20XA	Dislocation of unspecified parts of neck, initial encounter	ICD-10-CM	Diagnosis
S13.20XD	Dislocation of unspecified parts of neck, subsequent encounter	ICD-10-CM	Diagnosis
S43.304A	Dislocation of unspecified parts of right shoulder girdle, initial encounter	ICD-10-CM	Diagnosis
S43.304S	Dislocation of unspecified parts of right shoulder girdle, sequela	ICD-10-CM	Diagnosis
S43.304D	Dislocation of unspecified parts of right shoulder girdle, subsequent encounter	ICD-10-CM	Diagnosis
S43.306A	Dislocation of unspecified parts of unspecified shoulder girdle, initial encounter	ICD-10-CM	Diagnosis
S43.306S	Dislocation of unspecified parts of unspecified shoulder girdle, sequela	ICD-10-CM	Diagnosis
S43.306D	Dislocation of unspecified parts of unspecified shoulder girdle, subsequent encounter	ICD-10-CM	Diagnosis
S43.316A	Dislocation of unspecified scapula, initial encounter	ICD-10-CM	Diagnosis
S43.316D	Dislocation of unspecified scapula, subsequent encounter	ICD-10-CM	Diagnosis
S23.101A	Dislocation of unspecified thoracic vertebra, initial encounter	ICD-10-CM	Diagnosis
S23.101S	Dislocation of unspecified thoracic vertebra, sequela	ICD-10-CM	Diagnosis
S23.101D	Dislocation of unspecified thoracic vertebra, subsequent encounter	ICD-10-CM	Diagnosis
S33.101S	Dislocation of unspecified lumbar vertebra, sequela	ICD-10-CM	Diagnosis
S23.20XS	Dislocation of unspecified part of thorax, sequela	ICD-10-CM	Diagnosis
S92.032S	Displaced avulsion fracture of tuberosity of left calcaneus, sequela	ICD-10-CM	Diagnosis
S92.032A	Displaced avulsion fracture of tuberosity of left calcaneus, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S92.032B	Displaced avulsion fracture of tuberosity of left calcaneus, initial encounter for open fracture	ICD-10-CM	Diagnosis
S92.032G	Displaced avulsion fracture of tuberosity of left calcaneus, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S92.032P	Displaced avulsion fracture of tuberosity of left calcaneus, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S92.032K	Displaced avulsion fracture of tuberosity of left calcaneus, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S92.032D	Displaced avulsion fracture of tuberosity of left calcaneus, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S92.031G	Displaced avulsion fracture of tuberosity of right calcaneus, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S92.031P	Displaced avulsion fracture of tuberosity of right calcaneus, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S92.031K	Displaced avulsion fracture of tuberosity of right calcaneus, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S92.031D	Displaced avulsion fracture of tuberosity of right calcaneus, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S92.033A	Displaced avulsion fracture of tuberosity of unspecified calcaneus, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S92.033B	Displaced avulsion fracture of tuberosity of unspecified calcaneus, initial encounter for open fracture	ICD-10-CM	Diagnosis
S92.033G	Displaced avulsion fracture of tuberosity of unspecified calcaneus, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S92.033P	Displaced avulsion fracture of tuberosity of unspecified calcaneus, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S92.033K	Displaced avulsion fracture of tuberosity of unspecified calcaneus, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S92.033D	Displaced avulsion fracture of tuberosity of unspecified calcaneus, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S92.031S	Displaced avulsion fracture of tuberosity of right calcaneus, sequela	ICD-10-CM	Diagnosis
S82.142A	Displaced bicondylar fracture of left tibia, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.142B	Displaced bicondylar fracture of left tibia, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.142C	Displaced bicondylar fracture of left tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.142G	Displaced bicondylar fracture of left tibia, subsequent encounter for closed fracture with delayed healing	ICD-10-CM	Diagnosis
S82.142P	Displaced bicondylar fracture of left tibia, subsequent encounter for closed fracture with malunion	ICD-10-CM	Diagnosis
S82.142K	Displaced bicondylar fracture of left tibia, subsequent encounter for closed fracture with nonunion	ICD-10-CM	Diagnosis
S82.142H	Displaced bicondylar fracture of left tibia, subsequent encounter for open fracture type I or II with delayed healing	ICD-10-CM	Diagnosis
S82.142E	Displaced bicondylar fracture of left tibia, subsequent encounter for open fracture type I or II with routine healing	ICD-10-CM	Diagnosis
S82.142J	Displaced bicondylar fracture of left tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD-10-CM	Diagnosis
S82.142F	Displaced bicondylar fracture of left tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD-10-CM	Diagnosis
S82.142Q	Displaced bicondylar fracture of left tibia, subsequent encounter for open fracture type I or II with malunion	ICD-10-CM	Diagnosis
S82.142M	Displaced bicondylar fracture of left tibia, subsequent encounter for open fracture type I or II with nonunion	ICD-10-CM	Diagnosis
S82.142R	Displaced bicondylar fracture of left tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S82.142N	Displaced bicondylar fracture of left tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD-10-CM	Diagnosis
S82.142D	Displaced bicondylar fracture of left tibia, subsequent encounter for closed fracture with routine healing	ICD-10-CM	Diagnosis
S82.141A	Displaced bicondylar fracture of right tibia, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.141B	Displaced bicondylar fracture of right tibia, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.141C	Displaced bicondylar fracture of right tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.141G	Displaced bicondylar fracture of right tibia, subsequent encounter for closed fracture with delayed healing	ICD-10-CM	Diagnosis
S82.141P	Displaced bicondylar fracture of right tibia, subsequent encounter for closed fracture with malunion	ICD-10-CM	Diagnosis
S82.141K	Displaced bicondylar fracture of right tibia, subsequent encounter for closed fracture with nonunion	ICD-10-CM	Diagnosis
S82.141H	Displaced bicondylar fracture of right tibia, subsequent encounter for open fracture type I or II with delayed healing	ICD-10-CM	Diagnosis
S82.141E	Displaced bicondylar fracture of right tibia, subsequent encounter for open fracture type I or II with routine healing	ICD-10-CM	Diagnosis
S82.141J	Displaced bicondylar fracture of right tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD-10-CM	Diagnosis
S82.141F	Displaced bicondylar fracture of right tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD-10-CM	Diagnosis
S82.141Q	Displaced bicondylar fracture of right tibia, subsequent encounter for open fracture type I or II with malunion	ICD-10-CM	Diagnosis
S82.141M	Displaced bicondylar fracture of right tibia, subsequent encounter for open fracture type I or II with nonunion	ICD-10-CM	Diagnosis
S82.141R	Displaced bicondylar fracture of right tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD-10-CM	Diagnosis
S82.141N	Displaced bicondylar fracture of right tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD-10-CM	Diagnosis
S82.141D	Displaced bicondylar fracture of right tibia, subsequent encounter for closed fracture with routine healing	ICD-10-CM	Diagnosis
S82.143B	Displaced bicondylar fracture of unspecified tibia, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.143C	Displaced bicondylar fracture of unspecified tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.143G	Displaced bicondylar fracture of unspecified tibia, subsequent encounter for closed fracture with delayed healing	ICD-10-CM	Diagnosis
S82.143P	Displaced bicondylar fracture of unspecified tibia, subsequent encounter for closed fracture with malunion	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S82.143K	Displaced bicondylar fracture of unspecified tibia, subsequent encounter for closed fracture with nonunion	ICD-10-CM	Diagnosis
S82.143E	Displaced bicondylar fracture of unspecified tibia, subsequent encounter for open fracture type I or II with routine healing	ICD-10-CM	Diagnosis
S82.143J	Displaced bicondylar fracture of unspecified tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD-10-CM	Diagnosis
S82.143F	Displaced bicondylar fracture of unspecified tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD-10-CM	Diagnosis
S82.143H	Displaced bicondylar fracture of unspecified tibia, subsequent encounter for open fracture type I or II with delayed healing	ICD-10-CM	Diagnosis
S82.143Q	Displaced bicondylar fracture of unspecified tibia, subsequent encounter for open fracture type I or II with malunion	ICD-10-CM	Diagnosis
S82.143M	Displaced bicondylar fracture of unspecified tibia, subsequent encounter for open fracture type I or II with nonunion	ICD-10-CM	Diagnosis
S82.143R	Displaced bicondylar fracture of unspecified tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD-10-CM	Diagnosis
S82.143N	Displaced bicondylar fracture of unspecified tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD-10-CM	Diagnosis
S82.143D	Displaced bicondylar fracture of unspecified tibia, subsequent encounter for closed fracture with routine healing	ICD-10-CM	Diagnosis
S82.842G	Displaced bimalleolar fracture of left lower leg, subsequent encounter for closed fracture with delayed healing	ICD-10-CM	Diagnosis
S82.842P	Displaced bimalleolar fracture of left lower leg, subsequent encounter for closed fracture with malunion	ICD-10-CM	Diagnosis
S82.842K	Displaced bimalleolar fracture of left lower leg, subsequent encounter for closed fracture with nonunion	ICD-10-CM	Diagnosis
S82.842D	Displaced bimalleolar fracture of left lower leg, subsequent encounter for closed fracture with routine healing	ICD-10-CM	Diagnosis
S82.842Q	Displaced bimalleolar fracture of left lower leg, subsequent encounter for open fracture type I or II with malunion	ICD-10-CM	Diagnosis
S82.842M	Displaced bimalleolar fracture of left lower leg, subsequent encounter for open fracture type I or II with nonunion	ICD-10-CM	Diagnosis
S82.842J	Displaced bimalleolar fracture of left lower leg, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD-10-CM	Diagnosis
S82.842R	Displaced bimalleolar fracture of left lower leg, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD-10-CM	Diagnosis
S82.842N	Displaced bimalleolar fracture of left lower leg, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD-10-CM	Diagnosis
S82.842F	Displaced bimalleolar fracture of left lower leg, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD-10-CM	Diagnosis
S82.842H	Displaced bimalleolar fracture of left lower leg, subsequent encounter for open fracture type I or II with delayed healing	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S82.842E	Displaced bimalleolar fracture of left lower leg, subsequent encounter for open fracture type I or II with routine healing	ICD-10-CM	Diagnosis
S82.841G	Displaced bimalleolar fracture of right lower leg, subsequent encounter for closed fracture with delayed healing	ICD-10-CM	Diagnosis
S82.841P	Displaced bimalleolar fracture of right lower leg, subsequent encounter for closed fracture with malunion	ICD-10-CM	Diagnosis
S82.841K	Displaced bimalleolar fracture of right lower leg, subsequent encounter for closed fracture with nonunion	ICD-10-CM	Diagnosis
S82.841D	Displaced bimalleolar fracture of right lower leg, subsequent encounter for closed fracture with routine healing	ICD-10-CM	Diagnosis
S82.841Q	Displaced bimalleolar fracture of right lower leg, subsequent encounter for open fracture type I or II with malunion	ICD-10-CM	Diagnosis
S82.841M	Displaced bimalleolar fracture of right lower leg, subsequent encounter for open fracture type I or II with nonunion	ICD-10-CM	Diagnosis
S82.841E	Displaced bimalleolar fracture of right lower leg, subsequent encounter for open fracture type I or II with routine healing	ICD-10-CM	Diagnosis
S82.841J	Displaced bimalleolar fracture of right lower leg, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD-10-CM	Diagnosis
S82.841R	Displaced bimalleolar fracture of right lower leg, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD-10-CM	Diagnosis
S82.841N	Displaced bimalleolar fracture of right lower leg, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD-10-CM	Diagnosis
S82.841F	Displaced bimalleolar fracture of right lower leg, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD-10-CM	Diagnosis
S82.841H	Displaced bimalleolar fracture of right lower leg, subsequent encounter for open fracture type I or II with delayed healing	ICD-10-CM	Diagnosis
S82.843G	Displaced bimalleolar fracture of unspecified lower leg, subsequent encounter for closed fracture with delayed healing	ICD-10-CM	Diagnosis
S82.843P	Displaced bimalleolar fracture of unspecified lower leg, subsequent encounter for closed fracture with malunion	ICD-10-CM	Diagnosis
S82.843K	Displaced bimalleolar fracture of unspecified lower leg, subsequent encounter for closed fracture with nonunion	ICD-10-CM	Diagnosis
S82.843D	Displaced bimalleolar fracture of unspecified lower leg, subsequent encounter for closed fracture with routine healing	ICD-10-CM	Diagnosis
S82.843H	Displaced bimalleolar fracture of unspecified lower leg, subsequent encounter for open fracture type I or II with delayed healing	ICD-10-CM	Diagnosis
S82.843Q	Displaced bimalleolar fracture of unspecified lower leg, subsequent encounter for open fracture type I or II with malunion	ICD-10-CM	Diagnosis
S82.843M	Displaced bimalleolar fracture of unspecified lower leg, subsequent encounter for open fracture type I or II with nonunion	ICD-10-CM	Diagnosis
S82.843R	Displaced bimalleolar fracture of unspecified lower leg, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S82.843N	Displaced bimalleolar fracture of unspecified lower leg, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD-10-CM	Diagnosis
S82.843F	Displaced bimalleolar fracture of unspecified lower leg, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD-10-CM	Diagnosis
S82.843J	Displaced bimalleolar fracture of unspecified lower leg, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD-10-CM	Diagnosis
S82.843E	Displaced bimalleolar fracture of unspecified lower leg, subsequent encounter for open fracture type I or II with routine healing	ICD-10-CM	Diagnosis
S82.842S	Displaced bimalleolar fracture of left lower leg, sequela	ICD-10-CM	Diagnosis
S82.841S	Displaced bimalleolar fracture of right lower leg, sequela	ICD-10-CM	Diagnosis
S82.843S	Displaced bimalleolar fracture of unspecified lower leg, sequela	ICD-10-CM	Diagnosis
S82.842A	Displaced bimalleolar fracture of left lower leg, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.842B	Displaced bimalleolar fracture of left lower leg, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.842C	Displaced bimalleolar fracture of left lower leg, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.841B	Displaced bimalleolar fracture of right lower leg, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.841C	Displaced bimalleolar fracture of right lower leg, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.843A	Displaced bimalleolar fracture of unspecified lower leg, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.843B	Displaced bimalleolar fracture of unspecified lower leg, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.843C	Displaced bimalleolar fracture of unspecified lower leg, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.452S	Displaced comminuted fracture of shaft of left fibula, sequela	ICD-10-CM	Diagnosis
S82.451S	Displaced comminuted fracture of shaft of right fibula, sequela	ICD-10-CM	Diagnosis
S82.453S	Displaced comminuted fracture of shaft of unspecified fibula, sequela	ICD-10-CM	Diagnosis
S82.452G	Displaced comminuted fracture of shaft of left fibula, subsequent encounter for closed fracture with delayed healing	ICD-10-CM	Diagnosis
S82.452P	Displaced comminuted fracture of shaft of left fibula, subsequent encounter for closed fracture with malunion	ICD-10-CM	Diagnosis
S82.452K	Displaced comminuted fracture of shaft of left fibula, subsequent encounter for closed fracture with nonunion	ICD-10-CM	Diagnosis
S82.452D	Displaced comminuted fracture of shaft of left fibula, subsequent encounter for closed fracture with routine healing	ICD-10-CM	Diagnosis
S82.452H	Displaced comminuted fracture of shaft of left fibula, subsequent encounter for open fracture type I or II with delayed healing	ICD-10-CM	Diagnosis
S82.452Q	Displaced comminuted fracture of shaft of left fibula, subsequent encounter for open fracture type I or II with malunion	ICD-10-CM	Diagnosis



**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S82.452M	Displaced comminuted fracture of shaft of left fibula, subsequent encounter for open fracture type I or II with nonunion	ICD-10-CM	Diagnosis
S82.452E	Displaced comminuted fracture of shaft of left fibula, subsequent encounter for open fracture type I or II with routine healing	ICD-10-CM	Diagnosis
S82.452J	Displaced comminuted fracture of shaft of left fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD-10-CM	Diagnosis
S82.452R	Displaced comminuted fracture of shaft of left fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD-10-CM	Diagnosis
S82.452N	Displaced comminuted fracture of shaft of left fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD-10-CM	Diagnosis
S82.452F	Displaced comminuted fracture of shaft of left fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD-10-CM	Diagnosis
S82.452A	Displaced comminuted fracture of shaft of left fibula, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.452B	Displaced comminuted fracture of shaft of left fibula, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.452C	Displaced comminuted fracture of shaft of left fibula, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.252A	Displaced comminuted fracture of shaft of left tibia, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.252B	Displaced comminuted fracture of shaft of left tibia, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.252C	Displaced comminuted fracture of shaft of left tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.252G	Displaced comminuted fracture of shaft of left tibia, subsequent encounter for closed fracture with delayed healing	ICD-10-CM	Diagnosis
S82.252D	Displaced comminuted fracture of shaft of left tibia, subsequent encounter for closed fracture with routine healing	ICD-10-CM	Diagnosis
S82.252P	Displaced comminuted fracture of shaft of left tibia, subsequent encounter for closed fracture with malunion	ICD-10-CM	Diagnosis
S82.252K	Displaced comminuted fracture of shaft of left tibia, subsequent encounter for closed fracture with nonunion	ICD-10-CM	Diagnosis
S82.252H	Displaced comminuted fracture of shaft of left tibia, subsequent encounter for open fracture type I or II with delayed healing	ICD-10-CM	Diagnosis
S82.252Q	Displaced comminuted fracture of shaft of left tibia, subsequent encounter for open fracture type I or II with malunion	ICD-10-CM	Diagnosis
S82.252M	Displaced comminuted fracture of shaft of left tibia, subsequent encounter for open fracture type I or II with nonunion	ICD-10-CM	Diagnosis
S82.252R	Displaced comminuted fracture of shaft of left tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD-10-CM	Diagnosis
S82.252N	Displaced comminuted fracture of shaft of left tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S82.252F	Displaced comminuted fracture of shaft of left tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD-10-CM	Diagnosis
S82.252E	Displaced comminuted fracture of shaft of left tibia, subsequent encounter for open fracture type I or II with routine healing	ICD-10-CM	Diagnosis
S82.252J	Displaced comminuted fracture of shaft of left tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD-10-CM	Diagnosis
S82.451G	Displaced comminuted fracture of shaft of right fibula, subsequent encounter for closed fracture with delayed healing	ICD-10-CM	Diagnosis
S82.451P	Displaced comminuted fracture of shaft of right fibula, subsequent encounter for closed fracture with malunion	ICD-10-CM	Diagnosis
S82.451K	Displaced comminuted fracture of shaft of right fibula, subsequent encounter for closed fracture with nonunion	ICD-10-CM	Diagnosis
S82.451D	Displaced comminuted fracture of shaft of right fibula, subsequent encounter for closed fracture with routine healing	ICD-10-CM	Diagnosis
S82.451H	Displaced comminuted fracture of shaft of right fibula, subsequent encounter for open fracture type I or II with delayed healing	ICD-10-CM	Diagnosis
S82.451Q	Displaced comminuted fracture of shaft of right fibula, subsequent encounter for open fracture type I or II with malunion	ICD-10-CM	Diagnosis
S82.451M	Displaced comminuted fracture of shaft of right fibula, subsequent encounter for open fracture type I or II with nonunion	ICD-10-CM	Diagnosis
S82.451E	Displaced comminuted fracture of shaft of right fibula, subsequent encounter for open fracture type I or II with routine healing	ICD-10-CM	Diagnosis
S82.451J	Displaced comminuted fracture of shaft of right fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD-10-CM	Diagnosis
S82.451R	Displaced comminuted fracture of shaft of right fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD-10-CM	Diagnosis
S82.451N	Displaced comminuted fracture of shaft of right fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD-10-CM	Diagnosis
S82.451F	Displaced comminuted fracture of shaft of right fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD-10-CM	Diagnosis
S82.451A	Displaced comminuted fracture of shaft of right fibula, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.451B	Displaced comminuted fracture of shaft of right fibula, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.451C	Displaced comminuted fracture of shaft of right fibula, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.251A	Displaced comminuted fracture of shaft of right tibia, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.251B	Displaced comminuted fracture of shaft of right tibia, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.251C	Displaced comminuted fracture of shaft of right tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S82.251G	Displaced comminuted fracture of shaft of right tibia, subsequent encounter for closed fracture with delayed healing	ICD-10-CM	Diagnosis
S82.251D	Displaced comminuted fracture of shaft of right tibia, subsequent encounter for closed fracture with routine healing	ICD-10-CM	Diagnosis
S82.251P	Displaced comminuted fracture of shaft of right tibia, subsequent encounter for closed fracture with malunion	ICD-10-CM	Diagnosis
S82.251K	Displaced comminuted fracture of shaft of right tibia, subsequent encounter for closed fracture with nonunion	ICD-10-CM	Diagnosis
S82.251H	Displaced comminuted fracture of shaft of right tibia, subsequent encounter for open fracture type I or II with delayed healing	ICD-10-CM	Diagnosis
S82.251Q	Displaced comminuted fracture of shaft of right tibia, subsequent encounter for open fracture type I or II with malunion	ICD-10-CM	Diagnosis
S82.251M	Displaced comminuted fracture of shaft of right tibia, subsequent encounter for open fracture type I or II with nonunion	ICD-10-CM	Diagnosis
S82.251R	Displaced comminuted fracture of shaft of right tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD-10-CM	Diagnosis
S82.251N	Displaced comminuted fracture of shaft of right tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD-10-CM	Diagnosis
S82.251F	Displaced comminuted fracture of shaft of right tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD-10-CM	Diagnosis
S82.251E	Displaced comminuted fracture of shaft of right tibia, subsequent encounter for open fracture type I or II with routine healing	ICD-10-CM	Diagnosis
S82.251J	Displaced comminuted fracture of shaft of right tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD-10-CM	Diagnosis
S82.453G	Displaced comminuted fracture of shaft of unspecified fibula, subsequent encounter for closed fracture with delayed healing	ICD-10-CM	Diagnosis
S82.453P	Displaced comminuted fracture of shaft of unspecified fibula, subsequent encounter for closed fracture with malunion	ICD-10-CM	Diagnosis
S82.453K	Displaced comminuted fracture of shaft of unspecified fibula, subsequent encounter for closed fracture with nonunion	ICD-10-CM	Diagnosis
S82.453D	Displaced comminuted fracture of shaft of unspecified fibula, subsequent encounter for closed fracture with routine healing	ICD-10-CM	Diagnosis
S82.453Q	Displaced comminuted fracture of shaft of unspecified fibula, subsequent encounter for open fracture type I or II with malunion	ICD-10-CM	Diagnosis
S82.453M	Displaced comminuted fracture of shaft of unspecified fibula, subsequent encounter for open fracture type I or II with nonunion	ICD-10-CM	Diagnosis
S82.453E	Displaced comminuted fracture of shaft of unspecified fibula, subsequent encounter for open fracture type I or II with routine healing	ICD-10-CM	Diagnosis
S82.453J	Displaced comminuted fracture of shaft of unspecified fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD-10-CM	Diagnosis
S82.453R	Displaced comminuted fracture of shaft of unspecified fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S82.453N	Displaced comminuted fracture of shaft of unspecified fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD-10-CM	Diagnosis
S82.453F	Displaced comminuted fracture of shaft of unspecified fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD-10-CM	Diagnosis
S82.453H	Displaced comminuted fracture of shaft of unspecified fibula, subsequent encounter for open fracture type I or II with delayed healing	ICD-10-CM	Diagnosis
S82.453A	Displaced comminuted fracture of shaft of unspecified fibula, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.453B	Displaced comminuted fracture of shaft of unspecified fibula, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.453C	Displaced comminuted fracture of shaft of unspecified fibula, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.253A	Displaced comminuted fracture of shaft of unspecified tibia, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.253B	Displaced comminuted fracture of shaft of unspecified tibia, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.253C	Displaced comminuted fracture of shaft of unspecified tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.253G	Displaced comminuted fracture of shaft of unspecified tibia, subsequent encounter for closed fracture with delayed healing	ICD-10-CM	Diagnosis
S82.253D	Displaced comminuted fracture of shaft of unspecified tibia, subsequent encounter for closed fracture with routine healing	ICD-10-CM	Diagnosis
S82.253P	Displaced comminuted fracture of shaft of unspecified tibia, subsequent encounter for closed fracture with malunion	ICD-10-CM	Diagnosis
S82.253K	Displaced comminuted fracture of shaft of unspecified tibia, subsequent encounter for closed fracture with nonunion	ICD-10-CM	Diagnosis
S82.253H	Displaced comminuted fracture of shaft of unspecified tibia, subsequent encounter for open fracture type I or II with delayed healing	ICD-10-CM	Diagnosis
S82.253E	Displaced comminuted fracture of shaft of unspecified tibia, subsequent encounter for open fracture type I or II with routine healing	ICD-10-CM	Diagnosis
S82.253J	Displaced comminuted fracture of shaft of unspecified tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD-10-CM	Diagnosis
S82.253R	Displaced comminuted fracture of shaft of unspecified tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD-10-CM	Diagnosis
S82.253N	Displaced comminuted fracture of shaft of unspecified tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD-10-CM	Diagnosis
S82.253Q	Displaced comminuted fracture of shaft of unspecified tibia, subsequent encounter for open fracture type I or II with malunion	ICD-10-CM	Diagnosis
S82.253M	Displaced comminuted fracture of shaft of unspecified tibia, subsequent encounter for open fracture type I or II with nonunion	ICD-10-CM	Diagnosis
S82.253F	Displaced comminuted fracture of shaft of unspecified tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S92.022A	Displaced fracture of anterior process of left calcaneus, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S92.022B	Displaced fracture of anterior process of left calcaneus, initial encounter for open fracture	ICD-10-CM	Diagnosis
S92.022P	Displaced fracture of anterior process of left calcaneus, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S92.022K	Displaced fracture of anterior process of left calcaneus, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S92.022G	Displaced fracture of anterior process of left calcaneus, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S92.022D	Displaced fracture of anterior process of left calcaneus, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S92.022S	Displaced fracture of anterior process of left calcaneus, sequela	ICD-10-CM	Diagnosis
S92.021A	Displaced fracture of anterior process of right calcaneus, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S92.021B	Displaced fracture of anterior process of right calcaneus, initial encounter for open fracture	ICD-10-CM	Diagnosis
S92.021P	Displaced fracture of anterior process of right calcaneus, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S92.021K	Displaced fracture of anterior process of right calcaneus, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S92.021G	Displaced fracture of anterior process of right calcaneus, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S92.021D	Displaced fracture of anterior process of right calcaneus, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S92.021S	Displaced fracture of anterior process of right calcaneus, sequela	ICD-10-CM	Diagnosis
S92.023A	Displaced fracture of anterior process of unspecified calcaneus, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S92.023B	Displaced fracture of anterior process of unspecified calcaneus, initial encounter for open fracture	ICD-10-CM	Diagnosis
S92.023S	Displaced fracture of anterior process of unspecified calcaneus, sequela	ICD-10-CM	Diagnosis
S72.042C	Displaced fracture of base of neck of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.042B	Displaced fracture of base of neck of left femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.042A	Displaced fracture of base of neck of left femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S72.042G	Displaced fracture of base of neck of left femur, subsequent encounter for closed fracture with delayed healing	ICD-10-CM	Diagnosis
S72.042D	Displaced fracture of base of neck of left femur, subsequent encounter for closed fracture with routine healing	ICD-10-CM	Diagnosis
S72.042P	Displaced fracture of base of neck of left femur, subsequent encounter for closed fracture with malunion	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S72.042K	Displaced fracture of base of neck of left femur, subsequent encounter for closed fracture with nonunion	ICD-10-CM	Diagnosis
S72.042Q	Displaced fracture of base of neck of left femur, subsequent encounter for open fracture type I or II with malunion	ICD-10-CM	Diagnosis
S72.042M	Displaced fracture of base of neck of left femur, subsequent encounter for open fracture type I or II with nonunion	ICD-10-CM	Diagnosis
S72.042E	Displaced fracture of base of neck of left femur, subsequent encounter for open fracture type I or II with routine healing	ICD-10-CM	Diagnosis
S72.042R	Displaced fracture of base of neck of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD-10-CM	Diagnosis
S72.042N	Displaced fracture of base of neck of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD-10-CM	Diagnosis
S72.042F	Displaced fracture of base of neck of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD-10-CM	Diagnosis
S72.042H	Displaced fracture of base of neck of left femur, subsequent encounter for open fracture type I or II with delayed healing	ICD-10-CM	Diagnosis
S72.042J	Displaced fracture of base of neck of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD-10-CM	Diagnosis
S72.041C	Displaced fracture of base of neck of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.041B	Displaced fracture of base of neck of right femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.041A	Displaced fracture of base of neck of right femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S72.041G	Displaced fracture of base of neck of right femur, subsequent encounter for closed fracture with delayed healing	ICD-10-CM	Diagnosis
S72.041D	Displaced fracture of base of neck of right femur, subsequent encounter for closed fracture with routine healing	ICD-10-CM	Diagnosis
S72.041P	Displaced fracture of base of neck of right femur, subsequent encounter for closed fracture with malunion	ICD-10-CM	Diagnosis
S72.041K	Displaced fracture of base of neck of right femur, subsequent encounter for closed fracture with nonunion	ICD-10-CM	Diagnosis
S72.041Q	Displaced fracture of base of neck of right femur, subsequent encounter for open fracture type I or II with malunion	ICD-10-CM	Diagnosis
S72.041M	Displaced fracture of base of neck of right femur, subsequent encounter for open fracture type I or II with nonunion	ICD-10-CM	Diagnosis
S72.041E	Displaced fracture of base of neck of right femur, subsequent encounter for open fracture type I or II with routine healing	ICD-10-CM	Diagnosis
S72.041R	Displaced fracture of base of neck of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD-10-CM	Diagnosis
S72.041N	Displaced fracture of base of neck of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD-10-CM	Diagnosis



**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S72.041F	Displaced fracture of base of neck of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD-10-CM	Diagnosis
S72.041H	Displaced fracture of base of neck of right femur, subsequent encounter for open fracture type I or II with delayed healing	ICD-10-CM	Diagnosis
S72.041J	Displaced fracture of base of neck of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD-10-CM	Diagnosis
S72.043C	Displaced fracture of base of neck of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.043B	Displaced fracture of base of neck of unspecified femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.043A	Displaced fracture of base of neck of unspecified femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S72.043G	Displaced fracture of base of neck of unspecified femur, subsequent encounter for closed fracture with delayed healing	ICD-10-CM	Diagnosis
S72.043D	Displaced fracture of base of neck of unspecified femur, subsequent encounter for closed fracture with routine healing	ICD-10-CM	Diagnosis
S72.043K	Displaced fracture of base of neck of unspecified femur, subsequent encounter for closed fracture with nonunion	ICD-10-CM	Diagnosis
S72.043H	Displaced fracture of base of neck of unspecified femur, subsequent encounter for open fracture type I or II with delayed healing	ICD-10-CM	Diagnosis
S72.043Q	Displaced fracture of base of neck of unspecified femur, subsequent encounter for open fracture type I or II with malunion	ICD-10-CM	Diagnosis
S72.043M	Displaced fracture of base of neck of unspecified femur, subsequent encounter for open fracture type I or II with nonunion	ICD-10-CM	Diagnosis
S72.043R	Displaced fracture of base of neck of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD-10-CM	Diagnosis
S72.043N	Displaced fracture of base of neck of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD-10-CM	Diagnosis
S72.043F	Displaced fracture of base of neck of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD-10-CM	Diagnosis
S72.043E	Displaced fracture of base of neck of unspecified femur, subsequent encounter for open fracture type I or II with routine healing	ICD-10-CM	Diagnosis
S72.043J	Displaced fracture of base of neck of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD-10-CM	Diagnosis
S72.043P	Displaced fracture of base of neck of unspecified femur, subsequent encounter for closed fracture with malunion	ICD-10-CM	Diagnosis
S72.022B	Displaced fracture of epiphysis (separation) (upper) of left femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.022C	Displaced fracture of epiphysis (separation) (upper) of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.022G	Displaced fracture of epiphysis (separation) (upper) of left femur, subsequent encounter for closed fracture with delayed healing	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S72.022P	Displaced fracture of epiphysis (separation) (upper) of left femur, subsequent encounter for closed fracture with malunion	ICD-10-CM	Diagnosis
S72.022K	Displaced fracture of epiphysis (separation) (upper) of left femur, subsequent encounter for closed fracture with nonunion	ICD-10-CM	Diagnosis
S72.022H	Displaced fracture of epiphysis (separation) (upper) of left femur, subsequent encounter for open fracture type I or II with delayed healing	ICD-10-CM	Diagnosis
S72.022Q	Displaced fracture of epiphysis (separation) (upper) of left femur, subsequent encounter for open fracture type I or II with malunion	ICD-10-CM	Diagnosis
S72.022M	Displaced fracture of epiphysis (separation) (upper) of left femur, subsequent encounter for open fracture type I or II with nonunion	ICD-10-CM	Diagnosis
S72.022E	Displaced fracture of epiphysis (separation) (upper) of left femur, subsequent encounter for open fracture type I or II with routine healing	ICD-10-CM	Diagnosis
S72.022J	Displaced fracture of epiphysis (separation) (upper) of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD-10-CM	Diagnosis
S72.022R	Displaced fracture of epiphysis (separation) (upper) of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD-10-CM	Diagnosis
S72.022N	Displaced fracture of epiphysis (separation) (upper) of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD-10-CM	Diagnosis
S72.022F	Displaced fracture of epiphysis (separation) (upper) of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD-10-CM	Diagnosis
S72.022D	Displaced fracture of epiphysis (separation) (upper) of left femur, subsequent encounter for closed fracture with routine healing	ICD-10-CM	Diagnosis
S72.021B	Displaced fracture of epiphysis (separation) (upper) of right femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.021C	Displaced fracture of epiphysis (separation) (upper) of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.021G	Displaced fracture of epiphysis (separation) (upper) of right femur, subsequent encounter for closed fracture with delayed healing	ICD-10-CM	Diagnosis
S72.021P	Displaced fracture of epiphysis (separation) (upper) of right femur, subsequent encounter for closed fracture with malunion	ICD-10-CM	Diagnosis
S72.021K	Displaced fracture of epiphysis (separation) (upper) of right femur, subsequent encounter for closed fracture with nonunion	ICD-10-CM	Diagnosis
S72.021H	Displaced fracture of epiphysis (separation) (upper) of right femur, subsequent encounter for open fracture type I or II with delayed healing	ICD-10-CM	Diagnosis
S72.021Q	Displaced fracture of epiphysis (separation) (upper) of right femur, subsequent encounter for open fracture type I or II with malunion	ICD-10-CM	Diagnosis
S72.021M	Displaced fracture of epiphysis (separation) (upper) of right femur, subsequent encounter for open fracture type I or II with nonunion	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S72.021E	Displaced fracture of epiphysis (separation) (upper) of right femur, subsequent encounter for open fracture type I or II with routine healing	ICD-10-CM	Diagnosis
S72.021J	Displaced fracture of epiphysis (separation) (upper) of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD-10-CM	Diagnosis
S72.021R	Displaced fracture of epiphysis (separation) (upper) of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD-10-CM	Diagnosis
S72.021N	Displaced fracture of epiphysis (separation) (upper) of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD-10-CM	Diagnosis
S72.021F	Displaced fracture of epiphysis (separation) (upper) of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD-10-CM	Diagnosis
S72.021D	Displaced fracture of epiphysis (separation) (upper) of right femur, subsequent encounter for closed fracture with routine healing	ICD-10-CM	Diagnosis
S72.023H	Displaced fracture of epiphysis (separation) (upper) of unspecified femur, subsequent encounter for open fracture type I or II with delayed healing	ICD-10-CM	Diagnosis
S72.023J	Displaced fracture of epiphysis (separation) (upper) of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD-10-CM	Diagnosis
S72.023B	Displaced fracture of epiphysis (separation) (upper) of unspecified femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.023C	Displaced fracture of epiphysis (separation) (upper) of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.023G	Displaced fracture of epiphysis (separation) (upper) of unspecified femur, subsequent encounter for closed fracture with delayed healing	ICD-10-CM	Diagnosis
S72.023P	Displaced fracture of epiphysis (separation) (upper) of unspecified femur, subsequent encounter for closed fracture with malunion	ICD-10-CM	Diagnosis
S72.023K	Displaced fracture of epiphysis (separation) (upper) of unspecified femur, subsequent encounter for closed fracture with nonunion	ICD-10-CM	Diagnosis
S72.023E	Displaced fracture of epiphysis (separation) (upper) of unspecified femur, subsequent encounter for open fracture type I or II with routine healing	ICD-10-CM	Diagnosis
S72.023Q	Displaced fracture of epiphysis (separation) (upper) of unspecified femur, subsequent encounter for open fracture type I or II with malunion	ICD-10-CM	Diagnosis
S72.023M	Displaced fracture of epiphysis (separation) (upper) of unspecified femur, subsequent encounter for open fracture type I or II with nonunion	ICD-10-CM	Diagnosis
S72.023R	Displaced fracture of epiphysis (separation) (upper) of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD-10-CM	Diagnosis
S72.023N	Displaced fracture of epiphysis (separation) (upper) of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S72.023F	Displaced fracture of epiphysis (separation) (upper) of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD-10-CM	Diagnosis
S72.023D	Displaced fracture of epiphysis (separation) (upper) of unspecified femur, subsequent encounter for closed fracture with routine healing	ICD-10-CM	Diagnosis
S92.312S	Displaced fracture of first metatarsal bone, left foot, sequela	ICD-10-CM	Diagnosis
S92.311S	Displaced fracture of first metatarsal bone, right foot, sequela	ICD-10-CM	Diagnosis
S92.313S	Displaced fracture of first metatarsal bone, unspecified foot, sequela	ICD-10-CM	Diagnosis
S92.312A	Displaced fracture of first metatarsal bone, left foot, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S92.312B	Displaced fracture of first metatarsal bone, left foot, initial encounter for open fracture	ICD-10-CM	Diagnosis
S92.312G	Displaced fracture of first metatarsal bone, left foot, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S92.312P	Displaced fracture of first metatarsal bone, left foot, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S92.312K	Displaced fracture of first metatarsal bone, left foot, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S92.312D	Displaced fracture of first metatarsal bone, left foot, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S92.311A	Displaced fracture of first metatarsal bone, right foot, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S92.311B	Displaced fracture of first metatarsal bone, right foot, initial encounter for open fracture	ICD-10-CM	Diagnosis
S92.311G	Displaced fracture of first metatarsal bone, right foot, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S92.311P	Displaced fracture of first metatarsal bone, right foot, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S92.311K	Displaced fracture of first metatarsal bone, right foot, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S92.311D	Displaced fracture of first metatarsal bone, right foot, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S92.313A	Displaced fracture of first metatarsal bone, unspecified foot, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S92.313B	Displaced fracture of first metatarsal bone, unspecified foot, initial encounter for open fracture	ICD-10-CM	Diagnosis
S92.313G	Displaced fracture of first metatarsal bone, unspecified foot, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S92.313P	Displaced fracture of first metatarsal bone, unspecified foot, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S92.313K	Displaced fracture of first metatarsal bone, unspecified foot, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S92.313D	Displaced fracture of first metatarsal bone, unspecified foot, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S82.122G	Displaced fracture of lateral condyle of left tibia, subsequent encounter for closed fracture with delayed healing	ICD-10-CM	Diagnosis
S82.122P	Displaced fracture of lateral condyle of left tibia, subsequent encounter for closed fracture with malunion	ICD-10-CM	Diagnosis
S82.122K	Displaced fracture of lateral condyle of left tibia, subsequent encounter for closed fracture with nonunion	ICD-10-CM	Diagnosis
S82.122D	Displaced fracture of lateral condyle of left tibia, subsequent encounter for closed fracture with routine healing	ICD-10-CM	Diagnosis
S82.122Q	Displaced fracture of lateral condyle of left tibia, subsequent encounter for open fracture type I or II with malunion	ICD-10-CM	Diagnosis
S82.122M	Displaced fracture of lateral condyle of left tibia, subsequent encounter for open fracture type I or II with nonunion	ICD-10-CM	Diagnosis
S82.122R	Displaced fracture of lateral condyle of left tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD-10-CM	Diagnosis
S82.122N	Displaced fracture of lateral condyle of left tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD-10-CM	Diagnosis
S82.122H	Displaced fracture of lateral condyle of left tibia, subsequent encounter for open fracture type I or II with delayed healing	ICD-10-CM	Diagnosis
S82.122E	Displaced fracture of lateral condyle of left tibia, subsequent encounter for open fracture type I or II with routine healing	ICD-10-CM	Diagnosis
S82.122J	Displaced fracture of lateral condyle of left tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD-10-CM	Diagnosis
S82.122F	Displaced fracture of lateral condyle of left tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD-10-CM	Diagnosis
S82.122B	Displaced fracture of lateral condyle of left tibia, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.122C	Displaced fracture of lateral condyle of left tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.121G	Displaced fracture of lateral condyle of right tibia, subsequent encounter for closed fracture with delayed healing	ICD-10-CM	Diagnosis
S82.121P	Displaced fracture of lateral condyle of right tibia, subsequent encounter for closed fracture with malunion	ICD-10-CM	Diagnosis
S82.121K	Displaced fracture of lateral condyle of right tibia, subsequent encounter for closed fracture with nonunion	ICD-10-CM	Diagnosis
S82.121D	Displaced fracture of lateral condyle of right tibia, subsequent encounter for closed fracture with routine healing	ICD-10-CM	Diagnosis
S82.121Q	Displaced fracture of lateral condyle of right tibia, subsequent encounter for open fracture type I or II with malunion	ICD-10-CM	Diagnosis
S82.121M	Displaced fracture of lateral condyle of right tibia, subsequent encounter for open fracture type I or II with nonunion	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S82.121R	Displaced fracture of lateral condyle of right tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD-10-CM	Diagnosis
S82.121N	Displaced fracture of lateral condyle of right tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD-10-CM	Diagnosis
S82.121H	Displaced fracture of lateral condyle of right tibia, subsequent encounter for open fracture type I or II with delayed healing	ICD-10-CM	Diagnosis
S82.121E	Displaced fracture of lateral condyle of right tibia, subsequent encounter for open fracture type I or II with routine healing	ICD-10-CM	Diagnosis
S82.121J	Displaced fracture of lateral condyle of right tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD-10-CM	Diagnosis
S82.121F	Displaced fracture of lateral condyle of right tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD-10-CM	Diagnosis
S82.121B	Displaced fracture of lateral condyle of right tibia, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.121C	Displaced fracture of lateral condyle of right tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.123G	Displaced fracture of lateral condyle of unspecified tibia, subsequent encounter for closed fracture with delayed healing	ICD-10-CM	Diagnosis
S82.123P	Displaced fracture of lateral condyle of unspecified tibia, subsequent encounter for closed fracture with malunion	ICD-10-CM	Diagnosis
S82.123K	Displaced fracture of lateral condyle of unspecified tibia, subsequent encounter for closed fracture with nonunion	ICD-10-CM	Diagnosis
S82.123D	Displaced fracture of lateral condyle of unspecified tibia, subsequent encounter for closed fracture with routine healing	ICD-10-CM	Diagnosis
S82.123Q	Displaced fracture of lateral condyle of unspecified tibia, subsequent encounter for open fracture type I or II with malunion	ICD-10-CM	Diagnosis
S82.123M	Displaced fracture of lateral condyle of unspecified tibia, subsequent encounter for open fracture type I or II with nonunion	ICD-10-CM	Diagnosis
S82.123R	Displaced fracture of lateral condyle of unspecified tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD-10-CM	Diagnosis
S82.123N	Displaced fracture of lateral condyle of unspecified tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD-10-CM	Diagnosis
S82.123H	Displaced fracture of lateral condyle of unspecified tibia, subsequent encounter for open fracture type I or II with delayed healing	ICD-10-CM	Diagnosis
S82.123E	Displaced fracture of lateral condyle of unspecified tibia, subsequent encounter for open fracture type I or II with routine healing	ICD-10-CM	Diagnosis
S82.123J	Displaced fracture of lateral condyle of unspecified tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD-10-CM	Diagnosis
S82.123F	Displaced fracture of lateral condyle of unspecified tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD-10-CM	Diagnosis
S82.123B	Displaced fracture of lateral condyle of unspecified tibia, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis



**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S82.123C	Displaced fracture of lateral condyle of unspecified tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.62XG	Displaced fracture of lateral malleolus of left fibula, subsequent encounter for closed fracture with delayed healing	ICD-10-CM	Diagnosis
S82.62XD	Displaced fracture of lateral malleolus of left fibula, subsequent encounter for closed fracture with routine healing	ICD-10-CM	Diagnosis
S82.62XP	Displaced fracture of lateral malleolus of left fibula, subsequent encounter for closed fracture with malunion	ICD-10-CM	Diagnosis
S82.62XK	Displaced fracture of lateral malleolus of left fibula, subsequent encounter for closed fracture with nonunion	ICD-10-CM	Diagnosis
S82.62XQ	Displaced fracture of lateral malleolus of left fibula, subsequent encounter for open fracture type I or II with malunion	ICD-10-CM	Diagnosis
S82.62XM	Displaced fracture of lateral malleolus of left fibula, subsequent encounter for open fracture type I or II with nonunion	ICD-10-CM	Diagnosis
S82.62XE	Displaced fracture of lateral malleolus of left fibula, subsequent encounter for open fracture type I or II with routine healing	ICD-10-CM	Diagnosis
S82.62XJ	Displaced fracture of lateral malleolus of left fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD-10-CM	Diagnosis
S82.62XR	Displaced fracture of lateral malleolus of left fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD-10-CM	Diagnosis
S82.62XN	Displaced fracture of lateral malleolus of left fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD-10-CM	Diagnosis
S82.62XF	Displaced fracture of lateral malleolus of left fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD-10-CM	Diagnosis
S82.62XH	Displaced fracture of lateral malleolus of left fibula, subsequent encounter for open fracture type I or II with delayed healing	ICD-10-CM	Diagnosis
S82.62XA	Displaced fracture of lateral malleolus of left fibula, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.62XB	Displaced fracture of lateral malleolus of left fibula, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.62XC	Displaced fracture of lateral malleolus of left fibula, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.61XG	Displaced fracture of lateral malleolus of right fibula, subsequent encounter for closed fracture with delayed healing	ICD-10-CM	Diagnosis
S82.61XD	Displaced fracture of lateral malleolus of right fibula, subsequent encounter for closed fracture with routine healing	ICD-10-CM	Diagnosis
S82.61XP	Displaced fracture of lateral malleolus of right fibula, subsequent encounter for closed fracture with malunion	ICD-10-CM	Diagnosis
S82.61XK	Displaced fracture of lateral malleolus of right fibula, subsequent encounter for closed fracture with nonunion	ICD-10-CM	Diagnosis
S82.61XQ	Displaced fracture of lateral malleolus of right fibula, subsequent encounter for open fracture type I or II with malunion	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S82.61XM	Displaced fracture of lateral malleolus of right fibula, subsequent encounter for open fracture type I or II with nonunion	ICD-10-CM	Diagnosis
S82.61XE	Displaced fracture of lateral malleolus of right fibula, subsequent encounter for open fracture type I or II with routine healing	ICD-10-CM	Diagnosis
S82.61XJ	Displaced fracture of lateral malleolus of right fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD-10-CM	Diagnosis
S82.61XR	Displaced fracture of lateral malleolus of right fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD-10-CM	Diagnosis
S82.61XN	Displaced fracture of lateral malleolus of right fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD-10-CM	Diagnosis
S82.61XF	Displaced fracture of lateral malleolus of right fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD-10-CM	Diagnosis
S82.61XH	Displaced fracture of lateral malleolus of right fibula, subsequent encounter for open fracture type I or II with delayed healing	ICD-10-CM	Diagnosis
S82.61XA	Displaced fracture of lateral malleolus of right fibula, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.61XB	Displaced fracture of lateral malleolus of right fibula, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.61XC	Displaced fracture of lateral malleolus of right fibula, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.63XG	Displaced fracture of lateral malleolus of unspecified fibula, subsequent encounter for closed fracture with delayed healing	ICD-10-CM	Diagnosis
S82.63XD	Displaced fracture of lateral malleolus of unspecified fibula, subsequent encounter for closed fracture with routine healing	ICD-10-CM	Diagnosis
S82.63XP	Displaced fracture of lateral malleolus of unspecified fibula, subsequent encounter for closed fracture with malunion	ICD-10-CM	Diagnosis
S82.63XK	Displaced fracture of lateral malleolus of unspecified fibula, subsequent encounter for closed fracture with nonunion	ICD-10-CM	Diagnosis
S82.63XH	Displaced fracture of lateral malleolus of unspecified fibula, subsequent encounter for open fracture type I or II with delayed healing	ICD-10-CM	Diagnosis
S82.63XQ	Displaced fracture of lateral malleolus of unspecified fibula, subsequent encounter for open fracture type I or II with malunion	ICD-10-CM	Diagnosis
S82.63XM	Displaced fracture of lateral malleolus of unspecified fibula, subsequent encounter for open fracture type I or II with nonunion	ICD-10-CM	Diagnosis
S82.63XR	Displaced fracture of lateral malleolus of unspecified fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD-10-CM	Diagnosis
S82.63XN	Displaced fracture of lateral malleolus of unspecified fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD-10-CM	Diagnosis
S82.63XF	Displaced fracture of lateral malleolus of unspecified fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD-10-CM	Diagnosis
S82.63XE	Displaced fracture of lateral malleolus of unspecified fibula, subsequent encounter for open fracture type I or II with routine healing	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S82.63XJ	Displaced fracture of lateral malleolus of unspecified fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD-10-CM	Diagnosis
S82.63XA	Displaced fracture of lateral malleolus of unspecified fibula, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.63XB	Displaced fracture of lateral malleolus of unspecified fibula, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.63XC	Displaced fracture of lateral malleolus of unspecified fibula, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.62XS	Displaced fracture of lateral malleolus of left fibula, sequela	ICD-10-CM	Diagnosis
S82.61XS	Displaced fracture of lateral malleolus of right fibula, sequela	ICD-10-CM	Diagnosis
S82.63XS	Displaced fracture of lateral malleolus of unspecified fibula, sequela	ICD-10-CM	Diagnosis
S82.112B	Displaced fracture of left tibial spine, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.112C	Displaced fracture of left tibial spine, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.112G	Displaced fracture of left tibial spine, subsequent encounter for closed fracture with delayed healing	ICD-10-CM	Diagnosis
S82.112P	Displaced fracture of left tibial spine, subsequent encounter for closed fracture with malunion	ICD-10-CM	Diagnosis
S82.112K	Displaced fracture of left tibial spine, subsequent encounter for closed fracture with nonunion	ICD-10-CM	Diagnosis
S82.112H	Displaced fracture of left tibial spine, subsequent encounter for open fracture type I or II with delayed healing	ICD-10-CM	Diagnosis
S82.112Q	Displaced fracture of left tibial spine, subsequent encounter for open fracture type I or II with malunion	ICD-10-CM	Diagnosis
S82.112M	Displaced fracture of left tibial spine, subsequent encounter for open fracture type I or II with nonunion	ICD-10-CM	Diagnosis
S82.112E	Displaced fracture of left tibial spine, subsequent encounter for open fracture type I or II with routine healing	ICD-10-CM	Diagnosis
S82.112J	Displaced fracture of left tibial spine, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD-10-CM	Diagnosis
S82.112R	Displaced fracture of left tibial spine, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD-10-CM	Diagnosis
S82.112N	Displaced fracture of left tibial spine, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD-10-CM	Diagnosis
S82.112F	Displaced fracture of left tibial spine, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD-10-CM	Diagnosis
S82.112D	Displaced fracture of left tibial spine, subsequent encounter for closed fracture with routine healing	ICD-10-CM	Diagnosis
S82.152C	Displaced fracture of left tibial tuberosity, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.152B	Displaced fracture of left tibial tuberosity, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S82.152G	Displaced fracture of left tibial tuberosity, subsequent encounter for closed fracture with delayed healing	ICD-10-CM	Diagnosis
S82.152D	Displaced fracture of left tibial tuberosity, subsequent encounter for closed fracture with routine healing	ICD-10-CM	Diagnosis
S82.152P	Displaced fracture of left tibial tuberosity, subsequent encounter for closed fracture with malunion	ICD-10-CM	Diagnosis
S82.152K	Displaced fracture of left tibial tuberosity, subsequent encounter for closed fracture with nonunion	ICD-10-CM	Diagnosis
S82.152H	Displaced fracture of left tibial tuberosity, subsequent encounter for open fracture type I or II with delayed healing	ICD-10-CM	Diagnosis
S82.152Q	Displaced fracture of left tibial tuberosity, subsequent encounter for open fracture type I or II with malunion	ICD-10-CM	Diagnosis
S82.152E	Displaced fracture of left tibial tuberosity, subsequent encounter for open fracture type I or II with routine healing	ICD-10-CM	Diagnosis
S82.152J	Displaced fracture of left tibial tuberosity, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD-10-CM	Diagnosis
S82.152R	Displaced fracture of left tibial tuberosity, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD-10-CM	Diagnosis
S82.152N	Displaced fracture of left tibial tuberosity, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD-10-CM	Diagnosis
S82.152F	Displaced fracture of left tibial tuberosity, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD-10-CM	Diagnosis
S82.152M	Displaced fracture of left tibial tuberosity, subsequent encounter for open fracture type I or II with nonunion	ICD-10-CM	Diagnosis
S82.152A	Displaced fracture of left tibial tuberosity, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.132A	Displaced fracture of medial condyle of left tibia, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.132B	Displaced fracture of medial condyle of left tibia, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.132C	Displaced fracture of medial condyle of left tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.132D	Displaced fracture of medial condyle of left tibia, subsequent encounter for closed fracture with routine healing	ICD-10-CM	Diagnosis
S82.132G	Displaced fracture of medial condyle of left tibia, subsequent encounter for closed fracture with delayed healing	ICD-10-CM	Diagnosis
S82.132P	Displaced fracture of medial condyle of left tibia, subsequent encounter for closed fracture with malunion	ICD-10-CM	Diagnosis
S82.132K	Displaced fracture of medial condyle of left tibia, subsequent encounter for closed fracture with nonunion	ICD-10-CM	Diagnosis
S82.132Q	Displaced fracture of medial condyle of left tibia, subsequent encounter for open fracture type I or II with malunion	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S82.132M	Displaced fracture of medial condyle of left tibia, subsequent encounter for open fracture type I or II with nonunion	ICD-10-CM	Diagnosis
S82.132E	Displaced fracture of medial condyle of left tibia, subsequent encounter for open fracture type I or II with routine healing	ICD-10-CM	Diagnosis
S82.132R	Displaced fracture of medial condyle of left tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD-10-CM	Diagnosis
S82.132N	Displaced fracture of medial condyle of left tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD-10-CM	Diagnosis
S82.132F	Displaced fracture of medial condyle of left tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD-10-CM	Diagnosis
S82.132H	Displaced fracture of medial condyle of left tibia, subsequent encounter for open fracture type I or II with delayed healing	ICD-10-CM	Diagnosis
S82.132J	Displaced fracture of medial condyle of left tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD-10-CM	Diagnosis
S82.131A	Displaced fracture of medial condyle of right tibia, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.131B	Displaced fracture of medial condyle of right tibia, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.131C	Displaced fracture of medial condyle of right tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.131D	Displaced fracture of medial condyle of right tibia, subsequent encounter for closed fracture with routine healing	ICD-10-CM	Diagnosis
S82.131G	Displaced fracture of medial condyle of right tibia, subsequent encounter for closed fracture with delayed healing	ICD-10-CM	Diagnosis
S82.131P	Displaced fracture of medial condyle of right tibia, subsequent encounter for closed fracture with malunion	ICD-10-CM	Diagnosis
S82.131K	Displaced fracture of medial condyle of right tibia, subsequent encounter for closed fracture with nonunion	ICD-10-CM	Diagnosis
S82.131Q	Displaced fracture of medial condyle of right tibia, subsequent encounter for open fracture type I or II with malunion	ICD-10-CM	Diagnosis
S82.131M	Displaced fracture of medial condyle of right tibia, subsequent encounter for open fracture type I or II with nonunion	ICD-10-CM	Diagnosis
S82.131E	Displaced fracture of medial condyle of right tibia, subsequent encounter for open fracture type I or II with routine healing	ICD-10-CM	Diagnosis
S82.131R	Displaced fracture of medial condyle of right tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD-10-CM	Diagnosis
S82.131N	Displaced fracture of medial condyle of right tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD-10-CM	Diagnosis
S82.131F	Displaced fracture of medial condyle of right tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD-10-CM	Diagnosis
S82.131H	Displaced fracture of medial condyle of right tibia, subsequent encounter for open fracture type I or II with delayed healing	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S82.131J	Displaced fracture of medial condyle of right tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD-10-CM	Diagnosis
S82.133A	Displaced fracture of medial condyle of unspecified tibia, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.133B	Displaced fracture of medial condyle of unspecified tibia, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.133C	Displaced fracture of medial condyle of unspecified tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.133D	Displaced fracture of medial condyle of unspecified tibia, subsequent encounter for closed fracture with routine healing	ICD-10-CM	Diagnosis
S82.133G	Displaced fracture of medial condyle of unspecified tibia, subsequent encounter for closed fracture with delayed healing	ICD-10-CM	Diagnosis
S82.133P	Displaced fracture of medial condyle of unspecified tibia, subsequent encounter for closed fracture with malunion	ICD-10-CM	Diagnosis
S82.133K	Displaced fracture of medial condyle of unspecified tibia, subsequent encounter for closed fracture with nonunion	ICD-10-CM	Diagnosis
S82.133H	Displaced fracture of medial condyle of unspecified tibia, subsequent encounter for open fracture type I or II with delayed healing	ICD-10-CM	Diagnosis
S82.133Q	Displaced fracture of medial condyle of unspecified tibia, subsequent encounter for open fracture type I or II with malunion	ICD-10-CM	Diagnosis
S82.133M	Displaced fracture of medial condyle of unspecified tibia, subsequent encounter for open fracture type I or II with nonunion	ICD-10-CM	Diagnosis
S82.133R	Displaced fracture of medial condyle of unspecified tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD-10-CM	Diagnosis
S82.133N	Displaced fracture of medial condyle of unspecified tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD-10-CM	Diagnosis
S82.133F	Displaced fracture of medial condyle of unspecified tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD-10-CM	Diagnosis
S82.133E	Displaced fracture of medial condyle of unspecified tibia, subsequent encounter for open fracture type I or II with routine healing	ICD-10-CM	Diagnosis
S82.133J	Displaced fracture of medial condyle of unspecified tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD-10-CM	Diagnosis
S82.111B	Displaced fracture of right tibial spine, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.111C	Displaced fracture of right tibial spine, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.111G	Displaced fracture of right tibial spine, subsequent encounter for closed fracture with delayed healing	ICD-10-CM	Diagnosis
S82.111P	Displaced fracture of right tibial spine, subsequent encounter for closed fracture with malunion	ICD-10-CM	Diagnosis
S82.111K	Displaced fracture of right tibial spine, subsequent encounter for closed fracture with nonunion	ICD-10-CM	Diagnosis



**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S82.111H	Displaced fracture of right tibial spine, subsequent encounter for open fracture type I or II with delayed healing	ICD-10-CM	Diagnosis
S82.111Q	Displaced fracture of right tibial spine, subsequent encounter for open fracture type I or II with malunion	ICD-10-CM	Diagnosis
S82.111M	Displaced fracture of right tibial spine, subsequent encounter for open fracture type I or II with nonunion	ICD-10-CM	Diagnosis
S82.111E	Displaced fracture of right tibial spine, subsequent encounter for open fracture type I or II with routine healing	ICD-10-CM	Diagnosis
S82.111J	Displaced fracture of right tibial spine, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD-10-CM	Diagnosis
S82.111R	Displaced fracture of right tibial spine, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD-10-CM	Diagnosis
S82.111N	Displaced fracture of right tibial spine, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD-10-CM	Diagnosis
S82.111F	Displaced fracture of right tibial spine, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD-10-CM	Diagnosis
S82.111D	Displaced fracture of right tibial spine, subsequent encounter for closed fracture with routine healing	ICD-10-CM	Diagnosis
S82.151C	Displaced fracture of right tibial tuberosity, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.151B	Displaced fracture of right tibial tuberosity, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.151G	Displaced fracture of right tibial tuberosity, subsequent encounter for closed fracture with delayed healing	ICD-10-CM	Diagnosis
S82.151D	Displaced fracture of right tibial tuberosity, subsequent encounter for closed fracture with routine healing	ICD-10-CM	Diagnosis
S82.151P	Displaced fracture of right tibial tuberosity, subsequent encounter for closed fracture with malunion	ICD-10-CM	Diagnosis
S82.151K	Displaced fracture of right tibial tuberosity, subsequent encounter for closed fracture with nonunion	ICD-10-CM	Diagnosis
S82.151H	Displaced fracture of right tibial tuberosity, subsequent encounter for open fracture type I or II with delayed healing	ICD-10-CM	Diagnosis
S82.151Q	Displaced fracture of right tibial tuberosity, subsequent encounter for open fracture type I or II with malunion	ICD-10-CM	Diagnosis
S82.151E	Displaced fracture of right tibial tuberosity, subsequent encounter for open fracture type I or II with routine healing	ICD-10-CM	Diagnosis
S82.151J	Displaced fracture of right tibial tuberosity, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD-10-CM	Diagnosis
S82.151R	Displaced fracture of right tibial tuberosity, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD-10-CM	Diagnosis
S82.151N	Displaced fracture of right tibial tuberosity, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S82.151F	Displaced fracture of right tibial tuberosity, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD-10-CM	Diagnosis
S82.151M	Displaced fracture of right tibial tuberosity, subsequent encounter for open fracture type I or II with nonunion	ICD-10-CM	Diagnosis
S82.151A	Displaced fracture of right tibial tuberosity, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.113B	Displaced fracture of unspecified tibial spine, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.113C	Displaced fracture of unspecified tibial spine, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.113G	Displaced fracture of unspecified tibial spine, subsequent encounter for closed fracture with delayed healing	ICD-10-CM	Diagnosis
S82.113P	Displaced fracture of unspecified tibial spine, subsequent encounter for closed fracture with malunion	ICD-10-CM	Diagnosis
S82.113K	Displaced fracture of unspecified tibial spine, subsequent encounter for closed fracture with nonunion	ICD-10-CM	Diagnosis
S82.113H	Displaced fracture of unspecified tibial spine, subsequent encounter for open fracture type I or II with delayed healing	ICD-10-CM	Diagnosis
S82.113Q	Displaced fracture of unspecified tibial spine, subsequent encounter for open fracture type I or II with malunion	ICD-10-CM	Diagnosis
S82.113M	Displaced fracture of unspecified tibial spine, subsequent encounter for open fracture type I or II with nonunion	ICD-10-CM	Diagnosis
S82.113E	Displaced fracture of unspecified tibial spine, subsequent encounter for open fracture type I or II with routine healing	ICD-10-CM	Diagnosis
S82.113J	Displaced fracture of unspecified tibial spine, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD-10-CM	Diagnosis
S82.113R	Displaced fracture of unspecified tibial spine, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD-10-CM	Diagnosis
S82.113N	Displaced fracture of unspecified tibial spine, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD-10-CM	Diagnosis
S82.113F	Displaced fracture of unspecified tibial spine, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD-10-CM	Diagnosis
S82.113D	Displaced fracture of unspecified tibial spine, subsequent encounter for closed fracture with routine healing	ICD-10-CM	Diagnosis
S82.153C	Displaced fracture of unspecified tibial tuberosity, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.153B	Displaced fracture of unspecified tibial tuberosity, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.153G	Displaced fracture of unspecified tibial tuberosity, subsequent encounter for closed fracture with delayed healing	ICD-10-CM	Diagnosis
S82.153D	Displaced fracture of unspecified tibial tuberosity, subsequent encounter for closed fracture with routine healing	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S82.153P	Displaced fracture of unspecified tibial tuberosity, subsequent encounter for closed fracture with malunion	ICD-10-CM	Diagnosis
S82.153K	Displaced fracture of unspecified tibial tuberosity, subsequent encounter for closed fracture with nonunion	ICD-10-CM	Diagnosis
S82.153Q	Displaced fracture of unspecified tibial tuberosity, subsequent encounter for open fracture type I or II with malunion	ICD-10-CM	Diagnosis
S82.153E	Displaced fracture of unspecified tibial tuberosity, subsequent encounter for open fracture type I or II with routine healing	ICD-10-CM	Diagnosis
S82.153J	Displaced fracture of unspecified tibial tuberosity, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD-10-CM	Diagnosis
S82.153R	Displaced fracture of unspecified tibial tuberosity, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD-10-CM	Diagnosis
S82.153F	Displaced fracture of unspecified tibial tuberosity, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD-10-CM	Diagnosis
S82.153H	Displaced fracture of unspecified tibial tuberosity, subsequent encounter for open fracture type I or II with delayed healing	ICD-10-CM	Diagnosis
S82.153M	Displaced fracture of unspecified tibial tuberosity, subsequent encounter for open fracture type I or II with nonunion	ICD-10-CM	Diagnosis
S82.153N	Displaced fracture of unspecified tibial tuberosity, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD-10-CM	Diagnosis
S82.153A	Displaced fracture of unspecified tibial tuberosity, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S92.062S	Displaced intraarticular fracture of left calcaneus, sequela	ICD-10-CM	Diagnosis
S92.061S	Displaced intraarticular fracture of right calcaneus, sequela	ICD-10-CM	Diagnosis
S92.063S	Displaced intraarticular fracture of unspecified calcaneus, sequela	ICD-10-CM	Diagnosis
S92.062A	Displaced intraarticular fracture of left calcaneus, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S92.062B	Displaced intraarticular fracture of left calcaneus, initial encounter for open fracture	ICD-10-CM	Diagnosis
S92.062G	Displaced intraarticular fracture of left calcaneus, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S92.062P	Displaced intraarticular fracture of left calcaneus, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S92.062K	Displaced intraarticular fracture of left calcaneus, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S92.062D	Displaced intraarticular fracture of left calcaneus, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S92.061A	Displaced intraarticular fracture of right calcaneus, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S92.061B	Displaced intraarticular fracture of right calcaneus, initial encounter for open fracture	ICD-10-CM	Diagnosis
S92.061G	Displaced intraarticular fracture of right calcaneus, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S92.061P	Displaced intraarticular fracture of right calcaneus, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S92.061K	Displaced intraarticular fracture of right calcaneus, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S92.061D	Displaced intraarticular fracture of right calcaneus, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S92.063A	Displaced intraarticular fracture of unspecified calcaneus, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S92.063B	Displaced intraarticular fracture of unspecified calcaneus, initial encounter for open fracture	ICD-10-CM	Diagnosis
S92.063P	Displaced intraarticular fracture of unspecified calcaneus, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S92.063K	Displaced intraarticular fracture of unspecified calcaneus, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S92.063D	Displaced intraarticular fracture of unspecified calcaneus, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S82.022C	Displaced longitudinal fracture of left patella, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.022B	Displaced longitudinal fracture of left patella, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.022G	Displaced longitudinal fracture of left patella, subsequent encounter for closed fracture with delayed healing	ICD-10-CM	Diagnosis
S82.022P	Displaced longitudinal fracture of left patella, subsequent encounter for closed fracture with malunion	ICD-10-CM	Diagnosis
S82.022K	Displaced longitudinal fracture of left patella, subsequent encounter for closed fracture with nonunion	ICD-10-CM	Diagnosis
S82.022D	Displaced longitudinal fracture of left patella, subsequent encounter for closed fracture with routine healing	ICD-10-CM	Diagnosis
S82.022E	Displaced longitudinal fracture of left patella, subsequent encounter for open fracture type I or II with routine healing	ICD-10-CM	Diagnosis
S82.022R	Displaced longitudinal fracture of left patella, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD-10-CM	Diagnosis
S82.022N	Displaced longitudinal fracture of left patella, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD-10-CM	Diagnosis
S82.022F	Displaced longitudinal fracture of left patella, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD-10-CM	Diagnosis
S82.022H	Displaced longitudinal fracture of left patella, subsequent encounter for open fracture type I or II with delayed healing	ICD-10-CM	Diagnosis
S82.022Q	Displaced longitudinal fracture of left patella, subsequent encounter for open fracture type I or II with malunion	ICD-10-CM	Diagnosis
S82.022M	Displaced longitudinal fracture of left patella, subsequent encounter for open fracture type I or II with nonunion	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S82.022J	Displaced longitudinal fracture of left patella, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD-10-CM	Diagnosis
S82.021C	Displaced longitudinal fracture of right patella, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.021B	Displaced longitudinal fracture of right patella, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.021G	Displaced longitudinal fracture of right patella, subsequent encounter for closed fracture with delayed healing	ICD-10-CM	Diagnosis
S82.021P	Displaced longitudinal fracture of right patella, subsequent encounter for closed fracture with malunion	ICD-10-CM	Diagnosis
S82.021K	Displaced longitudinal fracture of right patella, subsequent encounter for closed fracture with nonunion	ICD-10-CM	Diagnosis
S82.021D	Displaced longitudinal fracture of right patella, subsequent encounter for closed fracture with routine healing	ICD-10-CM	Diagnosis
S82.021E	Displaced longitudinal fracture of right patella, subsequent encounter for open fracture type I or II with routine healing	ICD-10-CM	Diagnosis
S82.021R	Displaced longitudinal fracture of right patella, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD-10-CM	Diagnosis
S82.021N	Displaced longitudinal fracture of right patella, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD-10-CM	Diagnosis
S82.021F	Displaced longitudinal fracture of right patella, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD-10-CM	Diagnosis
S82.021H	Displaced longitudinal fracture of right patella, subsequent encounter for open fracture type I or II with delayed healing	ICD-10-CM	Diagnosis
S82.021Q	Displaced longitudinal fracture of right patella, subsequent encounter for open fracture type I or II with malunion	ICD-10-CM	Diagnosis
S82.021M	Displaced longitudinal fracture of right patella, subsequent encounter for open fracture type I or II with nonunion	ICD-10-CM	Diagnosis
S82.021J	Displaced longitudinal fracture of right patella, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD-10-CM	Diagnosis
S82.023B	Displaced longitudinal fracture of unspecified patella, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.023C	Displaced longitudinal fracture of unspecified patella, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.023G	Displaced longitudinal fracture of unspecified patella, subsequent encounter for closed fracture with delayed healing	ICD-10-CM	Diagnosis
S82.023P	Displaced longitudinal fracture of unspecified patella, subsequent encounter for closed fracture with malunion	ICD-10-CM	Diagnosis
S82.023K	Displaced longitudinal fracture of unspecified patella, subsequent encounter for closed fracture with nonunion	ICD-10-CM	Diagnosis
S82.023D	Displaced longitudinal fracture of unspecified patella, subsequent encounter for closed fracture with routine healing	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S82.023Q	Displaced longitudinal fracture of unspecified patella, subsequent encounter for open fracture type I or II with malunion	ICD-10-CM	Diagnosis
S82.023M	Displaced longitudinal fracture of unspecified patella, subsequent encounter for open fracture type I or II with nonunion	ICD-10-CM	Diagnosis
S82.023E	Displaced longitudinal fracture of unspecified patella, subsequent encounter for open fracture type I or II with routine healing	ICD-10-CM	Diagnosis
S82.023F	Displaced longitudinal fracture of unspecified patella, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD-10-CM	Diagnosis
S82.023H	Displaced longitudinal fracture of unspecified patella, subsequent encounter for open fracture type I or II with delayed healing	ICD-10-CM	Diagnosis
S82.023J	Displaced longitudinal fracture of unspecified patella, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD-10-CM	Diagnosis
S82.023R	Displaced longitudinal fracture of unspecified patella, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD-10-CM	Diagnosis
S82.023N	Displaced longitudinal fracture of unspecified patella, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD-10-CM	Diagnosis
S82.862A	Displaced Maisonneuve's fracture of left leg, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.862B	Displaced Maisonneuve's fracture of left leg, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.862G	Displaced Maisonneuve's fracture of left leg, subsequent encounter for closed fracture with delayed healing	ICD-10-CM	Diagnosis
S82.862D	Displaced Maisonneuve's fracture of left leg, subsequent encounter for closed fracture with routine healing	ICD-10-CM	Diagnosis
S82.862P	Displaced Maisonneuve's fracture of left leg, subsequent encounter for closed fracture with malunion	ICD-10-CM	Diagnosis
S82.862K	Displaced Maisonneuve's fracture of left leg, subsequent encounter for closed fracture with nonunion	ICD-10-CM	Diagnosis
S82.862H	Displaced Maisonneuve's fracture of left leg, subsequent encounter for open fracture type I or II with delayed healing	ICD-10-CM	Diagnosis
S82.862Q	Displaced Maisonneuve's fracture of left leg, subsequent encounter for open fracture type I or II with malunion	ICD-10-CM	Diagnosis
S82.862M	Displaced Maisonneuve's fracture of left leg, subsequent encounter for open fracture type I or II with nonunion	ICD-10-CM	Diagnosis
S82.862E	Displaced Maisonneuve's fracture of left leg, subsequent encounter for open fracture type I or II with routine healing	ICD-10-CM	Diagnosis
S82.862J	Displaced Maisonneuve's fracture of left leg, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD-10-CM	Diagnosis
S82.862R	Displaced Maisonneuve's fracture of left leg, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD-10-CM	Diagnosis
S82.862N	Displaced Maisonneuve's fracture of left leg, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD-10-CM	Diagnosis



**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S82.862F	Displaced Maisonneuve's fracture of left leg, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD-10-CM	Diagnosis
S82.861A	Displaced Maisonneuve's fracture of right leg, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.861B	Displaced Maisonneuve's fracture of right leg, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.861G	Displaced Maisonneuve's fracture of right leg, subsequent encounter for closed fracture with delayed healing	ICD-10-CM	Diagnosis
S82.861D	Displaced Maisonneuve's fracture of right leg, subsequent encounter for closed fracture with routine healing	ICD-10-CM	Diagnosis
S82.861P	Displaced Maisonneuve's fracture of right leg, subsequent encounter for closed fracture with malunion	ICD-10-CM	Diagnosis
S82.861K	Displaced Maisonneuve's fracture of right leg, subsequent encounter for closed fracture with nonunion	ICD-10-CM	Diagnosis
S82.861H	Displaced Maisonneuve's fracture of right leg, subsequent encounter for open fracture type I or II with delayed healing	ICD-10-CM	Diagnosis
S82.861Q	Displaced Maisonneuve's fracture of right leg, subsequent encounter for open fracture type I or II with malunion	ICD-10-CM	Diagnosis
S82.861M	Displaced Maisonneuve's fracture of right leg, subsequent encounter for open fracture type I or II with nonunion	ICD-10-CM	Diagnosis
S82.861E	Displaced Maisonneuve's fracture of right leg, subsequent encounter for open fracture type I or II with routine healing	ICD-10-CM	Diagnosis
S82.861J	Displaced Maisonneuve's fracture of right leg, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD-10-CM	Diagnosis
S82.861R	Displaced Maisonneuve's fracture of right leg, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD-10-CM	Diagnosis
S82.861N	Displaced Maisonneuve's fracture of right leg, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD-10-CM	Diagnosis
S82.861F	Displaced Maisonneuve's fracture of right leg, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD-10-CM	Diagnosis
S82.863A	Displaced Maisonneuve's fracture of unspecified leg, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.863B	Displaced Maisonneuve's fracture of unspecified leg, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.863G	Displaced Maisonneuve's fracture of unspecified leg, subsequent encounter for closed fracture with delayed healing	ICD-10-CM	Diagnosis
S82.863D	Displaced Maisonneuve's fracture of unspecified leg, subsequent encounter for closed fracture with routine healing	ICD-10-CM	Diagnosis
S82.863P	Displaced Maisonneuve's fracture of unspecified leg, subsequent encounter for closed fracture with malunion	ICD-10-CM	Diagnosis
S82.863K	Displaced Maisonneuve's fracture of unspecified leg, subsequent encounter for closed fracture with nonunion	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S82.863Q	Displaced Maisonneuve's fracture of unspecified leg, subsequent encounter for open fracture type I or II with malunion	ICD-10-CM	Diagnosis
S82.863M	Displaced Maisonneuve's fracture of unspecified leg, subsequent encounter for open fracture type I or II with nonunion	ICD-10-CM	Diagnosis
S82.863E	Displaced Maisonneuve's fracture of unspecified leg, subsequent encounter for open fracture type I or II with routine healing	ICD-10-CM	Diagnosis
S82.863J	Displaced Maisonneuve's fracture of unspecified leg, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD-10-CM	Diagnosis
S82.863R	Displaced Maisonneuve's fracture of unspecified leg, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD-10-CM	Diagnosis
S82.863N	Displaced Maisonneuve's fracture of unspecified leg, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD-10-CM	Diagnosis
S82.863F	Displaced Maisonneuve's fracture of unspecified leg, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD-10-CM	Diagnosis
S82.863H	Displaced Maisonneuve's fracture of unspecified leg, subsequent encounter for open fracture type I or II with delayed healing	ICD-10-CM	Diagnosis
S82.862C	Displaced Maisonneuve's fracture of left leg, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.861C	Displaced Maisonneuve's fracture of right leg, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.863C	Displaced Maisonneuve's fracture of unspecified leg, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.032B	Displaced midcervical fracture of left femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.032C	Displaced midcervical fracture of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.032G	Displaced midcervical fracture of left femur, subsequent encounter for closed fracture with delayed healing	ICD-10-CM	Diagnosis
S72.032D	Displaced midcervical fracture of left femur, subsequent encounter for closed fracture with routine healing	ICD-10-CM	Diagnosis
S72.032P	Displaced midcervical fracture of left femur, subsequent encounter for closed fracture with malunion	ICD-10-CM	Diagnosis
S72.032K	Displaced midcervical fracture of left femur, subsequent encounter for closed fracture with nonunion	ICD-10-CM	Diagnosis
S72.032Q	Displaced midcervical fracture of left femur, subsequent encounter for open fracture type I or II with malunion	ICD-10-CM	Diagnosis
S72.032M	Displaced midcervical fracture of left femur, subsequent encounter for open fracture type I or II with nonunion	ICD-10-CM	Diagnosis
S72.032R	Displaced midcervical fracture of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD-10-CM	Diagnosis
S72.032N	Displaced midcervical fracture of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S72.032H	Displaced midcervical fracture of left femur, subsequent encounter for open fracture type I or II with delayed healing	ICD-10-CM	Diagnosis
S72.032E	Displaced midcervical fracture of left femur, subsequent encounter for open fracture type I or II with routine healing	ICD-10-CM	Diagnosis
S72.032J	Displaced midcervical fracture of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD-10-CM	Diagnosis
S72.032F	Displaced midcervical fracture of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD-10-CM	Diagnosis
S72.031B	Displaced midcervical fracture of right femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.031C	Displaced midcervical fracture of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.031G	Displaced midcervical fracture of right femur, subsequent encounter for closed fracture with delayed healing	ICD-10-CM	Diagnosis
S72.031D	Displaced midcervical fracture of right femur, subsequent encounter for closed fracture with routine healing	ICD-10-CM	Diagnosis
S72.031P	Displaced midcervical fracture of right femur, subsequent encounter for closed fracture with malunion	ICD-10-CM	Diagnosis
S72.031K	Displaced midcervical fracture of right femur, subsequent encounter for closed fracture with nonunion	ICD-10-CM	Diagnosis
S72.031Q	Displaced midcervical fracture of right femur, subsequent encounter for open fracture type I or II with malunion	ICD-10-CM	Diagnosis
S72.031M	Displaced midcervical fracture of right femur, subsequent encounter for open fracture type I or II with nonunion	ICD-10-CM	Diagnosis
S72.031R	Displaced midcervical fracture of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD-10-CM	Diagnosis
S72.031N	Displaced midcervical fracture of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD-10-CM	Diagnosis
S72.031H	Displaced midcervical fracture of right femur, subsequent encounter for open fracture type I or II with delayed healing	ICD-10-CM	Diagnosis
S72.031E	Displaced midcervical fracture of right femur, subsequent encounter for open fracture type I or II with routine healing	ICD-10-CM	Diagnosis
S72.031J	Displaced midcervical fracture of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD-10-CM	Diagnosis
S72.031F	Displaced midcervical fracture of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD-10-CM	Diagnosis
S72.033B	Displaced midcervical fracture of unspecified femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.033C	Displaced midcervical fracture of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.033G	Displaced midcervical fracture of unspecified femur, subsequent encounter for closed fracture with delayed healing	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S72.033D	Displaced midcervical fracture of unspecified femur, subsequent encounter for closed fracture with routine healing	ICD-10-CM	Diagnosis
S72.033P	Displaced midcervical fracture of unspecified femur, subsequent encounter for closed fracture with malunion	ICD-10-CM	Diagnosis
S72.033K	Displaced midcervical fracture of unspecified femur, subsequent encounter for closed fracture with nonunion	ICD-10-CM	Diagnosis
S72.033H	Displaced midcervical fracture of unspecified femur, subsequent encounter for open fracture type I or II with delayed healing	ICD-10-CM	Diagnosis
S72.033Q	Displaced midcervical fracture of unspecified femur, subsequent encounter for open fracture type I or II with malunion	ICD-10-CM	Diagnosis
S72.033M	Displaced midcervical fracture of unspecified femur, subsequent encounter for open fracture type I or II with nonunion	ICD-10-CM	Diagnosis
S72.033R	Displaced midcervical fracture of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD-10-CM	Diagnosis
S72.033N	Displaced midcervical fracture of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD-10-CM	Diagnosis
S72.033E	Displaced midcervical fracture of unspecified femur, subsequent encounter for open fracture type I or II with routine healing	ICD-10-CM	Diagnosis
S72.033J	Displaced midcervical fracture of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD-10-CM	Diagnosis
S72.033F	Displaced midcervical fracture of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD-10-CM	Diagnosis
S82.232C	Displaced oblique fracture of shaft of left tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.232B	Displaced oblique fracture of shaft of left tibia, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.232G	Displaced oblique fracture of shaft of left tibia, subsequent encounter for closed fracture with delayed healing	ICD-10-CM	Diagnosis
S82.232P	Displaced oblique fracture of shaft of left tibia, subsequent encounter for closed fracture with malunion	ICD-10-CM	Diagnosis
S82.232K	Displaced oblique fracture of shaft of left tibia, subsequent encounter for closed fracture with nonunion	ICD-10-CM	Diagnosis
S82.232D	Displaced oblique fracture of shaft of left tibia, subsequent encounter for closed fracture with routine healing	ICD-10-CM	Diagnosis
S82.232H	Displaced oblique fracture of shaft of left tibia, subsequent encounter for open fracture type I or II with delayed healing	ICD-10-CM	Diagnosis
S82.232Q	Displaced oblique fracture of shaft of left tibia, subsequent encounter for open fracture type I or II with malunion	ICD-10-CM	Diagnosis
S82.232M	Displaced oblique fracture of shaft of left tibia, subsequent encounter for open fracture type I or II with nonunion	ICD-10-CM	Diagnosis
S82.232E	Displaced oblique fracture of shaft of left tibia, subsequent encounter for open fracture type I or II with routine healing	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S82.232J	Displaced oblique fracture of shaft of left tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD-10-CM	Diagnosis
S82.232R	Displaced oblique fracture of shaft of left tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD-10-CM	Diagnosis
S82.232N	Displaced oblique fracture of shaft of left tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD-10-CM	Diagnosis
S82.232F	Displaced oblique fracture of shaft of left tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD-10-CM	Diagnosis
S82.231C	Displaced oblique fracture of shaft of right tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.231B	Displaced oblique fracture of shaft of right tibia, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.231G	Displaced oblique fracture of shaft of right tibia, subsequent encounter for closed fracture with delayed healing	ICD-10-CM	Diagnosis
S82.231P	Displaced oblique fracture of shaft of right tibia, subsequent encounter for closed fracture with malunion	ICD-10-CM	Diagnosis
S82.231K	Displaced oblique fracture of shaft of right tibia, subsequent encounter for closed fracture with nonunion	ICD-10-CM	Diagnosis
S82.231D	Displaced oblique fracture of shaft of right tibia, subsequent encounter for closed fracture with routine healing	ICD-10-CM	Diagnosis
S82.231H	Displaced oblique fracture of shaft of right tibia, subsequent encounter for open fracture type I or II with delayed healing	ICD-10-CM	Diagnosis
S82.231Q	Displaced oblique fracture of shaft of right tibia, subsequent encounter for open fracture type I or II with malunion	ICD-10-CM	Diagnosis
S82.231M	Displaced oblique fracture of shaft of right tibia, subsequent encounter for open fracture type I or II with nonunion	ICD-10-CM	Diagnosis
S82.231E	Displaced oblique fracture of shaft of right tibia, subsequent encounter for open fracture type I or II with routine healing	ICD-10-CM	Diagnosis
S82.231J	Displaced oblique fracture of shaft of right tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD-10-CM	Diagnosis
S82.231R	Displaced oblique fracture of shaft of right tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD-10-CM	Diagnosis
S82.231N	Displaced oblique fracture of shaft of right tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD-10-CM	Diagnosis
S82.231F	Displaced oblique fracture of shaft of right tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD-10-CM	Diagnosis
S82.233C	Displaced oblique fracture of shaft of unspecified tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.233B	Displaced oblique fracture of shaft of unspecified tibia, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.233G	Displaced oblique fracture of shaft of unspecified tibia, subsequent encounter for closed fracture with delayed healing	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S82.233P	Displaced oblique fracture of shaft of unspecified tibia, subsequent encounter for closed fracture with malunion	ICD-10-CM	Diagnosis
S82.233K	Displaced oblique fracture of shaft of unspecified tibia, subsequent encounter for closed fracture with nonunion	ICD-10-CM	Diagnosis
S82.233D	Displaced oblique fracture of shaft of unspecified tibia, subsequent encounter for closed fracture with routine healing	ICD-10-CM	Diagnosis
S82.233H	Displaced oblique fracture of shaft of unspecified tibia, subsequent encounter for open fracture type I or II with delayed healing	ICD-10-CM	Diagnosis
S82.233E	Displaced oblique fracture of shaft of unspecified tibia, subsequent encounter for open fracture type I or II with routine healing	ICD-10-CM	Diagnosis
S82.233J	Displaced oblique fracture of shaft of unspecified tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD-10-CM	Diagnosis
S82.233R	Displaced oblique fracture of shaft of unspecified tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD-10-CM	Diagnosis
S82.233N	Displaced oblique fracture of shaft of unspecified tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD-10-CM	Diagnosis
S82.233F	Displaced oblique fracture of shaft of unspecified tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD-10-CM	Diagnosis
S82.233Q	Displaced oblique fracture of shaft of unspecified tibia, subsequent encounter for open fracture type I or II with malunion	ICD-10-CM	Diagnosis
S82.233M	Displaced oblique fracture of shaft of unspecified tibia, subsequent encounter for open fracture type I or II with nonunion	ICD-10-CM	Diagnosis
S82.232A	Displaced oblique fracture of shaft of left tibia, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.231A	Displaced oblique fracture of shaft of right tibia, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.233A	Displaced oblique fracture of shaft of unspecified tibia, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.012G	Displaced osteochondral fracture of left patella, subsequent encounter for closed fracture with delayed healing	ICD-10-CM	Diagnosis
S82.012P	Displaced osteochondral fracture of left patella, subsequent encounter for closed fracture with malunion	ICD-10-CM	Diagnosis
S82.012K	Displaced osteochondral fracture of left patella, subsequent encounter for closed fracture with nonunion	ICD-10-CM	Diagnosis
S82.012D	Displaced osteochondral fracture of left patella, subsequent encounter for closed fracture with routine healing	ICD-10-CM	Diagnosis
S82.012Q	Displaced osteochondral fracture of left patella, subsequent encounter for open fracture type I or II with malunion	ICD-10-CM	Diagnosis
S82.012M	Displaced osteochondral fracture of left patella, subsequent encounter for open fracture type I or II with nonunion	ICD-10-CM	Diagnosis
S82.012E	Displaced osteochondral fracture of left patella, subsequent encounter for open fracture type I or II with routine healing	ICD-10-CM	Diagnosis



**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S82.012J	Displaced osteochondral fracture of left patella, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD-10-CM	Diagnosis
S82.012R	Displaced osteochondral fracture of left patella, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD-10-CM	Diagnosis
S82.012N	Displaced osteochondral fracture of left patella, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD-10-CM	Diagnosis
S82.012F	Displaced osteochondral fracture of left patella, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD-10-CM	Diagnosis
S82.012H	Displaced osteochondral fracture of left patella, subsequent encounter for open fracture type I or II with delayed healing	ICD-10-CM	Diagnosis
S82.011G	Displaced osteochondral fracture of right patella, subsequent encounter for closed fracture with delayed healing	ICD-10-CM	Diagnosis
S82.011P	Displaced osteochondral fracture of right patella, subsequent encounter for closed fracture with malunion	ICD-10-CM	Diagnosis
S82.011K	Displaced osteochondral fracture of right patella, subsequent encounter for closed fracture with nonunion	ICD-10-CM	Diagnosis
S82.011D	Displaced osteochondral fracture of right patella, subsequent encounter for closed fracture with routine healing	ICD-10-CM	Diagnosis
S82.011Q	Displaced osteochondral fracture of right patella, subsequent encounter for open fracture type I or II with malunion	ICD-10-CM	Diagnosis
S82.011M	Displaced osteochondral fracture of right patella, subsequent encounter for open fracture type I or II with nonunion	ICD-10-CM	Diagnosis
S82.011E	Displaced osteochondral fracture of right patella, subsequent encounter for open fracture type I or II with routine healing	ICD-10-CM	Diagnosis
S82.011J	Displaced osteochondral fracture of right patella, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD-10-CM	Diagnosis
S82.011R	Displaced osteochondral fracture of right patella, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD-10-CM	Diagnosis
S82.011N	Displaced osteochondral fracture of right patella, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD-10-CM	Diagnosis
S82.011F	Displaced osteochondral fracture of right patella, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD-10-CM	Diagnosis
S82.011H	Displaced osteochondral fracture of right patella, subsequent encounter for open fracture type I or II with delayed healing	ICD-10-CM	Diagnosis
S82.013P	Displaced osteochondral fracture of unspecified patella, subsequent encounter for closed fracture with malunion	ICD-10-CM	Diagnosis
S82.013K	Displaced osteochondral fracture of unspecified patella, subsequent encounter for closed fracture with nonunion	ICD-10-CM	Diagnosis
S82.013G	Displaced osteochondral fracture of unspecified patella, subsequent encounter for closed fracture with delayed healing	ICD-10-CM	Diagnosis
S82.013D	Displaced osteochondral fracture of unspecified patella, subsequent encounter for closed fracture with routine healing	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S82.013R	Displaced osteochondral fracture of unspecified patella, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD-10-CM	Diagnosis
S82.013N	Displaced osteochondral fracture of unspecified patella, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD-10-CM	Diagnosis
S82.013F	Displaced osteochondral fracture of unspecified patella, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD-10-CM	Diagnosis
S82.013H	Displaced osteochondral fracture of unspecified patella, subsequent encounter for open fracture type I or II with delayed healing	ICD-10-CM	Diagnosis
S82.013Q	Displaced osteochondral fracture of unspecified patella, subsequent encounter for open fracture type I or II with malunion	ICD-10-CM	Diagnosis
S82.013M	Displaced osteochondral fracture of unspecified patella, subsequent encounter for open fracture type I or II with nonunion	ICD-10-CM	Diagnosis
S82.013E	Displaced osteochondral fracture of unspecified patella, subsequent encounter for open fracture type I or II with routine healing	ICD-10-CM	Diagnosis
S82.013J	Displaced osteochondral fracture of unspecified patella, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD-10-CM	Diagnosis
S92.052A	Displaced other extraarticular fracture of left calcaneus, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S92.052B	Displaced other extraarticular fracture of left calcaneus, initial encounter for open fracture	ICD-10-CM	Diagnosis
S92.052G	Displaced other extraarticular fracture of left calcaneus, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S92.052P	Displaced other extraarticular fracture of left calcaneus, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S92.052K	Displaced other extraarticular fracture of left calcaneus, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S92.052D	Displaced other extraarticular fracture of left calcaneus, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S92.051A	Displaced other extraarticular fracture of right calcaneus, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S92.051B	Displaced other extraarticular fracture of right calcaneus, initial encounter for open fracture	ICD-10-CM	Diagnosis
S92.051G	Displaced other extraarticular fracture of right calcaneus, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S92.051P	Displaced other extraarticular fracture of right calcaneus, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S92.051K	Displaced other extraarticular fracture of right calcaneus, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S92.051D	Displaced other extraarticular fracture of right calcaneus, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S92.053G	Displaced other extraarticular fracture of unspecified calcaneus, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S92.053A	Displaced other extraarticular fracture of unspecified calcaneus, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S92.053B	Displaced other extraarticular fracture of unspecified calcaneus, initial encounter for open fracture	ICD-10-CM	Diagnosis
S92.053P	Displaced other extraarticular fracture of unspecified calcaneus, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S92.053K	Displaced other extraarticular fracture of unspecified calcaneus, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S92.053D	Displaced other extraarticular fracture of unspecified calcaneus, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S92.052S	Displaced other extraarticular fracture of left calcaneus, sequela	ICD-10-CM	Diagnosis
S92.051S	Displaced other extraarticular fracture of right calcaneus, sequela	ICD-10-CM	Diagnosis
S92.053S	Displaced other extraarticular fracture of unspecified calcaneus, sequela	ICD-10-CM	Diagnosis
S82.462A	Displaced segmental fracture of shaft of left fibula, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.462C	Displaced segmental fracture of shaft of left fibula, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.462B	Displaced segmental fracture of shaft of left fibula, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.462G	Displaced segmental fracture of shaft of left fibula, subsequent encounter for closed fracture with delayed healing	ICD-10-CM	Diagnosis
S82.462D	Displaced segmental fracture of shaft of left fibula, subsequent encounter for closed fracture with routine healing	ICD-10-CM	Diagnosis
S82.462P	Displaced segmental fracture of shaft of left fibula, subsequent encounter for closed fracture with malunion	ICD-10-CM	Diagnosis
S82.462K	Displaced segmental fracture of shaft of left fibula, subsequent encounter for closed fracture with nonunion	ICD-10-CM	Diagnosis
S82.462Q	Displaced segmental fracture of shaft of left fibula, subsequent encounter for open fracture type I or II with malunion	ICD-10-CM	Diagnosis
S82.462M	Displaced segmental fracture of shaft of left fibula, subsequent encounter for open fracture type I or II with nonunion	ICD-10-CM	Diagnosis
S82.462E	Displaced segmental fracture of shaft of left fibula, subsequent encounter for open fracture type I or II with routine healing	ICD-10-CM	Diagnosis
S82.462J	Displaced segmental fracture of shaft of left fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD-10-CM	Diagnosis
S82.462R	Displaced segmental fracture of shaft of left fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD-10-CM	Diagnosis
S82.462N	Displaced segmental fracture of shaft of left fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD-10-CM	Diagnosis
S82.462F	Displaced segmental fracture of shaft of left fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD-10-CM	Diagnosis
S82.462H	Displaced segmental fracture of shaft of left fibula, subsequent encounter for open fracture type I or II with delayed healing	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S82.262C	Displaced segmental fracture of shaft of left tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.262B	Displaced segmental fracture of shaft of left tibia, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.262G	Displaced segmental fracture of shaft of left tibia, subsequent encounter for closed fracture with delayed healing	ICD-10-CM	Diagnosis
S82.262D	Displaced segmental fracture of shaft of left tibia, subsequent encounter for closed fracture with routine healing	ICD-10-CM	Diagnosis
S82.262P	Displaced segmental fracture of shaft of left tibia, subsequent encounter for closed fracture with malunion	ICD-10-CM	Diagnosis
S82.262K	Displaced segmental fracture of shaft of left tibia, subsequent encounter for closed fracture with nonunion	ICD-10-CM	Diagnosis
S82.262Q	Displaced segmental fracture of shaft of left tibia, subsequent encounter for open fracture type I or II with malunion	ICD-10-CM	Diagnosis
S82.262M	Displaced segmental fracture of shaft of left tibia, subsequent encounter for open fracture type I or II with nonunion	ICD-10-CM	Diagnosis
S82.262E	Displaced segmental fracture of shaft of left tibia, subsequent encounter for open fracture type I or II with routine healing	ICD-10-CM	Diagnosis
S82.262J	Displaced segmental fracture of shaft of left tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD-10-CM	Diagnosis
S82.262R	Displaced segmental fracture of shaft of left tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD-10-CM	Diagnosis
S82.262N	Displaced segmental fracture of shaft of left tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD-10-CM	Diagnosis
S82.262H	Displaced segmental fracture of shaft of left tibia, subsequent encounter for open fracture type I or II with delayed healing	ICD-10-CM	Diagnosis
S82.262F	Displaced segmental fracture of shaft of left tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD-10-CM	Diagnosis
S82.461A	Displaced segmental fracture of shaft of right fibula, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.461C	Displaced segmental fracture of shaft of right fibula, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.461B	Displaced segmental fracture of shaft of right fibula, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.461G	Displaced segmental fracture of shaft of right fibula, subsequent encounter for closed fracture with delayed healing	ICD-10-CM	Diagnosis
S82.461D	Displaced segmental fracture of shaft of right fibula, subsequent encounter for closed fracture with routine healing	ICD-10-CM	Diagnosis
S82.461P	Displaced segmental fracture of shaft of right fibula, subsequent encounter for closed fracture with malunion	ICD-10-CM	Diagnosis
S82.461K	Displaced segmental fracture of shaft of right fibula, subsequent encounter for closed fracture with nonunion	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S82.461Q	Displaced segmental fracture of shaft of right fibula, subsequent encounter for open fracture type I or II with malunion	ICD-10-CM	Diagnosis
S82.461M	Displaced segmental fracture of shaft of right fibula, subsequent encounter for open fracture type I or II with nonunion	ICD-10-CM	Diagnosis
S82.461E	Displaced segmental fracture of shaft of right fibula, subsequent encounter for open fracture type I or II with routine healing	ICD-10-CM	Diagnosis
S82.461J	Displaced segmental fracture of shaft of right fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD-10-CM	Diagnosis
S82.461R	Displaced segmental fracture of shaft of right fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD-10-CM	Diagnosis
S82.461N	Displaced segmental fracture of shaft of right fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD-10-CM	Diagnosis
S82.461F	Displaced segmental fracture of shaft of right fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD-10-CM	Diagnosis
S82.461H	Displaced segmental fracture of shaft of right fibula, subsequent encounter for open fracture type I or II with delayed healing	ICD-10-CM	Diagnosis
S82.261C	Displaced segmental fracture of shaft of right tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.261B	Displaced segmental fracture of shaft of right tibia, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.261G	Displaced segmental fracture of shaft of right tibia, subsequent encounter for closed fracture with delayed healing	ICD-10-CM	Diagnosis
S82.261D	Displaced segmental fracture of shaft of right tibia, subsequent encounter for closed fracture with routine healing	ICD-10-CM	Diagnosis
S82.261P	Displaced segmental fracture of shaft of right tibia, subsequent encounter for closed fracture with malunion	ICD-10-CM	Diagnosis
S82.261K	Displaced segmental fracture of shaft of right tibia, subsequent encounter for closed fracture with nonunion	ICD-10-CM	Diagnosis
S82.261Q	Displaced segmental fracture of shaft of right tibia, subsequent encounter for open fracture type I or II with malunion	ICD-10-CM	Diagnosis
S82.261M	Displaced segmental fracture of shaft of right tibia, subsequent encounter for open fracture type I or II with nonunion	ICD-10-CM	Diagnosis
S82.261E	Displaced segmental fracture of shaft of right tibia, subsequent encounter for open fracture type I or II with routine healing	ICD-10-CM	Diagnosis
S82.261J	Displaced segmental fracture of shaft of right tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD-10-CM	Diagnosis
S82.261R	Displaced segmental fracture of shaft of right tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD-10-CM	Diagnosis
S82.261N	Displaced segmental fracture of shaft of right tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD-10-CM	Diagnosis
S82.261H	Displaced segmental fracture of shaft of right tibia, subsequent encounter for open fracture type I or II with delayed healing	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S82.261F	Displaced segmental fracture of shaft of right tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD-10-CM	Diagnosis
S82.463A	Displaced segmental fracture of shaft of unspecified fibula, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.463C	Displaced segmental fracture of shaft of unspecified fibula, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.463B	Displaced segmental fracture of shaft of unspecified fibula, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.463G	Displaced segmental fracture of shaft of unspecified fibula, subsequent encounter for closed fracture with delayed healing	ICD-10-CM	Diagnosis
S82.463D	Displaced segmental fracture of shaft of unspecified fibula, subsequent encounter for closed fracture with routine healing	ICD-10-CM	Diagnosis
S82.463P	Displaced segmental fracture of shaft of unspecified fibula, subsequent encounter for closed fracture with malunion	ICD-10-CM	Diagnosis
S82.463K	Displaced segmental fracture of shaft of unspecified fibula, subsequent encounter for closed fracture with nonunion	ICD-10-CM	Diagnosis
S82.463H	Displaced segmental fracture of shaft of unspecified fibula, subsequent encounter for open fracture type I or II with delayed healing	ICD-10-CM	Diagnosis
S82.463Q	Displaced segmental fracture of shaft of unspecified fibula, subsequent encounter for open fracture type I or II with malunion	ICD-10-CM	Diagnosis
S82.463M	Displaced segmental fracture of shaft of unspecified fibula, subsequent encounter for open fracture type I or II with nonunion	ICD-10-CM	Diagnosis
S82.463R	Displaced segmental fracture of shaft of unspecified fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD-10-CM	Diagnosis
S82.463N	Displaced segmental fracture of shaft of unspecified fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD-10-CM	Diagnosis
S82.463F	Displaced segmental fracture of shaft of unspecified fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD-10-CM	Diagnosis
S82.463E	Displaced segmental fracture of shaft of unspecified fibula, subsequent encounter for open fracture type I or II with routine healing	ICD-10-CM	Diagnosis
S82.463J	Displaced segmental fracture of shaft of unspecified fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD-10-CM	Diagnosis
S82.263C	Displaced segmental fracture of shaft of unspecified tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.263B	Displaced segmental fracture of shaft of unspecified tibia, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.263G	Displaced segmental fracture of shaft of unspecified tibia, subsequent encounter for closed fracture with delayed healing	ICD-10-CM	Diagnosis
S82.263D	Displaced segmental fracture of shaft of unspecified tibia, subsequent encounter for closed fracture with routine healing	ICD-10-CM	Diagnosis
S82.263P	Displaced segmental fracture of shaft of unspecified tibia, subsequent encounter for closed fracture with malunion	ICD-10-CM	Diagnosis



**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S82.263K	Displaced segmental fracture of shaft of unspecified tibia, subsequent encounter for closed fracture with nonunion	ICD-10-CM	Diagnosis
S82.263H	Displaced segmental fracture of shaft of unspecified tibia, subsequent encounter for open fracture type I or II with delayed healing	ICD-10-CM	Diagnosis
S82.263Q	Displaced segmental fracture of shaft of unspecified tibia, subsequent encounter for open fracture type I or II with malunion	ICD-10-CM	Diagnosis
S82.263M	Displaced segmental fracture of shaft of unspecified tibia, subsequent encounter for open fracture type I or II with nonunion	ICD-10-CM	Diagnosis
S82.263R	Displaced segmental fracture of shaft of unspecified tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD-10-CM	Diagnosis
S82.263N	Displaced segmental fracture of shaft of unspecified tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD-10-CM	Diagnosis
S82.263E	Displaced segmental fracture of shaft of unspecified tibia, subsequent encounter for open fracture type I or II with routine healing	ICD-10-CM	Diagnosis
S82.263J	Displaced segmental fracture of shaft of unspecified tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD-10-CM	Diagnosis
S82.263F	Displaced segmental fracture of shaft of unspecified tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD-10-CM	Diagnosis
S82.462S	Displaced segmental fracture of shaft of left fibula, sequela	ICD-10-CM	Diagnosis
S82.461S	Displaced segmental fracture of shaft of right fibula, sequela	ICD-10-CM	Diagnosis
S82.463S	Displaced segmental fracture of shaft of unspecified fibula, sequela	ICD-10-CM	Diagnosis
S82.442G	Displaced spiral fracture of shaft of left fibula, subsequent encounter for closed fracture with delayed healing	ICD-10-CM	Diagnosis
S82.442D	Displaced spiral fracture of shaft of left fibula, subsequent encounter for closed fracture with routine healing	ICD-10-CM	Diagnosis
S82.442P	Displaced spiral fracture of shaft of left fibula, subsequent encounter for closed fracture with malunion	ICD-10-CM	Diagnosis
S82.442K	Displaced spiral fracture of shaft of left fibula, subsequent encounter for closed fracture with nonunion	ICD-10-CM	Diagnosis
S82.442H	Displaced spiral fracture of shaft of left fibula, subsequent encounter for open fracture type I or II with delayed healing	ICD-10-CM	Diagnosis
S82.442Q	Displaced spiral fracture of shaft of left fibula, subsequent encounter for open fracture type I or II with malunion	ICD-10-CM	Diagnosis
S82.442M	Displaced spiral fracture of shaft of left fibula, subsequent encounter for open fracture type I or II with nonunion	ICD-10-CM	Diagnosis
S82.442E	Displaced spiral fracture of shaft of left fibula, subsequent encounter for open fracture type I or II with routine healing	ICD-10-CM	Diagnosis
S82.442J	Displaced spiral fracture of shaft of left fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD-10-CM	Diagnosis
S82.442R	Displaced spiral fracture of shaft of left fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD-10-CM	Diagnosis
S82.442N	Displaced spiral fracture of shaft of left fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S82.442F	Displaced spiral fracture of shaft of left fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD-10-CM	Diagnosis
S82.442A	Displaced spiral fracture of shaft of left fibula, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.442B	Displaced spiral fracture of shaft of left fibula, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.442C	Displaced spiral fracture of shaft of left fibula, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.242A	Displaced spiral fracture of shaft of left tibia, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.242B	Displaced spiral fracture of shaft of left tibia, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.242C	Displaced spiral fracture of shaft of left tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.242G	Displaced spiral fracture of shaft of left tibia, subsequent encounter for closed fracture with delayed healing	ICD-10-CM	Diagnosis
S82.242D	Displaced spiral fracture of shaft of left tibia, subsequent encounter for closed fracture with routine healing	ICD-10-CM	Diagnosis
S82.242P	Displaced spiral fracture of shaft of left tibia, subsequent encounter for closed fracture with malunion	ICD-10-CM	Diagnosis
S82.242K	Displaced spiral fracture of shaft of left tibia, subsequent encounter for closed fracture with nonunion	ICD-10-CM	Diagnosis
S82.242H	Displaced spiral fracture of shaft of left tibia, subsequent encounter for open fracture type I or II with delayed healing	ICD-10-CM	Diagnosis
S82.242Q	Displaced spiral fracture of shaft of left tibia, subsequent encounter for open fracture type I or II with malunion	ICD-10-CM	Diagnosis
S82.242M	Displaced spiral fracture of shaft of left tibia, subsequent encounter for open fracture type I or II with nonunion	ICD-10-CM	Diagnosis
S82.242R	Displaced spiral fracture of shaft of left tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD-10-CM	Diagnosis
S82.242N	Displaced spiral fracture of shaft of left tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD-10-CM	Diagnosis
S82.242F	Displaced spiral fracture of shaft of left tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD-10-CM	Diagnosis
S82.242E	Displaced spiral fracture of shaft of left tibia, subsequent encounter for open fracture type I or II with routine healing	ICD-10-CM	Diagnosis
S82.242J	Displaced spiral fracture of shaft of left tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD-10-CM	Diagnosis
S82.441G	Displaced spiral fracture of shaft of right fibula, subsequent encounter for closed fracture with delayed healing	ICD-10-CM	Diagnosis
S82.441D	Displaced spiral fracture of shaft of right fibula, subsequent encounter for closed fracture with routine healing	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S82.441P	Displaced spiral fracture of shaft of right fibula, subsequent encounter for closed fracture with malunion	ICD-10-CM	Diagnosis
S82.441K	Displaced spiral fracture of shaft of right fibula, subsequent encounter for closed fracture with nonunion	ICD-10-CM	Diagnosis
S82.441H	Displaced spiral fracture of shaft of right fibula, subsequent encounter for open fracture type I or II with delayed healing	ICD-10-CM	Diagnosis
S82.441Q	Displaced spiral fracture of shaft of right fibula, subsequent encounter for open fracture type I or II with malunion	ICD-10-CM	Diagnosis
S82.441M	Displaced spiral fracture of shaft of right fibula, subsequent encounter for open fracture type I or II with nonunion	ICD-10-CM	Diagnosis
S82.441E	Displaced spiral fracture of shaft of right fibula, subsequent encounter for open fracture type I or II with routine healing	ICD-10-CM	Diagnosis
S82.441J	Displaced spiral fracture of shaft of right fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD-10-CM	Diagnosis
S82.441R	Displaced spiral fracture of shaft of right fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD-10-CM	Diagnosis
S82.441N	Displaced spiral fracture of shaft of right fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD-10-CM	Diagnosis
S82.441F	Displaced spiral fracture of shaft of right fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD-10-CM	Diagnosis
S82.441A	Displaced spiral fracture of shaft of right fibula, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.441B	Displaced spiral fracture of shaft of right fibula, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.441C	Displaced spiral fracture of shaft of right fibula, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.241A	Displaced spiral fracture of shaft of right tibia, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.241B	Displaced spiral fracture of shaft of right tibia, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.241C	Displaced spiral fracture of shaft of right tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.241G	Displaced spiral fracture of shaft of right tibia, subsequent encounter for closed fracture with delayed healing	ICD-10-CM	Diagnosis
S82.241D	Displaced spiral fracture of shaft of right tibia, subsequent encounter for closed fracture with routine healing	ICD-10-CM	Diagnosis
S82.241P	Displaced spiral fracture of shaft of right tibia, subsequent encounter for closed fracture with malunion	ICD-10-CM	Diagnosis
S82.241K	Displaced spiral fracture of shaft of right tibia, subsequent encounter for closed fracture with nonunion	ICD-10-CM	Diagnosis
S82.241H	Displaced spiral fracture of shaft of right tibia, subsequent encounter for open fracture type I or II with delayed healing	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S82.241Q	Displaced spiral fracture of shaft of right tibia, subsequent encounter for open fracture type I or II with malunion	ICD-10-CM	Diagnosis
S82.241M	Displaced spiral fracture of shaft of right tibia, subsequent encounter for open fracture type I or II with nonunion	ICD-10-CM	Diagnosis
S82.241R	Displaced spiral fracture of shaft of right tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD-10-CM	Diagnosis
S82.241N	Displaced spiral fracture of shaft of right tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD-10-CM	Diagnosis
S82.241F	Displaced spiral fracture of shaft of right tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD-10-CM	Diagnosis
S82.241E	Displaced spiral fracture of shaft of right tibia, subsequent encounter for open fracture type I or II with routine healing	ICD-10-CM	Diagnosis
S82.241J	Displaced spiral fracture of shaft of right tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD-10-CM	Diagnosis
S82.443G	Displaced spiral fracture of shaft of unspecified fibula, subsequent encounter for closed fracture with delayed healing	ICD-10-CM	Diagnosis
S82.443D	Displaced spiral fracture of shaft of unspecified fibula, subsequent encounter for closed fracture with routine healing	ICD-10-CM	Diagnosis
S82.443P	Displaced spiral fracture of shaft of unspecified fibula, subsequent encounter for closed fracture with malunion	ICD-10-CM	Diagnosis
S82.443K	Displaced spiral fracture of shaft of unspecified fibula, subsequent encounter for closed fracture with nonunion	ICD-10-CM	Diagnosis
S82.443Q	Displaced spiral fracture of shaft of unspecified fibula, subsequent encounter for open fracture type I or II with malunion	ICD-10-CM	Diagnosis
S82.443M	Displaced spiral fracture of shaft of unspecified fibula, subsequent encounter for open fracture type I or II with nonunion	ICD-10-CM	Diagnosis
S82.443E	Displaced spiral fracture of shaft of unspecified fibula, subsequent encounter for open fracture type I or II with routine healing	ICD-10-CM	Diagnosis
S82.443J	Displaced spiral fracture of shaft of unspecified fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD-10-CM	Diagnosis
S82.443R	Displaced spiral fracture of shaft of unspecified fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD-10-CM	Diagnosis
S82.443N	Displaced spiral fracture of shaft of unspecified fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD-10-CM	Diagnosis
S82.443F	Displaced spiral fracture of shaft of unspecified fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD-10-CM	Diagnosis
S82.443H	Displaced spiral fracture of shaft of unspecified fibula, subsequent encounter for open fracture type I or II with delayed healing	ICD-10-CM	Diagnosis
S82.443A	Displaced spiral fracture of shaft of unspecified fibula, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.443B	Displaced spiral fracture of shaft of unspecified fibula, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S82.443C	Displaced spiral fracture of shaft of unspecified fibula, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.243A	Displaced spiral fracture of shaft of unspecified tibia, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.243B	Displaced spiral fracture of shaft of unspecified tibia, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.243C	Displaced spiral fracture of shaft of unspecified tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.243G	Displaced spiral fracture of shaft of unspecified tibia, subsequent encounter for closed fracture with delayed healing	ICD-10-CM	Diagnosis
S82.243D	Displaced spiral fracture of shaft of unspecified tibia, subsequent encounter for closed fracture with routine healing	ICD-10-CM	Diagnosis
S82.243P	Displaced spiral fracture of shaft of unspecified tibia, subsequent encounter for closed fracture with malunion	ICD-10-CM	Diagnosis
S82.243K	Displaced spiral fracture of shaft of unspecified tibia, subsequent encounter for closed fracture with nonunion	ICD-10-CM	Diagnosis
S82.243H	Displaced spiral fracture of shaft of unspecified tibia, subsequent encounter for open fracture type I or II with delayed healing	ICD-10-CM	Diagnosis
S82.243E	Displaced spiral fracture of shaft of unspecified tibia, subsequent encounter for open fracture type I or II with routine healing	ICD-10-CM	Diagnosis
S82.243J	Displaced spiral fracture of shaft of unspecified tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD-10-CM	Diagnosis
S82.243R	Displaced spiral fracture of shaft of unspecified tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD-10-CM	Diagnosis
S82.243N	Displaced spiral fracture of shaft of unspecified tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD-10-CM	Diagnosis
S82.243Q	Displaced spiral fracture of shaft of unspecified tibia, subsequent encounter for open fracture type I or II with malunion	ICD-10-CM	Diagnosis
S82.243M	Displaced spiral fracture of shaft of unspecified tibia, subsequent encounter for open fracture type I or II with nonunion	ICD-10-CM	Diagnosis
S82.243F	Displaced spiral fracture of shaft of unspecified tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD-10-CM	Diagnosis
S82.422G	Displaced transverse fracture of shaft of left fibula, subsequent encounter for closed fracture with delayed healing	ICD-10-CM	Diagnosis
S82.422P	Displaced transverse fracture of shaft of left fibula, subsequent encounter for closed fracture with malunion	ICD-10-CM	Diagnosis
S82.422D	Displaced transverse fracture of shaft of left fibula, subsequent encounter for closed fracture with routine healing	ICD-10-CM	Diagnosis
S82.422K	Displaced transverse fracture of shaft of left fibula, subsequent encounter for closed fracture with nonunion	ICD-10-CM	Diagnosis
S82.422Q	Displaced transverse fracture of shaft of left fibula, subsequent encounter for open fracture type I or II with malunion	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S82.422M	Displaced transverse fracture of shaft of left fibula, subsequent encounter for open fracture type I or II with nonunion	ICD-10-CM	Diagnosis
S82.422E	Displaced transverse fracture of shaft of left fibula, subsequent encounter for open fracture type I or II with routine healing	ICD-10-CM	Diagnosis
S82.422J	Displaced transverse fracture of shaft of left fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD-10-CM	Diagnosis
S82.422R	Displaced transverse fracture of shaft of left fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD-10-CM	Diagnosis
S82.422N	Displaced transverse fracture of shaft of left fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD-10-CM	Diagnosis
S82.422F	Displaced transverse fracture of shaft of left fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD-10-CM	Diagnosis
S82.422H	Displaced transverse fracture of shaft of left fibula, subsequent encounter for open fracture type I or II with delayed healing	ICD-10-CM	Diagnosis
S82.422A	Displaced transverse fracture of shaft of left fibula, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.422B	Displaced transverse fracture of shaft of left fibula, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.422C	Displaced transverse fracture of shaft of left fibula, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.222A	Displaced transverse fracture of shaft of left tibia, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.222C	Displaced transverse fracture of shaft of left tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.222B	Displaced transverse fracture of shaft of left tibia, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.222G	Displaced transverse fracture of shaft of left tibia, subsequent encounter for closed fracture with delayed healing	ICD-10-CM	Diagnosis
S82.222P	Displaced transverse fracture of shaft of left tibia, subsequent encounter for closed fracture with malunion	ICD-10-CM	Diagnosis
S82.222K	Displaced transverse fracture of shaft of left tibia, subsequent encounter for closed fracture with nonunion	ICD-10-CM	Diagnosis
S82.222D	Displaced transverse fracture of shaft of left tibia, subsequent encounter for closed fracture with routine healing	ICD-10-CM	Diagnosis
S82.222Q	Displaced transverse fracture of shaft of left tibia, subsequent encounter for open fracture type I or II with malunion	ICD-10-CM	Diagnosis
S82.222M	Displaced transverse fracture of shaft of left tibia, subsequent encounter for open fracture type I or II with nonunion	ICD-10-CM	Diagnosis
S82.222E	Displaced transverse fracture of shaft of left tibia, subsequent encounter for open fracture type I or II with routine healing	ICD-10-CM	Diagnosis
S82.222R	Displaced transverse fracture of shaft of left tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD-10-CM	Diagnosis



**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S82.222N	Displaced transverse fracture of shaft of left tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD-10-CM	Diagnosis
S82.222F	Displaced transverse fracture of shaft of left tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD-10-CM	Diagnosis
S82.222H	Displaced transverse fracture of shaft of left tibia, subsequent encounter for open fracture type I or II with delayed healing	ICD-10-CM	Diagnosis
S82.222J	Displaced transverse fracture of shaft of left tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD-10-CM	Diagnosis
S82.421G	Displaced transverse fracture of shaft of right fibula, subsequent encounter for closed fracture with delayed healing	ICD-10-CM	Diagnosis
S82.421P	Displaced transverse fracture of shaft of right fibula, subsequent encounter for closed fracture with malunion	ICD-10-CM	Diagnosis
S82.421D	Displaced transverse fracture of shaft of right fibula, subsequent encounter for closed fracture with routine healing	ICD-10-CM	Diagnosis
S82.421K	Displaced transverse fracture of shaft of right fibula, subsequent encounter for closed fracture with nonunion	ICD-10-CM	Diagnosis
S82.421Q	Displaced transverse fracture of shaft of right fibula, subsequent encounter for open fracture type I or II with malunion	ICD-10-CM	Diagnosis
S82.421M	Displaced transverse fracture of shaft of right fibula, subsequent encounter for open fracture type I or II with nonunion	ICD-10-CM	Diagnosis
S82.421E	Displaced transverse fracture of shaft of right fibula, subsequent encounter for open fracture type I or II with routine healing	ICD-10-CM	Diagnosis
S82.421J	Displaced transverse fracture of shaft of right fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD-10-CM	Diagnosis
S82.421R	Displaced transverse fracture of shaft of right fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD-10-CM	Diagnosis
S82.421N	Displaced transverse fracture of shaft of right fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD-10-CM	Diagnosis
S82.421F	Displaced transverse fracture of shaft of right fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD-10-CM	Diagnosis
S82.421H	Displaced transverse fracture of shaft of right fibula, subsequent encounter for open fracture type I or II with delayed healing	ICD-10-CM	Diagnosis
S82.421A	Displaced transverse fracture of shaft of right fibula, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.421B	Displaced transverse fracture of shaft of right fibula, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.421C	Displaced transverse fracture of shaft of right fibula, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.221A	Displaced transverse fracture of shaft of right tibia, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.221C	Displaced transverse fracture of shaft of right tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S82.221B	Displaced transverse fracture of shaft of right tibia, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.221G	Displaced transverse fracture of shaft of right tibia, subsequent encounter for closed fracture with delayed healing	ICD-10-CM	Diagnosis
S82.221P	Displaced transverse fracture of shaft of right tibia, subsequent encounter for closed fracture with malunion	ICD-10-CM	Diagnosis
S82.221K	Displaced transverse fracture of shaft of right tibia, subsequent encounter for closed fracture with nonunion	ICD-10-CM	Diagnosis
S82.221D	Displaced transverse fracture of shaft of right tibia, subsequent encounter for closed fracture with routine healing	ICD-10-CM	Diagnosis
S82.221Q	Displaced transverse fracture of shaft of right tibia, subsequent encounter for open fracture type I or II with malunion	ICD-10-CM	Diagnosis
S82.221M	Displaced transverse fracture of shaft of right tibia, subsequent encounter for open fracture type I or II with nonunion	ICD-10-CM	Diagnosis
S82.221E	Displaced transverse fracture of shaft of right tibia, subsequent encounter for open fracture type I or II with routine healing	ICD-10-CM	Diagnosis
S82.221R	Displaced transverse fracture of shaft of right tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD-10-CM	Diagnosis
S82.221N	Displaced transverse fracture of shaft of right tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD-10-CM	Diagnosis
S82.221F	Displaced transverse fracture of shaft of right tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD-10-CM	Diagnosis
S82.221H	Displaced transverse fracture of shaft of right tibia, subsequent encounter for open fracture type I or II with delayed healing	ICD-10-CM	Diagnosis
S82.221J	Displaced transverse fracture of shaft of right tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD-10-CM	Diagnosis
S82.423G	Displaced transverse fracture of shaft of unspecified fibula, subsequent encounter for closed fracture with delayed healing	ICD-10-CM	Diagnosis
S82.423P	Displaced transverse fracture of shaft of unspecified fibula, subsequent encounter for closed fracture with malunion	ICD-10-CM	Diagnosis
S82.423D	Displaced transverse fracture of shaft of unspecified fibula, subsequent encounter for closed fracture with routine healing	ICD-10-CM	Diagnosis
S82.423K	Displaced transverse fracture of shaft of unspecified fibula, subsequent encounter for closed fracture with nonunion	ICD-10-CM	Diagnosis
S82.423H	Displaced transverse fracture of shaft of unspecified fibula, subsequent encounter for open fracture type I or II with delayed healing	ICD-10-CM	Diagnosis
S82.423Q	Displaced transverse fracture of shaft of unspecified fibula, subsequent encounter for open fracture type I or II with malunion	ICD-10-CM	Diagnosis
S82.423M	Displaced transverse fracture of shaft of unspecified fibula, subsequent encounter for open fracture type I or II with nonunion	ICD-10-CM	Diagnosis
S82.423R	Displaced transverse fracture of shaft of unspecified fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S82.423N	Displaced transverse fracture of shaft of unspecified fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD-10-CM	Diagnosis
S82.423F	Displaced transverse fracture of shaft of unspecified fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD-10-CM	Diagnosis
S82.423E	Displaced transverse fracture of shaft of unspecified fibula, subsequent encounter for open fracture type I or II with routine healing	ICD-10-CM	Diagnosis
S82.423J	Displaced transverse fracture of shaft of unspecified fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD-10-CM	Diagnosis
S82.423A	Displaced transverse fracture of shaft of unspecified fibula, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.423B	Displaced transverse fracture of shaft of unspecified fibula, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.423C	Displaced transverse fracture of shaft of unspecified fibula, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.223A	Displaced transverse fracture of shaft of unspecified tibia, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.223C	Displaced transverse fracture of shaft of unspecified tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.223B	Displaced transverse fracture of shaft of unspecified tibia, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.223G	Displaced transverse fracture of shaft of unspecified tibia, subsequent encounter for closed fracture with delayed healing	ICD-10-CM	Diagnosis
S82.223P	Displaced transverse fracture of shaft of unspecified tibia, subsequent encounter for closed fracture with malunion	ICD-10-CM	Diagnosis
S82.223K	Displaced transverse fracture of shaft of unspecified tibia, subsequent encounter for closed fracture with nonunion	ICD-10-CM	Diagnosis
S82.223D	Displaced transverse fracture of shaft of unspecified tibia, subsequent encounter for closed fracture with routine healing	ICD-10-CM	Diagnosis
S82.223Q	Displaced transverse fracture of shaft of unspecified tibia, subsequent encounter for open fracture type I or II with malunion	ICD-10-CM	Diagnosis
S82.223M	Displaced transverse fracture of shaft of unspecified tibia, subsequent encounter for open fracture type I or II with nonunion	ICD-10-CM	Diagnosis
S82.223R	Displaced transverse fracture of shaft of unspecified tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD-10-CM	Diagnosis
S82.223N	Displaced transverse fracture of shaft of unspecified tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD-10-CM	Diagnosis
S82.223F	Displaced transverse fracture of shaft of unspecified tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD-10-CM	Diagnosis
S82.223H	Displaced transverse fracture of shaft of unspecified tibia, subsequent encounter for open fracture type I or II with delayed healing	ICD-10-CM	Diagnosis
S82.223E	Displaced transverse fracture of shaft of unspecified tibia, subsequent encounter for open fracture type I or II with routine healing	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S82.223J	Displaced transverse fracture of shaft of unspecified tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD-10-CM	Diagnosis
S82.852P	Displaced trimalleolar fracture of left lower leg, subsequent encounter for closed fracture with malunion	ICD-10-CM	Diagnosis
S82.852K	Displaced trimalleolar fracture of left lower leg, subsequent encounter for closed fracture with nonunion	ICD-10-CM	Diagnosis
S82.852G	Displaced trimalleolar fracture of left lower leg, subsequent encounter for closed fracture with delayed healing	ICD-10-CM	Diagnosis
S82.852D	Displaced trimalleolar fracture of left lower leg, subsequent encounter for closed fracture with routine healing	ICD-10-CM	Diagnosis
S82.852H	Displaced trimalleolar fracture of left lower leg, subsequent encounter for open fracture type I or II with delayed healing	ICD-10-CM	Diagnosis
S82.852Q	Displaced trimalleolar fracture of left lower leg, subsequent encounter for open fracture type I or II with malunion	ICD-10-CM	Diagnosis
S82.852M	Displaced trimalleolar fracture of left lower leg, subsequent encounter for open fracture type I or II with nonunion	ICD-10-CM	Diagnosis
S82.852R	Displaced trimalleolar fracture of left lower leg, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD-10-CM	Diagnosis
S82.852N	Displaced trimalleolar fracture of left lower leg, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD-10-CM	Diagnosis
S82.852E	Displaced trimalleolar fracture of left lower leg, subsequent encounter for open fracture type I or II with routine healing	ICD-10-CM	Diagnosis
S82.852J	Displaced trimalleolar fracture of left lower leg, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD-10-CM	Diagnosis
S82.852F	Displaced trimalleolar fracture of left lower leg, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD-10-CM	Diagnosis
S82.851P	Displaced trimalleolar fracture of right lower leg, subsequent encounter for closed fracture with malunion	ICD-10-CM	Diagnosis
S82.851K	Displaced trimalleolar fracture of right lower leg, subsequent encounter for closed fracture with nonunion	ICD-10-CM	Diagnosis
S82.851G	Displaced trimalleolar fracture of right lower leg, subsequent encounter for closed fracture with delayed healing	ICD-10-CM	Diagnosis
S82.851D	Displaced trimalleolar fracture of right lower leg, subsequent encounter for closed fracture with routine healing	ICD-10-CM	Diagnosis
S82.851H	Displaced trimalleolar fracture of right lower leg, subsequent encounter for open fracture type I or II with delayed healing	ICD-10-CM	Diagnosis
S82.851Q	Displaced trimalleolar fracture of right lower leg, subsequent encounter for open fracture type I or II with malunion	ICD-10-CM	Diagnosis
S82.851M	Displaced trimalleolar fracture of right lower leg, subsequent encounter for open fracture type I or II with nonunion	ICD-10-CM	Diagnosis
S82.851R	Displaced trimalleolar fracture of right lower leg, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S82.851N	Displaced trimalleolar fracture of right lower leg, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD-10-CM	Diagnosis
S82.851E	Displaced trimalleolar fracture of right lower leg, subsequent encounter for open fracture type I or II with routine healing	ICD-10-CM	Diagnosis
S82.851J	Displaced trimalleolar fracture of right lower leg, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD-10-CM	Diagnosis
S82.851F	Displaced trimalleolar fracture of right lower leg, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD-10-CM	Diagnosis
S82.853P	Displaced trimalleolar fracture of unspecified lower leg, subsequent encounter for closed fracture with malunion	ICD-10-CM	Diagnosis
S82.853K	Displaced trimalleolar fracture of unspecified lower leg, subsequent encounter for closed fracture with nonunion	ICD-10-CM	Diagnosis
S82.853G	Displaced trimalleolar fracture of unspecified lower leg, subsequent encounter for closed fracture with delayed healing	ICD-10-CM	Diagnosis
S82.853D	Displaced trimalleolar fracture of unspecified lower leg, subsequent encounter for closed fracture with routine healing	ICD-10-CM	Diagnosis
S82.853H	Displaced trimalleolar fracture of unspecified lower leg, subsequent encounter for open fracture type I or II with delayed healing	ICD-10-CM	Diagnosis
S82.853E	Displaced trimalleolar fracture of unspecified lower leg, subsequent encounter for open fracture type I or II with routine healing	ICD-10-CM	Diagnosis
S82.853J	Displaced trimalleolar fracture of unspecified lower leg, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD-10-CM	Diagnosis
S82.853R	Displaced trimalleolar fracture of unspecified lower leg, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD-10-CM	Diagnosis
S82.853N	Displaced trimalleolar fracture of unspecified lower leg, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD-10-CM	Diagnosis
S82.853Q	Displaced trimalleolar fracture of unspecified lower leg, subsequent encounter for open fracture type I or II with malunion	ICD-10-CM	Diagnosis
S82.853M	Displaced trimalleolar fracture of unspecified lower leg, subsequent encounter for open fracture type I or II with nonunion	ICD-10-CM	Diagnosis
S82.853F	Displaced trimalleolar fracture of unspecified lower leg, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD-10-CM	Diagnosis
S82.852S	Displaced trimalleolar fracture of left lower leg, sequela	ICD-10-CM	Diagnosis
S82.851S	Displaced trimalleolar fracture of right lower leg, sequela	ICD-10-CM	Diagnosis
S82.852A	Displaced trimalleolar fracture of left lower leg, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.852B	Displaced trimalleolar fracture of left lower leg, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.852C	Displaced trimalleolar fracture of left lower leg, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.851A	Displaced trimalleolar fracture of right lower leg, initial encounter for closed fracture	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S82.851B	Displaced trimalleolar fracture of right lower leg, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.851C	Displaced trimalleolar fracture of right lower leg, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.853A	Displaced trimalleolar fracture of unspecified lower leg, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.853B	Displaced trimalleolar fracture of unspecified lower leg, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.853C	Displaced trimalleolar fracture of unspecified lower leg, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.853S	Displaced trimalleolar fracture of unspecified lower leg, sequela	ICD-10-CM	Diagnosis
S32.431K	Displaced fracture of anterior column [iliopubic] of right acetabulum, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S32.433A	Displaced fracture of anterior column [iliopubic] of unspecified acetabulum, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S32.433B	Displaced fracture of anterior column [iliopubic] of unspecified acetabulum, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.317D	Displaced fracture of base of fifth metacarpal bone, left hand, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S62.625G	Displaced fracture of middle phalanx of left ring finger, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S62.625D	Displaced fracture of middle phalanx of left ring finger, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S62.624G	Displaced fracture of middle phalanx of right ring finger, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S62.624D	Displaced fracture of middle phalanx of right ring finger, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S32.442A	Displaced fracture of posterior column [ilioischial] of left acetabulum, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S32.442B	Displaced fracture of posterior column [ilioischial] of left acetabulum, initial encounter for open fracture	ICD-10-CM	Diagnosis
S32.442S	Displaced fracture of posterior column [ilioischial] of left acetabulum, sequela	ICD-10-CM	Diagnosis
S32.442G	Displaced fracture of posterior column [ilioischial] of left acetabulum, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S32.442K	Displaced fracture of posterior column [ilioischial] of left acetabulum, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S32.442D	Displaced fracture of posterior column [ilioischial] of left acetabulum, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S32.611G	Displaced avulsion fracture of right ischium, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S32.411S	Displaced fracture of anterior wall of right acetabulum, sequela	ICD-10-CM	Diagnosis



**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S32.432A	Displaced fracture of anterior column [iliopubic] of left acetabulum, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S32.432B	Displaced fracture of anterior column [iliopubic] of left acetabulum, initial encounter for open fracture	ICD-10-CM	Diagnosis
S32.431A	Displaced fracture of anterior column [iliopubic] of right acetabulum, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S32.431B	Displaced fracture of anterior column [iliopubic] of right acetabulum, initial encounter for open fracture	ICD-10-CM	Diagnosis
S32.431G	Displaced fracture of anterior column [iliopubic] of right acetabulum, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S32.433D	Displaced fracture of anterior column [iliopubic] of unspecified acetabulum, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S32.413K	Displaced fracture of anterior wall of unspecified acetabulum, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S92.522A	Displaced fracture of middle phalanx of left lesser toe(s), initial encounter for closed fracture	ICD-10-CM	Diagnosis
S92.522B	Displaced fracture of middle phalanx of left lesser toe(s), initial encounter for open fracture	ICD-10-CM	Diagnosis
S92.521A	Displaced fracture of middle phalanx of right lesser toe(s), initial encounter for closed fracture	ICD-10-CM	Diagnosis
S92.521B	Displaced fracture of middle phalanx of right lesser toe(s), initial encounter for open fracture	ICD-10-CM	Diagnosis
S32.422K	Displaced fracture of posterior wall of left acetabulum, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S32.421K	Displaced fracture of posterior wall of right acetabulum, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S32.423A	Displaced fracture of posterior wall of unspecified acetabulum, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S32.423B	Displaced fracture of posterior wall of unspecified acetabulum, initial encounter for open fracture	ICD-10-CM	Diagnosis
S32.423G	Displaced fracture of posterior wall of unspecified acetabulum, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S92.043G	Displaced other fracture of tuberosity of unspecified calcaneus, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S32.452K	Displaced transverse fracture of left acetabulum, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S32.483G	Displaced dome fracture of unspecified acetabulum, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S72.132S	Displaced apophyseal fracture of left femur, sequela	ICD-10-CM	Diagnosis
S72.131S	Displaced apophyseal fracture of right femur, sequela	ICD-10-CM	Diagnosis
S72.133S	Displaced apophyseal fracture of unspecified femur, sequela	ICD-10-CM	Diagnosis
S32.463S	Displaced associated transverse-posterior fracture of unspecified acetabulum, sequela	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S92.151S	Displaced avulsion fracture (chip fracture) of right talus, sequela	ICD-10-CM	Diagnosis
S92.152S	Displaced avulsion fracture (chip fracture) of left talus, sequela	ICD-10-CM	Diagnosis
S92.153S	Displaced avulsion fracture (chip fracture) of unspecified talus, sequela	ICD-10-CM	Diagnosis
S92.152A	Displaced avulsion fracture (chip fracture) of left talus, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S92.152B	Displaced avulsion fracture (chip fracture) of left talus, initial encounter for open fracture	ICD-10-CM	Diagnosis
S92.152G	Displaced avulsion fracture (chip fracture) of left talus, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S92.152P	Displaced avulsion fracture (chip fracture) of left talus, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S92.152K	Displaced avulsion fracture (chip fracture) of left talus, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S92.152D	Displaced avulsion fracture (chip fracture) of left talus, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S92.151A	Displaced avulsion fracture (chip fracture) of right talus, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S92.151B	Displaced avulsion fracture (chip fracture) of right talus, initial encounter for open fracture	ICD-10-CM	Diagnosis
S92.151G	Displaced avulsion fracture (chip fracture) of right talus, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S92.151P	Displaced avulsion fracture (chip fracture) of right talus, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S92.151K	Displaced avulsion fracture (chip fracture) of right talus, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S92.151D	Displaced avulsion fracture (chip fracture) of right talus, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S92.031A	Displaced avulsion fracture of tuberosity of right calcaneus, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S92.031B	Displaced avulsion fracture of tuberosity of right calcaneus, initial encounter for open fracture	ICD-10-CM	Diagnosis
S92.033S	Displaced avulsion fracture of tuberosity of unspecified calcaneus, sequela	ICD-10-CM	Diagnosis
S92.153A	Displaced avulsion fracture (chip fracture) of unspecified talus, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S92.153B	Displaced avulsion fracture (chip fracture) of unspecified talus, initial encounter for open fracture	ICD-10-CM	Diagnosis
S92.153G	Displaced avulsion fracture (chip fracture) of unspecified talus, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S92.153P	Displaced avulsion fracture (chip fracture) of unspecified talus, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S92.153K	Displaced avulsion fracture (chip fracture) of unspecified talus, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S92.153D	Displaced avulsion fracture (chip fracture) of unspecified talus, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S32.312S	Displaced avulsion fracture of left ilium, sequela	ICD-10-CM	Diagnosis
S32.612S	Displaced avulsion fracture of left ischium, sequela	ICD-10-CM	Diagnosis
S32.311S	Displaced avulsion fracture of right ilium, sequela	ICD-10-CM	Diagnosis
S32.611S	Displaced avulsion fracture of right ischium, sequela	ICD-10-CM	Diagnosis
S32.313S	Displaced avulsion fracture of unspecified ilium, sequela	ICD-10-CM	Diagnosis
S32.613S	Displaced avulsion fracture of unspecified ischium, sequela	ICD-10-CM	Diagnosis
S32.312D	Displaced avulsion fracture of left ilium, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S32.312A	Displaced avulsion fracture of left ilium, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S32.312B	Displaced avulsion fracture of left ilium, initial encounter for open fracture	ICD-10-CM	Diagnosis
S32.312G	Displaced avulsion fracture of left ilium, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S32.312K	Displaced avulsion fracture of left ilium, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S32.612A	Displaced avulsion fracture of left ischium, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S32.612B	Displaced avulsion fracture of left ischium, initial encounter for open fracture	ICD-10-CM	Diagnosis
S32.612G	Displaced avulsion fracture of left ischium, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S32.612K	Displaced avulsion fracture of left ischium, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S32.612D	Displaced avulsion fracture of left ischium, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S32.311A	Displaced avulsion fracture of right ilium, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S32.311B	Displaced avulsion fracture of right ilium, initial encounter for open fracture	ICD-10-CM	Diagnosis
S32.311G	Displaced avulsion fracture of right ilium, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S32.311D	Displaced avulsion fracture of right ilium, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S32.311K	Displaced avulsion fracture of right ilium, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S32.611A	Displaced avulsion fracture of right ischium, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S32.611B	Displaced avulsion fracture of right ischium, initial encounter for open fracture	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S32.611K	Displaced avulsion fracture of right ischium, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S32.611D	Displaced avulsion fracture of right ischium, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S32.313A	Displaced avulsion fracture of unspecified ilium, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S32.313B	Displaced avulsion fracture of unspecified ilium, initial encounter for open fracture	ICD-10-CM	Diagnosis
S32.313G	Displaced avulsion fracture of unspecified ilium, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S32.313K	Displaced avulsion fracture of unspecified ilium, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S32.313D	Displaced avulsion fracture of unspecified ilium, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S32.613A	Displaced avulsion fracture of unspecified ischium, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S32.613B	Displaced avulsion fracture of unspecified ischium, initial encounter for open fracture	ICD-10-CM	Diagnosis
S32.613D	Displaced avulsion fracture of unspecified ischium, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S82.142S	Displaced bicondylar fracture of left tibia, sequela	ICD-10-CM	Diagnosis
S82.141S	Displaced bicondylar fracture of right tibia, sequela	ICD-10-CM	Diagnosis
S82.143S	Displaced bicondylar fracture of unspecified tibia, sequela	ICD-10-CM	Diagnosis
S82.841A	Displaced bimalleolar fracture of right lower leg, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S72.352S	Displaced comminuted fracture of shaft of left femur, sequela	ICD-10-CM	Diagnosis
S82.042S	Displaced comminuted fracture of left patella, sequela	ICD-10-CM	Diagnosis
S82.041S	Displaced comminuted fracture of right patella, sequela	ICD-10-CM	Diagnosis
S82.043S	Displaced comminuted fracture of unspecified patella, sequela	ICD-10-CM	Diagnosis
S82.042A	Displaced comminuted fracture of left patella, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.041A	Displaced comminuted fracture of right patella, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.252S	Displaced comminuted fracture of shaft of left tibia, sequela	ICD-10-CM	Diagnosis
S82.251S	Displaced comminuted fracture of shaft of right tibia, sequela	ICD-10-CM	Diagnosis
S82.253S	Displaced comminuted fracture of shaft of unspecified tibia, sequela	ICD-10-CM	Diagnosis
S82.043A	Displaced comminuted fracture of unspecified patella, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S72.351S	Displaced comminuted fracture of shaft of right femur, sequela	ICD-10-CM	Diagnosis
S92.142S	Displaced dome fracture of left talus, sequela	ICD-10-CM	Diagnosis
S92.141S	Displaced dome fracture of right talus, sequela	ICD-10-CM	Diagnosis
S32.483S	Displaced dome fracture of unspecified acetabulum, sequela	ICD-10-CM	Diagnosis
S92.143S	Displaced dome fracture of unspecified talus, sequela	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S32.482D	Displaced dome fracture of left acetabulum, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S32.482A	Displaced dome fracture of left acetabulum, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S32.482B	Displaced dome fracture of left acetabulum, initial encounter for open fracture	ICD-10-CM	Diagnosis
S32.482S	Displaced dome fracture of left acetabulum, sequela	ICD-10-CM	Diagnosis
S32.482G	Displaced dome fracture of left acetabulum, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S32.482K	Displaced dome fracture of left acetabulum, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S92.142A	Displaced dome fracture of left talus, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S92.142B	Displaced dome fracture of left talus, initial encounter for open fracture	ICD-10-CM	Diagnosis
S92.142G	Displaced dome fracture of left talus, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S92.142K	Displaced dome fracture of left talus, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S92.142D	Displaced dome fracture of left talus, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S92.142P	Displaced dome fracture of left talus, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S32.481A	Displaced dome fracture of right acetabulum, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S32.481B	Displaced dome fracture of right acetabulum, initial encounter for open fracture	ICD-10-CM	Diagnosis
S32.481S	Displaced dome fracture of right acetabulum, sequela	ICD-10-CM	Diagnosis
S32.481D	Displaced dome fracture of right acetabulum, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S32.481G	Displaced dome fracture of right acetabulum, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S32.481K	Displaced dome fracture of right acetabulum, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S92.141A	Displaced dome fracture of right talus, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S92.141B	Displaced dome fracture of right talus, initial encounter for open fracture	ICD-10-CM	Diagnosis
S92.141G	Displaced dome fracture of right talus, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S92.141K	Displaced dome fracture of right talus, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S92.141D	Displaced dome fracture of right talus, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S92.141P	Displaced dome fracture of right talus, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S32.483A	Displaced dome fracture of unspecified acetabulum, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S32.483B	Displaced dome fracture of unspecified acetabulum, initial encounter for open fracture	ICD-10-CM	Diagnosis
S32.483D	Displaced dome fracture of unspecified acetabulum, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S32.483K	Displaced dome fracture of unspecified acetabulum, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S92.143A	Displaced dome fracture of unspecified talus, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S92.143B	Displaced dome fracture of unspecified talus, initial encounter for open fracture	ICD-10-CM	Diagnosis
S92.143G	Displaced dome fracture of unspecified talus, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S92.143K	Displaced dome fracture of unspecified talus, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S92.143D	Displaced dome fracture of unspecified talus, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S92.143P	Displaced dome fracture of unspecified talus, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S32.412S	Displaced fracture of anterior wall of left acetabulum, sequela	ICD-10-CM	Diagnosis
S32.413S	Displaced fracture of anterior wall of unspecified acetabulum, sequela	ICD-10-CM	Diagnosis
S72.042S	Displaced fracture of base of neck of left femur, sequela	ICD-10-CM	Diagnosis
S72.041S	Displaced fracture of base of neck of right femur, sequela	ICD-10-CM	Diagnosis
S72.043S	Displaced fracture of base of neck of unspecified femur, sequela	ICD-10-CM	Diagnosis
S92.012S	Displaced fracture of body of left calcaneus, sequela	ICD-10-CM	Diagnosis
S92.122S	Displaced fracture of body of left talus, sequela	ICD-10-CM	Diagnosis
S92.121S	Displaced fracture of body of right talus, sequela	ICD-10-CM	Diagnosis
S92.123S	Displaced fracture of body of unspecified talus, sequela	ICD-10-CM	Diagnosis
S92.011S	Displaced fracture of body of right calcaneus, sequela	ICD-10-CM	Diagnosis
S92.013S	Displaced fracture of body of unspecified calcaneus, sequela	ICD-10-CM	Diagnosis
S92.212S	Displaced fracture of cuboid bone of left foot, sequela	ICD-10-CM	Diagnosis
S92.211S	Displaced fracture of cuboid bone of right foot, sequela	ICD-10-CM	Diagnosis
S92.213S	Displaced fracture of cuboid bone of unspecified foot, sequela	ICD-10-CM	Diagnosis
S52.122S	Displaced fracture of head of left radius, sequela	ICD-10-CM	Diagnosis
S52.121S	Displaced fracture of head of right radius, sequela	ICD-10-CM	Diagnosis
S52.123S	Displaced fracture of head of unspecified radius, sequela	ICD-10-CM	Diagnosis
S92.222S	Displaced fracture of lateral cuneiform of left foot, sequela	ICD-10-CM	Diagnosis
S92.221S	Displaced fracture of lateral cuneiform of right foot, sequela	ICD-10-CM	Diagnosis
S82.152S	Displaced fracture of left tibial tuberosity, sequela	ICD-10-CM	Diagnosis
S62.622P	Displaced fracture of middle phalanx of right middle finger, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S92.252S	Displaced fracture of navicular [scaphoid] of left foot, sequela	ICD-10-CM	Diagnosis



**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S92.251S	Displaced fracture of navicular [scaphoid] of right foot, sequela	ICD-10-CM	Diagnosis
S92.253S	Displaced fracture of navicular [scaphoid] of unspecified foot, sequela	ICD-10-CM	Diagnosis
S52.132S	Displaced fracture of neck of left radius, sequela	ICD-10-CM	Diagnosis
S52.131S	Displaced fracture of neck of right radius, sequela	ICD-10-CM	Diagnosis
S92.111S	Displaced fracture of neck of right talus, sequela	ICD-10-CM	Diagnosis
S52.133S	Displaced fracture of neck of unspecified radius, sequela	ICD-10-CM	Diagnosis
S92.113S	Displaced fracture of neck of unspecified talus, sequela	ICD-10-CM	Diagnosis
S82.112S	Displaced fracture of left tibial spine, sequela	ICD-10-CM	Diagnosis
S62.623S	Displaced fracture of middle phalanx of left middle finger, sequela	ICD-10-CM	Diagnosis
S62.622S	Displaced fracture of middle phalanx of right middle finger, sequela	ICD-10-CM	Diagnosis
S92.112S	Displaced fracture of neck of left talus, sequela	ICD-10-CM	Diagnosis
S82.111S	Displaced fracture of right tibial spine, sequela	ICD-10-CM	Diagnosis
S62.162S	Displaced fracture of pisiform, left wrist, sequela	ICD-10-CM	Diagnosis
S62.161S	Displaced fracture of pisiform, right wrist, sequela	ICD-10-CM	Diagnosis
S62.163S	Displaced fracture of pisiform, unspecified wrist, sequela	ICD-10-CM	Diagnosis
S32.441S	Displaced fracture of posterior column [ilioischial] of right acetabulum, sequela	ICD-10-CM	Diagnosis
S32.421S	Displaced fracture of posterior wall of right acetabulum, sequela	ICD-10-CM	Diagnosis
S32.423S	Displaced fracture of posterior wall of unspecified acetabulum, sequela	ICD-10-CM	Diagnosis
S82.151S	Displaced fracture of right tibial tuberosity, sequela	ICD-10-CM	Diagnosis
S42.022S	Displaced fracture of shaft of left clavicle, sequela	ICD-10-CM	Diagnosis
S42.021S	Displaced fracture of shaft of right clavicle, sequela	ICD-10-CM	Diagnosis
S42.023S	Displaced fracture of shaft of unspecified clavicle, sequela	ICD-10-CM	Diagnosis
S62.172S	Displaced fracture of trapezium [larger multangular], left wrist, sequela	ICD-10-CM	Diagnosis
S62.171S	Displaced fracture of trapezium [larger multangular], right wrist, sequela	ICD-10-CM	Diagnosis
S82.113S	Displaced fracture of unspecified tibial spine, sequela	ICD-10-CM	Diagnosis
S82.153S	Displaced fracture of unspecified tibial tuberosity, sequela	ICD-10-CM	Diagnosis
S92.322S	Displaced fracture of second metatarsal bone, left foot, sequela	ICD-10-CM	Diagnosis
S92.322A	Displaced fracture of second metatarsal bone, left foot, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S92.322B	Displaced fracture of second metatarsal bone, left foot, initial encounter for open fracture	ICD-10-CM	Diagnosis
S92.322G	Displaced fracture of second metatarsal bone, left foot, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S92.322P	Displaced fracture of second metatarsal bone, left foot, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S92.322K	Displaced fracture of second metatarsal bone, left foot, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S92.322D	Displaced fracture of second metatarsal bone, left foot, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S92.321S	Displaced fracture of second metatarsal bone, right foot, sequela	ICD-10-CM	Diagnosis
S92.321A	Displaced fracture of second metatarsal bone, right foot, initial encounter for closed fracture	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S92.321B	Displaced fracture of second metatarsal bone, right foot, initial encounter for open fracture	ICD-10-CM	Diagnosis
S92.321G	Displaced fracture of second metatarsal bone, right foot, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S92.321P	Displaced fracture of second metatarsal bone, right foot, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S92.321K	Displaced fracture of second metatarsal bone, right foot, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S92.321D	Displaced fracture of second metatarsal bone, right foot, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S92.323S	Displaced fracture of second metatarsal bone, unspecified foot, sequela	ICD-10-CM	Diagnosis
S92.323A	Displaced fracture of second metatarsal bone, unspecified foot, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S92.323B	Displaced fracture of second metatarsal bone, unspecified foot, initial encounter for open fracture	ICD-10-CM	Diagnosis
S92.323G	Displaced fracture of second metatarsal bone, unspecified foot, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S92.323P	Displaced fracture of second metatarsal bone, unspecified foot, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S92.323K	Displaced fracture of second metatarsal bone, unspecified foot, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S92.323D	Displaced fracture of second metatarsal bone, unspecified foot, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S92.332S	Displaced fracture of third metatarsal bone, left foot, sequela	ICD-10-CM	Diagnosis
S92.332A	Displaced fracture of third metatarsal bone, left foot, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S92.332B	Displaced fracture of third metatarsal bone, left foot, initial encounter for open fracture	ICD-10-CM	Diagnosis
S92.332G	Displaced fracture of third metatarsal bone, left foot, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S92.332P	Displaced fracture of third metatarsal bone, left foot, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S92.332K	Displaced fracture of third metatarsal bone, left foot, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S92.332D	Displaced fracture of third metatarsal bone, left foot, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S92.331S	Displaced fracture of third metatarsal bone, right foot, sequela	ICD-10-CM	Diagnosis
S92.331A	Displaced fracture of third metatarsal bone, right foot, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S92.331B	Displaced fracture of third metatarsal bone, right foot, initial encounter for open fracture	ICD-10-CM	Diagnosis
S92.331G	Displaced fracture of third metatarsal bone, right foot, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S92.331P	Displaced fracture of third metatarsal bone, right foot, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S92.331K	Displaced fracture of third metatarsal bone, right foot, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S92.331D	Displaced fracture of third metatarsal bone, right foot, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S92.333S	Displaced fracture of third metatarsal bone, unspecified foot, sequela	ICD-10-CM	Diagnosis
S92.333A	Displaced fracture of third metatarsal bone, unspecified foot, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S92.333B	Displaced fracture of third metatarsal bone, unspecified foot, initial encounter for open fracture	ICD-10-CM	Diagnosis
S92.333G	Displaced fracture of third metatarsal bone, unspecified foot, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S92.333P	Displaced fracture of third metatarsal bone, unspecified foot, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S92.333K	Displaced fracture of third metatarsal bone, unspecified foot, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S92.333D	Displaced fracture of third metatarsal bone, unspecified foot, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S92.342S	Displaced fracture of fourth metatarsal bone, left foot, sequela	ICD-10-CM	Diagnosis
S92.342A	Displaced fracture of fourth metatarsal bone, left foot, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S92.342B	Displaced fracture of fourth metatarsal bone, left foot, initial encounter for open fracture	ICD-10-CM	Diagnosis
S92.342G	Displaced fracture of fourth metatarsal bone, left foot, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S92.342P	Displaced fracture of fourth metatarsal bone, left foot, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S92.342K	Displaced fracture of fourth metatarsal bone, left foot, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S92.342D	Displaced fracture of fourth metatarsal bone, left foot, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S92.341A	Displaced fracture of fourth metatarsal bone, right foot, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S92.341B	Displaced fracture of fourth metatarsal bone, right foot, initial encounter for open fracture	ICD-10-CM	Diagnosis
S92.341S	Displaced fracture of fourth metatarsal bone, right foot, sequela	ICD-10-CM	Diagnosis
S92.341G	Displaced fracture of fourth metatarsal bone, right foot, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S92.341P	Displaced fracture of fourth metatarsal bone, right foot, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S92.341K	Displaced fracture of fourth metatarsal bone, right foot, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S92.341D	Displaced fracture of fourth metatarsal bone, right foot, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S92.343S	Displaced fracture of fourth metatarsal bone, unspecified foot, sequela	ICD-10-CM	Diagnosis
S92.343A	Displaced fracture of fourth metatarsal bone, unspecified foot, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S92.343B	Displaced fracture of fourth metatarsal bone, unspecified foot, initial encounter for open fracture	ICD-10-CM	Diagnosis
S92.343G	Displaced fracture of fourth metatarsal bone, unspecified foot, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S92.343P	Displaced fracture of fourth metatarsal bone, unspecified foot, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S92.343K	Displaced fracture of fourth metatarsal bone, unspecified foot, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S92.343D	Displaced fracture of fourth metatarsal bone, unspecified foot, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S92.352S	Displaced fracture of fifth metatarsal bone, left foot, sequela	ICD-10-CM	Diagnosis
S92.352A	Displaced fracture of fifth metatarsal bone, left foot, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S92.352B	Displaced fracture of fifth metatarsal bone, left foot, initial encounter for open fracture	ICD-10-CM	Diagnosis
S92.352G	Displaced fracture of fifth metatarsal bone, left foot, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S92.352P	Displaced fracture of fifth metatarsal bone, left foot, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S92.352K	Displaced fracture of fifth metatarsal bone, left foot, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S92.352D	Displaced fracture of fifth metatarsal bone, left foot, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S92.351A	Displaced fracture of fifth metatarsal bone, right foot, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S92.351B	Displaced fracture of fifth metatarsal bone, right foot, initial encounter for open fracture	ICD-10-CM	Diagnosis
S92.351S	Displaced fracture of fifth metatarsal bone, right foot, sequela	ICD-10-CM	Diagnosis
S92.351G	Displaced fracture of fifth metatarsal bone, right foot, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S92.351P	Displaced fracture of fifth metatarsal bone, right foot, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S92.351K	Displaced fracture of fifth metatarsal bone, right foot, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S92.351D	Displaced fracture of fifth metatarsal bone, right foot, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S92.353S	Displaced fracture of fifth metatarsal bone, unspecified foot, sequela	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S92.353A	Displaced fracture of fifth metatarsal bone, unspecified foot, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S92.353B	Displaced fracture of fifth metatarsal bone, unspecified foot, initial encounter for open fracture	ICD-10-CM	Diagnosis
S92.353G	Displaced fracture of fifth metatarsal bone, unspecified foot, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S92.353P	Displaced fracture of fifth metatarsal bone, unspecified foot, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S92.353K	Displaced fracture of fifth metatarsal bone, unspecified foot, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S92.353D	Displaced fracture of fifth metatarsal bone, unspecified foot, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S32.432S	Displaced fracture of anterior column [iliopubic] of left acetabulum, sequela	ICD-10-CM	Diagnosis
S32.432G	Displaced fracture of anterior column [iliopubic] of left acetabulum, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S32.432K	Displaced fracture of anterior column [iliopubic] of left acetabulum, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S32.432D	Displaced fracture of anterior column [iliopubic] of left acetabulum, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S32.431S	Displaced fracture of anterior column [iliopubic] of right acetabulum, sequela	ICD-10-CM	Diagnosis
S32.433S	Displaced fracture of anterior column [iliopubic] of unspecified acetabulum, sequela	ICD-10-CM	Diagnosis
S62.311G	Displaced fracture of base of second metacarpal bone, left hand, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S62.311P	Displaced fracture of base of second metacarpal bone, left hand, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S62.311D	Displaced fracture of base of second metacarpal bone, left hand, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S62.311A	Displaced fracture of base of second metacarpal bone, left hand, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S62.311B	Displaced fracture of base of second metacarpal bone, left hand, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.311K	Displaced fracture of base of second metacarpal bone, left hand, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S62.317G	Displaced fracture of base of fifth metacarpal bone, left hand, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S62.317B	Displaced fracture of base of fifth metacarpal bone, left hand, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.317P	Displaced fracture of base of fifth metacarpal bone, left hand, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S62.317K	Displaced fracture of base of fifth metacarpal bone, left hand, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S62.317A	Displaced fracture of base of fifth metacarpal bone, left hand, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S62.317S	Displaced fracture of base of fifth metacarpal bone, left hand, sequela	ICD-10-CM	Diagnosis
S62.311S	Displaced fracture of base of second metacarpal bone, left hand, sequela	ICD-10-CM	Diagnosis
S92.012A	Displaced fracture of body of left calcaneus, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S92.012B	Displaced fracture of body of left calcaneus, initial encounter for open fracture	ICD-10-CM	Diagnosis
S92.012G	Displaced fracture of body of left calcaneus, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S92.012P	Displaced fracture of body of left calcaneus, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S92.012K	Displaced fracture of body of left calcaneus, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S92.012D	Displaced fracture of body of left calcaneus, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S92.122A	Displaced fracture of body of left talus, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S92.122B	Displaced fracture of body of left talus, initial encounter for open fracture	ICD-10-CM	Diagnosis
S92.122G	Displaced fracture of body of left talus, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S92.122P	Displaced fracture of body of left talus, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S92.122K	Displaced fracture of body of left talus, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S92.122D	Displaced fracture of body of left talus, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S92.011A	Displaced fracture of body of right calcaneus, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S92.011B	Displaced fracture of body of right calcaneus, initial encounter for open fracture	ICD-10-CM	Diagnosis
S92.011G	Displaced fracture of body of right calcaneus, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S92.011P	Displaced fracture of body of right calcaneus, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S92.011K	Displaced fracture of body of right calcaneus, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S92.011D	Displaced fracture of body of right calcaneus, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S92.121A	Displaced fracture of body of right talus, initial encounter for closed fracture	ICD-10-CM	Diagnosis



**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S92.121B	Displaced fracture of body of right talus, initial encounter for open fracture	ICD-10-CM	Diagnosis
S92.121G	Displaced fracture of body of right talus, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S92.121P	Displaced fracture of body of right talus, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S92.121K	Displaced fracture of body of right talus, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S92.121D	Displaced fracture of body of right talus, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S92.013A	Displaced fracture of body of unspecified calcaneus, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S92.013B	Displaced fracture of body of unspecified calcaneus, initial encounter for open fracture	ICD-10-CM	Diagnosis
S92.013G	Displaced fracture of body of unspecified calcaneus, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S92.013P	Displaced fracture of body of unspecified calcaneus, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S92.013K	Displaced fracture of body of unspecified calcaneus, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S92.013D	Displaced fracture of body of unspecified calcaneus, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S92.123A	Displaced fracture of body of unspecified talus, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S92.123B	Displaced fracture of body of unspecified talus, initial encounter for open fracture	ICD-10-CM	Diagnosis
S92.123G	Displaced fracture of body of unspecified talus, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S92.123P	Displaced fracture of body of unspecified talus, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S92.123K	Displaced fracture of body of unspecified talus, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S92.123D	Displaced fracture of body of unspecified talus, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S52.042C	Displaced fracture of coronoid process of left ulna, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S52.042G	Displaced fracture of coronoid process of left ulna, subsequent encounter for closed fracture with delayed healing	ICD-10-CM	Diagnosis
S52.042K	Displaced fracture of coronoid process of left ulna, subsequent encounter for closed fracture with nonunion	ICD-10-CM	Diagnosis
S52.042D	Displaced fracture of coronoid process of left ulna, subsequent encounter for closed fracture with routine healing	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S52.042R	Displaced fracture of coronoid process of left ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD-10-CM	Diagnosis
S52.042N	Displaced fracture of coronoid process of left ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD-10-CM	Diagnosis
S52.042H	Displaced fracture of coronoid process of left ulna, subsequent encounter for open fracture type I or II with delayed healing	ICD-10-CM	Diagnosis
S52.042E	Displaced fracture of coronoid process of left ulna, subsequent encounter for open fracture type I or II with routine healing	ICD-10-CM	Diagnosis
S52.042J	Displaced fracture of coronoid process of left ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD-10-CM	Diagnosis
S52.042F	Displaced fracture of coronoid process of left ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD-10-CM	Diagnosis
S52.042M	Displaced fracture of coronoid process of left ulna, subsequent encounter for open fracture type I or II with nonunion	ICD-10-CM	Diagnosis
S52.042A	Displaced fracture of coronoid process of left ulna, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.042B	Displaced fracture of coronoid process of left ulna, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S52.042P	Displaced fracture of coronoid process of left ulna, subsequent encounter for closed fracture with malunion	ICD-10-CM	Diagnosis
S52.042Q	Displaced fracture of coronoid process of left ulna, subsequent encounter for open fracture type I or II with malunion	ICD-10-CM	Diagnosis
S52.042S	Displaced fracture of coronoid process of left ulna, sequela	ICD-10-CM	Diagnosis
S52.043S	Displaced fracture of coronoid process of unspecified ulna, sequela	ICD-10-CM	Diagnosis
S52.043A	Displaced fracture of coronoid process of unspecified ulna, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.043B	Displaced fracture of coronoid process of unspecified ulna, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S52.043C	Displaced fracture of coronoid process of unspecified ulna, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S52.043G	Displaced fracture of coronoid process of unspecified ulna, subsequent encounter for closed fracture with delayed healing	ICD-10-CM	Diagnosis
S52.043P	Displaced fracture of coronoid process of unspecified ulna, subsequent encounter for closed fracture with malunion	ICD-10-CM	Diagnosis
S52.043K	Displaced fracture of coronoid process of unspecified ulna, subsequent encounter for closed fracture with nonunion	ICD-10-CM	Diagnosis
S52.043D	Displaced fracture of coronoid process of unspecified ulna, subsequent encounter for closed fracture with routine healing	ICD-10-CM	Diagnosis
S52.043Q	Displaced fracture of coronoid process of unspecified ulna, subsequent encounter for open fracture type I or II with malunion	ICD-10-CM	Diagnosis
S52.043M	Displaced fracture of coronoid process of unspecified ulna, subsequent encounter for open fracture type I or II with nonunion	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S52.043E	Displaced fracture of coronoid process of unspecified ulna, subsequent encounter for open fracture type I or II with routine healing	ICD-10-CM	Diagnosis
S52.043F	Displaced fracture of coronoid process of unspecified ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD-10-CM	Diagnosis
S52.043H	Displaced fracture of coronoid process of unspecified ulna, subsequent encounter for open fracture type I or II with delayed healing	ICD-10-CM	Diagnosis
S52.043J	Displaced fracture of coronoid process of unspecified ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD-10-CM	Diagnosis
S52.043R	Displaced fracture of coronoid process of unspecified ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD-10-CM	Diagnosis
S52.043N	Displaced fracture of coronoid process of unspecified ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD-10-CM	Diagnosis
S92.212A	Displaced fracture of cuboid bone of left foot, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S92.212B	Displaced fracture of cuboid bone of left foot, initial encounter for open fracture	ICD-10-CM	Diagnosis
S92.212G	Displaced fracture of cuboid bone of left foot, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S92.212P	Displaced fracture of cuboid bone of left foot, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S92.212K	Displaced fracture of cuboid bone of left foot, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S92.212D	Displaced fracture of cuboid bone of left foot, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S92.211A	Displaced fracture of cuboid bone of right foot, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S92.211B	Displaced fracture of cuboid bone of right foot, initial encounter for open fracture	ICD-10-CM	Diagnosis
S92.211G	Displaced fracture of cuboid bone of right foot, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S92.211P	Displaced fracture of cuboid bone of right foot, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S92.211K	Displaced fracture of cuboid bone of right foot, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S92.211D	Displaced fracture of cuboid bone of right foot, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S92.213A	Displaced fracture of cuboid bone of unspecified foot, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S92.213B	Displaced fracture of cuboid bone of unspecified foot, initial encounter for open fracture	ICD-10-CM	Diagnosis
S92.213G	Displaced fracture of cuboid bone of unspecified foot, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S92.213P	Displaced fracture of cuboid bone of unspecified foot, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S92.213K	Displaced fracture of cuboid bone of unspecified foot, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S92.213D	Displaced fracture of cuboid bone of unspecified foot, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S92.422S	Displaced fracture of distal phalanx of left great toe, sequela	ICD-10-CM	Diagnosis
S92.421S	Displaced fracture of distal phalanx of right great toe, sequela	ICD-10-CM	Diagnosis
S92.423S	Displaced fracture of distal phalanx of unspecified great toe, sequela	ICD-10-CM	Diagnosis
S72.022A	Displaced fracture of epiphysis (separation) (upper) of left femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S72.021A	Displaced fracture of epiphysis (separation) (upper) of right femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S72.023A	Displaced fracture of epiphysis (separation) (upper) of unspecified femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S72.022S	Displaced fracture of epiphysis (separation) (upper) of left femur, sequela	ICD-10-CM	Diagnosis
S72.021S	Displaced fracture of epiphysis (separation) (upper) of right femur, sequela	ICD-10-CM	Diagnosis
S72.023S	Displaced fracture of epiphysis (separation) (upper) of unspecified femur, sequela	ICD-10-CM	Diagnosis
S52.122A	Displaced fracture of head of left radius, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.122B	Displaced fracture of head of left radius, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S52.122C	Displaced fracture of head of left radius, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S52.122G	Displaced fracture of head of left radius, subsequent encounter for closed fracture with delayed healing	ICD-10-CM	Diagnosis
S52.122P	Displaced fracture of head of left radius, subsequent encounter for closed fracture with malunion	ICD-10-CM	Diagnosis
S52.122K	Displaced fracture of head of left radius, subsequent encounter for closed fracture with nonunion	ICD-10-CM	Diagnosis
S52.122D	Displaced fracture of head of left radius, subsequent encounter for closed fracture with routine healing	ICD-10-CM	Diagnosis
S52.122H	Displaced fracture of head of left radius, subsequent encounter for open fracture type I or II with delayed healing	ICD-10-CM	Diagnosis
S52.122Q	Displaced fracture of head of left radius, subsequent encounter for open fracture type I or II with malunion	ICD-10-CM	Diagnosis
S52.122M	Displaced fracture of head of left radius, subsequent encounter for open fracture type I or II with nonunion	ICD-10-CM	Diagnosis
S52.122E	Displaced fracture of head of left radius, subsequent encounter for open fracture type I or II with routine healing	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S52.122J	Displaced fracture of head of left radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD-10-CM	Diagnosis
S52.122R	Displaced fracture of head of left radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD-10-CM	Diagnosis
S52.122F	Displaced fracture of head of left radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD-10-CM	Diagnosis
S52.122N	Displaced fracture of head of left radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD-10-CM	Diagnosis
S52.121A	Displaced fracture of head of right radius, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.121B	Displaced fracture of head of right radius, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S52.121C	Displaced fracture of head of right radius, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S52.121G	Displaced fracture of head of right radius, subsequent encounter for closed fracture with delayed healing	ICD-10-CM	Diagnosis
S52.121P	Displaced fracture of head of right radius, subsequent encounter for closed fracture with malunion	ICD-10-CM	Diagnosis
S52.121K	Displaced fracture of head of right radius, subsequent encounter for closed fracture with nonunion	ICD-10-CM	Diagnosis
S52.121D	Displaced fracture of head of right radius, subsequent encounter for closed fracture with routine healing	ICD-10-CM	Diagnosis
S52.121H	Displaced fracture of head of right radius, subsequent encounter for open fracture type I or II with delayed healing	ICD-10-CM	Diagnosis
S52.121Q	Displaced fracture of head of right radius, subsequent encounter for open fracture type I or II with malunion	ICD-10-CM	Diagnosis
S52.121E	Displaced fracture of head of right radius, subsequent encounter for open fracture type I or II with routine healing	ICD-10-CM	Diagnosis
S52.121J	Displaced fracture of head of right radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD-10-CM	Diagnosis
S52.121R	Displaced fracture of head of right radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD-10-CM	Diagnosis
S52.121F	Displaced fracture of head of right radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD-10-CM	Diagnosis
S52.121N	Displaced fracture of head of right radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD-10-CM	Diagnosis
S52.123A	Displaced fracture of head of unspecified radius, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.123B	Displaced fracture of head of unspecified radius, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S52.123C	Displaced fracture of head of unspecified radius, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S52.123G	Displaced fracture of head of unspecified radius, subsequent encounter for closed fracture with delayed healing	ICD-10-CM	Diagnosis
S52.123P	Displaced fracture of head of unspecified radius, subsequent encounter for closed fracture with malunion	ICD-10-CM	Diagnosis
S52.123K	Displaced fracture of head of unspecified radius, subsequent encounter for closed fracture with nonunion	ICD-10-CM	Diagnosis
S52.123D	Displaced fracture of head of unspecified radius, subsequent encounter for closed fracture with routine healing	ICD-10-CM	Diagnosis
S52.123H	Displaced fracture of head of unspecified radius, subsequent encounter for open fracture type I or II with delayed healing	ICD-10-CM	Diagnosis
S52.123Q	Displaced fracture of head of unspecified radius, subsequent encounter for open fracture type I or II with malunion	ICD-10-CM	Diagnosis
S52.123M	Displaced fracture of head of unspecified radius, subsequent encounter for open fracture type I or II with nonunion	ICD-10-CM	Diagnosis
S52.123E	Displaced fracture of head of unspecified radius, subsequent encounter for open fracture type I or II with routine healing	ICD-10-CM	Diagnosis
S52.123J	Displaced fracture of head of unspecified radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD-10-CM	Diagnosis
S52.123N	Displaced fracture of head of unspecified radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD-10-CM	Diagnosis
S52.123F	Displaced fracture of head of unspecified radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD-10-CM	Diagnosis
S52.123R	Displaced fracture of head of unspecified radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD-10-CM	Diagnosis
S82.122A	Displaced fracture of lateral condyle of left tibia, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.121A	Displaced fracture of lateral condyle of right tibia, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.123A	Displaced fracture of lateral condyle of unspecified tibia, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S92.222A	Displaced fracture of lateral cuneiform of left foot, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S92.222B	Displaced fracture of lateral cuneiform of left foot, initial encounter for open fracture	ICD-10-CM	Diagnosis
S92.222G	Displaced fracture of lateral cuneiform of left foot, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S92.222P	Displaced fracture of lateral cuneiform of left foot, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S92.222K	Displaced fracture of lateral cuneiform of left foot, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S92.222D	Displaced fracture of lateral cuneiform of left foot, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis



**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S92.221A	Displaced fracture of lateral cuneiform of right foot, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S92.221B	Displaced fracture of lateral cuneiform of right foot, initial encounter for open fracture	ICD-10-CM	Diagnosis
S92.221G	Displaced fracture of lateral cuneiform of right foot, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S92.221P	Displaced fracture of lateral cuneiform of right foot, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S92.221K	Displaced fracture of lateral cuneiform of right foot, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S92.221D	Displaced fracture of lateral cuneiform of right foot, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S92.223A	Displaced fracture of lateral cuneiform of unspecified foot, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S92.223B	Displaced fracture of lateral cuneiform of unspecified foot, initial encounter for open fracture	ICD-10-CM	Diagnosis
S92.223G	Displaced fracture of lateral cuneiform of unspecified foot, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S92.223P	Displaced fracture of lateral cuneiform of unspecified foot, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S92.223K	Displaced fracture of lateral cuneiform of unspecified foot, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S92.223D	Displaced fracture of lateral cuneiform of unspecified foot, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S92.223S	Displaced fracture of lateral cuneiform of unspecified foot, sequela	ICD-10-CM	Diagnosis
S72.422S	Displaced fracture of lateral condyle of left femur, sequela	ICD-10-CM	Diagnosis
S82.122S	Displaced fracture of lateral condyle of left tibia, sequela	ICD-10-CM	Diagnosis
S72.421S	Displaced fracture of lateral condyle of right femur, sequela	ICD-10-CM	Diagnosis
S82.121S	Displaced fracture of lateral condyle of right tibia, sequela	ICD-10-CM	Diagnosis
S72.423S	Displaced fracture of lateral condyle of unspecified femur, sequela	ICD-10-CM	Diagnosis
S72.442S	Displaced fracture of lower epiphysis (separation) of left femur, sequela	ICD-10-CM	Diagnosis
S72.441S	Displaced fracture of lower epiphysis (separation) of right femur, sequela	ICD-10-CM	Diagnosis
S72.443S	Displaced fracture of lower epiphysis (separation) of unspecified femur, sequela	ICD-10-CM	Diagnosis
S82.112A	Displaced fracture of left tibial spine, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S92.242A	Displaced fracture of medial cuneiform of left foot, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S92.242B	Displaced fracture of medial cuneiform of left foot, initial encounter for open fracture	ICD-10-CM	Diagnosis
S92.242G	Displaced fracture of medial cuneiform of left foot, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S92.242P	Displaced fracture of medial cuneiform of left foot, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S92.242K	Displaced fracture of medial cuneiform of left foot, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S92.242D	Displaced fracture of medial cuneiform of left foot, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S92.241A	Displaced fracture of medial cuneiform of right foot, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S92.241B	Displaced fracture of medial cuneiform of right foot, initial encounter for open fracture	ICD-10-CM	Diagnosis
S92.241G	Displaced fracture of medial cuneiform of right foot, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S92.241P	Displaced fracture of medial cuneiform of right foot, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S92.241K	Displaced fracture of medial cuneiform of right foot, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S92.241D	Displaced fracture of medial cuneiform of right foot, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S92.243A	Displaced fracture of medial cuneiform of unspecified foot, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S92.243B	Displaced fracture of medial cuneiform of unspecified foot, initial encounter for open fracture	ICD-10-CM	Diagnosis
S92.243G	Displaced fracture of medial cuneiform of unspecified foot, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S92.243P	Displaced fracture of medial cuneiform of unspecified foot, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S92.243K	Displaced fracture of medial cuneiform of unspecified foot, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S92.243D	Displaced fracture of medial cuneiform of unspecified foot, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S72.432S	Displaced fracture of medial condyle of left femur, sequela	ICD-10-CM	Diagnosis
S72.433S	Displaced fracture of medial condyle of unspecified femur, sequela	ICD-10-CM	Diagnosis
S82.132S	Displaced fracture of medial condyle of left tibia, sequela	ICD-10-CM	Diagnosis
S72.431S	Displaced fracture of medial condyle of right femur, sequela	ICD-10-CM	Diagnosis
S82.131S	Displaced fracture of medial condyle of right tibia, sequela	ICD-10-CM	Diagnosis
S82.133S	Displaced fracture of medial condyle of unspecified tibia, sequela	ICD-10-CM	Diagnosis
S92.242S	Displaced fracture of medial cuneiform of left foot, sequela	ICD-10-CM	Diagnosis
S92.241S	Displaced fracture of medial cuneiform of right foot, sequela	ICD-10-CM	Diagnosis
S92.243S	Displaced fracture of medial cuneiform of unspecified foot, sequela	ICD-10-CM	Diagnosis
S82.52XS	Displaced fracture of medial malleolus of left tibia, sequela	ICD-10-CM	Diagnosis
S82.51XS	Displaced fracture of medial malleolus of right tibia, sequela	ICD-10-CM	Diagnosis
S82.53XS	Displaced fracture of medial malleolus of unspecified tibia, sequela	ICD-10-CM	Diagnosis
S62.625A	Displaced fracture of middle phalanx of left ring finger, initial encounter for closed fracture	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S62.625B	Displaced fracture of middle phalanx of left ring finger, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.625P	Displaced fracture of middle phalanx of left ring finger, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S62.625K	Displaced fracture of middle phalanx of left ring finger, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S62.624A	Displaced fracture of middle phalanx of right ring finger, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S62.624B	Displaced fracture of middle phalanx of right ring finger, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.624P	Displaced fracture of middle phalanx of right ring finger, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S62.624K	Displaced fracture of middle phalanx of right ring finger, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S92.522S	Displaced fracture of middle phalanx of left lesser toe(s), sequela	ICD-10-CM	Diagnosis
S62.625S	Displaced fracture of middle phalanx of left ring finger, sequela	ICD-10-CM	Diagnosis
S62.621A	Displaced fracture of middle phalanx of left index finger, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S62.621B	Displaced fracture of middle phalanx of left index finger, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.621G	Displaced fracture of middle phalanx of left index finger, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S62.621D	Displaced fracture of middle phalanx of left index finger, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S62.621P	Displaced fracture of middle phalanx of left index finger, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S62.621K	Displaced fracture of middle phalanx of left index finger, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S62.623A	Displaced fracture of middle phalanx of left middle finger, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S62.623B	Displaced fracture of middle phalanx of left middle finger, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.623G	Displaced fracture of middle phalanx of left middle finger, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S62.623D	Displaced fracture of middle phalanx of left middle finger, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S62.621S	Displaced fracture of middle phalanx of left index finger, sequela	ICD-10-CM	Diagnosis
S62.623P	Displaced fracture of middle phalanx of left middle finger, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S62.628S	Displaced fracture of middle phalanx of other finger, sequela	ICD-10-CM	Diagnosis
S62.620A	Displaced fracture of middle phalanx of right index finger, initial encounter for closed fracture	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S62.620B	Displaced fracture of middle phalanx of right index finger, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.620G	Displaced fracture of middle phalanx of right index finger, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S62.620P	Displaced fracture of middle phalanx of right index finger, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S62.620K	Displaced fracture of middle phalanx of right index finger, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S62.620D	Displaced fracture of middle phalanx of right index finger, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S92.521S	Displaced fracture of middle phalanx of right lesser toe(s), sequela	ICD-10-CM	Diagnosis
S62.622A	Displaced fracture of middle phalanx of right middle finger, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S62.622B	Displaced fracture of middle phalanx of right middle finger, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.622G	Displaced fracture of middle phalanx of right middle finger, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S62.622K	Displaced fracture of middle phalanx of right middle finger, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S62.622D	Displaced fracture of middle phalanx of right middle finger, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S62.620S	Displaced fracture of middle phalanx of right index finger, sequela	ICD-10-CM	Diagnosis
S62.624S	Displaced fracture of middle phalanx of right ring finger, sequela	ICD-10-CM	Diagnosis
S92.523S	Displaced fracture of middle phalanx of unspecified lesser toe(s), sequela	ICD-10-CM	Diagnosis
S92.252A	Displaced fracture of navicular [scaphoid] of left foot, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S92.252B	Displaced fracture of navicular [scaphoid] of left foot, initial encounter for open fracture	ICD-10-CM	Diagnosis
S92.252G	Displaced fracture of navicular [scaphoid] of left foot, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S92.252P	Displaced fracture of navicular [scaphoid] of left foot, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S92.252K	Displaced fracture of navicular [scaphoid] of left foot, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S92.252D	Displaced fracture of navicular [scaphoid] of left foot, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S92.251A	Displaced fracture of navicular [scaphoid] of right foot, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S92.251B	Displaced fracture of navicular [scaphoid] of right foot, initial encounter for open fracture	ICD-10-CM	Diagnosis
S92.251G	Displaced fracture of navicular [scaphoid] of right foot, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S92.251P	Displaced fracture of navicular [scaphoid] of right foot, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S92.251K	Displaced fracture of navicular [scaphoid] of right foot, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S92.251D	Displaced fracture of navicular [scaphoid] of right foot, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S92.253A	Displaced fracture of navicular [scaphoid] of unspecified foot, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S92.253B	Displaced fracture of navicular [scaphoid] of unspecified foot, initial encounter for open fracture	ICD-10-CM	Diagnosis
S92.253P	Displaced fracture of navicular [scaphoid] of unspecified foot, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S92.253K	Displaced fracture of navicular [scaphoid] of unspecified foot, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S92.253D	Displaced fracture of navicular [scaphoid] of unspecified foot, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S92.253G	Displaced fracture of navicular [scaphoid] of unspecified foot, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S92.112A	Displaced fracture of neck of left talus, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S92.112B	Displaced fracture of neck of left talus, initial encounter for open fracture	ICD-10-CM	Diagnosis
S92.112G	Displaced fracture of neck of left talus, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S92.112P	Displaced fracture of neck of left talus, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S92.112K	Displaced fracture of neck of left talus, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S92.112D	Displaced fracture of neck of left talus, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S92.111A	Displaced fracture of neck of right talus, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S92.111B	Displaced fracture of neck of right talus, initial encounter for open fracture	ICD-10-CM	Diagnosis
S92.111G	Displaced fracture of neck of right talus, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S92.111P	Displaced fracture of neck of right talus, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S92.111K	Displaced fracture of neck of right talus, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S92.111D	Displaced fracture of neck of right talus, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S92.113A	Displaced fracture of neck of unspecified talus, initial encounter for closed fracture	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S92.113B	Displaced fracture of neck of unspecified talus, initial encounter for open fracture	ICD-10-CM	Diagnosis
S92.113G	Displaced fracture of neck of unspecified talus, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S92.113P	Displaced fracture of neck of unspecified talus, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S92.113K	Displaced fracture of neck of unspecified talus, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S92.113D	Displaced fracture of neck of unspecified talus, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S62.623K	Displaced fracture of middle phalanx of left middle finger, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S92.132A	Displaced fracture of posterior process of left talus, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S92.132B	Displaced fracture of posterior process of left talus, initial encounter for open fracture	ICD-10-CM	Diagnosis
S92.132G	Displaced fracture of posterior process of left talus, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S92.132P	Displaced fracture of posterior process of left talus, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S92.132K	Displaced fracture of posterior process of left talus, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S92.132D	Displaced fracture of posterior process of left talus, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S92.132S	Displaced fracture of posterior process of left talus, sequela	ICD-10-CM	Diagnosis
S92.131A	Displaced fracture of posterior process of right talus, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S92.131B	Displaced fracture of posterior process of right talus, initial encounter for open fracture	ICD-10-CM	Diagnosis
S92.131G	Displaced fracture of posterior process of right talus, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S92.131P	Displaced fracture of posterior process of right talus, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S92.131K	Displaced fracture of posterior process of right talus, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S92.131D	Displaced fracture of posterior process of right talus, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S92.131S	Displaced fracture of posterior process of right talus, sequela	ICD-10-CM	Diagnosis
S92.133A	Displaced fracture of posterior process of unspecified talus, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S92.133B	Displaced fracture of posterior process of unspecified talus, initial encounter for open fracture	ICD-10-CM	Diagnosis



**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S92.133P	Displaced fracture of posterior process of unspecified talus, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S92.133K	Displaced fracture of posterior process of unspecified talus, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S92.133D	Displaced fracture of posterior process of unspecified talus, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S92.133S	Displaced fracture of posterior process of unspecified talus, sequela	ICD-10-CM	Diagnosis
S92.133G	Displaced fracture of posterior process of unspecified talus, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S32.422A	Displaced fracture of posterior wall of left acetabulum, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S32.422B	Displaced fracture of posterior wall of left acetabulum, initial encounter for open fracture	ICD-10-CM	Diagnosis
S32.422S	Displaced fracture of posterior wall of left acetabulum, sequela	ICD-10-CM	Diagnosis
S32.422G	Displaced fracture of posterior wall of left acetabulum, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S32.422D	Displaced fracture of posterior wall of left acetabulum, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S32.421A	Displaced fracture of posterior wall of right acetabulum, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S32.421B	Displaced fracture of posterior wall of right acetabulum, initial encounter for open fracture	ICD-10-CM	Diagnosis
S32.421G	Displaced fracture of posterior wall of right acetabulum, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S32.421D	Displaced fracture of posterior wall of right acetabulum, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S32.423D	Displaced fracture of posterior wall of unspecified acetabulum, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S92.412S	Displaced fracture of proximal phalanx of left great toe, sequela	ICD-10-CM	Diagnosis
S92.411S	Displaced fracture of proximal phalanx of right great toe, sequela	ICD-10-CM	Diagnosis
S92.413S	Displaced fracture of proximal phalanx of unspecified great toe, sequela	ICD-10-CM	Diagnosis
S82.111A	Displaced fracture of right tibial spine, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.611S	Displaced fracture of right ulna styloid process, sequela	ICD-10-CM	Diagnosis
S82.113A	Displaced fracture of unspecified tibial spine, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.022A	Displaced longitudinal fracture of left patella, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.021A	Displaced longitudinal fracture of right patella, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.023A	Displaced longitudinal fracture of unspecified patella, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.022S	Displaced longitudinal fracture of left patella, sequela	ICD-10-CM	Diagnosis
S82.021S	Displaced longitudinal fracture of right patella, sequela	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S82.023S	Displaced longitudinal fracture of unspecified patella, sequela	ICD-10-CM	Diagnosis
S82.862S	Displaced Maisonneuve's fracture of left leg, sequela	ICD-10-CM	Diagnosis
S82.861S	Displaced Maisonneuve's fracture of right leg, sequela	ICD-10-CM	Diagnosis
S82.863S	Displaced Maisonneuve's fracture of unspecified leg, sequela	ICD-10-CM	Diagnosis
S72.032S	Displaced midcervical fracture of left femur, sequela	ICD-10-CM	Diagnosis
S72.031S	Displaced midcervical fracture of right femur, sequela	ICD-10-CM	Diagnosis
S72.033S	Displaced midcervical fracture of unspecified femur, sequela	ICD-10-CM	Diagnosis
S72.032A	Displaced midcervical fracture of left femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S72.031A	Displaced midcervical fracture of right femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S72.033A	Displaced midcervical fracture of unspecified femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S72.331A	Displaced oblique fracture of shaft of right femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.232S	Displaced oblique fracture of shaft of left ulna, sequela	ICD-10-CM	Diagnosis
S52.231S	Displaced oblique fracture of shaft of right ulna, sequela	ICD-10-CM	Diagnosis
S82.232S	Displaced oblique fracture of shaft of left tibia, sequela	ICD-10-CM	Diagnosis
S82.231S	Displaced oblique fracture of shaft of right tibia, sequela	ICD-10-CM	Diagnosis
S82.012A	Displaced osteochondral fracture of left patella, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.012B	Displaced osteochondral fracture of left patella, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.012C	Displaced osteochondral fracture of left patella, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.011A	Displaced osteochondral fracture of right patella, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.011B	Displaced osteochondral fracture of right patella, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.011C	Displaced osteochondral fracture of right patella, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.013A	Displaced osteochondral fracture of unspecified patella, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.013B	Displaced osteochondral fracture of unspecified patella, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.013C	Displaced osteochondral fracture of unspecified patella, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.012S	Displaced osteochondral fracture of left patella, sequela	ICD-10-CM	Diagnosis
S82.011S	Displaced osteochondral fracture of right patella, sequela	ICD-10-CM	Diagnosis
S82.013S	Displaced osteochondral fracture of unspecified patella, sequela	ICD-10-CM	Diagnosis
S92.042A	Displaced other fracture of tuberosity of left calcaneus, initial encounter for closed fracture	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S92.042B	Displaced other fracture of tuberosity of left calcaneus, initial encounter for open fracture	ICD-10-CM	Diagnosis
S92.042G	Displaced other fracture of tuberosity of left calcaneus, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S92.042P	Displaced other fracture of tuberosity of left calcaneus, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S92.042K	Displaced other fracture of tuberosity of left calcaneus, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S92.042D	Displaced other fracture of tuberosity of left calcaneus, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S92.041A	Displaced other fracture of tuberosity of right calcaneus, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S92.041B	Displaced other fracture of tuberosity of right calcaneus, initial encounter for open fracture	ICD-10-CM	Diagnosis
S92.041G	Displaced other fracture of tuberosity of right calcaneus, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S92.041P	Displaced other fracture of tuberosity of right calcaneus, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S92.041K	Displaced other fracture of tuberosity of right calcaneus, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S92.041D	Displaced other fracture of tuberosity of right calcaneus, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S92.043A	Displaced other fracture of tuberosity of unspecified calcaneus, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S92.043B	Displaced other fracture of tuberosity of unspecified calcaneus, initial encounter for open fracture	ICD-10-CM	Diagnosis
S92.043P	Displaced other fracture of tuberosity of unspecified calcaneus, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S92.043K	Displaced other fracture of tuberosity of unspecified calcaneus, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S92.043D	Displaced other fracture of tuberosity of unspecified calcaneus, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S92.042S	Displaced other fracture of tuberosity of left calcaneus, sequela	ICD-10-CM	Diagnosis
S92.041S	Displaced other fracture of tuberosity of right calcaneus, sequela	ICD-10-CM	Diagnosis
S92.043S	Displaced other fracture of tuberosity of unspecified calcaneus, sequela	ICD-10-CM	Diagnosis
S82.872S	Displaced pilon fracture of left tibia, sequela	ICD-10-CM	Diagnosis
S82.871S	Displaced pilon fracture of right tibia, sequela	ICD-10-CM	Diagnosis
S82.873S	Displaced pilon fracture of unspecified tibia, sequela	ICD-10-CM	Diagnosis
S82.872A	Displaced pilon fracture of left tibia, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.872C	Displaced pilon fracture of left tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.872B	Displaced pilon fracture of left tibia, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S82.872G	Displaced pilon fracture of left tibia, subsequent encounter for closed fracture with delayed healing	ICD-10-CM	Diagnosis
S82.872P	Displaced pilon fracture of left tibia, subsequent encounter for closed fracture with malunion	ICD-10-CM	Diagnosis
S82.872K	Displaced pilon fracture of left tibia, subsequent encounter for closed fracture with nonunion	ICD-10-CM	Diagnosis
S82.872D	Displaced pilon fracture of left tibia, subsequent encounter for closed fracture with routine healing	ICD-10-CM	Diagnosis
S82.872Q	Displaced pilon fracture of left tibia, subsequent encounter for open fracture type I or II with malunion	ICD-10-CM	Diagnosis
S82.872M	Displaced pilon fracture of left tibia, subsequent encounter for open fracture type I or II with nonunion	ICD-10-CM	Diagnosis
S82.872E	Displaced pilon fracture of left tibia, subsequent encounter for open fracture type I or II with routine healing	ICD-10-CM	Diagnosis
S82.872J	Displaced pilon fracture of left tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD-10-CM	Diagnosis
S82.872R	Displaced pilon fracture of left tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD-10-CM	Diagnosis
S82.872N	Displaced pilon fracture of left tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD-10-CM	Diagnosis
S82.872F	Displaced pilon fracture of left tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD-10-CM	Diagnosis
S82.872H	Displaced pilon fracture of left tibia, subsequent encounter for open fracture type I or II with delayed healing	ICD-10-CM	Diagnosis
S82.871A	Displaced pilon fracture of right tibia, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.871C	Displaced pilon fracture of right tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.871B	Displaced pilon fracture of right tibia, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.871G	Displaced pilon fracture of right tibia, subsequent encounter for closed fracture with delayed healing	ICD-10-CM	Diagnosis
S82.871P	Displaced pilon fracture of right tibia, subsequent encounter for closed fracture with malunion	ICD-10-CM	Diagnosis
S82.871K	Displaced pilon fracture of right tibia, subsequent encounter for closed fracture with nonunion	ICD-10-CM	Diagnosis
S82.871D	Displaced pilon fracture of right tibia, subsequent encounter for closed fracture with routine healing	ICD-10-CM	Diagnosis
S82.871Q	Displaced pilon fracture of right tibia, subsequent encounter for open fracture type I or II with malunion	ICD-10-CM	Diagnosis
S82.871M	Displaced pilon fracture of right tibia, subsequent encounter for open fracture type I or II with nonunion	ICD-10-CM	Diagnosis
S82.871E	Displaced pilon fracture of right tibia, subsequent encounter for open fracture type I or II with routine healing	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S82.871J	Displaced pilon fracture of right tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD-10-CM	Diagnosis
S82.871R	Displaced pilon fracture of right tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD-10-CM	Diagnosis
S82.871N	Displaced pilon fracture of right tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD-10-CM	Diagnosis
S82.871F	Displaced pilon fracture of right tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD-10-CM	Diagnosis
S82.871H	Displaced pilon fracture of right tibia, subsequent encounter for open fracture type I or II with delayed healing	ICD-10-CM	Diagnosis
S82.873A	Displaced pilon fracture of unspecified tibia, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.873C	Displaced pilon fracture of unspecified tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.873B	Displaced pilon fracture of unspecified tibia, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.873G	Displaced pilon fracture of unspecified tibia, subsequent encounter for closed fracture with delayed healing	ICD-10-CM	Diagnosis
S82.873P	Displaced pilon fracture of unspecified tibia, subsequent encounter for closed fracture with malunion	ICD-10-CM	Diagnosis
S82.873K	Displaced pilon fracture of unspecified tibia, subsequent encounter for closed fracture with nonunion	ICD-10-CM	Diagnosis
S82.873D	Displaced pilon fracture of unspecified tibia, subsequent encounter for closed fracture with routine healing	ICD-10-CM	Diagnosis
S82.873H	Displaced pilon fracture of unspecified tibia, subsequent encounter for open fracture type I or II with delayed healing	ICD-10-CM	Diagnosis
S82.873Q	Displaced pilon fracture of unspecified tibia, subsequent encounter for open fracture type I or II with malunion	ICD-10-CM	Diagnosis
S82.873M	Displaced pilon fracture of unspecified tibia, subsequent encounter for open fracture type I or II with nonunion	ICD-10-CM	Diagnosis
S82.873R	Displaced pilon fracture of unspecified tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD-10-CM	Diagnosis
S82.873N	Displaced pilon fracture of unspecified tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD-10-CM	Diagnosis
S82.873F	Displaced pilon fracture of unspecified tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD-10-CM	Diagnosis
S82.873E	Displaced pilon fracture of unspecified tibia, subsequent encounter for open fracture type I or II with routine healing	ICD-10-CM	Diagnosis
S82.873J	Displaced pilon fracture of unspecified tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD-10-CM	Diagnosis
S62.222S	Displaced Rolando's fracture, left hand, sequela	ICD-10-CM	Diagnosis
S62.221S	Displaced Rolando's fracture, right hand, sequela	ICD-10-CM	Diagnosis
S62.223S	Displaced Rolando's fracture, unspecified hand, sequela	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S82.262A	Displaced segmental fracture of shaft of left tibia, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.261A	Displaced segmental fracture of shaft of right tibia, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.263A	Displaced segmental fracture of shaft of unspecified tibia, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.262S	Displaced segmental fracture of shaft of left tibia, sequela	ICD-10-CM	Diagnosis
S82.261S	Displaced segmental fracture of shaft of right tibia, sequela	ICD-10-CM	Diagnosis
S82.263S	Displaced segmental fracture of shaft of unspecified tibia, sequela	ICD-10-CM	Diagnosis
S72.342S	Displaced spiral fracture of shaft of left femur, sequela	ICD-10-CM	Diagnosis
S82.242S	Displaced spiral fracture of shaft of left tibia, sequela	ICD-10-CM	Diagnosis
S72.341S	Displaced spiral fracture of shaft of right femur, sequela	ICD-10-CM	Diagnosis
S82.241S	Displaced spiral fracture of shaft of right tibia, sequela	ICD-10-CM	Diagnosis
S82.442S	Displaced spiral fracture of shaft of left fibula, sequela	ICD-10-CM	Diagnosis
S82.441S	Displaced spiral fracture of shaft of right fibula, sequela	ICD-10-CM	Diagnosis
S82.443S	Displaced spiral fracture of shaft of unspecified fibula, sequela	ICD-10-CM	Diagnosis
S82.243S	Displaced spiral fracture of shaft of unspecified tibia, sequela	ICD-10-CM	Diagnosis
S32.463G	Displaced associated transverse-posterior fracture of unspecified acetabulum, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S32.463K	Displaced associated transverse-posterior fracture of unspecified acetabulum, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S32.452G	Displaced transverse fracture of left acetabulum, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S32.452D	Displaced transverse fracture of left acetabulum, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S32.452A	Displaced transverse fracture of left acetabulum, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S32.452B	Displaced transverse fracture of left acetabulum, initial encounter for open fracture	ICD-10-CM	Diagnosis
S82.032A	Displaced transverse fracture of left patella, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.032C	Displaced transverse fracture of left patella, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.032B	Displaced transverse fracture of left patella, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.032G	Displaced transverse fracture of left patella, subsequent encounter for closed fracture with delayed healing	ICD-10-CM	Diagnosis
S82.032P	Displaced transverse fracture of left patella, subsequent encounter for closed fracture with malunion	ICD-10-CM	Diagnosis
S82.032K	Displaced transverse fracture of left patella, subsequent encounter for closed fracture with nonunion	ICD-10-CM	Diagnosis
S82.032D	Displaced transverse fracture of left patella, subsequent encounter for closed fracture with routine healing	ICD-10-CM	Diagnosis



**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S82.032Q	Displaced transverse fracture of left patella, subsequent encounter for open fracture type I or II with malunion	ICD-10-CM	Diagnosis
S82.032M	Displaced transverse fracture of left patella, subsequent encounter for open fracture type I or II with nonunion	ICD-10-CM	Diagnosis
S82.032E	Displaced transverse fracture of left patella, subsequent encounter for open fracture type I or II with routine healing	ICD-10-CM	Diagnosis
S82.032R	Displaced transverse fracture of left patella, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD-10-CM	Diagnosis
S82.032N	Displaced transverse fracture of left patella, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD-10-CM	Diagnosis
S82.032F	Displaced transverse fracture of left patella, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD-10-CM	Diagnosis
S82.032H	Displaced transverse fracture of left patella, subsequent encounter for open fracture type I or II with delayed healing	ICD-10-CM	Diagnosis
S82.032J	Displaced transverse fracture of left patella, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD-10-CM	Diagnosis
S32.451G	Displaced transverse fracture of right acetabulum, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S32.451A	Displaced transverse fracture of right acetabulum, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S32.451B	Displaced transverse fracture of right acetabulum, initial encounter for open fracture	ICD-10-CM	Diagnosis
S32.451S	Displaced transverse fracture of right acetabulum, sequela	ICD-10-CM	Diagnosis
S32.451K	Displaced transverse fracture of right acetabulum, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S32.451D	Displaced transverse fracture of right acetabulum, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S82.031A	Displaced transverse fracture of right patella, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.031C	Displaced transverse fracture of right patella, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.031B	Displaced transverse fracture of right patella, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.031G	Displaced transverse fracture of right patella, subsequent encounter for closed fracture with delayed healing	ICD-10-CM	Diagnosis
S82.031P	Displaced transverse fracture of right patella, subsequent encounter for closed fracture with malunion	ICD-10-CM	Diagnosis
S82.031K	Displaced transverse fracture of right patella, subsequent encounter for closed fracture with nonunion	ICD-10-CM	Diagnosis
S82.031D	Displaced transverse fracture of right patella, subsequent encounter for closed fracture with routine healing	ICD-10-CM	Diagnosis
S82.031Q	Displaced transverse fracture of right patella, subsequent encounter for open fracture type I or II with malunion	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S82.031M	Displaced transverse fracture of right patella, subsequent encounter for open fracture type I or II with nonunion	ICD-10-CM	Diagnosis
S82.031E	Displaced transverse fracture of right patella, subsequent encounter for open fracture type I or II with routine healing	ICD-10-CM	Diagnosis
S82.031R	Displaced transverse fracture of right patella, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD-10-CM	Diagnosis
S82.031N	Displaced transverse fracture of right patella, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD-10-CM	Diagnosis
S82.031F	Displaced transverse fracture of right patella, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD-10-CM	Diagnosis
S82.031H	Displaced transverse fracture of right patella, subsequent encounter for open fracture type I or II with delayed healing	ICD-10-CM	Diagnosis
S82.031J	Displaced transverse fracture of right patella, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD-10-CM	Diagnosis
S32.453A	Displaced transverse fracture of unspecified acetabulum, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S32.453S	Displaced transverse fracture of unspecified acetabulum, sequela	ICD-10-CM	Diagnosis
S32.453G	Displaced transverse fracture of unspecified acetabulum, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S32.453D	Displaced transverse fracture of unspecified acetabulum, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S32.453K	Displaced transverse fracture of unspecified acetabulum, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S82.033A	Displaced transverse fracture of unspecified patella, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.033C	Displaced transverse fracture of unspecified patella, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.033B	Displaced transverse fracture of unspecified patella, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.033G	Displaced transverse fracture of unspecified patella, subsequent encounter for closed fracture with delayed healing	ICD-10-CM	Diagnosis
S82.033P	Displaced transverse fracture of unspecified patella, subsequent encounter for closed fracture with malunion	ICD-10-CM	Diagnosis
S82.033K	Displaced transverse fracture of unspecified patella, subsequent encounter for closed fracture with nonunion	ICD-10-CM	Diagnosis
S82.033D	Displaced transverse fracture of unspecified patella, subsequent encounter for closed fracture with routine healing	ICD-10-CM	Diagnosis
S82.033H	Displaced transverse fracture of unspecified patella, subsequent encounter for open fracture type I or II with delayed healing	ICD-10-CM	Diagnosis
S82.033Q	Displaced transverse fracture of unspecified patella, subsequent encounter for open fracture type I or II with malunion	ICD-10-CM	Diagnosis
S82.033M	Displaced transverse fracture of unspecified patella, subsequent encounter for open fracture type I or II with nonunion	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S82.033R	Displaced transverse fracture of unspecified patella, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD-10-CM	Diagnosis
S82.033N	Displaced transverse fracture of unspecified patella, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD-10-CM	Diagnosis
S82.033F	Displaced transverse fracture of unspecified patella, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD-10-CM	Diagnosis
S82.033E	Displaced transverse fracture of unspecified patella, subsequent encounter for open fracture type I or II with routine healing	ICD-10-CM	Diagnosis
S82.033J	Displaced transverse fracture of unspecified patella, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD-10-CM	Diagnosis
S32.452S	Displaced transverse fracture of left acetabulum, sequela	ICD-10-CM	Diagnosis
S82.032S	Displaced transverse fracture of left patella, sequela	ICD-10-CM	Diagnosis
S82.031S	Displaced transverse fracture of right patella, sequela	ICD-10-CM	Diagnosis
S82.422S	Displaced transverse fracture of shaft of left fibula, sequela	ICD-10-CM	Diagnosis
S82.222S	Displaced transverse fracture of shaft of left tibia, sequela	ICD-10-CM	Diagnosis
S82.421S	Displaced transverse fracture of shaft of right fibula, sequela	ICD-10-CM	Diagnosis
S82.221S	Displaced transverse fracture of shaft of right tibia, sequela	ICD-10-CM	Diagnosis
S82.423S	Displaced transverse fracture of shaft of unspecified fibula, sequela	ICD-10-CM	Diagnosis
S82.223S	Displaced transverse fracture of shaft of unspecified tibia, sequela	ICD-10-CM	Diagnosis
S82.033S	Displaced transverse fracture of unspecified patella, sequela	ICD-10-CM	Diagnosis
S92.402S	Displaced unspecified fracture of left great toe, sequela	ICD-10-CM	Diagnosis
S92.502S	Displaced unspecified fracture of left lesser toe(s), sequela	ICD-10-CM	Diagnosis
S92.401S	Displaced unspecified fracture of right great toe, sequela	ICD-10-CM	Diagnosis
S92.501S	Displaced unspecified fracture of right lesser toe(s), sequela	ICD-10-CM	Diagnosis
S92.403S	Displaced unspecified fracture of unspecified great toe, sequela	ICD-10-CM	Diagnosis
S92.503S	Displaced unspecified fracture of unspecified lesser toe(s), sequela	ICD-10-CM	Diagnosis
S92.402A	Displaced unspecified fracture of left great toe, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S92.402B	Displaced unspecified fracture of left great toe, initial encounter for open fracture	ICD-10-CM	Diagnosis
S92.402G	Displaced unspecified fracture of left great toe, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S92.402P	Displaced unspecified fracture of left great toe, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S92.402K	Displaced unspecified fracture of left great toe, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S92.402D	Displaced unspecified fracture of left great toe, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S92.502A	Displaced unspecified fracture of left lesser toe(s), initial encounter for closed fracture	ICD-10-CM	Diagnosis
S92.502B	Displaced unspecified fracture of left lesser toe(s), initial encounter for open fracture	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S92.502P	Displaced unspecified fracture of left lesser toe(s), subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S92.502K	Displaced unspecified fracture of left lesser toe(s), subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S92.502G	Displaced unspecified fracture of left lesser toe(s), subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S92.502D	Displaced unspecified fracture of left lesser toe(s), subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S92.401A	Displaced unspecified fracture of right great toe, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S92.401B	Displaced unspecified fracture of right great toe, initial encounter for open fracture	ICD-10-CM	Diagnosis
S92.401G	Displaced unspecified fracture of right great toe, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S92.401P	Displaced unspecified fracture of right great toe, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S92.401K	Displaced unspecified fracture of right great toe, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S92.401D	Displaced unspecified fracture of right great toe, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S92.501A	Displaced unspecified fracture of right lesser toe(s), initial encounter for closed fracture	ICD-10-CM	Diagnosis
S92.501B	Displaced unspecified fracture of right lesser toe(s), initial encounter for open fracture	ICD-10-CM	Diagnosis
S92.501P	Displaced unspecified fracture of right lesser toe(s), subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S92.501K	Displaced unspecified fracture of right lesser toe(s), subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S92.501G	Displaced unspecified fracture of right lesser toe(s), subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S92.501D	Displaced unspecified fracture of right lesser toe(s), subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S92.403A	Displaced unspecified fracture of unspecified great toe, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S92.403B	Displaced unspecified fracture of unspecified great toe, initial encounter for open fracture	ICD-10-CM	Diagnosis
S92.403G	Displaced unspecified fracture of unspecified great toe, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S92.403P	Displaced unspecified fracture of unspecified great toe, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S92.403K	Displaced unspecified fracture of unspecified great toe, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S92.403D	Displaced unspecified fracture of unspecified great toe, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S92.503A	Displaced unspecified fracture of unspecified lesser toe(s), initial encounter for closed fracture	ICD-10-CM	Diagnosis
S92.503B	Displaced unspecified fracture of unspecified lesser toe(s), initial encounter for open fracture	ICD-10-CM	Diagnosis
S92.503P	Displaced unspecified fracture of unspecified lesser toe(s), subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S92.503K	Displaced unspecified fracture of unspecified lesser toe(s), subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S92.503G	Displaced unspecified fracture of unspecified lesser toe(s), subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S92.503D	Displaced unspecified fracture of unspecified lesser toe(s), subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S52.121M	Displaced fracture of head of right radius, subsequent encounter for open fracture type I or II with nonunion	ICD-10-CM	Diagnosis
S32.453B	Displaced transverse fracture of unspecified acetabulum, initial encounter for open fracture	ICD-10-CM	Diagnosis
S32.431D	Displaced fracture of anterior column [iliopubic] of right acetabulum, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S32.433K	Displaced fracture of anterior column [iliopubic] of unspecified acetabulum, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S32.412B	Displaced fracture of anterior wall of left acetabulum, initial encounter for open fracture	ICD-10-CM	Diagnosis
S32.412G	Displaced fracture of anterior wall of left acetabulum, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S32.411B	Displaced fracture of anterior wall of right acetabulum, initial encounter for open fracture	ICD-10-CM	Diagnosis
S32.411G	Displaced fracture of anterior wall of right acetabulum, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S32.413D	Displaced fracture of anterior wall of unspecified acetabulum, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S32.441B	Displaced fracture of posterior column [ilioischial] of right acetabulum, initial encounter for open fracture	ICD-10-CM	Diagnosis
S32.441A	Displaced fracture of posterior column [ilioischial] of right acetabulum, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S32.441G	Displaced fracture of posterior column [ilioischial] of right acetabulum, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S32.441K	Displaced fracture of posterior column [ilioischial] of right acetabulum, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S32.441D	Displaced fracture of posterior column [ilioischial] of right acetabulum, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S32.443A	Displaced fracture of posterior column [ilioischial] of unspecified acetabulum, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S32.443B	Displaced fracture of posterior column [ilioischial] of unspecified acetabulum, initial encounter for open fracture	ICD-10-CM	Diagnosis
S32.443S	Displaced fracture of posterior column [ilioischial] of unspecified acetabulum, sequela	ICD-10-CM	Diagnosis
S32.443G	Displaced fracture of posterior column [ilioischial] of unspecified acetabulum, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S32.443K	Displaced fracture of posterior column [ilioischial] of unspecified acetabulum, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S32.443D	Displaced fracture of posterior column [ilioischial] of unspecified acetabulum, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S32.613K	Displaced avulsion fracture of unspecified ischium, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S32.433G	Displaced fracture of anterior column [iliopubic] of unspecified acetabulum, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S32.412D	Displaced fracture of anterior wall of left acetabulum, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S32.411D	Displaced fracture of anterior wall of right acetabulum, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S32.472B	Displaced fracture of medial wall of left acetabulum, initial encounter for open fracture	ICD-10-CM	Diagnosis
S32.472K	Displaced fracture of medial wall of left acetabulum, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S32.472G	Displaced fracture of medial wall of left acetabulum, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S32.472D	Displaced fracture of medial wall of left acetabulum, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S32.472A	Displaced fracture of medial wall of left acetabulum, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S32.472S	Displaced fracture of medial wall of left acetabulum, sequela	ICD-10-CM	Diagnosis
S32.471K	Displaced fracture of medial wall of right acetabulum, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S32.471A	Displaced fracture of medial wall of right acetabulum, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S32.471B	Displaced fracture of medial wall of right acetabulum, initial encounter for open fracture	ICD-10-CM	Diagnosis
S32.471S	Displaced fracture of medial wall of right acetabulum, sequela	ICD-10-CM	Diagnosis
S32.471G	Displaced fracture of medial wall of right acetabulum, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S32.471D	Displaced fracture of medial wall of right acetabulum, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis



**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S32.473A	Displaced fracture of medial wall of unspecified acetabulum, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S32.473B	Displaced fracture of medial wall of unspecified acetabulum, initial encounter for open fracture	ICD-10-CM	Diagnosis
S32.473S	Displaced fracture of medial wall of unspecified acetabulum, sequela	ICD-10-CM	Diagnosis
S32.473G	Displaced fracture of medial wall of unspecified acetabulum, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S32.473K	Displaced fracture of medial wall of unspecified acetabulum, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S32.473D	Displaced fracture of medial wall of unspecified acetabulum, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S92.522P	Displaced fracture of middle phalanx of left lesser toe(s), subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S92.522K	Displaced fracture of middle phalanx of left lesser toe(s), subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S92.521P	Displaced fracture of middle phalanx of right lesser toe(s), subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S92.523A	Displaced fracture of middle phalanx of unspecified lesser toe(s), initial encounter for closed fracture	ICD-10-CM	Diagnosis
S92.523B	Displaced fracture of middle phalanx of unspecified lesser toe(s), initial encounter for open fracture	ICD-10-CM	Diagnosis
S92.523P	Displaced fracture of middle phalanx of unspecified lesser toe(s), subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S92.523K	Displaced fracture of middle phalanx of unspecified lesser toe(s), subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S32.423K	Displaced fracture of posterior wall of unspecified acetabulum, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S12.040G	Displaced lateral mass fracture of first cervical vertebra, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S12.040K	Displaced lateral mass fracture of first cervical vertebra, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S12.040D	Displaced lateral mass fracture of first cervical vertebra, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S12.040S	Displaced lateral mass fracture of first cervical vertebra, sequela	ICD-10-CM	Diagnosis
S12.030A	Displaced posterior arch fracture of first cervical vertebra, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S12.030B	Displaced posterior arch fracture of first cervical vertebra, initial encounter for open fracture	ICD-10-CM	Diagnosis
S12.030G	Displaced posterior arch fracture of first cervical vertebra, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S12.030K	Displaced posterior arch fracture of first cervical vertebra, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S12.030D	Displaced posterior arch fracture of first cervical vertebra, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S12.030S	Displaced posterior arch fracture of first cervical vertebra, sequela	ICD-10-CM	Diagnosis
S32.462A	Displaced associated transverse-posterior fracture of left acetabulum, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S32.462B	Displaced associated transverse-posterior fracture of left acetabulum, initial encounter for open fracture	ICD-10-CM	Diagnosis
S32.462S	Displaced associated transverse-posterior fracture of left acetabulum, sequela	ICD-10-CM	Diagnosis
S32.462G	Displaced associated transverse-posterior fracture of left acetabulum, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S32.462K	Displaced associated transverse-posterior fracture of left acetabulum, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S32.462D	Displaced associated transverse-posterior fracture of left acetabulum, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S32.461A	Displaced associated transverse-posterior fracture of right acetabulum, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S32.461B	Displaced associated transverse-posterior fracture of right acetabulum, initial encounter for open fracture	ICD-10-CM	Diagnosis
S32.461S	Displaced associated transverse-posterior fracture of right acetabulum, sequela	ICD-10-CM	Diagnosis
S32.461G	Displaced associated transverse-posterior fracture of right acetabulum, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S32.461K	Displaced associated transverse-posterior fracture of right acetabulum, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S32.463A	Displaced associated transverse-posterior fracture of unspecified acetabulum, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S32.463B	Displaced associated transverse-posterior fracture of unspecified acetabulum, initial encounter for open fracture	ICD-10-CM	Diagnosis
S32.463D	Displaced associated transverse-posterior fracture of unspecified acetabulum, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S32.613G	Displaced avulsion fracture of unspecified ischium, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S72.132C	Displaced apophyseal fracture of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.132B	Displaced apophyseal fracture of left femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.132A	Displaced apophyseal fracture of left femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S72.132G	Displaced apophyseal fracture of left femur, subsequent encounter for closed fracture with delayed healing	ICD-10-CM	Diagnosis
S72.132P	Displaced apophyseal fracture of left femur, subsequent encounter for closed fracture with malunion	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S72.132K	Displaced apophyseal fracture of left femur, subsequent encounter for closed fracture with nonunion	ICD-10-CM	Diagnosis
S72.132D	Displaced apophyseal fracture of left femur, subsequent encounter for closed fracture with routine healing	ICD-10-CM	Diagnosis
S72.132Q	Displaced apophyseal fracture of left femur, subsequent encounter for open fracture type I or II with malunion	ICD-10-CM	Diagnosis
S72.132M	Displaced apophyseal fracture of left femur, subsequent encounter for open fracture type I or II with nonunion	ICD-10-CM	Diagnosis
S72.132E	Displaced apophyseal fracture of left femur, subsequent encounter for open fracture type I or II with routine healing	ICD-10-CM	Diagnosis
S72.132J	Displaced apophyseal fracture of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD-10-CM	Diagnosis
S72.132R	Displaced apophyseal fracture of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD-10-CM	Diagnosis
S72.132N	Displaced apophyseal fracture of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD-10-CM	Diagnosis
S72.132H	Displaced apophyseal fracture of left femur, subsequent encounter for open fracture type I or II with delayed healing	ICD-10-CM	Diagnosis
S72.131A	Displaced apophyseal fracture of right femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S72.131B	Displaced apophyseal fracture of right femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.131C	Displaced apophyseal fracture of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.131G	Displaced apophyseal fracture of right femur, subsequent encounter for closed fracture with delayed healing	ICD-10-CM	Diagnosis
S72.131P	Displaced apophyseal fracture of right femur, subsequent encounter for closed fracture with malunion	ICD-10-CM	Diagnosis
S72.131K	Displaced apophyseal fracture of right femur, subsequent encounter for closed fracture with nonunion	ICD-10-CM	Diagnosis
S72.131D	Displaced apophyseal fracture of right femur, subsequent encounter for closed fracture with routine healing	ICD-10-CM	Diagnosis
S72.131Q	Displaced apophyseal fracture of right femur, subsequent encounter for open fracture type I or II with malunion	ICD-10-CM	Diagnosis
S72.131M	Displaced apophyseal fracture of right femur, subsequent encounter for open fracture type I or II with nonunion	ICD-10-CM	Diagnosis
S72.131H	Displaced apophyseal fracture of right femur, subsequent encounter for open fracture type I or II with delayed healing	ICD-10-CM	Diagnosis
S72.131E	Displaced apophyseal fracture of right femur, subsequent encounter for open fracture type I or II with routine healing	ICD-10-CM	Diagnosis
S72.131J	Displaced apophyseal fracture of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S72.131R	Displaced apophyseal fracture of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD-10-CM	Diagnosis
S72.131N	Displaced apophyseal fracture of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD-10-CM	Diagnosis
S72.131F	Displaced apophyseal fracture of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD-10-CM	Diagnosis
S72.133A	Displaced apophyseal fracture of unspecified femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S72.133B	Displaced apophyseal fracture of unspecified femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.133C	Displaced apophyseal fracture of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.133G	Displaced apophyseal fracture of unspecified femur, subsequent encounter for closed fracture with delayed healing	ICD-10-CM	Diagnosis
S72.133P	Displaced apophyseal fracture of unspecified femur, subsequent encounter for closed fracture with malunion	ICD-10-CM	Diagnosis
S72.133K	Displaced apophyseal fracture of unspecified femur, subsequent encounter for closed fracture with nonunion	ICD-10-CM	Diagnosis
S72.133D	Displaced apophyseal fracture of unspecified femur, subsequent encounter for closed fracture with routine healing	ICD-10-CM	Diagnosis
S72.133H	Displaced apophyseal fracture of unspecified femur, subsequent encounter for open fracture type I or II with delayed healing	ICD-10-CM	Diagnosis
S72.133E	Displaced apophyseal fracture of unspecified femur, subsequent encounter for open fracture type I or II with routine healing	ICD-10-CM	Diagnosis
S72.133Q	Displaced apophyseal fracture of unspecified femur, subsequent encounter for open fracture type I or II with malunion	ICD-10-CM	Diagnosis
S72.133M	Displaced apophyseal fracture of unspecified femur, subsequent encounter for open fracture type I or II with nonunion	ICD-10-CM	Diagnosis
S72.133J	Displaced apophyseal fracture of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD-10-CM	Diagnosis
S72.133R	Displaced apophyseal fracture of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD-10-CM	Diagnosis
S72.133N	Displaced apophyseal fracture of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD-10-CM	Diagnosis
S72.133F	Displaced apophyseal fracture of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD-10-CM	Diagnosis
S72.132F	Displaced apophyseal fracture of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD-10-CM	Diagnosis
S72.062J	Displaced articular fracture of head of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD-10-CM	Diagnosis
S72.062R	Displaced articular fracture of head of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S72.062N	Displaced articular fracture of head of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD-10-CM	Diagnosis
S72.062F	Displaced articular fracture of head of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD-10-CM	Diagnosis
S72.061J	Displaced articular fracture of head of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD-10-CM	Diagnosis
S72.061F	Displaced articular fracture of head of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD-10-CM	Diagnosis
S72.063J	Displaced articular fracture of head of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD-10-CM	Diagnosis
S72.063R	Displaced articular fracture of head of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD-10-CM	Diagnosis
S72.063N	Displaced articular fracture of head of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD-10-CM	Diagnosis
S72.063F	Displaced articular fracture of head of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD-10-CM	Diagnosis
S72.062A	Displaced articular fracture of head of left femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S72.062B	Displaced articular fracture of head of left femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.062C	Displaced articular fracture of head of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.062G	Displaced articular fracture of head of left femur, subsequent encounter for closed fracture with delayed healing	ICD-10-CM	Diagnosis
S72.062K	Displaced articular fracture of head of left femur, subsequent encounter for closed fracture with nonunion	ICD-10-CM	Diagnosis
S72.062D	Displaced articular fracture of head of left femur, subsequent encounter for closed fracture with routine healing	ICD-10-CM	Diagnosis
S72.062P	Displaced articular fracture of head of left femur, subsequent encounter for closed fracture with malunion	ICD-10-CM	Diagnosis
S72.062H	Displaced articular fracture of head of left femur, subsequent encounter for open fracture type I or II with delayed healing	ICD-10-CM	Diagnosis
S72.062Q	Displaced articular fracture of head of left femur, subsequent encounter for open fracture type I or II with malunion	ICD-10-CM	Diagnosis
S72.062M	Displaced articular fracture of head of left femur, subsequent encounter for open fracture type I or II with nonunion	ICD-10-CM	Diagnosis
S72.062E	Displaced articular fracture of head of left femur, subsequent encounter for open fracture type I or II with routine healing	ICD-10-CM	Diagnosis
S72.061A	Displaced articular fracture of head of right femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S72.061B	Displaced articular fracture of head of right femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S72.061C	Displaced articular fracture of head of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.061G	Displaced articular fracture of head of right femur, subsequent encounter for closed fracture with delayed healing	ICD-10-CM	Diagnosis
S72.061P	Displaced articular fracture of head of right femur, subsequent encounter for closed fracture with malunion	ICD-10-CM	Diagnosis
S72.061K	Displaced articular fracture of head of right femur, subsequent encounter for closed fracture with nonunion	ICD-10-CM	Diagnosis
S72.061R	Displaced articular fracture of head of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD-10-CM	Diagnosis
S72.061N	Displaced articular fracture of head of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD-10-CM	Diagnosis
S72.061H	Displaced articular fracture of head of right femur, subsequent encounter for open fracture type I or II with delayed healing	ICD-10-CM	Diagnosis
S72.061Q	Displaced articular fracture of head of right femur, subsequent encounter for open fracture type I or II with malunion	ICD-10-CM	Diagnosis
S72.061M	Displaced articular fracture of head of right femur, subsequent encounter for open fracture type I or II with nonunion	ICD-10-CM	Diagnosis
S72.061D	Displaced articular fracture of head of right femur, subsequent encounter for closed fracture with routine healing	ICD-10-CM	Diagnosis
S72.061E	Displaced articular fracture of head of right femur, subsequent encounter for open fracture type I or II with routine healing	ICD-10-CM	Diagnosis
S72.063Q	Displaced articular fracture of head of unspecified femur, subsequent encounter for open fracture type I or II with malunion	ICD-10-CM	Diagnosis
S72.063B	Displaced articular fracture of head of unspecified femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.063C	Displaced articular fracture of head of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.063A	Displaced articular fracture of head of unspecified femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S72.063G	Displaced articular fracture of head of unspecified femur, subsequent encounter for closed fracture with delayed healing	ICD-10-CM	Diagnosis
S72.063D	Displaced articular fracture of head of unspecified femur, subsequent encounter for closed fracture with routine healing	ICD-10-CM	Diagnosis
S72.063H	Displaced articular fracture of head of unspecified femur, subsequent encounter for open fracture type I or II with delayed healing	ICD-10-CM	Diagnosis
S72.063M	Displaced articular fracture of head of unspecified femur, subsequent encounter for open fracture type I or II with nonunion	ICD-10-CM	Diagnosis
S72.063E	Displaced articular fracture of head of unspecified femur, subsequent encounter for open fracture type I or II with routine healing	ICD-10-CM	Diagnosis
S72.063P	Displaced articular fracture of head of unspecified femur, subsequent encounter for closed fracture with malunion	ICD-10-CM	Diagnosis



**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S72.063K	Displaced articular fracture of head of unspecified femur, subsequent encounter for closed fracture with nonunion	ICD-10-CM	Diagnosis
S82.143A	Displaced bicondylar fracture of unspecified tibia, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.352A	Displaced comminuted fracture of shaft of radius, left arm, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.352B	Displaced comminuted fracture of shaft of radius, left arm, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S52.352C	Displaced comminuted fracture of shaft of radius, left arm, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S52.352P	Displaced comminuted fracture of shaft of radius, left arm, subsequent encounter for closed fracture with malunion	ICD-10-CM	Diagnosis
S52.352K	Displaced comminuted fracture of shaft of radius, left arm, subsequent encounter for closed fracture with nonunion	ICD-10-CM	Diagnosis
S52.352G	Displaced comminuted fracture of shaft of radius, left arm, subsequent encounter for closed fracture with delayed healing	ICD-10-CM	Diagnosis
S52.352D	Displaced comminuted fracture of shaft of radius, left arm, subsequent encounter for closed fracture with routine healing	ICD-10-CM	Diagnosis
S52.352H	Displaced comminuted fracture of shaft of radius, left arm, subsequent encounter for open fracture type I or II with delayed healing	ICD-10-CM	Diagnosis
S52.352E	Displaced comminuted fracture of shaft of radius, left arm, subsequent encounter for open fracture type I or II with routine healing	ICD-10-CM	Diagnosis
S52.352Q	Displaced comminuted fracture of shaft of radius, left arm, subsequent encounter for open fracture type I or II with malunion	ICD-10-CM	Diagnosis
S52.352M	Displaced comminuted fracture of shaft of radius, left arm, subsequent encounter for open fracture type I or II with nonunion	ICD-10-CM	Diagnosis
S52.352J	Displaced comminuted fracture of shaft of radius, left arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD-10-CM	Diagnosis
S52.352R	Displaced comminuted fracture of shaft of radius, left arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD-10-CM	Diagnosis
S52.352N	Displaced comminuted fracture of shaft of radius, left arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD-10-CM	Diagnosis
S52.352F	Displaced comminuted fracture of shaft of radius, left arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD-10-CM	Diagnosis
S52.351K	Displaced comminuted fracture of shaft of radius, right arm, subsequent encounter for closed fracture with nonunion	ICD-10-CM	Diagnosis
S52.351D	Displaced comminuted fracture of shaft of radius, right arm, subsequent encounter for closed fracture with routine healing	ICD-10-CM	Diagnosis
S52.351G	Displaced comminuted fracture of shaft of radius, right arm, subsequent encounter for closed fracture with delayed healing	ICD-10-CM	Diagnosis
S52.351P	Displaced comminuted fracture of shaft of radius, right arm, subsequent encounter for closed fracture with malunion	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S52.351Q	Displaced comminuted fracture of shaft of radius, right arm, subsequent encounter for open fracture type I or II with malunion	ICD-10-CM	Diagnosis
S52.351M	Displaced comminuted fracture of shaft of radius, right arm, subsequent encounter for open fracture type I or II with nonunion	ICD-10-CM	Diagnosis
S52.351N	Displaced comminuted fracture of shaft of radius, right arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD-10-CM	Diagnosis
S52.351H	Displaced comminuted fracture of shaft of radius, right arm, subsequent encounter for open fracture type I or II with delayed healing	ICD-10-CM	Diagnosis
S52.351J	Displaced comminuted fracture of shaft of radius, right arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD-10-CM	Diagnosis
S52.351F	Displaced comminuted fracture of shaft of radius, right arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD-10-CM	Diagnosis
S52.353A	Displaced comminuted fracture of shaft of radius, unspecified arm, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.353B	Displaced comminuted fracture of shaft of radius, unspecified arm, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S52.353C	Displaced comminuted fracture of shaft of radius, unspecified arm, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S52.353G	Displaced comminuted fracture of shaft of radius, unspecified arm, subsequent encounter for closed fracture with delayed healing	ICD-10-CM	Diagnosis
S52.353D	Displaced comminuted fracture of shaft of radius, unspecified arm, subsequent encounter for closed fracture with routine healing	ICD-10-CM	Diagnosis
S52.353F	Displaced comminuted fracture of shaft of radius, unspecified arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD-10-CM	Diagnosis
S52.353H	Displaced comminuted fracture of shaft of radius, unspecified arm, subsequent encounter for open fracture type I or II with delayed healing	ICD-10-CM	Diagnosis
S52.253Q	Displaced comminuted fracture of shaft of ulna, unspecified arm, subsequent encounter for open fracture type I or II with malunion	ICD-10-CM	Diagnosis
S52.253M	Displaced comminuted fracture of shaft of ulna, unspecified arm, subsequent encounter for open fracture type I or II with nonunion	ICD-10-CM	Diagnosis
S52.351A	Displaced comminuted fracture of shaft of radius, right arm, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.351E	Displaced comminuted fracture of shaft of radius, right arm, subsequent encounter for open fracture type I or II with routine healing	ICD-10-CM	Diagnosis
S52.353P	Displaced comminuted fracture of shaft of radius, unspecified arm, subsequent encounter for closed fracture with malunion	ICD-10-CM	Diagnosis
S52.353K	Displaced comminuted fracture of shaft of radius, unspecified arm, subsequent encounter for closed fracture with nonunion	ICD-10-CM	Diagnosis
S52.353E	Displaced comminuted fracture of shaft of radius, unspecified arm, subsequent encounter for open fracture type I or II with routine healing	ICD-10-CM	Diagnosis
S52.353Q	Displaced comminuted fracture of shaft of radius, unspecified arm, subsequent encounter for open fracture type I or II with malunion	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S52.353M	Displaced comminuted fracture of shaft of radius, unspecified arm, subsequent encounter for open fracture type I or II with nonunion	ICD-10-CM	Diagnosis
S52.353J	Displaced comminuted fracture of shaft of radius, unspecified arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD-10-CM	Diagnosis
S52.353R	Displaced comminuted fracture of shaft of radius, unspecified arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD-10-CM	Diagnosis
S52.353N	Displaced comminuted fracture of shaft of radius, unspecified arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD-10-CM	Diagnosis
S52.351B	Displaced comminuted fracture of shaft of radius, right arm, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S52.351C	Displaced comminuted fracture of shaft of radius, right arm, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.353C	Displaced comminuted fracture of shaft of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.353J	Displaced comminuted fracture of shaft of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD-10-CM	Diagnosis
S72.353G	Displaced comminuted fracture of shaft of unspecified femur, subsequent encounter for closed fracture with delayed healing	ICD-10-CM	Diagnosis
S72.353P	Displaced comminuted fracture of shaft of unspecified femur, subsequent encounter for closed fracture with malunion	ICD-10-CM	Diagnosis
S72.353K	Displaced comminuted fracture of shaft of unspecified femur, subsequent encounter for closed fracture with nonunion	ICD-10-CM	Diagnosis
S72.353D	Displaced comminuted fracture of shaft of unspecified femur, subsequent encounter for closed fracture with routine healing	ICD-10-CM	Diagnosis
S72.353E	Displaced comminuted fracture of shaft of unspecified femur, subsequent encounter for open fracture type I or II with routine healing	ICD-10-CM	Diagnosis
S72.353F	Displaced comminuted fracture of shaft of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD-10-CM	Diagnosis
S72.353Q	Displaced comminuted fracture of shaft of unspecified femur, subsequent encounter for open fracture type I or II with malunion	ICD-10-CM	Diagnosis
S72.353M	Displaced comminuted fracture of shaft of unspecified femur, subsequent encounter for open fracture type I or II with nonunion	ICD-10-CM	Diagnosis
S72.353R	Displaced comminuted fracture of shaft of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD-10-CM	Diagnosis
S72.353N	Displaced comminuted fracture of shaft of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD-10-CM	Diagnosis
S72.353H	Displaced comminuted fracture of shaft of unspecified femur, subsequent encounter for open fracture type I or II with delayed healing	ICD-10-CM	Diagnosis
S52.351R	Displaced comminuted fracture of shaft of radius, right arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S52.252A	Displaced comminuted fracture of shaft of ulna, left arm, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.252B	Displaced comminuted fracture of shaft of ulna, left arm, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S52.252C	Displaced comminuted fracture of shaft of ulna, left arm, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S52.252G	Displaced comminuted fracture of shaft of ulna, left arm, subsequent encounter for closed fracture with delayed healing	ICD-10-CM	Diagnosis
S52.252P	Displaced comminuted fracture of shaft of ulna, left arm, subsequent encounter for closed fracture with malunion	ICD-10-CM	Diagnosis
S52.252K	Displaced comminuted fracture of shaft of ulna, left arm, subsequent encounter for closed fracture with nonunion	ICD-10-CM	Diagnosis
S52.252D	Displaced comminuted fracture of shaft of ulna, left arm, subsequent encounter for closed fracture with routine healing	ICD-10-CM	Diagnosis
S52.252E	Displaced comminuted fracture of shaft of ulna, left arm, subsequent encounter for open fracture type I or II with routine healing	ICD-10-CM	Diagnosis
S52.252J	Displaced comminuted fracture of shaft of ulna, left arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD-10-CM	Diagnosis
S52.252R	Displaced comminuted fracture of shaft of ulna, left arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD-10-CM	Diagnosis
S52.252N	Displaced comminuted fracture of shaft of ulna, left arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD-10-CM	Diagnosis
S52.252F	Displaced comminuted fracture of shaft of ulna, left arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD-10-CM	Diagnosis
S52.252H	Displaced comminuted fracture of shaft of ulna, left arm, subsequent encounter for open fracture type I or II with delayed healing	ICD-10-CM	Diagnosis
S52.252Q	Displaced comminuted fracture of shaft of ulna, left arm, subsequent encounter for open fracture type I or II with malunion	ICD-10-CM	Diagnosis
S52.252M	Displaced comminuted fracture of shaft of ulna, left arm, subsequent encounter for open fracture type I or II with nonunion	ICD-10-CM	Diagnosis
S52.251A	Displaced comminuted fracture of shaft of ulna, right arm, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.251B	Displaced comminuted fracture of shaft of ulna, right arm, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S52.251C	Displaced comminuted fracture of shaft of ulna, right arm, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S52.251G	Displaced comminuted fracture of shaft of ulna, right arm, subsequent encounter for closed fracture with delayed healing	ICD-10-CM	Diagnosis
S52.251P	Displaced comminuted fracture of shaft of ulna, right arm, subsequent encounter for closed fracture with malunion	ICD-10-CM	Diagnosis
S52.251K	Displaced comminuted fracture of shaft of ulna, right arm, subsequent encounter for closed fracture with nonunion	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S52.251D	Displaced comminuted fracture of shaft of ulna, right arm, subsequent encounter for closed fracture with routine healing	ICD-10-CM	Diagnosis
S52.251E	Displaced comminuted fracture of shaft of ulna, right arm, subsequent encounter for open fracture type I or II with routine healing	ICD-10-CM	Diagnosis
S52.251J	Displaced comminuted fracture of shaft of ulna, right arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD-10-CM	Diagnosis
S52.251R	Displaced comminuted fracture of shaft of ulna, right arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD-10-CM	Diagnosis
S52.251N	Displaced comminuted fracture of shaft of ulna, right arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD-10-CM	Diagnosis
S52.251F	Displaced comminuted fracture of shaft of ulna, right arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD-10-CM	Diagnosis
S52.251H	Displaced comminuted fracture of shaft of ulna, right arm, subsequent encounter for open fracture type I or II with delayed healing	ICD-10-CM	Diagnosis
S52.251Q	Displaced comminuted fracture of shaft of ulna, right arm, subsequent encounter for open fracture type I or II with malunion	ICD-10-CM	Diagnosis
S52.251M	Displaced comminuted fracture of shaft of ulna, right arm, subsequent encounter for open fracture type I or II with nonunion	ICD-10-CM	Diagnosis
S52.253A	Displaced comminuted fracture of shaft of ulna, unspecified arm, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.253B	Displaced comminuted fracture of shaft of ulna, unspecified arm, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S52.253C	Displaced comminuted fracture of shaft of ulna, unspecified arm, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S52.253G	Displaced comminuted fracture of shaft of ulna, unspecified arm, subsequent encounter for closed fracture with delayed healing	ICD-10-CM	Diagnosis
S52.253P	Displaced comminuted fracture of shaft of ulna, unspecified arm, subsequent encounter for closed fracture with malunion	ICD-10-CM	Diagnosis
S52.253K	Displaced comminuted fracture of shaft of ulna, unspecified arm, subsequent encounter for closed fracture with nonunion	ICD-10-CM	Diagnosis
S52.253D	Displaced comminuted fracture of shaft of ulna, unspecified arm, subsequent encounter for closed fracture with routine healing	ICD-10-CM	Diagnosis
S52.253E	Displaced comminuted fracture of shaft of ulna, unspecified arm, subsequent encounter for open fracture type I or II with routine healing	ICD-10-CM	Diagnosis
S52.253F	Displaced comminuted fracture of shaft of ulna, unspecified arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD-10-CM	Diagnosis
S52.253H	Displaced comminuted fracture of shaft of ulna, unspecified arm, subsequent encounter for open fracture type I or II with delayed healing	ICD-10-CM	Diagnosis
S52.253J	Displaced comminuted fracture of shaft of ulna, unspecified arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S52.253R	Displaced comminuted fracture of shaft of ulna, unspecified arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD-10-CM	Diagnosis
S52.253N	Displaced comminuted fracture of shaft of ulna, unspecified arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD-10-CM	Diagnosis
S42.423A	Displaced comminuted supracondylar fracture without intercondylar fracture of unspecified humerus, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.423B	Displaced comminuted supracondylar fracture without intercondylar fracture of unspecified humerus, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.422P	Displaced comminuted supracondylar fracture without intercondylar fracture of left humerus, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S42.422K	Displaced comminuted supracondylar fracture without intercondylar fracture of left humerus, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S42.421P	Displaced comminuted supracondylar fracture without intercondylar fracture of right humerus, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S42.421K	Displaced comminuted supracondylar fracture without intercondylar fracture of right humerus, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S42.422A	Displaced comminuted supracondylar fracture without intercondylar fracture of left humerus, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.422B	Displaced comminuted supracondylar fracture without intercondylar fracture of left humerus, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.422G	Displaced comminuted supracondylar fracture without intercondylar fracture of left humerus, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S42.422D	Displaced comminuted supracondylar fracture without intercondylar fracture of left humerus, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S42.421A	Displaced comminuted supracondylar fracture without intercondylar fracture of right humerus, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.421B	Displaced comminuted supracondylar fracture without intercondylar fracture of right humerus, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.421G	Displaced comminuted supracondylar fracture without intercondylar fracture of right humerus, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S42.421D	Displaced comminuted supracondylar fracture without intercondylar fracture of right humerus, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis



**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S42.423G	Displaced comminuted supracondylar fracture without intercondylar fracture of unspecified humerus, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S42.423P	Displaced comminuted supracondylar fracture without intercondylar fracture of unspecified humerus, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S42.423K	Displaced comminuted supracondylar fracture without intercondylar fracture of unspecified humerus, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S42.423D	Displaced comminuted supracondylar fracture without intercondylar fracture of unspecified humerus, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S42.422S	Displaced comminuted supracondylar fracture without intercondylar fracture of left humerus, sequela	ICD-10-CM	Diagnosis
S42.421S	Displaced comminuted supracondylar fracture without intercondylar fracture of right humerus, sequela	ICD-10-CM	Diagnosis
S42.423S	Displaced comminuted supracondylar fracture without intercondylar fracture of unspecified humerus, sequela	ICD-10-CM	Diagnosis
S42.352G	Displaced comminuted fracture of shaft of humerus, left arm, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S42.351G	Displaced comminuted fracture of shaft of humerus, right arm, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S42.353G	Displaced comminuted fracture of shaft of humerus, unspecified arm, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S52.352S	Displaced comminuted fracture of shaft of radius, left arm, sequela	ICD-10-CM	Diagnosis
S52.351S	Displaced comminuted fracture of shaft of radius, right arm, sequela	ICD-10-CM	Diagnosis
S52.253S	Displaced comminuted fracture of shaft of ulna, unspecified arm, sequela	ICD-10-CM	Diagnosis
S52.353S	Displaced comminuted fracture of shaft of radius, unspecified arm, sequela	ICD-10-CM	Diagnosis
S82.042C	Displaced comminuted fracture of left patella, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.042B	Displaced comminuted fracture of left patella, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.042G	Displaced comminuted fracture of left patella, subsequent encounter for closed fracture with delayed healing	ICD-10-CM	Diagnosis
S82.042P	Displaced comminuted fracture of left patella, subsequent encounter for closed fracture with malunion	ICD-10-CM	Diagnosis
S82.042K	Displaced comminuted fracture of left patella, subsequent encounter for closed fracture with nonunion	ICD-10-CM	Diagnosis
S82.042D	Displaced comminuted fracture of left patella, subsequent encounter for closed fracture with routine healing	ICD-10-CM	Diagnosis
S82.042H	Displaced comminuted fracture of left patella, subsequent encounter for open fracture type I or II with delayed healing	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S82.042Q	Displaced comminuted fracture of left patella, subsequent encounter for open fracture type I or II with malunion	ICD-10-CM	Diagnosis
S82.042M	Displaced comminuted fracture of left patella, subsequent encounter for open fracture type I or II with nonunion	ICD-10-CM	Diagnosis
S82.042E	Displaced comminuted fracture of left patella, subsequent encounter for open fracture type I or II with routine healing	ICD-10-CM	Diagnosis
S82.042J	Displaced comminuted fracture of left patella, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD-10-CM	Diagnosis
S82.042R	Displaced comminuted fracture of left patella, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD-10-CM	Diagnosis
S82.042N	Displaced comminuted fracture of left patella, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD-10-CM	Diagnosis
S82.042F	Displaced comminuted fracture of left patella, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD-10-CM	Diagnosis
S82.041C	Displaced comminuted fracture of right patella, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.041B	Displaced comminuted fracture of right patella, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.041G	Displaced comminuted fracture of right patella, subsequent encounter for closed fracture with delayed healing	ICD-10-CM	Diagnosis
S82.041P	Displaced comminuted fracture of right patella, subsequent encounter for closed fracture with malunion	ICD-10-CM	Diagnosis
S82.041K	Displaced comminuted fracture of right patella, subsequent encounter for closed fracture with nonunion	ICD-10-CM	Diagnosis
S82.041D	Displaced comminuted fracture of right patella, subsequent encounter for closed fracture with routine healing	ICD-10-CM	Diagnosis
S82.041H	Displaced comminuted fracture of right patella, subsequent encounter for open fracture type I or II with delayed healing	ICD-10-CM	Diagnosis
S82.041Q	Displaced comminuted fracture of right patella, subsequent encounter for open fracture type I or II with malunion	ICD-10-CM	Diagnosis
S82.041M	Displaced comminuted fracture of right patella, subsequent encounter for open fracture type I or II with nonunion	ICD-10-CM	Diagnosis
S82.041E	Displaced comminuted fracture of right patella, subsequent encounter for open fracture type I or II with routine healing	ICD-10-CM	Diagnosis
S82.041J	Displaced comminuted fracture of right patella, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD-10-CM	Diagnosis
S82.041R	Displaced comminuted fracture of right patella, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD-10-CM	Diagnosis
S82.041N	Displaced comminuted fracture of right patella, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD-10-CM	Diagnosis
S82.041F	Displaced comminuted fracture of right patella, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S82.043C	Displaced comminuted fracture of unspecified patella, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.043B	Displaced comminuted fracture of unspecified patella, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.043G	Displaced comminuted fracture of unspecified patella, subsequent encounter for closed fracture with delayed healing	ICD-10-CM	Diagnosis
S82.043P	Displaced comminuted fracture of unspecified patella, subsequent encounter for closed fracture with malunion	ICD-10-CM	Diagnosis
S82.043K	Displaced comminuted fracture of unspecified patella, subsequent encounter for closed fracture with nonunion	ICD-10-CM	Diagnosis
S82.043D	Displaced comminuted fracture of unspecified patella, subsequent encounter for closed fracture with routine healing	ICD-10-CM	Diagnosis
S82.043H	Displaced comminuted fracture of unspecified patella, subsequent encounter for open fracture type I or II with delayed healing	ICD-10-CM	Diagnosis
S82.043Q	Displaced comminuted fracture of unspecified patella, subsequent encounter for open fracture type I or II with malunion	ICD-10-CM	Diagnosis
S82.043M	Displaced comminuted fracture of unspecified patella, subsequent encounter for open fracture type I or II with nonunion	ICD-10-CM	Diagnosis
S82.043E	Displaced comminuted fracture of unspecified patella, subsequent encounter for open fracture type I or II with routine healing	ICD-10-CM	Diagnosis
S82.043J	Displaced comminuted fracture of unspecified patella, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD-10-CM	Diagnosis
S82.043R	Displaced comminuted fracture of unspecified patella, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD-10-CM	Diagnosis
S82.043N	Displaced comminuted fracture of unspecified patella, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD-10-CM	Diagnosis
S82.043F	Displaced comminuted fracture of unspecified patella, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD-10-CM	Diagnosis
S62.318S	Displaced fracture of base of other metacarpal bone, sequela	ICD-10-CM	Diagnosis
S62.142S	Displaced fracture of body of hamate [unciform] bone, left wrist, sequela	ICD-10-CM	Diagnosis
S62.141S	Displaced fracture of body of hamate [unciform] bone, right wrist, sequela	ICD-10-CM	Diagnosis
S62.132S	Displaced fracture of capitate [os magnum] bone, left wrist, sequela	ICD-10-CM	Diagnosis
S62.131S	Displaced fracture of capitate [os magnum] bone, right wrist, sequela	ICD-10-CM	Diagnosis
S62.133S	Displaced fracture of capitate [os magnum] bone, unspecified wrist, sequela	ICD-10-CM	Diagnosis
S52.041S	Displaced fracture of coronoid process of right ulna, sequela	ICD-10-CM	Diagnosis
S62.637S	Displaced fracture of distal phalanx of left little finger, sequela	ICD-10-CM	Diagnosis
S62.636S	Displaced fracture of distal phalanx of right little finger, sequela	ICD-10-CM	Diagnosis
S62.638S	Displaced fracture of distal phalanx of other finger, sequela	ICD-10-CM	Diagnosis
S62.639S	Displaced fracture of distal phalanx of unspecified finger, sequela	ICD-10-CM	Diagnosis
S72.112S	Displaced fracture of greater trochanter of left femur, sequela	ICD-10-CM	Diagnosis
S72.111S	Displaced fracture of greater trochanter of right femur, sequela	ICD-10-CM	Diagnosis
S72.113S	Displaced fracture of greater trochanter of unspecified femur, sequela	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S42.433S	Displaced fracture (avulsion) of lateral epicondyle of unspecified humerus, sequela	ICD-10-CM	Diagnosis
S42.452S	Displaced fracture of lateral condyle of left humerus, sequela	ICD-10-CM	Diagnosis
S42.451S	Displaced fracture of lateral condyle of right humerus, sequela	ICD-10-CM	Diagnosis
S42.453S	Displaced fracture of lateral condyle of unspecified humerus, sequela	ICD-10-CM	Diagnosis
S82.123S	Displaced fracture of lateral condyle of unspecified tibia, sequela	ICD-10-CM	Diagnosis
S72.122S	Displaced fracture of lesser trochanter of left femur, sequela	ICD-10-CM	Diagnosis
S72.121S	Displaced fracture of lesser trochanter of right femur, sequela	ICD-10-CM	Diagnosis
S72.123S	Displaced fracture of lesser trochanter of unspecified femur, sequela	ICD-10-CM	Diagnosis
S52.512S	Displaced fracture of left radial styloid process, sequela	ICD-10-CM	Diagnosis
S62.122S	Displaced fracture of lunate [semilunar], left wrist, sequela	ICD-10-CM	Diagnosis
S62.121S	Displaced fracture of lunate [semilunar], right wrist, sequela	ICD-10-CM	Diagnosis
S62.123S	Displaced fracture of lunate [semilunar], unspecified wrist, sequela	ICD-10-CM	Diagnosis
S42.442S	Displaced fracture (avulsion) of medial epicondyle of left humerus, sequela	ICD-10-CM	Diagnosis
S42.443S	Displaced fracture (avulsion) of medial epicondyle of unspecified humerus, sequela	ICD-10-CM	Diagnosis
S42.462S	Displaced fracture of medial condyle of left humerus, sequela	ICD-10-CM	Diagnosis
S42.461S	Displaced fracture of medial condyle of right humerus, sequela	ICD-10-CM	Diagnosis
S42.463S	Displaced fracture of medial condyle of unspecified humerus, sequela	ICD-10-CM	Diagnosis
S62.629S	Displaced fracture of middle phalanx of unspecified finger, sequela	ICD-10-CM	Diagnosis
S62.251S	Displaced fracture of neck of first metacarpal bone, right hand, sequela	ICD-10-CM	Diagnosis
S62.338S	Displaced fracture of neck of other metacarpal bone, sequela	ICD-10-CM	Diagnosis
S62.512S	Displaced fracture of proximal phalanx of left thumb, sequela	ICD-10-CM	Diagnosis
S62.511S	Displaced fracture of proximal phalanx of right thumb, sequela	ICD-10-CM	Diagnosis
S62.513S	Displaced fracture of proximal phalanx of unspecified thumb, sequela	ICD-10-CM	Diagnosis
S52.511S	Displaced fracture of right radial styloid process, sequela	ICD-10-CM	Diagnosis
S62.241S	Displaced fracture of shaft of first metacarpal bone, right hand, sequela	ICD-10-CM	Diagnosis
S62.328S	Displaced fracture of shaft of other metacarpal bone, sequela	ICD-10-CM	Diagnosis
S62.329S	Displaced fracture of shaft of unspecified metacarpal bone, sequela	ICD-10-CM	Diagnosis
S62.242S	Displaced fracture of shaft of first metacarpal bone, left hand, sequela	ICD-10-CM	Diagnosis
S62.243S	Displaced fracture of shaft of first metacarpal bone, unspecified hand, sequela	ICD-10-CM	Diagnosis
S52.513S	Displaced fracture of unspecified radial styloid process, sequela	ICD-10-CM	Diagnosis
S92.023P	Displaced fracture of anterior process of unspecified calcaneus, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S92.023K	Displaced fracture of anterior process of unspecified calcaneus, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S92.023G	Displaced fracture of anterior process of unspecified calcaneus, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S92.023D	Displaced fracture of anterior process of unspecified calcaneus, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S42.432G	Displaced fracture (avulsion) of lateral epicondyle of left humerus, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S42.432D	Displaced fracture (avulsion) of lateral epicondyle of left humerus, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S42.432A	Displaced fracture (avulsion) of lateral epicondyle of left humerus, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.432B	Displaced fracture (avulsion) of lateral epicondyle of left humerus, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.432P	Displaced fracture (avulsion) of lateral epicondyle of left humerus, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S42.432K	Displaced fracture (avulsion) of lateral epicondyle of left humerus, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S62.310A	Displaced fracture of base of second metacarpal bone, right hand, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S62.310B	Displaced fracture of base of second metacarpal bone, right hand, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.310G	Displaced fracture of base of second metacarpal bone, right hand, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S62.310P	Displaced fracture of base of second metacarpal bone, right hand, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S62.310K	Displaced fracture of base of second metacarpal bone, right hand, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S62.310D	Displaced fracture of base of second metacarpal bone, right hand, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S62.310S	Displaced fracture of base of second metacarpal bone, right hand, sequela	ICD-10-CM	Diagnosis
S62.313A	Displaced fracture of base of third metacarpal bone, left hand, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S62.313B	Displaced fracture of base of third metacarpal bone, left hand, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.313G	Displaced fracture of base of third metacarpal bone, left hand, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S62.313P	Displaced fracture of base of third metacarpal bone, left hand, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S62.313K	Displaced fracture of base of third metacarpal bone, left hand, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S62.313D	Displaced fracture of base of third metacarpal bone, left hand, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S62.312A	Displaced fracture of base of third metacarpal bone, right hand, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S62.312B	Displaced fracture of base of third metacarpal bone, right hand, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.312G	Displaced fracture of base of third metacarpal bone, right hand, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S62.312P	Displaced fracture of base of third metacarpal bone, right hand, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S62.312K	Displaced fracture of base of third metacarpal bone, right hand, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S62.312D	Displaced fracture of base of third metacarpal bone, right hand, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S62.313S	Displaced fracture of base of third metacarpal bone, left hand, sequela	ICD-10-CM	Diagnosis
S62.312S	Displaced fracture of base of third metacarpal bone, right hand, sequela	ICD-10-CM	Diagnosis
S62.315A	Displaced fracture of base of fourth metacarpal bone, left hand, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S62.315B	Displaced fracture of base of fourth metacarpal bone, left hand, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.315G	Displaced fracture of base of fourth metacarpal bone, left hand, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S62.315P	Displaced fracture of base of fourth metacarpal bone, left hand, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S62.315K	Displaced fracture of base of fourth metacarpal bone, left hand, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S62.315D	Displaced fracture of base of fourth metacarpal bone, left hand, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S62.314A	Displaced fracture of base of fourth metacarpal bone, right hand, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S62.314B	Displaced fracture of base of fourth metacarpal bone, right hand, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.314G	Displaced fracture of base of fourth metacarpal bone, right hand, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S62.314P	Displaced fracture of base of fourth metacarpal bone, right hand, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S62.314K	Displaced fracture of base of fourth metacarpal bone, right hand, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S62.314D	Displaced fracture of base of fourth metacarpal bone, right hand, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S62.315S	Displaced fracture of base of fourth metacarpal bone, left hand, sequela	ICD-10-CM	Diagnosis
S62.314S	Displaced fracture of base of fourth metacarpal bone, right hand, sequela	ICD-10-CM	Diagnosis
S62.316A	Displaced fracture of base of fifth metacarpal bone, right hand, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S62.316B	Displaced fracture of base of fifth metacarpal bone, right hand, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.316G	Displaced fracture of base of fifth metacarpal bone, right hand, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S62.316P	Displaced fracture of base of fifth metacarpal bone, right hand, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis



**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S62.316K	Displaced fracture of base of fifth metacarpal bone, right hand, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S62.316D	Displaced fracture of base of fifth metacarpal bone, right hand, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S62.316S	Displaced fracture of base of fifth metacarpal bone, right hand, sequela	ICD-10-CM	Diagnosis
S62.318A	Displaced fracture of base of other metacarpal bone, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S62.318B	Displaced fracture of base of other metacarpal bone, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.318G	Displaced fracture of base of other metacarpal bone, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S62.318P	Displaced fracture of base of other metacarpal bone, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S62.318K	Displaced fracture of base of other metacarpal bone, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S62.318D	Displaced fracture of base of other metacarpal bone, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S62.319A	Displaced fracture of base of unspecified metacarpal bone, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S62.319B	Displaced fracture of base of unspecified metacarpal bone, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.319G	Displaced fracture of base of unspecified metacarpal bone, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S62.319P	Displaced fracture of base of unspecified metacarpal bone, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S62.319K	Displaced fracture of base of unspecified metacarpal bone, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S62.319D	Displaced fracture of base of unspecified metacarpal bone, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S62.142G	Displaced fracture of body of hamate [unciform] bone, left wrist, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S62.142D	Displaced fracture of body of hamate [unciform] bone, left wrist, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S62.141G	Displaced fracture of body of hamate [unciform] bone, right wrist, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S62.141D	Displaced fracture of body of hamate [unciform] bone, right wrist, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S62.143S	Displaced fracture of body of hamate [unciform] bone, unspecified wrist, sequela	ICD-10-CM	Diagnosis
S62.142A	Displaced fracture of body of hamate [unciform] bone, left wrist, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S62.142B	Displaced fracture of body of hamate [unciform] bone, left wrist, initial encounter for open fracture	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S62.142P	Displaced fracture of body of hamate [unciform] bone, left wrist, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S62.142K	Displaced fracture of body of hamate [unciform] bone, left wrist, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S62.141A	Displaced fracture of body of hamate [unciform] bone, right wrist, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S62.141B	Displaced fracture of body of hamate [unciform] bone, right wrist, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.141P	Displaced fracture of body of hamate [unciform] bone, right wrist, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S62.141K	Displaced fracture of body of hamate [unciform] bone, right wrist, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S62.143A	Displaced fracture of body of hamate [unciform] bone, unspecified wrist, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S62.143B	Displaced fracture of body of hamate [unciform] bone, unspecified wrist, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.143G	Displaced fracture of body of hamate [unciform] bone, unspecified wrist, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S62.143P	Displaced fracture of body of hamate [unciform] bone, unspecified wrist, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S62.143K	Displaced fracture of body of hamate [unciform] bone, unspecified wrist, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S62.143D	Displaced fracture of body of hamate [unciform] bone, unspecified wrist, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S62.132A	Displaced fracture of capitate [os magnum] bone, left wrist, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S62.132B	Displaced fracture of capitate [os magnum] bone, left wrist, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.132G	Displaced fracture of capitate [os magnum] bone, left wrist, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S62.132P	Displaced fracture of capitate [os magnum] bone, left wrist, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S62.132K	Displaced fracture of capitate [os magnum] bone, left wrist, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S62.132D	Displaced fracture of capitate [os magnum] bone, left wrist, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S62.131A	Displaced fracture of capitate [os magnum] bone, right wrist, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S62.131B	Displaced fracture of capitate [os magnum] bone, right wrist, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.131G	Displaced fracture of capitate [os magnum] bone, right wrist, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S62.131P	Displaced fracture of capitate [os magnum] bone, right wrist, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S62.131K	Displaced fracture of capitate [os magnum] bone, right wrist, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S62.131D	Displaced fracture of capitate [os magnum] bone, right wrist, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S62.133A	Displaced fracture of capitate [os magnum] bone, unspecified wrist, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S62.133B	Displaced fracture of capitate [os magnum] bone, unspecified wrist, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.133G	Displaced fracture of capitate [os magnum] bone, unspecified wrist, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S62.133D	Displaced fracture of capitate [os magnum] bone, unspecified wrist, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S62.133P	Displaced fracture of capitate [os magnum] bone, unspecified wrist, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S62.133K	Displaced fracture of capitate [os magnum] bone, unspecified wrist, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S52.041B	Displaced fracture of coronoid process of right ulna, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S52.041C	Displaced fracture of coronoid process of right ulna, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S52.041K	Displaced fracture of coronoid process of right ulna, subsequent encounter for closed fracture with nonunion	ICD-10-CM	Diagnosis
S52.041P	Displaced fracture of coronoid process of right ulna, subsequent encounter for closed fracture with malunion	ICD-10-CM	Diagnosis
S52.041A	Displaced fracture of coronoid process of right ulna, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.041G	Displaced fracture of coronoid process of right ulna, subsequent encounter for closed fracture with delayed healing	ICD-10-CM	Diagnosis
S52.041D	Displaced fracture of coronoid process of right ulna, subsequent encounter for closed fracture with routine healing	ICD-10-CM	Diagnosis
S52.041H	Displaced fracture of coronoid process of right ulna, subsequent encounter for open fracture type I or II with delayed healing	ICD-10-CM	Diagnosis
S52.041Q	Displaced fracture of coronoid process of right ulna, subsequent encounter for open fracture type I or II with malunion	ICD-10-CM	Diagnosis
S52.041M	Displaced fracture of coronoid process of right ulna, subsequent encounter for open fracture type I or II with nonunion	ICD-10-CM	Diagnosis
S52.041E	Displaced fracture of coronoid process of right ulna, subsequent encounter for open fracture type I or II with routine healing	ICD-10-CM	Diagnosis
S52.041J	Displaced fracture of coronoid process of right ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S52.041F	Displaced fracture of coronoid process of right ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD-10-CM	Diagnosis
S52.041R	Displaced fracture of coronoid process of right ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD-10-CM	Diagnosis
S52.041N	Displaced fracture of coronoid process of right ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD-10-CM	Diagnosis
S62.631G	Displaced fracture of distal phalanx of left index finger, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S62.631P	Displaced fracture of distal phalanx of left index finger, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S62.631K	Displaced fracture of distal phalanx of left index finger, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S62.631D	Displaced fracture of distal phalanx of left index finger, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S62.631A	Displaced fracture of distal phalanx of left index finger, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S62.631B	Displaced fracture of distal phalanx of left index finger, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.637G	Displaced fracture of distal phalanx of left little finger, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S62.637P	Displaced fracture of distal phalanx of left little finger, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S62.637K	Displaced fracture of distal phalanx of left little finger, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S62.637D	Displaced fracture of distal phalanx of left little finger, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S62.637A	Displaced fracture of distal phalanx of left little finger, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S62.637B	Displaced fracture of distal phalanx of left little finger, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.633G	Displaced fracture of distal phalanx of left middle finger, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S62.633P	Displaced fracture of distal phalanx of left middle finger, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S62.633K	Displaced fracture of distal phalanx of left middle finger, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S62.633D	Displaced fracture of distal phalanx of left middle finger, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S62.633A	Displaced fracture of distal phalanx of left middle finger, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S62.633B	Displaced fracture of distal phalanx of left middle finger, initial encounter for open fracture	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S62.635G	Displaced fracture of distal phalanx of left ring finger, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S62.635P	Displaced fracture of distal phalanx of left ring finger, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S62.635K	Displaced fracture of distal phalanx of left ring finger, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S62.635D	Displaced fracture of distal phalanx of left ring finger, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S62.635A	Displaced fracture of distal phalanx of left ring finger, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S62.635B	Displaced fracture of distal phalanx of left ring finger, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.638A	Displaced fracture of distal phalanx of other finger, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S62.638B	Displaced fracture of distal phalanx of other finger, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.638G	Displaced fracture of distal phalanx of other finger, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S62.638P	Displaced fracture of distal phalanx of other finger, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S62.638K	Displaced fracture of distal phalanx of other finger, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S62.630G	Displaced fracture of distal phalanx of right index finger, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S62.630P	Displaced fracture of distal phalanx of right index finger, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S62.630K	Displaced fracture of distal phalanx of right index finger, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S62.630D	Displaced fracture of distal phalanx of right index finger, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S62.630A	Displaced fracture of distal phalanx of right index finger, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S62.630B	Displaced fracture of distal phalanx of right index finger, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.636G	Displaced fracture of distal phalanx of right little finger, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S62.636P	Displaced fracture of distal phalanx of right little finger, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S62.636K	Displaced fracture of distal phalanx of right little finger, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S62.636D	Displaced fracture of distal phalanx of right little finger, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S62.636A	Displaced fracture of distal phalanx of right little finger, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S62.636B	Displaced fracture of distal phalanx of right little finger, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.632G	Displaced fracture of distal phalanx of right middle finger, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S62.632P	Displaced fracture of distal phalanx of right middle finger, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S62.632K	Displaced fracture of distal phalanx of right middle finger, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S62.632D	Displaced fracture of distal phalanx of right middle finger, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S62.632A	Displaced fracture of distal phalanx of right middle finger, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S62.632B	Displaced fracture of distal phalanx of right middle finger, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.634G	Displaced fracture of distal phalanx of right ring finger, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S62.634P	Displaced fracture of distal phalanx of right ring finger, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S62.634K	Displaced fracture of distal phalanx of right ring finger, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S62.634D	Displaced fracture of distal phalanx of right ring finger, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S62.634A	Displaced fracture of distal phalanx of right ring finger, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S62.634B	Displaced fracture of distal phalanx of right ring finger, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.639A	Displaced fracture of distal phalanx of unspecified finger, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S62.639B	Displaced fracture of distal phalanx of unspecified finger, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.639G	Displaced fracture of distal phalanx of unspecified finger, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S62.639P	Displaced fracture of distal phalanx of unspecified finger, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S62.639K	Displaced fracture of distal phalanx of unspecified finger, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S62.523P	Displaced fracture of distal phalanx of unspecified thumb, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S62.523K	Displaced fracture of distal phalanx of unspecified thumb, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis



**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S92.422A	Displaced fracture of distal phalanx of left great toe, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S92.422B	Displaced fracture of distal phalanx of left great toe, initial encounter for open fracture	ICD-10-CM	Diagnosis
S92.422G	Displaced fracture of distal phalanx of left great toe, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S92.422P	Displaced fracture of distal phalanx of left great toe, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S92.422K	Displaced fracture of distal phalanx of left great toe, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S92.422D	Displaced fracture of distal phalanx of left great toe, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S62.631S	Displaced fracture of distal phalanx of left index finger, sequela	ICD-10-CM	Diagnosis
S62.633S	Displaced fracture of distal phalanx of left middle finger, sequela	ICD-10-CM	Diagnosis
S62.635S	Displaced fracture of distal phalanx of left ring finger, sequela	ICD-10-CM	Diagnosis
S62.522A	Displaced fracture of distal phalanx of left thumb, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S62.522B	Displaced fracture of distal phalanx of left thumb, initial encounter for open fracture	ICD-10-CM	Diagnosis
S92.421A	Displaced fracture of distal phalanx of right great toe, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S92.421B	Displaced fracture of distal phalanx of right great toe, initial encounter for open fracture	ICD-10-CM	Diagnosis
S92.421G	Displaced fracture of distal phalanx of right great toe, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S92.421P	Displaced fracture of distal phalanx of right great toe, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S92.421K	Displaced fracture of distal phalanx of right great toe, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S92.421D	Displaced fracture of distal phalanx of right great toe, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S62.630S	Displaced fracture of distal phalanx of right index finger, sequela	ICD-10-CM	Diagnosis
S62.632S	Displaced fracture of distal phalanx of right middle finger, sequela	ICD-10-CM	Diagnosis
S62.634S	Displaced fracture of distal phalanx of right ring finger, sequela	ICD-10-CM	Diagnosis
S62.521A	Displaced fracture of distal phalanx of right thumb, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S62.521B	Displaced fracture of distal phalanx of right thumb, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.521G	Displaced fracture of distal phalanx of right thumb, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S62.521D	Displaced fracture of distal phalanx of right thumb, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S92.423A	Displaced fracture of distal phalanx of unspecified great toe, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S92.423B	Displaced fracture of distal phalanx of unspecified great toe, initial encounter for open fracture	ICD-10-CM	Diagnosis
S92.423G	Displaced fracture of distal phalanx of unspecified great toe, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S92.423P	Displaced fracture of distal phalanx of unspecified great toe, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S92.423K	Displaced fracture of distal phalanx of unspecified great toe, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S92.423D	Displaced fracture of distal phalanx of unspecified great toe, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S92.532A	Displaced fracture of distal phalanx of left lesser toe(s), initial encounter for closed fracture	ICD-10-CM	Diagnosis
S92.532B	Displaced fracture of distal phalanx of left lesser toe(s), initial encounter for open fracture	ICD-10-CM	Diagnosis
S92.532G	Displaced fracture of distal phalanx of left lesser toe(s), subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S92.532P	Displaced fracture of distal phalanx of left lesser toe(s), subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S92.532K	Displaced fracture of distal phalanx of left lesser toe(s), subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S92.532D	Displaced fracture of distal phalanx of left lesser toe(s), subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S92.532S	Displaced fracture of distal phalanx of left lesser toe(s), sequela	ICD-10-CM	Diagnosis
S62.522G	Displaced fracture of distal phalanx of left thumb, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S62.522P	Displaced fracture of distal phalanx of left thumb, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S62.522K	Displaced fracture of distal phalanx of left thumb, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S62.522D	Displaced fracture of distal phalanx of left thumb, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S62.638D	Displaced fracture of distal phalanx of other finger, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S92.531A	Displaced fracture of distal phalanx of right lesser toe(s), initial encounter for closed fracture	ICD-10-CM	Diagnosis
S92.531B	Displaced fracture of distal phalanx of right lesser toe(s), initial encounter for open fracture	ICD-10-CM	Diagnosis
S92.531G	Displaced fracture of distal phalanx of right lesser toe(s), subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S92.531P	Displaced fracture of distal phalanx of right lesser toe(s), subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S92.531K	Displaced fracture of distal phalanx of right lesser toe(s), subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S92.531D	Displaced fracture of distal phalanx of right lesser toe(s), subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S92.531S	Displaced fracture of distal phalanx of right lesser toe(s), sequela	ICD-10-CM	Diagnosis
S62.521P	Displaced fracture of distal phalanx of right thumb, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S62.521K	Displaced fracture of distal phalanx of right thumb, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S62.639D	Displaced fracture of distal phalanx of unspecified finger, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S92.533A	Displaced fracture of distal phalanx of unspecified lesser toe(s), initial encounter for closed fracture	ICD-10-CM	Diagnosis
S92.533B	Displaced fracture of distal phalanx of unspecified lesser toe(s), initial encounter for open fracture	ICD-10-CM	Diagnosis
S92.533P	Displaced fracture of distal phalanx of unspecified lesser toe(s), subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S92.533K	Displaced fracture of distal phalanx of unspecified lesser toe(s), subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S92.533D	Displaced fracture of distal phalanx of unspecified lesser toe(s), subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S92.533S	Displaced fracture of distal phalanx of unspecified lesser toe(s), sequela	ICD-10-CM	Diagnosis
S92.533G	Displaced fracture of distal phalanx of unspecified lesser toe(s), subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S62.523A	Displaced fracture of distal phalanx of unspecified thumb, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S62.523B	Displaced fracture of distal phalanx of unspecified thumb, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.523G	Displaced fracture of distal phalanx of unspecified thumb, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S62.523D	Displaced fracture of distal phalanx of unspecified thumb, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S62.012A	Displaced fracture of distal pole of navicular [scaphoid] bone of left wrist, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S62.012B	Displaced fracture of distal pole of navicular [scaphoid] bone of left wrist, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.012G	Displaced fracture of distal pole of navicular [scaphoid] bone of left wrist, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S62.012P	Displaced fracture of distal pole of navicular [scaphoid] bone of left wrist, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S62.012K	Displaced fracture of distal pole of navicular [scaphoid] bone of left wrist, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S62.012D	Displaced fracture of distal pole of navicular [scaphoid] bone of left wrist, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S62.011G	Displaced fracture of distal pole of navicular [scaphoid] bone of right wrist, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S62.011P	Displaced fracture of distal pole of navicular [scaphoid] bone of right wrist, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S62.011K	Displaced fracture of distal pole of navicular [scaphoid] bone of right wrist, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S62.011D	Displaced fracture of distal pole of navicular [scaphoid] bone of right wrist, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S62.013P	Displaced fracture of distal pole of navicular [scaphoid] bone of unspecified wrist, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S62.013K	Displaced fracture of distal pole of navicular [scaphoid] bone of unspecified wrist, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S62.013A	Displaced fracture of distal pole of navicular [scaphoid] bone of unspecified wrist, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S62.013B	Displaced fracture of distal pole of navicular [scaphoid] bone of unspecified wrist, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.013G	Displaced fracture of distal pole of navicular [scaphoid] bone of unspecified wrist, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S62.013D	Displaced fracture of distal pole of navicular [scaphoid] bone of unspecified wrist, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S62.012S	Displaced fracture of distal pole of navicular [scaphoid] bone of left wrist, sequela	ICD-10-CM	Diagnosis
S62.011S	Displaced fracture of distal pole of navicular [scaphoid] bone of right wrist, sequela	ICD-10-CM	Diagnosis
S62.013S	Displaced fracture of distal pole of navicular [scaphoid] bone of unspecified wrist, sequela	ICD-10-CM	Diagnosis
S62.011A	Displaced fracture of distal pole of navicular [scaphoid] bone of right wrist, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S62.011B	Displaced fracture of distal pole of navicular [scaphoid] bone of right wrist, initial encounter for open fracture	ICD-10-CM	Diagnosis
S72.112C	Displaced fracture of greater trochanter of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.112G	Displaced fracture of greater trochanter of left femur, subsequent encounter for closed fracture with delayed healing	ICD-10-CM	Diagnosis
S72.112D	Displaced fracture of greater trochanter of left femur, subsequent encounter for closed fracture with routine healing	ICD-10-CM	Diagnosis
S72.112H	Displaced fracture of greater trochanter of left femur, subsequent encounter for open fracture type I or II with delayed healing	ICD-10-CM	Diagnosis
S72.112E	Displaced fracture of greater trochanter of left femur, subsequent encounter for open fracture type I or II with routine healing	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S72.112J	Displaced fracture of greater trochanter of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD-10-CM	Diagnosis
S72.112F	Displaced fracture of greater trochanter of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD-10-CM	Diagnosis
S72.112P	Displaced fracture of greater trochanter of left femur, subsequent encounter for closed fracture with malunion	ICD-10-CM	Diagnosis
S72.112K	Displaced fracture of greater trochanter of left femur, subsequent encounter for closed fracture with nonunion	ICD-10-CM	Diagnosis
S72.112Q	Displaced fracture of greater trochanter of left femur, subsequent encounter for open fracture type I or II with malunion	ICD-10-CM	Diagnosis
S72.112M	Displaced fracture of greater trochanter of left femur, subsequent encounter for open fracture type I or II with nonunion	ICD-10-CM	Diagnosis
S72.112R	Displaced fracture of greater trochanter of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD-10-CM	Diagnosis
S72.112N	Displaced fracture of greater trochanter of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD-10-CM	Diagnosis
S72.111C	Displaced fracture of greater trochanter of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.111G	Displaced fracture of greater trochanter of right femur, subsequent encounter for closed fracture with delayed healing	ICD-10-CM	Diagnosis
S72.111H	Displaced fracture of greater trochanter of right femur, subsequent encounter for open fracture type I or II with delayed healing	ICD-10-CM	Diagnosis
S72.111E	Displaced fracture of greater trochanter of right femur, subsequent encounter for open fracture type I or II with routine healing	ICD-10-CM	Diagnosis
S72.111J	Displaced fracture of greater trochanter of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD-10-CM	Diagnosis
S72.111F	Displaced fracture of greater trochanter of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD-10-CM	Diagnosis
S72.111P	Displaced fracture of greater trochanter of right femur, subsequent encounter for closed fracture with malunion	ICD-10-CM	Diagnosis
S72.111K	Displaced fracture of greater trochanter of right femur, subsequent encounter for closed fracture with nonunion	ICD-10-CM	Diagnosis
S72.111D	Displaced fracture of greater trochanter of right femur, subsequent encounter for closed fracture with routine healing	ICD-10-CM	Diagnosis
S72.111Q	Displaced fracture of greater trochanter of right femur, subsequent encounter for open fracture type I or II with malunion	ICD-10-CM	Diagnosis
S72.111M	Displaced fracture of greater trochanter of right femur, subsequent encounter for open fracture type I or II with nonunion	ICD-10-CM	Diagnosis
S72.111R	Displaced fracture of greater trochanter of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD-10-CM	Diagnosis
S72.111N	Displaced fracture of greater trochanter of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S72.113C	Displaced fracture of greater trochanter of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.113G	Displaced fracture of greater trochanter of unspecified femur, subsequent encounter for closed fracture with delayed healing	ICD-10-CM	Diagnosis
S72.113D	Displaced fracture of greater trochanter of unspecified femur, subsequent encounter for closed fracture with routine healing	ICD-10-CM	Diagnosis
S72.113H	Displaced fracture of greater trochanter of unspecified femur, subsequent encounter for open fracture type I or II with delayed healing	ICD-10-CM	Diagnosis
S72.113Q	Displaced fracture of greater trochanter of unspecified femur, subsequent encounter for open fracture type I or II with malunion	ICD-10-CM	Diagnosis
S72.113M	Displaced fracture of greater trochanter of unspecified femur, subsequent encounter for open fracture type I or II with nonunion	ICD-10-CM	Diagnosis
S72.113E	Displaced fracture of greater trochanter of unspecified femur, subsequent encounter for open fracture type I or II with routine healing	ICD-10-CM	Diagnosis
S72.113J	Displaced fracture of greater trochanter of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD-10-CM	Diagnosis
S72.113R	Displaced fracture of greater trochanter of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD-10-CM	Diagnosis
S72.113N	Displaced fracture of greater trochanter of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD-10-CM	Diagnosis
S72.113F	Displaced fracture of greater trochanter of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD-10-CM	Diagnosis
S72.113P	Displaced fracture of greater trochanter of unspecified femur, subsequent encounter for closed fracture with malunion	ICD-10-CM	Diagnosis
S72.113K	Displaced fracture of greater trochanter of unspecified femur, subsequent encounter for closed fracture with nonunion	ICD-10-CM	Diagnosis
S72.112A	Displaced fracture of greater trochanter of left femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S72.112B	Displaced fracture of greater trochanter of left femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.111A	Displaced fracture of greater trochanter of right femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S72.111B	Displaced fracture of greater trochanter of right femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.113A	Displaced fracture of greater trochanter of unspecified femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S72.113B	Displaced fracture of greater trochanter of unspecified femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S62.152A	Displaced fracture of hook process of hamate [unciform] bone, left wrist, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S62.152B	Displaced fracture of hook process of hamate [unciform] bone, left wrist, initial encounter for open fracture	ICD-10-CM	Diagnosis



**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S62.152G	Displaced fracture of hook process of hamate [unciform] bone, left wrist, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S62.152P	Displaced fracture of hook process of hamate [unciform] bone, left wrist, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S62.152K	Displaced fracture of hook process of hamate [unciform] bone, left wrist, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S62.152D	Displaced fracture of hook process of hamate [unciform] bone, left wrist, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S62.151A	Displaced fracture of hook process of hamate [unciform] bone, right wrist, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S62.151B	Displaced fracture of hook process of hamate [unciform] bone, right wrist, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.151G	Displaced fracture of hook process of hamate [unciform] bone, right wrist, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S62.151P	Displaced fracture of hook process of hamate [unciform] bone, right wrist, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S62.151K	Displaced fracture of hook process of hamate [unciform] bone, right wrist, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S62.151D	Displaced fracture of hook process of hamate [unciform] bone, right wrist, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S62.153A	Displaced fracture of hook process of hamate [unciform] bone, unspecified wrist, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S62.153B	Displaced fracture of hook process of hamate [unciform] bone, unspecified wrist, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.153G	Displaced fracture of hook process of hamate [unciform] bone, unspecified wrist, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S62.153P	Displaced fracture of hook process of hamate [unciform] bone, unspecified wrist, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S62.153K	Displaced fracture of hook process of hamate [unciform] bone, unspecified wrist, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S62.153D	Displaced fracture of hook process of hamate [unciform] bone, unspecified wrist, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S62.152S	Displaced fracture of hook process of hamate [unciform] bone, left wrist, sequela	ICD-10-CM	Diagnosis
S62.151S	Displaced fracture of hook process of hamate [unciform] bone, right wrist, sequela	ICD-10-CM	Diagnosis
S62.153S	Displaced fracture of hook process of hamate [unciform] bone, unspecified wrist, sequela	ICD-10-CM	Diagnosis
S92.232A	Displaced fracture of intermediate cuneiform of left foot, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S92.232B	Displaced fracture of intermediate cuneiform of left foot, initial encounter for open fracture	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S92.232G	Displaced fracture of intermediate cuneiform of left foot, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S92.232P	Displaced fracture of intermediate cuneiform of left foot, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S92.232K	Displaced fracture of intermediate cuneiform of left foot, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S92.232D	Displaced fracture of intermediate cuneiform of left foot, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S92.231A	Displaced fracture of intermediate cuneiform of right foot, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S92.231B	Displaced fracture of intermediate cuneiform of right foot, initial encounter for open fracture	ICD-10-CM	Diagnosis
S92.231G	Displaced fracture of intermediate cuneiform of right foot, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S92.231P	Displaced fracture of intermediate cuneiform of right foot, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S92.231K	Displaced fracture of intermediate cuneiform of right foot, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S92.231D	Displaced fracture of intermediate cuneiform of right foot, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S92.233A	Displaced fracture of intermediate cuneiform of unspecified foot, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S92.233B	Displaced fracture of intermediate cuneiform of unspecified foot, initial encounter for open fracture	ICD-10-CM	Diagnosis
S92.233G	Displaced fracture of intermediate cuneiform of unspecified foot, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S92.233P	Displaced fracture of intermediate cuneiform of unspecified foot, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S92.233K	Displaced fracture of intermediate cuneiform of unspecified foot, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S92.233D	Displaced fracture of intermediate cuneiform of unspecified foot, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S92.232S	Displaced fracture of intermediate cuneiform of left foot, sequela	ICD-10-CM	Diagnosis
S92.231S	Displaced fracture of intermediate cuneiform of right foot, sequela	ICD-10-CM	Diagnosis
S92.233S	Displaced fracture of intermediate cuneiform of unspecified foot, sequela	ICD-10-CM	Diagnosis
S72.422G	Displaced fracture of lateral condyle of left femur, subsequent encounter for closed fracture with delayed healing	ICD-10-CM	Diagnosis
S72.422P	Displaced fracture of lateral condyle of left femur, subsequent encounter for closed fracture with malunion	ICD-10-CM	Diagnosis
S72.422K	Displaced fracture of lateral condyle of left femur, subsequent encounter for closed fracture with nonunion	ICD-10-CM	Diagnosis
S72.422D	Displaced fracture of lateral condyle of left femur, subsequent encounter for closed fracture with routine healing	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S72.422H	Displaced fracture of lateral condyle of left femur, subsequent encounter for open fracture type I or II with delayed healing	ICD-10-CM	Diagnosis
S72.422Q	Displaced fracture of lateral condyle of left femur, subsequent encounter for open fracture type I or II with malunion	ICD-10-CM	Diagnosis
S72.422M	Displaced fracture of lateral condyle of left femur, subsequent encounter for open fracture type I or II with nonunion	ICD-10-CM	Diagnosis
S72.422E	Displaced fracture of lateral condyle of left femur, subsequent encounter for open fracture type I or II with routine healing	ICD-10-CM	Diagnosis
S72.422J	Displaced fracture of lateral condyle of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD-10-CM	Diagnosis
S72.422R	Displaced fracture of lateral condyle of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD-10-CM	Diagnosis
S72.422N	Displaced fracture of lateral condyle of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD-10-CM	Diagnosis
S72.422F	Displaced fracture of lateral condyle of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD-10-CM	Diagnosis
S72.422B	Displaced fracture of lateral condyle of left femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.422C	Displaced fracture of lateral condyle of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.422A	Displaced fracture of lateral condyle of left femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.452G	Displaced fracture of lateral condyle of left humerus, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S42.452P	Displaced fracture of lateral condyle of left humerus, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S42.452K	Displaced fracture of lateral condyle of left humerus, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S42.452D	Displaced fracture of lateral condyle of left humerus, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S42.452A	Displaced fracture of lateral condyle of left humerus, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.452B	Displaced fracture of lateral condyle of left humerus, initial encounter for open fracture	ICD-10-CM	Diagnosis
S72.421G	Displaced fracture of lateral condyle of right femur, subsequent encounter for closed fracture with delayed healing	ICD-10-CM	Diagnosis
S72.421P	Displaced fracture of lateral condyle of right femur, subsequent encounter for closed fracture with malunion	ICD-10-CM	Diagnosis
S72.421K	Displaced fracture of lateral condyle of right femur, subsequent encounter for closed fracture with nonunion	ICD-10-CM	Diagnosis
S72.421D	Displaced fracture of lateral condyle of right femur, subsequent encounter for closed fracture with routine healing	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S72.421H	Displaced fracture of lateral condyle of right femur, subsequent encounter for open fracture type I or II with delayed healing	ICD-10-CM	Diagnosis
S72.421Q	Displaced fracture of lateral condyle of right femur, subsequent encounter for open fracture type I or II with malunion	ICD-10-CM	Diagnosis
S72.421M	Displaced fracture of lateral condyle of right femur, subsequent encounter for open fracture type I or II with nonunion	ICD-10-CM	Diagnosis
S72.421E	Displaced fracture of lateral condyle of right femur, subsequent encounter for open fracture type I or II with routine healing	ICD-10-CM	Diagnosis
S72.421J	Displaced fracture of lateral condyle of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD-10-CM	Diagnosis
S72.421R	Displaced fracture of lateral condyle of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD-10-CM	Diagnosis
S72.421N	Displaced fracture of lateral condyle of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD-10-CM	Diagnosis
S72.421F	Displaced fracture of lateral condyle of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD-10-CM	Diagnosis
S72.421B	Displaced fracture of lateral condyle of right femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.421C	Displaced fracture of lateral condyle of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.421A	Displaced fracture of lateral condyle of right femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.451G	Displaced fracture of lateral condyle of right humerus, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S42.451P	Displaced fracture of lateral condyle of right humerus, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S42.451K	Displaced fracture of lateral condyle of right humerus, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S42.451D	Displaced fracture of lateral condyle of right humerus, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S42.451A	Displaced fracture of lateral condyle of right humerus, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.451B	Displaced fracture of lateral condyle of right humerus, initial encounter for open fracture	ICD-10-CM	Diagnosis
S72.423G	Displaced fracture of lateral condyle of unspecified femur, subsequent encounter for closed fracture with delayed healing	ICD-10-CM	Diagnosis
S72.423P	Displaced fracture of lateral condyle of unspecified femur, subsequent encounter for closed fracture with malunion	ICD-10-CM	Diagnosis
S72.423K	Displaced fracture of lateral condyle of unspecified femur, subsequent encounter for closed fracture with nonunion	ICD-10-CM	Diagnosis
S72.423D	Displaced fracture of lateral condyle of unspecified femur, subsequent encounter for closed fracture with routine healing	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S72.423Q	Displaced fracture of lateral condyle of unspecified femur, subsequent encounter for open fracture type I or II with malunion	ICD-10-CM	Diagnosis
S72.423M	Displaced fracture of lateral condyle of unspecified femur, subsequent encounter for open fracture type I or II with nonunion	ICD-10-CM	Diagnosis
S72.423E	Displaced fracture of lateral condyle of unspecified femur, subsequent encounter for open fracture type I or II with routine healing	ICD-10-CM	Diagnosis
S72.423J	Displaced fracture of lateral condyle of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD-10-CM	Diagnosis
S72.423R	Displaced fracture of lateral condyle of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD-10-CM	Diagnosis
S72.423N	Displaced fracture of lateral condyle of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD-10-CM	Diagnosis
S72.423F	Displaced fracture of lateral condyle of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD-10-CM	Diagnosis
S72.423H	Displaced fracture of lateral condyle of unspecified femur, subsequent encounter for open fracture type I or II with delayed healing	ICD-10-CM	Diagnosis
S72.423A	Displaced fracture of lateral condyle of unspecified femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S72.423B	Displaced fracture of lateral condyle of unspecified femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.423C	Displaced fracture of lateral condyle of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S42.453G	Displaced fracture of lateral condyle of unspecified humerus, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S42.453P	Displaced fracture of lateral condyle of unspecified humerus, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S42.453K	Displaced fracture of lateral condyle of unspecified humerus, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S42.453D	Displaced fracture of lateral condyle of unspecified humerus, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S42.453A	Displaced fracture of lateral condyle of unspecified humerus, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.453B	Displaced fracture of lateral condyle of unspecified humerus, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.431A	Displaced fracture (avulsion) of lateral epicondyle of right humerus, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.431B	Displaced fracture (avulsion) of lateral epicondyle of right humerus, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.431G	Displaced fracture (avulsion) of lateral epicondyle of right humerus, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S42.431P	Displaced fracture (avulsion) of lateral epicondyle of right humerus, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S42.431K	Displaced fracture (avulsion) of lateral epicondyle of right humerus, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S42.431D	Displaced fracture (avulsion) of lateral epicondyle of right humerus, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S42.433P	Displaced fracture (avulsion) of lateral epicondyle of unspecified humerus, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S42.433K	Displaced fracture (avulsion) of lateral epicondyle of unspecified humerus, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S42.433A	Displaced fracture (avulsion) of lateral epicondyle of unspecified humerus, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.433B	Displaced fracture (avulsion) of lateral epicondyle of unspecified humerus, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.433G	Displaced fracture (avulsion) of lateral epicondyle of unspecified humerus, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S42.433D	Displaced fracture (avulsion) of lateral epicondyle of unspecified humerus, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S72.122C	Displaced fracture of lesser trochanter of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.122P	Displaced fracture of lesser trochanter of left femur, subsequent encounter for closed fracture with malunion	ICD-10-CM	Diagnosis
S72.122K	Displaced fracture of lesser trochanter of left femur, subsequent encounter for closed fracture with nonunion	ICD-10-CM	Diagnosis
S72.122D	Displaced fracture of lesser trochanter of left femur, subsequent encounter for closed fracture with routine healing	ICD-10-CM	Diagnosis
S72.122Q	Displaced fracture of lesser trochanter of left femur, subsequent encounter for open fracture type I or II with malunion	ICD-10-CM	Diagnosis
S72.122M	Displaced fracture of lesser trochanter of left femur, subsequent encounter for open fracture type I or II with nonunion	ICD-10-CM	Diagnosis
S72.122R	Displaced fracture of lesser trochanter of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD-10-CM	Diagnosis
S72.122G	Displaced fracture of lesser trochanter of left femur, subsequent encounter for closed fracture with delayed healing	ICD-10-CM	Diagnosis
S72.122E	Displaced fracture of lesser trochanter of left femur, subsequent encounter for open fracture type I or II with routine healing	ICD-10-CM	Diagnosis
S72.122H	Displaced fracture of lesser trochanter of left femur, subsequent encounter for open fracture type I or II with delayed healing	ICD-10-CM	Diagnosis
S72.121C	Displaced fracture of lesser trochanter of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.121G	Displaced fracture of lesser trochanter of right femur, subsequent encounter for closed fracture with delayed healing	ICD-10-CM	Diagnosis
S72.121P	Displaced fracture of lesser trochanter of right femur, subsequent encounter for closed fracture with malunion	ICD-10-CM	Diagnosis



**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S72.121K	Displaced fracture of lesser trochanter of right femur, subsequent encounter for closed fracture with nonunion	ICD-10-CM	Diagnosis
S72.121D	Displaced fracture of lesser trochanter of right femur, subsequent encounter for closed fracture with routine healing	ICD-10-CM	Diagnosis
S72.121Q	Displaced fracture of lesser trochanter of right femur, subsequent encounter for open fracture type I or II with malunion	ICD-10-CM	Diagnosis
S72.121M	Displaced fracture of lesser trochanter of right femur, subsequent encounter for open fracture type I or II with nonunion	ICD-10-CM	Diagnosis
S72.121E	Displaced fracture of lesser trochanter of right femur, subsequent encounter for open fracture type I or II with routine healing	ICD-10-CM	Diagnosis
S72.121H	Displaced fracture of lesser trochanter of right femur, subsequent encounter for open fracture type I or II with delayed healing	ICD-10-CM	Diagnosis
S72.123B	Displaced fracture of lesser trochanter of unspecified femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.123C	Displaced fracture of lesser trochanter of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.123G	Displaced fracture of lesser trochanter of unspecified femur, subsequent encounter for closed fracture with delayed healing	ICD-10-CM	Diagnosis
S72.123P	Displaced fracture of lesser trochanter of unspecified femur, subsequent encounter for closed fracture with malunion	ICD-10-CM	Diagnosis
S72.123K	Displaced fracture of lesser trochanter of unspecified femur, subsequent encounter for closed fracture with nonunion	ICD-10-CM	Diagnosis
S72.123D	Displaced fracture of lesser trochanter of unspecified femur, subsequent encounter for closed fracture with routine healing	ICD-10-CM	Diagnosis
S72.123Q	Displaced fracture of lesser trochanter of unspecified femur, subsequent encounter for open fracture type I or II with malunion	ICD-10-CM	Diagnosis
S72.123M	Displaced fracture of lesser trochanter of unspecified femur, subsequent encounter for open fracture type I or II with nonunion	ICD-10-CM	Diagnosis
S72.123H	Displaced fracture of lesser trochanter of unspecified femur, subsequent encounter for open fracture type I or II with delayed healing	ICD-10-CM	Diagnosis
S72.123E	Displaced fracture of lesser trochanter of unspecified femur, subsequent encounter for open fracture type I or II with routine healing	ICD-10-CM	Diagnosis
S72.123R	Displaced fracture of lesser trochanter of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD-10-CM	Diagnosis
S72.122A	Displaced fracture of lesser trochanter of left femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S72.122B	Displaced fracture of lesser trochanter of left femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.121A	Displaced fracture of lesser trochanter of right femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S72.121B	Displaced fracture of lesser trochanter of right femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S72.123A	Displaced fracture of lesser trochanter of unspecified femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S72.442A	Displaced fracture of lower epiphysis (separation) of left femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S72.442B	Displaced fracture of lower epiphysis (separation) of left femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.442C	Displaced fracture of lower epiphysis (separation) of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.442G	Displaced fracture of lower epiphysis (separation) of left femur, subsequent encounter for closed fracture with delayed healing	ICD-10-CM	Diagnosis
S72.442D	Displaced fracture of lower epiphysis (separation) of left femur, subsequent encounter for closed fracture with routine healing	ICD-10-CM	Diagnosis
S72.442P	Displaced fracture of lower epiphysis (separation) of left femur, subsequent encounter for closed fracture with malunion	ICD-10-CM	Diagnosis
S72.442K	Displaced fracture of lower epiphysis (separation) of left femur, subsequent encounter for closed fracture with nonunion	ICD-10-CM	Diagnosis
S72.442H	Displaced fracture of lower epiphysis (separation) of left femur, subsequent encounter for open fracture type I or II with delayed healing	ICD-10-CM	Diagnosis
S72.442Q	Displaced fracture of lower epiphysis (separation) of left femur, subsequent encounter for open fracture type I or II with malunion	ICD-10-CM	Diagnosis
S72.442M	Displaced fracture of lower epiphysis (separation) of left femur, subsequent encounter for open fracture type I or II with nonunion	ICD-10-CM	Diagnosis
S72.442R	Displaced fracture of lower epiphysis (separation) of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD-10-CM	Diagnosis
S72.442N	Displaced fracture of lower epiphysis (separation) of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD-10-CM	Diagnosis
S72.442F	Displaced fracture of lower epiphysis (separation) of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD-10-CM	Diagnosis
S72.442E	Displaced fracture of lower epiphysis (separation) of left femur, subsequent encounter for open fracture type I or II with routine healing	ICD-10-CM	Diagnosis
S72.442J	Displaced fracture of lower epiphysis (separation) of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD-10-CM	Diagnosis
S72.441A	Displaced fracture of lower epiphysis (separation) of right femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S72.441B	Displaced fracture of lower epiphysis (separation) of right femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.441C	Displaced fracture of lower epiphysis (separation) of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S72.441G	Displaced fracture of lower epiphysis (separation) of right femur, subsequent encounter for closed fracture with delayed healing	ICD-10-CM	Diagnosis
S72.441D	Displaced fracture of lower epiphysis (separation) of right femur, subsequent encounter for closed fracture with routine healing	ICD-10-CM	Diagnosis
S72.441P	Displaced fracture of lower epiphysis (separation) of right femur, subsequent encounter for closed fracture with malunion	ICD-10-CM	Diagnosis
S72.441K	Displaced fracture of lower epiphysis (separation) of right femur, subsequent encounter for closed fracture with nonunion	ICD-10-CM	Diagnosis
S72.441H	Displaced fracture of lower epiphysis (separation) of right femur, subsequent encounter for open fracture type I or II with delayed healing	ICD-10-CM	Diagnosis
S72.441Q	Displaced fracture of lower epiphysis (separation) of right femur, subsequent encounter for open fracture type I or II with malunion	ICD-10-CM	Diagnosis
S72.441M	Displaced fracture of lower epiphysis (separation) of right femur, subsequent encounter for open fracture type I or II with nonunion	ICD-10-CM	Diagnosis
S72.441R	Displaced fracture of lower epiphysis (separation) of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD-10-CM	Diagnosis
S72.441N	Displaced fracture of lower epiphysis (separation) of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD-10-CM	Diagnosis
S72.441F	Displaced fracture of lower epiphysis (separation) of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD-10-CM	Diagnosis
S72.441E	Displaced fracture of lower epiphysis (separation) of right femur, subsequent encounter for open fracture type I or II with routine healing	ICD-10-CM	Diagnosis
S72.441J	Displaced fracture of lower epiphysis (separation) of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD-10-CM	Diagnosis
S72.443A	Displaced fracture of lower epiphysis (separation) of unspecified femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S72.443B	Displaced fracture of lower epiphysis (separation) of unspecified femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.443C	Displaced fracture of lower epiphysis (separation) of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.443H	Displaced fracture of lower epiphysis (separation) of unspecified femur, subsequent encounter for open fracture type I or II with delayed healing	ICD-10-CM	Diagnosis
S72.443G	Displaced fracture of lower epiphysis (separation) of unspecified femur, subsequent encounter for closed fracture with delayed healing	ICD-10-CM	Diagnosis
S72.443D	Displaced fracture of lower epiphysis (separation) of unspecified femur, subsequent encounter for closed fracture with routine healing	ICD-10-CM	Diagnosis
S72.443P	Displaced fracture of lower epiphysis (separation) of unspecified femur, subsequent encounter for closed fracture with malunion	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S72.443K	Displaced fracture of lower epiphysis (separation) of unspecified femur, subsequent encounter for closed fracture with nonunion	ICD-10-CM	Diagnosis
S72.443E	Displaced fracture of lower epiphysis (separation) of unspecified femur, subsequent encounter for open fracture type I or II with routine healing	ICD-10-CM	Diagnosis
S72.443J	Displaced fracture of lower epiphysis (separation) of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD-10-CM	Diagnosis
S72.443R	Displaced fracture of lower epiphysis (separation) of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD-10-CM	Diagnosis
S72.443N	Displaced fracture of lower epiphysis (separation) of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD-10-CM	Diagnosis
S72.443Q	Displaced fracture of lower epiphysis (separation) of unspecified femur, subsequent encounter for open fracture type I or II with malunion	ICD-10-CM	Diagnosis
S72.443M	Displaced fracture of lower epiphysis (separation) of unspecified femur, subsequent encounter for open fracture type I or II with nonunion	ICD-10-CM	Diagnosis
S72.443F	Displaced fracture of lower epiphysis (separation) of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD-10-CM	Diagnosis
S72.122J	Displaced fracture of lesser trochanter of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD-10-CM	Diagnosis
S72.122N	Displaced fracture of lesser trochanter of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD-10-CM	Diagnosis
S72.122F	Displaced fracture of lesser trochanter of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD-10-CM	Diagnosis
S72.121J	Displaced fracture of lesser trochanter of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD-10-CM	Diagnosis
S72.121R	Displaced fracture of lesser trochanter of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD-10-CM	Diagnosis
S72.121N	Displaced fracture of lesser trochanter of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD-10-CM	Diagnosis
S72.121F	Displaced fracture of lesser trochanter of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD-10-CM	Diagnosis
S72.123J	Displaced fracture of lesser trochanter of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD-10-CM	Diagnosis
S72.123N	Displaced fracture of lesser trochanter of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD-10-CM	Diagnosis
S72.123F	Displaced fracture of lesser trochanter of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD-10-CM	Diagnosis
S52.512A	Displaced fracture of left radial styloid process, initial encounter for closed fracture	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S52.512B	Displaced fracture of left radial styloid process, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S52.512C	Displaced fracture of left radial styloid process, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S52.512P	Displaced fracture of left radial styloid process, subsequent encounter for closed fracture with malunion	ICD-10-CM	Diagnosis
S52.512K	Displaced fracture of left radial styloid process, subsequent encounter for closed fracture with nonunion	ICD-10-CM	Diagnosis
S52.512D	Displaced fracture of left radial styloid process, subsequent encounter for closed fracture with routine healing	ICD-10-CM	Diagnosis
S52.512G	Displaced fracture of left radial styloid process, subsequent encounter for closed fracture with delayed healing	ICD-10-CM	Diagnosis
S52.512H	Displaced fracture of left radial styloid process, subsequent encounter for open fracture type I or II with delayed healing	ICD-10-CM	Diagnosis
S52.512Q	Displaced fracture of left radial styloid process, subsequent encounter for open fracture type I or II with malunion	ICD-10-CM	Diagnosis
S52.512M	Displaced fracture of left radial styloid process, subsequent encounter for open fracture type I or II with nonunion	ICD-10-CM	Diagnosis
S52.512E	Displaced fracture of left radial styloid process, subsequent encounter for open fracture type I or II with routine healing	ICD-10-CM	Diagnosis
S52.512J	Displaced fracture of left radial styloid process, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD-10-CM	Diagnosis
S52.512R	Displaced fracture of left radial styloid process, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD-10-CM	Diagnosis
S52.512N	Displaced fracture of left radial styloid process, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD-10-CM	Diagnosis
S52.512F	Displaced fracture of left radial styloid process, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD-10-CM	Diagnosis
S52.612B	Displaced fracture of left ulna styloid process, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S52.612C	Displaced fracture of left ulna styloid process, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S52.612G	Displaced fracture of left ulna styloid process, subsequent encounter for closed fracture with delayed healing	ICD-10-CM	Diagnosis
S52.612P	Displaced fracture of left ulna styloid process, subsequent encounter for closed fracture with malunion	ICD-10-CM	Diagnosis
S52.612K	Displaced fracture of left ulna styloid process, subsequent encounter for closed fracture with nonunion	ICD-10-CM	Diagnosis
S52.612D	Displaced fracture of left ulna styloid process, subsequent encounter for closed fracture with routine healing	ICD-10-CM	Diagnosis
S52.612H	Displaced fracture of left ulna styloid process, subsequent encounter for open fracture type I or II with delayed healing	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S52.612Q	Displaced fracture of left ulna styloid process, subsequent encounter for open fracture type I or II with malunion	ICD-10-CM	Diagnosis
S52.612M	Displaced fracture of left ulna styloid process, subsequent encounter for open fracture type I or II with nonunion	ICD-10-CM	Diagnosis
S52.612E	Displaced fracture of left ulna styloid process, subsequent encounter for open fracture type I or II with routine healing	ICD-10-CM	Diagnosis
S52.612J	Displaced fracture of left ulna styloid process, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD-10-CM	Diagnosis
S52.612R	Displaced fracture of left ulna styloid process, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD-10-CM	Diagnosis
S52.612N	Displaced fracture of left ulna styloid process, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD-10-CM	Diagnosis
S52.612F	Displaced fracture of left ulna styloid process, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD-10-CM	Diagnosis
S52.612A	Displaced fracture of left ulna styloid process, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S62.122P	Displaced fracture of lunate [semilunar], left wrist, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S62.122K	Displaced fracture of lunate [semilunar], left wrist, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S62.122D	Displaced fracture of lunate [semilunar], left wrist, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S62.122A	Displaced fracture of lunate [semilunar], left wrist, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S62.122B	Displaced fracture of lunate [semilunar], left wrist, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.122G	Displaced fracture of lunate [semilunar], left wrist, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S62.121P	Displaced fracture of lunate [semilunar], right wrist, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S62.121K	Displaced fracture of lunate [semilunar], right wrist, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S62.121D	Displaced fracture of lunate [semilunar], right wrist, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S62.121A	Displaced fracture of lunate [semilunar], right wrist, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S62.121B	Displaced fracture of lunate [semilunar], right wrist, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.121G	Displaced fracture of lunate [semilunar], right wrist, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S62.123P	Displaced fracture of lunate [semilunar], unspecified wrist, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis



**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S62.123K	Displaced fracture of lunate [semilunar], unspecified wrist, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S62.123D	Displaced fracture of lunate [semilunar], unspecified wrist, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S62.123A	Displaced fracture of lunate [semilunar], unspecified wrist, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S62.123B	Displaced fracture of lunate [semilunar], unspecified wrist, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.123G	Displaced fracture of lunate [semilunar], unspecified wrist, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S72.432G	Displaced fracture of medial condyle of left femur, subsequent encounter for closed fracture with delayed healing	ICD-10-CM	Diagnosis
S72.432P	Displaced fracture of medial condyle of left femur, subsequent encounter for closed fracture with malunion	ICD-10-CM	Diagnosis
S72.432K	Displaced fracture of medial condyle of left femur, subsequent encounter for closed fracture with nonunion	ICD-10-CM	Diagnosis
S72.432D	Displaced fracture of medial condyle of left femur, subsequent encounter for closed fracture with routine healing	ICD-10-CM	Diagnosis
S72.432H	Displaced fracture of medial condyle of left femur, subsequent encounter for open fracture type I or II with delayed healing	ICD-10-CM	Diagnosis
S72.432Q	Displaced fracture of medial condyle of left femur, subsequent encounter for open fracture type I or II with malunion	ICD-10-CM	Diagnosis
S72.432M	Displaced fracture of medial condyle of left femur, subsequent encounter for open fracture type I or II with nonunion	ICD-10-CM	Diagnosis
S72.432E	Displaced fracture of medial condyle of left femur, subsequent encounter for open fracture type I or II with routine healing	ICD-10-CM	Diagnosis
S72.432J	Displaced fracture of medial condyle of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD-10-CM	Diagnosis
S72.432R	Displaced fracture of medial condyle of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD-10-CM	Diagnosis
S72.432N	Displaced fracture of medial condyle of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD-10-CM	Diagnosis
S72.432F	Displaced fracture of medial condyle of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD-10-CM	Diagnosis
S72.432B	Displaced fracture of medial condyle of left femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.432C	Displaced fracture of medial condyle of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.432A	Displaced fracture of medial condyle of left femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.462A	Displaced fracture of medial condyle of left humerus, initial encounter for closed fracture	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S42.462B	Displaced fracture of medial condyle of left humerus, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.462D	Displaced fracture of medial condyle of left humerus, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S42.462G	Displaced fracture of medial condyle of left humerus, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S42.462P	Displaced fracture of medial condyle of left humerus, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S42.462K	Displaced fracture of medial condyle of left humerus, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S72.431G	Displaced fracture of medial condyle of right femur, subsequent encounter for closed fracture with delayed healing	ICD-10-CM	Diagnosis
S72.431P	Displaced fracture of medial condyle of right femur, subsequent encounter for closed fracture with malunion	ICD-10-CM	Diagnosis
S72.431K	Displaced fracture of medial condyle of right femur, subsequent encounter for closed fracture with nonunion	ICD-10-CM	Diagnosis
S72.431D	Displaced fracture of medial condyle of right femur, subsequent encounter for closed fracture with routine healing	ICD-10-CM	Diagnosis
S72.431H	Displaced fracture of medial condyle of right femur, subsequent encounter for open fracture type I or II with delayed healing	ICD-10-CM	Diagnosis
S72.431Q	Displaced fracture of medial condyle of right femur, subsequent encounter for open fracture type I or II with malunion	ICD-10-CM	Diagnosis
S72.431M	Displaced fracture of medial condyle of right femur, subsequent encounter for open fracture type I or II with nonunion	ICD-10-CM	Diagnosis
S72.431E	Displaced fracture of medial condyle of right femur, subsequent encounter for open fracture type I or II with routine healing	ICD-10-CM	Diagnosis
S72.431J	Displaced fracture of medial condyle of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD-10-CM	Diagnosis
S72.431R	Displaced fracture of medial condyle of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD-10-CM	Diagnosis
S72.431N	Displaced fracture of medial condyle of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD-10-CM	Diagnosis
S72.431F	Displaced fracture of medial condyle of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD-10-CM	Diagnosis
S72.431B	Displaced fracture of medial condyle of right femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.431C	Displaced fracture of medial condyle of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.431A	Displaced fracture of medial condyle of right femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.461A	Displaced fracture of medial condyle of right humerus, initial encounter for closed fracture	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S42.461B	Displaced fracture of medial condyle of right humerus, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.461D	Displaced fracture of medial condyle of right humerus, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S42.461G	Displaced fracture of medial condyle of right humerus, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S42.461P	Displaced fracture of medial condyle of right humerus, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S42.461K	Displaced fracture of medial condyle of right humerus, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S72.433G	Displaced fracture of medial condyle of unspecified femur, subsequent encounter for closed fracture with delayed healing	ICD-10-CM	Diagnosis
S72.433P	Displaced fracture of medial condyle of unspecified femur, subsequent encounter for closed fracture with malunion	ICD-10-CM	Diagnosis
S72.433K	Displaced fracture of medial condyle of unspecified femur, subsequent encounter for closed fracture with nonunion	ICD-10-CM	Diagnosis
S72.433D	Displaced fracture of medial condyle of unspecified femur, subsequent encounter for closed fracture with routine healing	ICD-10-CM	Diagnosis
S72.433Q	Displaced fracture of medial condyle of unspecified femur, subsequent encounter for open fracture type I or II with malunion	ICD-10-CM	Diagnosis
S72.433M	Displaced fracture of medial condyle of unspecified femur, subsequent encounter for open fracture type I or II with nonunion	ICD-10-CM	Diagnosis
S72.433E	Displaced fracture of medial condyle of unspecified femur, subsequent encounter for open fracture type I or II with routine healing	ICD-10-CM	Diagnosis
S72.433J	Displaced fracture of medial condyle of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD-10-CM	Diagnosis
S72.433R	Displaced fracture of medial condyle of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD-10-CM	Diagnosis
S72.433N	Displaced fracture of medial condyle of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD-10-CM	Diagnosis
S72.433F	Displaced fracture of medial condyle of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD-10-CM	Diagnosis
S72.433H	Displaced fracture of medial condyle of unspecified femur, subsequent encounter for open fracture type I or II with delayed healing	ICD-10-CM	Diagnosis
S72.433A	Displaced fracture of medial condyle of unspecified femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S72.433B	Displaced fracture of medial condyle of unspecified femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.433C	Displaced fracture of medial condyle of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S42.463A	Displaced fracture of medial condyle of unspecified humerus, initial encounter for closed fracture	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S42.463B	Displaced fracture of medial condyle of unspecified humerus, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.463G	Displaced fracture of medial condyle of unspecified humerus, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S42.463P	Displaced fracture of medial condyle of unspecified humerus, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S42.463K	Displaced fracture of medial condyle of unspecified humerus, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S42.463D	Displaced fracture of medial condyle of unspecified humerus, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S42.442G	Displaced fracture (avulsion) of medial epicondyle of left humerus, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S42.442P	Displaced fracture (avulsion) of medial epicondyle of left humerus, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S42.442K	Displaced fracture (avulsion) of medial epicondyle of left humerus, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S42.442D	Displaced fracture (avulsion) of medial epicondyle of left humerus, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S42.441G	Displaced fracture (avulsion) of medial epicondyle of right humerus, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S42.441P	Displaced fracture (avulsion) of medial epicondyle of right humerus, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S42.441K	Displaced fracture (avulsion) of medial epicondyle of right humerus, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S42.441D	Displaced fracture (avulsion) of medial epicondyle of right humerus, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S42.443A	Displaced fracture (avulsion) of medial epicondyle of unspecified humerus, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.443B	Displaced fracture (avulsion) of medial epicondyle of unspecified humerus, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.443G	Displaced fracture (avulsion) of medial epicondyle of unspecified humerus, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S42.443P	Displaced fracture (avulsion) of medial epicondyle of unspecified humerus, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S42.443K	Displaced fracture (avulsion) of medial epicondyle of unspecified humerus, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S42.443D	Displaced fracture (avulsion) of medial epicondyle of unspecified humerus, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S42.442A	Displaced fracture (avulsion) of medial epicondyle of left humerus, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.442B	Displaced fracture (avulsion) of medial epicondyle of left humerus, initial encounter for open fracture	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S42.441A	Displaced fracture (avulsion) of medial epicondyle of right humerus, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.441B	Displaced fracture (avulsion) of medial epicondyle of right humerus, initial encounter for open fracture	ICD-10-CM	Diagnosis
S82.52XA	Displaced fracture of medial malleolus of left tibia, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.52XB	Displaced fracture of medial malleolus of left tibia, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.52XC	Displaced fracture of medial malleolus of left tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.52XG	Displaced fracture of medial malleolus of left tibia, subsequent encounter for closed fracture with delayed healing	ICD-10-CM	Diagnosis
S82.52XD	Displaced fracture of medial malleolus of left tibia, subsequent encounter for closed fracture with routine healing	ICD-10-CM	Diagnosis
S82.52XP	Displaced fracture of medial malleolus of left tibia, subsequent encounter for closed fracture with malunion	ICD-10-CM	Diagnosis
S82.52XK	Displaced fracture of medial malleolus of left tibia, subsequent encounter for closed fracture with nonunion	ICD-10-CM	Diagnosis
S82.52XH	Displaced fracture of medial malleolus of left tibia, subsequent encounter for open fracture type I or II with delayed healing	ICD-10-CM	Diagnosis
S82.52XQ	Displaced fracture of medial malleolus of left tibia, subsequent encounter for open fracture type I or II with malunion	ICD-10-CM	Diagnosis
S82.52XM	Displaced fracture of medial malleolus of left tibia, subsequent encounter for open fracture type I or II with nonunion	ICD-10-CM	Diagnosis
S82.52XR	Displaced fracture of medial malleolus of left tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD-10-CM	Diagnosis
S82.52XN	Displaced fracture of medial malleolus of left tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD-10-CM	Diagnosis
S82.52XF	Displaced fracture of medial malleolus of left tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD-10-CM	Diagnosis
S82.52XE	Displaced fracture of medial malleolus of left tibia, subsequent encounter for open fracture type I or II with routine healing	ICD-10-CM	Diagnosis
S82.52XJ	Displaced fracture of medial malleolus of left tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD-10-CM	Diagnosis
S82.51XA	Displaced fracture of medial malleolus of right tibia, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.51XB	Displaced fracture of medial malleolus of right tibia, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.51XC	Displaced fracture of medial malleolus of right tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.51XG	Displaced fracture of medial malleolus of right tibia, subsequent encounter for closed fracture with delayed healing	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S82.51XD	Displaced fracture of medial malleolus of right tibia, subsequent encounter for closed fracture with routine healing	ICD-10-CM	Diagnosis
S82.51XP	Displaced fracture of medial malleolus of right tibia, subsequent encounter for closed fracture with malunion	ICD-10-CM	Diagnosis
S82.51XK	Displaced fracture of medial malleolus of right tibia, subsequent encounter for closed fracture with nonunion	ICD-10-CM	Diagnosis
S82.51XH	Displaced fracture of medial malleolus of right tibia, subsequent encounter for open fracture type I or II with delayed healing	ICD-10-CM	Diagnosis
S82.51XQ	Displaced fracture of medial malleolus of right tibia, subsequent encounter for open fracture type I or II with malunion	ICD-10-CM	Diagnosis
S82.51XM	Displaced fracture of medial malleolus of right tibia, subsequent encounter for open fracture type I or II with nonunion	ICD-10-CM	Diagnosis
S82.51XR	Displaced fracture of medial malleolus of right tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD-10-CM	Diagnosis
S82.51XN	Displaced fracture of medial malleolus of right tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD-10-CM	Diagnosis
S82.51XF	Displaced fracture of medial malleolus of right tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD-10-CM	Diagnosis
S82.51XE	Displaced fracture of medial malleolus of right tibia, subsequent encounter for open fracture type I or II with routine healing	ICD-10-CM	Diagnosis
S82.51XJ	Displaced fracture of medial malleolus of right tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD-10-CM	Diagnosis
S82.53XA	Displaced fracture of medial malleolus of unspecified tibia, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.53XB	Displaced fracture of medial malleolus of unspecified tibia, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.53XC	Displaced fracture of medial malleolus of unspecified tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.53XG	Displaced fracture of medial malleolus of unspecified tibia, subsequent encounter for closed fracture with delayed healing	ICD-10-CM	Diagnosis
S82.53XD	Displaced fracture of medial malleolus of unspecified tibia, subsequent encounter for closed fracture with routine healing	ICD-10-CM	Diagnosis
S82.53XP	Displaced fracture of medial malleolus of unspecified tibia, subsequent encounter for closed fracture with malunion	ICD-10-CM	Diagnosis
S82.53XK	Displaced fracture of medial malleolus of unspecified tibia, subsequent encounter for closed fracture with nonunion	ICD-10-CM	Diagnosis
S82.53XH	Displaced fracture of medial malleolus of unspecified tibia, subsequent encounter for open fracture type I or II with delayed healing	ICD-10-CM	Diagnosis
S82.53XE	Displaced fracture of medial malleolus of unspecified tibia, subsequent encounter for open fracture type I or II with routine healing	ICD-10-CM	Diagnosis
S82.53XJ	Displaced fracture of medial malleolus of unspecified tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD-10-CM	Diagnosis



**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S82.53XR	Displaced fracture of medial malleolus of unspecified tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD-10-CM	Diagnosis
S82.53XN	Displaced fracture of medial malleolus of unspecified tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD-10-CM	Diagnosis
S82.53XQ	Displaced fracture of medial malleolus of unspecified tibia, subsequent encounter for open fracture type I or II with malunion	ICD-10-CM	Diagnosis
S82.53XM	Displaced fracture of medial malleolus of unspecified tibia, subsequent encounter for open fracture type I or II with nonunion	ICD-10-CM	Diagnosis
S82.53XF	Displaced fracture of medial malleolus of unspecified tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD-10-CM	Diagnosis
S42.441S	Displaced fracture (avulsion) of medial epicondyle of right humerus, sequela	ICD-10-CM	Diagnosis
S62.022S	Displaced fracture of middle third of navicular [scaphoid] bone of left wrist, sequela	ICD-10-CM	Diagnosis
S62.022P	Displaced fracture of middle third of navicular [scaphoid] bone of left wrist, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S62.022K	Displaced fracture of middle third of navicular [scaphoid] bone of left wrist, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S62.022D	Displaced fracture of middle third of navicular [scaphoid] bone of left wrist, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S62.021A	Displaced fracture of middle third of navicular [scaphoid] bone of right wrist, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S62.021D	Displaced fracture of middle third of navicular [scaphoid] bone of right wrist, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S62.021B	Displaced fracture of middle third of navicular [scaphoid] bone of right wrist, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.023P	Displaced fracture of middle third of navicular [scaphoid] bone of unspecified wrist, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S62.023K	Displaced fracture of middle third of navicular [scaphoid] bone of unspecified wrist, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S62.021S	Displaced fracture of middle third of navicular [scaphoid] bone of right wrist, sequela	ICD-10-CM	Diagnosis
S62.022A	Displaced fracture of middle third of navicular [scaphoid] bone of left wrist, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S62.022B	Displaced fracture of middle third of navicular [scaphoid] bone of left wrist, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.022G	Displaced fracture of middle third of navicular [scaphoid] bone of left wrist, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S62.023A	Displaced fracture of middle third of navicular [scaphoid] bone of unspecified wrist, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S62.023B	Displaced fracture of middle third of navicular [scaphoid] bone of unspecified wrist, initial encounter for open fracture	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S62.023G	Displaced fracture of middle third of navicular [scaphoid] bone of unspecified wrist, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S62.023D	Displaced fracture of middle third of navicular [scaphoid] bone of unspecified wrist, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S62.021G	Displaced fracture of middle third of navicular [scaphoid] bone of right wrist, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S62.021P	Displaced fracture of middle third of navicular [scaphoid] bone of right wrist, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S62.021K	Displaced fracture of middle third of navicular [scaphoid] bone of right wrist, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S62.023S	Displaced fracture of middle third of navicular [scaphoid] bone of unspecified wrist, sequela	ICD-10-CM	Diagnosis
S62.627P	Displaced fracture of middle phalanx of left little finger, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S62.627K	Displaced fracture of middle phalanx of left little finger, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S62.627G	Displaced fracture of middle phalanx of left little finger, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S62.627D	Displaced fracture of middle phalanx of left little finger, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S62.627A	Displaced fracture of middle phalanx of left little finger, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S62.627B	Displaced fracture of middle phalanx of left little finger, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.628A	Displaced fracture of middle phalanx of other finger, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S62.628B	Displaced fracture of middle phalanx of other finger, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.626P	Displaced fracture of middle phalanx of right little finger, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S62.626K	Displaced fracture of middle phalanx of right little finger, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S62.626G	Displaced fracture of middle phalanx of right little finger, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S62.626D	Displaced fracture of middle phalanx of right little finger, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S62.626A	Displaced fracture of middle phalanx of right little finger, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S62.626B	Displaced fracture of middle phalanx of right little finger, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.629A	Displaced fracture of middle phalanx of unspecified finger, initial encounter for closed fracture	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S62.629B	Displaced fracture of middle phalanx of unspecified finger, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.627S	Displaced fracture of middle phalanx of left little finger, sequela	ICD-10-CM	Diagnosis
S62.626S	Displaced fracture of middle phalanx of right little finger, sequela	ICD-10-CM	Diagnosis
S62.629G	Displaced fracture of middle phalanx of unspecified finger, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S62.629P	Displaced fracture of middle phalanx of unspecified finger, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S62.629K	Displaced fracture of middle phalanx of unspecified finger, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S62.629D	Displaced fracture of middle phalanx of unspecified finger, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S62.628G	Displaced fracture of middle phalanx of other finger, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S62.628D	Displaced fracture of middle phalanx of other finger, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S62.628P	Displaced fracture of middle phalanx of other finger, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S62.628K	Displaced fracture of middle phalanx of other finger, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S62.252A	Displaced fracture of neck of first metacarpal bone, left hand, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S62.252B	Displaced fracture of neck of first metacarpal bone, left hand, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.252G	Displaced fracture of neck of first metacarpal bone, left hand, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S62.252P	Displaced fracture of neck of first metacarpal bone, left hand, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S62.252K	Displaced fracture of neck of first metacarpal bone, left hand, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S62.252D	Displaced fracture of neck of first metacarpal bone, left hand, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S62.253A	Displaced fracture of neck of first metacarpal bone, unspecified hand, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S62.253B	Displaced fracture of neck of first metacarpal bone, unspecified hand, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.253G	Displaced fracture of neck of first metacarpal bone, unspecified hand, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S62.253P	Displaced fracture of neck of first metacarpal bone, unspecified hand, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S62.253K	Displaced fracture of neck of first metacarpal bone, unspecified hand, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S62.253D	Displaced fracture of neck of first metacarpal bone, unspecified hand, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S62.253S	Displaced fracture of neck of first metacarpal bone, unspecified hand, sequela	ICD-10-CM	Diagnosis
S62.331A	Displaced fracture of neck of second metacarpal bone, left hand, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S62.331B	Displaced fracture of neck of second metacarpal bone, left hand, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.331G	Displaced fracture of neck of second metacarpal bone, left hand, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S62.331P	Displaced fracture of neck of second metacarpal bone, left hand, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S62.331K	Displaced fracture of neck of second metacarpal bone, left hand, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S62.331D	Displaced fracture of neck of second metacarpal bone, left hand, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S62.330A	Displaced fracture of neck of second metacarpal bone, right hand, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S62.330B	Displaced fracture of neck of second metacarpal bone, right hand, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.330G	Displaced fracture of neck of second metacarpal bone, right hand, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S62.330P	Displaced fracture of neck of second metacarpal bone, right hand, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S62.330K	Displaced fracture of neck of second metacarpal bone, right hand, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S62.330D	Displaced fracture of neck of second metacarpal bone, right hand, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S62.333A	Displaced fracture of neck of third metacarpal bone, left hand, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S62.333B	Displaced fracture of neck of third metacarpal bone, left hand, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.333G	Displaced fracture of neck of third metacarpal bone, left hand, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S62.333P	Displaced fracture of neck of third metacarpal bone, left hand, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S62.333K	Displaced fracture of neck of third metacarpal bone, left hand, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S62.333D	Displaced fracture of neck of third metacarpal bone, left hand, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S62.332A	Displaced fracture of neck of third metacarpal bone, right hand, initial encounter for closed fracture	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S62.332B	Displaced fracture of neck of third metacarpal bone, right hand, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.332G	Displaced fracture of neck of third metacarpal bone, right hand, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S62.332P	Displaced fracture of neck of third metacarpal bone, right hand, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S62.332K	Displaced fracture of neck of third metacarpal bone, right hand, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S62.332D	Displaced fracture of neck of third metacarpal bone, right hand, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S62.335A	Displaced fracture of neck of fourth metacarpal bone, left hand, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S62.335B	Displaced fracture of neck of fourth metacarpal bone, left hand, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.335G	Displaced fracture of neck of fourth metacarpal bone, left hand, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S62.335P	Displaced fracture of neck of fourth metacarpal bone, left hand, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S62.335K	Displaced fracture of neck of fourth metacarpal bone, left hand, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S62.335D	Displaced fracture of neck of fourth metacarpal bone, left hand, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S62.334A	Displaced fracture of neck of fourth metacarpal bone, right hand, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S62.334B	Displaced fracture of neck of fourth metacarpal bone, right hand, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.334G	Displaced fracture of neck of fourth metacarpal bone, right hand, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S62.334P	Displaced fracture of neck of fourth metacarpal bone, right hand, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S62.334K	Displaced fracture of neck of fourth metacarpal bone, right hand, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S62.334D	Displaced fracture of neck of fourth metacarpal bone, right hand, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S62.337A	Displaced fracture of neck of fifth metacarpal bone, left hand, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S62.337B	Displaced fracture of neck of fifth metacarpal bone, left hand, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.337G	Displaced fracture of neck of fifth metacarpal bone, left hand, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S62.337P	Displaced fracture of neck of fifth metacarpal bone, left hand, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S62.337K	Displaced fracture of neck of fifth metacarpal bone, left hand, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S62.337D	Displaced fracture of neck of fifth metacarpal bone, left hand, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S62.336A	Displaced fracture of neck of fifth metacarpal bone, right hand, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S62.336B	Displaced fracture of neck of fifth metacarpal bone, right hand, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.336G	Displaced fracture of neck of fifth metacarpal bone, right hand, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S62.336P	Displaced fracture of neck of fifth metacarpal bone, right hand, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S62.336K	Displaced fracture of neck of fifth metacarpal bone, right hand, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S62.336D	Displaced fracture of neck of fifth metacarpal bone, right hand, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S52.132B	Displaced fracture of neck of left radius, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S52.132C	Displaced fracture of neck of left radius, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S52.132A	Displaced fracture of neck of left radius, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.132P	Displaced fracture of neck of left radius, subsequent encounter for closed fracture with malunion	ICD-10-CM	Diagnosis
S52.132K	Displaced fracture of neck of left radius, subsequent encounter for closed fracture with nonunion	ICD-10-CM	Diagnosis
S52.132D	Displaced fracture of neck of left radius, subsequent encounter for closed fracture with routine healing	ICD-10-CM	Diagnosis
S52.132Q	Displaced fracture of neck of left radius, subsequent encounter for open fracture type I or II with malunion	ICD-10-CM	Diagnosis
S52.132M	Displaced fracture of neck of left radius, subsequent encounter for open fracture type I or II with nonunion	ICD-10-CM	Diagnosis
S52.132J	Displaced fracture of neck of left radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD-10-CM	Diagnosis
S52.132G	Displaced fracture of neck of left radius, subsequent encounter for closed fracture with delayed healing	ICD-10-CM	Diagnosis
S52.132E	Displaced fracture of neck of left radius, subsequent encounter for open fracture type I or II with routine healing	ICD-10-CM	Diagnosis
S52.132H	Displaced fracture of neck of left radius, subsequent encounter for open fracture type I or II with delayed healing	ICD-10-CM	Diagnosis
S52.132R	Displaced fracture of neck of left radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD-10-CM	Diagnosis



**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S52.132N	Displaced fracture of neck of left radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD-10-CM	Diagnosis
S52.132F	Displaced fracture of neck of left radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD-10-CM	Diagnosis
S52.131B	Displaced fracture of neck of right radius, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S52.131C	Displaced fracture of neck of right radius, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S52.131A	Displaced fracture of neck of right radius, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.131P	Displaced fracture of neck of right radius, subsequent encounter for closed fracture with malunion	ICD-10-CM	Diagnosis
S52.131K	Displaced fracture of neck of right radius, subsequent encounter for closed fracture with nonunion	ICD-10-CM	Diagnosis
S52.131D	Displaced fracture of neck of right radius, subsequent encounter for closed fracture with routine healing	ICD-10-CM	Diagnosis
S52.131Q	Displaced fracture of neck of right radius, subsequent encounter for open fracture type I or II with malunion	ICD-10-CM	Diagnosis
S52.131M	Displaced fracture of neck of right radius, subsequent encounter for open fracture type I or II with nonunion	ICD-10-CM	Diagnosis
S52.131J	Displaced fracture of neck of right radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD-10-CM	Diagnosis
S52.131G	Displaced fracture of neck of right radius, subsequent encounter for closed fracture with delayed healing	ICD-10-CM	Diagnosis
S52.131E	Displaced fracture of neck of right radius, subsequent encounter for open fracture type I or II with routine healing	ICD-10-CM	Diagnosis
S52.131H	Displaced fracture of neck of right radius, subsequent encounter for open fracture type I or II with delayed healing	ICD-10-CM	Diagnosis
S52.131R	Displaced fracture of neck of right radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD-10-CM	Diagnosis
S52.131N	Displaced fracture of neck of right radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD-10-CM	Diagnosis
S52.131F	Displaced fracture of neck of right radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD-10-CM	Diagnosis
S52.133B	Displaced fracture of neck of unspecified radius, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S52.133C	Displaced fracture of neck of unspecified radius, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S52.133A	Displaced fracture of neck of unspecified radius, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.133P	Displaced fracture of neck of unspecified radius, subsequent encounter for closed fracture with malunion	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S52.133K	Displaced fracture of neck of unspecified radius, subsequent encounter for closed fracture with nonunion	ICD-10-CM	Diagnosis
S52.133J	Displaced fracture of neck of unspecified radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD-10-CM	Diagnosis
S52.133F	Displaced fracture of neck of unspecified radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD-10-CM	Diagnosis
S52.133D	Displaced fracture of neck of unspecified radius, subsequent encounter for closed fracture with routine healing	ICD-10-CM	Diagnosis
S52.133Q	Displaced fracture of neck of unspecified radius, subsequent encounter for open fracture type I or II with malunion	ICD-10-CM	Diagnosis
S52.133M	Displaced fracture of neck of unspecified radius, subsequent encounter for open fracture type I or II with nonunion	ICD-10-CM	Diagnosis
S52.133G	Displaced fracture of neck of unspecified radius, subsequent encounter for closed fracture with delayed healing	ICD-10-CM	Diagnosis
S52.133H	Displaced fracture of neck of unspecified radius, subsequent encounter for open fracture type I or II with delayed healing	ICD-10-CM	Diagnosis
S52.133E	Displaced fracture of neck of unspecified radius, subsequent encounter for open fracture type I or II with routine healing	ICD-10-CM	Diagnosis
S52.133R	Displaced fracture of neck of unspecified radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD-10-CM	Diagnosis
S52.133N	Displaced fracture of neck of unspecified radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD-10-CM	Diagnosis
S62.251A	Displaced fracture of neck of first metacarpal bone, right hand, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S62.251B	Displaced fracture of neck of first metacarpal bone, right hand, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.251P	Displaced fracture of neck of first metacarpal bone, right hand, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S62.251K	Displaced fracture of neck of first metacarpal bone, right hand, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S62.251G	Displaced fracture of neck of first metacarpal bone, right hand, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S62.251D	Displaced fracture of neck of first metacarpal bone, right hand, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S62.252S	Displaced fracture of neck of first metacarpal bone, left hand, sequela	ICD-10-CM	Diagnosis
S62.331S	Displaced fracture of neck of second metacarpal bone, left hand, sequela	ICD-10-CM	Diagnosis
S62.330S	Displaced fracture of neck of second metacarpal bone, right hand, sequela	ICD-10-CM	Diagnosis
S62.333S	Displaced fracture of neck of third metacarpal bone, left hand, sequela	ICD-10-CM	Diagnosis
S62.332S	Displaced fracture of neck of third metacarpal bone, right hand, sequela	ICD-10-CM	Diagnosis
S62.335S	Displaced fracture of neck of fourth metacarpal bone, left hand, sequela	ICD-10-CM	Diagnosis
S62.334S	Displaced fracture of neck of fourth metacarpal bone, right hand, sequela	ICD-10-CM	Diagnosis
S62.337S	Displaced fracture of neck of fifth metacarpal bone, left hand, sequela	ICD-10-CM	Diagnosis
S62.336S	Displaced fracture of neck of fifth metacarpal bone, right hand, sequela	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S62.338A	Displaced fracture of neck of other metacarpal bone, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S62.338B	Displaced fracture of neck of other metacarpal bone, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.338G	Displaced fracture of neck of other metacarpal bone, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S62.338P	Displaced fracture of neck of other metacarpal bone, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S62.338K	Displaced fracture of neck of other metacarpal bone, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S62.338D	Displaced fracture of neck of other metacarpal bone, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S62.339A	Displaced fracture of neck of unspecified metacarpal bone, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S62.339B	Displaced fracture of neck of unspecified metacarpal bone, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.339G	Displaced fracture of neck of unspecified metacarpal bone, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S62.339P	Displaced fracture of neck of unspecified metacarpal bone, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S62.339K	Displaced fracture of neck of unspecified metacarpal bone, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S62.339D	Displaced fracture of neck of unspecified metacarpal bone, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S52.022H	Displaced fracture of olecranon process without intraarticular extension of left ulna, subsequent encounter for open fracture type I or II with delayed healing	ICD-10-CM	Diagnosis
S52.022J	Displaced fracture of olecranon process without intraarticular extension of left ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD-10-CM	Diagnosis
S52.023C	Displaced fracture of olecranon process without intraarticular extension of unspecified ulna, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S52.023E	Displaced fracture of olecranon process without intraarticular extension of unspecified ulna, subsequent encounter for open fracture type I or II with routine healing	ICD-10-CM	Diagnosis
S52.022E	Displaced fracture of olecranon process without intraarticular extension of left ulna, subsequent encounter for open fracture type I or II with routine healing	ICD-10-CM	Diagnosis
S52.022B	Displaced fracture of olecranon process without intraarticular extension of left ulna, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S52.022Q	Displaced fracture of olecranon process without intraarticular extension of left ulna, subsequent encounter for open fracture type I or II with malunion	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S52.022R	Displaced fracture of olecranon process without intraarticular extension of left ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD-10-CM	Diagnosis
S52.022F	Displaced fracture of olecranon process without intraarticular extension of left ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD-10-CM	Diagnosis
S52.021H	Displaced fracture of olecranon process without intraarticular extension of right ulna, subsequent encounter for open fracture type I or II with delayed healing	ICD-10-CM	Diagnosis
S52.021Q	Displaced fracture of olecranon process without intraarticular extension of right ulna, subsequent encounter for open fracture type I or II with malunion	ICD-10-CM	Diagnosis
S52.021E	Displaced fracture of olecranon process without intraarticular extension of right ulna, subsequent encounter for open fracture type I or II with routine healing	ICD-10-CM	Diagnosis
S52.021F	Displaced fracture of olecranon process without intraarticular extension of right ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD-10-CM	Diagnosis
S52.021P	Displaced fracture of olecranon process without intraarticular extension of right ulna, subsequent encounter for closed fracture with malunion	ICD-10-CM	Diagnosis
S52.021M	Displaced fracture of olecranon process without intraarticular extension of right ulna, subsequent encounter for open fracture type I or II with nonunion	ICD-10-CM	Diagnosis
S52.021J	Displaced fracture of olecranon process without intraarticular extension of right ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD-10-CM	Diagnosis
S52.021R	Displaced fracture of olecranon process without intraarticular extension of right ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD-10-CM	Diagnosis
S52.021G	Displaced fracture of olecranon process without intraarticular extension of right ulna, subsequent encounter for closed fracture with delayed healing	ICD-10-CM	Diagnosis
S52.021K	Displaced fracture of olecranon process without intraarticular extension of right ulna, subsequent encounter for closed fracture with nonunion	ICD-10-CM	Diagnosis
S52.021N	Displaced fracture of olecranon process without intraarticular extension of right ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD-10-CM	Diagnosis
S52.023H	Displaced fracture of olecranon process without intraarticular extension of unspecified ulna, subsequent encounter for open fracture type I or II with delayed healing	ICD-10-CM	Diagnosis
S52.023Q	Displaced fracture of olecranon process without intraarticular extension of unspecified ulna, subsequent encounter for open fracture type I or II with malunion	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S52.023J	Displaced fracture of olecranon process without intraarticular extension of unspecified ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD-10-CM	Diagnosis
S52.023F	Displaced fracture of olecranon process without intraarticular extension of unspecified ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD-10-CM	Diagnosis
S52.023B	Displaced fracture of olecranon process without intraarticular extension of unspecified ulna, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S52.023R	Displaced fracture of olecranon process without intraarticular extension of unspecified ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD-10-CM	Diagnosis
S52.023N	Displaced fracture of olecranon process without intraarticular extension of unspecified ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD-10-CM	Diagnosis
S52.022D	Displaced fracture of olecranon process without intraarticular extension of left ulna, subsequent encounter for closed fracture with routine healing	ICD-10-CM	Diagnosis
S52.022C	Displaced fracture of olecranon process without intraarticular extension of left ulna, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S52.022M	Displaced fracture of olecranon process without intraarticular extension of left ulna, subsequent encounter for open fracture type I or II with nonunion	ICD-10-CM	Diagnosis
S52.022G	Displaced fracture of olecranon process without intraarticular extension of left ulna, subsequent encounter for closed fracture with delayed healing	ICD-10-CM	Diagnosis
S52.022K	Displaced fracture of olecranon process without intraarticular extension of left ulna, subsequent encounter for closed fracture with nonunion	ICD-10-CM	Diagnosis
S52.022N	Displaced fracture of olecranon process without intraarticular extension of left ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD-10-CM	Diagnosis
S52.023M	Displaced fracture of olecranon process without intraarticular extension of unspecified ulna, subsequent encounter for open fracture type I or II with nonunion	ICD-10-CM	Diagnosis
S52.023G	Displaced fracture of olecranon process without intraarticular extension of unspecified ulna, subsequent encounter for closed fracture with delayed healing	ICD-10-CM	Diagnosis
S52.023P	Displaced fracture of olecranon process without intraarticular extension of unspecified ulna, subsequent encounter for closed fracture with malunion	ICD-10-CM	Diagnosis
S52.023K	Displaced fracture of olecranon process without intraarticular extension of unspecified ulna, subsequent encounter for closed fracture with nonunion	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S52.023D	Displaced fracture of olecranon process without intraarticular extension of unspecified ulna, subsequent encounter for closed fracture with routine healing	ICD-10-CM	Diagnosis
S52.021B	Displaced fracture of olecranon process without intraarticular extension of right ulna, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S52.021A	Displaced fracture of olecranon process without intraarticular extension of right ulna, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.021D	Displaced fracture of olecranon process without intraarticular extension of right ulna, subsequent encounter for closed fracture with routine healing	ICD-10-CM	Diagnosis
S52.022A	Displaced fracture of olecranon process without intraarticular extension of left ulna, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.021S	Displaced fracture of olecranon process without intraarticular extension of right ulna, sequela	ICD-10-CM	Diagnosis
S52.022S	Displaced fracture of olecranon process without intraarticular extension of left ulna, sequela	ICD-10-CM	Diagnosis
S52.022P	Displaced fracture of olecranon process without intraarticular extension of left ulna, subsequent encounter for closed fracture with malunion	ICD-10-CM	Diagnosis
S52.023A	Displaced fracture of olecranon process without intraarticular extension of unspecified ulna, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.023S	Displaced fracture of olecranon process without intraarticular extension of unspecified ulna, sequela	ICD-10-CM	Diagnosis
S62.162G	Displaced fracture of pisiform, left wrist, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S62.162D	Displaced fracture of pisiform, left wrist, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S62.161G	Displaced fracture of pisiform, right wrist, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S62.161D	Displaced fracture of pisiform, right wrist, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S62.163G	Displaced fracture of pisiform, unspecified wrist, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S62.163D	Displaced fracture of pisiform, unspecified wrist, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S62.032P	Displaced fracture of proximal third of navicular [scaphoid] bone of left wrist, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S62.032K	Displaced fracture of proximal third of navicular [scaphoid] bone of left wrist, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S62.031P	Displaced fracture of proximal third of navicular [scaphoid] bone of right wrist, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S62.031K	Displaced fracture of proximal third of navicular [scaphoid] bone of right wrist, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis



**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S62.032A	Displaced fracture of proximal third of navicular [scaphoid] bone of left wrist, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S62.032B	Displaced fracture of proximal third of navicular [scaphoid] bone of left wrist, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.032G	Displaced fracture of proximal third of navicular [scaphoid] bone of left wrist, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S62.032D	Displaced fracture of proximal third of navicular [scaphoid] bone of left wrist, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S62.031A	Displaced fracture of proximal third of navicular [scaphoid] bone of right wrist, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S62.031B	Displaced fracture of proximal third of navicular [scaphoid] bone of right wrist, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.031G	Displaced fracture of proximal third of navicular [scaphoid] bone of right wrist, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S62.031D	Displaced fracture of proximal third of navicular [scaphoid] bone of right wrist, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S62.032S	Displaced fracture of proximal third of navicular [scaphoid] bone of left wrist, sequela	ICD-10-CM	Diagnosis
S62.031S	Displaced fracture of proximal third of navicular [scaphoid] bone of right wrist, sequela	ICD-10-CM	Diagnosis
S62.033S	Displaced fracture of proximal third of navicular [scaphoid] bone of unspecified wrist, sequela	ICD-10-CM	Diagnosis
S62.033A	Displaced fracture of proximal third of navicular [scaphoid] bone of unspecified wrist, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S62.033B	Displaced fracture of proximal third of navicular [scaphoid] bone of unspecified wrist, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.033G	Displaced fracture of proximal third of navicular [scaphoid] bone of unspecified wrist, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S62.033P	Displaced fracture of proximal third of navicular [scaphoid] bone of unspecified wrist, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S62.033K	Displaced fracture of proximal third of navicular [scaphoid] bone of unspecified wrist, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S62.033D	Displaced fracture of proximal third of navicular [scaphoid] bone of unspecified wrist, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S62.611G	Displaced fracture of proximal phalanx of left index finger, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S62.611P	Displaced fracture of proximal phalanx of left index finger, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S62.611K	Displaced fracture of proximal phalanx of left index finger, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S62.611D	Displaced fracture of proximal phalanx of left index finger, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S62.611A	Displaced fracture of proximal phalanx of left index finger, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S62.611B	Displaced fracture of proximal phalanx of left index finger, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.617A	Displaced fracture of proximal phalanx of left little finger, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S62.617B	Displaced fracture of proximal phalanx of left little finger, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.617G	Displaced fracture of proximal phalanx of left little finger, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S62.617P	Displaced fracture of proximal phalanx of left little finger, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S62.617K	Displaced fracture of proximal phalanx of left little finger, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S62.617D	Displaced fracture of proximal phalanx of left little finger, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S62.613G	Displaced fracture of proximal phalanx of left middle finger, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S62.613P	Displaced fracture of proximal phalanx of left middle finger, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S62.613K	Displaced fracture of proximal phalanx of left middle finger, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S62.613D	Displaced fracture of proximal phalanx of left middle finger, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S62.613A	Displaced fracture of proximal phalanx of left middle finger, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S62.613B	Displaced fracture of proximal phalanx of left middle finger, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.615G	Displaced fracture of proximal phalanx of left ring finger, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S62.615P	Displaced fracture of proximal phalanx of left ring finger, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S62.615K	Displaced fracture of proximal phalanx of left ring finger, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S62.615D	Displaced fracture of proximal phalanx of left ring finger, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S62.615A	Displaced fracture of proximal phalanx of left ring finger, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S62.615B	Displaced fracture of proximal phalanx of left ring finger, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.618A	Displaced fracture of proximal phalanx of other finger, initial encounter for closed fracture	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S62.618B	Displaced fracture of proximal phalanx of other finger, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.618G	Displaced fracture of proximal phalanx of other finger, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S62.618D	Displaced fracture of proximal phalanx of other finger, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S62.610G	Displaced fracture of proximal phalanx of right index finger, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S62.610P	Displaced fracture of proximal phalanx of right index finger, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S62.610K	Displaced fracture of proximal phalanx of right index finger, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S62.610D	Displaced fracture of proximal phalanx of right index finger, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S62.610A	Displaced fracture of proximal phalanx of right index finger, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S62.610B	Displaced fracture of proximal phalanx of right index finger, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.616A	Displaced fracture of proximal phalanx of right little finger, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S62.616B	Displaced fracture of proximal phalanx of right little finger, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.616G	Displaced fracture of proximal phalanx of right little finger, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S62.616P	Displaced fracture of proximal phalanx of right little finger, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S62.616K	Displaced fracture of proximal phalanx of right little finger, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S62.616D	Displaced fracture of proximal phalanx of right little finger, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S62.612G	Displaced fracture of proximal phalanx of right middle finger, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S62.612P	Displaced fracture of proximal phalanx of right middle finger, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S62.612K	Displaced fracture of proximal phalanx of right middle finger, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S62.612D	Displaced fracture of proximal phalanx of right middle finger, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S62.612A	Displaced fracture of proximal phalanx of right middle finger, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S62.612B	Displaced fracture of proximal phalanx of right middle finger, initial encounter for open fracture	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S62.614G	Displaced fracture of proximal phalanx of right ring finger, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S62.614P	Displaced fracture of proximal phalanx of right ring finger, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S62.614K	Displaced fracture of proximal phalanx of right ring finger, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S62.614D	Displaced fracture of proximal phalanx of right ring finger, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S62.614A	Displaced fracture of proximal phalanx of right ring finger, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S62.614B	Displaced fracture of proximal phalanx of right ring finger, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.619A	Displaced fracture of proximal phalanx of unspecified finger, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S62.619B	Displaced fracture of proximal phalanx of unspecified finger, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.619G	Displaced fracture of proximal phalanx of unspecified finger, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S62.619D	Displaced fracture of proximal phalanx of unspecified finger, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S62.513P	Displaced fracture of proximal phalanx of unspecified thumb, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S62.513K	Displaced fracture of proximal phalanx of unspecified thumb, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S92.412A	Displaced fracture of proximal phalanx of left great toe, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S92.412B	Displaced fracture of proximal phalanx of left great toe, initial encounter for open fracture	ICD-10-CM	Diagnosis
S92.412G	Displaced fracture of proximal phalanx of left great toe, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S92.412P	Displaced fracture of proximal phalanx of left great toe, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S92.412K	Displaced fracture of proximal phalanx of left great toe, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S92.412D	Displaced fracture of proximal phalanx of left great toe, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S92.411A	Displaced fracture of proximal phalanx of right great toe, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S92.411B	Displaced fracture of proximal phalanx of right great toe, initial encounter for open fracture	ICD-10-CM	Diagnosis
S92.411G	Displaced fracture of proximal phalanx of right great toe, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S92.411P	Displaced fracture of proximal phalanx of right great toe, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S92.411K	Displaced fracture of proximal phalanx of right great toe, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S92.411D	Displaced fracture of proximal phalanx of right great toe, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S92.413A	Displaced fracture of proximal phalanx of unspecified great toe, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S92.413B	Displaced fracture of proximal phalanx of unspecified great toe, initial encounter for open fracture	ICD-10-CM	Diagnosis
S92.413G	Displaced fracture of proximal phalanx of unspecified great toe, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S92.413P	Displaced fracture of proximal phalanx of unspecified great toe, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S92.413K	Displaced fracture of proximal phalanx of unspecified great toe, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S92.413D	Displaced fracture of proximal phalanx of unspecified great toe, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S92.512A	Displaced fracture of proximal phalanx of left lesser toe(s), initial encounter for closed fracture	ICD-10-CM	Diagnosis
S92.512B	Displaced fracture of proximal phalanx of left lesser toe(s), initial encounter for open fracture	ICD-10-CM	Diagnosis
S92.512G	Displaced fracture of proximal phalanx of left lesser toe(s), subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S92.512P	Displaced fracture of proximal phalanx of left lesser toe(s), subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S92.512K	Displaced fracture of proximal phalanx of left lesser toe(s), subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S92.512D	Displaced fracture of proximal phalanx of left lesser toe(s), subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S92.512S	Displaced fracture of proximal phalanx of left lesser toe(s), sequela	ICD-10-CM	Diagnosis
S62.512A	Displaced fracture of proximal phalanx of left thumb, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S62.512B	Displaced fracture of proximal phalanx of left thumb, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.512G	Displaced fracture of proximal phalanx of left thumb, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S62.512P	Displaced fracture of proximal phalanx of left thumb, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S62.512K	Displaced fracture of proximal phalanx of left thumb, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S62.512D	Displaced fracture of proximal phalanx of left thumb, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S62.618P	Displaced fracture of proximal phalanx of other finger, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S62.618K	Displaced fracture of proximal phalanx of other finger, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S92.511A	Displaced fracture of proximal phalanx of right lesser toe(s), initial encounter for closed fracture	ICD-10-CM	Diagnosis
S92.511B	Displaced fracture of proximal phalanx of right lesser toe(s), initial encounter for open fracture	ICD-10-CM	Diagnosis
S92.511G	Displaced fracture of proximal phalanx of right lesser toe(s), subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S92.511P	Displaced fracture of proximal phalanx of right lesser toe(s), subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S92.511K	Displaced fracture of proximal phalanx of right lesser toe(s), subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S92.511D	Displaced fracture of proximal phalanx of right lesser toe(s), subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S92.511S	Displaced fracture of proximal phalanx of right lesser toe(s), sequela	ICD-10-CM	Diagnosis
S62.511A	Displaced fracture of proximal phalanx of right thumb, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S62.511B	Displaced fracture of proximal phalanx of right thumb, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.511G	Displaced fracture of proximal phalanx of right thumb, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S62.511P	Displaced fracture of proximal phalanx of right thumb, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S62.511K	Displaced fracture of proximal phalanx of right thumb, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S62.511D	Displaced fracture of proximal phalanx of right thumb, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S62.619P	Displaced fracture of proximal phalanx of unspecified finger, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S62.619K	Displaced fracture of proximal phalanx of unspecified finger, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S92.513A	Displaced fracture of proximal phalanx of unspecified lesser toe(s), initial encounter for closed fracture	ICD-10-CM	Diagnosis
S92.513B	Displaced fracture of proximal phalanx of unspecified lesser toe(s), initial encounter for open fracture	ICD-10-CM	Diagnosis
S92.513P	Displaced fracture of proximal phalanx of unspecified lesser toe(s), subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S92.513K	Displaced fracture of proximal phalanx of unspecified lesser toe(s), subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S92.513D	Displaced fracture of proximal phalanx of unspecified lesser toe(s), subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis



**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S92.513S	Displaced fracture of proximal phalanx of unspecified lesser toe(s), sequela	ICD-10-CM	Diagnosis
S92.513G	Displaced fracture of proximal phalanx of unspecified lesser toe(s), subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S62.513A	Displaced fracture of proximal phalanx of unspecified thumb, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S62.513B	Displaced fracture of proximal phalanx of unspecified thumb, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.513G	Displaced fracture of proximal phalanx of unspecified thumb, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S62.513D	Displaced fracture of proximal phalanx of unspecified thumb, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S62.611S	Displaced fracture of proximal phalanx of left index finger, sequela	ICD-10-CM	Diagnosis
S62.617S	Displaced fracture of proximal phalanx of left little finger, sequela	ICD-10-CM	Diagnosis
S62.613S	Displaced fracture of proximal phalanx of left middle finger, sequela	ICD-10-CM	Diagnosis
S62.615S	Displaced fracture of proximal phalanx of left ring finger, sequela	ICD-10-CM	Diagnosis
S62.618S	Displaced fracture of proximal phalanx of other finger, sequela	ICD-10-CM	Diagnosis
S62.610S	Displaced fracture of proximal phalanx of right index finger, sequela	ICD-10-CM	Diagnosis
S62.616S	Displaced fracture of proximal phalanx of right little finger, sequela	ICD-10-CM	Diagnosis
S62.612S	Displaced fracture of proximal phalanx of right middle finger, sequela	ICD-10-CM	Diagnosis
S62.614S	Displaced fracture of proximal phalanx of right ring finger, sequela	ICD-10-CM	Diagnosis
S62.619S	Displaced fracture of proximal phalanx of unspecified finger, sequela	ICD-10-CM	Diagnosis
S52.511A	Displaced fracture of right radial styloid process, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.511B	Displaced fracture of right radial styloid process, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S52.511C	Displaced fracture of right radial styloid process, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S52.511P	Displaced fracture of right radial styloid process, subsequent encounter for closed fracture with malunion	ICD-10-CM	Diagnosis
S52.511K	Displaced fracture of right radial styloid process, subsequent encounter for closed fracture with nonunion	ICD-10-CM	Diagnosis
S52.511D	Displaced fracture of right radial styloid process, subsequent encounter for closed fracture with routine healing	ICD-10-CM	Diagnosis
S52.511G	Displaced fracture of right radial styloid process, subsequent encounter for closed fracture with delayed healing	ICD-10-CM	Diagnosis
S52.511Q	Displaced fracture of right radial styloid process, subsequent encounter for open fracture type I or II with malunion	ICD-10-CM	Diagnosis
S52.511R	Displaced fracture of right radial styloid process, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD-10-CM	Diagnosis
S52.511H	Displaced fracture of right radial styloid process, subsequent encounter for open fracture type I or II with delayed healing	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S52.511M	Displaced fracture of right radial styloid process, subsequent encounter for open fracture type I or II with nonunion	ICD-10-CM	Diagnosis
S52.511E	Displaced fracture of right radial styloid process, subsequent encounter for open fracture type I or II with routine healing	ICD-10-CM	Diagnosis
S52.511J	Displaced fracture of right radial styloid process, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD-10-CM	Diagnosis
S52.511N	Displaced fracture of right radial styloid process, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD-10-CM	Diagnosis
S52.511F	Displaced fracture of right radial styloid process, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD-10-CM	Diagnosis
S52.611C	Displaced fracture of right ulna styloid process, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S52.611G	Displaced fracture of right ulna styloid process, subsequent encounter for closed fracture with delayed healing	ICD-10-CM	Diagnosis
S52.611P	Displaced fracture of right ulna styloid process, subsequent encounter for closed fracture with malunion	ICD-10-CM	Diagnosis
S52.611K	Displaced fracture of right ulna styloid process, subsequent encounter for closed fracture with nonunion	ICD-10-CM	Diagnosis
S52.611D	Displaced fracture of right ulna styloid process, subsequent encounter for closed fracture with routine healing	ICD-10-CM	Diagnosis
S52.611Q	Displaced fracture of right ulna styloid process, subsequent encounter for open fracture type I or II with malunion	ICD-10-CM	Diagnosis
S52.611M	Displaced fracture of right ulna styloid process, subsequent encounter for open fracture type I or II with nonunion	ICD-10-CM	Diagnosis
S52.611E	Displaced fracture of right ulna styloid process, subsequent encounter for open fracture type I or II with routine healing	ICD-10-CM	Diagnosis
S52.611J	Displaced fracture of right ulna styloid process, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD-10-CM	Diagnosis
S52.611R	Displaced fracture of right ulna styloid process, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD-10-CM	Diagnosis
S52.611N	Displaced fracture of right ulna styloid process, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD-10-CM	Diagnosis
S52.611F	Displaced fracture of right ulna styloid process, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD-10-CM	Diagnosis
S52.611H	Displaced fracture of right ulna styloid process, subsequent encounter for open fracture type I or II with delayed healing	ICD-10-CM	Diagnosis
S52.611A	Displaced fracture of right ulna styloid process, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.611B	Displaced fracture of right ulna styloid process, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S62.242A	Displaced fracture of shaft of first metacarpal bone, left hand, initial encounter for closed fracture	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S62.242B	Displaced fracture of shaft of first metacarpal bone, left hand, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.242G	Displaced fracture of shaft of first metacarpal bone, left hand, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S62.242D	Displaced fracture of shaft of first metacarpal bone, left hand, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S62.242P	Displaced fracture of shaft of first metacarpal bone, left hand, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S62.242K	Displaced fracture of shaft of first metacarpal bone, left hand, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S62.243B	Displaced fracture of shaft of first metacarpal bone, unspecified hand, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.243G	Displaced fracture of shaft of first metacarpal bone, unspecified hand, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S62.243D	Displaced fracture of shaft of first metacarpal bone, unspecified hand, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S62.243P	Displaced fracture of shaft of first metacarpal bone, unspecified hand, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S62.243K	Displaced fracture of shaft of first metacarpal bone, unspecified hand, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S62.243A	Displaced fracture of shaft of first metacarpal bone, unspecified hand, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S62.320A	Displaced fracture of shaft of second metacarpal bone, right hand, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S62.320B	Displaced fracture of shaft of second metacarpal bone, right hand, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.320P	Displaced fracture of shaft of second metacarpal bone, right hand, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S62.320K	Displaced fracture of shaft of second metacarpal bone, right hand, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S62.241A	Displaced fracture of shaft of first metacarpal bone, right hand, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S62.241B	Displaced fracture of shaft of first metacarpal bone, right hand, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.241G	Displaced fracture of shaft of first metacarpal bone, right hand, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S62.241D	Displaced fracture of shaft of first metacarpal bone, right hand, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S62.241P	Displaced fracture of shaft of first metacarpal bone, right hand, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S62.241K	Displaced fracture of shaft of first metacarpal bone, right hand, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S62.321A	Displaced fracture of shaft of second metacarpal bone, left hand, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S62.321B	Displaced fracture of shaft of second metacarpal bone, left hand, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.321G	Displaced fracture of shaft of second metacarpal bone, left hand, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S62.321P	Displaced fracture of shaft of second metacarpal bone, left hand, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S62.321K	Displaced fracture of shaft of second metacarpal bone, left hand, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S62.321D	Displaced fracture of shaft of second metacarpal bone, left hand, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S62.320G	Displaced fracture of shaft of second metacarpal bone, right hand, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S62.320D	Displaced fracture of shaft of second metacarpal bone, right hand, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S62.321S	Displaced fracture of shaft of second metacarpal bone, left hand, sequela	ICD-10-CM	Diagnosis
S62.320S	Displaced fracture of shaft of second metacarpal bone, right hand, sequela	ICD-10-CM	Diagnosis
S62.323A	Displaced fracture of shaft of third metacarpal bone, left hand, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S62.323B	Displaced fracture of shaft of third metacarpal bone, left hand, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.323G	Displaced fracture of shaft of third metacarpal bone, left hand, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S62.323P	Displaced fracture of shaft of third metacarpal bone, left hand, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S62.323K	Displaced fracture of shaft of third metacarpal bone, left hand, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S62.323D	Displaced fracture of shaft of third metacarpal bone, left hand, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S62.322A	Displaced fracture of shaft of third metacarpal bone, right hand, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S62.322B	Displaced fracture of shaft of third metacarpal bone, right hand, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.322G	Displaced fracture of shaft of third metacarpal bone, right hand, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S62.322P	Displaced fracture of shaft of third metacarpal bone, right hand, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S62.322K	Displaced fracture of shaft of third metacarpal bone, right hand, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S62.322D	Displaced fracture of shaft of third metacarpal bone, right hand, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S62.323S	Displaced fracture of shaft of third metacarpal bone, left hand, sequela	ICD-10-CM	Diagnosis
S62.322S	Displaced fracture of shaft of third metacarpal bone, right hand, sequela	ICD-10-CM	Diagnosis
S62.325A	Displaced fracture of shaft of fourth metacarpal bone, left hand, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S62.325B	Displaced fracture of shaft of fourth metacarpal bone, left hand, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.325G	Displaced fracture of shaft of fourth metacarpal bone, left hand, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S62.325P	Displaced fracture of shaft of fourth metacarpal bone, left hand, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S62.325K	Displaced fracture of shaft of fourth metacarpal bone, left hand, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S62.325D	Displaced fracture of shaft of fourth metacarpal bone, left hand, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S62.324A	Displaced fracture of shaft of fourth metacarpal bone, right hand, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S62.324B	Displaced fracture of shaft of fourth metacarpal bone, right hand, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.324G	Displaced fracture of shaft of fourth metacarpal bone, right hand, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S62.324P	Displaced fracture of shaft of fourth metacarpal bone, right hand, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S62.324K	Displaced fracture of shaft of fourth metacarpal bone, right hand, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S62.324D	Displaced fracture of shaft of fourth metacarpal bone, right hand, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S62.325S	Displaced fracture of shaft of fourth metacarpal bone, left hand, sequela	ICD-10-CM	Diagnosis
S62.324S	Displaced fracture of shaft of fourth metacarpal bone, right hand, sequela	ICD-10-CM	Diagnosis
S62.327A	Displaced fracture of shaft of fifth metacarpal bone, left hand, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S62.327B	Displaced fracture of shaft of fifth metacarpal bone, left hand, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.327G	Displaced fracture of shaft of fifth metacarpal bone, left hand, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S62.327P	Displaced fracture of shaft of fifth metacarpal bone, left hand, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S62.327K	Displaced fracture of shaft of fifth metacarpal bone, left hand, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S62.327D	Displaced fracture of shaft of fifth metacarpal bone, left hand, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S62.326A	Displaced fracture of shaft of fifth metacarpal bone, right hand, initial encounter for closed fracture	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S62.326B	Displaced fracture of shaft of fifth metacarpal bone, right hand, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.326G	Displaced fracture of shaft of fifth metacarpal bone, right hand, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S62.326P	Displaced fracture of shaft of fifth metacarpal bone, right hand, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S62.326K	Displaced fracture of shaft of fifth metacarpal bone, right hand, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S62.326D	Displaced fracture of shaft of fifth metacarpal bone, right hand, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S62.327S	Displaced fracture of shaft of fifth metacarpal bone, left hand, sequela	ICD-10-CM	Diagnosis
S62.326S	Displaced fracture of shaft of fifth metacarpal bone, right hand, sequela	ICD-10-CM	Diagnosis
S62.328A	Displaced fracture of shaft of other metacarpal bone, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S62.328B	Displaced fracture of shaft of other metacarpal bone, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.328G	Displaced fracture of shaft of other metacarpal bone, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S62.328P	Displaced fracture of shaft of other metacarpal bone, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S62.328K	Displaced fracture of shaft of other metacarpal bone, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S62.328D	Displaced fracture of shaft of other metacarpal bone, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S62.329A	Displaced fracture of shaft of unspecified metacarpal bone, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S62.329B	Displaced fracture of shaft of unspecified metacarpal bone, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.329G	Displaced fracture of shaft of unspecified metacarpal bone, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S62.329P	Displaced fracture of shaft of unspecified metacarpal bone, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S62.329K	Displaced fracture of shaft of unspecified metacarpal bone, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S62.329D	Displaced fracture of shaft of unspecified metacarpal bone, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S62.112A	Displaced fracture of triquetrum [cuneiform] bone, left wrist, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S62.112B	Displaced fracture of triquetrum [cuneiform] bone, left wrist, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.112G	Displaced fracture of triquetrum [cuneiform] bone, left wrist, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis



**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S62.112P	Displaced fracture of triquetrum [cuneiform] bone, left wrist, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S62.112K	Displaced fracture of triquetrum [cuneiform] bone, left wrist, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S62.112D	Displaced fracture of triquetrum [cuneiform] bone, left wrist, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S62.111A	Displaced fracture of triquetrum [cuneiform] bone, right wrist, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S62.111B	Displaced fracture of triquetrum [cuneiform] bone, right wrist, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.111G	Displaced fracture of triquetrum [cuneiform] bone, right wrist, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S62.111P	Displaced fracture of triquetrum [cuneiform] bone, right wrist, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S62.111K	Displaced fracture of triquetrum [cuneiform] bone, right wrist, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S62.111D	Displaced fracture of triquetrum [cuneiform] bone, right wrist, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S62.113A	Displaced fracture of triquetrum [cuneiform] bone, unspecified wrist, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S62.113B	Displaced fracture of triquetrum [cuneiform] bone, unspecified wrist, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.113G	Displaced fracture of triquetrum [cuneiform] bone, unspecified wrist, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S62.113P	Displaced fracture of triquetrum [cuneiform] bone, unspecified wrist, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S62.113K	Displaced fracture of triquetrum [cuneiform] bone, unspecified wrist, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S62.113D	Displaced fracture of triquetrum [cuneiform] bone, unspecified wrist, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S62.112S	Displaced fracture of triquetrum [cuneiform] bone, left wrist, sequela	ICD-10-CM	Diagnosis
S62.111S	Displaced fracture of triquetrum [cuneiform] bone, right wrist, sequela	ICD-10-CM	Diagnosis
S62.113S	Displaced fracture of triquetrum [cuneiform] bone, unspecified wrist, sequela	ICD-10-CM	Diagnosis
S52.513C	Displaced fracture of unspecified radial styloid process, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S52.513A	Displaced fracture of unspecified radial styloid process, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.513B	Displaced fracture of unspecified radial styloid process, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S52.513P	Displaced fracture of unspecified radial styloid process, subsequent encounter for closed fracture with malunion	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S52.513K	Displaced fracture of unspecified radial styloid process, subsequent encounter for closed fracture with nonunion	ICD-10-CM	Diagnosis
S52.513G	Displaced fracture of unspecified radial styloid process, subsequent encounter for closed fracture with delayed healing	ICD-10-CM	Diagnosis
S52.513D	Displaced fracture of unspecified radial styloid process, subsequent encounter for closed fracture with routine healing	ICD-10-CM	Diagnosis
S52.513H	Displaced fracture of unspecified radial styloid process, subsequent encounter for open fracture type I or II with delayed healing	ICD-10-CM	Diagnosis
S52.513Q	Displaced fracture of unspecified radial styloid process, subsequent encounter for open fracture type I or II with malunion	ICD-10-CM	Diagnosis
S52.513M	Displaced fracture of unspecified radial styloid process, subsequent encounter for open fracture type I or II with nonunion	ICD-10-CM	Diagnosis
S52.513E	Displaced fracture of unspecified radial styloid process, subsequent encounter for open fracture type I or II with routine healing	ICD-10-CM	Diagnosis
S52.513J	Displaced fracture of unspecified radial styloid process, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD-10-CM	Diagnosis
S52.513R	Displaced fracture of unspecified radial styloid process, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD-10-CM	Diagnosis
S52.513N	Displaced fracture of unspecified radial styloid process, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD-10-CM	Diagnosis
S52.513F	Displaced fracture of unspecified radial styloid process, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD-10-CM	Diagnosis
S52.613A	Displaced fracture of unspecified ulna styloid process, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.613B	Displaced fracture of unspecified ulna styloid process, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S52.613C	Displaced fracture of unspecified ulna styloid process, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S52.613G	Displaced fracture of unspecified ulna styloid process, subsequent encounter for closed fracture with delayed healing	ICD-10-CM	Diagnosis
S52.613P	Displaced fracture of unspecified ulna styloid process, subsequent encounter for closed fracture with malunion	ICD-10-CM	Diagnosis
S52.613K	Displaced fracture of unspecified ulna styloid process, subsequent encounter for closed fracture with nonunion	ICD-10-CM	Diagnosis
S52.613D	Displaced fracture of unspecified ulna styloid process, subsequent encounter for closed fracture with routine healing	ICD-10-CM	Diagnosis
S52.613H	Displaced fracture of unspecified ulna styloid process, subsequent encounter for open fracture type I or II with delayed healing	ICD-10-CM	Diagnosis
S52.613Q	Displaced fracture of unspecified ulna styloid process, subsequent encounter for open fracture type I or II with malunion	ICD-10-CM	Diagnosis
S52.613M	Displaced fracture of unspecified ulna styloid process, subsequent encounter for open fracture type I or II with nonunion	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S52.613J	Displaced fracture of unspecified ulna styloid process, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD-10-CM	Diagnosis
S52.613R	Displaced fracture of unspecified ulna styloid process, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD-10-CM	Diagnosis
S52.613N	Displaced fracture of unspecified ulna styloid process, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD-10-CM	Diagnosis
S52.613F	Displaced fracture of unspecified ulna styloid process, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD-10-CM	Diagnosis
S52.613E	Displaced fracture of unspecified ulna styloid process, subsequent encounter for open fracture type I or II with routine healing	ICD-10-CM	Diagnosis
S52.613S	Displaced fracture of unspecified ulna styloid process, sequela	ICD-10-CM	Diagnosis
S72.142S	Displaced intertrochanteric fracture of left femur, sequela	ICD-10-CM	Diagnosis
S72.141S	Displaced intertrochanteric fracture of right femur, sequela	ICD-10-CM	Diagnosis
S72.142A	Displaced intertrochanteric fracture of left femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S72.141A	Displaced intertrochanteric fracture of right femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S92.063G	Displaced intraarticular fracture of unspecified calcaneus, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S72.141C	Displaced intertrochanteric fracture of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.141B	Displaced intertrochanteric fracture of right femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.141G	Displaced intertrochanteric fracture of right femur, subsequent encounter for closed fracture with delayed healing	ICD-10-CM	Diagnosis
S72.141P	Displaced intertrochanteric fracture of right femur, subsequent encounter for closed fracture with malunion	ICD-10-CM	Diagnosis
S72.141K	Displaced intertrochanteric fracture of right femur, subsequent encounter for closed fracture with nonunion	ICD-10-CM	Diagnosis
S72.141D	Displaced intertrochanteric fracture of right femur, subsequent encounter for closed fracture with routine healing	ICD-10-CM	Diagnosis
S72.141H	Displaced intertrochanteric fracture of right femur, subsequent encounter for open fracture type I or II with delayed healing	ICD-10-CM	Diagnosis
S72.141Q	Displaced intertrochanteric fracture of right femur, subsequent encounter for open fracture type I or II with malunion	ICD-10-CM	Diagnosis
S72.141M	Displaced intertrochanteric fracture of right femur, subsequent encounter for open fracture type I or II with nonunion	ICD-10-CM	Diagnosis
S72.141E	Displaced intertrochanteric fracture of right femur, subsequent encounter for open fracture type I or II with routine healing	ICD-10-CM	Diagnosis
S72.141J	Displaced intertrochanteric fracture of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD-10-CM	Diagnosis
S72.141R	Displaced intertrochanteric fracture of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S72.141N	Displaced intertrochanteric fracture of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD-10-CM	Diagnosis
S72.141F	Displaced intertrochanteric fracture of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD-10-CM	Diagnosis
S72.332M	Displaced oblique fracture of shaft of left femur, subsequent encounter for open fracture type I or II with nonunion	ICD-10-CM	Diagnosis
S72.332C	Displaced oblique fracture of shaft of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.332B	Displaced oblique fracture of shaft of left femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.332G	Displaced oblique fracture of shaft of left femur, subsequent encounter for closed fracture with delayed healing	ICD-10-CM	Diagnosis
S72.332P	Displaced oblique fracture of shaft of left femur, subsequent encounter for closed fracture with malunion	ICD-10-CM	Diagnosis
S72.332K	Displaced oblique fracture of shaft of left femur, subsequent encounter for closed fracture with nonunion	ICD-10-CM	Diagnosis
S72.332D	Displaced oblique fracture of shaft of left femur, subsequent encounter for closed fracture with routine healing	ICD-10-CM	Diagnosis
S72.332H	Displaced oblique fracture of shaft of left femur, subsequent encounter for open fracture type I or II with delayed healing	ICD-10-CM	Diagnosis
S72.332Q	Displaced oblique fracture of shaft of left femur, subsequent encounter for open fracture type I or II with malunion	ICD-10-CM	Diagnosis
S72.332E	Displaced oblique fracture of shaft of left femur, subsequent encounter for open fracture type I or II with routine healing	ICD-10-CM	Diagnosis
S72.332J	Displaced oblique fracture of shaft of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD-10-CM	Diagnosis
S72.332R	Displaced oblique fracture of shaft of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD-10-CM	Diagnosis
S72.332N	Displaced oblique fracture of shaft of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD-10-CM	Diagnosis
S72.332F	Displaced oblique fracture of shaft of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD-10-CM	Diagnosis
S82.432G	Displaced oblique fracture of shaft of left fibula, subsequent encounter for closed fracture with delayed healing	ICD-10-CM	Diagnosis
S82.432D	Displaced oblique fracture of shaft of left fibula, subsequent encounter for closed fracture with routine healing	ICD-10-CM	Diagnosis
S82.432P	Displaced oblique fracture of shaft of left fibula, subsequent encounter for closed fracture with malunion	ICD-10-CM	Diagnosis
S82.432K	Displaced oblique fracture of shaft of left fibula, subsequent encounter for closed fracture with nonunion	ICD-10-CM	Diagnosis
S82.432Q	Displaced oblique fracture of shaft of left fibula, subsequent encounter for open fracture type I or II with malunion	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S82.432M	Displaced oblique fracture of shaft of left fibula, subsequent encounter for open fracture type I or II with nonunion	ICD-10-CM	Diagnosis
S82.432E	Displaced oblique fracture of shaft of left fibula, subsequent encounter for open fracture type I or II with routine healing	ICD-10-CM	Diagnosis
S82.432J	Displaced oblique fracture of shaft of left fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD-10-CM	Diagnosis
S82.432R	Displaced oblique fracture of shaft of left fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD-10-CM	Diagnosis
S82.432N	Displaced oblique fracture of shaft of left fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD-10-CM	Diagnosis
S82.432F	Displaced oblique fracture of shaft of left fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD-10-CM	Diagnosis
S82.432H	Displaced oblique fracture of shaft of left fibula, subsequent encounter for open fracture type I or II with delayed healing	ICD-10-CM	Diagnosis
S52.332B	Displaced oblique fracture of shaft of left radius, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S52.332C	Displaced oblique fracture of shaft of left radius, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S52.332G	Displaced oblique fracture of shaft of left radius, subsequent encounter for closed fracture with delayed healing	ICD-10-CM	Diagnosis
S52.332P	Displaced oblique fracture of shaft of left radius, subsequent encounter for closed fracture with malunion	ICD-10-CM	Diagnosis
S52.332K	Displaced oblique fracture of shaft of left radius, subsequent encounter for closed fracture with nonunion	ICD-10-CM	Diagnosis
S52.332D	Displaced oblique fracture of shaft of left radius, subsequent encounter for closed fracture with routine healing	ICD-10-CM	Diagnosis
S52.332H	Displaced oblique fracture of shaft of left radius, subsequent encounter for open fracture type I or II with delayed healing	ICD-10-CM	Diagnosis
S52.332Q	Displaced oblique fracture of shaft of left radius, subsequent encounter for open fracture type I or II with malunion	ICD-10-CM	Diagnosis
S52.332M	Displaced oblique fracture of shaft of left radius, subsequent encounter for open fracture type I or II with nonunion	ICD-10-CM	Diagnosis
S52.332E	Displaced oblique fracture of shaft of left radius, subsequent encounter for open fracture type I or II with routine healing	ICD-10-CM	Diagnosis
S52.332J	Displaced oblique fracture of shaft of left radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD-10-CM	Diagnosis
S52.332R	Displaced oblique fracture of shaft of left radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD-10-CM	Diagnosis
S52.332N	Displaced oblique fracture of shaft of left radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD-10-CM	Diagnosis
S52.332F	Displaced oblique fracture of shaft of left radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S72.331C	Displaced oblique fracture of shaft of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.331B	Displaced oblique fracture of shaft of right femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.331G	Displaced oblique fracture of shaft of right femur, subsequent encounter for closed fracture with delayed healing	ICD-10-CM	Diagnosis
S72.331P	Displaced oblique fracture of shaft of right femur, subsequent encounter for closed fracture with malunion	ICD-10-CM	Diagnosis
S72.331K	Displaced oblique fracture of shaft of right femur, subsequent encounter for closed fracture with nonunion	ICD-10-CM	Diagnosis
S72.331D	Displaced oblique fracture of shaft of right femur, subsequent encounter for closed fracture with routine healing	ICD-10-CM	Diagnosis
S72.331H	Displaced oblique fracture of shaft of right femur, subsequent encounter for open fracture type I or II with delayed healing	ICD-10-CM	Diagnosis
S72.331Q	Displaced oblique fracture of shaft of right femur, subsequent encounter for open fracture type I or II with malunion	ICD-10-CM	Diagnosis
S72.331M	Displaced oblique fracture of shaft of right femur, subsequent encounter for open fracture type I or II with nonunion	ICD-10-CM	Diagnosis
S72.331E	Displaced oblique fracture of shaft of right femur, subsequent encounter for open fracture type I or II with routine healing	ICD-10-CM	Diagnosis
S72.331R	Displaced oblique fracture of shaft of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD-10-CM	Diagnosis
S72.331N	Displaced oblique fracture of shaft of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD-10-CM	Diagnosis
S72.331J	Displaced oblique fracture of shaft of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD-10-CM	Diagnosis
S72.331F	Displaced oblique fracture of shaft of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD-10-CM	Diagnosis
S82.431G	Displaced oblique fracture of shaft of right fibula, subsequent encounter for closed fracture with delayed healing	ICD-10-CM	Diagnosis
S82.431D	Displaced oblique fracture of shaft of right fibula, subsequent encounter for closed fracture with routine healing	ICD-10-CM	Diagnosis
S82.431P	Displaced oblique fracture of shaft of right fibula, subsequent encounter for closed fracture with malunion	ICD-10-CM	Diagnosis
S82.431K	Displaced oblique fracture of shaft of right fibula, subsequent encounter for closed fracture with nonunion	ICD-10-CM	Diagnosis
S82.431Q	Displaced oblique fracture of shaft of right fibula, subsequent encounter for open fracture type I or II with malunion	ICD-10-CM	Diagnosis
S82.431M	Displaced oblique fracture of shaft of right fibula, subsequent encounter for open fracture type I or II with nonunion	ICD-10-CM	Diagnosis
S82.431E	Displaced oblique fracture of shaft of right fibula, subsequent encounter for open fracture type I or II with routine healing	ICD-10-CM	Diagnosis



**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S82.431J	Displaced oblique fracture of shaft of right fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD-10-CM	Diagnosis
S82.431R	Displaced oblique fracture of shaft of right fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD-10-CM	Diagnosis
S82.431N	Displaced oblique fracture of shaft of right fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD-10-CM	Diagnosis
S82.431F	Displaced oblique fracture of shaft of right fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD-10-CM	Diagnosis
S82.431H	Displaced oblique fracture of shaft of right fibula, subsequent encounter for open fracture type I or II with delayed healing	ICD-10-CM	Diagnosis
S52.331B	Displaced oblique fracture of shaft of right radius, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S52.331C	Displaced oblique fracture of shaft of right radius, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S52.331G	Displaced oblique fracture of shaft of right radius, subsequent encounter for closed fracture with delayed healing	ICD-10-CM	Diagnosis
S52.331P	Displaced oblique fracture of shaft of right radius, subsequent encounter for closed fracture with malunion	ICD-10-CM	Diagnosis
S52.331K	Displaced oblique fracture of shaft of right radius, subsequent encounter for closed fracture with nonunion	ICD-10-CM	Diagnosis
S52.331D	Displaced oblique fracture of shaft of right radius, subsequent encounter for closed fracture with routine healing	ICD-10-CM	Diagnosis
S52.331R	Displaced oblique fracture of shaft of right radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD-10-CM	Diagnosis
S52.331H	Displaced oblique fracture of shaft of right radius, subsequent encounter for open fracture type I or II with delayed healing	ICD-10-CM	Diagnosis
S52.331Q	Displaced oblique fracture of shaft of right radius, subsequent encounter for open fracture type I or II with malunion	ICD-10-CM	Diagnosis
S52.331M	Displaced oblique fracture of shaft of right radius, subsequent encounter for open fracture type I or II with nonunion	ICD-10-CM	Diagnosis
S52.331E	Displaced oblique fracture of shaft of right radius, subsequent encounter for open fracture type I or II with routine healing	ICD-10-CM	Diagnosis
S52.331J	Displaced oblique fracture of shaft of right radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD-10-CM	Diagnosis
S52.331N	Displaced oblique fracture of shaft of right radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD-10-CM	Diagnosis
S52.331F	Displaced oblique fracture of shaft of right radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD-10-CM	Diagnosis
S72.333B	Displaced oblique fracture of shaft of unspecified femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.333C	Displaced oblique fracture of shaft of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S72.333G	Displaced oblique fracture of shaft of unspecified femur, subsequent encounter for closed fracture with delayed healing	ICD-10-CM	Diagnosis
S72.333P	Displaced oblique fracture of shaft of unspecified femur, subsequent encounter for closed fracture with malunion	ICD-10-CM	Diagnosis
S72.333K	Displaced oblique fracture of shaft of unspecified femur, subsequent encounter for closed fracture with nonunion	ICD-10-CM	Diagnosis
S72.333D	Displaced oblique fracture of shaft of unspecified femur, subsequent encounter for closed fracture with routine healing	ICD-10-CM	Diagnosis
S72.333J	Displaced oblique fracture of shaft of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD-10-CM	Diagnosis
S72.333Q	Displaced oblique fracture of shaft of unspecified femur, subsequent encounter for open fracture type I or II with malunion	ICD-10-CM	Diagnosis
S72.333M	Displaced oblique fracture of shaft of unspecified femur, subsequent encounter for open fracture type I or II with nonunion	ICD-10-CM	Diagnosis
S72.333E	Displaced oblique fracture of shaft of unspecified femur, subsequent encounter for open fracture type I or II with routine healing	ICD-10-CM	Diagnosis
S72.333R	Displaced oblique fracture of shaft of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD-10-CM	Diagnosis
S72.333N	Displaced oblique fracture of shaft of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD-10-CM	Diagnosis
S72.333F	Displaced oblique fracture of shaft of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD-10-CM	Diagnosis
S72.333H	Displaced oblique fracture of shaft of unspecified femur, subsequent encounter for open fracture type I or II with delayed healing	ICD-10-CM	Diagnosis
S82.433G	Displaced oblique fracture of shaft of unspecified fibula, subsequent encounter for closed fracture with delayed healing	ICD-10-CM	Diagnosis
S82.433D	Displaced oblique fracture of shaft of unspecified fibula, subsequent encounter for closed fracture with routine healing	ICD-10-CM	Diagnosis
S82.433P	Displaced oblique fracture of shaft of unspecified fibula, subsequent encounter for closed fracture with malunion	ICD-10-CM	Diagnosis
S82.433K	Displaced oblique fracture of shaft of unspecified fibula, subsequent encounter for closed fracture with nonunion	ICD-10-CM	Diagnosis
S82.433H	Displaced oblique fracture of shaft of unspecified fibula, subsequent encounter for open fracture type I or II with delayed healing	ICD-10-CM	Diagnosis
S82.433Q	Displaced oblique fracture of shaft of unspecified fibula, subsequent encounter for open fracture type I or II with malunion	ICD-10-CM	Diagnosis
S82.433M	Displaced oblique fracture of shaft of unspecified fibula, subsequent encounter for open fracture type I or II with nonunion	ICD-10-CM	Diagnosis
S82.433R	Displaced oblique fracture of shaft of unspecified fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD-10-CM	Diagnosis
S82.433N	Displaced oblique fracture of shaft of unspecified fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S82.433F	Displaced oblique fracture of shaft of unspecified fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD-10-CM	Diagnosis
S82.433E	Displaced oblique fracture of shaft of unspecified fibula, subsequent encounter for open fracture type I or II with routine healing	ICD-10-CM	Diagnosis
S82.433J	Displaced oblique fracture of shaft of unspecified fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD-10-CM	Diagnosis
S52.333B	Displaced oblique fracture of shaft of unspecified radius, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S52.333C	Displaced oblique fracture of shaft of unspecified radius, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S52.333G	Displaced oblique fracture of shaft of unspecified radius, subsequent encounter for closed fracture with delayed healing	ICD-10-CM	Diagnosis
S52.333P	Displaced oblique fracture of shaft of unspecified radius, subsequent encounter for closed fracture with malunion	ICD-10-CM	Diagnosis
S52.333K	Displaced oblique fracture of shaft of unspecified radius, subsequent encounter for closed fracture with nonunion	ICD-10-CM	Diagnosis
S52.333D	Displaced oblique fracture of shaft of unspecified radius, subsequent encounter for closed fracture with routine healing	ICD-10-CM	Diagnosis
S52.333E	Displaced oblique fracture of shaft of unspecified radius, subsequent encounter for open fracture type I or II with routine healing	ICD-10-CM	Diagnosis
S52.333H	Displaced oblique fracture of shaft of unspecified radius, subsequent encounter for open fracture type I or II with delayed healing	ICD-10-CM	Diagnosis
S52.333Q	Displaced oblique fracture of shaft of unspecified radius, subsequent encounter for open fracture type I or II with malunion	ICD-10-CM	Diagnosis
S52.333M	Displaced oblique fracture of shaft of unspecified radius, subsequent encounter for open fracture type I or II with nonunion	ICD-10-CM	Diagnosis
S52.333J	Displaced oblique fracture of shaft of unspecified radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD-10-CM	Diagnosis
S52.333R	Displaced oblique fracture of shaft of unspecified radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD-10-CM	Diagnosis
S52.333N	Displaced oblique fracture of shaft of unspecified radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD-10-CM	Diagnosis
S52.333F	Displaced oblique fracture of shaft of unspecified radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD-10-CM	Diagnosis
S52.232C	Displaced oblique fracture of shaft of left ulna, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S52.232G	Displaced oblique fracture of shaft of left ulna, subsequent encounter for closed fracture with delayed healing	ICD-10-CM	Diagnosis
S52.232P	Displaced oblique fracture of shaft of left ulna, subsequent encounter for closed fracture with malunion	ICD-10-CM	Diagnosis
S52.232K	Displaced oblique fracture of shaft of left ulna, subsequent encounter for closed fracture with nonunion	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S52.232D	Displaced oblique fracture of shaft of left ulna, subsequent encounter for closed fracture with routine healing	ICD-10-CM	Diagnosis
S52.232E	Displaced oblique fracture of shaft of left ulna, subsequent encounter for open fracture type I or II with routine healing	ICD-10-CM	Diagnosis
S52.232J	Displaced oblique fracture of shaft of left ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD-10-CM	Diagnosis
S52.232R	Displaced oblique fracture of shaft of left ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD-10-CM	Diagnosis
S52.232N	Displaced oblique fracture of shaft of left ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD-10-CM	Diagnosis
S52.232F	Displaced oblique fracture of shaft of left ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD-10-CM	Diagnosis
S52.232H	Displaced oblique fracture of shaft of left ulna, subsequent encounter for open fracture type I or II with delayed healing	ICD-10-CM	Diagnosis
S52.232Q	Displaced oblique fracture of shaft of left ulna, subsequent encounter for open fracture type I or II with malunion	ICD-10-CM	Diagnosis
S52.232M	Displaced oblique fracture of shaft of left ulna, subsequent encounter for open fracture type I or II with nonunion	ICD-10-CM	Diagnosis
S52.231B	Displaced oblique fracture of shaft of right ulna, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S52.231C	Displaced oblique fracture of shaft of right ulna, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S52.231G	Displaced oblique fracture of shaft of right ulna, subsequent encounter for closed fracture with delayed healing	ICD-10-CM	Diagnosis
S52.231P	Displaced oblique fracture of shaft of right ulna, subsequent encounter for closed fracture with malunion	ICD-10-CM	Diagnosis
S52.231K	Displaced oblique fracture of shaft of right ulna, subsequent encounter for closed fracture with nonunion	ICD-10-CM	Diagnosis
S52.231D	Displaced oblique fracture of shaft of right ulna, subsequent encounter for closed fracture with routine healing	ICD-10-CM	Diagnosis
S52.231E	Displaced oblique fracture of shaft of right ulna, subsequent encounter for open fracture type I or II with routine healing	ICD-10-CM	Diagnosis
S52.231J	Displaced oblique fracture of shaft of right ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD-10-CM	Diagnosis
S52.231R	Displaced oblique fracture of shaft of right ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD-10-CM	Diagnosis
S52.231N	Displaced oblique fracture of shaft of right ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD-10-CM	Diagnosis
S52.231F	Displaced oblique fracture of shaft of right ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD-10-CM	Diagnosis
S52.231H	Displaced oblique fracture of shaft of right ulna, subsequent encounter for open fracture type I or II with delayed healing	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S52.231Q	Displaced oblique fracture of shaft of right ulna, subsequent encounter for open fracture type I or II with malunion	ICD-10-CM	Diagnosis
S52.231M	Displaced oblique fracture of shaft of right ulna, subsequent encounter for open fracture type I or II with nonunion	ICD-10-CM	Diagnosis
S52.233B	Displaced oblique fracture of shaft of unspecified ulna, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S52.233C	Displaced oblique fracture of shaft of unspecified ulna, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S52.233G	Displaced oblique fracture of shaft of unspecified ulna, subsequent encounter for closed fracture with delayed healing	ICD-10-CM	Diagnosis
S52.233P	Displaced oblique fracture of shaft of unspecified ulna, subsequent encounter for closed fracture with malunion	ICD-10-CM	Diagnosis
S52.233K	Displaced oblique fracture of shaft of unspecified ulna, subsequent encounter for closed fracture with nonunion	ICD-10-CM	Diagnosis
S52.233D	Displaced oblique fracture of shaft of unspecified ulna, subsequent encounter for closed fracture with routine healing	ICD-10-CM	Diagnosis
S52.233E	Displaced oblique fracture of shaft of unspecified ulna, subsequent encounter for open fracture type I or II with routine healing	ICD-10-CM	Diagnosis
S52.233J	Displaced oblique fracture of shaft of unspecified ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD-10-CM	Diagnosis
S52.233R	Displaced oblique fracture of shaft of unspecified ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD-10-CM	Diagnosis
S52.233N	Displaced oblique fracture of shaft of unspecified ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD-10-CM	Diagnosis
S52.233F	Displaced oblique fracture of shaft of unspecified ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD-10-CM	Diagnosis
S52.233H	Displaced oblique fracture of shaft of unspecified ulna, subsequent encounter for open fracture type I or II with delayed healing	ICD-10-CM	Diagnosis
S52.233Q	Displaced oblique fracture of shaft of unspecified ulna, subsequent encounter for open fracture type I or II with malunion	ICD-10-CM	Diagnosis
S52.233M	Displaced oblique fracture of shaft of unspecified ulna, subsequent encounter for open fracture type I or II with nonunion	ICD-10-CM	Diagnosis
S82.432S	Displaced oblique fracture of shaft of left fibula, sequela	ICD-10-CM	Diagnosis
S82.431S	Displaced oblique fracture of shaft of right fibula, sequela	ICD-10-CM	Diagnosis
S82.433S	Displaced oblique fracture of shaft of unspecified fibula, sequela	ICD-10-CM	Diagnosis
S82.233S	Displaced oblique fracture of shaft of unspecified tibia, sequela	ICD-10-CM	Diagnosis
S72.332A	Displaced oblique fracture of shaft of left femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.432A	Displaced oblique fracture of shaft of left fibula, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.432B	Displaced oblique fracture of shaft of left fibula, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S82.432C	Displaced oblique fracture of shaft of left fibula, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S52.332A	Displaced oblique fracture of shaft of left radius, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.431A	Displaced oblique fracture of shaft of right fibula, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.431B	Displaced oblique fracture of shaft of right fibula, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.431C	Displaced oblique fracture of shaft of right fibula, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S52.331A	Displaced oblique fracture of shaft of right radius, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S72.333A	Displaced oblique fracture of shaft of unspecified femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.433A	Displaced oblique fracture of shaft of unspecified fibula, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.433B	Displaced oblique fracture of shaft of unspecified fibula, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.433C	Displaced oblique fracture of shaft of unspecified fibula, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S52.333A	Displaced oblique fracture of shaft of unspecified radius, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.232A	Displaced oblique fracture of shaft of left ulna, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.232B	Displaced oblique fracture of shaft of left ulna, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S52.231A	Displaced oblique fracture of shaft of right ulna, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.233A	Displaced oblique fracture of shaft of unspecified ulna, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S62.222A	Displaced Rolando's fracture, left hand, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S62.222B	Displaced Rolando's fracture, left hand, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.222G	Displaced Rolando's fracture, left hand, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S62.222P	Displaced Rolando's fracture, left hand, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S62.222K	Displaced Rolando's fracture, left hand, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S62.222D	Displaced Rolando's fracture, left hand, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S62.221A	Displaced Rolando's fracture, right hand, initial encounter for closed fracture	ICD-10-CM	Diagnosis



**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S62.221B	Displaced Rolando's fracture, right hand, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.221G	Displaced Rolando's fracture, right hand, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S62.221P	Displaced Rolando's fracture, right hand, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S62.221K	Displaced Rolando's fracture, right hand, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S62.221D	Displaced Rolando's fracture, right hand, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S62.223A	Displaced Rolando's fracture, unspecified hand, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S62.223B	Displaced Rolando's fracture, unspecified hand, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.223G	Displaced Rolando's fracture, unspecified hand, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S62.223P	Displaced Rolando's fracture, unspecified hand, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S62.223K	Displaced Rolando's fracture, unspecified hand, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S62.223D	Displaced Rolando's fracture, unspecified hand, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S72.462G	Displaced supracondylar fracture with intracondylar extension of lower end of left femur, subsequent encounter for closed fracture with delayed healing	ICD-10-CM	Diagnosis
S72.462P	Displaced supracondylar fracture with intracondylar extension of lower end of left femur, subsequent encounter for closed fracture with malunion	ICD-10-CM	Diagnosis
S72.462K	Displaced supracondylar fracture with intracondylar extension of lower end of left femur, subsequent encounter for closed fracture with nonunion	ICD-10-CM	Diagnosis
S72.462H	Displaced supracondylar fracture with intracondylar extension of lower end of left femur, subsequent encounter for open fracture type I or II with delayed healing	ICD-10-CM	Diagnosis
S72.462Q	Displaced supracondylar fracture with intracondylar extension of lower end of left femur, subsequent encounter for open fracture type I or II with malunion	ICD-10-CM	Diagnosis
S72.462M	Displaced supracondylar fracture with intracondylar extension of lower end of left femur, subsequent encounter for open fracture type I or II with nonunion	ICD-10-CM	Diagnosis
S72.462R	Displaced supracondylar fracture with intracondylar extension of lower end of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S72.462N	Displaced supracondylar fracture with intracondylar extension of lower end of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD-10-CM	Diagnosis
S72.462E	Displaced supracondylar fracture with intracondylar extension of lower end of left femur, subsequent encounter for open fracture type I or II with routine healing	ICD-10-CM	Diagnosis
S72.462J	Displaced supracondylar fracture with intracondylar extension of lower end of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD-10-CM	Diagnosis
S72.462F	Displaced supracondylar fracture with intracondylar extension of lower end of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD-10-CM	Diagnosis
S72.461G	Displaced supracondylar fracture with intracondylar extension of lower end of right femur, subsequent encounter for closed fracture with delayed healing	ICD-10-CM	Diagnosis
S72.461P	Displaced supracondylar fracture with intracondylar extension of lower end of right femur, subsequent encounter for closed fracture with malunion	ICD-10-CM	Diagnosis
S72.461K	Displaced supracondylar fracture with intracondylar extension of lower end of right femur, subsequent encounter for closed fracture with nonunion	ICD-10-CM	Diagnosis
S72.461H	Displaced supracondylar fracture with intracondylar extension of lower end of right femur, subsequent encounter for open fracture type I or II with delayed healing	ICD-10-CM	Diagnosis
S72.461Q	Displaced supracondylar fracture with intracondylar extension of lower end of right femur, subsequent encounter for open fracture type I or II with malunion	ICD-10-CM	Diagnosis
S72.461M	Displaced supracondylar fracture with intracondylar extension of lower end of right femur, subsequent encounter for open fracture type I or II with nonunion	ICD-10-CM	Diagnosis
S72.461R	Displaced supracondylar fracture with intracondylar extension of lower end of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD-10-CM	Diagnosis
S72.461N	Displaced supracondylar fracture with intracondylar extension of lower end of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD-10-CM	Diagnosis
S72.461E	Displaced supracondylar fracture with intracondylar extension of lower end of right femur, subsequent encounter for open fracture type I or II with routine healing	ICD-10-CM	Diagnosis
S72.461J	Displaced supracondylar fracture with intracondylar extension of lower end of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S72.461F	Displaced supracondylar fracture with intracondylar extension of lower end of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD-10-CM	Diagnosis
S72.463H	Displaced supracondylar fracture with intracondylar extension of lower end of unspecified femur, subsequent encounter for open fracture type I or II with delayed healing	ICD-10-CM	Diagnosis
S72.463G	Displaced supracondylar fracture with intracondylar extension of lower end of unspecified femur, subsequent encounter for closed fracture with delayed healing	ICD-10-CM	Diagnosis
S72.463P	Displaced supracondylar fracture with intracondylar extension of lower end of unspecified femur, subsequent encounter for closed fracture with malunion	ICD-10-CM	Diagnosis
S72.463K	Displaced supracondylar fracture with intracondylar extension of lower end of unspecified femur, subsequent encounter for closed fracture with nonunion	ICD-10-CM	Diagnosis
S72.463E	Displaced supracondylar fracture with intracondylar extension of lower end of unspecified femur, subsequent encounter for open fracture type I or II with routine healing	ICD-10-CM	Diagnosis
S72.463J	Displaced supracondylar fracture with intracondylar extension of lower end of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD-10-CM	Diagnosis
S72.463R	Displaced supracondylar fracture with intracondylar extension of lower end of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD-10-CM	Diagnosis
S72.463N	Displaced supracondylar fracture with intracondylar extension of lower end of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD-10-CM	Diagnosis
S72.463Q	Displaced supracondylar fracture with intracondylar extension of lower end of unspecified femur, subsequent encounter for open fracture type I or II with malunion	ICD-10-CM	Diagnosis
S72.463M	Displaced supracondylar fracture with intracondylar extension of lower end of unspecified femur, subsequent encounter for open fracture type I or II with nonunion	ICD-10-CM	Diagnosis
S72.463F	Displaced supracondylar fracture with intracondylar extension of lower end of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD-10-CM	Diagnosis
S72.452D	Displaced supracondylar fracture without intracondylar extension of lower end of left femur, subsequent encounter for closed fracture with routine healing	ICD-10-CM	Diagnosis
S72.452A	Displaced supracondylar fracture without intracondylar extension of lower end of left femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S72.452C	Displaced supracondylar fracture without intracondylar extension of lower end of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.452B	Displaced supracondylar fracture without intracondylar extension of lower end of left femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.451D	Displaced supracondylar fracture without intracondylar extension of lower end of right femur, subsequent encounter for closed fracture with routine healing	ICD-10-CM	Diagnosis
S72.451A	Displaced supracondylar fracture without intracondylar extension of lower end of right femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S72.451C	Displaced supracondylar fracture without intracondylar extension of lower end of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.451B	Displaced supracondylar fracture without intracondylar extension of lower end of right femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.453D	Displaced supracondylar fracture without intracondylar extension of lower end of unspecified femur, subsequent encounter for closed fracture with routine healing	ICD-10-CM	Diagnosis
S72.453A	Displaced supracondylar fracture without intracondylar extension of lower end of unspecified femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S72.453B	Displaced supracondylar fracture without intracondylar extension of lower end of unspecified femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.453C	Displaced supracondylar fracture without intracondylar extension of lower end of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.452H	Displaced supracondylar fracture without intracondylar extension of lower end of left femur, subsequent encounter for open fracture type I or II with delayed healing	ICD-10-CM	Diagnosis
S72.452G	Displaced supracondylar fracture without intracondylar extension of lower end of left femur, subsequent encounter for closed fracture with delayed healing	ICD-10-CM	Diagnosis
S72.452P	Displaced supracondylar fracture without intracondylar extension of lower end of left femur, subsequent encounter for closed fracture with malunion	ICD-10-CM	Diagnosis
S72.452K	Displaced supracondylar fracture without intracondylar extension of lower end of left femur, subsequent encounter for closed fracture with nonunion	ICD-10-CM	Diagnosis
S72.452E	Displaced supracondylar fracture without intracondylar extension of lower end of left femur, subsequent encounter for open fracture type I or II with routine healing	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S72.452J	Displaced supracondylar fracture without intracondylar extension of lower end of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD-10-CM	Diagnosis
S72.452F	Displaced supracondylar fracture without intracondylar extension of lower end of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD-10-CM	Diagnosis
S72.452R	Displaced supracondylar fracture without intracondylar extension of lower end of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD-10-CM	Diagnosis
S72.452N	Displaced supracondylar fracture without intracondylar extension of lower end of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD-10-CM	Diagnosis
S72.452Q	Displaced supracondylar fracture without intracondylar extension of lower end of left femur, subsequent encounter for open fracture type I or II with malunion	ICD-10-CM	Diagnosis
S72.452M	Displaced supracondylar fracture without intracondylar extension of lower end of left femur, subsequent encounter for open fracture type I or II with nonunion	ICD-10-CM	Diagnosis
S72.451H	Displaced supracondylar fracture without intracondylar extension of lower end of right femur, subsequent encounter for open fracture type I or II with delayed healing	ICD-10-CM	Diagnosis
S72.451G	Displaced supracondylar fracture without intracondylar extension of lower end of right femur, subsequent encounter for closed fracture with delayed healing	ICD-10-CM	Diagnosis
S72.451P	Displaced supracondylar fracture without intracondylar extension of lower end of right femur, subsequent encounter for closed fracture with malunion	ICD-10-CM	Diagnosis
S72.451K	Displaced supracondylar fracture without intracondylar extension of lower end of right femur, subsequent encounter for closed fracture with nonunion	ICD-10-CM	Diagnosis
S72.451E	Displaced supracondylar fracture without intracondylar extension of lower end of right femur, subsequent encounter for open fracture type I or II with routine healing	ICD-10-CM	Diagnosis
S72.451J	Displaced supracondylar fracture without intracondylar extension of lower end of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD-10-CM	Diagnosis
S72.451F	Displaced supracondylar fracture without intracondylar extension of lower end of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD-10-CM	Diagnosis
S72.451R	Displaced supracondylar fracture without intracondylar extension of lower end of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S72.451N	Displaced supracondylar fracture without intracondylar extension of lower end of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD-10-CM	Diagnosis
S72.451Q	Displaced supracondylar fracture without intracondylar extension of lower end of right femur, subsequent encounter for open fracture type I or II with malunion	ICD-10-CM	Diagnosis
S72.451M	Displaced supracondylar fracture without intracondylar extension of lower end of right femur, subsequent encounter for open fracture type I or II with nonunion	ICD-10-CM	Diagnosis
S72.453H	Displaced supracondylar fracture without intracondylar extension of lower end of unspecified femur, subsequent encounter for open fracture type I or II with delayed healing	ICD-10-CM	Diagnosis
S72.453E	Displaced supracondylar fracture without intracondylar extension of lower end of unspecified femur, subsequent encounter for open fracture type I or II with routine healing	ICD-10-CM	Diagnosis
S72.453J	Displaced supracondylar fracture without intracondylar extension of lower end of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD-10-CM	Diagnosis
S72.453G	Displaced supracondylar fracture without intracondylar extension of lower end of unspecified femur, subsequent encounter for closed fracture with delayed healing	ICD-10-CM	Diagnosis
S72.453P	Displaced supracondylar fracture without intracondylar extension of lower end of unspecified femur, subsequent encounter for closed fracture with malunion	ICD-10-CM	Diagnosis
S72.453K	Displaced supracondylar fracture without intracondylar extension of lower end of unspecified femur, subsequent encounter for closed fracture with nonunion	ICD-10-CM	Diagnosis
S72.453Q	Displaced supracondylar fracture without intracondylar extension of lower end of unspecified femur, subsequent encounter for open fracture type I or II with malunion	ICD-10-CM	Diagnosis
S72.453M	Displaced supracondylar fracture without intracondylar extension of lower end of unspecified femur, subsequent encounter for open fracture type I or II with nonunion	ICD-10-CM	Diagnosis
S72.453F	Displaced supracondylar fracture without intracondylar extension of lower end of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD-10-CM	Diagnosis
S72.453R	Displaced supracondylar fracture without intracondylar extension of lower end of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD-10-CM	Diagnosis
S72.453N	Displaced supracondylar fracture without intracondylar extension of lower end of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD-10-CM	Diagnosis



**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S72.462C	Displaced supracondylar fracture with intracondylar extension of lower end of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.462B	Displaced supracondylar fracture with intracondylar extension of lower end of left femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.462D	Displaced supracondylar fracture with intracondylar extension of lower end of left femur, subsequent encounter for closed fracture with routine healing	ICD-10-CM	Diagnosis
S72.462A	Displaced supracondylar fracture with intracondylar extension of lower end of left femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S72.461C	Displaced supracondylar fracture with intracondylar extension of lower end of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.461B	Displaced supracondylar fracture with intracondylar extension of lower end of right femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.461D	Displaced supracondylar fracture with intracondylar extension of lower end of right femur, subsequent encounter for closed fracture with routine healing	ICD-10-CM	Diagnosis
S72.461A	Displaced supracondylar fracture with intracondylar extension of lower end of right femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S72.463A	Displaced supracondylar fracture with intracondylar extension of lower end of unspecified femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S72.463C	Displaced supracondylar fracture with intracondylar extension of lower end of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.463B	Displaced supracondylar fracture with intracondylar extension of lower end of unspecified femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.463D	Displaced supracondylar fracture with intracondylar extension of lower end of unspecified femur, subsequent encounter for closed fracture with routine healing	ICD-10-CM	Diagnosis
S72.362A	Displaced segmental fracture of shaft of left femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S72.362B	Displaced segmental fracture of shaft of left femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.362C	Displaced segmental fracture of shaft of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.362G	Displaced segmental fracture of shaft of left femur, subsequent encounter for closed fracture with delayed healing	ICD-10-CM	Diagnosis
S72.362P	Displaced segmental fracture of shaft of left femur, subsequent encounter for closed fracture with malunion	ICD-10-CM	Diagnosis
S72.362K	Displaced segmental fracture of shaft of left femur, subsequent encounter for closed fracture with nonunion	ICD-10-CM	Diagnosis
S72.362D	Displaced segmental fracture of shaft of left femur, subsequent encounter for closed fracture with routine healing	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S72.362H	Displaced segmental fracture of shaft of left femur, subsequent encounter for open fracture type I or II with delayed healing	ICD-10-CM	Diagnosis
S72.362Q	Displaced segmental fracture of shaft of left femur, subsequent encounter for open fracture type I or II with malunion	ICD-10-CM	Diagnosis
S72.362M	Displaced segmental fracture of shaft of left femur, subsequent encounter for open fracture type I or II with nonunion	ICD-10-CM	Diagnosis
S72.362E	Displaced segmental fracture of shaft of left femur, subsequent encounter for open fracture type I or II with routine healing	ICD-10-CM	Diagnosis
S72.362J	Displaced segmental fracture of shaft of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD-10-CM	Diagnosis
S72.362R	Displaced segmental fracture of shaft of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD-10-CM	Diagnosis
S72.362N	Displaced segmental fracture of shaft of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD-10-CM	Diagnosis
S72.362F	Displaced segmental fracture of shaft of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD-10-CM	Diagnosis
S52.362A	Displaced segmental fracture of shaft of radius, left arm, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.362C	Displaced segmental fracture of shaft of radius, left arm, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S52.362B	Displaced segmental fracture of shaft of radius, left arm, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S52.362D	Displaced segmental fracture of shaft of radius, left arm, subsequent encounter for closed fracture with routine healing	ICD-10-CM	Diagnosis
S52.362G	Displaced segmental fracture of shaft of radius, left arm, subsequent encounter for closed fracture with delayed healing	ICD-10-CM	Diagnosis
S52.362P	Displaced segmental fracture of shaft of radius, left arm, subsequent encounter for closed fracture with malunion	ICD-10-CM	Diagnosis
S52.362K	Displaced segmental fracture of shaft of radius, left arm, subsequent encounter for closed fracture with nonunion	ICD-10-CM	Diagnosis
S52.362E	Displaced segmental fracture of shaft of radius, left arm, subsequent encounter for open fracture type I or II with routine healing	ICD-10-CM	Diagnosis
S52.362H	Displaced segmental fracture of shaft of radius, left arm, subsequent encounter for open fracture type I or II with delayed healing	ICD-10-CM	Diagnosis
S52.362Q	Displaced segmental fracture of shaft of radius, left arm, subsequent encounter for open fracture type I or II with malunion	ICD-10-CM	Diagnosis
S52.362M	Displaced segmental fracture of shaft of radius, left arm, subsequent encounter for open fracture type I or II with nonunion	ICD-10-CM	Diagnosis
S52.362J	Displaced segmental fracture of shaft of radius, left arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD-10-CM	Diagnosis
S52.362R	Displaced segmental fracture of shaft of radius, left arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S52.362N	Displaced segmental fracture of shaft of radius, left arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD-10-CM	Diagnosis
S52.362F	Displaced segmental fracture of shaft of radius, left arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD-10-CM	Diagnosis
S52.361A	Displaced segmental fracture of shaft of radius, right arm, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.361B	Displaced segmental fracture of shaft of radius, right arm, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S52.361G	Displaced segmental fracture of shaft of radius, right arm, subsequent encounter for closed fracture with delayed healing	ICD-10-CM	Diagnosis
S52.361P	Displaced segmental fracture of shaft of radius, right arm, subsequent encounter for closed fracture with malunion	ICD-10-CM	Diagnosis
S52.361K	Displaced segmental fracture of shaft of radius, right arm, subsequent encounter for closed fracture with nonunion	ICD-10-CM	Diagnosis
S52.361H	Displaced segmental fracture of shaft of radius, right arm, subsequent encounter for open fracture type I or II with delayed healing	ICD-10-CM	Diagnosis
S52.361Q	Displaced segmental fracture of shaft of radius, right arm, subsequent encounter for open fracture type I or II with malunion	ICD-10-CM	Diagnosis
S52.361M	Displaced segmental fracture of shaft of radius, right arm, subsequent encounter for open fracture type I or II with nonunion	ICD-10-CM	Diagnosis
S52.361E	Displaced segmental fracture of shaft of radius, right arm, subsequent encounter for open fracture type I or II with routine healing	ICD-10-CM	Diagnosis
S52.361J	Displaced segmental fracture of shaft of radius, right arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD-10-CM	Diagnosis
S52.361R	Displaced segmental fracture of shaft of radius, right arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD-10-CM	Diagnosis
S52.361N	Displaced segmental fracture of shaft of radius, right arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD-10-CM	Diagnosis
S52.361F	Displaced segmental fracture of shaft of radius, right arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD-10-CM	Diagnosis
S52.361C	Displaced segmental fracture of shaft of radius, right arm, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S52.363A	Displaced segmental fracture of shaft of radius, unspecified arm, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.363B	Displaced segmental fracture of shaft of radius, unspecified arm, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S52.363G	Displaced segmental fracture of shaft of radius, unspecified arm, subsequent encounter for closed fracture with delayed healing	ICD-10-CM	Diagnosis
S52.363P	Displaced segmental fracture of shaft of radius, unspecified arm, subsequent encounter for closed fracture with malunion	ICD-10-CM	Diagnosis
S52.363K	Displaced segmental fracture of shaft of radius, unspecified arm, subsequent encounter for closed fracture with nonunion	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S52.363D	Displaced segmental fracture of shaft of radius, unspecified arm, subsequent encounter for closed fracture with routine healing	ICD-10-CM	Diagnosis
S52.363Q	Displaced segmental fracture of shaft of radius, unspecified arm, subsequent encounter for open fracture type I or II with malunion	ICD-10-CM	Diagnosis
S52.363M	Displaced segmental fracture of shaft of radius, unspecified arm, subsequent encounter for open fracture type I or II with nonunion	ICD-10-CM	Diagnosis
S52.363J	Displaced segmental fracture of shaft of radius, unspecified arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD-10-CM	Diagnosis
S52.363R	Displaced segmental fracture of shaft of radius, unspecified arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD-10-CM	Diagnosis
S52.363N	Displaced segmental fracture of shaft of radius, unspecified arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD-10-CM	Diagnosis
S52.363F	Displaced segmental fracture of shaft of radius, unspecified arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD-10-CM	Diagnosis
S52.363E	Displaced segmental fracture of shaft of radius, unspecified arm, subsequent encounter for open fracture type I or II with routine healing	ICD-10-CM	Diagnosis
S52.361D	Displaced segmental fracture of shaft of radius, right arm, subsequent encounter for closed fracture with routine healing	ICD-10-CM	Diagnosis
S72.361A	Displaced segmental fracture of shaft of right femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S72.361C	Displaced segmental fracture of shaft of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.361B	Displaced segmental fracture of shaft of right femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.361G	Displaced segmental fracture of shaft of right femur, subsequent encounter for closed fracture with delayed healing	ICD-10-CM	Diagnosis
S72.361P	Displaced segmental fracture of shaft of right femur, subsequent encounter for closed fracture with malunion	ICD-10-CM	Diagnosis
S72.361K	Displaced segmental fracture of shaft of right femur, subsequent encounter for closed fracture with nonunion	ICD-10-CM	Diagnosis
S72.361D	Displaced segmental fracture of shaft of right femur, subsequent encounter for closed fracture with routine healing	ICD-10-CM	Diagnosis
S72.361H	Displaced segmental fracture of shaft of right femur, subsequent encounter for open fracture type I or II with delayed healing	ICD-10-CM	Diagnosis
S72.361Q	Displaced segmental fracture of shaft of right femur, subsequent encounter for open fracture type I or II with malunion	ICD-10-CM	Diagnosis
S72.361M	Displaced segmental fracture of shaft of right femur, subsequent encounter for open fracture type I or II with nonunion	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S72.361E	Displaced segmental fracture of shaft of right femur, subsequent encounter for open fracture type I or II with routine healing	ICD-10-CM	Diagnosis
S72.361J	Displaced segmental fracture of shaft of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD-10-CM	Diagnosis
S72.361R	Displaced segmental fracture of shaft of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD-10-CM	Diagnosis
S72.361N	Displaced segmental fracture of shaft of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD-10-CM	Diagnosis
S72.361F	Displaced segmental fracture of shaft of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD-10-CM	Diagnosis
S72.363B	Displaced segmental fracture of shaft of unspecified femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.363C	Displaced segmental fracture of shaft of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.363A	Displaced segmental fracture of shaft of unspecified femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S72.363G	Displaced segmental fracture of shaft of unspecified femur, subsequent encounter for closed fracture with delayed healing	ICD-10-CM	Diagnosis
S72.363P	Displaced segmental fracture of shaft of unspecified femur, subsequent encounter for closed fracture with malunion	ICD-10-CM	Diagnosis
S72.363K	Displaced segmental fracture of shaft of unspecified femur, subsequent encounter for closed fracture with nonunion	ICD-10-CM	Diagnosis
S72.363D	Displaced segmental fracture of shaft of unspecified femur, subsequent encounter for closed fracture with routine healing	ICD-10-CM	Diagnosis
S72.363J	Displaced segmental fracture of shaft of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD-10-CM	Diagnosis
S72.363Q	Displaced segmental fracture of shaft of unspecified femur, subsequent encounter for open fracture type I or II with malunion	ICD-10-CM	Diagnosis
S72.363M	Displaced segmental fracture of shaft of unspecified femur, subsequent encounter for open fracture type I or II with nonunion	ICD-10-CM	Diagnosis
S72.363E	Displaced segmental fracture of shaft of unspecified femur, subsequent encounter for open fracture type I or II with routine healing	ICD-10-CM	Diagnosis
S72.363R	Displaced segmental fracture of shaft of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD-10-CM	Diagnosis
S72.363N	Displaced segmental fracture of shaft of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD-10-CM	Diagnosis
S72.363H	Displaced segmental fracture of shaft of unspecified femur, subsequent encounter for open fracture type I or II with delayed healing	ICD-10-CM	Diagnosis
S72.363F	Displaced segmental fracture of shaft of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD-10-CM	Diagnosis
S52.363C	Displaced segmental fracture of shaft of radius, unspecified arm, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S52.363H	Displaced segmental fracture of shaft of radius, unspecified arm, subsequent encounter for open fracture type I or II with delayed healing	ICD-10-CM	Diagnosis
S52.262B	Displaced segmental fracture of shaft of ulna, left arm, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S52.262C	Displaced segmental fracture of shaft of ulna, left arm, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S52.262A	Displaced segmental fracture of shaft of ulna, left arm, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.262G	Displaced segmental fracture of shaft of ulna, left arm, subsequent encounter for closed fracture with delayed healing	ICD-10-CM	Diagnosis
S52.262P	Displaced segmental fracture of shaft of ulna, left arm, subsequent encounter for closed fracture with malunion	ICD-10-CM	Diagnosis
S52.262K	Displaced segmental fracture of shaft of ulna, left arm, subsequent encounter for closed fracture with nonunion	ICD-10-CM	Diagnosis
S52.262D	Displaced segmental fracture of shaft of ulna, left arm, subsequent encounter for closed fracture with routine healing	ICD-10-CM	Diagnosis
S52.262H	Displaced segmental fracture of shaft of ulna, left arm, subsequent encounter for open fracture type I or II with delayed healing	ICD-10-CM	Diagnosis
S52.262M	Displaced segmental fracture of shaft of ulna, left arm, subsequent encounter for open fracture type I or II with nonunion	ICD-10-CM	Diagnosis
S52.262E	Displaced segmental fracture of shaft of ulna, left arm, subsequent encounter for open fracture type I or II with routine healing	ICD-10-CM	Diagnosis
S52.262J	Displaced segmental fracture of shaft of ulna, left arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD-10-CM	Diagnosis
S52.262N	Displaced segmental fracture of shaft of ulna, left arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD-10-CM	Diagnosis
S52.262F	Displaced segmental fracture of shaft of ulna, left arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD-10-CM	Diagnosis
S52.262Q	Displaced segmental fracture of shaft of ulna, left arm, subsequent encounter for open fracture type I or II with malunion	ICD-10-CM	Diagnosis
S52.262R	Displaced segmental fracture of shaft of ulna, left arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD-10-CM	Diagnosis
S52.261B	Displaced segmental fracture of shaft of ulna, right arm, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S52.261C	Displaced segmental fracture of shaft of ulna, right arm, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S52.261A	Displaced segmental fracture of shaft of ulna, right arm, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.261G	Displaced segmental fracture of shaft of ulna, right arm, subsequent encounter for closed fracture with delayed healing	ICD-10-CM	Diagnosis
S52.261P	Displaced segmental fracture of shaft of ulna, right arm, subsequent encounter for closed fracture with malunion	ICD-10-CM	Diagnosis



**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S52.261K	Displaced segmental fracture of shaft of ulna, right arm, subsequent encounter for closed fracture with nonunion	ICD-10-CM	Diagnosis
S52.261D	Displaced segmental fracture of shaft of ulna, right arm, subsequent encounter for closed fracture with routine healing	ICD-10-CM	Diagnosis
S52.261H	Displaced segmental fracture of shaft of ulna, right arm, subsequent encounter for open fracture type I or II with delayed healing	ICD-10-CM	Diagnosis
S52.261Q	Displaced segmental fracture of shaft of ulna, right arm, subsequent encounter for open fracture type I or II with malunion	ICD-10-CM	Diagnosis
S52.261M	Displaced segmental fracture of shaft of ulna, right arm, subsequent encounter for open fracture type I or II with nonunion	ICD-10-CM	Diagnosis
S52.261E	Displaced segmental fracture of shaft of ulna, right arm, subsequent encounter for open fracture type I or II with routine healing	ICD-10-CM	Diagnosis
S52.261J	Displaced segmental fracture of shaft of ulna, right arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD-10-CM	Diagnosis
S52.261R	Displaced segmental fracture of shaft of ulna, right arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD-10-CM	Diagnosis
S52.261N	Displaced segmental fracture of shaft of ulna, right arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD-10-CM	Diagnosis
S52.261F	Displaced segmental fracture of shaft of ulna, right arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD-10-CM	Diagnosis
S52.263A	Displaced segmental fracture of shaft of ulna, unspecified arm, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.263B	Displaced segmental fracture of shaft of ulna, unspecified arm, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S52.263C	Displaced segmental fracture of shaft of ulna, unspecified arm, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S52.263G	Displaced segmental fracture of shaft of ulna, unspecified arm, subsequent encounter for closed fracture with delayed healing	ICD-10-CM	Diagnosis
S52.263P	Displaced segmental fracture of shaft of ulna, unspecified arm, subsequent encounter for closed fracture with malunion	ICD-10-CM	Diagnosis
S52.263K	Displaced segmental fracture of shaft of ulna, unspecified arm, subsequent encounter for closed fracture with nonunion	ICD-10-CM	Diagnosis
S52.263D	Displaced segmental fracture of shaft of ulna, unspecified arm, subsequent encounter for closed fracture with routine healing	ICD-10-CM	Diagnosis
S52.263E	Displaced segmental fracture of shaft of ulna, unspecified arm, subsequent encounter for open fracture type I or II with routine healing	ICD-10-CM	Diagnosis
S52.263F	Displaced segmental fracture of shaft of ulna, unspecified arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD-10-CM	Diagnosis
S52.263H	Displaced segmental fracture of shaft of ulna, unspecified arm, subsequent encounter for open fracture type I or II with delayed healing	ICD-10-CM	Diagnosis
S52.263Q	Displaced segmental fracture of shaft of ulna, unspecified arm, subsequent encounter for open fracture type I or II with malunion	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S52.263M	Displaced segmental fracture of shaft of ulna, unspecified arm, subsequent encounter for open fracture type I or II with nonunion	ICD-10-CM	Diagnosis
S52.263J	Displaced segmental fracture of shaft of ulna, unspecified arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD-10-CM	Diagnosis
S52.263R	Displaced segmental fracture of shaft of ulna, unspecified arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD-10-CM	Diagnosis
S52.263N	Displaced segmental fracture of shaft of ulna, unspecified arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD-10-CM	Diagnosis
S72.363S	Displaced segmental fracture of shaft of unspecified femur, sequela	ICD-10-CM	Diagnosis
S52.262S	Displaced segmental fracture of shaft of ulna, left arm, sequela	ICD-10-CM	Diagnosis
S52.261S	Displaced segmental fracture of shaft of ulna, right arm, sequela	ICD-10-CM	Diagnosis
S52.362S	Displaced segmental fracture of shaft of radius, left arm, sequela	ICD-10-CM	Diagnosis
S52.361S	Displaced segmental fracture of shaft of radius, right arm, sequela	ICD-10-CM	Diagnosis
S52.363S	Displaced segmental fracture of shaft of radius, unspecified arm, sequela	ICD-10-CM	Diagnosis
S52.263S	Displaced segmental fracture of shaft of ulna, unspecified arm, sequela	ICD-10-CM	Diagnosis
S42.412P	Displaced simple supracondylar fracture without intercondylar fracture of left humerus, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S42.412K	Displaced simple supracondylar fracture without intercondylar fracture of left humerus, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S42.411P	Displaced simple supracondylar fracture without intercondylar fracture of right humerus, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S42.411K	Displaced simple supracondylar fracture without intercondylar fracture of right humerus, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S42.412A	Displaced simple supracondylar fracture without intercondylar fracture of left humerus, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.412B	Displaced simple supracondylar fracture without intercondylar fracture of left humerus, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.412G	Displaced simple supracondylar fracture without intercondylar fracture of left humerus, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S42.412D	Displaced simple supracondylar fracture without intercondylar fracture of left humerus, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S42.411A	Displaced simple supracondylar fracture without intercondylar fracture of right humerus, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.411B	Displaced simple supracondylar fracture without intercondylar fracture of right humerus, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.411G	Displaced simple supracondylar fracture without intercondylar fracture of right humerus, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S42.411D	Displaced simple supracondylar fracture without intercondylar fracture of right humerus, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S42.413B	Displaced simple supracondylar fracture without intercondylar fracture of unspecified humerus, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.413A	Displaced simple supracondylar fracture without intercondylar fracture of unspecified humerus, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.413G	Displaced simple supracondylar fracture without intercondylar fracture of unspecified humerus, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S42.413P	Displaced simple supracondylar fracture without intercondylar fracture of unspecified humerus, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S42.413K	Displaced simple supracondylar fracture without intercondylar fracture of unspecified humerus, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S42.413D	Displaced simple supracondylar fracture without intercondylar fracture of unspecified humerus, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S42.412S	Displaced simple supracondylar fracture without intercondylar fracture of left humerus, sequela	ICD-10-CM	Diagnosis
S42.411S	Displaced simple supracondylar fracture without intercondylar fracture of right humerus, sequela	ICD-10-CM	Diagnosis
S42.413S	Displaced simple supracondylar fracture without intercondylar fracture of unspecified humerus, sequela	ICD-10-CM	Diagnosis
S52.342S	Displaced spiral fracture of shaft of radius, left arm, sequela	ICD-10-CM	Diagnosis
S52.341S	Displaced spiral fracture of shaft of radius, right arm, sequela	ICD-10-CM	Diagnosis
S52.343S	Displaced spiral fracture of shaft of radius, unspecified arm, sequela	ICD-10-CM	Diagnosis
S52.243S	Displaced spiral fracture of shaft of ulna, unspecified arm, sequela	ICD-10-CM	Diagnosis
S52.342K	Displaced spiral fracture of shaft of radius, left arm, subsequent encounter for closed fracture with nonunion	ICD-10-CM	Diagnosis
S52.342B	Displaced spiral fracture of shaft of radius, left arm, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S52.342A	Displaced spiral fracture of shaft of radius, left arm, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.342C	Displaced spiral fracture of shaft of radius, left arm, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S52.342G	Displaced spiral fracture of shaft of radius, left arm, subsequent encounter for closed fracture with delayed healing	ICD-10-CM	Diagnosis
S52.342P	Displaced spiral fracture of shaft of radius, left arm, subsequent encounter for closed fracture with malunion	ICD-10-CM	Diagnosis
S52.342D	Displaced spiral fracture of shaft of radius, left arm, subsequent encounter for closed fracture with routine healing	ICD-10-CM	Diagnosis
S52.342H	Displaced spiral fracture of shaft of radius, left arm, subsequent encounter for open fracture type I or II with delayed healing	ICD-10-CM	Diagnosis
S52.342E	Displaced spiral fracture of shaft of radius, left arm, subsequent encounter for open fracture type I or II with routine healing	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S52.342Q	Displaced spiral fracture of shaft of radius, left arm, subsequent encounter for open fracture type I or II with malunion	ICD-10-CM	Diagnosis
S52.342M	Displaced spiral fracture of shaft of radius, left arm, subsequent encounter for open fracture type I or II with nonunion	ICD-10-CM	Diagnosis
S52.342J	Displaced spiral fracture of shaft of radius, left arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD-10-CM	Diagnosis
S52.342R	Displaced spiral fracture of shaft of radius, left arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD-10-CM	Diagnosis
S52.342N	Displaced spiral fracture of shaft of radius, left arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD-10-CM	Diagnosis
S52.342F	Displaced spiral fracture of shaft of radius, left arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD-10-CM	Diagnosis
S52.341A	Displaced spiral fracture of shaft of radius, right arm, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.341B	Displaced spiral fracture of shaft of radius, right arm, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S52.341C	Displaced spiral fracture of shaft of radius, right arm, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S52.341P	Displaced spiral fracture of shaft of radius, right arm, subsequent encounter for closed fracture with malunion	ICD-10-CM	Diagnosis
S52.341K	Displaced spiral fracture of shaft of radius, right arm, subsequent encounter for closed fracture with nonunion	ICD-10-CM	Diagnosis
S52.341G	Displaced spiral fracture of shaft of radius, right arm, subsequent encounter for closed fracture with delayed healing	ICD-10-CM	Diagnosis
S52.341D	Displaced spiral fracture of shaft of radius, right arm, subsequent encounter for closed fracture with routine healing	ICD-10-CM	Diagnosis
S52.341Q	Displaced spiral fracture of shaft of radius, right arm, subsequent encounter for open fracture type I or II with malunion	ICD-10-CM	Diagnosis
S52.341M	Displaced spiral fracture of shaft of radius, right arm, subsequent encounter for open fracture type I or II with nonunion	ICD-10-CM	Diagnosis
S52.341R	Displaced spiral fracture of shaft of radius, right arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD-10-CM	Diagnosis
S52.341N	Displaced spiral fracture of shaft of radius, right arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD-10-CM	Diagnosis
S52.341F	Displaced spiral fracture of shaft of radius, right arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD-10-CM	Diagnosis
S52.341H	Displaced spiral fracture of shaft of radius, right arm, subsequent encounter for open fracture type I or II with delayed healing	ICD-10-CM	Diagnosis
S52.341E	Displaced spiral fracture of shaft of radius, right arm, subsequent encounter for open fracture type I or II with routine healing	ICD-10-CM	Diagnosis
S52.341J	Displaced spiral fracture of shaft of radius, right arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S52.343A	Displaced spiral fracture of shaft of radius, unspecified arm, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.343B	Displaced spiral fracture of shaft of radius, unspecified arm, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S52.343C	Displaced spiral fracture of shaft of radius, unspecified arm, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S52.343G	Displaced spiral fracture of shaft of radius, unspecified arm, subsequent encounter for closed fracture with delayed healing	ICD-10-CM	Diagnosis
S52.343D	Displaced spiral fracture of shaft of radius, unspecified arm, subsequent encounter for closed fracture with routine healing	ICD-10-CM	Diagnosis
S52.343P	Displaced spiral fracture of shaft of radius, unspecified arm, subsequent encounter for closed fracture with malunion	ICD-10-CM	Diagnosis
S52.343K	Displaced spiral fracture of shaft of radius, unspecified arm, subsequent encounter for closed fracture with nonunion	ICD-10-CM	Diagnosis
S52.343Q	Displaced spiral fracture of shaft of radius, unspecified arm, subsequent encounter for open fracture type I or II with malunion	ICD-10-CM	Diagnosis
S52.343M	Displaced spiral fracture of shaft of radius, unspecified arm, subsequent encounter for open fracture type I or II with nonunion	ICD-10-CM	Diagnosis
S52.343N	Displaced spiral fracture of shaft of radius, unspecified arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD-10-CM	Diagnosis
S52.343F	Displaced spiral fracture of shaft of radius, unspecified arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD-10-CM	Diagnosis
S52.343R	Displaced spiral fracture of shaft of radius, unspecified arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD-10-CM	Diagnosis
S52.241B	Displaced spiral fracture of shaft of ulna, right arm, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S52.241P	Displaced spiral fracture of shaft of ulna, right arm, subsequent encounter for closed fracture with malunion	ICD-10-CM	Diagnosis
S52.241K	Displaced spiral fracture of shaft of ulna, right arm, subsequent encounter for closed fracture with nonunion	ICD-10-CM	Diagnosis
S52.241Q	Displaced spiral fracture of shaft of ulna, right arm, subsequent encounter for open fracture type I or II with malunion	ICD-10-CM	Diagnosis
S52.241M	Displaced spiral fracture of shaft of ulna, right arm, subsequent encounter for open fracture type I or II with nonunion	ICD-10-CM	Diagnosis
S52.241H	Displaced spiral fracture of shaft of ulna, right arm, subsequent encounter for open fracture type I or II with delayed healing	ICD-10-CM	Diagnosis
S52.241E	Displaced spiral fracture of shaft of ulna, right arm, subsequent encounter for open fracture type I or II with routine healing	ICD-10-CM	Diagnosis
S52.241R	Displaced spiral fracture of shaft of ulna, right arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD-10-CM	Diagnosis
S52.241N	Displaced spiral fracture of shaft of ulna, right arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S52.343H	Displaced spiral fracture of shaft of radius, unspecified arm, subsequent encounter for open fracture type I or II with delayed healing	ICD-10-CM	Diagnosis
S52.343E	Displaced spiral fracture of shaft of radius, unspecified arm, subsequent encounter for open fracture type I or II with routine healing	ICD-10-CM	Diagnosis
S52.343J	Displaced spiral fracture of shaft of radius, unspecified arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD-10-CM	Diagnosis
S52.242A	Displaced spiral fracture of shaft of ulna, left arm, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.242B	Displaced spiral fracture of shaft of ulna, left arm, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S52.242C	Displaced spiral fracture of shaft of ulna, left arm, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S52.242G	Displaced spiral fracture of shaft of ulna, left arm, subsequent encounter for closed fracture with delayed healing	ICD-10-CM	Diagnosis
S52.242P	Displaced spiral fracture of shaft of ulna, left arm, subsequent encounter for closed fracture with malunion	ICD-10-CM	Diagnosis
S52.242K	Displaced spiral fracture of shaft of ulna, left arm, subsequent encounter for closed fracture with nonunion	ICD-10-CM	Diagnosis
S52.242D	Displaced spiral fracture of shaft of ulna, left arm, subsequent encounter for closed fracture with routine healing	ICD-10-CM	Diagnosis
S52.242E	Displaced spiral fracture of shaft of ulna, left arm, subsequent encounter for open fracture type I or II with routine healing	ICD-10-CM	Diagnosis
S52.242J	Displaced spiral fracture of shaft of ulna, left arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD-10-CM	Diagnosis
S52.242R	Displaced spiral fracture of shaft of ulna, left arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD-10-CM	Diagnosis
S52.242N	Displaced spiral fracture of shaft of ulna, left arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD-10-CM	Diagnosis
S52.242F	Displaced spiral fracture of shaft of ulna, left arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD-10-CM	Diagnosis
S52.242H	Displaced spiral fracture of shaft of ulna, left arm, subsequent encounter for open fracture type I or II with delayed healing	ICD-10-CM	Diagnosis
S52.242Q	Displaced spiral fracture of shaft of ulna, left arm, subsequent encounter for open fracture type I or II with malunion	ICD-10-CM	Diagnosis
S52.242M	Displaced spiral fracture of shaft of ulna, left arm, subsequent encounter for open fracture type I or II with nonunion	ICD-10-CM	Diagnosis
S52.241A	Displaced spiral fracture of shaft of ulna, right arm, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.241C	Displaced spiral fracture of shaft of ulna, right arm, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S52.241G	Displaced spiral fracture of shaft of ulna, right arm, subsequent encounter for closed fracture with delayed healing	ICD-10-CM	Diagnosis



**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S52.241D	Displaced spiral fracture of shaft of ulna, right arm, subsequent encounter for closed fracture with routine healing	ICD-10-CM	Diagnosis
S52.241J	Displaced spiral fracture of shaft of ulna, right arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD-10-CM	Diagnosis
S52.241F	Displaced spiral fracture of shaft of ulna, right arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD-10-CM	Diagnosis
S52.243A	Displaced spiral fracture of shaft of ulna, unspecified arm, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.243B	Displaced spiral fracture of shaft of ulna, unspecified arm, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S52.243C	Displaced spiral fracture of shaft of ulna, unspecified arm, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S52.243G	Displaced spiral fracture of shaft of ulna, unspecified arm, subsequent encounter for closed fracture with delayed healing	ICD-10-CM	Diagnosis
S52.243D	Displaced spiral fracture of shaft of ulna, unspecified arm, subsequent encounter for closed fracture with routine healing	ICD-10-CM	Diagnosis
S52.243P	Displaced spiral fracture of shaft of ulna, unspecified arm, subsequent encounter for closed fracture with malunion	ICD-10-CM	Diagnosis
S52.243K	Displaced spiral fracture of shaft of ulna, unspecified arm, subsequent encounter for closed fracture with nonunion	ICD-10-CM	Diagnosis
S52.243Q	Displaced spiral fracture of shaft of ulna, unspecified arm, subsequent encounter for open fracture type I or II with malunion	ICD-10-CM	Diagnosis
S52.243M	Displaced spiral fracture of shaft of ulna, unspecified arm, subsequent encounter for open fracture type I or II with nonunion	ICD-10-CM	Diagnosis
S52.243E	Displaced spiral fracture of shaft of ulna, unspecified arm, subsequent encounter for open fracture type I or II with routine healing	ICD-10-CM	Diagnosis
S52.243R	Displaced spiral fracture of shaft of ulna, unspecified arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD-10-CM	Diagnosis
S52.243N	Displaced spiral fracture of shaft of ulna, unspecified arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD-10-CM	Diagnosis
S52.243F	Displaced spiral fracture of shaft of ulna, unspecified arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD-10-CM	Diagnosis
S52.243H	Displaced spiral fracture of shaft of ulna, unspecified arm, subsequent encounter for open fracture type I or II with delayed healing	ICD-10-CM	Diagnosis
S52.243J	Displaced spiral fracture of shaft of ulna, unspecified arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD-10-CM	Diagnosis
S72.23XR	Displaced subtrochanteric fracture of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD-10-CM	Diagnosis
S72.23XN	Displaced subtrochanteric fracture of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD-10-CM	Diagnosis
S72.23XS	Displaced subtrochanteric fracture of unspecified femur, sequela	ICD-10-CM	Diagnosis
S72.22XA	Displaced subtrochanteric fracture of left femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S72.22XB	Displaced subtrochanteric fracture of left femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.22XP	Displaced subtrochanteric fracture of left femur, subsequent encounter for closed fracture with malunion	ICD-10-CM	Diagnosis
S72.22XK	Displaced subtrochanteric fracture of left femur, subsequent encounter for closed fracture with nonunion	ICD-10-CM	Diagnosis
S72.21XA	Displaced subtrochanteric fracture of right femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S72.21XB	Displaced subtrochanteric fracture of right femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.21XP	Displaced subtrochanteric fracture of right femur, subsequent encounter for closed fracture with malunion	ICD-10-CM	Diagnosis
S72.21XK	Displaced subtrochanteric fracture of right femur, subsequent encounter for closed fracture with nonunion	ICD-10-CM	Diagnosis
S72.23XA	Displaced subtrochanteric fracture of unspecified femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S72.23XP	Displaced subtrochanteric fracture of unspecified femur, subsequent encounter for closed fracture with malunion	ICD-10-CM	Diagnosis
S72.23XQ	Displaced subtrochanteric fracture of unspecified femur, subsequent encounter for open fracture type I or II with malunion	ICD-10-CM	Diagnosis
S72.23XM	Displaced subtrochanteric fracture of unspecified femur, subsequent encounter for open fracture type I or II with nonunion	ICD-10-CM	Diagnosis
S72.452S	Displaced supracondylar fracture without intracondylar extension of lower end of left femur, sequela	ICD-10-CM	Diagnosis
S72.451S	Displaced supracondylar fracture without intracondylar extension of lower end of right femur, sequela	ICD-10-CM	Diagnosis
S72.453S	Displaced supracondylar fracture without intracondylar extension of lower end of unspecified femur, sequela	ICD-10-CM	Diagnosis
S72.462S	Displaced supracondylar fracture with intracondylar extension of lower end of left femur, sequela	ICD-10-CM	Diagnosis
S72.461S	Displaced supracondylar fracture with intracondylar extension of lower end of right femur, sequela	ICD-10-CM	Diagnosis
S72.463S	Displaced supracondylar fracture with intracondylar extension of lower end of unspecified femur, sequela	ICD-10-CM	Diagnosis
S42.473S	Displaced transcondylar fracture of unspecified humerus, sequela	ICD-10-CM	Diagnosis
S72.322S	Displaced transverse fracture of shaft of left femur, sequela	ICD-10-CM	Diagnosis
S52.322S	Displaced transverse fracture of shaft of left radius, sequela	ICD-10-CM	Diagnosis
S72.321S	Displaced transverse fracture of shaft of right femur, sequela	ICD-10-CM	Diagnosis
S52.321S	Displaced transverse fracture of shaft of right radius, sequela	ICD-10-CM	Diagnosis
S72.323S	Displaced transverse fracture of shaft of unspecified femur, sequela	ICD-10-CM	Diagnosis
S52.223S	Displaced transverse fracture of shaft of unspecified ulna, sequela	ICD-10-CM	Diagnosis
S52.323S	Displaced transverse fracture of shaft of unspecified radius, sequela	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S72.322A	Displaced transverse fracture of shaft of left femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S72.322B	Displaced transverse fracture of shaft of left femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.322C	Displaced transverse fracture of shaft of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.322G	Displaced transverse fracture of shaft of left femur, subsequent encounter for closed fracture with delayed healing	ICD-10-CM	Diagnosis
S72.322P	Displaced transverse fracture of shaft of left femur, subsequent encounter for closed fracture with malunion	ICD-10-CM	Diagnosis
S72.322K	Displaced transverse fracture of shaft of left femur, subsequent encounter for closed fracture with nonunion	ICD-10-CM	Diagnosis
S72.322D	Displaced transverse fracture of shaft of left femur, subsequent encounter for closed fracture with routine healing	ICD-10-CM	Diagnosis
S72.322Q	Displaced transverse fracture of shaft of left femur, subsequent encounter for open fracture type I or II with malunion	ICD-10-CM	Diagnosis
S72.322M	Displaced transverse fracture of shaft of left femur, subsequent encounter for open fracture type I or II with nonunion	ICD-10-CM	Diagnosis
S72.322E	Displaced transverse fracture of shaft of left femur, subsequent encounter for open fracture type I or II with routine healing	ICD-10-CM	Diagnosis
S72.322H	Displaced transverse fracture of shaft of left femur, subsequent encounter for open fracture type I or II with delayed healing	ICD-10-CM	Diagnosis
S72.322J	Displaced transverse fracture of shaft of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD-10-CM	Diagnosis
S72.322R	Displaced transverse fracture of shaft of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD-10-CM	Diagnosis
S72.322N	Displaced transverse fracture of shaft of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD-10-CM	Diagnosis
S72.322F	Displaced transverse fracture of shaft of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD-10-CM	Diagnosis
S52.322B	Displaced transverse fracture of shaft of left radius, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S52.322C	Displaced transverse fracture of shaft of left radius, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S52.322A	Displaced transverse fracture of shaft of left radius, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.322N	Displaced transverse fracture of shaft of left radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD-10-CM	Diagnosis
S52.322G	Displaced transverse fracture of shaft of left radius, subsequent encounter for closed fracture with delayed healing	ICD-10-CM	Diagnosis
S52.322P	Displaced transverse fracture of shaft of left radius, subsequent encounter for closed fracture with malunion	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S52.322K	Displaced transverse fracture of shaft of left radius, subsequent encounter for closed fracture with nonunion	ICD-10-CM	Diagnosis
S52.322D	Displaced transverse fracture of shaft of left radius, subsequent encounter for closed fracture with routine healing	ICD-10-CM	Diagnosis
S52.322H	Displaced transverse fracture of shaft of left radius, subsequent encounter for open fracture type I or II with delayed healing	ICD-10-CM	Diagnosis
S52.322E	Displaced transverse fracture of shaft of left radius, subsequent encounter for open fracture type I or II with routine healing	ICD-10-CM	Diagnosis
S52.322J	Displaced transverse fracture of shaft of left radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD-10-CM	Diagnosis
S52.322R	Displaced transverse fracture of shaft of left radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD-10-CM	Diagnosis
S52.322F	Displaced transverse fracture of shaft of left radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD-10-CM	Diagnosis
S52.322Q	Displaced transverse fracture of shaft of left radius, subsequent encounter for open fracture type I or II with malunion	ICD-10-CM	Diagnosis
S52.322M	Displaced transverse fracture of shaft of left radius, subsequent encounter for open fracture type I or II with nonunion	ICD-10-CM	Diagnosis
S72.321A	Displaced transverse fracture of shaft of right femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S72.321B	Displaced transverse fracture of shaft of right femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.321C	Displaced transverse fracture of shaft of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.321G	Displaced transverse fracture of shaft of right femur, subsequent encounter for closed fracture with delayed healing	ICD-10-CM	Diagnosis
S72.321P	Displaced transverse fracture of shaft of right femur, subsequent encounter for closed fracture with malunion	ICD-10-CM	Diagnosis
S72.321K	Displaced transverse fracture of shaft of right femur, subsequent encounter for closed fracture with nonunion	ICD-10-CM	Diagnosis
S72.321D	Displaced transverse fracture of shaft of right femur, subsequent encounter for closed fracture with routine healing	ICD-10-CM	Diagnosis
S72.321Q	Displaced transverse fracture of shaft of right femur, subsequent encounter for open fracture type I or II with malunion	ICD-10-CM	Diagnosis
S72.321M	Displaced transverse fracture of shaft of right femur, subsequent encounter for open fracture type I or II with nonunion	ICD-10-CM	Diagnosis
S72.321E	Displaced transverse fracture of shaft of right femur, subsequent encounter for open fracture type I or II with routine healing	ICD-10-CM	Diagnosis
S72.321H	Displaced transverse fracture of shaft of right femur, subsequent encounter for open fracture type I or II with delayed healing	ICD-10-CM	Diagnosis
S72.321J	Displaced transverse fracture of shaft of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S72.321R	Displaced transverse fracture of shaft of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD-10-CM	Diagnosis
S72.321N	Displaced transverse fracture of shaft of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD-10-CM	Diagnosis
S72.321F	Displaced transverse fracture of shaft of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD-10-CM	Diagnosis
S52.321B	Displaced transverse fracture of shaft of right radius, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S52.321C	Displaced transverse fracture of shaft of right radius, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S52.321A	Displaced transverse fracture of shaft of right radius, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.321G	Displaced transverse fracture of shaft of right radius, subsequent encounter for closed fracture with delayed healing	ICD-10-CM	Diagnosis
S52.321P	Displaced transverse fracture of shaft of right radius, subsequent encounter for closed fracture with malunion	ICD-10-CM	Diagnosis
S52.321K	Displaced transverse fracture of shaft of right radius, subsequent encounter for closed fracture with nonunion	ICD-10-CM	Diagnosis
S52.321D	Displaced transverse fracture of shaft of right radius, subsequent encounter for closed fracture with routine healing	ICD-10-CM	Diagnosis
S52.321E	Displaced transverse fracture of shaft of right radius, subsequent encounter for open fracture type I or II with routine healing	ICD-10-CM	Diagnosis
S52.321J	Displaced transverse fracture of shaft of right radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD-10-CM	Diagnosis
S52.321R	Displaced transverse fracture of shaft of right radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD-10-CM	Diagnosis
S52.321F	Displaced transverse fracture of shaft of right radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD-10-CM	Diagnosis
S52.321N	Displaced transverse fracture of shaft of right radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD-10-CM	Diagnosis
S52.321Q	Displaced transverse fracture of shaft of right radius, subsequent encounter for open fracture type I or II with malunion	ICD-10-CM	Diagnosis
S52.321M	Displaced transverse fracture of shaft of right radius, subsequent encounter for open fracture type I or II with nonunion	ICD-10-CM	Diagnosis
S52.321H	Displaced transverse fracture of shaft of right radius, subsequent encounter for open fracture type I or II with delayed healing	ICD-10-CM	Diagnosis
S52.323F	Displaced transverse fracture of shaft of unspecified radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD-10-CM	Diagnosis
S72.323B	Displaced transverse fracture of shaft of unspecified femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.323C	Displaced transverse fracture of shaft of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S72.323A	Displaced transverse fracture of shaft of unspecified femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S72.323F	Displaced transverse fracture of shaft of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD-10-CM	Diagnosis
S72.323G	Displaced transverse fracture of shaft of unspecified femur, subsequent encounter for closed fracture with delayed healing	ICD-10-CM	Diagnosis
S72.323P	Displaced transverse fracture of shaft of unspecified femur, subsequent encounter for closed fracture with malunion	ICD-10-CM	Diagnosis
S72.323K	Displaced transverse fracture of shaft of unspecified femur, subsequent encounter for closed fracture with nonunion	ICD-10-CM	Diagnosis
S72.323D	Displaced transverse fracture of shaft of unspecified femur, subsequent encounter for closed fracture with routine healing	ICD-10-CM	Diagnosis
S72.323Q	Displaced transverse fracture of shaft of unspecified femur, subsequent encounter for open fracture type I or II with malunion	ICD-10-CM	Diagnosis
S72.323M	Displaced transverse fracture of shaft of unspecified femur, subsequent encounter for open fracture type I or II with nonunion	ICD-10-CM	Diagnosis
S72.323R	Displaced transverse fracture of shaft of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD-10-CM	Diagnosis
S72.323N	Displaced transverse fracture of shaft of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD-10-CM	Diagnosis
S72.323J	Displaced transverse fracture of shaft of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD-10-CM	Diagnosis
S72.323H	Displaced transverse fracture of shaft of unspecified femur, subsequent encounter for open fracture type I or II with delayed healing	ICD-10-CM	Diagnosis
S72.323E	Displaced transverse fracture of shaft of unspecified femur, subsequent encounter for open fracture type I or II with routine healing	ICD-10-CM	Diagnosis
S52.323K	Displaced transverse fracture of shaft of unspecified radius, subsequent encounter for closed fracture with nonunion	ICD-10-CM	Diagnosis
S52.323J	Displaced transverse fracture of shaft of unspecified radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD-10-CM	Diagnosis
S52.323A	Displaced transverse fracture of shaft of unspecified radius, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.323B	Displaced transverse fracture of shaft of unspecified radius, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S52.323C	Displaced transverse fracture of shaft of unspecified radius, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S52.323D	Displaced transverse fracture of shaft of unspecified radius, subsequent encounter for closed fracture with routine healing	ICD-10-CM	Diagnosis
S52.323G	Displaced transverse fracture of shaft of unspecified radius, subsequent encounter for closed fracture with delayed healing	ICD-10-CM	Diagnosis
S52.323R	Displaced transverse fracture of shaft of unspecified radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD-10-CM	Diagnosis



**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S52.323N	Displaced transverse fracture of shaft of unspecified radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD-10-CM	Diagnosis
S52.323H	Displaced transverse fracture of shaft of unspecified radius, subsequent encounter for open fracture type I or II with delayed healing	ICD-10-CM	Diagnosis
S52.323Q	Displaced transverse fracture of shaft of unspecified radius, subsequent encounter for open fracture type I or II with malunion	ICD-10-CM	Diagnosis
S52.323M	Displaced transverse fracture of shaft of unspecified radius, subsequent encounter for open fracture type I or II with nonunion	ICD-10-CM	Diagnosis
S52.323E	Displaced transverse fracture of shaft of unspecified radius, subsequent encounter for open fracture type I or II with routine healing	ICD-10-CM	Diagnosis
S52.323P	Displaced transverse fracture of shaft of unspecified radius, subsequent encounter for closed fracture with malunion	ICD-10-CM	Diagnosis
S52.222B	Displaced transverse fracture of shaft of left ulna, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S52.222C	Displaced transverse fracture of shaft of left ulna, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S52.222A	Displaced transverse fracture of shaft of left ulna, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.222G	Displaced transverse fracture of shaft of left ulna, subsequent encounter for closed fracture with delayed healing	ICD-10-CM	Diagnosis
S52.222P	Displaced transverse fracture of shaft of left ulna, subsequent encounter for closed fracture with malunion	ICD-10-CM	Diagnosis
S52.222K	Displaced transverse fracture of shaft of left ulna, subsequent encounter for closed fracture with nonunion	ICD-10-CM	Diagnosis
S52.222D	Displaced transverse fracture of shaft of left ulna, subsequent encounter for closed fracture with routine healing	ICD-10-CM	Diagnosis
S52.222F	Displaced transverse fracture of shaft of left ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD-10-CM	Diagnosis
S52.222J	Displaced transverse fracture of shaft of left ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD-10-CM	Diagnosis
S52.222R	Displaced transverse fracture of shaft of left ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD-10-CM	Diagnosis
S52.222N	Displaced transverse fracture of shaft of left ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD-10-CM	Diagnosis
S52.222H	Displaced transverse fracture of shaft of left ulna, subsequent encounter for open fracture type I or II with delayed healing	ICD-10-CM	Diagnosis
S52.222Q	Displaced transverse fracture of shaft of left ulna, subsequent encounter for open fracture type I or II with malunion	ICD-10-CM	Diagnosis
S52.222M	Displaced transverse fracture of shaft of left ulna, subsequent encounter for open fracture type I or II with nonunion	ICD-10-CM	Diagnosis
S52.222E	Displaced transverse fracture of shaft of left ulna, subsequent encounter for open fracture type I or II with routine healing	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S52.221B	Displaced transverse fracture of shaft of right ulna, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S52.221C	Displaced transverse fracture of shaft of right ulna, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S52.221A	Displaced transverse fracture of shaft of right ulna, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.221J	Displaced transverse fracture of shaft of right ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD-10-CM	Diagnosis
S52.221F	Displaced transverse fracture of shaft of right ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD-10-CM	Diagnosis
S52.221H	Displaced transverse fracture of shaft of right ulna, subsequent encounter for open fracture type I or II with delayed healing	ICD-10-CM	Diagnosis
S52.221R	Displaced transverse fracture of shaft of right ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD-10-CM	Diagnosis
S52.221N	Displaced transverse fracture of shaft of right ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD-10-CM	Diagnosis
S52.221G	Displaced transverse fracture of shaft of right ulna, subsequent encounter for closed fracture with delayed healing	ICD-10-CM	Diagnosis
S52.221P	Displaced transverse fracture of shaft of right ulna, subsequent encounter for closed fracture with malunion	ICD-10-CM	Diagnosis
S52.221K	Displaced transverse fracture of shaft of right ulna, subsequent encounter for closed fracture with nonunion	ICD-10-CM	Diagnosis
S52.221D	Displaced transverse fracture of shaft of right ulna, subsequent encounter for closed fracture with routine healing	ICD-10-CM	Diagnosis
S52.221Q	Displaced transverse fracture of shaft of right ulna, subsequent encounter for open fracture type I or II with malunion	ICD-10-CM	Diagnosis
S52.221M	Displaced transverse fracture of shaft of right ulna, subsequent encounter for open fracture type I or II with nonunion	ICD-10-CM	Diagnosis
S52.221E	Displaced transverse fracture of shaft of right ulna, subsequent encounter for open fracture type I or II with routine healing	ICD-10-CM	Diagnosis
S52.223R	Displaced transverse fracture of shaft of unspecified ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD-10-CM	Diagnosis
S52.223A	Displaced transverse fracture of shaft of unspecified ulna, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.223B	Displaced transverse fracture of shaft of unspecified ulna, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S52.223C	Displaced transverse fracture of shaft of unspecified ulna, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S52.223G	Displaced transverse fracture of shaft of unspecified ulna, subsequent encounter for closed fracture with delayed healing	ICD-10-CM	Diagnosis
S52.223D	Displaced transverse fracture of shaft of unspecified ulna, subsequent encounter for closed fracture with routine healing	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S52.223Q	Displaced transverse fracture of shaft of unspecified ulna, subsequent encounter for open fracture type I or II with malunion	ICD-10-CM	Diagnosis
S52.223M	Displaced transverse fracture of shaft of unspecified ulna, subsequent encounter for open fracture type I or II with nonunion	ICD-10-CM	Diagnosis
S52.223E	Displaced transverse fracture of shaft of unspecified ulna, subsequent encounter for open fracture type I or II with routine healing	ICD-10-CM	Diagnosis
S52.223N	Displaced transverse fracture of shaft of unspecified ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD-10-CM	Diagnosis
S52.223F	Displaced transverse fracture of shaft of unspecified ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD-10-CM	Diagnosis
S52.223H	Displaced transverse fracture of shaft of unspecified ulna, subsequent encounter for open fracture type I or II with delayed healing	ICD-10-CM	Diagnosis
S52.223J	Displaced transverse fracture of shaft of unspecified ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD-10-CM	Diagnosis
S52.223P	Displaced transverse fracture of shaft of unspecified ulna, subsequent encounter for closed fracture with malunion	ICD-10-CM	Diagnosis
S52.223K	Displaced transverse fracture of shaft of unspecified ulna, subsequent encounter for closed fracture with nonunion	ICD-10-CM	Diagnosis
S42.472A	Displaced transcondylar fracture of left humerus, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.472B	Displaced transcondylar fracture of left humerus, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.472G	Displaced transcondylar fracture of left humerus, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S42.472P	Displaced transcondylar fracture of left humerus, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S42.472K	Displaced transcondylar fracture of left humerus, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S42.472D	Displaced transcondylar fracture of left humerus, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S42.471A	Displaced transcondylar fracture of right humerus, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.471B	Displaced transcondylar fracture of right humerus, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.471G	Displaced transcondylar fracture of right humerus, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S42.471P	Displaced transcondylar fracture of right humerus, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S42.471K	Displaced transcondylar fracture of right humerus, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S42.471D	Displaced transcondylar fracture of right humerus, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S42.473A	Displaced transcondylar fracture of unspecified humerus, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.473B	Displaced transcondylar fracture of unspecified humerus, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.473G	Displaced transcondylar fracture of unspecified humerus, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S42.473P	Displaced transcondylar fracture of unspecified humerus, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S42.473K	Displaced transcondylar fracture of unspecified humerus, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S42.473D	Displaced transcondylar fracture of unspecified humerus, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S72.413H	Displaced unspecified condyle fracture of lower end of unspecified femur, subsequent encounter for open fracture type I or II with delayed healing	ICD-10-CM	Diagnosis
S72.412S	Displaced unspecified condyle fracture of lower end of left femur, sequela	ICD-10-CM	Diagnosis
S72.411S	Displaced unspecified condyle fracture of lower end of right femur, sequela	ICD-10-CM	Diagnosis
S72.412P	Displaced unspecified condyle fracture of lower end of left femur, subsequent encounter for closed fracture with malunion	ICD-10-CM	Diagnosis
S72.412K	Displaced unspecified condyle fracture of lower end of left femur, subsequent encounter for closed fracture with nonunion	ICD-10-CM	Diagnosis
S72.412G	Displaced unspecified condyle fracture of lower end of left femur, subsequent encounter for closed fracture with delayed healing	ICD-10-CM	Diagnosis
S72.412D	Displaced unspecified condyle fracture of lower end of left femur, subsequent encounter for closed fracture with routine healing	ICD-10-CM	Diagnosis
S72.412H	Displaced unspecified condyle fracture of lower end of left femur, subsequent encounter for open fracture type I or II with delayed healing	ICD-10-CM	Diagnosis
S72.412Q	Displaced unspecified condyle fracture of lower end of left femur, subsequent encounter for open fracture type I or II with malunion	ICD-10-CM	Diagnosis
S72.412M	Displaced unspecified condyle fracture of lower end of left femur, subsequent encounter for open fracture type I or II with nonunion	ICD-10-CM	Diagnosis
S72.412R	Displaced unspecified condyle fracture of lower end of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD-10-CM	Diagnosis
S72.412N	Displaced unspecified condyle fracture of lower end of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD-10-CM	Diagnosis
S72.412F	Displaced unspecified condyle fracture of lower end of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD-10-CM	Diagnosis
S72.412E	Displaced unspecified condyle fracture of lower end of left femur, subsequent encounter for open fracture type I or II with routine healing	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S72.412J	Displaced unspecified condyle fracture of lower end of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD-10-CM	Diagnosis
S72.412A	Displaced unspecified condyle fracture of lower end of left femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S72.412B	Displaced unspecified condyle fracture of lower end of left femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.412C	Displaced unspecified condyle fracture of lower end of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.411P	Displaced unspecified condyle fracture of lower end of right femur, subsequent encounter for closed fracture with malunion	ICD-10-CM	Diagnosis
S72.411K	Displaced unspecified condyle fracture of lower end of right femur, subsequent encounter for closed fracture with nonunion	ICD-10-CM	Diagnosis
S72.411G	Displaced unspecified condyle fracture of lower end of right femur, subsequent encounter for closed fracture with delayed healing	ICD-10-CM	Diagnosis
S72.411D	Displaced unspecified condyle fracture of lower end of right femur, subsequent encounter for closed fracture with routine healing	ICD-10-CM	Diagnosis
S72.411H	Displaced unspecified condyle fracture of lower end of right femur, subsequent encounter for open fracture type I or II with delayed healing	ICD-10-CM	Diagnosis
S72.411Q	Displaced unspecified condyle fracture of lower end of right femur, subsequent encounter for open fracture type I or II with malunion	ICD-10-CM	Diagnosis
S72.411M	Displaced unspecified condyle fracture of lower end of right femur, subsequent encounter for open fracture type I or II with nonunion	ICD-10-CM	Diagnosis
S72.411R	Displaced unspecified condyle fracture of lower end of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD-10-CM	Diagnosis
S72.411N	Displaced unspecified condyle fracture of lower end of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD-10-CM	Diagnosis
S72.411F	Displaced unspecified condyle fracture of lower end of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD-10-CM	Diagnosis
S72.411E	Displaced unspecified condyle fracture of lower end of right femur, subsequent encounter for open fracture type I or II with routine healing	ICD-10-CM	Diagnosis
S72.411J	Displaced unspecified condyle fracture of lower end of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD-10-CM	Diagnosis
S72.411A	Displaced unspecified condyle fracture of lower end of right femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S72.411B	Displaced unspecified condyle fracture of lower end of right femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.411C	Displaced unspecified condyle fracture of lower end of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S72.413A	Displaced unspecified condyle fracture of lower end of unspecified femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S72.413P	Displaced unspecified condyle fracture of lower end of unspecified femur, subsequent encounter for closed fracture with malunion	ICD-10-CM	Diagnosis
S72.413K	Displaced unspecified condyle fracture of lower end of unspecified femur, subsequent encounter for closed fracture with nonunion	ICD-10-CM	Diagnosis
S72.413G	Displaced unspecified condyle fracture of lower end of unspecified femur, subsequent encounter for closed fracture with delayed healing	ICD-10-CM	Diagnosis
S72.413D	Displaced unspecified condyle fracture of lower end of unspecified femur, subsequent encounter for closed fracture with routine healing	ICD-10-CM	Diagnosis
S72.413E	Displaced unspecified condyle fracture of lower end of unspecified femur, subsequent encounter for open fracture type I or II with routine healing	ICD-10-CM	Diagnosis
S72.413J	Displaced unspecified condyle fracture of lower end of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD-10-CM	Diagnosis
S72.413R	Displaced unspecified condyle fracture of lower end of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD-10-CM	Diagnosis
S72.413N	Displaced unspecified condyle fracture of lower end of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD-10-CM	Diagnosis
S72.413M	Displaced unspecified condyle fracture of lower end of unspecified femur, subsequent encounter for open fracture type I or II with nonunion	ICD-10-CM	Diagnosis
S72.413F	Displaced unspecified condyle fracture of lower end of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD-10-CM	Diagnosis
S72.413B	Displaced unspecified condyle fracture of lower end of unspecified femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.413C	Displaced unspecified condyle fracture of lower end of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.413Q	Displaced unspecified condyle fracture of lower end of unspecified femur, subsequent encounter for open fracture type I or II with malunion	ICD-10-CM	Diagnosis
S72.413S	Displaced unspecified condyle fracture of lower end of unspecified femur, sequela	ICD-10-CM	Diagnosis
S72.343A	Displaced spiral fracture of shaft of unspecified femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S72.353A	Displaced comminuted fracture of shaft of unspecified femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S72.353B	Displaced comminuted fracture of shaft of unspecified femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.352G	Displaced comminuted fracture of shaft of left femur, subsequent encounter for closed fracture with delayed healing	ICD-10-CM	Diagnosis



**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S72.352P	Displaced comminuted fracture of shaft of left femur, subsequent encounter for closed fracture with malunion	ICD-10-CM	Diagnosis
S72.352K	Displaced comminuted fracture of shaft of left femur, subsequent encounter for closed fracture with nonunion	ICD-10-CM	Diagnosis
S72.352D	Displaced comminuted fracture of shaft of left femur, subsequent encounter for closed fracture with routine healing	ICD-10-CM	Diagnosis
S72.352J	Displaced comminuted fracture of shaft of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD-10-CM	Diagnosis
S72.352Q	Displaced comminuted fracture of shaft of left femur, subsequent encounter for open fracture type I or II with malunion	ICD-10-CM	Diagnosis
S72.352M	Displaced comminuted fracture of shaft of left femur, subsequent encounter for open fracture type I or II with nonunion	ICD-10-CM	Diagnosis
S72.352N	Displaced comminuted fracture of shaft of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD-10-CM	Diagnosis
S72.352F	Displaced comminuted fracture of shaft of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD-10-CM	Diagnosis
S72.352H	Displaced comminuted fracture of shaft of left femur, subsequent encounter for open fracture type I or II with delayed healing	ICD-10-CM	Diagnosis
S72.351G	Displaced comminuted fracture of shaft of right femur, subsequent encounter for closed fracture with delayed healing	ICD-10-CM	Diagnosis
S72.351P	Displaced comminuted fracture of shaft of right femur, subsequent encounter for closed fracture with malunion	ICD-10-CM	Diagnosis
S72.351K	Displaced comminuted fracture of shaft of right femur, subsequent encounter for closed fracture with nonunion	ICD-10-CM	Diagnosis
S72.351J	Displaced comminuted fracture of shaft of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD-10-CM	Diagnosis
S72.351Q	Displaced comminuted fracture of shaft of right femur, subsequent encounter for open fracture type I or II with malunion	ICD-10-CM	Diagnosis
S72.351M	Displaced comminuted fracture of shaft of right femur, subsequent encounter for open fracture type I or II with nonunion	ICD-10-CM	Diagnosis
S72.351R	Displaced comminuted fracture of shaft of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD-10-CM	Diagnosis
S72.351N	Displaced comminuted fracture of shaft of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD-10-CM	Diagnosis
S72.351F	Displaced comminuted fracture of shaft of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD-10-CM	Diagnosis
S72.351H	Displaced comminuted fracture of shaft of right femur, subsequent encounter for open fracture type I or II with delayed healing	ICD-10-CM	Diagnosis
S72.352R	Displaced comminuted fracture of shaft of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD-10-CM	Diagnosis
S42.352P	Displaced comminuted fracture of shaft of humerus, left arm, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S42.352K	Displaced comminuted fracture of shaft of humerus, left arm, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S42.352D	Displaced comminuted fracture of shaft of humerus, left arm, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S42.351P	Displaced comminuted fracture of shaft of humerus, right arm, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S42.351K	Displaced comminuted fracture of shaft of humerus, right arm, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S42.351D	Displaced comminuted fracture of shaft of humerus, right arm, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S42.353P	Displaced comminuted fracture of shaft of humerus, unspecified arm, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S42.353K	Displaced comminuted fracture of shaft of humerus, unspecified arm, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S42.353D	Displaced comminuted fracture of shaft of humerus, unspecified arm, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S72.352A	Displaced comminuted fracture of shaft of left femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S72.352B	Displaced comminuted fracture of shaft of left femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.352C	Displaced comminuted fracture of shaft of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.352E	Displaced comminuted fracture of shaft of left femur, subsequent encounter for open fracture type I or II with routine healing	ICD-10-CM	Diagnosis
S72.351A	Displaced comminuted fracture of shaft of right femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S72.351B	Displaced comminuted fracture of shaft of right femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.351C	Displaced comminuted fracture of shaft of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.351E	Displaced comminuted fracture of shaft of right femur, subsequent encounter for open fracture type I or II with routine healing	ICD-10-CM	Diagnosis
S72.351D	Displaced comminuted fracture of shaft of right femur, subsequent encounter for closed fracture with routine healing	ICD-10-CM	Diagnosis
S32.412A	Displaced fracture of anterior wall of left acetabulum, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S32.412K	Displaced fracture of anterior wall of left acetabulum, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S32.411A	Displaced fracture of anterior wall of right acetabulum, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S32.411K	Displaced fracture of anterior wall of right acetabulum, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S32.413A	Displaced fracture of anterior wall of unspecified acetabulum, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S32.413B	Displaced fracture of anterior wall of unspecified acetabulum, initial encounter for open fracture	ICD-10-CM	Diagnosis
S32.413G	Displaced fracture of anterior wall of unspecified acetabulum, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S52.032G	Displaced fracture of olecranon process with intraarticular extension of left ulna, subsequent encounter for closed fracture with delayed healing	ICD-10-CM	Diagnosis
S52.032P	Displaced fracture of olecranon process with intraarticular extension of left ulna, subsequent encounter for closed fracture with malunion	ICD-10-CM	Diagnosis
S52.032K	Displaced fracture of olecranon process with intraarticular extension of left ulna, subsequent encounter for closed fracture with nonunion	ICD-10-CM	Diagnosis
S52.032H	Displaced fracture of olecranon process with intraarticular extension of left ulna, subsequent encounter for open fracture type I or II with delayed healing	ICD-10-CM	Diagnosis
S52.032Q	Displaced fracture of olecranon process with intraarticular extension of left ulna, subsequent encounter for open fracture type I or II with malunion	ICD-10-CM	Diagnosis
S52.032M	Displaced fracture of olecranon process with intraarticular extension of left ulna, subsequent encounter for open fracture type I or II with nonunion	ICD-10-CM	Diagnosis
S52.032E	Displaced fracture of olecranon process with intraarticular extension of left ulna, subsequent encounter for open fracture type I or II with routine healing	ICD-10-CM	Diagnosis
S52.032J	Displaced fracture of olecranon process with intraarticular extension of left ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD-10-CM	Diagnosis
S52.032R	Displaced fracture of olecranon process with intraarticular extension of left ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD-10-CM	Diagnosis
S52.032N	Displaced fracture of olecranon process with intraarticular extension of left ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD-10-CM	Diagnosis
S52.032F	Displaced fracture of olecranon process with intraarticular extension of left ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD-10-CM	Diagnosis
S52.032C	Displaced fracture of olecranon process with intraarticular extension of left ulna, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S52.032S	Displaced fracture of olecranon process with intraarticular extension of left ulna, sequela	ICD-10-CM	Diagnosis
S52.032D	Displaced fracture of olecranon process with intraarticular extension of left ulna, subsequent encounter for closed fracture with routine healing	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S52.033A	Displaced fracture of olecranon process with intraarticular extension of unspecified ulna, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.033B	Displaced fracture of olecranon process with intraarticular extension of unspecified ulna, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S52.033C	Displaced fracture of olecranon process with intraarticular extension of unspecified ulna, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S52.033D	Displaced fracture of olecranon process with intraarticular extension of unspecified ulna, subsequent encounter for closed fracture with routine healing	ICD-10-CM	Diagnosis
S52.032A	Displaced fracture of olecranon process with intraarticular extension of left ulna, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.031A	Displaced fracture of olecranon process with intraarticular extension of right ulna, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.031S	Displaced fracture of olecranon process with intraarticular extension of right ulna, sequela	ICD-10-CM	Diagnosis
S52.033S	Displaced fracture of olecranon process with intraarticular extension of unspecified ulna, sequela	ICD-10-CM	Diagnosis
S52.032B	Displaced fracture of olecranon process with intraarticular extension of left ulna, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S52.031K	Displaced fracture of olecranon process with intraarticular extension of right ulna, subsequent encounter for closed fracture with nonunion	ICD-10-CM	Diagnosis
S52.031M	Displaced fracture of olecranon process with intraarticular extension of right ulna, subsequent encounter for open fracture type I or II with nonunion	ICD-10-CM	Diagnosis
S52.031E	Displaced fracture of olecranon process with intraarticular extension of right ulna, subsequent encounter for open fracture type I or II with routine healing	ICD-10-CM	Diagnosis
S52.031B	Displaced fracture of olecranon process with intraarticular extension of right ulna, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S52.031C	Displaced fracture of olecranon process with intraarticular extension of right ulna, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S52.031G	Displaced fracture of olecranon process with intraarticular extension of right ulna, subsequent encounter for closed fracture with delayed healing	ICD-10-CM	Diagnosis
S52.031P	Displaced fracture of olecranon process with intraarticular extension of right ulna, subsequent encounter for closed fracture with malunion	ICD-10-CM	Diagnosis
S52.031D	Displaced fracture of olecranon process with intraarticular extension of right ulna, subsequent encounter for closed fracture with routine healing	ICD-10-CM	Diagnosis
S52.031H	Displaced fracture of olecranon process with intraarticular extension of right ulna, subsequent encounter for open fracture type I or II with delayed healing	ICD-10-CM	Diagnosis
S52.031J	Displaced fracture of olecranon process with intraarticular extension of right ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S52.031Q	Displaced fracture of olecranon process with intraarticular extension of right ulna, subsequent encounter for open fracture type I or II with malunion	ICD-10-CM	Diagnosis
S52.031R	Displaced fracture of olecranon process with intraarticular extension of right ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD-10-CM	Diagnosis
S52.031N	Displaced fracture of olecranon process with intraarticular extension of right ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD-10-CM	Diagnosis
S52.031F	Displaced fracture of olecranon process with intraarticular extension of right ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD-10-CM	Diagnosis
S52.033R	Displaced fracture of olecranon process with intraarticular extension of unspecified ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD-10-CM	Diagnosis
S52.033H	Displaced fracture of olecranon process with intraarticular extension of unspecified ulna, subsequent encounter for open fracture type I or II with delayed healing	ICD-10-CM	Diagnosis
S52.033E	Displaced fracture of olecranon process with intraarticular extension of unspecified ulna, subsequent encounter for open fracture type I or II with routine healing	ICD-10-CM	Diagnosis
S52.033J	Displaced fracture of olecranon process with intraarticular extension of unspecified ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD-10-CM	Diagnosis
S52.033F	Displaced fracture of olecranon process with intraarticular extension of unspecified ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD-10-CM	Diagnosis
S52.033G	Displaced fracture of olecranon process with intraarticular extension of unspecified ulna, subsequent encounter for closed fracture with delayed healing	ICD-10-CM	Diagnosis
S52.033P	Displaced fracture of olecranon process with intraarticular extension of unspecified ulna, subsequent encounter for closed fracture with malunion	ICD-10-CM	Diagnosis
S52.033K	Displaced fracture of olecranon process with intraarticular extension of unspecified ulna, subsequent encounter for closed fracture with nonunion	ICD-10-CM	Diagnosis
S52.033Q	Displaced fracture of olecranon process with intraarticular extension of unspecified ulna, subsequent encounter for open fracture type I or II with malunion	ICD-10-CM	Diagnosis
S52.033M	Displaced fracture of olecranon process with intraarticular extension of unspecified ulna, subsequent encounter for open fracture type I or II with nonunion	ICD-10-CM	Diagnosis
S52.033N	Displaced fracture of olecranon process with intraarticular extension of unspecified ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S72.143S	Displaced intertrochanteric fracture of unspecified femur, sequela	ICD-10-CM	Diagnosis
S72.142C	Displaced intertrochanteric fracture of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.142B	Displaced intertrochanteric fracture of left femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.142J	Displaced intertrochanteric fracture of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD-10-CM	Diagnosis
S72.142G	Displaced intertrochanteric fracture of left femur, subsequent encounter for closed fracture with delayed healing	ICD-10-CM	Diagnosis
S72.142D	Displaced intertrochanteric fracture of left femur, subsequent encounter for closed fracture with routine healing	ICD-10-CM	Diagnosis
S72.142Q	Displaced intertrochanteric fracture of left femur, subsequent encounter for open fracture type I or II with malunion	ICD-10-CM	Diagnosis
S72.142M	Displaced intertrochanteric fracture of left femur, subsequent encounter for open fracture type I or II with nonunion	ICD-10-CM	Diagnosis
S72.142E	Displaced intertrochanteric fracture of left femur, subsequent encounter for open fracture type I or II with routine healing	ICD-10-CM	Diagnosis
S72.142P	Displaced intertrochanteric fracture of left femur, subsequent encounter for closed fracture with malunion	ICD-10-CM	Diagnosis
S72.142K	Displaced intertrochanteric fracture of left femur, subsequent encounter for closed fracture with nonunion	ICD-10-CM	Diagnosis
S72.142H	Displaced intertrochanteric fracture of left femur, subsequent encounter for open fracture type I or II with delayed healing	ICD-10-CM	Diagnosis
S72.142R	Displaced intertrochanteric fracture of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD-10-CM	Diagnosis
S72.142N	Displaced intertrochanteric fracture of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD-10-CM	Diagnosis
S72.142F	Displaced intertrochanteric fracture of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD-10-CM	Diagnosis
S72.143C	Displaced intertrochanteric fracture of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.143A	Displaced intertrochanteric fracture of unspecified femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S72.143B	Displaced intertrochanteric fracture of unspecified femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.143J	Displaced intertrochanteric fracture of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD-10-CM	Diagnosis
S72.143F	Displaced intertrochanteric fracture of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD-10-CM	Diagnosis
S72.143D	Displaced intertrochanteric fracture of unspecified femur, subsequent encounter for closed fracture with routine healing	ICD-10-CM	Diagnosis
S72.143Q	Displaced intertrochanteric fracture of unspecified femur, subsequent encounter for open fracture type I or II with malunion	ICD-10-CM	Diagnosis



**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S72.143G	Displaced intertrochanteric fracture of unspecified femur, subsequent encounter for closed fracture with delayed healing	ICD-10-CM	Diagnosis
S72.143P	Displaced intertrochanteric fracture of unspecified femur, subsequent encounter for closed fracture with malunion	ICD-10-CM	Diagnosis
S72.143K	Displaced intertrochanteric fracture of unspecified femur, subsequent encounter for closed fracture with nonunion	ICD-10-CM	Diagnosis
S72.143H	Displaced intertrochanteric fracture of unspecified femur, subsequent encounter for open fracture type I or II with delayed healing	ICD-10-CM	Diagnosis
S72.143M	Displaced intertrochanteric fracture of unspecified femur, subsequent encounter for open fracture type I or II with nonunion	ICD-10-CM	Diagnosis
S72.143E	Displaced intertrochanteric fracture of unspecified femur, subsequent encounter for open fracture type I or II with routine healing	ICD-10-CM	Diagnosis
S72.143R	Displaced intertrochanteric fracture of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD-10-CM	Diagnosis
S72.143N	Displaced intertrochanteric fracture of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD-10-CM	Diagnosis
S42.333G	Displaced oblique fracture of shaft of humerus, unspecified arm, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S42.333D	Displaced oblique fracture of shaft of humerus, unspecified arm, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S42.362G	Displaced segmental fracture of shaft of humerus, left arm, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S42.362P	Displaced segmental fracture of shaft of humerus, left arm, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S42.362K	Displaced segmental fracture of shaft of humerus, left arm, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S42.362D	Displaced segmental fracture of shaft of humerus, left arm, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S42.361G	Displaced segmental fracture of shaft of humerus, right arm, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S42.361P	Displaced segmental fracture of shaft of humerus, right arm, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S42.361K	Displaced segmental fracture of shaft of humerus, right arm, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S42.363G	Displaced segmental fracture of shaft of humerus, unspecified arm, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S42.363P	Displaced segmental fracture of shaft of humerus, unspecified arm, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S42.363K	Displaced segmental fracture of shaft of humerus, unspecified arm, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S42.363D	Displaced segmental fracture of shaft of humerus, unspecified arm, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S42.342G	Displaced spiral fracture of shaft of humerus, left arm, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S42.342P	Displaced spiral fracture of shaft of humerus, left arm, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S42.342K	Displaced spiral fracture of shaft of humerus, left arm, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S42.341G	Displaced spiral fracture of shaft of humerus, right arm, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S42.341P	Displaced spiral fracture of shaft of humerus, right arm, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S42.341K	Displaced spiral fracture of shaft of humerus, right arm, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S72.342B	Displaced spiral fracture of shaft of left femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.342C	Displaced spiral fracture of shaft of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.342A	Displaced spiral fracture of shaft of left femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S72.342G	Displaced spiral fracture of shaft of left femur, subsequent encounter for closed fracture with delayed healing	ICD-10-CM	Diagnosis
S72.342P	Displaced spiral fracture of shaft of left femur, subsequent encounter for closed fracture with malunion	ICD-10-CM	Diagnosis
S72.342K	Displaced spiral fracture of shaft of left femur, subsequent encounter for closed fracture with nonunion	ICD-10-CM	Diagnosis
S72.342D	Displaced spiral fracture of shaft of left femur, subsequent encounter for closed fracture with routine healing	ICD-10-CM	Diagnosis
S72.342E	Displaced spiral fracture of shaft of left femur, subsequent encounter for open fracture type I or II with routine healing	ICD-10-CM	Diagnosis
S72.342J	Displaced spiral fracture of shaft of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD-10-CM	Diagnosis
S72.342Q	Displaced spiral fracture of shaft of left femur, subsequent encounter for open fracture type I or II with malunion	ICD-10-CM	Diagnosis
S72.342M	Displaced spiral fracture of shaft of left femur, subsequent encounter for open fracture type I or II with nonunion	ICD-10-CM	Diagnosis
S72.342R	Displaced spiral fracture of shaft of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD-10-CM	Diagnosis
S72.342N	Displaced spiral fracture of shaft of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD-10-CM	Diagnosis
S72.342F	Displaced spiral fracture of shaft of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD-10-CM	Diagnosis
S72.342H	Displaced spiral fracture of shaft of left femur, subsequent encounter for open fracture type I or II with delayed healing	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S72.341A	Displaced spiral fracture of shaft of right femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S72.341B	Displaced spiral fracture of shaft of right femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.341C	Displaced spiral fracture of shaft of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.341G	Displaced spiral fracture of shaft of right femur, subsequent encounter for closed fracture with delayed healing	ICD-10-CM	Diagnosis
S72.341P	Displaced spiral fracture of shaft of right femur, subsequent encounter for closed fracture with malunion	ICD-10-CM	Diagnosis
S72.341K	Displaced spiral fracture of shaft of right femur, subsequent encounter for closed fracture with nonunion	ICD-10-CM	Diagnosis
S72.341D	Displaced spiral fracture of shaft of right femur, subsequent encounter for closed fracture with routine healing	ICD-10-CM	Diagnosis
S72.341E	Displaced spiral fracture of shaft of right femur, subsequent encounter for open fracture type I or II with routine healing	ICD-10-CM	Diagnosis
S72.341J	Displaced spiral fracture of shaft of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD-10-CM	Diagnosis
S72.341Q	Displaced spiral fracture of shaft of right femur, subsequent encounter for open fracture type I or II with malunion	ICD-10-CM	Diagnosis
S72.341M	Displaced spiral fracture of shaft of right femur, subsequent encounter for open fracture type I or II with nonunion	ICD-10-CM	Diagnosis
S72.341R	Displaced spiral fracture of shaft of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD-10-CM	Diagnosis
S72.341N	Displaced spiral fracture of shaft of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD-10-CM	Diagnosis
S72.341F	Displaced spiral fracture of shaft of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD-10-CM	Diagnosis
S72.341H	Displaced spiral fracture of shaft of right femur, subsequent encounter for open fracture type I or II with delayed healing	ICD-10-CM	Diagnosis
S72.343B	Displaced spiral fracture of shaft of unspecified femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.343C	Displaced spiral fracture of shaft of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.343G	Displaced spiral fracture of shaft of unspecified femur, subsequent encounter for closed fracture with delayed healing	ICD-10-CM	Diagnosis
S72.343D	Displaced spiral fracture of shaft of unspecified femur, subsequent encounter for closed fracture with routine healing	ICD-10-CM	Diagnosis
S72.343P	Displaced spiral fracture of shaft of unspecified femur, subsequent encounter for closed fracture with malunion	ICD-10-CM	Diagnosis
S72.343K	Displaced spiral fracture of shaft of unspecified femur, subsequent encounter for closed fracture with nonunion	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S72.343Q	Displaced spiral fracture of shaft of unspecified femur, subsequent encounter for open fracture type I or II with malunion	ICD-10-CM	Diagnosis
S72.343M	Displaced spiral fracture of shaft of unspecified femur, subsequent encounter for open fracture type I or II with nonunion	ICD-10-CM	Diagnosis
S72.343J	Displaced spiral fracture of shaft of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD-10-CM	Diagnosis
S72.343F	Displaced spiral fracture of shaft of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD-10-CM	Diagnosis
S72.343R	Displaced spiral fracture of shaft of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD-10-CM	Diagnosis
S72.343N	Displaced spiral fracture of shaft of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD-10-CM	Diagnosis
S72.343H	Displaced spiral fracture of shaft of unspecified femur, subsequent encounter for open fracture type I or II with delayed healing	ICD-10-CM	Diagnosis
S72.343E	Displaced spiral fracture of shaft of unspecified femur, subsequent encounter for open fracture type I or II with routine healing	ICD-10-CM	Diagnosis
S72.22XH	Displaced subtrochanteric fracture of left femur, subsequent encounter for open fracture type I or II with delayed healing	ICD-10-CM	Diagnosis
S72.22XJ	Displaced subtrochanteric fracture of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD-10-CM	Diagnosis
S72.22XC	Displaced subtrochanteric fracture of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.22XG	Displaced subtrochanteric fracture of left femur, subsequent encounter for closed fracture with delayed healing	ICD-10-CM	Diagnosis
S72.22XD	Displaced subtrochanteric fracture of left femur, subsequent encounter for closed fracture with routine healing	ICD-10-CM	Diagnosis
S72.22XQ	Displaced subtrochanteric fracture of left femur, subsequent encounter for open fracture type I or II with malunion	ICD-10-CM	Diagnosis
S72.22XM	Displaced subtrochanteric fracture of left femur, subsequent encounter for open fracture type I or II with nonunion	ICD-10-CM	Diagnosis
S72.22XR	Displaced subtrochanteric fracture of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD-10-CM	Diagnosis
S72.22XN	Displaced subtrochanteric fracture of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD-10-CM	Diagnosis
S72.22XE	Displaced subtrochanteric fracture of left femur, subsequent encounter for open fracture type I or II with routine healing	ICD-10-CM	Diagnosis
S72.22XF	Displaced subtrochanteric fracture of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD-10-CM	Diagnosis
S72.21XJ	Displaced subtrochanteric fracture of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD-10-CM	Diagnosis
S72.21XC	Displaced subtrochanteric fracture of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S72.21XN	Displaced subtrochanteric fracture of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD-10-CM	Diagnosis
S72.21XF	Displaced subtrochanteric fracture of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD-10-CM	Diagnosis
S72.21XG	Displaced subtrochanteric fracture of right femur, subsequent encounter for closed fracture with delayed healing	ICD-10-CM	Diagnosis
S72.21XD	Displaced subtrochanteric fracture of right femur, subsequent encounter for closed fracture with routine healing	ICD-10-CM	Diagnosis
S72.21XQ	Displaced subtrochanteric fracture of right femur, subsequent encounter for open fracture type I or II with malunion	ICD-10-CM	Diagnosis
S72.21XM	Displaced subtrochanteric fracture of right femur, subsequent encounter for open fracture type I or II with nonunion	ICD-10-CM	Diagnosis
S72.21XE	Displaced subtrochanteric fracture of right femur, subsequent encounter for open fracture type I or II with routine healing	ICD-10-CM	Diagnosis
S72.21XH	Displaced subtrochanteric fracture of right femur, subsequent encounter for open fracture type I or II with delayed healing	ICD-10-CM	Diagnosis
S72.21XR	Displaced subtrochanteric fracture of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD-10-CM	Diagnosis
S72.23XC	Displaced subtrochanteric fracture of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.23XG	Displaced subtrochanteric fracture of unspecified femur, subsequent encounter for closed fracture with delayed healing	ICD-10-CM	Diagnosis
S72.23XH	Displaced subtrochanteric fracture of unspecified femur, subsequent encounter for open fracture type I or II with delayed healing	ICD-10-CM	Diagnosis
S72.23XJ	Displaced subtrochanteric fracture of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD-10-CM	Diagnosis
S72.23XF	Displaced subtrochanteric fracture of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD-10-CM	Diagnosis
S72.23XD	Displaced subtrochanteric fracture of unspecified femur, subsequent encounter for closed fracture with routine healing	ICD-10-CM	Diagnosis
S72.23XE	Displaced subtrochanteric fracture of unspecified femur, subsequent encounter for open fracture type I or II with routine healing	ICD-10-CM	Diagnosis
S72.23XB	Displaced subtrochanteric fracture of unspecified femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.23XK	Displaced subtrochanteric fracture of unspecified femur, subsequent encounter for closed fracture with nonunion	ICD-10-CM	Diagnosis
S72.062S	Displaced articular fracture of head of left femur, sequela	ICD-10-CM	Diagnosis
S72.061S	Displaced articular fracture of head of right femur, sequela	ICD-10-CM	Diagnosis
S72.063S	Displaced articular fracture of head of unspecified femur, sequela	ICD-10-CM	Diagnosis
S72.353S	Displaced comminuted fracture of shaft of unspecified femur, sequela	ICD-10-CM	Diagnosis
S42.352A	Displaced comminuted fracture of shaft of humerus, left arm, initial encounter for closed fracture	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S42.352B	Displaced comminuted fracture of shaft of humerus, left arm, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.351A	Displaced comminuted fracture of shaft of humerus, right arm, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.351B	Displaced comminuted fracture of shaft of humerus, right arm, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.353A	Displaced comminuted fracture of shaft of humerus, unspecified arm, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.353B	Displaced comminuted fracture of shaft of humerus, unspecified arm, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.352S	Displaced comminuted fracture of shaft of humerus, left arm, sequela	ICD-10-CM	Diagnosis
S42.351S	Displaced comminuted fracture of shaft of humerus, right arm, sequela	ICD-10-CM	Diagnosis
S42.353S	Displaced comminuted fracture of shaft of humerus, unspecified arm, sequela	ICD-10-CM	Diagnosis
S52.252S	Displaced comminuted fracture of shaft of ulna, left arm, sequela	ICD-10-CM	Diagnosis
S52.251S	Displaced comminuted fracture of shaft of ulna, right arm, sequela	ICD-10-CM	Diagnosis
S42.122S	Displaced fracture of acromial process, left shoulder, sequela	ICD-10-CM	Diagnosis
S42.121S	Displaced fracture of acromial process, right shoulder, sequela	ICD-10-CM	Diagnosis
S62.319S	Displaced fracture of base of unspecified metacarpal bone, sequela	ICD-10-CM	Diagnosis
S42.112S	Displaced fracture of body of scapula, left shoulder, sequela	ICD-10-CM	Diagnosis
S42.111S	Displaced fracture of body of scapula, right shoulder, sequela	ICD-10-CM	Diagnosis
S42.113S	Displaced fracture of body of scapula, unspecified shoulder, sequela	ICD-10-CM	Diagnosis
S42.132S	Displaced fracture of coracoid process, left shoulder, sequela	ICD-10-CM	Diagnosis
S42.131S	Displaced fracture of coracoid process, right shoulder, sequela	ICD-10-CM	Diagnosis
S62.522S	Displaced fracture of distal phalanx of left thumb, sequela	ICD-10-CM	Diagnosis
S62.521S	Displaced fracture of distal phalanx of right thumb, sequela	ICD-10-CM	Diagnosis
S62.523S	Displaced fracture of distal phalanx of unspecified thumb, sequela	ICD-10-CM	Diagnosis
S42.252S	Displaced fracture of greater tuberosity of left humerus, sequela	ICD-10-CM	Diagnosis
S42.251S	Displaced fracture of greater tuberosity of right humerus, sequela	ICD-10-CM	Diagnosis
S42.253S	Displaced fracture of greater tuberosity of unspecified humerus, sequela	ICD-10-CM	Diagnosis
S42.432S	Displaced fracture (avulsion) of lateral epicondyle of left humerus, sequela	ICD-10-CM	Diagnosis
S42.431S	Displaced fracture (avulsion) of lateral epicondyle of right humerus, sequela	ICD-10-CM	Diagnosis
S42.032S	Displaced fracture of lateral end of left clavicle, sequela	ICD-10-CM	Diagnosis
S42.031S	Displaced fracture of lateral end of right clavicle, sequela	ICD-10-CM	Diagnosis
S42.033S	Displaced fracture of lateral end of unspecified clavicle, sequela	ICD-10-CM	Diagnosis
S42.263S	Displaced fracture of lesser tuberosity of unspecified humerus, sequela	ICD-10-CM	Diagnosis
S42.262S	Displaced fracture of lesser tuberosity of left humerus, sequela	ICD-10-CM	Diagnosis
S42.261S	Displaced fracture of lesser tuberosity of right humerus, sequela	ICD-10-CM	Diagnosis
S52.612S	Displaced fracture of left ulna styloid process, sequela	ICD-10-CM	Diagnosis
S42.152S	Displaced fracture of neck of scapula, left shoulder, sequela	ICD-10-CM	Diagnosis
S42.151S	Displaced fracture of neck of scapula, right shoulder, sequela	ICD-10-CM	Diagnosis
S42.153S	Displaced fracture of neck of scapula, unspecified shoulder, sequela	ICD-10-CM	Diagnosis



**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S62.339S	Displaced fracture of neck of unspecified metacarpal bone, sequela	ICD-10-CM	Diagnosis
S42.122A	Displaced fracture of acromial process, left shoulder, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.122B	Displaced fracture of acromial process, left shoulder, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.122G	Displaced fracture of acromial process, left shoulder, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S42.122P	Displaced fracture of acromial process, left shoulder, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S42.122K	Displaced fracture of acromial process, left shoulder, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S42.122D	Displaced fracture of acromial process, left shoulder, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S42.121A	Displaced fracture of acromial process, right shoulder, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.121B	Displaced fracture of acromial process, right shoulder, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.121G	Displaced fracture of acromial process, right shoulder, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S42.121P	Displaced fracture of acromial process, right shoulder, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S42.121K	Displaced fracture of acromial process, right shoulder, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S42.121D	Displaced fracture of acromial process, right shoulder, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S42.123A	Displaced fracture of acromial process, unspecified shoulder, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.123B	Displaced fracture of acromial process, unspecified shoulder, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.123S	Displaced fracture of acromial process, unspecified shoulder, sequela	ICD-10-CM	Diagnosis
S42.123G	Displaced fracture of acromial process, unspecified shoulder, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S42.123P	Displaced fracture of acromial process, unspecified shoulder, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S42.123K	Displaced fracture of acromial process, unspecified shoulder, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S42.123D	Displaced fracture of acromial process, unspecified shoulder, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S42.112G	Displaced fracture of body of scapula, left shoulder, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S42.112P	Displaced fracture of body of scapula, left shoulder, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S42.112K	Displaced fracture of body of scapula, left shoulder, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S42.112D	Displaced fracture of body of scapula, left shoulder, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S42.111G	Displaced fracture of body of scapula, right shoulder, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S42.111P	Displaced fracture of body of scapula, right shoulder, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S42.111K	Displaced fracture of body of scapula, right shoulder, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S42.111D	Displaced fracture of body of scapula, right shoulder, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S42.113G	Displaced fracture of body of scapula, unspecified shoulder, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S42.113P	Displaced fracture of body of scapula, unspecified shoulder, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S42.113K	Displaced fracture of body of scapula, unspecified shoulder, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S42.113D	Displaced fracture of body of scapula, unspecified shoulder, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S42.112A	Displaced fracture of body of scapula, left shoulder, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.112B	Displaced fracture of body of scapula, left shoulder, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.111A	Displaced fracture of body of scapula, right shoulder, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.111B	Displaced fracture of body of scapula, right shoulder, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.113A	Displaced fracture of body of scapula, unspecified shoulder, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.113B	Displaced fracture of body of scapula, unspecified shoulder, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.132A	Displaced fracture of coracoid process, left shoulder, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.132B	Displaced fracture of coracoid process, left shoulder, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.132G	Displaced fracture of coracoid process, left shoulder, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S42.132P	Displaced fracture of coracoid process, left shoulder, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S42.132K	Displaced fracture of coracoid process, left shoulder, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S42.132D	Displaced fracture of coracoid process, left shoulder, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S42.131A	Displaced fracture of coracoid process, right shoulder, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.131B	Displaced fracture of coracoid process, right shoulder, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.131G	Displaced fracture of coracoid process, right shoulder, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S42.131P	Displaced fracture of coracoid process, right shoulder, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S42.131K	Displaced fracture of coracoid process, right shoulder, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S42.131D	Displaced fracture of coracoid process, right shoulder, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S42.133A	Displaced fracture of coracoid process, unspecified shoulder, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.133B	Displaced fracture of coracoid process, unspecified shoulder, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.133G	Displaced fracture of coracoid process, unspecified shoulder, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S42.133P	Displaced fracture of coracoid process, unspecified shoulder, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S42.133K	Displaced fracture of coracoid process, unspecified shoulder, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S42.133D	Displaced fracture of coracoid process, unspecified shoulder, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S42.133S	Displaced fracture of coracoid process, unspecified shoulder, sequela	ICD-10-CM	Diagnosis
S42.143S	Displaced fracture of glenoid cavity of scapula, unspecified shoulder, sequela	ICD-10-CM	Diagnosis
S42.142A	Displaced fracture of glenoid cavity of scapula, left shoulder, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.142B	Displaced fracture of glenoid cavity of scapula, left shoulder, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.142G	Displaced fracture of glenoid cavity of scapula, left shoulder, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S42.142P	Displaced fracture of glenoid cavity of scapula, left shoulder, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S42.142K	Displaced fracture of glenoid cavity of scapula, left shoulder, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S42.142D	Displaced fracture of glenoid cavity of scapula, left shoulder, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S42.141A	Displaced fracture of glenoid cavity of scapula, right shoulder, initial encounter for closed fracture	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S42.141B	Displaced fracture of glenoid cavity of scapula, right shoulder, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.141G	Displaced fracture of glenoid cavity of scapula, right shoulder, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S42.141P	Displaced fracture of glenoid cavity of scapula, right shoulder, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S42.141D	Displaced fracture of glenoid cavity of scapula, right shoulder, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S42.143A	Displaced fracture of glenoid cavity of scapula, unspecified shoulder, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.143B	Displaced fracture of glenoid cavity of scapula, unspecified shoulder, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.143G	Displaced fracture of glenoid cavity of scapula, unspecified shoulder, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S42.143P	Displaced fracture of glenoid cavity of scapula, unspecified shoulder, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S42.143K	Displaced fracture of glenoid cavity of scapula, unspecified shoulder, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S42.143D	Displaced fracture of glenoid cavity of scapula, unspecified shoulder, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S42.142S	Displaced fracture of glenoid cavity of scapula, left shoulder, sequela	ICD-10-CM	Diagnosis
S42.141S	Displaced fracture of glenoid cavity of scapula, right shoulder, sequela	ICD-10-CM	Diagnosis
S42.252A	Displaced fracture of greater tuberosity of left humerus, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.252B	Displaced fracture of greater tuberosity of left humerus, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.252G	Displaced fracture of greater tuberosity of left humerus, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S42.252P	Displaced fracture of greater tuberosity of left humerus, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S42.252K	Displaced fracture of greater tuberosity of left humerus, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S42.252D	Displaced fracture of greater tuberosity of left humerus, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S42.251A	Displaced fracture of greater tuberosity of right humerus, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.251B	Displaced fracture of greater tuberosity of right humerus, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.251G	Displaced fracture of greater tuberosity of right humerus, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S42.251P	Displaced fracture of greater tuberosity of right humerus, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S42.251K	Displaced fracture of greater tuberosity of right humerus, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S42.251D	Displaced fracture of greater tuberosity of right humerus, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S42.253A	Displaced fracture of greater tuberosity of unspecified humerus, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.253B	Displaced fracture of greater tuberosity of unspecified humerus, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.253G	Displaced fracture of greater tuberosity of unspecified humerus, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S42.253P	Displaced fracture of greater tuberosity of unspecified humerus, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S42.253K	Displaced fracture of greater tuberosity of unspecified humerus, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S42.253D	Displaced fracture of greater tuberosity of unspecified humerus, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S42.032A	Displaced fracture of lateral end of left clavicle, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.032B	Displaced fracture of lateral end of left clavicle, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.032G	Displaced fracture of lateral end of left clavicle, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S42.032P	Displaced fracture of lateral end of left clavicle, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S42.032K	Displaced fracture of lateral end of left clavicle, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S42.032D	Displaced fracture of lateral end of left clavicle, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S42.031A	Displaced fracture of lateral end of right clavicle, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.031B	Displaced fracture of lateral end of right clavicle, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.031G	Displaced fracture of lateral end of right clavicle, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S42.031P	Displaced fracture of lateral end of right clavicle, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S42.031K	Displaced fracture of lateral end of right clavicle, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S42.031D	Displaced fracture of lateral end of right clavicle, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S42.033A	Displaced fracture of lateral end of unspecified clavicle, initial encounter for closed fracture	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S42.033B	Displaced fracture of lateral end of unspecified clavicle, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.033G	Displaced fracture of lateral end of unspecified clavicle, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S42.033P	Displaced fracture of lateral end of unspecified clavicle, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S42.033K	Displaced fracture of lateral end of unspecified clavicle, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S42.033D	Displaced fracture of lateral end of unspecified clavicle, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S42.262A	Displaced fracture of lesser tuberosity of left humerus, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.262B	Displaced fracture of lesser tuberosity of left humerus, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.261A	Displaced fracture of lesser tuberosity of right humerus, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.261B	Displaced fracture of lesser tuberosity of right humerus, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.262G	Displaced fracture of lesser tuberosity of left humerus, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S42.262P	Displaced fracture of lesser tuberosity of left humerus, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S42.262K	Displaced fracture of lesser tuberosity of left humerus, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S42.262D	Displaced fracture of lesser tuberosity of left humerus, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S42.261G	Displaced fracture of lesser tuberosity of right humerus, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S42.261P	Displaced fracture of lesser tuberosity of right humerus, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S42.261K	Displaced fracture of lesser tuberosity of right humerus, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S42.261D	Displaced fracture of lesser tuberosity of right humerus, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S42.263A	Displaced fracture of lesser tuberosity of unspecified humerus, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.263B	Displaced fracture of lesser tuberosity of unspecified humerus, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.263G	Displaced fracture of lesser tuberosity of unspecified humerus, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S42.263P	Displaced fracture of lesser tuberosity of unspecified humerus, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis



**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S42.263K	Displaced fracture of lesser tuberosity of unspecified humerus, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S42.263D	Displaced fracture of lesser tuberosity of unspecified humerus, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S92.522D	Displaced fracture of middle phalanx of left lesser toe(s), subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S92.521K	Displaced fracture of middle phalanx of right lesser toe(s), subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S92.521D	Displaced fracture of middle phalanx of right lesser toe(s), subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S92.522G	Displaced fracture of middle phalanx of left lesser toe(s), subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S92.521G	Displaced fracture of middle phalanx of right lesser toe(s), subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S92.523G	Displaced fracture of middle phalanx of unspecified lesser toe(s), subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S92.523D	Displaced fracture of middle phalanx of unspecified lesser toe(s), subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S42.152G	Displaced fracture of neck of scapula, left shoulder, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S42.152P	Displaced fracture of neck of scapula, left shoulder, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S42.152K	Displaced fracture of neck of scapula, left shoulder, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S42.152D	Displaced fracture of neck of scapula, left shoulder, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S42.151G	Displaced fracture of neck of scapula, right shoulder, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S42.151P	Displaced fracture of neck of scapula, right shoulder, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S42.151K	Displaced fracture of neck of scapula, right shoulder, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S42.151D	Displaced fracture of neck of scapula, right shoulder, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S42.153G	Displaced fracture of neck of scapula, unspecified shoulder, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S42.153P	Displaced fracture of neck of scapula, unspecified shoulder, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S42.153K	Displaced fracture of neck of scapula, unspecified shoulder, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S42.153D	Displaced fracture of neck of scapula, unspecified shoulder, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S42.152A	Displaced fracture of neck of scapula, left shoulder, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.152B	Displaced fracture of neck of scapula, left shoulder, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.151A	Displaced fracture of neck of scapula, right shoulder, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.151B	Displaced fracture of neck of scapula, right shoulder, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.153A	Displaced fracture of neck of scapula, unspecified shoulder, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.153B	Displaced fracture of neck of scapula, unspecified shoulder, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.162A	Displaced fracture of pisiform, left wrist, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S62.162B	Displaced fracture of pisiform, left wrist, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.162P	Displaced fracture of pisiform, left wrist, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S62.162K	Displaced fracture of pisiform, left wrist, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S62.161B	Displaced fracture of pisiform, right wrist, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.161A	Displaced fracture of pisiform, right wrist, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S62.161P	Displaced fracture of pisiform, right wrist, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S62.161K	Displaced fracture of pisiform, right wrist, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S62.163A	Displaced fracture of pisiform, unspecified wrist, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S62.163B	Displaced fracture of pisiform, unspecified wrist, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.163P	Displaced fracture of pisiform, unspecified wrist, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S62.163K	Displaced fracture of pisiform, unspecified wrist, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S42.022A	Displaced fracture of shaft of left clavicle, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.022B	Displaced fracture of shaft of left clavicle, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.022G	Displaced fracture of shaft of left clavicle, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S42.022P	Displaced fracture of shaft of left clavicle, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S42.022K	Displaced fracture of shaft of left clavicle, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S42.022D	Displaced fracture of shaft of left clavicle, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S42.021A	Displaced fracture of shaft of right clavicle, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.021B	Displaced fracture of shaft of right clavicle, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.021G	Displaced fracture of shaft of right clavicle, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S42.021P	Displaced fracture of shaft of right clavicle, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S42.021K	Displaced fracture of shaft of right clavicle, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S42.021D	Displaced fracture of shaft of right clavicle, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S42.023A	Displaced fracture of shaft of unspecified clavicle, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.023B	Displaced fracture of shaft of unspecified clavicle, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.023G	Displaced fracture of shaft of unspecified clavicle, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S42.023P	Displaced fracture of shaft of unspecified clavicle, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S42.023K	Displaced fracture of shaft of unspecified clavicle, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S42.023D	Displaced fracture of shaft of unspecified clavicle, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S62.172A	Displaced fracture of trapezium [larger multangular], left wrist, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S62.172B	Displaced fracture of trapezium [larger multangular], left wrist, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.172G	Displaced fracture of trapezium [larger multangular], left wrist, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S62.172P	Displaced fracture of trapezium [larger multangular], left wrist, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S62.172K	Displaced fracture of trapezium [larger multangular], left wrist, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S62.172D	Displaced fracture of trapezium [larger multangular], left wrist, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S62.171A	Displaced fracture of trapezium [larger multangular], right wrist, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S62.171B	Displaced fracture of trapezium [larger multangular], right wrist, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.171G	Displaced fracture of trapezium [larger multangular], right wrist, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S62.171P	Displaced fracture of trapezium [larger multangular], right wrist, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S62.171K	Displaced fracture of trapezium [larger multangular], right wrist, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S62.171D	Displaced fracture of trapezium [larger multangular], right wrist, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S62.173A	Displaced fracture of trapezium [larger multangular], unspecified wrist, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S62.173B	Displaced fracture of trapezium [larger multangular], unspecified wrist, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.173G	Displaced fracture of trapezium [larger multangular], unspecified wrist, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S62.173D	Displaced fracture of trapezium [larger multangular], unspecified wrist, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S62.173P	Displaced fracture of trapezium [larger multangular], unspecified wrist, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S62.173K	Displaced fracture of trapezium [larger multangular], unspecified wrist, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S62.173S	Displaced fracture of trapezium [larger multangular], unspecified wrist, sequela	ICD-10-CM	Diagnosis
S62.182S	Displaced fracture of trapezoid [smaller multangular], left wrist, sequela	ICD-10-CM	Diagnosis
S62.183S	Displaced fracture of trapezoid [smaller multangular], unspecified wrist, sequela	ICD-10-CM	Diagnosis
S62.182A	Displaced fracture of trapezoid [smaller multangular], left wrist, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S62.182B	Displaced fracture of trapezoid [smaller multangular], left wrist, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.182G	Displaced fracture of trapezoid [smaller multangular], left wrist, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S62.182D	Displaced fracture of trapezoid [smaller multangular], left wrist, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S62.182P	Displaced fracture of trapezoid [smaller multangular], left wrist, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S62.182K	Displaced fracture of trapezoid [smaller multangular], left wrist, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S62.181S	Displaced fracture of trapezoid [smaller multangular], right wrist, sequela	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S62.181A	Displaced fracture of trapezoid [smaller multangular], right wrist, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S62.181B	Displaced fracture of trapezoid [smaller multangular], right wrist, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.181G	Displaced fracture of trapezoid [smaller multangular], right wrist, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S62.181D	Displaced fracture of trapezoid [smaller multangular], right wrist, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S62.181P	Displaced fracture of trapezoid [smaller multangular], right wrist, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S62.181K	Displaced fracture of trapezoid [smaller multangular], right wrist, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S62.183A	Displaced fracture of trapezoid [smaller multangular], unspecified wrist, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S62.183B	Displaced fracture of trapezoid [smaller multangular], unspecified wrist, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.183G	Displaced fracture of trapezoid [smaller multangular], unspecified wrist, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S62.183D	Displaced fracture of trapezoid [smaller multangular], unspecified wrist, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S62.183P	Displaced fracture of trapezoid [smaller multangular], unspecified wrist, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S62.183K	Displaced fracture of trapezoid [smaller multangular], unspecified wrist, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S12.040A	Displaced lateral mass fracture of first cervical vertebra, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S12.040B	Displaced lateral mass fracture of first cervical vertebra, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.332A	Displaced oblique fracture of shaft of humerus, left arm, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.332B	Displaced oblique fracture of shaft of humerus, left arm, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.331A	Displaced oblique fracture of shaft of humerus, right arm, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.331B	Displaced oblique fracture of shaft of humerus, right arm, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.333A	Displaced oblique fracture of shaft of humerus, unspecified arm, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.333B	Displaced oblique fracture of shaft of humerus, unspecified arm, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.332G	Displaced oblique fracture of shaft of humerus, left arm, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S42.332P	Displaced oblique fracture of shaft of humerus, left arm, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S42.332K	Displaced oblique fracture of shaft of humerus, left arm, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S42.332D	Displaced oblique fracture of shaft of humerus, left arm, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S42.331G	Displaced oblique fracture of shaft of humerus, right arm, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S42.331P	Displaced oblique fracture of shaft of humerus, right arm, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S42.331K	Displaced oblique fracture of shaft of humerus, right arm, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S42.331D	Displaced oblique fracture of shaft of humerus, right arm, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S42.333P	Displaced oblique fracture of shaft of humerus, unspecified arm, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S42.333K	Displaced oblique fracture of shaft of humerus, unspecified arm, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S42.332S	Displaced oblique fracture of shaft of humerus, left arm, sequela	ICD-10-CM	Diagnosis
S42.331S	Displaced oblique fracture of shaft of humerus, right arm, sequela	ICD-10-CM	Diagnosis
S42.333S	Displaced oblique fracture of shaft of humerus, unspecified arm, sequela	ICD-10-CM	Diagnosis
S72.332S	Displaced oblique fracture of shaft of left femur, sequela	ICD-10-CM	Diagnosis
S52.332S	Displaced oblique fracture of shaft of left radius, sequela	ICD-10-CM	Diagnosis
S72.331S	Displaced oblique fracture of shaft of right femur, sequela	ICD-10-CM	Diagnosis
S52.331S	Displaced oblique fracture of shaft of right radius, sequela	ICD-10-CM	Diagnosis
S72.333S	Displaced oblique fracture of shaft of unspecified femur, sequela	ICD-10-CM	Diagnosis
S52.333S	Displaced oblique fracture of shaft of unspecified radius, sequela	ICD-10-CM	Diagnosis
S52.233S	Displaced oblique fracture of shaft of unspecified ulna, sequela	ICD-10-CM	Diagnosis
S42.362S	Displaced segmental fracture of shaft of humerus, left arm, sequela	ICD-10-CM	Diagnosis
S42.361S	Displaced segmental fracture of shaft of humerus, right arm, sequela	ICD-10-CM	Diagnosis
S42.363S	Displaced segmental fracture of shaft of humerus, unspecified arm, sequela	ICD-10-CM	Diagnosis
S42.362A	Displaced segmental fracture of shaft of humerus, left arm, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.362B	Displaced segmental fracture of shaft of humerus, left arm, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.361A	Displaced segmental fracture of shaft of humerus, right arm, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.361B	Displaced segmental fracture of shaft of humerus, right arm, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.361D	Displaced segmental fracture of shaft of humerus, right arm, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis



**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S42.363A	Displaced segmental fracture of shaft of humerus, unspecified arm, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.363B	Displaced segmental fracture of shaft of humerus, unspecified arm, initial encounter for open fracture	ICD-10-CM	Diagnosis
S72.362S	Displaced segmental fracture of shaft of left femur, sequela	ICD-10-CM	Diagnosis
S72.361S	Displaced segmental fracture of shaft of right femur, sequela	ICD-10-CM	Diagnosis
S42.342S	Displaced spiral fracture of shaft of humerus, left arm, sequela	ICD-10-CM	Diagnosis
S42.341S	Displaced spiral fracture of shaft of humerus, right arm, sequela	ICD-10-CM	Diagnosis
S52.242S	Displaced spiral fracture of shaft of ulna, left arm, sequela	ICD-10-CM	Diagnosis
S52.241S	Displaced spiral fracture of shaft of ulna, right arm, sequela	ICD-10-CM	Diagnosis
S72.343S	Displaced spiral fracture of shaft of unspecified femur, sequela	ICD-10-CM	Diagnosis
S42.343S	Displaced spiral fracture of shaft of humerus, unspecified arm, sequela	ICD-10-CM	Diagnosis
S42.342A	Displaced spiral fracture of shaft of humerus, left arm, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.342B	Displaced spiral fracture of shaft of humerus, left arm, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.342D	Displaced spiral fracture of shaft of humerus, left arm, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S42.341A	Displaced spiral fracture of shaft of humerus, right arm, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.341B	Displaced spiral fracture of shaft of humerus, right arm, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.341D	Displaced spiral fracture of shaft of humerus, right arm, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S42.343A	Displaced spiral fracture of shaft of humerus, unspecified arm, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.343B	Displaced spiral fracture of shaft of humerus, unspecified arm, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.343G	Displaced spiral fracture of shaft of humerus, unspecified arm, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S42.343P	Displaced spiral fracture of shaft of humerus, unspecified arm, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S42.343K	Displaced spiral fracture of shaft of humerus, unspecified arm, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S42.343D	Displaced spiral fracture of shaft of humerus, unspecified arm, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S72.22XS	Displaced subtrochanteric fracture of left femur, sequela	ICD-10-CM	Diagnosis
S72.21XS	Displaced subtrochanteric fracture of right femur, sequela	ICD-10-CM	Diagnosis
S32.461D	Displaced associated transverse-posterior fracture of right acetabulum, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S42.472S	Displaced transcondylar fracture of left humerus, sequela	ICD-10-CM	Diagnosis
S42.471S	Displaced transcondylar fracture of right humerus, sequela	ICD-10-CM	Diagnosis
S52.222S	Displaced transverse fracture of shaft of left ulna, sequela	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S52.221S	Displaced transverse fracture of shaft of right ulna, sequela	ICD-10-CM	Diagnosis
S42.322S	Displaced transverse fracture of shaft of humerus, left arm, sequela	ICD-10-CM	Diagnosis
S42.321S	Displaced transverse fracture of shaft of humerus, right arm, sequela	ICD-10-CM	Diagnosis
S42.323S	Displaced transverse fracture of shaft of humerus, unspecified arm, sequela	ICD-10-CM	Diagnosis
S42.322A	Displaced transverse fracture of shaft of humerus, left arm, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.322B	Displaced transverse fracture of shaft of humerus, left arm, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.322G	Displaced transverse fracture of shaft of humerus, left arm, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S42.322K	Displaced transverse fracture of shaft of humerus, left arm, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S42.322D	Displaced transverse fracture of shaft of humerus, left arm, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S42.321A	Displaced transverse fracture of shaft of humerus, right arm, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.321B	Displaced transverse fracture of shaft of humerus, right arm, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.321G	Displaced transverse fracture of shaft of humerus, right arm, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S42.321P	Displaced transverse fracture of shaft of humerus, right arm, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S42.321K	Displaced transverse fracture of shaft of humerus, right arm, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S42.321D	Displaced transverse fracture of shaft of humerus, right arm, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S42.323A	Displaced transverse fracture of shaft of humerus, unspecified arm, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.323B	Displaced transverse fracture of shaft of humerus, unspecified arm, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.322P	Displaced transverse fracture of shaft of humerus, left arm, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S42.323G	Displaced transverse fracture of shaft of humerus, unspecified arm, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S42.323P	Displaced transverse fracture of shaft of humerus, unspecified arm, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S42.323K	Displaced transverse fracture of shaft of humerus, unspecified arm, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S42.323D	Displaced transverse fracture of shaft of humerus, unspecified arm, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S42.141K	Displaced fracture of glenoid cavity of scapula, right shoulder, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S52.021C	Displaced fracture of olecranon process without intraarticular extension of right ulna, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
M48.48XD	Fatigue fracture of vertebra, sacral and sacrococcygeal region, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
M48.42XG	Fatigue fracture of vertebra, cervical region, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
M48.42XD	Fatigue fracture of vertebra, cervical region, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
M48.42XA	Fatigue fracture of vertebra, cervical region, initial encounter for fracture	ICD-10-CM	Diagnosis
M48.43XD	Fatigue fracture of vertebra, cervicothoracic region, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
M48.43XA	Fatigue fracture of vertebra, cervicothoracic region, initial encounter for fracture	ICD-10-CM	Diagnosis
M48.43XS	Fatigue fracture of vertebra, cervicothoracic region, sequela of fracture	ICD-10-CM	Diagnosis
M48.46XA	Fatigue fracture of vertebra, lumbar region, initial encounter for fracture	ICD-10-CM	Diagnosis
M48.46XG	Fatigue fracture of vertebra, lumbar region, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
M48.46XD	Fatigue fracture of vertebra, lumbar region, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
M48.47XA	Fatigue fracture of vertebra, lumbosacral region, initial encounter for fracture	ICD-10-CM	Diagnosis
M48.47XG	Fatigue fracture of vertebra, lumbosacral region, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
M48.47XD	Fatigue fracture of vertebra, lumbosacral region, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
M48.41XS	Fatigue fracture of vertebra, occipito-atlanto-axial region, sequela of fracture	ICD-10-CM	Diagnosis
M48.48XS	Fatigue fracture of vertebra, sacral and sacrococcygeal region, sequela of fracture	ICD-10-CM	Diagnosis
M48.40XG	Fatigue fracture of vertebra, site unspecified, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
M48.44XG	Fatigue fracture of vertebra, thoracic region, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
M48.44XD	Fatigue fracture of vertebra, thoracic region, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
M48.44XA	Fatigue fracture of vertebra, thoracic region, initial encounter for fracture	ICD-10-CM	Diagnosis
M48.45XA	Fatigue fracture of vertebra, thoracolumbar region, initial encounter for fracture	ICD-10-CM	Diagnosis
M48.45XD	Fatigue fracture of vertebra, thoracolumbar region, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
M48.45XG	Fatigue fracture of vertebra, thoracolumbar region, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
M48.42XS	Fatigue fracture of vertebra, cervical region, sequela of fracture	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
M48.43XG	Fatigue fracture of vertebra, cervicothoracic region, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
M48.46XS	Fatigue fracture of vertebra, lumbar region, sequela of fracture	ICD-10-CM	Diagnosis
M48.47XS	Fatigue fracture of vertebra, lumbosacral region, sequela of fracture	ICD-10-CM	Diagnosis
M48.41XA	Fatigue fracture of vertebra, occipito-atlanto-axial region, initial encounter for fracture	ICD-10-CM	Diagnosis
M48.41XG	Fatigue fracture of vertebra, occipito-atlanto-axial region, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
M48.41XD	Fatigue fracture of vertebra, occipito-atlanto-axial region, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
M48.48XA	Fatigue fracture of vertebra, sacral and sacrococcygeal region, initial encounter for fracture	ICD-10-CM	Diagnosis
M48.48XG	Fatigue fracture of vertebra, sacral and sacrococcygeal region, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
M48.40XA	Fatigue fracture of vertebra, site unspecified, initial encounter for fracture	ICD-10-CM	Diagnosis
M48.40XS	Fatigue fracture of vertebra, site unspecified, sequela of fracture	ICD-10-CM	Diagnosis
M48.40XD	Fatigue fracture of vertebra, site unspecified, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
M48.44XS	Fatigue fracture of vertebra, thoracic region, sequela of fracture	ICD-10-CM	Diagnosis
M48.45XS	Fatigue fracture of vertebra, thoracolumbar region, sequela of fracture	ICD-10-CM	Diagnosis
S22.5XXA	Flail chest, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S22.5XXB	Flail chest, initial encounter for open fracture	ICD-10-CM	Diagnosis
S22.5XXS	Flail chest, sequela	ICD-10-CM	Diagnosis
S22.5XXG	Flail chest, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S22.5XXK	Flail chest, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S22.5XXD	Flail chest, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S02.620G	Fracture of subcondylar process of mandible, unspecified side, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S02.620K	Fracture of subcondylar process of mandible, unspecified side, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S02.620D	Fracture of subcondylar process of mandible, unspecified side, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S02.620A	Fracture of subcondylar process of mandible, unspecified side, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S02.620B	Fracture of subcondylar process of mandible, unspecified side, initial encounter for open fracture	ICD-10-CM	Diagnosis
S02.621G	Fracture of subcondylar process of right mandible, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S02.621D	Fracture of subcondylar process of right mandible, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S02.621A	Fracture of subcondylar process of right mandible, initial encounter for closed fracture	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S22.32XG	Fracture of one rib, left side, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S22.32XK	Fracture of one rib, left side, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S22.32XD	Fracture of one rib, left side, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S22.31XK	Fracture of one rib, right side, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S22.31XD	Fracture of one rib, right side, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S22.39XG	Fracture of one rib, unspecified side, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S22.39XK	Fracture of one rib, unspecified side, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S22.39XD	Fracture of one rib, unspecified side, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S02.42XG	Fracture of alveolus of maxilla, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S02.672A	Fracture of alveolus of left mandible, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S02.672B	Fracture of alveolus of left mandible, initial encounter for open fracture	ICD-10-CM	Diagnosis
S02.672G	Fracture of alveolus of left mandible, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S02.672K	Fracture of alveolus of left mandible, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S02.672D	Fracture of alveolus of left mandible, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S02.67XA	Fracture of alveolus of mandible, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S02.67XB	Fracture of alveolus of mandible, initial encounter for open fracture	ICD-10-CM	Diagnosis
S02.67XG	Fracture of alveolus of mandible, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S02.67XK	Fracture of alveolus of mandible, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S02.67XD	Fracture of alveolus of mandible, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S02.670A	Fracture of alveolus of mandible, unspecified side, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S02.670B	Fracture of alveolus of mandible, unspecified side, initial encounter for open fracture	ICD-10-CM	Diagnosis
S02.670G	Fracture of alveolus of mandible, unspecified side, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S02.670K	Fracture of alveolus of mandible, unspecified side, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S02.670D	Fracture of alveolus of mandible, unspecified side, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S02.670S	Fracture of alveolus of mandible, unspecified side, sequela	ICD-10-CM	Diagnosis
S02.42XA	Fracture of alveolus of maxilla, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S02.42XB	Fracture of alveolus of maxilla, initial encounter for open fracture	ICD-10-CM	Diagnosis
S02.42XK	Fracture of alveolus of maxilla, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S02.42XD	Fracture of alveolus of maxilla, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S02.67XS	Fracture of alveolus of mandible, sequela	ICD-10-CM	Diagnosis
S02.671A	Fracture of alveolus of right mandible, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S02.671B	Fracture of alveolus of right mandible, initial encounter for open fracture	ICD-10-CM	Diagnosis
S02.671G	Fracture of alveolus of right mandible, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S02.671K	Fracture of alveolus of right mandible, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S02.671D	Fracture of alveolus of right mandible, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S02.652K	Fracture of angle of left mandible, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S02.652D	Fracture of angle of left mandible, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S02.652A	Fracture of angle of left mandible, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S02.652G	Fracture of angle of left mandible, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S02.65XA	Fracture of angle of mandible, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S02.65XB	Fracture of angle of mandible, initial encounter for open fracture	ICD-10-CM	Diagnosis
S02.650A	Fracture of angle of mandible, unspecified side, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S02.650B	Fracture of angle of mandible, unspecified side, initial encounter for open fracture	ICD-10-CM	Diagnosis
S02.650G	Fracture of angle of mandible, unspecified side, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S02.650K	Fracture of angle of mandible, unspecified side, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S02.650D	Fracture of angle of mandible, unspecified side, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S02.650S	Fracture of angle of mandible, unspecified side, sequela	ICD-10-CM	Diagnosis
S02.652B	Fracture of angle of left mandible, initial encounter for open fracture	ICD-10-CM	Diagnosis
S02.65XS	Fracture of angle of mandible, sequela	ICD-10-CM	Diagnosis
S02.651A	Fracture of angle of right mandible, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S02.651B	Fracture of angle of right mandible, initial encounter for open fracture	ICD-10-CM	Diagnosis



**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S02.651G	Fracture of angle of right mandible, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S02.651K	Fracture of angle of right mandible, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S02.651D	Fracture of angle of right mandible, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S02.109S	Fracture of base of skull, unspecified side, sequela	ICD-10-CM	Diagnosis
S02.102A	Fracture of base of skull, left side, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S02.102B	Fracture of base of skull, left side, initial encounter for open fracture	ICD-10-CM	Diagnosis
S02.102G	Fracture of base of skull, left side, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S02.102K	Fracture of base of skull, left side, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S02.102D	Fracture of base of skull, left side, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S02.101A	Fracture of base of skull, right side, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S02.101B	Fracture of base of skull, right side, initial encounter for open fracture	ICD-10-CM	Diagnosis
S02.101G	Fracture of base of skull, right side, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S02.101K	Fracture of base of skull, right side, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S02.101D	Fracture of base of skull, right side, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S02.109A	Fracture of base of skull, unspecified side, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S02.109B	Fracture of base of skull, unspecified side, initial encounter for open fracture	ICD-10-CM	Diagnosis
S02.109G	Fracture of base of skull, unspecified side, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S02.109K	Fracture of base of skull, unspecified side, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S02.109D	Fracture of base of skull, unspecified side, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S22.22XA	Fracture of body of sternum, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S22.22XB	Fracture of body of sternum, initial encounter for open fracture	ICD-10-CM	Diagnosis
S32.2XXA	Fracture of coccyx, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S32.2XXB	Fracture of coccyx, initial encounter for open fracture	ICD-10-CM	Diagnosis
S02.612K	Fracture of condylar process of left mandible, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S02.612B	Fracture of condylar process of left mandible, initial encounter for open fracture	ICD-10-CM	Diagnosis
S02.612G	Fracture of condylar process of left mandible, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S02.612D	Fracture of condylar process of left mandible, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S02.612A	Fracture of condylar process of left mandible, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S02.610S	Fracture of condylar process of mandible, unspecified side, sequela	ICD-10-CM	Diagnosis
S02.611S	Fracture of condylar process of right mandible, sequela	ICD-10-CM	Diagnosis
S02.611G	Fracture of condylar process of right mandible, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S02.611K	Fracture of condylar process of right mandible, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S02.611D	Fracture of condylar process of right mandible, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S02.611A	Fracture of condylar process of right mandible, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S02.611B	Fracture of condylar process of right mandible, initial encounter for open fracture	ICD-10-CM	Diagnosis
S02.612S	Fracture of condylar process of left mandible, sequela	ICD-10-CM	Diagnosis
S02.610G	Fracture of condylar process of mandible, unspecified side, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S02.610K	Fracture of condylar process of mandible, unspecified side, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S02.610D	Fracture of condylar process of mandible, unspecified side, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S02.610A	Fracture of condylar process of mandible, unspecified side, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S02.610B	Fracture of condylar process of mandible, unspecified side, initial encounter for open fracture	ICD-10-CM	Diagnosis
S02.632G	Fracture of coronoid process of left mandible, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S02.632K	Fracture of coronoid process of left mandible, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S02.632D	Fracture of coronoid process of left mandible, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S02.630K	Fracture of coronoid process of mandible, unspecified side, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S02.630A	Fracture of coronoid process of mandible, unspecified side, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S02.630B	Fracture of coronoid process of mandible, unspecified side, initial encounter for open fracture	ICD-10-CM	Diagnosis
S02.630S	Fracture of coronoid process of mandible, unspecified side, sequela	ICD-10-CM	Diagnosis
S02.630G	Fracture of coronoid process of mandible, unspecified side, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S02.630D	Fracture of coronoid process of mandible, unspecified side, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S02.631A	Fracture of coronoid process of right mandible, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S02.631B	Fracture of coronoid process of right mandible, initial encounter for open fracture	ICD-10-CM	Diagnosis
S02.631G	Fracture of coronoid process of right mandible, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S02.631D	Fracture of coronoid process of right mandible, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S02.632A	Fracture of coronoid process of left mandible, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S02.632B	Fracture of coronoid process of left mandible, initial encounter for open fracture	ICD-10-CM	Diagnosis
S02.632S	Fracture of coronoid process of left mandible, sequela	ICD-10-CM	Diagnosis
S02.63XS	Fracture of coronoid process of mandible, sequela	ICD-10-CM	Diagnosis
S02.631K	Fracture of coronoid process of right mandible, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S42.92XS	Fracture of left shoulder girdle, part unspecified, sequela	ICD-10-CM	Diagnosis
S02.69XS	Fracture of mandible of other specified site, sequela	ICD-10-CM	Diagnosis
S02.69XA	Fracture of mandible of other specified site, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S02.69XB	Fracture of mandible of other specified site, initial encounter for open fracture	ICD-10-CM	Diagnosis
S02.609A	Fracture of mandible, unspecified, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S02.609B	Fracture of mandible, unspecified, initial encounter for open fracture	ICD-10-CM	Diagnosis
S02.609K	Fracture of mandible, unspecified, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S02.609D	Fracture of mandible, unspecified, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S02.609G	Fracture of mandible, unspecified, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S02.609S	Fracture of mandible, unspecified, sequela	ICD-10-CM	Diagnosis
S22.21XA	Fracture of manubrium, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S22.21XB	Fracture of manubrium, initial encounter for open fracture	ICD-10-CM	Diagnosis
S02.2XXB	Fracture of nasal bones, initial encounter for open fracture	ICD-10-CM	Diagnosis
S02.2XXA	Fracture of nasal bones, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S12.9XXD	Fracture of neck, unspecified, subsequent encounter	ICD-10-CM	Diagnosis
S02.672S	Fracture of alveolus of left mandible, sequela	ICD-10-CM	Diagnosis
S02.42XS	Fracture of alveolus of maxilla, sequela	ICD-10-CM	Diagnosis
S02.671S	Fracture of alveolus of right mandible, sequela	ICD-10-CM	Diagnosis
S02.652S	Fracture of angle of left mandible, sequela	ICD-10-CM	Diagnosis
S02.651S	Fracture of angle of right mandible, sequela	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S02.102S	Fracture of base of skull, left side, sequela	ICD-10-CM	Diagnosis
S02.101S	Fracture of base of skull, right side, sequela	ICD-10-CM	Diagnosis
S22.22XS	Fracture of body of sternum, sequela	ICD-10-CM	Diagnosis
S22.9XXS	Fracture of bony thorax, part unspecified, sequela	ICD-10-CM	Diagnosis
S32.2XXS	Fracture of coccyx, sequela	ICD-10-CM	Diagnosis
S02.61XS	Fracture of condylar process of mandible, sequela	ICD-10-CM	Diagnosis
S02.631S	Fracture of coronoid process of right mandible, sequela	ICD-10-CM	Diagnosis
S22.21XS	Fracture of manubrium, sequela	ICD-10-CM	Diagnosis
S02.2XXS	Fracture of nasal bones, sequela	ICD-10-CM	Diagnosis
S12.9XXA	Fracture of neck, unspecified, initial encounter	ICD-10-CM	Diagnosis
S12.9XXS	Fracture of neck, unspecified, sequela	ICD-10-CM	Diagnosis
S22.32XS	Fracture of one rib, left side, sequela	ICD-10-CM	Diagnosis
S22.31XS	Fracture of one rib, right side, sequela	ICD-10-CM	Diagnosis
S22.39XS	Fracture of one rib, unspecified side, sequela	ICD-10-CM	Diagnosis
S02.32XS	Fracture of orbital floor, left side, sequela	ICD-10-CM	Diagnosis
S02.31XS	Fracture of orbital floor, right side, sequela	ICD-10-CM	Diagnosis
S02.3XXS	Fracture of orbital floor, sequela	ICD-10-CM	Diagnosis
S02.30XS	Fracture of orbital floor, unspecified side, sequela	ICD-10-CM	Diagnosis
S12.8XXS	Fracture of other parts of neck, sequela	ICD-10-CM	Diagnosis
S32.89XS	Fracture of other parts of pelvis, sequela	ICD-10-CM	Diagnosis
S02.642B	Fracture of ramus of left mandible, initial encounter for open fracture	ICD-10-CM	Diagnosis
S02.642S	Fracture of ramus of left mandible, sequela	ICD-10-CM	Diagnosis
S02.640S	Fracture of ramus of mandible, unspecified side, sequela	ICD-10-CM	Diagnosis
S02.641S	Fracture of ramus of right mandible, sequela	ICD-10-CM	Diagnosis
S02.5XXS	Fracture of tooth (traumatic), sequela	ICD-10-CM	Diagnosis
S02.602S	Fracture of unspecified part of body of left mandible, sequela	ICD-10-CM	Diagnosis
S02.0XXS	Fracture of vault of skull, sequela	ICD-10-CM	Diagnosis
S22.24XS	Fracture of xiphoid process, sequela	ICD-10-CM	Diagnosis
S22.32XA	Fracture of one rib, left side, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S22.32XB	Fracture of one rib, left side, initial encounter for open fracture	ICD-10-CM	Diagnosis
S22.31XA	Fracture of one rib, right side, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S22.31XB	Fracture of one rib, right side, initial encounter for open fracture	ICD-10-CM	Diagnosis
S22.31XG	Fracture of one rib, right side, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S22.39XA	Fracture of one rib, unspecified side, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S22.39XB	Fracture of one rib, unspecified side, initial encounter for open fracture	ICD-10-CM	Diagnosis
S02.3XXA	Fracture of orbital floor, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S02.32XA	Fracture of orbital floor, left side, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S02.32XB	Fracture of orbital floor, left side, initial encounter for open fracture	ICD-10-CM	Diagnosis
S02.32XG	Fracture of orbital floor, left side, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S02.32XK	Fracture of orbital floor, left side, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S02.32XD	Fracture of orbital floor, left side, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S02.31XA	Fracture of orbital floor, right side, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S02.31XB	Fracture of orbital floor, right side, initial encounter for open fracture	ICD-10-CM	Diagnosis
S02.31XG	Fracture of orbital floor, right side, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S02.31XK	Fracture of orbital floor, right side, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S02.31XD	Fracture of orbital floor, right side, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S02.30XA	Fracture of orbital floor, unspecified side, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S02.30XB	Fracture of orbital floor, unspecified side, initial encounter for open fracture	ICD-10-CM	Diagnosis
S02.30XG	Fracture of orbital floor, unspecified side, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S02.30XK	Fracture of orbital floor, unspecified side, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S02.30XD	Fracture of orbital floor, unspecified side, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S02.3XXB	Fracture of orbital floor, initial encounter for open fracture	ICD-10-CM	Diagnosis
S32.89XA	Fracture of other parts of pelvis, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S32.89XB	Fracture of other parts of pelvis, initial encounter for open fracture	ICD-10-CM	Diagnosis
S02.81XS	Fracture of other specified skull and facial bones, right side, sequela	ICD-10-CM	Diagnosis
S02.82XS	Fracture of other specified skull and facial bones, left side, sequela	ICD-10-CM	Diagnosis
S42.192S	Fracture of other part of scapula, left shoulder, sequela	ICD-10-CM	Diagnosis
S42.191S	Fracture of other part of scapula, right shoulder, sequela	ICD-10-CM	Diagnosis
S42.199S	Fracture of other part of scapula, unspecified shoulder, sequela	ICD-10-CM	Diagnosis
S12.8XXD	Fracture of other parts of neck, subsequent encounter	ICD-10-CM	Diagnosis
S12.8XXA	Fracture of other parts of neck, initial encounter	ICD-10-CM	Diagnosis
S02.642K	Fracture of ramus of left mandible, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S02.642A	Fracture of ramus of left mandible, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S02.642G	Fracture of ramus of left mandible, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S02.642D	Fracture of ramus of left mandible, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S02.64XA	Fracture of ramus of mandible, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S02.64XB	Fracture of ramus of mandible, initial encounter for open fracture	ICD-10-CM	Diagnosis
S02.640A	Fracture of ramus of mandible, unspecified side, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S02.640B	Fracture of ramus of mandible, unspecified side, initial encounter for open fracture	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S02.640G	Fracture of ramus of mandible, unspecified side, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S02.640K	Fracture of ramus of mandible, unspecified side, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S02.640D	Fracture of ramus of mandible, unspecified side, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S02.64XS	Fracture of ramus of mandible, sequela	ICD-10-CM	Diagnosis
S02.641A	Fracture of ramus of right mandible, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S02.641B	Fracture of ramus of right mandible, initial encounter for open fracture	ICD-10-CM	Diagnosis
S02.641D	Fracture of ramus of right mandible, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S02.641G	Fracture of ramus of right mandible, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S02.641K	Fracture of ramus of right mandible, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S42.91XS	Fracture of right shoulder girdle, part unspecified, sequela	ICD-10-CM	Diagnosis
S02.622A	Fracture of subcondylar process of left mandible, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S02.622B	Fracture of subcondylar process of left mandible, initial encounter for open fracture	ICD-10-CM	Diagnosis
S02.622G	Fracture of subcondylar process of left mandible, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S02.622K	Fracture of subcondylar process of left mandible, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S02.622D	Fracture of subcondylar process of left mandible, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S02.620S	Fracture of subcondylar process of mandible, unspecified side, sequela	ICD-10-CM	Diagnosis
S02.622S	Fracture of subcondylar process of left mandible, sequela	ICD-10-CM	Diagnosis
S02.62XS	Fracture of subcondylar process of mandible, sequela	ICD-10-CM	Diagnosis
S02.621S	Fracture of subcondylar process of right mandible, sequela	ICD-10-CM	Diagnosis
S02.621K	Fracture of subcondylar process of right mandible, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S02.621B	Fracture of subcondylar process of right mandible, initial encounter for open fracture	ICD-10-CM	Diagnosis
S32.512K	Fracture of superior rim of left pubis, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S32.512A	Fracture of superior rim of left pubis, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S32.512B	Fracture of superior rim of left pubis, initial encounter for open fracture	ICD-10-CM	Diagnosis
S32.512D	Fracture of superior rim of left pubis, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S32.512G	Fracture of superior rim of left pubis, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S32.512S	Fracture of superior rim of left pubis, sequela	ICD-10-CM	Diagnosis



**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S32.511S	Fracture of superior rim of right pubis, sequela	ICD-10-CM	Diagnosis
S32.511K	Fracture of superior rim of right pubis, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S32.511A	Fracture of superior rim of right pubis, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S32.511B	Fracture of superior rim of right pubis, initial encounter for open fracture	ICD-10-CM	Diagnosis
S32.511D	Fracture of superior rim of right pubis, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S32.519A	Fracture of superior rim of unspecified pubis, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S32.519B	Fracture of superior rim of unspecified pubis, initial encounter for open fracture	ICD-10-CM	Diagnosis
S32.519D	Fracture of superior rim of unspecified pubis, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S32.519G	Fracture of superior rim of unspecified pubis, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S32.519K	Fracture of superior rim of unspecified pubis, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S32.519S	Fracture of superior rim of unspecified pubis, sequela	ICD-10-CM	Diagnosis
S32.511G	Fracture of superior rim of right pubis, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S02.66XA	Fracture of symphysis of mandible, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S02.66XB	Fracture of symphysis of mandible, initial encounter for open fracture	ICD-10-CM	Diagnosis
S02.66XS	Fracture of symphysis of mandible, sequela	ICD-10-CM	Diagnosis
S02.5XXA	Fracture of tooth (traumatic), initial encounter for closed fracture	ICD-10-CM	Diagnosis
S02.5XXB	Fracture of tooth (traumatic), initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.102S	Fracture of unspecified carpal bone, left wrist, sequela	ICD-10-CM	Diagnosis
S62.101S	Fracture of unspecified carpal bone, right wrist, sequela	ICD-10-CM	Diagnosis
S62.109S	Fracture of unspecified carpal bone, unspecified wrist, sequela	ICD-10-CM	Diagnosis
S92.302S	Fracture of unspecified metatarsal bone(s), left foot, sequela	ICD-10-CM	Diagnosis
S92.301S	Fracture of unspecified metatarsal bone(s), right foot, sequela	ICD-10-CM	Diagnosis
S92.309S	Fracture of unspecified metatarsal bone(s), unspecified foot, sequela	ICD-10-CM	Diagnosis
S02.602G	Fracture of unspecified part of body of left mandible, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S02.602K	Fracture of unspecified part of body of left mandible, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S02.602D	Fracture of unspecified part of body of left mandible, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S02.602A	Fracture of unspecified part of body of left mandible, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S02.602B	Fracture of unspecified part of body of left mandible, initial encounter for open fracture	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S02.600A	Fracture of unspecified part of body of mandible, unspecified side, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S02.600B	Fracture of unspecified part of body of mandible, unspecified side, initial encounter for open fracture	ICD-10-CM	Diagnosis
S02.600S	Fracture of unspecified part of body of mandible, unspecified side, sequela	ICD-10-CM	Diagnosis
S02.600G	Fracture of unspecified part of body of mandible, unspecified side, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S02.600K	Fracture of unspecified part of body of mandible, unspecified side, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S02.600D	Fracture of unspecified part of body of mandible, unspecified side, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S02.601G	Fracture of unspecified part of body of right mandible, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S02.601K	Fracture of unspecified part of body of right mandible, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S02.601D	Fracture of unspecified part of body of right mandible, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S02.601A	Fracture of unspecified part of body of right mandible, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S02.601B	Fracture of unspecified part of body of right mandible, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.002A	Fracture of unspecified part of left clavicle, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.002B	Fracture of unspecified part of left clavicle, initial encounter for open fracture	ICD-10-CM	Diagnosis
S72.009S	Fracture of unspecified part of neck of unspecified femur, sequela	ICD-10-CM	Diagnosis
S02.601S	Fracture of unspecified part of body of right mandible, sequela	ICD-10-CM	Diagnosis
S42.001A	Fracture of unspecified part of right clavicle, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.001B	Fracture of unspecified part of right clavicle, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.102S	Fracture of unspecified part of scapula, left shoulder, sequela	ICD-10-CM	Diagnosis
S42.101S	Fracture of unspecified part of scapula, right shoulder, sequela	ICD-10-CM	Diagnosis
S42.109S	Fracture of unspecified part of scapula, unspecified shoulder, sequela	ICD-10-CM	Diagnosis
S42.009S	Fracture of unspecified part of unspecified clavicle, sequela	ICD-10-CM	Diagnosis
S32.9XXS	Fracture of unspecified parts of lumbosacral spine and pelvis, sequela	ICD-10-CM	Diagnosis
S62.601S	Fracture of unspecified phalanx of left index finger, sequela	ICD-10-CM	Diagnosis
S62.607S	Fracture of unspecified phalanx of left little finger, sequela	ICD-10-CM	Diagnosis
S62.603S	Fracture of unspecified phalanx of left middle finger, sequela	ICD-10-CM	Diagnosis
S62.605S	Fracture of unspecified phalanx of left ring finger, sequela	ICD-10-CM	Diagnosis
S62.608S	Fracture of unspecified phalanx of other finger, sequela	ICD-10-CM	Diagnosis
S62.600S	Fracture of unspecified phalanx of right index finger, sequela	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S62.606S	Fracture of unspecified phalanx of right little finger, sequela	ICD-10-CM	Diagnosis
S62.602S	Fracture of unspecified phalanx of right middle finger, sequela	ICD-10-CM	Diagnosis
S62.604S	Fracture of unspecified phalanx of right ring finger, sequela	ICD-10-CM	Diagnosis
S62.609S	Fracture of unspecified phalanx of unspecified finger, sequela	ICD-10-CM	Diagnosis
S62.509S	Fracture of unspecified phalanx of unspecified thumb, sequela	ICD-10-CM	Diagnosis
S42.90XS	Fracture of unspecified shoulder girdle, part unspecified, sequela	ICD-10-CM	Diagnosis
S92.202S	Fracture of unspecified tarsal bone(s) of left foot, sequela	ICD-10-CM	Diagnosis
S92.201S	Fracture of unspecified tarsal bone(s) of right foot, sequela	ICD-10-CM	Diagnosis
S92.209S	Fracture of unspecified tarsal bone(s) of unspecified foot, sequela	ICD-10-CM	Diagnosis
S42.002S	Fracture of unspecified part of left clavicle, sequela	ICD-10-CM	Diagnosis
S72.002S	Fracture of unspecified part of neck of left femur, sequela	ICD-10-CM	Diagnosis
S72.001S	Fracture of unspecified part of neck of right femur, sequela	ICD-10-CM	Diagnosis
S42.001S	Fracture of unspecified part of right clavicle, sequela	ICD-10-CM	Diagnosis
S62.502S	Fracture of unspecified phalanx of left thumb, sequela	ICD-10-CM	Diagnosis
S62.501S	Fracture of unspecified phalanx of right thumb, sequela	ICD-10-CM	Diagnosis
S02.0XXA	Fracture of vault of skull, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S02.0XXB	Fracture of vault of skull, initial encounter for open fracture	ICD-10-CM	Diagnosis
S22.24XA	Fracture of xiphoid process, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S22.24XB	Fracture of xiphoid process, initial encounter for open fracture	ICD-10-CM	Diagnosis
S02.8XXS	Fractures of other specified skull and facial bones, sequela	ICD-10-CM	Diagnosis
S02.65XK	Fracture of angle of mandible, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S02.65XG	Fracture of angle of mandible, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S02.65XD	Fracture of angle of mandible, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S22.22XG	Fracture of body of sternum, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S22.22XK	Fracture of body of sternum, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S22.22XD	Fracture of body of sternum, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S22.9XXA	Fracture of bony thorax, part unspecified, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S22.9XXB	Fracture of bony thorax, part unspecified, initial encounter for open fracture	ICD-10-CM	Diagnosis
S22.9XXG	Fracture of bony thorax, part unspecified, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S22.9XXK	Fracture of bony thorax, part unspecified, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S22.9XXD	Fracture of bony thorax, part unspecified, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S32.2XXG	Fracture of coccyx, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S32.2XXK	Fracture of coccyx, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S32.2XXD	Fracture of coccyx, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S02.61XA	Fracture of condylar process of mandible, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S02.61XB	Fracture of condylar process of mandible, initial encounter for open fracture	ICD-10-CM	Diagnosis
S02.61XG	Fracture of condylar process of mandible, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S02.61XD	Fracture of condylar process of mandible, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S02.61XK	Fracture of condylar process of mandible, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S02.63XA	Fracture of coronoid process of mandible, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S02.63XB	Fracture of coronoid process of mandible, initial encounter for open fracture	ICD-10-CM	Diagnosis
S02.63XD	Fracture of coronoid process of mandible, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S02.63XK	Fracture of coronoid process of mandible, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S02.63XG	Fracture of coronoid process of mandible, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S42.92XA	Fracture of left shoulder girdle, part unspecified, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.92XB	Fracture of left shoulder girdle, part unspecified, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.92XG	Fracture of left shoulder girdle, part unspecified, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S42.92XP	Fracture of left shoulder girdle, part unspecified, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S42.92XK	Fracture of left shoulder girdle, part unspecified, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S42.92XD	Fracture of left shoulder girdle, part unspecified, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S02.69XG	Fracture of mandible of other specified site, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S02.69XD	Fracture of mandible of other specified site, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S02.69XK	Fracture of mandible of other specified site, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S22.21XK	Fracture of manubrium, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S22.21XD	Fracture of manubrium, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S22.21XG	Fracture of manubrium, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S02.2XXK	Fracture of nasal bones, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S02.2XXG	Fracture of nasal bones, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S02.2XXD	Fracture of nasal bones, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S02.3XXK	Fracture of orbital floor, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S02.3XXG	Fracture of orbital floor, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S02.3XXD	Fracture of orbital floor, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S42.192G	Fracture of other part of scapula, left shoulder, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S42.192P	Fracture of other part of scapula, left shoulder, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S42.192K	Fracture of other part of scapula, left shoulder, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S42.192D	Fracture of other part of scapula, left shoulder, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S42.191G	Fracture of other part of scapula, right shoulder, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S42.191P	Fracture of other part of scapula, right shoulder, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S42.191K	Fracture of other part of scapula, right shoulder, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S42.191D	Fracture of other part of scapula, right shoulder, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S42.199G	Fracture of other part of scapula, unspecified shoulder, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S42.199P	Fracture of other part of scapula, unspecified shoulder, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S42.199K	Fracture of other part of scapula, unspecified shoulder, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S42.199D	Fracture of other part of scapula, unspecified shoulder, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S42.192A	Fracture of other part of scapula, left shoulder, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.192B	Fracture of other part of scapula, left shoulder, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.191A	Fracture of other part of scapula, right shoulder, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.191B	Fracture of other part of scapula, right shoulder, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.199A	Fracture of other part of scapula, unspecified shoulder, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.199B	Fracture of other part of scapula, unspecified shoulder, initial encounter for open fracture	ICD-10-CM	Diagnosis
S32.89XG	Fracture of other parts of pelvis, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S32.89XK	Fracture of other parts of pelvis, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S32.89XD	Fracture of other parts of pelvis, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S02.82XA	Fracture of other specified skull and facial bones, left side, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S02.82XB	Fracture of other specified skull and facial bones, left side, initial encounter for open fracture	ICD-10-CM	Diagnosis
S02.82XG	Fracture of other specified skull and facial bones, left side, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S02.82XK	Fracture of other specified skull and facial bones, left side, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S02.82XD	Fracture of other specified skull and facial bones, left side, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S02.81XA	Fracture of other specified skull and facial bones, right side, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S02.81XB	Fracture of other specified skull and facial bones, right side, initial encounter for open fracture	ICD-10-CM	Diagnosis
S02.81XG	Fracture of other specified skull and facial bones, right side, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S02.81XK	Fracture of other specified skull and facial bones, right side, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S02.81XD	Fracture of other specified skull and facial bones, right side, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S02.80XA	Fracture of other specified skull and facial bones, unspecified side, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S02.80XB	Fracture of other specified skull and facial bones, unspecified side, initial encounter for open fracture	ICD-10-CM	Diagnosis



**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S02.80XG	Fracture of other specified skull and facial bones, unspecified side, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S02.80XK	Fracture of other specified skull and facial bones, unspecified side, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S02.80XD	Fracture of other specified skull and facial bones, unspecified side, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S02.8XXG	Fractures of other specified skull and facial bones, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S02.8XXK	Fractures of other specified skull and facial bones, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S02.8XXA	Fractures of other specified skull and facial bones, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S02.8XXB	Fractures of other specified skull and facial bones, initial encounter for open fracture	ICD-10-CM	Diagnosis
S02.8XXD	Fractures of other specified skull and facial bones, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S02.80XS	Fracture of other specified skull and facial bones, unspecified side, sequela	ICD-10-CM	Diagnosis
S02.64XK	Fracture of ramus of mandible, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S02.64XG	Fracture of ramus of mandible, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S02.64XD	Fracture of ramus of mandible, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S42.91XA	Fracture of right shoulder girdle, part unspecified, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.91XB	Fracture of right shoulder girdle, part unspecified, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.91XG	Fracture of right shoulder girdle, part unspecified, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S42.91XP	Fracture of right shoulder girdle, part unspecified, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S42.91XK	Fracture of right shoulder girdle, part unspecified, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S42.91XD	Fracture of right shoulder girdle, part unspecified, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S02.62XD	Fracture of subcondylar process of mandible, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S02.62XG	Fracture of subcondylar process of mandible, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S02.62XA	Fracture of subcondylar process of mandible, initial encounter for closed fracture	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S02.62XB	Fracture of subcondylar process of mandible, initial encounter for open fracture	ICD-10-CM	Diagnosis
S02.62XK	Fracture of subcondylar process of mandible, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S02.66XK	Fracture of symphysis of mandible, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S02.66XD	Fracture of symphysis of mandible, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S02.66XG	Fracture of symphysis of mandible, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S02.5XXK	Fracture of tooth (traumatic), subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S02.5XXG	Fracture of tooth (traumatic), subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S02.5XXD	Fracture of tooth (traumatic), subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S62.102G	Fracture of unspecified carpal bone, left wrist, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S62.102D	Fracture of unspecified carpal bone, left wrist, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S62.101G	Fracture of unspecified carpal bone, right wrist, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S62.101D	Fracture of unspecified carpal bone, right wrist, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S62.109G	Fracture of unspecified carpal bone, unspecified wrist, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S62.109D	Fracture of unspecified carpal bone, unspecified wrist, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S62.102A	Fracture of unspecified carpal bone, left wrist, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S62.102B	Fracture of unspecified carpal bone, left wrist, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.102P	Fracture of unspecified carpal bone, left wrist, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S62.102K	Fracture of unspecified carpal bone, left wrist, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S62.101A	Fracture of unspecified carpal bone, right wrist, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S62.101B	Fracture of unspecified carpal bone, right wrist, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.101P	Fracture of unspecified carpal bone, right wrist, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S62.101K	Fracture of unspecified carpal bone, right wrist, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S62.109A	Fracture of unspecified carpal bone, unspecified wrist, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S62.109B	Fracture of unspecified carpal bone, unspecified wrist, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.109P	Fracture of unspecified carpal bone, unspecified wrist, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S62.109K	Fracture of unspecified carpal bone, unspecified wrist, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S92.302A	Fracture of unspecified metatarsal bone(s), left foot, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S92.302B	Fracture of unspecified metatarsal bone(s), left foot, initial encounter for open fracture	ICD-10-CM	Diagnosis
S92.302G	Fracture of unspecified metatarsal bone(s), left foot, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S92.302P	Fracture of unspecified metatarsal bone(s), left foot, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S92.302K	Fracture of unspecified metatarsal bone(s), left foot, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S92.302D	Fracture of unspecified metatarsal bone(s), left foot, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S92.301A	Fracture of unspecified metatarsal bone(s), right foot, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S92.301B	Fracture of unspecified metatarsal bone(s), right foot, initial encounter for open fracture	ICD-10-CM	Diagnosis
S92.301G	Fracture of unspecified metatarsal bone(s), right foot, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S92.301P	Fracture of unspecified metatarsal bone(s), right foot, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S92.301K	Fracture of unspecified metatarsal bone(s), right foot, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S92.301D	Fracture of unspecified metatarsal bone(s), right foot, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S92.309D	Fracture of unspecified metatarsal bone(s), unspecified foot, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S92.309A	Fracture of unspecified metatarsal bone(s), unspecified foot, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S92.309B	Fracture of unspecified metatarsal bone(s), unspecified foot, initial encounter for open fracture	ICD-10-CM	Diagnosis
S92.309G	Fracture of unspecified metatarsal bone(s), unspecified foot, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S92.309P	Fracture of unspecified metatarsal bone(s), unspecified foot, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S92.309K	Fracture of unspecified metatarsal bone(s), unspecified foot, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S42.002P	Fracture of unspecified part of left clavicle, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S42.002K	Fracture of unspecified part of left clavicle, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S42.002D	Fracture of unspecified part of left clavicle, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S42.002G	Fracture of unspecified part of left clavicle, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S32.9XXA	Fracture of unspecified parts of lumbosacral spine and pelvis, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S32.9XXB	Fracture of unspecified parts of lumbosacral spine and pelvis, initial encounter for open fracture	ICD-10-CM	Diagnosis
S32.9XXG	Fracture of unspecified parts of lumbosacral spine and pelvis, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S32.9XXK	Fracture of unspecified parts of lumbosacral spine and pelvis, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S32.9XXD	Fracture of unspecified parts of lumbosacral spine and pelvis, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S72.002C	Fracture of unspecified part of neck of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.002B	Fracture of unspecified part of neck of left femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.002A	Fracture of unspecified part of neck of left femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S72.002G	Fracture of unspecified part of neck of left femur, subsequent encounter for closed fracture with delayed healing	ICD-10-CM	Diagnosis
S72.002D	Fracture of unspecified part of neck of left femur, subsequent encounter for closed fracture with routine healing	ICD-10-CM	Diagnosis
S72.002P	Fracture of unspecified part of neck of left femur, subsequent encounter for closed fracture with malunion	ICD-10-CM	Diagnosis
S72.002K	Fracture of unspecified part of neck of left femur, subsequent encounter for closed fracture with nonunion	ICD-10-CM	Diagnosis
S72.002H	Fracture of unspecified part of neck of left femur, subsequent encounter for open fracture type I or II with delayed healing	ICD-10-CM	Diagnosis
S72.002Q	Fracture of unspecified part of neck of left femur, subsequent encounter for open fracture type I or II with malunion	ICD-10-CM	Diagnosis
S72.002M	Fracture of unspecified part of neck of left femur, subsequent encounter for open fracture type I or II with nonunion	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S72.002E	Fracture of unspecified part of neck of left femur, subsequent encounter for open fracture type I or II with routine healing	ICD-10-CM	Diagnosis
S72.002J	Fracture of unspecified part of neck of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD-10-CM	Diagnosis
S72.002R	Fracture of unspecified part of neck of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD-10-CM	Diagnosis
S72.002N	Fracture of unspecified part of neck of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD-10-CM	Diagnosis
S72.002F	Fracture of unspecified part of neck of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD-10-CM	Diagnosis
S72.001C	Fracture of unspecified part of neck of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.001B	Fracture of unspecified part of neck of right femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.001A	Fracture of unspecified part of neck of right femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S72.001G	Fracture of unspecified part of neck of right femur, subsequent encounter for closed fracture with delayed healing	ICD-10-CM	Diagnosis
S72.001D	Fracture of unspecified part of neck of right femur, subsequent encounter for closed fracture with routine healing	ICD-10-CM	Diagnosis
S72.001P	Fracture of unspecified part of neck of right femur, subsequent encounter for closed fracture with malunion	ICD-10-CM	Diagnosis
S72.001K	Fracture of unspecified part of neck of right femur, subsequent encounter for closed fracture with nonunion	ICD-10-CM	Diagnosis
S72.001H	Fracture of unspecified part of neck of right femur, subsequent encounter for open fracture type I or II with delayed healing	ICD-10-CM	Diagnosis
S72.001Q	Fracture of unspecified part of neck of right femur, subsequent encounter for open fracture type I or II with malunion	ICD-10-CM	Diagnosis
S72.001M	Fracture of unspecified part of neck of right femur, subsequent encounter for open fracture type I or II with nonunion	ICD-10-CM	Diagnosis
S72.001E	Fracture of unspecified part of neck of right femur, subsequent encounter for open fracture type I or II with routine healing	ICD-10-CM	Diagnosis
S72.001J	Fracture of unspecified part of neck of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD-10-CM	Diagnosis
S72.001R	Fracture of unspecified part of neck of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD-10-CM	Diagnosis
S72.001N	Fracture of unspecified part of neck of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD-10-CM	Diagnosis
S72.001F	Fracture of unspecified part of neck of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD-10-CM	Diagnosis
S72.009B	Fracture of unspecified part of neck of unspecified femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S72.009C	Fracture of unspecified part of neck of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.009A	Fracture of unspecified part of neck of unspecified femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S72.009G	Fracture of unspecified part of neck of unspecified femur, subsequent encounter for closed fracture with delayed healing	ICD-10-CM	Diagnosis
S72.009D	Fracture of unspecified part of neck of unspecified femur, subsequent encounter for closed fracture with routine healing	ICD-10-CM	Diagnosis
S72.009P	Fracture of unspecified part of neck of unspecified femur, subsequent encounter for closed fracture with malunion	ICD-10-CM	Diagnosis
S72.009K	Fracture of unspecified part of neck of unspecified femur, subsequent encounter for closed fracture with nonunion	ICD-10-CM	Diagnosis
S72.009H	Fracture of unspecified part of neck of unspecified femur, subsequent encounter for open fracture type I or II with delayed healing	ICD-10-CM	Diagnosis
S72.009E	Fracture of unspecified part of neck of unspecified femur, subsequent encounter for open fracture type I or II with routine healing	ICD-10-CM	Diagnosis
S72.009J	Fracture of unspecified part of neck of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD-10-CM	Diagnosis
S72.009R	Fracture of unspecified part of neck of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD-10-CM	Diagnosis
S72.009N	Fracture of unspecified part of neck of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD-10-CM	Diagnosis
S72.009F	Fracture of unspecified part of neck of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD-10-CM	Diagnosis
S72.009Q	Fracture of unspecified part of neck of unspecified femur, subsequent encounter for open fracture type I or II with malunion	ICD-10-CM	Diagnosis
S72.009M	Fracture of unspecified part of neck of unspecified femur, subsequent encounter for open fracture type I or II with nonunion	ICD-10-CM	Diagnosis
S42.001P	Fracture of unspecified part of right clavicle, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S42.001K	Fracture of unspecified part of right clavicle, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S42.001D	Fracture of unspecified part of right clavicle, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S42.001G	Fracture of unspecified part of right clavicle, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S42.102G	Fracture of unspecified part of scapula, left shoulder, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S42.102P	Fracture of unspecified part of scapula, left shoulder, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S42.102K	Fracture of unspecified part of scapula, left shoulder, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis



**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S42.102D	Fracture of unspecified part of scapula, left shoulder, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S42.101G	Fracture of unspecified part of scapula, right shoulder, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S42.101P	Fracture of unspecified part of scapula, right shoulder, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S42.101K	Fracture of unspecified part of scapula, right shoulder, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S42.101D	Fracture of unspecified part of scapula, right shoulder, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S42.109G	Fracture of unspecified part of scapula, unspecified shoulder, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S42.109P	Fracture of unspecified part of scapula, unspecified shoulder, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S42.109K	Fracture of unspecified part of scapula, unspecified shoulder, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S42.109D	Fracture of unspecified part of scapula, unspecified shoulder, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S42.102A	Fracture of unspecified part of scapula, left shoulder, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.102B	Fracture of unspecified part of scapula, left shoulder, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.101A	Fracture of unspecified part of scapula, right shoulder, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.101B	Fracture of unspecified part of scapula, right shoulder, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.109A	Fracture of unspecified part of scapula, unspecified shoulder, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.109B	Fracture of unspecified part of scapula, unspecified shoulder, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.009A	Fracture of unspecified part of unspecified clavicle, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.009B	Fracture of unspecified part of unspecified clavicle, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.009G	Fracture of unspecified part of unspecified clavicle, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S42.009P	Fracture of unspecified part of unspecified clavicle, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S42.009K	Fracture of unspecified part of unspecified clavicle, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S42.009D	Fracture of unspecified part of unspecified clavicle, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S62.502A	Fracture of unspecified phalanx of left thumb, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S62.502B	Fracture of unspecified phalanx of left thumb, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.502P	Fracture of unspecified phalanx of left thumb, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S62.502K	Fracture of unspecified phalanx of left thumb, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S62.607A	Fracture of unspecified phalanx of left little finger, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S62.607B	Fracture of unspecified phalanx of left little finger, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.603A	Fracture of unspecified phalanx of left middle finger, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S62.603B	Fracture of unspecified phalanx of left middle finger, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.502G	Fracture of unspecified phalanx of left thumb, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S62.502D	Fracture of unspecified phalanx of left thumb, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S62.608A	Fracture of unspecified phalanx of other finger, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S62.608B	Fracture of unspecified phalanx of other finger, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.501A	Fracture of unspecified phalanx of right thumb, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S62.501B	Fracture of unspecified phalanx of right thumb, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.501P	Fracture of unspecified phalanx of right thumb, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S62.501K	Fracture of unspecified phalanx of right thumb, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S62.606A	Fracture of unspecified phalanx of right little finger, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S62.606B	Fracture of unspecified phalanx of right little finger, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.602A	Fracture of unspecified phalanx of right middle finger, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S62.602B	Fracture of unspecified phalanx of right middle finger, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.501G	Fracture of unspecified phalanx of right thumb, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S62.501D	Fracture of unspecified phalanx of right thumb, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S62.609A	Fracture of unspecified phalanx of unspecified finger, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S62.609B	Fracture of unspecified phalanx of unspecified finger, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.509A	Fracture of unspecified phalanx of unspecified thumb, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S62.509B	Fracture of unspecified phalanx of unspecified thumb, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.509G	Fracture of unspecified phalanx of unspecified thumb, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S62.509P	Fracture of unspecified phalanx of unspecified thumb, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S62.509K	Fracture of unspecified phalanx of unspecified thumb, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S62.509D	Fracture of unspecified phalanx of unspecified thumb, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S62.601A	Fracture of unspecified phalanx of left index finger, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S62.601B	Fracture of unspecified phalanx of left index finger, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.601G	Fracture of unspecified phalanx of left index finger, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S62.601P	Fracture of unspecified phalanx of left index finger, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S62.601K	Fracture of unspecified phalanx of left index finger, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S62.601D	Fracture of unspecified phalanx of left index finger, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S62.607G	Fracture of unspecified phalanx of left little finger, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S62.607P	Fracture of unspecified phalanx of left little finger, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S62.607K	Fracture of unspecified phalanx of left little finger, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S62.607D	Fracture of unspecified phalanx of left little finger, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S62.603G	Fracture of unspecified phalanx of left middle finger, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S62.605G	Fracture of unspecified phalanx of left ring finger, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S62.603P	Fracture of unspecified phalanx of left middle finger, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S62.605P	Fracture of unspecified phalanx of left ring finger, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S62.603K	Fracture of unspecified phalanx of left middle finger, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S62.605K	Fracture of unspecified phalanx of left ring finger, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S62.603D	Fracture of unspecified phalanx of left middle finger, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S62.605D	Fracture of unspecified phalanx of left ring finger, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S62.605A	Fracture of unspecified phalanx of left ring finger, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S62.605B	Fracture of unspecified phalanx of left ring finger, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.608G	Fracture of unspecified phalanx of other finger, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S62.608D	Fracture of unspecified phalanx of other finger, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S62.608P	Fracture of unspecified phalanx of other finger, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S62.608K	Fracture of unspecified phalanx of other finger, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S62.600A	Fracture of unspecified phalanx of right index finger, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S62.600B	Fracture of unspecified phalanx of right index finger, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.600G	Fracture of unspecified phalanx of right index finger, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S62.600P	Fracture of unspecified phalanx of right index finger, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S62.600K	Fracture of unspecified phalanx of right index finger, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S62.600D	Fracture of unspecified phalanx of right index finger, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S62.606G	Fracture of unspecified phalanx of right little finger, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S62.606P	Fracture of unspecified phalanx of right little finger, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S62.606K	Fracture of unspecified phalanx of right little finger, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S62.606D	Fracture of unspecified phalanx of right little finger, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S62.602G	Fracture of unspecified phalanx of right middle finger, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S62.604G	Fracture of unspecified phalanx of right ring finger, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S62.602P	Fracture of unspecified phalanx of right middle finger, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S62.604P	Fracture of unspecified phalanx of right ring finger, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S62.602K	Fracture of unspecified phalanx of right middle finger, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S62.604K	Fracture of unspecified phalanx of right ring finger, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S62.602D	Fracture of unspecified phalanx of right middle finger, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S62.604D	Fracture of unspecified phalanx of right ring finger, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S62.604A	Fracture of unspecified phalanx of right ring finger, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S62.604B	Fracture of unspecified phalanx of right ring finger, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.609G	Fracture of unspecified phalanx of unspecified finger, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S62.609D	Fracture of unspecified phalanx of unspecified finger, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S62.609P	Fracture of unspecified phalanx of unspecified finger, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S62.609K	Fracture of unspecified phalanx of unspecified finger, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S42.90XA	Fracture of unspecified shoulder girdle, part unspecified, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.90XB	Fracture of unspecified shoulder girdle, part unspecified, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.90XG	Fracture of unspecified shoulder girdle, part unspecified, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S42.90XP	Fracture of unspecified shoulder girdle, part unspecified, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S42.90XK	Fracture of unspecified shoulder girdle, part unspecified, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S42.90XD	Fracture of unspecified shoulder girdle, part unspecified, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S92.202A	Fracture of unspecified tarsal bone(s) of left foot, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S92.202B	Fracture of unspecified tarsal bone(s) of left foot, initial encounter for open fracture	ICD-10-CM	Diagnosis
S92.202G	Fracture of unspecified tarsal bone(s) of left foot, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S92.202P	Fracture of unspecified tarsal bone(s) of left foot, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S92.202K	Fracture of unspecified tarsal bone(s) of left foot, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S92.202D	Fracture of unspecified tarsal bone(s) of left foot, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S92.201A	Fracture of unspecified tarsal bone(s) of right foot, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S92.201B	Fracture of unspecified tarsal bone(s) of right foot, initial encounter for open fracture	ICD-10-CM	Diagnosis
S92.201G	Fracture of unspecified tarsal bone(s) of right foot, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S92.201P	Fracture of unspecified tarsal bone(s) of right foot, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S92.201K	Fracture of unspecified tarsal bone(s) of right foot, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S92.201D	Fracture of unspecified tarsal bone(s) of right foot, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S92.209A	Fracture of unspecified tarsal bone(s) of unspecified foot, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S92.209B	Fracture of unspecified tarsal bone(s) of unspecified foot, initial encounter for open fracture	ICD-10-CM	Diagnosis
S92.209G	Fracture of unspecified tarsal bone(s) of unspecified foot, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S92.209P	Fracture of unspecified tarsal bone(s) of unspecified foot, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S92.209K	Fracture of unspecified tarsal bone(s) of unspecified foot, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S92.209D	Fracture of unspecified tarsal bone(s) of unspecified foot, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S02.0XXG	Fracture of vault of skull, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S02.0XXK	Fracture of vault of skull, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S02.0XXD	Fracture of vault of skull, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis



**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S22.24XK	Fracture of xiphoid process, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S22.24XD	Fracture of xiphoid process, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S22.24XG	Fracture of xiphoid process, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S52.372S	Galeazzi's fracture of left radius, sequela	ICD-10-CM	Diagnosis
S52.371S	Galeazzi's fracture of right radius, sequela	ICD-10-CM	Diagnosis
S52.379S	Galeazzi's fracture of unspecified radius, sequela	ICD-10-CM	Diagnosis
S52.372B	Galeazzi's fracture of left radius, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S52.372C	Galeazzi's fracture of left radius, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S52.372A	Galeazzi's fracture of left radius, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.372G	Galeazzi's fracture of left radius, subsequent encounter for closed fracture with delayed healing	ICD-10-CM	Diagnosis
S52.372D	Galeazzi's fracture of left radius, subsequent encounter for closed fracture with routine healing	ICD-10-CM	Diagnosis
S52.372H	Galeazzi's fracture of left radius, subsequent encounter for open fracture type I or II with delayed healing	ICD-10-CM	Diagnosis
S52.372Q	Galeazzi's fracture of left radius, subsequent encounter for open fracture type I or II with malunion	ICD-10-CM	Diagnosis
S52.372M	Galeazzi's fracture of left radius, subsequent encounter for open fracture type I or II with nonunion	ICD-10-CM	Diagnosis
S52.372E	Galeazzi's fracture of left radius, subsequent encounter for open fracture type I or II with routine healing	ICD-10-CM	Diagnosis
S52.372J	Galeazzi's fracture of left radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD-10-CM	Diagnosis
S52.372R	Galeazzi's fracture of left radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD-10-CM	Diagnosis
S52.372N	Galeazzi's fracture of left radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD-10-CM	Diagnosis
S52.372F	Galeazzi's fracture of left radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD-10-CM	Diagnosis
S52.372P	Galeazzi's fracture of left radius, subsequent encounter for closed fracture with malunion	ICD-10-CM	Diagnosis
S52.372K	Galeazzi's fracture of left radius, subsequent encounter for closed fracture with nonunion	ICD-10-CM	Diagnosis
S52.371B	Galeazzi's fracture of right radius, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S52.371C	Galeazzi's fracture of right radius, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S52.371A	Galeazzi's fracture of right radius, initial encounter for closed fracture	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S52.371P	Galeazzi's fracture of right radius, subsequent encounter for closed fracture with malunion	ICD-10-CM	Diagnosis
S52.371K	Galeazzi's fracture of right radius, subsequent encounter for closed fracture with nonunion	ICD-10-CM	Diagnosis
S52.371H	Galeazzi's fracture of right radius, subsequent encounter for open fracture type I or II with delayed healing	ICD-10-CM	Diagnosis
S52.371Q	Galeazzi's fracture of right radius, subsequent encounter for open fracture type I or II with malunion	ICD-10-CM	Diagnosis
S52.371M	Galeazzi's fracture of right radius, subsequent encounter for open fracture type I or II with nonunion	ICD-10-CM	Diagnosis
S52.371E	Galeazzi's fracture of right radius, subsequent encounter for open fracture type I or II with routine healing	ICD-10-CM	Diagnosis
S52.371J	Galeazzi's fracture of right radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD-10-CM	Diagnosis
S52.371R	Galeazzi's fracture of right radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD-10-CM	Diagnosis
S52.371N	Galeazzi's fracture of right radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD-10-CM	Diagnosis
S52.371F	Galeazzi's fracture of right radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD-10-CM	Diagnosis
S52.371G	Galeazzi's fracture of right radius, subsequent encounter for closed fracture with delayed healing	ICD-10-CM	Diagnosis
S52.371D	Galeazzi's fracture of right radius, subsequent encounter for closed fracture with routine healing	ICD-10-CM	Diagnosis
S52.379B	Galeazzi's fracture of unspecified radius, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S52.379C	Galeazzi's fracture of unspecified radius, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S52.379A	Galeazzi's fracture of unspecified radius, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.379H	Galeazzi's fracture of unspecified radius, subsequent encounter for open fracture type I or II with delayed healing	ICD-10-CM	Diagnosis
S52.379Q	Galeazzi's fracture of unspecified radius, subsequent encounter for open fracture type I or II with malunion	ICD-10-CM	Diagnosis
S52.379M	Galeazzi's fracture of unspecified radius, subsequent encounter for open fracture type I or II with nonunion	ICD-10-CM	Diagnosis
S52.379E	Galeazzi's fracture of unspecified radius, subsequent encounter for open fracture type I or II with routine healing	ICD-10-CM	Diagnosis
S52.379R	Galeazzi's fracture of unspecified radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD-10-CM	Diagnosis
S52.379N	Galeazzi's fracture of unspecified radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S52.379F	Galeazzi's fracture of unspecified radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD-10-CM	Diagnosis
S52.379G	Galeazzi's fracture of unspecified radius, subsequent encounter for closed fracture with delayed healing	ICD-10-CM	Diagnosis
S52.379P	Galeazzi's fracture of unspecified radius, subsequent encounter for closed fracture with malunion	ICD-10-CM	Diagnosis
S52.379K	Galeazzi's fracture of unspecified radius, subsequent encounter for closed fracture with nonunion	ICD-10-CM	Diagnosis
S52.379D	Galeazzi's fracture of unspecified radius, subsequent encounter for closed fracture with routine healing	ICD-10-CM	Diagnosis
S52.379J	Galeazzi's fracture of unspecified radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD-10-CM	Diagnosis
S42.319S	Greenstick fracture of shaft of humerus, unspecified arm, sequela	ICD-10-CM	Diagnosis
S42.312S	Greenstick fracture of shaft of humerus, left arm, sequela	ICD-10-CM	Diagnosis
S42.311S	Greenstick fracture of shaft of humerus, right arm, sequela	ICD-10-CM	Diagnosis
S52.212S	Greenstick fracture of shaft of left ulna, sequela	ICD-10-CM	Diagnosis
S52.211S	Greenstick fracture of shaft of right ulna, sequela	ICD-10-CM	Diagnosis
S52.312S	Greenstick fracture of shaft of radius, left arm, sequela	ICD-10-CM	Diagnosis
S52.311S	Greenstick fracture of shaft of radius, right arm, sequela	ICD-10-CM	Diagnosis
S52.319S	Greenstick fracture of shaft of radius, unspecified arm, sequela	ICD-10-CM	Diagnosis
S52.219S	Greenstick fracture of shaft of unspecified ulna, sequela	ICD-10-CM	Diagnosis
S42.312A	Greenstick fracture of shaft of humerus, left arm, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.312G	Greenstick fracture of shaft of humerus, left arm, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S42.312P	Greenstick fracture of shaft of humerus, left arm, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S42.312K	Greenstick fracture of shaft of humerus, left arm, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S42.312D	Greenstick fracture of shaft of humerus, left arm, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S42.311A	Greenstick fracture of shaft of humerus, right arm, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.311G	Greenstick fracture of shaft of humerus, right arm, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S42.311P	Greenstick fracture of shaft of humerus, right arm, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S42.311K	Greenstick fracture of shaft of humerus, right arm, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S42.311D	Greenstick fracture of shaft of humerus, right arm, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S42.319A	Greenstick fracture of shaft of humerus, unspecified arm, initial encounter for closed fracture	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S42.319G	Greenstick fracture of shaft of humerus, unspecified arm, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S42.319P	Greenstick fracture of shaft of humerus, unspecified arm, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S42.319K	Greenstick fracture of shaft of humerus, unspecified arm, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S42.319D	Greenstick fracture of shaft of humerus, unspecified arm, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S52.212G	Greenstick fracture of shaft of left ulna, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S52.212D	Greenstick fracture of shaft of left ulna, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S52.212P	Greenstick fracture of shaft of left ulna, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S52.212K	Greenstick fracture of shaft of left ulna, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S52.312A	Greenstick fracture of shaft of radius, left arm, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.312G	Greenstick fracture of shaft of radius, left arm, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S52.312P	Greenstick fracture of shaft of radius, left arm, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S52.312K	Greenstick fracture of shaft of radius, left arm, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S52.312D	Greenstick fracture of shaft of radius, left arm, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S52.311A	Greenstick fracture of shaft of radius, right arm, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.311G	Greenstick fracture of shaft of radius, right arm, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S52.311P	Greenstick fracture of shaft of radius, right arm, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S52.311K	Greenstick fracture of shaft of radius, right arm, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S52.311D	Greenstick fracture of shaft of radius, right arm, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S52.319A	Greenstick fracture of shaft of radius, unspecified arm, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.319G	Greenstick fracture of shaft of radius, unspecified arm, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S52.319P	Greenstick fracture of shaft of radius, unspecified arm, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S52.319K	Greenstick fracture of shaft of radius, unspecified arm, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S52.319D	Greenstick fracture of shaft of radius, unspecified arm, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S52.211G	Greenstick fracture of shaft of right ulna, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S52.211D	Greenstick fracture of shaft of right ulna, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S52.211P	Greenstick fracture of shaft of right ulna, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S52.211K	Greenstick fracture of shaft of right ulna, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S52.219G	Greenstick fracture of shaft of unspecified ulna, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S52.219P	Greenstick fracture of shaft of unspecified ulna, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S52.219K	Greenstick fracture of shaft of unspecified ulna, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S52.219D	Greenstick fracture of shaft of unspecified ulna, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S52.212A	Greenstick fracture of shaft of left ulna, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.211A	Greenstick fracture of shaft of right ulna, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.219A	Greenstick fracture of shaft of unspecified ulna, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.448A	Incarcerated fracture (avulsion) of medial epicondyle of left humerus, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.448B	Incarcerated fracture (avulsion) of medial epicondyle of left humerus, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.448G	Incarcerated fracture (avulsion) of medial epicondyle of left humerus, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S42.448P	Incarcerated fracture (avulsion) of medial epicondyle of left humerus, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S42.448K	Incarcerated fracture (avulsion) of medial epicondyle of left humerus, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S42.448D	Incarcerated fracture (avulsion) of medial epicondyle of left humerus, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S42.447B	Incarcerated fracture (avulsion) of medial epicondyle of right humerus, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.447G	Incarcerated fracture (avulsion) of medial epicondyle of right humerus, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S42.447P	Incarcerated fracture (avulsion) of medial epicondyle of right humerus, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S42.447K	Incarcerated fracture (avulsion) of medial epicondyle of right humerus, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S42.447D	Incarcerated fracture (avulsion) of medial epicondyle of right humerus, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S42.449A	Incarcerated fracture (avulsion) of medial epicondyle of unspecified humerus, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.449B	Incarcerated fracture (avulsion) of medial epicondyle of unspecified humerus, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.449G	Incarcerated fracture (avulsion) of medial epicondyle of unspecified humerus, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S42.449P	Incarcerated fracture (avulsion) of medial epicondyle of unspecified humerus, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S42.449K	Incarcerated fracture (avulsion) of medial epicondyle of unspecified humerus, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S42.449D	Incarcerated fracture (avulsion) of medial epicondyle of unspecified humerus, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S42.447A	Incarcerated fracture (avulsion) of medial epicondyle of right humerus, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.448S	Incarcerated fracture (avulsion) of medial epicondyle of left humerus, sequela	ICD-10-CM	Diagnosis
S42.447S	Incarcerated fracture (avulsion) of medial epicondyle of right humerus, sequela	ICD-10-CM	Diagnosis
S42.449S	Incarcerated fracture (avulsion) of medial epicondyle of unspecified humerus, sequela	ICD-10-CM	Diagnosis
M84.752G	Incomplete atypical femoral fracture, left leg, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
M84.751G	Incomplete atypical femoral fracture, right leg, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
M84.751D	Incomplete atypical femoral fracture, right leg, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
M84.753G	Incomplete atypical femoral fracture, unspecified leg, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
M84.753D	Incomplete atypical femoral fracture, unspecified leg, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
M84.752P	Incomplete atypical femoral fracture, left leg, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
M84.752K	Incomplete atypical femoral fracture, left leg, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
M84.752D	Incomplete atypical femoral fracture, left leg, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis



**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
M84.751P	Incomplete atypical femoral fracture, right leg, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
M84.751K	Incomplete atypical femoral fracture, right leg, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
M84.753P	Incomplete atypical femoral fracture, unspecified leg, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
M84.753K	Incomplete atypical femoral fracture, unspecified leg, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
M84.753A	Incomplete atypical femoral fracture, unspecified leg, initial encounter for fracture	ICD-10-CM	Diagnosis
M84.752S	Incomplete atypical femoral fracture, left leg, sequela	ICD-10-CM	Diagnosis
M84.751S	Incomplete atypical femoral fracture, right leg, sequela	ICD-10-CM	Diagnosis
M84.753S	Incomplete atypical femoral fracture, unspecified leg, sequela	ICD-10-CM	Diagnosis
M84.752A	Incomplete atypical femoral fracture, left leg, initial encounter for fracture	ICD-10-CM	Diagnosis
M84.751A	Incomplete atypical femoral fracture, right leg, initial encounter for fracture	ICD-10-CM	Diagnosis
S43.149D	Inferior dislocation of unspecified acromioclavicular joint, subsequent encounter	ICD-10-CM	Diagnosis
S43.142A	Inferior dislocation of left acromioclavicular joint, initial encounter	ICD-10-CM	Diagnosis
S43.142D	Inferior dislocation of left acromioclavicular joint, subsequent encounter	ICD-10-CM	Diagnosis
S43.035A	Inferior dislocation of left humerus, initial encounter	ICD-10-CM	Diagnosis
S43.035D	Inferior dislocation of left humerus, subsequent encounter	ICD-10-CM	Diagnosis
S43.142S	Inferior dislocation of left acromioclavicular joint, sequela	ICD-10-CM	Diagnosis
S43.035S	Inferior dislocation of left humerus, sequela	ICD-10-CM	Diagnosis
S43.141S	Inferior dislocation of right acromioclavicular joint, sequela	ICD-10-CM	Diagnosis
S43.034S	Inferior dislocation of right humerus, sequela	ICD-10-CM	Diagnosis
S43.141A	Inferior dislocation of right acromioclavicular joint, initial encounter	ICD-10-CM	Diagnosis
S43.141D	Inferior dislocation of right acromioclavicular joint, subsequent encounter	ICD-10-CM	Diagnosis
S43.034A	Inferior dislocation of right humerus, initial encounter	ICD-10-CM	Diagnosis
S43.034D	Inferior dislocation of right humerus, subsequent encounter	ICD-10-CM	Diagnosis
S43.149A	Inferior dislocation of unspecified acromioclavicular joint, initial encounter	ICD-10-CM	Diagnosis
S43.036A	Inferior dislocation of unspecified humerus, initial encounter	ICD-10-CM	Diagnosis
S43.036D	Inferior dislocation of unspecified humerus, subsequent encounter	ICD-10-CM	Diagnosis
S43.149S	Inferior dislocation of unspecified acromioclavicular joint, sequela	ICD-10-CM	Diagnosis
S43.036S	Inferior dislocation of unspecified humerus, sequela	ICD-10-CM	Diagnosis
S43.032D	Inferior subluxation of left humerus, subsequent encounter	ICD-10-CM	Diagnosis
S43.032A	Inferior subluxation of left humerus, initial encounter	ICD-10-CM	Diagnosis
S43.032S	Inferior subluxation of left humerus, sequela	ICD-10-CM	Diagnosis
S43.031S	Inferior subluxation of right humerus, sequela	ICD-10-CM	Diagnosis
S43.031A	Inferior subluxation of right humerus, initial encounter	ICD-10-CM	Diagnosis
S43.031D	Inferior subluxation of right humerus, subsequent encounter	ICD-10-CM	Diagnosis
S43.033A	Inferior subluxation of unspecified humerus, initial encounter	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S43.033D	Inferior subluxation of unspecified humerus, subsequent encounter	ICD-10-CM	Diagnosis
S43.033S	Inferior subluxation of unspecified humerus, sequela	ICD-10-CM	Diagnosis
S31.129A	Laceration of abdominal wall with foreign body, unspecified quadrant without penetration into peritoneal cavity, initial encounter	ICD-10-CM	Diagnosis
S31.129S	Laceration of abdominal wall with foreign body, unspecified quadrant without penetration into peritoneal cavity, sequela	ICD-10-CM	Diagnosis
S31.129D	Laceration of abdominal wall with foreign body, unspecified quadrant without penetration into peritoneal cavity, subsequent encounter	ICD-10-CM	Diagnosis
S31.122A	Laceration of abdominal wall with foreign body, epigastric region without penetration into peritoneal cavity, initial encounter	ICD-10-CM	Diagnosis
S31.122S	Laceration of abdominal wall with foreign body, epigastric region without penetration into peritoneal cavity, sequela	ICD-10-CM	Diagnosis
S31.122D	Laceration of abdominal wall with foreign body, epigastric region without penetration into peritoneal cavity, subsequent encounter	ICD-10-CM	Diagnosis
S31.124A	Laceration of abdominal wall with foreign body, left lower quadrant without penetration into peritoneal cavity, initial encounter	ICD-10-CM	Diagnosis
S31.124S	Laceration of abdominal wall with foreign body, left lower quadrant without penetration into peritoneal cavity, sequela	ICD-10-CM	Diagnosis
S31.124D	Laceration of abdominal wall with foreign body, left lower quadrant without penetration into peritoneal cavity, subsequent encounter	ICD-10-CM	Diagnosis
S31.121A	Laceration of abdominal wall with foreign body, left upper quadrant without penetration into peritoneal cavity, initial encounter	ICD-10-CM	Diagnosis
S31.121S	Laceration of abdominal wall with foreign body, left upper quadrant without penetration into peritoneal cavity, sequela	ICD-10-CM	Diagnosis
S31.121D	Laceration of abdominal wall with foreign body, left upper quadrant without penetration into peritoneal cavity, subsequent encounter	ICD-10-CM	Diagnosis
S31.125A	Laceration of abdominal wall with foreign body, periumbilic region without penetration into peritoneal cavity, initial encounter	ICD-10-CM	Diagnosis
S31.125S	Laceration of abdominal wall with foreign body, periumbilic region without penetration into peritoneal cavity, sequela	ICD-10-CM	Diagnosis
S31.125D	Laceration of abdominal wall with foreign body, periumbilic region without penetration into peritoneal cavity, subsequent encounter	ICD-10-CM	Diagnosis
S31.123A	Laceration of abdominal wall with foreign body, right lower quadrant without penetration into peritoneal cavity, initial encounter	ICD-10-CM	Diagnosis
S31.123S	Laceration of abdominal wall with foreign body, right lower quadrant without penetration into peritoneal cavity, sequela	ICD-10-CM	Diagnosis
S31.123D	Laceration of abdominal wall with foreign body, right lower quadrant without penetration into peritoneal cavity, subsequent encounter	ICD-10-CM	Diagnosis
S31.120A	Laceration of abdominal wall with foreign body, right upper quadrant without penetration into peritoneal cavity, initial encounter	ICD-10-CM	Diagnosis
S31.120S	Laceration of abdominal wall with foreign body, right upper quadrant without penetration into peritoneal cavity, sequela	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S31.120D	Laceration of abdominal wall with foreign body, right upper quadrant without penetration into peritoneal cavity, subsequent encounter	ICD-10-CM	Diagnosis
S76.222A	Laceration of adductor muscle, fascia and tendon of left thigh, initial encounter	ICD-10-CM	Diagnosis
S76.222S	Laceration of adductor muscle, fascia and tendon of left thigh, sequela	ICD-10-CM	Diagnosis
S76.222D	Laceration of adductor muscle, fascia and tendon of left thigh, subsequent encounter	ICD-10-CM	Diagnosis
S76.221A	Laceration of adductor muscle, fascia and tendon of right thigh, initial encounter	ICD-10-CM	Diagnosis
S76.221S	Laceration of adductor muscle, fascia and tendon of right thigh, sequela	ICD-10-CM	Diagnosis
S76.221D	Laceration of adductor muscle, fascia and tendon of right thigh, subsequent encounter	ICD-10-CM	Diagnosis
S76.229A	Laceration of adductor muscle, fascia and tendon of unspecified thigh, initial encounter	ICD-10-CM	Diagnosis
S76.229S	Laceration of adductor muscle, fascia and tendon of unspecified thigh, sequela	ICD-10-CM	Diagnosis
S76.229D	Laceration of adductor muscle, fascia and tendon of unspecified thigh, subsequent encounter	ICD-10-CM	Diagnosis
S56.422A	Laceration of extensor muscle, fascia and tendon of left index finger at forearm level, initial encounter	ICD-10-CM	Diagnosis
S56.422S	Laceration of extensor muscle, fascia and tendon of left index finger at forearm level, sequela	ICD-10-CM	Diagnosis
S56.422D	Laceration of extensor muscle, fascia and tendon of left index finger at forearm level, subsequent encounter	ICD-10-CM	Diagnosis
S56.428A	Laceration of extensor muscle, fascia and tendon of left little finger at forearm level, initial encounter	ICD-10-CM	Diagnosis
S56.428S	Laceration of extensor muscle, fascia and tendon of left little finger at forearm level, sequela	ICD-10-CM	Diagnosis
S56.428D	Laceration of extensor muscle, fascia and tendon of left little finger at forearm level, subsequent encounter	ICD-10-CM	Diagnosis
S56.424S	Laceration of extensor muscle, fascia and tendon of left middle finger at forearm level, sequela	ICD-10-CM	Diagnosis
S56.424A	Laceration of extensor muscle, fascia and tendon of left middle finger at forearm level, initial encounter	ICD-10-CM	Diagnosis
S56.424D	Laceration of extensor muscle, fascia and tendon of left middle finger at forearm level, subsequent encounter	ICD-10-CM	Diagnosis
S56.426A	Laceration of extensor muscle, fascia and tendon of left ring finger at forearm level, initial encounter	ICD-10-CM	Diagnosis
S56.426S	Laceration of extensor muscle, fascia and tendon of left ring finger at forearm level, sequela	ICD-10-CM	Diagnosis
S56.426D	Laceration of extensor muscle, fascia and tendon of left ring finger at forearm level, subsequent encounter	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S56.421A	Laceration of extensor muscle, fascia and tendon of right index finger at forearm level, initial encounter	ICD-10-CM	Diagnosis
S56.421S	Laceration of extensor muscle, fascia and tendon of right index finger at forearm level, sequela	ICD-10-CM	Diagnosis
S56.421D	Laceration of extensor muscle, fascia and tendon of right index finger at forearm level, subsequent encounter	ICD-10-CM	Diagnosis
S56.427A	Laceration of extensor muscle, fascia and tendon of right little finger at forearm level, initial encounter	ICD-10-CM	Diagnosis
S56.427S	Laceration of extensor muscle, fascia and tendon of right little finger at forearm level, sequela	ICD-10-CM	Diagnosis
S56.427D	Laceration of extensor muscle, fascia and tendon of right little finger at forearm level, subsequent encounter	ICD-10-CM	Diagnosis
S56.423A	Laceration of extensor muscle, fascia and tendon of right middle finger at forearm level, initial encounter	ICD-10-CM	Diagnosis
S56.423S	Laceration of extensor muscle, fascia and tendon of right middle finger at forearm level, sequela	ICD-10-CM	Diagnosis
S56.423D	Laceration of extensor muscle, fascia and tendon of right middle finger at forearm level, subsequent encounter	ICD-10-CM	Diagnosis
S56.425S	Laceration of extensor muscle, fascia and tendon of right ring finger at forearm level, sequela	ICD-10-CM	Diagnosis
S56.425D	Laceration of extensor muscle, fascia and tendon of right ring finger at forearm level, subsequent encounter	ICD-10-CM	Diagnosis
S56.425A	Laceration of extensor muscle, fascia and tendon of right ring finger at forearm level, initial encounter	ICD-10-CM	Diagnosis
S56.429A	Laceration of extensor muscle, fascia and tendon of unspecified finger at forearm level, initial encounter	ICD-10-CM	Diagnosis
S56.429S	Laceration of extensor muscle, fascia and tendon of unspecified finger at forearm level, sequela	ICD-10-CM	Diagnosis
S56.429D	Laceration of extensor muscle, fascia and tendon of unspecified finger at forearm level, subsequent encounter	ICD-10-CM	Diagnosis
S56.322A	Laceration of extensor or abductor muscles, fascia and tendons of left thumb at forearm level, initial encounter	ICD-10-CM	Diagnosis
S56.322S	Laceration of extensor or abductor muscles, fascia and tendons of left thumb at forearm level, sequela	ICD-10-CM	Diagnosis
S56.322D	Laceration of extensor or abductor muscles, fascia and tendons of left thumb at forearm level, subsequent encounter	ICD-10-CM	Diagnosis
S56.321A	Laceration of extensor or abductor muscles, fascia and tendons of right thumb at forearm level, initial encounter	ICD-10-CM	Diagnosis
S56.321S	Laceration of extensor or abductor muscles, fascia and tendons of right thumb at forearm level, sequela	ICD-10-CM	Diagnosis
S56.321D	Laceration of extensor or abductor muscles, fascia and tendons of right thumb at forearm level, subsequent encounter	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S56.329A	Laceration of extensor or abductor muscles, fascia and tendons of unspecified thumb at forearm level, initial encounter	ICD-10-CM	Diagnosis
S56.329S	Laceration of extensor or abductor muscles, fascia and tendons of unspecified thumb at forearm level, sequela	ICD-10-CM	Diagnosis
S56.329D	Laceration of extensor or abductor muscles, fascia and tendons of unspecified thumb at forearm level, subsequent encounter	ICD-10-CM	Diagnosis
S31.625A	Laceration with foreign body of abdominal wall, periumbilic region with penetration into peritoneal cavity, initial encounter	ICD-10-CM	Diagnosis
S31.625D	Laceration with foreign body of abdominal wall, periumbilic region with penetration into peritoneal cavity, subsequent encounter	ICD-10-CM	Diagnosis
S31.629A	Laceration with foreign body of abdominal wall, unspecified quadrant with penetration into peritoneal cavity, initial encounter	ICD-10-CM	Diagnosis
S31.629D	Laceration with foreign body of abdominal wall, unspecified quadrant with penetration into peritoneal cavity, subsequent encounter	ICD-10-CM	Diagnosis
S31.020A	Laceration with foreign body of lower back and pelvis without penetration into retroperitoneum, initial encounter	ICD-10-CM	Diagnosis
S31.020S	Laceration with foreign body of lower back and pelvis without penetration into retroperitoneum, sequela	ICD-10-CM	Diagnosis
S31.020D	Laceration with foreign body of lower back and pelvis without penetration into retroperitoneum, subsequent encounter	ICD-10-CM	Diagnosis
S21.122A	Laceration with foreign body of left front wall of thorax without penetration into thoracic cavity, initial encounter	ICD-10-CM	Diagnosis
S21.122S	Laceration with foreign body of left front wall of thorax without penetration into thoracic cavity, sequela	ICD-10-CM	Diagnosis
S21.122D	Laceration with foreign body of left front wall of thorax without penetration into thoracic cavity, subsequent encounter	ICD-10-CM	Diagnosis
S21.121A	Laceration with foreign body of right front wall of thorax without penetration into thoracic cavity, initial encounter	ICD-10-CM	Diagnosis
S21.121S	Laceration with foreign body of right front wall of thorax without penetration into thoracic cavity, sequela	ICD-10-CM	Diagnosis
S21.121D	Laceration with foreign body of right front wall of thorax without penetration into thoracic cavity, subsequent encounter	ICD-10-CM	Diagnosis
S21.129A	Laceration with foreign body of unspecified front wall of thorax without penetration into thoracic cavity, initial encounter	ICD-10-CM	Diagnosis
S21.129S	Laceration with foreign body of unspecified front wall of thorax without penetration into thoracic cavity, sequela	ICD-10-CM	Diagnosis
S21.129D	Laceration with foreign body of unspecified front wall of thorax without penetration into thoracic cavity, subsequent encounter	ICD-10-CM	Diagnosis
S66.121A	Laceration of flexor muscle, fascia and tendon of left index finger at wrist and hand level, initial encounter	ICD-10-CM	Diagnosis
S66.121S	Laceration of flexor muscle, fascia and tendon of left index finger at wrist and hand level, sequela	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S66.121D	Laceration of flexor muscle, fascia and tendon of left index finger at wrist and hand level, subsequent encounter	ICD-10-CM	Diagnosis
S66.127A	Laceration of flexor muscle, fascia and tendon of left little finger at wrist and hand level, initial encounter	ICD-10-CM	Diagnosis
S66.127S	Laceration of flexor muscle, fascia and tendon of left little finger at wrist and hand level, sequela	ICD-10-CM	Diagnosis
S66.127D	Laceration of flexor muscle, fascia and tendon of left little finger at wrist and hand level, subsequent encounter	ICD-10-CM	Diagnosis
S66.123A	Laceration of flexor muscle, fascia and tendon of left middle finger at wrist and hand level, initial encounter	ICD-10-CM	Diagnosis
S66.123S	Laceration of flexor muscle, fascia and tendon of left middle finger at wrist and hand level, sequela	ICD-10-CM	Diagnosis
S66.123D	Laceration of flexor muscle, fascia and tendon of left middle finger at wrist and hand level, subsequent encounter	ICD-10-CM	Diagnosis
S66.125A	Laceration of flexor muscle, fascia and tendon of left ring finger at wrist and hand level, initial encounter	ICD-10-CM	Diagnosis
S66.125S	Laceration of flexor muscle, fascia and tendon of left ring finger at wrist and hand level, sequela	ICD-10-CM	Diagnosis
S66.125D	Laceration of flexor muscle, fascia and tendon of left ring finger at wrist and hand level, subsequent encounter	ICD-10-CM	Diagnosis
S66.128A	Laceration of flexor muscle, fascia and tendon of other finger at wrist and hand level, initial encounter	ICD-10-CM	Diagnosis
S66.128S	Laceration of flexor muscle, fascia and tendon of other finger at wrist and hand level, sequela	ICD-10-CM	Diagnosis
S66.128D	Laceration of flexor muscle, fascia and tendon of other finger at wrist and hand level, subsequent encounter	ICD-10-CM	Diagnosis
S66.120A	Laceration of flexor muscle, fascia and tendon of right index finger at wrist and hand level, initial encounter	ICD-10-CM	Diagnosis
S66.120S	Laceration of flexor muscle, fascia and tendon of right index finger at wrist and hand level, sequela	ICD-10-CM	Diagnosis
S66.120D	Laceration of flexor muscle, fascia and tendon of right index finger at wrist and hand level, subsequent encounter	ICD-10-CM	Diagnosis
S66.126A	Laceration of flexor muscle, fascia and tendon of right little finger at wrist and hand level, initial encounter	ICD-10-CM	Diagnosis
S66.126S	Laceration of flexor muscle, fascia and tendon of right little finger at wrist and hand level, sequela	ICD-10-CM	Diagnosis
S66.126D	Laceration of flexor muscle, fascia and tendon of right little finger at wrist and hand level, subsequent encounter	ICD-10-CM	Diagnosis
S66.122A	Laceration of flexor muscle, fascia and tendon of right middle finger at wrist and hand level, initial encounter	ICD-10-CM	Diagnosis
S66.122S	Laceration of flexor muscle, fascia and tendon of right middle finger at wrist and hand level, sequela	ICD-10-CM	Diagnosis



**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S66.122D	Laceration of flexor muscle, fascia and tendon of right middle finger at wrist and hand level, subsequent encounter	ICD-10-CM	Diagnosis
S66.124A	Laceration of flexor muscle, fascia and tendon of right ring finger at wrist and hand level, initial encounter	ICD-10-CM	Diagnosis
S66.124S	Laceration of flexor muscle, fascia and tendon of right ring finger at wrist and hand level, sequela	ICD-10-CM	Diagnosis
S66.124D	Laceration of flexor muscle, fascia and tendon of right ring finger at wrist and hand level, subsequent encounter	ICD-10-CM	Diagnosis
S66.129A	Laceration of flexor muscle, fascia and tendon of unspecified finger at wrist and hand level, initial encounter	ICD-10-CM	Diagnosis
S66.129S	Laceration of flexor muscle, fascia and tendon of unspecified finger at wrist and hand level, sequela	ICD-10-CM	Diagnosis
S66.129D	Laceration of flexor muscle, fascia and tendon of unspecified finger at wrist and hand level, subsequent encounter	ICD-10-CM	Diagnosis
S56.122A	Laceration of flexor muscle, fascia and tendon of left index finger at forearm level, initial encounter	ICD-10-CM	Diagnosis
S56.122S	Laceration of flexor muscle, fascia and tendon of left index finger at forearm level, sequela	ICD-10-CM	Diagnosis
S56.122D	Laceration of flexor muscle, fascia and tendon of left index finger at forearm level, subsequent encounter	ICD-10-CM	Diagnosis
S56.128A	Laceration of flexor muscle, fascia and tendon of left little finger at forearm level, initial encounter	ICD-10-CM	Diagnosis
S56.128S	Laceration of flexor muscle, fascia and tendon of left little finger at forearm level, sequela	ICD-10-CM	Diagnosis
S56.128D	Laceration of flexor muscle, fascia and tendon of left little finger at forearm level, subsequent encounter	ICD-10-CM	Diagnosis
S56.124A	Laceration of flexor muscle, fascia and tendon of left middle finger at forearm level, initial encounter	ICD-10-CM	Diagnosis
S56.124S	Laceration of flexor muscle, fascia and tendon of left middle finger at forearm level, sequela	ICD-10-CM	Diagnosis
S56.124D	Laceration of flexor muscle, fascia and tendon of left middle finger at forearm level, subsequent encounter	ICD-10-CM	Diagnosis
S56.126A	Laceration of flexor muscle, fascia and tendon of left ring finger at forearm level, initial encounter	ICD-10-CM	Diagnosis
S56.126S	Laceration of flexor muscle, fascia and tendon of left ring finger at forearm level, sequela	ICD-10-CM	Diagnosis
S56.126D	Laceration of flexor muscle, fascia and tendon of left ring finger at forearm level, subsequent encounter	ICD-10-CM	Diagnosis
S56.121A	Laceration of flexor muscle, fascia and tendon of right index finger at forearm level, initial encounter	ICD-10-CM	Diagnosis
S56.121S	Laceration of flexor muscle, fascia and tendon of right index finger at forearm level, sequela	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S56.121D	Laceration of flexor muscle, fascia and tendon of right index finger at forearm level, subsequent encounter	ICD-10-CM	Diagnosis
S56.127A	Laceration of flexor muscle, fascia and tendon of right little finger at forearm level, initial encounter	ICD-10-CM	Diagnosis
S56.127S	Laceration of flexor muscle, fascia and tendon of right little finger at forearm level, sequela	ICD-10-CM	Diagnosis
S56.127D	Laceration of flexor muscle, fascia and tendon of right little finger at forearm level, subsequent encounter	ICD-10-CM	Diagnosis
S56.123A	Laceration of flexor muscle, fascia and tendon of right middle finger at forearm level, initial encounter	ICD-10-CM	Diagnosis
S56.123S	Laceration of flexor muscle, fascia and tendon of right middle finger at forearm level, sequela	ICD-10-CM	Diagnosis
S56.123D	Laceration of flexor muscle, fascia and tendon of right middle finger at forearm level, subsequent encounter	ICD-10-CM	Diagnosis
S56.125A	Laceration of flexor muscle, fascia and tendon of right ring finger at forearm level, initial encounter	ICD-10-CM	Diagnosis
S56.125S	Laceration of flexor muscle, fascia and tendon of right ring finger at forearm level, sequela	ICD-10-CM	Diagnosis
S56.125D	Laceration of flexor muscle, fascia and tendon of right ring finger at forearm level, subsequent encounter	ICD-10-CM	Diagnosis
S56.129A	Laceration of flexor muscle, fascia and tendon of unspecified finger at forearm level, initial encounter	ICD-10-CM	Diagnosis
S56.129S	Laceration of flexor muscle, fascia and tendon of unspecified finger at forearm level, sequela	ICD-10-CM	Diagnosis
S56.129D	Laceration of flexor muscle, fascia and tendon of unspecified finger at forearm level, subsequent encounter	ICD-10-CM	Diagnosis
S56.022A	Laceration of flexor muscle, fascia and tendon of left thumb at forearm level, initial encounter	ICD-10-CM	Diagnosis
S56.022S	Laceration of flexor muscle, fascia and tendon of left thumb at forearm level, sequela	ICD-10-CM	Diagnosis
S56.022D	Laceration of flexor muscle, fascia and tendon of left thumb at forearm level, subsequent encounter	ICD-10-CM	Diagnosis
S56.021A	Laceration of flexor muscle, fascia and tendon of right thumb at forearm level, initial encounter	ICD-10-CM	Diagnosis
S56.021S	Laceration of flexor muscle, fascia and tendon of right thumb at forearm level, sequela	ICD-10-CM	Diagnosis
S56.021D	Laceration of flexor muscle, fascia and tendon of right thumb at forearm level, subsequent encounter	ICD-10-CM	Diagnosis
S56.029A	Laceration of flexor muscle, fascia and tendon of unspecified thumb at forearm level, initial encounter	ICD-10-CM	Diagnosis
S56.029S	Laceration of flexor muscle, fascia and tendon of unspecified thumb at forearm level, sequela	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S56.029D	Laceration of flexor muscle, fascia and tendon of unspecified thumb at forearm level, subsequent encounter	ICD-10-CM	Diagnosis
S96.222A	Laceration of intrinsic muscle and tendon at ankle and foot level, left foot, initial encounter	ICD-10-CM	Diagnosis
S96.222D	Laceration of intrinsic muscle and tendon at ankle and foot level, left foot, subsequent encounter	ICD-10-CM	Diagnosis
S96.222S	Laceration of intrinsic muscle and tendon at ankle and foot level, left foot, sequela	ICD-10-CM	Diagnosis
S96.221A	Laceration of intrinsic muscle and tendon at ankle and foot level, right foot, initial encounter	ICD-10-CM	Diagnosis
S96.221D	Laceration of intrinsic muscle and tendon at ankle and foot level, right foot, subsequent encounter	ICD-10-CM	Diagnosis
S96.221S	Laceration of intrinsic muscle and tendon at ankle and foot level, right foot, sequela	ICD-10-CM	Diagnosis
S96.229A	Laceration of intrinsic muscle and tendon at ankle and foot level, unspecified foot, initial encounter	ICD-10-CM	Diagnosis
S96.229D	Laceration of intrinsic muscle and tendon at ankle and foot level, unspecified foot, subsequent encounter	ICD-10-CM	Diagnosis
S96.229S	Laceration of intrinsic muscle and tendon at ankle and foot level, unspecified foot, sequela	ICD-10-CM	Diagnosis
S66.022A	Laceration of long flexor muscle, fascia and tendon of left thumb at wrist and hand level, initial encounter	ICD-10-CM	Diagnosis
S66.022S	Laceration of long flexor muscle, fascia and tendon of left thumb at wrist and hand level, sequela	ICD-10-CM	Diagnosis
S66.022D	Laceration of long flexor muscle, fascia and tendon of left thumb at wrist and hand level, subsequent encounter	ICD-10-CM	Diagnosis
S66.021A	Laceration of long flexor muscle, fascia and tendon of right thumb at wrist and hand level, initial encounter	ICD-10-CM	Diagnosis
S66.021S	Laceration of long flexor muscle, fascia and tendon of right thumb at wrist and hand level, sequela	ICD-10-CM	Diagnosis
S66.021D	Laceration of long flexor muscle, fascia and tendon of right thumb at wrist and hand level, subsequent encounter	ICD-10-CM	Diagnosis
S66.029A	Laceration of long flexor muscle, fascia and tendon of unspecified thumb at wrist and hand level, initial encounter	ICD-10-CM	Diagnosis
S66.029S	Laceration of long flexor muscle, fascia and tendon of unspecified thumb at wrist and hand level, sequela	ICD-10-CM	Diagnosis
S66.029D	Laceration of long flexor muscle, fascia and tendon of unspecified thumb at wrist and hand level, subsequent encounter	ICD-10-CM	Diagnosis
S46.022A	Laceration of muscle(s) and tendon(s) of the rotator cuff of left shoulder, initial encounter	ICD-10-CM	Diagnosis
S46.022D	Laceration of muscle(s) and tendon(s) of the rotator cuff of left shoulder, subsequent encounter	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S46.021A	Laceration of muscle(s) and tendon(s) of the rotator cuff of right shoulder, initial encounter	ICD-10-CM	Diagnosis
S46.021D	Laceration of muscle(s) and tendon(s) of the rotator cuff of right shoulder, subsequent encounter	ICD-10-CM	Diagnosis
S46.029A	Laceration of muscle(s) and tendon(s) of the rotator cuff of unspecified shoulder, initial encounter	ICD-10-CM	Diagnosis
S46.029S	Laceration of muscle(s) and tendon(s) of the rotator cuff of unspecified shoulder, sequela	ICD-10-CM	Diagnosis
S46.029D	Laceration of muscle(s) and tendon(s) of the rotator cuff of unspecified shoulder, subsequent encounter	ICD-10-CM	Diagnosis
S46.122D	Laceration of muscle, fascia and tendon of long head of biceps, left arm, subsequent encounter	ICD-10-CM	Diagnosis
S46.121D	Laceration of muscle, fascia and tendon of long head of biceps, right arm, subsequent encounter	ICD-10-CM	Diagnosis
S46.122S	Laceration of muscle, fascia and tendon of long head of biceps, left arm, sequela	ICD-10-CM	Diagnosis
S46.121S	Laceration of muscle, fascia and tendon of long head of biceps, right arm, sequela	ICD-10-CM	Diagnosis
S46.129S	Laceration of muscle, fascia and tendon of long head of biceps, unspecified arm, sequela	ICD-10-CM	Diagnosis
S16.2XXD	Laceration of muscle, fascia and tendon at neck level, subsequent encounter	ICD-10-CM	Diagnosis
S46.122A	Laceration of muscle, fascia and tendon of long head of biceps, left arm, initial encounter	ICD-10-CM	Diagnosis
S46.121A	Laceration of muscle, fascia and tendon of long head of biceps, right arm, initial encounter	ICD-10-CM	Diagnosis
S46.129A	Laceration of muscle, fascia and tendon of long head of biceps, unspecified arm, initial encounter	ICD-10-CM	Diagnosis
S46.129D	Laceration of muscle, fascia and tendon of long head of biceps, unspecified arm, subsequent encounter	ICD-10-CM	Diagnosis
S46.222D	Laceration of muscle, fascia and tendon of other parts of biceps, left arm, subsequent encounter	ICD-10-CM	Diagnosis
S46.221D	Laceration of muscle, fascia and tendon of other parts of biceps, right arm, subsequent encounter	ICD-10-CM	Diagnosis
S76.322A	Laceration of muscle, fascia and tendon of the posterior muscle group at thigh level, left thigh, initial encounter	ICD-10-CM	Diagnosis
S76.322D	Laceration of muscle, fascia and tendon of the posterior muscle group at thigh level, left thigh, subsequent encounter	ICD-10-CM	Diagnosis
S76.322S	Laceration of muscle, fascia and tendon of the posterior muscle group at thigh level, left thigh, sequela	ICD-10-CM	Diagnosis
S76.321A	Laceration of muscle, fascia and tendon of the posterior muscle group at thigh level, right thigh, initial encounter	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S76.321D	Laceration of muscle, fascia and tendon of the posterior muscle group at thigh level, right thigh, subsequent encounter	ICD-10-CM	Diagnosis
S76.321S	Laceration of muscle, fascia and tendon of the posterior muscle group at thigh level, right thigh, sequela	ICD-10-CM	Diagnosis
S76.329A	Laceration of muscle, fascia and tendon of the posterior muscle group at thigh level, unspecified thigh, initial encounter	ICD-10-CM	Diagnosis
S76.329D	Laceration of muscle, fascia and tendon of the posterior muscle group at thigh level, unspecified thigh, subsequent encounter	ICD-10-CM	Diagnosis
S76.329S	Laceration of muscle, fascia and tendon of the posterior muscle group at thigh level, unspecified thigh, sequela	ICD-10-CM	Diagnosis
S46.229A	Laceration of muscle, fascia and tendon of other parts of biceps, unspecified arm, initial encounter	ICD-10-CM	Diagnosis
S46.222A	Laceration of muscle, fascia and tendon of other parts of biceps, left arm, initial encounter	ICD-10-CM	Diagnosis
S46.222S	Laceration of muscle, fascia and tendon of other parts of biceps, left arm, sequela	ICD-10-CM	Diagnosis
S46.221S	Laceration of muscle, fascia and tendon of other parts of biceps, right arm, sequela	ICD-10-CM	Diagnosis
S46.221A	Laceration of muscle, fascia and tendon of other parts of biceps, right arm, initial encounter	ICD-10-CM	Diagnosis
S46.229S	Laceration of muscle, fascia and tendon of other parts of biceps, unspecified arm, sequela	ICD-10-CM	Diagnosis
S46.229D	Laceration of muscle, fascia and tendon of other parts of biceps, unspecified arm, subsequent encounter	ICD-10-CM	Diagnosis
S46.322D	Laceration of muscle, fascia and tendon of triceps, left arm, subsequent encounter	ICD-10-CM	Diagnosis
S46.321D	Laceration of muscle, fascia and tendon of triceps, right arm, subsequent encounter	ICD-10-CM	Diagnosis
S46.329D	Laceration of muscle, fascia and tendon of triceps, unspecified arm, subsequent encounter	ICD-10-CM	Diagnosis
S96.122A	Laceration of muscle and tendon of long extensor muscle of toe at ankle and foot level, left foot, initial encounter	ICD-10-CM	Diagnosis
S96.122S	Laceration of muscle and tendon of long extensor muscle of toe at ankle and foot level, left foot, sequela	ICD-10-CM	Diagnosis
S96.122D	Laceration of muscle and tendon of long extensor muscle of toe at ankle and foot level, left foot, subsequent encounter	ICD-10-CM	Diagnosis
S96.121A	Laceration of muscle and tendon of long extensor muscle of toe at ankle and foot level, right foot, initial encounter	ICD-10-CM	Diagnosis
S96.121S	Laceration of muscle and tendon of long extensor muscle of toe at ankle and foot level, right foot, sequela	ICD-10-CM	Diagnosis
S96.121D	Laceration of muscle and tendon of long extensor muscle of toe at ankle and foot level, right foot, subsequent encounter	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S96.129A	Laceration of muscle and tendon of long extensor muscle of toe at ankle and foot level, unspecified foot, initial encounter	ICD-10-CM	Diagnosis
S96.129D	Laceration of muscle and tendon of long extensor muscle of toe at ankle and foot level, unspecified foot, subsequent encounter	ICD-10-CM	Diagnosis
S96.129S	Laceration of muscle and tendon of long extensor muscle of toe at ankle and foot level, unspecified foot, sequela	ICD-10-CM	Diagnosis
S96.022A	Laceration of muscle and tendon of long flexor muscle of toe at ankle and foot level, left foot, initial encounter	ICD-10-CM	Diagnosis
S96.022S	Laceration of muscle and tendon of long flexor muscle of toe at ankle and foot level, left foot, sequela	ICD-10-CM	Diagnosis
S96.022D	Laceration of muscle and tendon of long flexor muscle of toe at ankle and foot level, left foot, subsequent encounter	ICD-10-CM	Diagnosis
S96.021A	Laceration of muscle and tendon of long flexor muscle of toe at ankle and foot level, right foot, initial encounter	ICD-10-CM	Diagnosis
S96.021S	Laceration of muscle and tendon of long flexor muscle of toe at ankle and foot level, right foot, sequela	ICD-10-CM	Diagnosis
S96.021D	Laceration of muscle and tendon of long flexor muscle of toe at ankle and foot level, right foot, subsequent encounter	ICD-10-CM	Diagnosis
S96.029A	Laceration of muscle and tendon of long flexor muscle of toe at ankle and foot level, unspecified foot, initial encounter	ICD-10-CM	Diagnosis
S96.029D	Laceration of muscle and tendon of long flexor muscle of toe at ankle and foot level, unspecified foot, subsequent encounter	ICD-10-CM	Diagnosis
S96.029S	Laceration of muscle and tendon of long flexor muscle of toe at ankle and foot level, unspecified foot, sequela	ICD-10-CM	Diagnosis
S86.322A	Laceration of muscle(s) and tendon(s) of peroneal muscle group at lower leg level, left leg, initial encounter	ICD-10-CM	Diagnosis
S86.322S	Laceration of muscle(s) and tendon(s) of peroneal muscle group at lower leg level, left leg, sequela	ICD-10-CM	Diagnosis
S86.322D	Laceration of muscle(s) and tendon(s) of peroneal muscle group at lower leg level, left leg, subsequent encounter	ICD-10-CM	Diagnosis
S86.321A	Laceration of muscle(s) and tendon(s) of peroneal muscle group at lower leg level, right leg, initial encounter	ICD-10-CM	Diagnosis
S86.321S	Laceration of muscle(s) and tendon(s) of peroneal muscle group at lower leg level, right leg, sequela	ICD-10-CM	Diagnosis
S86.321D	Laceration of muscle(s) and tendon(s) of peroneal muscle group at lower leg level, right leg, subsequent encounter	ICD-10-CM	Diagnosis
S86.329A	Laceration of muscle(s) and tendon(s) of peroneal muscle group at lower leg level, unspecified leg, initial encounter	ICD-10-CM	Diagnosis
S86.329S	Laceration of muscle(s) and tendon(s) of peroneal muscle group at lower leg level, unspecified leg, sequela	ICD-10-CM	Diagnosis
S86.329D	Laceration of muscle(s) and tendon(s) of peroneal muscle group at lower leg level, unspecified leg, subsequent encounter	ICD-10-CM	Diagnosis
S29.021A	Laceration of muscle and tendon of front wall of thorax, initial encounter	ICD-10-CM	Diagnosis



**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S29.021D	Laceration of muscle and tendon of front wall of thorax, subsequent encounter	ICD-10-CM	Diagnosis
S16.2XXA	Laceration of muscle, fascia and tendon at neck level, initial encounter	ICD-10-CM	Diagnosis
S46.322A	Laceration of muscle, fascia and tendon of triceps, left arm, initial encounter	ICD-10-CM	Diagnosis
S46.321A	Laceration of muscle, fascia and tendon of triceps, right arm, initial encounter	ICD-10-CM	Diagnosis
S46.329A	Laceration of muscle, fascia and tendon of triceps, unspecified arm, initial encounter	ICD-10-CM	Diagnosis
S31.112S	Laceration without foreign body of abdominal wall, epigastric region without penetration into peritoneal cavity, sequela	ICD-10-CM	Diagnosis
S31.111D	Laceration without foreign body of abdominal wall, left upper quadrant without penetration into peritoneal cavity, subsequent encounter	ICD-10-CM	Diagnosis
S31.111S	Laceration without foreign body of abdominal wall, left upper quadrant without penetration into peritoneal cavity, sequela	ICD-10-CM	Diagnosis
S31.115S	Laceration without foreign body of abdominal wall, periumbilic region without penetration into peritoneal cavity, sequela	ICD-10-CM	Diagnosis
S31.115D	Laceration without foreign body of abdominal wall, periumbilic region without penetration into peritoneal cavity, subsequent encounter	ICD-10-CM	Diagnosis
S31.115A	Laceration without foreign body of abdominal wall, periumbilic region without penetration into peritoneal cavity, initial encounter	ICD-10-CM	Diagnosis
S31.119A	Laceration without foreign body of abdominal wall, unspecified quadrant without penetration into peritoneal cavity, initial encounter	ICD-10-CM	Diagnosis
S31.119S	Laceration without foreign body of abdominal wall, unspecified quadrant without penetration into peritoneal cavity, sequela	ICD-10-CM	Diagnosis
S31.119D	Laceration without foreign body of abdominal wall, unspecified quadrant without penetration into peritoneal cavity, subsequent encounter	ICD-10-CM	Diagnosis
S21.212A	Laceration without foreign body of left back wall of thorax without penetration into thoracic cavity, initial encounter	ICD-10-CM	Diagnosis
S21.212S	Laceration without foreign body of left back wall of thorax without penetration into thoracic cavity, sequela	ICD-10-CM	Diagnosis
S21.212D	Laceration without foreign body of left back wall of thorax without penetration into thoracic cavity, subsequent encounter	ICD-10-CM	Diagnosis
S21.112A	Laceration without foreign body of left front wall of thorax without penetration into thoracic cavity, initial encounter	ICD-10-CM	Diagnosis
S21.112S	Laceration without foreign body of left front wall of thorax without penetration into thoracic cavity, sequela	ICD-10-CM	Diagnosis
S21.112D	Laceration without foreign body of left front wall of thorax without penetration into thoracic cavity, subsequent encounter	ICD-10-CM	Diagnosis
S21.211A	Laceration without foreign body of right back wall of thorax without penetration into thoracic cavity, initial encounter	ICD-10-CM	Diagnosis
S21.211S	Laceration without foreign body of right back wall of thorax without penetration into thoracic cavity, sequela	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S21.211D	Laceration without foreign body of right back wall of thorax without penetration into thoracic cavity, subsequent encounter	ICD-10-CM	Diagnosis
S21.219A	Laceration without foreign body of unspecified back wall of thorax without penetration into thoracic cavity, initial encounter	ICD-10-CM	Diagnosis
S21.219D	Laceration without foreign body of unspecified back wall of thorax without penetration into thoracic cavity, subsequent encounter	ICD-10-CM	Diagnosis
S21.219S	Laceration without foreign body of unspecified back wall of thorax without penetration into thoracic cavity, sequela	ICD-10-CM	Diagnosis
S21.119A	Laceration without foreign body of unspecified front wall of thorax without penetration into thoracic cavity, initial encounter	ICD-10-CM	Diagnosis
S21.119S	Laceration without foreign body of unspecified front wall of thorax without penetration into thoracic cavity, sequela	ICD-10-CM	Diagnosis
S21.119D	Laceration without foreign body of unspecified front wall of thorax without penetration into thoracic cavity, subsequent encounter	ICD-10-CM	Diagnosis
S56.522A	Laceration of other extensor muscle, fascia and tendon at forearm level, left arm, initial encounter	ICD-10-CM	Diagnosis
S56.522S	Laceration of other extensor muscle, fascia and tendon at forearm level, left arm, sequela	ICD-10-CM	Diagnosis
S56.522D	Laceration of other extensor muscle, fascia and tendon at forearm level, left arm, subsequent encounter	ICD-10-CM	Diagnosis
S56.521A	Laceration of other extensor muscle, fascia and tendon at forearm level, right arm, initial encounter	ICD-10-CM	Diagnosis
S56.521S	Laceration of other extensor muscle, fascia and tendon at forearm level, right arm, sequela	ICD-10-CM	Diagnosis
S56.521D	Laceration of other extensor muscle, fascia and tendon at forearm level, right arm, subsequent encounter	ICD-10-CM	Diagnosis
S56.529A	Laceration of other extensor muscle, fascia and tendon at forearm level, unspecified arm, initial encounter	ICD-10-CM	Diagnosis
S56.529S	Laceration of other extensor muscle, fascia and tendon at forearm level, unspecified arm, sequela	ICD-10-CM	Diagnosis
S56.529D	Laceration of other extensor muscle, fascia and tendon at forearm level, unspecified arm, subsequent encounter	ICD-10-CM	Diagnosis
S56.222A	Laceration of other flexor muscle, fascia and tendon at forearm level, left arm, initial encounter	ICD-10-CM	Diagnosis
S56.222S	Laceration of other flexor muscle, fascia and tendon at forearm level, left arm, sequela	ICD-10-CM	Diagnosis
S56.222D	Laceration of other flexor muscle, fascia and tendon at forearm level, left arm, subsequent encounter	ICD-10-CM	Diagnosis
S56.221A	Laceration of other flexor muscle, fascia and tendon at forearm level, right arm, initial encounter	ICD-10-CM	Diagnosis
S56.221S	Laceration of other flexor muscle, fascia and tendon at forearm level, right arm, sequela	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S56.221D	Laceration of other flexor muscle, fascia and tendon at forearm level, right arm, subsequent encounter	ICD-10-CM	Diagnosis
S56.229A	Laceration of other flexor muscle, fascia and tendon at forearm level, unspecified arm, initial encounter	ICD-10-CM	Diagnosis
S56.229S	Laceration of other flexor muscle, fascia and tendon at forearm level, unspecified arm, sequela	ICD-10-CM	Diagnosis
S56.229D	Laceration of other flexor muscle, fascia and tendon at forearm level, unspecified arm, subsequent encounter	ICD-10-CM	Diagnosis
S46.822A	Laceration of other muscles, fascia and tendons at shoulder and upper arm level, left arm, initial encounter	ICD-10-CM	Diagnosis
S46.822S	Laceration of other muscles, fascia and tendons at shoulder and upper arm level, left arm, sequela	ICD-10-CM	Diagnosis
S46.822D	Laceration of other muscles, fascia and tendons at shoulder and upper arm level, left arm, subsequent encounter	ICD-10-CM	Diagnosis
S46.821A	Laceration of other muscles, fascia and tendons at shoulder and upper arm level, right arm, initial encounter	ICD-10-CM	Diagnosis
S46.821S	Laceration of other muscles, fascia and tendons at shoulder and upper arm level, right arm, sequela	ICD-10-CM	Diagnosis
S46.821D	Laceration of other muscles, fascia and tendons at shoulder and upper arm level, right arm, subsequent encounter	ICD-10-CM	Diagnosis
S46.829A	Laceration of other muscles, fascia and tendons at shoulder and upper arm level, unspecified arm, initial encounter	ICD-10-CM	Diagnosis
S46.829S	Laceration of other muscles, fascia and tendons at shoulder and upper arm level, unspecified arm, sequela	ICD-10-CM	Diagnosis
S46.829D	Laceration of other muscles, fascia and tendons at shoulder and upper arm level, unspecified arm, subsequent encounter	ICD-10-CM	Diagnosis
S56.822S	Laceration of other muscles, fascia and tendons at forearm level, left arm, sequela	ICD-10-CM	Diagnosis
S56.822D	Laceration of other muscles, fascia and tendons at forearm level, left arm, subsequent encounter	ICD-10-CM	Diagnosis
S56.821A	Laceration of other muscles, fascia and tendons at forearm level, right arm, initial encounter	ICD-10-CM	Diagnosis
S56.821S	Laceration of other muscles, fascia and tendons at forearm level, right arm, sequela	ICD-10-CM	Diagnosis
S56.821D	Laceration of other muscles, fascia and tendons at forearm level, right arm, subsequent encounter	ICD-10-CM	Diagnosis
S56.829A	Laceration of other muscles, fascia and tendons at forearm level, unspecified arm, initial encounter	ICD-10-CM	Diagnosis
S56.829S	Laceration of other muscles, fascia and tendons at forearm level, unspecified arm, sequela	ICD-10-CM	Diagnosis
S56.829D	Laceration of other muscles, fascia and tendons at forearm level, unspecified arm, subsequent encounter	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S56.822A	Laceration of other muscles, fascia and tendons at forearm level, left arm, initial encounter	ICD-10-CM	Diagnosis
S86.222A	Laceration of muscle(s) and tendon(s) of anterior muscle group at lower leg level, left leg, initial encounter	ICD-10-CM	Diagnosis
S86.222S	Laceration of muscle(s) and tendon(s) of anterior muscle group at lower leg level, left leg, sequela	ICD-10-CM	Diagnosis
S86.222D	Laceration of muscle(s) and tendon(s) of anterior muscle group at lower leg level, left leg, subsequent encounter	ICD-10-CM	Diagnosis
S86.221A	Laceration of muscle(s) and tendon(s) of anterior muscle group at lower leg level, right leg, initial encounter	ICD-10-CM	Diagnosis
S86.221S	Laceration of muscle(s) and tendon(s) of anterior muscle group at lower leg level, right leg, sequela	ICD-10-CM	Diagnosis
S86.221D	Laceration of muscle(s) and tendon(s) of anterior muscle group at lower leg level, right leg, subsequent encounter	ICD-10-CM	Diagnosis
S86.229A	Laceration of muscle(s) and tendon(s) of anterior muscle group at lower leg level, unspecified leg, initial encounter	ICD-10-CM	Diagnosis
S86.229S	Laceration of muscle(s) and tendon(s) of anterior muscle group at lower leg level, unspecified leg, sequela	ICD-10-CM	Diagnosis
S86.229D	Laceration of muscle(s) and tendon(s) of anterior muscle group at lower leg level, unspecified leg, subsequent encounter	ICD-10-CM	Diagnosis
S86.122A	Laceration of other muscle(s) and tendon(s) of posterior muscle group at lower leg level, left leg, initial encounter	ICD-10-CM	Diagnosis
S86.122S	Laceration of other muscle(s) and tendon(s) of posterior muscle group at lower leg level, left leg, sequela	ICD-10-CM	Diagnosis
S86.122D	Laceration of other muscle(s) and tendon(s) of posterior muscle group at lower leg level, left leg, subsequent encounter	ICD-10-CM	Diagnosis
S86.121A	Laceration of other muscle(s) and tendon(s) of posterior muscle group at lower leg level, right leg, initial encounter	ICD-10-CM	Diagnosis
S86.121S	Laceration of other muscle(s) and tendon(s) of posterior muscle group at lower leg level, right leg, sequela	ICD-10-CM	Diagnosis
S86.121D	Laceration of other muscle(s) and tendon(s) of posterior muscle group at lower leg level, right leg, subsequent encounter	ICD-10-CM	Diagnosis
S86.129A	Laceration of other muscle(s) and tendon(s) of posterior muscle group at lower leg level, unspecified leg, initial encounter	ICD-10-CM	Diagnosis
S86.129S	Laceration of other muscle(s) and tendon(s) of posterior muscle group at lower leg level, unspecified leg, sequela	ICD-10-CM	Diagnosis
S86.129D	Laceration of other muscle(s) and tendon(s) of posterior muscle group at lower leg level, unspecified leg, subsequent encounter	ICD-10-CM	Diagnosis
S86.822A	Laceration of other muscle(s) and tendon(s) at lower leg level, left leg, initial encounter	ICD-10-CM	Diagnosis
S86.822S	Laceration of other muscle(s) and tendon(s) at lower leg level, left leg, sequela	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S86.822D	Laceration of other muscle(s) and tendon(s) at lower leg level, left leg, subsequent encounter	ICD-10-CM	Diagnosis
S86.821A	Laceration of other muscle(s) and tendon(s) at lower leg level, right leg, initial encounter	ICD-10-CM	Diagnosis
S86.821S	Laceration of other muscle(s) and tendon(s) at lower leg level, right leg, sequela	ICD-10-CM	Diagnosis
S86.821D	Laceration of other muscle(s) and tendon(s) at lower leg level, right leg, subsequent encounter	ICD-10-CM	Diagnosis
S86.829A	Laceration of other muscle(s) and tendon(s) at lower leg level, unspecified leg, initial encounter	ICD-10-CM	Diagnosis
S86.829S	Laceration of other muscle(s) and tendon(s) at lower leg level, unspecified leg, sequela	ICD-10-CM	Diagnosis
S86.829D	Laceration of other muscle(s) and tendon(s) at lower leg level, unspecified leg, subsequent encounter	ICD-10-CM	Diagnosis
S96.822A	Laceration of other specified muscles and tendons at ankle and foot level, left foot, initial encounter	ICD-10-CM	Diagnosis
S96.822S	Laceration of other specified muscles and tendons at ankle and foot level, left foot, sequela	ICD-10-CM	Diagnosis
S96.822D	Laceration of other specified muscles and tendons at ankle and foot level, left foot, subsequent encounter	ICD-10-CM	Diagnosis
S96.821A	Laceration of other specified muscles and tendons at ankle and foot level, right foot, initial encounter	ICD-10-CM	Diagnosis
S96.821S	Laceration of other specified muscles and tendons at ankle and foot level, right foot, sequela	ICD-10-CM	Diagnosis
S96.821D	Laceration of other specified muscles and tendons at ankle and foot level, right foot, subsequent encounter	ICD-10-CM	Diagnosis
S96.829A	Laceration of other specified muscles and tendons at ankle and foot level, unspecified foot, initial encounter	ICD-10-CM	Diagnosis
S96.829S	Laceration of other specified muscles and tendons at ankle and foot level, unspecified foot, sequela	ICD-10-CM	Diagnosis
S96.829D	Laceration of other specified muscles and tendons at ankle and foot level, unspecified foot, subsequent encounter	ICD-10-CM	Diagnosis
S46.922A	Laceration of unspecified muscle, fascia and tendon at shoulder and upper arm level, left arm, initial encounter	ICD-10-CM	Diagnosis
S46.922S	Laceration of unspecified muscle, fascia and tendon at shoulder and upper arm level, left arm, sequela	ICD-10-CM	Diagnosis
S46.922D	Laceration of unspecified muscle, fascia and tendon at shoulder and upper arm level, left arm, subsequent encounter	ICD-10-CM	Diagnosis
S46.921A	Laceration of unspecified muscle, fascia and tendon at shoulder and upper arm level, right arm, initial encounter	ICD-10-CM	Diagnosis
S46.921S	Laceration of unspecified muscle, fascia and tendon at shoulder and upper arm level, right arm, sequela	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S46.921D	Laceration of unspecified muscle, fascia and tendon at shoulder and upper arm level, right arm, subsequent encounter	ICD-10-CM	Diagnosis
S46.929A	Laceration of unspecified muscle, fascia and tendon at shoulder and upper arm level, unspecified arm, initial encounter	ICD-10-CM	Diagnosis
S46.929S	Laceration of unspecified muscle, fascia and tendon at shoulder and upper arm level, unspecified arm, sequela	ICD-10-CM	Diagnosis
S46.929D	Laceration of unspecified muscle, fascia and tendon at shoulder and upper arm level, unspecified arm, subsequent encounter	ICD-10-CM	Diagnosis
S66.922A	Laceration of unspecified muscle, fascia and tendon at wrist and hand level, left hand, initial encounter	ICD-10-CM	Diagnosis
S66.922S	Laceration of unspecified muscle, fascia and tendon at wrist and hand level, left hand, sequela	ICD-10-CM	Diagnosis
S66.922D	Laceration of unspecified muscle, fascia and tendon at wrist and hand level, left hand, subsequent encounter	ICD-10-CM	Diagnosis
S66.921A	Laceration of unspecified muscle, fascia and tendon at wrist and hand level, right hand, initial encounter	ICD-10-CM	Diagnosis
S66.921S	Laceration of unspecified muscle, fascia and tendon at wrist and hand level, right hand, sequela	ICD-10-CM	Diagnosis
S66.921D	Laceration of unspecified muscle, fascia and tendon at wrist and hand level, right hand, subsequent encounter	ICD-10-CM	Diagnosis
S66.929A	Laceration of unspecified muscle, fascia and tendon at wrist and hand level, unspecified hand, initial encounter	ICD-10-CM	Diagnosis
S66.929S	Laceration of unspecified muscle, fascia and tendon at wrist and hand level, unspecified hand, sequela	ICD-10-CM	Diagnosis
S66.929D	Laceration of unspecified muscle, fascia and tendon at wrist and hand level, unspecified hand, subsequent encounter	ICD-10-CM	Diagnosis
S56.922S	Laceration of unspecified muscles, fascia and tendons at forearm level, left arm, sequela	ICD-10-CM	Diagnosis
S56.921S	Laceration of unspecified muscles, fascia and tendons at forearm level, right arm, sequela	ICD-10-CM	Diagnosis
S56.922A	Laceration of unspecified muscles, fascia and tendons at forearm level, left arm, initial encounter	ICD-10-CM	Diagnosis
S56.922D	Laceration of unspecified muscles, fascia and tendons at forearm level, left arm, subsequent encounter	ICD-10-CM	Diagnosis
S56.921A	Laceration of unspecified muscles, fascia and tendons at forearm level, right arm, initial encounter	ICD-10-CM	Diagnosis
S56.921D	Laceration of unspecified muscles, fascia and tendons at forearm level, right arm, subsequent encounter	ICD-10-CM	Diagnosis
S56.929A	Laceration of unspecified muscles, fascia and tendons at forearm level, unspecified arm, initial encounter	ICD-10-CM	Diagnosis
S56.929S	Laceration of unspecified muscles, fascia and tendons at forearm level, unspecified arm, sequela	ICD-10-CM	Diagnosis



**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S56.929D	Laceration of unspecified muscles, fascia and tendons at forearm level, unspecified arm, subsequent encounter	ICD-10-CM	Diagnosis
S96.922A	Laceration of unspecified muscle and tendon at ankle and foot level, left foot, initial encounter	ICD-10-CM	Diagnosis
S96.922S	Laceration of unspecified muscle and tendon at ankle and foot level, left foot, sequela	ICD-10-CM	Diagnosis
S96.922D	Laceration of unspecified muscle and tendon at ankle and foot level, left foot, subsequent encounter	ICD-10-CM	Diagnosis
S96.921A	Laceration of unspecified muscle and tendon at ankle and foot level, right foot, initial encounter	ICD-10-CM	Diagnosis
S96.921S	Laceration of unspecified muscle and tendon at ankle and foot level, right foot, sequela	ICD-10-CM	Diagnosis
S96.921D	Laceration of unspecified muscle and tendon at ankle and foot level, right foot, subsequent encounter	ICD-10-CM	Diagnosis
S96.929A	Laceration of unspecified muscle and tendon at ankle and foot level, unspecified foot, initial encounter	ICD-10-CM	Diagnosis
S96.929S	Laceration of unspecified muscle and tendon at ankle and foot level, unspecified foot, sequela	ICD-10-CM	Diagnosis
S96.929D	Laceration of unspecified muscle and tendon at ankle and foot level, unspecified foot, subsequent encounter	ICD-10-CM	Diagnosis
S86.922A	Laceration of unspecified muscle(s) and tendon(s) at lower leg level, left leg, initial encounter	ICD-10-CM	Diagnosis
S86.922S	Laceration of unspecified muscle(s) and tendon(s) at lower leg level, left leg, sequela	ICD-10-CM	Diagnosis
S86.922D	Laceration of unspecified muscle(s) and tendon(s) at lower leg level, left leg, subsequent encounter	ICD-10-CM	Diagnosis
S86.921A	Laceration of unspecified muscle(s) and tendon(s) at lower leg level, right leg, initial encounter	ICD-10-CM	Diagnosis
S86.921S	Laceration of unspecified muscle(s) and tendon(s) at lower leg level, right leg, sequela	ICD-10-CM	Diagnosis
S86.921D	Laceration of unspecified muscle(s) and tendon(s) at lower leg level, right leg, subsequent encounter	ICD-10-CM	Diagnosis
S86.929A	Laceration of unspecified muscle(s) and tendon(s) at lower leg level, unspecified leg, initial encounter	ICD-10-CM	Diagnosis
S86.929S	Laceration of unspecified muscle(s) and tendon(s) at lower leg level, unspecified leg, sequela	ICD-10-CM	Diagnosis
S86.929D	Laceration of unspecified muscle(s) and tendon(s) at lower leg level, unspecified leg, subsequent encounter	ICD-10-CM	Diagnosis
S31.622D	Laceration with foreign body of abdominal wall, epigastric region with penetration into peritoneal cavity, subsequent encounter	ICD-10-CM	Diagnosis
S31.622A	Laceration with foreign body of abdominal wall, epigastric region with penetration into peritoneal cavity, initial encounter	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S31.622S	Laceration with foreign body of abdominal wall, epigastric region with penetration into peritoneal cavity, sequela	ICD-10-CM	Diagnosis
S31.624D	Laceration with foreign body of abdominal wall, left lower quadrant with penetration into peritoneal cavity, subsequent encounter	ICD-10-CM	Diagnosis
S31.624A	Laceration with foreign body of abdominal wall, left lower quadrant with penetration into peritoneal cavity, initial encounter	ICD-10-CM	Diagnosis
S31.624S	Laceration with foreign body of abdominal wall, left lower quadrant with penetration into peritoneal cavity, sequela	ICD-10-CM	Diagnosis
S31.621A	Laceration with foreign body of abdominal wall, left upper quadrant with penetration into peritoneal cavity, initial encounter	ICD-10-CM	Diagnosis
S31.621D	Laceration with foreign body of abdominal wall, left upper quadrant with penetration into peritoneal cavity, subsequent encounter	ICD-10-CM	Diagnosis
S31.621S	Laceration with foreign body of abdominal wall, left upper quadrant with penetration into peritoneal cavity, sequela	ICD-10-CM	Diagnosis
S31.625S	Laceration with foreign body of abdominal wall, periumbilic region with penetration into peritoneal cavity, sequela	ICD-10-CM	Diagnosis
S31.623A	Laceration with foreign body of abdominal wall, right lower quadrant with penetration into peritoneal cavity, initial encounter	ICD-10-CM	Diagnosis
S31.623D	Laceration with foreign body of abdominal wall, right lower quadrant with penetration into peritoneal cavity, subsequent encounter	ICD-10-CM	Diagnosis
S31.623S	Laceration with foreign body of abdominal wall, right lower quadrant with penetration into peritoneal cavity, sequela	ICD-10-CM	Diagnosis
S31.620A	Laceration with foreign body of abdominal wall, right upper quadrant with penetration into peritoneal cavity, initial encounter	ICD-10-CM	Diagnosis
S31.620D	Laceration with foreign body of abdominal wall, right upper quadrant with penetration into peritoneal cavity, subsequent encounter	ICD-10-CM	Diagnosis
S31.620S	Laceration with foreign body of abdominal wall, right upper quadrant with penetration into peritoneal cavity, sequela	ICD-10-CM	Diagnosis
S31.629S	Laceration with foreign body of abdominal wall, unspecified quadrant with penetration into peritoneal cavity, sequela	ICD-10-CM	Diagnosis
S31.021A	Laceration with foreign body of lower back and pelvis with penetration into retroperitoneum, initial encounter	ICD-10-CM	Diagnosis
S31.021S	Laceration with foreign body of lower back and pelvis with penetration into retroperitoneum, sequela	ICD-10-CM	Diagnosis
S31.021D	Laceration with foreign body of lower back and pelvis with penetration into retroperitoneum, subsequent encounter	ICD-10-CM	Diagnosis
S21.222A	Laceration with foreign body of left back wall of thorax without penetration into thoracic cavity, initial encounter	ICD-10-CM	Diagnosis
S21.222S	Laceration with foreign body of left back wall of thorax without penetration into thoracic cavity, sequela	ICD-10-CM	Diagnosis
S21.222D	Laceration with foreign body of left back wall of thorax without penetration into thoracic cavity, subsequent encounter	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S21.422A	Laceration with foreign body of left back wall of thorax with penetration into thoracic cavity, initial encounter	ICD-10-CM	Diagnosis
S21.422S	Laceration with foreign body of left back wall of thorax with penetration into thoracic cavity, sequela	ICD-10-CM	Diagnosis
S21.422D	Laceration with foreign body of left back wall of thorax with penetration into thoracic cavity, subsequent encounter	ICD-10-CM	Diagnosis
S01.422A	Laceration with foreign body of left cheek and temporomandibular area, initial encounter	ICD-10-CM	Diagnosis
S01.422S	Laceration with foreign body of left cheek and temporomandibular area, sequela	ICD-10-CM	Diagnosis
S01.422D	Laceration with foreign body of left cheek and temporomandibular area, subsequent encounter	ICD-10-CM	Diagnosis
S01.122A	Laceration with foreign body of left eyelid and periocular area, initial encounter	ICD-10-CM	Diagnosis
S01.122D	Laceration with foreign body of left eyelid and periocular area, subsequent encounter	ICD-10-CM	Diagnosis
S21.322A	Laceration with foreign body of left front wall of thorax with penetration into thoracic cavity, initial encounter	ICD-10-CM	Diagnosis
S21.322D	Laceration with foreign body of left front wall of thorax with penetration into thoracic cavity, subsequent encounter	ICD-10-CM	Diagnosis
S21.322S	Laceration with foreign body of left front wall of thorax with penetration into thoracic cavity, sequela	ICD-10-CM	Diagnosis
S61.221A	Laceration with foreign body of left index finger without damage to nail, initial encounter	ICD-10-CM	Diagnosis
S61.221S	Laceration with foreign body of left index finger without damage to nail, sequela	ICD-10-CM	Diagnosis
S61.221D	Laceration with foreign body of left index finger without damage to nail, subsequent encounter	ICD-10-CM	Diagnosis
S91.125A	Laceration with foreign body of left lesser toe(s) without damage to nail, initial encounter	ICD-10-CM	Diagnosis
S91.125S	Laceration with foreign body of left lesser toe(s) without damage to nail, sequela	ICD-10-CM	Diagnosis
S91.125D	Laceration with foreign body of left lesser toe(s) without damage to nail, subsequent encounter	ICD-10-CM	Diagnosis
S61.227A	Laceration with foreign body of left little finger without damage to nail, initial encounter	ICD-10-CM	Diagnosis
S61.227S	Laceration with foreign body of left little finger without damage to nail, sequela	ICD-10-CM	Diagnosis
S61.227D	Laceration with foreign body of left little finger without damage to nail, subsequent encounter	ICD-10-CM	Diagnosis
S61.223A	Laceration with foreign body of left middle finger without damage to nail, initial encounter	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S61.223S	Laceration with foreign body of left middle finger without damage to nail, sequela	ICD-10-CM	Diagnosis
S61.223D	Laceration with foreign body of left middle finger without damage to nail, subsequent encounter	ICD-10-CM	Diagnosis
S61.225S	Laceration with foreign body of left ring finger without damage to nail, sequela	ICD-10-CM	Diagnosis
S61.225A	Laceration with foreign body of left ring finger without damage to nail, initial encounter	ICD-10-CM	Diagnosis
S61.225D	Laceration with foreign body of left ring finger without damage to nail, subsequent encounter	ICD-10-CM	Diagnosis
S61.228A	Laceration with foreign body of other finger without damage to nail, initial encounter	ICD-10-CM	Diagnosis
S61.228S	Laceration with foreign body of other finger without damage to nail, sequela	ICD-10-CM	Diagnosis
S61.228D	Laceration with foreign body of other finger without damage to nail, subsequent encounter	ICD-10-CM	Diagnosis
S21.221A	Laceration with foreign body of right back wall of thorax without penetration into thoracic cavity, initial encounter	ICD-10-CM	Diagnosis
S21.221D	Laceration with foreign body of right back wall of thorax without penetration into thoracic cavity, subsequent encounter	ICD-10-CM	Diagnosis
S21.221S	Laceration with foreign body of right back wall of thorax without penetration into thoracic cavity, sequela	ICD-10-CM	Diagnosis
S21.421A	Laceration with foreign body of right back wall of thorax with penetration into thoracic cavity, initial encounter	ICD-10-CM	Diagnosis
S21.421D	Laceration with foreign body of right back wall of thorax with penetration into thoracic cavity, subsequent encounter	ICD-10-CM	Diagnosis
S21.421S	Laceration with foreign body of right back wall of thorax with penetration into thoracic cavity, sequela	ICD-10-CM	Diagnosis
S01.421S	Laceration with foreign body of right cheek and temporomandibular area, sequela	ICD-10-CM	Diagnosis
S01.421A	Laceration with foreign body of right cheek and temporomandibular area, initial encounter	ICD-10-CM	Diagnosis
S01.421D	Laceration with foreign body of right cheek and temporomandibular area, subsequent encounter	ICD-10-CM	Diagnosis
S01.121A	Laceration with foreign body of right eyelid and periocular area, initial encounter	ICD-10-CM	Diagnosis
S01.121D	Laceration with foreign body of right eyelid and periocular area, subsequent encounter	ICD-10-CM	Diagnosis
S21.321A	Laceration with foreign body of right front wall of thorax with penetration into thoracic cavity, initial encounter	ICD-10-CM	Diagnosis
S21.321S	Laceration with foreign body of right front wall of thorax with penetration into thoracic cavity, sequela	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S21.321D	Laceration with foreign body of right front wall of thorax with penetration into thoracic cavity, subsequent encounter	ICD-10-CM	Diagnosis
S61.220A	Laceration with foreign body of right index finger without damage to nail, initial encounter	ICD-10-CM	Diagnosis
S61.220S	Laceration with foreign body of right index finger without damage to nail, sequela	ICD-10-CM	Diagnosis
S61.220D	Laceration with foreign body of right index finger without damage to nail, subsequent encounter	ICD-10-CM	Diagnosis
S91.124A	Laceration with foreign body of right lesser toe(s) without damage to nail, initial encounter	ICD-10-CM	Diagnosis
S91.124S	Laceration with foreign body of right lesser toe(s) without damage to nail, sequela	ICD-10-CM	Diagnosis
S91.124D	Laceration with foreign body of right lesser toe(s) without damage to nail, subsequent encounter	ICD-10-CM	Diagnosis
S61.226A	Laceration with foreign body of right little finger without damage to nail, initial encounter	ICD-10-CM	Diagnosis
S61.226S	Laceration with foreign body of right little finger without damage to nail, sequela	ICD-10-CM	Diagnosis
S61.226D	Laceration with foreign body of right little finger without damage to nail, subsequent encounter	ICD-10-CM	Diagnosis
S61.222A	Laceration with foreign body of right middle finger without damage to nail, initial encounter	ICD-10-CM	Diagnosis
S61.222S	Laceration with foreign body of right middle finger without damage to nail, sequela	ICD-10-CM	Diagnosis
S61.222D	Laceration with foreign body of right middle finger without damage to nail, subsequent encounter	ICD-10-CM	Diagnosis
S61.224A	Laceration with foreign body of right ring finger without damage to nail, initial encounter	ICD-10-CM	Diagnosis
S61.224S	Laceration with foreign body of right ring finger without damage to nail, sequela	ICD-10-CM	Diagnosis
S61.224D	Laceration with foreign body of right ring finger without damage to nail, subsequent encounter	ICD-10-CM	Diagnosis
S21.229A	Laceration with foreign body of unspecified back wall of thorax without penetration into thoracic cavity, initial encounter	ICD-10-CM	Diagnosis
S21.229S	Laceration with foreign body of unspecified back wall of thorax without penetration into thoracic cavity, sequela	ICD-10-CM	Diagnosis
S21.229D	Laceration with foreign body of unspecified back wall of thorax without penetration into thoracic cavity, subsequent encounter	ICD-10-CM	Diagnosis
S21.429A	Laceration with foreign body of unspecified back wall of thorax with penetration into thoracic cavity, initial encounter	ICD-10-CM	Diagnosis
S21.429S	Laceration with foreign body of unspecified back wall of thorax with penetration into thoracic cavity, sequela	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S21.429D	Laceration with foreign body of unspecified back wall of thorax with penetration into thoracic cavity, subsequent encounter	ICD-10-CM	Diagnosis
S01.429A	Laceration with foreign body of unspecified cheek and temporomandibular area, initial encounter	ICD-10-CM	Diagnosis
S01.429S	Laceration with foreign body of unspecified cheek and temporomandibular area, sequela	ICD-10-CM	Diagnosis
S01.429D	Laceration with foreign body of unspecified cheek and temporomandibular area, subsequent encounter	ICD-10-CM	Diagnosis
S31.522D	Laceration with foreign body of unspecified external genital organs, female, subsequent encounter	ICD-10-CM	Diagnosis
S31.521D	Laceration with foreign body of unspecified external genital organs, male, subsequent encounter	ICD-10-CM	Diagnosis
S01.129D	Laceration with foreign body of unspecified eyelid and periocular area, subsequent encounter	ICD-10-CM	Diagnosis
S01.129A	Laceration with foreign body of unspecified eyelid and periocular area, initial encounter	ICD-10-CM	Diagnosis
S61.229A	Laceration with foreign body of unspecified finger without damage to nail, initial encounter	ICD-10-CM	Diagnosis
S61.229S	Laceration with foreign body of unspecified finger without damage to nail, sequela	ICD-10-CM	Diagnosis
S61.229D	Laceration with foreign body of unspecified finger without damage to nail, subsequent encounter	ICD-10-CM	Diagnosis
S21.329D	Laceration with foreign body of unspecified front wall of thorax with penetration into thoracic cavity, subsequent encounter	ICD-10-CM	Diagnosis
S21.329A	Laceration with foreign body of unspecified front wall of thorax with penetration into thoracic cavity, initial encounter	ICD-10-CM	Diagnosis
S21.329S	Laceration with foreign body of unspecified front wall of thorax with penetration into thoracic cavity, sequela	ICD-10-CM	Diagnosis
S91.123A	Laceration with foreign body of unspecified great toe without damage to nail, initial encounter	ICD-10-CM	Diagnosis
S91.123S	Laceration with foreign body of unspecified great toe without damage to nail, sequela	ICD-10-CM	Diagnosis
S91.123D	Laceration with foreign body of unspecified great toe without damage to nail, subsequent encounter	ICD-10-CM	Diagnosis
S91.126A	Laceration with foreign body of unspecified lesser toe(s) without damage to nail, initial encounter	ICD-10-CM	Diagnosis
S91.126S	Laceration with foreign body of unspecified lesser toe(s) without damage to nail, sequela	ICD-10-CM	Diagnosis
S91.126D	Laceration with foreign body of unspecified lesser toe(s) without damage to nail, subsequent encounter	ICD-10-CM	Diagnosis
S31.612A	Laceration without foreign body of abdominal wall, epigastric region with penetration into peritoneal cavity, initial encounter	ICD-10-CM	Diagnosis



**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S31.612D	Laceration without foreign body of abdominal wall, epigastric region with penetration into peritoneal cavity, subsequent encounter	ICD-10-CM	Diagnosis
S31.112A	Laceration without foreign body of abdominal wall, epigastric region without penetration into peritoneal cavity, initial encounter	ICD-10-CM	Diagnosis
S31.612S	Laceration without foreign body of abdominal wall, epigastric region with penetration into peritoneal cavity, sequela	ICD-10-CM	Diagnosis
S31.614A	Laceration without foreign body of abdominal wall, left lower quadrant with penetration into peritoneal cavity, initial encounter	ICD-10-CM	Diagnosis
S31.614D	Laceration without foreign body of abdominal wall, left lower quadrant with penetration into peritoneal cavity, subsequent encounter	ICD-10-CM	Diagnosis
S31.114A	Laceration without foreign body of abdominal wall, left lower quadrant without penetration into peritoneal cavity, initial encounter	ICD-10-CM	Diagnosis
S31.114S	Laceration without foreign body of abdominal wall, left lower quadrant without penetration into peritoneal cavity, sequela	ICD-10-CM	Diagnosis
S31.114D	Laceration without foreign body of abdominal wall, left lower quadrant without penetration into peritoneal cavity, subsequent encounter	ICD-10-CM	Diagnosis
S31.614S	Laceration without foreign body of abdominal wall, left lower quadrant with penetration into peritoneal cavity, sequela	ICD-10-CM	Diagnosis
S31.611A	Laceration without foreign body of abdominal wall, left upper quadrant with penetration into peritoneal cavity, initial encounter	ICD-10-CM	Diagnosis
S31.611D	Laceration without foreign body of abdominal wall, left upper quadrant with penetration into peritoneal cavity, subsequent encounter	ICD-10-CM	Diagnosis
S31.611S	Laceration without foreign body of abdominal wall, left upper quadrant with penetration into peritoneal cavity, sequela	ICD-10-CM	Diagnosis
S31.613A	Laceration without foreign body of abdominal wall, right lower quadrant with penetration into peritoneal cavity, initial encounter	ICD-10-CM	Diagnosis
S31.613D	Laceration without foreign body of abdominal wall, right lower quadrant with penetration into peritoneal cavity, subsequent encounter	ICD-10-CM	Diagnosis
S31.113A	Laceration without foreign body of abdominal wall, right lower quadrant without penetration into peritoneal cavity, initial encounter	ICD-10-CM	Diagnosis
S31.113S	Laceration without foreign body of abdominal wall, right lower quadrant without penetration into peritoneal cavity, sequela	ICD-10-CM	Diagnosis
S31.113D	Laceration without foreign body of abdominal wall, right lower quadrant without penetration into peritoneal cavity, subsequent encounter	ICD-10-CM	Diagnosis
S31.613S	Laceration without foreign body of abdominal wall, right lower quadrant with penetration into peritoneal cavity, sequela	ICD-10-CM	Diagnosis
S31.610A	Laceration without foreign body of abdominal wall, right upper quadrant with penetration into peritoneal cavity, initial encounter	ICD-10-CM	Diagnosis
S31.610D	Laceration without foreign body of abdominal wall, right upper quadrant with penetration into peritoneal cavity, subsequent encounter	ICD-10-CM	Diagnosis
S31.110A	Laceration without foreign body of abdominal wall, right upper quadrant without penetration into peritoneal cavity, initial encounter	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S31.110S	Laceration without foreign body of abdominal wall, right upper quadrant without penetration into peritoneal cavity, sequela	ICD-10-CM	Diagnosis
S31.110D	Laceration without foreign body of abdominal wall, right upper quadrant without penetration into peritoneal cavity, subsequent encounter	ICD-10-CM	Diagnosis
S31.610S	Laceration without foreign body of abdominal wall, right upper quadrant with penetration into peritoneal cavity, sequela	ICD-10-CM	Diagnosis
S31.112D	Laceration without foreign body of abdominal wall, epigastric region without penetration into peritoneal cavity, subsequent encounter	ICD-10-CM	Diagnosis
S31.111A	Laceration without foreign body of abdominal wall, left upper quadrant without penetration into peritoneal cavity, initial encounter	ICD-10-CM	Diagnosis
S31.615A	Laceration without foreign body of abdominal wall, periumbilic region with penetration into peritoneal cavity, initial encounter	ICD-10-CM	Diagnosis
S31.615D	Laceration without foreign body of abdominal wall, periumbilic region with penetration into peritoneal cavity, subsequent encounter	ICD-10-CM	Diagnosis
S31.615S	Laceration without foreign body of abdominal wall, periumbilic region with penetration into peritoneal cavity, sequela	ICD-10-CM	Diagnosis
S31.619A	Laceration without foreign body of abdominal wall, unspecified quadrant with penetration into peritoneal cavity, initial encounter	ICD-10-CM	Diagnosis
S31.619D	Laceration without foreign body of abdominal wall, unspecified quadrant with penetration into peritoneal cavity, subsequent encounter	ICD-10-CM	Diagnosis
S31.619S	Laceration without foreign body of abdominal wall, unspecified quadrant with penetration into peritoneal cavity, sequela	ICD-10-CM	Diagnosis
S31.011A	Laceration without foreign body of lower back and pelvis with penetration into retroperitoneum, initial encounter	ICD-10-CM	Diagnosis
S31.011S	Laceration without foreign body of lower back and pelvis with penetration into retroperitoneum, sequela	ICD-10-CM	Diagnosis
S31.011D	Laceration without foreign body of lower back and pelvis with penetration into retroperitoneum, subsequent encounter	ICD-10-CM	Diagnosis
S21.412A	Laceration without foreign body of left back wall of thorax with penetration into thoracic cavity, initial encounter	ICD-10-CM	Diagnosis
S21.412D	Laceration without foreign body of left back wall of thorax with penetration into thoracic cavity, subsequent encounter	ICD-10-CM	Diagnosis
S21.412S	Laceration without foreign body of left back wall of thorax with penetration into thoracic cavity, sequela	ICD-10-CM	Diagnosis
S01.412S	Laceration without foreign body of left cheek and temporomandibular area, sequela	ICD-10-CM	Diagnosis
S01.412A	Laceration without foreign body of left cheek and temporomandibular area, initial encounter	ICD-10-CM	Diagnosis
S01.412D	Laceration without foreign body of left cheek and temporomandibular area, subsequent encounter	ICD-10-CM	Diagnosis
S01.112A	Laceration without foreign body of left eyelid and periorcular area, initial encounter	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S01.112D	Laceration without foreign body of left eyelid and periocular area, subsequent encounter	ICD-10-CM	Diagnosis
S21.312A	Laceration without foreign body of left front wall of thorax with penetration into thoracic cavity, initial encounter	ICD-10-CM	Diagnosis
S21.312S	Laceration without foreign body of left front wall of thorax with penetration into thoracic cavity, sequela	ICD-10-CM	Diagnosis
S21.312D	Laceration without foreign body of left front wall of thorax with penetration into thoracic cavity, subsequent encounter	ICD-10-CM	Diagnosis
S91.112A	Laceration without foreign body of left great toe without damage to nail, initial encounter	ICD-10-CM	Diagnosis
S91.112S	Laceration without foreign body of left great toe without damage to nail, sequela	ICD-10-CM	Diagnosis
S91.112D	Laceration without foreign body of left great toe without damage to nail, subsequent encounter	ICD-10-CM	Diagnosis
S61.311A	Laceration without foreign body of left index finger with damage to nail, initial encounter	ICD-10-CM	Diagnosis
S61.311S	Laceration without foreign body of left index finger with damage to nail, sequela	ICD-10-CM	Diagnosis
S61.311D	Laceration without foreign body of left index finger with damage to nail, subsequent encounter	ICD-10-CM	Diagnosis
S61.211A	Laceration without foreign body of left index finger without damage to nail, initial encounter	ICD-10-CM	Diagnosis
S61.211S	Laceration without foreign body of left index finger without damage to nail, sequela	ICD-10-CM	Diagnosis
S61.211D	Laceration without foreign body of left index finger without damage to nail, subsequent encounter	ICD-10-CM	Diagnosis
S91.215A	Laceration without foreign body of left lesser toe(s) with damage to nail, initial encounter	ICD-10-CM	Diagnosis
S91.215S	Laceration without foreign body of left lesser toe(s) with damage to nail, sequela	ICD-10-CM	Diagnosis
S91.215D	Laceration without foreign body of left lesser toe(s) with damage to nail, subsequent encounter	ICD-10-CM	Diagnosis
S91.115A	Laceration without foreign body of left lesser toe(s) without damage to nail, initial encounter	ICD-10-CM	Diagnosis
S91.115S	Laceration without foreign body of left lesser toe(s) without damage to nail, sequela	ICD-10-CM	Diagnosis
S91.115D	Laceration without foreign body of left lesser toe(s) without damage to nail, subsequent encounter	ICD-10-CM	Diagnosis
S61.317A	Laceration without foreign body of left little finger with damage to nail, initial encounter	ICD-10-CM	Diagnosis
S61.317S	Laceration without foreign body of left little finger with damage to nail, sequela	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S61.317D	Laceration without foreign body of left little finger with damage to nail, subsequent encounter	ICD-10-CM	Diagnosis
S61.217A	Laceration without foreign body of left little finger without damage to nail, initial encounter	ICD-10-CM	Diagnosis
S61.217S	Laceration without foreign body of left little finger without damage to nail, sequela	ICD-10-CM	Diagnosis
S61.217D	Laceration without foreign body of left little finger without damage to nail, subsequent encounter	ICD-10-CM	Diagnosis
S61.313A	Laceration without foreign body of left middle finger with damage to nail, initial encounter	ICD-10-CM	Diagnosis
S61.313S	Laceration without foreign body of left middle finger with damage to nail, sequela	ICD-10-CM	Diagnosis
S61.313D	Laceration without foreign body of left middle finger with damage to nail, subsequent encounter	ICD-10-CM	Diagnosis
S61.213A	Laceration without foreign body of left middle finger without damage to nail, initial encounter	ICD-10-CM	Diagnosis
S61.213S	Laceration without foreign body of left middle finger without damage to nail, sequela	ICD-10-CM	Diagnosis
S61.213D	Laceration without foreign body of left middle finger without damage to nail, subsequent encounter	ICD-10-CM	Diagnosis
S61.315A	Laceration without foreign body of left ring finger with damage to nail, initial encounter	ICD-10-CM	Diagnosis
S61.315S	Laceration without foreign body of left ring finger with damage to nail, sequela	ICD-10-CM	Diagnosis
S61.315D	Laceration without foreign body of left ring finger with damage to nail, subsequent encounter	ICD-10-CM	Diagnosis
S61.215A	Laceration without foreign body of left ring finger without damage to nail, initial encounter	ICD-10-CM	Diagnosis
S61.215S	Laceration without foreign body of left ring finger without damage to nail, sequela	ICD-10-CM	Diagnosis
S61.215D	Laceration without foreign body of left ring finger without damage to nail, subsequent encounter	ICD-10-CM	Diagnosis
S31.010A	Laceration without foreign body of lower back and pelvis without penetration into retroperitoneum, initial encounter	ICD-10-CM	Diagnosis
S31.010S	Laceration without foreign body of lower back and pelvis without penetration into retroperitoneum, sequela	ICD-10-CM	Diagnosis
S31.010D	Laceration without foreign body of lower back and pelvis without penetration into retroperitoneum, subsequent encounter	ICD-10-CM	Diagnosis
S61.218A	Laceration without foreign body of other finger without damage to nail, initial encounter	ICD-10-CM	Diagnosis
S61.218S	Laceration without foreign body of other finger without damage to nail, sequela	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S61.218D	Laceration without foreign body of other finger without damage to nail, subsequent encounter	ICD-10-CM	Diagnosis
S11.21XS	Laceration without foreign body of pharynx and cervical esophagus, sequela	ICD-10-CM	Diagnosis
S11.21XD	Laceration without foreign body of pharynx and cervical esophagus, subsequent encounter	ICD-10-CM	Diagnosis
S21.411S	Laceration without foreign body of right back wall of thorax with penetration into thoracic cavity, sequela	ICD-10-CM	Diagnosis
S21.411A	Laceration without foreign body of right back wall of thorax with penetration into thoracic cavity, initial encounter	ICD-10-CM	Diagnosis
S21.411D	Laceration without foreign body of right back wall of thorax with penetration into thoracic cavity, subsequent encounter	ICD-10-CM	Diagnosis
S01.411S	Laceration without foreign body of right cheek and temporomandibular area, sequela	ICD-10-CM	Diagnosis
S01.411D	Laceration without foreign body of right cheek and temporomandibular area, subsequent encounter	ICD-10-CM	Diagnosis
S01.411A	Laceration without foreign body of right cheek and temporomandibular area, initial encounter	ICD-10-CM	Diagnosis
S01.111A	Laceration without foreign body of right eyelid and periorcular area, initial encounter	ICD-10-CM	Diagnosis
S01.111D	Laceration without foreign body of right eyelid and periorcular area, subsequent encounter	ICD-10-CM	Diagnosis
S21.111A	Laceration without foreign body of right front wall of thorax without penetration into thoracic cavity, initial encounter	ICD-10-CM	Diagnosis
S21.111S	Laceration without foreign body of right front wall of thorax without penetration into thoracic cavity, sequela	ICD-10-CM	Diagnosis
S21.111D	Laceration without foreign body of right front wall of thorax without penetration into thoracic cavity, subsequent encounter	ICD-10-CM	Diagnosis
S21.311A	Laceration without foreign body of right front wall of thorax with penetration into thoracic cavity, initial encounter	ICD-10-CM	Diagnosis
S21.311D	Laceration without foreign body of right front wall of thorax with penetration into thoracic cavity, subsequent encounter	ICD-10-CM	Diagnosis
S21.311S	Laceration without foreign body of right front wall of thorax with penetration into thoracic cavity, sequela	ICD-10-CM	Diagnosis
S91.111A	Laceration without foreign body of right great toe without damage to nail, initial encounter	ICD-10-CM	Diagnosis
S91.111S	Laceration without foreign body of right great toe without damage to nail, sequela	ICD-10-CM	Diagnosis
S91.111D	Laceration without foreign body of right great toe without damage to nail, subsequent encounter	ICD-10-CM	Diagnosis
S61.310A	Laceration without foreign body of right index finger with damage to nail, initial encounter	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S61.310S	Laceration without foreign body of right index finger with damage to nail, sequela	ICD-10-CM	Diagnosis
S61.310D	Laceration without foreign body of right index finger with damage to nail, subsequent encounter	ICD-10-CM	Diagnosis
S61.210A	Laceration without foreign body of right index finger without damage to nail, initial encounter	ICD-10-CM	Diagnosis
S61.210S	Laceration without foreign body of right index finger without damage to nail, sequela	ICD-10-CM	Diagnosis
S61.210D	Laceration without foreign body of right index finger without damage to nail, subsequent encounter	ICD-10-CM	Diagnosis
S91.214A	Laceration without foreign body of right lesser toe(s) with damage to nail, initial encounter	ICD-10-CM	Diagnosis
S91.214S	Laceration without foreign body of right lesser toe(s) with damage to nail, sequela	ICD-10-CM	Diagnosis
S91.214D	Laceration without foreign body of right lesser toe(s) with damage to nail, subsequent encounter	ICD-10-CM	Diagnosis
S91.114A	Laceration without foreign body of right lesser toe(s) without damage to nail, initial encounter	ICD-10-CM	Diagnosis
S91.114S	Laceration without foreign body of right lesser toe(s) without damage to nail, sequela	ICD-10-CM	Diagnosis
S91.114D	Laceration without foreign body of right lesser toe(s) without damage to nail, subsequent encounter	ICD-10-CM	Diagnosis
S61.316A	Laceration without foreign body of right little finger with damage to nail, initial encounter	ICD-10-CM	Diagnosis
S61.316S	Laceration without foreign body of right little finger with damage to nail, sequela	ICD-10-CM	Diagnosis
S61.316D	Laceration without foreign body of right little finger with damage to nail, subsequent encounter	ICD-10-CM	Diagnosis
S61.216A	Laceration without foreign body of right little finger without damage to nail, initial encounter	ICD-10-CM	Diagnosis
S61.216S	Laceration without foreign body of right little finger without damage to nail, sequela	ICD-10-CM	Diagnosis
S61.216D	Laceration without foreign body of right little finger without damage to nail, subsequent encounter	ICD-10-CM	Diagnosis
S61.312A	Laceration without foreign body of right middle finger with damage to nail, initial encounter	ICD-10-CM	Diagnosis
S61.312S	Laceration without foreign body of right middle finger with damage to nail, sequela	ICD-10-CM	Diagnosis
S61.312D	Laceration without foreign body of right middle finger with damage to nail, subsequent encounter	ICD-10-CM	Diagnosis
S61.212A	Laceration without foreign body of right middle finger without damage to nail, initial encounter	ICD-10-CM	Diagnosis



**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S61.212S	Laceration without foreign body of right middle finger without damage to nail, sequela	ICD-10-CM	Diagnosis
S61.212D	Laceration without foreign body of right middle finger without damage to nail, subsequent encounter	ICD-10-CM	Diagnosis
S61.314A	Laceration without foreign body of right ring finger with damage to nail, initial encounter	ICD-10-CM	Diagnosis
S61.314S	Laceration without foreign body of right ring finger with damage to nail, sequela	ICD-10-CM	Diagnosis
S61.314D	Laceration without foreign body of right ring finger with damage to nail, subsequent encounter	ICD-10-CM	Diagnosis
S61.214A	Laceration without foreign body of right ring finger without damage to nail, initial encounter	ICD-10-CM	Diagnosis
S61.214S	Laceration without foreign body of right ring finger without damage to nail, sequela	ICD-10-CM	Diagnosis
S61.214D	Laceration without foreign body of right ring finger without damage to nail, subsequent encounter	ICD-10-CM	Diagnosis
S31.31XD	Laceration without foreign body of scrotum and testes, subsequent encounter	ICD-10-CM	Diagnosis
S21.419A	Laceration without foreign body of unspecified back wall of thorax with penetration into thoracic cavity, initial encounter	ICD-10-CM	Diagnosis
S21.419D	Laceration without foreign body of unspecified back wall of thorax with penetration into thoracic cavity, subsequent encounter	ICD-10-CM	Diagnosis
S21.419S	Laceration without foreign body of unspecified back wall of thorax with penetration into thoracic cavity, sequela	ICD-10-CM	Diagnosis
S01.419D	Laceration without foreign body of unspecified cheek and temporomandibular area, subsequent encounter	ICD-10-CM	Diagnosis
S01.419S	Laceration without foreign body of unspecified cheek and temporomandibular area, sequela	ICD-10-CM	Diagnosis
S01.419A	Laceration without foreign body of unspecified cheek and temporomandibular area, initial encounter	ICD-10-CM	Diagnosis
S31.512D	Laceration without foreign body of unspecified external genital organs, female, subsequent encounter	ICD-10-CM	Diagnosis
S31.511D	Laceration without foreign body of unspecified external genital organs, male, subsequent encounter	ICD-10-CM	Diagnosis
S31.511A	Laceration without foreign body of unspecified external genital organs, male, initial encounter	ICD-10-CM	Diagnosis
S01.119A	Laceration without foreign body of unspecified eyelid and periocular area, initial encounter	ICD-10-CM	Diagnosis
S01.119S	Laceration without foreign body of unspecified eyelid and periocular area, sequela	ICD-10-CM	Diagnosis
S01.119D	Laceration without foreign body of unspecified eyelid and periocular area, subsequent encounter	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S61.219A	Laceration without foreign body of unspecified finger without damage to nail, initial encounter	ICD-10-CM	Diagnosis
S61.219S	Laceration without foreign body of unspecified finger without damage to nail, sequela	ICD-10-CM	Diagnosis
S61.219D	Laceration without foreign body of unspecified finger without damage to nail, subsequent encounter	ICD-10-CM	Diagnosis
S21.319A	Laceration without foreign body of unspecified front wall of thorax with penetration into thoracic cavity, initial encounter	ICD-10-CM	Diagnosis
S21.319S	Laceration without foreign body of unspecified front wall of thorax with penetration into thoracic cavity, sequela	ICD-10-CM	Diagnosis
S21.319D	Laceration without foreign body of unspecified front wall of thorax with penetration into thoracic cavity, subsequent encounter	ICD-10-CM	Diagnosis
S91.113A	Laceration without foreign body of unspecified great toe without damage to nail, initial encounter	ICD-10-CM	Diagnosis
S91.113S	Laceration without foreign body of unspecified great toe without damage to nail, sequela	ICD-10-CM	Diagnosis
S91.113D	Laceration without foreign body of unspecified great toe without damage to nail, subsequent encounter	ICD-10-CM	Diagnosis
S91.216A	Laceration without foreign body of unspecified lesser toe(s) with damage to nail, initial encounter	ICD-10-CM	Diagnosis
S91.216S	Laceration without foreign body of unspecified lesser toe(s) with damage to nail, sequela	ICD-10-CM	Diagnosis
S91.216D	Laceration without foreign body of unspecified lesser toe(s) with damage to nail, subsequent encounter	ICD-10-CM	Diagnosis
S91.116A	Laceration without foreign body of unspecified lesser toe(s) without damage to nail, initial encounter	ICD-10-CM	Diagnosis
S91.116D	Laceration without foreign body of unspecified lesser toe(s) without damage to nail, subsequent encounter	ICD-10-CM	Diagnosis
S91.116S	Laceration without foreign body of unspecified lesser toe(s) without damage to nail, sequela	ICD-10-CM	Diagnosis
S66.321A	Laceration of extensor muscle, fascia and tendon of left index finger at wrist and hand level, initial encounter	ICD-10-CM	Diagnosis
S66.321S	Laceration of extensor muscle, fascia and tendon of left index finger at wrist and hand level, sequela	ICD-10-CM	Diagnosis
S66.321D	Laceration of extensor muscle, fascia and tendon of left index finger at wrist and hand level, subsequent encounter	ICD-10-CM	Diagnosis
S66.327A	Laceration of extensor muscle, fascia and tendon of left little finger at wrist and hand level, initial encounter	ICD-10-CM	Diagnosis
S66.327S	Laceration of extensor muscle, fascia and tendon of left little finger at wrist and hand level, sequela	ICD-10-CM	Diagnosis
S66.327D	Laceration of extensor muscle, fascia and tendon of left little finger at wrist and hand level, subsequent encounter	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S66.323A	Laceration of extensor muscle, fascia and tendon of left middle finger at wrist and hand level, initial encounter	ICD-10-CM	Diagnosis
S66.323S	Laceration of extensor muscle, fascia and tendon of left middle finger at wrist and hand level, sequela	ICD-10-CM	Diagnosis
S66.323D	Laceration of extensor muscle, fascia and tendon of left middle finger at wrist and hand level, subsequent encounter	ICD-10-CM	Diagnosis
S66.325A	Laceration of extensor muscle, fascia and tendon of left ring finger at wrist and hand level, initial encounter	ICD-10-CM	Diagnosis
S66.325S	Laceration of extensor muscle, fascia and tendon of left ring finger at wrist and hand level, sequela	ICD-10-CM	Diagnosis
S66.325D	Laceration of extensor muscle, fascia and tendon of left ring finger at wrist and hand level, subsequent encounter	ICD-10-CM	Diagnosis
S66.222A	Laceration of extensor muscle, fascia and tendon of left thumb at wrist and hand level, initial encounter	ICD-10-CM	Diagnosis
S66.222S	Laceration of extensor muscle, fascia and tendon of left thumb at wrist and hand level, sequela	ICD-10-CM	Diagnosis
S66.222D	Laceration of extensor muscle, fascia and tendon of left thumb at wrist and hand level, subsequent encounter	ICD-10-CM	Diagnosis
S66.328A	Laceration of extensor muscle, fascia and tendon of other finger at wrist and hand level, initial encounter	ICD-10-CM	Diagnosis
S66.328S	Laceration of extensor muscle, fascia and tendon of other finger at wrist and hand level, sequela	ICD-10-CM	Diagnosis
S66.328D	Laceration of extensor muscle, fascia and tendon of other finger at wrist and hand level, subsequent encounter	ICD-10-CM	Diagnosis
S66.320A	Laceration of extensor muscle, fascia and tendon of right index finger at wrist and hand level, initial encounter	ICD-10-CM	Diagnosis
S66.320S	Laceration of extensor muscle, fascia and tendon of right index finger at wrist and hand level, sequela	ICD-10-CM	Diagnosis
S66.320D	Laceration of extensor muscle, fascia and tendon of right index finger at wrist and hand level, subsequent encounter	ICD-10-CM	Diagnosis
S66.326A	Laceration of extensor muscle, fascia and tendon of right little finger at wrist and hand level, initial encounter	ICD-10-CM	Diagnosis
S66.326S	Laceration of extensor muscle, fascia and tendon of right little finger at wrist and hand level, sequela	ICD-10-CM	Diagnosis
S66.326D	Laceration of extensor muscle, fascia and tendon of right little finger at wrist and hand level, subsequent encounter	ICD-10-CM	Diagnosis
S66.322A	Laceration of extensor muscle, fascia and tendon of right middle finger at wrist and hand level, initial encounter	ICD-10-CM	Diagnosis
S66.322S	Laceration of extensor muscle, fascia and tendon of right middle finger at wrist and hand level, sequela	ICD-10-CM	Diagnosis
S66.322D	Laceration of extensor muscle, fascia and tendon of right middle finger at wrist and hand level, subsequent encounter	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S66.324A	Laceration of extensor muscle, fascia and tendon of right ring finger at wrist and hand level, initial encounter	ICD-10-CM	Diagnosis
S66.324S	Laceration of extensor muscle, fascia and tendon of right ring finger at wrist and hand level, sequela	ICD-10-CM	Diagnosis
S66.324D	Laceration of extensor muscle, fascia and tendon of right ring finger at wrist and hand level, subsequent encounter	ICD-10-CM	Diagnosis
S66.221A	Laceration of extensor muscle, fascia and tendon of right thumb at wrist and hand level, initial encounter	ICD-10-CM	Diagnosis
S66.221S	Laceration of extensor muscle, fascia and tendon of right thumb at wrist and hand level, sequela	ICD-10-CM	Diagnosis
S66.221D	Laceration of extensor muscle, fascia and tendon of right thumb at wrist and hand level, subsequent encounter	ICD-10-CM	Diagnosis
S66.329A	Laceration of extensor muscle, fascia and tendon of unspecified finger at wrist and hand level, initial encounter	ICD-10-CM	Diagnosis
S66.329S	Laceration of extensor muscle, fascia and tendon of unspecified finger at wrist and hand level, sequela	ICD-10-CM	Diagnosis
S66.329D	Laceration of extensor muscle, fascia and tendon of unspecified finger at wrist and hand level, subsequent encounter	ICD-10-CM	Diagnosis
S66.229A	Laceration of extensor muscle, fascia and tendon of unspecified thumb at wrist and hand level, initial encounter	ICD-10-CM	Diagnosis
S66.229S	Laceration of extensor muscle, fascia and tendon of unspecified thumb at wrist and hand level, sequela	ICD-10-CM	Diagnosis
S66.229D	Laceration of extensor muscle, fascia and tendon of unspecified thumb at wrist and hand level, subsequent encounter	ICD-10-CM	Diagnosis
S11.22XA	Laceration with foreign body of pharynx and cervical esophagus, initial encounter	ICD-10-CM	Diagnosis
S11.22XS	Laceration with foreign body of pharynx and cervical esophagus, sequela	ICD-10-CM	Diagnosis
S11.22XD	Laceration with foreign body of pharynx and cervical esophagus, subsequent encounter	ICD-10-CM	Diagnosis
S66.521A	Laceration of intrinsic muscle, fascia and tendon of left index finger at wrist and hand level, initial encounter	ICD-10-CM	Diagnosis
S66.521S	Laceration of intrinsic muscle, fascia and tendon of left index finger at wrist and hand level, sequela	ICD-10-CM	Diagnosis
S66.521D	Laceration of intrinsic muscle, fascia and tendon of left index finger at wrist and hand level, subsequent encounter	ICD-10-CM	Diagnosis
S66.527A	Laceration of intrinsic muscle, fascia and tendon of left little finger at wrist and hand level, initial encounter	ICD-10-CM	Diagnosis
S66.527S	Laceration of intrinsic muscle, fascia and tendon of left little finger at wrist and hand level, sequela	ICD-10-CM	Diagnosis
S66.527D	Laceration of intrinsic muscle, fascia and tendon of left little finger at wrist and hand level, subsequent encounter	ICD-10-CM	Diagnosis
S66.523A	Laceration of intrinsic muscle, fascia and tendon of left middle finger at wrist and hand level, initial encounter	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S66.523S	Laceration of intrinsic muscle, fascia and tendon of left middle finger at wrist and hand level, sequela	ICD-10-CM	Diagnosis
S66.523D	Laceration of intrinsic muscle, fascia and tendon of left middle finger at wrist and hand level, subsequent encounter	ICD-10-CM	Diagnosis
S66.525A	Laceration of intrinsic muscle, fascia and tendon of left ring finger at wrist and hand level, initial encounter	ICD-10-CM	Diagnosis
S66.525S	Laceration of intrinsic muscle, fascia and tendon of left ring finger at wrist and hand level, sequela	ICD-10-CM	Diagnosis
S66.525D	Laceration of intrinsic muscle, fascia and tendon of left ring finger at wrist and hand level, subsequent encounter	ICD-10-CM	Diagnosis
S66.422A	Laceration of intrinsic muscle, fascia and tendon of left thumb at wrist and hand level, initial encounter	ICD-10-CM	Diagnosis
S66.422S	Laceration of intrinsic muscle, fascia and tendon of left thumb at wrist and hand level, sequela	ICD-10-CM	Diagnosis
S66.422D	Laceration of intrinsic muscle, fascia and tendon of left thumb at wrist and hand level, subsequent encounter	ICD-10-CM	Diagnosis
S66.528A	Laceration of intrinsic muscle, fascia and tendon of other finger at wrist and hand level, initial encounter	ICD-10-CM	Diagnosis
S66.528S	Laceration of intrinsic muscle, fascia and tendon of other finger at wrist and hand level, sequela	ICD-10-CM	Diagnosis
S66.528D	Laceration of intrinsic muscle, fascia and tendon of other finger at wrist and hand level, subsequent encounter	ICD-10-CM	Diagnosis
S66.520A	Laceration of intrinsic muscle, fascia and tendon of right index finger at wrist and hand level, initial encounter	ICD-10-CM	Diagnosis
S66.520S	Laceration of intrinsic muscle, fascia and tendon of right index finger at wrist and hand level, sequela	ICD-10-CM	Diagnosis
S66.520D	Laceration of intrinsic muscle, fascia and tendon of right index finger at wrist and hand level, subsequent encounter	ICD-10-CM	Diagnosis
S66.526A	Laceration of intrinsic muscle, fascia and tendon of right little finger at wrist and hand level, initial encounter	ICD-10-CM	Diagnosis
S66.526S	Laceration of intrinsic muscle, fascia and tendon of right little finger at wrist and hand level, sequela	ICD-10-CM	Diagnosis
S66.526D	Laceration of intrinsic muscle, fascia and tendon of right little finger at wrist and hand level, subsequent encounter	ICD-10-CM	Diagnosis
S66.522A	Laceration of intrinsic muscle, fascia and tendon of right middle finger at wrist and hand level, initial encounter	ICD-10-CM	Diagnosis
S66.522S	Laceration of intrinsic muscle, fascia and tendon of right middle finger at wrist and hand level, sequela	ICD-10-CM	Diagnosis
S66.522D	Laceration of intrinsic muscle, fascia and tendon of right middle finger at wrist and hand level, subsequent encounter	ICD-10-CM	Diagnosis
S66.524A	Laceration of intrinsic muscle, fascia and tendon of right ring finger at wrist and hand level, initial encounter	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S66.524S	Laceration of intrinsic muscle, fascia and tendon of right ring finger at wrist and hand level, sequela	ICD-10-CM	Diagnosis
S66.524D	Laceration of intrinsic muscle, fascia and tendon of right ring finger at wrist and hand level, subsequent encounter	ICD-10-CM	Diagnosis
S66.421A	Laceration of intrinsic muscle, fascia and tendon of right thumb at wrist and hand level, initial encounter	ICD-10-CM	Diagnosis
S66.421S	Laceration of intrinsic muscle, fascia and tendon of right thumb at wrist and hand level, sequela	ICD-10-CM	Diagnosis
S66.421D	Laceration of intrinsic muscle, fascia and tendon of right thumb at wrist and hand level, subsequent encounter	ICD-10-CM	Diagnosis
S66.529A	Laceration of intrinsic muscle, fascia and tendon of unspecified finger at wrist and hand level, initial encounter	ICD-10-CM	Diagnosis
S66.529S	Laceration of intrinsic muscle, fascia and tendon of unspecified finger at wrist and hand level, sequela	ICD-10-CM	Diagnosis
S66.529D	Laceration of intrinsic muscle, fascia and tendon of unspecified finger at wrist and hand level, subsequent encounter	ICD-10-CM	Diagnosis
S66.429A	Laceration of intrinsic muscle, fascia and tendon of unspecified thumb at wrist and hand level, initial encounter	ICD-10-CM	Diagnosis
S66.429S	Laceration of intrinsic muscle, fascia and tendon of unspecified thumb at wrist and hand level, sequela	ICD-10-CM	Diagnosis
S66.429D	Laceration of intrinsic muscle, fascia and tendon of unspecified thumb at wrist and hand level, subsequent encounter	ICD-10-CM	Diagnosis
S86.022A	Laceration of left Achilles tendon, initial encounter	ICD-10-CM	Diagnosis
S86.022D	Laceration of left Achilles tendon, subsequent encounter	ICD-10-CM	Diagnosis
S76.122A	Laceration of left quadriceps muscle, fascia and tendon, initial encounter	ICD-10-CM	Diagnosis
S76.122S	Laceration of left quadriceps muscle, fascia and tendon, sequela	ICD-10-CM	Diagnosis
S76.122D	Laceration of left quadriceps muscle, fascia and tendon, subsequent encounter	ICD-10-CM	Diagnosis
S46.022S	Laceration of muscle(s) and tendon(s) of the rotator cuff of left shoulder, sequela	ICD-10-CM	Diagnosis
S46.021S	Laceration of muscle(s) and tendon(s) of the rotator cuff of right shoulder, sequela	ICD-10-CM	Diagnosis
S76.021D	Laceration of muscle, fascia and tendon of right hip, subsequent encounter	ICD-10-CM	Diagnosis
S76.029D	Laceration of muscle, fascia and tendon of unspecified hip, subsequent encounter	ICD-10-CM	Diagnosis
S76.022D	Laceration of muscle, fascia and tendon of left hip, subsequent encounter	ICD-10-CM	Diagnosis
S29.022S	Laceration of muscle and tendon of back wall of thorax, sequela	ICD-10-CM	Diagnosis
S29.022A	Laceration of muscle and tendon of back wall of thorax, initial encounter	ICD-10-CM	Diagnosis
S29.022D	Laceration of muscle and tendon of back wall of thorax, subsequent encounter	ICD-10-CM	Diagnosis
S29.021S	Laceration of muscle and tendon of front wall of thorax, sequela	ICD-10-CM	Diagnosis
S09.12XA	Laceration of muscle and tendon of head, initial encounter	ICD-10-CM	Diagnosis



**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S09.12XD	Laceration of muscle and tendon of head, subsequent encounter	ICD-10-CM	Diagnosis
S29.029A	Laceration of muscle and tendon of unspecified wall of thorax, initial encounter	ICD-10-CM	Diagnosis
S29.029S	Laceration of muscle and tendon of unspecified wall of thorax, sequela	ICD-10-CM	Diagnosis
S29.029D	Laceration of muscle and tendon of unspecified wall of thorax, subsequent encounter	ICD-10-CM	Diagnosis
S16.2XXS	Laceration of muscle, fascia and tendon at neck level, sequela	ICD-10-CM	Diagnosis
S46.322S	Laceration of muscle, fascia and tendon of triceps, left arm, sequela	ICD-10-CM	Diagnosis
S46.321S	Laceration of muscle, fascia and tendon of triceps, right arm, sequela	ICD-10-CM	Diagnosis
S46.329S	Laceration of muscle, fascia and tendon of triceps, unspecified arm, sequela	ICD-10-CM	Diagnosis
S39.021A	Laceration of muscle, fascia and tendon of abdomen, initial encounter	ICD-10-CM	Diagnosis
S39.021S	Laceration of muscle, fascia and tendon of abdomen, sequela	ICD-10-CM	Diagnosis
S39.021D	Laceration of muscle, fascia and tendon of abdomen, subsequent encounter	ICD-10-CM	Diagnosis
S39.022A	Laceration of muscle, fascia and tendon of lower back, initial encounter	ICD-10-CM	Diagnosis
S39.022S	Laceration of muscle, fascia and tendon of lower back, sequela	ICD-10-CM	Diagnosis
S39.022D	Laceration of muscle, fascia and tendon of lower back, subsequent encounter	ICD-10-CM	Diagnosis
S39.023D	Laceration of muscle, fascia and tendon of pelvis, subsequent encounter	ICD-10-CM	Diagnosis
S39.023A	Laceration of muscle, fascia and tendon of pelvis, initial encounter	ICD-10-CM	Diagnosis
S39.023S	Laceration of muscle, fascia and tendon of pelvis, sequela	ICD-10-CM	Diagnosis
S76.022A	Laceration of muscle, fascia and tendon of left hip, initial encounter	ICD-10-CM	Diagnosis
S76.022S	Laceration of muscle, fascia and tendon of left hip, sequela	ICD-10-CM	Diagnosis
S76.021A	Laceration of muscle, fascia and tendon of right hip, initial encounter	ICD-10-CM	Diagnosis
S76.021S	Laceration of muscle, fascia and tendon of right hip, sequela	ICD-10-CM	Diagnosis
S76.029A	Laceration of muscle, fascia and tendon of unspecified hip, initial encounter	ICD-10-CM	Diagnosis
S76.029S	Laceration of muscle, fascia and tendon of unspecified hip, sequela	ICD-10-CM	Diagnosis
S31.512S	Laceration without foreign body of unspecified external genital organs, female, sequela	ICD-10-CM	Diagnosis
S86.022S	Laceration of left Achilles tendon, sequela	ICD-10-CM	Diagnosis
S09.12XS	Laceration of muscle and tendon of head, sequela	ICD-10-CM	Diagnosis
S86.021S	Laceration of right Achilles tendon, sequela	ICD-10-CM	Diagnosis
S76.829A	Laceration of other specified muscles, fascia and tendons at thigh level, unspecified thigh, initial encounter	ICD-10-CM	Diagnosis
S76.829S	Laceration of other specified muscles, fascia and tendons at thigh level, unspecified thigh, sequela	ICD-10-CM	Diagnosis
S76.829D	Laceration of other specified muscles, fascia and tendons at thigh level, unspecified thigh, subsequent encounter	ICD-10-CM	Diagnosis
S66.822A	Laceration of other specified muscles, fascia and tendons at wrist and hand level, left hand, initial encounter	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S66.822S	Laceration of other specified muscles, fascia and tendons at wrist and hand level, left hand, sequela	ICD-10-CM	Diagnosis
S66.822D	Laceration of other specified muscles, fascia and tendons at wrist and hand level, left hand, subsequent encounter	ICD-10-CM	Diagnosis
S66.821A	Laceration of other specified muscles, fascia and tendons at wrist and hand level, right hand, initial encounter	ICD-10-CM	Diagnosis
S66.821S	Laceration of other specified muscles, fascia and tendons at wrist and hand level, right hand, sequela	ICD-10-CM	Diagnosis
S66.821D	Laceration of other specified muscles, fascia and tendons at wrist and hand level, right hand, subsequent encounter	ICD-10-CM	Diagnosis
S66.829A	Laceration of other specified muscles, fascia and tendons at wrist and hand level, unspecified hand, initial encounter	ICD-10-CM	Diagnosis
S66.829S	Laceration of other specified muscles, fascia and tendons at wrist and hand level, unspecified hand, sequela	ICD-10-CM	Diagnosis
S66.829D	Laceration of other specified muscles, fascia and tendons at wrist and hand level, unspecified hand, subsequent encounter	ICD-10-CM	Diagnosis
S76.822A	Laceration of other specified muscles, fascia and tendons at thigh level, left thigh, initial encounter	ICD-10-CM	Diagnosis
S76.822S	Laceration of other specified muscles, fascia and tendons at thigh level, left thigh, sequela	ICD-10-CM	Diagnosis
S76.822D	Laceration of other specified muscles, fascia and tendons at thigh level, left thigh, subsequent encounter	ICD-10-CM	Diagnosis
S76.821A	Laceration of other specified muscles, fascia and tendons at thigh level, right thigh, initial encounter	ICD-10-CM	Diagnosis
S76.821S	Laceration of other specified muscles, fascia and tendons at thigh level, right thigh, sequela	ICD-10-CM	Diagnosis
S76.821D	Laceration of other specified muscles, fascia and tendons at thigh level, right thigh, subsequent encounter	ICD-10-CM	Diagnosis
S86.021A	Laceration of right Achilles tendon, initial encounter	ICD-10-CM	Diagnosis
S86.021D	Laceration of right Achilles tendon, subsequent encounter	ICD-10-CM	Diagnosis
S76.121A	Laceration of right quadriceps muscle, fascia and tendon, initial encounter	ICD-10-CM	Diagnosis
S76.121S	Laceration of right quadriceps muscle, fascia and tendon, sequela	ICD-10-CM	Diagnosis
S76.121D	Laceration of right quadriceps muscle, fascia and tendon, subsequent encounter	ICD-10-CM	Diagnosis
S86.029A	Laceration of unspecified Achilles tendon, initial encounter	ICD-10-CM	Diagnosis
S86.029S	Laceration of unspecified Achilles tendon, sequela	ICD-10-CM	Diagnosis
S86.029D	Laceration of unspecified Achilles tendon, subsequent encounter	ICD-10-CM	Diagnosis
S76.922A	Laceration of unspecified muscles, fascia and tendons at thigh level, left thigh, initial encounter	ICD-10-CM	Diagnosis
S76.922S	Laceration of unspecified muscles, fascia and tendons at thigh level, left thigh, sequela	ICD-10-CM	Diagnosis
S76.922D	Laceration of unspecified muscles, fascia and tendons at thigh level, left thigh, subsequent encounter	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S76.921A	Laceration of unspecified muscles, fascia and tendons at thigh level, right thigh, initial encounter	ICD-10-CM	Diagnosis
S76.921S	Laceration of unspecified muscles, fascia and tendons at thigh level, right thigh, sequela	ICD-10-CM	Diagnosis
S76.921D	Laceration of unspecified muscles, fascia and tendons at thigh level, right thigh, subsequent encounter	ICD-10-CM	Diagnosis
S76.929A	Laceration of unspecified muscles, fascia and tendons at thigh level, unspecified thigh, initial encounter	ICD-10-CM	Diagnosis
S76.929S	Laceration of unspecified muscles, fascia and tendons at thigh level, unspecified thigh, sequela	ICD-10-CM	Diagnosis
S76.929D	Laceration of unspecified muscles, fascia and tendons at thigh level, unspecified thigh, subsequent encounter	ICD-10-CM	Diagnosis
S76.129A	Laceration of unspecified quadriceps muscle, fascia and tendon, initial encounter	ICD-10-CM	Diagnosis
S76.129S	Laceration of unspecified quadriceps muscle, fascia and tendon, sequela	ICD-10-CM	Diagnosis
S76.129D	Laceration of unspecified quadriceps muscle, fascia and tendon, subsequent encounter	ICD-10-CM	Diagnosis
S31.822S	Laceration with foreign body of left buttock, sequela	ICD-10-CM	Diagnosis
S41.022S	Laceration with foreign body of left shoulder, sequela	ICD-10-CM	Diagnosis
S01.521A	Laceration with foreign body of lip, initial encounter	ICD-10-CM	Diagnosis
S31.812S	Laceration with foreign body of right buttock, sequela	ICD-10-CM	Diagnosis
S31.822D	Laceration with foreign body of left buttock, subsequent encounter	ICD-10-CM	Diagnosis
S01.122S	Laceration with foreign body of left eyelid and periocular area, sequela	ICD-10-CM	Diagnosis
S91.222A	Laceration with foreign body of left great toe with damage to nail, initial encounter	ICD-10-CM	Diagnosis
S91.222D	Laceration with foreign body of left great toe with damage to nail, subsequent encounter	ICD-10-CM	Diagnosis
S91.222S	Laceration with foreign body of left great toe with damage to nail, sequela	ICD-10-CM	Diagnosis
S91.122A	Laceration with foreign body of left great toe without damage to nail, initial encounter	ICD-10-CM	Diagnosis
S91.122S	Laceration with foreign body of left great toe without damage to nail, sequela	ICD-10-CM	Diagnosis
S91.122D	Laceration with foreign body of left great toe without damage to nail, subsequent encounter	ICD-10-CM	Diagnosis
S61.321A	Laceration with foreign body of left index finger with damage to nail, initial encounter	ICD-10-CM	Diagnosis
S61.321S	Laceration with foreign body of left index finger with damage to nail, sequela	ICD-10-CM	Diagnosis
S61.321D	Laceration with foreign body of left index finger with damage to nail, subsequent encounter	ICD-10-CM	Diagnosis
S91.225A	Laceration with foreign body of left lesser toe(s) with damage to nail, initial encounter	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S91.225S	Laceration with foreign body of left lesser toe(s) with damage to nail, sequela	ICD-10-CM	Diagnosis
S91.225D	Laceration with foreign body of left lesser toe(s) with damage to nail, subsequent encounter	ICD-10-CM	Diagnosis
S61.327A	Laceration with foreign body of left little finger with damage to nail, initial encounter	ICD-10-CM	Diagnosis
S61.327S	Laceration with foreign body of left little finger with damage to nail, sequela	ICD-10-CM	Diagnosis
S61.327D	Laceration with foreign body of left little finger with damage to nail, subsequent encounter	ICD-10-CM	Diagnosis
S61.323A	Laceration with foreign body of left middle finger with damage to nail, initial encounter	ICD-10-CM	Diagnosis
S61.323S	Laceration with foreign body of left middle finger with damage to nail, sequela	ICD-10-CM	Diagnosis
S61.323D	Laceration with foreign body of left middle finger with damage to nail, subsequent encounter	ICD-10-CM	Diagnosis
S61.325A	Laceration with foreign body of left ring finger with damage to nail, initial encounter	ICD-10-CM	Diagnosis
S61.325S	Laceration with foreign body of left ring finger with damage to nail, sequela	ICD-10-CM	Diagnosis
S61.325D	Laceration with foreign body of left ring finger with damage to nail, subsequent encounter	ICD-10-CM	Diagnosis
S41.022A	Laceration with foreign body of left shoulder, initial encounter	ICD-10-CM	Diagnosis
S41.022D	Laceration with foreign body of left shoulder, subsequent encounter	ICD-10-CM	Diagnosis
S71.122D	Laceration with foreign body, left thigh, subsequent encounter	ICD-10-CM	Diagnosis
S61.122A	Laceration with foreign body of left thumb with damage to nail, initial encounter	ICD-10-CM	Diagnosis
S61.122S	Laceration with foreign body of left thumb with damage to nail, sequela	ICD-10-CM	Diagnosis
S61.122D	Laceration with foreign body of left thumb with damage to nail, subsequent encounter	ICD-10-CM	Diagnosis
S61.022A	Laceration with foreign body of left thumb without damage to nail, initial encounter	ICD-10-CM	Diagnosis
S61.022S	Laceration with foreign body of left thumb without damage to nail, sequela	ICD-10-CM	Diagnosis
S61.022D	Laceration with foreign body of left thumb without damage to nail, subsequent encounter	ICD-10-CM	Diagnosis
S41.122A	Laceration with foreign body of left upper arm, initial encounter	ICD-10-CM	Diagnosis
S41.122D	Laceration with foreign body of left upper arm, subsequent encounter	ICD-10-CM	Diagnosis
S01.522A	Laceration with foreign body of oral cavity, initial encounter	ICD-10-CM	Diagnosis
S01.522D	Laceration with foreign body of oral cavity, subsequent encounter	ICD-10-CM	Diagnosis
S61.328A	Laceration with foreign body of other finger with damage to nail, initial encounter	ICD-10-CM	Diagnosis
S61.328S	Laceration with foreign body of other finger with damage to nail, sequela	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S61.328D	Laceration with foreign body of other finger with damage to nail, subsequent encounter	ICD-10-CM	Diagnosis
S01.82XA	Laceration with foreign body of other part of head, initial encounter	ICD-10-CM	Diagnosis
S01.82XD	Laceration with foreign body of other part of head, subsequent encounter	ICD-10-CM	Diagnosis
S11.82XA	Laceration with foreign body of other specified part of neck, initial encounter	ICD-10-CM	Diagnosis
S11.82XD	Laceration with foreign body of other specified part of neck, subsequent encounter	ICD-10-CM	Diagnosis
S31.812D	Laceration with foreign body of right buttock, subsequent encounter	ICD-10-CM	Diagnosis
S01.321D	Laceration with foreign body of right ear, subsequent encounter	ICD-10-CM	Diagnosis
S01.121S	Laceration with foreign body of right eyelid and periocular area, sequela	ICD-10-CM	Diagnosis
S91.221A	Laceration with foreign body of right great toe with damage to nail, initial encounter	ICD-10-CM	Diagnosis
S91.221D	Laceration with foreign body of right great toe with damage to nail, subsequent encounter	ICD-10-CM	Diagnosis
S91.221S	Laceration with foreign body of right great toe with damage to nail, sequela	ICD-10-CM	Diagnosis
S91.121A	Laceration with foreign body of right great toe without damage to nail, initial encounter	ICD-10-CM	Diagnosis
S91.121S	Laceration with foreign body of right great toe without damage to nail, sequela	ICD-10-CM	Diagnosis
S91.121D	Laceration with foreign body of right great toe without damage to nail, subsequent encounter	ICD-10-CM	Diagnosis
S61.320A	Laceration with foreign body of right index finger with damage to nail, initial encounter	ICD-10-CM	Diagnosis
S61.320S	Laceration with foreign body of right index finger with damage to nail, sequela	ICD-10-CM	Diagnosis
S61.320D	Laceration with foreign body of right index finger with damage to nail, subsequent encounter	ICD-10-CM	Diagnosis
S91.224A	Laceration with foreign body of right lesser toe(s) with damage to nail, initial encounter	ICD-10-CM	Diagnosis
S91.224S	Laceration with foreign body of right lesser toe(s) with damage to nail, sequela	ICD-10-CM	Diagnosis
S91.224D	Laceration with foreign body of right lesser toe(s) with damage to nail, subsequent encounter	ICD-10-CM	Diagnosis
S61.326A	Laceration with foreign body of right little finger with damage to nail, initial encounter	ICD-10-CM	Diagnosis
S61.326S	Laceration with foreign body of right little finger with damage to nail, sequela	ICD-10-CM	Diagnosis
S61.326D	Laceration with foreign body of right little finger with damage to nail, subsequent encounter	ICD-10-CM	Diagnosis
S61.322A	Laceration with foreign body of right middle finger with damage to nail, initial encounter	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S61.322S	Laceration with foreign body of right middle finger with damage to nail, sequela	ICD-10-CM	Diagnosis
S61.322D	Laceration with foreign body of right middle finger with damage to nail, subsequent encounter	ICD-10-CM	Diagnosis
S61.324A	Laceration with foreign body of right ring finger with damage to nail, initial encounter	ICD-10-CM	Diagnosis
S61.324S	Laceration with foreign body of right ring finger with damage to nail, sequela	ICD-10-CM	Diagnosis
S61.324D	Laceration with foreign body of right ring finger with damage to nail, subsequent encounter	ICD-10-CM	Diagnosis
S41.021A	Laceration with foreign body of right shoulder, initial encounter	ICD-10-CM	Diagnosis
S41.021D	Laceration with foreign body of right shoulder, subsequent encounter	ICD-10-CM	Diagnosis
S71.121D	Laceration with foreign body, right thigh, subsequent encounter	ICD-10-CM	Diagnosis
S61.121A	Laceration with foreign body of right thumb with damage to nail, initial encounter	ICD-10-CM	Diagnosis
S61.121S	Laceration with foreign body of right thumb with damage to nail, sequela	ICD-10-CM	Diagnosis
S61.121D	Laceration with foreign body of right thumb with damage to nail, subsequent encounter	ICD-10-CM	Diagnosis
S61.021A	Laceration with foreign body of right thumb without damage to nail, initial encounter	ICD-10-CM	Diagnosis
S61.021S	Laceration with foreign body of right thumb without damage to nail, sequela	ICD-10-CM	Diagnosis
S61.021D	Laceration with foreign body of right thumb without damage to nail, subsequent encounter	ICD-10-CM	Diagnosis
S41.121A	Laceration with foreign body of right upper arm, initial encounter	ICD-10-CM	Diagnosis
S41.121D	Laceration with foreign body of right upper arm, subsequent encounter	ICD-10-CM	Diagnosis
S01.02XD	Laceration with foreign body of scalp, subsequent encounter	ICD-10-CM	Diagnosis
S31.32XA	Laceration with foreign body of scrotum and testes, initial encounter	ICD-10-CM	Diagnosis
S31.32XS	Laceration with foreign body of scrotum and testes, sequela	ICD-10-CM	Diagnosis
S31.32XD	Laceration with foreign body of scrotum and testes, subsequent encounter	ICD-10-CM	Diagnosis
S31.802A	Laceration with foreign body of unspecified buttock, initial encounter	ICD-10-CM	Diagnosis
S31.802D	Laceration with foreign body of unspecified buttock, subsequent encounter	ICD-10-CM	Diagnosis
S01.329D	Laceration with foreign body of unspecified ear, subsequent encounter	ICD-10-CM	Diagnosis
S31.521A	Laceration with foreign body of unspecified external genital organs, male, initial encounter	ICD-10-CM	Diagnosis
S31.522S	Laceration with foreign body of unspecified external genital organs, female, sequela	ICD-10-CM	Diagnosis
S31.522A	Laceration with foreign body of unspecified external genital organs, female, initial encounter	ICD-10-CM	Diagnosis
S31.521S	Laceration with foreign body of unspecified external genital organs, male, sequela	ICD-10-CM	Diagnosis



**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S01.129S	Laceration with foreign body of unspecified eyelid and periocular area, sequela	ICD-10-CM	Diagnosis
S61.329A	Laceration with foreign body of unspecified finger with damage to nail, initial encounter	ICD-10-CM	Diagnosis
S61.329S	Laceration with foreign body of unspecified finger with damage to nail, sequela	ICD-10-CM	Diagnosis
S61.329D	Laceration with foreign body of unspecified finger with damage to nail, subsequent encounter	ICD-10-CM	Diagnosis
S91.223A	Laceration with foreign body of unspecified great toe with damage to nail, initial encounter	ICD-10-CM	Diagnosis
S91.223S	Laceration with foreign body of unspecified great toe with damage to nail, sequela	ICD-10-CM	Diagnosis
S91.223D	Laceration with foreign body of unspecified great toe with damage to nail, subsequent encounter	ICD-10-CM	Diagnosis
S91.226A	Laceration with foreign body of unspecified lesser toe(s) with damage to nail, initial encounter	ICD-10-CM	Diagnosis
S91.226S	Laceration with foreign body of unspecified lesser toe(s) with damage to nail, sequela	ICD-10-CM	Diagnosis
S91.226D	Laceration with foreign body of unspecified lesser toe(s) with damage to nail, subsequent encounter	ICD-10-CM	Diagnosis
S01.92XA	Laceration with foreign body of unspecified part of head, initial encounter	ICD-10-CM	Diagnosis
S01.92XD	Laceration with foreign body of unspecified part of head, subsequent encounter	ICD-10-CM	Diagnosis
S41.029A	Laceration with foreign body of unspecified shoulder, initial encounter	ICD-10-CM	Diagnosis
S41.029D	Laceration with foreign body of unspecified shoulder, subsequent encounter	ICD-10-CM	Diagnosis
S71.129D	Laceration with foreign body, unspecified thigh, subsequent encounter	ICD-10-CM	Diagnosis
S61.129A	Laceration with foreign body of unspecified thumb with damage to nail, initial encounter	ICD-10-CM	Diagnosis
S61.129S	Laceration with foreign body of unspecified thumb with damage to nail, sequela	ICD-10-CM	Diagnosis
S61.129D	Laceration with foreign body of unspecified thumb with damage to nail, subsequent encounter	ICD-10-CM	Diagnosis
S61.029A	Laceration with foreign body of unspecified thumb without damage to nail, initial encounter	ICD-10-CM	Diagnosis
S61.029S	Laceration with foreign body of unspecified thumb without damage to nail, sequela	ICD-10-CM	Diagnosis
S61.029D	Laceration with foreign body of unspecified thumb without damage to nail, subsequent encounter	ICD-10-CM	Diagnosis
S91.229A	Laceration with foreign body of unspecified toe(s) with damage to nail, initial encounter	ICD-10-CM	Diagnosis
S91.229S	Laceration with foreign body of unspecified toe(s) with damage to nail, sequela	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S91.229D	Laceration with foreign body of unspecified toe(s) with damage to nail, subsequent encounter	ICD-10-CM	Diagnosis
S91.129A	Laceration with foreign body of unspecified toe(s) without damage to nail, initial encounter	ICD-10-CM	Diagnosis
S91.129S	Laceration with foreign body of unspecified toe(s) without damage to nail, sequela	ICD-10-CM	Diagnosis
S91.129D	Laceration with foreign body of unspecified toe(s) without damage to nail, subsequent encounter	ICD-10-CM	Diagnosis
S41.129A	Laceration with foreign body of unspecified upper arm, initial encounter	ICD-10-CM	Diagnosis
S41.129D	Laceration with foreign body of unspecified upper arm, subsequent encounter	ICD-10-CM	Diagnosis
S11.92XA	Laceration with foreign body of unspecified part of neck, initial encounter	ICD-10-CM	Diagnosis
S11.92XD	Laceration with foreign body of unspecified part of neck, subsequent encounter	ICD-10-CM	Diagnosis
S31.42XA	Laceration with foreign body of vagina and vulva, initial encounter	ICD-10-CM	Diagnosis
S31.42XS	Laceration with foreign body of vagina and vulva, sequela	ICD-10-CM	Diagnosis
S31.42XD	Laceration with foreign body of vagina and vulva, subsequent encounter	ICD-10-CM	Diagnosis
S31.832A	Laceration with foreign body of anus, initial encounter	ICD-10-CM	Diagnosis
S31.832D	Laceration with foreign body of anus, subsequent encounter	ICD-10-CM	Diagnosis
S11.012A	Laceration with foreign body of larynx, initial encounter	ICD-10-CM	Diagnosis
S11.012D	Laceration with foreign body of larynx, subsequent encounter	ICD-10-CM	Diagnosis
S91.022A	Laceration with foreign body, left ankle, initial encounter	ICD-10-CM	Diagnosis
S91.022S	Laceration with foreign body, left ankle, sequela	ICD-10-CM	Diagnosis
S91.022D	Laceration with foreign body, left ankle, subsequent encounter	ICD-10-CM	Diagnosis
S51.022S	Laceration with foreign body of left elbow, sequela	ICD-10-CM	Diagnosis
S91.322A	Laceration with foreign body, left foot, initial encounter	ICD-10-CM	Diagnosis
S91.322D	Laceration with foreign body, left foot, subsequent encounter	ICD-10-CM	Diagnosis
S01.521D	Laceration with foreign body of lip, subsequent encounter	ICD-10-CM	Diagnosis
S21.022A	Laceration with foreign body of left breast, initial encounter	ICD-10-CM	Diagnosis
S21.022D	Laceration with foreign body of left breast, subsequent encounter	ICD-10-CM	Diagnosis
S31.822A	Laceration with foreign body of left buttock, initial encounter	ICD-10-CM	Diagnosis
S51.022A	Laceration with foreign body of left elbow, initial encounter	ICD-10-CM	Diagnosis
S51.022D	Laceration with foreign body of left elbow, subsequent encounter	ICD-10-CM	Diagnosis
S51.822A	Laceration with foreign body of left forearm, initial encounter	ICD-10-CM	Diagnosis
S51.822S	Laceration with foreign body of left forearm, sequela	ICD-10-CM	Diagnosis
S51.822D	Laceration with foreign body of left forearm, subsequent encounter	ICD-10-CM	Diagnosis
S71.022A	Laceration with foreign body, left hip, initial encounter	ICD-10-CM	Diagnosis
S71.022D	Laceration with foreign body, left hip, subsequent encounter	ICD-10-CM	Diagnosis
S81.822A	Laceration with foreign body, left lower leg, initial encounter	ICD-10-CM	Diagnosis
S81.822D	Laceration with foreign body, left lower leg, subsequent encounter	ICD-10-CM	Diagnosis
S81.822S	Laceration with foreign body, left lower leg, sequela	ICD-10-CM	Diagnosis
S71.122A	Laceration with foreign body, left thigh, initial encounter	ICD-10-CM	Diagnosis
S41.122S	Laceration with foreign body of left upper arm, sequela	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S61.522A	Laceration with foreign body of left wrist, initial encounter	ICD-10-CM	Diagnosis
S61.522D	Laceration with foreign body of left wrist, subsequent encounter	ICD-10-CM	Diagnosis
S01.22XA	Laceration with foreign body of nose, initial encounter	ICD-10-CM	Diagnosis
S01.22XD	Laceration with foreign body of nose, subsequent encounter	ICD-10-CM	Diagnosis
S11.022S	Laceration with foreign body of trachea, sequela	ICD-10-CM	Diagnosis
S01.82XS	Laceration with foreign body of other part of head, sequela	ICD-10-CM	Diagnosis
S11.82XS	Laceration with foreign body of other specified part of neck, sequela	ICD-10-CM	Diagnosis
S31.22XA	Laceration with foreign body of penis, initial encounter	ICD-10-CM	Diagnosis
S31.22XD	Laceration with foreign body of penis, subsequent encounter	ICD-10-CM	Diagnosis
S91.021S	Laceration with foreign body, right ankle, sequela	ICD-10-CM	Diagnosis
S21.021S	Laceration with foreign body of right breast, sequela	ICD-10-CM	Diagnosis
S01.321S	Laceration with foreign body of right ear, sequela	ICD-10-CM	Diagnosis
S51.021S	Laceration with foreign body of right elbow, sequela	ICD-10-CM	Diagnosis
S91.321A	Laceration with foreign body, right foot, initial encounter	ICD-10-CM	Diagnosis
S91.321S	Laceration with foreign body, right foot, sequela	ICD-10-CM	Diagnosis
S91.321D	Laceration with foreign body, right foot, subsequent encounter	ICD-10-CM	Diagnosis
S51.821S	Laceration with foreign body of right forearm, sequela	ICD-10-CM	Diagnosis
S91.021A	Laceration with foreign body, right ankle, initial encounter	ICD-10-CM	Diagnosis
S91.021D	Laceration with foreign body, right ankle, subsequent encounter	ICD-10-CM	Diagnosis
S21.021A	Laceration with foreign body of right breast, initial encounter	ICD-10-CM	Diagnosis
S21.021D	Laceration with foreign body of right breast, subsequent encounter	ICD-10-CM	Diagnosis
S31.812A	Laceration with foreign body of right buttock, initial encounter	ICD-10-CM	Diagnosis
S01.321A	Laceration with foreign body of right ear, initial encounter	ICD-10-CM	Diagnosis
S51.021A	Laceration with foreign body of right elbow, initial encounter	ICD-10-CM	Diagnosis
S51.021D	Laceration with foreign body of right elbow, subsequent encounter	ICD-10-CM	Diagnosis
S51.821A	Laceration with foreign body of right forearm, initial encounter	ICD-10-CM	Diagnosis
S51.821D	Laceration with foreign body of right forearm, subsequent encounter	ICD-10-CM	Diagnosis
S71.021A	Laceration with foreign body, right hip, initial encounter	ICD-10-CM	Diagnosis
S71.021D	Laceration with foreign body, right hip, subsequent encounter	ICD-10-CM	Diagnosis
S81.821A	Laceration with foreign body, right lower leg, initial encounter	ICD-10-CM	Diagnosis
S81.821D	Laceration with foreign body, right lower leg, subsequent encounter	ICD-10-CM	Diagnosis
S81.821S	Laceration with foreign body, right lower leg, sequela	ICD-10-CM	Diagnosis
S41.021S	Laceration with foreign body of right shoulder, sequela	ICD-10-CM	Diagnosis
S71.121A	Laceration with foreign body, right thigh, initial encounter	ICD-10-CM	Diagnosis
S41.121S	Laceration with foreign body of right upper arm, sequela	ICD-10-CM	Diagnosis
S61.521A	Laceration with foreign body of right wrist, initial encounter	ICD-10-CM	Diagnosis
S61.521D	Laceration with foreign body of right wrist, subsequent encounter	ICD-10-CM	Diagnosis
S01.02XA	Laceration with foreign body of scalp, initial encounter	ICD-10-CM	Diagnosis
S11.12XA	Laceration with foreign body of thyroid gland, initial encounter	ICD-10-CM	Diagnosis
S11.12XS	Laceration with foreign body of thyroid gland, sequela	ICD-10-CM	Diagnosis
S11.12XD	Laceration with foreign body of thyroid gland, subsequent encounter	ICD-10-CM	Diagnosis
S11.022A	Laceration with foreign body of trachea, initial encounter	ICD-10-CM	Diagnosis
S11.022D	Laceration with foreign body of trachea, subsequent encounter	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S91.029A	Laceration with foreign body, unspecified ankle, initial encounter	ICD-10-CM	Diagnosis
S91.029S	Laceration with foreign body, unspecified ankle, sequela	ICD-10-CM	Diagnosis
S91.029D	Laceration with foreign body, unspecified ankle, subsequent encounter	ICD-10-CM	Diagnosis
S21.029A	Laceration with foreign body of unspecified breast, initial encounter	ICD-10-CM	Diagnosis
S21.029S	Laceration with foreign body of unspecified breast, sequela	ICD-10-CM	Diagnosis
S21.029D	Laceration with foreign body of unspecified breast, subsequent encounter	ICD-10-CM	Diagnosis
S31.802S	Laceration with foreign body of unspecified buttock, sequela	ICD-10-CM	Diagnosis
S01.329A	Laceration with foreign body of unspecified ear, initial encounter	ICD-10-CM	Diagnosis
S01.329S	Laceration with foreign body of unspecified ear, sequela	ICD-10-CM	Diagnosis
S51.029A	Laceration with foreign body of unspecified elbow, initial encounter	ICD-10-CM	Diagnosis
S51.029S	Laceration with foreign body of unspecified elbow, sequela	ICD-10-CM	Diagnosis
S51.029D	Laceration with foreign body of unspecified elbow, subsequent encounter	ICD-10-CM	Diagnosis
S91.329A	Laceration with foreign body, unspecified foot, initial encounter	ICD-10-CM	Diagnosis
S91.329S	Laceration with foreign body, unspecified foot, sequela	ICD-10-CM	Diagnosis
S91.329D	Laceration with foreign body, unspecified foot, subsequent encounter	ICD-10-CM	Diagnosis
S51.829A	Laceration with foreign body of unspecified forearm, initial encounter	ICD-10-CM	Diagnosis
S51.829S	Laceration with foreign body of unspecified forearm, sequela	ICD-10-CM	Diagnosis
S51.829D	Laceration with foreign body of unspecified forearm, subsequent encounter	ICD-10-CM	Diagnosis
S71.029A	Laceration with foreign body, unspecified hip, initial encounter	ICD-10-CM	Diagnosis
S71.029S	Laceration with foreign body, unspecified hip, sequela	ICD-10-CM	Diagnosis
S71.029D	Laceration with foreign body, unspecified hip, subsequent encounter	ICD-10-CM	Diagnosis
S81.029A	Laceration with foreign body, unspecified knee, initial encounter	ICD-10-CM	Diagnosis
S81.029S	Laceration with foreign body, unspecified knee, sequela	ICD-10-CM	Diagnosis
S81.029D	Laceration with foreign body, unspecified knee, subsequent encounter	ICD-10-CM	Diagnosis
S81.829A	Laceration with foreign body, unspecified lower leg, initial encounter	ICD-10-CM	Diagnosis
S81.829S	Laceration with foreign body, unspecified lower leg, sequela	ICD-10-CM	Diagnosis
S81.829D	Laceration with foreign body, unspecified lower leg, subsequent encounter	ICD-10-CM	Diagnosis
S01.92XS	Laceration with foreign body of unspecified part of head, sequela	ICD-10-CM	Diagnosis
S11.92XS	Laceration with foreign body of unspecified part of neck, sequela	ICD-10-CM	Diagnosis
S21.92XA	Laceration with foreign body of unspecified part of thorax, initial encounter	ICD-10-CM	Diagnosis
S21.92XS	Laceration with foreign body of unspecified part of thorax, sequela	ICD-10-CM	Diagnosis
S21.92XD	Laceration with foreign body of unspecified part of thorax, subsequent encounter	ICD-10-CM	Diagnosis
S41.029S	Laceration with foreign body of unspecified shoulder, sequela	ICD-10-CM	Diagnosis
S71.129A	Laceration with foreign body, unspecified thigh, initial encounter	ICD-10-CM	Diagnosis
S71.129S	Laceration with foreign body, unspecified thigh, sequela	ICD-10-CM	Diagnosis
S41.129S	Laceration with foreign body of unspecified upper arm, sequela	ICD-10-CM	Diagnosis
S61.529A	Laceration with foreign body of unspecified wrist, initial encounter	ICD-10-CM	Diagnosis
S61.529S	Laceration with foreign body of unspecified wrist, sequela	ICD-10-CM	Diagnosis
S61.529D	Laceration with foreign body of unspecified wrist, subsequent encounter	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S11.032A	Laceration with foreign body of vocal cord, initial encounter	ICD-10-CM	Diagnosis
S11.032D	Laceration with foreign body of vocal cord, subsequent encounter	ICD-10-CM	Diagnosis
S31.821A	Laceration without foreign body of left buttock, initial encounter	ICD-10-CM	Diagnosis
S31.821D	Laceration without foreign body of left buttock, subsequent encounter	ICD-10-CM	Diagnosis
S01.112S	Laceration without foreign body of left eyelid and periorcular area, sequela	ICD-10-CM	Diagnosis
S91.212A	Laceration without foreign body of left great toe with damage to nail, initial encounter	ICD-10-CM	Diagnosis
S91.212S	Laceration without foreign body of left great toe with damage to nail, sequela	ICD-10-CM	Diagnosis
S91.212D	Laceration without foreign body of left great toe with damage to nail, subsequent encounter	ICD-10-CM	Diagnosis
S71.012D	Laceration without foreign body, left hip, subsequent encounter	ICD-10-CM	Diagnosis
S41.012A	Laceration without foreign body of left shoulder, initial encounter	ICD-10-CM	Diagnosis
S41.012D	Laceration without foreign body of left shoulder, subsequent encounter	ICD-10-CM	Diagnosis
S71.112D	Laceration without foreign body, left thigh, subsequent encounter	ICD-10-CM	Diagnosis
S61.112A	Laceration without foreign body of left thumb with damage to nail, initial encounter	ICD-10-CM	Diagnosis
S61.112S	Laceration without foreign body of left thumb with damage to nail, sequela	ICD-10-CM	Diagnosis
S61.112D	Laceration without foreign body of left thumb with damage to nail, subsequent encounter	ICD-10-CM	Diagnosis
S61.012A	Laceration without foreign body of left thumb without damage to nail, initial encounter	ICD-10-CM	Diagnosis
S61.012S	Laceration without foreign body of left thumb without damage to nail, sequela	ICD-10-CM	Diagnosis
S61.012D	Laceration without foreign body of left thumb without damage to nail, subsequent encounter	ICD-10-CM	Diagnosis
S41.112A	Laceration without foreign body of left upper arm, initial encounter	ICD-10-CM	Diagnosis
S41.112D	Laceration without foreign body of left upper arm, subsequent encounter	ICD-10-CM	Diagnosis
S01.21XD	Laceration without foreign body of nose, subsequent encounter	ICD-10-CM	Diagnosis
S01.512A	Laceration without foreign body of oral cavity, initial encounter	ICD-10-CM	Diagnosis
S01.512D	Laceration without foreign body of oral cavity, subsequent encounter	ICD-10-CM	Diagnosis
S61.318A	Laceration without foreign body of other finger with damage to nail, initial encounter	ICD-10-CM	Diagnosis
S61.318S	Laceration without foreign body of other finger with damage to nail, sequela	ICD-10-CM	Diagnosis
S61.318D	Laceration without foreign body of other finger with damage to nail, subsequent encounter	ICD-10-CM	Diagnosis
S01.81XS	Laceration without foreign body of other part of head, sequela	ICD-10-CM	Diagnosis
S01.81XD	Laceration without foreign body of other part of head, subsequent encounter	ICD-10-CM	Diagnosis
S11.81XA	Laceration without foreign body of other specified part of neck, initial encounter	ICD-10-CM	Diagnosis



**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S11.81XS	Laceration without foreign body of other specified part of neck, sequela	ICD-10-CM	Diagnosis
S11.81XD	Laceration without foreign body of other specified part of neck, subsequent encounter	ICD-10-CM	Diagnosis
S01.81XA	Laceration without foreign body of other part of head, initial encounter	ICD-10-CM	Diagnosis
S11.21XA	Laceration without foreign body of pharynx and cervical esophagus, initial encounter	ICD-10-CM	Diagnosis
S31.811A	Laceration without foreign body of right buttock, initial encounter	ICD-10-CM	Diagnosis
S31.811D	Laceration without foreign body of right buttock, subsequent encounter	ICD-10-CM	Diagnosis
S01.111S	Laceration without foreign body of right eyelid and periocular area, sequela	ICD-10-CM	Diagnosis
S91.211A	Laceration without foreign body of right great toe with damage to nail, initial encounter	ICD-10-CM	Diagnosis
S91.211S	Laceration without foreign body of right great toe with damage to nail, sequela	ICD-10-CM	Diagnosis
S91.211D	Laceration without foreign body of right great toe with damage to nail, subsequent encounter	ICD-10-CM	Diagnosis
S71.011D	Laceration without foreign body, right hip, subsequent encounter	ICD-10-CM	Diagnosis
S41.011A	Laceration without foreign body of right shoulder, initial encounter	ICD-10-CM	Diagnosis
S41.011D	Laceration without foreign body of right shoulder, subsequent encounter	ICD-10-CM	Diagnosis
S71.111D	Laceration without foreign body, right thigh, subsequent encounter	ICD-10-CM	Diagnosis
S61.111A	Laceration without foreign body of right thumb with damage to nail, initial encounter	ICD-10-CM	Diagnosis
S61.111S	Laceration without foreign body of right thumb with damage to nail, sequela	ICD-10-CM	Diagnosis
S61.111D	Laceration without foreign body of right thumb with damage to nail, subsequent encounter	ICD-10-CM	Diagnosis
S61.011A	Laceration without foreign body of right thumb without damage to nail, initial encounter	ICD-10-CM	Diagnosis
S61.011S	Laceration without foreign body of right thumb without damage to nail, sequela	ICD-10-CM	Diagnosis
S61.011D	Laceration without foreign body of right thumb without damage to nail, subsequent encounter	ICD-10-CM	Diagnosis
S41.111A	Laceration without foreign body of right upper arm, initial encounter	ICD-10-CM	Diagnosis
S41.111D	Laceration without foreign body of right upper arm, subsequent encounter	ICD-10-CM	Diagnosis
S01.01XD	Laceration without foreign body of scalp, subsequent encounter	ICD-10-CM	Diagnosis
S31.31XA	Laceration without foreign body of scrotum and testes, initial encounter	ICD-10-CM	Diagnosis
S31.31XS	Laceration without foreign body of scrotum and testes, sequela	ICD-10-CM	Diagnosis
S31.801A	Laceration without foreign body of unspecified buttock, initial encounter	ICD-10-CM	Diagnosis
S31.801D	Laceration without foreign body of unspecified buttock, subsequent encounter	ICD-10-CM	Diagnosis
S31.512A	Laceration without foreign body of unspecified external genital organs, female, initial encounter	ICD-10-CM	Diagnosis



**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S31.511S	Laceration without foreign body of unspecified external genital organs, male, sequela	ICD-10-CM	Diagnosis
S61.319A	Laceration without foreign body of unspecified finger with damage to nail, initial encounter	ICD-10-CM	Diagnosis
S61.319S	Laceration without foreign body of unspecified finger with damage to nail, sequela	ICD-10-CM	Diagnosis
S61.319D	Laceration without foreign body of unspecified finger with damage to nail, subsequent encounter	ICD-10-CM	Diagnosis
S91.213A	Laceration without foreign body of unspecified great toe with damage to nail, initial encounter	ICD-10-CM	Diagnosis
S91.213S	Laceration without foreign body of unspecified great toe with damage to nail, sequela	ICD-10-CM	Diagnosis
S91.213D	Laceration without foreign body of unspecified great toe with damage to nail, subsequent encounter	ICD-10-CM	Diagnosis
S71.019D	Laceration without foreign body, unspecified hip, subsequent encounter	ICD-10-CM	Diagnosis
S01.91XA	Laceration without foreign body of unspecified part of head, initial encounter	ICD-10-CM	Diagnosis
S01.91XS	Laceration without foreign body of unspecified part of head, sequela	ICD-10-CM	Diagnosis
S01.91XD	Laceration without foreign body of unspecified part of head, subsequent encounter	ICD-10-CM	Diagnosis
S11.91XA	Laceration without foreign body of unspecified part of neck, initial encounter	ICD-10-CM	Diagnosis
S11.91XD	Laceration without foreign body of unspecified part of neck, subsequent encounter	ICD-10-CM	Diagnosis
S21.91XA	Laceration without foreign body of unspecified part of thorax, initial encounter	ICD-10-CM	Diagnosis
S21.91XD	Laceration without foreign body of unspecified part of thorax, subsequent encounter	ICD-10-CM	Diagnosis
S41.019A	Laceration without foreign body of unspecified shoulder, initial encounter	ICD-10-CM	Diagnosis
S41.019D	Laceration without foreign body of unspecified shoulder, subsequent encounter	ICD-10-CM	Diagnosis
S71.119A	Laceration without foreign body, unspecified thigh, initial encounter	ICD-10-CM	Diagnosis
S71.119D	Laceration without foreign body, unspecified thigh, subsequent encounter	ICD-10-CM	Diagnosis
S61.119A	Laceration without foreign body of unspecified thumb with damage to nail, initial encounter	ICD-10-CM	Diagnosis
S61.119S	Laceration without foreign body of unspecified thumb with damage to nail, sequela	ICD-10-CM	Diagnosis
S61.119D	Laceration without foreign body of unspecified thumb with damage to nail, subsequent encounter	ICD-10-CM	Diagnosis
S61.019A	Laceration without foreign body of unspecified thumb without damage to nail, initial encounter	ICD-10-CM	Diagnosis
S61.019S	Laceration without foreign body of unspecified thumb without damage to nail, sequela	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S61.019D	Laceration without foreign body of unspecified thumb without damage to nail, subsequent encounter	ICD-10-CM	Diagnosis
S91.119A	Laceration without foreign body of unspecified toe without damage to nail, initial encounter	ICD-10-CM	Diagnosis
S91.119S	Laceration without foreign body of unspecified toe without damage to nail, sequela	ICD-10-CM	Diagnosis
S91.119D	Laceration without foreign body of unspecified toe without damage to nail, subsequent encounter	ICD-10-CM	Diagnosis
S91.219A	Laceration without foreign body of unspecified toe(s) with damage to nail, initial encounter	ICD-10-CM	Diagnosis
S91.219S	Laceration without foreign body of unspecified toe(s) with damage to nail, sequela	ICD-10-CM	Diagnosis
S91.219D	Laceration without foreign body of unspecified toe(s) with damage to nail, subsequent encounter	ICD-10-CM	Diagnosis
S41.119A	Laceration without foreign body of unspecified upper arm, initial encounter	ICD-10-CM	Diagnosis
S41.119S	Laceration without foreign body of unspecified upper arm, sequela	ICD-10-CM	Diagnosis
S41.119D	Laceration without foreign body of unspecified upper arm, subsequent encounter	ICD-10-CM	Diagnosis
S11.91XS	Laceration without foreign body of unspecified part of neck, sequela	ICD-10-CM	Diagnosis
S31.41XA	Laceration without foreign body of vagina and vulva, initial encounter	ICD-10-CM	Diagnosis
S31.41XS	Laceration without foreign body of vagina and vulva, sequela	ICD-10-CM	Diagnosis
S31.41XD	Laceration without foreign body of vagina and vulva, subsequent encounter	ICD-10-CM	Diagnosis
S31.831A	Laceration without foreign body of anus, initial encounter	ICD-10-CM	Diagnosis
S31.831D	Laceration without foreign body of anus, subsequent encounter	ICD-10-CM	Diagnosis
S11.011A	Laceration without foreign body of larynx, initial encounter	ICD-10-CM	Diagnosis
S11.011D	Laceration without foreign body of larynx, subsequent encounter	ICD-10-CM	Diagnosis
S01.511A	Laceration without foreign body of lip, initial encounter	ICD-10-CM	Diagnosis
S01.511D	Laceration without foreign body of lip, subsequent encounter	ICD-10-CM	Diagnosis
S91.012A	Laceration without foreign body, left ankle, initial encounter	ICD-10-CM	Diagnosis
S91.012S	Laceration without foreign body, left ankle, sequela	ICD-10-CM	Diagnosis
S91.012D	Laceration without foreign body, left ankle, subsequent encounter	ICD-10-CM	Diagnosis
S21.012A	Laceration without foreign body of left breast, initial encounter	ICD-10-CM	Diagnosis
S21.012S	Laceration without foreign body of left breast, sequela	ICD-10-CM	Diagnosis
S21.012D	Laceration without foreign body of left breast, subsequent encounter	ICD-10-CM	Diagnosis
S31.821S	Laceration without foreign body of left buttock, sequela	ICD-10-CM	Diagnosis
S51.012A	Laceration without foreign body of left elbow, initial encounter	ICD-10-CM	Diagnosis
S51.012S	Laceration without foreign body of left elbow, sequela	ICD-10-CM	Diagnosis
S51.012D	Laceration without foreign body of left elbow, subsequent encounter	ICD-10-CM	Diagnosis
S91.312A	Laceration without foreign body, left foot, initial encounter	ICD-10-CM	Diagnosis
S91.312S	Laceration without foreign body, left foot, sequela	ICD-10-CM	Diagnosis
S91.312D	Laceration without foreign body, left foot, subsequent encounter	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S51.812A	Laceration without foreign body of left forearm, initial encounter	ICD-10-CM	Diagnosis
S51.812S	Laceration without foreign body of left forearm, sequela	ICD-10-CM	Diagnosis
S51.812D	Laceration without foreign body of left forearm, subsequent encounter	ICD-10-CM	Diagnosis
S61.412A	Laceration without foreign body of left hand, initial encounter	ICD-10-CM	Diagnosis
S61.412D	Laceration without foreign body of left hand, subsequent encounter	ICD-10-CM	Diagnosis
S71.012A	Laceration without foreign body, left hip, initial encounter	ICD-10-CM	Diagnosis
S81.012A	Laceration without foreign body, left knee, initial encounter	ICD-10-CM	Diagnosis
S81.012D	Laceration without foreign body, left knee, subsequent encounter	ICD-10-CM	Diagnosis
S81.812A	Laceration without foreign body, left lower leg, initial encounter	ICD-10-CM	Diagnosis
S81.812D	Laceration without foreign body, left lower leg, subsequent encounter	ICD-10-CM	Diagnosis
S81.812S	Laceration without foreign body, left lower leg, sequela	ICD-10-CM	Diagnosis
S41.012S	Laceration without foreign body of left shoulder, sequela	ICD-10-CM	Diagnosis
S71.112A	Laceration without foreign body, left thigh, initial encounter	ICD-10-CM	Diagnosis
S41.112S	Laceration without foreign body of left upper arm, sequela	ICD-10-CM	Diagnosis
S61.512A	Laceration without foreign body of left wrist, initial encounter	ICD-10-CM	Diagnosis
S61.512D	Laceration without foreign body of left wrist, subsequent encounter	ICD-10-CM	Diagnosis
S01.21XA	Laceration without foreign body of nose, initial encounter	ICD-10-CM	Diagnosis
S01.512S	Laceration without foreign body of oral cavity, sequela	ICD-10-CM	Diagnosis
S31.21XA	Laceration without foreign body of penis, initial encounter	ICD-10-CM	Diagnosis
S31.21XD	Laceration without foreign body of penis, subsequent encounter	ICD-10-CM	Diagnosis
S91.011A	Laceration without foreign body, right ankle, initial encounter	ICD-10-CM	Diagnosis
S91.011S	Laceration without foreign body, right ankle, sequela	ICD-10-CM	Diagnosis
S91.011D	Laceration without foreign body, right ankle, subsequent encounter	ICD-10-CM	Diagnosis
S21.011A	Laceration without foreign body of right breast, initial encounter	ICD-10-CM	Diagnosis
S21.011S	Laceration without foreign body of right breast, sequela	ICD-10-CM	Diagnosis
S21.011D	Laceration without foreign body of right breast, subsequent encounter	ICD-10-CM	Diagnosis
S31.811S	Laceration without foreign body of right buttock, sequela	ICD-10-CM	Diagnosis
S51.011A	Laceration without foreign body of right elbow, initial encounter	ICD-10-CM	Diagnosis
S51.011S	Laceration without foreign body of right elbow, sequela	ICD-10-CM	Diagnosis
S51.011D	Laceration without foreign body of right elbow, subsequent encounter	ICD-10-CM	Diagnosis
S91.311A	Laceration without foreign body, right foot, initial encounter	ICD-10-CM	Diagnosis
S91.311S	Laceration without foreign body, right foot, sequela	ICD-10-CM	Diagnosis
S91.311D	Laceration without foreign body, right foot, subsequent encounter	ICD-10-CM	Diagnosis
S51.811A	Laceration without foreign body of right forearm, initial encounter	ICD-10-CM	Diagnosis
S51.811S	Laceration without foreign body of right forearm, sequela	ICD-10-CM	Diagnosis
S51.811D	Laceration without foreign body of right forearm, subsequent encounter	ICD-10-CM	Diagnosis
S61.411A	Laceration without foreign body of right hand, initial encounter	ICD-10-CM	Diagnosis
S61.411D	Laceration without foreign body of right hand, subsequent encounter	ICD-10-CM	Diagnosis
S71.011A	Laceration without foreign body, right hip, initial encounter	ICD-10-CM	Diagnosis
S81.011A	Laceration without foreign body, right knee, initial encounter	ICD-10-CM	Diagnosis
S81.011D	Laceration without foreign body, right knee, subsequent encounter	ICD-10-CM	Diagnosis
S81.811A	Laceration without foreign body, right lower leg, initial encounter	ICD-10-CM	Diagnosis
S81.811D	Laceration without foreign body, right lower leg, subsequent encounter	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S81.811S	Laceration without foreign body, right lower leg, sequela	ICD-10-CM	Diagnosis
S41.011S	Laceration without foreign body of right shoulder, sequela	ICD-10-CM	Diagnosis
S71.111A	Laceration without foreign body, right thigh, initial encounter	ICD-10-CM	Diagnosis
S41.111S	Laceration without foreign body of right upper arm, sequela	ICD-10-CM	Diagnosis
S61.511A	Laceration without foreign body of right wrist, initial encounter	ICD-10-CM	Diagnosis
S61.511D	Laceration without foreign body of right wrist, subsequent encounter	ICD-10-CM	Diagnosis
S01.01XA	Laceration without foreign body of scalp, initial encounter	ICD-10-CM	Diagnosis
S11.11XA	Laceration without foreign body of thyroid gland, initial encounter	ICD-10-CM	Diagnosis
S11.11XS	Laceration without foreign body of thyroid gland, sequela	ICD-10-CM	Diagnosis
S11.11XD	Laceration without foreign body of thyroid gland, subsequent encounter	ICD-10-CM	Diagnosis
S11.021A	Laceration without foreign body of trachea, initial encounter	ICD-10-CM	Diagnosis
S11.021S	Laceration without foreign body of trachea, sequela	ICD-10-CM	Diagnosis
S11.021D	Laceration without foreign body of trachea, subsequent encounter	ICD-10-CM	Diagnosis
S91.019A	Laceration without foreign body, unspecified ankle, initial encounter	ICD-10-CM	Diagnosis
S91.019S	Laceration without foreign body, unspecified ankle, sequela	ICD-10-CM	Diagnosis
S91.019D	Laceration without foreign body, unspecified ankle, subsequent encounter	ICD-10-CM	Diagnosis
S21.019A	Laceration without foreign body of unspecified breast, initial encounter	ICD-10-CM	Diagnosis
S21.019S	Laceration without foreign body of unspecified breast, sequela	ICD-10-CM	Diagnosis
S21.019D	Laceration without foreign body of unspecified breast, subsequent encounter	ICD-10-CM	Diagnosis
S31.801S	Laceration without foreign body of unspecified buttock, sequela	ICD-10-CM	Diagnosis
S51.019A	Laceration without foreign body of unspecified elbow, initial encounter	ICD-10-CM	Diagnosis
S51.019S	Laceration without foreign body of unspecified elbow, sequela	ICD-10-CM	Diagnosis
S51.019D	Laceration without foreign body of unspecified elbow, subsequent encounter	ICD-10-CM	Diagnosis
S91.319A	Laceration without foreign body, unspecified foot, initial encounter	ICD-10-CM	Diagnosis
S91.319S	Laceration without foreign body, unspecified foot, sequela	ICD-10-CM	Diagnosis
S91.319D	Laceration without foreign body, unspecified foot, subsequent encounter	ICD-10-CM	Diagnosis
S51.819A	Laceration without foreign body of unspecified forearm, initial encounter	ICD-10-CM	Diagnosis
S51.819S	Laceration without foreign body of unspecified forearm, sequela	ICD-10-CM	Diagnosis
S51.819D	Laceration without foreign body of unspecified forearm, subsequent encounter	ICD-10-CM	Diagnosis
S61.419A	Laceration without foreign body of unspecified hand, initial encounter	ICD-10-CM	Diagnosis
S61.419D	Laceration without foreign body of unspecified hand, subsequent encounter	ICD-10-CM	Diagnosis
S71.019A	Laceration without foreign body, unspecified hip, initial encounter	ICD-10-CM	Diagnosis
S81.019A	Laceration without foreign body, unspecified knee, initial encounter	ICD-10-CM	Diagnosis
S81.019D	Laceration without foreign body, unspecified knee, subsequent encounter	ICD-10-CM	Diagnosis
S81.819A	Laceration without foreign body, unspecified lower leg, initial encounter	ICD-10-CM	Diagnosis
S81.819D	Laceration without foreign body, unspecified lower leg, subsequent encounter	ICD-10-CM	Diagnosis
S81.819S	Laceration without foreign body, unspecified lower leg, sequela	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S21.91XS	Laceration without foreign body of unspecified part of thorax, sequela	ICD-10-CM	Diagnosis
S41.019S	Laceration without foreign body of unspecified shoulder, sequela	ICD-10-CM	Diagnosis
S71.119S	Laceration without foreign body, unspecified thigh, sequela	ICD-10-CM	Diagnosis
S61.519A	Laceration without foreign body of unspecified wrist, initial encounter	ICD-10-CM	Diagnosis
S61.519S	Laceration without foreign body of unspecified wrist, sequela	ICD-10-CM	Diagnosis
S61.519D	Laceration without foreign body of unspecified wrist, subsequent encounter	ICD-10-CM	Diagnosis
S11.031A	Laceration without foreign body of vocal cord, initial encounter	ICD-10-CM	Diagnosis
S11.031S	Laceration without foreign body of vocal cord, sequela	ICD-10-CM	Diagnosis
S11.031D	Laceration without foreign body of vocal cord, subsequent encounter	ICD-10-CM	Diagnosis
S21.022S	Laceration with foreign body of left breast, sequela	ICD-10-CM	Diagnosis
S91.322S	Laceration with foreign body, left foot, sequela	ICD-10-CM	Diagnosis
S61.422S	Laceration with foreign body of left hand, sequela	ICD-10-CM	Diagnosis
S71.022S	Laceration with foreign body, left hip, sequela	ICD-10-CM	Diagnosis
S81.022S	Laceration with foreign body, left knee, sequela	ICD-10-CM	Diagnosis
S71.122S	Laceration with foreign body, left thigh, sequela	ICD-10-CM	Diagnosis
S61.522S	Laceration with foreign body of left wrist, sequela	ICD-10-CM	Diagnosis
S61.422A	Laceration with foreign body of left hand, initial encounter	ICD-10-CM	Diagnosis
S61.422D	Laceration with foreign body of left hand, subsequent encounter	ICD-10-CM	Diagnosis
S81.022A	Laceration with foreign body, left knee, initial encounter	ICD-10-CM	Diagnosis
S81.022D	Laceration with foreign body, left knee, subsequent encounter	ICD-10-CM	Diagnosis
S31.832S	Laceration with foreign body of anus, sequela	ICD-10-CM	Diagnosis
S11.012S	Laceration with foreign body of larynx, sequela	ICD-10-CM	Diagnosis
S01.322A	Laceration with foreign body of left ear, initial encounter	ICD-10-CM	Diagnosis
S01.322S	Laceration with foreign body of left ear, sequela	ICD-10-CM	Diagnosis
S01.322D	Laceration with foreign body of left ear, subsequent encounter	ICD-10-CM	Diagnosis
S01.521S	Laceration with foreign body of lip, sequela	ICD-10-CM	Diagnosis
S01.22XS	Laceration with foreign body of nose, sequela	ICD-10-CM	Diagnosis
S31.22XS	Laceration with foreign body of penis, sequela	ICD-10-CM	Diagnosis
S01.02XS	Laceration with foreign body of scalp, sequela	ICD-10-CM	Diagnosis
S01.522S	Laceration with foreign body of oral cavity, sequela	ICD-10-CM	Diagnosis
S61.421S	Laceration with foreign body of right hand, sequela	ICD-10-CM	Diagnosis
S71.021S	Laceration with foreign body, right hip, sequela	ICD-10-CM	Diagnosis
S81.021S	Laceration with foreign body, right knee, sequela	ICD-10-CM	Diagnosis
S71.121S	Laceration with foreign body, right thigh, sequela	ICD-10-CM	Diagnosis
S61.521S	Laceration with foreign body of right wrist, sequela	ICD-10-CM	Diagnosis
S61.421A	Laceration with foreign body of right hand, initial encounter	ICD-10-CM	Diagnosis
S61.421D	Laceration with foreign body of right hand, subsequent encounter	ICD-10-CM	Diagnosis
S81.021A	Laceration with foreign body, right knee, initial encounter	ICD-10-CM	Diagnosis
S81.021D	Laceration with foreign body, right knee, subsequent encounter	ICD-10-CM	Diagnosis
S61.429A	Laceration with foreign body of unspecified hand, initial encounter	ICD-10-CM	Diagnosis
S61.429S	Laceration with foreign body of unspecified hand, sequela	ICD-10-CM	Diagnosis
S61.429D	Laceration with foreign body of unspecified hand, subsequent encounter	ICD-10-CM	Diagnosis



**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S11.032S	Laceration with foreign body of vocal cord, sequela	ICD-10-CM	Diagnosis
S11.011S	Laceration without foreign body of larynx, sequela	ICD-10-CM	Diagnosis
S01.312S	Laceration without foreign body of left ear, sequela	ICD-10-CM	Diagnosis
S01.312D	Laceration without foreign body of left ear, subsequent encounter	ICD-10-CM	Diagnosis
S71.012S	Laceration without foreign body, left hip, sequela	ICD-10-CM	Diagnosis
S01.312A	Laceration without foreign body of left ear, initial encounter	ICD-10-CM	Diagnosis
S61.412S	Laceration without foreign body of left hand, sequela	ICD-10-CM	Diagnosis
S81.012S	Laceration without foreign body, left knee, sequela	ICD-10-CM	Diagnosis
S71.112S	Laceration without foreign body, left thigh, sequela	ICD-10-CM	Diagnosis
S61.512S	Laceration without foreign body of left wrist, sequela	ICD-10-CM	Diagnosis
S31.831S	Laceration without foreign body of anus, sequela	ICD-10-CM	Diagnosis
S01.511S	Laceration without foreign body of lip, sequela	ICD-10-CM	Diagnosis
S01.21XS	Laceration without foreign body of nose, sequela	ICD-10-CM	Diagnosis
S31.21XS	Laceration without foreign body of penis, sequela	ICD-10-CM	Diagnosis
S01.01XS	Laceration without foreign body of scalp, sequela	ICD-10-CM	Diagnosis
S01.311D	Laceration without foreign body of right ear, subsequent encounter	ICD-10-CM	Diagnosis
S01.311A	Laceration without foreign body of right ear, initial encounter	ICD-10-CM	Diagnosis
S01.311S	Laceration without foreign body of right ear, sequela	ICD-10-CM	Diagnosis
S61.411S	Laceration without foreign body of right hand, sequela	ICD-10-CM	Diagnosis
S71.011S	Laceration without foreign body, right hip, sequela	ICD-10-CM	Diagnosis
S81.011S	Laceration without foreign body, right knee, sequela	ICD-10-CM	Diagnosis
S71.111S	Laceration without foreign body, right thigh, sequela	ICD-10-CM	Diagnosis
S61.511S	Laceration without foreign body of right wrist, sequela	ICD-10-CM	Diagnosis
S01.319A	Laceration without foreign body of unspecified ear, initial encounter	ICD-10-CM	Diagnosis
S01.319S	Laceration without foreign body of unspecified ear, sequela	ICD-10-CM	Diagnosis
S01.319D	Laceration without foreign body of unspecified ear, subsequent encounter	ICD-10-CM	Diagnosis
S61.419S	Laceration without foreign body of unspecified hand, sequela	ICD-10-CM	Diagnosis
S71.019S	Laceration without foreign body, unspecified hip, sequela	ICD-10-CM	Diagnosis
S81.019S	Laceration without foreign body, unspecified knee, sequela	ICD-10-CM	Diagnosis
S83.015A	Lateral dislocation of left patella, initial encounter	ICD-10-CM	Diagnosis
S83.015D	Lateral dislocation of left patella, subsequent encounter	ICD-10-CM	Diagnosis
S53.145A	Lateral dislocation of left ulnohumeral joint, initial encounter	ICD-10-CM	Diagnosis
S53.145S	Lateral dislocation of left ulnohumeral joint, sequela	ICD-10-CM	Diagnosis
S53.145D	Lateral dislocation of left ulnohumeral joint, subsequent encounter	ICD-10-CM	Diagnosis
S83.015S	Lateral dislocation of left patella, sequela	ICD-10-CM	Diagnosis
S83.014S	Lateral dislocation of right patella, sequela	ICD-10-CM	Diagnosis
S83.145A	Lateral dislocation of proximal end of tibia, left knee, initial encounter	ICD-10-CM	Diagnosis
S83.145S	Lateral dislocation of proximal end of tibia, left knee, sequela	ICD-10-CM	Diagnosis
S83.145D	Lateral dislocation of proximal end of tibia, left knee, subsequent encounter	ICD-10-CM	Diagnosis
S83.144A	Lateral dislocation of proximal end of tibia, right knee, initial encounter	ICD-10-CM	Diagnosis
S83.144S	Lateral dislocation of proximal end of tibia, right knee, sequela	ICD-10-CM	Diagnosis



**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S83.144D	Lateral dislocation of proximal end of tibia, right knee, subsequent encounter	ICD-10-CM	Diagnosis
S83.146A	Lateral dislocation of proximal end of tibia, unspecified knee, initial encounter	ICD-10-CM	Diagnosis
S83.146S	Lateral dislocation of proximal end of tibia, unspecified knee, sequela	ICD-10-CM	Diagnosis
S83.146D	Lateral dislocation of proximal end of tibia, unspecified knee, subsequent encounter	ICD-10-CM	Diagnosis
S83.014A	Lateral dislocation of right patella, initial encounter	ICD-10-CM	Diagnosis
S83.014D	Lateral dislocation of right patella, subsequent encounter	ICD-10-CM	Diagnosis
S53.144A	Lateral dislocation of right ulnohumeral joint, initial encounter	ICD-10-CM	Diagnosis
S53.144S	Lateral dislocation of right ulnohumeral joint, sequela	ICD-10-CM	Diagnosis
S53.144D	Lateral dislocation of right ulnohumeral joint, subsequent encounter	ICD-10-CM	Diagnosis
S83.016A	Lateral dislocation of unspecified patella, initial encounter	ICD-10-CM	Diagnosis
S83.016S	Lateral dislocation of unspecified patella, sequela	ICD-10-CM	Diagnosis
S83.016D	Lateral dislocation of unspecified patella, subsequent encounter	ICD-10-CM	Diagnosis
S53.146A	Lateral dislocation of unspecified ulnohumeral joint, initial encounter	ICD-10-CM	Diagnosis
S53.146S	Lateral dislocation of unspecified ulnohumeral joint, sequela	ICD-10-CM	Diagnosis
S53.146D	Lateral dislocation of unspecified ulnohumeral joint, subsequent encounter	ICD-10-CM	Diagnosis
S83.012A	Lateral subluxation of left patella, initial encounter	ICD-10-CM	Diagnosis
S83.012D	Lateral subluxation of left patella, subsequent encounter	ICD-10-CM	Diagnosis
S53.142A	Lateral subluxation of left ulnohumeral joint, initial encounter	ICD-10-CM	Diagnosis
S53.142S	Lateral subluxation of left ulnohumeral joint, sequela	ICD-10-CM	Diagnosis
S53.142D	Lateral subluxation of left ulnohumeral joint, subsequent encounter	ICD-10-CM	Diagnosis
S83.012S	Lateral subluxation of left patella, sequela	ICD-10-CM	Diagnosis
S83.011S	Lateral subluxation of right patella, sequela	ICD-10-CM	Diagnosis
S83.142A	Lateral subluxation of proximal end of tibia, left knee, initial encounter	ICD-10-CM	Diagnosis
S83.142S	Lateral subluxation of proximal end of tibia, left knee, sequela	ICD-10-CM	Diagnosis
S83.142D	Lateral subluxation of proximal end of tibia, left knee, subsequent encounter	ICD-10-CM	Diagnosis
S83.141A	Lateral subluxation of proximal end of tibia, right knee, initial encounter	ICD-10-CM	Diagnosis
S83.141S	Lateral subluxation of proximal end of tibia, right knee, sequela	ICD-10-CM	Diagnosis
S83.141D	Lateral subluxation of proximal end of tibia, right knee, subsequent encounter	ICD-10-CM	Diagnosis
S83.143A	Lateral subluxation of proximal end of tibia, unspecified knee, initial encounter	ICD-10-CM	Diagnosis
S83.143S	Lateral subluxation of proximal end of tibia, unspecified knee, sequela	ICD-10-CM	Diagnosis
S83.143D	Lateral subluxation of proximal end of tibia, unspecified knee, subsequent encounter	ICD-10-CM	Diagnosis
S83.011A	Lateral subluxation of right patella, initial encounter	ICD-10-CM	Diagnosis
S83.011D	Lateral subluxation of right patella, subsequent encounter	ICD-10-CM	Diagnosis
S53.141A	Lateral subluxation of right ulnohumeral joint, initial encounter	ICD-10-CM	Diagnosis
S53.141S	Lateral subluxation of right ulnohumeral joint, sequela	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S53.141D	Lateral subluxation of right ulnohumeral joint, subsequent encounter	ICD-10-CM	Diagnosis
S83.013A	Lateral subluxation of unspecified patella, initial encounter	ICD-10-CM	Diagnosis
S83.013S	Lateral subluxation of unspecified patella, sequela	ICD-10-CM	Diagnosis
S83.013D	Lateral subluxation of unspecified patella, subsequent encounter	ICD-10-CM	Diagnosis
S53.143A	Lateral subluxation of unspecified ulnohumeral joint, initial encounter	ICD-10-CM	Diagnosis
S53.143S	Lateral subluxation of unspecified ulnohumeral joint, sequela	ICD-10-CM	Diagnosis
S53.143D	Lateral subluxation of unspecified ulnohumeral joint, subsequent encounter	ICD-10-CM	Diagnosis
S02.411A	LeFort I fracture, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S02.411B	LeFort I fracture, initial encounter for open fracture	ICD-10-CM	Diagnosis
S02.411S	LeFort I fracture, sequela	ICD-10-CM	Diagnosis
S02.411K	LeFort I fracture, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S02.411G	LeFort I fracture, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S02.411D	LeFort I fracture, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S02.412A	LeFort II fracture, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S02.412B	LeFort II fracture, initial encounter for open fracture	ICD-10-CM	Diagnosis
S02.412S	LeFort II fracture, sequela	ICD-10-CM	Diagnosis
S02.412K	LeFort II fracture, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S02.412G	LeFort II fracture, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S02.412D	LeFort II fracture, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S02.413A	LeFort III fracture, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S02.413B	LeFort III fracture, initial encounter for open fracture	ICD-10-CM	Diagnosis
S02.413S	LeFort III fracture, sequela	ICD-10-CM	Diagnosis
S02.413K	LeFort III fracture, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S02.413G	LeFort III fracture, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S02.413D	LeFort III fracture, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
M23.42	Loose body in knee, left knee	ICD-10-CM	Diagnosis
M23.41	Loose body in knee, right knee	ICD-10-CM	Diagnosis
M23.40	Loose body in knee, unspecified knee	ICD-10-CM	Diagnosis
S02.40BS	Malar fracture, left side, sequela	ICD-10-CM	Diagnosis
S02.40BK	Malar fracture, left side, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S02.40BA	Malar fracture, left side, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S02.40BB	Malar fracture, left side, initial encounter for open fracture	ICD-10-CM	Diagnosis
S02.40BG	Malar fracture, left side, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S02.40BD	Malar fracture, left side, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S02.40AS	Malar fracture, right side, sequela	ICD-10-CM	Diagnosis
S02.40AK	Malar fracture, right side, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S02.40AA	Malar fracture, right side, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S02.40AB	Malar fracture, right side, initial encounter for open fracture	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S02.40AG	Malar fracture, right side, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S02.40AD	Malar fracture, right side, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S02.400B	Malar fracture, unspecified side, initial encounter for open fracture	ICD-10-CM	Diagnosis
S02.400A	Malar fracture, unspecified side, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S02.400G	Malar fracture, unspecified side, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S02.400D	Malar fracture, unspecified side, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S02.400K	Malar fracture, unspecified side, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S02.400S	Malar fracture, unspecified side, sequela	ICD-10-CM	Diagnosis
S02.40DA	Maxillary fracture, left side, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S02.40DB	Maxillary fracture, left side, initial encounter for open fracture	ICD-10-CM	Diagnosis
S02.40DS	Maxillary fracture, left side, sequela	ICD-10-CM	Diagnosis
S02.40DG	Maxillary fracture, left side, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S02.40DK	Maxillary fracture, left side, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S02.40DD	Maxillary fracture, left side, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S02.40CS	Maxillary fracture, right side, sequela	ICD-10-CM	Diagnosis
S02.40CA	Maxillary fracture, right side, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S02.40CB	Maxillary fracture, right side, initial encounter for open fracture	ICD-10-CM	Diagnosis
S02.40CK	Maxillary fracture, right side, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S02.40CG	Maxillary fracture, right side, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S02.40CD	Maxillary fracture, right side, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S02.401A	Maxillary fracture, unspecified side, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S02.401B	Maxillary fracture, unspecified side, initial encounter for open fracture	ICD-10-CM	Diagnosis
S02.401G	Maxillary fracture, unspecified side, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S02.401K	Maxillary fracture, unspecified side, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S02.401D	Maxillary fracture, unspecified side, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S02.401S	Maxillary fracture, unspecified side, sequela	ICD-10-CM	Diagnosis
S53.135A	Medial dislocation of left ulnohumeral joint, initial encounter	ICD-10-CM	Diagnosis
S53.135S	Medial dislocation of left ulnohumeral joint, sequela	ICD-10-CM	Diagnosis
S53.135D	Medial dislocation of left ulnohumeral joint, subsequent encounter	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S83.135A	Medial dislocation of proximal end of tibia, left knee, initial encounter	ICD-10-CM	Diagnosis
S83.135S	Medial dislocation of proximal end of tibia, left knee, sequela	ICD-10-CM	Diagnosis
S83.135D	Medial dislocation of proximal end of tibia, left knee, subsequent encounter	ICD-10-CM	Diagnosis
S83.134A	Medial dislocation of proximal end of tibia, right knee, initial encounter	ICD-10-CM	Diagnosis
S83.134S	Medial dislocation of proximal end of tibia, right knee, sequela	ICD-10-CM	Diagnosis
S83.134D	Medial dislocation of proximal end of tibia, right knee, subsequent encounter	ICD-10-CM	Diagnosis
S83.136A	Medial dislocation of proximal end of tibia, unspecified knee, initial encounter	ICD-10-CM	Diagnosis
S83.136S	Medial dislocation of proximal end of tibia, unspecified knee, sequela	ICD-10-CM	Diagnosis
S83.136D	Medial dislocation of proximal end of tibia, unspecified knee, subsequent encounter	ICD-10-CM	Diagnosis
S53.134A	Medial dislocation of right ulnohumeral joint, initial encounter	ICD-10-CM	Diagnosis
S53.134S	Medial dislocation of right ulnohumeral joint, sequela	ICD-10-CM	Diagnosis
S53.134D	Medial dislocation of right ulnohumeral joint, subsequent encounter	ICD-10-CM	Diagnosis
S53.136A	Medial dislocation of unspecified ulnohumeral joint, initial encounter	ICD-10-CM	Diagnosis
S53.136S	Medial dislocation of unspecified ulnohumeral joint, sequela	ICD-10-CM	Diagnosis
S53.136D	Medial dislocation of unspecified ulnohumeral joint, subsequent encounter	ICD-10-CM	Diagnosis
S53.132A	Medial subluxation of left ulnohumeral joint, initial encounter	ICD-10-CM	Diagnosis
S53.132S	Medial subluxation of left ulnohumeral joint, sequela	ICD-10-CM	Diagnosis
S53.132D	Medial subluxation of left ulnohumeral joint, subsequent encounter	ICD-10-CM	Diagnosis
S83.132A	Medial subluxation of proximal end of tibia, left knee, initial encounter	ICD-10-CM	Diagnosis
S83.132S	Medial subluxation of proximal end of tibia, left knee, sequela	ICD-10-CM	Diagnosis
S83.132D	Medial subluxation of proximal end of tibia, left knee, subsequent encounter	ICD-10-CM	Diagnosis
S83.131A	Medial subluxation of proximal end of tibia, right knee, initial encounter	ICD-10-CM	Diagnosis
S83.131S	Medial subluxation of proximal end of tibia, right knee, sequela	ICD-10-CM	Diagnosis
S83.131D	Medial subluxation of proximal end of tibia, right knee, subsequent encounter	ICD-10-CM	Diagnosis
S83.133A	Medial subluxation of proximal end of tibia, unspecified knee, initial encounter	ICD-10-CM	Diagnosis
S83.133S	Medial subluxation of proximal end of tibia, unspecified knee, sequela	ICD-10-CM	Diagnosis
S83.133D	Medial subluxation of proximal end of tibia, unspecified knee, subsequent encounter	ICD-10-CM	Diagnosis
S53.131A	Medial subluxation of right ulnohumeral joint, initial encounter	ICD-10-CM	Diagnosis
S53.131S	Medial subluxation of right ulnohumeral joint, sequela	ICD-10-CM	Diagnosis
S53.131D	Medial subluxation of right ulnohumeral joint, subsequent encounter	ICD-10-CM	Diagnosis
S53.133A	Medial subluxation of unspecified ulnohumeral joint, initial encounter	ICD-10-CM	Diagnosis
S53.133S	Medial subluxation of unspecified ulnohumeral joint, sequela	ICD-10-CM	Diagnosis
S53.133D	Medial subluxation of unspecified ulnohumeral joint, subsequent encounter	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S32.131G	Minimally displaced Zone III fracture of sacrum, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S32.121G	Minimally displaced Zone II fracture of sacrum, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S32.121K	Minimally displaced Zone II fracture of sacrum, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S32.121D	Minimally displaced Zone II fracture of sacrum, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S32.131K	Minimally displaced Zone III fracture of sacrum, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S32.131A	Minimally displaced Zone III fracture of sacrum, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S32.131B	Minimally displaced Zone III fracture of sacrum, initial encounter for open fracture	ICD-10-CM	Diagnosis
S32.131D	Minimally displaced Zone III fracture of sacrum, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S32.121A	Minimally displaced Zone II fracture of sacrum, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S32.121B	Minimally displaced Zone II fracture of sacrum, initial encounter for open fracture	ICD-10-CM	Diagnosis
S32.111G	Minimally displaced Zone I fracture of sacrum, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S32.111S	Minimally displaced Zone I fracture of sacrum, sequela	ICD-10-CM	Diagnosis
S32.111K	Minimally displaced Zone I fracture of sacrum, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S32.111D	Minimally displaced Zone I fracture of sacrum, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S32.111A	Minimally displaced Zone I fracture of sacrum, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S32.111B	Minimally displaced Zone I fracture of sacrum, initial encounter for open fracture	ICD-10-CM	Diagnosis
S32.121S	Minimally displaced Zone II fracture of sacrum, sequela	ICD-10-CM	Diagnosis
S32.131S	Minimally displaced Zone III fracture of sacrum, sequela	ICD-10-CM	Diagnosis
S52.272S	Monteggia's fracture of left ulna, sequela	ICD-10-CM	Diagnosis
S52.271S	Monteggia's fracture of right ulna, sequela	ICD-10-CM	Diagnosis
S52.279S	Monteggia's fracture of unspecified ulna, sequela	ICD-10-CM	Diagnosis
S52.272B	Monteggia's fracture of left ulna, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S52.272C	Monteggia's fracture of left ulna, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S52.272A	Monteggia's fracture of left ulna, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.272J	Monteggia's fracture of left ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S52.272F	Monteggia's fracture of left ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD-10-CM	Diagnosis
S52.272P	Monteggia's fracture of left ulna, subsequent encounter for closed fracture with malunion	ICD-10-CM	Diagnosis
S52.272K	Monteggia's fracture of left ulna, subsequent encounter for closed fracture with nonunion	ICD-10-CM	Diagnosis
S52.272D	Monteggia's fracture of left ulna, subsequent encounter for closed fracture with routine healing	ICD-10-CM	Diagnosis
S52.272Q	Monteggia's fracture of left ulna, subsequent encounter for open fracture type I or II with malunion	ICD-10-CM	Diagnosis
S52.272M	Monteggia's fracture of left ulna, subsequent encounter for open fracture type I or II with nonunion	ICD-10-CM	Diagnosis
S52.272G	Monteggia's fracture of left ulna, subsequent encounter for closed fracture with delayed healing	ICD-10-CM	Diagnosis
S52.272H	Monteggia's fracture of left ulna, subsequent encounter for open fracture type I or II with delayed healing	ICD-10-CM	Diagnosis
S52.272E	Monteggia's fracture of left ulna, subsequent encounter for open fracture type I or II with routine healing	ICD-10-CM	Diagnosis
S52.272R	Monteggia's fracture of left ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD-10-CM	Diagnosis
S52.272N	Monteggia's fracture of left ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD-10-CM	Diagnosis
S52.271B	Monteggia's fracture of right ulna, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S52.271C	Monteggia's fracture of right ulna, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S52.271A	Monteggia's fracture of right ulna, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.271J	Monteggia's fracture of right ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD-10-CM	Diagnosis
S52.271F	Monteggia's fracture of right ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD-10-CM	Diagnosis
S52.271P	Monteggia's fracture of right ulna, subsequent encounter for closed fracture with malunion	ICD-10-CM	Diagnosis
S52.271K	Monteggia's fracture of right ulna, subsequent encounter for closed fracture with nonunion	ICD-10-CM	Diagnosis
S52.271D	Monteggia's fracture of right ulna, subsequent encounter for closed fracture with routine healing	ICD-10-CM	Diagnosis
S52.271Q	Monteggia's fracture of right ulna, subsequent encounter for open fracture type I or II with malunion	ICD-10-CM	Diagnosis
S52.271M	Monteggia's fracture of right ulna, subsequent encounter for open fracture type I or II with nonunion	ICD-10-CM	Diagnosis
S52.271G	Monteggia's fracture of right ulna, subsequent encounter for closed fracture with delayed healing	ICD-10-CM	Diagnosis



**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S52.271H	Monteggia's fracture of right ulna, subsequent encounter for open fracture type I or II with delayed healing	ICD-10-CM	Diagnosis
S52.271E	Monteggia's fracture of right ulna, subsequent encounter for open fracture type I or II with routine healing	ICD-10-CM	Diagnosis
S52.271R	Monteggia's fracture of right ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD-10-CM	Diagnosis
S52.271N	Monteggia's fracture of right ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD-10-CM	Diagnosis
S52.279A	Monteggia's fracture of unspecified ulna, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.279B	Monteggia's fracture of unspecified ulna, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S52.279C	Monteggia's fracture of unspecified ulna, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S52.279G	Monteggia's fracture of unspecified ulna, subsequent encounter for closed fracture with delayed healing	ICD-10-CM	Diagnosis
S52.279P	Monteggia's fracture of unspecified ulna, subsequent encounter for closed fracture with malunion	ICD-10-CM	Diagnosis
S52.279K	Monteggia's fracture of unspecified ulna, subsequent encounter for closed fracture with nonunion	ICD-10-CM	Diagnosis
S52.279Q	Monteggia's fracture of unspecified ulna, subsequent encounter for open fracture type I or II with malunion	ICD-10-CM	Diagnosis
S52.279R	Monteggia's fracture of unspecified ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD-10-CM	Diagnosis
S52.279H	Monteggia's fracture of unspecified ulna, subsequent encounter for open fracture type I or II with delayed healing	ICD-10-CM	Diagnosis
S52.279M	Monteggia's fracture of unspecified ulna, subsequent encounter for open fracture type I or II with nonunion	ICD-10-CM	Diagnosis
S52.279N	Monteggia's fracture of unspecified ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD-10-CM	Diagnosis
S52.279J	Monteggia's fracture of unspecified ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD-10-CM	Diagnosis
S52.279F	Monteggia's fracture of unspecified ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD-10-CM	Diagnosis
S52.279D	Monteggia's fracture of unspecified ulna, subsequent encounter for closed fracture with routine healing	ICD-10-CM	Diagnosis
S52.279E	Monteggia's fracture of unspecified ulna, subsequent encounter for open fracture type I or II with routine healing	ICD-10-CM	Diagnosis
S22.43XS	Multiple fractures of ribs, bilateral, sequela	ICD-10-CM	Diagnosis
S22.42XS	Multiple fractures of ribs, left side, sequela	ICD-10-CM	Diagnosis
S22.41XS	Multiple fractures of ribs, right side, sequela	ICD-10-CM	Diagnosis
S22.49XS	Multiple fractures of ribs, unspecified side, sequela	ICD-10-CM	Diagnosis
S22.42XA	Multiple fractures of ribs, left side, initial encounter for closed fracture	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S22.42XB	Multiple fractures of ribs, left side, initial encounter for open fracture	ICD-10-CM	Diagnosis
S22.41XA	Multiple fractures of ribs, right side, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S22.41XB	Multiple fractures of ribs, right side, initial encounter for open fracture	ICD-10-CM	Diagnosis
S22.49XA	Multiple fractures of ribs, unspecified side, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S22.49XB	Multiple fractures of ribs, unspecified side, initial encounter for open fracture	ICD-10-CM	Diagnosis
S32.810B	Multiple fractures of pelvis with stable disruption of pelvic ring, initial encounter for open fracture	ICD-10-CM	Diagnosis
S32.810K	Multiple fractures of pelvis with stable disruption of pelvic ring, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S32.810D	Multiple fractures of pelvis with stable disruption of pelvic ring, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S32.811A	Multiple fractures of pelvis with unstable disruption of pelvic ring, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S32.82XA	Multiple fractures of pelvis without disruption of pelvic ring, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S32.82XB	Multiple fractures of pelvis without disruption of pelvic ring, initial encounter for open fracture	ICD-10-CM	Diagnosis
S32.82XG	Multiple fractures of pelvis without disruption of pelvic ring, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S32.82XK	Multiple fractures of pelvis without disruption of pelvic ring, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S32.82XD	Multiple fractures of pelvis without disruption of pelvic ring, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S32.810S	Multiple fractures of pelvis with stable disruption of pelvic ring, sequela	ICD-10-CM	Diagnosis
S32.810A	Multiple fractures of pelvis with stable disruption of pelvic ring, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S32.810G	Multiple fractures of pelvis with stable disruption of pelvic ring, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S32.811B	Multiple fractures of pelvis with unstable disruption of pelvic ring, initial encounter for open fracture	ICD-10-CM	Diagnosis
S32.811K	Multiple fractures of pelvis with unstable disruption of pelvic ring, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S32.811D	Multiple fractures of pelvis with unstable disruption of pelvic ring, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S32.811S	Multiple fractures of pelvis with unstable disruption of pelvic ring, sequela	ICD-10-CM	Diagnosis
S32.811G	Multiple fractures of pelvis with unstable disruption of pelvic ring, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S32.82XS	Multiple fractures of pelvis without disruption of pelvic ring, sequela	ICD-10-CM	Diagnosis
S22.43XK	Multiple fractures of ribs, bilateral, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S22.43XD	Multiple fractures of ribs, bilateral, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S22.43XG	Multiple fractures of ribs, bilateral, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S22.43XA	Multiple fractures of ribs, bilateral, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S22.43XB	Multiple fractures of ribs, bilateral, initial encounter for open fracture	ICD-10-CM	Diagnosis
S22.42XK	Multiple fractures of ribs, left side, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S22.42XD	Multiple fractures of ribs, left side, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S22.42XG	Multiple fractures of ribs, left side, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S22.41XK	Multiple fractures of ribs, right side, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S22.41XD	Multiple fractures of ribs, right side, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S22.41XG	Multiple fractures of ribs, right side, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S22.49XK	Multiple fractures of ribs, unspecified side, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S22.49XD	Multiple fractures of ribs, unspecified side, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S22.49XG	Multiple fractures of ribs, unspecified side, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S32.446S	Nondisplaced fracture of posterior column [ilioischial] of unspecified acetabulum, sequela	ICD-10-CM	Diagnosis
S82.235B	Nondisplaced oblique fracture of shaft of left tibia, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.235C	Nondisplaced oblique fracture of shaft of left tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.235G	Nondisplaced oblique fracture of shaft of left tibia, subsequent encounter for closed fracture with delayed healing	ICD-10-CM	Diagnosis
S82.235D	Nondisplaced oblique fracture of shaft of left tibia, subsequent encounter for closed fracture with routine healing	ICD-10-CM	Diagnosis
S82.235P	Nondisplaced oblique fracture of shaft of left tibia, subsequent encounter for closed fracture with malunion	ICD-10-CM	Diagnosis
S82.235K	Nondisplaced oblique fracture of shaft of left tibia, subsequent encounter for closed fracture with nonunion	ICD-10-CM	Diagnosis
S82.235H	Nondisplaced oblique fracture of shaft of left tibia, subsequent encounter for open fracture type I or II with delayed healing	ICD-10-CM	Diagnosis
S82.235Q	Nondisplaced oblique fracture of shaft of left tibia, subsequent encounter for open fracture type I or II with malunion	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S82.235M	Nondisplaced oblique fracture of shaft of left tibia, subsequent encounter for open fracture type I or II with nonunion	ICD-10-CM	Diagnosis
S82.235E	Nondisplaced oblique fracture of shaft of left tibia, subsequent encounter for open fracture type I or II with routine healing	ICD-10-CM	Diagnosis
S82.235J	Nondisplaced oblique fracture of shaft of left tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD-10-CM	Diagnosis
S82.235R	Nondisplaced oblique fracture of shaft of left tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD-10-CM	Diagnosis
S82.235N	Nondisplaced oblique fracture of shaft of left tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD-10-CM	Diagnosis
S82.235F	Nondisplaced oblique fracture of shaft of left tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD-10-CM	Diagnosis
S82.234B	Nondisplaced oblique fracture of shaft of right tibia, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.234C	Nondisplaced oblique fracture of shaft of right tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.234G	Nondisplaced oblique fracture of shaft of right tibia, subsequent encounter for closed fracture with delayed healing	ICD-10-CM	Diagnosis
S82.234D	Nondisplaced oblique fracture of shaft of right tibia, subsequent encounter for closed fracture with routine healing	ICD-10-CM	Diagnosis
S82.234P	Nondisplaced oblique fracture of shaft of right tibia, subsequent encounter for closed fracture with malunion	ICD-10-CM	Diagnosis
S82.234K	Nondisplaced oblique fracture of shaft of right tibia, subsequent encounter for closed fracture with nonunion	ICD-10-CM	Diagnosis
S82.234H	Nondisplaced oblique fracture of shaft of right tibia, subsequent encounter for open fracture type I or II with delayed healing	ICD-10-CM	Diagnosis
S82.234Q	Nondisplaced oblique fracture of shaft of right tibia, subsequent encounter for open fracture type I or II with malunion	ICD-10-CM	Diagnosis
S82.234M	Nondisplaced oblique fracture of shaft of right tibia, subsequent encounter for open fracture type I or II with nonunion	ICD-10-CM	Diagnosis
S82.234E	Nondisplaced oblique fracture of shaft of right tibia, subsequent encounter for open fracture type I or II with routine healing	ICD-10-CM	Diagnosis
S82.234J	Nondisplaced oblique fracture of shaft of right tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD-10-CM	Diagnosis
S82.234R	Nondisplaced oblique fracture of shaft of right tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD-10-CM	Diagnosis
S82.234N	Nondisplaced oblique fracture of shaft of right tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD-10-CM	Diagnosis
S82.234F	Nondisplaced oblique fracture of shaft of right tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD-10-CM	Diagnosis
S82.236B	Nondisplaced oblique fracture of shaft of unspecified tibia, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S82.236C	Nondisplaced oblique fracture of shaft of unspecified tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.236G	Nondisplaced oblique fracture of shaft of unspecified tibia, subsequent encounter for closed fracture with delayed healing	ICD-10-CM	Diagnosis
S82.236D	Nondisplaced oblique fracture of shaft of unspecified tibia, subsequent encounter for closed fracture with routine healing	ICD-10-CM	Diagnosis
S82.236P	Nondisplaced oblique fracture of shaft of unspecified tibia, subsequent encounter for closed fracture with malunion	ICD-10-CM	Diagnosis
S82.236K	Nondisplaced oblique fracture of shaft of unspecified tibia, subsequent encounter for closed fracture with nonunion	ICD-10-CM	Diagnosis
S82.236Q	Nondisplaced oblique fracture of shaft of unspecified tibia, subsequent encounter for open fracture type I or II with malunion	ICD-10-CM	Diagnosis
S82.236M	Nondisplaced oblique fracture of shaft of unspecified tibia, subsequent encounter for open fracture type I or II with nonunion	ICD-10-CM	Diagnosis
S82.236E	Nondisplaced oblique fracture of shaft of unspecified tibia, subsequent encounter for open fracture type I or II with routine healing	ICD-10-CM	Diagnosis
S82.236J	Nondisplaced oblique fracture of shaft of unspecified tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD-10-CM	Diagnosis
S82.236R	Nondisplaced oblique fracture of shaft of unspecified tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD-10-CM	Diagnosis
S82.236N	Nondisplaced oblique fracture of shaft of unspecified tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD-10-CM	Diagnosis
S82.236F	Nondisplaced oblique fracture of shaft of unspecified tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD-10-CM	Diagnosis
S82.236H	Nondisplaced oblique fracture of shaft of unspecified tibia, subsequent encounter for open fracture type I or II with delayed healing	ICD-10-CM	Diagnosis
S82.235A	Nondisplaced oblique fracture of shaft of left tibia, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.234A	Nondisplaced oblique fracture of shaft of right tibia, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.236A	Nondisplaced oblique fracture of shaft of unspecified tibia, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.445P	Nondisplaced fracture (avulsion) of medial epicondyle of left humerus, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S42.435G	Nondisplaced fracture (avulsion) of lateral epicondyle of left humerus, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S42.435A	Nondisplaced fracture (avulsion) of lateral epicondyle of left humerus, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.435B	Nondisplaced fracture (avulsion) of lateral epicondyle of left humerus, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.435P	Nondisplaced fracture (avulsion) of lateral epicondyle of left humerus, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S42.435K	Nondisplaced fracture (avulsion) of lateral epicondyle of left humerus, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S42.435D	Nondisplaced fracture (avulsion) of lateral epicondyle of left humerus, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S42.434A	Nondisplaced fracture (avulsion) of lateral epicondyle of right humerus, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.434B	Nondisplaced fracture (avulsion) of lateral epicondyle of right humerus, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.434G	Nondisplaced fracture (avulsion) of lateral epicondyle of right humerus, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S42.434P	Nondisplaced fracture (avulsion) of lateral epicondyle of right humerus, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S42.434K	Nondisplaced fracture (avulsion) of lateral epicondyle of right humerus, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S42.434D	Nondisplaced fracture (avulsion) of lateral epicondyle of right humerus, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S42.436P	Nondisplaced fracture (avulsion) of lateral epicondyle of unspecified humerus, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S42.436K	Nondisplaced fracture (avulsion) of lateral epicondyle of unspecified humerus, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S42.445D	Nondisplaced fracture (avulsion) of medial epicondyle of left humerus, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S42.445A	Nondisplaced fracture (avulsion) of medial epicondyle of left humerus, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.445B	Nondisplaced fracture (avulsion) of medial epicondyle of left humerus, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.445G	Nondisplaced fracture (avulsion) of medial epicondyle of left humerus, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S42.445K	Nondisplaced fracture (avulsion) of medial epicondyle of left humerus, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S42.444A	Nondisplaced fracture (avulsion) of medial epicondyle of right humerus, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.444B	Nondisplaced fracture (avulsion) of medial epicondyle of right humerus, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.444G	Nondisplaced fracture (avulsion) of medial epicondyle of right humerus, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S42.444P	Nondisplaced fracture (avulsion) of medial epicondyle of right humerus, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S42.444K	Nondisplaced fracture (avulsion) of medial epicondyle of right humerus, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S42.444D	Nondisplaced fracture (avulsion) of medial epicondyle of right humerus, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis



**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S42.446A	Nondisplaced fracture (avulsion) of medial epicondyle of unspecified humerus, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.446B	Nondisplaced fracture (avulsion) of medial epicondyle of unspecified humerus, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.446G	Nondisplaced fracture (avulsion) of medial epicondyle of unspecified humerus, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S42.446P	Nondisplaced fracture (avulsion) of medial epicondyle of unspecified humerus, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S42.446K	Nondisplaced fracture (avulsion) of medial epicondyle of unspecified humerus, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S42.446D	Nondisplaced fracture (avulsion) of medial epicondyle of unspecified humerus, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S42.436A	Nondisplaced fracture (avulsion) of lateral epicondyle of unspecified humerus, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.436B	Nondisplaced fracture (avulsion) of lateral epicondyle of unspecified humerus, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.436G	Nondisplaced fracture (avulsion) of lateral epicondyle of unspecified humerus, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S42.436D	Nondisplaced fracture (avulsion) of lateral epicondyle of unspecified humerus, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S72.26XH	Nondisplaced subtrochanteric fracture of unspecified femur, subsequent encounter for open fracture type I or II with delayed healing	ICD-10-CM	Diagnosis
S72.26XE	Nondisplaced subtrochanteric fracture of unspecified femur, subsequent encounter for open fracture type I or II with routine healing	ICD-10-CM	Diagnosis
S72.26XJ	Nondisplaced subtrochanteric fracture of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD-10-CM	Diagnosis
S72.065J	Nondisplaced articular fracture of head of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD-10-CM	Diagnosis
S72.064J	Nondisplaced articular fracture of head of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD-10-CM	Diagnosis
S72.066J	Nondisplaced articular fracture of head of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD-10-CM	Diagnosis
S72.066F	Nondisplaced articular fracture of head of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD-10-CM	Diagnosis
S82.845G	Nondisplaced bimalleolar fracture of left lower leg, subsequent encounter for closed fracture with delayed healing	ICD-10-CM	Diagnosis
S82.845P	Nondisplaced bimalleolar fracture of left lower leg, subsequent encounter for closed fracture with malunion	ICD-10-CM	Diagnosis
S82.845K	Nondisplaced bimalleolar fracture of left lower leg, subsequent encounter for closed fracture with nonunion	ICD-10-CM	Diagnosis
S82.845D	Nondisplaced bimalleolar fracture of left lower leg, subsequent encounter for closed fracture with routine healing	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S82.845Q	Nondisplaced bimalleolar fracture of left lower leg, subsequent encounter for open fracture type I or II with malunion	ICD-10-CM	Diagnosis
S82.845M	Nondisplaced bimalleolar fracture of left lower leg, subsequent encounter for open fracture type I or II with nonunion	ICD-10-CM	Diagnosis
S82.845E	Nondisplaced bimalleolar fracture of left lower leg, subsequent encounter for open fracture type I or II with routine healing	ICD-10-CM	Diagnosis
S82.845J	Nondisplaced bimalleolar fracture of left lower leg, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD-10-CM	Diagnosis
S82.845R	Nondisplaced bimalleolar fracture of left lower leg, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD-10-CM	Diagnosis
S82.845N	Nondisplaced bimalleolar fracture of left lower leg, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD-10-CM	Diagnosis
S82.845F	Nondisplaced bimalleolar fracture of left lower leg, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD-10-CM	Diagnosis
S82.845H	Nondisplaced bimalleolar fracture of left lower leg, subsequent encounter for open fracture type I or II with delayed healing	ICD-10-CM	Diagnosis
S82.844G	Nondisplaced bimalleolar fracture of right lower leg, subsequent encounter for closed fracture with delayed healing	ICD-10-CM	Diagnosis
S82.844P	Nondisplaced bimalleolar fracture of right lower leg, subsequent encounter for closed fracture with malunion	ICD-10-CM	Diagnosis
S82.844K	Nondisplaced bimalleolar fracture of right lower leg, subsequent encounter for closed fracture with nonunion	ICD-10-CM	Diagnosis
S82.844D	Nondisplaced bimalleolar fracture of right lower leg, subsequent encounter for closed fracture with routine healing	ICD-10-CM	Diagnosis
S82.844Q	Nondisplaced bimalleolar fracture of right lower leg, subsequent encounter for open fracture type I or II with malunion	ICD-10-CM	Diagnosis
S82.844M	Nondisplaced bimalleolar fracture of right lower leg, subsequent encounter for open fracture type I or II with nonunion	ICD-10-CM	Diagnosis
S82.844E	Nondisplaced bimalleolar fracture of right lower leg, subsequent encounter for open fracture type I or II with routine healing	ICD-10-CM	Diagnosis
S82.844J	Nondisplaced bimalleolar fracture of right lower leg, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD-10-CM	Diagnosis
S82.844R	Nondisplaced bimalleolar fracture of right lower leg, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD-10-CM	Diagnosis
S82.844N	Nondisplaced bimalleolar fracture of right lower leg, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD-10-CM	Diagnosis
S82.844F	Nondisplaced bimalleolar fracture of right lower leg, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD-10-CM	Diagnosis
S82.844H	Nondisplaced bimalleolar fracture of right lower leg, subsequent encounter for open fracture type I or II with delayed healing	ICD-10-CM	Diagnosis
S82.846G	Nondisplaced bimalleolar fracture of unspecified lower leg, subsequent encounter for closed fracture with delayed healing	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S82.846P	Nondisplaced bimalleolar fracture of unspecified lower leg, subsequent encounter for closed fracture with malunion	ICD-10-CM	Diagnosis
S82.846K	Nondisplaced bimalleolar fracture of unspecified lower leg, subsequent encounter for closed fracture with nonunion	ICD-10-CM	Diagnosis
S82.846D	Nondisplaced bimalleolar fracture of unspecified lower leg, subsequent encounter for closed fracture with routine healing	ICD-10-CM	Diagnosis
S82.846H	Nondisplaced bimalleolar fracture of unspecified lower leg, subsequent encounter for open fracture type I or II with delayed healing	ICD-10-CM	Diagnosis
S82.846Q	Nondisplaced bimalleolar fracture of unspecified lower leg, subsequent encounter for open fracture type I or II with malunion	ICD-10-CM	Diagnosis
S82.846M	Nondisplaced bimalleolar fracture of unspecified lower leg, subsequent encounter for open fracture type I or II with nonunion	ICD-10-CM	Diagnosis
S82.846R	Nondisplaced bimalleolar fracture of unspecified lower leg, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD-10-CM	Diagnosis
S82.846N	Nondisplaced bimalleolar fracture of unspecified lower leg, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD-10-CM	Diagnosis
S82.846F	Nondisplaced bimalleolar fracture of unspecified lower leg, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD-10-CM	Diagnosis
S82.846E	Nondisplaced bimalleolar fracture of unspecified lower leg, subsequent encounter for open fracture type I or II with routine healing	ICD-10-CM	Diagnosis
S82.846J	Nondisplaced bimalleolar fracture of unspecified lower leg, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD-10-CM	Diagnosis
S82.845S	Nondisplaced bimalleolar fracture of left lower leg, sequela	ICD-10-CM	Diagnosis
S82.844S	Nondisplaced bimalleolar fracture of right lower leg, sequela	ICD-10-CM	Diagnosis
S82.846S	Nondisplaced bimalleolar fracture of unspecified lower leg, sequela	ICD-10-CM	Diagnosis
S82.845A	Nondisplaced bimalleolar fracture of left lower leg, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.845B	Nondisplaced bimalleolar fracture of left lower leg, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.845C	Nondisplaced bimalleolar fracture of left lower leg, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.844A	Nondisplaced bimalleolar fracture of right lower leg, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.844B	Nondisplaced bimalleolar fracture of right lower leg, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.844C	Nondisplaced bimalleolar fracture of right lower leg, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.846A	Nondisplaced bimalleolar fracture of unspecified lower leg, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.846B	Nondisplaced bimalleolar fracture of unspecified lower leg, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.846C	Nondisplaced bimalleolar fracture of unspecified lower leg, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S52.356G	Nondisplaced comminuted fracture of shaft of radius, unspecified arm, subsequent encounter for closed fracture with delayed healing	ICD-10-CM	Diagnosis
S52.356F	Nondisplaced comminuted fracture of shaft of radius, unspecified arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD-10-CM	Diagnosis
S52.356H	Nondisplaced comminuted fracture of shaft of radius, unspecified arm, subsequent encounter for open fracture type I or II with delayed healing	ICD-10-CM	Diagnosis
S52.356E	Nondisplaced comminuted fracture of shaft of radius, unspecified arm, subsequent encounter for open fracture type I or II with routine healing	ICD-10-CM	Diagnosis
S52.256J	Nondisplaced comminuted fracture of shaft of ulna, unspecified arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD-10-CM	Diagnosis
S42.425A	Nondisplaced comminuted supracondylar fracture without intercondylar fracture of left humerus, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.424A	Nondisplaced comminuted supracondylar fracture without intercondylar fracture of right humerus, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.355G	Nondisplaced comminuted fracture of shaft of humerus, left arm, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S42.355D	Nondisplaced comminuted fracture of shaft of humerus, left arm, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S42.354G	Nondisplaced comminuted fracture of shaft of humerus, right arm, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S42.354P	Nondisplaced comminuted fracture of shaft of humerus, right arm, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S42.354K	Nondisplaced comminuted fracture of shaft of humerus, right arm, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S42.354D	Nondisplaced comminuted fracture of shaft of humerus, right arm, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S82.455A	Nondisplaced comminuted fracture of shaft of left fibula, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.455B	Nondisplaced comminuted fracture of shaft of left fibula, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.455C	Nondisplaced comminuted fracture of shaft of left fibula, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.455G	Nondisplaced comminuted fracture of shaft of left fibula, subsequent encounter for closed fracture with delayed healing	ICD-10-CM	Diagnosis
S82.455P	Nondisplaced comminuted fracture of shaft of left fibula, subsequent encounter for closed fracture with malunion	ICD-10-CM	Diagnosis
S82.455K	Nondisplaced comminuted fracture of shaft of left fibula, subsequent encounter for closed fracture with nonunion	ICD-10-CM	Diagnosis
S82.455D	Nondisplaced comminuted fracture of shaft of left fibula, subsequent encounter for closed fracture with routine healing	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S82.455E	Nondisplaced comminuted fracture of shaft of left fibula, subsequent encounter for open fracture type I or II with routine healing	ICD-10-CM	Diagnosis
S82.455J	Nondisplaced comminuted fracture of shaft of left fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD-10-CM	Diagnosis
S82.455Q	Nondisplaced comminuted fracture of shaft of left fibula, subsequent encounter for open fracture type I or II with malunion	ICD-10-CM	Diagnosis
S82.455M	Nondisplaced comminuted fracture of shaft of left fibula, subsequent encounter for open fracture type I or II with nonunion	ICD-10-CM	Diagnosis
S82.455R	Nondisplaced comminuted fracture of shaft of left fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD-10-CM	Diagnosis
S82.455N	Nondisplaced comminuted fracture of shaft of left fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD-10-CM	Diagnosis
S82.455F	Nondisplaced comminuted fracture of shaft of left fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD-10-CM	Diagnosis
S82.255A	Nondisplaced comminuted fracture of shaft of left tibia, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.255B	Nondisplaced comminuted fracture of shaft of left tibia, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.255C	Nondisplaced comminuted fracture of shaft of left tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.255G	Nondisplaced comminuted fracture of shaft of left tibia, subsequent encounter for closed fracture with delayed healing	ICD-10-CM	Diagnosis
S82.255P	Nondisplaced comminuted fracture of shaft of left tibia, subsequent encounter for closed fracture with malunion	ICD-10-CM	Diagnosis
S82.255K	Nondisplaced comminuted fracture of shaft of left tibia, subsequent encounter for closed fracture with nonunion	ICD-10-CM	Diagnosis
S82.255D	Nondisplaced comminuted fracture of shaft of left tibia, subsequent encounter for closed fracture with routine healing	ICD-10-CM	Diagnosis
S82.255H	Nondisplaced comminuted fracture of shaft of left tibia, subsequent encounter for open fracture type I or II with delayed healing	ICD-10-CM	Diagnosis
S82.255Q	Nondisplaced comminuted fracture of shaft of left tibia, subsequent encounter for open fracture type I or II with malunion	ICD-10-CM	Diagnosis
S82.255M	Nondisplaced comminuted fracture of shaft of left tibia, subsequent encounter for open fracture type I or II with nonunion	ICD-10-CM	Diagnosis
S82.255R	Nondisplaced comminuted fracture of shaft of left tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD-10-CM	Diagnosis
S82.255N	Nondisplaced comminuted fracture of shaft of left tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD-10-CM	Diagnosis
S82.255E	Nondisplaced comminuted fracture of shaft of left tibia, subsequent encounter for open fracture type I or II with routine healing	ICD-10-CM	Diagnosis
S82.255J	Nondisplaced comminuted fracture of shaft of left tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S82.255F	Nondisplaced comminuted fracture of shaft of left tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD-10-CM	Diagnosis
S82.454A	Nondisplaced comminuted fracture of shaft of right fibula, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.454B	Nondisplaced comminuted fracture of shaft of right fibula, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.454C	Nondisplaced comminuted fracture of shaft of right fibula, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.454G	Nondisplaced comminuted fracture of shaft of right fibula, subsequent encounter for closed fracture with delayed healing	ICD-10-CM	Diagnosis
S82.454P	Nondisplaced comminuted fracture of shaft of right fibula, subsequent encounter for closed fracture with malunion	ICD-10-CM	Diagnosis
S82.454K	Nondisplaced comminuted fracture of shaft of right fibula, subsequent encounter for closed fracture with nonunion	ICD-10-CM	Diagnosis
S82.454D	Nondisplaced comminuted fracture of shaft of right fibula, subsequent encounter for closed fracture with routine healing	ICD-10-CM	Diagnosis
S82.454E	Nondisplaced comminuted fracture of shaft of right fibula, subsequent encounter for open fracture type I or II with routine healing	ICD-10-CM	Diagnosis
S82.454J	Nondisplaced comminuted fracture of shaft of right fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD-10-CM	Diagnosis
S82.454Q	Nondisplaced comminuted fracture of shaft of right fibula, subsequent encounter for open fracture type I or II with malunion	ICD-10-CM	Diagnosis
S82.454M	Nondisplaced comminuted fracture of shaft of right fibula, subsequent encounter for open fracture type I or II with nonunion	ICD-10-CM	Diagnosis
S82.454R	Nondisplaced comminuted fracture of shaft of right fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD-10-CM	Diagnosis
S82.454N	Nondisplaced comminuted fracture of shaft of right fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD-10-CM	Diagnosis
S82.454F	Nondisplaced comminuted fracture of shaft of right fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD-10-CM	Diagnosis
S82.254A	Nondisplaced comminuted fracture of shaft of right tibia, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.254B	Nondisplaced comminuted fracture of shaft of right tibia, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.254C	Nondisplaced comminuted fracture of shaft of right tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.254G	Nondisplaced comminuted fracture of shaft of right tibia, subsequent encounter for closed fracture with delayed healing	ICD-10-CM	Diagnosis
S82.254P	Nondisplaced comminuted fracture of shaft of right tibia, subsequent encounter for closed fracture with malunion	ICD-10-CM	Diagnosis
S82.254K	Nondisplaced comminuted fracture of shaft of right tibia, subsequent encounter for closed fracture with nonunion	ICD-10-CM	Diagnosis



**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S82.254D	Nondisplaced comminuted fracture of shaft of right tibia, subsequent encounter for closed fracture with routine healing	ICD-10-CM	Diagnosis
S82.254H	Nondisplaced comminuted fracture of shaft of right tibia, subsequent encounter for open fracture type I or II with delayed healing	ICD-10-CM	Diagnosis
S82.254Q	Nondisplaced comminuted fracture of shaft of right tibia, subsequent encounter for open fracture type I or II with malunion	ICD-10-CM	Diagnosis
S82.254M	Nondisplaced comminuted fracture of shaft of right tibia, subsequent encounter for open fracture type I or II with nonunion	ICD-10-CM	Diagnosis
S82.254R	Nondisplaced comminuted fracture of shaft of right tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD-10-CM	Diagnosis
S82.254N	Nondisplaced comminuted fracture of shaft of right tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD-10-CM	Diagnosis
S82.254E	Nondisplaced comminuted fracture of shaft of right tibia, subsequent encounter for open fracture type I or II with routine healing	ICD-10-CM	Diagnosis
S82.254J	Nondisplaced comminuted fracture of shaft of right tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD-10-CM	Diagnosis
S82.254F	Nondisplaced comminuted fracture of shaft of right tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD-10-CM	Diagnosis
S82.456A	Nondisplaced comminuted fracture of shaft of unspecified fibula, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.456B	Nondisplaced comminuted fracture of shaft of unspecified fibula, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.456C	Nondisplaced comminuted fracture of shaft of unspecified fibula, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.456D	Nondisplaced comminuted fracture of shaft of unspecified fibula, subsequent encounter for closed fracture with routine healing	ICD-10-CM	Diagnosis
S82.456R	Nondisplaced comminuted fracture of shaft of unspecified fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD-10-CM	Diagnosis
S82.256A	Nondisplaced comminuted fracture of shaft of unspecified tibia, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.256B	Nondisplaced comminuted fracture of shaft of unspecified tibia, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.256C	Nondisplaced comminuted fracture of shaft of unspecified tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.256G	Nondisplaced comminuted fracture of shaft of unspecified tibia, subsequent encounter for closed fracture with delayed healing	ICD-10-CM	Diagnosis
S82.256P	Nondisplaced comminuted fracture of shaft of unspecified tibia, subsequent encounter for closed fracture with malunion	ICD-10-CM	Diagnosis
S82.256K	Nondisplaced comminuted fracture of shaft of unspecified tibia, subsequent encounter for closed fracture with nonunion	ICD-10-CM	Diagnosis
S82.256D	Nondisplaced comminuted fracture of shaft of unspecified tibia, subsequent encounter for closed fracture with routine healing	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S82.256H	Nondisplaced comminuted fracture of shaft of unspecified tibia, subsequent encounter for open fracture type I or II with delayed healing	ICD-10-CM	Diagnosis
S82.256E	Nondisplaced comminuted fracture of shaft of unspecified tibia, subsequent encounter for open fracture type I or II with routine healing	ICD-10-CM	Diagnosis
S82.256J	Nondisplaced comminuted fracture of shaft of unspecified tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD-10-CM	Diagnosis
S82.256R	Nondisplaced comminuted fracture of shaft of unspecified tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD-10-CM	Diagnosis
S82.256N	Nondisplaced comminuted fracture of shaft of unspecified tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD-10-CM	Diagnosis
S82.256Q	Nondisplaced comminuted fracture of shaft of unspecified tibia, subsequent encounter for open fracture type I or II with malunion	ICD-10-CM	Diagnosis
S82.256M	Nondisplaced comminuted fracture of shaft of unspecified tibia, subsequent encounter for open fracture type I or II with nonunion	ICD-10-CM	Diagnosis
S82.256F	Nondisplaced comminuted fracture of shaft of unspecified tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD-10-CM	Diagnosis
S82.455H	Nondisplaced comminuted fracture of shaft of left fibula, subsequent encounter for open fracture type I or II with delayed healing	ICD-10-CM	Diagnosis
S82.454H	Nondisplaced comminuted fracture of shaft of right fibula, subsequent encounter for open fracture type I or II with delayed healing	ICD-10-CM	Diagnosis
S82.456H	Nondisplaced comminuted fracture of shaft of unspecified fibula, subsequent encounter for open fracture type I or II with delayed healing	ICD-10-CM	Diagnosis
S82.456G	Nondisplaced comminuted fracture of shaft of unspecified fibula, subsequent encounter for closed fracture with delayed healing	ICD-10-CM	Diagnosis
S82.456P	Nondisplaced comminuted fracture of shaft of unspecified fibula, subsequent encounter for closed fracture with malunion	ICD-10-CM	Diagnosis
S82.456K	Nondisplaced comminuted fracture of shaft of unspecified fibula, subsequent encounter for closed fracture with nonunion	ICD-10-CM	Diagnosis
S82.456E	Nondisplaced comminuted fracture of shaft of unspecified fibula, subsequent encounter for open fracture type I or II with routine healing	ICD-10-CM	Diagnosis
S82.456J	Nondisplaced comminuted fracture of shaft of unspecified fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD-10-CM	Diagnosis
S82.456Q	Nondisplaced comminuted fracture of shaft of unspecified fibula, subsequent encounter for open fracture type I or II with malunion	ICD-10-CM	Diagnosis
S82.456M	Nondisplaced comminuted fracture of shaft of unspecified fibula, subsequent encounter for open fracture type I or II with nonunion	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S82.456N	Nondisplaced comminuted fracture of shaft of unspecified fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD-10-CM	Diagnosis
S82.456F	Nondisplaced comminuted fracture of shaft of unspecified fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD-10-CM	Diagnosis
S62.016A	Nondisplaced fracture of distal pole of navicular [scaphoid] bone of unspecified wrist, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S62.016B	Nondisplaced fracture of distal pole of navicular [scaphoid] bone of unspecified wrist, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.016D	Nondisplaced fracture of distal pole of navicular [scaphoid] bone of unspecified wrist, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S72.115J	Nondisplaced fracture of greater trochanter of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD-10-CM	Diagnosis
S72.114J	Nondisplaced fracture of greater trochanter of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD-10-CM	Diagnosis
S72.116J	Nondisplaced fracture of greater trochanter of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD-10-CM	Diagnosis
S72.116F	Nondisplaced fracture of greater trochanter of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD-10-CM	Diagnosis
S72.425A	Nondisplaced fracture of lateral condyle of left femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S72.425B	Nondisplaced fracture of lateral condyle of left femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.425C	Nondisplaced fracture of lateral condyle of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.425G	Nondisplaced fracture of lateral condyle of left femur, subsequent encounter for closed fracture with delayed healing	ICD-10-CM	Diagnosis
S72.425P	Nondisplaced fracture of lateral condyle of left femur, subsequent encounter for closed fracture with malunion	ICD-10-CM	Diagnosis
S72.425K	Nondisplaced fracture of lateral condyle of left femur, subsequent encounter for closed fracture with nonunion	ICD-10-CM	Diagnosis
S72.425D	Nondisplaced fracture of lateral condyle of left femur, subsequent encounter for closed fracture with routine healing	ICD-10-CM	Diagnosis
S72.425Q	Nondisplaced fracture of lateral condyle of left femur, subsequent encounter for open fracture type I or II with malunion	ICD-10-CM	Diagnosis
S72.425M	Nondisplaced fracture of lateral condyle of left femur, subsequent encounter for open fracture type I or II with nonunion	ICD-10-CM	Diagnosis
S72.425E	Nondisplaced fracture of lateral condyle of left femur, subsequent encounter for open fracture type I or II with routine healing	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S72.425J	Nondisplaced fracture of lateral condyle of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD-10-CM	Diagnosis
S72.425R	Nondisplaced fracture of lateral condyle of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD-10-CM	Diagnosis
S72.425N	Nondisplaced fracture of lateral condyle of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD-10-CM	Diagnosis
S72.425F	Nondisplaced fracture of lateral condyle of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD-10-CM	Diagnosis
S72.425H	Nondisplaced fracture of lateral condyle of left femur, subsequent encounter for open fracture type I or II with delayed healing	ICD-10-CM	Diagnosis
S72.424A	Nondisplaced fracture of lateral condyle of right femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S72.424B	Nondisplaced fracture of lateral condyle of right femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.424C	Nondisplaced fracture of lateral condyle of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.424G	Nondisplaced fracture of lateral condyle of right femur, subsequent encounter for closed fracture with delayed healing	ICD-10-CM	Diagnosis
S72.424P	Nondisplaced fracture of lateral condyle of right femur, subsequent encounter for closed fracture with malunion	ICD-10-CM	Diagnosis
S72.424K	Nondisplaced fracture of lateral condyle of right femur, subsequent encounter for closed fracture with nonunion	ICD-10-CM	Diagnosis
S72.424D	Nondisplaced fracture of lateral condyle of right femur, subsequent encounter for closed fracture with routine healing	ICD-10-CM	Diagnosis
S72.424Q	Nondisplaced fracture of lateral condyle of right femur, subsequent encounter for open fracture type I or II with malunion	ICD-10-CM	Diagnosis
S72.424M	Nondisplaced fracture of lateral condyle of right femur, subsequent encounter for open fracture type I or II with nonunion	ICD-10-CM	Diagnosis
S72.424E	Nondisplaced fracture of lateral condyle of right femur, subsequent encounter for open fracture type I or II with routine healing	ICD-10-CM	Diagnosis
S72.424J	Nondisplaced fracture of lateral condyle of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD-10-CM	Diagnosis
S72.424R	Nondisplaced fracture of lateral condyle of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD-10-CM	Diagnosis
S72.424N	Nondisplaced fracture of lateral condyle of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD-10-CM	Diagnosis
S72.424F	Nondisplaced fracture of lateral condyle of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD-10-CM	Diagnosis
S72.424H	Nondisplaced fracture of lateral condyle of right femur, subsequent encounter for open fracture type I or II with delayed healing	ICD-10-CM	Diagnosis
S72.426A	Nondisplaced fracture of lateral condyle of unspecified femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S72.426C	Nondisplaced fracture of lateral condyle of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.426B	Nondisplaced fracture of lateral condyle of unspecified femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.426G	Nondisplaced fracture of lateral condyle of unspecified femur, subsequent encounter for closed fracture with delayed healing	ICD-10-CM	Diagnosis
S72.426D	Nondisplaced fracture of lateral condyle of unspecified femur, subsequent encounter for closed fracture with routine healing	ICD-10-CM	Diagnosis
S72.426P	Nondisplaced fracture of lateral condyle of unspecified femur, subsequent encounter for closed fracture with malunion	ICD-10-CM	Diagnosis
S72.426K	Nondisplaced fracture of lateral condyle of unspecified femur, subsequent encounter for closed fracture with nonunion	ICD-10-CM	Diagnosis
S72.426H	Nondisplaced fracture of lateral condyle of unspecified femur, subsequent encounter for open fracture type I or II with delayed healing	ICD-10-CM	Diagnosis
S72.426Q	Nondisplaced fracture of lateral condyle of unspecified femur, subsequent encounter for open fracture type I or II with malunion	ICD-10-CM	Diagnosis
S72.426M	Nondisplaced fracture of lateral condyle of unspecified femur, subsequent encounter for open fracture type I or II with nonunion	ICD-10-CM	Diagnosis
S72.426R	Nondisplaced fracture of lateral condyle of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD-10-CM	Diagnosis
S72.426N	Nondisplaced fracture of lateral condyle of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD-10-CM	Diagnosis
S72.426F	Nondisplaced fracture of lateral condyle of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD-10-CM	Diagnosis
S72.426E	Nondisplaced fracture of lateral condyle of unspecified femur, subsequent encounter for open fracture type I or II with routine healing	ICD-10-CM	Diagnosis
S72.426J	Nondisplaced fracture of lateral condyle of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD-10-CM	Diagnosis
S82.65XG	Nondisplaced fracture of lateral malleolus of left fibula, subsequent encounter for closed fracture with delayed healing	ICD-10-CM	Diagnosis
S82.65XP	Nondisplaced fracture of lateral malleolus of left fibula, subsequent encounter for closed fracture with malunion	ICD-10-CM	Diagnosis
S82.65XK	Nondisplaced fracture of lateral malleolus of left fibula, subsequent encounter for closed fracture with nonunion	ICD-10-CM	Diagnosis
S82.65XD	Nondisplaced fracture of lateral malleolus of left fibula, subsequent encounter for closed fracture with routine healing	ICD-10-CM	Diagnosis
S82.65XQ	Nondisplaced fracture of lateral malleolus of left fibula, subsequent encounter for open fracture type I or II with malunion	ICD-10-CM	Diagnosis
S82.65XM	Nondisplaced fracture of lateral malleolus of left fibula, subsequent encounter for open fracture type I or II with nonunion	ICD-10-CM	Diagnosis
S82.65XE	Nondisplaced fracture of lateral malleolus of left fibula, subsequent encounter for open fracture type I or II with routine healing	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S82.65XR	Nondisplaced fracture of lateral malleolus of left fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD-10-CM	Diagnosis
S82.65XN	Nondisplaced fracture of lateral malleolus of left fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD-10-CM	Diagnosis
S82.65XF	Nondisplaced fracture of lateral malleolus of left fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD-10-CM	Diagnosis
S82.65XH	Nondisplaced fracture of lateral malleolus of left fibula, subsequent encounter for open fracture type I or II with delayed healing	ICD-10-CM	Diagnosis
S82.65XJ	Nondisplaced fracture of lateral malleolus of left fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD-10-CM	Diagnosis
S82.65XA	Nondisplaced fracture of lateral malleolus of left fibula, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.65XB	Nondisplaced fracture of lateral malleolus of left fibula, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.65XC	Nondisplaced fracture of lateral malleolus of left fibula, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.64XG	Nondisplaced fracture of lateral malleolus of right fibula, subsequent encounter for closed fracture with delayed healing	ICD-10-CM	Diagnosis
S82.64XP	Nondisplaced fracture of lateral malleolus of right fibula, subsequent encounter for closed fracture with malunion	ICD-10-CM	Diagnosis
S82.64XK	Nondisplaced fracture of lateral malleolus of right fibula, subsequent encounter for closed fracture with nonunion	ICD-10-CM	Diagnosis
S82.64XD	Nondisplaced fracture of lateral malleolus of right fibula, subsequent encounter for closed fracture with routine healing	ICD-10-CM	Diagnosis
S82.64XQ	Nondisplaced fracture of lateral malleolus of right fibula, subsequent encounter for open fracture type I or II with malunion	ICD-10-CM	Diagnosis
S82.64XM	Nondisplaced fracture of lateral malleolus of right fibula, subsequent encounter for open fracture type I or II with nonunion	ICD-10-CM	Diagnosis
S82.64XE	Nondisplaced fracture of lateral malleolus of right fibula, subsequent encounter for open fracture type I or II with routine healing	ICD-10-CM	Diagnosis
S82.64XR	Nondisplaced fracture of lateral malleolus of right fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD-10-CM	Diagnosis
S82.64XN	Nondisplaced fracture of lateral malleolus of right fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD-10-CM	Diagnosis
S82.64XF	Nondisplaced fracture of lateral malleolus of right fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD-10-CM	Diagnosis
S82.64XH	Nondisplaced fracture of lateral malleolus of right fibula, subsequent encounter for open fracture type I or II with delayed healing	ICD-10-CM	Diagnosis
S82.64XJ	Nondisplaced fracture of lateral malleolus of right fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD-10-CM	Diagnosis
S82.64XA	Nondisplaced fracture of lateral malleolus of right fibula, initial encounter for closed fracture	ICD-10-CM	Diagnosis



**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S82.64XB	Nondisplaced fracture of lateral malleolus of right fibula, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.64XC	Nondisplaced fracture of lateral malleolus of right fibula, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.66XG	Nondisplaced fracture of lateral malleolus of unspecified fibula, subsequent encounter for closed fracture with delayed healing	ICD-10-CM	Diagnosis
S82.66XP	Nondisplaced fracture of lateral malleolus of unspecified fibula, subsequent encounter for closed fracture with malunion	ICD-10-CM	Diagnosis
S82.66XK	Nondisplaced fracture of lateral malleolus of unspecified fibula, subsequent encounter for closed fracture with nonunion	ICD-10-CM	Diagnosis
S82.66XD	Nondisplaced fracture of lateral malleolus of unspecified fibula, subsequent encounter for closed fracture with routine healing	ICD-10-CM	Diagnosis
S82.66XH	Nondisplaced fracture of lateral malleolus of unspecified fibula, subsequent encounter for open fracture type I or II with delayed healing	ICD-10-CM	Diagnosis
S82.66XQ	Nondisplaced fracture of lateral malleolus of unspecified fibula, subsequent encounter for open fracture type I or II with malunion	ICD-10-CM	Diagnosis
S82.66XM	Nondisplaced fracture of lateral malleolus of unspecified fibula, subsequent encounter for open fracture type I or II with nonunion	ICD-10-CM	Diagnosis
S82.66XR	Nondisplaced fracture of lateral malleolus of unspecified fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD-10-CM	Diagnosis
S82.66XN	Nondisplaced fracture of lateral malleolus of unspecified fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD-10-CM	Diagnosis
S82.66XF	Nondisplaced fracture of lateral malleolus of unspecified fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD-10-CM	Diagnosis
S82.66XE	Nondisplaced fracture of lateral malleolus of unspecified fibula, subsequent encounter for open fracture type I or II with routine healing	ICD-10-CM	Diagnosis
S82.66XJ	Nondisplaced fracture of lateral malleolus of unspecified fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD-10-CM	Diagnosis
S82.66XA	Nondisplaced fracture of lateral malleolus of unspecified fibula, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.66XB	Nondisplaced fracture of lateral malleolus of unspecified fibula, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.66XC	Nondisplaced fracture of lateral malleolus of unspecified fibula, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.125F	Nondisplaced fracture of lesser trochanter of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD-10-CM	Diagnosis
S72.445G	Nondisplaced fracture of lower epiphysis (separation) of left femur, subsequent encounter for closed fracture with delayed healing	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S72.445P	Nondisplaced fracture of lower epiphysis (separation) of left femur, subsequent encounter for closed fracture with malunion	ICD-10-CM	Diagnosis
S72.445K	Nondisplaced fracture of lower epiphysis (separation) of left femur, subsequent encounter for closed fracture with nonunion	ICD-10-CM	Diagnosis
S72.445Q	Nondisplaced fracture of lower epiphysis (separation) of left femur, subsequent encounter for open fracture type I or II with malunion	ICD-10-CM	Diagnosis
S72.445M	Nondisplaced fracture of lower epiphysis (separation) of left femur, subsequent encounter for open fracture type I or II with nonunion	ICD-10-CM	Diagnosis
S72.445R	Nondisplaced fracture of lower epiphysis (separation) of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD-10-CM	Diagnosis
S72.445N	Nondisplaced fracture of lower epiphysis (separation) of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD-10-CM	Diagnosis
S72.445H	Nondisplaced fracture of lower epiphysis (separation) of left femur, subsequent encounter for open fracture type I or II with delayed healing	ICD-10-CM	Diagnosis
S72.445J	Nondisplaced fracture of lower epiphysis (separation) of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD-10-CM	Diagnosis
S72.445A	Nondisplaced fracture of lower epiphysis (separation) of left femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S72.445B	Nondisplaced fracture of lower epiphysis (separation) of left femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.445C	Nondisplaced fracture of lower epiphysis (separation) of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.445D	Nondisplaced fracture of lower epiphysis (separation) of left femur, subsequent encounter for closed fracture with routine healing	ICD-10-CM	Diagnosis
S72.445E	Nondisplaced fracture of lower epiphysis (separation) of left femur, subsequent encounter for open fracture type I or II with routine healing	ICD-10-CM	Diagnosis
S72.445F	Nondisplaced fracture of lower epiphysis (separation) of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD-10-CM	Diagnosis
S72.444G	Nondisplaced fracture of lower epiphysis (separation) of right femur, subsequent encounter for closed fracture with delayed healing	ICD-10-CM	Diagnosis
S72.444P	Nondisplaced fracture of lower epiphysis (separation) of right femur, subsequent encounter for closed fracture with malunion	ICD-10-CM	Diagnosis
S72.444K	Nondisplaced fracture of lower epiphysis (separation) of right femur, subsequent encounter for closed fracture with nonunion	ICD-10-CM	Diagnosis
S72.444Q	Nondisplaced fracture of lower epiphysis (separation) of right femur, subsequent encounter for open fracture type I or II with malunion	ICD-10-CM	Diagnosis
S72.444M	Nondisplaced fracture of lower epiphysis (separation) of right femur, subsequent encounter for open fracture type I or II with nonunion	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S72.444R	Nondisplaced fracture of lower epiphysis (separation) of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD-10-CM	Diagnosis
S72.444N	Nondisplaced fracture of lower epiphysis (separation) of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD-10-CM	Diagnosis
S72.444H	Nondisplaced fracture of lower epiphysis (separation) of right femur, subsequent encounter for open fracture type I or II with delayed healing	ICD-10-CM	Diagnosis
S72.444J	Nondisplaced fracture of lower epiphysis (separation) of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD-10-CM	Diagnosis
S72.444A	Nondisplaced fracture of lower epiphysis (separation) of right femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S72.444B	Nondisplaced fracture of lower epiphysis (separation) of right femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.444C	Nondisplaced fracture of lower epiphysis (separation) of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.444D	Nondisplaced fracture of lower epiphysis (separation) of right femur, subsequent encounter for closed fracture with routine healing	ICD-10-CM	Diagnosis
S72.444E	Nondisplaced fracture of lower epiphysis (separation) of right femur, subsequent encounter for open fracture type I or II with routine healing	ICD-10-CM	Diagnosis
S72.444F	Nondisplaced fracture of lower epiphysis (separation) of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD-10-CM	Diagnosis
S72.446G	Nondisplaced fracture of lower epiphysis (separation) of unspecified femur, subsequent encounter for closed fracture with delayed healing	ICD-10-CM	Diagnosis
S72.446P	Nondisplaced fracture of lower epiphysis (separation) of unspecified femur, subsequent encounter for closed fracture with malunion	ICD-10-CM	Diagnosis
S72.446K	Nondisplaced fracture of lower epiphysis (separation) of unspecified femur, subsequent encounter for closed fracture with nonunion	ICD-10-CM	Diagnosis
S72.446H	Nondisplaced fracture of lower epiphysis (separation) of unspecified femur, subsequent encounter for open fracture type I or II with delayed healing	ICD-10-CM	Diagnosis
S72.446E	Nondisplaced fracture of lower epiphysis (separation) of unspecified femur, subsequent encounter for open fracture type I or II with routine healing	ICD-10-CM	Diagnosis
S72.446Q	Nondisplaced fracture of lower epiphysis (separation) of unspecified femur, subsequent encounter for open fracture type I or II with malunion	ICD-10-CM	Diagnosis
S72.446M	Nondisplaced fracture of lower epiphysis (separation) of unspecified femur, subsequent encounter for open fracture type I or II with nonunion	ICD-10-CM	Diagnosis
S72.446R	Nondisplaced fracture of lower epiphysis (separation) of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S72.446N	Nondisplaced fracture of lower epiphysis (separation) of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD-10-CM	Diagnosis
S72.446J	Nondisplaced fracture of lower epiphysis (separation) of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD-10-CM	Diagnosis
S72.446F	Nondisplaced fracture of lower epiphysis (separation) of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD-10-CM	Diagnosis
S72.446A	Nondisplaced fracture of lower epiphysis (separation) of unspecified femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S72.446B	Nondisplaced fracture of lower epiphysis (separation) of unspecified femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.446C	Nondisplaced fracture of lower epiphysis (separation) of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.446D	Nondisplaced fracture of lower epiphysis (separation) of unspecified femur, subsequent encounter for closed fracture with routine healing	ICD-10-CM	Diagnosis
S72.125J	Nondisplaced fracture of lesser trochanter of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD-10-CM	Diagnosis
S72.124J	Nondisplaced fracture of lesser trochanter of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD-10-CM	Diagnosis
S72.124F	Nondisplaced fracture of lesser trochanter of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD-10-CM	Diagnosis
S72.126N	Nondisplaced fracture of lesser trochanter of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD-10-CM	Diagnosis
S72.126F	Nondisplaced fracture of lesser trochanter of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD-10-CM	Diagnosis
S72.126J	Nondisplaced fracture of lesser trochanter of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD-10-CM	Diagnosis
S72.126R	Nondisplaced fracture of lesser trochanter of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD-10-CM	Diagnosis
S52.515H	Nondisplaced fracture of left radial styloid process, subsequent encounter for open fracture type I or II with delayed healing	ICD-10-CM	Diagnosis
S72.435A	Nondisplaced fracture of medial condyle of left femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S72.435B	Nondisplaced fracture of medial condyle of left femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.435C	Nondisplaced fracture of medial condyle of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S72.435G	Nondisplaced fracture of medial condyle of left femur, subsequent encounter for closed fracture with delayed healing	ICD-10-CM	Diagnosis
S72.435P	Nondisplaced fracture of medial condyle of left femur, subsequent encounter for closed fracture with malunion	ICD-10-CM	Diagnosis
S72.435K	Nondisplaced fracture of medial condyle of left femur, subsequent encounter for closed fracture with nonunion	ICD-10-CM	Diagnosis
S72.435D	Nondisplaced fracture of medial condyle of left femur, subsequent encounter for closed fracture with routine healing	ICD-10-CM	Diagnosis
S72.435Q	Nondisplaced fracture of medial condyle of left femur, subsequent encounter for open fracture type I or II with malunion	ICD-10-CM	Diagnosis
S72.435M	Nondisplaced fracture of medial condyle of left femur, subsequent encounter for open fracture type I or II with nonunion	ICD-10-CM	Diagnosis
S72.435E	Nondisplaced fracture of medial condyle of left femur, subsequent encounter for open fracture type I or II with routine healing	ICD-10-CM	Diagnosis
S72.435J	Nondisplaced fracture of medial condyle of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD-10-CM	Diagnosis
S72.435R	Nondisplaced fracture of medial condyle of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD-10-CM	Diagnosis
S72.435N	Nondisplaced fracture of medial condyle of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD-10-CM	Diagnosis
S72.435F	Nondisplaced fracture of medial condyle of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD-10-CM	Diagnosis
S72.435H	Nondisplaced fracture of medial condyle of left femur, subsequent encounter for open fracture type I or II with delayed healing	ICD-10-CM	Diagnosis
S72.434A	Nondisplaced fracture of medial condyle of right femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S72.434B	Nondisplaced fracture of medial condyle of right femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.434C	Nondisplaced fracture of medial condyle of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.434G	Nondisplaced fracture of medial condyle of right femur, subsequent encounter for closed fracture with delayed healing	ICD-10-CM	Diagnosis
S72.434P	Nondisplaced fracture of medial condyle of right femur, subsequent encounter for closed fracture with malunion	ICD-10-CM	Diagnosis
S72.434K	Nondisplaced fracture of medial condyle of right femur, subsequent encounter for closed fracture with nonunion	ICD-10-CM	Diagnosis
S72.434D	Nondisplaced fracture of medial condyle of right femur, subsequent encounter for closed fracture with routine healing	ICD-10-CM	Diagnosis
S72.434Q	Nondisplaced fracture of medial condyle of right femur, subsequent encounter for open fracture type I or II with malunion	ICD-10-CM	Diagnosis
S72.434M	Nondisplaced fracture of medial condyle of right femur, subsequent encounter for open fracture type I or II with nonunion	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S72.434E	Nondisplaced fracture of medial condyle of right femur, subsequent encounter for open fracture type I or II with routine healing	ICD-10-CM	Diagnosis
S72.434J	Nondisplaced fracture of medial condyle of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD-10-CM	Diagnosis
S72.434R	Nondisplaced fracture of medial condyle of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD-10-CM	Diagnosis
S72.434N	Nondisplaced fracture of medial condyle of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD-10-CM	Diagnosis
S72.434F	Nondisplaced fracture of medial condyle of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD-10-CM	Diagnosis
S72.434H	Nondisplaced fracture of medial condyle of right femur, subsequent encounter for open fracture type I or II with delayed healing	ICD-10-CM	Diagnosis
S72.436A	Nondisplaced fracture of medial condyle of unspecified femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S72.436C	Nondisplaced fracture of medial condyle of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.436B	Nondisplaced fracture of medial condyle of unspecified femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.436G	Nondisplaced fracture of medial condyle of unspecified femur, subsequent encounter for closed fracture with delayed healing	ICD-10-CM	Diagnosis
S72.436D	Nondisplaced fracture of medial condyle of unspecified femur, subsequent encounter for closed fracture with routine healing	ICD-10-CM	Diagnosis
S72.436P	Nondisplaced fracture of medial condyle of unspecified femur, subsequent encounter for closed fracture with malunion	ICD-10-CM	Diagnosis
S72.436K	Nondisplaced fracture of medial condyle of unspecified femur, subsequent encounter for closed fracture with nonunion	ICD-10-CM	Diagnosis
S72.436H	Nondisplaced fracture of medial condyle of unspecified femur, subsequent encounter for open fracture type I or II with delayed healing	ICD-10-CM	Diagnosis
S72.436Q	Nondisplaced fracture of medial condyle of unspecified femur, subsequent encounter for open fracture type I or II with malunion	ICD-10-CM	Diagnosis
S72.436M	Nondisplaced fracture of medial condyle of unspecified femur, subsequent encounter for open fracture type I or II with nonunion	ICD-10-CM	Diagnosis
S72.436R	Nondisplaced fracture of medial condyle of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD-10-CM	Diagnosis
S72.436N	Nondisplaced fracture of medial condyle of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD-10-CM	Diagnosis
S72.436F	Nondisplaced fracture of medial condyle of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD-10-CM	Diagnosis
S72.436E	Nondisplaced fracture of medial condyle of unspecified femur, subsequent encounter for open fracture type I or II with routine healing	ICD-10-CM	Diagnosis



**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S72.436J	Nondisplaced fracture of medial condyle of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD-10-CM	Diagnosis
S82.55XG	Nondisplaced fracture of medial malleolus of left tibia, subsequent encounter for closed fracture with delayed healing	ICD-10-CM	Diagnosis
S82.55XJ	Nondisplaced fracture of medial malleolus of left tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD-10-CM	Diagnosis
S82.55XH	Nondisplaced fracture of medial malleolus of left tibia, subsequent encounter for open fracture type I or II with delayed healing	ICD-10-CM	Diagnosis
S82.55XA	Nondisplaced fracture of medial malleolus of left tibia, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.55XB	Nondisplaced fracture of medial malleolus of left tibia, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.55XC	Nondisplaced fracture of medial malleolus of left tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.55XD	Nondisplaced fracture of medial malleolus of left tibia, subsequent encounter for closed fracture with routine healing	ICD-10-CM	Diagnosis
S82.55XP	Nondisplaced fracture of medial malleolus of left tibia, subsequent encounter for closed fracture with malunion	ICD-10-CM	Diagnosis
S82.55XK	Nondisplaced fracture of medial malleolus of left tibia, subsequent encounter for closed fracture with nonunion	ICD-10-CM	Diagnosis
S82.55XE	Nondisplaced fracture of medial malleolus of left tibia, subsequent encounter for open fracture type I or II with routine healing	ICD-10-CM	Diagnosis
S82.55XR	Nondisplaced fracture of medial malleolus of left tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD-10-CM	Diagnosis
S82.55XN	Nondisplaced fracture of medial malleolus of left tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD-10-CM	Diagnosis
S82.55XQ	Nondisplaced fracture of medial malleolus of left tibia, subsequent encounter for open fracture type I or II with malunion	ICD-10-CM	Diagnosis
S82.55XM	Nondisplaced fracture of medial malleolus of left tibia, subsequent encounter for open fracture type I or II with nonunion	ICD-10-CM	Diagnosis
S82.55XF	Nondisplaced fracture of medial malleolus of left tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD-10-CM	Diagnosis
S82.54XG	Nondisplaced fracture of medial malleolus of right tibia, subsequent encounter for closed fracture with delayed healing	ICD-10-CM	Diagnosis
S82.54XJ	Nondisplaced fracture of medial malleolus of right tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD-10-CM	Diagnosis
S82.54XH	Nondisplaced fracture of medial malleolus of right tibia, subsequent encounter for open fracture type I or II with delayed healing	ICD-10-CM	Diagnosis
S82.54XA	Nondisplaced fracture of medial malleolus of right tibia, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.54XB	Nondisplaced fracture of medial malleolus of right tibia, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S82.54XC	Nondisplaced fracture of medial malleolus of right tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.54XD	Nondisplaced fracture of medial malleolus of right tibia, subsequent encounter for closed fracture with routine healing	ICD-10-CM	Diagnosis
S82.54XP	Nondisplaced fracture of medial malleolus of right tibia, subsequent encounter for closed fracture with malunion	ICD-10-CM	Diagnosis
S82.54XK	Nondisplaced fracture of medial malleolus of right tibia, subsequent encounter for closed fracture with nonunion	ICD-10-CM	Diagnosis
S82.54XE	Nondisplaced fracture of medial malleolus of right tibia, subsequent encounter for open fracture type I or II with routine healing	ICD-10-CM	Diagnosis
S82.54XR	Nondisplaced fracture of medial malleolus of right tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD-10-CM	Diagnosis
S82.54XN	Nondisplaced fracture of medial malleolus of right tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD-10-CM	Diagnosis
S82.54XQ	Nondisplaced fracture of medial malleolus of right tibia, subsequent encounter for open fracture type I or II with malunion	ICD-10-CM	Diagnosis
S82.54XM	Nondisplaced fracture of medial malleolus of right tibia, subsequent encounter for open fracture type I or II with nonunion	ICD-10-CM	Diagnosis
S82.54XF	Nondisplaced fracture of medial malleolus of right tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD-10-CM	Diagnosis
S82.56XG	Nondisplaced fracture of medial malleolus of unspecified tibia, subsequent encounter for closed fracture with delayed healing	ICD-10-CM	Diagnosis
S82.56XH	Nondisplaced fracture of medial malleolus of unspecified tibia, subsequent encounter for open fracture type I or II with delayed healing	ICD-10-CM	Diagnosis
S82.56XE	Nondisplaced fracture of medial malleolus of unspecified tibia, subsequent encounter for open fracture type I or II with routine healing	ICD-10-CM	Diagnosis
S82.56XJ	Nondisplaced fracture of medial malleolus of unspecified tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD-10-CM	Diagnosis
S82.56XF	Nondisplaced fracture of medial malleolus of unspecified tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD-10-CM	Diagnosis
S82.56XA	Nondisplaced fracture of medial malleolus of unspecified tibia, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.56XB	Nondisplaced fracture of medial malleolus of unspecified tibia, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.56XC	Nondisplaced fracture of medial malleolus of unspecified tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.56XP	Nondisplaced fracture of medial malleolus of unspecified tibia, subsequent encounter for closed fracture with malunion	ICD-10-CM	Diagnosis
S82.56XK	Nondisplaced fracture of medial malleolus of unspecified tibia, subsequent encounter for closed fracture with nonunion	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S82.56XD	Nondisplaced fracture of medial malleolus of unspecified tibia, subsequent encounter for closed fracture with routine healing	ICD-10-CM	Diagnosis
S82.56XQ	Nondisplaced fracture of medial malleolus of unspecified tibia, subsequent encounter for open fracture type I or II with malunion	ICD-10-CM	Diagnosis
S82.56XM	Nondisplaced fracture of medial malleolus of unspecified tibia, subsequent encounter for open fracture type I or II with nonunion	ICD-10-CM	Diagnosis
S82.56XR	Nondisplaced fracture of medial malleolus of unspecified tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD-10-CM	Diagnosis
S82.56XN	Nondisplaced fracture of medial malleolus of unspecified tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD-10-CM	Diagnosis
S62.026A	Nondisplaced fracture of middle third of navicular [scaphoid] bone of unspecified wrist, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S62.026B	Nondisplaced fracture of middle third of navicular [scaphoid] bone of unspecified wrist, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.026G	Nondisplaced fracture of middle third of navicular [scaphoid] bone of unspecified wrist, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S32.446G	Nondisplaced fracture of posterior column [ilioischial] of unspecified acetabulum, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S32.446A	Nondisplaced fracture of posterior column [ilioischial] of unspecified acetabulum, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S32.446B	Nondisplaced fracture of posterior column [ilioischial] of unspecified acetabulum, initial encounter for open fracture	ICD-10-CM	Diagnosis
S32.446K	Nondisplaced fracture of posterior column [ilioischial] of unspecified acetabulum, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S32.446D	Nondisplaced fracture of posterior column [ilioischial] of unspecified acetabulum, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S62.035A	Nondisplaced fracture of proximal third of navicular [scaphoid] bone of left wrist, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S62.035B	Nondisplaced fracture of proximal third of navicular [scaphoid] bone of left wrist, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.035G	Nondisplaced fracture of proximal third of navicular [scaphoid] bone of left wrist, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S62.034A	Nondisplaced fracture of proximal third of navicular [scaphoid] bone of right wrist, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S62.034B	Nondisplaced fracture of proximal third of navicular [scaphoid] bone of right wrist, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.034G	Nondisplaced fracture of proximal third of navicular [scaphoid] bone of right wrist, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S62.036D	Nondisplaced fracture of proximal third of navicular [scaphoid] bone of unspecified wrist, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S62.036A	Nondisplaced fracture of proximal third of navicular [scaphoid] bone of unspecified wrist, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S62.036B	Nondisplaced fracture of proximal third of navicular [scaphoid] bone of unspecified wrist, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.036G	Nondisplaced fracture of proximal third of navicular [scaphoid] bone of unspecified wrist, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S52.514H	Nondisplaced fracture of right radial styloid process, subsequent encounter for open fracture type I or II with delayed healing	ICD-10-CM	Diagnosis
S52.516H	Nondisplaced fracture of unspecified radial styloid process, subsequent encounter for open fracture type I or II with delayed healing	ICD-10-CM	Diagnosis
S52.516E	Nondisplaced fracture of unspecified radial styloid process, subsequent encounter for open fracture type I or II with routine healing	ICD-10-CM	Diagnosis
S52.516J	Nondisplaced fracture of unspecified radial styloid process, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD-10-CM	Diagnosis
S82.865A	Nondisplaced Maisonneuve's fracture of left leg, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.865B	Nondisplaced Maisonneuve's fracture of left leg, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.865C	Nondisplaced Maisonneuve's fracture of left leg, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.865G	Nondisplaced Maisonneuve's fracture of left leg, subsequent encounter for closed fracture with delayed healing	ICD-10-CM	Diagnosis
S82.865P	Nondisplaced Maisonneuve's fracture of left leg, subsequent encounter for closed fracture with malunion	ICD-10-CM	Diagnosis
S82.865K	Nondisplaced Maisonneuve's fracture of left leg, subsequent encounter for closed fracture with nonunion	ICD-10-CM	Diagnosis
S82.865D	Nondisplaced Maisonneuve's fracture of left leg, subsequent encounter for closed fracture with routine healing	ICD-10-CM	Diagnosis
S82.865H	Nondisplaced Maisonneuve's fracture of left leg, subsequent encounter for open fracture type I or II with delayed healing	ICD-10-CM	Diagnosis
S82.865E	Nondisplaced Maisonneuve's fracture of left leg, subsequent encounter for open fracture type I or II with routine healing	ICD-10-CM	Diagnosis
S82.865J	Nondisplaced Maisonneuve's fracture of left leg, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD-10-CM	Diagnosis
S82.865R	Nondisplaced Maisonneuve's fracture of left leg, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD-10-CM	Diagnosis
S82.865N	Nondisplaced Maisonneuve's fracture of left leg, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD-10-CM	Diagnosis
S82.865F	Nondisplaced Maisonneuve's fracture of left leg, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD-10-CM	Diagnosis
S82.865Q	Nondisplaced Maisonneuve's fracture of left leg, subsequent encounter for open fracture type I or II with malunion	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S82.865M	Nondisplaced Maisonneuve's fracture of left leg, subsequent encounter for open fracture type I or II with nonunion	ICD-10-CM	Diagnosis
S82.864A	Nondisplaced Maisonneuve's fracture of right leg, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.864B	Nondisplaced Maisonneuve's fracture of right leg, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.864C	Nondisplaced Maisonneuve's fracture of right leg, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.864G	Nondisplaced Maisonneuve's fracture of right leg, subsequent encounter for closed fracture with delayed healing	ICD-10-CM	Diagnosis
S82.864P	Nondisplaced Maisonneuve's fracture of right leg, subsequent encounter for closed fracture with malunion	ICD-10-CM	Diagnosis
S82.864K	Nondisplaced Maisonneuve's fracture of right leg, subsequent encounter for closed fracture with nonunion	ICD-10-CM	Diagnosis
S82.864H	Nondisplaced Maisonneuve's fracture of right leg, subsequent encounter for open fracture type I or II with delayed healing	ICD-10-CM	Diagnosis
S82.864E	Nondisplaced Maisonneuve's fracture of right leg, subsequent encounter for open fracture type I or II with routine healing	ICD-10-CM	Diagnosis
S82.864J	Nondisplaced Maisonneuve's fracture of right leg, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD-10-CM	Diagnosis
S82.864R	Nondisplaced Maisonneuve's fracture of right leg, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD-10-CM	Diagnosis
S82.864N	Nondisplaced Maisonneuve's fracture of right leg, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD-10-CM	Diagnosis
S82.864F	Nondisplaced Maisonneuve's fracture of right leg, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD-10-CM	Diagnosis
S82.864Q	Nondisplaced Maisonneuve's fracture of right leg, subsequent encounter for open fracture type I or II with malunion	ICD-10-CM	Diagnosis
S82.864M	Nondisplaced Maisonneuve's fracture of right leg, subsequent encounter for open fracture type I or II with nonunion	ICD-10-CM	Diagnosis
S82.866A	Nondisplaced Maisonneuve's fracture of unspecified leg, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.866B	Nondisplaced Maisonneuve's fracture of unspecified leg, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.866C	Nondisplaced Maisonneuve's fracture of unspecified leg, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.866G	Nondisplaced Maisonneuve's fracture of unspecified leg, subsequent encounter for closed fracture with delayed healing	ICD-10-CM	Diagnosis
S82.866P	Nondisplaced Maisonneuve's fracture of unspecified leg, subsequent encounter for closed fracture with malunion	ICD-10-CM	Diagnosis
S82.866K	Nondisplaced Maisonneuve's fracture of unspecified leg, subsequent encounter for closed fracture with nonunion	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S82.866D	Nondisplaced Maisonneuve's fracture of unspecified leg, subsequent encounter for closed fracture with routine healing	ICD-10-CM	Diagnosis
S82.866Q	Nondisplaced Maisonneuve's fracture of unspecified leg, subsequent encounter for open fracture type I or II with malunion	ICD-10-CM	Diagnosis
S82.866M	Nondisplaced Maisonneuve's fracture of unspecified leg, subsequent encounter for open fracture type I or II with nonunion	ICD-10-CM	Diagnosis
S82.866E	Nondisplaced Maisonneuve's fracture of unspecified leg, subsequent encounter for open fracture type I or II with routine healing	ICD-10-CM	Diagnosis
S82.866J	Nondisplaced Maisonneuve's fracture of unspecified leg, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD-10-CM	Diagnosis
S82.866F	Nondisplaced Maisonneuve's fracture of unspecified leg, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD-10-CM	Diagnosis
S82.866H	Nondisplaced Maisonneuve's fracture of unspecified leg, subsequent encounter for open fracture type I or II with delayed healing	ICD-10-CM	Diagnosis
S82.866R	Nondisplaced Maisonneuve's fracture of unspecified leg, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD-10-CM	Diagnosis
S82.866N	Nondisplaced Maisonneuve's fracture of unspecified leg, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD-10-CM	Diagnosis
S82.435B	Nondisplaced oblique fracture of shaft of left fibula, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.435C	Nondisplaced oblique fracture of shaft of left fibula, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.435G	Nondisplaced oblique fracture of shaft of left fibula, subsequent encounter for closed fracture with delayed healing	ICD-10-CM	Diagnosis
S82.435D	Nondisplaced oblique fracture of shaft of left fibula, subsequent encounter for closed fracture with routine healing	ICD-10-CM	Diagnosis
S82.435P	Nondisplaced oblique fracture of shaft of left fibula, subsequent encounter for closed fracture with malunion	ICD-10-CM	Diagnosis
S82.435K	Nondisplaced oblique fracture of shaft of left fibula, subsequent encounter for closed fracture with nonunion	ICD-10-CM	Diagnosis
S82.435M	Nondisplaced oblique fracture of shaft of left fibula, subsequent encounter for open fracture type I or II with nonunion	ICD-10-CM	Diagnosis
S82.435E	Nondisplaced oblique fracture of shaft of left fibula, subsequent encounter for open fracture type I or II with routine healing	ICD-10-CM	Diagnosis
S82.435J	Nondisplaced oblique fracture of shaft of left fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD-10-CM	Diagnosis
S82.435N	Nondisplaced oblique fracture of shaft of left fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD-10-CM	Diagnosis
S82.435F	Nondisplaced oblique fracture of shaft of left fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD-10-CM	Diagnosis
S82.435H	Nondisplaced oblique fracture of shaft of left fibula, subsequent encounter for open fracture type I or II with delayed healing	ICD-10-CM	Diagnosis



**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S82.435Q	Nondisplaced oblique fracture of shaft of left fibula, subsequent encounter for open fracture type I or II with malunion	ICD-10-CM	Diagnosis
S82.435R	Nondisplaced oblique fracture of shaft of left fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD-10-CM	Diagnosis
S82.434B	Nondisplaced oblique fracture of shaft of right fibula, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.434C	Nondisplaced oblique fracture of shaft of right fibula, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.434G	Nondisplaced oblique fracture of shaft of right fibula, subsequent encounter for closed fracture with delayed healing	ICD-10-CM	Diagnosis
S82.434D	Nondisplaced oblique fracture of shaft of right fibula, subsequent encounter for closed fracture with routine healing	ICD-10-CM	Diagnosis
S82.434P	Nondisplaced oblique fracture of shaft of right fibula, subsequent encounter for closed fracture with malunion	ICD-10-CM	Diagnosis
S82.434K	Nondisplaced oblique fracture of shaft of right fibula, subsequent encounter for closed fracture with nonunion	ICD-10-CM	Diagnosis
S82.434M	Nondisplaced oblique fracture of shaft of right fibula, subsequent encounter for open fracture type I or II with nonunion	ICD-10-CM	Diagnosis
S82.434E	Nondisplaced oblique fracture of shaft of right fibula, subsequent encounter for open fracture type I or II with routine healing	ICD-10-CM	Diagnosis
S82.434J	Nondisplaced oblique fracture of shaft of right fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD-10-CM	Diagnosis
S82.434N	Nondisplaced oblique fracture of shaft of right fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD-10-CM	Diagnosis
S82.434F	Nondisplaced oblique fracture of shaft of right fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD-10-CM	Diagnosis
S82.434H	Nondisplaced oblique fracture of shaft of right fibula, subsequent encounter for open fracture type I or II with delayed healing	ICD-10-CM	Diagnosis
S82.434Q	Nondisplaced oblique fracture of shaft of right fibula, subsequent encounter for open fracture type I or II with malunion	ICD-10-CM	Diagnosis
S82.434R	Nondisplaced oblique fracture of shaft of right fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD-10-CM	Diagnosis
S82.436B	Nondisplaced oblique fracture of shaft of unspecified fibula, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.436C	Nondisplaced oblique fracture of shaft of unspecified fibula, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.436G	Nondisplaced oblique fracture of shaft of unspecified fibula, subsequent encounter for closed fracture with delayed healing	ICD-10-CM	Diagnosis
S82.436D	Nondisplaced oblique fracture of shaft of unspecified fibula, subsequent encounter for closed fracture with routine healing	ICD-10-CM	Diagnosis
S82.436P	Nondisplaced oblique fracture of shaft of unspecified fibula, subsequent encounter for closed fracture with malunion	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S82.436K	Nondisplaced oblique fracture of shaft of unspecified fibula, subsequent encounter for closed fracture with nonunion	ICD-10-CM	Diagnosis
S82.436H	Nondisplaced oblique fracture of shaft of unspecified fibula, subsequent encounter for open fracture type I or II with delayed healing	ICD-10-CM	Diagnosis
S82.436M	Nondisplaced oblique fracture of shaft of unspecified fibula, subsequent encounter for open fracture type I or II with nonunion	ICD-10-CM	Diagnosis
S82.436N	Nondisplaced oblique fracture of shaft of unspecified fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD-10-CM	Diagnosis
S82.436F	Nondisplaced oblique fracture of shaft of unspecified fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD-10-CM	Diagnosis
S82.436Q	Nondisplaced oblique fracture of shaft of unspecified fibula, subsequent encounter for open fracture type I or II with malunion	ICD-10-CM	Diagnosis
S82.436E	Nondisplaced oblique fracture of shaft of unspecified fibula, subsequent encounter for open fracture type I or II with routine healing	ICD-10-CM	Diagnosis
S82.436J	Nondisplaced oblique fracture of shaft of unspecified fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD-10-CM	Diagnosis
S82.436R	Nondisplaced oblique fracture of shaft of unspecified fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD-10-CM	Diagnosis
S82.435A	Nondisplaced oblique fracture of shaft of left fibula, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.434A	Nondisplaced oblique fracture of shaft of right fibula, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.436A	Nondisplaced oblique fracture of shaft of unspecified fibula, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.875C	Nondisplaced pilon fracture of left tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.875B	Nondisplaced pilon fracture of left tibia, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.875G	Nondisplaced pilon fracture of left tibia, subsequent encounter for closed fracture with delayed healing	ICD-10-CM	Diagnosis
S82.875P	Nondisplaced pilon fracture of left tibia, subsequent encounter for closed fracture with malunion	ICD-10-CM	Diagnosis
S82.875K	Nondisplaced pilon fracture of left tibia, subsequent encounter for closed fracture with nonunion	ICD-10-CM	Diagnosis
S82.875D	Nondisplaced pilon fracture of left tibia, subsequent encounter for closed fracture with routine healing	ICD-10-CM	Diagnosis
S82.875E	Nondisplaced pilon fracture of left tibia, subsequent encounter for open fracture type I or II with routine healing	ICD-10-CM	Diagnosis
S82.875F	Nondisplaced pilon fracture of left tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD-10-CM	Diagnosis
S82.875H	Nondisplaced pilon fracture of left tibia, subsequent encounter for open fracture type I or II with delayed healing	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S82.875Q	Nondisplaced pilon fracture of left tibia, subsequent encounter for open fracture type I or II with malunion	ICD-10-CM	Diagnosis
S82.875M	Nondisplaced pilon fracture of left tibia, subsequent encounter for open fracture type I or II with nonunion	ICD-10-CM	Diagnosis
S82.875J	Nondisplaced pilon fracture of left tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD-10-CM	Diagnosis
S82.875R	Nondisplaced pilon fracture of left tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD-10-CM	Diagnosis
S82.875N	Nondisplaced pilon fracture of left tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD-10-CM	Diagnosis
S82.874C	Nondisplaced pilon fracture of right tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.874B	Nondisplaced pilon fracture of right tibia, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.874G	Nondisplaced pilon fracture of right tibia, subsequent encounter for closed fracture with delayed healing	ICD-10-CM	Diagnosis
S82.874P	Nondisplaced pilon fracture of right tibia, subsequent encounter for closed fracture with malunion	ICD-10-CM	Diagnosis
S82.874K	Nondisplaced pilon fracture of right tibia, subsequent encounter for closed fracture with nonunion	ICD-10-CM	Diagnosis
S82.874D	Nondisplaced pilon fracture of right tibia, subsequent encounter for closed fracture with routine healing	ICD-10-CM	Diagnosis
S82.874E	Nondisplaced pilon fracture of right tibia, subsequent encounter for open fracture type I or II with routine healing	ICD-10-CM	Diagnosis
S82.874F	Nondisplaced pilon fracture of right tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD-10-CM	Diagnosis
S82.874H	Nondisplaced pilon fracture of right tibia, subsequent encounter for open fracture type I or II with delayed healing	ICD-10-CM	Diagnosis
S82.874Q	Nondisplaced pilon fracture of right tibia, subsequent encounter for open fracture type I or II with malunion	ICD-10-CM	Diagnosis
S82.874M	Nondisplaced pilon fracture of right tibia, subsequent encounter for open fracture type I or II with nonunion	ICD-10-CM	Diagnosis
S82.874J	Nondisplaced pilon fracture of right tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD-10-CM	Diagnosis
S82.874R	Nondisplaced pilon fracture of right tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD-10-CM	Diagnosis
S82.874N	Nondisplaced pilon fracture of right tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD-10-CM	Diagnosis
S82.876C	Nondisplaced pilon fracture of unspecified tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.876B	Nondisplaced pilon fracture of unspecified tibia, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S82.876G	Nondisplaced pilon fracture of unspecified tibia, subsequent encounter for closed fracture with delayed healing	ICD-10-CM	Diagnosis
S82.876P	Nondisplaced pilon fracture of unspecified tibia, subsequent encounter for closed fracture with malunion	ICD-10-CM	Diagnosis
S82.876K	Nondisplaced pilon fracture of unspecified tibia, subsequent encounter for closed fracture with nonunion	ICD-10-CM	Diagnosis
S82.876D	Nondisplaced pilon fracture of unspecified tibia, subsequent encounter for closed fracture with routine healing	ICD-10-CM	Diagnosis
S82.876H	Nondisplaced pilon fracture of unspecified tibia, subsequent encounter for open fracture type I or II with delayed healing	ICD-10-CM	Diagnosis
S82.876Q	Nondisplaced pilon fracture of unspecified tibia, subsequent encounter for open fracture type I or II with malunion	ICD-10-CM	Diagnosis
S82.876M	Nondisplaced pilon fracture of unspecified tibia, subsequent encounter for open fracture type I or II with nonunion	ICD-10-CM	Diagnosis
S82.876E	Nondisplaced pilon fracture of unspecified tibia, subsequent encounter for open fracture type I or II with routine healing	ICD-10-CM	Diagnosis
S82.876J	Nondisplaced pilon fracture of unspecified tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD-10-CM	Diagnosis
S82.876F	Nondisplaced pilon fracture of unspecified tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD-10-CM	Diagnosis
S82.876R	Nondisplaced pilon fracture of unspecified tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD-10-CM	Diagnosis
S82.876N	Nondisplaced pilon fracture of unspecified tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD-10-CM	Diagnosis
S72.465H	Nondisplaced supracondylar fracture with intracondylar extension of lower end of left femur, subsequent encounter for open fracture type I or II with delayed healing	ICD-10-CM	Diagnosis
S72.465G	Nondisplaced supracondylar fracture with intracondylar extension of lower end of left femur, subsequent encounter for closed fracture with delayed healing	ICD-10-CM	Diagnosis
S72.465P	Nondisplaced supracondylar fracture with intracondylar extension of lower end of left femur, subsequent encounter for closed fracture with malunion	ICD-10-CM	Diagnosis
S72.465K	Nondisplaced supracondylar fracture with intracondylar extension of lower end of left femur, subsequent encounter for closed fracture with nonunion	ICD-10-CM	Diagnosis
S72.465E	Nondisplaced supracondylar fracture with intracondylar extension of lower end of left femur, subsequent encounter for open fracture type I or II with routine healing	ICD-10-CM	Diagnosis
S72.465J	Nondisplaced supracondylar fracture with intracondylar extension of lower end of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S72.465R	Nondisplaced supracondylar fracture with intracondylar extension of lower end of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD-10-CM	Diagnosis
S72.465N	Nondisplaced supracondylar fracture with intracondylar extension of lower end of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD-10-CM	Diagnosis
S72.465Q	Nondisplaced supracondylar fracture with intracondylar extension of lower end of left femur, subsequent encounter for open fracture type I or II with malunion	ICD-10-CM	Diagnosis
S72.465M	Nondisplaced supracondylar fracture with intracondylar extension of lower end of left femur, subsequent encounter for open fracture type I or II with nonunion	ICD-10-CM	Diagnosis
S72.465F	Nondisplaced supracondylar fracture with intracondylar extension of lower end of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD-10-CM	Diagnosis
S72.464H	Nondisplaced supracondylar fracture with intracondylar extension of lower end of right femur, subsequent encounter for open fracture type I or II with delayed healing	ICD-10-CM	Diagnosis
S72.464G	Nondisplaced supracondylar fracture with intracondylar extension of lower end of right femur, subsequent encounter for closed fracture with delayed healing	ICD-10-CM	Diagnosis
S72.464P	Nondisplaced supracondylar fracture with intracondylar extension of lower end of right femur, subsequent encounter for closed fracture with malunion	ICD-10-CM	Diagnosis
S72.464K	Nondisplaced supracondylar fracture with intracondylar extension of lower end of right femur, subsequent encounter for closed fracture with nonunion	ICD-10-CM	Diagnosis
S72.464E	Nondisplaced supracondylar fracture with intracondylar extension of lower end of right femur, subsequent encounter for open fracture type I or II with routine healing	ICD-10-CM	Diagnosis
S72.464J	Nondisplaced supracondylar fracture with intracondylar extension of lower end of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD-10-CM	Diagnosis
S72.464R	Nondisplaced supracondylar fracture with intracondylar extension of lower end of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD-10-CM	Diagnosis
S72.464N	Nondisplaced supracondylar fracture with intracondylar extension of lower end of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD-10-CM	Diagnosis
S72.464Q	Nondisplaced supracondylar fracture with intracondylar extension of lower end of right femur, subsequent encounter for open fracture type I or II with malunion	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S72.464M	Nondisplaced supracondylar fracture with intracondylar extension of lower end of right femur, subsequent encounter for open fracture type I or II with nonunion	ICD-10-CM	Diagnosis
S72.464F	Nondisplaced supracondylar fracture with intracondylar extension of lower end of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD-10-CM	Diagnosis
S72.466H	Nondisplaced supracondylar fracture with intracondylar extension of lower end of unspecified femur, subsequent encounter for open fracture type I or II with delayed healing	ICD-10-CM	Diagnosis
S72.466E	Nondisplaced supracondylar fracture with intracondylar extension of lower end of unspecified femur, subsequent encounter for open fracture type I or II with routine healing	ICD-10-CM	Diagnosis
S72.466J	Nondisplaced supracondylar fracture with intracondylar extension of lower end of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD-10-CM	Diagnosis
S72.466G	Nondisplaced supracondylar fracture with intracondylar extension of lower end of unspecified femur, subsequent encounter for closed fracture with delayed healing	ICD-10-CM	Diagnosis
S72.466P	Nondisplaced supracondylar fracture with intracondylar extension of lower end of unspecified femur, subsequent encounter for closed fracture with malunion	ICD-10-CM	Diagnosis
S72.466K	Nondisplaced supracondylar fracture with intracondylar extension of lower end of unspecified femur, subsequent encounter for closed fracture with nonunion	ICD-10-CM	Diagnosis
S72.466Q	Nondisplaced supracondylar fracture with intracondylar extension of lower end of unspecified femur, subsequent encounter for open fracture type I or II with malunion	ICD-10-CM	Diagnosis
S72.466M	Nondisplaced supracondylar fracture with intracondylar extension of lower end of unspecified femur, subsequent encounter for open fracture type I or II with nonunion	ICD-10-CM	Diagnosis
S72.466F	Nondisplaced supracondylar fracture with intracondylar extension of lower end of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD-10-CM	Diagnosis
S72.466R	Nondisplaced supracondylar fracture with intracondylar extension of lower end of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD-10-CM	Diagnosis
S72.466N	Nondisplaced supracondylar fracture with intracondylar extension of lower end of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD-10-CM	Diagnosis
S72.455C	Nondisplaced supracondylar fracture without intracondylar extension of lower end of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis



**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S72.455B	Nondisplaced supracondylar fracture without intracondylar extension of lower end of left femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.455D	Nondisplaced supracondylar fracture without intracondylar extension of lower end of left femur, subsequent encounter for closed fracture with routine healing	ICD-10-CM	Diagnosis
S72.455A	Nondisplaced supracondylar fracture without intracondylar extension of lower end of left femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S72.454C	Nondisplaced supracondylar fracture without intracondylar extension of lower end of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.454B	Nondisplaced supracondylar fracture without intracondylar extension of lower end of right femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.454D	Nondisplaced supracondylar fracture without intracondylar extension of lower end of right femur, subsequent encounter for closed fracture with routine healing	ICD-10-CM	Diagnosis
S72.454A	Nondisplaced supracondylar fracture without intracondylar extension of lower end of right femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S72.456C	Nondisplaced supracondylar fracture without intracondylar extension of lower end of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.456B	Nondisplaced supracondylar fracture without intracondylar extension of lower end of unspecified femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.456D	Nondisplaced supracondylar fracture without intracondylar extension of lower end of unspecified femur, subsequent encounter for closed fracture with routine healing	ICD-10-CM	Diagnosis
S72.456A	Nondisplaced supracondylar fracture without intracondylar extension of lower end of unspecified femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S72.455H	Nondisplaced supracondylar fracture without intracondylar extension of lower end of left femur, subsequent encounter for open fracture type I or II with delayed healing	ICD-10-CM	Diagnosis
S72.455E	Nondisplaced supracondylar fracture without intracondylar extension of lower end of left femur, subsequent encounter for open fracture type I or II with routine healing	ICD-10-CM	Diagnosis
S72.455J	Nondisplaced supracondylar fracture without intracondylar extension of lower end of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD-10-CM	Diagnosis
S72.455G	Nondisplaced supracondylar fracture without intracondylar extension of lower end of left femur, subsequent encounter for closed fracture with delayed healing	ICD-10-CM	Diagnosis
S72.455P	Nondisplaced supracondylar fracture without intracondylar extension of lower end of left femur, subsequent encounter for closed fracture with malunion	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S72.455K	Nondisplaced supracondylar fracture without intracondylar extension of lower end of left femur, subsequent encounter for closed fracture with nonunion	ICD-10-CM	Diagnosis
S72.455Q	Nondisplaced supracondylar fracture without intracondylar extension of lower end of left femur, subsequent encounter for open fracture type I or II with malunion	ICD-10-CM	Diagnosis
S72.455M	Nondisplaced supracondylar fracture without intracondylar extension of lower end of left femur, subsequent encounter for open fracture type I or II with nonunion	ICD-10-CM	Diagnosis
S72.455F	Nondisplaced supracondylar fracture without intracondylar extension of lower end of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD-10-CM	Diagnosis
S72.455R	Nondisplaced supracondylar fracture without intracondylar extension of lower end of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD-10-CM	Diagnosis
S72.455N	Nondisplaced supracondylar fracture without intracondylar extension of lower end of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD-10-CM	Diagnosis
S72.454H	Nondisplaced supracondylar fracture without intracondylar extension of lower end of right femur, subsequent encounter for open fracture type I or II with delayed healing	ICD-10-CM	Diagnosis
S72.454E	Nondisplaced supracondylar fracture without intracondylar extension of lower end of right femur, subsequent encounter for open fracture type I or II with routine healing	ICD-10-CM	Diagnosis
S72.454J	Nondisplaced supracondylar fracture without intracondylar extension of lower end of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD-10-CM	Diagnosis
S72.454G	Nondisplaced supracondylar fracture without intracondylar extension of lower end of right femur, subsequent encounter for closed fracture with delayed healing	ICD-10-CM	Diagnosis
S72.454P	Nondisplaced supracondylar fracture without intracondylar extension of lower end of right femur, subsequent encounter for closed fracture with malunion	ICD-10-CM	Diagnosis
S72.454K	Nondisplaced supracondylar fracture without intracondylar extension of lower end of right femur, subsequent encounter for closed fracture with nonunion	ICD-10-CM	Diagnosis
S72.454Q	Nondisplaced supracondylar fracture without intracondylar extension of lower end of right femur, subsequent encounter for open fracture type I or II with malunion	ICD-10-CM	Diagnosis
S72.454M	Nondisplaced supracondylar fracture without intracondylar extension of lower end of right femur, subsequent encounter for open fracture type I or II with nonunion	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S72.454F	Nondisplaced supracondylar fracture without intracondylar extension of lower end of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD-10-CM	Diagnosis
S72.454R	Nondisplaced supracondylar fracture without intracondylar extension of lower end of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD-10-CM	Diagnosis
S72.454N	Nondisplaced supracondylar fracture without intracondylar extension of lower end of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD-10-CM	Diagnosis
S72.456J	Nondisplaced supracondylar fracture without intracondylar extension of lower end of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD-10-CM	Diagnosis
S72.456H	Nondisplaced supracondylar fracture without intracondylar extension of lower end of unspecified femur, subsequent encounter for open fracture type I or II with delayed healing	ICD-10-CM	Diagnosis
S72.456E	Nondisplaced supracondylar fracture without intracondylar extension of lower end of unspecified femur, subsequent encounter for open fracture type I or II with routine healing	ICD-10-CM	Diagnosis
S72.456M	Nondisplaced supracondylar fracture without intracondylar extension of lower end of unspecified femur, subsequent encounter for open fracture type I or II with nonunion	ICD-10-CM	Diagnosis
S72.456G	Nondisplaced supracondylar fracture without intracondylar extension of lower end of unspecified femur, subsequent encounter for closed fracture with delayed healing	ICD-10-CM	Diagnosis
S72.456P	Nondisplaced supracondylar fracture without intracondylar extension of lower end of unspecified femur, subsequent encounter for closed fracture with malunion	ICD-10-CM	Diagnosis
S72.456K	Nondisplaced supracondylar fracture without intracondylar extension of lower end of unspecified femur, subsequent encounter for closed fracture with nonunion	ICD-10-CM	Diagnosis
S72.456F	Nondisplaced supracondylar fracture without intracondylar extension of lower end of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD-10-CM	Diagnosis
S72.456Q	Nondisplaced supracondylar fracture without intracondylar extension of lower end of unspecified femur, subsequent encounter for open fracture type I or II with malunion	ICD-10-CM	Diagnosis
S72.456N	Nondisplaced supracondylar fracture without intracondylar extension of lower end of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD-10-CM	Diagnosis
S72.456R	Nondisplaced supracondylar fracture without intracondylar extension of lower end of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S72.465A	Nondisplaced supracondylar fracture with intracondylar extension of lower end of left femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S72.465C	Nondisplaced supracondylar fracture with intracondylar extension of lower end of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.465B	Nondisplaced supracondylar fracture with intracondylar extension of lower end of left femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.465D	Nondisplaced supracondylar fracture with intracondylar extension of lower end of left femur, subsequent encounter for closed fracture with routine healing	ICD-10-CM	Diagnosis
S72.464A	Nondisplaced supracondylar fracture with intracondylar extension of lower end of right femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S72.464C	Nondisplaced supracondylar fracture with intracondylar extension of lower end of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.464B	Nondisplaced supracondylar fracture with intracondylar extension of lower end of right femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.464D	Nondisplaced supracondylar fracture with intracondylar extension of lower end of right femur, subsequent encounter for closed fracture with routine healing	ICD-10-CM	Diagnosis
S72.466A	Nondisplaced supracondylar fracture with intracondylar extension of lower end of unspecified femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S72.466B	Nondisplaced supracondylar fracture with intracondylar extension of lower end of unspecified femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.466C	Nondisplaced supracondylar fracture with intracondylar extension of lower end of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.466D	Nondisplaced supracondylar fracture with intracondylar extension of lower end of unspecified femur, subsequent encounter for closed fracture with routine healing	ICD-10-CM	Diagnosis
S82.465A	Nondisplaced segmental fracture of shaft of left fibula, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.465B	Nondisplaced segmental fracture of shaft of left fibula, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.465C	Nondisplaced segmental fracture of shaft of left fibula, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.465G	Nondisplaced segmental fracture of shaft of left fibula, subsequent encounter for closed fracture with delayed healing	ICD-10-CM	Diagnosis
S82.465D	Nondisplaced segmental fracture of shaft of left fibula, subsequent encounter for closed fracture with routine healing	ICD-10-CM	Diagnosis
S82.465P	Nondisplaced segmental fracture of shaft of left fibula, subsequent encounter for closed fracture with malunion	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S82.465K	Nondisplaced segmental fracture of shaft of left fibula, subsequent encounter for closed fracture with nonunion	ICD-10-CM	Diagnosis
S82.465M	Nondisplaced segmental fracture of shaft of left fibula, subsequent encounter for open fracture type I or II with nonunion	ICD-10-CM	Diagnosis
S82.465E	Nondisplaced segmental fracture of shaft of left fibula, subsequent encounter for open fracture type I or II with routine healing	ICD-10-CM	Diagnosis
S82.465J	Nondisplaced segmental fracture of shaft of left fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD-10-CM	Diagnosis
S82.465N	Nondisplaced segmental fracture of shaft of left fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD-10-CM	Diagnosis
S82.465F	Nondisplaced segmental fracture of shaft of left fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD-10-CM	Diagnosis
S82.465H	Nondisplaced segmental fracture of shaft of left fibula, subsequent encounter for open fracture type I or II with delayed healing	ICD-10-CM	Diagnosis
S82.465Q	Nondisplaced segmental fracture of shaft of left fibula, subsequent encounter for open fracture type I or II with malunion	ICD-10-CM	Diagnosis
S82.465R	Nondisplaced segmental fracture of shaft of left fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD-10-CM	Diagnosis
S82.464A	Nondisplaced segmental fracture of shaft of right fibula, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.464B	Nondisplaced segmental fracture of shaft of right fibula, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.464C	Nondisplaced segmental fracture of shaft of right fibula, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.464G	Nondisplaced segmental fracture of shaft of right fibula, subsequent encounter for closed fracture with delayed healing	ICD-10-CM	Diagnosis
S82.464D	Nondisplaced segmental fracture of shaft of right fibula, subsequent encounter for closed fracture with routine healing	ICD-10-CM	Diagnosis
S82.464P	Nondisplaced segmental fracture of shaft of right fibula, subsequent encounter for closed fracture with malunion	ICD-10-CM	Diagnosis
S82.464K	Nondisplaced segmental fracture of shaft of right fibula, subsequent encounter for closed fracture with nonunion	ICD-10-CM	Diagnosis
S82.464M	Nondisplaced segmental fracture of shaft of right fibula, subsequent encounter for open fracture type I or II with nonunion	ICD-10-CM	Diagnosis
S82.464E	Nondisplaced segmental fracture of shaft of right fibula, subsequent encounter for open fracture type I or II with routine healing	ICD-10-CM	Diagnosis
S82.464J	Nondisplaced segmental fracture of shaft of right fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD-10-CM	Diagnosis
S82.464N	Nondisplaced segmental fracture of shaft of right fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD-10-CM	Diagnosis
S82.464F	Nondisplaced segmental fracture of shaft of right fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S82.464H	Nondisplaced segmental fracture of shaft of right fibula, subsequent encounter for open fracture type I or II with delayed healing	ICD-10-CM	Diagnosis
S82.464Q	Nondisplaced segmental fracture of shaft of right fibula, subsequent encounter for open fracture type I or II with malunion	ICD-10-CM	Diagnosis
S82.464R	Nondisplaced segmental fracture of shaft of right fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD-10-CM	Diagnosis
S82.466A	Nondisplaced segmental fracture of shaft of unspecified fibula, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.466B	Nondisplaced segmental fracture of shaft of unspecified fibula, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.466C	Nondisplaced segmental fracture of shaft of unspecified fibula, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.466G	Nondisplaced segmental fracture of shaft of unspecified fibula, subsequent encounter for closed fracture with delayed healing	ICD-10-CM	Diagnosis
S82.466D	Nondisplaced segmental fracture of shaft of unspecified fibula, subsequent encounter for closed fracture with routine healing	ICD-10-CM	Diagnosis
S82.466P	Nondisplaced segmental fracture of shaft of unspecified fibula, subsequent encounter for closed fracture with malunion	ICD-10-CM	Diagnosis
S82.466K	Nondisplaced segmental fracture of shaft of unspecified fibula, subsequent encounter for closed fracture with nonunion	ICD-10-CM	Diagnosis
S82.466H	Nondisplaced segmental fracture of shaft of unspecified fibula, subsequent encounter for open fracture type I or II with delayed healing	ICD-10-CM	Diagnosis
S82.466M	Nondisplaced segmental fracture of shaft of unspecified fibula, subsequent encounter for open fracture type I or II with nonunion	ICD-10-CM	Diagnosis
S82.466N	Nondisplaced segmental fracture of shaft of unspecified fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD-10-CM	Diagnosis
S82.466F	Nondisplaced segmental fracture of shaft of unspecified fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD-10-CM	Diagnosis
S82.466Q	Nondisplaced segmental fracture of shaft of unspecified fibula, subsequent encounter for open fracture type I or II with malunion	ICD-10-CM	Diagnosis
S82.466E	Nondisplaced segmental fracture of shaft of unspecified fibula, subsequent encounter for open fracture type I or II with routine healing	ICD-10-CM	Diagnosis
S82.466J	Nondisplaced segmental fracture of shaft of unspecified fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD-10-CM	Diagnosis
S82.466R	Nondisplaced segmental fracture of shaft of unspecified fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD-10-CM	Diagnosis
S52.266B	Nondisplaced segmental fracture of shaft of ulna, unspecified arm, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis



**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S52.266H	Nondisplaced segmental fracture of shaft of ulna, unspecified arm, subsequent encounter for open fracture type I or II with delayed healing	ICD-10-CM	Diagnosis
S42.415A	Nondisplaced simple supracondylar fracture without intercondylar fracture of left humerus, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.415B	Nondisplaced simple supracondylar fracture without intercondylar fracture of left humerus, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.414A	Nondisplaced simple supracondylar fracture without intercondylar fracture of right humerus, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.414B	Nondisplaced simple supracondylar fracture without intercondylar fracture of right humerus, initial encounter for open fracture	ICD-10-CM	Diagnosis
S82.445G	Nondisplaced spiral fracture of shaft of left fibula, subsequent encounter for closed fracture with delayed healing	ICD-10-CM	Diagnosis
S82.445P	Nondisplaced spiral fracture of shaft of left fibula, subsequent encounter for closed fracture with malunion	ICD-10-CM	Diagnosis
S82.445K	Nondisplaced spiral fracture of shaft of left fibula, subsequent encounter for closed fracture with nonunion	ICD-10-CM	Diagnosis
S82.445D	Nondisplaced spiral fracture of shaft of left fibula, subsequent encounter for closed fracture with routine healing	ICD-10-CM	Diagnosis
S82.445H	Nondisplaced spiral fracture of shaft of left fibula, subsequent encounter for open fracture type I or II with delayed healing	ICD-10-CM	Diagnosis
S82.445Q	Nondisplaced spiral fracture of shaft of left fibula, subsequent encounter for open fracture type I or II with malunion	ICD-10-CM	Diagnosis
S82.445M	Nondisplaced spiral fracture of shaft of left fibula, subsequent encounter for open fracture type I or II with nonunion	ICD-10-CM	Diagnosis
S82.445E	Nondisplaced spiral fracture of shaft of left fibula, subsequent encounter for open fracture type I or II with routine healing	ICD-10-CM	Diagnosis
S82.445J	Nondisplaced spiral fracture of shaft of left fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD-10-CM	Diagnosis
S82.445R	Nondisplaced spiral fracture of shaft of left fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD-10-CM	Diagnosis
S82.445N	Nondisplaced spiral fracture of shaft of left fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD-10-CM	Diagnosis
S82.445F	Nondisplaced spiral fracture of shaft of left fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD-10-CM	Diagnosis
S82.445A	Nondisplaced spiral fracture of shaft of left fibula, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.445B	Nondisplaced spiral fracture of shaft of left fibula, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.445C	Nondisplaced spiral fracture of shaft of left fibula, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.245B	Nondisplaced spiral fracture of shaft of left tibia, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S82.245C	Nondisplaced spiral fracture of shaft of left tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.245G	Nondisplaced spiral fracture of shaft of left tibia, subsequent encounter for closed fracture with delayed healing	ICD-10-CM	Diagnosis
S82.245D	Nondisplaced spiral fracture of shaft of left tibia, subsequent encounter for closed fracture with routine healing	ICD-10-CM	Diagnosis
S82.245P	Nondisplaced spiral fracture of shaft of left tibia, subsequent encounter for closed fracture with malunion	ICD-10-CM	Diagnosis
S82.245K	Nondisplaced spiral fracture of shaft of left tibia, subsequent encounter for closed fracture with nonunion	ICD-10-CM	Diagnosis
S82.245H	Nondisplaced spiral fracture of shaft of left tibia, subsequent encounter for open fracture type I or II with delayed healing	ICD-10-CM	Diagnosis
S82.245Q	Nondisplaced spiral fracture of shaft of left tibia, subsequent encounter for open fracture type I or II with malunion	ICD-10-CM	Diagnosis
S82.245M	Nondisplaced spiral fracture of shaft of left tibia, subsequent encounter for open fracture type I or II with nonunion	ICD-10-CM	Diagnosis
S82.245R	Nondisplaced spiral fracture of shaft of left tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD-10-CM	Diagnosis
S82.245N	Nondisplaced spiral fracture of shaft of left tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD-10-CM	Diagnosis
S82.245E	Nondisplaced spiral fracture of shaft of left tibia, subsequent encounter for open fracture type I or II with routine healing	ICD-10-CM	Diagnosis
S82.245J	Nondisplaced spiral fracture of shaft of left tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD-10-CM	Diagnosis
S82.245F	Nondisplaced spiral fracture of shaft of left tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD-10-CM	Diagnosis
S82.444G	Nondisplaced spiral fracture of shaft of right fibula, subsequent encounter for closed fracture with delayed healing	ICD-10-CM	Diagnosis
S82.444P	Nondisplaced spiral fracture of shaft of right fibula, subsequent encounter for closed fracture with malunion	ICD-10-CM	Diagnosis
S82.444K	Nondisplaced spiral fracture of shaft of right fibula, subsequent encounter for closed fracture with nonunion	ICD-10-CM	Diagnosis
S82.444D	Nondisplaced spiral fracture of shaft of right fibula, subsequent encounter for closed fracture with routine healing	ICD-10-CM	Diagnosis
S82.444H	Nondisplaced spiral fracture of shaft of right fibula, subsequent encounter for open fracture type I or II with delayed healing	ICD-10-CM	Diagnosis
S82.444Q	Nondisplaced spiral fracture of shaft of right fibula, subsequent encounter for open fracture type I or II with malunion	ICD-10-CM	Diagnosis
S82.444M	Nondisplaced spiral fracture of shaft of right fibula, subsequent encounter for open fracture type I or II with nonunion	ICD-10-CM	Diagnosis
S82.444E	Nondisplaced spiral fracture of shaft of right fibula, subsequent encounter for open fracture type I or II with routine healing	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S82.444J	Nondisplaced spiral fracture of shaft of right fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD-10-CM	Diagnosis
S82.444R	Nondisplaced spiral fracture of shaft of right fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD-10-CM	Diagnosis
S82.444N	Nondisplaced spiral fracture of shaft of right fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD-10-CM	Diagnosis
S82.444F	Nondisplaced spiral fracture of shaft of right fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD-10-CM	Diagnosis
S82.444A	Nondisplaced spiral fracture of shaft of right fibula, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.444B	Nondisplaced spiral fracture of shaft of right fibula, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.444C	Nondisplaced spiral fracture of shaft of right fibula, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.244B	Nondisplaced spiral fracture of shaft of right tibia, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.244C	Nondisplaced spiral fracture of shaft of right tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.244G	Nondisplaced spiral fracture of shaft of right tibia, subsequent encounter for closed fracture with delayed healing	ICD-10-CM	Diagnosis
S82.244D	Nondisplaced spiral fracture of shaft of right tibia, subsequent encounter for closed fracture with routine healing	ICD-10-CM	Diagnosis
S82.244P	Nondisplaced spiral fracture of shaft of right tibia, subsequent encounter for closed fracture with malunion	ICD-10-CM	Diagnosis
S82.244K	Nondisplaced spiral fracture of shaft of right tibia, subsequent encounter for closed fracture with nonunion	ICD-10-CM	Diagnosis
S82.244H	Nondisplaced spiral fracture of shaft of right tibia, subsequent encounter for open fracture type I or II with delayed healing	ICD-10-CM	Diagnosis
S82.244Q	Nondisplaced spiral fracture of shaft of right tibia, subsequent encounter for open fracture type I or II with malunion	ICD-10-CM	Diagnosis
S82.244M	Nondisplaced spiral fracture of shaft of right tibia, subsequent encounter for open fracture type I or II with nonunion	ICD-10-CM	Diagnosis
S82.244R	Nondisplaced spiral fracture of shaft of right tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD-10-CM	Diagnosis
S82.244N	Nondisplaced spiral fracture of shaft of right tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD-10-CM	Diagnosis
S82.244E	Nondisplaced spiral fracture of shaft of right tibia, subsequent encounter for open fracture type I or II with routine healing	ICD-10-CM	Diagnosis
S82.244J	Nondisplaced spiral fracture of shaft of right tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD-10-CM	Diagnosis
S82.244F	Nondisplaced spiral fracture of shaft of right tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S82.446G	Nondisplaced spiral fracture of shaft of unspecified fibula, subsequent encounter for closed fracture with delayed healing	ICD-10-CM	Diagnosis
S82.446P	Nondisplaced spiral fracture of shaft of unspecified fibula, subsequent encounter for closed fracture with malunion	ICD-10-CM	Diagnosis
S82.446K	Nondisplaced spiral fracture of shaft of unspecified fibula, subsequent encounter for closed fracture with nonunion	ICD-10-CM	Diagnosis
S82.446D	Nondisplaced spiral fracture of shaft of unspecified fibula, subsequent encounter for closed fracture with routine healing	ICD-10-CM	Diagnosis
S82.446Q	Nondisplaced spiral fracture of shaft of unspecified fibula, subsequent encounter for open fracture type I or II with malunion	ICD-10-CM	Diagnosis
S82.446M	Nondisplaced spiral fracture of shaft of unspecified fibula, subsequent encounter for open fracture type I or II with nonunion	ICD-10-CM	Diagnosis
S82.446E	Nondisplaced spiral fracture of shaft of unspecified fibula, subsequent encounter for open fracture type I or II with routine healing	ICD-10-CM	Diagnosis
S82.446J	Nondisplaced spiral fracture of shaft of unspecified fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD-10-CM	Diagnosis
S82.446R	Nondisplaced spiral fracture of shaft of unspecified fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD-10-CM	Diagnosis
S82.446N	Nondisplaced spiral fracture of shaft of unspecified fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD-10-CM	Diagnosis
S82.446F	Nondisplaced spiral fracture of shaft of unspecified fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD-10-CM	Diagnosis
S82.446H	Nondisplaced spiral fracture of shaft of unspecified fibula, subsequent encounter for open fracture type I or II with delayed healing	ICD-10-CM	Diagnosis
S82.446A	Nondisplaced spiral fracture of shaft of unspecified fibula, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.446B	Nondisplaced spiral fracture of shaft of unspecified fibula, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.446C	Nondisplaced spiral fracture of shaft of unspecified fibula, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.246B	Nondisplaced spiral fracture of shaft of unspecified tibia, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.246C	Nondisplaced spiral fracture of shaft of unspecified tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.246G	Nondisplaced spiral fracture of shaft of unspecified tibia, subsequent encounter for closed fracture with delayed healing	ICD-10-CM	Diagnosis
S82.246D	Nondisplaced spiral fracture of shaft of unspecified tibia, subsequent encounter for closed fracture with routine healing	ICD-10-CM	Diagnosis
S82.246P	Nondisplaced spiral fracture of shaft of unspecified tibia, subsequent encounter for closed fracture with malunion	ICD-10-CM	Diagnosis
S82.246K	Nondisplaced spiral fracture of shaft of unspecified tibia, subsequent encounter for closed fracture with nonunion	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S82.246H	Nondisplaced spiral fracture of shaft of unspecified tibia, subsequent encounter for open fracture type I or II with delayed healing	ICD-10-CM	Diagnosis
S82.246E	Nondisplaced spiral fracture of shaft of unspecified tibia, subsequent encounter for open fracture type I or II with routine healing	ICD-10-CM	Diagnosis
S82.246J	Nondisplaced spiral fracture of shaft of unspecified tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD-10-CM	Diagnosis
S82.246R	Nondisplaced spiral fracture of shaft of unspecified tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD-10-CM	Diagnosis
S82.246N	Nondisplaced spiral fracture of shaft of unspecified tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD-10-CM	Diagnosis
S82.246Q	Nondisplaced spiral fracture of shaft of unspecified tibia, subsequent encounter for open fracture type I or II with malunion	ICD-10-CM	Diagnosis
S82.246M	Nondisplaced spiral fracture of shaft of unspecified tibia, subsequent encounter for open fracture type I or II with nonunion	ICD-10-CM	Diagnosis
S82.246F	Nondisplaced spiral fracture of shaft of unspecified tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD-10-CM	Diagnosis
S72.346F	Nondisplaced spiral fracture of shaft of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD-10-CM	Diagnosis
S52.345G	Nondisplaced spiral fracture of shaft of radius, left arm, subsequent encounter for closed fracture with delayed healing	ICD-10-CM	Diagnosis
S52.345E	Nondisplaced spiral fracture of shaft of radius, left arm, subsequent encounter for open fracture type I or II with routine healing	ICD-10-CM	Diagnosis
S52.345J	Nondisplaced spiral fracture of shaft of radius, left arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD-10-CM	Diagnosis
S52.345Q	Nondisplaced spiral fracture of shaft of radius, left arm, subsequent encounter for open fracture type I or II with malunion	ICD-10-CM	Diagnosis
S52.345F	Nondisplaced spiral fracture of shaft of radius, left arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD-10-CM	Diagnosis
S52.344H	Nondisplaced spiral fracture of shaft of radius, right arm, subsequent encounter for open fracture type I or II with delayed healing	ICD-10-CM	Diagnosis
S52.346G	Nondisplaced spiral fracture of shaft of radius, unspecified arm, subsequent encounter for closed fracture with delayed healing	ICD-10-CM	Diagnosis
S52.346Q	Nondisplaced spiral fracture of shaft of radius, unspecified arm, subsequent encounter for open fracture type I or II with malunion	ICD-10-CM	Diagnosis
S52.346M	Nondisplaced spiral fracture of shaft of radius, unspecified arm, subsequent encounter for open fracture type I or II with nonunion	ICD-10-CM	Diagnosis
S52.346F	Nondisplaced spiral fracture of shaft of radius, unspecified arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD-10-CM	Diagnosis
S52.345H	Nondisplaced spiral fracture of shaft of radius, left arm, subsequent encounter for open fracture type I or II with delayed healing	ICD-10-CM	Diagnosis
S52.346H	Nondisplaced spiral fracture of shaft of radius, unspecified arm, subsequent encounter for open fracture type I or II with delayed healing	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S52.346E	Nondisplaced spiral fracture of shaft of radius, unspecified arm, subsequent encounter for open fracture type I or II with routine healing	ICD-10-CM	Diagnosis
S52.346J	Nondisplaced spiral fracture of shaft of radius, unspecified arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD-10-CM	Diagnosis
S52.246H	Nondisplaced spiral fracture of shaft of ulna, unspecified arm, subsequent encounter for open fracture type I or II with delayed healing	ICD-10-CM	Diagnosis
S52.246E	Nondisplaced spiral fracture of shaft of ulna, unspecified arm, subsequent encounter for open fracture type I or II with routine healing	ICD-10-CM	Diagnosis
S72.25XH	Nondisplaced subtrochanteric fracture of left femur, subsequent encounter for open fracture type I or II with delayed healing	ICD-10-CM	Diagnosis
S72.25XJ	Nondisplaced subtrochanteric fracture of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD-10-CM	Diagnosis
S72.26XM	Nondisplaced subtrochanteric fracture of unspecified femur, subsequent encounter for open fracture type I or II with nonunion	ICD-10-CM	Diagnosis
S72.26XF	Nondisplaced subtrochanteric fracture of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD-10-CM	Diagnosis
S72.455S	Nondisplaced supracondylar fracture without intracondylar extension of lower end of left femur, sequela	ICD-10-CM	Diagnosis
S72.454S	Nondisplaced supracondylar fracture without intracondylar extension of lower end of right femur, sequela	ICD-10-CM	Diagnosis
S72.466S	Nondisplaced supracondylar fracture with intracondylar extension of lower end of unspecified femur, sequela	ICD-10-CM	Diagnosis
S72.456S	Nondisplaced supracondylar fracture without intracondylar extension of lower end of unspecified femur, sequela	ICD-10-CM	Diagnosis
S72.465S	Nondisplaced supracondylar fracture with intracondylar extension of lower end of left femur, sequela	ICD-10-CM	Diagnosis
S72.464S	Nondisplaced supracondylar fracture with intracondylar extension of lower end of right femur, sequela	ICD-10-CM	Diagnosis
S82.425A	Nondisplaced transverse fracture of shaft of left fibula, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.425B	Nondisplaced transverse fracture of shaft of left fibula, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.425C	Nondisplaced transverse fracture of shaft of left fibula, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.425G	Nondisplaced transverse fracture of shaft of left fibula, subsequent encounter for closed fracture with delayed healing	ICD-10-CM	Diagnosis
S82.425P	Nondisplaced transverse fracture of shaft of left fibula, subsequent encounter for closed fracture with malunion	ICD-10-CM	Diagnosis
S82.425K	Nondisplaced transverse fracture of shaft of left fibula, subsequent encounter for closed fracture with nonunion	ICD-10-CM	Diagnosis
S82.425D	Nondisplaced transverse fracture of shaft of left fibula, subsequent encounter for closed fracture with routine healing	ICD-10-CM	Diagnosis



**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S82.425H	Nondisplaced transverse fracture of shaft of left fibula, subsequent encounter for open fracture type I or II with delayed healing	ICD-10-CM	Diagnosis
S82.425Q	Nondisplaced transverse fracture of shaft of left fibula, subsequent encounter for open fracture type I or II with malunion	ICD-10-CM	Diagnosis
S82.425M	Nondisplaced transverse fracture of shaft of left fibula, subsequent encounter for open fracture type I or II with nonunion	ICD-10-CM	Diagnosis
S82.425R	Nondisplaced transverse fracture of shaft of left fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD-10-CM	Diagnosis
S82.425N	Nondisplaced transverse fracture of shaft of left fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD-10-CM	Diagnosis
S82.425E	Nondisplaced transverse fracture of shaft of left fibula, subsequent encounter for open fracture type I or II with routine healing	ICD-10-CM	Diagnosis
S82.425J	Nondisplaced transverse fracture of shaft of left fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD-10-CM	Diagnosis
S82.425F	Nondisplaced transverse fracture of shaft of left fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD-10-CM	Diagnosis
S82.225B	Nondisplaced transverse fracture of shaft of left tibia, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.225C	Nondisplaced transverse fracture of shaft of left tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.225G	Nondisplaced transverse fracture of shaft of left tibia, subsequent encounter for closed fracture with delayed healing	ICD-10-CM	Diagnosis
S82.225P	Nondisplaced transverse fracture of shaft of left tibia, subsequent encounter for closed fracture with malunion	ICD-10-CM	Diagnosis
S82.225K	Nondisplaced transverse fracture of shaft of left tibia, subsequent encounter for closed fracture with nonunion	ICD-10-CM	Diagnosis
S82.225D	Nondisplaced transverse fracture of shaft of left tibia, subsequent encounter for closed fracture with routine healing	ICD-10-CM	Diagnosis
S82.225Q	Nondisplaced transverse fracture of shaft of left tibia, subsequent encounter for open fracture type I or II with malunion	ICD-10-CM	Diagnosis
S82.225M	Nondisplaced transverse fracture of shaft of left tibia, subsequent encounter for open fracture type I or II with nonunion	ICD-10-CM	Diagnosis
S82.225E	Nondisplaced transverse fracture of shaft of left tibia, subsequent encounter for open fracture type I or II with routine healing	ICD-10-CM	Diagnosis
S82.225J	Nondisplaced transverse fracture of shaft of left tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD-10-CM	Diagnosis
S82.225R	Nondisplaced transverse fracture of shaft of left tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD-10-CM	Diagnosis
S82.225N	Nondisplaced transverse fracture of shaft of left tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD-10-CM	Diagnosis
S82.225F	Nondisplaced transverse fracture of shaft of left tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S82.225H	Nondisplaced transverse fracture of shaft of left tibia, subsequent encounter for open fracture type I or II with delayed healing	ICD-10-CM	Diagnosis
S82.424A	Nondisplaced transverse fracture of shaft of right fibula, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.424B	Nondisplaced transverse fracture of shaft of right fibula, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.424C	Nondisplaced transverse fracture of shaft of right fibula, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.424G	Nondisplaced transverse fracture of shaft of right fibula, subsequent encounter for closed fracture with delayed healing	ICD-10-CM	Diagnosis
S82.424P	Nondisplaced transverse fracture of shaft of right fibula, subsequent encounter for closed fracture with malunion	ICD-10-CM	Diagnosis
S82.424K	Nondisplaced transverse fracture of shaft of right fibula, subsequent encounter for closed fracture with nonunion	ICD-10-CM	Diagnosis
S82.424D	Nondisplaced transverse fracture of shaft of right fibula, subsequent encounter for closed fracture with routine healing	ICD-10-CM	Diagnosis
S82.424H	Nondisplaced transverse fracture of shaft of right fibula, subsequent encounter for open fracture type I or II with delayed healing	ICD-10-CM	Diagnosis
S82.424Q	Nondisplaced transverse fracture of shaft of right fibula, subsequent encounter for open fracture type I or II with malunion	ICD-10-CM	Diagnosis
S82.424M	Nondisplaced transverse fracture of shaft of right fibula, subsequent encounter for open fracture type I or II with nonunion	ICD-10-CM	Diagnosis
S82.424R	Nondisplaced transverse fracture of shaft of right fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD-10-CM	Diagnosis
S82.424N	Nondisplaced transverse fracture of shaft of right fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD-10-CM	Diagnosis
S82.424E	Nondisplaced transverse fracture of shaft of right fibula, subsequent encounter for open fracture type I or II with routine healing	ICD-10-CM	Diagnosis
S82.424J	Nondisplaced transverse fracture of shaft of right fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD-10-CM	Diagnosis
S82.424F	Nondisplaced transverse fracture of shaft of right fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD-10-CM	Diagnosis
S82.224B	Nondisplaced transverse fracture of shaft of right tibia, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.224C	Nondisplaced transverse fracture of shaft of right tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.224G	Nondisplaced transverse fracture of shaft of right tibia, subsequent encounter for closed fracture with delayed healing	ICD-10-CM	Diagnosis
S82.224P	Nondisplaced transverse fracture of shaft of right tibia, subsequent encounter for closed fracture with malunion	ICD-10-CM	Diagnosis
S82.224K	Nondisplaced transverse fracture of shaft of right tibia, subsequent encounter for closed fracture with nonunion	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S82.224D	Nondisplaced transverse fracture of shaft of right tibia, subsequent encounter for closed fracture with routine healing	ICD-10-CM	Diagnosis
S82.224Q	Nondisplaced transverse fracture of shaft of right tibia, subsequent encounter for open fracture type I or II with malunion	ICD-10-CM	Diagnosis
S82.224M	Nondisplaced transverse fracture of shaft of right tibia, subsequent encounter for open fracture type I or II with nonunion	ICD-10-CM	Diagnosis
S82.224E	Nondisplaced transverse fracture of shaft of right tibia, subsequent encounter for open fracture type I or II with routine healing	ICD-10-CM	Diagnosis
S82.224J	Nondisplaced transverse fracture of shaft of right tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD-10-CM	Diagnosis
S82.224R	Nondisplaced transverse fracture of shaft of right tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD-10-CM	Diagnosis
S82.224N	Nondisplaced transverse fracture of shaft of right tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD-10-CM	Diagnosis
S82.224F	Nondisplaced transverse fracture of shaft of right tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD-10-CM	Diagnosis
S82.224H	Nondisplaced transverse fracture of shaft of right tibia, subsequent encounter for open fracture type I or II with delayed healing	ICD-10-CM	Diagnosis
S82.426A	Nondisplaced transverse fracture of shaft of unspecified fibula, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.426B	Nondisplaced transverse fracture of shaft of unspecified fibula, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.426C	Nondisplaced transverse fracture of shaft of unspecified fibula, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.426G	Nondisplaced transverse fracture of shaft of unspecified fibula, subsequent encounter for closed fracture with delayed healing	ICD-10-CM	Diagnosis
S82.426P	Nondisplaced transverse fracture of shaft of unspecified fibula, subsequent encounter for closed fracture with malunion	ICD-10-CM	Diagnosis
S82.426K	Nondisplaced transverse fracture of shaft of unspecified fibula, subsequent encounter for closed fracture with nonunion	ICD-10-CM	Diagnosis
S82.426D	Nondisplaced transverse fracture of shaft of unspecified fibula, subsequent encounter for closed fracture with routine healing	ICD-10-CM	Diagnosis
S82.426H	Nondisplaced transverse fracture of shaft of unspecified fibula, subsequent encounter for open fracture type I or II with delayed healing	ICD-10-CM	Diagnosis
S82.426E	Nondisplaced transverse fracture of shaft of unspecified fibula, subsequent encounter for open fracture type I or II with routine healing	ICD-10-CM	Diagnosis
S82.426J	Nondisplaced transverse fracture of shaft of unspecified fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD-10-CM	Diagnosis
S82.426R	Nondisplaced transverse fracture of shaft of unspecified fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S82.426N	Nondisplaced transverse fracture of shaft of unspecified fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD-10-CM	Diagnosis
S82.426Q	Nondisplaced transverse fracture of shaft of unspecified fibula, subsequent encounter for open fracture type I or II with malunion	ICD-10-CM	Diagnosis
S82.426M	Nondisplaced transverse fracture of shaft of unspecified fibula, subsequent encounter for open fracture type I or II with nonunion	ICD-10-CM	Diagnosis
S82.426F	Nondisplaced transverse fracture of shaft of unspecified fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD-10-CM	Diagnosis
S82.226B	Nondisplaced transverse fracture of shaft of unspecified tibia, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.226C	Nondisplaced transverse fracture of shaft of unspecified tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.226G	Nondisplaced transverse fracture of shaft of unspecified tibia, subsequent encounter for closed fracture with delayed healing	ICD-10-CM	Diagnosis
S82.226P	Nondisplaced transverse fracture of shaft of unspecified tibia, subsequent encounter for closed fracture with malunion	ICD-10-CM	Diagnosis
S82.226K	Nondisplaced transverse fracture of shaft of unspecified tibia, subsequent encounter for closed fracture with nonunion	ICD-10-CM	Diagnosis
S82.226D	Nondisplaced transverse fracture of shaft of unspecified tibia, subsequent encounter for closed fracture with routine healing	ICD-10-CM	Diagnosis
S82.226H	Nondisplaced transverse fracture of shaft of unspecified tibia, subsequent encounter for open fracture type I or II with delayed healing	ICD-10-CM	Diagnosis
S82.226Q	Nondisplaced transverse fracture of shaft of unspecified tibia, subsequent encounter for open fracture type I or II with malunion	ICD-10-CM	Diagnosis
S82.226M	Nondisplaced transverse fracture of shaft of unspecified tibia, subsequent encounter for open fracture type I or II with nonunion	ICD-10-CM	Diagnosis
S82.226R	Nondisplaced transverse fracture of shaft of unspecified tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD-10-CM	Diagnosis
S82.226N	Nondisplaced transverse fracture of shaft of unspecified tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD-10-CM	Diagnosis
S82.226F	Nondisplaced transverse fracture of shaft of unspecified tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD-10-CM	Diagnosis
S82.226E	Nondisplaced transverse fracture of shaft of unspecified tibia, subsequent encounter for open fracture type I or II with routine healing	ICD-10-CM	Diagnosis
S82.226J	Nondisplaced transverse fracture of shaft of unspecified tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD-10-CM	Diagnosis
S82.855G	Nondisplaced trimalleolar fracture of left lower leg, subsequent encounter for closed fracture with delayed healing	ICD-10-CM	Diagnosis
S82.855D	Nondisplaced trimalleolar fracture of left lower leg, subsequent encounter for closed fracture with routine healing	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S82.855P	Nondisplaced trimalleolar fracture of left lower leg, subsequent encounter for closed fracture with malunion	ICD-10-CM	Diagnosis
S82.855K	Nondisplaced trimalleolar fracture of left lower leg, subsequent encounter for closed fracture with nonunion	ICD-10-CM	Diagnosis
S82.855H	Nondisplaced trimalleolar fracture of left lower leg, subsequent encounter for open fracture type I or II with delayed healing	ICD-10-CM	Diagnosis
S82.855Q	Nondisplaced trimalleolar fracture of left lower leg, subsequent encounter for open fracture type I or II with malunion	ICD-10-CM	Diagnosis
S82.855M	Nondisplaced trimalleolar fracture of left lower leg, subsequent encounter for open fracture type I or II with nonunion	ICD-10-CM	Diagnosis
S82.855E	Nondisplaced trimalleolar fracture of left lower leg, subsequent encounter for open fracture type I or II with routine healing	ICD-10-CM	Diagnosis
S82.855J	Nondisplaced trimalleolar fracture of left lower leg, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD-10-CM	Diagnosis
S82.855R	Nondisplaced trimalleolar fracture of left lower leg, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD-10-CM	Diagnosis
S82.855N	Nondisplaced trimalleolar fracture of left lower leg, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD-10-CM	Diagnosis
S82.855F	Nondisplaced trimalleolar fracture of left lower leg, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD-10-CM	Diagnosis
S82.854G	Nondisplaced trimalleolar fracture of right lower leg, subsequent encounter for closed fracture with delayed healing	ICD-10-CM	Diagnosis
S82.854D	Nondisplaced trimalleolar fracture of right lower leg, subsequent encounter for closed fracture with routine healing	ICD-10-CM	Diagnosis
S82.854P	Nondisplaced trimalleolar fracture of right lower leg, subsequent encounter for closed fracture with malunion	ICD-10-CM	Diagnosis
S82.854K	Nondisplaced trimalleolar fracture of right lower leg, subsequent encounter for closed fracture with nonunion	ICD-10-CM	Diagnosis
S82.854H	Nondisplaced trimalleolar fracture of right lower leg, subsequent encounter for open fracture type I or II with delayed healing	ICD-10-CM	Diagnosis
S82.854Q	Nondisplaced trimalleolar fracture of right lower leg, subsequent encounter for open fracture type I or II with malunion	ICD-10-CM	Diagnosis
S82.854M	Nondisplaced trimalleolar fracture of right lower leg, subsequent encounter for open fracture type I or II with nonunion	ICD-10-CM	Diagnosis
S82.854E	Nondisplaced trimalleolar fracture of right lower leg, subsequent encounter for open fracture type I or II with routine healing	ICD-10-CM	Diagnosis
S82.854J	Nondisplaced trimalleolar fracture of right lower leg, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD-10-CM	Diagnosis
S82.854R	Nondisplaced trimalleolar fracture of right lower leg, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD-10-CM	Diagnosis
S82.854N	Nondisplaced trimalleolar fracture of right lower leg, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S82.854F	Nondisplaced trimalleolar fracture of right lower leg, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD-10-CM	Diagnosis
S82.856G	Nondisplaced trimalleolar fracture of unspecified lower leg, subsequent encounter for closed fracture with delayed healing	ICD-10-CM	Diagnosis
S82.856D	Nondisplaced trimalleolar fracture of unspecified lower leg, subsequent encounter for closed fracture with routine healing	ICD-10-CM	Diagnosis
S82.856P	Nondisplaced trimalleolar fracture of unspecified lower leg, subsequent encounter for closed fracture with malunion	ICD-10-CM	Diagnosis
S82.856K	Nondisplaced trimalleolar fracture of unspecified lower leg, subsequent encounter for closed fracture with nonunion	ICD-10-CM	Diagnosis
S82.856H	Nondisplaced trimalleolar fracture of unspecified lower leg, subsequent encounter for open fracture type I or II with delayed healing	ICD-10-CM	Diagnosis
S82.856E	Nondisplaced trimalleolar fracture of unspecified lower leg, subsequent encounter for open fracture type I or II with routine healing	ICD-10-CM	Diagnosis
S82.856J	Nondisplaced trimalleolar fracture of unspecified lower leg, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD-10-CM	Diagnosis
S82.856Q	Nondisplaced trimalleolar fracture of unspecified lower leg, subsequent encounter for open fracture type I or II with malunion	ICD-10-CM	Diagnosis
S82.856M	Nondisplaced trimalleolar fracture of unspecified lower leg, subsequent encounter for open fracture type I or II with nonunion	ICD-10-CM	Diagnosis
S82.856R	Nondisplaced trimalleolar fracture of unspecified lower leg, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD-10-CM	Diagnosis
S82.856N	Nondisplaced trimalleolar fracture of unspecified lower leg, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD-10-CM	Diagnosis
S82.856F	Nondisplaced trimalleolar fracture of unspecified lower leg, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD-10-CM	Diagnosis
S82.855S	Nondisplaced trimalleolar fracture of left lower leg, sequela	ICD-10-CM	Diagnosis
S82.854S	Nondisplaced trimalleolar fracture of right lower leg, sequela	ICD-10-CM	Diagnosis
S82.855A	Nondisplaced trimalleolar fracture of left lower leg, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.855B	Nondisplaced trimalleolar fracture of left lower leg, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.855C	Nondisplaced trimalleolar fracture of left lower leg, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.854A	Nondisplaced trimalleolar fracture of right lower leg, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.854B	Nondisplaced trimalleolar fracture of right lower leg, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.854C	Nondisplaced trimalleolar fracture of right lower leg, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.856A	Nondisplaced trimalleolar fracture of unspecified lower leg, initial encounter for closed fracture	ICD-10-CM	Diagnosis



**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S82.856B	Nondisplaced trimalleolar fracture of unspecified lower leg, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.856C	Nondisplaced trimalleolar fracture of unspecified lower leg, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S52.226H	Nondisplaced transverse fracture of shaft of unspecified ulna, subsequent encounter for open fracture type I or II with delayed healing	ICD-10-CM	Diagnosis
S52.226J	Nondisplaced transverse fracture of shaft of unspecified ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD-10-CM	Diagnosis
S72.415B	Nondisplaced unspecified condyle fracture of lower end of left femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.415C	Nondisplaced unspecified condyle fracture of lower end of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.415H	Nondisplaced unspecified condyle fracture of lower end of left femur, subsequent encounter for open fracture type I or II with delayed healing	ICD-10-CM	Diagnosis
S72.415G	Nondisplaced unspecified condyle fracture of lower end of left femur, subsequent encounter for closed fracture with delayed healing	ICD-10-CM	Diagnosis
S72.415D	Nondisplaced unspecified condyle fracture of lower end of left femur, subsequent encounter for closed fracture with routine healing	ICD-10-CM	Diagnosis
S72.415P	Nondisplaced unspecified condyle fracture of lower end of left femur, subsequent encounter for closed fracture with malunion	ICD-10-CM	Diagnosis
S72.415K	Nondisplaced unspecified condyle fracture of lower end of left femur, subsequent encounter for closed fracture with nonunion	ICD-10-CM	Diagnosis
S72.415E	Nondisplaced unspecified condyle fracture of lower end of left femur, subsequent encounter for open fracture type I or II with routine healing	ICD-10-CM	Diagnosis
S72.415J	Nondisplaced unspecified condyle fracture of lower end of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD-10-CM	Diagnosis
S72.415R	Nondisplaced unspecified condyle fracture of lower end of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD-10-CM	Diagnosis
S72.415N	Nondisplaced unspecified condyle fracture of lower end of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD-10-CM	Diagnosis
S72.415Q	Nondisplaced unspecified condyle fracture of lower end of left femur, subsequent encounter for open fracture type I or II with malunion	ICD-10-CM	Diagnosis
S72.415M	Nondisplaced unspecified condyle fracture of lower end of left femur, subsequent encounter for open fracture type I or II with nonunion	ICD-10-CM	Diagnosis
S72.415F	Nondisplaced unspecified condyle fracture of lower end of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD-10-CM	Diagnosis
S72.414B	Nondisplaced unspecified condyle fracture of lower end of right femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S72.414C	Nondisplaced unspecified condyle fracture of lower end of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.414H	Nondisplaced unspecified condyle fracture of lower end of right femur, subsequent encounter for open fracture type I or II with delayed healing	ICD-10-CM	Diagnosis
S72.414G	Nondisplaced unspecified condyle fracture of lower end of right femur, subsequent encounter for closed fracture with delayed healing	ICD-10-CM	Diagnosis
S72.414D	Nondisplaced unspecified condyle fracture of lower end of right femur, subsequent encounter for closed fracture with routine healing	ICD-10-CM	Diagnosis
S72.414P	Nondisplaced unspecified condyle fracture of lower end of right femur, subsequent encounter for closed fracture with malunion	ICD-10-CM	Diagnosis
S72.414K	Nondisplaced unspecified condyle fracture of lower end of right femur, subsequent encounter for closed fracture with nonunion	ICD-10-CM	Diagnosis
S72.414E	Nondisplaced unspecified condyle fracture of lower end of right femur, subsequent encounter for open fracture type I or II with routine healing	ICD-10-CM	Diagnosis
S72.414J	Nondisplaced unspecified condyle fracture of lower end of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD-10-CM	Diagnosis
S72.414R	Nondisplaced unspecified condyle fracture of lower end of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD-10-CM	Diagnosis
S72.414N	Nondisplaced unspecified condyle fracture of lower end of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD-10-CM	Diagnosis
S72.414Q	Nondisplaced unspecified condyle fracture of lower end of right femur, subsequent encounter for open fracture type I or II with malunion	ICD-10-CM	Diagnosis
S72.414M	Nondisplaced unspecified condyle fracture of lower end of right femur, subsequent encounter for open fracture type I or II with nonunion	ICD-10-CM	Diagnosis
S72.414F	Nondisplaced unspecified condyle fracture of lower end of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD-10-CM	Diagnosis
S72.416B	Nondisplaced unspecified condyle fracture of lower end of unspecified femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.416C	Nondisplaced unspecified condyle fracture of lower end of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.416H	Nondisplaced unspecified condyle fracture of lower end of unspecified femur, subsequent encounter for open fracture type I or II with delayed healing	ICD-10-CM	Diagnosis
S72.416E	Nondisplaced unspecified condyle fracture of lower end of unspecified femur, subsequent encounter for open fracture type I or II with routine healing	ICD-10-CM	Diagnosis
S72.416G	Nondisplaced unspecified condyle fracture of lower end of unspecified femur, subsequent encounter for closed fracture with delayed healing	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S72.416D	Nondisplaced unspecified condyle fracture of lower end of unspecified femur, subsequent encounter for closed fracture with routine healing	ICD-10-CM	Diagnosis
S72.416P	Nondisplaced unspecified condyle fracture of lower end of unspecified femur, subsequent encounter for closed fracture with malunion	ICD-10-CM	Diagnosis
S72.416K	Nondisplaced unspecified condyle fracture of lower end of unspecified femur, subsequent encounter for closed fracture with nonunion	ICD-10-CM	Diagnosis
S72.416J	Nondisplaced unspecified condyle fracture of lower end of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD-10-CM	Diagnosis
S72.416Q	Nondisplaced unspecified condyle fracture of lower end of unspecified femur, subsequent encounter for open fracture type I or II with malunion	ICD-10-CM	Diagnosis
S72.416M	Nondisplaced unspecified condyle fracture of lower end of unspecified femur, subsequent encounter for open fracture type I or II with nonunion	ICD-10-CM	Diagnosis
S72.416F	Nondisplaced unspecified condyle fracture of lower end of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD-10-CM	Diagnosis
S72.416R	Nondisplaced unspecified condyle fracture of lower end of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD-10-CM	Diagnosis
S72.416N	Nondisplaced unspecified condyle fracture of lower end of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD-10-CM	Diagnosis
S72.136J	Nondisplaced apophyseal fracture of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD-10-CM	Diagnosis
S72.135A	Nondisplaced apophyseal fracture of left femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S72.135B	Nondisplaced apophyseal fracture of left femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.135C	Nondisplaced apophyseal fracture of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.135G	Nondisplaced apophyseal fracture of left femur, subsequent encounter for closed fracture with delayed healing	ICD-10-CM	Diagnosis
S72.135P	Nondisplaced apophyseal fracture of left femur, subsequent encounter for closed fracture with malunion	ICD-10-CM	Diagnosis
S72.135K	Nondisplaced apophyseal fracture of left femur, subsequent encounter for closed fracture with nonunion	ICD-10-CM	Diagnosis
S72.135D	Nondisplaced apophyseal fracture of left femur, subsequent encounter for closed fracture with routine healing	ICD-10-CM	Diagnosis
S72.135J	Nondisplaced apophyseal fracture of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD-10-CM	Diagnosis
S72.135F	Nondisplaced apophyseal fracture of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S72.135R	Nondisplaced apophyseal fracture of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD-10-CM	Diagnosis
S72.135N	Nondisplaced apophyseal fracture of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD-10-CM	Diagnosis
S72.135H	Nondisplaced apophyseal fracture of left femur, subsequent encounter for open fracture type I or II with delayed healing	ICD-10-CM	Diagnosis
S72.135Q	Nondisplaced apophyseal fracture of left femur, subsequent encounter for open fracture type I or II with malunion	ICD-10-CM	Diagnosis
S72.135M	Nondisplaced apophyseal fracture of left femur, subsequent encounter for open fracture type I or II with nonunion	ICD-10-CM	Diagnosis
S72.135E	Nondisplaced apophyseal fracture of left femur, subsequent encounter for open fracture type I or II with routine healing	ICD-10-CM	Diagnosis
S72.134B	Nondisplaced apophyseal fracture of right femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.134C	Nondisplaced apophyseal fracture of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.134A	Nondisplaced apophyseal fracture of right femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S72.134G	Nondisplaced apophyseal fracture of right femur, subsequent encounter for closed fracture with delayed healing	ICD-10-CM	Diagnosis
S72.134P	Nondisplaced apophyseal fracture of right femur, subsequent encounter for closed fracture with malunion	ICD-10-CM	Diagnosis
S72.134K	Nondisplaced apophyseal fracture of right femur, subsequent encounter for closed fracture with nonunion	ICD-10-CM	Diagnosis
S72.134D	Nondisplaced apophyseal fracture of right femur, subsequent encounter for closed fracture with routine healing	ICD-10-CM	Diagnosis
S72.134F	Nondisplaced apophyseal fracture of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD-10-CM	Diagnosis
S72.134R	Nondisplaced apophyseal fracture of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD-10-CM	Diagnosis
S72.134N	Nondisplaced apophyseal fracture of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD-10-CM	Diagnosis
S72.134H	Nondisplaced apophyseal fracture of right femur, subsequent encounter for open fracture type I or II with delayed healing	ICD-10-CM	Diagnosis
S72.134Q	Nondisplaced apophyseal fracture of right femur, subsequent encounter for open fracture type I or II with malunion	ICD-10-CM	Diagnosis
S72.134M	Nondisplaced apophyseal fracture of right femur, subsequent encounter for open fracture type I or II with nonunion	ICD-10-CM	Diagnosis
S72.134E	Nondisplaced apophyseal fracture of right femur, subsequent encounter for open fracture type I or II with routine healing	ICD-10-CM	Diagnosis
S72.134J	Nondisplaced apophyseal fracture of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S72.136B	Nondisplaced apophyseal fracture of unspecified femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.136C	Nondisplaced apophyseal fracture of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.136A	Nondisplaced apophyseal fracture of unspecified femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S72.136G	Nondisplaced apophyseal fracture of unspecified femur, subsequent encounter for closed fracture with delayed healing	ICD-10-CM	Diagnosis
S72.136P	Nondisplaced apophyseal fracture of unspecified femur, subsequent encounter for closed fracture with malunion	ICD-10-CM	Diagnosis
S72.136K	Nondisplaced apophyseal fracture of unspecified femur, subsequent encounter for closed fracture with nonunion	ICD-10-CM	Diagnosis
S72.136D	Nondisplaced apophyseal fracture of unspecified femur, subsequent encounter for closed fracture with routine healing	ICD-10-CM	Diagnosis
S72.136R	Nondisplaced apophyseal fracture of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD-10-CM	Diagnosis
S72.136N	Nondisplaced apophyseal fracture of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD-10-CM	Diagnosis
S72.136H	Nondisplaced apophyseal fracture of unspecified femur, subsequent encounter for open fracture type I or II with delayed healing	ICD-10-CM	Diagnosis
S72.136Q	Nondisplaced apophyseal fracture of unspecified femur, subsequent encounter for open fracture type I or II with malunion	ICD-10-CM	Diagnosis
S72.136M	Nondisplaced apophyseal fracture of unspecified femur, subsequent encounter for open fracture type I or II with nonunion	ICD-10-CM	Diagnosis
S72.136E	Nondisplaced apophyseal fracture of unspecified femur, subsequent encounter for open fracture type I or II with routine healing	ICD-10-CM	Diagnosis
S72.136F	Nondisplaced apophyseal fracture of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD-10-CM	Diagnosis
S72.065C	Nondisplaced articular fracture of head of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.065F	Nondisplaced articular fracture of head of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD-10-CM	Diagnosis
S72.065H	Nondisplaced articular fracture of head of left femur, subsequent encounter for open fracture type I or II with delayed healing	ICD-10-CM	Diagnosis
S72.065R	Nondisplaced articular fracture of head of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD-10-CM	Diagnosis
S72.065N	Nondisplaced articular fracture of head of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD-10-CM	Diagnosis
S72.064C	Nondisplaced articular fracture of head of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.064F	Nondisplaced articular fracture of head of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S72.064H	Nondisplaced articular fracture of head of right femur, subsequent encounter for open fracture type I or II with delayed healing	ICD-10-CM	Diagnosis
S72.064R	Nondisplaced articular fracture of head of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD-10-CM	Diagnosis
S72.064N	Nondisplaced articular fracture of head of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD-10-CM	Diagnosis
S72.066C	Nondisplaced articular fracture of head of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.066R	Nondisplaced articular fracture of head of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD-10-CM	Diagnosis
S72.066N	Nondisplaced articular fracture of head of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD-10-CM	Diagnosis
S72.066H	Nondisplaced articular fracture of head of unspecified femur, subsequent encounter for open fracture type I or II with delayed healing	ICD-10-CM	Diagnosis
S72.066E	Nondisplaced articular fracture of head of unspecified femur, subsequent encounter for open fracture type I or II with routine healing	ICD-10-CM	Diagnosis
S72.065A	Nondisplaced articular fracture of head of left femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S72.065B	Nondisplaced articular fracture of head of left femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.065G	Nondisplaced articular fracture of head of left femur, subsequent encounter for closed fracture with delayed healing	ICD-10-CM	Diagnosis
S72.065P	Nondisplaced articular fracture of head of left femur, subsequent encounter for closed fracture with malunion	ICD-10-CM	Diagnosis
S72.065K	Nondisplaced articular fracture of head of left femur, subsequent encounter for closed fracture with nonunion	ICD-10-CM	Diagnosis
S72.065D	Nondisplaced articular fracture of head of left femur, subsequent encounter for closed fracture with routine healing	ICD-10-CM	Diagnosis
S72.065Q	Nondisplaced articular fracture of head of left femur, subsequent encounter for open fracture type I or II with malunion	ICD-10-CM	Diagnosis
S72.065M	Nondisplaced articular fracture of head of left femur, subsequent encounter for open fracture type I or II with nonunion	ICD-10-CM	Diagnosis
S72.065E	Nondisplaced articular fracture of head of left femur, subsequent encounter for open fracture type I or II with routine healing	ICD-10-CM	Diagnosis
S72.064A	Nondisplaced articular fracture of head of right femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S72.064B	Nondisplaced articular fracture of head of right femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.064G	Nondisplaced articular fracture of head of right femur, subsequent encounter for closed fracture with delayed healing	ICD-10-CM	Diagnosis
S72.064P	Nondisplaced articular fracture of head of right femur, subsequent encounter for closed fracture with malunion	ICD-10-CM	Diagnosis



**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S72.064K	Nondisplaced articular fracture of head of right femur, subsequent encounter for closed fracture with nonunion	ICD-10-CM	Diagnosis
S72.064D	Nondisplaced articular fracture of head of right femur, subsequent encounter for closed fracture with routine healing	ICD-10-CM	Diagnosis
S72.064Q	Nondisplaced articular fracture of head of right femur, subsequent encounter for open fracture type I or II with malunion	ICD-10-CM	Diagnosis
S72.064M	Nondisplaced articular fracture of head of right femur, subsequent encounter for open fracture type I or II with nonunion	ICD-10-CM	Diagnosis
S72.064E	Nondisplaced articular fracture of head of right femur, subsequent encounter for open fracture type I or II with routine healing	ICD-10-CM	Diagnosis
S72.066A	Nondisplaced articular fracture of head of unspecified femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S72.066B	Nondisplaced articular fracture of head of unspecified femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.066G	Nondisplaced articular fracture of head of unspecified femur, subsequent encounter for closed fracture with delayed healing	ICD-10-CM	Diagnosis
S72.066P	Nondisplaced articular fracture of head of unspecified femur, subsequent encounter for closed fracture with malunion	ICD-10-CM	Diagnosis
S72.066K	Nondisplaced articular fracture of head of unspecified femur, subsequent encounter for closed fracture with nonunion	ICD-10-CM	Diagnosis
S72.066D	Nondisplaced articular fracture of head of unspecified femur, subsequent encounter for closed fracture with routine healing	ICD-10-CM	Diagnosis
S72.066Q	Nondisplaced articular fracture of head of unspecified femur, subsequent encounter for open fracture type I or II with malunion	ICD-10-CM	Diagnosis
S72.066M	Nondisplaced articular fracture of head of unspecified femur, subsequent encounter for open fracture type I or II with nonunion	ICD-10-CM	Diagnosis
S72.355A	Nondisplaced comminuted fracture of shaft of left femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S72.354A	Nondisplaced comminuted fracture of shaft of right femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.354A	Nondisplaced comminuted fracture of shaft of radius, right arm, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.354B	Nondisplaced comminuted fracture of shaft of radius, right arm, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S52.354C	Nondisplaced comminuted fracture of shaft of radius, right arm, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S52.356A	Nondisplaced comminuted fracture of shaft of radius, unspecified arm, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.356B	Nondisplaced comminuted fracture of shaft of radius, unspecified arm, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S52.356C	Nondisplaced comminuted fracture of shaft of radius, unspecified arm, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S52.356D	Nondisplaced comminuted fracture of shaft of radius, unspecified arm, subsequent encounter for closed fracture with routine healing	ICD-10-CM	Diagnosis
S52.356J	Nondisplaced comminuted fracture of shaft of radius, unspecified arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD-10-CM	Diagnosis
S52.256K	Nondisplaced comminuted fracture of shaft of ulna, unspecified arm, subsequent encounter for closed fracture with nonunion	ICD-10-CM	Diagnosis
S52.256Q	Nondisplaced comminuted fracture of shaft of ulna, unspecified arm, subsequent encounter for open fracture type I or II with malunion	ICD-10-CM	Diagnosis
S52.256M	Nondisplaced comminuted fracture of shaft of ulna, unspecified arm, subsequent encounter for open fracture type I or II with nonunion	ICD-10-CM	Diagnosis
S52.355B	Nondisplaced comminuted fracture of shaft of radius, left arm, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S52.355C	Nondisplaced comminuted fracture of shaft of radius, left arm, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S52.355P	Nondisplaced comminuted fracture of shaft of radius, left arm, subsequent encounter for closed fracture with malunion	ICD-10-CM	Diagnosis
S52.355K	Nondisplaced comminuted fracture of shaft of radius, left arm, subsequent encounter for closed fracture with nonunion	ICD-10-CM	Diagnosis
S52.355D	Nondisplaced comminuted fracture of shaft of radius, left arm, subsequent encounter for closed fracture with routine healing	ICD-10-CM	Diagnosis
S52.355M	Nondisplaced comminuted fracture of shaft of radius, left arm, subsequent encounter for open fracture type I or II with nonunion	ICD-10-CM	Diagnosis
S52.355J	Nondisplaced comminuted fracture of shaft of radius, left arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD-10-CM	Diagnosis
S52.355N	Nondisplaced comminuted fracture of shaft of radius, left arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD-10-CM	Diagnosis
S52.354P	Nondisplaced comminuted fracture of shaft of radius, right arm, subsequent encounter for closed fracture with malunion	ICD-10-CM	Diagnosis
S52.354K	Nondisplaced comminuted fracture of shaft of radius, right arm, subsequent encounter for closed fracture with nonunion	ICD-10-CM	Diagnosis
S52.354R	Nondisplaced comminuted fracture of shaft of radius, right arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD-10-CM	Diagnosis
S52.354N	Nondisplaced comminuted fracture of shaft of radius, right arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD-10-CM	Diagnosis
S52.356P	Nondisplaced comminuted fracture of shaft of radius, unspecified arm, subsequent encounter for closed fracture with malunion	ICD-10-CM	Diagnosis
S52.356K	Nondisplaced comminuted fracture of shaft of radius, unspecified arm, subsequent encounter for closed fracture with nonunion	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S52.356R	Nondisplaced comminuted fracture of shaft of radius, unspecified arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD-10-CM	Diagnosis
S52.356N	Nondisplaced comminuted fracture of shaft of radius, unspecified arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD-10-CM	Diagnosis
S52.355A	Nondisplaced comminuted fracture of shaft of radius, left arm, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.355G	Nondisplaced comminuted fracture of shaft of radius, left arm, subsequent encounter for closed fracture with delayed healing	ICD-10-CM	Diagnosis
S52.355H	Nondisplaced comminuted fracture of shaft of radius, left arm, subsequent encounter for open fracture type I or II with delayed healing	ICD-10-CM	Diagnosis
S52.355E	Nondisplaced comminuted fracture of shaft of radius, left arm, subsequent encounter for open fracture type I or II with routine healing	ICD-10-CM	Diagnosis
S52.355Q	Nondisplaced comminuted fracture of shaft of radius, left arm, subsequent encounter for open fracture type I or II with malunion	ICD-10-CM	Diagnosis
S52.355R	Nondisplaced comminuted fracture of shaft of radius, left arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD-10-CM	Diagnosis
S52.355F	Nondisplaced comminuted fracture of shaft of radius, left arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD-10-CM	Diagnosis
S52.354G	Nondisplaced comminuted fracture of shaft of radius, right arm, subsequent encounter for closed fracture with delayed healing	ICD-10-CM	Diagnosis
S52.354D	Nondisplaced comminuted fracture of shaft of radius, right arm, subsequent encounter for closed fracture with routine healing	ICD-10-CM	Diagnosis
S52.354H	Nondisplaced comminuted fracture of shaft of radius, right arm, subsequent encounter for open fracture type I or II with delayed healing	ICD-10-CM	Diagnosis
S52.354E	Nondisplaced comminuted fracture of shaft of radius, right arm, subsequent encounter for open fracture type I or II with routine healing	ICD-10-CM	Diagnosis
S52.354Q	Nondisplaced comminuted fracture of shaft of radius, right arm, subsequent encounter for open fracture type I or II with malunion	ICD-10-CM	Diagnosis
S52.354M	Nondisplaced comminuted fracture of shaft of radius, right arm, subsequent encounter for open fracture type I or II with nonunion	ICD-10-CM	Diagnosis
S52.354F	Nondisplaced comminuted fracture of shaft of radius, right arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD-10-CM	Diagnosis
S52.354J	Nondisplaced comminuted fracture of shaft of radius, right arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD-10-CM	Diagnosis
S52.356Q	Nondisplaced comminuted fracture of shaft of radius, unspecified arm, subsequent encounter for open fracture type I or II with malunion	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S52.356M	Nondisplaced comminuted fracture of shaft of radius, unspecified arm, subsequent encounter for open fracture type I or II with nonunion	ICD-10-CM	Diagnosis
S52.256H	Nondisplaced comminuted fracture of shaft of ulna, unspecified arm, subsequent encounter for open fracture type I or II with delayed healing	ICD-10-CM	Diagnosis
S52.256E	Nondisplaced comminuted fracture of shaft of ulna, unspecified arm, subsequent encounter for open fracture type I or II with routine healing	ICD-10-CM	Diagnosis
S72.355B	Nondisplaced comminuted fracture of shaft of left femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.355C	Nondisplaced comminuted fracture of shaft of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.355G	Nondisplaced comminuted fracture of shaft of left femur, subsequent encounter for closed fracture with delayed healing	ICD-10-CM	Diagnosis
S72.355D	Nondisplaced comminuted fracture of shaft of left femur, subsequent encounter for closed fracture with routine healing	ICD-10-CM	Diagnosis
S72.355P	Nondisplaced comminuted fracture of shaft of left femur, subsequent encounter for closed fracture with malunion	ICD-10-CM	Diagnosis
S72.355K	Nondisplaced comminuted fracture of shaft of left femur, subsequent encounter for closed fracture with nonunion	ICD-10-CM	Diagnosis
S72.355J	Nondisplaced comminuted fracture of shaft of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD-10-CM	Diagnosis
S72.355R	Nondisplaced comminuted fracture of shaft of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD-10-CM	Diagnosis
S72.355N	Nondisplaced comminuted fracture of shaft of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD-10-CM	Diagnosis
S72.355F	Nondisplaced comminuted fracture of shaft of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD-10-CM	Diagnosis
S72.355H	Nondisplaced comminuted fracture of shaft of left femur, subsequent encounter for open fracture type I or II with delayed healing	ICD-10-CM	Diagnosis
S72.355Q	Nondisplaced comminuted fracture of shaft of left femur, subsequent encounter for open fracture type I or II with malunion	ICD-10-CM	Diagnosis
S72.355M	Nondisplaced comminuted fracture of shaft of left femur, subsequent encounter for open fracture type I or II with nonunion	ICD-10-CM	Diagnosis
S72.355E	Nondisplaced comminuted fracture of shaft of left femur, subsequent encounter for open fracture type I or II with routine healing	ICD-10-CM	Diagnosis
S72.354B	Nondisplaced comminuted fracture of shaft of right femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.354C	Nondisplaced comminuted fracture of shaft of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.354G	Nondisplaced comminuted fracture of shaft of right femur, subsequent encounter for closed fracture with delayed healing	ICD-10-CM	Diagnosis
S72.354D	Nondisplaced comminuted fracture of shaft of right femur, subsequent encounter for closed fracture with routine healing	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S72.354P	Nondisplaced comminuted fracture of shaft of right femur, subsequent encounter for closed fracture with malunion	ICD-10-CM	Diagnosis
S72.354K	Nondisplaced comminuted fracture of shaft of right femur, subsequent encounter for closed fracture with nonunion	ICD-10-CM	Diagnosis
S72.354J	Nondisplaced comminuted fracture of shaft of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD-10-CM	Diagnosis
S72.354R	Nondisplaced comminuted fracture of shaft of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD-10-CM	Diagnosis
S72.354N	Nondisplaced comminuted fracture of shaft of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD-10-CM	Diagnosis
S72.354F	Nondisplaced comminuted fracture of shaft of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD-10-CM	Diagnosis
S72.354H	Nondisplaced comminuted fracture of shaft of right femur, subsequent encounter for open fracture type I or II with delayed healing	ICD-10-CM	Diagnosis
S72.354Q	Nondisplaced comminuted fracture of shaft of right femur, subsequent encounter for open fracture type I or II with malunion	ICD-10-CM	Diagnosis
S72.354M	Nondisplaced comminuted fracture of shaft of right femur, subsequent encounter for open fracture type I or II with nonunion	ICD-10-CM	Diagnosis
S72.354E	Nondisplaced comminuted fracture of shaft of right femur, subsequent encounter for open fracture type I or II with routine healing	ICD-10-CM	Diagnosis
S72.356A	Nondisplaced comminuted fracture of shaft of unspecified femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S72.356C	Nondisplaced comminuted fracture of shaft of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.356B	Nondisplaced comminuted fracture of shaft of unspecified femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.356F	Nondisplaced comminuted fracture of shaft of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD-10-CM	Diagnosis
S72.356G	Nondisplaced comminuted fracture of shaft of unspecified femur, subsequent encounter for closed fracture with delayed healing	ICD-10-CM	Diagnosis
S72.356P	Nondisplaced comminuted fracture of shaft of unspecified femur, subsequent encounter for closed fracture with malunion	ICD-10-CM	Diagnosis
S72.356K	Nondisplaced comminuted fracture of shaft of unspecified femur, subsequent encounter for closed fracture with nonunion	ICD-10-CM	Diagnosis
S72.356D	Nondisplaced comminuted fracture of shaft of unspecified femur, subsequent encounter for closed fracture with routine healing	ICD-10-CM	Diagnosis
S72.356N	Nondisplaced comminuted fracture of shaft of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD-10-CM	Diagnosis
S72.356J	Nondisplaced comminuted fracture of shaft of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S72.356H	Nondisplaced comminuted fracture of shaft of unspecified femur, subsequent encounter for open fracture type I or II with delayed healing	ICD-10-CM	Diagnosis
S72.356M	Nondisplaced comminuted fracture of shaft of unspecified femur, subsequent encounter for open fracture type I or II with nonunion	ICD-10-CM	Diagnosis
S72.356E	Nondisplaced comminuted fracture of shaft of unspecified femur, subsequent encounter for open fracture type I or II with routine healing	ICD-10-CM	Diagnosis
S52.255A	Nondisplaced comminuted fracture of shaft of ulna, left arm, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.255B	Nondisplaced comminuted fracture of shaft of ulna, left arm, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S52.255C	Nondisplaced comminuted fracture of shaft of ulna, left arm, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S52.255G	Nondisplaced comminuted fracture of shaft of ulna, left arm, subsequent encounter for closed fracture with delayed healing	ICD-10-CM	Diagnosis
S52.255P	Nondisplaced comminuted fracture of shaft of ulna, left arm, subsequent encounter for closed fracture with malunion	ICD-10-CM	Diagnosis
S52.255K	Nondisplaced comminuted fracture of shaft of ulna, left arm, subsequent encounter for closed fracture with nonunion	ICD-10-CM	Diagnosis
S52.255D	Nondisplaced comminuted fracture of shaft of ulna, left arm, subsequent encounter for closed fracture with routine healing	ICD-10-CM	Diagnosis
S52.255H	Nondisplaced comminuted fracture of shaft of ulna, left arm, subsequent encounter for open fracture type I or II with delayed healing	ICD-10-CM	Diagnosis
S52.255Q	Nondisplaced comminuted fracture of shaft of ulna, left arm, subsequent encounter for open fracture type I or II with malunion	ICD-10-CM	Diagnosis
S52.255M	Nondisplaced comminuted fracture of shaft of ulna, left arm, subsequent encounter for open fracture type I or II with nonunion	ICD-10-CM	Diagnosis
S52.255E	Nondisplaced comminuted fracture of shaft of ulna, left arm, subsequent encounter for open fracture type I or II with routine healing	ICD-10-CM	Diagnosis
S52.255J	Nondisplaced comminuted fracture of shaft of ulna, left arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD-10-CM	Diagnosis
S52.255R	Nondisplaced comminuted fracture of shaft of ulna, left arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD-10-CM	Diagnosis
S52.255N	Nondisplaced comminuted fracture of shaft of ulna, left arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD-10-CM	Diagnosis
S52.255F	Nondisplaced comminuted fracture of shaft of ulna, left arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD-10-CM	Diagnosis
S52.254A	Nondisplaced comminuted fracture of shaft of ulna, right arm, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.254B	Nondisplaced comminuted fracture of shaft of ulna, right arm, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S52.254C	Nondisplaced comminuted fracture of shaft of ulna, right arm, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis



**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S52.254G	Nondisplaced comminuted fracture of shaft of ulna, right arm, subsequent encounter for closed fracture with delayed healing	ICD-10-CM	Diagnosis
S52.254P	Nondisplaced comminuted fracture of shaft of ulna, right arm, subsequent encounter for closed fracture with malunion	ICD-10-CM	Diagnosis
S52.254K	Nondisplaced comminuted fracture of shaft of ulna, right arm, subsequent encounter for closed fracture with nonunion	ICD-10-CM	Diagnosis
S52.254D	Nondisplaced comminuted fracture of shaft of ulna, right arm, subsequent encounter for closed fracture with routine healing	ICD-10-CM	Diagnosis
S52.254H	Nondisplaced comminuted fracture of shaft of ulna, right arm, subsequent encounter for open fracture type I or II with delayed healing	ICD-10-CM	Diagnosis
S52.254Q	Nondisplaced comminuted fracture of shaft of ulna, right arm, subsequent encounter for open fracture type I or II with malunion	ICD-10-CM	Diagnosis
S52.254M	Nondisplaced comminuted fracture of shaft of ulna, right arm, subsequent encounter for open fracture type I or II with nonunion	ICD-10-CM	Diagnosis
S52.254E	Nondisplaced comminuted fracture of shaft of ulna, right arm, subsequent encounter for open fracture type I or II with routine healing	ICD-10-CM	Diagnosis
S52.254J	Nondisplaced comminuted fracture of shaft of ulna, right arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD-10-CM	Diagnosis
S52.254R	Nondisplaced comminuted fracture of shaft of ulna, right arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD-10-CM	Diagnosis
S52.254N	Nondisplaced comminuted fracture of shaft of ulna, right arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD-10-CM	Diagnosis
S52.254F	Nondisplaced comminuted fracture of shaft of ulna, right arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD-10-CM	Diagnosis
S52.256A	Nondisplaced comminuted fracture of shaft of ulna, unspecified arm, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.256B	Nondisplaced comminuted fracture of shaft of ulna, unspecified arm, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S52.256C	Nondisplaced comminuted fracture of shaft of ulna, unspecified arm, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S52.256G	Nondisplaced comminuted fracture of shaft of ulna, unspecified arm, subsequent encounter for closed fracture with delayed healing	ICD-10-CM	Diagnosis
S52.256P	Nondisplaced comminuted fracture of shaft of ulna, unspecified arm, subsequent encounter for closed fracture with malunion	ICD-10-CM	Diagnosis
S52.256D	Nondisplaced comminuted fracture of shaft of ulna, unspecified arm, subsequent encounter for closed fracture with routine healing	ICD-10-CM	Diagnosis
S52.256R	Nondisplaced comminuted fracture of shaft of ulna, unspecified arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S52.256N	Nondisplaced comminuted fracture of shaft of ulna, unspecified arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD-10-CM	Diagnosis
S52.256F	Nondisplaced comminuted fracture of shaft of ulna, unspecified arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD-10-CM	Diagnosis
S42.425B	Nondisplaced comminuted supracondylar fracture without intercondylar fracture of left humerus, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.424B	Nondisplaced comminuted supracondylar fracture without intercondylar fracture of right humerus, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.425G	Nondisplaced comminuted supracondylar fracture without intercondylar fracture of left humerus, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S42.425P	Nondisplaced comminuted supracondylar fracture without intercondylar fracture of left humerus, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S42.425K	Nondisplaced comminuted supracondylar fracture without intercondylar fracture of left humerus, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S42.425D	Nondisplaced comminuted supracondylar fracture without intercondylar fracture of left humerus, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S42.424G	Nondisplaced comminuted supracondylar fracture without intercondylar fracture of right humerus, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S42.424P	Nondisplaced comminuted supracondylar fracture without intercondylar fracture of right humerus, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S42.424K	Nondisplaced comminuted supracondylar fracture without intercondylar fracture of right humerus, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S42.424D	Nondisplaced comminuted supracondylar fracture without intercondylar fracture of right humerus, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S42.426A	Nondisplaced comminuted supracondylar fracture without intercondylar fracture of unspecified humerus, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.426B	Nondisplaced comminuted supracondylar fracture without intercondylar fracture of unspecified humerus, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.426G	Nondisplaced comminuted supracondylar fracture without intercondylar fracture of unspecified humerus, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S42.426P	Nondisplaced comminuted supracondylar fracture without intercondylar fracture of unspecified humerus, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S42.426K	Nondisplaced comminuted supracondylar fracture without intercondylar fracture of unspecified humerus, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S42.426D	Nondisplaced comminuted supracondylar fracture without intercondylar fracture of unspecified humerus, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S42.425S	Nondisplaced comminuted supracondylar fracture without intercondylar fracture of left humerus, sequela	ICD-10-CM	Diagnosis
S42.424S	Nondisplaced comminuted supracondylar fracture without intercondylar fracture of right humerus, sequela	ICD-10-CM	Diagnosis
S42.426S	Nondisplaced comminuted supracondylar fracture without intercondylar fracture of unspecified humerus, sequela	ICD-10-CM	Diagnosis
S42.355P	Nondisplaced comminuted fracture of shaft of humerus, left arm, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S42.355K	Nondisplaced comminuted fracture of shaft of humerus, left arm, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S42.356A	Nondisplaced comminuted fracture of shaft of humerus, unspecified arm, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.356B	Nondisplaced comminuted fracture of shaft of humerus, unspecified arm, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.356G	Nondisplaced comminuted fracture of shaft of humerus, unspecified arm, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S42.356P	Nondisplaced comminuted fracture of shaft of humerus, unspecified arm, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S42.356K	Nondisplaced comminuted fracture of shaft of humerus, unspecified arm, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S42.356D	Nondisplaced comminuted fracture of shaft of humerus, unspecified arm, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S52.355S	Nondisplaced comminuted fracture of shaft of radius, left arm, sequela	ICD-10-CM	Diagnosis
S52.256S	Nondisplaced comminuted fracture of shaft of ulna, unspecified arm, sequela	ICD-10-CM	Diagnosis
S72.356R	Nondisplaced comminuted fracture of shaft of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD-10-CM	Diagnosis
S72.356Q	Nondisplaced comminuted fracture of shaft of unspecified femur, subsequent encounter for open fracture type I or II with malunion	ICD-10-CM	Diagnosis
S42.144S	Nondisplaced fracture of glenoid cavity of scapula, right shoulder, sequela	ICD-10-CM	Diagnosis
S42.436S	Nondisplaced fracture (avulsion) of lateral epicondyle of unspecified humerus, sequela	ICD-10-CM	Diagnosis
S62.125S	Nondisplaced fracture of lunate [semilunar], left wrist, sequela	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S62.124S	Nondisplaced fracture of lunate [semilunar], right wrist, sequela	ICD-10-CM	Diagnosis
S62.126S	Nondisplaced fracture of lunate [semilunar], unspecified wrist, sequela	ICD-10-CM	Diagnosis
S62.245S	Nondisplaced fracture of shaft of first metacarpal bone, left hand, sequela	ICD-10-CM	Diagnosis
S62.244S	Nondisplaced fracture of shaft of first metacarpal bone, right hand, sequela	ICD-10-CM	Diagnosis
S62.246S	Nondisplaced fracture of shaft of first metacarpal bone, unspecified hand, sequela	ICD-10-CM	Diagnosis
S62.340A	Nondisplaced fracture of base of second metacarpal bone, right hand, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S62.340B	Nondisplaced fracture of base of second metacarpal bone, right hand, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.340G	Nondisplaced fracture of base of second metacarpal bone, right hand, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S62.340P	Nondisplaced fracture of base of second metacarpal bone, right hand, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S62.340K	Nondisplaced fracture of base of second metacarpal bone, right hand, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S62.340D	Nondisplaced fracture of base of second metacarpal bone, right hand, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S62.340S	Nondisplaced fracture of base of second metacarpal bone, right hand, sequela	ICD-10-CM	Diagnosis
S62.343A	Nondisplaced fracture of base of third metacarpal bone, left hand, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S62.343B	Nondisplaced fracture of base of third metacarpal bone, left hand, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.343G	Nondisplaced fracture of base of third metacarpal bone, left hand, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S62.343P	Nondisplaced fracture of base of third metacarpal bone, left hand, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S62.343K	Nondisplaced fracture of base of third metacarpal bone, left hand, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S62.343D	Nondisplaced fracture of base of third metacarpal bone, left hand, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S62.342A	Nondisplaced fracture of base of third metacarpal bone, right hand, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S62.342B	Nondisplaced fracture of base of third metacarpal bone, right hand, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.342G	Nondisplaced fracture of base of third metacarpal bone, right hand, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S62.342P	Nondisplaced fracture of base of third metacarpal bone, right hand, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S62.342K	Nondisplaced fracture of base of third metacarpal bone, right hand, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S62.342D	Nondisplaced fracture of base of third metacarpal bone, right hand, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S62.343S	Nondisplaced fracture of base of third metacarpal bone, left hand, sequela	ICD-10-CM	Diagnosis
S62.342S	Nondisplaced fracture of base of third metacarpal bone, right hand, sequela	ICD-10-CM	Diagnosis
S62.345A	Nondisplaced fracture of base of fourth metacarpal bone, left hand, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S62.345B	Nondisplaced fracture of base of fourth metacarpal bone, left hand, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.345G	Nondisplaced fracture of base of fourth metacarpal bone, left hand, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S62.345P	Nondisplaced fracture of base of fourth metacarpal bone, left hand, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S62.345K	Nondisplaced fracture of base of fourth metacarpal bone, left hand, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S62.345D	Nondisplaced fracture of base of fourth metacarpal bone, left hand, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S62.344A	Nondisplaced fracture of base of fourth metacarpal bone, right hand, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S62.344B	Nondisplaced fracture of base of fourth metacarpal bone, right hand, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.344G	Nondisplaced fracture of base of fourth metacarpal bone, right hand, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S62.344P	Nondisplaced fracture of base of fourth metacarpal bone, right hand, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S62.344K	Nondisplaced fracture of base of fourth metacarpal bone, right hand, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S62.344D	Nondisplaced fracture of base of fourth metacarpal bone, right hand, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S62.345S	Nondisplaced fracture of base of fourth metacarpal bone, left hand, sequela	ICD-10-CM	Diagnosis
S62.344S	Nondisplaced fracture of base of fourth metacarpal bone, right hand, sequela	ICD-10-CM	Diagnosis
S62.346A	Nondisplaced fracture of base of fifth metacarpal bone, right hand, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S62.346B	Nondisplaced fracture of base of fifth metacarpal bone, right hand, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.346G	Nondisplaced fracture of base of fifth metacarpal bone, right hand, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S62.346P	Nondisplaced fracture of base of fifth metacarpal bone, right hand, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S62.346K	Nondisplaced fracture of base of fifth metacarpal bone, right hand, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S62.346D	Nondisplaced fracture of base of fifth metacarpal bone, right hand, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S62.346S	Nondisplaced fracture of base of fifth metacarpal bone, right hand, sequela	ICD-10-CM	Diagnosis
S62.348G	Nondisplaced fracture of base of other metacarpal bone, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S62.348D	Nondisplaced fracture of base of other metacarpal bone, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S62.348A	Nondisplaced fracture of base of other metacarpal bone, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S62.348B	Nondisplaced fracture of base of other metacarpal bone, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.348P	Nondisplaced fracture of base of other metacarpal bone, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S62.348K	Nondisplaced fracture of base of other metacarpal bone, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S62.349G	Nondisplaced fracture of base of unspecified metacarpal bone, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S62.349D	Nondisplaced fracture of base of unspecified metacarpal bone, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S62.349A	Nondisplaced fracture of base of unspecified metacarpal bone, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S62.349B	Nondisplaced fracture of base of unspecified metacarpal bone, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.349P	Nondisplaced fracture of base of unspecified metacarpal bone, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S62.349K	Nondisplaced fracture of base of unspecified metacarpal bone, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S62.146A	Nondisplaced fracture of body of hamate [unciform] bone, unspecified wrist, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S62.146B	Nondisplaced fracture of body of hamate [unciform] bone, unspecified wrist, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.146G	Nondisplaced fracture of body of hamate [unciform] bone, unspecified wrist, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S62.146S	Nondisplaced fracture of body of hamate [unciform] bone, unspecified wrist, sequela	ICD-10-CM	Diagnosis
S62.145S	Nondisplaced fracture of body of hamate [unciform] bone, left wrist, sequela	ICD-10-CM	Diagnosis
S62.144S	Nondisplaced fracture of body of hamate [unciform] bone, right wrist, sequela	ICD-10-CM	Diagnosis



**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S62.145A	Nondisplaced fracture of body of hamate [unciform] bone, left wrist, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S62.145B	Nondisplaced fracture of body of hamate [unciform] bone, left wrist, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.145G	Nondisplaced fracture of body of hamate [unciform] bone, left wrist, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S62.145P	Nondisplaced fracture of body of hamate [unciform] bone, left wrist, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S62.145K	Nondisplaced fracture of body of hamate [unciform] bone, left wrist, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S62.145D	Nondisplaced fracture of body of hamate [unciform] bone, left wrist, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S62.144A	Nondisplaced fracture of body of hamate [unciform] bone, right wrist, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S62.144B	Nondisplaced fracture of body of hamate [unciform] bone, right wrist, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.144G	Nondisplaced fracture of body of hamate [unciform] bone, right wrist, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S62.144P	Nondisplaced fracture of body of hamate [unciform] bone, right wrist, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S62.144K	Nondisplaced fracture of body of hamate [unciform] bone, right wrist, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S62.144D	Nondisplaced fracture of body of hamate [unciform] bone, right wrist, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S62.146P	Nondisplaced fracture of body of hamate [unciform] bone, unspecified wrist, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S62.146K	Nondisplaced fracture of body of hamate [unciform] bone, unspecified wrist, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S62.146D	Nondisplaced fracture of body of hamate [unciform] bone, unspecified wrist, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S62.135A	Nondisplaced fracture of capitate [os magnum] bone, left wrist, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S62.135B	Nondisplaced fracture of capitate [os magnum] bone, left wrist, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.135G	Nondisplaced fracture of capitate [os magnum] bone, left wrist, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S62.135P	Nondisplaced fracture of capitate [os magnum] bone, left wrist, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S62.135K	Nondisplaced fracture of capitate [os magnum] bone, left wrist, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S62.135D	Nondisplaced fracture of capitate [os magnum] bone, left wrist, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S62.134B	Nondisplaced fracture of capitate [os magnum] bone, right wrist, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.134A	Nondisplaced fracture of capitate [os magnum] bone, right wrist, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S62.134G	Nondisplaced fracture of capitate [os magnum] bone, right wrist, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S62.134P	Nondisplaced fracture of capitate [os magnum] bone, right wrist, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S62.134K	Nondisplaced fracture of capitate [os magnum] bone, right wrist, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S62.134D	Nondisplaced fracture of capitate [os magnum] bone, right wrist, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S62.136A	Nondisplaced fracture of capitate [os magnum] bone, unspecified wrist, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S62.136B	Nondisplaced fracture of capitate [os magnum] bone, unspecified wrist, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.136G	Nondisplaced fracture of capitate [os magnum] bone, unspecified wrist, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S62.136P	Nondisplaced fracture of capitate [os magnum] bone, unspecified wrist, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S62.136K	Nondisplaced fracture of capitate [os magnum] bone, unspecified wrist, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S62.136D	Nondisplaced fracture of capitate [os magnum] bone, unspecified wrist, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S62.135S	Nondisplaced fracture of capitate [os magnum] bone, left wrist, sequela	ICD-10-CM	Diagnosis
S62.134S	Nondisplaced fracture of capitate [os magnum] bone, right wrist, sequela	ICD-10-CM	Diagnosis
S62.136S	Nondisplaced fracture of capitate [os magnum] bone, unspecified wrist, sequela	ICD-10-CM	Diagnosis
S62.661P	Nondisplaced fracture of distal phalanx of left index finger, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S62.661K	Nondisplaced fracture of distal phalanx of left index finger, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S62.661A	Nondisplaced fracture of distal phalanx of left index finger, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S62.661B	Nondisplaced fracture of distal phalanx of left index finger, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.661G	Nondisplaced fracture of distal phalanx of left index finger, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S62.661D	Nondisplaced fracture of distal phalanx of left index finger, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S62.667P	Nondisplaced fracture of distal phalanx of left little finger, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S62.667K	Nondisplaced fracture of distal phalanx of left little finger, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S62.667D	Nondisplaced fracture of distal phalanx of left little finger, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S62.667A	Nondisplaced fracture of distal phalanx of left little finger, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S62.667B	Nondisplaced fracture of distal phalanx of left little finger, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.667G	Nondisplaced fracture of distal phalanx of left little finger, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S62.663P	Nondisplaced fracture of distal phalanx of left middle finger, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S62.663K	Nondisplaced fracture of distal phalanx of left middle finger, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S62.663D	Nondisplaced fracture of distal phalanx of left middle finger, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S62.663A	Nondisplaced fracture of distal phalanx of left middle finger, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S62.663B	Nondisplaced fracture of distal phalanx of left middle finger, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.663G	Nondisplaced fracture of distal phalanx of left middle finger, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S62.665P	Nondisplaced fracture of distal phalanx of left ring finger, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S62.665K	Nondisplaced fracture of distal phalanx of left ring finger, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S62.665A	Nondisplaced fracture of distal phalanx of left ring finger, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S62.665B	Nondisplaced fracture of distal phalanx of left ring finger, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.665G	Nondisplaced fracture of distal phalanx of left ring finger, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S62.665D	Nondisplaced fracture of distal phalanx of left ring finger, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S62.525A	Nondisplaced fracture of distal phalanx of left thumb, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S62.525B	Nondisplaced fracture of distal phalanx of left thumb, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.525G	Nondisplaced fracture of distal phalanx of left thumb, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S62.525P	Nondisplaced fracture of distal phalanx of left thumb, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S62.525K	Nondisplaced fracture of distal phalanx of left thumb, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S62.525D	Nondisplaced fracture of distal phalanx of left thumb, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S62.668G	Nondisplaced fracture of distal phalanx of other finger, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S62.668P	Nondisplaced fracture of distal phalanx of other finger, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S62.668K	Nondisplaced fracture of distal phalanx of other finger, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S62.668D	Nondisplaced fracture of distal phalanx of other finger, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S62.668A	Nondisplaced fracture of distal phalanx of other finger, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S62.668B	Nondisplaced fracture of distal phalanx of other finger, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.660P	Nondisplaced fracture of distal phalanx of right index finger, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S62.660K	Nondisplaced fracture of distal phalanx of right index finger, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S62.660A	Nondisplaced fracture of distal phalanx of right index finger, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S62.660B	Nondisplaced fracture of distal phalanx of right index finger, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.660G	Nondisplaced fracture of distal phalanx of right index finger, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S62.660D	Nondisplaced fracture of distal phalanx of right index finger, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S62.666P	Nondisplaced fracture of distal phalanx of right little finger, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S62.666K	Nondisplaced fracture of distal phalanx of right little finger, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S62.666D	Nondisplaced fracture of distal phalanx of right little finger, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S62.666A	Nondisplaced fracture of distal phalanx of right little finger, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S62.666B	Nondisplaced fracture of distal phalanx of right little finger, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.666G	Nondisplaced fracture of distal phalanx of right little finger, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S62.662P	Nondisplaced fracture of distal phalanx of right middle finger, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S62.662K	Nondisplaced fracture of distal phalanx of right middle finger, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S62.662D	Nondisplaced fracture of distal phalanx of right middle finger, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S62.662A	Nondisplaced fracture of distal phalanx of right middle finger, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S62.662B	Nondisplaced fracture of distal phalanx of right middle finger, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.662G	Nondisplaced fracture of distal phalanx of right middle finger, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S62.664P	Nondisplaced fracture of distal phalanx of right ring finger, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S62.664K	Nondisplaced fracture of distal phalanx of right ring finger, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S62.664A	Nondisplaced fracture of distal phalanx of right ring finger, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S62.664B	Nondisplaced fracture of distal phalanx of right ring finger, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.664G	Nondisplaced fracture of distal phalanx of right ring finger, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S62.664D	Nondisplaced fracture of distal phalanx of right ring finger, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S62.524A	Nondisplaced fracture of distal phalanx of right thumb, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S62.524B	Nondisplaced fracture of distal phalanx of right thumb, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.524G	Nondisplaced fracture of distal phalanx of right thumb, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S62.524P	Nondisplaced fracture of distal phalanx of right thumb, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S62.524K	Nondisplaced fracture of distal phalanx of right thumb, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S62.524D	Nondisplaced fracture of distal phalanx of right thumb, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S62.669G	Nondisplaced fracture of distal phalanx of unspecified finger, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S62.669P	Nondisplaced fracture of distal phalanx of unspecified finger, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S62.669K	Nondisplaced fracture of distal phalanx of unspecified finger, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S62.669D	Nondisplaced fracture of distal phalanx of unspecified finger, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S62.669A	Nondisplaced fracture of distal phalanx of unspecified finger, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S62.669B	Nondisplaced fracture of distal phalanx of unspecified finger, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.526A	Nondisplaced fracture of distal phalanx of unspecified thumb, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S62.526B	Nondisplaced fracture of distal phalanx of unspecified thumb, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.526P	Nondisplaced fracture of distal phalanx of unspecified thumb, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S62.526K	Nondisplaced fracture of distal phalanx of unspecified thumb, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S62.526G	Nondisplaced fracture of distal phalanx of unspecified thumb, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S62.526D	Nondisplaced fracture of distal phalanx of unspecified thumb, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S62.014P	Nondisplaced fracture of distal pole of navicular [scaphoid] bone of right wrist, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S62.014K	Nondisplaced fracture of distal pole of navicular [scaphoid] bone of right wrist, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S62.016G	Nondisplaced fracture of distal pole of navicular [scaphoid] bone of unspecified wrist, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S62.016S	Nondisplaced fracture of distal pole of navicular [scaphoid] bone of unspecified wrist, sequela	ICD-10-CM	Diagnosis
S62.015S	Nondisplaced fracture of distal pole of navicular [scaphoid] bone of left wrist, sequela	ICD-10-CM	Diagnosis
S62.014S	Nondisplaced fracture of distal pole of navicular [scaphoid] bone of right wrist, sequela	ICD-10-CM	Diagnosis
S62.015A	Nondisplaced fracture of distal pole of navicular [scaphoid] bone of left wrist, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S62.015B	Nondisplaced fracture of distal pole of navicular [scaphoid] bone of left wrist, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.015G	Nondisplaced fracture of distal pole of navicular [scaphoid] bone of left wrist, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S62.015P	Nondisplaced fracture of distal pole of navicular [scaphoid] bone of left wrist, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S62.015K	Nondisplaced fracture of distal pole of navicular [scaphoid] bone of left wrist, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S62.015D	Nondisplaced fracture of distal pole of navicular [scaphoid] bone of left wrist, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S62.014A	Nondisplaced fracture of distal pole of navicular [scaphoid] bone of right wrist, initial encounter for closed fracture	ICD-10-CM	Diagnosis



**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S62.014B	Nondisplaced fracture of distal pole of navicular [scaphoid] bone of right wrist, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.014G	Nondisplaced fracture of distal pole of navicular [scaphoid] bone of right wrist, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S62.014D	Nondisplaced fracture of distal pole of navicular [scaphoid] bone of right wrist, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S62.016P	Nondisplaced fracture of distal pole of navicular [scaphoid] bone of unspecified wrist, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S62.016K	Nondisplaced fracture of distal pole of navicular [scaphoid] bone of unspecified wrist, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S42.144G	Nondisplaced fracture of glenoid cavity of scapula, right shoulder, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S42.144P	Nondisplaced fracture of glenoid cavity of scapula, right shoulder, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S42.144K	Nondisplaced fracture of glenoid cavity of scapula, right shoulder, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S42.144D	Nondisplaced fracture of glenoid cavity of scapula, right shoulder, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S72.115C	Nondisplaced fracture of greater trochanter of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.115G	Nondisplaced fracture of greater trochanter of left femur, subsequent encounter for closed fracture with delayed healing	ICD-10-CM	Diagnosis
S72.115P	Nondisplaced fracture of greater trochanter of left femur, subsequent encounter for closed fracture with malunion	ICD-10-CM	Diagnosis
S72.115K	Nondisplaced fracture of greater trochanter of left femur, subsequent encounter for closed fracture with nonunion	ICD-10-CM	Diagnosis
S72.115D	Nondisplaced fracture of greater trochanter of left femur, subsequent encounter for closed fracture with routine healing	ICD-10-CM	Diagnosis
S72.115Q	Nondisplaced fracture of greater trochanter of left femur, subsequent encounter for open fracture type I or II with malunion	ICD-10-CM	Diagnosis
S72.115M	Nondisplaced fracture of greater trochanter of left femur, subsequent encounter for open fracture type I or II with nonunion	ICD-10-CM	Diagnosis
S72.115H	Nondisplaced fracture of greater trochanter of left femur, subsequent encounter for open fracture type I or II with delayed healing	ICD-10-CM	Diagnosis
S72.115E	Nondisplaced fracture of greater trochanter of left femur, subsequent encounter for open fracture type I or II with routine healing	ICD-10-CM	Diagnosis
S72.115R	Nondisplaced fracture of greater trochanter of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD-10-CM	Diagnosis
S72.115N	Nondisplaced fracture of greater trochanter of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD-10-CM	Diagnosis
S72.115F	Nondisplaced fracture of greater trochanter of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S72.114C	Nondisplaced fracture of greater trochanter of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.114G	Nondisplaced fracture of greater trochanter of right femur, subsequent encounter for closed fracture with delayed healing	ICD-10-CM	Diagnosis
S72.114P	Nondisplaced fracture of greater trochanter of right femur, subsequent encounter for closed fracture with malunion	ICD-10-CM	Diagnosis
S72.114K	Nondisplaced fracture of greater trochanter of right femur, subsequent encounter for closed fracture with nonunion	ICD-10-CM	Diagnosis
S72.114D	Nondisplaced fracture of greater trochanter of right femur, subsequent encounter for closed fracture with routine healing	ICD-10-CM	Diagnosis
S72.114Q	Nondisplaced fracture of greater trochanter of right femur, subsequent encounter for open fracture type I or II with malunion	ICD-10-CM	Diagnosis
S72.114M	Nondisplaced fracture of greater trochanter of right femur, subsequent encounter for open fracture type I or II with nonunion	ICD-10-CM	Diagnosis
S72.114E	Nondisplaced fracture of greater trochanter of right femur, subsequent encounter for open fracture type I or II with routine healing	ICD-10-CM	Diagnosis
S72.114H	Nondisplaced fracture of greater trochanter of right femur, subsequent encounter for open fracture type I or II with delayed healing	ICD-10-CM	Diagnosis
S72.114R	Nondisplaced fracture of greater trochanter of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD-10-CM	Diagnosis
S72.114N	Nondisplaced fracture of greater trochanter of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD-10-CM	Diagnosis
S72.114F	Nondisplaced fracture of greater trochanter of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD-10-CM	Diagnosis
S72.116B	Nondisplaced fracture of greater trochanter of unspecified femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.116C	Nondisplaced fracture of greater trochanter of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.116G	Nondisplaced fracture of greater trochanter of unspecified femur, subsequent encounter for closed fracture with delayed healing	ICD-10-CM	Diagnosis
S72.116P	Nondisplaced fracture of greater trochanter of unspecified femur, subsequent encounter for closed fracture with malunion	ICD-10-CM	Diagnosis
S72.116K	Nondisplaced fracture of greater trochanter of unspecified femur, subsequent encounter for closed fracture with nonunion	ICD-10-CM	Diagnosis
S72.116D	Nondisplaced fracture of greater trochanter of unspecified femur, subsequent encounter for closed fracture with routine healing	ICD-10-CM	Diagnosis
S72.116Q	Nondisplaced fracture of greater trochanter of unspecified femur, subsequent encounter for open fracture type I or II with malunion	ICD-10-CM	Diagnosis
S72.116H	Nondisplaced fracture of greater trochanter of unspecified femur, subsequent encounter for open fracture type I or II with delayed healing	ICD-10-CM	Diagnosis
S72.116M	Nondisplaced fracture of greater trochanter of unspecified femur, subsequent encounter for open fracture type I or II with nonunion	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S72.116E	Nondisplaced fracture of greater trochanter of unspecified femur, subsequent encounter for open fracture type I or II with routine healing	ICD-10-CM	Diagnosis
S72.116R	Nondisplaced fracture of greater trochanter of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD-10-CM	Diagnosis
S72.116N	Nondisplaced fracture of greater trochanter of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD-10-CM	Diagnosis
S72.115A	Nondisplaced fracture of greater trochanter of left femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S72.115B	Nondisplaced fracture of greater trochanter of left femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.114B	Nondisplaced fracture of greater trochanter of right femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.114A	Nondisplaced fracture of greater trochanter of right femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S72.116A	Nondisplaced fracture of greater trochanter of unspecified femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.126B	Nondisplaced fracture of head of unspecified radius, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S52.126C	Nondisplaced fracture of head of unspecified radius, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S52.126J	Nondisplaced fracture of head of unspecified radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD-10-CM	Diagnosis
S52.126R	Nondisplaced fracture of head of unspecified radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD-10-CM	Diagnosis
S52.126N	Nondisplaced fracture of head of unspecified radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD-10-CM	Diagnosis
S52.126F	Nondisplaced fracture of head of unspecified radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD-10-CM	Diagnosis
S52.126P	Nondisplaced fracture of head of unspecified radius, subsequent encounter for closed fracture with malunion	ICD-10-CM	Diagnosis
S52.126K	Nondisplaced fracture of head of unspecified radius, subsequent encounter for closed fracture with nonunion	ICD-10-CM	Diagnosis
S52.126G	Nondisplaced fracture of head of unspecified radius, subsequent encounter for closed fracture with delayed healing	ICD-10-CM	Diagnosis
S52.126D	Nondisplaced fracture of head of unspecified radius, subsequent encounter for closed fracture with routine healing	ICD-10-CM	Diagnosis
S52.126H	Nondisplaced fracture of head of unspecified radius, subsequent encounter for open fracture type I or II with delayed healing	ICD-10-CM	Diagnosis
S52.126Q	Nondisplaced fracture of head of unspecified radius, subsequent encounter for open fracture type I or II with malunion	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S52.126M	Nondisplaced fracture of head of unspecified radius, subsequent encounter for open fracture type I or II with nonunion	ICD-10-CM	Diagnosis
S52.126E	Nondisplaced fracture of head of unspecified radius, subsequent encounter for open fracture type I or II with routine healing	ICD-10-CM	Diagnosis
S62.155A	Nondisplaced fracture of hook process of hamate [unciform] bone, left wrist, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S62.155B	Nondisplaced fracture of hook process of hamate [unciform] bone, left wrist, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.155G	Nondisplaced fracture of hook process of hamate [unciform] bone, left wrist, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S62.155P	Nondisplaced fracture of hook process of hamate [unciform] bone, left wrist, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S62.155K	Nondisplaced fracture of hook process of hamate [unciform] bone, left wrist, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S62.155D	Nondisplaced fracture of hook process of hamate [unciform] bone, left wrist, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S62.154A	Nondisplaced fracture of hook process of hamate [unciform] bone, right wrist, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S62.154B	Nondisplaced fracture of hook process of hamate [unciform] bone, right wrist, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.154G	Nondisplaced fracture of hook process of hamate [unciform] bone, right wrist, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S62.154P	Nondisplaced fracture of hook process of hamate [unciform] bone, right wrist, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S62.154K	Nondisplaced fracture of hook process of hamate [unciform] bone, right wrist, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S62.154D	Nondisplaced fracture of hook process of hamate [unciform] bone, right wrist, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S62.156P	Nondisplaced fracture of hook process of hamate [unciform] bone, unspecified wrist, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S62.156K	Nondisplaced fracture of hook process of hamate [unciform] bone, unspecified wrist, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S62.156D	Nondisplaced fracture of hook process of hamate [unciform] bone, unspecified wrist, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S62.156A	Nondisplaced fracture of hook process of hamate [unciform] bone, unspecified wrist, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S62.156B	Nondisplaced fracture of hook process of hamate [unciform] bone, unspecified wrist, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.156G	Nondisplaced fracture of hook process of hamate [unciform] bone, unspecified wrist, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S62.155S	Nondisplaced fracture of hook process of hamate [unciform] bone, left wrist, sequela	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S62.154S	Nondisplaced fracture of hook process of hamate [unciform] bone, right wrist, sequela	ICD-10-CM	Diagnosis
S62.156S	Nondisplaced fracture of hook process of hamate [unciform] bone, unspecified wrist, sequela	ICD-10-CM	Diagnosis
S42.455A	Nondisplaced fracture of lateral condyle of left humerus, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.455B	Nondisplaced fracture of lateral condyle of left humerus, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.455G	Nondisplaced fracture of lateral condyle of left humerus, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S42.455P	Nondisplaced fracture of lateral condyle of left humerus, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S42.455K	Nondisplaced fracture of lateral condyle of left humerus, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S42.455D	Nondisplaced fracture of lateral condyle of left humerus, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S42.454B	Nondisplaced fracture of lateral condyle of right humerus, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.454G	Nondisplaced fracture of lateral condyle of right humerus, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S42.454P	Nondisplaced fracture of lateral condyle of right humerus, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S42.454K	Nondisplaced fracture of lateral condyle of right humerus, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S42.454D	Nondisplaced fracture of lateral condyle of right humerus, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S42.456A	Nondisplaced fracture of lateral condyle of unspecified humerus, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.456B	Nondisplaced fracture of lateral condyle of unspecified humerus, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.456P	Nondisplaced fracture of lateral condyle of unspecified humerus, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S42.456K	Nondisplaced fracture of lateral condyle of unspecified humerus, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S42.456G	Nondisplaced fracture of lateral condyle of unspecified humerus, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S42.456D	Nondisplaced fracture of lateral condyle of unspecified humerus, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S72.125A	Nondisplaced fracture of lesser trochanter of left femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S72.125B	Nondisplaced fracture of lesser trochanter of left femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S72.125C	Nondisplaced fracture of lesser trochanter of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.125G	Nondisplaced fracture of lesser trochanter of left femur, subsequent encounter for closed fracture with delayed healing	ICD-10-CM	Diagnosis
S72.125P	Nondisplaced fracture of lesser trochanter of left femur, subsequent encounter for closed fracture with malunion	ICD-10-CM	Diagnosis
S72.125K	Nondisplaced fracture of lesser trochanter of left femur, subsequent encounter for closed fracture with nonunion	ICD-10-CM	Diagnosis
S72.125D	Nondisplaced fracture of lesser trochanter of left femur, subsequent encounter for closed fracture with routine healing	ICD-10-CM	Diagnosis
S72.125Q	Nondisplaced fracture of lesser trochanter of left femur, subsequent encounter for open fracture type I or II with malunion	ICD-10-CM	Diagnosis
S72.125H	Nondisplaced fracture of lesser trochanter of left femur, subsequent encounter for open fracture type I or II with delayed healing	ICD-10-CM	Diagnosis
S72.125M	Nondisplaced fracture of lesser trochanter of left femur, subsequent encounter for open fracture type I or II with nonunion	ICD-10-CM	Diagnosis
S72.125E	Nondisplaced fracture of lesser trochanter of left femur, subsequent encounter for open fracture type I or II with routine healing	ICD-10-CM	Diagnosis
S72.124A	Nondisplaced fracture of lesser trochanter of right femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S72.124B	Nondisplaced fracture of lesser trochanter of right femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.124C	Nondisplaced fracture of lesser trochanter of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.124G	Nondisplaced fracture of lesser trochanter of right femur, subsequent encounter for closed fracture with delayed healing	ICD-10-CM	Diagnosis
S72.124P	Nondisplaced fracture of lesser trochanter of right femur, subsequent encounter for closed fracture with malunion	ICD-10-CM	Diagnosis
S72.124K	Nondisplaced fracture of lesser trochanter of right femur, subsequent encounter for closed fracture with nonunion	ICD-10-CM	Diagnosis
S72.124D	Nondisplaced fracture of lesser trochanter of right femur, subsequent encounter for closed fracture with routine healing	ICD-10-CM	Diagnosis
S72.124R	Nondisplaced fracture of lesser trochanter of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD-10-CM	Diagnosis
S72.124N	Nondisplaced fracture of lesser trochanter of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD-10-CM	Diagnosis
S72.124Q	Nondisplaced fracture of lesser trochanter of right femur, subsequent encounter for open fracture type I or II with malunion	ICD-10-CM	Diagnosis
S72.124M	Nondisplaced fracture of lesser trochanter of right femur, subsequent encounter for open fracture type I or II with nonunion	ICD-10-CM	Diagnosis
S72.124E	Nondisplaced fracture of lesser trochanter of right femur, subsequent encounter for open fracture type I or II with routine healing	ICD-10-CM	Diagnosis



**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S72.126A	Nondisplaced fracture of lesser trochanter of unspecified femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S72.126B	Nondisplaced fracture of lesser trochanter of unspecified femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.126C	Nondisplaced fracture of lesser trochanter of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.126G	Nondisplaced fracture of lesser trochanter of unspecified femur, subsequent encounter for closed fracture with delayed healing	ICD-10-CM	Diagnosis
S72.126P	Nondisplaced fracture of lesser trochanter of unspecified femur, subsequent encounter for closed fracture with malunion	ICD-10-CM	Diagnosis
S72.126K	Nondisplaced fracture of lesser trochanter of unspecified femur, subsequent encounter for closed fracture with nonunion	ICD-10-CM	Diagnosis
S72.126D	Nondisplaced fracture of lesser trochanter of unspecified femur, subsequent encounter for closed fracture with routine healing	ICD-10-CM	Diagnosis
S72.126H	Nondisplaced fracture of lesser trochanter of unspecified femur, subsequent encounter for open fracture type I or II with delayed healing	ICD-10-CM	Diagnosis
S72.126Q	Nondisplaced fracture of lesser trochanter of unspecified femur, subsequent encounter for open fracture type I or II with malunion	ICD-10-CM	Diagnosis
S72.126M	Nondisplaced fracture of lesser trochanter of unspecified femur, subsequent encounter for open fracture type I or II with nonunion	ICD-10-CM	Diagnosis
S72.126E	Nondisplaced fracture of lesser trochanter of unspecified femur, subsequent encounter for open fracture type I or II with routine healing	ICD-10-CM	Diagnosis
S42.266G	Nondisplaced fracture of lesser tuberosity of unspecified humerus, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S42.266P	Nondisplaced fracture of lesser tuberosity of unspecified humerus, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S42.266K	Nondisplaced fracture of lesser tuberosity of unspecified humerus, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S72.125R	Nondisplaced fracture of lesser trochanter of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD-10-CM	Diagnosis
S72.125N	Nondisplaced fracture of lesser trochanter of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD-10-CM	Diagnosis
S72.124H	Nondisplaced fracture of lesser trochanter of right femur, subsequent encounter for open fracture type I or II with delayed healing	ICD-10-CM	Diagnosis
S52.515B	Nondisplaced fracture of left radial styloid process, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S52.515A	Nondisplaced fracture of left radial styloid process, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.515C	Nondisplaced fracture of left radial styloid process, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S52.515G	Nondisplaced fracture of left radial styloid process, subsequent encounter for closed fracture with delayed healing	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S52.515P	Nondisplaced fracture of left radial styloid process, subsequent encounter for closed fracture with malunion	ICD-10-CM	Diagnosis
S52.515K	Nondisplaced fracture of left radial styloid process, subsequent encounter for closed fracture with nonunion	ICD-10-CM	Diagnosis
S52.515D	Nondisplaced fracture of left radial styloid process, subsequent encounter for closed fracture with routine healing	ICD-10-CM	Diagnosis
S52.515Q	Nondisplaced fracture of left radial styloid process, subsequent encounter for open fracture type I or II with malunion	ICD-10-CM	Diagnosis
S52.515M	Nondisplaced fracture of left radial styloid process, subsequent encounter for open fracture type I or II with nonunion	ICD-10-CM	Diagnosis
S52.515E	Nondisplaced fracture of left radial styloid process, subsequent encounter for open fracture type I or II with routine healing	ICD-10-CM	Diagnosis
S52.515J	Nondisplaced fracture of left radial styloid process, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD-10-CM	Diagnosis
S52.515R	Nondisplaced fracture of left radial styloid process, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD-10-CM	Diagnosis
S52.515N	Nondisplaced fracture of left radial styloid process, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD-10-CM	Diagnosis
S52.515F	Nondisplaced fracture of left radial styloid process, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD-10-CM	Diagnosis
S52.615A	Nondisplaced fracture of left ulna styloid process, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.615B	Nondisplaced fracture of left ulna styloid process, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S52.615C	Nondisplaced fracture of left ulna styloid process, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S52.615G	Nondisplaced fracture of left ulna styloid process, subsequent encounter for closed fracture with delayed healing	ICD-10-CM	Diagnosis
S52.615P	Nondisplaced fracture of left ulna styloid process, subsequent encounter for closed fracture with malunion	ICD-10-CM	Diagnosis
S52.615K	Nondisplaced fracture of left ulna styloid process, subsequent encounter for closed fracture with nonunion	ICD-10-CM	Diagnosis
S52.615D	Nondisplaced fracture of left ulna styloid process, subsequent encounter for closed fracture with routine healing	ICD-10-CM	Diagnosis
S52.615R	Nondisplaced fracture of left ulna styloid process, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD-10-CM	Diagnosis
S52.615N	Nondisplaced fracture of left ulna styloid process, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD-10-CM	Diagnosis
S52.615Q	Nondisplaced fracture of left ulna styloid process, subsequent encounter for open fracture type I or II with malunion	ICD-10-CM	Diagnosis
S52.615M	Nondisplaced fracture of left ulna styloid process, subsequent encounter for open fracture type I or II with nonunion	ICD-10-CM	Diagnosis
S52.615S	Nondisplaced fracture of left ulna styloid process, sequela	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S52.615H	Nondisplaced fracture of left ulna styloid process, subsequent encounter for open fracture type I or II with delayed healing	ICD-10-CM	Diagnosis
S52.615E	Nondisplaced fracture of left ulna styloid process, subsequent encounter for open fracture type I or II with routine healing	ICD-10-CM	Diagnosis
S52.615J	Nondisplaced fracture of left ulna styloid process, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD-10-CM	Diagnosis
S52.615F	Nondisplaced fracture of left ulna styloid process, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD-10-CM	Diagnosis
S62.125G	Nondisplaced fracture of lunate [semilunar], left wrist, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S62.125D	Nondisplaced fracture of lunate [semilunar], left wrist, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S62.124G	Nondisplaced fracture of lunate [semilunar], right wrist, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S62.124D	Nondisplaced fracture of lunate [semilunar], right wrist, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S62.126G	Nondisplaced fracture of lunate [semilunar], unspecified wrist, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S62.126D	Nondisplaced fracture of lunate [semilunar], unspecified wrist, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S42.465A	Nondisplaced fracture of medial condyle of left humerus, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.465B	Nondisplaced fracture of medial condyle of left humerus, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.465G	Nondisplaced fracture of medial condyle of left humerus, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S42.465P	Nondisplaced fracture of medial condyle of left humerus, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S42.465K	Nondisplaced fracture of medial condyle of left humerus, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S42.465D	Nondisplaced fracture of medial condyle of left humerus, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S42.464A	Nondisplaced fracture of medial condyle of right humerus, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.464B	Nondisplaced fracture of medial condyle of right humerus, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.464G	Nondisplaced fracture of medial condyle of right humerus, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S42.464P	Nondisplaced fracture of medial condyle of right humerus, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S42.464K	Nondisplaced fracture of medial condyle of right humerus, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S42.464D	Nondisplaced fracture of medial condyle of right humerus, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S42.466A	Nondisplaced fracture of medial condyle of unspecified humerus, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.466B	Nondisplaced fracture of medial condyle of unspecified humerus, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.466P	Nondisplaced fracture of medial condyle of unspecified humerus, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S42.466K	Nondisplaced fracture of medial condyle of unspecified humerus, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S42.466G	Nondisplaced fracture of medial condyle of unspecified humerus, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S42.466D	Nondisplaced fracture of medial condyle of unspecified humerus, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S62.025A	Nondisplaced fracture of middle third of navicular [scaphoid] bone of left wrist, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S62.025B	Nondisplaced fracture of middle third of navicular [scaphoid] bone of left wrist, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.025G	Nondisplaced fracture of middle third of navicular [scaphoid] bone of left wrist, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S62.025P	Nondisplaced fracture of middle third of navicular [scaphoid] bone of left wrist, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S62.025K	Nondisplaced fracture of middle third of navicular [scaphoid] bone of left wrist, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S62.025D	Nondisplaced fracture of middle third of navicular [scaphoid] bone of left wrist, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S62.024A	Nondisplaced fracture of middle third of navicular [scaphoid] bone of right wrist, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S62.024B	Nondisplaced fracture of middle third of navicular [scaphoid] bone of right wrist, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.024G	Nondisplaced fracture of middle third of navicular [scaphoid] bone of right wrist, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S62.024P	Nondisplaced fracture of middle third of navicular [scaphoid] bone of right wrist, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S62.024K	Nondisplaced fracture of middle third of navicular [scaphoid] bone of right wrist, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S62.024D	Nondisplaced fracture of middle third of navicular [scaphoid] bone of right wrist, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S62.025S	Nondisplaced fracture of middle third of navicular [scaphoid] bone of left wrist, sequela	ICD-10-CM	Diagnosis
S62.024S	Nondisplaced fracture of middle third of navicular [scaphoid] bone of right wrist, sequela	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S62.026S	Nondisplaced fracture of middle third of navicular [scaphoid] bone of unspecified wrist, sequela	ICD-10-CM	Diagnosis
S62.026P	Nondisplaced fracture of middle third of navicular [scaphoid] bone of unspecified wrist, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S62.026K	Nondisplaced fracture of middle third of navicular [scaphoid] bone of unspecified wrist, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S62.026D	Nondisplaced fracture of middle third of navicular [scaphoid] bone of unspecified wrist, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S62.657G	Nondisplaced fracture of middle phalanx of left little finger, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S62.657P	Nondisplaced fracture of middle phalanx of left little finger, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S62.657K	Nondisplaced fracture of middle phalanx of left little finger, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S62.657D	Nondisplaced fracture of middle phalanx of left little finger, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S62.657A	Nondisplaced fracture of middle phalanx of left little finger, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S62.657B	Nondisplaced fracture of middle phalanx of left little finger, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.655P	Nondisplaced fracture of middle phalanx of left ring finger, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S62.655K	Nondisplaced fracture of middle phalanx of left ring finger, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S62.655D	Nondisplaced fracture of middle phalanx of left ring finger, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S62.655G	Nondisplaced fracture of middle phalanx of left ring finger, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S62.655A	Nondisplaced fracture of middle phalanx of left ring finger, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S62.655B	Nondisplaced fracture of middle phalanx of left ring finger, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.658G	Nondisplaced fracture of middle phalanx of other finger, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S62.658P	Nondisplaced fracture of middle phalanx of other finger, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S62.658D	Nondisplaced fracture of middle phalanx of other finger, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S62.658K	Nondisplaced fracture of middle phalanx of other finger, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S62.658A	Nondisplaced fracture of middle phalanx of other finger, initial encounter for closed fracture	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S62.658B	Nondisplaced fracture of middle phalanx of other finger, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.656G	Nondisplaced fracture of middle phalanx of right little finger, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S62.656P	Nondisplaced fracture of middle phalanx of right little finger, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S62.656K	Nondisplaced fracture of middle phalanx of right little finger, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S62.656D	Nondisplaced fracture of middle phalanx of right little finger, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S62.656A	Nondisplaced fracture of middle phalanx of right little finger, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S62.656B	Nondisplaced fracture of middle phalanx of right little finger, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.654P	Nondisplaced fracture of middle phalanx of right ring finger, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S62.654K	Nondisplaced fracture of middle phalanx of right ring finger, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S62.654D	Nondisplaced fracture of middle phalanx of right ring finger, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S62.654G	Nondisplaced fracture of middle phalanx of right ring finger, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S62.654A	Nondisplaced fracture of middle phalanx of right ring finger, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S62.654B	Nondisplaced fracture of middle phalanx of right ring finger, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.659G	Nondisplaced fracture of middle phalanx of unspecified finger, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S62.659P	Nondisplaced fracture of middle phalanx of unspecified finger, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S62.659K	Nondisplaced fracture of middle phalanx of unspecified finger, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S62.659A	Nondisplaced fracture of middle phalanx of unspecified finger, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S62.659B	Nondisplaced fracture of middle phalanx of unspecified finger, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.659D	Nondisplaced fracture of middle phalanx of unspecified finger, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S62.255A	Nondisplaced fracture of neck of first metacarpal bone, left hand, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S62.255B	Nondisplaced fracture of neck of first metacarpal bone, left hand, initial encounter for open fracture	ICD-10-CM	Diagnosis



**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S62.255G	Nondisplaced fracture of neck of first metacarpal bone, left hand, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S62.255P	Nondisplaced fracture of neck of first metacarpal bone, left hand, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S62.255K	Nondisplaced fracture of neck of first metacarpal bone, left hand, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S62.255D	Nondisplaced fracture of neck of first metacarpal bone, left hand, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S62.254A	Nondisplaced fracture of neck of first metacarpal bone, right hand, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S62.254B	Nondisplaced fracture of neck of first metacarpal bone, right hand, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.254G	Nondisplaced fracture of neck of first metacarpal bone, right hand, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S62.254P	Nondisplaced fracture of neck of first metacarpal bone, right hand, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S62.254K	Nondisplaced fracture of neck of first metacarpal bone, right hand, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S62.254D	Nondisplaced fracture of neck of first metacarpal bone, right hand, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S62.256G	Nondisplaced fracture of neck of first metacarpal bone, unspecified hand, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S62.256P	Nondisplaced fracture of neck of first metacarpal bone, unspecified hand, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S62.256K	Nondisplaced fracture of neck of first metacarpal bone, unspecified hand, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S62.256D	Nondisplaced fracture of neck of first metacarpal bone, unspecified hand, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S62.255S	Nondisplaced fracture of neck of first metacarpal bone, left hand, sequela	ICD-10-CM	Diagnosis
S62.254S	Nondisplaced fracture of neck of first metacarpal bone, right hand, sequela	ICD-10-CM	Diagnosis
S62.256S	Nondisplaced fracture of neck of first metacarpal bone, unspecified hand, sequela	ICD-10-CM	Diagnosis
S62.361A	Nondisplaced fracture of neck of second metacarpal bone, left hand, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S62.361B	Nondisplaced fracture of neck of second metacarpal bone, left hand, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.361G	Nondisplaced fracture of neck of second metacarpal bone, left hand, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S62.361P	Nondisplaced fracture of neck of second metacarpal bone, left hand, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S62.361K	Nondisplaced fracture of neck of second metacarpal bone, left hand, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S62.361D	Nondisplaced fracture of neck of second metacarpal bone, left hand, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S62.360A	Nondisplaced fracture of neck of second metacarpal bone, right hand, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S62.360B	Nondisplaced fracture of neck of second metacarpal bone, right hand, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.360G	Nondisplaced fracture of neck of second metacarpal bone, right hand, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S62.360P	Nondisplaced fracture of neck of second metacarpal bone, right hand, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S62.360K	Nondisplaced fracture of neck of second metacarpal bone, right hand, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S62.360D	Nondisplaced fracture of neck of second metacarpal bone, right hand, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S62.361S	Nondisplaced fracture of neck of second metacarpal bone, left hand, sequela	ICD-10-CM	Diagnosis
S62.360S	Nondisplaced fracture of neck of second metacarpal bone, right hand, sequela	ICD-10-CM	Diagnosis
S62.363A	Nondisplaced fracture of neck of third metacarpal bone, left hand, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S62.363B	Nondisplaced fracture of neck of third metacarpal bone, left hand, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.363G	Nondisplaced fracture of neck of third metacarpal bone, left hand, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S62.363P	Nondisplaced fracture of neck of third metacarpal bone, left hand, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S62.363K	Nondisplaced fracture of neck of third metacarpal bone, left hand, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S62.363D	Nondisplaced fracture of neck of third metacarpal bone, left hand, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S62.362A	Nondisplaced fracture of neck of third metacarpal bone, right hand, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S62.362B	Nondisplaced fracture of neck of third metacarpal bone, right hand, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.362G	Nondisplaced fracture of neck of third metacarpal bone, right hand, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S62.362P	Nondisplaced fracture of neck of third metacarpal bone, right hand, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S62.362K	Nondisplaced fracture of neck of third metacarpal bone, right hand, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S62.362D	Nondisplaced fracture of neck of third metacarpal bone, right hand, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S62.363S	Nondisplaced fracture of neck of third metacarpal bone, left hand, sequela	ICD-10-CM	Diagnosis
S62.362S	Nondisplaced fracture of neck of third metacarpal bone, right hand, sequela	ICD-10-CM	Diagnosis
S62.365A	Nondisplaced fracture of neck of fourth metacarpal bone, left hand, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S62.365B	Nondisplaced fracture of neck of fourth metacarpal bone, left hand, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.365G	Nondisplaced fracture of neck of fourth metacarpal bone, left hand, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S62.365P	Nondisplaced fracture of neck of fourth metacarpal bone, left hand, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S62.365K	Nondisplaced fracture of neck of fourth metacarpal bone, left hand, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S62.365D	Nondisplaced fracture of neck of fourth metacarpal bone, left hand, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S62.364A	Nondisplaced fracture of neck of fourth metacarpal bone, right hand, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S62.364B	Nondisplaced fracture of neck of fourth metacarpal bone, right hand, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.364G	Nondisplaced fracture of neck of fourth metacarpal bone, right hand, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S62.364P	Nondisplaced fracture of neck of fourth metacarpal bone, right hand, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S62.364K	Nondisplaced fracture of neck of fourth metacarpal bone, right hand, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S62.364D	Nondisplaced fracture of neck of fourth metacarpal bone, right hand, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S62.365S	Nondisplaced fracture of neck of fourth metacarpal bone, left hand, sequela	ICD-10-CM	Diagnosis
S62.364S	Nondisplaced fracture of neck of fourth metacarpal bone, right hand, sequela	ICD-10-CM	Diagnosis
S62.367A	Nondisplaced fracture of neck of fifth metacarpal bone, left hand, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S62.367B	Nondisplaced fracture of neck of fifth metacarpal bone, left hand, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.367G	Nondisplaced fracture of neck of fifth metacarpal bone, left hand, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S62.367P	Nondisplaced fracture of neck of fifth metacarpal bone, left hand, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S62.367K	Nondisplaced fracture of neck of fifth metacarpal bone, left hand, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S62.367D	Nondisplaced fracture of neck of fifth metacarpal bone, left hand, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S62.366A	Nondisplaced fracture of neck of fifth metacarpal bone, right hand, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S62.366B	Nondisplaced fracture of neck of fifth metacarpal bone, right hand, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.366G	Nondisplaced fracture of neck of fifth metacarpal bone, right hand, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S62.366P	Nondisplaced fracture of neck of fifth metacarpal bone, right hand, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S62.366K	Nondisplaced fracture of neck of fifth metacarpal bone, right hand, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S62.366D	Nondisplaced fracture of neck of fifth metacarpal bone, right hand, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S62.367S	Nondisplaced fracture of neck of fifth metacarpal bone, left hand, sequela	ICD-10-CM	Diagnosis
S62.366S	Nondisplaced fracture of neck of fifth metacarpal bone, right hand, sequela	ICD-10-CM	Diagnosis
S52.135B	Nondisplaced fracture of neck of left radius, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S52.135C	Nondisplaced fracture of neck of left radius, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S52.135A	Nondisplaced fracture of neck of left radius, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.135R	Nondisplaced fracture of neck of left radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD-10-CM	Diagnosis
S52.135N	Nondisplaced fracture of neck of left radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD-10-CM	Diagnosis
S52.135P	Nondisplaced fracture of neck of left radius, subsequent encounter for closed fracture with malunion	ICD-10-CM	Diagnosis
S52.135K	Nondisplaced fracture of neck of left radius, subsequent encounter for closed fracture with nonunion	ICD-10-CM	Diagnosis
S52.135Q	Nondisplaced fracture of neck of left radius, subsequent encounter for open fracture type I or II with malunion	ICD-10-CM	Diagnosis
S52.135M	Nondisplaced fracture of neck of left radius, subsequent encounter for open fracture type I or II with nonunion	ICD-10-CM	Diagnosis
S52.135J	Nondisplaced fracture of neck of left radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD-10-CM	Diagnosis
S52.135F	Nondisplaced fracture of neck of left radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD-10-CM	Diagnosis
S52.135G	Nondisplaced fracture of neck of left radius, subsequent encounter for closed fracture with delayed healing	ICD-10-CM	Diagnosis
S52.135D	Nondisplaced fracture of neck of left radius, subsequent encounter for closed fracture with routine healing	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S52.135H	Nondisplaced fracture of neck of left radius, subsequent encounter for open fracture type I or II with delayed healing	ICD-10-CM	Diagnosis
S52.135E	Nondisplaced fracture of neck of left radius, subsequent encounter for open fracture type I or II with routine healing	ICD-10-CM	Diagnosis
S62.368D	Nondisplaced fracture of neck of other metacarpal bone, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S62.368A	Nondisplaced fracture of neck of other metacarpal bone, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S62.368B	Nondisplaced fracture of neck of other metacarpal bone, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.368G	Nondisplaced fracture of neck of other metacarpal bone, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S62.368P	Nondisplaced fracture of neck of other metacarpal bone, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S62.368K	Nondisplaced fracture of neck of other metacarpal bone, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S52.134B	Nondisplaced fracture of neck of right radius, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S52.134C	Nondisplaced fracture of neck of right radius, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S52.134A	Nondisplaced fracture of neck of right radius, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.134J	Nondisplaced fracture of neck of right radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD-10-CM	Diagnosis
S52.134R	Nondisplaced fracture of neck of right radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD-10-CM	Diagnosis
S52.134N	Nondisplaced fracture of neck of right radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD-10-CM	Diagnosis
S52.134F	Nondisplaced fracture of neck of right radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD-10-CM	Diagnosis
S52.134P	Nondisplaced fracture of neck of right radius, subsequent encounter for closed fracture with malunion	ICD-10-CM	Diagnosis
S52.134K	Nondisplaced fracture of neck of right radius, subsequent encounter for closed fracture with nonunion	ICD-10-CM	Diagnosis
S52.134G	Nondisplaced fracture of neck of right radius, subsequent encounter for closed fracture with delayed healing	ICD-10-CM	Diagnosis
S52.134D	Nondisplaced fracture of neck of right radius, subsequent encounter for closed fracture with routine healing	ICD-10-CM	Diagnosis
S52.134H	Nondisplaced fracture of neck of right radius, subsequent encounter for open fracture type I or II with delayed healing	ICD-10-CM	Diagnosis
S52.134Q	Nondisplaced fracture of neck of right radius, subsequent encounter for open fracture type I or II with malunion	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S52.134M	Nondisplaced fracture of neck of right radius, subsequent encounter for open fracture type I or II with nonunion	ICD-10-CM	Diagnosis
S52.134E	Nondisplaced fracture of neck of right radius, subsequent encounter for open fracture type I or II with routine healing	ICD-10-CM	Diagnosis
S62.369D	Nondisplaced fracture of neck of unspecified metacarpal bone, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S62.369A	Nondisplaced fracture of neck of unspecified metacarpal bone, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S62.369B	Nondisplaced fracture of neck of unspecified metacarpal bone, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.369G	Nondisplaced fracture of neck of unspecified metacarpal bone, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S62.369P	Nondisplaced fracture of neck of unspecified metacarpal bone, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S62.369K	Nondisplaced fracture of neck of unspecified metacarpal bone, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S62.256A	Nondisplaced fracture of neck of first metacarpal bone, unspecified hand, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S62.256B	Nondisplaced fracture of neck of first metacarpal bone, unspecified hand, initial encounter for open fracture	ICD-10-CM	Diagnosis
S52.025N	Nondisplaced fracture of olecranon process without intraarticular extension of left ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD-10-CM	Diagnosis
S52.025G	Nondisplaced fracture of olecranon process without intraarticular extension of left ulna, subsequent encounter for closed fracture with delayed healing	ICD-10-CM	Diagnosis
S52.025H	Nondisplaced fracture of olecranon process without intraarticular extension of left ulna, subsequent encounter for open fracture type I or II with delayed healing	ICD-10-CM	Diagnosis
S52.025M	Nondisplaced fracture of olecranon process without intraarticular extension of left ulna, subsequent encounter for open fracture type I or II with nonunion	ICD-10-CM	Diagnosis
S52.025E	Nondisplaced fracture of olecranon process without intraarticular extension of left ulna, subsequent encounter for open fracture type I or II with routine healing	ICD-10-CM	Diagnosis
S52.025J	Nondisplaced fracture of olecranon process without intraarticular extension of left ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD-10-CM	Diagnosis
S52.025F	Nondisplaced fracture of olecranon process without intraarticular extension of left ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD-10-CM	Diagnosis



**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S52.025Q	Nondisplaced fracture of olecranon process without intraarticular extension of left ulna, subsequent encounter for open fracture type I or II with malunion	ICD-10-CM	Diagnosis
S52.025R	Nondisplaced fracture of olecranon process without intraarticular extension of left ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD-10-CM	Diagnosis
S52.025K	Nondisplaced fracture of olecranon process without intraarticular extension of left ulna, subsequent encounter for closed fracture with nonunion	ICD-10-CM	Diagnosis
S52.025P	Nondisplaced fracture of olecranon process without intraarticular extension of left ulna, subsequent encounter for closed fracture with malunion	ICD-10-CM	Diagnosis
S52.024K	Nondisplaced fracture of olecranon process without intraarticular extension of right ulna, subsequent encounter for closed fracture with nonunion	ICD-10-CM	Diagnosis
S52.024H	Nondisplaced fracture of olecranon process without intraarticular extension of right ulna, subsequent encounter for open fracture type I or II with delayed healing	ICD-10-CM	Diagnosis
S52.024E	Nondisplaced fracture of olecranon process without intraarticular extension of right ulna, subsequent encounter for open fracture type I or II with routine healing	ICD-10-CM	Diagnosis
S52.024Q	Nondisplaced fracture of olecranon process without intraarticular extension of right ulna, subsequent encounter for open fracture type I or II with malunion	ICD-10-CM	Diagnosis
S52.024M	Nondisplaced fracture of olecranon process without intraarticular extension of right ulna, subsequent encounter for open fracture type I or II with nonunion	ICD-10-CM	Diagnosis
S52.024J	Nondisplaced fracture of olecranon process without intraarticular extension of right ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD-10-CM	Diagnosis
S52.024R	Nondisplaced fracture of olecranon process without intraarticular extension of right ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD-10-CM	Diagnosis
S52.024G	Nondisplaced fracture of olecranon process without intraarticular extension of right ulna, subsequent encounter for closed fracture with delayed healing	ICD-10-CM	Diagnosis
S52.024P	Nondisplaced fracture of olecranon process without intraarticular extension of right ulna, subsequent encounter for closed fracture with malunion	ICD-10-CM	Diagnosis
S52.024F	Nondisplaced fracture of olecranon process without intraarticular extension of right ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S52.024N	Nondisplaced fracture of olecranon process without intraarticular extension of right ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD-10-CM	Diagnosis
S52.026H	Nondisplaced fracture of olecranon process without intraarticular extension of unspecified ulna, subsequent encounter for open fracture type I or II with delayed healing	ICD-10-CM	Diagnosis
S52.026G	Nondisplaced fracture of olecranon process without intraarticular extension of unspecified ulna, subsequent encounter for closed fracture with delayed healing	ICD-10-CM	Diagnosis
S52.026Q	Nondisplaced fracture of olecranon process without intraarticular extension of unspecified ulna, subsequent encounter for open fracture type I or II with malunion	ICD-10-CM	Diagnosis
S52.026M	Nondisplaced fracture of olecranon process without intraarticular extension of unspecified ulna, subsequent encounter for open fracture type I or II with nonunion	ICD-10-CM	Diagnosis
S52.026E	Nondisplaced fracture of olecranon process without intraarticular extension of unspecified ulna, subsequent encounter for open fracture type I or II with routine healing	ICD-10-CM	Diagnosis
S52.026R	Nondisplaced fracture of olecranon process without intraarticular extension of unspecified ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD-10-CM	Diagnosis
S52.026N	Nondisplaced fracture of olecranon process without intraarticular extension of unspecified ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD-10-CM	Diagnosis
S52.026A	Nondisplaced fracture of olecranon process without intraarticular extension of unspecified ulna, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.026B	Nondisplaced fracture of olecranon process without intraarticular extension of unspecified ulna, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S52.026C	Nondisplaced fracture of olecranon process without intraarticular extension of unspecified ulna, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S52.026S	Nondisplaced fracture of olecranon process without intraarticular extension of unspecified ulna, sequela	ICD-10-CM	Diagnosis
S52.026P	Nondisplaced fracture of olecranon process without intraarticular extension of unspecified ulna, subsequent encounter for closed fracture with malunion	ICD-10-CM	Diagnosis
S52.026D	Nondisplaced fracture of olecranon process without intraarticular extension of unspecified ulna, subsequent encounter for closed fracture with routine healing	ICD-10-CM	Diagnosis
S52.026K	Nondisplaced fracture of olecranon process without intraarticular extension of unspecified ulna, subsequent encounter for closed fracture with nonunion	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S52.026F	Nondisplaced fracture of olecranon process without intraarticular extension of unspecified ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD-10-CM	Diagnosis
S52.026J	Nondisplaced fracture of olecranon process without intraarticular extension of unspecified ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD-10-CM	Diagnosis
S52.025S	Nondisplaced fracture of olecranon process without intraarticular extension of left ulna, sequela	ICD-10-CM	Diagnosis
S52.036H	Nondisplaced fracture of olecranon process with intraarticular extension of unspecified ulna, subsequent encounter for open fracture type I or II with delayed healing	ICD-10-CM	Diagnosis
S52.036E	Nondisplaced fracture of olecranon process with intraarticular extension of unspecified ulna, subsequent encounter for open fracture type I or II with routine healing	ICD-10-CM	Diagnosis
S52.036M	Nondisplaced fracture of olecranon process with intraarticular extension of unspecified ulna, subsequent encounter for open fracture type I or II with nonunion	ICD-10-CM	Diagnosis
S52.025B	Nondisplaced fracture of olecranon process without intraarticular extension of left ulna, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S52.025C	Nondisplaced fracture of olecranon process without intraarticular extension of left ulna, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S52.025D	Nondisplaced fracture of olecranon process without intraarticular extension of left ulna, subsequent encounter for closed fracture with routine healing	ICD-10-CM	Diagnosis
S52.024B	Nondisplaced fracture of olecranon process without intraarticular extension of right ulna, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S52.024D	Nondisplaced fracture of olecranon process without intraarticular extension of right ulna, subsequent encounter for closed fracture with routine healing	ICD-10-CM	Diagnosis
S52.024C	Nondisplaced fracture of olecranon process without intraarticular extension of right ulna, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S52.025A	Nondisplaced fracture of olecranon process without intraarticular extension of left ulna, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.024S	Nondisplaced fracture of olecranon process without intraarticular extension of right ulna, sequela	ICD-10-CM	Diagnosis
S52.024A	Nondisplaced fracture of olecranon process without intraarticular extension of right ulna, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.034H	Nondisplaced fracture of olecranon process with intraarticular extension of right ulna, subsequent encounter for open fracture type I or II with delayed healing	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S52.035S	Nondisplaced fracture of olecranon process with intraarticular extension of left ulna, sequela	ICD-10-CM	Diagnosis
S52.034S	Nondisplaced fracture of olecranon process with intraarticular extension of right ulna, sequela	ICD-10-CM	Diagnosis
S52.036S	Nondisplaced fracture of olecranon process with intraarticular extension of unspecified ulna, sequela	ICD-10-CM	Diagnosis
S52.035H	Nondisplaced fracture of olecranon process with intraarticular extension of left ulna, subsequent encounter for open fracture type I or II with delayed healing	ICD-10-CM	Diagnosis
S52.035E	Nondisplaced fracture of olecranon process with intraarticular extension of left ulna, subsequent encounter for open fracture type I or II with routine healing	ICD-10-CM	Diagnosis
S52.035J	Nondisplaced fracture of olecranon process with intraarticular extension of left ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD-10-CM	Diagnosis
S52.035A	Nondisplaced fracture of olecranon process with intraarticular extension of left ulna, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.035B	Nondisplaced fracture of olecranon process with intraarticular extension of left ulna, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S52.035C	Nondisplaced fracture of olecranon process with intraarticular extension of left ulna, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S52.035P	Nondisplaced fracture of olecranon process with intraarticular extension of left ulna, subsequent encounter for closed fracture with malunion	ICD-10-CM	Diagnosis
S52.035G	Nondisplaced fracture of olecranon process with intraarticular extension of left ulna, subsequent encounter for closed fracture with delayed healing	ICD-10-CM	Diagnosis
S52.035K	Nondisplaced fracture of olecranon process with intraarticular extension of left ulna, subsequent encounter for closed fracture with nonunion	ICD-10-CM	Diagnosis
S52.035D	Nondisplaced fracture of olecranon process with intraarticular extension of left ulna, subsequent encounter for closed fracture with routine healing	ICD-10-CM	Diagnosis
S52.035Q	Nondisplaced fracture of olecranon process with intraarticular extension of left ulna, subsequent encounter for open fracture type I or II with malunion	ICD-10-CM	Diagnosis
S52.035M	Nondisplaced fracture of olecranon process with intraarticular extension of left ulna, subsequent encounter for open fracture type I or II with nonunion	ICD-10-CM	Diagnosis
S52.035R	Nondisplaced fracture of olecranon process with intraarticular extension of left ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD-10-CM	Diagnosis
S52.035N	Nondisplaced fracture of olecranon process with intraarticular extension of left ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S52.035F	Nondisplaced fracture of olecranon process with intraarticular extension of left ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD-10-CM	Diagnosis
S52.034E	Nondisplaced fracture of olecranon process with intraarticular extension of right ulna, subsequent encounter for open fracture type I or II with routine healing	ICD-10-CM	Diagnosis
S52.034A	Nondisplaced fracture of olecranon process with intraarticular extension of right ulna, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.034B	Nondisplaced fracture of olecranon process with intraarticular extension of right ulna, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S52.034C	Nondisplaced fracture of olecranon process with intraarticular extension of right ulna, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S52.034G	Nondisplaced fracture of olecranon process with intraarticular extension of right ulna, subsequent encounter for closed fracture with delayed healing	ICD-10-CM	Diagnosis
S52.034P	Nondisplaced fracture of olecranon process with intraarticular extension of right ulna, subsequent encounter for closed fracture with malunion	ICD-10-CM	Diagnosis
S52.034D	Nondisplaced fracture of olecranon process with intraarticular extension of right ulna, subsequent encounter for closed fracture with routine healing	ICD-10-CM	Diagnosis
S52.034K	Nondisplaced fracture of olecranon process with intraarticular extension of right ulna, subsequent encounter for closed fracture with nonunion	ICD-10-CM	Diagnosis
S52.034Q	Nondisplaced fracture of olecranon process with intraarticular extension of right ulna, subsequent encounter for open fracture type I or II with malunion	ICD-10-CM	Diagnosis
S52.034M	Nondisplaced fracture of olecranon process with intraarticular extension of right ulna, subsequent encounter for open fracture type I or II with nonunion	ICD-10-CM	Diagnosis
S52.034J	Nondisplaced fracture of olecranon process with intraarticular extension of right ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD-10-CM	Diagnosis
S52.034R	Nondisplaced fracture of olecranon process with intraarticular extension of right ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD-10-CM	Diagnosis
S52.034N	Nondisplaced fracture of olecranon process with intraarticular extension of right ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD-10-CM	Diagnosis
S52.034F	Nondisplaced fracture of olecranon process with intraarticular extension of right ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD-10-CM	Diagnosis
S52.036J	Nondisplaced fracture of olecranon process with intraarticular extension of unspecified ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S52.036G	Nondisplaced fracture of olecranon process with intraarticular extension of unspecified ulna, subsequent encounter for closed fracture with delayed healing	ICD-10-CM	Diagnosis
S52.036P	Nondisplaced fracture of olecranon process with intraarticular extension of unspecified ulna, subsequent encounter for closed fracture with malunion	ICD-10-CM	Diagnosis
S52.036Q	Nondisplaced fracture of olecranon process with intraarticular extension of unspecified ulna, subsequent encounter for open fracture type I or II with malunion	ICD-10-CM	Diagnosis
S52.036R	Nondisplaced fracture of olecranon process with intraarticular extension of unspecified ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD-10-CM	Diagnosis
S52.036F	Nondisplaced fracture of olecranon process with intraarticular extension of unspecified ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD-10-CM	Diagnosis
S52.036A	Nondisplaced fracture of olecranon process with intraarticular extension of unspecified ulna, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.036B	Nondisplaced fracture of olecranon process with intraarticular extension of unspecified ulna, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S52.036C	Nondisplaced fracture of olecranon process with intraarticular extension of unspecified ulna, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S52.036K	Nondisplaced fracture of olecranon process with intraarticular extension of unspecified ulna, subsequent encounter for closed fracture with nonunion	ICD-10-CM	Diagnosis
S52.036D	Nondisplaced fracture of olecranon process with intraarticular extension of unspecified ulna, subsequent encounter for closed fracture with routine healing	ICD-10-CM	Diagnosis
S52.036N	Nondisplaced fracture of olecranon process with intraarticular extension of unspecified ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD-10-CM	Diagnosis
S62.165A	Nondisplaced fracture of pisiform, left wrist, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S62.165B	Nondisplaced fracture of pisiform, left wrist, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.165P	Nondisplaced fracture of pisiform, left wrist, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S62.165K	Nondisplaced fracture of pisiform, left wrist, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S62.165D	Nondisplaced fracture of pisiform, left wrist, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S62.165G	Nondisplaced fracture of pisiform, left wrist, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis



**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S62.164A	Nondisplaced fracture of pisiform, right wrist, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S62.164B	Nondisplaced fracture of pisiform, right wrist, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.164P	Nondisplaced fracture of pisiform, right wrist, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S62.164K	Nondisplaced fracture of pisiform, right wrist, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S62.164D	Nondisplaced fracture of pisiform, right wrist, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S62.164G	Nondisplaced fracture of pisiform, right wrist, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S62.166A	Nondisplaced fracture of pisiform, unspecified wrist, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S62.166B	Nondisplaced fracture of pisiform, unspecified wrist, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.166P	Nondisplaced fracture of pisiform, unspecified wrist, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S62.166K	Nondisplaced fracture of pisiform, unspecified wrist, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S62.166G	Nondisplaced fracture of pisiform, unspecified wrist, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S62.166D	Nondisplaced fracture of pisiform, unspecified wrist, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S62.035P	Nondisplaced fracture of proximal third of navicular [scaphoid] bone of left wrist, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S62.035K	Nondisplaced fracture of proximal third of navicular [scaphoid] bone of left wrist, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S62.035D	Nondisplaced fracture of proximal third of navicular [scaphoid] bone of left wrist, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S62.034P	Nondisplaced fracture of proximal third of navicular [scaphoid] bone of right wrist, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S62.034K	Nondisplaced fracture of proximal third of navicular [scaphoid] bone of right wrist, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S62.034D	Nondisplaced fracture of proximal third of navicular [scaphoid] bone of right wrist, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S62.035S	Nondisplaced fracture of proximal third of navicular [scaphoid] bone of left wrist, sequela	ICD-10-CM	Diagnosis
S62.034S	Nondisplaced fracture of proximal third of navicular [scaphoid] bone of right wrist, sequela	ICD-10-CM	Diagnosis
S62.036S	Nondisplaced fracture of proximal third of navicular [scaphoid] bone of unspecified wrist, sequela	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S62.036P	Nondisplaced fracture of proximal third of navicular [scaphoid] bone of unspecified wrist, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S62.036K	Nondisplaced fracture of proximal third of navicular [scaphoid] bone of unspecified wrist, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S62.641P	Nondisplaced fracture of proximal phalanx of left index finger, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S62.641K	Nondisplaced fracture of proximal phalanx of left index finger, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S62.641A	Nondisplaced fracture of proximal phalanx of left index finger, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S62.641B	Nondisplaced fracture of proximal phalanx of left index finger, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.641G	Nondisplaced fracture of proximal phalanx of left index finger, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S62.641D	Nondisplaced fracture of proximal phalanx of left index finger, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S62.647P	Nondisplaced fracture of proximal phalanx of left little finger, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S62.647K	Nondisplaced fracture of proximal phalanx of left little finger, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S62.647D	Nondisplaced fracture of proximal phalanx of left little finger, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S62.647A	Nondisplaced fracture of proximal phalanx of left little finger, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S62.647B	Nondisplaced fracture of proximal phalanx of left little finger, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.647G	Nondisplaced fracture of proximal phalanx of left little finger, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S62.643P	Nondisplaced fracture of proximal phalanx of left middle finger, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S62.643K	Nondisplaced fracture of proximal phalanx of left middle finger, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S62.643D	Nondisplaced fracture of proximal phalanx of left middle finger, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S62.643A	Nondisplaced fracture of proximal phalanx of left middle finger, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S62.643B	Nondisplaced fracture of proximal phalanx of left middle finger, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.643G	Nondisplaced fracture of proximal phalanx of left middle finger, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S62.645P	Nondisplaced fracture of proximal phalanx of left ring finger, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S62.645K	Nondisplaced fracture of proximal phalanx of left ring finger, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S62.645A	Nondisplaced fracture of proximal phalanx of left ring finger, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S62.645B	Nondisplaced fracture of proximal phalanx of left ring finger, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.645G	Nondisplaced fracture of proximal phalanx of left ring finger, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S62.645D	Nondisplaced fracture of proximal phalanx of left ring finger, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S62.515A	Nondisplaced fracture of proximal phalanx of left thumb, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S62.515B	Nondisplaced fracture of proximal phalanx of left thumb, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.515G	Nondisplaced fracture of proximal phalanx of left thumb, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S62.515P	Nondisplaced fracture of proximal phalanx of left thumb, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S62.515K	Nondisplaced fracture of proximal phalanx of left thumb, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S62.515D	Nondisplaced fracture of proximal phalanx of left thumb, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S62.648G	Nondisplaced fracture of proximal phalanx of other finger, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S62.648P	Nondisplaced fracture of proximal phalanx of other finger, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S62.648K	Nondisplaced fracture of proximal phalanx of other finger, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S62.648D	Nondisplaced fracture of proximal phalanx of other finger, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S62.648A	Nondisplaced fracture of proximal phalanx of other finger, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S62.648B	Nondisplaced fracture of proximal phalanx of other finger, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.640P	Nondisplaced fracture of proximal phalanx of right index finger, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S62.640K	Nondisplaced fracture of proximal phalanx of right index finger, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S62.640A	Nondisplaced fracture of proximal phalanx of right index finger, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S62.640B	Nondisplaced fracture of proximal phalanx of right index finger, initial encounter for open fracture	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S62.640G	Nondisplaced fracture of proximal phalanx of right index finger, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S62.640D	Nondisplaced fracture of proximal phalanx of right index finger, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S62.646P	Nondisplaced fracture of proximal phalanx of right little finger, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S62.646K	Nondisplaced fracture of proximal phalanx of right little finger, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S62.646D	Nondisplaced fracture of proximal phalanx of right little finger, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S62.646A	Nondisplaced fracture of proximal phalanx of right little finger, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S62.646B	Nondisplaced fracture of proximal phalanx of right little finger, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.646G	Nondisplaced fracture of proximal phalanx of right little finger, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S62.642P	Nondisplaced fracture of proximal phalanx of right middle finger, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S62.642K	Nondisplaced fracture of proximal phalanx of right middle finger, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S62.642D	Nondisplaced fracture of proximal phalanx of right middle finger, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S62.642A	Nondisplaced fracture of proximal phalanx of right middle finger, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S62.642B	Nondisplaced fracture of proximal phalanx of right middle finger, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.642G	Nondisplaced fracture of proximal phalanx of right middle finger, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S62.644P	Nondisplaced fracture of proximal phalanx of right ring finger, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S62.644K	Nondisplaced fracture of proximal phalanx of right ring finger, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S62.644A	Nondisplaced fracture of proximal phalanx of right ring finger, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S62.644B	Nondisplaced fracture of proximal phalanx of right ring finger, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.644G	Nondisplaced fracture of proximal phalanx of right ring finger, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S62.644D	Nondisplaced fracture of proximal phalanx of right ring finger, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S62.514A	Nondisplaced fracture of proximal phalanx of right thumb, initial encounter for closed fracture	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S62.514B	Nondisplaced fracture of proximal phalanx of right thumb, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.514G	Nondisplaced fracture of proximal phalanx of right thumb, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S62.514P	Nondisplaced fracture of proximal phalanx of right thumb, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S62.514K	Nondisplaced fracture of proximal phalanx of right thumb, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S62.514D	Nondisplaced fracture of proximal phalanx of right thumb, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S62.649G	Nondisplaced fracture of proximal phalanx of unspecified finger, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S62.649P	Nondisplaced fracture of proximal phalanx of unspecified finger, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S62.649K	Nondisplaced fracture of proximal phalanx of unspecified finger, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S62.649D	Nondisplaced fracture of proximal phalanx of unspecified finger, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S62.649A	Nondisplaced fracture of proximal phalanx of unspecified finger, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S62.649B	Nondisplaced fracture of proximal phalanx of unspecified finger, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.516A	Nondisplaced fracture of proximal phalanx of unspecified thumb, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S62.516B	Nondisplaced fracture of proximal phalanx of unspecified thumb, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.516G	Nondisplaced fracture of proximal phalanx of unspecified thumb, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S62.516P	Nondisplaced fracture of proximal phalanx of unspecified thumb, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S62.516K	Nondisplaced fracture of proximal phalanx of unspecified thumb, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S62.516D	Nondisplaced fracture of proximal phalanx of unspecified thumb, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S62.647S	Nondisplaced fracture of proximal phalanx of left little finger, sequela	ICD-10-CM	Diagnosis
S62.643S	Nondisplaced fracture of proximal phalanx of left middle finger, sequela	ICD-10-CM	Diagnosis
S62.646S	Nondisplaced fracture of proximal phalanx of right little finger, sequela	ICD-10-CM	Diagnosis
S62.642S	Nondisplaced fracture of proximal phalanx of right middle finger, sequela	ICD-10-CM	Diagnosis
S62.641S	Nondisplaced fracture of proximal phalanx of left index finger, sequela	ICD-10-CM	Diagnosis
S62.645S	Nondisplaced fracture of proximal phalanx of left ring finger, sequela	ICD-10-CM	Diagnosis
S62.640S	Nondisplaced fracture of proximal phalanx of right index finger, sequela	ICD-10-CM	Diagnosis
S62.644S	Nondisplaced fracture of proximal phalanx of right ring finger, sequela	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S52.514B	Nondisplaced fracture of right radial styloid process, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S52.514A	Nondisplaced fracture of right radial styloid process, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.514C	Nondisplaced fracture of right radial styloid process, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S52.514G	Nondisplaced fracture of right radial styloid process, subsequent encounter for closed fracture with delayed healing	ICD-10-CM	Diagnosis
S52.514P	Nondisplaced fracture of right radial styloid process, subsequent encounter for closed fracture with malunion	ICD-10-CM	Diagnosis
S52.514K	Nondisplaced fracture of right radial styloid process, subsequent encounter for closed fracture with nonunion	ICD-10-CM	Diagnosis
S52.514D	Nondisplaced fracture of right radial styloid process, subsequent encounter for closed fracture with routine healing	ICD-10-CM	Diagnosis
S52.514Q	Nondisplaced fracture of right radial styloid process, subsequent encounter for open fracture type I or II with malunion	ICD-10-CM	Diagnosis
S52.514M	Nondisplaced fracture of right radial styloid process, subsequent encounter for open fracture type I or II with nonunion	ICD-10-CM	Diagnosis
S52.514E	Nondisplaced fracture of right radial styloid process, subsequent encounter for open fracture type I or II with routine healing	ICD-10-CM	Diagnosis
S52.514J	Nondisplaced fracture of right radial styloid process, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD-10-CM	Diagnosis
S52.514R	Nondisplaced fracture of right radial styloid process, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD-10-CM	Diagnosis
S52.514N	Nondisplaced fracture of right radial styloid process, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD-10-CM	Diagnosis
S52.514F	Nondisplaced fracture of right radial styloid process, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD-10-CM	Diagnosis
S52.614A	Nondisplaced fracture of right ulna styloid process, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.614B	Nondisplaced fracture of right ulna styloid process, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S52.614C	Nondisplaced fracture of right ulna styloid process, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S52.614G	Nondisplaced fracture of right ulna styloid process, subsequent encounter for closed fracture with delayed healing	ICD-10-CM	Diagnosis
S52.614P	Nondisplaced fracture of right ulna styloid process, subsequent encounter for closed fracture with malunion	ICD-10-CM	Diagnosis
S52.614K	Nondisplaced fracture of right ulna styloid process, subsequent encounter for closed fracture with nonunion	ICD-10-CM	Diagnosis
S52.614D	Nondisplaced fracture of right ulna styloid process, subsequent encounter for closed fracture with routine healing	ICD-10-CM	Diagnosis



**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S52.614R	Nondisplaced fracture of right ulna styloid process, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD-10-CM	Diagnosis
S52.614N	Nondisplaced fracture of right ulna styloid process, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD-10-CM	Diagnosis
S52.614Q	Nondisplaced fracture of right ulna styloid process, subsequent encounter for open fracture type I or II with malunion	ICD-10-CM	Diagnosis
S52.614M	Nondisplaced fracture of right ulna styloid process, subsequent encounter for open fracture type I or II with nonunion	ICD-10-CM	Diagnosis
S52.614H	Nondisplaced fracture of right ulna styloid process, subsequent encounter for open fracture type I or II with delayed healing	ICD-10-CM	Diagnosis
S52.614E	Nondisplaced fracture of right ulna styloid process, subsequent encounter for open fracture type I or II with routine healing	ICD-10-CM	Diagnosis
S52.614J	Nondisplaced fracture of right ulna styloid process, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD-10-CM	Diagnosis
S52.614F	Nondisplaced fracture of right ulna styloid process, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD-10-CM	Diagnosis
S62.245G	Nondisplaced fracture of shaft of first metacarpal bone, left hand, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S62.245P	Nondisplaced fracture of shaft of first metacarpal bone, left hand, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S62.245K	Nondisplaced fracture of shaft of first metacarpal bone, left hand, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S62.245D	Nondisplaced fracture of shaft of first metacarpal bone, left hand, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S62.244P	Nondisplaced fracture of shaft of first metacarpal bone, right hand, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S62.244K	Nondisplaced fracture of shaft of first metacarpal bone, right hand, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S62.246P	Nondisplaced fracture of shaft of first metacarpal bone, unspecified hand, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S62.246K	Nondisplaced fracture of shaft of first metacarpal bone, unspecified hand, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S62.245A	Nondisplaced fracture of shaft of first metacarpal bone, left hand, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S62.245B	Nondisplaced fracture of shaft of first metacarpal bone, left hand, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.244A	Nondisplaced fracture of shaft of first metacarpal bone, right hand, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S62.244B	Nondisplaced fracture of shaft of first metacarpal bone, right hand, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.244G	Nondisplaced fracture of shaft of first metacarpal bone, right hand, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S62.244D	Nondisplaced fracture of shaft of first metacarpal bone, right hand, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S62.246G	Nondisplaced fracture of shaft of first metacarpal bone, unspecified hand, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S62.246D	Nondisplaced fracture of shaft of first metacarpal bone, unspecified hand, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S62.246A	Nondisplaced fracture of shaft of first metacarpal bone, unspecified hand, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S62.246B	Nondisplaced fracture of shaft of first metacarpal bone, unspecified hand, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.351A	Nondisplaced fracture of shaft of second metacarpal bone, left hand, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S62.351B	Nondisplaced fracture of shaft of second metacarpal bone, left hand, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.351G	Nondisplaced fracture of shaft of second metacarpal bone, left hand, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S62.351P	Nondisplaced fracture of shaft of second metacarpal bone, left hand, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S62.351K	Nondisplaced fracture of shaft of second metacarpal bone, left hand, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S62.351D	Nondisplaced fracture of shaft of second metacarpal bone, left hand, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S62.350A	Nondisplaced fracture of shaft of second metacarpal bone, right hand, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S62.350B	Nondisplaced fracture of shaft of second metacarpal bone, right hand, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.350G	Nondisplaced fracture of shaft of second metacarpal bone, right hand, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S62.350P	Nondisplaced fracture of shaft of second metacarpal bone, right hand, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S62.350K	Nondisplaced fracture of shaft of second metacarpal bone, right hand, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S62.350D	Nondisplaced fracture of shaft of second metacarpal bone, right hand, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S62.351S	Nondisplaced fracture of shaft of second metacarpal bone, left hand, sequela	ICD-10-CM	Diagnosis
S62.350S	Nondisplaced fracture of shaft of second metacarpal bone, right hand, sequela	ICD-10-CM	Diagnosis
S62.353A	Nondisplaced fracture of shaft of third metacarpal bone, left hand, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S62.353B	Nondisplaced fracture of shaft of third metacarpal bone, left hand, initial encounter for open fracture	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S62.353G	Nondisplaced fracture of shaft of third metacarpal bone, left hand, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S62.353P	Nondisplaced fracture of shaft of third metacarpal bone, left hand, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S62.353K	Nondisplaced fracture of shaft of third metacarpal bone, left hand, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S62.353D	Nondisplaced fracture of shaft of third metacarpal bone, left hand, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S62.352A	Nondisplaced fracture of shaft of third metacarpal bone, right hand, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S62.352B	Nondisplaced fracture of shaft of third metacarpal bone, right hand, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.352G	Nondisplaced fracture of shaft of third metacarpal bone, right hand, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S62.352P	Nondisplaced fracture of shaft of third metacarpal bone, right hand, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S62.352K	Nondisplaced fracture of shaft of third metacarpal bone, right hand, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S62.352D	Nondisplaced fracture of shaft of third metacarpal bone, right hand, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S62.353S	Nondisplaced fracture of shaft of third metacarpal bone, left hand, sequela	ICD-10-CM	Diagnosis
S62.352S	Nondisplaced fracture of shaft of third metacarpal bone, right hand, sequela	ICD-10-CM	Diagnosis
S62.355A	Nondisplaced fracture of shaft of fourth metacarpal bone, left hand, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S62.355B	Nondisplaced fracture of shaft of fourth metacarpal bone, left hand, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.355G	Nondisplaced fracture of shaft of fourth metacarpal bone, left hand, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S62.355P	Nondisplaced fracture of shaft of fourth metacarpal bone, left hand, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S62.355K	Nondisplaced fracture of shaft of fourth metacarpal bone, left hand, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S62.355D	Nondisplaced fracture of shaft of fourth metacarpal bone, left hand, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S62.354A	Nondisplaced fracture of shaft of fourth metacarpal bone, right hand, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S62.354B	Nondisplaced fracture of shaft of fourth metacarpal bone, right hand, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.354G	Nondisplaced fracture of shaft of fourth metacarpal bone, right hand, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S62.354P	Nondisplaced fracture of shaft of fourth metacarpal bone, right hand, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S62.354K	Nondisplaced fracture of shaft of fourth metacarpal bone, right hand, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S62.354D	Nondisplaced fracture of shaft of fourth metacarpal bone, right hand, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S62.355S	Nondisplaced fracture of shaft of fourth metacarpal bone, left hand, sequela	ICD-10-CM	Diagnosis
S62.354S	Nondisplaced fracture of shaft of fourth metacarpal bone, right hand, sequela	ICD-10-CM	Diagnosis
S62.357A	Nondisplaced fracture of shaft of fifth metacarpal bone, left hand, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S62.357B	Nondisplaced fracture of shaft of fifth metacarpal bone, left hand, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.357G	Nondisplaced fracture of shaft of fifth metacarpal bone, left hand, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S62.357P	Nondisplaced fracture of shaft of fifth metacarpal bone, left hand, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S62.357K	Nondisplaced fracture of shaft of fifth metacarpal bone, left hand, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S62.357D	Nondisplaced fracture of shaft of fifth metacarpal bone, left hand, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S62.356A	Nondisplaced fracture of shaft of fifth metacarpal bone, right hand, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S62.356B	Nondisplaced fracture of shaft of fifth metacarpal bone, right hand, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.356G	Nondisplaced fracture of shaft of fifth metacarpal bone, right hand, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S62.356P	Nondisplaced fracture of shaft of fifth metacarpal bone, right hand, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S62.356K	Nondisplaced fracture of shaft of fifth metacarpal bone, right hand, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S62.356D	Nondisplaced fracture of shaft of fifth metacarpal bone, right hand, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S62.357S	Nondisplaced fracture of shaft of fifth metacarpal bone, left hand, sequela	ICD-10-CM	Diagnosis
S62.356S	Nondisplaced fracture of shaft of fifth metacarpal bone, right hand, sequela	ICD-10-CM	Diagnosis
S62.358G	Nondisplaced fracture of shaft of other metacarpal bone, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S62.358D	Nondisplaced fracture of shaft of other metacarpal bone, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S62.358A	Nondisplaced fracture of shaft of other metacarpal bone, initial encounter for closed fracture	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S62.358B	Nondisplaced fracture of shaft of other metacarpal bone, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.358P	Nondisplaced fracture of shaft of other metacarpal bone, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S62.358K	Nondisplaced fracture of shaft of other metacarpal bone, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S62.359G	Nondisplaced fracture of shaft of unspecified metacarpal bone, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S62.359D	Nondisplaced fracture of shaft of unspecified metacarpal bone, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S62.359A	Nondisplaced fracture of shaft of unspecified metacarpal bone, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S62.359B	Nondisplaced fracture of shaft of unspecified metacarpal bone, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.359P	Nondisplaced fracture of shaft of unspecified metacarpal bone, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S62.359K	Nondisplaced fracture of shaft of unspecified metacarpal bone, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S62.176P	Nondisplaced fracture of trapezium [larger multangular], unspecified wrist, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S62.176K	Nondisplaced fracture of trapezium [larger multangular], unspecified wrist, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S62.186P	Nondisplaced fracture of trapezoid [smaller multangular], unspecified wrist, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S62.186K	Nondisplaced fracture of trapezoid [smaller multangular], unspecified wrist, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S62.115P	Nondisplaced fracture of triquetrum [cuneiform] bone, left wrist, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S62.115K	Nondisplaced fracture of triquetrum [cuneiform] bone, left wrist, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S62.115D	Nondisplaced fracture of triquetrum [cuneiform] bone, left wrist, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S62.115A	Nondisplaced fracture of triquetrum [cuneiform] bone, left wrist, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S62.115B	Nondisplaced fracture of triquetrum [cuneiform] bone, left wrist, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.115G	Nondisplaced fracture of triquetrum [cuneiform] bone, left wrist, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S62.114P	Nondisplaced fracture of triquetrum [cuneiform] bone, right wrist, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S62.114K	Nondisplaced fracture of triquetrum [cuneiform] bone, right wrist, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S62.114D	Nondisplaced fracture of triquetrum [cuneiform] bone, right wrist, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S62.114A	Nondisplaced fracture of triquetrum [cuneiform] bone, right wrist, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S62.114B	Nondisplaced fracture of triquetrum [cuneiform] bone, right wrist, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.114G	Nondisplaced fracture of triquetrum [cuneiform] bone, right wrist, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S62.116P	Nondisplaced fracture of triquetrum [cuneiform] bone, unspecified wrist, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S62.116K	Nondisplaced fracture of triquetrum [cuneiform] bone, unspecified wrist, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S62.116D	Nondisplaced fracture of triquetrum [cuneiform] bone, unspecified wrist, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S62.116A	Nondisplaced fracture of triquetrum [cuneiform] bone, unspecified wrist, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S62.116B	Nondisplaced fracture of triquetrum [cuneiform] bone, unspecified wrist, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.116G	Nondisplaced fracture of triquetrum [cuneiform] bone, unspecified wrist, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S62.115S	Nondisplaced fracture of triquetrum [cuneiform] bone, left wrist, sequela	ICD-10-CM	Diagnosis
S62.114S	Nondisplaced fracture of triquetrum [cuneiform] bone, right wrist, sequela	ICD-10-CM	Diagnosis
S62.116S	Nondisplaced fracture of triquetrum [cuneiform] bone, unspecified wrist, sequela	ICD-10-CM	Diagnosis
S52.516B	Nondisplaced fracture of unspecified radial styloid process, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S52.516C	Nondisplaced fracture of unspecified radial styloid process, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S52.516A	Nondisplaced fracture of unspecified radial styloid process, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.516G	Nondisplaced fracture of unspecified radial styloid process, subsequent encounter for closed fracture with delayed healing	ICD-10-CM	Diagnosis
S52.516P	Nondisplaced fracture of unspecified radial styloid process, subsequent encounter for closed fracture with malunion	ICD-10-CM	Diagnosis
S52.516K	Nondisplaced fracture of unspecified radial styloid process, subsequent encounter for closed fracture with nonunion	ICD-10-CM	Diagnosis
S52.516D	Nondisplaced fracture of unspecified radial styloid process, subsequent encounter for closed fracture with routine healing	ICD-10-CM	Diagnosis
S52.516Q	Nondisplaced fracture of unspecified radial styloid process, subsequent encounter for open fracture type I or II with malunion	ICD-10-CM	Diagnosis
S52.516M	Nondisplaced fracture of unspecified radial styloid process, subsequent encounter for open fracture type I or II with nonunion	ICD-10-CM	Diagnosis



**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S52.516R	Nondisplaced fracture of unspecified radial styloid process, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD-10-CM	Diagnosis
S52.516N	Nondisplaced fracture of unspecified radial styloid process, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD-10-CM	Diagnosis
S52.516F	Nondisplaced fracture of unspecified radial styloid process, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD-10-CM	Diagnosis
S52.616A	Nondisplaced fracture of unspecified ulna styloid process, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.616B	Nondisplaced fracture of unspecified ulna styloid process, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S52.616C	Nondisplaced fracture of unspecified ulna styloid process, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S52.616D	Nondisplaced fracture of unspecified ulna styloid process, subsequent encounter for closed fracture with routine healing	ICD-10-CM	Diagnosis
S52.616S	Nondisplaced fracture of unspecified ulna styloid process, sequela	ICD-10-CM	Diagnosis
S52.616G	Nondisplaced fracture of unspecified ulna styloid process, subsequent encounter for closed fracture with delayed healing	ICD-10-CM	Diagnosis
S52.616P	Nondisplaced fracture of unspecified ulna styloid process, subsequent encounter for closed fracture with malunion	ICD-10-CM	Diagnosis
S52.616K	Nondisplaced fracture of unspecified ulna styloid process, subsequent encounter for closed fracture with nonunion	ICD-10-CM	Diagnosis
S52.616H	Nondisplaced fracture of unspecified ulna styloid process, subsequent encounter for open fracture type I or II with delayed healing	ICD-10-CM	Diagnosis
S52.616Q	Nondisplaced fracture of unspecified ulna styloid process, subsequent encounter for open fracture type I or II with malunion	ICD-10-CM	Diagnosis
S52.616M	Nondisplaced fracture of unspecified ulna styloid process, subsequent encounter for open fracture type I or II with nonunion	ICD-10-CM	Diagnosis
S52.616E	Nondisplaced fracture of unspecified ulna styloid process, subsequent encounter for open fracture type I or II with routine healing	ICD-10-CM	Diagnosis
S52.616J	Nondisplaced fracture of unspecified ulna styloid process, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD-10-CM	Diagnosis
S52.616R	Nondisplaced fracture of unspecified ulna styloid process, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD-10-CM	Diagnosis
S52.616N	Nondisplaced fracture of unspecified ulna styloid process, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD-10-CM	Diagnosis
S52.616F	Nondisplaced fracture of unspecified ulna styloid process, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD-10-CM	Diagnosis
S72.145A	Nondisplaced intertrochanteric fracture of left femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S72.145D	Nondisplaced intertrochanteric fracture of left femur, subsequent encounter for closed fracture with routine healing	ICD-10-CM	Diagnosis
S72.144A	Nondisplaced intertrochanteric fracture of right femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S72.145C	Nondisplaced intertrochanteric fracture of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.145B	Nondisplaced intertrochanteric fracture of left femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.145J	Nondisplaced intertrochanteric fracture of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD-10-CM	Diagnosis
S72.145F	Nondisplaced intertrochanteric fracture of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD-10-CM	Diagnosis
S72.145Q	Nondisplaced intertrochanteric fracture of left femur, subsequent encounter for open fracture type I or II with malunion	ICD-10-CM	Diagnosis
S72.145M	Nondisplaced intertrochanteric fracture of left femur, subsequent encounter for open fracture type I or II with nonunion	ICD-10-CM	Diagnosis
S72.145K	Nondisplaced intertrochanteric fracture of left femur, subsequent encounter for closed fracture with nonunion	ICD-10-CM	Diagnosis
S72.145G	Nondisplaced intertrochanteric fracture of left femur, subsequent encounter for closed fracture with delayed healing	ICD-10-CM	Diagnosis
S72.145P	Nondisplaced intertrochanteric fracture of left femur, subsequent encounter for closed fracture with malunion	ICD-10-CM	Diagnosis
S72.145H	Nondisplaced intertrochanteric fracture of left femur, subsequent encounter for open fracture type I or II with delayed healing	ICD-10-CM	Diagnosis
S72.145E	Nondisplaced intertrochanteric fracture of left femur, subsequent encounter for open fracture type I or II with routine healing	ICD-10-CM	Diagnosis
S72.145R	Nondisplaced intertrochanteric fracture of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD-10-CM	Diagnosis
S72.145N	Nondisplaced intertrochanteric fracture of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD-10-CM	Diagnosis
S72.144C	Nondisplaced intertrochanteric fracture of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.144B	Nondisplaced intertrochanteric fracture of right femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.144J	Nondisplaced intertrochanteric fracture of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD-10-CM	Diagnosis
S72.144F	Nondisplaced intertrochanteric fracture of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD-10-CM	Diagnosis
S72.144D	Nondisplaced intertrochanteric fracture of right femur, subsequent encounter for closed fracture with routine healing	ICD-10-CM	Diagnosis
S72.144G	Nondisplaced intertrochanteric fracture of right femur, subsequent encounter for closed fracture with delayed healing	ICD-10-CM	Diagnosis
S72.144P	Nondisplaced intertrochanteric fracture of right femur, subsequent encounter for closed fracture with malunion	ICD-10-CM	Diagnosis
S72.144K	Nondisplaced intertrochanteric fracture of right femur, subsequent encounter for closed fracture with nonunion	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S72.144H	Nondisplaced intertrochanteric fracture of right femur, subsequent encounter for open fracture type I or II with delayed healing	ICD-10-CM	Diagnosis
S72.144Q	Nondisplaced intertrochanteric fracture of right femur, subsequent encounter for open fracture type I or II with malunion	ICD-10-CM	Diagnosis
S72.144M	Nondisplaced intertrochanteric fracture of right femur, subsequent encounter for open fracture type I or II with nonunion	ICD-10-CM	Diagnosis
S72.144E	Nondisplaced intertrochanteric fracture of right femur, subsequent encounter for open fracture type I or II with routine healing	ICD-10-CM	Diagnosis
S72.144R	Nondisplaced intertrochanteric fracture of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD-10-CM	Diagnosis
S72.144N	Nondisplaced intertrochanteric fracture of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD-10-CM	Diagnosis
S72.146B	Nondisplaced intertrochanteric fracture of unspecified femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.146A	Nondisplaced intertrochanteric fracture of unspecified femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S72.146C	Nondisplaced intertrochanteric fracture of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.146J	Nondisplaced intertrochanteric fracture of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD-10-CM	Diagnosis
S72.146R	Nondisplaced intertrochanteric fracture of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD-10-CM	Diagnosis
S72.146N	Nondisplaced intertrochanteric fracture of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD-10-CM	Diagnosis
S72.146F	Nondisplaced intertrochanteric fracture of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD-10-CM	Diagnosis
S72.146P	Nondisplaced intertrochanteric fracture of unspecified femur, subsequent encounter for closed fracture with malunion	ICD-10-CM	Diagnosis
S72.146K	Nondisplaced intertrochanteric fracture of unspecified femur, subsequent encounter for closed fracture with nonunion	ICD-10-CM	Diagnosis
S72.146G	Nondisplaced intertrochanteric fracture of unspecified femur, subsequent encounter for closed fracture with delayed healing	ICD-10-CM	Diagnosis
S72.146D	Nondisplaced intertrochanteric fracture of unspecified femur, subsequent encounter for closed fracture with routine healing	ICD-10-CM	Diagnosis
S72.146H	Nondisplaced intertrochanteric fracture of unspecified femur, subsequent encounter for open fracture type I or II with delayed healing	ICD-10-CM	Diagnosis
S72.146Q	Nondisplaced intertrochanteric fracture of unspecified femur, subsequent encounter for open fracture type I or II with malunion	ICD-10-CM	Diagnosis
S72.146M	Nondisplaced intertrochanteric fracture of unspecified femur, subsequent encounter for open fracture type I or II with nonunion	ICD-10-CM	Diagnosis
S72.146E	Nondisplaced intertrochanteric fracture of unspecified femur, subsequent encounter for open fracture type I or II with routine healing	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S72.335B	Nondisplaced oblique fracture of shaft of left femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.335C	Nondisplaced oblique fracture of shaft of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.335G	Nondisplaced oblique fracture of shaft of left femur, subsequent encounter for closed fracture with delayed healing	ICD-10-CM	Diagnosis
S72.335P	Nondisplaced oblique fracture of shaft of left femur, subsequent encounter for closed fracture with malunion	ICD-10-CM	Diagnosis
S72.335K	Nondisplaced oblique fracture of shaft of left femur, subsequent encounter for closed fracture with nonunion	ICD-10-CM	Diagnosis
S72.335D	Nondisplaced oblique fracture of shaft of left femur, subsequent encounter for closed fracture with routine healing	ICD-10-CM	Diagnosis
S72.335J	Nondisplaced oblique fracture of shaft of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD-10-CM	Diagnosis
S72.335F	Nondisplaced oblique fracture of shaft of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD-10-CM	Diagnosis
S72.335Q	Nondisplaced oblique fracture of shaft of left femur, subsequent encounter for open fracture type I or II with malunion	ICD-10-CM	Diagnosis
S72.335M	Nondisplaced oblique fracture of shaft of left femur, subsequent encounter for open fracture type I or II with nonunion	ICD-10-CM	Diagnosis
S72.335R	Nondisplaced oblique fracture of shaft of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD-10-CM	Diagnosis
S72.335N	Nondisplaced oblique fracture of shaft of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD-10-CM	Diagnosis
S72.335H	Nondisplaced oblique fracture of shaft of left femur, subsequent encounter for open fracture type I or II with delayed healing	ICD-10-CM	Diagnosis
S72.335E	Nondisplaced oblique fracture of shaft of left femur, subsequent encounter for open fracture type I or II with routine healing	ICD-10-CM	Diagnosis
S52.335A	Nondisplaced oblique fracture of shaft of left radius, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.335B	Nondisplaced oblique fracture of shaft of left radius, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S52.335C	Nondisplaced oblique fracture of shaft of left radius, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S52.335G	Nondisplaced oblique fracture of shaft of left radius, subsequent encounter for closed fracture with delayed healing	ICD-10-CM	Diagnosis
S52.335K	Nondisplaced oblique fracture of shaft of left radius, subsequent encounter for closed fracture with nonunion	ICD-10-CM	Diagnosis
S52.335D	Nondisplaced oblique fracture of shaft of left radius, subsequent encounter for closed fracture with routine healing	ICD-10-CM	Diagnosis
S52.335P	Nondisplaced oblique fracture of shaft of left radius, subsequent encounter for closed fracture with malunion	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S52.335N	Nondisplaced oblique fracture of shaft of left radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD-10-CM	Diagnosis
S52.335H	Nondisplaced oblique fracture of shaft of left radius, subsequent encounter for open fracture type I or II with delayed healing	ICD-10-CM	Diagnosis
S52.335Q	Nondisplaced oblique fracture of shaft of left radius, subsequent encounter for open fracture type I or II with malunion	ICD-10-CM	Diagnosis
S52.335M	Nondisplaced oblique fracture of shaft of left radius, subsequent encounter for open fracture type I or II with nonunion	ICD-10-CM	Diagnosis
S52.335E	Nondisplaced oblique fracture of shaft of left radius, subsequent encounter for open fracture type I or II with routine healing	ICD-10-CM	Diagnosis
S52.335J	Nondisplaced oblique fracture of shaft of left radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD-10-CM	Diagnosis
S52.335R	Nondisplaced oblique fracture of shaft of left radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD-10-CM	Diagnosis
S52.335F	Nondisplaced oblique fracture of shaft of left radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD-10-CM	Diagnosis
S72.334B	Nondisplaced oblique fracture of shaft of right femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.334C	Nondisplaced oblique fracture of shaft of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.334J	Nondisplaced oblique fracture of shaft of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD-10-CM	Diagnosis
S72.334G	Nondisplaced oblique fracture of shaft of right femur, subsequent encounter for closed fracture with delayed healing	ICD-10-CM	Diagnosis
S72.334P	Nondisplaced oblique fracture of shaft of right femur, subsequent encounter for closed fracture with malunion	ICD-10-CM	Diagnosis
S72.334K	Nondisplaced oblique fracture of shaft of right femur, subsequent encounter for closed fracture with nonunion	ICD-10-CM	Diagnosis
S72.334E	Nondisplaced oblique fracture of shaft of right femur, subsequent encounter for open fracture type I or II with routine healing	ICD-10-CM	Diagnosis
S72.334F	Nondisplaced oblique fracture of shaft of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD-10-CM	Diagnosis
S72.334Q	Nondisplaced oblique fracture of shaft of right femur, subsequent encounter for open fracture type I or II with malunion	ICD-10-CM	Diagnosis
S72.334M	Nondisplaced oblique fracture of shaft of right femur, subsequent encounter for open fracture type I or II with nonunion	ICD-10-CM	Diagnosis
S72.334R	Nondisplaced oblique fracture of shaft of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD-10-CM	Diagnosis
S72.334N	Nondisplaced oblique fracture of shaft of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD-10-CM	Diagnosis
S72.334H	Nondisplaced oblique fracture of shaft of right femur, subsequent encounter for open fracture type I or II with delayed healing	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S52.334A	Nondisplaced oblique fracture of shaft of right radius, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.334B	Nondisplaced oblique fracture of shaft of right radius, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S52.334C	Nondisplaced oblique fracture of shaft of right radius, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S52.334G	Nondisplaced oblique fracture of shaft of right radius, subsequent encounter for closed fracture with delayed healing	ICD-10-CM	Diagnosis
S52.334P	Nondisplaced oblique fracture of shaft of right radius, subsequent encounter for closed fracture with malunion	ICD-10-CM	Diagnosis
S52.334K	Nondisplaced oblique fracture of shaft of right radius, subsequent encounter for closed fracture with nonunion	ICD-10-CM	Diagnosis
S52.334D	Nondisplaced oblique fracture of shaft of right radius, subsequent encounter for closed fracture with routine healing	ICD-10-CM	Diagnosis
S52.334N	Nondisplaced oblique fracture of shaft of right radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD-10-CM	Diagnosis
S52.334H	Nondisplaced oblique fracture of shaft of right radius, subsequent encounter for open fracture type I or II with delayed healing	ICD-10-CM	Diagnosis
S52.334Q	Nondisplaced oblique fracture of shaft of right radius, subsequent encounter for open fracture type I or II with malunion	ICD-10-CM	Diagnosis
S52.334M	Nondisplaced oblique fracture of shaft of right radius, subsequent encounter for open fracture type I or II with nonunion	ICD-10-CM	Diagnosis
S52.334E	Nondisplaced oblique fracture of shaft of right radius, subsequent encounter for open fracture type I or II with routine healing	ICD-10-CM	Diagnosis
S52.334J	Nondisplaced oblique fracture of shaft of right radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD-10-CM	Diagnosis
S52.334R	Nondisplaced oblique fracture of shaft of right radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD-10-CM	Diagnosis
S52.334F	Nondisplaced oblique fracture of shaft of right radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD-10-CM	Diagnosis
S72.336B	Nondisplaced oblique fracture of shaft of unspecified femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.336C	Nondisplaced oblique fracture of shaft of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.336G	Nondisplaced oblique fracture of shaft of unspecified femur, subsequent encounter for closed fracture with delayed healing	ICD-10-CM	Diagnosis
S72.336D	Nondisplaced oblique fracture of shaft of unspecified femur, subsequent encounter for closed fracture with routine healing	ICD-10-CM	Diagnosis
S72.336P	Nondisplaced oblique fracture of shaft of unspecified femur, subsequent encounter for closed fracture with malunion	ICD-10-CM	Diagnosis
S72.336K	Nondisplaced oblique fracture of shaft of unspecified femur, subsequent encounter for closed fracture with nonunion	ICD-10-CM	Diagnosis



**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S72.336J	Nondisplaced oblique fracture of shaft of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD-10-CM	Diagnosis
S72.336R	Nondisplaced oblique fracture of shaft of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD-10-CM	Diagnosis
S72.336N	Nondisplaced oblique fracture of shaft of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD-10-CM	Diagnosis
S72.336F	Nondisplaced oblique fracture of shaft of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD-10-CM	Diagnosis
S72.336H	Nondisplaced oblique fracture of shaft of unspecified femur, subsequent encounter for open fracture type I or II with delayed healing	ICD-10-CM	Diagnosis
S72.336Q	Nondisplaced oblique fracture of shaft of unspecified femur, subsequent encounter for open fracture type I or II with malunion	ICD-10-CM	Diagnosis
S72.336M	Nondisplaced oblique fracture of shaft of unspecified femur, subsequent encounter for open fracture type I or II with nonunion	ICD-10-CM	Diagnosis
S72.336E	Nondisplaced oblique fracture of shaft of unspecified femur, subsequent encounter for open fracture type I or II with routine healing	ICD-10-CM	Diagnosis
S52.336A	Nondisplaced oblique fracture of shaft of unspecified radius, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.336B	Nondisplaced oblique fracture of shaft of unspecified radius, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S52.336C	Nondisplaced oblique fracture of shaft of unspecified radius, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S52.336P	Nondisplaced oblique fracture of shaft of unspecified radius, subsequent encounter for closed fracture with malunion	ICD-10-CM	Diagnosis
S52.336K	Nondisplaced oblique fracture of shaft of unspecified radius, subsequent encounter for closed fracture with nonunion	ICD-10-CM	Diagnosis
S52.336D	Nondisplaced oblique fracture of shaft of unspecified radius, subsequent encounter for closed fracture with routine healing	ICD-10-CM	Diagnosis
S52.336H	Nondisplaced oblique fracture of shaft of unspecified radius, subsequent encounter for open fracture type I or II with delayed healing	ICD-10-CM	Diagnosis
S52.336Q	Nondisplaced oblique fracture of shaft of unspecified radius, subsequent encounter for open fracture type I or II with malunion	ICD-10-CM	Diagnosis
S52.336M	Nondisplaced oblique fracture of shaft of unspecified radius, subsequent encounter for open fracture type I or II with nonunion	ICD-10-CM	Diagnosis
S52.336J	Nondisplaced oblique fracture of shaft of unspecified radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD-10-CM	Diagnosis
S52.336R	Nondisplaced oblique fracture of shaft of unspecified radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD-10-CM	Diagnosis
S52.336N	Nondisplaced oblique fracture of shaft of unspecified radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD-10-CM	Diagnosis
S52.336F	Nondisplaced oblique fracture of shaft of unspecified radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S52.336E	Nondisplaced oblique fracture of shaft of unspecified radius, subsequent encounter for open fracture type I or II with routine healing	ICD-10-CM	Diagnosis
S42.336G	Nondisplaced oblique fracture of shaft of humerus, unspecified arm, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S42.336P	Nondisplaced oblique fracture of shaft of humerus, unspecified arm, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S42.336K	Nondisplaced oblique fracture of shaft of humerus, unspecified arm, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S52.235B	Nondisplaced oblique fracture of shaft of left ulna, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S52.235C	Nondisplaced oblique fracture of shaft of left ulna, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S52.235G	Nondisplaced oblique fracture of shaft of left ulna, subsequent encounter for closed fracture with delayed healing	ICD-10-CM	Diagnosis
S52.235P	Nondisplaced oblique fracture of shaft of left ulna, subsequent encounter for closed fracture with malunion	ICD-10-CM	Diagnosis
S52.235K	Nondisplaced oblique fracture of shaft of left ulna, subsequent encounter for closed fracture with nonunion	ICD-10-CM	Diagnosis
S52.235D	Nondisplaced oblique fracture of shaft of left ulna, subsequent encounter for closed fracture with routine healing	ICD-10-CM	Diagnosis
S52.235M	Nondisplaced oblique fracture of shaft of left ulna, subsequent encounter for open fracture type I or II with nonunion	ICD-10-CM	Diagnosis
S52.235E	Nondisplaced oblique fracture of shaft of left ulna, subsequent encounter for open fracture type I or II with routine healing	ICD-10-CM	Diagnosis
S52.235J	Nondisplaced oblique fracture of shaft of left ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD-10-CM	Diagnosis
S52.235F	Nondisplaced oblique fracture of shaft of left ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD-10-CM	Diagnosis
S52.235H	Nondisplaced oblique fracture of shaft of left ulna, subsequent encounter for open fracture type I or II with delayed healing	ICD-10-CM	Diagnosis
S52.235Q	Nondisplaced oblique fracture of shaft of left ulna, subsequent encounter for open fracture type I or II with malunion	ICD-10-CM	Diagnosis
S52.235R	Nondisplaced oblique fracture of shaft of left ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD-10-CM	Diagnosis
S52.235N	Nondisplaced oblique fracture of shaft of left ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD-10-CM	Diagnosis
S72.334D	Nondisplaced oblique fracture of shaft of right femur, subsequent encounter for closed fracture with routine healing	ICD-10-CM	Diagnosis
S52.234B	Nondisplaced oblique fracture of shaft of right ulna, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S52.234C	Nondisplaced oblique fracture of shaft of right ulna, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S52.234G	Nondisplaced oblique fracture of shaft of right ulna, subsequent encounter for closed fracture with delayed healing	ICD-10-CM	Diagnosis
S52.234P	Nondisplaced oblique fracture of shaft of right ulna, subsequent encounter for closed fracture with malunion	ICD-10-CM	Diagnosis
S52.234K	Nondisplaced oblique fracture of shaft of right ulna, subsequent encounter for closed fracture with nonunion	ICD-10-CM	Diagnosis
S52.234D	Nondisplaced oblique fracture of shaft of right ulna, subsequent encounter for closed fracture with routine healing	ICD-10-CM	Diagnosis
S52.234M	Nondisplaced oblique fracture of shaft of right ulna, subsequent encounter for open fracture type I or II with nonunion	ICD-10-CM	Diagnosis
S52.234E	Nondisplaced oblique fracture of shaft of right ulna, subsequent encounter for open fracture type I or II with routine healing	ICD-10-CM	Diagnosis
S52.234J	Nondisplaced oblique fracture of shaft of right ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD-10-CM	Diagnosis
S52.234F	Nondisplaced oblique fracture of shaft of right ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD-10-CM	Diagnosis
S52.234H	Nondisplaced oblique fracture of shaft of right ulna, subsequent encounter for open fracture type I or II with delayed healing	ICD-10-CM	Diagnosis
S52.234Q	Nondisplaced oblique fracture of shaft of right ulna, subsequent encounter for open fracture type I or II with malunion	ICD-10-CM	Diagnosis
S52.234R	Nondisplaced oblique fracture of shaft of right ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD-10-CM	Diagnosis
S52.234N	Nondisplaced oblique fracture of shaft of right ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD-10-CM	Diagnosis
S52.336G	Nondisplaced oblique fracture of shaft of unspecified radius, subsequent encounter for closed fracture with delayed healing	ICD-10-CM	Diagnosis
S52.236B	Nondisplaced oblique fracture of shaft of unspecified ulna, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S52.236C	Nondisplaced oblique fracture of shaft of unspecified ulna, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S52.236G	Nondisplaced oblique fracture of shaft of unspecified ulna, subsequent encounter for closed fracture with delayed healing	ICD-10-CM	Diagnosis
S52.236P	Nondisplaced oblique fracture of shaft of unspecified ulna, subsequent encounter for closed fracture with malunion	ICD-10-CM	Diagnosis
S52.236K	Nondisplaced oblique fracture of shaft of unspecified ulna, subsequent encounter for closed fracture with nonunion	ICD-10-CM	Diagnosis
S52.236D	Nondisplaced oblique fracture of shaft of unspecified ulna, subsequent encounter for closed fracture with routine healing	ICD-10-CM	Diagnosis
S52.236Q	Nondisplaced oblique fracture of shaft of unspecified ulna, subsequent encounter for open fracture type I or II with malunion	ICD-10-CM	Diagnosis
S52.236M	Nondisplaced oblique fracture of shaft of unspecified ulna, subsequent encounter for open fracture type I or II with nonunion	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S52.236R	Nondisplaced oblique fracture of shaft of unspecified ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD-10-CM	Diagnosis
S52.236N	Nondisplaced oblique fracture of shaft of unspecified ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD-10-CM	Diagnosis
S52.236F	Nondisplaced oblique fracture of shaft of unspecified ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD-10-CM	Diagnosis
S52.236H	Nondisplaced oblique fracture of shaft of unspecified ulna, subsequent encounter for open fracture type I or II with delayed healing	ICD-10-CM	Diagnosis
S52.236E	Nondisplaced oblique fracture of shaft of unspecified ulna, subsequent encounter for open fracture type I or II with routine healing	ICD-10-CM	Diagnosis
S52.236J	Nondisplaced oblique fracture of shaft of unspecified ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD-10-CM	Diagnosis
S72.335A	Nondisplaced oblique fracture of shaft of left femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S72.334A	Nondisplaced oblique fracture of shaft of right femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S72.336A	Nondisplaced oblique fracture of shaft of unspecified femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.235A	Nondisplaced oblique fracture of shaft of left ulna, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.234A	Nondisplaced oblique fracture of shaft of right ulna, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.236A	Nondisplaced oblique fracture of shaft of unspecified ulna, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S62.225A	Nondisplaced Rolando's fracture, left hand, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S62.225B	Nondisplaced Rolando's fracture, left hand, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.225P	Nondisplaced Rolando's fracture, left hand, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S62.225K	Nondisplaced Rolando's fracture, left hand, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S62.225D	Nondisplaced Rolando's fracture, left hand, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S62.225G	Nondisplaced Rolando's fracture, left hand, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S62.224A	Nondisplaced Rolando's fracture, right hand, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S62.224B	Nondisplaced Rolando's fracture, right hand, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.224P	Nondisplaced Rolando's fracture, right hand, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S62.224K	Nondisplaced Rolando's fracture, right hand, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S62.224D	Nondisplaced Rolando's fracture, right hand, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S62.224G	Nondisplaced Rolando's fracture, right hand, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S62.226A	Nondisplaced Rolando's fracture, unspecified hand, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S62.226B	Nondisplaced Rolando's fracture, unspecified hand, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.226P	Nondisplaced Rolando's fracture, unspecified hand, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S62.226K	Nondisplaced Rolando's fracture, unspecified hand, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S62.226G	Nondisplaced Rolando's fracture, unspecified hand, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S62.226D	Nondisplaced Rolando's fracture, unspecified hand, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S52.265S	Nondisplaced segmental fracture of shaft of ulna, left arm, sequela	ICD-10-CM	Diagnosis
S52.264S	Nondisplaced segmental fracture of shaft of ulna, right arm, sequela	ICD-10-CM	Diagnosis
S52.266S	Nondisplaced segmental fracture of shaft of ulna, unspecified arm, sequela	ICD-10-CM	Diagnosis
S72.365B	Nondisplaced segmental fracture of shaft of left femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.365C	Nondisplaced segmental fracture of shaft of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.365A	Nondisplaced segmental fracture of shaft of left femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S72.365G	Nondisplaced segmental fracture of shaft of left femur, subsequent encounter for closed fracture with delayed healing	ICD-10-CM	Diagnosis
S72.365P	Nondisplaced segmental fracture of shaft of left femur, subsequent encounter for closed fracture with malunion	ICD-10-CM	Diagnosis
S72.365K	Nondisplaced segmental fracture of shaft of left femur, subsequent encounter for closed fracture with nonunion	ICD-10-CM	Diagnosis
S72.365D	Nondisplaced segmental fracture of shaft of left femur, subsequent encounter for closed fracture with routine healing	ICD-10-CM	Diagnosis
S72.365J	Nondisplaced segmental fracture of shaft of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD-10-CM	Diagnosis
S72.365F	Nondisplaced segmental fracture of shaft of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD-10-CM	Diagnosis
S72.365Q	Nondisplaced segmental fracture of shaft of left femur, subsequent encounter for open fracture type I or II with malunion	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S72.365M	Nondisplaced segmental fracture of shaft of left femur, subsequent encounter for open fracture type I or II with nonunion	ICD-10-CM	Diagnosis
S72.365R	Nondisplaced segmental fracture of shaft of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD-10-CM	Diagnosis
S72.365N	Nondisplaced segmental fracture of shaft of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD-10-CM	Diagnosis
S72.365H	Nondisplaced segmental fracture of shaft of left femur, subsequent encounter for open fracture type I or II with delayed healing	ICD-10-CM	Diagnosis
S72.365E	Nondisplaced segmental fracture of shaft of left femur, subsequent encounter for open fracture type I or II with routine healing	ICD-10-CM	Diagnosis
S52.365A	Nondisplaced segmental fracture of shaft of radius, left arm, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.365B	Nondisplaced segmental fracture of shaft of radius, left arm, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S52.365C	Nondisplaced segmental fracture of shaft of radius, left arm, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S52.365G	Nondisplaced segmental fracture of shaft of radius, left arm, subsequent encounter for closed fracture with delayed healing	ICD-10-CM	Diagnosis
S52.365P	Nondisplaced segmental fracture of shaft of radius, left arm, subsequent encounter for closed fracture with malunion	ICD-10-CM	Diagnosis
S52.365K	Nondisplaced segmental fracture of shaft of radius, left arm, subsequent encounter for closed fracture with nonunion	ICD-10-CM	Diagnosis
S52.365D	Nondisplaced segmental fracture of shaft of radius, left arm, subsequent encounter for closed fracture with routine healing	ICD-10-CM	Diagnosis
S52.365Q	Nondisplaced segmental fracture of shaft of radius, left arm, subsequent encounter for open fracture type I or II with malunion	ICD-10-CM	Diagnosis
S52.365M	Nondisplaced segmental fracture of shaft of radius, left arm, subsequent encounter for open fracture type I or II with nonunion	ICD-10-CM	Diagnosis
S52.365J	Nondisplaced segmental fracture of shaft of radius, left arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD-10-CM	Diagnosis
S52.365F	Nondisplaced segmental fracture of shaft of radius, left arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD-10-CM	Diagnosis
S52.365R	Nondisplaced segmental fracture of shaft of radius, left arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD-10-CM	Diagnosis
S52.365N	Nondisplaced segmental fracture of shaft of radius, left arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD-10-CM	Diagnosis
S52.364B	Nondisplaced segmental fracture of shaft of radius, right arm, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S52.364C	Nondisplaced segmental fracture of shaft of radius, right arm, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S52.364G	Nondisplaced segmental fracture of shaft of radius, right arm, subsequent encounter for closed fracture with delayed healing	ICD-10-CM	Diagnosis



**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S52.364P	Nondisplaced segmental fracture of shaft of radius, right arm, subsequent encounter for closed fracture with malunion	ICD-10-CM	Diagnosis
S52.364K	Nondisplaced segmental fracture of shaft of radius, right arm, subsequent encounter for closed fracture with nonunion	ICD-10-CM	Diagnosis
S52.364D	Nondisplaced segmental fracture of shaft of radius, right arm, subsequent encounter for closed fracture with routine healing	ICD-10-CM	Diagnosis
S52.364Q	Nondisplaced segmental fracture of shaft of radius, right arm, subsequent encounter for open fracture type I or II with malunion	ICD-10-CM	Diagnosis
S52.364M	Nondisplaced segmental fracture of shaft of radius, right arm, subsequent encounter for open fracture type I or II with nonunion	ICD-10-CM	Diagnosis
S52.364J	Nondisplaced segmental fracture of shaft of radius, right arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD-10-CM	Diagnosis
S52.364F	Nondisplaced segmental fracture of shaft of radius, right arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD-10-CM	Diagnosis
S52.364R	Nondisplaced segmental fracture of shaft of radius, right arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD-10-CM	Diagnosis
S52.364N	Nondisplaced segmental fracture of shaft of radius, right arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD-10-CM	Diagnosis
S52.366A	Nondisplaced segmental fracture of shaft of radius, unspecified arm, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.366B	Nondisplaced segmental fracture of shaft of radius, unspecified arm, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S52.366C	Nondisplaced segmental fracture of shaft of radius, unspecified arm, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S52.366P	Nondisplaced segmental fracture of shaft of radius, unspecified arm, subsequent encounter for closed fracture with malunion	ICD-10-CM	Diagnosis
S52.366K	Nondisplaced segmental fracture of shaft of radius, unspecified arm, subsequent encounter for closed fracture with nonunion	ICD-10-CM	Diagnosis
S52.366N	Nondisplaced segmental fracture of shaft of radius, unspecified arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD-10-CM	Diagnosis
S72.364R	Nondisplaced segmental fracture of shaft of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD-10-CM	Diagnosis
S72.364B	Nondisplaced segmental fracture of shaft of right femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.364C	Nondisplaced segmental fracture of shaft of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.364A	Nondisplaced segmental fracture of shaft of right femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S72.364G	Nondisplaced segmental fracture of shaft of right femur, subsequent encounter for closed fracture with delayed healing	ICD-10-CM	Diagnosis
S72.364P	Nondisplaced segmental fracture of shaft of right femur, subsequent encounter for closed fracture with malunion	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S72.364K	Nondisplaced segmental fracture of shaft of right femur, subsequent encounter for closed fracture with nonunion	ICD-10-CM	Diagnosis
S72.364D	Nondisplaced segmental fracture of shaft of right femur, subsequent encounter for closed fracture with routine healing	ICD-10-CM	Diagnosis
S72.364E	Nondisplaced segmental fracture of shaft of right femur, subsequent encounter for open fracture type I or II with routine healing	ICD-10-CM	Diagnosis
S72.364J	Nondisplaced segmental fracture of shaft of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD-10-CM	Diagnosis
S72.364F	Nondisplaced segmental fracture of shaft of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD-10-CM	Diagnosis
S72.364Q	Nondisplaced segmental fracture of shaft of right femur, subsequent encounter for open fracture type I or II with malunion	ICD-10-CM	Diagnosis
S72.364M	Nondisplaced segmental fracture of shaft of right femur, subsequent encounter for open fracture type I or II with nonunion	ICD-10-CM	Diagnosis
S72.364N	Nondisplaced segmental fracture of shaft of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD-10-CM	Diagnosis
S72.364H	Nondisplaced segmental fracture of shaft of right femur, subsequent encounter for open fracture type I or II with delayed healing	ICD-10-CM	Diagnosis
S52.266Q	Nondisplaced segmental fracture of shaft of ulna, unspecified arm, subsequent encounter for open fracture type I or II with malunion	ICD-10-CM	Diagnosis
S52.266M	Nondisplaced segmental fracture of shaft of ulna, unspecified arm, subsequent encounter for open fracture type I or II with nonunion	ICD-10-CM	Diagnosis
S72.366A	Nondisplaced segmental fracture of shaft of unspecified femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S72.366B	Nondisplaced segmental fracture of shaft of unspecified femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.366C	Nondisplaced segmental fracture of shaft of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.366G	Nondisplaced segmental fracture of shaft of unspecified femur, subsequent encounter for closed fracture with delayed healing	ICD-10-CM	Diagnosis
S72.366D	Nondisplaced segmental fracture of shaft of unspecified femur, subsequent encounter for closed fracture with routine healing	ICD-10-CM	Diagnosis
S72.366P	Nondisplaced segmental fracture of shaft of unspecified femur, subsequent encounter for closed fracture with malunion	ICD-10-CM	Diagnosis
S72.366K	Nondisplaced segmental fracture of shaft of unspecified femur, subsequent encounter for closed fracture with nonunion	ICD-10-CM	Diagnosis
S72.366Q	Nondisplaced segmental fracture of shaft of unspecified femur, subsequent encounter for open fracture type I or II with malunion	ICD-10-CM	Diagnosis
S72.366M	Nondisplaced segmental fracture of shaft of unspecified femur, subsequent encounter for open fracture type I or II with nonunion	ICD-10-CM	Diagnosis
S72.366J	Nondisplaced segmental fracture of shaft of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S72.366R	Nondisplaced segmental fracture of shaft of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD-10-CM	Diagnosis
S72.366N	Nondisplaced segmental fracture of shaft of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD-10-CM	Diagnosis
S72.366F	Nondisplaced segmental fracture of shaft of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD-10-CM	Diagnosis
S72.366H	Nondisplaced segmental fracture of shaft of unspecified femur, subsequent encounter for open fracture type I or II with delayed healing	ICD-10-CM	Diagnosis
S72.366E	Nondisplaced segmental fracture of shaft of unspecified femur, subsequent encounter for open fracture type I or II with routine healing	ICD-10-CM	Diagnosis
S52.365H	Nondisplaced segmental fracture of shaft of radius, left arm, subsequent encounter for open fracture type I or II with delayed healing	ICD-10-CM	Diagnosis
S52.365E	Nondisplaced segmental fracture of shaft of radius, left arm, subsequent encounter for open fracture type I or II with routine healing	ICD-10-CM	Diagnosis
S52.364H	Nondisplaced segmental fracture of shaft of radius, right arm, subsequent encounter for open fracture type I or II with delayed healing	ICD-10-CM	Diagnosis
S52.364E	Nondisplaced segmental fracture of shaft of radius, right arm, subsequent encounter for open fracture type I or II with routine healing	ICD-10-CM	Diagnosis
S52.366G	Nondisplaced segmental fracture of shaft of radius, unspecified arm, subsequent encounter for closed fracture with delayed healing	ICD-10-CM	Diagnosis
S52.366D	Nondisplaced segmental fracture of shaft of radius, unspecified arm, subsequent encounter for closed fracture with routine healing	ICD-10-CM	Diagnosis
S52.366Q	Nondisplaced segmental fracture of shaft of radius, unspecified arm, subsequent encounter for open fracture type I or II with malunion	ICD-10-CM	Diagnosis
S52.366M	Nondisplaced segmental fracture of shaft of radius, unspecified arm, subsequent encounter for open fracture type I or II with nonunion	ICD-10-CM	Diagnosis
S52.366J	Nondisplaced segmental fracture of shaft of radius, unspecified arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD-10-CM	Diagnosis
S52.366F	Nondisplaced segmental fracture of shaft of radius, unspecified arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD-10-CM	Diagnosis
S52.366R	Nondisplaced segmental fracture of shaft of radius, unspecified arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD-10-CM	Diagnosis
S52.364A	Nondisplaced segmental fracture of shaft of radius, right arm, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.366H	Nondisplaced segmental fracture of shaft of radius, unspecified arm, subsequent encounter for open fracture type I or II with delayed healing	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S52.366E	Nondisplaced segmental fracture of shaft of radius, unspecified arm, subsequent encounter for open fracture type I or II with routine healing	ICD-10-CM	Diagnosis
S52.265A	Nondisplaced segmental fracture of shaft of ulna, left arm, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.265B	Nondisplaced segmental fracture of shaft of ulna, left arm, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S52.265C	Nondisplaced segmental fracture of shaft of ulna, left arm, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S52.265G	Nondisplaced segmental fracture of shaft of ulna, left arm, subsequent encounter for closed fracture with delayed healing	ICD-10-CM	Diagnosis
S52.265P	Nondisplaced segmental fracture of shaft of ulna, left arm, subsequent encounter for closed fracture with malunion	ICD-10-CM	Diagnosis
S52.265K	Nondisplaced segmental fracture of shaft of ulna, left arm, subsequent encounter for closed fracture with nonunion	ICD-10-CM	Diagnosis
S52.265D	Nondisplaced segmental fracture of shaft of ulna, left arm, subsequent encounter for closed fracture with routine healing	ICD-10-CM	Diagnosis
S52.265Q	Nondisplaced segmental fracture of shaft of ulna, left arm, subsequent encounter for open fracture type I or II with malunion	ICD-10-CM	Diagnosis
S52.265M	Nondisplaced segmental fracture of shaft of ulna, left arm, subsequent encounter for open fracture type I or II with nonunion	ICD-10-CM	Diagnosis
S52.265E	Nondisplaced segmental fracture of shaft of ulna, left arm, subsequent encounter for open fracture type I or II with routine healing	ICD-10-CM	Diagnosis
S52.265F	Nondisplaced segmental fracture of shaft of ulna, left arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD-10-CM	Diagnosis
S52.265H	Nondisplaced segmental fracture of shaft of ulna, left arm, subsequent encounter for open fracture type I or II with delayed healing	ICD-10-CM	Diagnosis
S52.265J	Nondisplaced segmental fracture of shaft of ulna, left arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD-10-CM	Diagnosis
S52.265R	Nondisplaced segmental fracture of shaft of ulna, left arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD-10-CM	Diagnosis
S52.265N	Nondisplaced segmental fracture of shaft of ulna, left arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD-10-CM	Diagnosis
S52.264A	Nondisplaced segmental fracture of shaft of ulna, right arm, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.264B	Nondisplaced segmental fracture of shaft of ulna, right arm, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S52.264C	Nondisplaced segmental fracture of shaft of ulna, right arm, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S52.264G	Nondisplaced segmental fracture of shaft of ulna, right arm, subsequent encounter for closed fracture with delayed healing	ICD-10-CM	Diagnosis
S52.264P	Nondisplaced segmental fracture of shaft of ulna, right arm, subsequent encounter for closed fracture with malunion	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S52.264K	Nondisplaced segmental fracture of shaft of ulna, right arm, subsequent encounter for closed fracture with nonunion	ICD-10-CM	Diagnosis
S52.264D	Nondisplaced segmental fracture of shaft of ulna, right arm, subsequent encounter for closed fracture with routine healing	ICD-10-CM	Diagnosis
S52.264H	Nondisplaced segmental fracture of shaft of ulna, right arm, subsequent encounter for open fracture type I or II with delayed healing	ICD-10-CM	Diagnosis
S52.264Q	Nondisplaced segmental fracture of shaft of ulna, right arm, subsequent encounter for open fracture type I or II with malunion	ICD-10-CM	Diagnosis
S52.264M	Nondisplaced segmental fracture of shaft of ulna, right arm, subsequent encounter for open fracture type I or II with nonunion	ICD-10-CM	Diagnosis
S52.264E	Nondisplaced segmental fracture of shaft of ulna, right arm, subsequent encounter for open fracture type I or II with routine healing	ICD-10-CM	Diagnosis
S52.264J	Nondisplaced segmental fracture of shaft of ulna, right arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD-10-CM	Diagnosis
S52.264R	Nondisplaced segmental fracture of shaft of ulna, right arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD-10-CM	Diagnosis
S52.264N	Nondisplaced segmental fracture of shaft of ulna, right arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD-10-CM	Diagnosis
S52.264F	Nondisplaced segmental fracture of shaft of ulna, right arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD-10-CM	Diagnosis
S52.266A	Nondisplaced segmental fracture of shaft of ulna, unspecified arm, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.266C	Nondisplaced segmental fracture of shaft of ulna, unspecified arm, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S52.266G	Nondisplaced segmental fracture of shaft of ulna, unspecified arm, subsequent encounter for closed fracture with delayed healing	ICD-10-CM	Diagnosis
S52.266P	Nondisplaced segmental fracture of shaft of ulna, unspecified arm, subsequent encounter for closed fracture with malunion	ICD-10-CM	Diagnosis
S52.266K	Nondisplaced segmental fracture of shaft of ulna, unspecified arm, subsequent encounter for closed fracture with nonunion	ICD-10-CM	Diagnosis
S52.266D	Nondisplaced segmental fracture of shaft of ulna, unspecified arm, subsequent encounter for closed fracture with routine healing	ICD-10-CM	Diagnosis
S52.266R	Nondisplaced segmental fracture of shaft of ulna, unspecified arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD-10-CM	Diagnosis
S52.266N	Nondisplaced segmental fracture of shaft of ulna, unspecified arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD-10-CM	Diagnosis
S52.266E	Nondisplaced segmental fracture of shaft of ulna, unspecified arm, subsequent encounter for open fracture type I or II with routine healing	ICD-10-CM	Diagnosis
S52.266J	Nondisplaced segmental fracture of shaft of ulna, unspecified arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S52.266F	Nondisplaced segmental fracture of shaft of ulna, unspecified arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD-10-CM	Diagnosis
S52.366S	Nondisplaced segmental fracture of shaft of radius, unspecified arm, sequela	ICD-10-CM	Diagnosis
S42.415G	Nondisplaced simple supracondylar fracture without intercondylar fracture of left humerus, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S42.415P	Nondisplaced simple supracondylar fracture without intercondylar fracture of left humerus, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S42.415K	Nondisplaced simple supracondylar fracture without intercondylar fracture of left humerus, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S42.415D	Nondisplaced simple supracondylar fracture without intercondylar fracture of left humerus, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S42.414G	Nondisplaced simple supracondylar fracture without intercondylar fracture of right humerus, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S42.414P	Nondisplaced simple supracondylar fracture without intercondylar fracture of right humerus, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S42.414K	Nondisplaced simple supracondylar fracture without intercondylar fracture of right humerus, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S42.414D	Nondisplaced simple supracondylar fracture without intercondylar fracture of right humerus, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S42.416A	Nondisplaced simple supracondylar fracture without intercondylar fracture of unspecified humerus, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.416B	Nondisplaced simple supracondylar fracture without intercondylar fracture of unspecified humerus, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.416G	Nondisplaced simple supracondylar fracture without intercondylar fracture of unspecified humerus, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S42.416P	Nondisplaced simple supracondylar fracture without intercondylar fracture of unspecified humerus, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S42.416K	Nondisplaced simple supracondylar fracture without intercondylar fracture of unspecified humerus, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis



**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S42.416D	Nondisplaced simple supracondylar fracture without intercondylar fracture of unspecified humerus, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S42.415S	Nondisplaced simple supracondylar fracture without intercondylar fracture of left humerus, sequela	ICD-10-CM	Diagnosis
S42.414S	Nondisplaced simple supracondylar fracture without intercondylar fracture of right humerus, sequela	ICD-10-CM	Diagnosis
S42.416S	Nondisplaced simple supracondylar fracture without intercondylar fracture of unspecified humerus, sequela	ICD-10-CM	Diagnosis
S72.345B	Nondisplaced spiral fracture of shaft of left femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.345C	Nondisplaced spiral fracture of shaft of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.345G	Nondisplaced spiral fracture of shaft of left femur, subsequent encounter for closed fracture with delayed healing	ICD-10-CM	Diagnosis
S72.345D	Nondisplaced spiral fracture of shaft of left femur, subsequent encounter for closed fracture with routine healing	ICD-10-CM	Diagnosis
S72.345P	Nondisplaced spiral fracture of shaft of left femur, subsequent encounter for closed fracture with malunion	ICD-10-CM	Diagnosis
S72.345K	Nondisplaced spiral fracture of shaft of left femur, subsequent encounter for closed fracture with nonunion	ICD-10-CM	Diagnosis
S72.345Q	Nondisplaced spiral fracture of shaft of left femur, subsequent encounter for open fracture type I or II with malunion	ICD-10-CM	Diagnosis
S72.345M	Nondisplaced spiral fracture of shaft of left femur, subsequent encounter for open fracture type I or II with nonunion	ICD-10-CM	Diagnosis
S72.345J	Nondisplaced spiral fracture of shaft of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD-10-CM	Diagnosis
S72.345F	Nondisplaced spiral fracture of shaft of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD-10-CM	Diagnosis
S72.345R	Nondisplaced spiral fracture of shaft of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD-10-CM	Diagnosis
S72.345N	Nondisplaced spiral fracture of shaft of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD-10-CM	Diagnosis
S72.345H	Nondisplaced spiral fracture of shaft of left femur, subsequent encounter for open fracture type I or II with delayed healing	ICD-10-CM	Diagnosis
S72.345E	Nondisplaced spiral fracture of shaft of left femur, subsequent encounter for open fracture type I or II with routine healing	ICD-10-CM	Diagnosis
S52.345A	Nondisplaced spiral fracture of shaft of radius, left arm, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.345B	Nondisplaced spiral fracture of shaft of radius, left arm, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S52.345C	Nondisplaced spiral fracture of shaft of radius, left arm, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S52.345P	Nondisplaced spiral fracture of shaft of radius, left arm, subsequent encounter for closed fracture with malunion	ICD-10-CM	Diagnosis
S52.345K	Nondisplaced spiral fracture of shaft of radius, left arm, subsequent encounter for closed fracture with nonunion	ICD-10-CM	Diagnosis
S52.345N	Nondisplaced spiral fracture of shaft of radius, left arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD-10-CM	Diagnosis
S52.344A	Nondisplaced spiral fracture of shaft of radius, right arm, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.344B	Nondisplaced spiral fracture of shaft of radius, right arm, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S52.344C	Nondisplaced spiral fracture of shaft of radius, right arm, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S52.344K	Nondisplaced spiral fracture of shaft of radius, right arm, subsequent encounter for closed fracture with nonunion	ICD-10-CM	Diagnosis
S52.346A	Nondisplaced spiral fracture of shaft of radius, unspecified arm, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.346B	Nondisplaced spiral fracture of shaft of radius, unspecified arm, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S52.346C	Nondisplaced spiral fracture of shaft of radius, unspecified arm, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.344C	Nondisplaced spiral fracture of shaft of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.344B	Nondisplaced spiral fracture of shaft of right femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.344G	Nondisplaced spiral fracture of shaft of right femur, subsequent encounter for closed fracture with delayed healing	ICD-10-CM	Diagnosis
S72.344D	Nondisplaced spiral fracture of shaft of right femur, subsequent encounter for closed fracture with routine healing	ICD-10-CM	Diagnosis
S72.344P	Nondisplaced spiral fracture of shaft of right femur, subsequent encounter for closed fracture with malunion	ICD-10-CM	Diagnosis
S72.344K	Nondisplaced spiral fracture of shaft of right femur, subsequent encounter for closed fracture with nonunion	ICD-10-CM	Diagnosis
S72.344J	Nondisplaced spiral fracture of shaft of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD-10-CM	Diagnosis
S72.344R	Nondisplaced spiral fracture of shaft of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD-10-CM	Diagnosis
S72.344N	Nondisplaced spiral fracture of shaft of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD-10-CM	Diagnosis
S72.344F	Nondisplaced spiral fracture of shaft of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD-10-CM	Diagnosis
S72.344H	Nondisplaced spiral fracture of shaft of right femur, subsequent encounter for open fracture type I or II with delayed healing	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S72.344Q	Nondisplaced spiral fracture of shaft of right femur, subsequent encounter for open fracture type I or II with malunion	ICD-10-CM	Diagnosis
S72.344M	Nondisplaced spiral fracture of shaft of right femur, subsequent encounter for open fracture type I or II with nonunion	ICD-10-CM	Diagnosis
S72.344E	Nondisplaced spiral fracture of shaft of right femur, subsequent encounter for open fracture type I or II with routine healing	ICD-10-CM	Diagnosis
S72.346A	Nondisplaced spiral fracture of shaft of unspecified femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S72.346B	Nondisplaced spiral fracture of shaft of unspecified femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.346C	Nondisplaced spiral fracture of shaft of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.346G	Nondisplaced spiral fracture of shaft of unspecified femur, subsequent encounter for closed fracture with delayed healing	ICD-10-CM	Diagnosis
S72.346P	Nondisplaced spiral fracture of shaft of unspecified femur, subsequent encounter for closed fracture with malunion	ICD-10-CM	Diagnosis
S72.346K	Nondisplaced spiral fracture of shaft of unspecified femur, subsequent encounter for closed fracture with nonunion	ICD-10-CM	Diagnosis
S72.346D	Nondisplaced spiral fracture of shaft of unspecified femur, subsequent encounter for closed fracture with routine healing	ICD-10-CM	Diagnosis
S72.346R	Nondisplaced spiral fracture of shaft of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD-10-CM	Diagnosis
S72.346N	Nondisplaced spiral fracture of shaft of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD-10-CM	Diagnosis
S72.346H	Nondisplaced spiral fracture of shaft of unspecified femur, subsequent encounter for open fracture type I or II with delayed healing	ICD-10-CM	Diagnosis
S72.346Q	Nondisplaced spiral fracture of shaft of unspecified femur, subsequent encounter for open fracture type I or II with malunion	ICD-10-CM	Diagnosis
S72.346M	Nondisplaced spiral fracture of shaft of unspecified femur, subsequent encounter for open fracture type I or II with nonunion	ICD-10-CM	Diagnosis
S72.346E	Nondisplaced spiral fracture of shaft of unspecified femur, subsequent encounter for open fracture type I or II with routine healing	ICD-10-CM	Diagnosis
S72.346J	Nondisplaced spiral fracture of shaft of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD-10-CM	Diagnosis
S42.345G	Nondisplaced spiral fracture of shaft of humerus, left arm, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S42.345P	Nondisplaced spiral fracture of shaft of humerus, left arm, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S42.345K	Nondisplaced spiral fracture of shaft of humerus, left arm, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S42.344G	Nondisplaced spiral fracture of shaft of humerus, right arm, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S42.344P	Nondisplaced spiral fracture of shaft of humerus, right arm, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S42.344K	Nondisplaced spiral fracture of shaft of humerus, right arm, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S42.346G	Nondisplaced spiral fracture of shaft of humerus, unspecified arm, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S42.346P	Nondisplaced spiral fracture of shaft of humerus, unspecified arm, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S42.346K	Nondisplaced spiral fracture of shaft of humerus, unspecified arm, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S52.345D	Nondisplaced spiral fracture of shaft of radius, left arm, subsequent encounter for closed fracture with routine healing	ICD-10-CM	Diagnosis
S52.345M	Nondisplaced spiral fracture of shaft of radius, left arm, subsequent encounter for open fracture type I or II with nonunion	ICD-10-CM	Diagnosis
S52.345R	Nondisplaced spiral fracture of shaft of radius, left arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD-10-CM	Diagnosis
S52.344G	Nondisplaced spiral fracture of shaft of radius, right arm, subsequent encounter for closed fracture with delayed healing	ICD-10-CM	Diagnosis
S52.344P	Nondisplaced spiral fracture of shaft of radius, right arm, subsequent encounter for closed fracture with malunion	ICD-10-CM	Diagnosis
S52.344D	Nondisplaced spiral fracture of shaft of radius, right arm, subsequent encounter for closed fracture with routine healing	ICD-10-CM	Diagnosis
S52.344Q	Nondisplaced spiral fracture of shaft of radius, right arm, subsequent encounter for open fracture type I or II with malunion	ICD-10-CM	Diagnosis
S52.344M	Nondisplaced spiral fracture of shaft of radius, right arm, subsequent encounter for open fracture type I or II with nonunion	ICD-10-CM	Diagnosis
S52.344J	Nondisplaced spiral fracture of shaft of radius, right arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD-10-CM	Diagnosis
S52.344F	Nondisplaced spiral fracture of shaft of radius, right arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD-10-CM	Diagnosis
S52.344R	Nondisplaced spiral fracture of shaft of radius, right arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD-10-CM	Diagnosis
S52.344N	Nondisplaced spiral fracture of shaft of radius, right arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD-10-CM	Diagnosis
S52.346P	Nondisplaced spiral fracture of shaft of radius, unspecified arm, subsequent encounter for closed fracture with malunion	ICD-10-CM	Diagnosis
S52.346K	Nondisplaced spiral fracture of shaft of radius, unspecified arm, subsequent encounter for closed fracture with nonunion	ICD-10-CM	Diagnosis
S52.346R	Nondisplaced spiral fracture of shaft of radius, unspecified arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S52.346N	Nondisplaced spiral fracture of shaft of radius, unspecified arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD-10-CM	Diagnosis
S52.344E	Nondisplaced spiral fracture of shaft of radius, right arm, subsequent encounter for open fracture type I or II with routine healing	ICD-10-CM	Diagnosis
S52.346D	Nondisplaced spiral fracture of shaft of radius, unspecified arm, subsequent encounter for closed fracture with routine healing	ICD-10-CM	Diagnosis
S52.246J	Nondisplaced spiral fracture of shaft of ulna, unspecified arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD-10-CM	Diagnosis
S52.245A	Nondisplaced spiral fracture of shaft of ulna, left arm, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.245B	Nondisplaced spiral fracture of shaft of ulna, left arm, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S52.245C	Nondisplaced spiral fracture of shaft of ulna, left arm, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S52.245G	Nondisplaced spiral fracture of shaft of ulna, left arm, subsequent encounter for closed fracture with delayed healing	ICD-10-CM	Diagnosis
S52.245P	Nondisplaced spiral fracture of shaft of ulna, left arm, subsequent encounter for closed fracture with malunion	ICD-10-CM	Diagnosis
S52.245K	Nondisplaced spiral fracture of shaft of ulna, left arm, subsequent encounter for closed fracture with nonunion	ICD-10-CM	Diagnosis
S52.245D	Nondisplaced spiral fracture of shaft of ulna, left arm, subsequent encounter for closed fracture with routine healing	ICD-10-CM	Diagnosis
S52.245H	Nondisplaced spiral fracture of shaft of ulna, left arm, subsequent encounter for open fracture type I or II with delayed healing	ICD-10-CM	Diagnosis
S52.245Q	Nondisplaced spiral fracture of shaft of ulna, left arm, subsequent encounter for open fracture type I or II with malunion	ICD-10-CM	Diagnosis
S52.245M	Nondisplaced spiral fracture of shaft of ulna, left arm, subsequent encounter for open fracture type I or II with nonunion	ICD-10-CM	Diagnosis
S52.245R	Nondisplaced spiral fracture of shaft of ulna, left arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD-10-CM	Diagnosis
S52.245N	Nondisplaced spiral fracture of shaft of ulna, left arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD-10-CM	Diagnosis
S52.245F	Nondisplaced spiral fracture of shaft of ulna, left arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD-10-CM	Diagnosis
S52.245E	Nondisplaced spiral fracture of shaft of ulna, left arm, subsequent encounter for open fracture type I or II with routine healing	ICD-10-CM	Diagnosis
S52.245J	Nondisplaced spiral fracture of shaft of ulna, left arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD-10-CM	Diagnosis
S52.244A	Nondisplaced spiral fracture of shaft of ulna, right arm, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.244B	Nondisplaced spiral fracture of shaft of ulna, right arm, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S52.244C	Nondisplaced spiral fracture of shaft of ulna, right arm, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S52.244G	Nondisplaced spiral fracture of shaft of ulna, right arm, subsequent encounter for closed fracture with delayed healing	ICD-10-CM	Diagnosis
S52.244P	Nondisplaced spiral fracture of shaft of ulna, right arm, subsequent encounter for closed fracture with malunion	ICD-10-CM	Diagnosis
S52.244K	Nondisplaced spiral fracture of shaft of ulna, right arm, subsequent encounter for closed fracture with nonunion	ICD-10-CM	Diagnosis
S52.244D	Nondisplaced spiral fracture of shaft of ulna, right arm, subsequent encounter for closed fracture with routine healing	ICD-10-CM	Diagnosis
S52.244H	Nondisplaced spiral fracture of shaft of ulna, right arm, subsequent encounter for open fracture type I or II with delayed healing	ICD-10-CM	Diagnosis
S52.244Q	Nondisplaced spiral fracture of shaft of ulna, right arm, subsequent encounter for open fracture type I or II with malunion	ICD-10-CM	Diagnosis
S52.244M	Nondisplaced spiral fracture of shaft of ulna, right arm, subsequent encounter for open fracture type I or II with nonunion	ICD-10-CM	Diagnosis
S52.244R	Nondisplaced spiral fracture of shaft of ulna, right arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD-10-CM	Diagnosis
S52.244N	Nondisplaced spiral fracture of shaft of ulna, right arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD-10-CM	Diagnosis
S52.244F	Nondisplaced spiral fracture of shaft of ulna, right arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD-10-CM	Diagnosis
S52.244E	Nondisplaced spiral fracture of shaft of ulna, right arm, subsequent encounter for open fracture type I or II with routine healing	ICD-10-CM	Diagnosis
S52.244J	Nondisplaced spiral fracture of shaft of ulna, right arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD-10-CM	Diagnosis
S52.246A	Nondisplaced spiral fracture of shaft of ulna, unspecified arm, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.246B	Nondisplaced spiral fracture of shaft of ulna, unspecified arm, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S52.246C	Nondisplaced spiral fracture of shaft of ulna, unspecified arm, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S52.246G	Nondisplaced spiral fracture of shaft of ulna, unspecified arm, subsequent encounter for closed fracture with delayed healing	ICD-10-CM	Diagnosis
S52.246P	Nondisplaced spiral fracture of shaft of ulna, unspecified arm, subsequent encounter for closed fracture with malunion	ICD-10-CM	Diagnosis
S52.246K	Nondisplaced spiral fracture of shaft of ulna, unspecified arm, subsequent encounter for closed fracture with nonunion	ICD-10-CM	Diagnosis
S52.246D	Nondisplaced spiral fracture of shaft of ulna, unspecified arm, subsequent encounter for closed fracture with routine healing	ICD-10-CM	Diagnosis
S52.246R	Nondisplaced spiral fracture of shaft of ulna, unspecified arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD-10-CM	Diagnosis



**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S52.246N	Nondisplaced spiral fracture of shaft of ulna, unspecified arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD-10-CM	Diagnosis
S52.246Q	Nondisplaced spiral fracture of shaft of ulna, unspecified arm, subsequent encounter for open fracture type I or II with malunion	ICD-10-CM	Diagnosis
S52.246M	Nondisplaced spiral fracture of shaft of ulna, unspecified arm, subsequent encounter for open fracture type I or II with nonunion	ICD-10-CM	Diagnosis
S52.246F	Nondisplaced spiral fracture of shaft of ulna, unspecified arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD-10-CM	Diagnosis
S72.24XC	Nondisplaced subtrochanteric fracture of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.24XD	Nondisplaced subtrochanteric fracture of right femur, subsequent encounter for closed fracture with routine healing	ICD-10-CM	Diagnosis
S72.24XE	Nondisplaced subtrochanteric fracture of right femur, subsequent encounter for open fracture type I or II with routine healing	ICD-10-CM	Diagnosis
S72.24XF	Nondisplaced subtrochanteric fracture of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD-10-CM	Diagnosis
S72.26XQ	Nondisplaced subtrochanteric fracture of unspecified femur, subsequent encounter for open fracture type I or II with malunion	ICD-10-CM	Diagnosis
S72.26XR	Nondisplaced subtrochanteric fracture of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD-10-CM	Diagnosis
S72.25XB	Nondisplaced subtrochanteric fracture of left femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.25XC	Nondisplaced subtrochanteric fracture of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.25XG	Nondisplaced subtrochanteric fracture of left femur, subsequent encounter for closed fracture with delayed healing	ICD-10-CM	Diagnosis
S72.25XP	Nondisplaced subtrochanteric fracture of left femur, subsequent encounter for closed fracture with malunion	ICD-10-CM	Diagnosis
S72.25XK	Nondisplaced subtrochanteric fracture of left femur, subsequent encounter for closed fracture with nonunion	ICD-10-CM	Diagnosis
S72.25XD	Nondisplaced subtrochanteric fracture of left femur, subsequent encounter for closed fracture with routine healing	ICD-10-CM	Diagnosis
S72.25XQ	Nondisplaced subtrochanteric fracture of left femur, subsequent encounter for open fracture type I or II with malunion	ICD-10-CM	Diagnosis
S72.25XM	Nondisplaced subtrochanteric fracture of left femur, subsequent encounter for open fracture type I or II with nonunion	ICD-10-CM	Diagnosis
S72.25XE	Nondisplaced subtrochanteric fracture of left femur, subsequent encounter for open fracture type I or II with routine healing	ICD-10-CM	Diagnosis
S72.25XN	Nondisplaced subtrochanteric fracture of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD-10-CM	Diagnosis
S72.25XR	Nondisplaced subtrochanteric fracture of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S72.25XF	Nondisplaced subtrochanteric fracture of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD-10-CM	Diagnosis
S72.24XA	Nondisplaced subtrochanteric fracture of right femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S72.24XB	Nondisplaced subtrochanteric fracture of right femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.24XG	Nondisplaced subtrochanteric fracture of right femur, subsequent encounter for closed fracture with delayed healing	ICD-10-CM	Diagnosis
S72.24XP	Nondisplaced subtrochanteric fracture of right femur, subsequent encounter for closed fracture with malunion	ICD-10-CM	Diagnosis
S72.24XK	Nondisplaced subtrochanteric fracture of right femur, subsequent encounter for closed fracture with nonunion	ICD-10-CM	Diagnosis
S72.24XH	Nondisplaced subtrochanteric fracture of right femur, subsequent encounter for open fracture type I or II with delayed healing	ICD-10-CM	Diagnosis
S72.24XQ	Nondisplaced subtrochanteric fracture of right femur, subsequent encounter for open fracture type I or II with malunion	ICD-10-CM	Diagnosis
S72.24XM	Nondisplaced subtrochanteric fracture of right femur, subsequent encounter for open fracture type I or II with nonunion	ICD-10-CM	Diagnosis
S72.24XJ	Nondisplaced subtrochanteric fracture of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD-10-CM	Diagnosis
S72.24XR	Nondisplaced subtrochanteric fracture of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD-10-CM	Diagnosis
S72.24XN	Nondisplaced subtrochanteric fracture of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD-10-CM	Diagnosis
S72.26XA	Nondisplaced subtrochanteric fracture of unspecified femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S72.26XB	Nondisplaced subtrochanteric fracture of unspecified femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.26XC	Nondisplaced subtrochanteric fracture of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.26XG	Nondisplaced subtrochanteric fracture of unspecified femur, subsequent encounter for closed fracture with delayed healing	ICD-10-CM	Diagnosis
S72.26XP	Nondisplaced subtrochanteric fracture of unspecified femur, subsequent encounter for closed fracture with malunion	ICD-10-CM	Diagnosis
S72.26XK	Nondisplaced subtrochanteric fracture of unspecified femur, subsequent encounter for closed fracture with nonunion	ICD-10-CM	Diagnosis
S72.26XD	Nondisplaced subtrochanteric fracture of unspecified femur, subsequent encounter for closed fracture with routine healing	ICD-10-CM	Diagnosis
S72.26XN	Nondisplaced subtrochanteric fracture of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD-10-CM	Diagnosis
S42.475D	Nondisplaced transcondylar fracture of left humerus, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S52.226S	Nondisplaced transverse fracture of shaft of unspecified ulna, sequela	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S52.324J	Nondisplaced transverse fracture of shaft of right radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD-10-CM	Diagnosis
S52.326S	Nondisplaced transverse fracture of shaft of unspecified radius, sequela	ICD-10-CM	Diagnosis
S52.325S	Nondisplaced transverse fracture of shaft of left radius, sequela	ICD-10-CM	Diagnosis
S52.324S	Nondisplaced transverse fracture of shaft of right radius, sequela	ICD-10-CM	Diagnosis
S72.325A	Nondisplaced transverse fracture of shaft of left femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S72.325B	Nondisplaced transverse fracture of shaft of left femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.325C	Nondisplaced transverse fracture of shaft of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.325G	Nondisplaced transverse fracture of shaft of left femur, subsequent encounter for closed fracture with delayed healing	ICD-10-CM	Diagnosis
S72.325D	Nondisplaced transverse fracture of shaft of left femur, subsequent encounter for closed fracture with routine healing	ICD-10-CM	Diagnosis
S72.325P	Nondisplaced transverse fracture of shaft of left femur, subsequent encounter for closed fracture with malunion	ICD-10-CM	Diagnosis
S72.325K	Nondisplaced transverse fracture of shaft of left femur, subsequent encounter for closed fracture with nonunion	ICD-10-CM	Diagnosis
S72.325R	Nondisplaced transverse fracture of shaft of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD-10-CM	Diagnosis
S72.325N	Nondisplaced transverse fracture of shaft of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD-10-CM	Diagnosis
S72.325J	Nondisplaced transverse fracture of shaft of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD-10-CM	Diagnosis
S72.325F	Nondisplaced transverse fracture of shaft of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD-10-CM	Diagnosis
S72.325H	Nondisplaced transverse fracture of shaft of left femur, subsequent encounter for open fracture type I or II with delayed healing	ICD-10-CM	Diagnosis
S72.325Q	Nondisplaced transverse fracture of shaft of left femur, subsequent encounter for open fracture type I or II with malunion	ICD-10-CM	Diagnosis
S72.325M	Nondisplaced transverse fracture of shaft of left femur, subsequent encounter for open fracture type I or II with nonunion	ICD-10-CM	Diagnosis
S72.325E	Nondisplaced transverse fracture of shaft of left femur, subsequent encounter for open fracture type I or II with routine healing	ICD-10-CM	Diagnosis
S52.325A	Nondisplaced transverse fracture of shaft of left radius, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.325B	Nondisplaced transverse fracture of shaft of left radius, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S52.325C	Nondisplaced transverse fracture of shaft of left radius, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S52.325P	Nondisplaced transverse fracture of shaft of left radius, subsequent encounter for closed fracture with malunion	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S52.325G	Nondisplaced transverse fracture of shaft of left radius, subsequent encounter for closed fracture with delayed healing	ICD-10-CM	Diagnosis
S52.325D	Nondisplaced transverse fracture of shaft of left radius, subsequent encounter for closed fracture with routine healing	ICD-10-CM	Diagnosis
S52.325H	Nondisplaced transverse fracture of shaft of left radius, subsequent encounter for open fracture type I or II with delayed healing	ICD-10-CM	Diagnosis
S52.325Q	Nondisplaced transverse fracture of shaft of left radius, subsequent encounter for open fracture type I or II with malunion	ICD-10-CM	Diagnosis
S52.325M	Nondisplaced transverse fracture of shaft of left radius, subsequent encounter for open fracture type I or II with nonunion	ICD-10-CM	Diagnosis
S52.325E	Nondisplaced transverse fracture of shaft of left radius, subsequent encounter for open fracture type I or II with routine healing	ICD-10-CM	Diagnosis
S52.325K	Nondisplaced transverse fracture of shaft of left radius, subsequent encounter for closed fracture with nonunion	ICD-10-CM	Diagnosis
S52.325J	Nondisplaced transverse fracture of shaft of left radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD-10-CM	Diagnosis
S52.325R	Nondisplaced transverse fracture of shaft of left radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD-10-CM	Diagnosis
S52.325N	Nondisplaced transverse fracture of shaft of left radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD-10-CM	Diagnosis
S52.325F	Nondisplaced transverse fracture of shaft of left radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD-10-CM	Diagnosis
S72.324B	Nondisplaced transverse fracture of shaft of right femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.324C	Nondisplaced transverse fracture of shaft of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.324A	Nondisplaced transverse fracture of shaft of right femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S72.324G	Nondisplaced transverse fracture of shaft of right femur, subsequent encounter for closed fracture with delayed healing	ICD-10-CM	Diagnosis
S72.324D	Nondisplaced transverse fracture of shaft of right femur, subsequent encounter for closed fracture with routine healing	ICD-10-CM	Diagnosis
S72.324P	Nondisplaced transverse fracture of shaft of right femur, subsequent encounter for closed fracture with malunion	ICD-10-CM	Diagnosis
S72.324K	Nondisplaced transverse fracture of shaft of right femur, subsequent encounter for closed fracture with nonunion	ICD-10-CM	Diagnosis
S72.324Q	Nondisplaced transverse fracture of shaft of right femur, subsequent encounter for open fracture type I or II with malunion	ICD-10-CM	Diagnosis
S72.324M	Nondisplaced transverse fracture of shaft of right femur, subsequent encounter for open fracture type I or II with nonunion	ICD-10-CM	Diagnosis
S72.324J	Nondisplaced transverse fracture of shaft of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S72.324R	Nondisplaced transverse fracture of shaft of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD-10-CM	Diagnosis
S72.324N	Nondisplaced transverse fracture of shaft of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD-10-CM	Diagnosis
S72.324F	Nondisplaced transverse fracture of shaft of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD-10-CM	Diagnosis
S72.324H	Nondisplaced transverse fracture of shaft of right femur, subsequent encounter for open fracture type I or II with delayed healing	ICD-10-CM	Diagnosis
S72.324E	Nondisplaced transverse fracture of shaft of right femur, subsequent encounter for open fracture type I or II with routine healing	ICD-10-CM	Diagnosis
S52.324H	Nondisplaced transverse fracture of shaft of right radius, subsequent encounter for open fracture type I or II with delayed healing	ICD-10-CM	Diagnosis
S52.324E	Nondisplaced transverse fracture of shaft of right radius, subsequent encounter for open fracture type I or II with routine healing	ICD-10-CM	Diagnosis
S52.324A	Nondisplaced transverse fracture of shaft of right radius, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.324B	Nondisplaced transverse fracture of shaft of right radius, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S52.324C	Nondisplaced transverse fracture of shaft of right radius, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S52.324P	Nondisplaced transverse fracture of shaft of right radius, subsequent encounter for closed fracture with malunion	ICD-10-CM	Diagnosis
S52.324G	Nondisplaced transverse fracture of shaft of right radius, subsequent encounter for closed fracture with delayed healing	ICD-10-CM	Diagnosis
S52.324K	Nondisplaced transverse fracture of shaft of right radius, subsequent encounter for closed fracture with nonunion	ICD-10-CM	Diagnosis
S52.324D	Nondisplaced transverse fracture of shaft of right radius, subsequent encounter for closed fracture with routine healing	ICD-10-CM	Diagnosis
S52.324R	Nondisplaced transverse fracture of shaft of right radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD-10-CM	Diagnosis
S52.324N	Nondisplaced transverse fracture of shaft of right radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD-10-CM	Diagnosis
S52.324Q	Nondisplaced transverse fracture of shaft of right radius, subsequent encounter for open fracture type I or II with malunion	ICD-10-CM	Diagnosis
S52.324M	Nondisplaced transverse fracture of shaft of right radius, subsequent encounter for open fracture type I or II with nonunion	ICD-10-CM	Diagnosis
S52.324F	Nondisplaced transverse fracture of shaft of right radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD-10-CM	Diagnosis
S72.326A	Nondisplaced transverse fracture of shaft of unspecified femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S72.326B	Nondisplaced transverse fracture of shaft of unspecified femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S72.326C	Nondisplaced transverse fracture of shaft of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.326G	Nondisplaced transverse fracture of shaft of unspecified femur, subsequent encounter for closed fracture with delayed healing	ICD-10-CM	Diagnosis
S72.326P	Nondisplaced transverse fracture of shaft of unspecified femur, subsequent encounter for closed fracture with malunion	ICD-10-CM	Diagnosis
S72.326K	Nondisplaced transverse fracture of shaft of unspecified femur, subsequent encounter for closed fracture with nonunion	ICD-10-CM	Diagnosis
S72.326D	Nondisplaced transverse fracture of shaft of unspecified femur, subsequent encounter for closed fracture with routine healing	ICD-10-CM	Diagnosis
S72.326J	Nondisplaced transverse fracture of shaft of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD-10-CM	Diagnosis
S72.326R	Nondisplaced transverse fracture of shaft of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD-10-CM	Diagnosis
S72.326F	Nondisplaced transverse fracture of shaft of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD-10-CM	Diagnosis
S72.326N	Nondisplaced transverse fracture of shaft of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD-10-CM	Diagnosis
S72.326E	Nondisplaced transverse fracture of shaft of unspecified femur, subsequent encounter for open fracture type I or II with routine healing	ICD-10-CM	Diagnosis
S72.326H	Nondisplaced transverse fracture of shaft of unspecified femur, subsequent encounter for open fracture type I or II with delayed healing	ICD-10-CM	Diagnosis
S72.326Q	Nondisplaced transverse fracture of shaft of unspecified femur, subsequent encounter for open fracture type I or II with malunion	ICD-10-CM	Diagnosis
S72.326M	Nondisplaced transverse fracture of shaft of unspecified femur, subsequent encounter for open fracture type I or II with nonunion	ICD-10-CM	Diagnosis
S52.326A	Nondisplaced transverse fracture of shaft of unspecified radius, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.326B	Nondisplaced transverse fracture of shaft of unspecified radius, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S52.326C	Nondisplaced transverse fracture of shaft of unspecified radius, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S52.326P	Nondisplaced transverse fracture of shaft of unspecified radius, subsequent encounter for closed fracture with malunion	ICD-10-CM	Diagnosis
S52.326D	Nondisplaced transverse fracture of shaft of unspecified radius, subsequent encounter for closed fracture with routine healing	ICD-10-CM	Diagnosis
S52.326G	Nondisplaced transverse fracture of shaft of unspecified radius, subsequent encounter for closed fracture with delayed healing	ICD-10-CM	Diagnosis



**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S52.326K	Nondisplaced transverse fracture of shaft of unspecified radius, subsequent encounter for closed fracture with nonunion	ICD-10-CM	Diagnosis
S52.326Q	Nondisplaced transverse fracture of shaft of unspecified radius, subsequent encounter for open fracture type I or II with malunion	ICD-10-CM	Diagnosis
S52.326M	Nondisplaced transverse fracture of shaft of unspecified radius, subsequent encounter for open fracture type I or II with nonunion	ICD-10-CM	Diagnosis
S52.326R	Nondisplaced transverse fracture of shaft of unspecified radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD-10-CM	Diagnosis
S52.326N	Nondisplaced transverse fracture of shaft of unspecified radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD-10-CM	Diagnosis
S52.326H	Nondisplaced transverse fracture of shaft of unspecified radius, subsequent encounter for open fracture type I or II with delayed healing	ICD-10-CM	Diagnosis
S52.326E	Nondisplaced transverse fracture of shaft of unspecified radius, subsequent encounter for open fracture type I or II with routine healing	ICD-10-CM	Diagnosis
S52.326J	Nondisplaced transverse fracture of shaft of unspecified radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD-10-CM	Diagnosis
S52.326F	Nondisplaced transverse fracture of shaft of unspecified radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD-10-CM	Diagnosis
S52.226Q	Nondisplaced transverse fracture of shaft of unspecified ulna, subsequent encounter for open fracture type I or II with malunion	ICD-10-CM	Diagnosis
S52.226M	Nondisplaced transverse fracture of shaft of unspecified ulna, subsequent encounter for open fracture type I or II with nonunion	ICD-10-CM	Diagnosis
S42.325G	Nondisplaced transverse fracture of shaft of humerus, left arm, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S42.325P	Nondisplaced transverse fracture of shaft of humerus, left arm, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S42.325K	Nondisplaced transverse fracture of shaft of humerus, left arm, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S42.324G	Nondisplaced transverse fracture of shaft of humerus, right arm, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S42.324P	Nondisplaced transverse fracture of shaft of humerus, right arm, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S42.324K	Nondisplaced transverse fracture of shaft of humerus, right arm, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S42.326G	Nondisplaced transverse fracture of shaft of humerus, unspecified arm, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S42.326P	Nondisplaced transverse fracture of shaft of humerus, unspecified arm, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S42.326K	Nondisplaced transverse fracture of shaft of humerus, unspecified arm, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S52.225G	Nondisplaced transverse fracture of shaft of left ulna, subsequent encounter for closed fracture with delayed healing	ICD-10-CM	Diagnosis
S52.225H	Nondisplaced transverse fracture of shaft of left ulna, subsequent encounter for open fracture type I or II with delayed healing	ICD-10-CM	Diagnosis
S52.225B	Nondisplaced transverse fracture of shaft of left ulna, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S52.225C	Nondisplaced transverse fracture of shaft of left ulna, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S52.225A	Nondisplaced transverse fracture of shaft of left ulna, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.225P	Nondisplaced transverse fracture of shaft of left ulna, subsequent encounter for closed fracture with malunion	ICD-10-CM	Diagnosis
S52.225K	Nondisplaced transverse fracture of shaft of left ulna, subsequent encounter for closed fracture with nonunion	ICD-10-CM	Diagnosis
S52.225D	Nondisplaced transverse fracture of shaft of left ulna, subsequent encounter for closed fracture with routine healing	ICD-10-CM	Diagnosis
S52.225Q	Nondisplaced transverse fracture of shaft of left ulna, subsequent encounter for open fracture type I or II with malunion	ICD-10-CM	Diagnosis
S52.225M	Nondisplaced transverse fracture of shaft of left ulna, subsequent encounter for open fracture type I or II with nonunion	ICD-10-CM	Diagnosis
S52.225E	Nondisplaced transverse fracture of shaft of left ulna, subsequent encounter for open fracture type I or II with routine healing	ICD-10-CM	Diagnosis
S52.225J	Nondisplaced transverse fracture of shaft of left ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD-10-CM	Diagnosis
S52.225R	Nondisplaced transverse fracture of shaft of left ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD-10-CM	Diagnosis
S52.225N	Nondisplaced transverse fracture of shaft of left ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD-10-CM	Diagnosis
S52.225F	Nondisplaced transverse fracture of shaft of left ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD-10-CM	Diagnosis
S52.224C	Nondisplaced transverse fracture of shaft of right ulna, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S52.224G	Nondisplaced transverse fracture of shaft of right ulna, subsequent encounter for closed fracture with delayed healing	ICD-10-CM	Diagnosis
S52.224D	Nondisplaced transverse fracture of shaft of right ulna, subsequent encounter for closed fracture with routine healing	ICD-10-CM	Diagnosis
S52.224H	Nondisplaced transverse fracture of shaft of right ulna, subsequent encounter for open fracture type I or II with delayed healing	ICD-10-CM	Diagnosis
S52.224E	Nondisplaced transverse fracture of shaft of right ulna, subsequent encounter for open fracture type I or II with routine healing	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S52.224F	Nondisplaced transverse fracture of shaft of right ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD-10-CM	Diagnosis
S52.224B	Nondisplaced transverse fracture of shaft of right ulna, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S52.224A	Nondisplaced transverse fracture of shaft of right ulna, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.224P	Nondisplaced transverse fracture of shaft of right ulna, subsequent encounter for closed fracture with malunion	ICD-10-CM	Diagnosis
S52.224K	Nondisplaced transverse fracture of shaft of right ulna, subsequent encounter for closed fracture with nonunion	ICD-10-CM	Diagnosis
S52.224N	Nondisplaced transverse fracture of shaft of right ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD-10-CM	Diagnosis
S52.224Q	Nondisplaced transverse fracture of shaft of right ulna, subsequent encounter for open fracture type I or II with malunion	ICD-10-CM	Diagnosis
S52.224M	Nondisplaced transverse fracture of shaft of right ulna, subsequent encounter for open fracture type I or II with nonunion	ICD-10-CM	Diagnosis
S52.224J	Nondisplaced transverse fracture of shaft of right ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD-10-CM	Diagnosis
S52.224R	Nondisplaced transverse fracture of shaft of right ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD-10-CM	Diagnosis
S52.226B	Nondisplaced transverse fracture of shaft of unspecified ulna, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S52.226C	Nondisplaced transverse fracture of shaft of unspecified ulna, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S52.226A	Nondisplaced transverse fracture of shaft of unspecified ulna, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.226G	Nondisplaced transverse fracture of shaft of unspecified ulna, subsequent encounter for closed fracture with delayed healing	ICD-10-CM	Diagnosis
S52.226P	Nondisplaced transverse fracture of shaft of unspecified ulna, subsequent encounter for closed fracture with malunion	ICD-10-CM	Diagnosis
S52.226K	Nondisplaced transverse fracture of shaft of unspecified ulna, subsequent encounter for closed fracture with nonunion	ICD-10-CM	Diagnosis
S52.226D	Nondisplaced transverse fracture of shaft of unspecified ulna, subsequent encounter for closed fracture with routine healing	ICD-10-CM	Diagnosis
S52.226E	Nondisplaced transverse fracture of shaft of unspecified ulna, subsequent encounter for open fracture type I or II with routine healing	ICD-10-CM	Diagnosis
S52.226R	Nondisplaced transverse fracture of shaft of unspecified ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD-10-CM	Diagnosis
S52.226N	Nondisplaced transverse fracture of shaft of unspecified ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD-10-CM	Diagnosis
S52.226F	Nondisplaced transverse fracture of shaft of unspecified ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S42.475A	Nondisplaced transcondylar fracture of left humerus, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.475B	Nondisplaced transcondylar fracture of left humerus, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.475G	Nondisplaced transcondylar fracture of left humerus, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S42.475P	Nondisplaced transcondylar fracture of left humerus, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S42.475K	Nondisplaced transcondylar fracture of left humerus, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S42.474A	Nondisplaced transcondylar fracture of right humerus, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.474B	Nondisplaced transcondylar fracture of right humerus, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.474G	Nondisplaced transcondylar fracture of right humerus, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S42.474P	Nondisplaced transcondylar fracture of right humerus, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S42.474K	Nondisplaced transcondylar fracture of right humerus, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S42.474D	Nondisplaced transcondylar fracture of right humerus, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S42.476A	Nondisplaced transcondylar fracture of unspecified humerus, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.476B	Nondisplaced transcondylar fracture of unspecified humerus, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.476G	Nondisplaced transcondylar fracture of unspecified humerus, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S42.476P	Nondisplaced transcondylar fracture of unspecified humerus, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S42.476K	Nondisplaced transcondylar fracture of unspecified humerus, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S42.476D	Nondisplaced transcondylar fracture of unspecified humerus, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S42.355A	Nondisplaced comminuted fracture of shaft of humerus, left arm, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.355B	Nondisplaced comminuted fracture of shaft of humerus, left arm, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.354A	Nondisplaced comminuted fracture of shaft of humerus, right arm, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.354B	Nondisplaced comminuted fracture of shaft of humerus, right arm, initial encounter for open fracture	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S42.124A	Nondisplaced fracture of acromial process, right shoulder, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.135A	Nondisplaced fracture of coracoid process, left shoulder, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.135B	Nondisplaced fracture of coracoid process, left shoulder, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.135G	Nondisplaced fracture of coracoid process, left shoulder, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S42.135P	Nondisplaced fracture of coracoid process, left shoulder, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S42.135K	Nondisplaced fracture of coracoid process, left shoulder, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S42.135D	Nondisplaced fracture of coracoid process, left shoulder, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S42.134A	Nondisplaced fracture of coracoid process, right shoulder, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.134B	Nondisplaced fracture of coracoid process, right shoulder, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.134G	Nondisplaced fracture of coracoid process, right shoulder, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S42.134P	Nondisplaced fracture of coracoid process, right shoulder, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S42.134K	Nondisplaced fracture of coracoid process, right shoulder, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S42.134D	Nondisplaced fracture of coracoid process, right shoulder, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S42.136A	Nondisplaced fracture of coracoid process, unspecified shoulder, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.136B	Nondisplaced fracture of coracoid process, unspecified shoulder, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.136G	Nondisplaced fracture of coracoid process, unspecified shoulder, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S42.136P	Nondisplaced fracture of coracoid process, unspecified shoulder, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S42.136K	Nondisplaced fracture of coracoid process, unspecified shoulder, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S42.136D	Nondisplaced fracture of coracoid process, unspecified shoulder, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S42.135S	Nondisplaced fracture of coracoid process, left shoulder, sequela	ICD-10-CM	Diagnosis
S42.134S	Nondisplaced fracture of coracoid process, right shoulder, sequela	ICD-10-CM	Diagnosis
S42.136S	Nondisplaced fracture of coracoid process, unspecified shoulder, sequela	ICD-10-CM	Diagnosis
S42.145G	Nondisplaced fracture of glenoid cavity of scapula, left shoulder, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S42.145P	Nondisplaced fracture of glenoid cavity of scapula, left shoulder, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S42.145D	Nondisplaced fracture of glenoid cavity of scapula, left shoulder, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S42.146G	Nondisplaced fracture of glenoid cavity of scapula, unspecified shoulder, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S42.146A	Nondisplaced fracture of glenoid cavity of scapula, unspecified shoulder, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.146B	Nondisplaced fracture of glenoid cavity of scapula, unspecified shoulder, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.146D	Nondisplaced fracture of glenoid cavity of scapula, unspecified shoulder, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S42.145S	Nondisplaced fracture of glenoid cavity of scapula, left shoulder, sequela	ICD-10-CM	Diagnosis
S42.265A	Nondisplaced fracture of lesser tuberosity of left humerus, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.265B	Nondisplaced fracture of lesser tuberosity of left humerus, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.265G	Nondisplaced fracture of lesser tuberosity of left humerus, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S42.265P	Nondisplaced fracture of lesser tuberosity of left humerus, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S42.265K	Nondisplaced fracture of lesser tuberosity of left humerus, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S42.265D	Nondisplaced fracture of lesser tuberosity of left humerus, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S42.264A	Nondisplaced fracture of lesser tuberosity of right humerus, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.264B	Nondisplaced fracture of lesser tuberosity of right humerus, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.264G	Nondisplaced fracture of lesser tuberosity of right humerus, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S42.264P	Nondisplaced fracture of lesser tuberosity of right humerus, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S42.264K	Nondisplaced fracture of lesser tuberosity of right humerus, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S42.264D	Nondisplaced fracture of lesser tuberosity of right humerus, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S42.266A	Nondisplaced fracture of lesser tuberosity of unspecified humerus, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.266B	Nondisplaced fracture of lesser tuberosity of unspecified humerus, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.266D	Nondisplaced fracture of lesser tuberosity of unspecified humerus, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis



**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S62.175S	Nondisplaced fracture of trapezium [larger multangular], left wrist, sequela	ICD-10-CM	Diagnosis
S62.175A	Nondisplaced fracture of trapezium [larger multangular], left wrist, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S62.175B	Nondisplaced fracture of trapezium [larger multangular], left wrist, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.175G	Nondisplaced fracture of trapezium [larger multangular], left wrist, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S62.175D	Nondisplaced fracture of trapezium [larger multangular], left wrist, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S62.175P	Nondisplaced fracture of trapezium [larger multangular], left wrist, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S62.175K	Nondisplaced fracture of trapezium [larger multangular], left wrist, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S62.174S	Nondisplaced fracture of trapezium [larger multangular], right wrist, sequela	ICD-10-CM	Diagnosis
S62.174A	Nondisplaced fracture of trapezium [larger multangular], right wrist, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S62.174B	Nondisplaced fracture of trapezium [larger multangular], right wrist, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.174G	Nondisplaced fracture of trapezium [larger multangular], right wrist, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S62.174D	Nondisplaced fracture of trapezium [larger multangular], right wrist, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S62.174P	Nondisplaced fracture of trapezium [larger multangular], right wrist, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S62.174K	Nondisplaced fracture of trapezium [larger multangular], right wrist, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S62.176B	Nondisplaced fracture of trapezium [larger multangular], unspecified wrist, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.176A	Nondisplaced fracture of trapezium [larger multangular], unspecified wrist, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S62.176G	Nondisplaced fracture of trapezium [larger multangular], unspecified wrist, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S62.176D	Nondisplaced fracture of trapezium [larger multangular], unspecified wrist, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S62.176S	Nondisplaced fracture of trapezium [larger multangular], unspecified wrist, sequela	ICD-10-CM	Diagnosis
S62.185S	Nondisplaced fracture of trapezoid [smaller multangular], left wrist, sequela	ICD-10-CM	Diagnosis
S62.185A	Nondisplaced fracture of trapezoid [smaller multangular], left wrist, initial encounter for closed fracture	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S62.185B	Nondisplaced fracture of trapezoid [smaller multangular], left wrist, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.185G	Nondisplaced fracture of trapezoid [smaller multangular], left wrist, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S62.185D	Nondisplaced fracture of trapezoid [smaller multangular], left wrist, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S62.185P	Nondisplaced fracture of trapezoid [smaller multangular], left wrist, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S62.185K	Nondisplaced fracture of trapezoid [smaller multangular], left wrist, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S62.184S	Nondisplaced fracture of trapezoid [smaller multangular], right wrist, sequela	ICD-10-CM	Diagnosis
S62.184A	Nondisplaced fracture of trapezoid [smaller multangular], right wrist, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S62.184B	Nondisplaced fracture of trapezoid [smaller multangular], right wrist, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.184G	Nondisplaced fracture of trapezoid [smaller multangular], right wrist, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S62.184D	Nondisplaced fracture of trapezoid [smaller multangular], right wrist, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S62.184P	Nondisplaced fracture of trapezoid [smaller multangular], right wrist, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S62.184K	Nondisplaced fracture of trapezoid [smaller multangular], right wrist, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S62.186B	Nondisplaced fracture of trapezoid [smaller multangular], unspecified wrist, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.186A	Nondisplaced fracture of trapezoid [smaller multangular], unspecified wrist, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S62.186G	Nondisplaced fracture of trapezoid [smaller multangular], unspecified wrist, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S62.186D	Nondisplaced fracture of trapezoid [smaller multangular], unspecified wrist, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S62.186S	Nondisplaced fracture of trapezoid [smaller multangular], unspecified wrist, sequela	ICD-10-CM	Diagnosis
S42.346A	Nondisplaced spiral fracture of shaft of humerus, unspecified arm, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.346B	Nondisplaced spiral fracture of shaft of humerus, unspecified arm, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.325A	Nondisplaced transverse fracture of shaft of humerus, left arm, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.325B	Nondisplaced transverse fracture of shaft of humerus, left arm, initial encounter for open fracture	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S42.325D	Nondisplaced transverse fracture of shaft of humerus, left arm, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S42.324A	Nondisplaced transverse fracture of shaft of humerus, right arm, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.324B	Nondisplaced transverse fracture of shaft of humerus, right arm, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.324D	Nondisplaced transverse fracture of shaft of humerus, right arm, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S42.326A	Nondisplaced transverse fracture of shaft of humerus, unspecified arm, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.326B	Nondisplaced transverse fracture of shaft of humerus, unspecified arm, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.326D	Nondisplaced transverse fracture of shaft of humerus, unspecified arm, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S82.864D	Nondisplaced Maisonneuve's fracture of right leg, subsequent encounter for closed fracture with routine healing	ICD-10-CM	Diagnosis
S82.255S	Nondisplaced comminuted fracture of shaft of left tibia, sequela	ICD-10-CM	Diagnosis
S82.254S	Nondisplaced comminuted fracture of shaft of right tibia, sequela	ICD-10-CM	Diagnosis
S82.256S	Nondisplaced comminuted fracture of shaft of unspecified tibia, sequela	ICD-10-CM	Diagnosis
S32.414K	Nondisplaced fracture of anterior wall of right acetabulum, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S32.414B	Nondisplaced fracture of anterior wall of right acetabulum, initial encounter for open fracture	ICD-10-CM	Diagnosis
S32.414A	Nondisplaced fracture of anterior wall of right acetabulum, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S32.416A	Nondisplaced fracture of anterior wall of unspecified acetabulum, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S32.416K	Nondisplaced fracture of anterior wall of unspecified acetabulum, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S32.426A	Nondisplaced fracture of posterior wall of unspecified acetabulum, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.235S	Nondisplaced oblique fracture of shaft of left tibia, sequela	ICD-10-CM	Diagnosis
S82.234S	Nondisplaced oblique fracture of shaft of right tibia, sequela	ICD-10-CM	Diagnosis
S82.236S	Nondisplaced oblique fracture of shaft of unspecified tibia, sequela	ICD-10-CM	Diagnosis
S82.245A	Nondisplaced spiral fracture of shaft of left tibia, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.244A	Nondisplaced spiral fracture of shaft of right tibia, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.246A	Nondisplaced spiral fracture of shaft of unspecified tibia, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.225A	Nondisplaced transverse fracture of shaft of left tibia, initial encounter for closed fracture	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S82.224A	Nondisplaced transverse fracture of shaft of right tibia, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.226A	Nondisplaced transverse fracture of shaft of unspecified tibia, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S32.415A	Nondisplaced fracture of anterior wall of left acetabulum, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S32.415B	Nondisplaced fracture of anterior wall of left acetabulum, initial encounter for open fracture	ICD-10-CM	Diagnosis
S32.415G	Nondisplaced fracture of anterior wall of left acetabulum, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S32.414G	Nondisplaced fracture of anterior wall of right acetabulum, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S62.347G	Nondisplaced fracture of base of fifth metacarpal bone, left hand, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S62.347D	Nondisplaced fracture of base of fifth metacarpal bone, left hand, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S32.315G	Nondisplaced avulsion fracture of left ilium, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S32.314G	Nondisplaced avulsion fracture of right ilium, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S32.316G	Nondisplaced avulsion fracture of unspecified ilium, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S32.316D	Nondisplaced avulsion fracture of unspecified ilium, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S32.614S	Nondisplaced avulsion fracture of right ischium, sequela	ICD-10-CM	Diagnosis
S32.415D	Nondisplaced fracture of anterior wall of left acetabulum, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S32.414D	Nondisplaced fracture of anterior wall of right acetabulum, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S62.341G	Nondisplaced fracture of base of second metacarpal bone, left hand, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S62.347P	Nondisplaced fracture of base of fifth metacarpal bone, left hand, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S62.347K	Nondisplaced fracture of base of fifth metacarpal bone, left hand, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S92.525P	Nondisplaced fracture of middle phalanx of left lesser toe(s), subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S92.526B	Nondisplaced fracture of middle phalanx of unspecified lesser toe(s), initial encounter for open fracture	ICD-10-CM	Diagnosis
S32.316K	Nondisplaced avulsion fracture of unspecified ilium, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S92.155S	Nondisplaced avulsion fracture (chip fracture) of left talus, sequela	ICD-10-CM	Diagnosis
S92.154S	Nondisplaced avulsion fracture (chip fracture) of right talus, sequela	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S92.156S	Nondisplaced avulsion fracture (chip fracture) of unspecified talus, sequela	ICD-10-CM	Diagnosis
S32.315K	Nondisplaced avulsion fracture of left ilium, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S32.315A	Nondisplaced avulsion fracture of left ilium, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S32.316A	Nondisplaced avulsion fracture of unspecified ilium, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S32.315B	Nondisplaced avulsion fracture of left ilium, initial encounter for open fracture	ICD-10-CM	Diagnosis
S32.315D	Nondisplaced avulsion fracture of left ilium, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S32.615K	Nondisplaced avulsion fracture of left ischium, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S92.155A	Nondisplaced avulsion fracture (chip fracture) of left talus, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S92.155B	Nondisplaced avulsion fracture (chip fracture) of left talus, initial encounter for open fracture	ICD-10-CM	Diagnosis
S92.155G	Nondisplaced avulsion fracture (chip fracture) of left talus, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S92.155P	Nondisplaced avulsion fracture (chip fracture) of left talus, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S92.155K	Nondisplaced avulsion fracture (chip fracture) of left talus, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S92.155D	Nondisplaced avulsion fracture (chip fracture) of left talus, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S32.314A	Nondisplaced avulsion fracture of right ilium, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S32.314B	Nondisplaced avulsion fracture of right ilium, initial encounter for open fracture	ICD-10-CM	Diagnosis
S32.314K	Nondisplaced avulsion fracture of right ilium, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S32.314D	Nondisplaced avulsion fracture of right ilium, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S92.154A	Nondisplaced avulsion fracture (chip fracture) of right talus, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S92.154B	Nondisplaced avulsion fracture (chip fracture) of right talus, initial encounter for open fracture	ICD-10-CM	Diagnosis
S92.154G	Nondisplaced avulsion fracture (chip fracture) of right talus, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S92.154P	Nondisplaced avulsion fracture (chip fracture) of right talus, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S92.154K	Nondisplaced avulsion fracture (chip fracture) of right talus, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S92.154D	Nondisplaced avulsion fracture (chip fracture) of right talus, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S32.316B	Nondisplaced avulsion fracture of unspecified ilium, initial encounter for open fracture	ICD-10-CM	Diagnosis
S32.616G	Nondisplaced avulsion fracture of unspecified ischium, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S32.616K	Nondisplaced avulsion fracture of unspecified ischium, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S92.156A	Nondisplaced avulsion fracture (chip fracture) of unspecified talus, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S92.156B	Nondisplaced avulsion fracture (chip fracture) of unspecified talus, initial encounter for open fracture	ICD-10-CM	Diagnosis
S92.156P	Nondisplaced avulsion fracture (chip fracture) of unspecified talus, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S92.156K	Nondisplaced avulsion fracture (chip fracture) of unspecified talus, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S92.156D	Nondisplaced avulsion fracture (chip fracture) of unspecified talus, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S92.156G	Nondisplaced avulsion fracture (chip fracture) of unspecified talus, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S32.315S	Nondisplaced avulsion fracture of left ilium, sequela	ICD-10-CM	Diagnosis
S32.615S	Nondisplaced avulsion fracture of left ischium, sequela	ICD-10-CM	Diagnosis
S32.314S	Nondisplaced avulsion fracture of right ilium, sequela	ICD-10-CM	Diagnosis
S32.316S	Nondisplaced avulsion fracture of unspecified ilium, sequela	ICD-10-CM	Diagnosis
S32.616S	Nondisplaced avulsion fracture of unspecified ischium, sequela	ICD-10-CM	Diagnosis
S32.615A	Nondisplaced avulsion fracture of left ischium, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S32.615D	Nondisplaced avulsion fracture of left ischium, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S32.614A	Nondisplaced avulsion fracture of right ischium, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S32.614B	Nondisplaced avulsion fracture of right ischium, initial encounter for open fracture	ICD-10-CM	Diagnosis
S32.614D	Nondisplaced avulsion fracture of right ischium, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S32.616A	Nondisplaced avulsion fracture of unspecified ischium, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S32.616B	Nondisplaced avulsion fracture of unspecified ischium, initial encounter for open fracture	ICD-10-CM	Diagnosis
S32.616D	Nondisplaced avulsion fracture of unspecified ischium, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis



**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S82.145S	Nondisplaced bicondylar fracture of left tibia, sequela	ICD-10-CM	Diagnosis
S82.144S	Nondisplaced bicondylar fracture of right tibia, sequela	ICD-10-CM	Diagnosis
S82.146S	Nondisplaced bicondylar fracture of unspecified tibia, sequela	ICD-10-CM	Diagnosis
S82.045A	Nondisplaced comminuted fracture of left patella, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.044A	Nondisplaced comminuted fracture of right patella, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.046A	Nondisplaced comminuted fracture of unspecified patella, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.045S	Nondisplaced comminuted fracture of left patella, sequela	ICD-10-CM	Diagnosis
S82.044S	Nondisplaced comminuted fracture of right patella, sequela	ICD-10-CM	Diagnosis
S82.046S	Nondisplaced comminuted fracture of unspecified patella, sequela	ICD-10-CM	Diagnosis
S32.485S	Nondisplaced dome fracture of left acetabulum, sequela	ICD-10-CM	Diagnosis
S92.145S	Nondisplaced dome fracture of left talus, sequela	ICD-10-CM	Diagnosis
S92.144S	Nondisplaced dome fracture of right talus, sequela	ICD-10-CM	Diagnosis
S32.486S	Nondisplaced dome fracture of unspecified acetabulum, sequela	ICD-10-CM	Diagnosis
S92.146S	Nondisplaced dome fracture of unspecified talus, sequela	ICD-10-CM	Diagnosis
S92.145A	Nondisplaced dome fracture of left talus, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S92.145B	Nondisplaced dome fracture of left talus, initial encounter for open fracture	ICD-10-CM	Diagnosis
S92.145G	Nondisplaced dome fracture of left talus, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S92.145P	Nondisplaced dome fracture of left talus, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S92.145K	Nondisplaced dome fracture of left talus, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S92.145D	Nondisplaced dome fracture of left talus, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S92.144A	Nondisplaced dome fracture of right talus, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S92.144B	Nondisplaced dome fracture of right talus, initial encounter for open fracture	ICD-10-CM	Diagnosis
S92.144G	Nondisplaced dome fracture of right talus, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S92.144P	Nondisplaced dome fracture of right talus, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S92.144K	Nondisplaced dome fracture of right talus, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S92.144D	Nondisplaced dome fracture of right talus, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S32.486A	Nondisplaced dome fracture of unspecified acetabulum, initial encounter for closed fracture	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S32.486B	Nondisplaced dome fracture of unspecified acetabulum, initial encounter for open fracture	ICD-10-CM	Diagnosis
S32.486G	Nondisplaced dome fracture of unspecified acetabulum, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S32.486D	Nondisplaced dome fracture of unspecified acetabulum, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S92.146A	Nondisplaced dome fracture of unspecified talus, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S92.146B	Nondisplaced dome fracture of unspecified talus, initial encounter for open fracture	ICD-10-CM	Diagnosis
S92.146G	Nondisplaced dome fracture of unspecified talus, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S92.146P	Nondisplaced dome fracture of unspecified talus, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S92.146K	Nondisplaced dome fracture of unspecified talus, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S92.146D	Nondisplaced dome fracture of unspecified talus, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S32.414S	Nondisplaced fracture of anterior wall of right acetabulum, sequela	ICD-10-CM	Diagnosis
S92.015S	Nondisplaced fracture of body of left calcaneus, sequela	ICD-10-CM	Diagnosis
S92.125S	Nondisplaced fracture of body of left talus, sequela	ICD-10-CM	Diagnosis
S92.124S	Nondisplaced fracture of body of right talus, sequela	ICD-10-CM	Diagnosis
S92.126S	Nondisplaced fracture of body of unspecified talus, sequela	ICD-10-CM	Diagnosis
S52.125S	Nondisplaced fracture of head of left radius, sequela	ICD-10-CM	Diagnosis
S52.124S	Nondisplaced fracture of head of right radius, sequela	ICD-10-CM	Diagnosis
S82.115S	Nondisplaced fracture of left tibial spine, sequela	ICD-10-CM	Diagnosis
S92.255S	Nondisplaced fracture of navicular [scaphoid] of left foot, sequela	ICD-10-CM	Diagnosis
S92.254S	Nondisplaced fracture of navicular [scaphoid] of right foot, sequela	ICD-10-CM	Diagnosis
S92.256S	Nondisplaced fracture of navicular [scaphoid] of unspecified foot, sequela	ICD-10-CM	Diagnosis
S52.135S	Nondisplaced fracture of neck of left radius, sequela	ICD-10-CM	Diagnosis
S92.115S	Nondisplaced fracture of neck of left talus, sequela	ICD-10-CM	Diagnosis
S52.134S	Nondisplaced fracture of neck of right radius, sequela	ICD-10-CM	Diagnosis
S92.114S	Nondisplaced fracture of neck of right talus, sequela	ICD-10-CM	Diagnosis
S92.116S	Nondisplaced fracture of neck of unspecified talus, sequela	ICD-10-CM	Diagnosis
S62.165S	Nondisplaced fracture of pisiform, left wrist, sequela	ICD-10-CM	Diagnosis
S82.114S	Nondisplaced fracture of right tibial spine, sequela	ICD-10-CM	Diagnosis
S42.025S	Nondisplaced fracture of shaft of left clavicle, sequela	ICD-10-CM	Diagnosis
S92.026S	Nondisplaced fracture of anterior process of unspecified calcaneus, sequela	ICD-10-CM	Diagnosis
S62.341P	Nondisplaced fracture of base of second metacarpal bone, left hand, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S62.341K	Nondisplaced fracture of base of second metacarpal bone, left hand, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S62.341D	Nondisplaced fracture of base of second metacarpal bone, left hand, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S62.341A	Nondisplaced fracture of base of second metacarpal bone, left hand, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S62.341B	Nondisplaced fracture of base of second metacarpal bone, left hand, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.341S	Nondisplaced fracture of base of second metacarpal bone, left hand, sequela	ICD-10-CM	Diagnosis
S62.347S	Nondisplaced fracture of base of fifth metacarpal bone, left hand, sequela	ICD-10-CM	Diagnosis
S62.347A	Nondisplaced fracture of base of fifth metacarpal bone, left hand, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S62.347B	Nondisplaced fracture of base of fifth metacarpal bone, left hand, initial encounter for open fracture	ICD-10-CM	Diagnosis
S92.125A	Nondisplaced fracture of body of left talus, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S92.125B	Nondisplaced fracture of body of left talus, initial encounter for open fracture	ICD-10-CM	Diagnosis
S92.125G	Nondisplaced fracture of body of left talus, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S92.125P	Nondisplaced fracture of body of left talus, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S92.125K	Nondisplaced fracture of body of left talus, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S92.125D	Nondisplaced fracture of body of left talus, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S92.124A	Nondisplaced fracture of body of right talus, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S92.124B	Nondisplaced fracture of body of right talus, initial encounter for open fracture	ICD-10-CM	Diagnosis
S92.124G	Nondisplaced fracture of body of right talus, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S92.124P	Nondisplaced fracture of body of right talus, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S92.124K	Nondisplaced fracture of body of right talus, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S92.124D	Nondisplaced fracture of body of right talus, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S92.126A	Nondisplaced fracture of body of unspecified talus, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S92.126B	Nondisplaced fracture of body of unspecified talus, initial encounter for open fracture	ICD-10-CM	Diagnosis
S92.126G	Nondisplaced fracture of body of unspecified talus, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S92.126P	Nondisplaced fracture of body of unspecified talus, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S92.126K	Nondisplaced fracture of body of unspecified talus, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S92.126D	Nondisplaced fracture of body of unspecified talus, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S52.045J	Nondisplaced fracture of coronoid process of left ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD-10-CM	Diagnosis
S52.045A	Nondisplaced fracture of coronoid process of left ulna, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.045B	Nondisplaced fracture of coronoid process of left ulna, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S52.045C	Nondisplaced fracture of coronoid process of left ulna, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S52.045G	Nondisplaced fracture of coronoid process of left ulna, subsequent encounter for closed fracture with delayed healing	ICD-10-CM	Diagnosis
S52.045K	Nondisplaced fracture of coronoid process of left ulna, subsequent encounter for closed fracture with nonunion	ICD-10-CM	Diagnosis
S52.045P	Nondisplaced fracture of coronoid process of left ulna, subsequent encounter for closed fracture with malunion	ICD-10-CM	Diagnosis
S52.045D	Nondisplaced fracture of coronoid process of left ulna, subsequent encounter for closed fracture with routine healing	ICD-10-CM	Diagnosis
S52.045H	Nondisplaced fracture of coronoid process of left ulna, subsequent encounter for open fracture type I or II with delayed healing	ICD-10-CM	Diagnosis
S52.045Q	Nondisplaced fracture of coronoid process of left ulna, subsequent encounter for open fracture type I or II with malunion	ICD-10-CM	Diagnosis
S52.045M	Nondisplaced fracture of coronoid process of left ulna, subsequent encounter for open fracture type I or II with nonunion	ICD-10-CM	Diagnosis
S52.045E	Nondisplaced fracture of coronoid process of left ulna, subsequent encounter for open fracture type I or II with routine healing	ICD-10-CM	Diagnosis
S52.045R	Nondisplaced fracture of coronoid process of left ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD-10-CM	Diagnosis
S52.045N	Nondisplaced fracture of coronoid process of left ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD-10-CM	Diagnosis
S52.045F	Nondisplaced fracture of coronoid process of left ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD-10-CM	Diagnosis
S52.045S	Nondisplaced fracture of coronoid process of left ulna, sequela	ICD-10-CM	Diagnosis
S52.044S	Nondisplaced fracture of coronoid process of right ulna, sequela	ICD-10-CM	Diagnosis
S52.044A	Nondisplaced fracture of coronoid process of right ulna, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.044B	Nondisplaced fracture of coronoid process of right ulna, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S52.044C	Nondisplaced fracture of coronoid process of right ulna, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S52.044G	Nondisplaced fracture of coronoid process of right ulna, subsequent encounter for closed fracture with delayed healing	ICD-10-CM	Diagnosis
S52.044K	Nondisplaced fracture of coronoid process of right ulna, subsequent encounter for closed fracture with nonunion	ICD-10-CM	Diagnosis
S52.044P	Nondisplaced fracture of coronoid process of right ulna, subsequent encounter for closed fracture with malunion	ICD-10-CM	Diagnosis
S52.044D	Nondisplaced fracture of coronoid process of right ulna, subsequent encounter for closed fracture with routine healing	ICD-10-CM	Diagnosis
S52.044H	Nondisplaced fracture of coronoid process of right ulna, subsequent encounter for open fracture type I or II with delayed healing	ICD-10-CM	Diagnosis
S52.044Q	Nondisplaced fracture of coronoid process of right ulna, subsequent encounter for open fracture type I or II with malunion	ICD-10-CM	Diagnosis
S52.044M	Nondisplaced fracture of coronoid process of right ulna, subsequent encounter for open fracture type I or II with nonunion	ICD-10-CM	Diagnosis
S52.044E	Nondisplaced fracture of coronoid process of right ulna, subsequent encounter for open fracture type I or II with routine healing	ICD-10-CM	Diagnosis
S52.044J	Nondisplaced fracture of coronoid process of right ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD-10-CM	Diagnosis
S52.044R	Nondisplaced fracture of coronoid process of right ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD-10-CM	Diagnosis
S52.044N	Nondisplaced fracture of coronoid process of right ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD-10-CM	Diagnosis
S52.044F	Nondisplaced fracture of coronoid process of right ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD-10-CM	Diagnosis
S52.046A	Nondisplaced fracture of coronoid process of unspecified ulna, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.046B	Nondisplaced fracture of coronoid process of unspecified ulna, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S52.046C	Nondisplaced fracture of coronoid process of unspecified ulna, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S52.046S	Nondisplaced fracture of coronoid process of unspecified ulna, sequela	ICD-10-CM	Diagnosis
S52.046G	Nondisplaced fracture of coronoid process of unspecified ulna, subsequent encounter for closed fracture with delayed healing	ICD-10-CM	Diagnosis
S52.046P	Nondisplaced fracture of coronoid process of unspecified ulna, subsequent encounter for closed fracture with malunion	ICD-10-CM	Diagnosis
S52.046K	Nondisplaced fracture of coronoid process of unspecified ulna, subsequent encounter for closed fracture with nonunion	ICD-10-CM	Diagnosis
S52.046D	Nondisplaced fracture of coronoid process of unspecified ulna, subsequent encounter for closed fracture with routine healing	ICD-10-CM	Diagnosis
S52.046H	Nondisplaced fracture of coronoid process of unspecified ulna, subsequent encounter for open fracture type I or II with delayed healing	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S52.046E	Nondisplaced fracture of coronoid process of unspecified ulna, subsequent encounter for open fracture type I or II with routine healing	ICD-10-CM	Diagnosis
S52.046J	Nondisplaced fracture of coronoid process of unspecified ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD-10-CM	Diagnosis
S52.046F	Nondisplaced fracture of coronoid process of unspecified ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD-10-CM	Diagnosis
S52.046Q	Nondisplaced fracture of coronoid process of unspecified ulna, subsequent encounter for open fracture type I or II with malunion	ICD-10-CM	Diagnosis
S52.046M	Nondisplaced fracture of coronoid process of unspecified ulna, subsequent encounter for open fracture type I or II with nonunion	ICD-10-CM	Diagnosis
S52.046R	Nondisplaced fracture of coronoid process of unspecified ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD-10-CM	Diagnosis
S52.046N	Nondisplaced fracture of coronoid process of unspecified ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD-10-CM	Diagnosis
S92.215S	Nondisplaced fracture of cuboid bone of left foot, sequela	ICD-10-CM	Diagnosis
S92.214S	Nondisplaced fracture of cuboid bone of right foot, sequela	ICD-10-CM	Diagnosis
S92.216S	Nondisplaced fracture of cuboid bone of unspecified foot, sequela	ICD-10-CM	Diagnosis
S52.126A	Nondisplaced fracture of head of unspecified radius, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.125B	Nondisplaced fracture of head of left radius, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S52.125C	Nondisplaced fracture of head of left radius, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S52.125A	Nondisplaced fracture of head of left radius, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.125G	Nondisplaced fracture of head of left radius, subsequent encounter for closed fracture with delayed healing	ICD-10-CM	Diagnosis
S52.125P	Nondisplaced fracture of head of left radius, subsequent encounter for closed fracture with malunion	ICD-10-CM	Diagnosis
S52.125K	Nondisplaced fracture of head of left radius, subsequent encounter for closed fracture with nonunion	ICD-10-CM	Diagnosis
S52.125D	Nondisplaced fracture of head of left radius, subsequent encounter for closed fracture with routine healing	ICD-10-CM	Diagnosis
S52.125H	Nondisplaced fracture of head of left radius, subsequent encounter for open fracture type I or II with delayed healing	ICD-10-CM	Diagnosis
S52.125J	Nondisplaced fracture of head of left radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD-10-CM	Diagnosis
S52.125Q	Nondisplaced fracture of head of left radius, subsequent encounter for open fracture type I or II with malunion	ICD-10-CM	Diagnosis



**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S52.125M	Nondisplaced fracture of head of left radius, subsequent encounter for open fracture type I or II with nonunion	ICD-10-CM	Diagnosis
S52.125E	Nondisplaced fracture of head of left radius, subsequent encounter for open fracture type I or II with routine healing	ICD-10-CM	Diagnosis
S52.125R	Nondisplaced fracture of head of left radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD-10-CM	Diagnosis
S52.125N	Nondisplaced fracture of head of left radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD-10-CM	Diagnosis
S52.125F	Nondisplaced fracture of head of left radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD-10-CM	Diagnosis
S52.124A	Nondisplaced fracture of head of right radius, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.124B	Nondisplaced fracture of head of right radius, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S52.124C	Nondisplaced fracture of head of right radius, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S52.124G	Nondisplaced fracture of head of right radius, subsequent encounter for closed fracture with delayed healing	ICD-10-CM	Diagnosis
S52.124P	Nondisplaced fracture of head of right radius, subsequent encounter for closed fracture with malunion	ICD-10-CM	Diagnosis
S52.124K	Nondisplaced fracture of head of right radius, subsequent encounter for closed fracture with nonunion	ICD-10-CM	Diagnosis
S52.124D	Nondisplaced fracture of head of right radius, subsequent encounter for closed fracture with routine healing	ICD-10-CM	Diagnosis
S52.124H	Nondisplaced fracture of head of right radius, subsequent encounter for open fracture type I or II with delayed healing	ICD-10-CM	Diagnosis
S52.124Q	Nondisplaced fracture of head of right radius, subsequent encounter for open fracture type I or II with malunion	ICD-10-CM	Diagnosis
S52.124M	Nondisplaced fracture of head of right radius, subsequent encounter for open fracture type I or II with nonunion	ICD-10-CM	Diagnosis
S52.124E	Nondisplaced fracture of head of right radius, subsequent encounter for open fracture type I or II with routine healing	ICD-10-CM	Diagnosis
S52.124J	Nondisplaced fracture of head of right radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD-10-CM	Diagnosis
S52.124R	Nondisplaced fracture of head of right radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD-10-CM	Diagnosis
S52.124N	Nondisplaced fracture of head of right radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD-10-CM	Diagnosis
S52.124F	Nondisplaced fracture of head of right radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD-10-CM	Diagnosis
S82.125S	Nondisplaced fracture of lateral condyle of left tibia, sequela	ICD-10-CM	Diagnosis
S82.124S	Nondisplaced fracture of lateral condyle of right tibia, sequela	ICD-10-CM	Diagnosis
S82.126S	Nondisplaced fracture of lateral condyle of unspecified tibia, sequela	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S82.115A	Nondisplaced fracture of left tibial spine, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.155S	Nondisplaced fracture of left tibial tuberosity, sequela	ICD-10-CM	Diagnosis
S82.135S	Nondisplaced fracture of medial condyle of left tibia, sequela	ICD-10-CM	Diagnosis
S82.134S	Nondisplaced fracture of medial condyle of right tibia, sequela	ICD-10-CM	Diagnosis
S82.136S	Nondisplaced fracture of medial condyle of unspecified tibia, sequela	ICD-10-CM	Diagnosis
S62.651G	Nondisplaced fracture of middle phalanx of left index finger, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S62.651D	Nondisplaced fracture of middle phalanx of left index finger, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S62.653A	Nondisplaced fracture of middle phalanx of left middle finger, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S62.653B	Nondisplaced fracture of middle phalanx of left middle finger, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.653G	Nondisplaced fracture of middle phalanx of left middle finger, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S62.653P	Nondisplaced fracture of middle phalanx of left middle finger, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S62.653K	Nondisplaced fracture of middle phalanx of left middle finger, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S62.653D	Nondisplaced fracture of middle phalanx of left middle finger, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S62.651S	Nondisplaced fracture of middle phalanx of left index finger, sequela	ICD-10-CM	Diagnosis
S62.653S	Nondisplaced fracture of middle phalanx of left middle finger, sequela	ICD-10-CM	Diagnosis
S62.650G	Nondisplaced fracture of middle phalanx of right index finger, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S62.650D	Nondisplaced fracture of middle phalanx of right index finger, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S62.650P	Nondisplaced fracture of middle phalanx of right index finger, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S62.650K	Nondisplaced fracture of middle phalanx of right index finger, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S62.652G	Nondisplaced fracture of middle phalanx of right middle finger, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S62.652P	Nondisplaced fracture of middle phalanx of right middle finger, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S62.652K	Nondisplaced fracture of middle phalanx of right middle finger, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S62.652D	Nondisplaced fracture of middle phalanx of right middle finger, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S62.650S	Nondisplaced fracture of middle phalanx of right index finger, sequela	ICD-10-CM	Diagnosis
S92.526S	Nondisplaced fracture of middle phalanx of unspecified lesser toe(s), sequela	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S62.651A	Nondisplaced fracture of middle phalanx of left index finger, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S62.651B	Nondisplaced fracture of middle phalanx of left index finger, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.651P	Nondisplaced fracture of middle phalanx of left index finger, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S62.651K	Nondisplaced fracture of middle phalanx of left index finger, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S92.525S	Nondisplaced fracture of middle phalanx of left lesser toe(s), sequela	ICD-10-CM	Diagnosis
S62.650A	Nondisplaced fracture of middle phalanx of right index finger, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S62.650B	Nondisplaced fracture of middle phalanx of right index finger, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.652A	Nondisplaced fracture of middle phalanx of right middle finger, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S62.652B	Nondisplaced fracture of middle phalanx of right middle finger, initial encounter for open fracture	ICD-10-CM	Diagnosis
S92.524S	Nondisplaced fracture of middle phalanx of right lesser toe(s), sequela	ICD-10-CM	Diagnosis
S62.652S	Nondisplaced fracture of middle phalanx of right middle finger, sequela	ICD-10-CM	Diagnosis
S92.525G	Nondisplaced fracture of middle phalanx of left lesser toe(s), subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S92.525K	Nondisplaced fracture of middle phalanx of left lesser toe(s), subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S92.526P	Nondisplaced fracture of middle phalanx of unspecified lesser toe(s), subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S92.526K	Nondisplaced fracture of middle phalanx of unspecified lesser toe(s), subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S92.526A	Nondisplaced fracture of middle phalanx of unspecified lesser toe(s), initial encounter for closed fracture	ICD-10-CM	Diagnosis
S92.526G	Nondisplaced fracture of middle phalanx of unspecified lesser toe(s), subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S92.526D	Nondisplaced fracture of middle phalanx of unspecified lesser toe(s), subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S92.255A	Nondisplaced fracture of navicular [scaphoid] of left foot, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S92.255B	Nondisplaced fracture of navicular [scaphoid] of left foot, initial encounter for open fracture	ICD-10-CM	Diagnosis
S92.255G	Nondisplaced fracture of navicular [scaphoid] of left foot, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S92.255P	Nondisplaced fracture of navicular [scaphoid] of left foot, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S92.255K	Nondisplaced fracture of navicular [scaphoid] of left foot, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S92.255D	Nondisplaced fracture of navicular [scaphoid] of left foot, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S92.254A	Nondisplaced fracture of navicular [scaphoid] of right foot, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S92.254B	Nondisplaced fracture of navicular [scaphoid] of right foot, initial encounter for open fracture	ICD-10-CM	Diagnosis
S92.254G	Nondisplaced fracture of navicular [scaphoid] of right foot, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S92.254P	Nondisplaced fracture of navicular [scaphoid] of right foot, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S92.254K	Nondisplaced fracture of navicular [scaphoid] of right foot, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S92.254D	Nondisplaced fracture of navicular [scaphoid] of right foot, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S92.256A	Nondisplaced fracture of navicular [scaphoid] of unspecified foot, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S92.256B	Nondisplaced fracture of navicular [scaphoid] of unspecified foot, initial encounter for open fracture	ICD-10-CM	Diagnosis
S92.256G	Nondisplaced fracture of navicular [scaphoid] of unspecified foot, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S92.256P	Nondisplaced fracture of navicular [scaphoid] of unspecified foot, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S92.256K	Nondisplaced fracture of navicular [scaphoid] of unspecified foot, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S92.256D	Nondisplaced fracture of navicular [scaphoid] of unspecified foot, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S52.136M	Nondisplaced fracture of neck of unspecified radius, subsequent encounter for open fracture type I or II with nonunion	ICD-10-CM	Diagnosis
S92.115A	Nondisplaced fracture of neck of left talus, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S92.115B	Nondisplaced fracture of neck of left talus, initial encounter for open fracture	ICD-10-CM	Diagnosis
S92.115G	Nondisplaced fracture of neck of left talus, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S92.115P	Nondisplaced fracture of neck of left talus, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S92.115K	Nondisplaced fracture of neck of left talus, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S92.115D	Nondisplaced fracture of neck of left talus, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S92.114A	Nondisplaced fracture of neck of right talus, initial encounter for closed fracture	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S92.114B	Nondisplaced fracture of neck of right talus, initial encounter for open fracture	ICD-10-CM	Diagnosis
S92.114G	Nondisplaced fracture of neck of right talus, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S92.114P	Nondisplaced fracture of neck of right talus, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S92.114K	Nondisplaced fracture of neck of right talus, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S92.114D	Nondisplaced fracture of neck of right talus, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S52.136A	Nondisplaced fracture of neck of unspecified radius, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.136B	Nondisplaced fracture of neck of unspecified radius, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S52.136C	Nondisplaced fracture of neck of unspecified radius, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S52.136S	Nondisplaced fracture of neck of unspecified radius, sequela	ICD-10-CM	Diagnosis
S52.136G	Nondisplaced fracture of neck of unspecified radius, subsequent encounter for closed fracture with delayed healing	ICD-10-CM	Diagnosis
S52.136P	Nondisplaced fracture of neck of unspecified radius, subsequent encounter for closed fracture with malunion	ICD-10-CM	Diagnosis
S52.136K	Nondisplaced fracture of neck of unspecified radius, subsequent encounter for closed fracture with nonunion	ICD-10-CM	Diagnosis
S52.136D	Nondisplaced fracture of neck of unspecified radius, subsequent encounter for closed fracture with routine healing	ICD-10-CM	Diagnosis
S52.136H	Nondisplaced fracture of neck of unspecified radius, subsequent encounter for open fracture type I or II with delayed healing	ICD-10-CM	Diagnosis
S52.136Q	Nondisplaced fracture of neck of unspecified radius, subsequent encounter for open fracture type I or II with malunion	ICD-10-CM	Diagnosis
S52.136E	Nondisplaced fracture of neck of unspecified radius, subsequent encounter for open fracture type I or II with routine healing	ICD-10-CM	Diagnosis
S52.136J	Nondisplaced fracture of neck of unspecified radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD-10-CM	Diagnosis
S52.136R	Nondisplaced fracture of neck of unspecified radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD-10-CM	Diagnosis
S52.136N	Nondisplaced fracture of neck of unspecified radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD-10-CM	Diagnosis
S52.136F	Nondisplaced fracture of neck of unspecified radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD-10-CM	Diagnosis
S92.116A	Nondisplaced fracture of neck of unspecified talus, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S92.116B	Nondisplaced fracture of neck of unspecified talus, initial encounter for open fracture	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S92.116G	Nondisplaced fracture of neck of unspecified talus, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S92.116P	Nondisplaced fracture of neck of unspecified talus, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S92.116K	Nondisplaced fracture of neck of unspecified talus, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S92.116D	Nondisplaced fracture of neck of unspecified talus, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S92.135S	Nondisplaced fracture of posterior process of left talus, sequela	ICD-10-CM	Diagnosis
S92.134S	Nondisplaced fracture of posterior process of right talus, sequela	ICD-10-CM	Diagnosis
S92.136S	Nondisplaced fracture of posterior process of unspecified talus, sequela	ICD-10-CM	Diagnosis
S32.424S	Nondisplaced fracture of posterior wall of right acetabulum, sequela	ICD-10-CM	Diagnosis
S82.114A	Nondisplaced fracture of right tibial spine, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.154S	Nondisplaced fracture of right tibial tuberosity, sequela	ICD-10-CM	Diagnosis
S82.116A	Nondisplaced fracture of unspecified tibial spine, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.156S	Nondisplaced fracture of unspecified tibial tuberosity, sequela	ICD-10-CM	Diagnosis
S82.025S	Nondisplaced longitudinal fracture of left patella, sequela	ICD-10-CM	Diagnosis
S82.024S	Nondisplaced longitudinal fracture of right patella, sequela	ICD-10-CM	Diagnosis
S82.026S	Nondisplaced longitudinal fracture of unspecified patella, sequela	ICD-10-CM	Diagnosis
S82.865S	Nondisplaced Maisonneuve's fracture of left leg, sequela	ICD-10-CM	Diagnosis
S82.864S	Nondisplaced Maisonneuve's fracture of right leg, sequela	ICD-10-CM	Diagnosis
S82.866S	Nondisplaced Maisonneuve's fracture of unspecified leg, sequela	ICD-10-CM	Diagnosis
S82.015A	Nondisplaced osteochondral fracture of left patella, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.014A	Nondisplaced osteochondral fracture of right patella, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.016A	Nondisplaced osteochondral fracture of unspecified patella, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.015S	Nondisplaced osteochondral fracture of left patella, sequela	ICD-10-CM	Diagnosis
S82.014S	Nondisplaced osteochondral fracture of right patella, sequela	ICD-10-CM	Diagnosis
S82.875S	Nondisplaced pilon fracture of left tibia, sequela	ICD-10-CM	Diagnosis
S82.874S	Nondisplaced pilon fracture of right tibia, sequela	ICD-10-CM	Diagnosis
S82.876S	Nondisplaced pilon fracture of unspecified tibia, sequela	ICD-10-CM	Diagnosis
S82.875A	Nondisplaced pilon fracture of left tibia, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.874A	Nondisplaced pilon fracture of right tibia, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.876A	Nondisplaced pilon fracture of unspecified tibia, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S62.225S	Nondisplaced Rolando's fracture, left hand, sequela	ICD-10-CM	Diagnosis
S82.245S	Nondisplaced spiral fracture of shaft of left tibia, sequela	ICD-10-CM	Diagnosis



**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S82.244S	Nondisplaced spiral fracture of shaft of right tibia, sequela	ICD-10-CM	Diagnosis
S82.246S	Nondisplaced spiral fracture of shaft of unspecified tibia, sequela	ICD-10-CM	Diagnosis
S82.035A	Nondisplaced transverse fracture of left patella, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.034A	Nondisplaced transverse fracture of right patella, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.225S	Nondisplaced transverse fracture of shaft of left tibia, sequela	ICD-10-CM	Diagnosis
S82.224S	Nondisplaced transverse fracture of shaft of right tibia, sequela	ICD-10-CM	Diagnosis
S82.226S	Nondisplaced transverse fracture of shaft of unspecified tibia, sequela	ICD-10-CM	Diagnosis
S82.036A	Nondisplaced transverse fracture of unspecified patella, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.035S	Nondisplaced transverse fracture of left patella, sequela	ICD-10-CM	Diagnosis
S82.034S	Nondisplaced transverse fracture of right patella, sequela	ICD-10-CM	Diagnosis
S82.036S	Nondisplaced transverse fracture of unspecified patella, sequela	ICD-10-CM	Diagnosis
S82.856S	Nondisplaced trimalleolar fracture of unspecified lower leg, sequela	ICD-10-CM	Diagnosis
S12.112S	Nondisplaced Type II dens fracture, sequela	ICD-10-CM	Diagnosis
S12.112A	Nondisplaced Type II dens fracture, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S12.112B	Nondisplaced Type II dens fracture, initial encounter for open fracture	ICD-10-CM	Diagnosis
S12.112K	Nondisplaced Type II dens fracture, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S12.112D	Nondisplaced Type II dens fracture, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S92.405S	Nondisplaced unspecified fracture of left great toe, sequela	ICD-10-CM	Diagnosis
S92.505S	Nondisplaced unspecified fracture of left lesser toe(s), sequela	ICD-10-CM	Diagnosis
S92.404S	Nondisplaced unspecified fracture of right great toe, sequela	ICD-10-CM	Diagnosis
S92.504S	Nondisplaced unspecified fracture of right lesser toe(s), sequela	ICD-10-CM	Diagnosis
S92.406S	Nondisplaced unspecified fracture of unspecified great toe, sequela	ICD-10-CM	Diagnosis
S92.405A	Nondisplaced unspecified fracture of left great toe, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S92.405B	Nondisplaced unspecified fracture of left great toe, initial encounter for open fracture	ICD-10-CM	Diagnosis
S92.405P	Nondisplaced unspecified fracture of left great toe, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S92.405K	Nondisplaced unspecified fracture of left great toe, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S92.405G	Nondisplaced unspecified fracture of left great toe, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S92.405D	Nondisplaced unspecified fracture of left great toe, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S92.505A	Nondisplaced unspecified fracture of left lesser toe(s), initial encounter for closed fracture	ICD-10-CM	Diagnosis
S92.505B	Nondisplaced unspecified fracture of left lesser toe(s), initial encounter for open fracture	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S92.505G	Nondisplaced unspecified fracture of left lesser toe(s), subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S92.505P	Nondisplaced unspecified fracture of left lesser toe(s), subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S92.505K	Nondisplaced unspecified fracture of left lesser toe(s), subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S92.505D	Nondisplaced unspecified fracture of left lesser toe(s), subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S92.404A	Nondisplaced unspecified fracture of right great toe, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S92.404B	Nondisplaced unspecified fracture of right great toe, initial encounter for open fracture	ICD-10-CM	Diagnosis
S92.404P	Nondisplaced unspecified fracture of right great toe, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S92.404K	Nondisplaced unspecified fracture of right great toe, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S92.404G	Nondisplaced unspecified fracture of right great toe, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S92.404D	Nondisplaced unspecified fracture of right great toe, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S92.504A	Nondisplaced unspecified fracture of right lesser toe(s), initial encounter for closed fracture	ICD-10-CM	Diagnosis
S92.504B	Nondisplaced unspecified fracture of right lesser toe(s), initial encounter for open fracture	ICD-10-CM	Diagnosis
S92.504G	Nondisplaced unspecified fracture of right lesser toe(s), subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S92.504P	Nondisplaced unspecified fracture of right lesser toe(s), subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S92.504K	Nondisplaced unspecified fracture of right lesser toe(s), subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S92.504D	Nondisplaced unspecified fracture of right lesser toe(s), subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S92.406A	Nondisplaced unspecified fracture of unspecified great toe, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S92.406B	Nondisplaced unspecified fracture of unspecified great toe, initial encounter for open fracture	ICD-10-CM	Diagnosis
S92.406P	Nondisplaced unspecified fracture of unspecified great toe, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S92.406K	Nondisplaced unspecified fracture of unspecified great toe, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S92.406G	Nondisplaced unspecified fracture of unspecified great toe, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S92.406D	Nondisplaced unspecified fracture of unspecified great toe, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S92.506A	Nondisplaced unspecified fracture of unspecified lesser toe(s), initial encounter for closed fracture	ICD-10-CM	Diagnosis
S92.506B	Nondisplaced unspecified fracture of unspecified lesser toe(s), initial encounter for open fracture	ICD-10-CM	Diagnosis
S92.506P	Nondisplaced unspecified fracture of unspecified lesser toe(s), subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S92.506K	Nondisplaced unspecified fracture of unspecified lesser toe(s), subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S92.506D	Nondisplaced unspecified fracture of unspecified lesser toe(s), subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S92.506S	Nondisplaced unspecified fracture of unspecified lesser toe(s), sequela	ICD-10-CM	Diagnosis
S92.506G	Nondisplaced unspecified fracture of unspecified lesser toe(s), subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S32.110S	Nondisplaced Zone I fracture of sacrum, sequela	ICD-10-CM	Diagnosis
S32.120S	Nondisplaced Zone II fracture of sacrum, sequela	ICD-10-CM	Diagnosis
S32.130S	Nondisplaced Zone III fracture of sacrum, sequela	ICD-10-CM	Diagnosis
S32.614K	Nondisplaced avulsion fracture of right ischium, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S32.486K	Nondisplaced dome fracture of unspecified acetabulum, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S32.415S	Nondisplaced fracture of anterior wall of left acetabulum, sequela	ICD-10-CM	Diagnosis
S32.415K	Nondisplaced fracture of anterior wall of left acetabulum, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S32.416B	Nondisplaced fracture of anterior wall of unspecified acetabulum, initial encounter for open fracture	ICD-10-CM	Diagnosis
S32.416S	Nondisplaced fracture of anterior wall of unspecified acetabulum, sequela	ICD-10-CM	Diagnosis
S32.416G	Nondisplaced fracture of anterior wall of unspecified acetabulum, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S32.416D	Nondisplaced fracture of anterior wall of unspecified acetabulum, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S32.425A	Nondisplaced fracture of posterior wall of left acetabulum, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S32.425B	Nondisplaced fracture of posterior wall of left acetabulum, initial encounter for open fracture	ICD-10-CM	Diagnosis
S32.425S	Nondisplaced fracture of posterior wall of left acetabulum, sequela	ICD-10-CM	Diagnosis
S32.425G	Nondisplaced fracture of posterior wall of left acetabulum, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S32.425D	Nondisplaced fracture of posterior wall of left acetabulum, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S32.424A	Nondisplaced fracture of posterior wall of right acetabulum, initial encounter for closed fracture	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S32.424B	Nondisplaced fracture of posterior wall of right acetabulum, initial encounter for open fracture	ICD-10-CM	Diagnosis
S32.424G	Nondisplaced fracture of posterior wall of right acetabulum, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S32.424D	Nondisplaced fracture of posterior wall of right acetabulum, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S32.426D	Nondisplaced fracture of posterior wall of unspecified acetabulum, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S32.485A	Nondisplaced dome fracture of left acetabulum, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S32.485B	Nondisplaced dome fracture of left acetabulum, initial encounter for open fracture	ICD-10-CM	Diagnosis
S32.485D	Nondisplaced dome fracture of left acetabulum, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S32.485K	Nondisplaced dome fracture of left acetabulum, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S32.484A	Nondisplaced dome fracture of right acetabulum, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S32.484B	Nondisplaced dome fracture of right acetabulum, initial encounter for open fracture	ICD-10-CM	Diagnosis
S32.484S	Nondisplaced dome fracture of right acetabulum, sequela	ICD-10-CM	Diagnosis
S32.484D	Nondisplaced dome fracture of right acetabulum, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S32.484G	Nondisplaced dome fracture of right acetabulum, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S32.484K	Nondisplaced dome fracture of right acetabulum, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S92.035A	Nondisplaced avulsion fracture of tuberosity of left calcaneus, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S92.035B	Nondisplaced avulsion fracture of tuberosity of left calcaneus, initial encounter for open fracture	ICD-10-CM	Diagnosis
S92.035G	Nondisplaced avulsion fracture of tuberosity of left calcaneus, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S92.035P	Nondisplaced avulsion fracture of tuberosity of left calcaneus, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S92.035K	Nondisplaced avulsion fracture of tuberosity of left calcaneus, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S92.035D	Nondisplaced avulsion fracture of tuberosity of left calcaneus, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S92.035S	Nondisplaced avulsion fracture of tuberosity of left calcaneus, sequela	ICD-10-CM	Diagnosis
S92.034A	Nondisplaced avulsion fracture of tuberosity of right calcaneus, initial encounter for closed fracture	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S92.034B	Nondisplaced avulsion fracture of tuberosity of right calcaneus, initial encounter for open fracture	ICD-10-CM	Diagnosis
S92.034G	Nondisplaced avulsion fracture of tuberosity of right calcaneus, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S92.034P	Nondisplaced avulsion fracture of tuberosity of right calcaneus, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S92.034K	Nondisplaced avulsion fracture of tuberosity of right calcaneus, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S92.034D	Nondisplaced avulsion fracture of tuberosity of right calcaneus, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S92.034S	Nondisplaced avulsion fracture of tuberosity of right calcaneus, sequela	ICD-10-CM	Diagnosis
S92.036A	Nondisplaced avulsion fracture of tuberosity of unspecified calcaneus, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S92.036B	Nondisplaced avulsion fracture of tuberosity of unspecified calcaneus, initial encounter for open fracture	ICD-10-CM	Diagnosis
S92.036G	Nondisplaced avulsion fracture of tuberosity of unspecified calcaneus, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S92.036P	Nondisplaced avulsion fracture of tuberosity of unspecified calcaneus, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S92.036K	Nondisplaced avulsion fracture of tuberosity of unspecified calcaneus, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S92.036D	Nondisplaced avulsion fracture of tuberosity of unspecified calcaneus, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S92.036S	Nondisplaced avulsion fracture of tuberosity of unspecified calcaneus, sequela	ICD-10-CM	Diagnosis
S82.145A	Nondisplaced bicondylar fracture of left tibia, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.145B	Nondisplaced bicondylar fracture of left tibia, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.145C	Nondisplaced bicondylar fracture of left tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.145G	Nondisplaced bicondylar fracture of left tibia, subsequent encounter for closed fracture with delayed healing	ICD-10-CM	Diagnosis
S82.145D	Nondisplaced bicondylar fracture of left tibia, subsequent encounter for closed fracture with routine healing	ICD-10-CM	Diagnosis
S82.145P	Nondisplaced bicondylar fracture of left tibia, subsequent encounter for closed fracture with malunion	ICD-10-CM	Diagnosis
S82.145K	Nondisplaced bicondylar fracture of left tibia, subsequent encounter for closed fracture with nonunion	ICD-10-CM	Diagnosis
S82.145H	Nondisplaced bicondylar fracture of left tibia, subsequent encounter for open fracture type I or II with delayed healing	ICD-10-CM	Diagnosis
S82.145Q	Nondisplaced bicondylar fracture of left tibia, subsequent encounter for open fracture type I or II with malunion	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S82.145M	Nondisplaced bicondylar fracture of left tibia, subsequent encounter for open fracture type I or II with nonunion	ICD-10-CM	Diagnosis
S82.145R	Nondisplaced bicondylar fracture of left tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD-10-CM	Diagnosis
S82.145N	Nondisplaced bicondylar fracture of left tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD-10-CM	Diagnosis
S82.145E	Nondisplaced bicondylar fracture of left tibia, subsequent encounter for open fracture type I or II with routine healing	ICD-10-CM	Diagnosis
S82.145J	Nondisplaced bicondylar fracture of left tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD-10-CM	Diagnosis
S82.145F	Nondisplaced bicondylar fracture of left tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD-10-CM	Diagnosis
S82.144A	Nondisplaced bicondylar fracture of right tibia, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.144B	Nondisplaced bicondylar fracture of right tibia, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.144C	Nondisplaced bicondylar fracture of right tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.144G	Nondisplaced bicondylar fracture of right tibia, subsequent encounter for closed fracture with delayed healing	ICD-10-CM	Diagnosis
S82.144D	Nondisplaced bicondylar fracture of right tibia, subsequent encounter for closed fracture with routine healing	ICD-10-CM	Diagnosis
S82.144P	Nondisplaced bicondylar fracture of right tibia, subsequent encounter for closed fracture with malunion	ICD-10-CM	Diagnosis
S82.144K	Nondisplaced bicondylar fracture of right tibia, subsequent encounter for closed fracture with nonunion	ICD-10-CM	Diagnosis
S82.144H	Nondisplaced bicondylar fracture of right tibia, subsequent encounter for open fracture type I or II with delayed healing	ICD-10-CM	Diagnosis
S82.144Q	Nondisplaced bicondylar fracture of right tibia, subsequent encounter for open fracture type I or II with malunion	ICD-10-CM	Diagnosis
S82.144M	Nondisplaced bicondylar fracture of right tibia, subsequent encounter for open fracture type I or II with nonunion	ICD-10-CM	Diagnosis
S82.144R	Nondisplaced bicondylar fracture of right tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD-10-CM	Diagnosis
S82.144N	Nondisplaced bicondylar fracture of right tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD-10-CM	Diagnosis
S82.144E	Nondisplaced bicondylar fracture of right tibia, subsequent encounter for open fracture type I or II with routine healing	ICD-10-CM	Diagnosis
S82.144J	Nondisplaced bicondylar fracture of right tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD-10-CM	Diagnosis
S82.144F	Nondisplaced bicondylar fracture of right tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD-10-CM	Diagnosis



**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S82.146A	Nondisplaced bicondylar fracture of unspecified tibia, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.146B	Nondisplaced bicondylar fracture of unspecified tibia, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.146C	Nondisplaced bicondylar fracture of unspecified tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.146G	Nondisplaced bicondylar fracture of unspecified tibia, subsequent encounter for closed fracture with delayed healing	ICD-10-CM	Diagnosis
S82.146D	Nondisplaced bicondylar fracture of unspecified tibia, subsequent encounter for closed fracture with routine healing	ICD-10-CM	Diagnosis
S82.146P	Nondisplaced bicondylar fracture of unspecified tibia, subsequent encounter for closed fracture with malunion	ICD-10-CM	Diagnosis
S82.146K	Nondisplaced bicondylar fracture of unspecified tibia, subsequent encounter for closed fracture with nonunion	ICD-10-CM	Diagnosis
S82.146H	Nondisplaced bicondylar fracture of unspecified tibia, subsequent encounter for open fracture type I or II with delayed healing	ICD-10-CM	Diagnosis
S82.146E	Nondisplaced bicondylar fracture of unspecified tibia, subsequent encounter for open fracture type I or II with routine healing	ICD-10-CM	Diagnosis
S82.146J	Nondisplaced bicondylar fracture of unspecified tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD-10-CM	Diagnosis
S82.146R	Nondisplaced bicondylar fracture of unspecified tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD-10-CM	Diagnosis
S82.146N	Nondisplaced bicondylar fracture of unspecified tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD-10-CM	Diagnosis
S82.146Q	Nondisplaced bicondylar fracture of unspecified tibia, subsequent encounter for open fracture type I or II with malunion	ICD-10-CM	Diagnosis
S82.146M	Nondisplaced bicondylar fracture of unspecified tibia, subsequent encounter for open fracture type I or II with nonunion	ICD-10-CM	Diagnosis
S82.146F	Nondisplaced bicondylar fracture of unspecified tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD-10-CM	Diagnosis
S82.455S	Nondisplaced comminuted fracture of shaft of left fibula, sequela	ICD-10-CM	Diagnosis
S82.454S	Nondisplaced comminuted fracture of shaft of right fibula, sequela	ICD-10-CM	Diagnosis
S82.456S	Nondisplaced comminuted fracture of shaft of unspecified fibula, sequela	ICD-10-CM	Diagnosis
S82.045C	Nondisplaced comminuted fracture of left patella, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.045B	Nondisplaced comminuted fracture of left patella, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.045G	Nondisplaced comminuted fracture of left patella, subsequent encounter for closed fracture with delayed healing	ICD-10-CM	Diagnosis
S82.045P	Nondisplaced comminuted fracture of left patella, subsequent encounter for closed fracture with malunion	ICD-10-CM	Diagnosis
S82.045K	Nondisplaced comminuted fracture of left patella, subsequent encounter for closed fracture with nonunion	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S82.045D	Nondisplaced comminuted fracture of left patella, subsequent encounter for closed fracture with routine healing	ICD-10-CM	Diagnosis
S82.045H	Nondisplaced comminuted fracture of left patella, subsequent encounter for open fracture type I or II with delayed healing	ICD-10-CM	Diagnosis
S82.045Q	Nondisplaced comminuted fracture of left patella, subsequent encounter for open fracture type I or II with malunion	ICD-10-CM	Diagnosis
S82.045M	Nondisplaced comminuted fracture of left patella, subsequent encounter for open fracture type I or II with nonunion	ICD-10-CM	Diagnosis
S82.045E	Nondisplaced comminuted fracture of left patella, subsequent encounter for open fracture type I or II with routine healing	ICD-10-CM	Diagnosis
S82.045J	Nondisplaced comminuted fracture of left patella, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD-10-CM	Diagnosis
S82.045R	Nondisplaced comminuted fracture of left patella, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD-10-CM	Diagnosis
S82.045N	Nondisplaced comminuted fracture of left patella, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD-10-CM	Diagnosis
S82.045F	Nondisplaced comminuted fracture of left patella, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD-10-CM	Diagnosis
S82.044C	Nondisplaced comminuted fracture of right patella, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.044B	Nondisplaced comminuted fracture of right patella, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.044G	Nondisplaced comminuted fracture of right patella, subsequent encounter for closed fracture with delayed healing	ICD-10-CM	Diagnosis
S82.044P	Nondisplaced comminuted fracture of right patella, subsequent encounter for closed fracture with malunion	ICD-10-CM	Diagnosis
S82.044K	Nondisplaced comminuted fracture of right patella, subsequent encounter for closed fracture with nonunion	ICD-10-CM	Diagnosis
S82.044D	Nondisplaced comminuted fracture of right patella, subsequent encounter for closed fracture with routine healing	ICD-10-CM	Diagnosis
S82.044H	Nondisplaced comminuted fracture of right patella, subsequent encounter for open fracture type I or II with delayed healing	ICD-10-CM	Diagnosis
S82.044Q	Nondisplaced comminuted fracture of right patella, subsequent encounter for open fracture type I or II with malunion	ICD-10-CM	Diagnosis
S82.044M	Nondisplaced comminuted fracture of right patella, subsequent encounter for open fracture type I or II with nonunion	ICD-10-CM	Diagnosis
S82.044E	Nondisplaced comminuted fracture of right patella, subsequent encounter for open fracture type I or II with routine healing	ICD-10-CM	Diagnosis
S82.044J	Nondisplaced comminuted fracture of right patella, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD-10-CM	Diagnosis
S82.044R	Nondisplaced comminuted fracture of right patella, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S82.044N	Nondisplaced comminuted fracture of right patella, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD-10-CM	Diagnosis
S82.044F	Nondisplaced comminuted fracture of right patella, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD-10-CM	Diagnosis
S82.046C	Nondisplaced comminuted fracture of unspecified patella, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.046B	Nondisplaced comminuted fracture of unspecified patella, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.046G	Nondisplaced comminuted fracture of unspecified patella, subsequent encounter for closed fracture with delayed healing	ICD-10-CM	Diagnosis
S82.046P	Nondisplaced comminuted fracture of unspecified patella, subsequent encounter for closed fracture with malunion	ICD-10-CM	Diagnosis
S82.046K	Nondisplaced comminuted fracture of unspecified patella, subsequent encounter for closed fracture with nonunion	ICD-10-CM	Diagnosis
S82.046D	Nondisplaced comminuted fracture of unspecified patella, subsequent encounter for closed fracture with routine healing	ICD-10-CM	Diagnosis
S82.046Q	Nondisplaced comminuted fracture of unspecified patella, subsequent encounter for open fracture type I or II with malunion	ICD-10-CM	Diagnosis
S82.046M	Nondisplaced comminuted fracture of unspecified patella, subsequent encounter for open fracture type I or II with nonunion	ICD-10-CM	Diagnosis
S82.046H	Nondisplaced comminuted fracture of unspecified patella, subsequent encounter for open fracture type I or II with delayed healing	ICD-10-CM	Diagnosis
S82.046E	Nondisplaced comminuted fracture of unspecified patella, subsequent encounter for open fracture type I or II with routine healing	ICD-10-CM	Diagnosis
S82.046J	Nondisplaced comminuted fracture of unspecified patella, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD-10-CM	Diagnosis
S82.046R	Nondisplaced comminuted fracture of unspecified patella, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD-10-CM	Diagnosis
S82.046N	Nondisplaced comminuted fracture of unspecified patella, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD-10-CM	Diagnosis
S82.046F	Nondisplaced comminuted fracture of unspecified patella, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD-10-CM	Diagnosis
S72.045S	Nondisplaced fracture of base of neck of left femur, sequela	ICD-10-CM	Diagnosis
S72.044S	Nondisplaced fracture of base of neck of right femur, sequela	ICD-10-CM	Diagnosis
S72.046S	Nondisplaced fracture of base of neck of unspecified femur, sequela	ICD-10-CM	Diagnosis
S72.425S	Nondisplaced fracture of lateral condyle of left femur, sequela	ICD-10-CM	Diagnosis
S72.424S	Nondisplaced fracture of lateral condyle of right femur, sequela	ICD-10-CM	Diagnosis
S72.426S	Nondisplaced fracture of lateral condyle of unspecified femur, sequela	ICD-10-CM	Diagnosis
S82.55XS	Nondisplaced fracture of medial malleolus of left tibia, sequela	ICD-10-CM	Diagnosis
S82.54XS	Nondisplaced fracture of medial malleolus of right tibia, sequela	ICD-10-CM	Diagnosis
S82.56XS	Nondisplaced fracture of medial malleolus of unspecified tibia, sequela	ICD-10-CM	Diagnosis
S72.435S	Nondisplaced fracture of medial condyle of left femur, sequela	ICD-10-CM	Diagnosis
S72.434S	Nondisplaced fracture of medial condyle of right femur, sequela	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S72.436S	Nondisplaced fracture of medial condyle of unspecified femur, sequela	ICD-10-CM	Diagnosis
S72.025S	Nondisplaced fracture of epiphysis (separation) (upper) of left femur, sequela	ICD-10-CM	Diagnosis
S72.024S	Nondisplaced fracture of epiphysis (separation) (upper) of right femur, sequela	ICD-10-CM	Diagnosis
S72.026S	Nondisplaced fracture of epiphysis (separation) (upper) of unspecified femur, sequela	ICD-10-CM	Diagnosis
S92.325S	Nondisplaced fracture of second metatarsal bone, left foot, sequela	ICD-10-CM	Diagnosis
S92.324S	Nondisplaced fracture of second metatarsal bone, right foot, sequela	ICD-10-CM	Diagnosis
S92.326S	Nondisplaced fracture of second metatarsal bone, unspecified foot, sequela	ICD-10-CM	Diagnosis
S92.325A	Nondisplaced fracture of second metatarsal bone, left foot, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S92.325B	Nondisplaced fracture of second metatarsal bone, left foot, initial encounter for open fracture	ICD-10-CM	Diagnosis
S92.325G	Nondisplaced fracture of second metatarsal bone, left foot, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S92.325P	Nondisplaced fracture of second metatarsal bone, left foot, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S92.325K	Nondisplaced fracture of second metatarsal bone, left foot, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S92.325D	Nondisplaced fracture of second metatarsal bone, left foot, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S92.324A	Nondisplaced fracture of second metatarsal bone, right foot, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S92.324B	Nondisplaced fracture of second metatarsal bone, right foot, initial encounter for open fracture	ICD-10-CM	Diagnosis
S92.324G	Nondisplaced fracture of second metatarsal bone, right foot, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S92.324P	Nondisplaced fracture of second metatarsal bone, right foot, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S92.324K	Nondisplaced fracture of second metatarsal bone, right foot, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S92.324D	Nondisplaced fracture of second metatarsal bone, right foot, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S92.326A	Nondisplaced fracture of second metatarsal bone, unspecified foot, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S92.326B	Nondisplaced fracture of second metatarsal bone, unspecified foot, initial encounter for open fracture	ICD-10-CM	Diagnosis
S92.326G	Nondisplaced fracture of second metatarsal bone, unspecified foot, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S92.326P	Nondisplaced fracture of second metatarsal bone, unspecified foot, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S92.326K	Nondisplaced fracture of second metatarsal bone, unspecified foot, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S92.326D	Nondisplaced fracture of second metatarsal bone, unspecified foot, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S92.335S	Nondisplaced fracture of third metatarsal bone, left foot, sequela	ICD-10-CM	Diagnosis
S92.334S	Nondisplaced fracture of third metatarsal bone, right foot, sequela	ICD-10-CM	Diagnosis
S92.336S	Nondisplaced fracture of third metatarsal bone, unspecified foot, sequela	ICD-10-CM	Diagnosis
S92.335A	Nondisplaced fracture of third metatarsal bone, left foot, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S92.335B	Nondisplaced fracture of third metatarsal bone, left foot, initial encounter for open fracture	ICD-10-CM	Diagnosis
S92.335G	Nondisplaced fracture of third metatarsal bone, left foot, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S92.335P	Nondisplaced fracture of third metatarsal bone, left foot, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S92.335K	Nondisplaced fracture of third metatarsal bone, left foot, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S92.335D	Nondisplaced fracture of third metatarsal bone, left foot, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S92.334A	Nondisplaced fracture of third metatarsal bone, right foot, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S92.334B	Nondisplaced fracture of third metatarsal bone, right foot, initial encounter for open fracture	ICD-10-CM	Diagnosis
S92.334G	Nondisplaced fracture of third metatarsal bone, right foot, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S92.334P	Nondisplaced fracture of third metatarsal bone, right foot, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S92.334K	Nondisplaced fracture of third metatarsal bone, right foot, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S92.334D	Nondisplaced fracture of third metatarsal bone, right foot, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S92.336A	Nondisplaced fracture of third metatarsal bone, unspecified foot, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S92.336B	Nondisplaced fracture of third metatarsal bone, unspecified foot, initial encounter for open fracture	ICD-10-CM	Diagnosis
S92.336G	Nondisplaced fracture of third metatarsal bone, unspecified foot, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S92.336P	Nondisplaced fracture of third metatarsal bone, unspecified foot, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S92.336K	Nondisplaced fracture of third metatarsal bone, unspecified foot, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S92.336D	Nondisplaced fracture of third metatarsal bone, unspecified foot, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S92.345S	Nondisplaced fracture of fourth metatarsal bone, left foot, sequela	ICD-10-CM	Diagnosis
S92.344S	Nondisplaced fracture of fourth metatarsal bone, right foot, sequela	ICD-10-CM	Diagnosis
S92.346S	Nondisplaced fracture of fourth metatarsal bone, unspecified foot, sequela	ICD-10-CM	Diagnosis
S92.345A	Nondisplaced fracture of fourth metatarsal bone, left foot, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S92.345B	Nondisplaced fracture of fourth metatarsal bone, left foot, initial encounter for open fracture	ICD-10-CM	Diagnosis
S92.345G	Nondisplaced fracture of fourth metatarsal bone, left foot, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S92.345P	Nondisplaced fracture of fourth metatarsal bone, left foot, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S92.345K	Nondisplaced fracture of fourth metatarsal bone, left foot, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S92.345D	Nondisplaced fracture of fourth metatarsal bone, left foot, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S92.344A	Nondisplaced fracture of fourth metatarsal bone, right foot, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S92.344B	Nondisplaced fracture of fourth metatarsal bone, right foot, initial encounter for open fracture	ICD-10-CM	Diagnosis
S92.344G	Nondisplaced fracture of fourth metatarsal bone, right foot, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S92.344P	Nondisplaced fracture of fourth metatarsal bone, right foot, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S92.344K	Nondisplaced fracture of fourth metatarsal bone, right foot, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S92.344D	Nondisplaced fracture of fourth metatarsal bone, right foot, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S92.346A	Nondisplaced fracture of fourth metatarsal bone, unspecified foot, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S92.346B	Nondisplaced fracture of fourth metatarsal bone, unspecified foot, initial encounter for open fracture	ICD-10-CM	Diagnosis
S92.346G	Nondisplaced fracture of fourth metatarsal bone, unspecified foot, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S92.346P	Nondisplaced fracture of fourth metatarsal bone, unspecified foot, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S92.346K	Nondisplaced fracture of fourth metatarsal bone, unspecified foot, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S92.346D	Nondisplaced fracture of fourth metatarsal bone, unspecified foot, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S92.355S	Nondisplaced fracture of fifth metatarsal bone, left foot, sequela	ICD-10-CM	Diagnosis
S92.354S	Nondisplaced fracture of fifth metatarsal bone, right foot, sequela	ICD-10-CM	Diagnosis
S92.356S	Nondisplaced fracture of fifth metatarsal bone, unspecified foot, sequela	ICD-10-CM	Diagnosis



**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S92.355A	Nondisplaced fracture of fifth metatarsal bone, left foot, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S92.355B	Nondisplaced fracture of fifth metatarsal bone, left foot, initial encounter for open fracture	ICD-10-CM	Diagnosis
S92.355G	Nondisplaced fracture of fifth metatarsal bone, left foot, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S92.355P	Nondisplaced fracture of fifth metatarsal bone, left foot, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S92.355K	Nondisplaced fracture of fifth metatarsal bone, left foot, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S92.355D	Nondisplaced fracture of fifth metatarsal bone, left foot, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S92.354A	Nondisplaced fracture of fifth metatarsal bone, right foot, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S92.354B	Nondisplaced fracture of fifth metatarsal bone, right foot, initial encounter for open fracture	ICD-10-CM	Diagnosis
S92.354G	Nondisplaced fracture of fifth metatarsal bone, right foot, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S92.354P	Nondisplaced fracture of fifth metatarsal bone, right foot, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S92.354K	Nondisplaced fracture of fifth metatarsal bone, right foot, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S92.354D	Nondisplaced fracture of fifth metatarsal bone, right foot, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S92.356A	Nondisplaced fracture of fifth metatarsal bone, unspecified foot, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S92.356B	Nondisplaced fracture of fifth metatarsal bone, unspecified foot, initial encounter for open fracture	ICD-10-CM	Diagnosis
S92.356G	Nondisplaced fracture of fifth metatarsal bone, unspecified foot, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S92.356P	Nondisplaced fracture of fifth metatarsal bone, unspecified foot, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S92.356K	Nondisplaced fracture of fifth metatarsal bone, unspecified foot, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S92.356D	Nondisplaced fracture of fifth metatarsal bone, unspecified foot, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S32.434K	Nondisplaced fracture of anterior column [iliopubic] of right acetabulum, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S32.436B	Nondisplaced fracture of anterior column [iliopubic] of unspecified acetabulum, initial encounter for open fracture	ICD-10-CM	Diagnosis
S32.435B	Nondisplaced fracture of anterior column [iliopubic] of left acetabulum, initial encounter for open fracture	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S32.435A	Nondisplaced fracture of anterior column [iliopubic] of left acetabulum, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S32.435S	Nondisplaced fracture of anterior column [iliopubic] of left acetabulum, sequela	ICD-10-CM	Diagnosis
S32.435G	Nondisplaced fracture of anterior column [iliopubic] of left acetabulum, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S32.435K	Nondisplaced fracture of anterior column [iliopubic] of left acetabulum, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S32.435D	Nondisplaced fracture of anterior column [iliopubic] of left acetabulum, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S32.434A	Nondisplaced fracture of anterior column [iliopubic] of right acetabulum, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S32.434B	Nondisplaced fracture of anterior column [iliopubic] of right acetabulum, initial encounter for open fracture	ICD-10-CM	Diagnosis
S32.434S	Nondisplaced fracture of anterior column [iliopubic] of right acetabulum, sequela	ICD-10-CM	Diagnosis
S32.434G	Nondisplaced fracture of anterior column [iliopubic] of right acetabulum, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S32.434D	Nondisplaced fracture of anterior column [iliopubic] of right acetabulum, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S32.436A	Nondisplaced fracture of anterior column [iliopubic] of unspecified acetabulum, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S32.436S	Nondisplaced fracture of anterior column [iliopubic] of unspecified acetabulum, sequela	ICD-10-CM	Diagnosis
S32.436G	Nondisplaced fracture of anterior column [iliopubic] of unspecified acetabulum, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S32.436K	Nondisplaced fracture of anterior column [iliopubic] of unspecified acetabulum, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S32.436D	Nondisplaced fracture of anterior column [iliopubic] of unspecified acetabulum, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S92.025A	Nondisplaced fracture of anterior process of left calcaneus, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S92.025B	Nondisplaced fracture of anterior process of left calcaneus, initial encounter for open fracture	ICD-10-CM	Diagnosis
S92.025G	Nondisplaced fracture of anterior process of left calcaneus, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S92.025P	Nondisplaced fracture of anterior process of left calcaneus, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S92.025K	Nondisplaced fracture of anterior process of left calcaneus, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S92.025D	Nondisplaced fracture of anterior process of left calcaneus, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S92.025S	Nondisplaced fracture of anterior process of left calcaneus, sequela	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S92.024A	Nondisplaced fracture of anterior process of right calcaneus, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S92.024B	Nondisplaced fracture of anterior process of right calcaneus, initial encounter for open fracture	ICD-10-CM	Diagnosis
S92.024G	Nondisplaced fracture of anterior process of right calcaneus, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S92.024P	Nondisplaced fracture of anterior process of right calcaneus, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S92.024K	Nondisplaced fracture of anterior process of right calcaneus, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S92.024D	Nondisplaced fracture of anterior process of right calcaneus, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S92.024S	Nondisplaced fracture of anterior process of right calcaneus, sequela	ICD-10-CM	Diagnosis
S92.026A	Nondisplaced fracture of anterior process of unspecified calcaneus, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S92.026B	Nondisplaced fracture of anterior process of unspecified calcaneus, initial encounter for open fracture	ICD-10-CM	Diagnosis
S92.026G	Nondisplaced fracture of anterior process of unspecified calcaneus, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S92.026P	Nondisplaced fracture of anterior process of unspecified calcaneus, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S92.026K	Nondisplaced fracture of anterior process of unspecified calcaneus, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S92.026D	Nondisplaced fracture of anterior process of unspecified calcaneus, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S72.045A	Nondisplaced fracture of base of neck of left femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S72.045B	Nondisplaced fracture of base of neck of left femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.045C	Nondisplaced fracture of base of neck of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.045G	Nondisplaced fracture of base of neck of left femur, subsequent encounter for closed fracture with delayed healing	ICD-10-CM	Diagnosis
S72.045D	Nondisplaced fracture of base of neck of left femur, subsequent encounter for closed fracture with routine healing	ICD-10-CM	Diagnosis
S72.045P	Nondisplaced fracture of base of neck of left femur, subsequent encounter for closed fracture with malunion	ICD-10-CM	Diagnosis
S72.045K	Nondisplaced fracture of base of neck of left femur, subsequent encounter for closed fracture with nonunion	ICD-10-CM	Diagnosis
S72.045H	Nondisplaced fracture of base of neck of left femur, subsequent encounter for open fracture type I or II with delayed healing	ICD-10-CM	Diagnosis
S72.045Q	Nondisplaced fracture of base of neck of left femur, subsequent encounter for open fracture type I or II with malunion	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S72.045M	Nondisplaced fracture of base of neck of left femur, subsequent encounter for open fracture type I or II with nonunion	ICD-10-CM	Diagnosis
S72.045R	Nondisplaced fracture of base of neck of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD-10-CM	Diagnosis
S72.045N	Nondisplaced fracture of base of neck of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD-10-CM	Diagnosis
S72.045E	Nondisplaced fracture of base of neck of left femur, subsequent encounter for open fracture type I or II with routine healing	ICD-10-CM	Diagnosis
S72.045J	Nondisplaced fracture of base of neck of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD-10-CM	Diagnosis
S72.045F	Nondisplaced fracture of base of neck of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD-10-CM	Diagnosis
S72.044A	Nondisplaced fracture of base of neck of right femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S72.044B	Nondisplaced fracture of base of neck of right femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.044C	Nondisplaced fracture of base of neck of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.044G	Nondisplaced fracture of base of neck of right femur, subsequent encounter for closed fracture with delayed healing	ICD-10-CM	Diagnosis
S72.044D	Nondisplaced fracture of base of neck of right femur, subsequent encounter for closed fracture with routine healing	ICD-10-CM	Diagnosis
S72.044P	Nondisplaced fracture of base of neck of right femur, subsequent encounter for closed fracture with malunion	ICD-10-CM	Diagnosis
S72.044K	Nondisplaced fracture of base of neck of right femur, subsequent encounter for closed fracture with nonunion	ICD-10-CM	Diagnosis
S72.044H	Nondisplaced fracture of base of neck of right femur, subsequent encounter for open fracture type I or II with delayed healing	ICD-10-CM	Diagnosis
S72.044Q	Nondisplaced fracture of base of neck of right femur, subsequent encounter for open fracture type I or II with malunion	ICD-10-CM	Diagnosis
S72.044M	Nondisplaced fracture of base of neck of right femur, subsequent encounter for open fracture type I or II with nonunion	ICD-10-CM	Diagnosis
S72.044R	Nondisplaced fracture of base of neck of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD-10-CM	Diagnosis
S72.044N	Nondisplaced fracture of base of neck of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD-10-CM	Diagnosis
S72.044E	Nondisplaced fracture of base of neck of right femur, subsequent encounter for open fracture type I or II with routine healing	ICD-10-CM	Diagnosis
S72.044J	Nondisplaced fracture of base of neck of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD-10-CM	Diagnosis
S72.044F	Nondisplaced fracture of base of neck of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S72.046H	Nondisplaced fracture of base of neck of unspecified femur, subsequent encounter for open fracture type I or II with delayed healing	ICD-10-CM	Diagnosis
S72.046A	Nondisplaced fracture of base of neck of unspecified femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S72.046B	Nondisplaced fracture of base of neck of unspecified femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.046C	Nondisplaced fracture of base of neck of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.046G	Nondisplaced fracture of base of neck of unspecified femur, subsequent encounter for closed fracture with delayed healing	ICD-10-CM	Diagnosis
S72.046D	Nondisplaced fracture of base of neck of unspecified femur, subsequent encounter for closed fracture with routine healing	ICD-10-CM	Diagnosis
S72.046P	Nondisplaced fracture of base of neck of unspecified femur, subsequent encounter for closed fracture with malunion	ICD-10-CM	Diagnosis
S72.046K	Nondisplaced fracture of base of neck of unspecified femur, subsequent encounter for closed fracture with nonunion	ICD-10-CM	Diagnosis
S72.046E	Nondisplaced fracture of base of neck of unspecified femur, subsequent encounter for open fracture type I or II with routine healing	ICD-10-CM	Diagnosis
S72.046J	Nondisplaced fracture of base of neck of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD-10-CM	Diagnosis
S72.046R	Nondisplaced fracture of base of neck of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD-10-CM	Diagnosis
S72.046N	Nondisplaced fracture of base of neck of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD-10-CM	Diagnosis
S72.046Q	Nondisplaced fracture of base of neck of unspecified femur, subsequent encounter for open fracture type I or II with malunion	ICD-10-CM	Diagnosis
S72.046M	Nondisplaced fracture of base of neck of unspecified femur, subsequent encounter for open fracture type I or II with nonunion	ICD-10-CM	Diagnosis
S72.046F	Nondisplaced fracture of base of neck of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD-10-CM	Diagnosis
S92.015A	Nondisplaced fracture of body of left calcaneus, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S92.015B	Nondisplaced fracture of body of left calcaneus, initial encounter for open fracture	ICD-10-CM	Diagnosis
S92.015G	Nondisplaced fracture of body of left calcaneus, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S92.015P	Nondisplaced fracture of body of left calcaneus, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S92.015K	Nondisplaced fracture of body of left calcaneus, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S92.015D	Nondisplaced fracture of body of left calcaneus, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S92.014A	Nondisplaced fracture of body of right calcaneus, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S92.014B	Nondisplaced fracture of body of right calcaneus, initial encounter for open fracture	ICD-10-CM	Diagnosis
S92.014G	Nondisplaced fracture of body of right calcaneus, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S92.014P	Nondisplaced fracture of body of right calcaneus, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S92.014K	Nondisplaced fracture of body of right calcaneus, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S92.014D	Nondisplaced fracture of body of right calcaneus, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S92.016A	Nondisplaced fracture of body of unspecified calcaneus, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S92.016B	Nondisplaced fracture of body of unspecified calcaneus, initial encounter for open fracture	ICD-10-CM	Diagnosis
S92.016P	Nondisplaced fracture of body of unspecified calcaneus, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S92.016K	Nondisplaced fracture of body of unspecified calcaneus, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S92.016D	Nondisplaced fracture of body of unspecified calcaneus, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S92.016G	Nondisplaced fracture of body of unspecified calcaneus, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S92.425A	Nondisplaced fracture of distal phalanx of left great toe, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S92.425B	Nondisplaced fracture of distal phalanx of left great toe, initial encounter for open fracture	ICD-10-CM	Diagnosis
S92.425G	Nondisplaced fracture of distal phalanx of left great toe, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S92.425P	Nondisplaced fracture of distal phalanx of left great toe, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S92.425K	Nondisplaced fracture of distal phalanx of left great toe, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S92.425D	Nondisplaced fracture of distal phalanx of left great toe, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S92.425S	Nondisplaced fracture of distal phalanx of left great toe, sequela	ICD-10-CM	Diagnosis
S92.424A	Nondisplaced fracture of distal phalanx of right great toe, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S92.424B	Nondisplaced fracture of distal phalanx of right great toe, initial encounter for open fracture	ICD-10-CM	Diagnosis
S92.424G	Nondisplaced fracture of distal phalanx of right great toe, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis



**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S92.424P	Nondisplaced fracture of distal phalanx of right great toe, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S92.424K	Nondisplaced fracture of distal phalanx of right great toe, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S92.424D	Nondisplaced fracture of distal phalanx of right great toe, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S92.424S	Nondisplaced fracture of distal phalanx of right great toe, sequela	ICD-10-CM	Diagnosis
S92.426S	Nondisplaced fracture of distal phalanx of unspecified great toe, sequela	ICD-10-CM	Diagnosis
S92.426A	Nondisplaced fracture of distal phalanx of unspecified great toe, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S92.426B	Nondisplaced fracture of distal phalanx of unspecified great toe, initial encounter for open fracture	ICD-10-CM	Diagnosis
S92.426G	Nondisplaced fracture of distal phalanx of unspecified great toe, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S92.426P	Nondisplaced fracture of distal phalanx of unspecified great toe, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S92.426K	Nondisplaced fracture of distal phalanx of unspecified great toe, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S92.426D	Nondisplaced fracture of distal phalanx of unspecified great toe, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S72.025G	Nondisplaced fracture of epiphysis (separation) (upper) of left femur, subsequent encounter for closed fracture with delayed healing	ICD-10-CM	Diagnosis
S72.025P	Nondisplaced fracture of epiphysis (separation) (upper) of left femur, subsequent encounter for closed fracture with malunion	ICD-10-CM	Diagnosis
S72.025K	Nondisplaced fracture of epiphysis (separation) (upper) of left femur, subsequent encounter for closed fracture with nonunion	ICD-10-CM	Diagnosis
S72.025D	Nondisplaced fracture of epiphysis (separation) (upper) of left femur, subsequent encounter for closed fracture with routine healing	ICD-10-CM	Diagnosis
S72.025H	Nondisplaced fracture of epiphysis (separation) (upper) of left femur, subsequent encounter for open fracture type I or II with delayed healing	ICD-10-CM	Diagnosis
S72.025Q	Nondisplaced fracture of epiphysis (separation) (upper) of left femur, subsequent encounter for open fracture type I or II with malunion	ICD-10-CM	Diagnosis
S72.025M	Nondisplaced fracture of epiphysis (separation) (upper) of left femur, subsequent encounter for open fracture type I or II with nonunion	ICD-10-CM	Diagnosis
S72.025R	Nondisplaced fracture of epiphysis (separation) (upper) of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD-10-CM	Diagnosis
S72.025N	Nondisplaced fracture of epiphysis (separation) (upper) of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD-10-CM	Diagnosis
S72.025E	Nondisplaced fracture of epiphysis (separation) (upper) of left femur, subsequent encounter for open fracture type I or II with routine healing	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S72.025J	Nondisplaced fracture of epiphysis (separation) (upper) of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD-10-CM	Diagnosis
S72.025F	Nondisplaced fracture of epiphysis (separation) (upper) of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD-10-CM	Diagnosis
S72.025A	Nondisplaced fracture of epiphysis (separation) (upper) of left femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S72.025B	Nondisplaced fracture of epiphysis (separation) (upper) of left femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.025C	Nondisplaced fracture of epiphysis (separation) (upper) of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.024G	Nondisplaced fracture of epiphysis (separation) (upper) of right femur, subsequent encounter for closed fracture with delayed healing	ICD-10-CM	Diagnosis
S72.024P	Nondisplaced fracture of epiphysis (separation) (upper) of right femur, subsequent encounter for closed fracture with malunion	ICD-10-CM	Diagnosis
S72.024K	Nondisplaced fracture of epiphysis (separation) (upper) of right femur, subsequent encounter for closed fracture with nonunion	ICD-10-CM	Diagnosis
S72.024D	Nondisplaced fracture of epiphysis (separation) (upper) of right femur, subsequent encounter for closed fracture with routine healing	ICD-10-CM	Diagnosis
S72.024H	Nondisplaced fracture of epiphysis (separation) (upper) of right femur, subsequent encounter for open fracture type I or II with delayed healing	ICD-10-CM	Diagnosis
S72.024Q	Nondisplaced fracture of epiphysis (separation) (upper) of right femur, subsequent encounter for open fracture type I or II with malunion	ICD-10-CM	Diagnosis
S72.024M	Nondisplaced fracture of epiphysis (separation) (upper) of right femur, subsequent encounter for open fracture type I or II with nonunion	ICD-10-CM	Diagnosis
S72.024R	Nondisplaced fracture of epiphysis (separation) (upper) of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD-10-CM	Diagnosis
S72.024N	Nondisplaced fracture of epiphysis (separation) (upper) of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD-10-CM	Diagnosis
S72.024E	Nondisplaced fracture of epiphysis (separation) (upper) of right femur, subsequent encounter for open fracture type I or II with routine healing	ICD-10-CM	Diagnosis
S72.024J	Nondisplaced fracture of epiphysis (separation) (upper) of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD-10-CM	Diagnosis
S72.024F	Nondisplaced fracture of epiphysis (separation) (upper) of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD-10-CM	Diagnosis
S72.024A	Nondisplaced fracture of epiphysis (separation) (upper) of right femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S72.024B	Nondisplaced fracture of epiphysis (separation) (upper) of right femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.024C	Nondisplaced fracture of epiphysis (separation) (upper) of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.026H	Nondisplaced fracture of epiphysis (separation) (upper) of unspecified femur, subsequent encounter for open fracture type I or II with delayed healing	ICD-10-CM	Diagnosis
S72.026G	Nondisplaced fracture of epiphysis (separation) (upper) of unspecified femur, subsequent encounter for closed fracture with delayed healing	ICD-10-CM	Diagnosis
S72.026P	Nondisplaced fracture of epiphysis (separation) (upper) of unspecified femur, subsequent encounter for closed fracture with malunion	ICD-10-CM	Diagnosis
S72.026K	Nondisplaced fracture of epiphysis (separation) (upper) of unspecified femur, subsequent encounter for closed fracture with nonunion	ICD-10-CM	Diagnosis
S72.026D	Nondisplaced fracture of epiphysis (separation) (upper) of unspecified femur, subsequent encounter for closed fracture with routine healing	ICD-10-CM	Diagnosis
S72.026E	Nondisplaced fracture of epiphysis (separation) (upper) of unspecified femur, subsequent encounter for open fracture type I or II with routine healing	ICD-10-CM	Diagnosis
S72.026J	Nondisplaced fracture of epiphysis (separation) (upper) of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD-10-CM	Diagnosis
S72.026R	Nondisplaced fracture of epiphysis (separation) (upper) of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD-10-CM	Diagnosis
S72.026N	Nondisplaced fracture of epiphysis (separation) (upper) of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD-10-CM	Diagnosis
S72.026Q	Nondisplaced fracture of epiphysis (separation) (upper) of unspecified femur, subsequent encounter for open fracture type I or II with malunion	ICD-10-CM	Diagnosis
S72.026M	Nondisplaced fracture of epiphysis (separation) (upper) of unspecified femur, subsequent encounter for open fracture type I or II with nonunion	ICD-10-CM	Diagnosis
S72.026F	Nondisplaced fracture of epiphysis (separation) (upper) of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD-10-CM	Diagnosis
S72.026A	Nondisplaced fracture of epiphysis (separation) (upper) of unspecified femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S72.026B	Nondisplaced fracture of epiphysis (separation) (upper) of unspecified femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.026C	Nondisplaced fracture of epiphysis (separation) (upper) of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S92.315S	Nondisplaced fracture of first metatarsal bone, left foot, sequela	ICD-10-CM	Diagnosis
S92.314S	Nondisplaced fracture of first metatarsal bone, right foot, sequela	ICD-10-CM	Diagnosis
S92.316S	Nondisplaced fracture of first metatarsal bone, unspecified foot, sequela	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S92.315A	Nondisplaced fracture of first metatarsal bone, left foot, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S92.315B	Nondisplaced fracture of first metatarsal bone, left foot, initial encounter for open fracture	ICD-10-CM	Diagnosis
S92.315G	Nondisplaced fracture of first metatarsal bone, left foot, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S92.315P	Nondisplaced fracture of first metatarsal bone, left foot, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S92.315K	Nondisplaced fracture of first metatarsal bone, left foot, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S92.315D	Nondisplaced fracture of first metatarsal bone, left foot, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S92.314A	Nondisplaced fracture of first metatarsal bone, right foot, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S92.314B	Nondisplaced fracture of first metatarsal bone, right foot, initial encounter for open fracture	ICD-10-CM	Diagnosis
S92.314G	Nondisplaced fracture of first metatarsal bone, right foot, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S92.314P	Nondisplaced fracture of first metatarsal bone, right foot, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S92.314K	Nondisplaced fracture of first metatarsal bone, right foot, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S92.314D	Nondisplaced fracture of first metatarsal bone, right foot, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S92.316A	Nondisplaced fracture of first metatarsal bone, unspecified foot, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S92.316B	Nondisplaced fracture of first metatarsal bone, unspecified foot, initial encounter for open fracture	ICD-10-CM	Diagnosis
S92.316G	Nondisplaced fracture of first metatarsal bone, unspecified foot, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S92.316P	Nondisplaced fracture of first metatarsal bone, unspecified foot, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S92.316K	Nondisplaced fracture of first metatarsal bone, unspecified foot, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S92.316D	Nondisplaced fracture of first metatarsal bone, unspecified foot, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S92.235S	Nondisplaced fracture of intermediate cuneiform of left foot, sequela	ICD-10-CM	Diagnosis
S92.234S	Nondisplaced fracture of intermediate cuneiform of right foot, sequela	ICD-10-CM	Diagnosis
S92.236S	Nondisplaced fracture of intermediate cuneiform of unspecified foot, sequela	ICD-10-CM	Diagnosis
S92.235A	Nondisplaced fracture of intermediate cuneiform of left foot, initial encounter for closed fracture	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S92.235B	Nondisplaced fracture of intermediate cuneiform of left foot, initial encounter for open fracture	ICD-10-CM	Diagnosis
S92.235G	Nondisplaced fracture of intermediate cuneiform of left foot, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S92.235P	Nondisplaced fracture of intermediate cuneiform of left foot, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S92.235K	Nondisplaced fracture of intermediate cuneiform of left foot, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S92.235D	Nondisplaced fracture of intermediate cuneiform of left foot, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S92.234A	Nondisplaced fracture of intermediate cuneiform of right foot, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S92.234B	Nondisplaced fracture of intermediate cuneiform of right foot, initial encounter for open fracture	ICD-10-CM	Diagnosis
S92.234G	Nondisplaced fracture of intermediate cuneiform of right foot, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S92.234P	Nondisplaced fracture of intermediate cuneiform of right foot, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S92.234K	Nondisplaced fracture of intermediate cuneiform of right foot, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S92.234D	Nondisplaced fracture of intermediate cuneiform of right foot, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S92.236A	Nondisplaced fracture of intermediate cuneiform of unspecified foot, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S92.236B	Nondisplaced fracture of intermediate cuneiform of unspecified foot, initial encounter for open fracture	ICD-10-CM	Diagnosis
S92.236G	Nondisplaced fracture of intermediate cuneiform of unspecified foot, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S92.236P	Nondisplaced fracture of intermediate cuneiform of unspecified foot, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S92.236K	Nondisplaced fracture of intermediate cuneiform of unspecified foot, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S92.236D	Nondisplaced fracture of intermediate cuneiform of unspecified foot, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S82.125G	Nondisplaced fracture of lateral condyle of left tibia, subsequent encounter for closed fracture with delayed healing	ICD-10-CM	Diagnosis
S82.125D	Nondisplaced fracture of lateral condyle of left tibia, subsequent encounter for closed fracture with routine healing	ICD-10-CM	Diagnosis
S82.125P	Nondisplaced fracture of lateral condyle of left tibia, subsequent encounter for closed fracture with malunion	ICD-10-CM	Diagnosis
S82.125K	Nondisplaced fracture of lateral condyle of left tibia, subsequent encounter for closed fracture with nonunion	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S82.125Q	Nondisplaced fracture of lateral condyle of left tibia, subsequent encounter for open fracture type I or II with malunion	ICD-10-CM	Diagnosis
S82.125M	Nondisplaced fracture of lateral condyle of left tibia, subsequent encounter for open fracture type I or II with nonunion	ICD-10-CM	Diagnosis
S82.125E	Nondisplaced fracture of lateral condyle of left tibia, subsequent encounter for open fracture type I or II with routine healing	ICD-10-CM	Diagnosis
S82.125J	Nondisplaced fracture of lateral condyle of left tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD-10-CM	Diagnosis
S82.125R	Nondisplaced fracture of lateral condyle of left tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD-10-CM	Diagnosis
S82.125N	Nondisplaced fracture of lateral condyle of left tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD-10-CM	Diagnosis
S82.125F	Nondisplaced fracture of lateral condyle of left tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD-10-CM	Diagnosis
S82.125H	Nondisplaced fracture of lateral condyle of left tibia, subsequent encounter for open fracture type I or II with delayed healing	ICD-10-CM	Diagnosis
S82.125A	Nondisplaced fracture of lateral condyle of left tibia, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.125B	Nondisplaced fracture of lateral condyle of left tibia, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.125C	Nondisplaced fracture of lateral condyle of left tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.124G	Nondisplaced fracture of lateral condyle of right tibia, subsequent encounter for closed fracture with delayed healing	ICD-10-CM	Diagnosis
S82.124D	Nondisplaced fracture of lateral condyle of right tibia, subsequent encounter for closed fracture with routine healing	ICD-10-CM	Diagnosis
S82.124P	Nondisplaced fracture of lateral condyle of right tibia, subsequent encounter for closed fracture with malunion	ICD-10-CM	Diagnosis
S82.124K	Nondisplaced fracture of lateral condyle of right tibia, subsequent encounter for closed fracture with nonunion	ICD-10-CM	Diagnosis
S82.124Q	Nondisplaced fracture of lateral condyle of right tibia, subsequent encounter for open fracture type I or II with malunion	ICD-10-CM	Diagnosis
S82.124M	Nondisplaced fracture of lateral condyle of right tibia, subsequent encounter for open fracture type I or II with nonunion	ICD-10-CM	Diagnosis
S82.124E	Nondisplaced fracture of lateral condyle of right tibia, subsequent encounter for open fracture type I or II with routine healing	ICD-10-CM	Diagnosis
S82.124J	Nondisplaced fracture of lateral condyle of right tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD-10-CM	Diagnosis
S82.124R	Nondisplaced fracture of lateral condyle of right tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD-10-CM	Diagnosis
S82.124N	Nondisplaced fracture of lateral condyle of right tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD-10-CM	Diagnosis



**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S82.124F	Nondisplaced fracture of lateral condyle of right tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD-10-CM	Diagnosis
S82.124H	Nondisplaced fracture of lateral condyle of right tibia, subsequent encounter for open fracture type I or II with delayed healing	ICD-10-CM	Diagnosis
S82.124A	Nondisplaced fracture of lateral condyle of right tibia, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.124B	Nondisplaced fracture of lateral condyle of right tibia, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.124C	Nondisplaced fracture of lateral condyle of right tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.126G	Nondisplaced fracture of lateral condyle of unspecified tibia, subsequent encounter for closed fracture with delayed healing	ICD-10-CM	Diagnosis
S82.126D	Nondisplaced fracture of lateral condyle of unspecified tibia, subsequent encounter for closed fracture with routine healing	ICD-10-CM	Diagnosis
S82.126P	Nondisplaced fracture of lateral condyle of unspecified tibia, subsequent encounter for closed fracture with malunion	ICD-10-CM	Diagnosis
S82.126K	Nondisplaced fracture of lateral condyle of unspecified tibia, subsequent encounter for closed fracture with nonunion	ICD-10-CM	Diagnosis
S82.126Q	Nondisplaced fracture of lateral condyle of unspecified tibia, subsequent encounter for open fracture type I or II with malunion	ICD-10-CM	Diagnosis
S82.126M	Nondisplaced fracture of lateral condyle of unspecified tibia, subsequent encounter for open fracture type I or II with nonunion	ICD-10-CM	Diagnosis
S82.126R	Nondisplaced fracture of lateral condyle of unspecified tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD-10-CM	Diagnosis
S82.126N	Nondisplaced fracture of lateral condyle of unspecified tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD-10-CM	Diagnosis
S82.126F	Nondisplaced fracture of lateral condyle of unspecified tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD-10-CM	Diagnosis
S82.126H	Nondisplaced fracture of lateral condyle of unspecified tibia, subsequent encounter for open fracture type I or II with delayed healing	ICD-10-CM	Diagnosis
S82.126E	Nondisplaced fracture of lateral condyle of unspecified tibia, subsequent encounter for open fracture type I or II with routine healing	ICD-10-CM	Diagnosis
S82.126J	Nondisplaced fracture of lateral condyle of unspecified tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD-10-CM	Diagnosis
S82.126A	Nondisplaced fracture of lateral condyle of unspecified tibia, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.126B	Nondisplaced fracture of lateral condyle of unspecified tibia, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.126C	Nondisplaced fracture of lateral condyle of unspecified tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.65XS	Nondisplaced fracture of lateral malleolus of left fibula, sequela	ICD-10-CM	Diagnosis
S82.64XS	Nondisplaced fracture of lateral malleolus of right fibula, sequela	ICD-10-CM	Diagnosis
S82.66XS	Nondisplaced fracture of lateral malleolus of unspecified fibula, sequela	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S72.445S	Nondisplaced fracture of lower epiphysis (separation) of left femur, sequela	ICD-10-CM	Diagnosis
S72.444S	Nondisplaced fracture of lower epiphysis (separation) of right femur, sequela	ICD-10-CM	Diagnosis
S72.446S	Nondisplaced fracture of lower epiphysis (separation) of unspecified femur, sequela	ICD-10-CM	Diagnosis
S82.115C	Nondisplaced fracture of left tibial spine, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.115B	Nondisplaced fracture of left tibial spine, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.115G	Nondisplaced fracture of left tibial spine, subsequent encounter for closed fracture with delayed healing	ICD-10-CM	Diagnosis
S82.115P	Nondisplaced fracture of left tibial spine, subsequent encounter for closed fracture with malunion	ICD-10-CM	Diagnosis
S82.115K	Nondisplaced fracture of left tibial spine, subsequent encounter for closed fracture with nonunion	ICD-10-CM	Diagnosis
S82.115D	Nondisplaced fracture of left tibial spine, subsequent encounter for closed fracture with routine healing	ICD-10-CM	Diagnosis
S82.115H	Nondisplaced fracture of left tibial spine, subsequent encounter for open fracture type I or II with delayed healing	ICD-10-CM	Diagnosis
S82.115Q	Nondisplaced fracture of left tibial spine, subsequent encounter for open fracture type I or II with malunion	ICD-10-CM	Diagnosis
S82.115M	Nondisplaced fracture of left tibial spine, subsequent encounter for open fracture type I or II with nonunion	ICD-10-CM	Diagnosis
S82.115E	Nondisplaced fracture of left tibial spine, subsequent encounter for open fracture type I or II with routine healing	ICD-10-CM	Diagnosis
S82.115J	Nondisplaced fracture of left tibial spine, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD-10-CM	Diagnosis
S82.115R	Nondisplaced fracture of left tibial spine, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD-10-CM	Diagnosis
S82.115N	Nondisplaced fracture of left tibial spine, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD-10-CM	Diagnosis
S82.115F	Nondisplaced fracture of left tibial spine, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD-10-CM	Diagnosis
S82.155A	Nondisplaced fracture of left tibial tuberosity, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.155B	Nondisplaced fracture of left tibial tuberosity, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.155C	Nondisplaced fracture of left tibial tuberosity, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.155G	Nondisplaced fracture of left tibial tuberosity, subsequent encounter for closed fracture with delayed healing	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S82.155P	Nondisplaced fracture of left tibial tuberosity, subsequent encounter for closed fracture with malunion	ICD-10-CM	Diagnosis
S82.155K	Nondisplaced fracture of left tibial tuberosity, subsequent encounter for closed fracture with nonunion	ICD-10-CM	Diagnosis
S82.155D	Nondisplaced fracture of left tibial tuberosity, subsequent encounter for closed fracture with routine healing	ICD-10-CM	Diagnosis
S82.155H	Nondisplaced fracture of left tibial tuberosity, subsequent encounter for open fracture type I or II with delayed healing	ICD-10-CM	Diagnosis
S82.155Q	Nondisplaced fracture of left tibial tuberosity, subsequent encounter for open fracture type I or II with malunion	ICD-10-CM	Diagnosis
S82.155M	Nondisplaced fracture of left tibial tuberosity, subsequent encounter for open fracture type I or II with nonunion	ICD-10-CM	Diagnosis
S82.155E	Nondisplaced fracture of left tibial tuberosity, subsequent encounter for open fracture type I or II with routine healing	ICD-10-CM	Diagnosis
S82.155J	Nondisplaced fracture of left tibial tuberosity, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD-10-CM	Diagnosis
S82.155R	Nondisplaced fracture of left tibial tuberosity, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD-10-CM	Diagnosis
S82.155N	Nondisplaced fracture of left tibial tuberosity, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD-10-CM	Diagnosis
S82.155F	Nondisplaced fracture of left tibial tuberosity, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD-10-CM	Diagnosis
S82.135G	Nondisplaced fracture of medial condyle of left tibia, subsequent encounter for closed fracture with delayed healing	ICD-10-CM	Diagnosis
S82.135D	Nondisplaced fracture of medial condyle of left tibia, subsequent encounter for closed fracture with routine healing	ICD-10-CM	Diagnosis
S82.135P	Nondisplaced fracture of medial condyle of left tibia, subsequent encounter for closed fracture with malunion	ICD-10-CM	Diagnosis
S82.135K	Nondisplaced fracture of medial condyle of left tibia, subsequent encounter for closed fracture with nonunion	ICD-10-CM	Diagnosis
S82.135Q	Nondisplaced fracture of medial condyle of left tibia, subsequent encounter for open fracture type I or II with malunion	ICD-10-CM	Diagnosis
S82.135M	Nondisplaced fracture of medial condyle of left tibia, subsequent encounter for open fracture type I or II with nonunion	ICD-10-CM	Diagnosis
S82.135E	Nondisplaced fracture of medial condyle of left tibia, subsequent encounter for open fracture type I or II with routine healing	ICD-10-CM	Diagnosis
S82.135J	Nondisplaced fracture of medial condyle of left tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD-10-CM	Diagnosis
S82.135R	Nondisplaced fracture of medial condyle of left tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD-10-CM	Diagnosis
S82.135N	Nondisplaced fracture of medial condyle of left tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S82.135F	Nondisplaced fracture of medial condyle of left tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD-10-CM	Diagnosis
S82.135H	Nondisplaced fracture of medial condyle of left tibia, subsequent encounter for open fracture type I or II with delayed healing	ICD-10-CM	Diagnosis
S82.135A	Nondisplaced fracture of medial condyle of left tibia, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.135B	Nondisplaced fracture of medial condyle of left tibia, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.135C	Nondisplaced fracture of medial condyle of left tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.134G	Nondisplaced fracture of medial condyle of right tibia, subsequent encounter for closed fracture with delayed healing	ICD-10-CM	Diagnosis
S82.134D	Nondisplaced fracture of medial condyle of right tibia, subsequent encounter for closed fracture with routine healing	ICD-10-CM	Diagnosis
S82.134P	Nondisplaced fracture of medial condyle of right tibia, subsequent encounter for closed fracture with malunion	ICD-10-CM	Diagnosis
S82.134K	Nondisplaced fracture of medial condyle of right tibia, subsequent encounter for closed fracture with nonunion	ICD-10-CM	Diagnosis
S82.134Q	Nondisplaced fracture of medial condyle of right tibia, subsequent encounter for open fracture type I or II with malunion	ICD-10-CM	Diagnosis
S82.134M	Nondisplaced fracture of medial condyle of right tibia, subsequent encounter for open fracture type I or II with nonunion	ICD-10-CM	Diagnosis
S82.134E	Nondisplaced fracture of medial condyle of right tibia, subsequent encounter for open fracture type I or II with routine healing	ICD-10-CM	Diagnosis
S82.134J	Nondisplaced fracture of medial condyle of right tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD-10-CM	Diagnosis
S82.134R	Nondisplaced fracture of medial condyle of right tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD-10-CM	Diagnosis
S82.134N	Nondisplaced fracture of medial condyle of right tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD-10-CM	Diagnosis
S82.134F	Nondisplaced fracture of medial condyle of right tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD-10-CM	Diagnosis
S82.134H	Nondisplaced fracture of medial condyle of right tibia, subsequent encounter for open fracture type I or II with delayed healing	ICD-10-CM	Diagnosis
S82.134A	Nondisplaced fracture of medial condyle of right tibia, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.134B	Nondisplaced fracture of medial condyle of right tibia, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.134C	Nondisplaced fracture of medial condyle of right tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.136G	Nondisplaced fracture of medial condyle of unspecified tibia, subsequent encounter for closed fracture with delayed healing	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S82.136D	Nondisplaced fracture of medial condyle of unspecified tibia, subsequent encounter for closed fracture with routine healing	ICD-10-CM	Diagnosis
S82.136P	Nondisplaced fracture of medial condyle of unspecified tibia, subsequent encounter for closed fracture with malunion	ICD-10-CM	Diagnosis
S82.136K	Nondisplaced fracture of medial condyle of unspecified tibia, subsequent encounter for closed fracture with nonunion	ICD-10-CM	Diagnosis
S82.136H	Nondisplaced fracture of medial condyle of unspecified tibia, subsequent encounter for open fracture type I or II with delayed healing	ICD-10-CM	Diagnosis
S82.136Q	Nondisplaced fracture of medial condyle of unspecified tibia, subsequent encounter for open fracture type I or II with malunion	ICD-10-CM	Diagnosis
S82.136M	Nondisplaced fracture of medial condyle of unspecified tibia, subsequent encounter for open fracture type I or II with nonunion	ICD-10-CM	Diagnosis
S82.136R	Nondisplaced fracture of medial condyle of unspecified tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD-10-CM	Diagnosis
S82.136N	Nondisplaced fracture of medial condyle of unspecified tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD-10-CM	Diagnosis
S82.136F	Nondisplaced fracture of medial condyle of unspecified tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD-10-CM	Diagnosis
S82.136E	Nondisplaced fracture of medial condyle of unspecified tibia, subsequent encounter for open fracture type I or II with routine healing	ICD-10-CM	Diagnosis
S82.136J	Nondisplaced fracture of medial condyle of unspecified tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD-10-CM	Diagnosis
S82.136A	Nondisplaced fracture of medial condyle of unspecified tibia, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.136B	Nondisplaced fracture of medial condyle of unspecified tibia, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.136C	Nondisplaced fracture of medial condyle of unspecified tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S32.445A	Nondisplaced fracture of posterior column [ilioischial] of left acetabulum, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S32.445B	Nondisplaced fracture of posterior column [ilioischial] of left acetabulum, initial encounter for open fracture	ICD-10-CM	Diagnosis
S32.445S	Nondisplaced fracture of posterior column [ilioischial] of left acetabulum, sequela	ICD-10-CM	Diagnosis
S32.445G	Nondisplaced fracture of posterior column [ilioischial] of left acetabulum, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S32.445K	Nondisplaced fracture of posterior column [ilioischial] of left acetabulum, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S32.445D	Nondisplaced fracture of posterior column [ilioischial] of left acetabulum, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S32.444B	Nondisplaced fracture of posterior column [ilioischial] of right acetabulum, initial encounter for open fracture	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S32.444A	Nondisplaced fracture of posterior column [ilioischial] of right acetabulum, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S32.444S	Nondisplaced fracture of posterior column [ilioischial] of right acetabulum, sequela	ICD-10-CM	Diagnosis
S32.444G	Nondisplaced fracture of posterior column [ilioischial] of right acetabulum, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S32.444K	Nondisplaced fracture of posterior column [ilioischial] of right acetabulum, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S32.444D	Nondisplaced fracture of posterior column [ilioischial] of right acetabulum, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S92.135A	Nondisplaced fracture of posterior process of left talus, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S92.135B	Nondisplaced fracture of posterior process of left talus, initial encounter for open fracture	ICD-10-CM	Diagnosis
S92.135G	Nondisplaced fracture of posterior process of left talus, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S92.135P	Nondisplaced fracture of posterior process of left talus, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S92.135K	Nondisplaced fracture of posterior process of left talus, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S92.135D	Nondisplaced fracture of posterior process of left talus, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S92.134A	Nondisplaced fracture of posterior process of right talus, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S92.134B	Nondisplaced fracture of posterior process of right talus, initial encounter for open fracture	ICD-10-CM	Diagnosis
S92.134G	Nondisplaced fracture of posterior process of right talus, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S92.134P	Nondisplaced fracture of posterior process of right talus, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S92.134K	Nondisplaced fracture of posterior process of right talus, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S92.134D	Nondisplaced fracture of posterior process of right talus, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S92.136A	Nondisplaced fracture of posterior process of unspecified talus, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S92.136B	Nondisplaced fracture of posterior process of unspecified talus, initial encounter for open fracture	ICD-10-CM	Diagnosis
S92.136G	Nondisplaced fracture of posterior process of unspecified talus, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S92.136P	Nondisplaced fracture of posterior process of unspecified talus, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis



**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S92.136K	Nondisplaced fracture of posterior process of unspecified talus, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S92.136D	Nondisplaced fracture of posterior process of unspecified talus, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S32.426S	Nondisplaced fracture of posterior wall of unspecified acetabulum, sequela	ICD-10-CM	Diagnosis
S32.426K	Nondisplaced fracture of posterior wall of unspecified acetabulum, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S92.415A	Nondisplaced fracture of proximal phalanx of left great toe, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S92.415B	Nondisplaced fracture of proximal phalanx of left great toe, initial encounter for open fracture	ICD-10-CM	Diagnosis
S92.415G	Nondisplaced fracture of proximal phalanx of left great toe, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S92.415P	Nondisplaced fracture of proximal phalanx of left great toe, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S92.415K	Nondisplaced fracture of proximal phalanx of left great toe, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S92.415D	Nondisplaced fracture of proximal phalanx of left great toe, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S92.415S	Nondisplaced fracture of proximal phalanx of left great toe, sequela	ICD-10-CM	Diagnosis
S92.414A	Nondisplaced fracture of proximal phalanx of right great toe, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S92.414B	Nondisplaced fracture of proximal phalanx of right great toe, initial encounter for open fracture	ICD-10-CM	Diagnosis
S92.414G	Nondisplaced fracture of proximal phalanx of right great toe, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S92.414P	Nondisplaced fracture of proximal phalanx of right great toe, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S92.414K	Nondisplaced fracture of proximal phalanx of right great toe, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S92.414D	Nondisplaced fracture of proximal phalanx of right great toe, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S92.414S	Nondisplaced fracture of proximal phalanx of right great toe, sequela	ICD-10-CM	Diagnosis
S92.416S	Nondisplaced fracture of proximal phalanx of unspecified great toe, sequela	ICD-10-CM	Diagnosis
S92.416A	Nondisplaced fracture of proximal phalanx of unspecified great toe, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S92.416B	Nondisplaced fracture of proximal phalanx of unspecified great toe, initial encounter for open fracture	ICD-10-CM	Diagnosis
S92.416G	Nondisplaced fracture of proximal phalanx of unspecified great toe, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S92.416P	Nondisplaced fracture of proximal phalanx of unspecified great toe, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S92.416K	Nondisplaced fracture of proximal phalanx of unspecified great toe, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S92.416D	Nondisplaced fracture of proximal phalanx of unspecified great toe, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S82.114C	Nondisplaced fracture of right tibial spine, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.114B	Nondisplaced fracture of right tibial spine, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.114G	Nondisplaced fracture of right tibial spine, subsequent encounter for closed fracture with delayed healing	ICD-10-CM	Diagnosis
S82.114P	Nondisplaced fracture of right tibial spine, subsequent encounter for closed fracture with malunion	ICD-10-CM	Diagnosis
S82.114K	Nondisplaced fracture of right tibial spine, subsequent encounter for closed fracture with nonunion	ICD-10-CM	Diagnosis
S82.114D	Nondisplaced fracture of right tibial spine, subsequent encounter for closed fracture with routine healing	ICD-10-CM	Diagnosis
S82.114H	Nondisplaced fracture of right tibial spine, subsequent encounter for open fracture type I or II with delayed healing	ICD-10-CM	Diagnosis
S82.114Q	Nondisplaced fracture of right tibial spine, subsequent encounter for open fracture type I or II with malunion	ICD-10-CM	Diagnosis
S82.114M	Nondisplaced fracture of right tibial spine, subsequent encounter for open fracture type I or II with nonunion	ICD-10-CM	Diagnosis
S82.114E	Nondisplaced fracture of right tibial spine, subsequent encounter for open fracture type I or II with routine healing	ICD-10-CM	Diagnosis
S82.114J	Nondisplaced fracture of right tibial spine, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD-10-CM	Diagnosis
S82.114R	Nondisplaced fracture of right tibial spine, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD-10-CM	Diagnosis
S82.114N	Nondisplaced fracture of right tibial spine, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD-10-CM	Diagnosis
S82.114F	Nondisplaced fracture of right tibial spine, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD-10-CM	Diagnosis
S82.154A	Nondisplaced fracture of right tibial tuberosity, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.154B	Nondisplaced fracture of right tibial tuberosity, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.154C	Nondisplaced fracture of right tibial tuberosity, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.154G	Nondisplaced fracture of right tibial tuberosity, subsequent encounter for closed fracture with delayed healing	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S82.154P	Nondisplaced fracture of right tibial tuberosity, subsequent encounter for closed fracture with malunion	ICD-10-CM	Diagnosis
S82.154K	Nondisplaced fracture of right tibial tuberosity, subsequent encounter for closed fracture with nonunion	ICD-10-CM	Diagnosis
S82.154D	Nondisplaced fracture of right tibial tuberosity, subsequent encounter for closed fracture with routine healing	ICD-10-CM	Diagnosis
S82.154H	Nondisplaced fracture of right tibial tuberosity, subsequent encounter for open fracture type I or II with delayed healing	ICD-10-CM	Diagnosis
S82.154Q	Nondisplaced fracture of right tibial tuberosity, subsequent encounter for open fracture type I or II with malunion	ICD-10-CM	Diagnosis
S82.154M	Nondisplaced fracture of right tibial tuberosity, subsequent encounter for open fracture type I or II with nonunion	ICD-10-CM	Diagnosis
S82.154E	Nondisplaced fracture of right tibial tuberosity, subsequent encounter for open fracture type I or II with routine healing	ICD-10-CM	Diagnosis
S82.154J	Nondisplaced fracture of right tibial tuberosity, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD-10-CM	Diagnosis
S82.154R	Nondisplaced fracture of right tibial tuberosity, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD-10-CM	Diagnosis
S82.154N	Nondisplaced fracture of right tibial tuberosity, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD-10-CM	Diagnosis
S82.154F	Nondisplaced fracture of right tibial tuberosity, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD-10-CM	Diagnosis
S82.116C	Nondisplaced fracture of unspecified tibial spine, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.116B	Nondisplaced fracture of unspecified tibial spine, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.116G	Nondisplaced fracture of unspecified tibial spine, subsequent encounter for closed fracture with delayed healing	ICD-10-CM	Diagnosis
S82.116P	Nondisplaced fracture of unspecified tibial spine, subsequent encounter for closed fracture with malunion	ICD-10-CM	Diagnosis
S82.116K	Nondisplaced fracture of unspecified tibial spine, subsequent encounter for closed fracture with nonunion	ICD-10-CM	Diagnosis
S82.116D	Nondisplaced fracture of unspecified tibial spine, subsequent encounter for closed fracture with routine healing	ICD-10-CM	Diagnosis
S82.116H	Nondisplaced fracture of unspecified tibial spine, subsequent encounter for open fracture type I or II with delayed healing	ICD-10-CM	Diagnosis
S82.116Q	Nondisplaced fracture of unspecified tibial spine, subsequent encounter for open fracture type I or II with malunion	ICD-10-CM	Diagnosis
S82.116M	Nondisplaced fracture of unspecified tibial spine, subsequent encounter for open fracture type I or II with nonunion	ICD-10-CM	Diagnosis
S82.116E	Nondisplaced fracture of unspecified tibial spine, subsequent encounter for open fracture type I or II with routine healing	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S82.116J	Nondisplaced fracture of unspecified tibial spine, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD-10-CM	Diagnosis
S82.116R	Nondisplaced fracture of unspecified tibial spine, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD-10-CM	Diagnosis
S82.116N	Nondisplaced fracture of unspecified tibial spine, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD-10-CM	Diagnosis
S82.116F	Nondisplaced fracture of unspecified tibial spine, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD-10-CM	Diagnosis
S82.156A	Nondisplaced fracture of unspecified tibial tuberosity, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.156B	Nondisplaced fracture of unspecified tibial tuberosity, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.156C	Nondisplaced fracture of unspecified tibial tuberosity, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.156G	Nondisplaced fracture of unspecified tibial tuberosity, subsequent encounter for closed fracture with delayed healing	ICD-10-CM	Diagnosis
S82.156P	Nondisplaced fracture of unspecified tibial tuberosity, subsequent encounter for closed fracture with malunion	ICD-10-CM	Diagnosis
S82.156K	Nondisplaced fracture of unspecified tibial tuberosity, subsequent encounter for closed fracture with nonunion	ICD-10-CM	Diagnosis
S82.156D	Nondisplaced fracture of unspecified tibial tuberosity, subsequent encounter for closed fracture with routine healing	ICD-10-CM	Diagnosis
S82.156Q	Nondisplaced fracture of unspecified tibial tuberosity, subsequent encounter for open fracture type I or II with malunion	ICD-10-CM	Diagnosis
S82.156M	Nondisplaced fracture of unspecified tibial tuberosity, subsequent encounter for open fracture type I or II with nonunion	ICD-10-CM	Diagnosis
S82.156E	Nondisplaced fracture of unspecified tibial tuberosity, subsequent encounter for open fracture type I or II with routine healing	ICD-10-CM	Diagnosis
S82.156J	Nondisplaced fracture of unspecified tibial tuberosity, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD-10-CM	Diagnosis
S82.156R	Nondisplaced fracture of unspecified tibial tuberosity, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD-10-CM	Diagnosis
S82.156N	Nondisplaced fracture of unspecified tibial tuberosity, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD-10-CM	Diagnosis
S82.156F	Nondisplaced fracture of unspecified tibial tuberosity, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD-10-CM	Diagnosis
S82.156H	Nondisplaced fracture of unspecified tibial tuberosity, subsequent encounter for open fracture type I or II with delayed healing	ICD-10-CM	Diagnosis
S92.065S	Nondisplaced intraarticular fracture of left calcaneus, sequela	ICD-10-CM	Diagnosis
S92.064S	Nondisplaced intraarticular fracture of right calcaneus, sequela	ICD-10-CM	Diagnosis
S92.066S	Nondisplaced intraarticular fracture of unspecified calcaneus, sequela	ICD-10-CM	Diagnosis
S92.065A	Nondisplaced intraarticular fracture of left calcaneus, initial encounter for closed fracture	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S92.065B	Nondisplaced intraarticular fracture of left calcaneus, initial encounter for open fracture	ICD-10-CM	Diagnosis
S92.065P	Nondisplaced intraarticular fracture of left calcaneus, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S92.065K	Nondisplaced intraarticular fracture of left calcaneus, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S92.065G	Nondisplaced intraarticular fracture of left calcaneus, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S92.065D	Nondisplaced intraarticular fracture of left calcaneus, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S92.064A	Nondisplaced intraarticular fracture of right calcaneus, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S92.064B	Nondisplaced intraarticular fracture of right calcaneus, initial encounter for open fracture	ICD-10-CM	Diagnosis
S92.064P	Nondisplaced intraarticular fracture of right calcaneus, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S92.064K	Nondisplaced intraarticular fracture of right calcaneus, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S92.064G	Nondisplaced intraarticular fracture of right calcaneus, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S92.064D	Nondisplaced intraarticular fracture of right calcaneus, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S92.066A	Nondisplaced intraarticular fracture of unspecified calcaneus, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S92.066B	Nondisplaced intraarticular fracture of unspecified calcaneus, initial encounter for open fracture	ICD-10-CM	Diagnosis
S92.066P	Nondisplaced intraarticular fracture of unspecified calcaneus, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S92.066K	Nondisplaced intraarticular fracture of unspecified calcaneus, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S92.066G	Nondisplaced intraarticular fracture of unspecified calcaneus, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S92.066D	Nondisplaced intraarticular fracture of unspecified calcaneus, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S82.025B	Nondisplaced longitudinal fracture of left patella, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.025C	Nondisplaced longitudinal fracture of left patella, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.025G	Nondisplaced longitudinal fracture of left patella, subsequent encounter for closed fracture with delayed healing	ICD-10-CM	Diagnosis
S82.025K	Nondisplaced longitudinal fracture of left patella, subsequent encounter for closed fracture with nonunion	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S82.025P	Nondisplaced longitudinal fracture of left patella, subsequent encounter for closed fracture with malunion	ICD-10-CM	Diagnosis
S82.025D	Nondisplaced longitudinal fracture of left patella, subsequent encounter for closed fracture with routine healing	ICD-10-CM	Diagnosis
S82.025Q	Nondisplaced longitudinal fracture of left patella, subsequent encounter for open fracture type I or II with malunion	ICD-10-CM	Diagnosis
S82.025M	Nondisplaced longitudinal fracture of left patella, subsequent encounter for open fracture type I or II with nonunion	ICD-10-CM	Diagnosis
S82.025R	Nondisplaced longitudinal fracture of left patella, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD-10-CM	Diagnosis
S82.025N	Nondisplaced longitudinal fracture of left patella, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD-10-CM	Diagnosis
S82.025H	Nondisplaced longitudinal fracture of left patella, subsequent encounter for open fracture type I or II with delayed healing	ICD-10-CM	Diagnosis
S82.025E	Nondisplaced longitudinal fracture of left patella, subsequent encounter for open fracture type I or II with routine healing	ICD-10-CM	Diagnosis
S82.025J	Nondisplaced longitudinal fracture of left patella, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD-10-CM	Diagnosis
S82.025F	Nondisplaced longitudinal fracture of left patella, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD-10-CM	Diagnosis
S82.024B	Nondisplaced longitudinal fracture of right patella, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.024C	Nondisplaced longitudinal fracture of right patella, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.024G	Nondisplaced longitudinal fracture of right patella, subsequent encounter for closed fracture with delayed healing	ICD-10-CM	Diagnosis
S82.024K	Nondisplaced longitudinal fracture of right patella, subsequent encounter for closed fracture with nonunion	ICD-10-CM	Diagnosis
S82.024P	Nondisplaced longitudinal fracture of right patella, subsequent encounter for closed fracture with malunion	ICD-10-CM	Diagnosis
S82.024D	Nondisplaced longitudinal fracture of right patella, subsequent encounter for closed fracture with routine healing	ICD-10-CM	Diagnosis
S82.024Q	Nondisplaced longitudinal fracture of right patella, subsequent encounter for open fracture type I or II with malunion	ICD-10-CM	Diagnosis
S82.024M	Nondisplaced longitudinal fracture of right patella, subsequent encounter for open fracture type I or II with nonunion	ICD-10-CM	Diagnosis
S82.024R	Nondisplaced longitudinal fracture of right patella, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD-10-CM	Diagnosis
S82.024N	Nondisplaced longitudinal fracture of right patella, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD-10-CM	Diagnosis
S82.024H	Nondisplaced longitudinal fracture of right patella, subsequent encounter for open fracture type I or II with delayed healing	ICD-10-CM	Diagnosis



**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S82.024E	Nondisplaced longitudinal fracture of right patella, subsequent encounter for open fracture type I or II with routine healing	ICD-10-CM	Diagnosis
S82.024J	Nondisplaced longitudinal fracture of right patella, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD-10-CM	Diagnosis
S82.024F	Nondisplaced longitudinal fracture of right patella, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD-10-CM	Diagnosis
S82.026B	Nondisplaced longitudinal fracture of unspecified patella, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.026C	Nondisplaced longitudinal fracture of unspecified patella, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.026G	Nondisplaced longitudinal fracture of unspecified patella, subsequent encounter for closed fracture with delayed healing	ICD-10-CM	Diagnosis
S82.026P	Nondisplaced longitudinal fracture of unspecified patella, subsequent encounter for closed fracture with malunion	ICD-10-CM	Diagnosis
S82.026K	Nondisplaced longitudinal fracture of unspecified patella, subsequent encounter for closed fracture with nonunion	ICD-10-CM	Diagnosis
S82.026D	Nondisplaced longitudinal fracture of unspecified patella, subsequent encounter for closed fracture with routine healing	ICD-10-CM	Diagnosis
S82.026H	Nondisplaced longitudinal fracture of unspecified patella, subsequent encounter for open fracture type I or II with delayed healing	ICD-10-CM	Diagnosis
S82.026E	Nondisplaced longitudinal fracture of unspecified patella, subsequent encounter for open fracture type I or II with routine healing	ICD-10-CM	Diagnosis
S82.026R	Nondisplaced longitudinal fracture of unspecified patella, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD-10-CM	Diagnosis
S82.026N	Nondisplaced longitudinal fracture of unspecified patella, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD-10-CM	Diagnosis
S82.026Q	Nondisplaced longitudinal fracture of unspecified patella, subsequent encounter for open fracture type I or II with malunion	ICD-10-CM	Diagnosis
S82.026M	Nondisplaced longitudinal fracture of unspecified patella, subsequent encounter for open fracture type I or II with nonunion	ICD-10-CM	Diagnosis
S82.026J	Nondisplaced longitudinal fracture of unspecified patella, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD-10-CM	Diagnosis
S82.026F	Nondisplaced longitudinal fracture of unspecified patella, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD-10-CM	Diagnosis
S82.025A	Nondisplaced longitudinal fracture of left patella, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.024A	Nondisplaced longitudinal fracture of right patella, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.026A	Nondisplaced longitudinal fracture of unspecified patella, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S72.035S	Nondisplaced midcervical fracture of left femur, sequela	ICD-10-CM	Diagnosis
S72.034S	Nondisplaced midcervical fracture of right femur, sequela	ICD-10-CM	Diagnosis
S72.036S	Nondisplaced midcervical fracture of unspecified femur, sequela	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S72.035G	Nondisplaced midcervical fracture of left femur, subsequent encounter for closed fracture with delayed healing	ICD-10-CM	Diagnosis
S72.035P	Nondisplaced midcervical fracture of left femur, subsequent encounter for closed fracture with malunion	ICD-10-CM	Diagnosis
S72.035K	Nondisplaced midcervical fracture of left femur, subsequent encounter for closed fracture with nonunion	ICD-10-CM	Diagnosis
S72.035H	Nondisplaced midcervical fracture of left femur, subsequent encounter for open fracture type I or II with delayed healing	ICD-10-CM	Diagnosis
S72.035Q	Nondisplaced midcervical fracture of left femur, subsequent encounter for open fracture type I or II with malunion	ICD-10-CM	Diagnosis
S72.035M	Nondisplaced midcervical fracture of left femur, subsequent encounter for open fracture type I or II with nonunion	ICD-10-CM	Diagnosis
S72.035E	Nondisplaced midcervical fracture of left femur, subsequent encounter for open fracture type I or II with routine healing	ICD-10-CM	Diagnosis
S72.035J	Nondisplaced midcervical fracture of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD-10-CM	Diagnosis
S72.035R	Nondisplaced midcervical fracture of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD-10-CM	Diagnosis
S72.035N	Nondisplaced midcervical fracture of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD-10-CM	Diagnosis
S72.035F	Nondisplaced midcervical fracture of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD-10-CM	Diagnosis
S72.035B	Nondisplaced midcervical fracture of left femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.035C	Nondisplaced midcervical fracture of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.035A	Nondisplaced midcervical fracture of left femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S72.035D	Nondisplaced midcervical fracture of left femur, subsequent encounter for closed fracture with routine healing	ICD-10-CM	Diagnosis
S72.034G	Nondisplaced midcervical fracture of right femur, subsequent encounter for closed fracture with delayed healing	ICD-10-CM	Diagnosis
S72.034P	Nondisplaced midcervical fracture of right femur, subsequent encounter for closed fracture with malunion	ICD-10-CM	Diagnosis
S72.034K	Nondisplaced midcervical fracture of right femur, subsequent encounter for closed fracture with nonunion	ICD-10-CM	Diagnosis
S72.034H	Nondisplaced midcervical fracture of right femur, subsequent encounter for open fracture type I or II with delayed healing	ICD-10-CM	Diagnosis
S72.034Q	Nondisplaced midcervical fracture of right femur, subsequent encounter for open fracture type I or II with malunion	ICD-10-CM	Diagnosis
S72.034M	Nondisplaced midcervical fracture of right femur, subsequent encounter for open fracture type I or II with nonunion	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S72.034E	Nondisplaced midcervical fracture of right femur, subsequent encounter for open fracture type I or II with routine healing	ICD-10-CM	Diagnosis
S72.034J	Nondisplaced midcervical fracture of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD-10-CM	Diagnosis
S72.034R	Nondisplaced midcervical fracture of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD-10-CM	Diagnosis
S72.034N	Nondisplaced midcervical fracture of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD-10-CM	Diagnosis
S72.034F	Nondisplaced midcervical fracture of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD-10-CM	Diagnosis
S72.034B	Nondisplaced midcervical fracture of right femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.034C	Nondisplaced midcervical fracture of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.034A	Nondisplaced midcervical fracture of right femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S72.034D	Nondisplaced midcervical fracture of right femur, subsequent encounter for closed fracture with routine healing	ICD-10-CM	Diagnosis
S72.036G	Nondisplaced midcervical fracture of unspecified femur, subsequent encounter for closed fracture with delayed healing	ICD-10-CM	Diagnosis
S72.036P	Nondisplaced midcervical fracture of unspecified femur, subsequent encounter for closed fracture with malunion	ICD-10-CM	Diagnosis
S72.036K	Nondisplaced midcervical fracture of unspecified femur, subsequent encounter for closed fracture with nonunion	ICD-10-CM	Diagnosis
S72.036H	Nondisplaced midcervical fracture of unspecified femur, subsequent encounter for open fracture type I or II with delayed healing	ICD-10-CM	Diagnosis
S72.036Q	Nondisplaced midcervical fracture of unspecified femur, subsequent encounter for open fracture type I or II with malunion	ICD-10-CM	Diagnosis
S72.036M	Nondisplaced midcervical fracture of unspecified femur, subsequent encounter for open fracture type I or II with nonunion	ICD-10-CM	Diagnosis
S72.036E	Nondisplaced midcervical fracture of unspecified femur, subsequent encounter for open fracture type I or II with routine healing	ICD-10-CM	Diagnosis
S72.036J	Nondisplaced midcervical fracture of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD-10-CM	Diagnosis
S72.036R	Nondisplaced midcervical fracture of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD-10-CM	Diagnosis
S72.036N	Nondisplaced midcervical fracture of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD-10-CM	Diagnosis
S72.036F	Nondisplaced midcervical fracture of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD-10-CM	Diagnosis
S72.036B	Nondisplaced midcervical fracture of unspecified femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S72.036C	Nondisplaced midcervical fracture of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.036A	Nondisplaced midcervical fracture of unspecified femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S72.036D	Nondisplaced midcervical fracture of unspecified femur, subsequent encounter for closed fracture with routine healing	ICD-10-CM	Diagnosis
S82.435S	Nondisplaced oblique fracture of shaft of left fibula, sequela	ICD-10-CM	Diagnosis
S82.434S	Nondisplaced oblique fracture of shaft of right fibula, sequela	ICD-10-CM	Diagnosis
S82.436S	Nondisplaced oblique fracture of shaft of unspecified fibula, sequela	ICD-10-CM	Diagnosis
S82.015B	Nondisplaced osteochondral fracture of left patella, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.015C	Nondisplaced osteochondral fracture of left patella, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.015G	Nondisplaced osteochondral fracture of left patella, subsequent encounter for closed fracture with delayed healing	ICD-10-CM	Diagnosis
S82.015P	Nondisplaced osteochondral fracture of left patella, subsequent encounter for closed fracture with malunion	ICD-10-CM	Diagnosis
S82.015K	Nondisplaced osteochondral fracture of left patella, subsequent encounter for closed fracture with nonunion	ICD-10-CM	Diagnosis
S82.015D	Nondisplaced osteochondral fracture of left patella, subsequent encounter for closed fracture with routine healing	ICD-10-CM	Diagnosis
S82.015Q	Nondisplaced osteochondral fracture of left patella, subsequent encounter for open fracture type I or II with malunion	ICD-10-CM	Diagnosis
S82.015M	Nondisplaced osteochondral fracture of left patella, subsequent encounter for open fracture type I or II with nonunion	ICD-10-CM	Diagnosis
S82.015R	Nondisplaced osteochondral fracture of left patella, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD-10-CM	Diagnosis
S82.015N	Nondisplaced osteochondral fracture of left patella, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD-10-CM	Diagnosis
S82.015H	Nondisplaced osteochondral fracture of left patella, subsequent encounter for open fracture type I or II with delayed healing	ICD-10-CM	Diagnosis
S82.015E	Nondisplaced osteochondral fracture of left patella, subsequent encounter for open fracture type I or II with routine healing	ICD-10-CM	Diagnosis
S82.015J	Nondisplaced osteochondral fracture of left patella, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD-10-CM	Diagnosis
S82.015F	Nondisplaced osteochondral fracture of left patella, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD-10-CM	Diagnosis
S82.014B	Nondisplaced osteochondral fracture of right patella, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.014C	Nondisplaced osteochondral fracture of right patella, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.014G	Nondisplaced osteochondral fracture of right patella, subsequent encounter for closed fracture with delayed healing	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S82.014P	Nondisplaced osteochondral fracture of right patella, subsequent encounter for closed fracture with malunion	ICD-10-CM	Diagnosis
S82.014K	Nondisplaced osteochondral fracture of right patella, subsequent encounter for closed fracture with nonunion	ICD-10-CM	Diagnosis
S82.014D	Nondisplaced osteochondral fracture of right patella, subsequent encounter for closed fracture with routine healing	ICD-10-CM	Diagnosis
S82.014Q	Nondisplaced osteochondral fracture of right patella, subsequent encounter for open fracture type I or II with malunion	ICD-10-CM	Diagnosis
S82.014M	Nondisplaced osteochondral fracture of right patella, subsequent encounter for open fracture type I or II with nonunion	ICD-10-CM	Diagnosis
S82.014R	Nondisplaced osteochondral fracture of right patella, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD-10-CM	Diagnosis
S82.014N	Nondisplaced osteochondral fracture of right patella, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD-10-CM	Diagnosis
S82.014H	Nondisplaced osteochondral fracture of right patella, subsequent encounter for open fracture type I or II with delayed healing	ICD-10-CM	Diagnosis
S82.014E	Nondisplaced osteochondral fracture of right patella, subsequent encounter for open fracture type I or II with routine healing	ICD-10-CM	Diagnosis
S82.014J	Nondisplaced osteochondral fracture of right patella, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD-10-CM	Diagnosis
S82.014F	Nondisplaced osteochondral fracture of right patella, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD-10-CM	Diagnosis
S82.016B	Nondisplaced osteochondral fracture of unspecified patella, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.016C	Nondisplaced osteochondral fracture of unspecified patella, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.016G	Nondisplaced osteochondral fracture of unspecified patella, subsequent encounter for closed fracture with delayed healing	ICD-10-CM	Diagnosis
S82.016P	Nondisplaced osteochondral fracture of unspecified patella, subsequent encounter for closed fracture with malunion	ICD-10-CM	Diagnosis
S82.016K	Nondisplaced osteochondral fracture of unspecified patella, subsequent encounter for closed fracture with nonunion	ICD-10-CM	Diagnosis
S82.016D	Nondisplaced osteochondral fracture of unspecified patella, subsequent encounter for closed fracture with routine healing	ICD-10-CM	Diagnosis
S82.016Q	Nondisplaced osteochondral fracture of unspecified patella, subsequent encounter for open fracture type I or II with malunion	ICD-10-CM	Diagnosis
S82.016M	Nondisplaced osteochondral fracture of unspecified patella, subsequent encounter for open fracture type I or II with nonunion	ICD-10-CM	Diagnosis
S82.016R	Nondisplaced osteochondral fracture of unspecified patella, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD-10-CM	Diagnosis
S82.016N	Nondisplaced osteochondral fracture of unspecified patella, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S82.016F	Nondisplaced osteochondral fracture of unspecified patella, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD-10-CM	Diagnosis
S82.016H	Nondisplaced osteochondral fracture of unspecified patella, subsequent encounter for open fracture type I or II with delayed healing	ICD-10-CM	Diagnosis
S82.016E	Nondisplaced osteochondral fracture of unspecified patella, subsequent encounter for open fracture type I or II with routine healing	ICD-10-CM	Diagnosis
S82.016J	Nondisplaced osteochondral fracture of unspecified patella, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD-10-CM	Diagnosis
S82.016S	Nondisplaced osteochondral fracture of unspecified patella, sequela	ICD-10-CM	Diagnosis
S92.055A	Nondisplaced other extraarticular fracture of left calcaneus, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S92.055B	Nondisplaced other extraarticular fracture of left calcaneus, initial encounter for open fracture	ICD-10-CM	Diagnosis
S92.055G	Nondisplaced other extraarticular fracture of left calcaneus, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S92.055P	Nondisplaced other extraarticular fracture of left calcaneus, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S92.055K	Nondisplaced other extraarticular fracture of left calcaneus, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S92.055D	Nondisplaced other extraarticular fracture of left calcaneus, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S92.055S	Nondisplaced other extraarticular fracture of left calcaneus, sequela	ICD-10-CM	Diagnosis
S92.054A	Nondisplaced other extraarticular fracture of right calcaneus, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S92.054B	Nondisplaced other extraarticular fracture of right calcaneus, initial encounter for open fracture	ICD-10-CM	Diagnosis
S92.054G	Nondisplaced other extraarticular fracture of right calcaneus, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S92.054P	Nondisplaced other extraarticular fracture of right calcaneus, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S92.054K	Nondisplaced other extraarticular fracture of right calcaneus, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S92.054D	Nondisplaced other extraarticular fracture of right calcaneus, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S92.054S	Nondisplaced other extraarticular fracture of right calcaneus, sequela	ICD-10-CM	Diagnosis
S92.056A	Nondisplaced other extraarticular fracture of unspecified calcaneus, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S92.056B	Nondisplaced other extraarticular fracture of unspecified calcaneus, initial encounter for open fracture	ICD-10-CM	Diagnosis
S92.056G	Nondisplaced other extraarticular fracture of unspecified calcaneus, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S92.056P	Nondisplaced other extraarticular fracture of unspecified calcaneus, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis



**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S92.056K	Nondisplaced other extraarticular fracture of unspecified calcaneus, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S92.056D	Nondisplaced other extraarticular fracture of unspecified calcaneus, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S92.056S	Nondisplaced other extraarticular fracture of unspecified calcaneus, sequela	ICD-10-CM	Diagnosis
S82.265A	Nondisplaced segmental fracture of shaft of left tibia, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.265B	Nondisplaced segmental fracture of shaft of left tibia, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.265C	Nondisplaced segmental fracture of shaft of left tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.265G	Nondisplaced segmental fracture of shaft of left tibia, subsequent encounter for closed fracture with delayed healing	ICD-10-CM	Diagnosis
S82.265D	Nondisplaced segmental fracture of shaft of left tibia, subsequent encounter for closed fracture with routine healing	ICD-10-CM	Diagnosis
S82.265P	Nondisplaced segmental fracture of shaft of left tibia, subsequent encounter for closed fracture with malunion	ICD-10-CM	Diagnosis
S82.265K	Nondisplaced segmental fracture of shaft of left tibia, subsequent encounter for closed fracture with nonunion	ICD-10-CM	Diagnosis
S82.265Q	Nondisplaced segmental fracture of shaft of left tibia, subsequent encounter for open fracture type I or II with malunion	ICD-10-CM	Diagnosis
S82.265M	Nondisplaced segmental fracture of shaft of left tibia, subsequent encounter for open fracture type I or II with nonunion	ICD-10-CM	Diagnosis
S82.265E	Nondisplaced segmental fracture of shaft of left tibia, subsequent encounter for open fracture type I or II with routine healing	ICD-10-CM	Diagnosis
S82.265J	Nondisplaced segmental fracture of shaft of left tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD-10-CM	Diagnosis
S82.265R	Nondisplaced segmental fracture of shaft of left tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD-10-CM	Diagnosis
S82.265N	Nondisplaced segmental fracture of shaft of left tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD-10-CM	Diagnosis
S82.265F	Nondisplaced segmental fracture of shaft of left tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD-10-CM	Diagnosis
S82.265H	Nondisplaced segmental fracture of shaft of left tibia, subsequent encounter for open fracture type I or II with delayed healing	ICD-10-CM	Diagnosis
S82.264A	Nondisplaced segmental fracture of shaft of right tibia, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.264B	Nondisplaced segmental fracture of shaft of right tibia, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.264C	Nondisplaced segmental fracture of shaft of right tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S82.264G	Nondisplaced segmental fracture of shaft of right tibia, subsequent encounter for closed fracture with delayed healing	ICD-10-CM	Diagnosis
S82.264D	Nondisplaced segmental fracture of shaft of right tibia, subsequent encounter for closed fracture with routine healing	ICD-10-CM	Diagnosis
S82.264P	Nondisplaced segmental fracture of shaft of right tibia, subsequent encounter for closed fracture with malunion	ICD-10-CM	Diagnosis
S82.264K	Nondisplaced segmental fracture of shaft of right tibia, subsequent encounter for closed fracture with nonunion	ICD-10-CM	Diagnosis
S82.264Q	Nondisplaced segmental fracture of shaft of right tibia, subsequent encounter for open fracture type I or II with malunion	ICD-10-CM	Diagnosis
S82.264M	Nondisplaced segmental fracture of shaft of right tibia, subsequent encounter for open fracture type I or II with nonunion	ICD-10-CM	Diagnosis
S82.264E	Nondisplaced segmental fracture of shaft of right tibia, subsequent encounter for open fracture type I or II with routine healing	ICD-10-CM	Diagnosis
S82.264J	Nondisplaced segmental fracture of shaft of right tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD-10-CM	Diagnosis
S82.264R	Nondisplaced segmental fracture of shaft of right tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD-10-CM	Diagnosis
S82.264N	Nondisplaced segmental fracture of shaft of right tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD-10-CM	Diagnosis
S82.264F	Nondisplaced segmental fracture of shaft of right tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD-10-CM	Diagnosis
S82.264H	Nondisplaced segmental fracture of shaft of right tibia, subsequent encounter for open fracture type I or II with delayed healing	ICD-10-CM	Diagnosis
S82.266A	Nondisplaced segmental fracture of shaft of unspecified tibia, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.266B	Nondisplaced segmental fracture of shaft of unspecified tibia, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.266C	Nondisplaced segmental fracture of shaft of unspecified tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.266G	Nondisplaced segmental fracture of shaft of unspecified tibia, subsequent encounter for closed fracture with delayed healing	ICD-10-CM	Diagnosis
S82.266D	Nondisplaced segmental fracture of shaft of unspecified tibia, subsequent encounter for closed fracture with routine healing	ICD-10-CM	Diagnosis
S82.266P	Nondisplaced segmental fracture of shaft of unspecified tibia, subsequent encounter for closed fracture with malunion	ICD-10-CM	Diagnosis
S82.266K	Nondisplaced segmental fracture of shaft of unspecified tibia, subsequent encounter for closed fracture with nonunion	ICD-10-CM	Diagnosis
S82.266H	Nondisplaced segmental fracture of shaft of unspecified tibia, subsequent encounter for open fracture type I or II with delayed healing	ICD-10-CM	Diagnosis
S82.266Q	Nondisplaced segmental fracture of shaft of unspecified tibia, subsequent encounter for open fracture type I or II with malunion	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S82.266M	Nondisplaced segmental fracture of shaft of unspecified tibia, subsequent encounter for open fracture type I or II with nonunion	ICD-10-CM	Diagnosis
S82.266R	Nondisplaced segmental fracture of shaft of unspecified tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD-10-CM	Diagnosis
S82.266N	Nondisplaced segmental fracture of shaft of unspecified tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD-10-CM	Diagnosis
S82.266F	Nondisplaced segmental fracture of shaft of unspecified tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD-10-CM	Diagnosis
S82.266E	Nondisplaced segmental fracture of shaft of unspecified tibia, subsequent encounter for open fracture type I or II with routine healing	ICD-10-CM	Diagnosis
S82.266J	Nondisplaced segmental fracture of shaft of unspecified tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD-10-CM	Diagnosis
S82.465S	Nondisplaced segmental fracture of shaft of left fibula, sequela	ICD-10-CM	Diagnosis
S82.265S	Nondisplaced segmental fracture of shaft of left tibia, sequela	ICD-10-CM	Diagnosis
S82.464S	Nondisplaced segmental fracture of shaft of right fibula, sequela	ICD-10-CM	Diagnosis
S82.264S	Nondisplaced segmental fracture of shaft of right tibia, sequela	ICD-10-CM	Diagnosis
S82.466S	Nondisplaced segmental fracture of shaft of unspecified fibula, sequela	ICD-10-CM	Diagnosis
S82.266S	Nondisplaced segmental fracture of shaft of unspecified tibia, sequela	ICD-10-CM	Diagnosis
S82.445S	Nondisplaced spiral fracture of shaft of left fibula, sequela	ICD-10-CM	Diagnosis
S82.444S	Nondisplaced spiral fracture of shaft of right fibula, sequela	ICD-10-CM	Diagnosis
S82.446S	Nondisplaced spiral fracture of shaft of unspecified fibula, sequela	ICD-10-CM	Diagnosis
S82.035C	Nondisplaced transverse fracture of left patella, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.035B	Nondisplaced transverse fracture of left patella, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.035G	Nondisplaced transverse fracture of left patella, subsequent encounter for closed fracture with delayed healing	ICD-10-CM	Diagnosis
S82.035P	Nondisplaced transverse fracture of left patella, subsequent encounter for closed fracture with malunion	ICD-10-CM	Diagnosis
S82.035K	Nondisplaced transverse fracture of left patella, subsequent encounter for closed fracture with nonunion	ICD-10-CM	Diagnosis
S82.035D	Nondisplaced transverse fracture of left patella, subsequent encounter for closed fracture with routine healing	ICD-10-CM	Diagnosis
S82.035Q	Nondisplaced transverse fracture of left patella, subsequent encounter for open fracture type I or II with malunion	ICD-10-CM	Diagnosis
S82.035M	Nondisplaced transverse fracture of left patella, subsequent encounter for open fracture type I or II with nonunion	ICD-10-CM	Diagnosis
S82.035R	Nondisplaced transverse fracture of left patella, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD-10-CM	Diagnosis
S82.035N	Nondisplaced transverse fracture of left patella, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD-10-CM	Diagnosis
S82.035H	Nondisplaced transverse fracture of left patella, subsequent encounter for open fracture type I or II with delayed healing	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S82.035E	Nondisplaced transverse fracture of left patella, subsequent encounter for open fracture type I or II with routine healing	ICD-10-CM	Diagnosis
S82.035J	Nondisplaced transverse fracture of left patella, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD-10-CM	Diagnosis
S82.035F	Nondisplaced transverse fracture of left patella, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD-10-CM	Diagnosis
S82.034C	Nondisplaced transverse fracture of right patella, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.034B	Nondisplaced transverse fracture of right patella, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.034G	Nondisplaced transverse fracture of right patella, subsequent encounter for closed fracture with delayed healing	ICD-10-CM	Diagnosis
S82.034P	Nondisplaced transverse fracture of right patella, subsequent encounter for closed fracture with malunion	ICD-10-CM	Diagnosis
S82.034K	Nondisplaced transverse fracture of right patella, subsequent encounter for closed fracture with nonunion	ICD-10-CM	Diagnosis
S82.034D	Nondisplaced transverse fracture of right patella, subsequent encounter for closed fracture with routine healing	ICD-10-CM	Diagnosis
S82.034Q	Nondisplaced transverse fracture of right patella, subsequent encounter for open fracture type I or II with malunion	ICD-10-CM	Diagnosis
S82.034M	Nondisplaced transverse fracture of right patella, subsequent encounter for open fracture type I or II with nonunion	ICD-10-CM	Diagnosis
S82.034R	Nondisplaced transverse fracture of right patella, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD-10-CM	Diagnosis
S82.034N	Nondisplaced transverse fracture of right patella, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD-10-CM	Diagnosis
S82.034H	Nondisplaced transverse fracture of right patella, subsequent encounter for open fracture type I or II with delayed healing	ICD-10-CM	Diagnosis
S82.034E	Nondisplaced transverse fracture of right patella, subsequent encounter for open fracture type I or II with routine healing	ICD-10-CM	Diagnosis
S82.034J	Nondisplaced transverse fracture of right patella, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD-10-CM	Diagnosis
S82.034F	Nondisplaced transverse fracture of right patella, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD-10-CM	Diagnosis
S82.036C	Nondisplaced transverse fracture of unspecified patella, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.036B	Nondisplaced transverse fracture of unspecified patella, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.036G	Nondisplaced transverse fracture of unspecified patella, subsequent encounter for closed fracture with delayed healing	ICD-10-CM	Diagnosis
S82.036P	Nondisplaced transverse fracture of unspecified patella, subsequent encounter for closed fracture with malunion	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S82.036K	Nondisplaced transverse fracture of unspecified patella, subsequent encounter for closed fracture with nonunion	ICD-10-CM	Diagnosis
S82.036D	Nondisplaced transverse fracture of unspecified patella, subsequent encounter for closed fracture with routine healing	ICD-10-CM	Diagnosis
S82.036E	Nondisplaced transverse fracture of unspecified patella, subsequent encounter for open fracture type I or II with routine healing	ICD-10-CM	Diagnosis
S82.036R	Nondisplaced transverse fracture of unspecified patella, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD-10-CM	Diagnosis
S82.036N	Nondisplaced transverse fracture of unspecified patella, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD-10-CM	Diagnosis
S82.036F	Nondisplaced transverse fracture of unspecified patella, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD-10-CM	Diagnosis
S82.036H	Nondisplaced transverse fracture of unspecified patella, subsequent encounter for open fracture type I or II with delayed healing	ICD-10-CM	Diagnosis
S82.036Q	Nondisplaced transverse fracture of unspecified patella, subsequent encounter for open fracture type I or II with malunion	ICD-10-CM	Diagnosis
S82.036M	Nondisplaced transverse fracture of unspecified patella, subsequent encounter for open fracture type I or II with nonunion	ICD-10-CM	Diagnosis
S82.036J	Nondisplaced transverse fracture of unspecified patella, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD-10-CM	Diagnosis
S82.425S	Nondisplaced transverse fracture of shaft of left fibula, sequela	ICD-10-CM	Diagnosis
S82.424S	Nondisplaced transverse fracture of shaft of right fibula, sequela	ICD-10-CM	Diagnosis
S82.426S	Nondisplaced transverse fracture of shaft of unspecified fibula, sequela	ICD-10-CM	Diagnosis
S72.415A	Nondisplaced unspecified condyle fracture of lower end of left femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S72.414A	Nondisplaced unspecified condyle fracture of lower end of right femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S72.416A	Nondisplaced unspecified condyle fracture of lower end of unspecified femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S72.415S	Nondisplaced unspecified condyle fracture of lower end of left femur, sequela	ICD-10-CM	Diagnosis
S72.414S	Nondisplaced unspecified condyle fracture of lower end of right femur, sequela	ICD-10-CM	Diagnosis
S72.416S	Nondisplaced unspecified condyle fracture of lower end of unspecified femur, sequela	ICD-10-CM	Diagnosis
S32.615B	Nondisplaced avulsion fracture of left ischium, initial encounter for open fracture	ICD-10-CM	Diagnosis
S12.112G	Nondisplaced Type II dens fracture, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S72.066S	Nondisplaced articular fracture of head of unspecified femur, sequela	ICD-10-CM	Diagnosis
S32.614G	Nondisplaced avulsion fracture of right ischium, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S52.354S	Nondisplaced comminuted fracture of shaft of radius, right arm, sequela	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S52.356S	Nondisplaced comminuted fracture of shaft of radius, unspecified arm, sequela	ICD-10-CM	Diagnosis
S52.255S	Nondisplaced comminuted fracture of shaft of ulna, left arm, sequela	ICD-10-CM	Diagnosis
S52.254S	Nondisplaced comminuted fracture of shaft of ulna, right arm, sequela	ICD-10-CM	Diagnosis
S72.356S	Nondisplaced comminuted fracture of shaft of unspecified femur, sequela	ICD-10-CM	Diagnosis
S62.526S	Nondisplaced fracture of distal phalanx of unspecified thumb, sequela	ICD-10-CM	Diagnosis
S62.525S	Nondisplaced fracture of distal phalanx of left thumb, sequela	ICD-10-CM	Diagnosis
S62.524S	Nondisplaced fracture of distal phalanx of right thumb, sequela	ICD-10-CM	Diagnosis
S92.225S	Nondisplaced fracture of lateral cuneiform of left foot, sequela	ICD-10-CM	Diagnosis
S92.224S	Nondisplaced fracture of lateral cuneiform of right foot, sequela	ICD-10-CM	Diagnosis
S92.226S	Nondisplaced fracture of lateral cuneiform of unspecified foot, sequela	ICD-10-CM	Diagnosis
S52.614S	Nondisplaced fracture of right ulna styloid process, sequela	ICD-10-CM	Diagnosis
S62.348S	Nondisplaced fracture of base of other metacarpal bone, sequela	ICD-10-CM	Diagnosis
S62.349S	Nondisplaced fracture of base of unspecified metacarpal bone, sequela	ICD-10-CM	Diagnosis
S92.215A	Nondisplaced fracture of cuboid bone of left foot, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S92.215B	Nondisplaced fracture of cuboid bone of left foot, initial encounter for open fracture	ICD-10-CM	Diagnosis
S92.215G	Nondisplaced fracture of cuboid bone of left foot, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S92.215P	Nondisplaced fracture of cuboid bone of left foot, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S92.215K	Nondisplaced fracture of cuboid bone of left foot, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S92.215D	Nondisplaced fracture of cuboid bone of left foot, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S92.214A	Nondisplaced fracture of cuboid bone of right foot, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S92.214B	Nondisplaced fracture of cuboid bone of right foot, initial encounter for open fracture	ICD-10-CM	Diagnosis
S92.214G	Nondisplaced fracture of cuboid bone of right foot, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S92.214P	Nondisplaced fracture of cuboid bone of right foot, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S92.214K	Nondisplaced fracture of cuboid bone of right foot, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S92.214D	Nondisplaced fracture of cuboid bone of right foot, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S92.216A	Nondisplaced fracture of cuboid bone of unspecified foot, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S92.216B	Nondisplaced fracture of cuboid bone of unspecified foot, initial encounter for open fracture	ICD-10-CM	Diagnosis



**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S92.216G	Nondisplaced fracture of cuboid bone of unspecified foot, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S92.216P	Nondisplaced fracture of cuboid bone of unspecified foot, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S92.216K	Nondisplaced fracture of cuboid bone of unspecified foot, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S92.216D	Nondisplaced fracture of cuboid bone of unspecified foot, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S92.535A	Nondisplaced fracture of distal phalanx of left lesser toe(s), initial encounter for closed fracture	ICD-10-CM	Diagnosis
S92.535B	Nondisplaced fracture of distal phalanx of left lesser toe(s), initial encounter for open fracture	ICD-10-CM	Diagnosis
S92.535S	Nondisplaced fracture of distal phalanx of left lesser toe(s), sequela	ICD-10-CM	Diagnosis
S92.535G	Nondisplaced fracture of distal phalanx of left lesser toe(s), subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S92.535P	Nondisplaced fracture of distal phalanx of left lesser toe(s), subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S92.535K	Nondisplaced fracture of distal phalanx of left lesser toe(s), subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S92.535D	Nondisplaced fracture of distal phalanx of left lesser toe(s), subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S92.534A	Nondisplaced fracture of distal phalanx of right lesser toe(s), initial encounter for closed fracture	ICD-10-CM	Diagnosis
S92.534B	Nondisplaced fracture of distal phalanx of right lesser toe(s), initial encounter for open fracture	ICD-10-CM	Diagnosis
S92.534S	Nondisplaced fracture of distal phalanx of right lesser toe(s), sequela	ICD-10-CM	Diagnosis
S92.534G	Nondisplaced fracture of distal phalanx of right lesser toe(s), subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S92.534P	Nondisplaced fracture of distal phalanx of right lesser toe(s), subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S92.534K	Nondisplaced fracture of distal phalanx of right lesser toe(s), subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S92.534D	Nondisplaced fracture of distal phalanx of right lesser toe(s), subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S92.536A	Nondisplaced fracture of distal phalanx of unspecified lesser toe(s), initial encounter for closed fracture	ICD-10-CM	Diagnosis
S92.536B	Nondisplaced fracture of distal phalanx of unspecified lesser toe(s), initial encounter for open fracture	ICD-10-CM	Diagnosis
S92.536S	Nondisplaced fracture of distal phalanx of unspecified lesser toe(s), sequela	ICD-10-CM	Diagnosis
S92.536G	Nondisplaced fracture of distal phalanx of unspecified lesser toe(s), subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S92.536P	Nondisplaced fracture of distal phalanx of unspecified lesser toe(s), subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S92.536K	Nondisplaced fracture of distal phalanx of unspecified lesser toe(s), subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S92.536D	Nondisplaced fracture of distal phalanx of unspecified lesser toe(s), subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S62.661S	Nondisplaced fracture of distal phalanx of left index finger, sequela	ICD-10-CM	Diagnosis
S62.667S	Nondisplaced fracture of distal phalanx of left little finger, sequela	ICD-10-CM	Diagnosis
S62.663S	Nondisplaced fracture of distal phalanx of left middle finger, sequela	ICD-10-CM	Diagnosis
S62.665S	Nondisplaced fracture of distal phalanx of left ring finger, sequela	ICD-10-CM	Diagnosis
S62.668S	Nondisplaced fracture of distal phalanx of other finger, sequela	ICD-10-CM	Diagnosis
S62.660S	Nondisplaced fracture of distal phalanx of right index finger, sequela	ICD-10-CM	Diagnosis
S62.666S	Nondisplaced fracture of distal phalanx of right little finger, sequela	ICD-10-CM	Diagnosis
S62.662S	Nondisplaced fracture of distal phalanx of right middle finger, sequela	ICD-10-CM	Diagnosis
S62.664S	Nondisplaced fracture of distal phalanx of right ring finger, sequela	ICD-10-CM	Diagnosis
S62.669S	Nondisplaced fracture of distal phalanx of unspecified finger, sequela	ICD-10-CM	Diagnosis
S72.115S	Nondisplaced fracture of greater trochanter of left femur, sequela	ICD-10-CM	Diagnosis
S72.114S	Nondisplaced fracture of greater trochanter of right femur, sequela	ICD-10-CM	Diagnosis
S72.116S	Nondisplaced fracture of greater trochanter of unspecified femur, sequela	ICD-10-CM	Diagnosis
S92.225A	Nondisplaced fracture of lateral cuneiform of left foot, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S92.225B	Nondisplaced fracture of lateral cuneiform of left foot, initial encounter for open fracture	ICD-10-CM	Diagnosis
S92.225G	Nondisplaced fracture of lateral cuneiform of left foot, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S92.225P	Nondisplaced fracture of lateral cuneiform of left foot, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S92.225K	Nondisplaced fracture of lateral cuneiform of left foot, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S92.225D	Nondisplaced fracture of lateral cuneiform of left foot, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S92.224A	Nondisplaced fracture of lateral cuneiform of right foot, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S92.224B	Nondisplaced fracture of lateral cuneiform of right foot, initial encounter for open fracture	ICD-10-CM	Diagnosis
S92.224G	Nondisplaced fracture of lateral cuneiform of right foot, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S92.224P	Nondisplaced fracture of lateral cuneiform of right foot, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S92.224K	Nondisplaced fracture of lateral cuneiform of right foot, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S92.224D	Nondisplaced fracture of lateral cuneiform of right foot, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S92.226A	Nondisplaced fracture of lateral cuneiform of unspecified foot, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S92.226B	Nondisplaced fracture of lateral cuneiform of unspecified foot, initial encounter for open fracture	ICD-10-CM	Diagnosis
S92.226G	Nondisplaced fracture of lateral cuneiform of unspecified foot, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S92.226P	Nondisplaced fracture of lateral cuneiform of unspecified foot, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S92.226K	Nondisplaced fracture of lateral cuneiform of unspecified foot, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S92.226D	Nondisplaced fracture of lateral cuneiform of unspecified foot, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S42.035G	Nondisplaced fracture of lateral end of left clavicle, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S42.034G	Nondisplaced fracture of lateral end of right clavicle, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S42.036G	Nondisplaced fracture of lateral end of unspecified clavicle, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S42.036P	Nondisplaced fracture of lateral end of unspecified clavicle, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S42.036K	Nondisplaced fracture of lateral end of unspecified clavicle, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S42.455S	Nondisplaced fracture of lateral condyle of left humerus, sequela	ICD-10-CM	Diagnosis
S42.454S	Nondisplaced fracture of lateral condyle of right humerus, sequela	ICD-10-CM	Diagnosis
S42.456S	Nondisplaced fracture of lateral condyle of unspecified humerus, sequela	ICD-10-CM	Diagnosis
S72.125S	Nondisplaced fracture of lesser trochanter of left femur, sequela	ICD-10-CM	Diagnosis
S72.124S	Nondisplaced fracture of lesser trochanter of right femur, sequela	ICD-10-CM	Diagnosis
S72.126S	Nondisplaced fracture of lesser trochanter of unspecified femur, sequela	ICD-10-CM	Diagnosis
S52.515S	Nondisplaced fracture of left radial styloid process, sequela	ICD-10-CM	Diagnosis
S92.245A	Nondisplaced fracture of medial cuneiform of left foot, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S92.245B	Nondisplaced fracture of medial cuneiform of left foot, initial encounter for open fracture	ICD-10-CM	Diagnosis
S92.245G	Nondisplaced fracture of medial cuneiform of left foot, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S92.245P	Nondisplaced fracture of medial cuneiform of left foot, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S92.245K	Nondisplaced fracture of medial cuneiform of left foot, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S92.245D	Nondisplaced fracture of medial cuneiform of left foot, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S92.244A	Nondisplaced fracture of medial cuneiform of right foot, initial encounter for closed fracture	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S92.244B	Nondisplaced fracture of medial cuneiform of right foot, initial encounter for open fracture	ICD-10-CM	Diagnosis
S92.244G	Nondisplaced fracture of medial cuneiform of right foot, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S92.244P	Nondisplaced fracture of medial cuneiform of right foot, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S92.244K	Nondisplaced fracture of medial cuneiform of right foot, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S92.244D	Nondisplaced fracture of medial cuneiform of right foot, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S92.246A	Nondisplaced fracture of medial cuneiform of unspecified foot, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S92.246B	Nondisplaced fracture of medial cuneiform of unspecified foot, initial encounter for open fracture	ICD-10-CM	Diagnosis
S92.246G	Nondisplaced fracture of medial cuneiform of unspecified foot, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S92.246P	Nondisplaced fracture of medial cuneiform of unspecified foot, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S92.246K	Nondisplaced fracture of medial cuneiform of unspecified foot, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S92.246D	Nondisplaced fracture of medial cuneiform of unspecified foot, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S32.476K	Nondisplaced fracture of medial wall of unspecified acetabulum, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S42.465S	Nondisplaced fracture of medial condyle of left humerus, sequela	ICD-10-CM	Diagnosis
S42.464S	Nondisplaced fracture of medial condyle of right humerus, sequela	ICD-10-CM	Diagnosis
S42.466S	Nondisplaced fracture of medial condyle of unspecified humerus, sequela	ICD-10-CM	Diagnosis
S92.245S	Nondisplaced fracture of medial cuneiform of left foot, sequela	ICD-10-CM	Diagnosis
S92.244S	Nondisplaced fracture of medial cuneiform of right foot, sequela	ICD-10-CM	Diagnosis
S92.246S	Nondisplaced fracture of medial cuneiform of unspecified foot, sequela	ICD-10-CM	Diagnosis
S62.655S	Nondisplaced fracture of middle phalanx of left ring finger, sequela	ICD-10-CM	Diagnosis
S62.654S	Nondisplaced fracture of middle phalanx of right ring finger, sequela	ICD-10-CM	Diagnosis
S62.657S	Nondisplaced fracture of middle phalanx of left little finger, sequela	ICD-10-CM	Diagnosis
S62.658S	Nondisplaced fracture of middle phalanx of other finger, sequela	ICD-10-CM	Diagnosis
S62.656S	Nondisplaced fracture of middle phalanx of right little finger, sequela	ICD-10-CM	Diagnosis
S62.659S	Nondisplaced fracture of middle phalanx of unspecified finger, sequela	ICD-10-CM	Diagnosis
S62.368S	Nondisplaced fracture of neck of other metacarpal bone, sequela	ICD-10-CM	Diagnosis
S62.369S	Nondisplaced fracture of neck of unspecified metacarpal bone, sequela	ICD-10-CM	Diagnosis
S32.425K	Nondisplaced fracture of posterior wall of left acetabulum, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S32.424K	Nondisplaced fracture of posterior wall of right acetabulum, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S32.426B	Nondisplaced fracture of posterior wall of unspecified acetabulum, initial encounter for open fracture	ICD-10-CM	Diagnosis
S32.426G	Nondisplaced fracture of posterior wall of unspecified acetabulum, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S92.515A	Nondisplaced fracture of proximal phalanx of left lesser toe(s), initial encounter for closed fracture	ICD-10-CM	Diagnosis
S92.515B	Nondisplaced fracture of proximal phalanx of left lesser toe(s), initial encounter for open fracture	ICD-10-CM	Diagnosis
S92.515G	Nondisplaced fracture of proximal phalanx of left lesser toe(s), subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S92.515P	Nondisplaced fracture of proximal phalanx of left lesser toe(s), subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S92.515K	Nondisplaced fracture of proximal phalanx of left lesser toe(s), subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S92.515D	Nondisplaced fracture of proximal phalanx of left lesser toe(s), subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S92.514A	Nondisplaced fracture of proximal phalanx of right lesser toe(s), initial encounter for closed fracture	ICD-10-CM	Diagnosis
S92.514B	Nondisplaced fracture of proximal phalanx of right lesser toe(s), initial encounter for open fracture	ICD-10-CM	Diagnosis
S92.514G	Nondisplaced fracture of proximal phalanx of right lesser toe(s), subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S92.514P	Nondisplaced fracture of proximal phalanx of right lesser toe(s), subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S92.514K	Nondisplaced fracture of proximal phalanx of right lesser toe(s), subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S92.514D	Nondisplaced fracture of proximal phalanx of right lesser toe(s), subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S92.516A	Nondisplaced fracture of proximal phalanx of unspecified lesser toe(s), initial encounter for closed fracture	ICD-10-CM	Diagnosis
S92.516B	Nondisplaced fracture of proximal phalanx of unspecified lesser toe(s), initial encounter for open fracture	ICD-10-CM	Diagnosis
S92.516G	Nondisplaced fracture of proximal phalanx of unspecified lesser toe(s), subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S92.516P	Nondisplaced fracture of proximal phalanx of unspecified lesser toe(s), subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S92.516K	Nondisplaced fracture of proximal phalanx of unspecified lesser toe(s), subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S92.516D	Nondisplaced fracture of proximal phalanx of unspecified lesser toe(s), subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S92.515S	Nondisplaced fracture of proximal phalanx of left lesser toe(s), sequela	ICD-10-CM	Diagnosis
S92.514S	Nondisplaced fracture of proximal phalanx of right lesser toe(s), sequela	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S92.516S	Nondisplaced fracture of proximal phalanx of unspecified lesser toe(s), sequela	ICD-10-CM	Diagnosis
S62.515S	Nondisplaced fracture of proximal phalanx of left thumb, sequela	ICD-10-CM	Diagnosis
S62.648S	Nondisplaced fracture of proximal phalanx of other finger, sequela	ICD-10-CM	Diagnosis
S62.514S	Nondisplaced fracture of proximal phalanx of right thumb, sequela	ICD-10-CM	Diagnosis
S62.649S	Nondisplaced fracture of proximal phalanx of unspecified finger, sequela	ICD-10-CM	Diagnosis
S62.516S	Nondisplaced fracture of proximal phalanx of unspecified thumb, sequela	ICD-10-CM	Diagnosis
S52.514S	Nondisplaced fracture of right radial styloid process, sequela	ICD-10-CM	Diagnosis
S62.358S	Nondisplaced fracture of shaft of other metacarpal bone, sequela	ICD-10-CM	Diagnosis
S62.359S	Nondisplaced fracture of shaft of unspecified metacarpal bone, sequela	ICD-10-CM	Diagnosis
S42.018G	Nondisplaced fracture of sternal end of left clavicle, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S42.018P	Nondisplaced fracture of sternal end of left clavicle, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S42.018K	Nondisplaced fracture of sternal end of left clavicle, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S42.018D	Nondisplaced fracture of sternal end of left clavicle, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S42.017G	Nondisplaced fracture of sternal end of right clavicle, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S42.017P	Nondisplaced fracture of sternal end of right clavicle, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S42.017K	Nondisplaced fracture of sternal end of right clavicle, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S42.017D	Nondisplaced fracture of sternal end of right clavicle, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S42.019G	Nondisplaced fracture of sternal end of unspecified clavicle, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S42.019P	Nondisplaced fracture of sternal end of unspecified clavicle, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S42.019K	Nondisplaced fracture of sternal end of unspecified clavicle, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S42.019D	Nondisplaced fracture of sternal end of unspecified clavicle, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S52.516S	Nondisplaced fracture of unspecified radial styloid process, sequela	ICD-10-CM	Diagnosis
S72.145S	Nondisplaced intertrochanteric fracture of left femur, sequela	ICD-10-CM	Diagnosis
S72.144S	Nondisplaced intertrochanteric fracture of right femur, sequela	ICD-10-CM	Diagnosis
S72.146S	Nondisplaced intertrochanteric fracture of unspecified femur, sequela	ICD-10-CM	Diagnosis
S42.335G	Nondisplaced oblique fracture of shaft of humerus, left arm, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S42.335P	Nondisplaced oblique fracture of shaft of humerus, left arm, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis



**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S42.335K	Nondisplaced oblique fracture of shaft of humerus, left arm, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S42.335D	Nondisplaced oblique fracture of shaft of humerus, left arm, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S42.334P	Nondisplaced oblique fracture of shaft of humerus, right arm, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S42.334K	Nondisplaced oblique fracture of shaft of humerus, right arm, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S42.336A	Nondisplaced oblique fracture of shaft of humerus, unspecified arm, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.336B	Nondisplaced oblique fracture of shaft of humerus, unspecified arm, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.336D	Nondisplaced oblique fracture of shaft of humerus, unspecified arm, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S72.335S	Nondisplaced oblique fracture of shaft of left femur, sequela	ICD-10-CM	Diagnosis
S72.334S	Nondisplaced oblique fracture of shaft of right femur, sequela	ICD-10-CM	Diagnosis
S72.336S	Nondisplaced oblique fracture of shaft of unspecified femur, sequela	ICD-10-CM	Diagnosis
S52.236S	Nondisplaced oblique fracture of shaft of unspecified ulna, sequela	ICD-10-CM	Diagnosis
S52.335S	Nondisplaced oblique fracture of shaft of left radius, sequela	ICD-10-CM	Diagnosis
S52.334S	Nondisplaced oblique fracture of shaft of right radius, sequela	ICD-10-CM	Diagnosis
S52.336S	Nondisplaced oblique fracture of shaft of unspecified radius, sequela	ICD-10-CM	Diagnosis
S92.045A	Nondisplaced other fracture of tuberosity of left calcaneus, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S92.045B	Nondisplaced other fracture of tuberosity of left calcaneus, initial encounter for open fracture	ICD-10-CM	Diagnosis
S92.045G	Nondisplaced other fracture of tuberosity of left calcaneus, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S92.045P	Nondisplaced other fracture of tuberosity of left calcaneus, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S92.045K	Nondisplaced other fracture of tuberosity of left calcaneus, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S92.045D	Nondisplaced other fracture of tuberosity of left calcaneus, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S92.044A	Nondisplaced other fracture of tuberosity of right calcaneus, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S92.044B	Nondisplaced other fracture of tuberosity of right calcaneus, initial encounter for open fracture	ICD-10-CM	Diagnosis
S92.044G	Nondisplaced other fracture of tuberosity of right calcaneus, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S92.044P	Nondisplaced other fracture of tuberosity of right calcaneus, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S92.044K	Nondisplaced other fracture of tuberosity of right calcaneus, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S92.044D	Nondisplaced other fracture of tuberosity of right calcaneus, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S92.046A	Nondisplaced other fracture of tuberosity of unspecified calcaneus, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S92.046B	Nondisplaced other fracture of tuberosity of unspecified calcaneus, initial encounter for open fracture	ICD-10-CM	Diagnosis
S92.046G	Nondisplaced other fracture of tuberosity of unspecified calcaneus, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S92.046P	Nondisplaced other fracture of tuberosity of unspecified calcaneus, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S92.046K	Nondisplaced other fracture of tuberosity of unspecified calcaneus, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S92.046D	Nondisplaced other fracture of tuberosity of unspecified calcaneus, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S92.046S	Nondisplaced other fracture of tuberosity of unspecified calcaneus, sequela	ICD-10-CM	Diagnosis
S92.045S	Nondisplaced other fracture of tuberosity of left calcaneus, sequela	ICD-10-CM	Diagnosis
S92.044S	Nondisplaced other fracture of tuberosity of right calcaneus, sequela	ICD-10-CM	Diagnosis
S12.031K	Nondisplaced posterior arch fracture of first cervical vertebra, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S42.365G	Nondisplaced segmental fracture of shaft of humerus, left arm, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S42.365P	Nondisplaced segmental fracture of shaft of humerus, left arm, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S42.365K	Nondisplaced segmental fracture of shaft of humerus, left arm, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S42.364G	Nondisplaced segmental fracture of shaft of humerus, right arm, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S42.364P	Nondisplaced segmental fracture of shaft of humerus, right arm, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S42.364K	Nondisplaced segmental fracture of shaft of humerus, right arm, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S42.366G	Nondisplaced segmental fracture of shaft of humerus, unspecified arm, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S42.366P	Nondisplaced segmental fracture of shaft of humerus, unspecified arm, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S42.366K	Nondisplaced segmental fracture of shaft of humerus, unspecified arm, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S42.366A	Nondisplaced segmental fracture of shaft of humerus, unspecified arm, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.366B	Nondisplaced segmental fracture of shaft of humerus, unspecified arm, initial encounter for open fracture	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S42.366D	Nondisplaced segmental fracture of shaft of humerus, unspecified arm, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S72.365S	Nondisplaced segmental fracture of shaft of left femur, sequela	ICD-10-CM	Diagnosis
S72.364S	Nondisplaced segmental fracture of shaft of right femur, sequela	ICD-10-CM	Diagnosis
S72.366S	Nondisplaced segmental fracture of shaft of unspecified femur, sequela	ICD-10-CM	Diagnosis
S52.365S	Nondisplaced segmental fracture of shaft of radius, left arm, sequela	ICD-10-CM	Diagnosis
S52.364S	Nondisplaced segmental fracture of shaft of radius, right arm, sequela	ICD-10-CM	Diagnosis
S72.346S	Nondisplaced spiral fracture of shaft of unspecified femur, sequela	ICD-10-CM	Diagnosis
S52.344S	Nondisplaced spiral fracture of shaft of radius, right arm, sequela	ICD-10-CM	Diagnosis
S52.245S	Nondisplaced spiral fracture of shaft of ulna, left arm, sequela	ICD-10-CM	Diagnosis
S52.244S	Nondisplaced spiral fracture of shaft of ulna, right arm, sequela	ICD-10-CM	Diagnosis
S52.246S	Nondisplaced spiral fracture of shaft of ulna, unspecified arm, sequela	ICD-10-CM	Diagnosis
S72.345A	Nondisplaced spiral fracture of shaft of left femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S72.344A	Nondisplaced spiral fracture of shaft of right femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.345D	Nondisplaced spiral fracture of shaft of humerus, left arm, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S42.344A	Nondisplaced spiral fracture of shaft of humerus, right arm, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.344B	Nondisplaced spiral fracture of shaft of humerus, right arm, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.344D	Nondisplaced spiral fracture of shaft of humerus, right arm, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S42.346D	Nondisplaced spiral fracture of shaft of humerus, unspecified arm, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S52.346S	Nondisplaced spiral fracture of shaft of radius, unspecified arm, sequela	ICD-10-CM	Diagnosis
S72.25XS	Nondisplaced subtrochanteric fracture of left femur, sequela	ICD-10-CM	Diagnosis
S72.24XS	Nondisplaced subtrochanteric fracture of right femur, sequela	ICD-10-CM	Diagnosis
S72.26XS	Nondisplaced subtrochanteric fracture of unspecified femur, sequela	ICD-10-CM	Diagnosis
S32.465A	Nondisplaced associated transverse-posterior fracture of left acetabulum, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S32.465B	Nondisplaced associated transverse-posterior fracture of left acetabulum, initial encounter for open fracture	ICD-10-CM	Diagnosis
S32.465S	Nondisplaced associated transverse-posterior fracture of left acetabulum, sequela	ICD-10-CM	Diagnosis
S32.465G	Nondisplaced associated transverse-posterior fracture of left acetabulum, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S32.465K	Nondisplaced associated transverse-posterior fracture of left acetabulum, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S32.465D	Nondisplaced associated transverse-posterior fracture of left acetabulum, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S32.464A	Nondisplaced associated transverse-posterior fracture of right acetabulum, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S32.464B	Nondisplaced associated transverse-posterior fracture of right acetabulum, initial encounter for open fracture	ICD-10-CM	Diagnosis
S32.464S	Nondisplaced associated transverse-posterior fracture of right acetabulum, sequela	ICD-10-CM	Diagnosis
S32.464G	Nondisplaced associated transverse-posterior fracture of right acetabulum, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S32.464K	Nondisplaced associated transverse-posterior fracture of right acetabulum, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S32.464D	Nondisplaced associated transverse-posterior fracture of right acetabulum, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S42.475S	Nondisplaced transcondylar fracture of left humerus, sequela	ICD-10-CM	Diagnosis
S42.474S	Nondisplaced transcondylar fracture of right humerus, sequela	ICD-10-CM	Diagnosis
S42.476S	Nondisplaced transcondylar fracture of unspecified humerus, sequela	ICD-10-CM	Diagnosis
S72.325S	Nondisplaced transverse fracture of shaft of left femur, sequela	ICD-10-CM	Diagnosis
S72.324S	Nondisplaced transverse fracture of shaft of right femur, sequela	ICD-10-CM	Diagnosis
S52.225S	Nondisplaced transverse fracture of shaft of left ulna, sequela	ICD-10-CM	Diagnosis
S52.224S	Nondisplaced transverse fracture of shaft of right ulna, sequela	ICD-10-CM	Diagnosis
S72.326S	Nondisplaced transverse fracture of shaft of unspecified femur, sequela	ICD-10-CM	Diagnosis
S72.135S	Nondisplaced apophyseal fracture of left femur, sequela	ICD-10-CM	Diagnosis
S72.134S	Nondisplaced apophyseal fracture of right femur, sequela	ICD-10-CM	Diagnosis
S72.136S	Nondisplaced apophyseal fracture of unspecified femur, sequela	ICD-10-CM	Diagnosis
S72.064S	Nondisplaced articular fracture of head of right femur, sequela	ICD-10-CM	Diagnosis
S72.065S	Nondisplaced articular fracture of head of left femur, sequela	ICD-10-CM	Diagnosis
S32.615G	Nondisplaced avulsion fracture of left ischium, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S72.355S	Nondisplaced comminuted fracture of shaft of left femur, sequela	ICD-10-CM	Diagnosis
S72.354S	Nondisplaced comminuted fracture of shaft of right femur, sequela	ICD-10-CM	Diagnosis
S42.355S	Nondisplaced comminuted fracture of shaft of humerus, left arm, sequela	ICD-10-CM	Diagnosis
S42.354S	Nondisplaced comminuted fracture of shaft of humerus, right arm, sequela	ICD-10-CM	Diagnosis
S42.356S	Nondisplaced comminuted fracture of shaft of humerus, unspecified arm, sequela	ICD-10-CM	Diagnosis
S32.485G	Nondisplaced dome fracture of left acetabulum, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S92.014S	Nondisplaced fracture of body of right calcaneus, sequela	ICD-10-CM	Diagnosis
S42.115S	Nondisplaced fracture of body of scapula, left shoulder, sequela	ICD-10-CM	Diagnosis
S42.114S	Nondisplaced fracture of body of scapula, right shoulder, sequela	ICD-10-CM	Diagnosis
S42.116S	Nondisplaced fracture of body of scapula, unspecified shoulder, sequela	ICD-10-CM	Diagnosis
S92.016S	Nondisplaced fracture of body of unspecified calcaneus, sequela	ICD-10-CM	Diagnosis
S42.255S	Nondisplaced fracture of greater tuberosity of left humerus, sequela	ICD-10-CM	Diagnosis
S42.254S	Nondisplaced fracture of greater tuberosity of right humerus, sequela	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S42.256S	Nondisplaced fracture of greater tuberosity of unspecified humerus, sequela	ICD-10-CM	Diagnosis
S52.126S	Nondisplaced fracture of head of unspecified radius, sequela	ICD-10-CM	Diagnosis
S42.435S	Nondisplaced fracture (avulsion) of lateral epicondyle of left humerus, sequela	ICD-10-CM	Diagnosis
S42.434S	Nondisplaced fracture (avulsion) of lateral epicondyle of right humerus, sequela	ICD-10-CM	Diagnosis
S42.035S	Nondisplaced fracture of lateral end of left clavicle, sequela	ICD-10-CM	Diagnosis
S42.034S	Nondisplaced fracture of lateral end of right clavicle, sequela	ICD-10-CM	Diagnosis
S42.036S	Nondisplaced fracture of lateral end of unspecified clavicle, sequela	ICD-10-CM	Diagnosis
S42.265S	Nondisplaced fracture of lesser tuberosity of left humerus, sequela	ICD-10-CM	Diagnosis
S42.264S	Nondisplaced fracture of lesser tuberosity of right humerus, sequela	ICD-10-CM	Diagnosis
S42.266S	Nondisplaced fracture of lesser tuberosity of unspecified humerus, sequela	ICD-10-CM	Diagnosis
S42.444S	Nondisplaced fracture (avulsion) of medial epicondyle of right humerus, sequela	ICD-10-CM	Diagnosis
S62.164S	Nondisplaced fracture of pisiform, right wrist, sequela	ICD-10-CM	Diagnosis
S62.166S	Nondisplaced fracture of pisiform, unspecified wrist, sequela	ICD-10-CM	Diagnosis
S42.024S	Nondisplaced fracture of shaft of right clavicle, sequela	ICD-10-CM	Diagnosis
S42.026S	Nondisplaced fracture of shaft of unspecified clavicle, sequela	ICD-10-CM	Diagnosis
S42.018S	Nondisplaced fracture of sternal end of left clavicle, sequela	ICD-10-CM	Diagnosis
S42.017S	Nondisplaced fracture of sternal end of right clavicle, sequela	ICD-10-CM	Diagnosis
S42.019S	Nondisplaced fracture of sternal end of unspecified clavicle, sequela	ICD-10-CM	Diagnosis
S82.116S	Nondisplaced fracture of unspecified tibial spine, sequela	ICD-10-CM	Diagnosis
S42.125A	Nondisplaced fracture of acromial process, left shoulder, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.125B	Nondisplaced fracture of acromial process, left shoulder, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.125G	Nondisplaced fracture of acromial process, left shoulder, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S42.125P	Nondisplaced fracture of acromial process, left shoulder, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S42.125K	Nondisplaced fracture of acromial process, left shoulder, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S42.125D	Nondisplaced fracture of acromial process, left shoulder, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S42.124B	Nondisplaced fracture of acromial process, right shoulder, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.124G	Nondisplaced fracture of acromial process, right shoulder, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S42.124P	Nondisplaced fracture of acromial process, right shoulder, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S42.124K	Nondisplaced fracture of acromial process, right shoulder, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S42.124D	Nondisplaced fracture of acromial process, right shoulder, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S42.126A	Nondisplaced fracture of acromial process, unspecified shoulder, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.126B	Nondisplaced fracture of acromial process, unspecified shoulder, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.126G	Nondisplaced fracture of acromial process, unspecified shoulder, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S42.126P	Nondisplaced fracture of acromial process, unspecified shoulder, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S42.126K	Nondisplaced fracture of acromial process, unspecified shoulder, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S42.126D	Nondisplaced fracture of acromial process, unspecified shoulder, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S42.125S	Nondisplaced fracture of acromial process, left shoulder, sequela	ICD-10-CM	Diagnosis
S42.124S	Nondisplaced fracture of acromial process, right shoulder, sequela	ICD-10-CM	Diagnosis
S42.126S	Nondisplaced fracture of acromial process, unspecified shoulder, sequela	ICD-10-CM	Diagnosis
S42.115A	Nondisplaced fracture of body of scapula, left shoulder, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.115B	Nondisplaced fracture of body of scapula, left shoulder, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.115G	Nondisplaced fracture of body of scapula, left shoulder, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S42.115P	Nondisplaced fracture of body of scapula, left shoulder, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S42.115K	Nondisplaced fracture of body of scapula, left shoulder, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S42.115D	Nondisplaced fracture of body of scapula, left shoulder, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S42.114A	Nondisplaced fracture of body of scapula, right shoulder, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.114B	Nondisplaced fracture of body of scapula, right shoulder, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.114G	Nondisplaced fracture of body of scapula, right shoulder, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S42.114P	Nondisplaced fracture of body of scapula, right shoulder, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S42.114K	Nondisplaced fracture of body of scapula, right shoulder, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S42.114D	Nondisplaced fracture of body of scapula, right shoulder, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis



**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S42.116A	Nondisplaced fracture of body of scapula, unspecified shoulder, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.116B	Nondisplaced fracture of body of scapula, unspecified shoulder, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.116G	Nondisplaced fracture of body of scapula, unspecified shoulder, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S42.116P	Nondisplaced fracture of body of scapula, unspecified shoulder, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S42.116K	Nondisplaced fracture of body of scapula, unspecified shoulder, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S42.116D	Nondisplaced fracture of body of scapula, unspecified shoulder, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S42.145A	Nondisplaced fracture of glenoid cavity of scapula, left shoulder, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.145B	Nondisplaced fracture of glenoid cavity of scapula, left shoulder, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.145K	Nondisplaced fracture of glenoid cavity of scapula, left shoulder, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S42.144A	Nondisplaced fracture of glenoid cavity of scapula, right shoulder, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.144B	Nondisplaced fracture of glenoid cavity of scapula, right shoulder, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.146P	Nondisplaced fracture of glenoid cavity of scapula, unspecified shoulder, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S42.146K	Nondisplaced fracture of glenoid cavity of scapula, unspecified shoulder, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S42.146S	Nondisplaced fracture of glenoid cavity of scapula, unspecified shoulder, sequela	ICD-10-CM	Diagnosis
S42.255A	Nondisplaced fracture of greater tuberosity of left humerus, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.255B	Nondisplaced fracture of greater tuberosity of left humerus, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.255G	Nondisplaced fracture of greater tuberosity of left humerus, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S42.255P	Nondisplaced fracture of greater tuberosity of left humerus, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S42.255K	Nondisplaced fracture of greater tuberosity of left humerus, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S42.255D	Nondisplaced fracture of greater tuberosity of left humerus, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S42.254A	Nondisplaced fracture of greater tuberosity of right humerus, initial encounter for closed fracture	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S42.254B	Nondisplaced fracture of greater tuberosity of right humerus, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.254G	Nondisplaced fracture of greater tuberosity of right humerus, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S42.254P	Nondisplaced fracture of greater tuberosity of right humerus, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S42.254K	Nondisplaced fracture of greater tuberosity of right humerus, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S42.254D	Nondisplaced fracture of greater tuberosity of right humerus, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S42.256A	Nondisplaced fracture of greater tuberosity of unspecified humerus, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.256B	Nondisplaced fracture of greater tuberosity of unspecified humerus, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.256G	Nondisplaced fracture of greater tuberosity of unspecified humerus, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S42.256P	Nondisplaced fracture of greater tuberosity of unspecified humerus, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S42.256K	Nondisplaced fracture of greater tuberosity of unspecified humerus, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S42.256D	Nondisplaced fracture of greater tuberosity of unspecified humerus, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S42.454A	Nondisplaced fracture of lateral condyle of right humerus, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.035A	Nondisplaced fracture of lateral end of left clavicle, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.035B	Nondisplaced fracture of lateral end of left clavicle, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.035P	Nondisplaced fracture of lateral end of left clavicle, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S42.035K	Nondisplaced fracture of lateral end of left clavicle, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S42.035D	Nondisplaced fracture of lateral end of left clavicle, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S42.034A	Nondisplaced fracture of lateral end of right clavicle, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.034B	Nondisplaced fracture of lateral end of right clavicle, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.034P	Nondisplaced fracture of lateral end of right clavicle, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S42.034K	Nondisplaced fracture of lateral end of right clavicle, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S42.034D	Nondisplaced fracture of lateral end of right clavicle, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S42.036A	Nondisplaced fracture of lateral end of unspecified clavicle, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.036B	Nondisplaced fracture of lateral end of unspecified clavicle, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.036D	Nondisplaced fracture of lateral end of unspecified clavicle, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S62.125A	Nondisplaced fracture of lunate [semilunar], left wrist, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S62.125B	Nondisplaced fracture of lunate [semilunar], left wrist, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.125P	Nondisplaced fracture of lunate [semilunar], left wrist, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S62.125K	Nondisplaced fracture of lunate [semilunar], left wrist, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S62.124A	Nondisplaced fracture of lunate [semilunar], right wrist, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S62.124B	Nondisplaced fracture of lunate [semilunar], right wrist, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.124P	Nondisplaced fracture of lunate [semilunar], right wrist, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S62.124K	Nondisplaced fracture of lunate [semilunar], right wrist, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S62.126A	Nondisplaced fracture of lunate [semilunar], unspecified wrist, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S62.126B	Nondisplaced fracture of lunate [semilunar], unspecified wrist, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.126P	Nondisplaced fracture of lunate [semilunar], unspecified wrist, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S62.126K	Nondisplaced fracture of lunate [semilunar], unspecified wrist, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S42.445S	Nondisplaced fracture (avulsion) of medial epicondyle of left humerus, sequela	ICD-10-CM	Diagnosis
S42.446S	Nondisplaced fracture (avulsion) of medial epicondyle of unspecified humerus, sequela	ICD-10-CM	Diagnosis
S32.475D	Nondisplaced fracture of medial wall of left acetabulum, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S32.475A	Nondisplaced fracture of medial wall of left acetabulum, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S32.475B	Nondisplaced fracture of medial wall of left acetabulum, initial encounter for open fracture	ICD-10-CM	Diagnosis
S32.475S	Nondisplaced fracture of medial wall of left acetabulum, sequela	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S32.475G	Nondisplaced fracture of medial wall of left acetabulum, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S32.475K	Nondisplaced fracture of medial wall of left acetabulum, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S32.474A	Nondisplaced fracture of medial wall of right acetabulum, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S32.474B	Nondisplaced fracture of medial wall of right acetabulum, initial encounter for open fracture	ICD-10-CM	Diagnosis
S32.474S	Nondisplaced fracture of medial wall of right acetabulum, sequela	ICD-10-CM	Diagnosis
S32.474G	Nondisplaced fracture of medial wall of right acetabulum, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S32.474K	Nondisplaced fracture of medial wall of right acetabulum, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S32.474D	Nondisplaced fracture of medial wall of right acetabulum, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S32.476A	Nondisplaced fracture of medial wall of unspecified acetabulum, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S32.476B	Nondisplaced fracture of medial wall of unspecified acetabulum, initial encounter for open fracture	ICD-10-CM	Diagnosis
S32.476S	Nondisplaced fracture of medial wall of unspecified acetabulum, sequela	ICD-10-CM	Diagnosis
S32.476G	Nondisplaced fracture of medial wall of unspecified acetabulum, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S32.476D	Nondisplaced fracture of medial wall of unspecified acetabulum, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S92.525A	Nondisplaced fracture of middle phalanx of left lesser toe(s), initial encounter for closed fracture	ICD-10-CM	Diagnosis
S92.524D	Nondisplaced fracture of middle phalanx of right lesser toe(s), subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S92.524B	Nondisplaced fracture of middle phalanx of right lesser toe(s), initial encounter for open fracture	ICD-10-CM	Diagnosis
S92.525D	Nondisplaced fracture of middle phalanx of left lesser toe(s), subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S92.525B	Nondisplaced fracture of middle phalanx of left lesser toe(s), initial encounter for open fracture	ICD-10-CM	Diagnosis
S92.524A	Nondisplaced fracture of middle phalanx of right lesser toe(s), initial encounter for closed fracture	ICD-10-CM	Diagnosis
S92.524G	Nondisplaced fracture of middle phalanx of right lesser toe(s), subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S92.524P	Nondisplaced fracture of middle phalanx of right lesser toe(s), subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S92.524K	Nondisplaced fracture of middle phalanx of right lesser toe(s), subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S42.155A	Nondisplaced fracture of neck of scapula, left shoulder, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.155B	Nondisplaced fracture of neck of scapula, left shoulder, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.155G	Nondisplaced fracture of neck of scapula, left shoulder, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S42.155P	Nondisplaced fracture of neck of scapula, left shoulder, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S42.155K	Nondisplaced fracture of neck of scapula, left shoulder, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S42.155D	Nondisplaced fracture of neck of scapula, left shoulder, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S42.154A	Nondisplaced fracture of neck of scapula, right shoulder, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.154B	Nondisplaced fracture of neck of scapula, right shoulder, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.154G	Nondisplaced fracture of neck of scapula, right shoulder, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S42.154P	Nondisplaced fracture of neck of scapula, right shoulder, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S42.154K	Nondisplaced fracture of neck of scapula, right shoulder, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S42.154D	Nondisplaced fracture of neck of scapula, right shoulder, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S42.156A	Nondisplaced fracture of neck of scapula, unspecified shoulder, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.156B	Nondisplaced fracture of neck of scapula, unspecified shoulder, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.156G	Nondisplaced fracture of neck of scapula, unspecified shoulder, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S42.156P	Nondisplaced fracture of neck of scapula, unspecified shoulder, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S42.156K	Nondisplaced fracture of neck of scapula, unspecified shoulder, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S42.156D	Nondisplaced fracture of neck of scapula, unspecified shoulder, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S42.155S	Nondisplaced fracture of neck of scapula, left shoulder, sequela	ICD-10-CM	Diagnosis
S42.154S	Nondisplaced fracture of neck of scapula, right shoulder, sequela	ICD-10-CM	Diagnosis
S42.156S	Nondisplaced fracture of neck of scapula, unspecified shoulder, sequela	ICD-10-CM	Diagnosis
S42.025A	Nondisplaced fracture of shaft of left clavicle, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.025B	Nondisplaced fracture of shaft of left clavicle, initial encounter for open fracture	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S42.025G	Nondisplaced fracture of shaft of left clavicle, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S42.025P	Nondisplaced fracture of shaft of left clavicle, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S42.025K	Nondisplaced fracture of shaft of left clavicle, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S42.025D	Nondisplaced fracture of shaft of left clavicle, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S42.024A	Nondisplaced fracture of shaft of right clavicle, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.024B	Nondisplaced fracture of shaft of right clavicle, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.024G	Nondisplaced fracture of shaft of right clavicle, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S42.024P	Nondisplaced fracture of shaft of right clavicle, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S42.024K	Nondisplaced fracture of shaft of right clavicle, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S42.024D	Nondisplaced fracture of shaft of right clavicle, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S42.026A	Nondisplaced fracture of shaft of unspecified clavicle, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.026B	Nondisplaced fracture of shaft of unspecified clavicle, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.026G	Nondisplaced fracture of shaft of unspecified clavicle, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S42.026P	Nondisplaced fracture of shaft of unspecified clavicle, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S42.026K	Nondisplaced fracture of shaft of unspecified clavicle, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S42.026D	Nondisplaced fracture of shaft of unspecified clavicle, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S42.018A	Nondisplaced fracture of sternal end of left clavicle, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.018B	Nondisplaced fracture of sternal end of left clavicle, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.017A	Nondisplaced fracture of sternal end of right clavicle, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.017B	Nondisplaced fracture of sternal end of right clavicle, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.019A	Nondisplaced fracture of sternal end of unspecified clavicle, initial encounter for closed fracture	ICD-10-CM	Diagnosis



**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S42.019B	Nondisplaced fracture of sternal end of unspecified clavicle, initial encounter for open fracture	ICD-10-CM	Diagnosis
S12.041K	Nondisplaced lateral mass fracture of first cervical vertebra, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S12.041A	Nondisplaced lateral mass fracture of first cervical vertebra, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S12.041B	Nondisplaced lateral mass fracture of first cervical vertebra, initial encounter for open fracture	ICD-10-CM	Diagnosis
S12.041G	Nondisplaced lateral mass fracture of first cervical vertebra, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S12.041D	Nondisplaced lateral mass fracture of first cervical vertebra, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S12.041S	Nondisplaced lateral mass fracture of first cervical vertebra, sequela	ICD-10-CM	Diagnosis
S42.335A	Nondisplaced oblique fracture of shaft of humerus, left arm, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.335B	Nondisplaced oblique fracture of shaft of humerus, left arm, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.334A	Nondisplaced oblique fracture of shaft of humerus, right arm, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.334B	Nondisplaced oblique fracture of shaft of humerus, right arm, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.334G	Nondisplaced oblique fracture of shaft of humerus, right arm, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S42.334D	Nondisplaced oblique fracture of shaft of humerus, right arm, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S42.335S	Nondisplaced oblique fracture of shaft of humerus, left arm, sequela	ICD-10-CM	Diagnosis
S42.334S	Nondisplaced oblique fracture of shaft of humerus, right arm, sequela	ICD-10-CM	Diagnosis
S42.336S	Nondisplaced oblique fracture of shaft of humerus, unspecified arm, sequela	ICD-10-CM	Diagnosis
S52.235S	Nondisplaced oblique fracture of shaft of left ulna, sequela	ICD-10-CM	Diagnosis
S52.234S	Nondisplaced oblique fracture of shaft of right ulna, sequela	ICD-10-CM	Diagnosis
S12.031A	Nondisplaced posterior arch fracture of first cervical vertebra, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S12.031B	Nondisplaced posterior arch fracture of first cervical vertebra, initial encounter for open fracture	ICD-10-CM	Diagnosis
S12.031G	Nondisplaced posterior arch fracture of first cervical vertebra, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S12.031D	Nondisplaced posterior arch fracture of first cervical vertebra, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S12.031S	Nondisplaced posterior arch fracture of first cervical vertebra, sequela	ICD-10-CM	Diagnosis
S62.224S	Nondisplaced Rolando's fracture, right hand, sequela	ICD-10-CM	Diagnosis
S62.226S	Nondisplaced Rolando's fracture, unspecified hand, sequela	ICD-10-CM	Diagnosis
S42.365S	Nondisplaced segmental fracture of shaft of humerus, left arm, sequela	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S42.364S	Nondisplaced segmental fracture of shaft of humerus, right arm, sequela	ICD-10-CM	Diagnosis
S42.366S	Nondisplaced segmental fracture of shaft of humerus, unspecified arm, sequela	ICD-10-CM	Diagnosis
S42.365A	Nondisplaced segmental fracture of shaft of humerus, left arm, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.365B	Nondisplaced segmental fracture of shaft of humerus, left arm, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.365D	Nondisplaced segmental fracture of shaft of humerus, left arm, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S42.364A	Nondisplaced segmental fracture of shaft of humerus, right arm, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.364B	Nondisplaced segmental fracture of shaft of humerus, right arm, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.364D	Nondisplaced segmental fracture of shaft of humerus, right arm, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S72.345S	Nondisplaced spiral fracture of shaft of left femur, sequela	ICD-10-CM	Diagnosis
S72.344S	Nondisplaced spiral fracture of shaft of right femur, sequela	ICD-10-CM	Diagnosis
S42.345S	Nondisplaced spiral fracture of shaft of humerus, left arm, sequela	ICD-10-CM	Diagnosis
S42.344S	Nondisplaced spiral fracture of shaft of humerus, right arm, sequela	ICD-10-CM	Diagnosis
S42.346S	Nondisplaced spiral fracture of shaft of humerus, unspecified arm, sequela	ICD-10-CM	Diagnosis
S52.345S	Nondisplaced spiral fracture of shaft of radius, left arm, sequela	ICD-10-CM	Diagnosis
S42.345A	Nondisplaced spiral fracture of shaft of humerus, left arm, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.345B	Nondisplaced spiral fracture of shaft of humerus, left arm, initial encounter for open fracture	ICD-10-CM	Diagnosis
S72.25XA	Nondisplaced subtrochanteric fracture of left femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S32.466S	Nondisplaced associated transverse-posterior fracture of unspecified acetabulum, sequela	ICD-10-CM	Diagnosis
S32.466A	Nondisplaced associated transverse-posterior fracture of unspecified acetabulum, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S32.466B	Nondisplaced associated transverse-posterior fracture of unspecified acetabulum, initial encounter for open fracture	ICD-10-CM	Diagnosis
S32.466G	Nondisplaced associated transverse-posterior fracture of unspecified acetabulum, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S32.466K	Nondisplaced associated transverse-posterior fracture of unspecified acetabulum, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S32.466D	Nondisplaced associated transverse-posterior fracture of unspecified acetabulum, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S32.455A	Nondisplaced transverse fracture of left acetabulum, initial encounter for closed fracture	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S32.455B	Nondisplaced transverse fracture of left acetabulum, initial encounter for open fracture	ICD-10-CM	Diagnosis
S32.455S	Nondisplaced transverse fracture of left acetabulum, sequela	ICD-10-CM	Diagnosis
S32.455G	Nondisplaced transverse fracture of left acetabulum, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S32.455K	Nondisplaced transverse fracture of left acetabulum, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S32.455D	Nondisplaced transverse fracture of left acetabulum, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S32.454A	Nondisplaced transverse fracture of right acetabulum, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S32.454B	Nondisplaced transverse fracture of right acetabulum, initial encounter for open fracture	ICD-10-CM	Diagnosis
S32.454S	Nondisplaced transverse fracture of right acetabulum, sequela	ICD-10-CM	Diagnosis
S32.454G	Nondisplaced transverse fracture of right acetabulum, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S32.454K	Nondisplaced transverse fracture of right acetabulum, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S32.454D	Nondisplaced transverse fracture of right acetabulum, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S32.456A	Nondisplaced transverse fracture of unspecified acetabulum, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S32.456B	Nondisplaced transverse fracture of unspecified acetabulum, initial encounter for open fracture	ICD-10-CM	Diagnosis
S32.456S	Nondisplaced transverse fracture of unspecified acetabulum, sequela	ICD-10-CM	Diagnosis
S32.456G	Nondisplaced transverse fracture of unspecified acetabulum, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S32.456K	Nondisplaced transverse fracture of unspecified acetabulum, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S32.456D	Nondisplaced transverse fracture of unspecified acetabulum, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S42.325S	Nondisplaced transverse fracture of shaft of humerus, left arm, sequela	ICD-10-CM	Diagnosis
S42.324S	Nondisplaced transverse fracture of shaft of humerus, right arm, sequela	ICD-10-CM	Diagnosis
S42.326S	Nondisplaced transverse fracture of shaft of humerus, unspecified arm, sequela	ICD-10-CM	Diagnosis
S32.110A	Nondisplaced Zone I fracture of sacrum, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S32.110B	Nondisplaced Zone I fracture of sacrum, initial encounter for open fracture	ICD-10-CM	Diagnosis
S32.110G	Nondisplaced Zone I fracture of sacrum, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S32.110K	Nondisplaced Zone I fracture of sacrum, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S32.110D	Nondisplaced Zone I fracture of sacrum, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S32.120A	Nondisplaced Zone II fracture of sacrum, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S32.120B	Nondisplaced Zone II fracture of sacrum, initial encounter for open fracture	ICD-10-CM	Diagnosis
S32.120G	Nondisplaced Zone II fracture of sacrum, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S32.120K	Nondisplaced Zone II fracture of sacrum, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S32.120D	Nondisplaced Zone II fracture of sacrum, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S32.130A	Nondisplaced Zone III fracture of sacrum, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S32.130B	Nondisplaced Zone III fracture of sacrum, initial encounter for open fracture	ICD-10-CM	Diagnosis
S32.130G	Nondisplaced Zone III fracture of sacrum, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S32.130K	Nondisplaced Zone III fracture of sacrum, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S32.130D	Nondisplaced Zone III fracture of sacrum, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S53.032A	Nursemaid's elbow, left elbow, initial encounter	ICD-10-CM	Diagnosis
S53.032S	Nursemaid's elbow, left elbow, sequela	ICD-10-CM	Diagnosis
S53.032D	Nursemaid's elbow, left elbow, subsequent encounter	ICD-10-CM	Diagnosis
S53.031A	Nursemaid's elbow, right elbow, initial encounter	ICD-10-CM	Diagnosis
S53.031S	Nursemaid's elbow, right elbow, sequela	ICD-10-CM	Diagnosis
S53.031D	Nursemaid's elbow, right elbow, subsequent encounter	ICD-10-CM	Diagnosis
S53.033A	Nursemaid's elbow, unspecified elbow, initial encounter	ICD-10-CM	Diagnosis
S53.033D	Nursemaid's elbow, unspecified elbow, subsequent encounter	ICD-10-CM	Diagnosis
S53.033S	Nursemaid's elbow, unspecified elbow, sequela	ICD-10-CM	Diagnosis
S73.025A	Obturator dislocation of left hip, initial encounter	ICD-10-CM	Diagnosis
S73.025D	Obturator dislocation of left hip, subsequent encounter	ICD-10-CM	Diagnosis
S73.025S	Obturator dislocation of left hip, sequela	ICD-10-CM	Diagnosis
S73.024S	Obturator dislocation of right hip, sequela	ICD-10-CM	Diagnosis
S73.026S	Obturator dislocation of unspecified hip, sequela	ICD-10-CM	Diagnosis
S73.024A	Obturator dislocation of right hip, initial encounter	ICD-10-CM	Diagnosis
S73.024D	Obturator dislocation of right hip, subsequent encounter	ICD-10-CM	Diagnosis
S73.026A	Obturator dislocation of unspecified hip, initial encounter	ICD-10-CM	Diagnosis
S73.026D	Obturator dislocation of unspecified hip, subsequent encounter	ICD-10-CM	Diagnosis
S73.022A	Obturator subluxation of left hip, initial encounter	ICD-10-CM	Diagnosis
S73.022D	Obturator subluxation of left hip, subsequent encounter	ICD-10-CM	Diagnosis
S73.022S	Obturator subluxation of left hip, sequela	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S73.021S	Obturator subluxation of right hip, sequela	ICD-10-CM	Diagnosis
S73.023S	Obturator subluxation of unspecified hip, sequela	ICD-10-CM	Diagnosis
S73.021A	Obturator subluxation of right hip, initial encounter	ICD-10-CM	Diagnosis
S73.021D	Obturator subluxation of right hip, subsequent encounter	ICD-10-CM	Diagnosis
S73.023A	Obturator subluxation of unspecified hip, initial encounter	ICD-10-CM	Diagnosis
S73.023D	Obturator subluxation of unspecified hip, subsequent encounter	ICD-10-CM	Diagnosis
S05.32XD	Ocular laceration without prolapse or loss of intraocular tissue, left eye, subsequent encounter	ICD-10-CM	Diagnosis
S05.32XA	Ocular laceration without prolapse or loss of intraocular tissue, left eye, initial encounter	ICD-10-CM	Diagnosis
S05.30XA	Ocular laceration without prolapse or loss of intraocular tissue, unspecified eye, initial encounter	ICD-10-CM	Diagnosis
S05.30XD	Ocular laceration without prolapse or loss of intraocular tissue, unspecified eye, subsequent encounter	ICD-10-CM	Diagnosis
S05.31XS	Ocular laceration without prolapse or loss of intraocular tissue, right eye, sequela	ICD-10-CM	Diagnosis
S05.31XA	Ocular laceration without prolapse or loss of intraocular tissue, right eye, initial encounter	ICD-10-CM	Diagnosis
S05.31XD	Ocular laceration without prolapse or loss of intraocular tissue, right eye, subsequent encounter	ICD-10-CM	Diagnosis
S05.21XA	Ocular laceration and rupture with prolapse or loss of intraocular tissue, right eye, initial encounter	ICD-10-CM	Diagnosis
S05.20XA	Ocular laceration and rupture with prolapse or loss of intraocular tissue, unspecified eye, initial encounter	ICD-10-CM	Diagnosis
S05.22XS	Ocular laceration and rupture with prolapse or loss of intraocular tissue, left eye, sequela	ICD-10-CM	Diagnosis
S05.22XA	Ocular laceration and rupture with prolapse or loss of intraocular tissue, left eye, initial encounter	ICD-10-CM	Diagnosis
S05.21XD	Ocular laceration and rupture with prolapse or loss of intraocular tissue, right eye, subsequent encounter	ICD-10-CM	Diagnosis
S05.20XS	Ocular laceration and rupture with prolapse or loss of intraocular tissue, unspecified eye, sequela	ICD-10-CM	Diagnosis
S05.20XD	Ocular laceration and rupture with prolapse or loss of intraocular tissue, unspecified eye, subsequent encounter	ICD-10-CM	Diagnosis
S05.22XD	Ocular laceration and rupture with prolapse or loss of intraocular tissue, left eye, subsequent encounter	ICD-10-CM	Diagnosis
S05.32XS	Ocular laceration without prolapse or loss of intraocular tissue, left eye, sequela	ICD-10-CM	Diagnosis
S05.30XS	Ocular laceration without prolapse or loss of intraocular tissue, unspecified eye, sequela	ICD-10-CM	Diagnosis
S05.21XS	Ocular laceration and rupture with prolapse or loss of intraocular tissue, right eye, sequela	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S31.659A	Open bite of abdominal wall, unspecified quadrant with penetration into peritoneal cavity, initial encounter	ICD-10-CM	Diagnosis
S91.052A	Open bite, left ankle, initial encounter	ICD-10-CM	Diagnosis
S91.052S	Open bite, left ankle, sequela	ICD-10-CM	Diagnosis
S91.052D	Open bite, left ankle, subsequent encounter	ICD-10-CM	Diagnosis
S51.052A	Open bite, left elbow, initial encounter	ICD-10-CM	Diagnosis
S51.052S	Open bite, left elbow, sequela	ICD-10-CM	Diagnosis
S51.052D	Open bite, left elbow, subsequent encounter	ICD-10-CM	Diagnosis
S91.352A	Open bite, left foot, initial encounter	ICD-10-CM	Diagnosis
S91.352S	Open bite, left foot, sequela	ICD-10-CM	Diagnosis
S91.352D	Open bite, left foot, subsequent encounter	ICD-10-CM	Diagnosis
S71.052A	Open bite, left hip, initial encounter	ICD-10-CM	Diagnosis
S71.052S	Open bite, left hip, sequela	ICD-10-CM	Diagnosis
S71.052D	Open bite, left hip, subsequent encounter	ICD-10-CM	Diagnosis
S81.052A	Open bite, left knee, initial encounter	ICD-10-CM	Diagnosis
S81.052S	Open bite, left knee, sequela	ICD-10-CM	Diagnosis
S81.052D	Open bite, left knee, subsequent encounter	ICD-10-CM	Diagnosis
S81.852A	Open bite, left lower leg, initial encounter	ICD-10-CM	Diagnosis
S81.852S	Open bite, left lower leg, sequela	ICD-10-CM	Diagnosis
S81.852D	Open bite, left lower leg, subsequent encounter	ICD-10-CM	Diagnosis
S61.253A	Open bite of left middle finger without damage to nail, initial encounter	ICD-10-CM	Diagnosis
S61.253S	Open bite of left middle finger without damage to nail, sequela	ICD-10-CM	Diagnosis
S61.253D	Open bite of left middle finger without damage to nail, subsequent encounter	ICD-10-CM	Diagnosis
S71.152A	Open bite, left thigh, initial encounter	ICD-10-CM	Diagnosis
S71.152S	Open bite, left thigh, sequela	ICD-10-CM	Diagnosis
S71.152D	Open bite, left thigh, subsequent encounter	ICD-10-CM	Diagnosis
S61.152A	Open bite of left thumb with damage to nail, initial encounter	ICD-10-CM	Diagnosis
S61.152D	Open bite of left thumb with damage to nail, subsequent encounter	ICD-10-CM	Diagnosis
S61.152S	Open bite of left thumb with damage to nail, sequela	ICD-10-CM	Diagnosis
S31.050A	Open bite of lower back and pelvis without penetration into retroperitoneum, initial encounter	ICD-10-CM	Diagnosis
S31.050S	Open bite of lower back and pelvis without penetration into retroperitoneum, sequela	ICD-10-CM	Diagnosis
S31.050D	Open bite of lower back and pelvis without penetration into retroperitoneum, subsequent encounter	ICD-10-CM	Diagnosis
S21.452A	Open bite of left back wall of thorax with penetration into thoracic cavity, initial encounter	ICD-10-CM	Diagnosis
S21.452S	Open bite of left back wall of thorax with penetration into thoracic cavity, sequela	ICD-10-CM	Diagnosis
S21.452D	Open bite of left back wall of thorax with penetration into thoracic cavity, subsequent encounter	ICD-10-CM	Diagnosis
S01.452S	Open bite of left cheek and temporomandibular area, sequela	ICD-10-CM	Diagnosis



**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S01.452A	Open bite of left cheek and temporomandibular area, initial encounter	ICD-10-CM	Diagnosis
S01.452D	Open bite of left cheek and temporomandibular area, subsequent encounter	ICD-10-CM	Diagnosis
S01.152A	Open bite of left eyelid and periocular area, initial encounter	ICD-10-CM	Diagnosis
S01.152S	Open bite of left eyelid and periocular area, sequela	ICD-10-CM	Diagnosis
S01.152D	Open bite of left eyelid and periocular area, subsequent encounter	ICD-10-CM	Diagnosis
S21.152A	Open bite of left front wall of thorax without penetration into thoracic cavity, initial encounter	ICD-10-CM	Diagnosis
S21.152S	Open bite of left front wall of thorax without penetration into thoracic cavity, sequela	ICD-10-CM	Diagnosis
S21.152D	Open bite of left front wall of thorax without penetration into thoracic cavity, subsequent encounter	ICD-10-CM	Diagnosis
S21.352D	Open bite of left front wall of thorax with penetration into thoracic cavity, subsequent encounter	ICD-10-CM	Diagnosis
S21.352A	Open bite of left front wall of thorax with penetration into thoracic cavity, initial encounter	ICD-10-CM	Diagnosis
S21.352S	Open bite of left front wall of thorax with penetration into thoracic cavity, sequela	ICD-10-CM	Diagnosis
S91.252A	Open bite of left great toe with damage to nail, initial encounter	ICD-10-CM	Diagnosis
S91.252S	Open bite of left great toe with damage to nail, sequela	ICD-10-CM	Diagnosis
S91.252D	Open bite of left great toe with damage to nail, subsequent encounter	ICD-10-CM	Diagnosis
S91.152A	Open bite of left great toe without damage to nail, initial encounter	ICD-10-CM	Diagnosis
S91.152S	Open bite of left great toe without damage to nail, sequela	ICD-10-CM	Diagnosis
S91.152D	Open bite of left great toe without damage to nail, subsequent encounter	ICD-10-CM	Diagnosis
S61.351A	Open bite of left index finger with damage to nail, initial encounter	ICD-10-CM	Diagnosis
S61.351S	Open bite of left index finger with damage to nail, sequela	ICD-10-CM	Diagnosis
S61.351D	Open bite of left index finger with damage to nail, subsequent encounter	ICD-10-CM	Diagnosis
S61.251A	Open bite of left index finger without damage to nail, initial encounter	ICD-10-CM	Diagnosis
S61.251S	Open bite of left index finger without damage to nail, sequela	ICD-10-CM	Diagnosis
S61.251D	Open bite of left index finger without damage to nail, subsequent encounter	ICD-10-CM	Diagnosis
S91.255A	Open bite of left lesser toe(s) with damage to nail, initial encounter	ICD-10-CM	Diagnosis
S91.255S	Open bite of left lesser toe(s) with damage to nail, sequela	ICD-10-CM	Diagnosis
S91.255D	Open bite of left lesser toe(s) with damage to nail, subsequent encounter	ICD-10-CM	Diagnosis
S91.155A	Open bite of left lesser toe(s) without damage to nail, initial encounter	ICD-10-CM	Diagnosis
S91.155S	Open bite of left lesser toe(s) without damage to nail, sequela	ICD-10-CM	Diagnosis
S91.155D	Open bite of left lesser toe(s) without damage to nail, subsequent encounter	ICD-10-CM	Diagnosis
S61.257A	Open bite of left little finger without damage to nail, initial encounter	ICD-10-CM	Diagnosis
S61.257S	Open bite of left little finger without damage to nail, sequela	ICD-10-CM	Diagnosis
S61.257D	Open bite of left little finger without damage to nail, subsequent encounter	ICD-10-CM	Diagnosis
S61.357S	Open bite of left little finger with damage to nail, sequela	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S61.357A	Open bite of left little finger with damage to nail, initial encounter	ICD-10-CM	Diagnosis
S61.357D	Open bite of left little finger with damage to nail, subsequent encounter	ICD-10-CM	Diagnosis
S61.353S	Open bite of left middle finger with damage to nail, sequela	ICD-10-CM	Diagnosis
S61.353A	Open bite of left middle finger with damage to nail, initial encounter	ICD-10-CM	Diagnosis
S61.353D	Open bite of left middle finger with damage to nail, subsequent encounter	ICD-10-CM	Diagnosis
S61.255A	Open bite of left ring finger without damage to nail, initial encounter	ICD-10-CM	Diagnosis
S61.255S	Open bite of left ring finger without damage to nail, sequela	ICD-10-CM	Diagnosis
S61.255D	Open bite of left ring finger without damage to nail, subsequent encounter	ICD-10-CM	Diagnosis
S61.355A	Open bite of left ring finger with damage to nail, initial encounter	ICD-10-CM	Diagnosis
S61.355S	Open bite of left ring finger with damage to nail, sequela	ICD-10-CM	Diagnosis
S61.355D	Open bite of left ring finger with damage to nail, subsequent encounter	ICD-10-CM	Diagnosis
S31.051A	Open bite of lower back and pelvis with penetration into retroperitoneum, initial encounter	ICD-10-CM	Diagnosis
S31.051S	Open bite of lower back and pelvis with penetration into retroperitoneum, sequela	ICD-10-CM	Diagnosis
S31.051D	Open bite of lower back and pelvis with penetration into retroperitoneum, subsequent encounter	ICD-10-CM	Diagnosis
S31.835A	Open bite of anus, initial encounter	ICD-10-CM	Diagnosis
S31.835S	Open bite of anus, sequela	ICD-10-CM	Diagnosis
S31.835D	Open bite of anus, subsequent encounter	ICD-10-CM	Diagnosis
S11.015A	Open bite of larynx, initial encounter	ICD-10-CM	Diagnosis
S11.015S	Open bite of larynx, sequela	ICD-10-CM	Diagnosis
S11.015D	Open bite of larynx, subsequent encounter	ICD-10-CM	Diagnosis
S21.052A	Open bite of left breast, initial encounter	ICD-10-CM	Diagnosis
S21.052S	Open bite of left breast, sequela	ICD-10-CM	Diagnosis
S21.052D	Open bite of left breast, subsequent encounter	ICD-10-CM	Diagnosis
S31.825A	Open bite of left buttock, initial encounter	ICD-10-CM	Diagnosis
S31.825S	Open bite of left buttock, sequela	ICD-10-CM	Diagnosis
S31.825D	Open bite of left buttock, subsequent encounter	ICD-10-CM	Diagnosis
S01.352A	Open bite of left ear, initial encounter	ICD-10-CM	Diagnosis
S01.352S	Open bite of left ear, sequela	ICD-10-CM	Diagnosis
S01.352D	Open bite of left ear, subsequent encounter	ICD-10-CM	Diagnosis
S51.852A	Open bite of left forearm, initial encounter	ICD-10-CM	Diagnosis
S51.852S	Open bite of left forearm, sequela	ICD-10-CM	Diagnosis
S51.852D	Open bite of left forearm, subsequent encounter	ICD-10-CM	Diagnosis
S61.452A	Open bite of left hand, initial encounter	ICD-10-CM	Diagnosis
S61.452S	Open bite of left hand, sequela	ICD-10-CM	Diagnosis
S61.452D	Open bite of left hand, subsequent encounter	ICD-10-CM	Diagnosis
S41.052A	Open bite of left shoulder, initial encounter	ICD-10-CM	Diagnosis
S41.052S	Open bite of left shoulder, sequela	ICD-10-CM	Diagnosis
S41.052D	Open bite of left shoulder, subsequent encounter	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S61.052A	Open bite of left thumb without damage to nail, initial encounter	ICD-10-CM	Diagnosis
S61.052S	Open bite of left thumb without damage to nail, sequela	ICD-10-CM	Diagnosis
S61.052D	Open bite of left thumb without damage to nail, subsequent encounter	ICD-10-CM	Diagnosis
S41.152A	Open bite of left upper arm, initial encounter	ICD-10-CM	Diagnosis
S41.152S	Open bite of left upper arm, sequela	ICD-10-CM	Diagnosis
S41.152D	Open bite of left upper arm, subsequent encounter	ICD-10-CM	Diagnosis
S61.552A	Open bite of left wrist, initial encounter	ICD-10-CM	Diagnosis
S61.552S	Open bite of left wrist, sequela	ICD-10-CM	Diagnosis
S61.552D	Open bite of left wrist, subsequent encounter	ICD-10-CM	Diagnosis
S01.551A	Open bite of lip, initial encounter	ICD-10-CM	Diagnosis
S01.551S	Open bite of lip, sequela	ICD-10-CM	Diagnosis
S01.551D	Open bite of lip, subsequent encounter	ICD-10-CM	Diagnosis
S01.25XA	Open bite of nose, initial encounter	ICD-10-CM	Diagnosis
S01.25XS	Open bite of nose, sequela	ICD-10-CM	Diagnosis
S01.25XD	Open bite of nose, subsequent encounter	ICD-10-CM	Diagnosis
S01.552A	Open bite of oral cavity, initial encounter	ICD-10-CM	Diagnosis
S01.552S	Open bite of oral cavity, sequela	ICD-10-CM	Diagnosis
S01.552D	Open bite of oral cavity, subsequent encounter	ICD-10-CM	Diagnosis
S11.85XS	Open bite of other specified part of neck, sequela	ICD-10-CM	Diagnosis
S31.25XA	Open bite of penis, initial encounter	ICD-10-CM	Diagnosis
S31.25XS	Open bite of penis, sequela	ICD-10-CM	Diagnosis
S31.25XD	Open bite of penis, subsequent encounter	ICD-10-CM	Diagnosis
S21.051A	Open bite of right breast, initial encounter	ICD-10-CM	Diagnosis
S21.051S	Open bite of right breast, sequela	ICD-10-CM	Diagnosis
S21.051D	Open bite of right breast, subsequent encounter	ICD-10-CM	Diagnosis
S31.815A	Open bite of right buttock, initial encounter	ICD-10-CM	Diagnosis
S31.815S	Open bite of right buttock, sequela	ICD-10-CM	Diagnosis
S31.815D	Open bite of right buttock, subsequent encounter	ICD-10-CM	Diagnosis
S01.351A	Open bite of right ear, initial encounter	ICD-10-CM	Diagnosis
S01.351S	Open bite of right ear, sequela	ICD-10-CM	Diagnosis
S01.351D	Open bite of right ear, subsequent encounter	ICD-10-CM	Diagnosis
S51.851A	Open bite of right forearm, initial encounter	ICD-10-CM	Diagnosis
S51.851S	Open bite of right forearm, sequela	ICD-10-CM	Diagnosis
S51.851D	Open bite of right forearm, subsequent encounter	ICD-10-CM	Diagnosis
S61.451A	Open bite of right hand, initial encounter	ICD-10-CM	Diagnosis
S61.451S	Open bite of right hand, sequela	ICD-10-CM	Diagnosis
S61.451D	Open bite of right hand, subsequent encounter	ICD-10-CM	Diagnosis
S41.051A	Open bite of right shoulder, initial encounter	ICD-10-CM	Diagnosis
S41.051S	Open bite of right shoulder, sequela	ICD-10-CM	Diagnosis
S41.051D	Open bite of right shoulder, subsequent encounter	ICD-10-CM	Diagnosis
S61.051A	Open bite of right thumb without damage to nail, initial encounter	ICD-10-CM	Diagnosis
S61.051S	Open bite of right thumb without damage to nail, sequela	ICD-10-CM	Diagnosis
S61.051D	Open bite of right thumb without damage to nail, subsequent encounter	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S41.151A	Open bite of right upper arm, initial encounter	ICD-10-CM	Diagnosis
S41.151S	Open bite of right upper arm, sequela	ICD-10-CM	Diagnosis
S61.551A	Open bite of right wrist, initial encounter	ICD-10-CM	Diagnosis
S61.551S	Open bite of right wrist, sequela	ICD-10-CM	Diagnosis
S61.551D	Open bite of right wrist, subsequent encounter	ICD-10-CM	Diagnosis
S01.05XA	Open bite of scalp, initial encounter	ICD-10-CM	Diagnosis
S01.05XS	Open bite of scalp, sequela	ICD-10-CM	Diagnosis
S01.05XD	Open bite of scalp, subsequent encounter	ICD-10-CM	Diagnosis
S31.35XA	Open bite of scrotum and testes, initial encounter	ICD-10-CM	Diagnosis
S31.35XS	Open bite of scrotum and testes, sequela	ICD-10-CM	Diagnosis
S11.15XA	Open bite of thyroid gland, initial encounter	ICD-10-CM	Diagnosis
S11.15XS	Open bite of thyroid gland, sequela	ICD-10-CM	Diagnosis
S11.15XD	Open bite of thyroid gland, subsequent encounter	ICD-10-CM	Diagnosis
S11.025A	Open bite of trachea, initial encounter	ICD-10-CM	Diagnosis
S11.025S	Open bite of trachea, sequela	ICD-10-CM	Diagnosis
S11.025D	Open bite of trachea, subsequent encounter	ICD-10-CM	Diagnosis
S21.059S	Open bite of unspecified breast, sequela	ICD-10-CM	Diagnosis
S31.805S	Open bite of unspecified buttock, sequela	ICD-10-CM	Diagnosis
S01.359A	Open bite of unspecified ear, initial encounter	ICD-10-CM	Diagnosis
S01.359S	Open bite of unspecified ear, sequela	ICD-10-CM	Diagnosis
S01.359D	Open bite of unspecified ear, subsequent encounter	ICD-10-CM	Diagnosis
S61.459A	Open bite of unspecified hand, initial encounter	ICD-10-CM	Diagnosis
S61.459S	Open bite of unspecified hand, sequela	ICD-10-CM	Diagnosis
S01.95XS	Open bite of unspecified part of head, sequela	ICD-10-CM	Diagnosis
S11.95XS	Open bite of unspecified part of neck, sequela	ICD-10-CM	Diagnosis
S21.95XS	Open bite of unspecified part of thorax, sequela	ICD-10-CM	Diagnosis
S41.059S	Open bite of unspecified shoulder, sequela	ICD-10-CM	Diagnosis
S41.159S	Open bite of unspecified upper arm, sequela	ICD-10-CM	Diagnosis
S61.559A	Open bite of unspecified wrist, initial encounter	ICD-10-CM	Diagnosis
S61.559S	Open bite of unspecified wrist, sequela	ICD-10-CM	Diagnosis
S31.45XD	Open bite of vagina and vulva, subsequent encounter	ICD-10-CM	Diagnosis
S31.45XA	Open bite of vagina and vulva, initial encounter	ICD-10-CM	Diagnosis
S31.45XS	Open bite of vagina and vulva, sequela	ICD-10-CM	Diagnosis
S11.035A	Open bite of vocal cord, initial encounter	ICD-10-CM	Diagnosis
S11.035S	Open bite of vocal cord, sequela	ICD-10-CM	Diagnosis
S11.035D	Open bite of vocal cord, subsequent encounter	ICD-10-CM	Diagnosis
S61.358A	Open bite of other finger with damage to nail, initial encounter	ICD-10-CM	Diagnosis
S61.358D	Open bite of other finger with damage to nail, subsequent encounter	ICD-10-CM	Diagnosis
S61.258A	Open bite of other finger without damage to nail, initial encounter	ICD-10-CM	Diagnosis
S61.258S	Open bite of other finger without damage to nail, sequela	ICD-10-CM	Diagnosis
S61.258D	Open bite of other finger without damage to nail, subsequent encounter	ICD-10-CM	Diagnosis
S61.358S	Open bite of other finger with damage to nail, sequela	ICD-10-CM	Diagnosis
S01.85XD	Open bite of other part of head, subsequent encounter	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S01.85XA	Open bite of other part of head, initial encounter	ICD-10-CM	Diagnosis
S01.85XS	Open bite of other part of head, sequela	ICD-10-CM	Diagnosis
S11.85XD	Open bite of other specified part of neck, subsequent encounter	ICD-10-CM	Diagnosis
S11.85XA	Open bite of other specified part of neck, initial encounter	ICD-10-CM	Diagnosis
S11.25XA	Open bite of pharynx and cervical esophagus, initial encounter	ICD-10-CM	Diagnosis
S11.25XS	Open bite of pharynx and cervical esophagus, sequela	ICD-10-CM	Diagnosis
S11.25XD	Open bite of pharynx and cervical esophagus, subsequent encounter	ICD-10-CM	Diagnosis
S91.051A	Open bite, right ankle, initial encounter	ICD-10-CM	Diagnosis
S91.051S	Open bite, right ankle, sequela	ICD-10-CM	Diagnosis
S91.051D	Open bite, right ankle, subsequent encounter	ICD-10-CM	Diagnosis
S51.051A	Open bite, right elbow, initial encounter	ICD-10-CM	Diagnosis
S51.051S	Open bite, right elbow, sequela	ICD-10-CM	Diagnosis
S51.051D	Open bite, right elbow, subsequent encounter	ICD-10-CM	Diagnosis
S91.351A	Open bite, right foot, initial encounter	ICD-10-CM	Diagnosis
S91.351S	Open bite, right foot, sequela	ICD-10-CM	Diagnosis
S91.351D	Open bite, right foot, subsequent encounter	ICD-10-CM	Diagnosis
S71.051A	Open bite, right hip, initial encounter	ICD-10-CM	Diagnosis
S71.051S	Open bite, right hip, sequela	ICD-10-CM	Diagnosis
S71.051D	Open bite, right hip, subsequent encounter	ICD-10-CM	Diagnosis
S81.051A	Open bite, right knee, initial encounter	ICD-10-CM	Diagnosis
S81.051S	Open bite, right knee, sequela	ICD-10-CM	Diagnosis
S81.051D	Open bite, right knee, subsequent encounter	ICD-10-CM	Diagnosis
S81.851A	Open bite, right lower leg, initial encounter	ICD-10-CM	Diagnosis
S81.851S	Open bite, right lower leg, sequela	ICD-10-CM	Diagnosis
S81.851D	Open bite, right lower leg, subsequent encounter	ICD-10-CM	Diagnosis
S71.151A	Open bite, right thigh, initial encounter	ICD-10-CM	Diagnosis
S71.151S	Open bite, right thigh, sequela	ICD-10-CM	Diagnosis
S71.151D	Open bite, right thigh, subsequent encounter	ICD-10-CM	Diagnosis
S61.151A	Open bite of right thumb with damage to nail, initial encounter	ICD-10-CM	Diagnosis
S61.151D	Open bite of right thumb with damage to nail, subsequent encounter	ICD-10-CM	Diagnosis
S61.151S	Open bite of right thumb with damage to nail, sequela	ICD-10-CM	Diagnosis
S41.151D	Open bite of right upper arm, subsequent encounter	ICD-10-CM	Diagnosis
S21.451A	Open bite of right back wall of thorax with penetration into thoracic cavity, initial encounter	ICD-10-CM	Diagnosis
S21.451S	Open bite of right back wall of thorax with penetration into thoracic cavity, sequela	ICD-10-CM	Diagnosis
S21.451D	Open bite of right back wall of thorax with penetration into thoracic cavity, subsequent encounter	ICD-10-CM	Diagnosis
S01.451S	Open bite of right cheek and temporomandibular area, sequela	ICD-10-CM	Diagnosis
S01.451A	Open bite of right cheek and temporomandibular area, initial encounter	ICD-10-CM	Diagnosis
S01.451D	Open bite of right cheek and temporomandibular area, subsequent encounter	ICD-10-CM	Diagnosis
S01.151A	Open bite of right eyelid and periocular area, initial encounter	ICD-10-CM	Diagnosis



**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S01.151S	Open bite of right eyelid and periocular area, sequela	ICD-10-CM	Diagnosis
S01.151D	Open bite of right eyelid and periocular area, subsequent encounter	ICD-10-CM	Diagnosis
S21.351D	Open bite of right front wall of thorax with penetration into thoracic cavity, subsequent encounter	ICD-10-CM	Diagnosis
S21.351S	Open bite of right front wall of thorax with penetration into thoracic cavity, sequela	ICD-10-CM	Diagnosis
S21.151A	Open bite of right front wall of thorax without penetration into thoracic cavity, initial encounter	ICD-10-CM	Diagnosis
S21.151D	Open bite of right front wall of thorax without penetration into thoracic cavity, subsequent encounter	ICD-10-CM	Diagnosis
S21.151S	Open bite of right front wall of thorax without penetration into thoracic cavity, sequela	ICD-10-CM	Diagnosis
S21.351A	Open bite of right front wall of thorax with penetration into thoracic cavity, initial encounter	ICD-10-CM	Diagnosis
S91.251A	Open bite of right great toe with damage to nail, initial encounter	ICD-10-CM	Diagnosis
S91.251S	Open bite of right great toe with damage to nail, sequela	ICD-10-CM	Diagnosis
S91.251D	Open bite of right great toe with damage to nail, subsequent encounter	ICD-10-CM	Diagnosis
S91.151A	Open bite of right great toe without damage to nail, initial encounter	ICD-10-CM	Diagnosis
S91.151S	Open bite of right great toe without damage to nail, sequela	ICD-10-CM	Diagnosis
S91.151D	Open bite of right great toe without damage to nail, subsequent encounter	ICD-10-CM	Diagnosis
S61.350A	Open bite of right index finger with damage to nail, initial encounter	ICD-10-CM	Diagnosis
S61.350S	Open bite of right index finger with damage to nail, sequela	ICD-10-CM	Diagnosis
S61.350D	Open bite of right index finger with damage to nail, subsequent encounter	ICD-10-CM	Diagnosis
S61.250A	Open bite of right index finger without damage to nail, initial encounter	ICD-10-CM	Diagnosis
S61.250S	Open bite of right index finger without damage to nail, sequela	ICD-10-CM	Diagnosis
S61.250D	Open bite of right index finger without damage to nail, subsequent encounter	ICD-10-CM	Diagnosis
S91.254A	Open bite of right lesser toe(s) with damage to nail, initial encounter	ICD-10-CM	Diagnosis
S91.254S	Open bite of right lesser toe(s) with damage to nail, sequela	ICD-10-CM	Diagnosis
S91.254D	Open bite of right lesser toe(s) with damage to nail, subsequent encounter	ICD-10-CM	Diagnosis
S91.154A	Open bite of right lesser toe(s) without damage to nail, initial encounter	ICD-10-CM	Diagnosis
S91.154S	Open bite of right lesser toe(s) without damage to nail, sequela	ICD-10-CM	Diagnosis
S91.154D	Open bite of right lesser toe(s) without damage to nail, subsequent encounter	ICD-10-CM	Diagnosis
S61.256A	Open bite of right little finger without damage to nail, initial encounter	ICD-10-CM	Diagnosis
S61.256S	Open bite of right little finger without damage to nail, sequela	ICD-10-CM	Diagnosis
S61.256D	Open bite of right little finger without damage to nail, subsequent encounter	ICD-10-CM	Diagnosis
S61.356S	Open bite of right little finger with damage to nail, sequela	ICD-10-CM	Diagnosis
S61.356A	Open bite of right little finger with damage to nail, initial encounter	ICD-10-CM	Diagnosis
S61.356D	Open bite of right little finger with damage to nail, subsequent encounter	ICD-10-CM	Diagnosis



**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S61.252A	Open bite of right middle finger without damage to nail, initial encounter	ICD-10-CM	Diagnosis
S61.252S	Open bite of right middle finger without damage to nail, sequela	ICD-10-CM	Diagnosis
S61.252D	Open bite of right middle finger without damage to nail, subsequent encounter	ICD-10-CM	Diagnosis
S61.352S	Open bite of right middle finger with damage to nail, sequela	ICD-10-CM	Diagnosis
S61.352A	Open bite of right middle finger with damage to nail, initial encounter	ICD-10-CM	Diagnosis
S61.352D	Open bite of right middle finger with damage to nail, subsequent encounter	ICD-10-CM	Diagnosis
S61.254A	Open bite of right ring finger without damage to nail, initial encounter	ICD-10-CM	Diagnosis
S61.254S	Open bite of right ring finger without damage to nail, sequela	ICD-10-CM	Diagnosis
S61.254D	Open bite of right ring finger without damage to nail, subsequent encounter	ICD-10-CM	Diagnosis
S61.354A	Open bite of right ring finger with damage to nail, initial encounter	ICD-10-CM	Diagnosis
S61.354S	Open bite of right ring finger with damage to nail, sequela	ICD-10-CM	Diagnosis
S61.354D	Open bite of right ring finger with damage to nail, subsequent encounter	ICD-10-CM	Diagnosis
S31.35XD	Open bite of scrotum and testes, subsequent encounter	ICD-10-CM	Diagnosis
S21.459A	Open bite of unspecified back wall of thorax with penetration into thoracic cavity, initial encounter	ICD-10-CM	Diagnosis
S21.459S	Open bite of unspecified back wall of thorax with penetration into thoracic cavity, sequela	ICD-10-CM	Diagnosis
S21.459D	Open bite of unspecified back wall of thorax with penetration into thoracic cavity, subsequent encounter	ICD-10-CM	Diagnosis
S31.805D	Open bite of unspecified buttock, subsequent encounter	ICD-10-CM	Diagnosis
S01.459D	Open bite of unspecified cheek and temporomandibular area, subsequent encounter	ICD-10-CM	Diagnosis
S01.459S	Open bite of unspecified cheek and temporomandibular area, sequela	ICD-10-CM	Diagnosis
S01.459A	Open bite of unspecified cheek and temporomandibular area, initial encounter	ICD-10-CM	Diagnosis
S31.551D	Open bite of unspecified external genital organs, male, subsequent encounter	ICD-10-CM	Diagnosis
S31.552D	Open bite of unspecified external genital organs, female, subsequent encounter	ICD-10-CM	Diagnosis
S31.552S	Open bite of unspecified external genital organs, female, sequela	ICD-10-CM	Diagnosis
S31.551A	Open bite of unspecified external genital organs, male, initial encounter	ICD-10-CM	Diagnosis
S31.552A	Open bite of unspecified external genital organs, female, initial encounter	ICD-10-CM	Diagnosis
S31.551S	Open bite of unspecified external genital organs, male, sequela	ICD-10-CM	Diagnosis
S01.159A	Open bite of unspecified eyelid and periocular area, initial encounter	ICD-10-CM	Diagnosis
S01.159S	Open bite of unspecified eyelid and periocular area, sequela	ICD-10-CM	Diagnosis
S01.159D	Open bite of unspecified eyelid and periocular area, subsequent encounter	ICD-10-CM	Diagnosis
S61.359A	Open bite of unspecified finger with damage to nail, initial encounter	ICD-10-CM	Diagnosis
S61.359D	Open bite of unspecified finger with damage to nail, subsequent encounter	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S61.259A	Open bite of unspecified finger without damage to nail, initial encounter	ICD-10-CM	Diagnosis
S61.259S	Open bite of unspecified finger without damage to nail, sequela	ICD-10-CM	Diagnosis
S61.259D	Open bite of unspecified finger without damage to nail, subsequent encounter	ICD-10-CM	Diagnosis
S61.359S	Open bite of unspecified finger with damage to nail, sequela	ICD-10-CM	Diagnosis
S21.159A	Open bite of unspecified front wall of thorax without penetration into thoracic cavity, initial encounter	ICD-10-CM	Diagnosis
S21.159S	Open bite of unspecified front wall of thorax without penetration into thoracic cavity, sequela	ICD-10-CM	Diagnosis
S21.159D	Open bite of unspecified front wall of thorax without penetration into thoracic cavity, subsequent encounter	ICD-10-CM	Diagnosis
S21.359A	Open bite of unspecified front wall of thorax with penetration into thoracic cavity, initial encounter	ICD-10-CM	Diagnosis
S21.359D	Open bite of unspecified front wall of thorax with penetration into thoracic cavity, subsequent encounter	ICD-10-CM	Diagnosis
S91.253A	Open bite of unspecified great toe with damage to nail, initial encounter	ICD-10-CM	Diagnosis
S91.253S	Open bite of unspecified great toe with damage to nail, sequela	ICD-10-CM	Diagnosis
S91.253D	Open bite of unspecified great toe with damage to nail, subsequent encounter	ICD-10-CM	Diagnosis
S91.153A	Open bite of unspecified great toe without damage to nail, initial encounter	ICD-10-CM	Diagnosis
S91.153S	Open bite of unspecified great toe without damage to nail, sequela	ICD-10-CM	Diagnosis
S91.153D	Open bite of unspecified great toe without damage to nail, subsequent encounter	ICD-10-CM	Diagnosis
S91.256A	Open bite of unspecified lesser toe(s) with damage to nail, initial encounter	ICD-10-CM	Diagnosis
S91.256S	Open bite of unspecified lesser toe(s) with damage to nail, sequela	ICD-10-CM	Diagnosis
S91.256D	Open bite of unspecified lesser toe(s) with damage to nail, subsequent encounter	ICD-10-CM	Diagnosis
S91.156A	Open bite of unspecified lesser toe(s) without damage to nail, initial encounter	ICD-10-CM	Diagnosis
S91.156S	Open bite of unspecified lesser toe(s) without damage to nail, sequela	ICD-10-CM	Diagnosis
S91.156D	Open bite of unspecified lesser toe(s) without damage to nail, subsequent encounter	ICD-10-CM	Diagnosis
S01.95XA	Open bite of unspecified part of head, initial encounter	ICD-10-CM	Diagnosis
S01.95XD	Open bite of unspecified part of head, subsequent encounter	ICD-10-CM	Diagnosis
S21.95XA	Open bite of unspecified part of thorax, initial encounter	ICD-10-CM	Diagnosis
S21.95XD	Open bite of unspecified part of thorax, subsequent encounter	ICD-10-CM	Diagnosis
S41.059D	Open bite of unspecified shoulder, subsequent encounter	ICD-10-CM	Diagnosis
S61.159A	Open bite of unspecified thumb with damage to nail, initial encounter	ICD-10-CM	Diagnosis
S61.159D	Open bite of unspecified thumb with damage to nail, subsequent encounter	ICD-10-CM	Diagnosis
S61.159S	Open bite of unspecified thumb with damage to nail, sequela	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S91.259A	Open bite of unspecified toe(s) with damage to nail, initial encounter	ICD-10-CM	Diagnosis
S91.259S	Open bite of unspecified toe(s) with damage to nail, sequela	ICD-10-CM	Diagnosis
S91.259D	Open bite of unspecified toe(s) with damage to nail, subsequent encounter	ICD-10-CM	Diagnosis
S91.159A	Open bite of unspecified toe(s) without damage to nail, initial encounter	ICD-10-CM	Diagnosis
S91.159S	Open bite of unspecified toe(s) without damage to nail, sequela	ICD-10-CM	Diagnosis
S91.159D	Open bite of unspecified toe(s) without damage to nail, subsequent encounter	ICD-10-CM	Diagnosis
S41.159A	Open bite of unspecified upper arm, initial encounter	ICD-10-CM	Diagnosis
S41.159D	Open bite of unspecified upper arm, subsequent encounter	ICD-10-CM	Diagnosis
S61.059A	Open bite of unspecified thumb without damage to nail, initial encounter	ICD-10-CM	Diagnosis
S61.059S	Open bite of unspecified thumb without damage to nail, sequela	ICD-10-CM	Diagnosis
S61.059D	Open bite of unspecified thumb without damage to nail, subsequent encounter	ICD-10-CM	Diagnosis
S91.059A	Open bite, unspecified ankle, initial encounter	ICD-10-CM	Diagnosis
S91.059S	Open bite, unspecified ankle, sequela	ICD-10-CM	Diagnosis
S91.059D	Open bite, unspecified ankle, subsequent encounter	ICD-10-CM	Diagnosis
S21.059A	Open bite of unspecified breast, initial encounter	ICD-10-CM	Diagnosis
S21.059D	Open bite of unspecified breast, subsequent encounter	ICD-10-CM	Diagnosis
S31.805A	Open bite of unspecified buttock, initial encounter	ICD-10-CM	Diagnosis
S51.059A	Open bite, unspecified elbow, initial encounter	ICD-10-CM	Diagnosis
S51.059S	Open bite, unspecified elbow, sequela	ICD-10-CM	Diagnosis
S51.059D	Open bite, unspecified elbow, subsequent encounter	ICD-10-CM	Diagnosis
S91.359A	Open bite, unspecified foot, initial encounter	ICD-10-CM	Diagnosis
S91.359S	Open bite, unspecified foot, sequela	ICD-10-CM	Diagnosis
S91.359D	Open bite, unspecified foot, subsequent encounter	ICD-10-CM	Diagnosis
S51.859A	Open bite of unspecified forearm, initial encounter	ICD-10-CM	Diagnosis
S51.859S	Open bite of unspecified forearm, sequela	ICD-10-CM	Diagnosis
S51.859D	Open bite of unspecified forearm, subsequent encounter	ICD-10-CM	Diagnosis
S61.459D	Open bite of unspecified hand, subsequent encounter	ICD-10-CM	Diagnosis
S71.059A	Open bite, unspecified hip, initial encounter	ICD-10-CM	Diagnosis
S71.059S	Open bite, unspecified hip, sequela	ICD-10-CM	Diagnosis
S71.059D	Open bite, unspecified hip, subsequent encounter	ICD-10-CM	Diagnosis
S81.059A	Open bite, unspecified knee, initial encounter	ICD-10-CM	Diagnosis
S81.059S	Open bite, unspecified knee, sequela	ICD-10-CM	Diagnosis
S81.059D	Open bite, unspecified knee, subsequent encounter	ICD-10-CM	Diagnosis
S81.859A	Open bite, unspecified lower leg, initial encounter	ICD-10-CM	Diagnosis
S81.859S	Open bite, unspecified lower leg, sequela	ICD-10-CM	Diagnosis
S81.859D	Open bite, unspecified lower leg, subsequent encounter	ICD-10-CM	Diagnosis
S11.95XA	Open bite of unspecified part of neck, initial encounter	ICD-10-CM	Diagnosis
S11.95XD	Open bite of unspecified part of neck, subsequent encounter	ICD-10-CM	Diagnosis
S41.059A	Open bite of unspecified shoulder, initial encounter	ICD-10-CM	Diagnosis
S71.159A	Open bite, unspecified thigh, initial encounter	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S71.159S	Open bite, unspecified thigh, sequela	ICD-10-CM	Diagnosis
S71.159D	Open bite, unspecified thigh, subsequent encounter	ICD-10-CM	Diagnosis
S61.559D	Open bite of unspecified wrist, subsequent encounter	ICD-10-CM	Diagnosis
S31.152D	Open bite of abdominal wall, epigastric region without penetration into peritoneal cavity, subsequent encounter	ICD-10-CM	Diagnosis
S31.652D	Open bite of abdominal wall, epigastric region with penetration into peritoneal cavity, subsequent encounter	ICD-10-CM	Diagnosis
S31.652A	Open bite of abdominal wall, epigastric region with penetration into peritoneal cavity, initial encounter	ICD-10-CM	Diagnosis
S31.152S	Open bite of abdominal wall, epigastric region without penetration into peritoneal cavity, sequela	ICD-10-CM	Diagnosis
S31.652S	Open bite of abdominal wall, epigastric region with penetration into peritoneal cavity, sequela	ICD-10-CM	Diagnosis
S31.154A	Open bite of abdominal wall, left lower quadrant without penetration into peritoneal cavity, initial encounter	ICD-10-CM	Diagnosis
S31.154D	Open bite of abdominal wall, left lower quadrant without penetration into peritoneal cavity, subsequent encounter	ICD-10-CM	Diagnosis
S31.654A	Open bite of abdominal wall, left lower quadrant with penetration into peritoneal cavity, initial encounter	ICD-10-CM	Diagnosis
S31.654D	Open bite of abdominal wall, left lower quadrant with penetration into peritoneal cavity, subsequent encounter	ICD-10-CM	Diagnosis
S31.154S	Open bite of abdominal wall, left lower quadrant without penetration into peritoneal cavity, sequela	ICD-10-CM	Diagnosis
S31.654S	Open bite of abdominal wall, left lower quadrant with penetration into peritoneal cavity, sequela	ICD-10-CM	Diagnosis
S31.651A	Open bite of abdominal wall, left upper quadrant with penetration into peritoneal cavity, initial encounter	ICD-10-CM	Diagnosis
S31.651D	Open bite of abdominal wall, left upper quadrant with penetration into peritoneal cavity, subsequent encounter	ICD-10-CM	Diagnosis
S31.151S	Open bite of abdominal wall, left upper quadrant without penetration into peritoneal cavity, sequela	ICD-10-CM	Diagnosis
S31.651S	Open bite of abdominal wall, left upper quadrant with penetration into peritoneal cavity, sequela	ICD-10-CM	Diagnosis
S31.155S	Open bite of abdominal wall, periumbilic region without penetration into peritoneal cavity, sequela	ICD-10-CM	Diagnosis
S31.655S	Open bite of abdominal wall, periumbilic region with penetration into peritoneal cavity, sequela	ICD-10-CM	Diagnosis
S31.153A	Open bite of abdominal wall, right lower quadrant without penetration into peritoneal cavity, initial encounter	ICD-10-CM	Diagnosis
S31.653A	Open bite of abdominal wall, right lower quadrant with penetration into peritoneal cavity, initial encounter	ICD-10-CM	Diagnosis
S31.653D	Open bite of abdominal wall, right lower quadrant with penetration into peritoneal cavity, subsequent encounter	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S31.153S	Open bite of abdominal wall, right lower quadrant without penetration into peritoneal cavity, sequela	ICD-10-CM	Diagnosis
S31.153D	Open bite of abdominal wall, right lower quadrant without penetration into peritoneal cavity, subsequent encounter	ICD-10-CM	Diagnosis
S31.653S	Open bite of abdominal wall, right lower quadrant with penetration into peritoneal cavity, sequela	ICD-10-CM	Diagnosis
S31.650D	Open bite of abdominal wall, right upper quadrant with penetration into peritoneal cavity, subsequent encounter	ICD-10-CM	Diagnosis
S31.650A	Open bite of abdominal wall, right upper quadrant with penetration into peritoneal cavity, initial encounter	ICD-10-CM	Diagnosis
S31.150S	Open bite of abdominal wall, right upper quadrant without penetration into peritoneal cavity, sequela	ICD-10-CM	Diagnosis
S31.650S	Open bite of abdominal wall, right upper quadrant with penetration into peritoneal cavity, sequela	ICD-10-CM	Diagnosis
S31.659S	Open bite of abdominal wall, unspecified quadrant with penetration into peritoneal cavity, sequela	ICD-10-CM	Diagnosis
S31.152A	Open bite of abdominal wall, epigastric region without penetration into peritoneal cavity, initial encounter	ICD-10-CM	Diagnosis
S31.151A	Open bite of abdominal wall, left upper quadrant without penetration into peritoneal cavity, initial encounter	ICD-10-CM	Diagnosis
S31.151D	Open bite of abdominal wall, left upper quadrant without penetration into peritoneal cavity, subsequent encounter	ICD-10-CM	Diagnosis
S31.155A	Open bite of abdominal wall, periumbilic region without penetration into peritoneal cavity, initial encounter	ICD-10-CM	Diagnosis
S31.155D	Open bite of abdominal wall, periumbilic region without penetration into peritoneal cavity, subsequent encounter	ICD-10-CM	Diagnosis
S31.655A	Open bite of abdominal wall, periumbilic region with penetration into peritoneal cavity, initial encounter	ICD-10-CM	Diagnosis
S31.655D	Open bite of abdominal wall, periumbilic region with penetration into peritoneal cavity, subsequent encounter	ICD-10-CM	Diagnosis
S31.150A	Open bite of abdominal wall, right upper quadrant without penetration into peritoneal cavity, initial encounter	ICD-10-CM	Diagnosis
S31.150D	Open bite of abdominal wall, right upper quadrant without penetration into peritoneal cavity, subsequent encounter	ICD-10-CM	Diagnosis
S31.159S	Open bite of abdominal wall, unspecified quadrant without penetration into peritoneal cavity, sequela	ICD-10-CM	Diagnosis
S31.159A	Open bite of abdominal wall, unspecified quadrant without penetration into peritoneal cavity, initial encounter	ICD-10-CM	Diagnosis
S31.159D	Open bite of abdominal wall, unspecified quadrant without penetration into peritoneal cavity, subsequent encounter	ICD-10-CM	Diagnosis
S31.659D	Open bite of abdominal wall, unspecified quadrant with penetration into peritoneal cavity, subsequent encounter	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S21.252A	Open bite of left back wall of thorax without penetration into thoracic cavity, initial encounter	ICD-10-CM	Diagnosis
S21.252D	Open bite of left back wall of thorax without penetration into thoracic cavity, subsequent encounter	ICD-10-CM	Diagnosis
S21.252S	Open bite of left back wall of thorax without penetration into thoracic cavity, sequela	ICD-10-CM	Diagnosis
S21.251A	Open bite of right back wall of thorax without penetration into thoracic cavity, initial encounter	ICD-10-CM	Diagnosis
S21.251D	Open bite of right back wall of thorax without penetration into thoracic cavity, subsequent encounter	ICD-10-CM	Diagnosis
S21.251S	Open bite of right back wall of thorax without penetration into thoracic cavity, sequela	ICD-10-CM	Diagnosis
S21.259A	Open bite of unspecified back wall of thorax without penetration into thoracic cavity, initial encounter	ICD-10-CM	Diagnosis
S21.259D	Open bite of unspecified back wall of thorax without penetration into thoracic cavity, subsequent encounter	ICD-10-CM	Diagnosis
S21.259S	Open bite of unspecified back wall of thorax without penetration into thoracic cavity, sequela	ICD-10-CM	Diagnosis
S21.359S	Open bite of unspecified front wall of thorax with penetration into thoracic cavity, sequela	ICD-10-CM	Diagnosis
S12.390S	Other displaced fracture of fourth cervical vertebra, sequela	ICD-10-CM	Diagnosis
S12.490S	Other displaced fracture of fifth cervical vertebra, sequela	ICD-10-CM	Diagnosis
S12.590S	Other displaced fracture of sixth cervical vertebra, sequela	ICD-10-CM	Diagnosis
S12.690S	Other displaced fracture of seventh cervical vertebra, sequela	ICD-10-CM	Diagnosis
S62.232S	Other displaced fracture of base of first metacarpal bone, left hand, sequela	ICD-10-CM	Diagnosis
S62.231S	Other displaced fracture of base of first metacarpal bone, right hand, sequela	ICD-10-CM	Diagnosis
S62.233S	Other displaced fracture of base of first metacarpal bone, unspecified hand, sequela	ICD-10-CM	Diagnosis
S42.493S	Other displaced fracture of lower end of unspecified humerus, sequela	ICD-10-CM	Diagnosis
S12.190S	Other displaced fracture of second cervical vertebra, sequela	ICD-10-CM	Diagnosis
S12.190A	Other displaced fracture of second cervical vertebra, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S12.190B	Other displaced fracture of second cervical vertebra, initial encounter for open fracture	ICD-10-CM	Diagnosis
S12.190G	Other displaced fracture of second cervical vertebra, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S12.190K	Other displaced fracture of second cervical vertebra, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S12.190D	Other displaced fracture of second cervical vertebra, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis



**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S12.290G	Other displaced fracture of third cervical vertebra, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S12.290K	Other displaced fracture of third cervical vertebra, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S12.390A	Other displaced fracture of fourth cervical vertebra, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S12.390B	Other displaced fracture of fourth cervical vertebra, initial encounter for open fracture	ICD-10-CM	Diagnosis
S12.390K	Other displaced fracture of fourth cervical vertebra, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S12.390G	Other displaced fracture of fourth cervical vertebra, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S12.390D	Other displaced fracture of fourth cervical vertebra, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S12.490A	Other displaced fracture of fifth cervical vertebra, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S12.490B	Other displaced fracture of fifth cervical vertebra, initial encounter for open fracture	ICD-10-CM	Diagnosis
S12.490G	Other displaced fracture of fifth cervical vertebra, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S12.490K	Other displaced fracture of fifth cervical vertebra, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S12.490D	Other displaced fracture of fifth cervical vertebra, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S12.590A	Other displaced fracture of sixth cervical vertebra, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S12.590B	Other displaced fracture of sixth cervical vertebra, initial encounter for open fracture	ICD-10-CM	Diagnosis
S12.590G	Other displaced fracture of sixth cervical vertebra, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S12.590K	Other displaced fracture of sixth cervical vertebra, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S12.590D	Other displaced fracture of sixth cervical vertebra, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S12.690A	Other displaced fracture of seventh cervical vertebra, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S12.690B	Other displaced fracture of seventh cervical vertebra, initial encounter for open fracture	ICD-10-CM	Diagnosis
S12.690G	Other displaced fracture of seventh cervical vertebra, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S12.690K	Other displaced fracture of seventh cervical vertebra, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S12.690D	Other displaced fracture of seventh cervical vertebra, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S62.232P	Other displaced fracture of base of first metacarpal bone, left hand, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S62.232K	Other displaced fracture of base of first metacarpal bone, left hand, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S62.232D	Other displaced fracture of base of first metacarpal bone, left hand, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S62.231P	Other displaced fracture of base of first metacarpal bone, right hand, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S62.231K	Other displaced fracture of base of first metacarpal bone, right hand, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S62.231D	Other displaced fracture of base of first metacarpal bone, right hand, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S62.233P	Other displaced fracture of base of first metacarpal bone, unspecified hand, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S62.233K	Other displaced fracture of base of first metacarpal bone, unspecified hand, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S62.232A	Other displaced fracture of base of first metacarpal bone, left hand, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S62.232B	Other displaced fracture of base of first metacarpal bone, left hand, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.232G	Other displaced fracture of base of first metacarpal bone, left hand, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S62.231A	Other displaced fracture of base of first metacarpal bone, right hand, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S62.231B	Other displaced fracture of base of first metacarpal bone, right hand, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.231G	Other displaced fracture of base of first metacarpal bone, right hand, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S62.233A	Other displaced fracture of base of first metacarpal bone, unspecified hand, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S62.233B	Other displaced fracture of base of first metacarpal bone, unspecified hand, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.233G	Other displaced fracture of base of first metacarpal bone, unspecified hand, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S62.233D	Other displaced fracture of base of first metacarpal bone, unspecified hand, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S42.492A	Other displaced fracture of lower end of left humerus, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.492B	Other displaced fracture of lower end of left humerus, initial encounter for open fracture	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S42.492G	Other displaced fracture of lower end of left humerus, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S42.492P	Other displaced fracture of lower end of left humerus, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S42.492K	Other displaced fracture of lower end of left humerus, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S42.492D	Other displaced fracture of lower end of left humerus, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S42.491A	Other displaced fracture of lower end of right humerus, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.491B	Other displaced fracture of lower end of right humerus, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.491G	Other displaced fracture of lower end of right humerus, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S42.491P	Other displaced fracture of lower end of right humerus, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S42.491K	Other displaced fracture of lower end of right humerus, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S42.491D	Other displaced fracture of lower end of right humerus, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S42.493A	Other displaced fracture of lower end of unspecified humerus, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.493B	Other displaced fracture of lower end of unspecified humerus, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.493G	Other displaced fracture of lower end of unspecified humerus, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S42.493P	Other displaced fracture of lower end of unspecified humerus, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S42.493K	Other displaced fracture of lower end of unspecified humerus, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S42.493D	Other displaced fracture of lower end of unspecified humerus, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S12.290D	Other displaced fracture of third cervical vertebra, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S12.120A	Other displaced dens fracture, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S12.120B	Other displaced dens fracture, initial encounter for open fracture	ICD-10-CM	Diagnosis
S12.120K	Other displaced dens fracture, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S12.120G	Other displaced dens fracture, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S12.120D	Other displaced dens fracture, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S12.290S	Other displaced fracture of third cervical vertebra, sequela	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S42.292S	Other displaced fracture of upper end of left humerus, sequela	ICD-10-CM	Diagnosis
S42.291S	Other displaced fracture of upper end of right humerus, sequela	ICD-10-CM	Diagnosis
S42.293S	Other displaced fracture of upper end of unspecified humerus, sequela	ICD-10-CM	Diagnosis
S12.290A	Other displaced fracture of third cervical vertebra, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S12.290B	Other displaced fracture of third cervical vertebra, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.292G	Other displaced fracture of upper end of left humerus, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S42.292P	Other displaced fracture of upper end of left humerus, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S42.292K	Other displaced fracture of upper end of left humerus, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S42.292D	Other displaced fracture of upper end of left humerus, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S42.291G	Other displaced fracture of upper end of right humerus, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S42.291P	Other displaced fracture of upper end of right humerus, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S42.291K	Other displaced fracture of upper end of right humerus, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S42.291D	Other displaced fracture of upper end of right humerus, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S42.293G	Other displaced fracture of upper end of unspecified humerus, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S42.293P	Other displaced fracture of upper end of unspecified humerus, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S42.293K	Other displaced fracture of upper end of unspecified humerus, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S42.293D	Other displaced fracture of upper end of unspecified humerus, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S42.292A	Other displaced fracture of upper end of left humerus, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.292B	Other displaced fracture of upper end of left humerus, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.291A	Other displaced fracture of upper end of right humerus, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.291B	Other displaced fracture of upper end of right humerus, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.293A	Other displaced fracture of upper end of unspecified humerus, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.293B	Other displaced fracture of upper end of unspecified humerus, initial encounter for open fracture	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S52.559G	Other extraarticular fracture of lower end of unspecified radius, subsequent encounter for closed fracture with delayed healing	ICD-10-CM	Diagnosis
S52.559H	Other extraarticular fracture of lower end of unspecified radius, subsequent encounter for open fracture type I or II with delayed healing	ICD-10-CM	Diagnosis
S52.552A	Other extraarticular fracture of lower end of left radius, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.552C	Other extraarticular fracture of lower end of left radius, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S52.552B	Other extraarticular fracture of lower end of left radius, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S52.552G	Other extraarticular fracture of lower end of left radius, subsequent encounter for closed fracture with delayed healing	ICD-10-CM	Diagnosis
S52.552P	Other extraarticular fracture of lower end of left radius, subsequent encounter for closed fracture with malunion	ICD-10-CM	Diagnosis
S52.552K	Other extraarticular fracture of lower end of left radius, subsequent encounter for closed fracture with nonunion	ICD-10-CM	Diagnosis
S52.552D	Other extraarticular fracture of lower end of left radius, subsequent encounter for closed fracture with routine healing	ICD-10-CM	Diagnosis
S52.552H	Other extraarticular fracture of lower end of left radius, subsequent encounter for open fracture type I or II with delayed healing	ICD-10-CM	Diagnosis
S52.552E	Other extraarticular fracture of lower end of left radius, subsequent encounter for open fracture type I or II with routine healing	ICD-10-CM	Diagnosis
S52.552J	Other extraarticular fracture of lower end of left radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD-10-CM	Diagnosis
S52.552Q	Other extraarticular fracture of lower end of left radius, subsequent encounter for open fracture type I or II with malunion	ICD-10-CM	Diagnosis
S52.552M	Other extraarticular fracture of lower end of left radius, subsequent encounter for open fracture type I or II with nonunion	ICD-10-CM	Diagnosis
S52.552R	Other extraarticular fracture of lower end of left radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD-10-CM	Diagnosis
S52.552N	Other extraarticular fracture of lower end of left radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD-10-CM	Diagnosis
S52.552F	Other extraarticular fracture of lower end of left radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD-10-CM	Diagnosis
S52.551B	Other extraarticular fracture of lower end of right radius, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S52.551C	Other extraarticular fracture of lower end of right radius, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S52.551G	Other extraarticular fracture of lower end of right radius, subsequent encounter for closed fracture with delayed healing	ICD-10-CM	Diagnosis
S52.551K	Other extraarticular fracture of lower end of right radius, subsequent encounter for closed fracture with nonunion	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S52.551P	Other extraarticular fracture of lower end of right radius, subsequent encounter for closed fracture with malunion	ICD-10-CM	Diagnosis
S52.551D	Other extraarticular fracture of lower end of right radius, subsequent encounter for closed fracture with routine healing	ICD-10-CM	Diagnosis
S52.551H	Other extraarticular fracture of lower end of right radius, subsequent encounter for open fracture type I or II with delayed healing	ICD-10-CM	Diagnosis
S52.551Q	Other extraarticular fracture of lower end of right radius, subsequent encounter for open fracture type I or II with malunion	ICD-10-CM	Diagnosis
S52.551M	Other extraarticular fracture of lower end of right radius, subsequent encounter for open fracture type I or II with nonunion	ICD-10-CM	Diagnosis
S52.551E	Other extraarticular fracture of lower end of right radius, subsequent encounter for open fracture type I or II with routine healing	ICD-10-CM	Diagnosis
S52.551J	Other extraarticular fracture of lower end of right radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD-10-CM	Diagnosis
S52.551R	Other extraarticular fracture of lower end of right radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD-10-CM	Diagnosis
S52.551N	Other extraarticular fracture of lower end of right radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD-10-CM	Diagnosis
S52.551F	Other extraarticular fracture of lower end of right radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD-10-CM	Diagnosis
S52.559A	Other extraarticular fracture of lower end of unspecified radius, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.559B	Other extraarticular fracture of lower end of unspecified radius, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S52.559C	Other extraarticular fracture of lower end of unspecified radius, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S52.559P	Other extraarticular fracture of lower end of unspecified radius, subsequent encounter for closed fracture with malunion	ICD-10-CM	Diagnosis
S52.559K	Other extraarticular fracture of lower end of unspecified radius, subsequent encounter for closed fracture with nonunion	ICD-10-CM	Diagnosis
S52.559D	Other extraarticular fracture of lower end of unspecified radius, subsequent encounter for closed fracture with routine healing	ICD-10-CM	Diagnosis
S52.559E	Other extraarticular fracture of lower end of unspecified radius, subsequent encounter for open fracture type I or II with routine healing	ICD-10-CM	Diagnosis
S52.559J	Other extraarticular fracture of lower end of unspecified radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD-10-CM	Diagnosis
S52.559F	Other extraarticular fracture of lower end of unspecified radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD-10-CM	Diagnosis
S52.559Q	Other extraarticular fracture of lower end of unspecified radius, subsequent encounter for open fracture type I or II with malunion	ICD-10-CM	Diagnosis



**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S52.559M	Other extraarticular fracture of lower end of unspecified radius, subsequent encounter for open fracture type I or II with nonunion	ICD-10-CM	Diagnosis
S52.559R	Other extraarticular fracture of lower end of unspecified radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD-10-CM	Diagnosis
S52.559N	Other extraarticular fracture of lower end of unspecified radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD-10-CM	Diagnosis
S52.552S	Other extraarticular fracture of lower end of left radius, sequela	ICD-10-CM	Diagnosis
S52.551S	Other extraarticular fracture of lower end of right radius, sequela	ICD-10-CM	Diagnosis
S52.559S	Other extraarticular fracture of lower end of unspecified radius, sequela	ICD-10-CM	Diagnosis
S62.292S	Other fracture of first metacarpal bone, left hand, sequela	ICD-10-CM	Diagnosis
S62.291S	Other fracture of first metacarpal bone, right hand, sequela	ICD-10-CM	Diagnosis
S22.018A	Other fracture of first thoracic vertebra, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S22.018B	Other fracture of first thoracic vertebra, initial encounter for open fracture	ICD-10-CM	Diagnosis
S22.028A	Other fracture of second thoracic vertebra, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S22.028B	Other fracture of second thoracic vertebra, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.395S	Other fracture of fourth metacarpal bone, left hand, sequela	ICD-10-CM	Diagnosis
S62.394S	Other fracture of fourth metacarpal bone, right hand, sequela	ICD-10-CM	Diagnosis
S62.397S	Other fracture of fifth metacarpal bone, left hand, sequela	ICD-10-CM	Diagnosis
S62.396S	Other fracture of fifth metacarpal bone, right hand, sequela	ICD-10-CM	Diagnosis
S02.19XA	Other fracture of base of skull, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S02.19XB	Other fracture of base of skull, initial encounter for open fracture	ICD-10-CM	Diagnosis
S82.392A	Other fracture of lower end of left tibia, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.391A	Other fracture of lower end of right tibia, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.399A	Other fracture of lower end of unspecified tibia, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S72.8X2A	Other fracture of left femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S92.492B	Other fracture of left great toe, initial encounter for open fracture	ICD-10-CM	Diagnosis
S92.492A	Other fracture of left great toe, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S92.492G	Other fracture of left great toe, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S92.492P	Other fracture of left great toe, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S92.492K	Other fracture of left great toe, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S92.492D	Other fracture of left great toe, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S82.892A	Other fracture of left lower leg, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S92.192A	Other fracture of left talus, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S92.192B	Other fracture of left talus, initial encounter for open fracture	ICD-10-CM	Diagnosis
S92.192G	Other fracture of left talus, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S92.192P	Other fracture of left talus, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S92.192K	Other fracture of left talus, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S92.192D	Other fracture of left talus, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S02.11HK	Other fracture of occiput, left side, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S02.11HD	Other fracture of occiput, left side, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S02.11GG	Other fracture of occiput, right side, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S02.11GK	Other fracture of occiput, right side, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S02.11GD	Other fracture of occiput, right side, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S02.118A	Other fracture of occiput, unspecified side, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S02.118G	Other fracture of occiput, unspecified side, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S02.118K	Other fracture of occiput, unspecified side, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S02.118D	Other fracture of occiput, unspecified side, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S72.8X1A	Other fracture of right femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S92.491B	Other fracture of right great toe, initial encounter for open fracture	ICD-10-CM	Diagnosis
S92.491A	Other fracture of right great toe, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S92.491G	Other fracture of right great toe, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S92.491P	Other fracture of right great toe, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S92.491K	Other fracture of right great toe, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S92.491D	Other fracture of right great toe, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S82.891A	Other fracture of right lower leg, initial encounter for closed fracture	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S92.191A	Other fracture of right talus, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S92.191B	Other fracture of right talus, initial encounter for open fracture	ICD-10-CM	Diagnosis
S92.191G	Other fracture of right talus, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S92.191P	Other fracture of right talus, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S92.191K	Other fracture of right talus, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S92.191D	Other fracture of right talus, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S32.19XB	Other fracture of sacrum, initial encounter for open fracture	ICD-10-CM	Diagnosis
S82.492A	Other fracture of shaft of left fibula, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.491A	Other fracture of shaft of right fibula, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.499A	Other fracture of shaft of unspecified fibula, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.392A	Other fracture of shaft of left humerus, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.392B	Other fracture of shaft of left humerus, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.391A	Other fracture of shaft of right humerus, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.391B	Other fracture of shaft of right humerus, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.399A	Other fracture of shaft of unspecified humerus, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.399B	Other fracture of shaft of unspecified humerus, initial encounter for open fracture	ICD-10-CM	Diagnosis
S22.088A	Other fracture of T11-T12 vertebra, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S22.088B	Other fracture of T11-T12 vertebra, initial encounter for open fracture	ICD-10-CM	Diagnosis
S22.058A	Other fracture of T5-T6 vertebra, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S22.058B	Other fracture of T5-T6 vertebra, initial encounter for open fracture	ICD-10-CM	Diagnosis
S22.078A	Other fracture of T9-T10 vertebra, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S22.078B	Other fracture of T9-T10 vertebra, initial encounter for open fracture	ICD-10-CM	Diagnosis
S72.8X9A	Other fracture of unspecified femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S92.499B	Other fracture of unspecified great toe, initial encounter for open fracture	ICD-10-CM	Diagnosis
S92.499A	Other fracture of unspecified great toe, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S92.499G	Other fracture of unspecified great toe, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S92.499P	Other fracture of unspecified great toe, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S92.499K	Other fracture of unspecified great toe, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S92.499D	Other fracture of unspecified great toe, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S82.899A	Other fracture of unspecified lower leg, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S92.199A	Other fracture of unspecified talus, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S92.199B	Other fracture of unspecified talus, initial encounter for open fracture	ICD-10-CM	Diagnosis
S92.199G	Other fracture of unspecified talus, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S92.199P	Other fracture of unspecified talus, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S92.199K	Other fracture of unspecified talus, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S92.199D	Other fracture of unspecified talus, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S82.199A	Other fracture of upper end of unspecified tibia, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S32.018K	Other fracture of first lumbar vertebra, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S32.018D	Other fracture of first lumbar vertebra, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S32.018G	Other fracture of first lumbar vertebra, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S32.018A	Other fracture of first lumbar vertebra, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S32.018B	Other fracture of first lumbar vertebra, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.292G	Other fracture of first metacarpal bone, left hand, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S62.292D	Other fracture of first metacarpal bone, left hand, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S62.291G	Other fracture of first metacarpal bone, right hand, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S62.291D	Other fracture of first metacarpal bone, right hand, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S62.299G	Other fracture of first metacarpal bone, unspecified hand, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S62.299D	Other fracture of first metacarpal bone, unspecified hand, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S62.292A	Other fracture of first metacarpal bone, left hand, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S62.292B	Other fracture of first metacarpal bone, left hand, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.292P	Other fracture of first metacarpal bone, left hand, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S62.292K	Other fracture of first metacarpal bone, left hand, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S62.291A	Other fracture of first metacarpal bone, right hand, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S62.291B	Other fracture of first metacarpal bone, right hand, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.291P	Other fracture of first metacarpal bone, right hand, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S62.291K	Other fracture of first metacarpal bone, right hand, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S62.299A	Other fracture of first metacarpal bone, unspecified hand, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S62.299B	Other fracture of first metacarpal bone, unspecified hand, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.299P	Other fracture of first metacarpal bone, unspecified hand, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S62.299K	Other fracture of first metacarpal bone, unspecified hand, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S62.299S	Other fracture of first metacarpal bone, unspecified hand, sequela	ICD-10-CM	Diagnosis
S22.018K	Other fracture of first thoracic vertebra, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S22.018D	Other fracture of first thoracic vertebra, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S22.018G	Other fracture of first thoracic vertebra, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S32.028K	Other fracture of second lumbar vertebra, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S32.028D	Other fracture of second lumbar vertebra, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S32.028G	Other fracture of second lumbar vertebra, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S32.028A	Other fracture of second lumbar vertebra, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S32.028B	Other fracture of second lumbar vertebra, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.391G	Other fracture of second metacarpal bone, left hand, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S62.391D	Other fracture of second metacarpal bone, left hand, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S62.390G	Other fracture of second metacarpal bone, right hand, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S62.390D	Other fracture of second metacarpal bone, right hand, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S62.391A	Other fracture of second metacarpal bone, left hand, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S62.391B	Other fracture of second metacarpal bone, left hand, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.391P	Other fracture of second metacarpal bone, left hand, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S62.391K	Other fracture of second metacarpal bone, left hand, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S62.390A	Other fracture of second metacarpal bone, right hand, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S62.390B	Other fracture of second metacarpal bone, right hand, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.390P	Other fracture of second metacarpal bone, right hand, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S62.390K	Other fracture of second metacarpal bone, right hand, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S22.028K	Other fracture of second thoracic vertebra, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S22.028G	Other fracture of second thoracic vertebra, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S22.028D	Other fracture of second thoracic vertebra, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S32.038G	Other fracture of third lumbar vertebra, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S32.038K	Other fracture of third lumbar vertebra, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S32.038D	Other fracture of third lumbar vertebra, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S32.038A	Other fracture of third lumbar vertebra, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S32.038B	Other fracture of third lumbar vertebra, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.393G	Other fracture of third metacarpal bone, left hand, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S62.393D	Other fracture of third metacarpal bone, left hand, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S62.392G	Other fracture of third metacarpal bone, right hand, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S62.392D	Other fracture of third metacarpal bone, right hand, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S62.393A	Other fracture of third metacarpal bone, left hand, initial encounter for closed fracture	ICD-10-CM	Diagnosis



**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S62.393B	Other fracture of third metacarpal bone, left hand, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.393P	Other fracture of third metacarpal bone, left hand, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S62.393K	Other fracture of third metacarpal bone, left hand, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S62.392A	Other fracture of third metacarpal bone, right hand, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S62.392B	Other fracture of third metacarpal bone, right hand, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.392P	Other fracture of third metacarpal bone, right hand, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S62.392K	Other fracture of third metacarpal bone, right hand, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S22.038A	Other fracture of third thoracic vertebra, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S22.038B	Other fracture of third thoracic vertebra, initial encounter for open fracture	ICD-10-CM	Diagnosis
S22.038G	Other fracture of third thoracic vertebra, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S22.038K	Other fracture of third thoracic vertebra, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S22.038D	Other fracture of third thoracic vertebra, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S32.048G	Other fracture of fourth lumbar vertebra, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S32.048K	Other fracture of fourth lumbar vertebra, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S32.048D	Other fracture of fourth lumbar vertebra, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S32.048A	Other fracture of fourth lumbar vertebra, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S32.048B	Other fracture of fourth lumbar vertebra, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.395G	Other fracture of fourth metacarpal bone, left hand, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S62.395D	Other fracture of fourth metacarpal bone, left hand, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S62.394G	Other fracture of fourth metacarpal bone, right hand, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S62.394D	Other fracture of fourth metacarpal bone, right hand, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S62.395A	Other fracture of fourth metacarpal bone, left hand, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S62.395B	Other fracture of fourth metacarpal bone, left hand, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.395P	Other fracture of fourth metacarpal bone, left hand, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S62.395K	Other fracture of fourth metacarpal bone, left hand, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S62.394A	Other fracture of fourth metacarpal bone, right hand, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S62.394B	Other fracture of fourth metacarpal bone, right hand, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.394P	Other fracture of fourth metacarpal bone, right hand, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S62.394K	Other fracture of fourth metacarpal bone, right hand, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S22.048A	Other fracture of fourth thoracic vertebra, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S22.048B	Other fracture of fourth thoracic vertebra, initial encounter for open fracture	ICD-10-CM	Diagnosis
S22.048G	Other fracture of fourth thoracic vertebra, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S22.048K	Other fracture of fourth thoracic vertebra, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S22.048D	Other fracture of fourth thoracic vertebra, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S32.058G	Other fracture of fifth lumbar vertebra, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S32.058K	Other fracture of fifth lumbar vertebra, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S32.058D	Other fracture of fifth lumbar vertebra, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S32.058A	Other fracture of fifth lumbar vertebra, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S32.058B	Other fracture of fifth lumbar vertebra, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.397G	Other fracture of fifth metacarpal bone, left hand, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S62.397D	Other fracture of fifth metacarpal bone, left hand, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S62.396G	Other fracture of fifth metacarpal bone, right hand, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S62.396D	Other fracture of fifth metacarpal bone, right hand, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S62.397A	Other fracture of fifth metacarpal bone, left hand, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S62.397B	Other fracture of fifth metacarpal bone, left hand, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.397P	Other fracture of fifth metacarpal bone, left hand, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S62.397K	Other fracture of fifth metacarpal bone, left hand, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S62.396A	Other fracture of fifth metacarpal bone, right hand, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S62.396B	Other fracture of fifth metacarpal bone, right hand, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.396P	Other fracture of fifth metacarpal bone, right hand, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S62.396K	Other fracture of fifth metacarpal bone, right hand, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S02.19XK	Other fracture of base of skull, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S02.19XG	Other fracture of base of skull, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S02.19XD	Other fracture of base of skull, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S72.092B	Other fracture of head and neck of left femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.092C	Other fracture of head and neck of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.092A	Other fracture of head and neck of left femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S72.092J	Other fracture of head and neck of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD-10-CM	Diagnosis
S72.092R	Other fracture of head and neck of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD-10-CM	Diagnosis
S72.092F	Other fracture of head and neck of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD-10-CM	Diagnosis
S72.092G	Other fracture of head and neck of left femur, subsequent encounter for closed fracture with delayed healing	ICD-10-CM	Diagnosis
S72.092P	Other fracture of head and neck of left femur, subsequent encounter for closed fracture with malunion	ICD-10-CM	Diagnosis
S72.092K	Other fracture of head and neck of left femur, subsequent encounter for closed fracture with nonunion	ICD-10-CM	Diagnosis
S72.092D	Other fracture of head and neck of left femur, subsequent encounter for closed fracture with routine healing	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S72.092H	Other fracture of head and neck of left femur, subsequent encounter for open fracture type I or II with delayed healing	ICD-10-CM	Diagnosis
S72.092Q	Other fracture of head and neck of left femur, subsequent encounter for open fracture type I or II with malunion	ICD-10-CM	Diagnosis
S72.092M	Other fracture of head and neck of left femur, subsequent encounter for open fracture type I or II with nonunion	ICD-10-CM	Diagnosis
S72.092E	Other fracture of head and neck of left femur, subsequent encounter for open fracture type I or II with routine healing	ICD-10-CM	Diagnosis
S72.092N	Other fracture of head and neck of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD-10-CM	Diagnosis
S72.091B	Other fracture of head and neck of right femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.091C	Other fracture of head and neck of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.091A	Other fracture of head and neck of right femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S72.091H	Other fracture of head and neck of right femur, subsequent encounter for open fracture type I or II with delayed healing	ICD-10-CM	Diagnosis
S72.091J	Other fracture of head and neck of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD-10-CM	Diagnosis
S72.091R	Other fracture of head and neck of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD-10-CM	Diagnosis
S72.091N	Other fracture of head and neck of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD-10-CM	Diagnosis
S72.091F	Other fracture of head and neck of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD-10-CM	Diagnosis
S72.091G	Other fracture of head and neck of right femur, subsequent encounter for closed fracture with delayed healing	ICD-10-CM	Diagnosis
S72.091P	Other fracture of head and neck of right femur, subsequent encounter for closed fracture with malunion	ICD-10-CM	Diagnosis
S72.091K	Other fracture of head and neck of right femur, subsequent encounter for closed fracture with nonunion	ICD-10-CM	Diagnosis
S72.091D	Other fracture of head and neck of right femur, subsequent encounter for closed fracture with routine healing	ICD-10-CM	Diagnosis
S72.091Q	Other fracture of head and neck of right femur, subsequent encounter for open fracture type I or II with malunion	ICD-10-CM	Diagnosis
S72.091M	Other fracture of head and neck of right femur, subsequent encounter for open fracture type I or II with nonunion	ICD-10-CM	Diagnosis
S72.091E	Other fracture of head and neck of right femur, subsequent encounter for open fracture type I or II with routine healing	ICD-10-CM	Diagnosis
S72.099B	Other fracture of head and neck of unspecified femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S72.099C	Other fracture of head and neck of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.099A	Other fracture of head and neck of unspecified femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S72.099E	Other fracture of head and neck of unspecified femur, subsequent encounter for open fracture type I or II with routine healing	ICD-10-CM	Diagnosis
S72.099R	Other fracture of head and neck of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD-10-CM	Diagnosis
S72.099N	Other fracture of head and neck of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD-10-CM	Diagnosis
S72.099J	Other fracture of head and neck of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD-10-CM	Diagnosis
S72.099F	Other fracture of head and neck of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD-10-CM	Diagnosis
S72.099G	Other fracture of head and neck of unspecified femur, subsequent encounter for closed fracture with delayed healing	ICD-10-CM	Diagnosis
S72.099P	Other fracture of head and neck of unspecified femur, subsequent encounter for closed fracture with malunion	ICD-10-CM	Diagnosis
S72.099K	Other fracture of head and neck of unspecified femur, subsequent encounter for closed fracture with nonunion	ICD-10-CM	Diagnosis
S72.099D	Other fracture of head and neck of unspecified femur, subsequent encounter for closed fracture with routine healing	ICD-10-CM	Diagnosis
S72.099H	Other fracture of head and neck of unspecified femur, subsequent encounter for open fracture type I or II with delayed healing	ICD-10-CM	Diagnosis
S72.099Q	Other fracture of head and neck of unspecified femur, subsequent encounter for open fracture type I or II with malunion	ICD-10-CM	Diagnosis
S72.099M	Other fracture of head and neck of unspecified femur, subsequent encounter for open fracture type I or II with nonunion	ICD-10-CM	Diagnosis
S72.492A	Other fracture of lower end of left femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S72.492B	Other fracture of lower end of left femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.492C	Other fracture of lower end of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.492P	Other fracture of lower end of left femur, subsequent encounter for closed fracture with malunion	ICD-10-CM	Diagnosis
S72.492K	Other fracture of lower end of left femur, subsequent encounter for closed fracture with nonunion	ICD-10-CM	Diagnosis
S72.492G	Other fracture of lower end of left femur, subsequent encounter for closed fracture with delayed healing	ICD-10-CM	Diagnosis
S72.492D	Other fracture of lower end of left femur, subsequent encounter for closed fracture with routine healing	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S72.492H	Other fracture of lower end of left femur, subsequent encounter for open fracture type I or II with delayed healing	ICD-10-CM	Diagnosis
S72.492Q	Other fracture of lower end of left femur, subsequent encounter for open fracture type I or II with malunion	ICD-10-CM	Diagnosis
S72.492M	Other fracture of lower end of left femur, subsequent encounter for open fracture type I or II with nonunion	ICD-10-CM	Diagnosis
S72.492E	Other fracture of lower end of left femur, subsequent encounter for open fracture type I or II with routine healing	ICD-10-CM	Diagnosis
S72.492J	Other fracture of lower end of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD-10-CM	Diagnosis
S72.492R	Other fracture of lower end of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD-10-CM	Diagnosis
S72.492N	Other fracture of lower end of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD-10-CM	Diagnosis
S72.492F	Other fracture of lower end of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD-10-CM	Diagnosis
S52.592P	Other fractures of lower end of left radius, subsequent encounter for closed fracture with malunion	ICD-10-CM	Diagnosis
S52.592R	Other fractures of lower end of left radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD-10-CM	Diagnosis
S52.592Q	Other fractures of lower end of left radius, subsequent encounter for open fracture type I or II with malunion	ICD-10-CM	Diagnosis
S82.392B	Other fracture of lower end of left tibia, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.392C	Other fracture of lower end of left tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.392G	Other fracture of lower end of left tibia, subsequent encounter for closed fracture with delayed healing	ICD-10-CM	Diagnosis
S82.392P	Other fracture of lower end of left tibia, subsequent encounter for closed fracture with malunion	ICD-10-CM	Diagnosis
S82.392K	Other fracture of lower end of left tibia, subsequent encounter for closed fracture with nonunion	ICD-10-CM	Diagnosis
S82.392D	Other fracture of lower end of left tibia, subsequent encounter for closed fracture with routine healing	ICD-10-CM	Diagnosis
S82.392H	Other fracture of lower end of left tibia, subsequent encounter for open fracture type I or II with delayed healing	ICD-10-CM	Diagnosis
S82.392Q	Other fracture of lower end of left tibia, subsequent encounter for open fracture type I or II with malunion	ICD-10-CM	Diagnosis
S82.392M	Other fracture of lower end of left tibia, subsequent encounter for open fracture type I or II with nonunion	ICD-10-CM	Diagnosis
S82.392E	Other fracture of lower end of left tibia, subsequent encounter for open fracture type I or II with routine healing	ICD-10-CM	Diagnosis



**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S82.392J	Other fracture of lower end of left tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD-10-CM	Diagnosis
S82.392R	Other fracture of lower end of left tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD-10-CM	Diagnosis
S82.392N	Other fracture of lower end of left tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD-10-CM	Diagnosis
S82.392F	Other fracture of lower end of left tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD-10-CM	Diagnosis
S52.692D	Other fracture of lower end of left ulna, subsequent encounter for closed fracture with routine healing	ICD-10-CM	Diagnosis
S52.692P	Other fracture of lower end of left ulna, subsequent encounter for closed fracture with malunion	ICD-10-CM	Diagnosis
S52.692B	Other fracture of lower end of left ulna, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S52.692C	Other fracture of lower end of left ulna, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S52.692A	Other fracture of lower end of left ulna, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.692G	Other fracture of lower end of left ulna, subsequent encounter for closed fracture with delayed healing	ICD-10-CM	Diagnosis
S52.692K	Other fracture of lower end of left ulna, subsequent encounter for closed fracture with nonunion	ICD-10-CM	Diagnosis
S52.692H	Other fracture of lower end of left ulna, subsequent encounter for open fracture type I or II with delayed healing	ICD-10-CM	Diagnosis
S52.692Q	Other fracture of lower end of left ulna, subsequent encounter for open fracture type I or II with malunion	ICD-10-CM	Diagnosis
S52.692M	Other fracture of lower end of left ulna, subsequent encounter for open fracture type I or II with nonunion	ICD-10-CM	Diagnosis
S52.692R	Other fracture of lower end of left ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD-10-CM	Diagnosis
S52.692N	Other fracture of lower end of left ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD-10-CM	Diagnosis
S52.692J	Other fracture of lower end of left ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD-10-CM	Diagnosis
S52.692F	Other fracture of lower end of left ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD-10-CM	Diagnosis
S52.692E	Other fracture of lower end of left ulna, subsequent encounter for open fracture type I or II with routine healing	ICD-10-CM	Diagnosis
S72.491A	Other fracture of lower end of right femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S72.491B	Other fracture of lower end of right femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S72.491C	Other fracture of lower end of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.491G	Other fracture of lower end of right femur, subsequent encounter for closed fracture with delayed healing	ICD-10-CM	Diagnosis
S72.491P	Other fracture of lower end of right femur, subsequent encounter for closed fracture with malunion	ICD-10-CM	Diagnosis
S72.491K	Other fracture of lower end of right femur, subsequent encounter for closed fracture with nonunion	ICD-10-CM	Diagnosis
S72.491D	Other fracture of lower end of right femur, subsequent encounter for closed fracture with routine healing	ICD-10-CM	Diagnosis
S72.491H	Other fracture of lower end of right femur, subsequent encounter for open fracture type I or II with delayed healing	ICD-10-CM	Diagnosis
S72.491Q	Other fracture of lower end of right femur, subsequent encounter for open fracture type I or II with malunion	ICD-10-CM	Diagnosis
S72.491M	Other fracture of lower end of right femur, subsequent encounter for open fracture type I or II with nonunion	ICD-10-CM	Diagnosis
S72.491J	Other fracture of lower end of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD-10-CM	Diagnosis
S72.491R	Other fracture of lower end of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD-10-CM	Diagnosis
S72.491N	Other fracture of lower end of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD-10-CM	Diagnosis
S72.491E	Other fracture of lower end of right femur, subsequent encounter for open fracture type I or II with routine healing	ICD-10-CM	Diagnosis
S72.491F	Other fracture of lower end of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD-10-CM	Diagnosis
S82.391B	Other fracture of lower end of right tibia, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.391C	Other fracture of lower end of right tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.391G	Other fracture of lower end of right tibia, subsequent encounter for closed fracture with delayed healing	ICD-10-CM	Diagnosis
S82.391P	Other fracture of lower end of right tibia, subsequent encounter for closed fracture with malunion	ICD-10-CM	Diagnosis
S82.391K	Other fracture of lower end of right tibia, subsequent encounter for closed fracture with nonunion	ICD-10-CM	Diagnosis
S82.391D	Other fracture of lower end of right tibia, subsequent encounter for closed fracture with routine healing	ICD-10-CM	Diagnosis
S82.391H	Other fracture of lower end of right tibia, subsequent encounter for open fracture type I or II with delayed healing	ICD-10-CM	Diagnosis
S82.391Q	Other fracture of lower end of right tibia, subsequent encounter for open fracture type I or II with malunion	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S82.391M	Other fracture of lower end of right tibia, subsequent encounter for open fracture type I or II with nonunion	ICD-10-CM	Diagnosis
S82.391E	Other fracture of lower end of right tibia, subsequent encounter for open fracture type I or II with routine healing	ICD-10-CM	Diagnosis
S82.391J	Other fracture of lower end of right tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD-10-CM	Diagnosis
S82.391R	Other fracture of lower end of right tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD-10-CM	Diagnosis
S82.391N	Other fracture of lower end of right tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD-10-CM	Diagnosis
S82.391F	Other fracture of lower end of right tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD-10-CM	Diagnosis
S52.691B	Other fracture of lower end of right ulna, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S52.691N	Other fracture of lower end of right ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD-10-CM	Diagnosis
S52.691K	Other fracture of lower end of right ulna, subsequent encounter for closed fracture with nonunion	ICD-10-CM	Diagnosis
S52.691C	Other fracture of lower end of right ulna, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S52.691A	Other fracture of lower end of right ulna, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.691G	Other fracture of lower end of right ulna, subsequent encounter for closed fracture with delayed healing	ICD-10-CM	Diagnosis
S52.691P	Other fracture of lower end of right ulna, subsequent encounter for closed fracture with malunion	ICD-10-CM	Diagnosis
S52.691Q	Other fracture of lower end of right ulna, subsequent encounter for open fracture type I or II with malunion	ICD-10-CM	Diagnosis
S52.691J	Other fracture of lower end of right ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD-10-CM	Diagnosis
S52.691F	Other fracture of lower end of right ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD-10-CM	Diagnosis
S52.691R	Other fracture of lower end of right ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD-10-CM	Diagnosis
S52.691H	Other fracture of lower end of right ulna, subsequent encounter for open fracture type I or II with delayed healing	ICD-10-CM	Diagnosis
S52.691E	Other fracture of lower end of right ulna, subsequent encounter for open fracture type I or II with routine healing	ICD-10-CM	Diagnosis
S52.691M	Other fracture of lower end of right ulna, subsequent encounter for open fracture type I or II with nonunion	ICD-10-CM	Diagnosis
S52.691D	Other fracture of lower end of right ulna, subsequent encounter for closed fracture with routine healing	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S72.499A	Other fracture of lower end of unspecified femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S72.499C	Other fracture of lower end of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.499B	Other fracture of lower end of unspecified femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.499P	Other fracture of lower end of unspecified femur, subsequent encounter for closed fracture with malunion	ICD-10-CM	Diagnosis
S72.499K	Other fracture of lower end of unspecified femur, subsequent encounter for closed fracture with nonunion	ICD-10-CM	Diagnosis
S72.499G	Other fracture of lower end of unspecified femur, subsequent encounter for closed fracture with delayed healing	ICD-10-CM	Diagnosis
S72.499D	Other fracture of lower end of unspecified femur, subsequent encounter for closed fracture with routine healing	ICD-10-CM	Diagnosis
S72.499Q	Other fracture of lower end of unspecified femur, subsequent encounter for open fracture type I or II with malunion	ICD-10-CM	Diagnosis
S72.499M	Other fracture of lower end of unspecified femur, subsequent encounter for open fracture type I or II with nonunion	ICD-10-CM	Diagnosis
S72.499E	Other fracture of lower end of unspecified femur, subsequent encounter for open fracture type I or II with routine healing	ICD-10-CM	Diagnosis
S72.499J	Other fracture of lower end of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD-10-CM	Diagnosis
S72.499R	Other fracture of lower end of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD-10-CM	Diagnosis
S72.499N	Other fracture of lower end of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD-10-CM	Diagnosis
S72.499F	Other fracture of lower end of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD-10-CM	Diagnosis
S72.499H	Other fracture of lower end of unspecified femur, subsequent encounter for open fracture type I or II with delayed healing	ICD-10-CM	Diagnosis
S52.599B	Other fractures of lower end of unspecified radius, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S52.599C	Other fractures of lower end of unspecified radius, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S52.599A	Other fractures of lower end of unspecified radius, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.599K	Other fractures of lower end of unspecified radius, subsequent encounter for closed fracture with nonunion	ICD-10-CM	Diagnosis
S52.599H	Other fractures of lower end of unspecified radius, subsequent encounter for open fracture type I or II with delayed healing	ICD-10-CM	Diagnosis
S52.599E	Other fractures of lower end of unspecified radius, subsequent encounter for open fracture type I or II with routine healing	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S52.599J	Other fractures of lower end of unspecified radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD-10-CM	Diagnosis
S52.599R	Other fractures of lower end of unspecified radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD-10-CM	Diagnosis
S52.599N	Other fractures of lower end of unspecified radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD-10-CM	Diagnosis
S52.599F	Other fractures of lower end of unspecified radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD-10-CM	Diagnosis
S52.599Q	Other fractures of lower end of unspecified radius, subsequent encounter for open fracture type I or II with malunion	ICD-10-CM	Diagnosis
S52.599M	Other fractures of lower end of unspecified radius, subsequent encounter for open fracture type I or II with nonunion	ICD-10-CM	Diagnosis
S52.599G	Other fractures of lower end of unspecified radius, subsequent encounter for closed fracture with delayed healing	ICD-10-CM	Diagnosis
S52.599P	Other fractures of lower end of unspecified radius, subsequent encounter for closed fracture with malunion	ICD-10-CM	Diagnosis
S52.599D	Other fractures of lower end of unspecified radius, subsequent encounter for closed fracture with routine healing	ICD-10-CM	Diagnosis
S82.399B	Other fracture of lower end of unspecified tibia, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.399C	Other fracture of lower end of unspecified tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.399G	Other fracture of lower end of unspecified tibia, subsequent encounter for closed fracture with delayed healing	ICD-10-CM	Diagnosis
S82.399P	Other fracture of lower end of unspecified tibia, subsequent encounter for closed fracture with malunion	ICD-10-CM	Diagnosis
S82.399K	Other fracture of lower end of unspecified tibia, subsequent encounter for closed fracture with nonunion	ICD-10-CM	Diagnosis
S82.399D	Other fracture of lower end of unspecified tibia, subsequent encounter for closed fracture with routine healing	ICD-10-CM	Diagnosis
S82.399Q	Other fracture of lower end of unspecified tibia, subsequent encounter for open fracture type I or II with malunion	ICD-10-CM	Diagnosis
S82.399M	Other fracture of lower end of unspecified tibia, subsequent encounter for open fracture type I or II with nonunion	ICD-10-CM	Diagnosis
S82.399E	Other fracture of lower end of unspecified tibia, subsequent encounter for open fracture type I or II with routine healing	ICD-10-CM	Diagnosis
S82.399J	Other fracture of lower end of unspecified tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD-10-CM	Diagnosis
S82.399R	Other fracture of lower end of unspecified tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD-10-CM	Diagnosis
S82.399N	Other fracture of lower end of unspecified tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S82.399F	Other fracture of lower end of unspecified tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD-10-CM	Diagnosis
S82.399H	Other fracture of lower end of unspecified tibia, subsequent encounter for open fracture type I or II with delayed healing	ICD-10-CM	Diagnosis
S52.699H	Other fracture of lower end of unspecified ulna, subsequent encounter for open fracture type I or II with delayed healing	ICD-10-CM	Diagnosis
S52.699C	Other fracture of lower end of unspecified ulna, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S52.699A	Other fracture of lower end of unspecified ulna, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.699B	Other fracture of lower end of unspecified ulna, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S52.699P	Other fracture of lower end of unspecified ulna, subsequent encounter for closed fracture with malunion	ICD-10-CM	Diagnosis
S52.699K	Other fracture of lower end of unspecified ulna, subsequent encounter for closed fracture with nonunion	ICD-10-CM	Diagnosis
S52.699Q	Other fracture of lower end of unspecified ulna, subsequent encounter for open fracture type I or II with malunion	ICD-10-CM	Diagnosis
S52.699M	Other fracture of lower end of unspecified ulna, subsequent encounter for open fracture type I or II with nonunion	ICD-10-CM	Diagnosis
S52.699J	Other fracture of lower end of unspecified ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD-10-CM	Diagnosis
S52.699R	Other fracture of lower end of unspecified ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD-10-CM	Diagnosis
S52.699N	Other fracture of lower end of unspecified ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD-10-CM	Diagnosis
S52.699F	Other fracture of lower end of unspecified ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD-10-CM	Diagnosis
S52.699E	Other fracture of lower end of unspecified ulna, subsequent encounter for open fracture type I or II with routine healing	ICD-10-CM	Diagnosis
S52.699D	Other fracture of lower end of unspecified ulna, subsequent encounter for closed fracture with routine healing	ICD-10-CM	Diagnosis
S52.699G	Other fracture of lower end of unspecified ulna, subsequent encounter for closed fracture with delayed healing	ICD-10-CM	Diagnosis
S72.8X2B	Other fracture of left femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.8X2C	Other fracture of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.8X2G	Other fracture of left femur, subsequent encounter for closed fracture with delayed healing	ICD-10-CM	Diagnosis
S72.8X2P	Other fracture of left femur, subsequent encounter for closed fracture with malunion	ICD-10-CM	Diagnosis
S72.8X2K	Other fracture of left femur, subsequent encounter for closed fracture with nonunion	ICD-10-CM	Diagnosis



**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S72.8X2D	Other fracture of left femur, subsequent encounter for closed fracture with routine healing	ICD-10-CM	Diagnosis
S72.8X2H	Other fracture of left femur, subsequent encounter for open fracture type I or II with delayed healing	ICD-10-CM	Diagnosis
S72.8X2Q	Other fracture of left femur, subsequent encounter for open fracture type I or II with malunion	ICD-10-CM	Diagnosis
S72.8X2M	Other fracture of left femur, subsequent encounter for open fracture type I or II with nonunion	ICD-10-CM	Diagnosis
S72.8X2E	Other fracture of left femur, subsequent encounter for open fracture type I or II with routine healing	ICD-10-CM	Diagnosis
S72.8X2J	Other fracture of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD-10-CM	Diagnosis
S72.8X2F	Other fracture of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD-10-CM	Diagnosis
S72.8X2R	Other fracture of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD-10-CM	Diagnosis
S72.8X2N	Other fracture of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD-10-CM	Diagnosis
S92.592A	Other fracture of left lesser toe(s), initial encounter for closed fracture	ICD-10-CM	Diagnosis
S92.592B	Other fracture of left lesser toe(s), initial encounter for open fracture	ICD-10-CM	Diagnosis
S92.592G	Other fracture of left lesser toe(s), subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S92.592P	Other fracture of left lesser toe(s), subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S92.592K	Other fracture of left lesser toe(s), subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S92.592D	Other fracture of left lesser toe(s), subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S82.892B	Other fracture of left lower leg, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.892C	Other fracture of left lower leg, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.892G	Other fracture of left lower leg, subsequent encounter for closed fracture with delayed healing	ICD-10-CM	Diagnosis
S82.892P	Other fracture of left lower leg, subsequent encounter for closed fracture with malunion	ICD-10-CM	Diagnosis
S82.892K	Other fracture of left lower leg, subsequent encounter for closed fracture with nonunion	ICD-10-CM	Diagnosis
S82.892D	Other fracture of left lower leg, subsequent encounter for closed fracture with routine healing	ICD-10-CM	Diagnosis
S82.892H	Other fracture of left lower leg, subsequent encounter for open fracture type I or II with delayed healing	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S82.892Q	Other fracture of left lower leg, subsequent encounter for open fracture type I or II with malunion	ICD-10-CM	Diagnosis
S82.892M	Other fracture of left lower leg, subsequent encounter for open fracture type I or II with nonunion	ICD-10-CM	Diagnosis
S82.892E	Other fracture of left lower leg, subsequent encounter for open fracture type I or II with routine healing	ICD-10-CM	Diagnosis
S82.892J	Other fracture of left lower leg, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD-10-CM	Diagnosis
S82.892R	Other fracture of left lower leg, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD-10-CM	Diagnosis
S82.892N	Other fracture of left lower leg, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD-10-CM	Diagnosis
S82.892F	Other fracture of left lower leg, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD-10-CM	Diagnosis
S62.398D	Other fracture of other metacarpal bone, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S62.398A	Other fracture of other metacarpal bone, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S62.398B	Other fracture of other metacarpal bone, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.398G	Other fracture of other metacarpal bone, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S62.398P	Other fracture of other metacarpal bone, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S62.398K	Other fracture of other metacarpal bone, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S72.8X1B	Other fracture of right femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.8X1C	Other fracture of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.8X1G	Other fracture of right femur, subsequent encounter for closed fracture with delayed healing	ICD-10-CM	Diagnosis
S72.8X1P	Other fracture of right femur, subsequent encounter for closed fracture with malunion	ICD-10-CM	Diagnosis
S72.8X1K	Other fracture of right femur, subsequent encounter for closed fracture with nonunion	ICD-10-CM	Diagnosis
S72.8X1D	Other fracture of right femur, subsequent encounter for closed fracture with routine healing	ICD-10-CM	Diagnosis
S72.8X1H	Other fracture of right femur, subsequent encounter for open fracture type I or II with delayed healing	ICD-10-CM	Diagnosis
S72.8X1Q	Other fracture of right femur, subsequent encounter for open fracture type I or II with malunion	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S72.8X1M	Other fracture of right femur, subsequent encounter for open fracture type I or II with nonunion	ICD-10-CM	Diagnosis
S72.8X1E	Other fracture of right femur, subsequent encounter for open fracture type I or II with routine healing	ICD-10-CM	Diagnosis
S72.8X1J	Other fracture of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD-10-CM	Diagnosis
S72.8X1F	Other fracture of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD-10-CM	Diagnosis
S72.8X1R	Other fracture of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD-10-CM	Diagnosis
S72.8X1N	Other fracture of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD-10-CM	Diagnosis
S92.591A	Other fracture of right lesser toe(s), initial encounter for closed fracture	ICD-10-CM	Diagnosis
S92.591B	Other fracture of right lesser toe(s), initial encounter for open fracture	ICD-10-CM	Diagnosis
S92.591G	Other fracture of right lesser toe(s), subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S92.591P	Other fracture of right lesser toe(s), subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S92.591K	Other fracture of right lesser toe(s), subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S92.591D	Other fracture of right lesser toe(s), subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S82.891B	Other fracture of right lower leg, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.891C	Other fracture of right lower leg, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.891G	Other fracture of right lower leg, subsequent encounter for closed fracture with delayed healing	ICD-10-CM	Diagnosis
S82.891P	Other fracture of right lower leg, subsequent encounter for closed fracture with malunion	ICD-10-CM	Diagnosis
S82.891K	Other fracture of right lower leg, subsequent encounter for closed fracture with nonunion	ICD-10-CM	Diagnosis
S82.891D	Other fracture of right lower leg, subsequent encounter for closed fracture with routine healing	ICD-10-CM	Diagnosis
S82.891H	Other fracture of right lower leg, subsequent encounter for open fracture type I or II with delayed healing	ICD-10-CM	Diagnosis
S82.891Q	Other fracture of right lower leg, subsequent encounter for open fracture type I or II with malunion	ICD-10-CM	Diagnosis
S82.891M	Other fracture of right lower leg, subsequent encounter for open fracture type I or II with nonunion	ICD-10-CM	Diagnosis
S82.891E	Other fracture of right lower leg, subsequent encounter for open fracture type I or II with routine healing	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S82.891J	Other fracture of right lower leg, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD-10-CM	Diagnosis
S82.891R	Other fracture of right lower leg, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD-10-CM	Diagnosis
S82.891N	Other fracture of right lower leg, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD-10-CM	Diagnosis
S82.891F	Other fracture of right lower leg, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD-10-CM	Diagnosis
S32.19XK	Other fracture of sacrum, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S32.19XD	Other fracture of sacrum, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S32.19XG	Other fracture of sacrum, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S62.391S	Other fracture of second metacarpal bone, left hand, sequela	ICD-10-CM	Diagnosis
S62.390S	Other fracture of second metacarpal bone, right hand, sequela	ICD-10-CM	Diagnosis
S72.392B	Other fracture of shaft of left femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.392C	Other fracture of shaft of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.392A	Other fracture of shaft of left femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S72.392G	Other fracture of shaft of left femur, subsequent encounter for closed fracture with delayed healing	ICD-10-CM	Diagnosis
S72.392P	Other fracture of shaft of left femur, subsequent encounter for closed fracture with malunion	ICD-10-CM	Diagnosis
S72.392K	Other fracture of shaft of left femur, subsequent encounter for closed fracture with nonunion	ICD-10-CM	Diagnosis
S72.392Q	Other fracture of shaft of left femur, subsequent encounter for open fracture type I or II with malunion	ICD-10-CM	Diagnosis
S72.392R	Other fracture of shaft of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD-10-CM	Diagnosis
S72.392F	Other fracture of shaft of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD-10-CM	Diagnosis
S72.392H	Other fracture of shaft of left femur, subsequent encounter for open fracture type I or II with delayed healing	ICD-10-CM	Diagnosis
S72.392M	Other fracture of shaft of left femur, subsequent encounter for open fracture type I or II with nonunion	ICD-10-CM	Diagnosis
S72.392E	Other fracture of shaft of left femur, subsequent encounter for open fracture type I or II with routine healing	ICD-10-CM	Diagnosis
S72.392J	Other fracture of shaft of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD-10-CM	Diagnosis
S72.392N	Other fracture of shaft of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S72.392D	Other fracture of shaft of left femur, subsequent encounter for closed fracture with routine healing	ICD-10-CM	Diagnosis
S82.492C	Other fracture of shaft of left fibula, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.492B	Other fracture of shaft of left fibula, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.492P	Other fracture of shaft of left fibula, subsequent encounter for closed fracture with malunion	ICD-10-CM	Diagnosis
S82.492K	Other fracture of shaft of left fibula, subsequent encounter for closed fracture with nonunion	ICD-10-CM	Diagnosis
S82.492G	Other fracture of shaft of left fibula, subsequent encounter for closed fracture with delayed healing	ICD-10-CM	Diagnosis
S82.492D	Other fracture of shaft of left fibula, subsequent encounter for closed fracture with routine healing	ICD-10-CM	Diagnosis
S82.492Q	Other fracture of shaft of left fibula, subsequent encounter for open fracture type I or II with malunion	ICD-10-CM	Diagnosis
S82.492M	Other fracture of shaft of left fibula, subsequent encounter for open fracture type I or II with nonunion	ICD-10-CM	Diagnosis
S82.492E	Other fracture of shaft of left fibula, subsequent encounter for open fracture type I or II with routine healing	ICD-10-CM	Diagnosis
S82.492J	Other fracture of shaft of left fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD-10-CM	Diagnosis
S82.492R	Other fracture of shaft of left fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD-10-CM	Diagnosis
S82.492N	Other fracture of shaft of left fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD-10-CM	Diagnosis
S82.492F	Other fracture of shaft of left fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD-10-CM	Diagnosis
S82.492H	Other fracture of shaft of left fibula, subsequent encounter for open fracture type I or II with delayed healing	ICD-10-CM	Diagnosis
S52.392P	Other fracture of shaft of radius, left arm, subsequent encounter for closed fracture with malunion	ICD-10-CM	Diagnosis
S52.392Q	Other fracture of shaft of radius, left arm, subsequent encounter for open fracture type I or II with malunion	ICD-10-CM	Diagnosis
S52.392R	Other fracture of shaft of radius, left arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD-10-CM	Diagnosis
S52.399B	Other fracture of shaft of radius, unspecified arm, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S52.399C	Other fracture of shaft of radius, unspecified arm, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S52.399A	Other fracture of shaft of radius, unspecified arm, initial encounter for closed fracture	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S52.399P	Other fracture of shaft of radius, unspecified arm, subsequent encounter for closed fracture with malunion	ICD-10-CM	Diagnosis
S52.399K	Other fracture of shaft of radius, unspecified arm, subsequent encounter for closed fracture with nonunion	ICD-10-CM	Diagnosis
S52.399G	Other fracture of shaft of radius, unspecified arm, subsequent encounter for closed fracture with delayed healing	ICD-10-CM	Diagnosis
S52.399D	Other fracture of shaft of radius, unspecified arm, subsequent encounter for closed fracture with routine healing	ICD-10-CM	Diagnosis
S52.399N	Other fracture of shaft of radius, unspecified arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD-10-CM	Diagnosis
S52.399H	Other fracture of shaft of radius, unspecified arm, subsequent encounter for open fracture type I or II with delayed healing	ICD-10-CM	Diagnosis
S52.399Q	Other fracture of shaft of radius, unspecified arm, subsequent encounter for open fracture type I or II with malunion	ICD-10-CM	Diagnosis
S52.399M	Other fracture of shaft of radius, unspecified arm, subsequent encounter for open fracture type I or II with nonunion	ICD-10-CM	Diagnosis
S52.399E	Other fracture of shaft of radius, unspecified arm, subsequent encounter for open fracture type I or II with routine healing	ICD-10-CM	Diagnosis
S52.399J	Other fracture of shaft of radius, unspecified arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD-10-CM	Diagnosis
S52.399R	Other fracture of shaft of radius, unspecified arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD-10-CM	Diagnosis
S52.399F	Other fracture of shaft of radius, unspecified arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD-10-CM	Diagnosis
S72.391B	Other fracture of shaft of right femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.391C	Other fracture of shaft of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.391A	Other fracture of shaft of right femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S72.391G	Other fracture of shaft of right femur, subsequent encounter for closed fracture with delayed healing	ICD-10-CM	Diagnosis
S72.391P	Other fracture of shaft of right femur, subsequent encounter for closed fracture with malunion	ICD-10-CM	Diagnosis
S72.391K	Other fracture of shaft of right femur, subsequent encounter for closed fracture with nonunion	ICD-10-CM	Diagnosis
S72.391J	Other fracture of shaft of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD-10-CM	Diagnosis
S72.391R	Other fracture of shaft of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD-10-CM	Diagnosis
S72.391N	Other fracture of shaft of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD-10-CM	Diagnosis
S72.391F	Other fracture of shaft of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD-10-CM	Diagnosis



**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S72.391H	Other fracture of shaft of right femur, subsequent encounter for open fracture type I or II with delayed healing	ICD-10-CM	Diagnosis
S72.391Q	Other fracture of shaft of right femur, subsequent encounter for open fracture type I or II with malunion	ICD-10-CM	Diagnosis
S72.391M	Other fracture of shaft of right femur, subsequent encounter for open fracture type I or II with nonunion	ICD-10-CM	Diagnosis
S72.391E	Other fracture of shaft of right femur, subsequent encounter for open fracture type I or II with routine healing	ICD-10-CM	Diagnosis
S72.391D	Other fracture of shaft of right femur, subsequent encounter for closed fracture with routine healing	ICD-10-CM	Diagnosis
S82.491C	Other fracture of shaft of right fibula, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.491B	Other fracture of shaft of right fibula, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.491P	Other fracture of shaft of right fibula, subsequent encounter for closed fracture with malunion	ICD-10-CM	Diagnosis
S82.491K	Other fracture of shaft of right fibula, subsequent encounter for closed fracture with nonunion	ICD-10-CM	Diagnosis
S82.491G	Other fracture of shaft of right fibula, subsequent encounter for closed fracture with delayed healing	ICD-10-CM	Diagnosis
S82.491D	Other fracture of shaft of right fibula, subsequent encounter for closed fracture with routine healing	ICD-10-CM	Diagnosis
S82.491Q	Other fracture of shaft of right fibula, subsequent encounter for open fracture type I or II with malunion	ICD-10-CM	Diagnosis
S82.491M	Other fracture of shaft of right fibula, subsequent encounter for open fracture type I or II with nonunion	ICD-10-CM	Diagnosis
S82.491E	Other fracture of shaft of right fibula, subsequent encounter for open fracture type I or II with routine healing	ICD-10-CM	Diagnosis
S82.491J	Other fracture of shaft of right fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD-10-CM	Diagnosis
S82.491R	Other fracture of shaft of right fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD-10-CM	Diagnosis
S82.491N	Other fracture of shaft of right fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD-10-CM	Diagnosis
S82.491F	Other fracture of shaft of right fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD-10-CM	Diagnosis
S82.491H	Other fracture of shaft of right fibula, subsequent encounter for open fracture type I or II with delayed healing	ICD-10-CM	Diagnosis
S72.399B	Other fracture of shaft of unspecified femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.399C	Other fracture of shaft of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S72.399A	Other fracture of shaft of unspecified femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S72.399G	Other fracture of shaft of unspecified femur, subsequent encounter for closed fracture with delayed healing	ICD-10-CM	Diagnosis
S72.399P	Other fracture of shaft of unspecified femur, subsequent encounter for closed fracture with malunion	ICD-10-CM	Diagnosis
S72.399K	Other fracture of shaft of unspecified femur, subsequent encounter for closed fracture with nonunion	ICD-10-CM	Diagnosis
S72.399J	Other fracture of shaft of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD-10-CM	Diagnosis
S72.399R	Other fracture of shaft of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD-10-CM	Diagnosis
S72.399N	Other fracture of shaft of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD-10-CM	Diagnosis
S72.399F	Other fracture of shaft of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD-10-CM	Diagnosis
S72.399Q	Other fracture of shaft of unspecified femur, subsequent encounter for open fracture type I or II with malunion	ICD-10-CM	Diagnosis
S72.399M	Other fracture of shaft of unspecified femur, subsequent encounter for open fracture type I or II with nonunion	ICD-10-CM	Diagnosis
S72.399E	Other fracture of shaft of unspecified femur, subsequent encounter for open fracture type I or II with routine healing	ICD-10-CM	Diagnosis
S72.399H	Other fracture of shaft of unspecified femur, subsequent encounter for open fracture type I or II with delayed healing	ICD-10-CM	Diagnosis
S72.399D	Other fracture of shaft of unspecified femur, subsequent encounter for closed fracture with routine healing	ICD-10-CM	Diagnosis
S82.499C	Other fracture of shaft of unspecified fibula, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.499B	Other fracture of shaft of unspecified fibula, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.499P	Other fracture of shaft of unspecified fibula, subsequent encounter for closed fracture with malunion	ICD-10-CM	Diagnosis
S82.499K	Other fracture of shaft of unspecified fibula, subsequent encounter for closed fracture with nonunion	ICD-10-CM	Diagnosis
S82.499G	Other fracture of shaft of unspecified fibula, subsequent encounter for closed fracture with delayed healing	ICD-10-CM	Diagnosis
S82.499D	Other fracture of shaft of unspecified fibula, subsequent encounter for closed fracture with routine healing	ICD-10-CM	Diagnosis
S82.499R	Other fracture of shaft of unspecified fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD-10-CM	Diagnosis
S82.499N	Other fracture of shaft of unspecified fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S82.499F	Other fracture of shaft of unspecified fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD-10-CM	Diagnosis
S82.499H	Other fracture of shaft of unspecified fibula, subsequent encounter for open fracture type I or II with delayed healing	ICD-10-CM	Diagnosis
S82.499Q	Other fracture of shaft of unspecified fibula, subsequent encounter for open fracture type I or II with malunion	ICD-10-CM	Diagnosis
S82.499M	Other fracture of shaft of unspecified fibula, subsequent encounter for open fracture type I or II with nonunion	ICD-10-CM	Diagnosis
S82.499E	Other fracture of shaft of unspecified fibula, subsequent encounter for open fracture type I or II with routine healing	ICD-10-CM	Diagnosis
S82.499J	Other fracture of shaft of unspecified fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD-10-CM	Diagnosis
S42.392G	Other fracture of shaft of left humerus, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S42.392P	Other fracture of shaft of left humerus, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S42.392K	Other fracture of shaft of left humerus, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S42.392D	Other fracture of shaft of left humerus, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S52.292C	Other fracture of shaft of left ulna, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S52.292A	Other fracture of shaft of left ulna, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.292B	Other fracture of shaft of left ulna, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S52.292J	Other fracture of shaft of left ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD-10-CM	Diagnosis
S52.292R	Other fracture of shaft of left ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD-10-CM	Diagnosis
S52.292N	Other fracture of shaft of left ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD-10-CM	Diagnosis
S52.292F	Other fracture of shaft of left ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD-10-CM	Diagnosis
S52.292G	Other fracture of shaft of left ulna, subsequent encounter for closed fracture with delayed healing	ICD-10-CM	Diagnosis
S52.292P	Other fracture of shaft of left ulna, subsequent encounter for closed fracture with malunion	ICD-10-CM	Diagnosis
S52.292K	Other fracture of shaft of left ulna, subsequent encounter for closed fracture with nonunion	ICD-10-CM	Diagnosis
S52.292D	Other fracture of shaft of left ulna, subsequent encounter for closed fracture with routine healing	ICD-10-CM	Diagnosis
S52.292H	Other fracture of shaft of left ulna, subsequent encounter for open fracture type I or II with delayed healing	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S52.292Q	Other fracture of shaft of left ulna, subsequent encounter for open fracture type I or II with malunion	ICD-10-CM	Diagnosis
S52.292M	Other fracture of shaft of left ulna, subsequent encounter for open fracture type I or II with nonunion	ICD-10-CM	Diagnosis
S52.292E	Other fracture of shaft of left ulna, subsequent encounter for open fracture type I or II with routine healing	ICD-10-CM	Diagnosis
S52.391C	Other fracture of shaft of radius, right arm, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S52.392N	Other fracture of shaft of radius, left arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD-10-CM	Diagnosis
S42.391G	Other fracture of shaft of right humerus, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S42.391P	Other fracture of shaft of right humerus, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S42.391K	Other fracture of shaft of right humerus, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S42.391D	Other fracture of shaft of right humerus, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S52.291C	Other fracture of shaft of right ulna, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S52.291A	Other fracture of shaft of right ulna, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.291B	Other fracture of shaft of right ulna, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S52.291J	Other fracture of shaft of right ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD-10-CM	Diagnosis
S52.291R	Other fracture of shaft of right ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD-10-CM	Diagnosis
S52.291N	Other fracture of shaft of right ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD-10-CM	Diagnosis
S52.291F	Other fracture of shaft of right ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD-10-CM	Diagnosis
S52.291G	Other fracture of shaft of right ulna, subsequent encounter for closed fracture with delayed healing	ICD-10-CM	Diagnosis
S52.291P	Other fracture of shaft of right ulna, subsequent encounter for closed fracture with malunion	ICD-10-CM	Diagnosis
S52.291K	Other fracture of shaft of right ulna, subsequent encounter for closed fracture with nonunion	ICD-10-CM	Diagnosis
S52.291D	Other fracture of shaft of right ulna, subsequent encounter for closed fracture with routine healing	ICD-10-CM	Diagnosis
S52.291H	Other fracture of shaft of right ulna, subsequent encounter for open fracture type I or II with delayed healing	ICD-10-CM	Diagnosis
S52.291Q	Other fracture of shaft of right ulna, subsequent encounter for open fracture type I or II with malunion	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S52.291M	Other fracture of shaft of right ulna, subsequent encounter for open fracture type I or II with nonunion	ICD-10-CM	Diagnosis
S52.291E	Other fracture of shaft of right ulna, subsequent encounter for open fracture type I or II with routine healing	ICD-10-CM	Diagnosis
S42.399G	Other fracture of shaft of unspecified humerus, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S42.399P	Other fracture of shaft of unspecified humerus, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S42.399K	Other fracture of shaft of unspecified humerus, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S42.399D	Other fracture of shaft of unspecified humerus, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S52.299B	Other fracture of shaft of unspecified ulna, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S52.299C	Other fracture of shaft of unspecified ulna, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S52.299A	Other fracture of shaft of unspecified ulna, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.299J	Other fracture of shaft of unspecified ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD-10-CM	Diagnosis
S52.299P	Other fracture of shaft of unspecified ulna, subsequent encounter for closed fracture with malunion	ICD-10-CM	Diagnosis
S52.299K	Other fracture of shaft of unspecified ulna, subsequent encounter for closed fracture with nonunion	ICD-10-CM	Diagnosis
S52.299D	Other fracture of shaft of unspecified ulna, subsequent encounter for closed fracture with routine healing	ICD-10-CM	Diagnosis
S52.299Q	Other fracture of shaft of unspecified ulna, subsequent encounter for open fracture type I or II with malunion	ICD-10-CM	Diagnosis
S52.299M	Other fracture of shaft of unspecified ulna, subsequent encounter for open fracture type I or II with nonunion	ICD-10-CM	Diagnosis
S52.299E	Other fracture of shaft of unspecified ulna, subsequent encounter for open fracture type I or II with routine healing	ICD-10-CM	Diagnosis
S52.299G	Other fracture of shaft of unspecified ulna, subsequent encounter for closed fracture with delayed healing	ICD-10-CM	Diagnosis
S52.299H	Other fracture of shaft of unspecified ulna, subsequent encounter for open fracture type I or II with delayed healing	ICD-10-CM	Diagnosis
S52.299R	Other fracture of shaft of unspecified ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD-10-CM	Diagnosis
S52.299N	Other fracture of shaft of unspecified ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD-10-CM	Diagnosis
S52.299F	Other fracture of shaft of unspecified ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S22.088K	Other fracture of T11-T12 vertebra, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S22.088D	Other fracture of T11-T12 vertebra, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S22.088G	Other fracture of T11-T12 vertebra, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S22.058G	Other fracture of T5-T6 vertebra, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S22.058K	Other fracture of T5-T6 vertebra, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S22.058D	Other fracture of T5-T6 vertebra, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S22.068A	Other fracture of T7-T8 thoracic vertebra, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S22.068B	Other fracture of T7-T8 thoracic vertebra, initial encounter for open fracture	ICD-10-CM	Diagnosis
S22.068G	Other fracture of T7-T8 thoracic vertebra, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S22.068K	Other fracture of T7-T8 thoracic vertebra, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S22.068D	Other fracture of T7-T8 thoracic vertebra, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S22.078K	Other fracture of T9-T10 vertebra, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S22.078D	Other fracture of T9-T10 vertebra, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S22.078G	Other fracture of T9-T10 vertebra, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S62.393S	Other fracture of third metacarpal bone, left hand, sequela	ICD-10-CM	Diagnosis
S62.392S	Other fracture of third metacarpal bone, right hand, sequela	ICD-10-CM	Diagnosis
S72.8X9B	Other fracture of unspecified femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.8X9C	Other fracture of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.8X9G	Other fracture of unspecified femur, subsequent encounter for closed fracture with delayed healing	ICD-10-CM	Diagnosis
S72.8X9P	Other fracture of unspecified femur, subsequent encounter for closed fracture with malunion	ICD-10-CM	Diagnosis
S72.8X9K	Other fracture of unspecified femur, subsequent encounter for closed fracture with nonunion	ICD-10-CM	Diagnosis
S72.8X9D	Other fracture of unspecified femur, subsequent encounter for closed fracture with routine healing	ICD-10-CM	Diagnosis



**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S72.8X9H	Other fracture of unspecified femur, subsequent encounter for open fracture type I or II with delayed healing	ICD-10-CM	Diagnosis
S72.8X9Q	Other fracture of unspecified femur, subsequent encounter for open fracture type I or II with malunion	ICD-10-CM	Diagnosis
S72.8X9M	Other fracture of unspecified femur, subsequent encounter for open fracture type I or II with nonunion	ICD-10-CM	Diagnosis
S72.8X9E	Other fracture of unspecified femur, subsequent encounter for open fracture type I or II with routine healing	ICD-10-CM	Diagnosis
S72.8X9J	Other fracture of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD-10-CM	Diagnosis
S72.8X9R	Other fracture of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD-10-CM	Diagnosis
S72.8X9N	Other fracture of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD-10-CM	Diagnosis
S72.8X9F	Other fracture of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD-10-CM	Diagnosis
S92.599A	Other fracture of unspecified lesser toe(s), initial encounter for closed fracture	ICD-10-CM	Diagnosis
S92.599B	Other fracture of unspecified lesser toe(s), initial encounter for open fracture	ICD-10-CM	Diagnosis
S92.599G	Other fracture of unspecified lesser toe(s), subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S92.599P	Other fracture of unspecified lesser toe(s), subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S92.599K	Other fracture of unspecified lesser toe(s), subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S92.599D	Other fracture of unspecified lesser toe(s), subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S82.899B	Other fracture of unspecified lower leg, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.899C	Other fracture of unspecified lower leg, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.899G	Other fracture of unspecified lower leg, subsequent encounter for closed fracture with delayed healing	ICD-10-CM	Diagnosis
S82.899P	Other fracture of unspecified lower leg, subsequent encounter for closed fracture with malunion	ICD-10-CM	Diagnosis
S82.899K	Other fracture of unspecified lower leg, subsequent encounter for closed fracture with nonunion	ICD-10-CM	Diagnosis
S82.899D	Other fracture of unspecified lower leg, subsequent encounter for closed fracture with routine healing	ICD-10-CM	Diagnosis
S82.899H	Other fracture of unspecified lower leg, subsequent encounter for open fracture type I or II with delayed healing	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S82.899Q	Other fracture of unspecified lower leg, subsequent encounter for open fracture type I or II with malunion	ICD-10-CM	Diagnosis
S82.899M	Other fracture of unspecified lower leg, subsequent encounter for open fracture type I or II with nonunion	ICD-10-CM	Diagnosis
S82.899E	Other fracture of unspecified lower leg, subsequent encounter for open fracture type I or II with routine healing	ICD-10-CM	Diagnosis
S82.899J	Other fracture of unspecified lower leg, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD-10-CM	Diagnosis
S82.899R	Other fracture of unspecified lower leg, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD-10-CM	Diagnosis
S82.899N	Other fracture of unspecified lower leg, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD-10-CM	Diagnosis
S82.899F	Other fracture of unspecified lower leg, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD-10-CM	Diagnosis
S62.399D	Other fracture of unspecified metacarpal bone, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S62.399A	Other fracture of unspecified metacarpal bone, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S62.399B	Other fracture of unspecified metacarpal bone, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.399G	Other fracture of unspecified metacarpal bone, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S62.399P	Other fracture of unspecified metacarpal bone, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S62.399K	Other fracture of unspecified metacarpal bone, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S22.008B	Other fracture of unspecified thoracic vertebra, initial encounter for open fracture	ICD-10-CM	Diagnosis
S22.008G	Other fracture of unspecified thoracic vertebra, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S22.008K	Other fracture of unspecified thoracic vertebra, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S22.008D	Other fracture of unspecified thoracic vertebra, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S22.008A	Other fracture of unspecified thoracic vertebra, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.832S	Other fracture of upper and lower end of left fibula, sequela	ICD-10-CM	Diagnosis
S82.831S	Other fracture of upper and lower end of right fibula, sequela	ICD-10-CM	Diagnosis
S82.839S	Other fracture of upper and lower end of unspecified fibula, sequela	ICD-10-CM	Diagnosis
S82.832G	Other fracture of upper and lower end of left fibula, subsequent encounter for closed fracture with delayed healing	ICD-10-CM	Diagnosis
S82.832P	Other fracture of upper and lower end of left fibula, subsequent encounter for closed fracture with malunion	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S82.832K	Other fracture of upper and lower end of left fibula, subsequent encounter for closed fracture with nonunion	ICD-10-CM	Diagnosis
S82.832D	Other fracture of upper and lower end of left fibula, subsequent encounter for closed fracture with routine healing	ICD-10-CM	Diagnosis
S82.832Q	Other fracture of upper and lower end of left fibula, subsequent encounter for open fracture type I or II with malunion	ICD-10-CM	Diagnosis
S82.832M	Other fracture of upper and lower end of left fibula, subsequent encounter for open fracture type I or II with nonunion	ICD-10-CM	Diagnosis
S82.832E	Other fracture of upper and lower end of left fibula, subsequent encounter for open fracture type I or II with routine healing	ICD-10-CM	Diagnosis
S82.832J	Other fracture of upper and lower end of left fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD-10-CM	Diagnosis
S82.832R	Other fracture of upper and lower end of left fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD-10-CM	Diagnosis
S82.832N	Other fracture of upper and lower end of left fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD-10-CM	Diagnosis
S82.832F	Other fracture of upper and lower end of left fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD-10-CM	Diagnosis
S82.832H	Other fracture of upper and lower end of left fibula, subsequent encounter for open fracture type I or II with delayed healing	ICD-10-CM	Diagnosis
S82.832A	Other fracture of upper and lower end of left fibula, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.832B	Other fracture of upper and lower end of left fibula, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.832C	Other fracture of upper and lower end of left fibula, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.831G	Other fracture of upper and lower end of right fibula, subsequent encounter for closed fracture with delayed healing	ICD-10-CM	Diagnosis
S82.831P	Other fracture of upper and lower end of right fibula, subsequent encounter for closed fracture with malunion	ICD-10-CM	Diagnosis
S82.831K	Other fracture of upper and lower end of right fibula, subsequent encounter for closed fracture with nonunion	ICD-10-CM	Diagnosis
S82.831D	Other fracture of upper and lower end of right fibula, subsequent encounter for closed fracture with routine healing	ICD-10-CM	Diagnosis
S82.831Q	Other fracture of upper and lower end of right fibula, subsequent encounter for open fracture type I or II with malunion	ICD-10-CM	Diagnosis
S82.831M	Other fracture of upper and lower end of right fibula, subsequent encounter for open fracture type I or II with nonunion	ICD-10-CM	Diagnosis
S82.831E	Other fracture of upper and lower end of right fibula, subsequent encounter for open fracture type I or II with routine healing	ICD-10-CM	Diagnosis
S82.831J	Other fracture of upper and lower end of right fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S82.831R	Other fracture of upper and lower end of right fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD-10-CM	Diagnosis
S82.831N	Other fracture of upper and lower end of right fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD-10-CM	Diagnosis
S82.831F	Other fracture of upper and lower end of right fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD-10-CM	Diagnosis
S82.831H	Other fracture of upper and lower end of right fibula, subsequent encounter for open fracture type I or II with delayed healing	ICD-10-CM	Diagnosis
S82.831A	Other fracture of upper and lower end of right fibula, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.831B	Other fracture of upper and lower end of right fibula, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.831C	Other fracture of upper and lower end of right fibula, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.839G	Other fracture of upper and lower end of unspecified fibula, subsequent encounter for closed fracture with delayed healing	ICD-10-CM	Diagnosis
S82.839P	Other fracture of upper and lower end of unspecified fibula, subsequent encounter for closed fracture with malunion	ICD-10-CM	Diagnosis
S82.839K	Other fracture of upper and lower end of unspecified fibula, subsequent encounter for closed fracture with nonunion	ICD-10-CM	Diagnosis
S82.839D	Other fracture of upper and lower end of unspecified fibula, subsequent encounter for closed fracture with routine healing	ICD-10-CM	Diagnosis
S82.839H	Other fracture of upper and lower end of unspecified fibula, subsequent encounter for open fracture type I or II with delayed healing	ICD-10-CM	Diagnosis
S82.839Q	Other fracture of upper and lower end of unspecified fibula, subsequent encounter for open fracture type I or II with malunion	ICD-10-CM	Diagnosis
S82.839M	Other fracture of upper and lower end of unspecified fibula, subsequent encounter for open fracture type I or II with nonunion	ICD-10-CM	Diagnosis
S82.839R	Other fracture of upper and lower end of unspecified fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD-10-CM	Diagnosis
S82.839N	Other fracture of upper and lower end of unspecified fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD-10-CM	Diagnosis
S82.839F	Other fracture of upper and lower end of unspecified fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD-10-CM	Diagnosis
S82.839E	Other fracture of upper and lower end of unspecified fibula, subsequent encounter for open fracture type I or II with routine healing	ICD-10-CM	Diagnosis
S82.839J	Other fracture of upper and lower end of unspecified fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD-10-CM	Diagnosis
S82.839A	Other fracture of upper and lower end of unspecified fibula, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.839B	Other fracture of upper and lower end of unspecified fibula, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S82.839C	Other fracture of upper and lower end of unspecified fibula, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.192C	Other fracture of upper end of left tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.192B	Other fracture of upper end of left tibia, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.192G	Other fracture of upper end of left tibia, subsequent encounter for closed fracture with delayed healing	ICD-10-CM	Diagnosis
S82.192P	Other fracture of upper end of left tibia, subsequent encounter for closed fracture with malunion	ICD-10-CM	Diagnosis
S82.192K	Other fracture of upper end of left tibia, subsequent encounter for closed fracture with nonunion	ICD-10-CM	Diagnosis
S82.192D	Other fracture of upper end of left tibia, subsequent encounter for closed fracture with routine healing	ICD-10-CM	Diagnosis
S82.192H	Other fracture of upper end of left tibia, subsequent encounter for open fracture type I or II with delayed healing	ICD-10-CM	Diagnosis
S82.192Q	Other fracture of upper end of left tibia, subsequent encounter for open fracture type I or II with malunion	ICD-10-CM	Diagnosis
S82.192M	Other fracture of upper end of left tibia, subsequent encounter for open fracture type I or II with nonunion	ICD-10-CM	Diagnosis
S82.192E	Other fracture of upper end of left tibia, subsequent encounter for open fracture type I or II with routine healing	ICD-10-CM	Diagnosis
S82.192J	Other fracture of upper end of left tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD-10-CM	Diagnosis
S82.192R	Other fracture of upper end of left tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD-10-CM	Diagnosis
S82.192N	Other fracture of upper end of left tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD-10-CM	Diagnosis
S82.192F	Other fracture of upper end of left tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD-10-CM	Diagnosis
S52.092R	Other fracture of upper end of left ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD-10-CM	Diagnosis
S82.191C	Other fracture of upper end of right tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.191B	Other fracture of upper end of right tibia, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.191G	Other fracture of upper end of right tibia, subsequent encounter for closed fracture with delayed healing	ICD-10-CM	Diagnosis
S82.191P	Other fracture of upper end of right tibia, subsequent encounter for closed fracture with malunion	ICD-10-CM	Diagnosis
S82.191K	Other fracture of upper end of right tibia, subsequent encounter for closed fracture with nonunion	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S82.191D	Other fracture of upper end of right tibia, subsequent encounter for closed fracture with routine healing	ICD-10-CM	Diagnosis
S82.191H	Other fracture of upper end of right tibia, subsequent encounter for open fracture type I or II with delayed healing	ICD-10-CM	Diagnosis
S82.191Q	Other fracture of upper end of right tibia, subsequent encounter for open fracture type I or II with malunion	ICD-10-CM	Diagnosis
S82.191M	Other fracture of upper end of right tibia, subsequent encounter for open fracture type I or II with nonunion	ICD-10-CM	Diagnosis
S82.191E	Other fracture of upper end of right tibia, subsequent encounter for open fracture type I or II with routine healing	ICD-10-CM	Diagnosis
S82.191J	Other fracture of upper end of right tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD-10-CM	Diagnosis
S82.191R	Other fracture of upper end of right tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD-10-CM	Diagnosis
S82.191N	Other fracture of upper end of right tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD-10-CM	Diagnosis
S82.191F	Other fracture of upper end of right tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD-10-CM	Diagnosis
S82.199C	Other fracture of upper end of unspecified tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.199B	Other fracture of upper end of unspecified tibia, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.199G	Other fracture of upper end of unspecified tibia, subsequent encounter for closed fracture with delayed healing	ICD-10-CM	Diagnosis
S82.199P	Other fracture of upper end of unspecified tibia, subsequent encounter for closed fracture with malunion	ICD-10-CM	Diagnosis
S82.199K	Other fracture of upper end of unspecified tibia, subsequent encounter for closed fracture with nonunion	ICD-10-CM	Diagnosis
S82.199D	Other fracture of upper end of unspecified tibia, subsequent encounter for closed fracture with routine healing	ICD-10-CM	Diagnosis
S82.199Q	Other fracture of upper end of unspecified tibia, subsequent encounter for open fracture type I or II with malunion	ICD-10-CM	Diagnosis
S82.199M	Other fracture of upper end of unspecified tibia, subsequent encounter for open fracture type I or II with nonunion	ICD-10-CM	Diagnosis
S82.199E	Other fracture of upper end of unspecified tibia, subsequent encounter for open fracture type I or II with routine healing	ICD-10-CM	Diagnosis
S82.199J	Other fracture of upper end of unspecified tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD-10-CM	Diagnosis
S82.199R	Other fracture of upper end of unspecified tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD-10-CM	Diagnosis
S82.199N	Other fracture of upper end of unspecified tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD-10-CM	Diagnosis



**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S82.199F	Other fracture of upper end of unspecified tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD-10-CM	Diagnosis
S82.199H	Other fracture of upper end of unspecified tibia, subsequent encounter for open fracture type I or II with delayed healing	ICD-10-CM	Diagnosis
S52.572B	Other intraarticular fracture of lower end of left radius, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S52.572C	Other intraarticular fracture of lower end of left radius, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S52.572A	Other intraarticular fracture of lower end of left radius, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.572H	Other intraarticular fracture of lower end of left radius, subsequent encounter for open fracture type I or II with delayed healing	ICD-10-CM	Diagnosis
S52.572Q	Other intraarticular fracture of lower end of left radius, subsequent encounter for open fracture type I or II with malunion	ICD-10-CM	Diagnosis
S52.572M	Other intraarticular fracture of lower end of left radius, subsequent encounter for open fracture type I or II with nonunion	ICD-10-CM	Diagnosis
S52.572E	Other intraarticular fracture of lower end of left radius, subsequent encounter for open fracture type I or II with routine healing	ICD-10-CM	Diagnosis
S52.572R	Other intraarticular fracture of lower end of left radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD-10-CM	Diagnosis
S52.572N	Other intraarticular fracture of lower end of left radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD-10-CM	Diagnosis
S52.572F	Other intraarticular fracture of lower end of left radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD-10-CM	Diagnosis
S52.572G	Other intraarticular fracture of lower end of left radius, subsequent encounter for closed fracture with delayed healing	ICD-10-CM	Diagnosis
S52.572P	Other intraarticular fracture of lower end of left radius, subsequent encounter for closed fracture with malunion	ICD-10-CM	Diagnosis
S52.572K	Other intraarticular fracture of lower end of left radius, subsequent encounter for closed fracture with nonunion	ICD-10-CM	Diagnosis
S52.572D	Other intraarticular fracture of lower end of left radius, subsequent encounter for closed fracture with routine healing	ICD-10-CM	Diagnosis
S52.572J	Other intraarticular fracture of lower end of left radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD-10-CM	Diagnosis
S52.571C	Other intraarticular fracture of lower end of right radius, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S52.571B	Other intraarticular fracture of lower end of right radius, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S52.571K	Other intraarticular fracture of lower end of right radius, subsequent encounter for closed fracture with nonunion	ICD-10-CM	Diagnosis
S52.571E	Other intraarticular fracture of lower end of right radius, subsequent encounter for open fracture type I or II with routine healing	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S52.571H	Other intraarticular fracture of lower end of right radius, subsequent encounter for open fracture type I or II with delayed healing	ICD-10-CM	Diagnosis
S52.571Q	Other intraarticular fracture of lower end of right radius, subsequent encounter for open fracture type I or II with malunion	ICD-10-CM	Diagnosis
S52.571M	Other intraarticular fracture of lower end of right radius, subsequent encounter for open fracture type I or II with nonunion	ICD-10-CM	Diagnosis
S52.571R	Other intraarticular fracture of lower end of right radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD-10-CM	Diagnosis
S52.571N	Other intraarticular fracture of lower end of right radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD-10-CM	Diagnosis
S52.571F	Other intraarticular fracture of lower end of right radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD-10-CM	Diagnosis
S52.571G	Other intraarticular fracture of lower end of right radius, subsequent encounter for closed fracture with delayed healing	ICD-10-CM	Diagnosis
S52.571P	Other intraarticular fracture of lower end of right radius, subsequent encounter for closed fracture with malunion	ICD-10-CM	Diagnosis
S52.571D	Other intraarticular fracture of lower end of right radius, subsequent encounter for closed fracture with routine healing	ICD-10-CM	Diagnosis
S52.571J	Other intraarticular fracture of lower end of right radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD-10-CM	Diagnosis
S52.579C	Other intraarticular fracture of lower end of unspecified radius, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S52.579B	Other intraarticular fracture of lower end of unspecified radius, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S52.579P	Other intraarticular fracture of lower end of unspecified radius, subsequent encounter for closed fracture with malunion	ICD-10-CM	Diagnosis
S52.579K	Other intraarticular fracture of lower end of unspecified radius, subsequent encounter for closed fracture with nonunion	ICD-10-CM	Diagnosis
S52.579E	Other intraarticular fracture of lower end of unspecified radius, subsequent encounter for open fracture type I or II with routine healing	ICD-10-CM	Diagnosis
S52.579H	Other intraarticular fracture of lower end of unspecified radius, subsequent encounter for open fracture type I or II with delayed healing	ICD-10-CM	Diagnosis
S52.579Q	Other intraarticular fracture of lower end of unspecified radius, subsequent encounter for open fracture type I or II with malunion	ICD-10-CM	Diagnosis
S52.579M	Other intraarticular fracture of lower end of unspecified radius, subsequent encounter for open fracture type I or II with nonunion	ICD-10-CM	Diagnosis
S52.579R	Other intraarticular fracture of lower end of unspecified radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD-10-CM	Diagnosis
S52.579N	Other intraarticular fracture of lower end of unspecified radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S52.579G	Other intraarticular fracture of lower end of unspecified radius, subsequent encounter for closed fracture with delayed healing	ICD-10-CM	Diagnosis
S52.579D	Other intraarticular fracture of lower end of unspecified radius, subsequent encounter for closed fracture with routine healing	ICD-10-CM	Diagnosis
S52.579J	Other intraarticular fracture of lower end of unspecified radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD-10-CM	Diagnosis
S52.579F	Other intraarticular fracture of lower end of unspecified radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD-10-CM	Diagnosis
S52.571A	Other intraarticular fracture of lower end of right radius, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.579A	Other intraarticular fracture of lower end of unspecified radius, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.572S	Other intraarticular fracture of lower end of left radius, sequela	ICD-10-CM	Diagnosis
S52.571S	Other intraarticular fracture of lower end of right radius, sequela	ICD-10-CM	Diagnosis
S52.579S	Other intraarticular fracture of lower end of unspecified radius, sequela	ICD-10-CM	Diagnosis
M23.342	Other meniscus derangements, anterior horn of lateral meniscus, left knee	ICD-10-CM	Diagnosis
M23.341	Other meniscus derangements, anterior horn of lateral meniscus, right knee	ICD-10-CM	Diagnosis
M23.349	Other meniscus derangements, anterior horn of lateral meniscus, unspecified knee	ICD-10-CM	Diagnosis
M23.312	Other meniscus derangements, anterior horn of medial meniscus, left knee	ICD-10-CM	Diagnosis
M23.311	Other meniscus derangements, anterior horn of medial meniscus, right knee	ICD-10-CM	Diagnosis
M23.319	Other meniscus derangements, anterior horn of medial meniscus, unspecified knee	ICD-10-CM	Diagnosis
M23.352	Other meniscus derangements, posterior horn of lateral meniscus, left knee	ICD-10-CM	Diagnosis
M23.351	Other meniscus derangements, posterior horn of lateral meniscus, right knee	ICD-10-CM	Diagnosis
M23.359	Other meniscus derangements, posterior horn of lateral meniscus, unspecified knee	ICD-10-CM	Diagnosis
M23.322	Other meniscus derangements, posterior horn of medial meniscus, left knee	ICD-10-CM	Diagnosis
M23.321	Other meniscus derangements, posterior horn of medial meniscus, right knee	ICD-10-CM	Diagnosis
M23.329	Other meniscus derangements, posterior horn of medial meniscus, unspecified knee	ICD-10-CM	Diagnosis
M23.369	Other meniscus derangements, other lateral meniscus, unspecified knee	ICD-10-CM	Diagnosis
M23.339	Other meniscus derangements, other medial meniscus, unspecified knee	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
M23.362	Other meniscus derangements, other lateral meniscus, left knee	ICD-10-CM	Diagnosis
M23.361	Other meniscus derangements, other lateral meniscus, right knee	ICD-10-CM	Diagnosis
M23.332	Other meniscus derangements, other medial meniscus, left knee	ICD-10-CM	Diagnosis
M23.331	Other meniscus derangements, other medial meniscus, right knee	ICD-10-CM	Diagnosis
M23.309	Other meniscus derangements, unspecified meniscus, unspecified knee	ICD-10-CM	Diagnosis
M23.302	Other meniscus derangements, unspecified lateral meniscus, unspecified knee	ICD-10-CM	Diagnosis
M23.301	Other meniscus derangements, unspecified lateral meniscus, left knee	ICD-10-CM	Diagnosis
M23.300	Other meniscus derangements, unspecified lateral meniscus, right knee	ICD-10-CM	Diagnosis
M23.305	Other meniscus derangements, unspecified medial meniscus, unspecified knee	ICD-10-CM	Diagnosis
M23.304	Other meniscus derangements, unspecified medial meniscus, left knee	ICD-10-CM	Diagnosis
M23.303	Other meniscus derangements, unspecified medial meniscus, right knee	ICD-10-CM	Diagnosis
S62.236S	Other nondisplaced fracture of base of first metacarpal bone, unspecified hand, sequela	ICD-10-CM	Diagnosis
S62.235S	Other nondisplaced fracture of base of first metacarpal bone, left hand, sequela	ICD-10-CM	Diagnosis
S62.234S	Other nondisplaced fracture of base of first metacarpal bone, right hand, sequela	ICD-10-CM	Diagnosis
S12.191A	Other nondisplaced fracture of second cervical vertebra, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S12.191B	Other nondisplaced fracture of second cervical vertebra, initial encounter for open fracture	ICD-10-CM	Diagnosis
S12.191G	Other nondisplaced fracture of second cervical vertebra, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S12.191K	Other nondisplaced fracture of second cervical vertebra, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S12.191D	Other nondisplaced fracture of second cervical vertebra, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S12.291G	Other nondisplaced fracture of third cervical vertebra, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S12.291K	Other nondisplaced fracture of third cervical vertebra, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S12.291D	Other nondisplaced fracture of third cervical vertebra, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S12.591K	Other nondisplaced fracture of sixth cervical vertebra, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S62.235A	Other nondisplaced fracture of base of first metacarpal bone, left hand, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S62.235B	Other nondisplaced fracture of base of first metacarpal bone, left hand, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.235G	Other nondisplaced fracture of base of first metacarpal bone, left hand, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S62.235P	Other nondisplaced fracture of base of first metacarpal bone, left hand, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S62.235K	Other nondisplaced fracture of base of first metacarpal bone, left hand, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S62.235D	Other nondisplaced fracture of base of first metacarpal bone, left hand, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S62.234A	Other nondisplaced fracture of base of first metacarpal bone, right hand, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S62.234B	Other nondisplaced fracture of base of first metacarpal bone, right hand, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.234G	Other nondisplaced fracture of base of first metacarpal bone, right hand, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S62.234P	Other nondisplaced fracture of base of first metacarpal bone, right hand, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S62.234K	Other nondisplaced fracture of base of first metacarpal bone, right hand, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S62.234D	Other nondisplaced fracture of base of first metacarpal bone, right hand, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S62.236A	Other nondisplaced fracture of base of first metacarpal bone, unspecified hand, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S62.236B	Other nondisplaced fracture of base of first metacarpal bone, unspecified hand, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.236G	Other nondisplaced fracture of base of first metacarpal bone, unspecified hand, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S62.236P	Other nondisplaced fracture of base of first metacarpal bone, unspecified hand, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S62.236K	Other nondisplaced fracture of base of first metacarpal bone, unspecified hand, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S62.236D	Other nondisplaced fracture of base of first metacarpal bone, unspecified hand, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S42.495P	Other nondisplaced fracture of lower end of left humerus, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S42.495K	Other nondisplaced fracture of lower end of left humerus, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S42.494P	Other nondisplaced fracture of lower end of right humerus, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S42.494K	Other nondisplaced fracture of lower end of right humerus, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S42.496P	Other nondisplaced fracture of lower end of unspecified humerus, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S42.496K	Other nondisplaced fracture of lower end of unspecified humerus, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S42.495D	Other nondisplaced fracture of lower end of left humerus, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S42.495G	Other nondisplaced fracture of lower end of left humerus, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S42.494D	Other nondisplaced fracture of lower end of right humerus, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S42.494G	Other nondisplaced fracture of lower end of right humerus, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S42.496A	Other nondisplaced fracture of lower end of unspecified humerus, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.496B	Other nondisplaced fracture of lower end of unspecified humerus, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.496G	Other nondisplaced fracture of lower end of unspecified humerus, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S42.496D	Other nondisplaced fracture of lower end of unspecified humerus, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S12.121A	Other nondisplaced dens fracture, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S12.121B	Other nondisplaced dens fracture, initial encounter for open fracture	ICD-10-CM	Diagnosis
S12.121D	Other nondisplaced dens fracture, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S12.121G	Other nondisplaced dens fracture, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S12.121K	Other nondisplaced dens fracture, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S12.291S	Other nondisplaced fracture of third cervical vertebra, sequela	ICD-10-CM	Diagnosis
S12.091G	Other nondisplaced fracture of first cervical vertebra, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S12.091D	Other nondisplaced fracture of first cervical vertebra, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S12.091A	Other nondisplaced fracture of first cervical vertebra, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S12.091B	Other nondisplaced fracture of first cervical vertebra, initial encounter for open fracture	ICD-10-CM	Diagnosis
S12.091K	Other nondisplaced fracture of first cervical vertebra, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S12.491S	Other nondisplaced fracture of fifth cervical vertebra, sequela	ICD-10-CM	Diagnosis
S12.591S	Other nondisplaced fracture of sixth cervical vertebra, sequela	ICD-10-CM	Diagnosis
S12.691S	Other nondisplaced fracture of seventh cervical vertebra, sequela	ICD-10-CM	Diagnosis
S12.391K	Other nondisplaced fracture of fourth cervical vertebra, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S12.391A	Other nondisplaced fracture of fourth cervical vertebra, initial encounter for closed fracture	ICD-10-CM	Diagnosis



**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S12.391B	Other nondisplaced fracture of fourth cervical vertebra, initial encounter for open fracture	ICD-10-CM	Diagnosis
S12.391G	Other nondisplaced fracture of fourth cervical vertebra, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S12.391D	Other nondisplaced fracture of fourth cervical vertebra, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S12.491A	Other nondisplaced fracture of fifth cervical vertebra, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S12.491B	Other nondisplaced fracture of fifth cervical vertebra, initial encounter for open fracture	ICD-10-CM	Diagnosis
S12.591A	Other nondisplaced fracture of sixth cervical vertebra, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S12.591B	Other nondisplaced fracture of sixth cervical vertebra, initial encounter for open fracture	ICD-10-CM	Diagnosis
S12.591D	Other nondisplaced fracture of sixth cervical vertebra, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S12.691A	Other nondisplaced fracture of seventh cervical vertebra, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S12.691B	Other nondisplaced fracture of seventh cervical vertebra, initial encounter for open fracture	ICD-10-CM	Diagnosis
S12.691G	Other nondisplaced fracture of seventh cervical vertebra, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S12.691K	Other nondisplaced fracture of seventh cervical vertebra, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S12.691D	Other nondisplaced fracture of seventh cervical vertebra, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S12.391S	Other nondisplaced fracture of fourth cervical vertebra, sequela	ICD-10-CM	Diagnosis
S42.496S	Other nondisplaced fracture of lower end of unspecified humerus, sequela	ICD-10-CM	Diagnosis
S12.491G	Other nondisplaced fracture of fifth cervical vertebra, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S12.491D	Other nondisplaced fracture of fifth cervical vertebra, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S12.491K	Other nondisplaced fracture of fifth cervical vertebra, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S12.591G	Other nondisplaced fracture of sixth cervical vertebra, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S42.495A	Other nondisplaced fracture of lower end of left humerus, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.495B	Other nondisplaced fracture of lower end of left humerus, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.494A	Other nondisplaced fracture of lower end of right humerus, initial encounter for closed fracture	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S42.494B	Other nondisplaced fracture of lower end of right humerus, initial encounter for open fracture	ICD-10-CM	Diagnosis
S12.191S	Other nondisplaced fracture of second cervical vertebra, sequela	ICD-10-CM	Diagnosis
S42.295S	Other nondisplaced fracture of upper end of left humerus, sequela	ICD-10-CM	Diagnosis
S42.294S	Other nondisplaced fracture of upper end of right humerus, sequela	ICD-10-CM	Diagnosis
S42.296S	Other nondisplaced fracture of upper end of unspecified humerus, sequela	ICD-10-CM	Diagnosis
S12.291A	Other nondisplaced fracture of third cervical vertebra, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S12.291B	Other nondisplaced fracture of third cervical vertebra, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.295A	Other nondisplaced fracture of upper end of left humerus, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.295B	Other nondisplaced fracture of upper end of left humerus, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.295G	Other nondisplaced fracture of upper end of left humerus, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S42.295P	Other nondisplaced fracture of upper end of left humerus, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S42.295K	Other nondisplaced fracture of upper end of left humerus, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S42.295D	Other nondisplaced fracture of upper end of left humerus, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S42.294B	Other nondisplaced fracture of upper end of right humerus, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.294G	Other nondisplaced fracture of upper end of right humerus, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S42.294P	Other nondisplaced fracture of upper end of right humerus, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S42.294K	Other nondisplaced fracture of upper end of right humerus, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S42.294D	Other nondisplaced fracture of upper end of right humerus, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S42.294A	Other nondisplaced fracture of upper end of right humerus, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.296A	Other nondisplaced fracture of upper end of unspecified humerus, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.296B	Other nondisplaced fracture of upper end of unspecified humerus, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.296G	Other nondisplaced fracture of upper end of unspecified humerus, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S42.296P	Other nondisplaced fracture of upper end of unspecified humerus, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S42.296K	Other nondisplaced fracture of upper end of unspecified humerus, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S42.296D	Other nondisplaced fracture of upper end of unspecified humerus, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S99.292B	Other physeal fracture of phalanx of left toe, initial encounter for open fracture	ICD-10-CM	Diagnosis
S99.299B	Other physeal fracture of phalanx of unspecified toe, initial encounter for open fracture	ICD-10-CM	Diagnosis
S89.392S	Other physeal fracture of lower end of left fibula, sequela	ICD-10-CM	Diagnosis
S89.192S	Other physeal fracture of lower end of left tibia, sequela	ICD-10-CM	Diagnosis
S89.391S	Other physeal fracture of lower end of right fibula, sequela	ICD-10-CM	Diagnosis
S89.191S	Other physeal fracture of lower end of right tibia, sequela	ICD-10-CM	Diagnosis
S89.199S	Other physeal fracture of lower end of unspecified tibia, sequela	ICD-10-CM	Diagnosis
S99.191K	Other physeal fracture of right metatarsal, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S99.191P	Other physeal fracture of right metatarsal, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S89.292S	Other physeal fracture of upper end of left fibula, sequela	ICD-10-CM	Diagnosis
S89.291S	Other physeal fracture of upper end of right fibula, sequela	ICD-10-CM	Diagnosis
S89.299S	Other physeal fracture of upper end of unspecified fibula, sequela	ICD-10-CM	Diagnosis
S49.192G	Other physeal fracture of lower end of humerus, left arm, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S49.192P	Other physeal fracture of lower end of humerus, left arm, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S49.192K	Other physeal fracture of lower end of humerus, left arm, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S49.192D	Other physeal fracture of lower end of humerus, left arm, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S49.191G	Other physeal fracture of lower end of humerus, right arm, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S49.191P	Other physeal fracture of lower end of humerus, right arm, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S49.191K	Other physeal fracture of lower end of humerus, right arm, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S49.191D	Other physeal fracture of lower end of humerus, right arm, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S49.199G	Other physeal fracture of lower end of humerus, unspecified arm, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S49.199D	Other physeal fracture of lower end of humerus, unspecified arm, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S49.199P	Other physeal fracture of lower end of humerus, unspecified arm, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S49.199K	Other physeal fracture of lower end of humerus, unspecified arm, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S59.292G	Other physeal fracture of lower end of radius, left arm, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S59.292P	Other physeal fracture of lower end of radius, left arm, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S59.292K	Other physeal fracture of lower end of radius, left arm, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S59.292D	Other physeal fracture of lower end of radius, left arm, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S59.291G	Other physeal fracture of lower end of radius, right arm, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S59.291P	Other physeal fracture of lower end of radius, right arm, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S59.291K	Other physeal fracture of lower end of radius, right arm, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S59.291D	Other physeal fracture of lower end of radius, right arm, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S59.299G	Other physeal fracture of lower end of radius, unspecified arm, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S59.299D	Other physeal fracture of lower end of radius, unspecified arm, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S59.299P	Other physeal fracture of lower end of radius, unspecified arm, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S59.299K	Other physeal fracture of lower end of radius, unspecified arm, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S49.192A	Other physeal fracture of lower end of humerus, left arm, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S49.191A	Other physeal fracture of lower end of humerus, right arm, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S49.199A	Other physeal fracture of lower end of humerus, unspecified arm, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S79.192A	Other physeal fracture of lower end of left femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S79.192G	Other physeal fracture of lower end of left femur, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S79.192P	Other physeal fracture of lower end of left femur, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S79.192K	Other physeal fracture of lower end of left femur, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S79.192D	Other physeal fracture of lower end of left femur, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S89.392A	Other physeal fracture of lower end of left fibula, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S89.392G	Other physeal fracture of lower end of left fibula, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S89.392P	Other physeal fracture of lower end of left fibula, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S89.392K	Other physeal fracture of lower end of left fibula, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S89.392D	Other physeal fracture of lower end of left fibula, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S89.192A	Other physeal fracture of lower end of left tibia, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S89.192G	Other physeal fracture of lower end of left tibia, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S89.192P	Other physeal fracture of lower end of left tibia, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S89.192K	Other physeal fracture of lower end of left tibia, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S89.192D	Other physeal fracture of lower end of left tibia, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S59.292A	Other physeal fracture of lower end of radius, left arm, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S59.291A	Other physeal fracture of lower end of radius, right arm, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S59.299A	Other physeal fracture of lower end of radius, unspecified arm, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S79.191A	Other physeal fracture of lower end of right femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S79.191G	Other physeal fracture of lower end of right femur, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S79.191P	Other physeal fracture of lower end of right femur, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S79.191K	Other physeal fracture of lower end of right femur, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S79.191D	Other physeal fracture of lower end of right femur, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S89.391A	Other physeal fracture of lower end of right fibula, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S89.391G	Other physeal fracture of lower end of right fibula, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S89.391P	Other physeal fracture of lower end of right fibula, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S89.391K	Other physeal fracture of lower end of right fibula, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S89.391D	Other physeal fracture of lower end of right fibula, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S89.191A	Other physeal fracture of lower end of right tibia, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S89.191G	Other physeal fracture of lower end of right tibia, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S89.191P	Other physeal fracture of lower end of right tibia, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S89.191K	Other physeal fracture of lower end of right tibia, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S89.191D	Other physeal fracture of lower end of right tibia, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S59.092A	Other physeal fracture of lower end of ulna, left arm, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S59.092G	Other physeal fracture of lower end of ulna, left arm, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S59.092P	Other physeal fracture of lower end of ulna, left arm, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S59.092K	Other physeal fracture of lower end of ulna, left arm, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S59.092D	Other physeal fracture of lower end of ulna, left arm, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S59.091A	Other physeal fracture of lower end of ulna, right arm, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S59.091G	Other physeal fracture of lower end of ulna, right arm, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S59.091P	Other physeal fracture of lower end of ulna, right arm, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S59.091K	Other physeal fracture of lower end of ulna, right arm, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S59.091D	Other physeal fracture of lower end of ulna, right arm, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S59.099A	Other physeal fracture of lower end of ulna, unspecified arm, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S59.099G	Other physeal fracture of lower end of ulna, unspecified arm, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S59.099D	Other physeal fracture of lower end of ulna, unspecified arm, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S59.099P	Other physeal fracture of lower end of ulna, unspecified arm, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis



**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S59.099K	Other physeal fracture of lower end of ulna, unspecified arm, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S79.199A	Other physeal fracture of lower end of unspecified femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S79.199G	Other physeal fracture of lower end of unspecified femur, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S79.199P	Other physeal fracture of lower end of unspecified femur, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S79.199K	Other physeal fracture of lower end of unspecified femur, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S79.199D	Other physeal fracture of lower end of unspecified femur, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S89.399A	Other physeal fracture of lower end of unspecified fibula, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S89.399G	Other physeal fracture of lower end of unspecified fibula, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S89.399P	Other physeal fracture of lower end of unspecified fibula, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S89.399K	Other physeal fracture of lower end of unspecified fibula, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S89.399D	Other physeal fracture of lower end of unspecified fibula, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S89.199A	Other physeal fracture of lower end of unspecified tibia, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S89.199G	Other physeal fracture of lower end of unspecified tibia, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S89.199P	Other physeal fracture of lower end of unspecified tibia, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S89.199K	Other physeal fracture of lower end of unspecified tibia, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S89.199D	Other physeal fracture of lower end of unspecified tibia, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S99.292A	Other physeal fracture of phalanx of left toe, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S99.291A	Other physeal fracture of phalanx of right toe, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S99.291B	Other physeal fracture of phalanx of right toe, initial encounter for open fracture	ICD-10-CM	Diagnosis
S99.299A	Other physeal fracture of phalanx of unspecified toe, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S99.299P	Other physeal fracture of phalanx of unspecified toe, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S99.299K	Other physeal fracture of phalanx of unspecified toe, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S99.191G	Other physeal fracture of right metatarsal, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S49.092G	Other physeal fracture of upper end of humerus, left arm, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S49.092P	Other physeal fracture of upper end of humerus, left arm, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S49.092K	Other physeal fracture of upper end of humerus, left arm, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S49.092D	Other physeal fracture of upper end of humerus, left arm, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S49.091G	Other physeal fracture of upper end of humerus, right arm, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S49.091P	Other physeal fracture of upper end of humerus, right arm, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S49.091K	Other physeal fracture of upper end of humerus, right arm, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S49.091D	Other physeal fracture of upper end of humerus, right arm, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S49.099G	Other physeal fracture of upper end of humerus, unspecified arm, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S49.099P	Other physeal fracture of upper end of humerus, unspecified arm, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S49.099K	Other physeal fracture of upper end of humerus, unspecified arm, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S49.099D	Other physeal fracture of upper end of humerus, unspecified arm, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S59.192G	Other physeal fracture of upper end of radius, left arm, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S59.192P	Other physeal fracture of upper end of radius, left arm, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S59.192K	Other physeal fracture of upper end of radius, left arm, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S59.192D	Other physeal fracture of upper end of radius, left arm, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S59.191G	Other physeal fracture of upper end of radius, right arm, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S59.191P	Other physeal fracture of upper end of radius, right arm, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S59.191K	Other physeal fracture of upper end of radius, right arm, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S59.199G	Other physeal fracture of upper end of radius, unspecified arm, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S59.199P	Other physeal fracture of upper end of radius, unspecified arm, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S59.199K	Other physeal fracture of upper end of radius, unspecified arm, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S59.199D	Other physeal fracture of upper end of radius, unspecified arm, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S59.191D	Other physeal fracture of upper end of radius, right arm, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S49.092A	Other physeal fracture of upper end of humerus, left arm, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S49.091A	Other physeal fracture of upper end of humerus, right arm, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S49.099A	Other physeal fracture of upper end of humerus, unspecified arm, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S79.092A	Other physeal fracture of upper end of left femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S79.092G	Other physeal fracture of upper end of left femur, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S79.092P	Other physeal fracture of upper end of left femur, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S79.092K	Other physeal fracture of upper end of left femur, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S79.092D	Other physeal fracture of upper end of left femur, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S89.292A	Other physeal fracture of upper end of left fibula, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S89.292G	Other physeal fracture of upper end of left fibula, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S89.292P	Other physeal fracture of upper end of left fibula, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S89.292K	Other physeal fracture of upper end of left fibula, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S89.292D	Other physeal fracture of upper end of left fibula, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S89.092A	Other physeal fracture of upper end of left tibia, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S89.092G	Other physeal fracture of upper end of left tibia, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S89.092P	Other physeal fracture of upper end of left tibia, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S89.092K	Other physeal fracture of upper end of left tibia, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S89.092D	Other physeal fracture of upper end of left tibia, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S59.192A	Other physeal fracture of upper end of radius, left arm, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S59.191A	Other physeal fracture of upper end of radius, right arm, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S59.199A	Other physeal fracture of upper end of radius, unspecified arm, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S79.091A	Other physeal fracture of upper end of right femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S79.091G	Other physeal fracture of upper end of right femur, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S79.091P	Other physeal fracture of upper end of right femur, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S79.091K	Other physeal fracture of upper end of right femur, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S79.091D	Other physeal fracture of upper end of right femur, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S89.291A	Other physeal fracture of upper end of right fibula, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S89.291G	Other physeal fracture of upper end of right fibula, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S89.291P	Other physeal fracture of upper end of right fibula, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S89.291K	Other physeal fracture of upper end of right fibula, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S89.291D	Other physeal fracture of upper end of right fibula, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S89.091A	Other physeal fracture of upper end of right tibia, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S89.091G	Other physeal fracture of upper end of right tibia, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S89.091P	Other physeal fracture of upper end of right tibia, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S89.091K	Other physeal fracture of upper end of right tibia, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S89.091D	Other physeal fracture of upper end of right tibia, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S79.099A	Other physeal fracture of upper end of unspecified femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S79.099G	Other physeal fracture of upper end of unspecified femur, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S79.099P	Other physeal fracture of upper end of unspecified femur, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S79.099K	Other physeal fracture of upper end of unspecified femur, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S79.099D	Other physeal fracture of upper end of unspecified femur, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S89.299A	Other physeal fracture of upper end of unspecified fibula, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S89.299G	Other physeal fracture of upper end of unspecified fibula, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S89.299P	Other physeal fracture of upper end of unspecified fibula, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S89.299K	Other physeal fracture of upper end of unspecified fibula, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S89.299D	Other physeal fracture of upper end of unspecified fibula, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S89.099A	Other physeal fracture of upper end of unspecified tibia, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S89.099G	Other physeal fracture of upper end of unspecified tibia, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S89.099P	Other physeal fracture of upper end of unspecified tibia, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S89.099K	Other physeal fracture of upper end of unspecified tibia, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S89.099D	Other physeal fracture of upper end of unspecified tibia, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S99.292G	Other physeal fracture of phalanx of left toe, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S99.299D	Other physeal fracture of phalanx of unspecified toe, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S99.299G	Other physeal fracture of phalanx of unspecified toe, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
M43.5X3	Other recurrent vertebral dislocation, cervicothoracic region	ICD-10-CM	Diagnosis
M43.5X8	Other recurrent vertebral dislocation, sacral and sacrococcygeal region	ICD-10-CM	Diagnosis
M43.5X7	Other recurrent vertebral dislocation, lumbosacral region	ICD-10-CM	Diagnosis
M43.5X5	Other recurrent vertebral dislocation, thoracolumbar region	ICD-10-CM	Diagnosis
M43.5X6	Other recurrent vertebral dislocation, lumbar region	ICD-10-CM	Diagnosis
M43.5X4	Other recurrent vertebral dislocation, thoracic region	ICD-10-CM	Diagnosis
M43.5X2	Other recurrent vertebral dislocation, cervical region	ICD-10-CM	Diagnosis
S32.691G	Other specified fracture of right ischium, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S32.691D	Other specified fracture of right ischium, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S32.699D	Other specified fracture of unspecified ischium, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
M23.672	Other spontaneous disruption of capsular ligament of left knee	ICD-10-CM	Diagnosis
M23.671	Other spontaneous disruption of capsular ligament of right knee	ICD-10-CM	Diagnosis
M23.679	Other spontaneous disruption of capsular ligament of unspecified knee	ICD-10-CM	Diagnosis
M23.602	Other spontaneous disruption of unspecified ligament of left knee	ICD-10-CM	Diagnosis
M23.601	Other spontaneous disruption of unspecified ligament of right knee	ICD-10-CM	Diagnosis
M23.609	Other spontaneous disruption of unspecified ligament of unspecified knee	ICD-10-CM	Diagnosis
S83.282A	Other tear of lateral meniscus, current injury, left knee, initial encounter	ICD-10-CM	Diagnosis
S83.282D	Other tear of lateral meniscus, current injury, left knee, subsequent encounter	ICD-10-CM	Diagnosis
S83.282S	Other tear of lateral meniscus, current injury, left knee, sequela	ICD-10-CM	Diagnosis
S83.281A	Other tear of lateral meniscus, current injury, right knee, initial encounter	ICD-10-CM	Diagnosis
S83.281D	Other tear of lateral meniscus, current injury, right knee, subsequent encounter	ICD-10-CM	Diagnosis
S83.281S	Other tear of lateral meniscus, current injury, right knee, sequela	ICD-10-CM	Diagnosis
S83.289A	Other tear of lateral meniscus, current injury, unspecified knee, initial encounter	ICD-10-CM	Diagnosis
S83.289S	Other tear of lateral meniscus, current injury, unspecified knee, sequela	ICD-10-CM	Diagnosis
S83.289D	Other tear of lateral meniscus, current injury, unspecified knee, subsequent encounter	ICD-10-CM	Diagnosis
S83.242A	Other tear of medial meniscus, current injury, left knee, initial encounter	ICD-10-CM	Diagnosis
S83.242D	Other tear of medial meniscus, current injury, left knee, subsequent encounter	ICD-10-CM	Diagnosis
S83.242S	Other tear of medial meniscus, current injury, left knee, sequela	ICD-10-CM	Diagnosis
S83.241A	Other tear of medial meniscus, current injury, right knee, initial encounter	ICD-10-CM	Diagnosis
S83.241D	Other tear of medial meniscus, current injury, right knee, subsequent encounter	ICD-10-CM	Diagnosis
S83.241S	Other tear of medial meniscus, current injury, right knee, sequela	ICD-10-CM	Diagnosis
S83.249A	Other tear of medial meniscus, current injury, unspecified knee, initial encounter	ICD-10-CM	Diagnosis
S83.249S	Other tear of medial meniscus, current injury, unspecified knee, sequela	ICD-10-CM	Diagnosis
S83.249D	Other tear of medial meniscus, current injury, unspecified knee, subsequent encounter	ICD-10-CM	Diagnosis
S83.204A	Other tear of unspecified meniscus, current injury, left knee, initial encounter	ICD-10-CM	Diagnosis
S83.204S	Other tear of unspecified meniscus, current injury, left knee, sequela	ICD-10-CM	Diagnosis
S83.204D	Other tear of unspecified meniscus, current injury, left knee, subsequent encounter	ICD-10-CM	Diagnosis
S83.203A	Other tear of unspecified meniscus, current injury, right knee, initial encounter	ICD-10-CM	Diagnosis



**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S83.203S	Other tear of unspecified meniscus, current injury, right knee, sequela	ICD-10-CM	Diagnosis
S83.203D	Other tear of unspecified meniscus, current injury, right knee, subsequent encounter	ICD-10-CM	Diagnosis
S83.205A	Other tear of unspecified meniscus, current injury, unspecified knee, initial encounter	ICD-10-CM	Diagnosis
S83.205S	Other tear of unspecified meniscus, current injury, unspecified knee, sequela	ICD-10-CM	Diagnosis
S83.205D	Other tear of unspecified meniscus, current injury, unspecified knee, subsequent encounter	ICD-10-CM	Diagnosis
S12.250A	Other traumatic displaced spondylolisthesis of third cervical vertebra, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S12.250B	Other traumatic displaced spondylolisthesis of third cervical vertebra, initial encounter for open fracture	ICD-10-CM	Diagnosis
S12.350A	Other traumatic displaced spondylolisthesis of fourth cervical vertebra, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S12.350B	Other traumatic displaced spondylolisthesis of fourth cervical vertebra, initial encounter for open fracture	ICD-10-CM	Diagnosis
S12.450B	Other traumatic displaced spondylolisthesis of fifth cervical vertebra, initial encounter for open fracture	ICD-10-CM	Diagnosis
S12.650A	Other traumatic displaced spondylolisthesis of seventh cervical vertebra, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S12.650B	Other traumatic displaced spondylolisthesis of seventh cervical vertebra, initial encounter for open fracture	ICD-10-CM	Diagnosis
S12.650G	Other traumatic displaced spondylolisthesis of seventh cervical vertebra, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S12.650K	Other traumatic displaced spondylolisthesis of seventh cervical vertebra, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S12.650D	Other traumatic displaced spondylolisthesis of seventh cervical vertebra, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S12.550G	Other traumatic displaced spondylolisthesis of sixth cervical vertebra, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S12.450A	Other traumatic displaced spondylolisthesis of fifth cervical vertebra, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S12.550A	Other traumatic displaced spondylolisthesis of sixth cervical vertebra, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S12.550B	Other traumatic displaced spondylolisthesis of sixth cervical vertebra, initial encounter for open fracture	ICD-10-CM	Diagnosis
S12.450G	Other traumatic displaced spondylolisthesis of fifth cervical vertebra, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S12.450K	Other traumatic displaced spondylolisthesis of fifth cervical vertebra, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S12.550K	Other traumatic displaced spondylolisthesis of sixth cervical vertebra, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S12.550D	Other traumatic displaced spondylolisthesis of sixth cervical vertebra, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S12.550S	Other traumatic displaced spondylolisthesis of sixth cervical vertebra, sequela	ICD-10-CM	Diagnosis
S12.250G	Other traumatic displaced spondylolisthesis of third cervical vertebra, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S12.350G	Other traumatic displaced spondylolisthesis of fourth cervical vertebra, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S12.450S	Other traumatic displaced spondylolisthesis of fifth cervical vertebra, sequela	ICD-10-CM	Diagnosis
S12.250S	Other traumatic displaced spondylolisthesis of third cervical vertebra, sequela	ICD-10-CM	Diagnosis
S12.250K	Other traumatic displaced spondylolisthesis of third cervical vertebra, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S12.250D	Other traumatic displaced spondylolisthesis of third cervical vertebra, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S12.350S	Other traumatic displaced spondylolisthesis of fourth cervical vertebra, sequela	ICD-10-CM	Diagnosis
S12.350K	Other traumatic displaced spondylolisthesis of fourth cervical vertebra, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S12.350D	Other traumatic displaced spondylolisthesis of fourth cervical vertebra, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S12.450D	Other traumatic displaced spondylolisthesis of fifth cervical vertebra, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S12.251G	Other traumatic nondisplaced spondylolisthesis of third cervical vertebra, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S12.251K	Other traumatic nondisplaced spondylolisthesis of third cervical vertebra, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S12.251D	Other traumatic nondisplaced spondylolisthesis of third cervical vertebra, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S12.351B	Other traumatic nondisplaced spondylolisthesis of fourth cervical vertebra, initial encounter for open fracture	ICD-10-CM	Diagnosis
S12.551A	Other traumatic nondisplaced spondylolisthesis of sixth cervical vertebra, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S12.551B	Other traumatic nondisplaced spondylolisthesis of sixth cervical vertebra, initial encounter for open fracture	ICD-10-CM	Diagnosis
S12.251A	Other traumatic nondisplaced spondylolisthesis of third cervical vertebra, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S12.251B	Other traumatic nondisplaced spondylolisthesis of third cervical vertebra, initial encounter for open fracture	ICD-10-CM	Diagnosis
S12.351A	Other traumatic nondisplaced spondylolisthesis of fourth cervical vertebra, initial encounter for closed fracture	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S12.351G	Other traumatic nondisplaced spondylolisthesis of fourth cervical vertebra, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S12.351K	Other traumatic nondisplaced spondylolisthesis of fourth cervical vertebra, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S12.451A	Other traumatic nondisplaced spondylolisthesis of fifth cervical vertebra, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S12.451B	Other traumatic nondisplaced spondylolisthesis of fifth cervical vertebra, initial encounter for open fracture	ICD-10-CM	Diagnosis
S12.551G	Other traumatic nondisplaced spondylolisthesis of sixth cervical vertebra, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S12.551K	Other traumatic nondisplaced spondylolisthesis of sixth cervical vertebra, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S12.651A	Other traumatic nondisplaced spondylolisthesis of seventh cervical vertebra, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S12.651B	Other traumatic nondisplaced spondylolisthesis of seventh cervical vertebra, initial encounter for open fracture	ICD-10-CM	Diagnosis
S12.651G	Other traumatic nondisplaced spondylolisthesis of seventh cervical vertebra, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S12.651K	Other traumatic nondisplaced spondylolisthesis of seventh cervical vertebra, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S12.651D	Other traumatic nondisplaced spondylolisthesis of seventh cervical vertebra, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S12.651S	Other traumatic nondisplaced spondylolisthesis of seventh cervical vertebra, sequela	ICD-10-CM	Diagnosis
S12.451G	Other traumatic nondisplaced spondylolisthesis of fifth cervical vertebra, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S12.251S	Other traumatic nondisplaced spondylolisthesis of third cervical vertebra, sequela	ICD-10-CM	Diagnosis
S12.351S	Other traumatic nondisplaced spondylolisthesis of fourth cervical vertebra, sequela	ICD-10-CM	Diagnosis
S12.451S	Other traumatic nondisplaced spondylolisthesis of fifth cervical vertebra, sequela	ICD-10-CM	Diagnosis
S12.551S	Other traumatic nondisplaced spondylolisthesis of sixth cervical vertebra, sequela	ICD-10-CM	Diagnosis
S12.451K	Other traumatic nondisplaced spondylolisthesis of fifth cervical vertebra, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S12.351D	Other traumatic nondisplaced spondylolisthesis of fourth cervical vertebra, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S12.551D	Other traumatic nondisplaced spondylolisthesis of sixth cervical vertebra, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S12.151S	Other traumatic nondisplaced spondylolisthesis of second cervical vertebra, sequela	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S12.451D	Other traumatic nondisplaced spondylolisthesis of fifth cervical vertebra, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S12.150A	Other traumatic displaced spondylolisthesis of second cervical vertebra, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S12.150B	Other traumatic displaced spondylolisthesis of second cervical vertebra, initial encounter for open fracture	ICD-10-CM	Diagnosis
S12.150G	Other traumatic displaced spondylolisthesis of second cervical vertebra, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S12.150K	Other traumatic displaced spondylolisthesis of second cervical vertebra, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S12.150D	Other traumatic displaced spondylolisthesis of second cervical vertebra, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S12.150S	Other traumatic displaced spondylolisthesis of second cervical vertebra, sequela	ICD-10-CM	Diagnosis
S12.650S	Other traumatic displaced spondylolisthesis of seventh cervical vertebra, sequela	ICD-10-CM	Diagnosis
S12.151A	Other traumatic nondisplaced spondylolisthesis of second cervical vertebra, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S12.151B	Other traumatic nondisplaced spondylolisthesis of second cervical vertebra, initial encounter for open fracture	ICD-10-CM	Diagnosis
S12.151K	Other traumatic nondisplaced spondylolisthesis of second cervical vertebra, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S12.151G	Other traumatic nondisplaced spondylolisthesis of second cervical vertebra, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S12.151D	Other traumatic nondisplaced spondylolisthesis of second cervical vertebra, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S73.035A	Other anterior dislocation of left hip, initial encounter	ICD-10-CM	Diagnosis
S73.035D	Other anterior dislocation of left hip, subsequent encounter	ICD-10-CM	Diagnosis
S73.035S	Other anterior dislocation of left hip, sequela	ICD-10-CM	Diagnosis
S73.034S	Other anterior dislocation of right hip, sequela	ICD-10-CM	Diagnosis
S73.036S	Other anterior dislocation of unspecified hip, sequela	ICD-10-CM	Diagnosis
S73.034A	Other anterior dislocation of right hip, initial encounter	ICD-10-CM	Diagnosis
S73.034D	Other anterior dislocation of right hip, subsequent encounter	ICD-10-CM	Diagnosis
S73.036A	Other anterior dislocation of unspecified hip, initial encounter	ICD-10-CM	Diagnosis
S73.036D	Other anterior dislocation of unspecified hip, subsequent encounter	ICD-10-CM	Diagnosis
S73.032A	Other anterior subluxation of left hip, initial encounter	ICD-10-CM	Diagnosis
S73.032D	Other anterior subluxation of left hip, subsequent encounter	ICD-10-CM	Diagnosis
S73.032S	Other anterior subluxation of left hip, sequela	ICD-10-CM	Diagnosis
S73.031S	Other anterior subluxation of right hip, sequela	ICD-10-CM	Diagnosis
S73.031A	Other anterior subluxation of right hip, initial encounter	ICD-10-CM	Diagnosis
S73.031D	Other anterior subluxation of right hip, subsequent encounter	ICD-10-CM	Diagnosis
S73.033A	Other anterior subluxation of unspecified hip, initial encounter	ICD-10-CM	Diagnosis
S73.033S	Other anterior subluxation of unspecified hip, sequela	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S73.033D	Other anterior subluxation of unspecified hip, subsequent encounter	ICD-10-CM	Diagnosis
M24.172	Other articular cartilage disorders, left ankle	ICD-10-CM	Diagnosis
M24.122	Other articular cartilage disorders, left elbow	ICD-10-CM	Diagnosis
M24.175	Other articular cartilage disorders, left foot	ICD-10-CM	Diagnosis
M24.142	Other articular cartilage disorders, left hand	ICD-10-CM	Diagnosis
M24.152	Other articular cartilage disorders, left hip	ICD-10-CM	Diagnosis
M24.132	Other articular cartilage disorders, left wrist	ICD-10-CM	Diagnosis
M24.112	Other articular cartilage disorders, left shoulder	ICD-10-CM	Diagnosis
M24.171	Other articular cartilage disorders, right ankle	ICD-10-CM	Diagnosis
M24.121	Other articular cartilage disorders, right elbow	ICD-10-CM	Diagnosis
M24.174	Other articular cartilage disorders, right foot	ICD-10-CM	Diagnosis
M24.141	Other articular cartilage disorders, right hand	ICD-10-CM	Diagnosis
M24.151	Other articular cartilage disorders, right hip	ICD-10-CM	Diagnosis
M24.131	Other articular cartilage disorders, right wrist	ICD-10-CM	Diagnosis
M24.111	Other articular cartilage disorders, right shoulder	ICD-10-CM	Diagnosis
M24.173	Other articular cartilage disorders, unspecified ankle	ICD-10-CM	Diagnosis
M24.129	Other articular cartilage disorders, unspecified elbow	ICD-10-CM	Diagnosis
M24.176	Other articular cartilage disorders, unspecified foot	ICD-10-CM	Diagnosis
M24.149	Other articular cartilage disorders, unspecified hand	ICD-10-CM	Diagnosis
M24.159	Other articular cartilage disorders, unspecified hip	ICD-10-CM	Diagnosis
M24.119	Other articular cartilage disorders, unspecified shoulder	ICD-10-CM	Diagnosis
M24.10	Other articular cartilage disorders, unspecified site	ICD-10-CM	Diagnosis
M24.139	Other articular cartilage disorders, unspecified wrist	ICD-10-CM	Diagnosis
M22.3X2	Other derangements of patella, left knee	ICD-10-CM	Diagnosis
M22.3X1	Other derangements of patella, right knee	ICD-10-CM	Diagnosis
M22.3X9	Other derangements of patella, unspecified knee	ICD-10-CM	Diagnosis
S43.084D	Other dislocation of right shoulder joint, subsequent encounter	ICD-10-CM	Diagnosis
S83.195D	Other dislocation of left knee, subsequent encounter	ICD-10-CM	Diagnosis
S53.195S	Other dislocation of left ulnohumeral joint, sequela	ICD-10-CM	Diagnosis
S83.095A	Other dislocation of left patella, initial encounter	ICD-10-CM	Diagnosis
S83.095D	Other dislocation of left patella, subsequent encounter	ICD-10-CM	Diagnosis
S53.095A	Other dislocation of left radial head, initial encounter	ICD-10-CM	Diagnosis
S53.095S	Other dislocation of left radial head, sequela	ICD-10-CM	Diagnosis
S53.095D	Other dislocation of left radial head, subsequent encounter	ICD-10-CM	Diagnosis
S43.085A	Other dislocation of left shoulder joint, initial encounter	ICD-10-CM	Diagnosis
S43.085D	Other dislocation of left shoulder joint, subsequent encounter	ICD-10-CM	Diagnosis
S53.195A	Other dislocation of left ulnohumeral joint, initial encounter	ICD-10-CM	Diagnosis
S53.195D	Other dislocation of left ulnohumeral joint, subsequent encounter	ICD-10-CM	Diagnosis
S63.095A	Other dislocation of left wrist and hand, initial encounter	ICD-10-CM	Diagnosis
S63.095D	Other dislocation of left wrist and hand, subsequent encounter	ICD-10-CM	Diagnosis
S93.335A	Other dislocation of left foot, initial encounter	ICD-10-CM	Diagnosis
S93.335S	Other dislocation of left foot, sequela	ICD-10-CM	Diagnosis
S93.335D	Other dislocation of left foot, subsequent encounter	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S83.195A	Other dislocation of left knee, initial encounter	ICD-10-CM	Diagnosis
S83.195S	Other dislocation of left knee, sequela	ICD-10-CM	Diagnosis
S83.095S	Other dislocation of left patella, sequela	ICD-10-CM	Diagnosis
S43.085S	Other dislocation of left shoulder joint, sequela	ICD-10-CM	Diagnosis
S63.095S	Other dislocation of left wrist and hand, sequela	ICD-10-CM	Diagnosis
S93.334S	Other dislocation of right foot, sequela	ICD-10-CM	Diagnosis
S83.194S	Other dislocation of right knee, sequela	ICD-10-CM	Diagnosis
S83.094S	Other dislocation of right patella, sequela	ICD-10-CM	Diagnosis
S53.094S	Other dislocation of right radial head, sequela	ICD-10-CM	Diagnosis
S63.094S	Other dislocation of right wrist and hand, sequela	ICD-10-CM	Diagnosis
S93.336S	Other dislocation of unspecified foot, sequela	ICD-10-CM	Diagnosis
S83.196S	Other dislocation of unspecified knee, sequela	ICD-10-CM	Diagnosis
S83.096S	Other dislocation of unspecified patella, sequela	ICD-10-CM	Diagnosis
S93.334A	Other dislocation of right foot, initial encounter	ICD-10-CM	Diagnosis
S93.334D	Other dislocation of right foot, subsequent encounter	ICD-10-CM	Diagnosis
S83.194A	Other dislocation of right knee, initial encounter	ICD-10-CM	Diagnosis
S83.194D	Other dislocation of right knee, subsequent encounter	ICD-10-CM	Diagnosis
S43.084S	Other dislocation of right shoulder joint, sequela	ICD-10-CM	Diagnosis
S83.094A	Other dislocation of right patella, initial encounter	ICD-10-CM	Diagnosis
S83.094D	Other dislocation of right patella, subsequent encounter	ICD-10-CM	Diagnosis
S53.094A	Other dislocation of right radial head, initial encounter	ICD-10-CM	Diagnosis
S53.094D	Other dislocation of right radial head, subsequent encounter	ICD-10-CM	Diagnosis
S43.084A	Other dislocation of right shoulder joint, initial encounter	ICD-10-CM	Diagnosis
S53.194A	Other dislocation of right ulnohumeral joint, initial encounter	ICD-10-CM	Diagnosis
S53.194S	Other dislocation of right ulnohumeral joint, sequela	ICD-10-CM	Diagnosis
S53.194D	Other dislocation of right ulnohumeral joint, subsequent encounter	ICD-10-CM	Diagnosis
S63.094A	Other dislocation of right wrist and hand, initial encounter	ICD-10-CM	Diagnosis
S63.094D	Other dislocation of right wrist and hand, subsequent encounter	ICD-10-CM	Diagnosis
S93.336A	Other dislocation of unspecified foot, initial encounter	ICD-10-CM	Diagnosis
S93.336D	Other dislocation of unspecified foot, subsequent encounter	ICD-10-CM	Diagnosis
S83.196A	Other dislocation of unspecified knee, initial encounter	ICD-10-CM	Diagnosis
S83.196D	Other dislocation of unspecified knee, subsequent encounter	ICD-10-CM	Diagnosis
S83.096A	Other dislocation of unspecified patella, initial encounter	ICD-10-CM	Diagnosis
S83.096D	Other dislocation of unspecified patella, subsequent encounter	ICD-10-CM	Diagnosis
S53.096A	Other dislocation of unspecified radial head, initial encounter	ICD-10-CM	Diagnosis
S53.096S	Other dislocation of unspecified radial head, sequela	ICD-10-CM	Diagnosis
S53.096D	Other dislocation of unspecified radial head, subsequent encounter	ICD-10-CM	Diagnosis
S43.086A	Other dislocation of unspecified shoulder joint, initial encounter	ICD-10-CM	Diagnosis
S43.086S	Other dislocation of unspecified shoulder joint, sequela	ICD-10-CM	Diagnosis
S43.086D	Other dislocation of unspecified shoulder joint, subsequent encounter	ICD-10-CM	Diagnosis
S53.196A	Other dislocation of unspecified ulnohumeral joint, initial encounter	ICD-10-CM	Diagnosis
S53.196S	Other dislocation of unspecified ulnohumeral joint, sequela	ICD-10-CM	Diagnosis
S53.196D	Other dislocation of unspecified ulnohumeral joint, subsequent encounter	ICD-10-CM	Diagnosis



**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S63.096S	Other dislocation of unspecified wrist and hand, sequela	ICD-10-CM	Diagnosis
S63.096A	Other dislocation of unspecified wrist and hand, initial encounter	ICD-10-CM	Diagnosis
S63.096D	Other dislocation of unspecified wrist and hand, subsequent encounter	ICD-10-CM	Diagnosis
M22.8X2	Other disorders of patella, left knee	ICD-10-CM	Diagnosis
M22.8X1	Other disorders of patella, right knee	ICD-10-CM	Diagnosis
M22.8X9	Other disorders of patella, unspecified knee	ICD-10-CM	Diagnosis
S12.120S	Other displaced dens fracture, sequela	ICD-10-CM	Diagnosis
S12.090A	Other displaced fracture of first cervical vertebra, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S12.090B	Other displaced fracture of first cervical vertebra, initial encounter for open fracture	ICD-10-CM	Diagnosis
S12.090S	Other displaced fracture of first cervical vertebra, sequela	ICD-10-CM	Diagnosis
S12.090K	Other displaced fracture of first cervical vertebra, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S12.090D	Other displaced fracture of first cervical vertebra, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S12.090G	Other displaced fracture of first cervical vertebra, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S42.492S	Other displaced fracture of lower end of left humerus, sequela	ICD-10-CM	Diagnosis
S42.491S	Other displaced fracture of lower end of right humerus, sequela	ICD-10-CM	Diagnosis
S52.551A	Other extraarticular fracture of lower end of right radius, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S22.018S	Other fracture of first thoracic vertebra, sequela	ICD-10-CM	Diagnosis
S22.048S	Other fracture of fourth thoracic vertebra, sequela	ICD-10-CM	Diagnosis
S72.092S	Other fracture of head and neck of left femur, sequela	ICD-10-CM	Diagnosis
S72.091S	Other fracture of head and neck of right femur, sequela	ICD-10-CM	Diagnosis
S72.099S	Other fracture of head and neck of unspecified femur, sequela	ICD-10-CM	Diagnosis
S92.812A	Other fracture of left foot, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S92.812B	Other fracture of left foot, initial encounter for open fracture	ICD-10-CM	Diagnosis
S92.812K	Other fracture of left foot, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S92.812D	Other fracture of left foot, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S72.492S	Other fracture of lower end of left femur, sequela	ICD-10-CM	Diagnosis
S82.392S	Other fracture of lower end of left tibia, sequela	ICD-10-CM	Diagnosis
S72.491S	Other fracture of lower end of right femur, sequela	ICD-10-CM	Diagnosis
S82.391S	Other fracture of lower end of right tibia, sequela	ICD-10-CM	Diagnosis
S52.691S	Other fracture of lower end of right ulna, sequela	ICD-10-CM	Diagnosis
S72.499S	Other fracture of lower end of unspecified femur, sequela	ICD-10-CM	Diagnosis
S82.399S	Other fracture of lower end of unspecified tibia, sequela	ICD-10-CM	Diagnosis
S52.699S	Other fracture of lower end of unspecified ulna, sequela	ICD-10-CM	Diagnosis
S92.812G	Other fracture of left foot, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S32.392B	Other fracture of left ilium, initial encounter for open fracture	ICD-10-CM	Diagnosis
S32.392A	Other fracture of left ilium, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S32.392G	Other fracture of left ilium, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S32.392K	Other fracture of left ilium, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S32.392D	Other fracture of left ilium, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S82.092A	Other fracture of left patella, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S02.11HA	Other fracture of occiput, left side, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S02.11HB	Other fracture of occiput, left side, initial encounter for open fracture	ICD-10-CM	Diagnosis
S02.11GA	Other fracture of occiput, right side, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S02.11GB	Other fracture of occiput, right side, initial encounter for open fracture	ICD-10-CM	Diagnosis
S02.118B	Other fracture of occiput, unspecified side, initial encounter for open fracture	ICD-10-CM	Diagnosis
S02.19XS	Other fracture of base of skull, sequela	ICD-10-CM	Diagnosis
S32.058S	Other fracture of fifth lumbar vertebra, sequela	ICD-10-CM	Diagnosis
S32.018S	Other fracture of first lumbar vertebra, sequela	ICD-10-CM	Diagnosis
S32.048S	Other fracture of fourth lumbar vertebra, sequela	ICD-10-CM	Diagnosis
S72.8X2S	Other fracture of left femur, sequela	ICD-10-CM	Diagnosis
S92.812S	Other fracture of left foot, sequela	ICD-10-CM	Diagnosis
S92.492S	Other fracture of left great toe, sequela	ICD-10-CM	Diagnosis
S32.392S	Other fracture of left ilium, sequela	ICD-10-CM	Diagnosis
S92.592S	Other fracture of left lesser toe(s), sequela	ICD-10-CM	Diagnosis
S82.892S	Other fracture of left lower leg, sequela	ICD-10-CM	Diagnosis
S82.092S	Other fracture of left patella, sequela	ICD-10-CM	Diagnosis
S92.192S	Other fracture of left talus, sequela	ICD-10-CM	Diagnosis
S52.692S	Other fracture of lower end of left ulna, sequela	ICD-10-CM	Diagnosis
S02.11HS	Other fracture of occiput, left side, sequela	ICD-10-CM	Diagnosis
S02.11GS	Other fracture of occiput, right side, sequela	ICD-10-CM	Diagnosis
S02.118S	Other fracture of occiput, unspecified side, sequela	ICD-10-CM	Diagnosis
S62.398S	Other fracture of other metacarpal bone, sequela	ICD-10-CM	Diagnosis
S72.8X1S	Other fracture of right femur, sequela	ICD-10-CM	Diagnosis
S92.811S	Other fracture of right foot, sequela	ICD-10-CM	Diagnosis
S92.491S	Other fracture of right great toe, sequela	ICD-10-CM	Diagnosis
S32.391S	Other fracture of right ilium, sequela	ICD-10-CM	Diagnosis
S92.591S	Other fracture of right lesser toe(s), sequela	ICD-10-CM	Diagnosis
S82.891S	Other fracture of right lower leg, sequela	ICD-10-CM	Diagnosis
S82.091S	Other fracture of right patella, sequela	ICD-10-CM	Diagnosis
S92.191S	Other fracture of right talus, sequela	ICD-10-CM	Diagnosis
S32.19XS	Other fracture of sacrum, sequela	ICD-10-CM	Diagnosis
S32.028S	Other fracture of second lumbar vertebra, sequela	ICD-10-CM	Diagnosis
S72.392S	Other fracture of shaft of left femur, sequela	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S82.492S	Other fracture of shaft of left fibula, sequela	ICD-10-CM	Diagnosis
S42.392S	Other fracture of shaft of left humerus, sequela	ICD-10-CM	Diagnosis
S82.292S	Other fracture of shaft of left tibia, sequela	ICD-10-CM	Diagnosis
S52.292S	Other fracture of shaft of left ulna, sequela	ICD-10-CM	Diagnosis
S72.391S	Other fracture of shaft of right femur, sequela	ICD-10-CM	Diagnosis
S82.491S	Other fracture of shaft of right fibula, sequela	ICD-10-CM	Diagnosis
S42.391S	Other fracture of shaft of right humerus, sequela	ICD-10-CM	Diagnosis
S82.291S	Other fracture of shaft of right tibia, sequela	ICD-10-CM	Diagnosis
S52.291S	Other fracture of shaft of right ulna, sequela	ICD-10-CM	Diagnosis
S82.299S	Other fracture of shaft of unspecified tibia, sequela	ICD-10-CM	Diagnosis
S82.499S	Other fracture of shaft of unspecified fibula, sequela	ICD-10-CM	Diagnosis
S22.088S	Other fracture of T11-T12 vertebra, sequela	ICD-10-CM	Diagnosis
S22.058S	Other fracture of T5-T6 vertebra, sequela	ICD-10-CM	Diagnosis
S22.078S	Other fracture of T9-T10 vertebra, sequela	ICD-10-CM	Diagnosis
S32.038S	Other fracture of third lumbar vertebra, sequela	ICD-10-CM	Diagnosis
S72.8X9S	Other fracture of unspecified femur, sequela	ICD-10-CM	Diagnosis
S92.819S	Other fracture of unspecified foot, sequela	ICD-10-CM	Diagnosis
S92.499S	Other fracture of unspecified great toe, sequela	ICD-10-CM	Diagnosis
S32.399S	Other fracture of unspecified ilium, sequela	ICD-10-CM	Diagnosis
S82.899S	Other fracture of unspecified lower leg, sequela	ICD-10-CM	Diagnosis
S82.099S	Other fracture of unspecified patella, sequela	ICD-10-CM	Diagnosis
S92.199S	Other fracture of unspecified talus, sequela	ICD-10-CM	Diagnosis
S52.182S	Other fracture of upper end of left radius, sequela	ICD-10-CM	Diagnosis
S52.092S	Other fracture of upper end of left ulna, sequela	ICD-10-CM	Diagnosis
S52.189S	Other fracture of upper end of unspecified radius, sequela	ICD-10-CM	Diagnosis
S92.811P	Other fracture of right foot, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S92.811K	Other fracture of right foot, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S92.811G	Other fracture of right foot, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S92.811D	Other fracture of right foot, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S32.391A	Other fracture of right ilium, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S92.811A	Other fracture of right foot, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S92.811B	Other fracture of right foot, initial encounter for open fracture	ICD-10-CM	Diagnosis
S32.391B	Other fracture of right ilium, initial encounter for open fracture	ICD-10-CM	Diagnosis
S32.391G	Other fracture of right ilium, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S32.391K	Other fracture of right ilium, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S32.391D	Other fracture of right ilium, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S82.091A	Other fracture of right patella, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S22.028S	Other fracture of second thoracic vertebra, sequela	ICD-10-CM	Diagnosis
S82.292A	Other fracture of shaft of left tibia, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.392S	Other fracture of shaft of radius, left arm, sequela	ICD-10-CM	Diagnosis
S52.391S	Other fracture of shaft of radius, right arm, sequela	ICD-10-CM	Diagnosis
S52.299S	Other fracture of shaft of unspecified ulna, sequela	ICD-10-CM	Diagnosis
S52.399S	Other fracture of shaft of radius, unspecified arm, sequela	ICD-10-CM	Diagnosis
S82.291A	Other fracture of shaft of right tibia, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S72.399S	Other fracture of shaft of unspecified femur, sequela	ICD-10-CM	Diagnosis
S42.399S	Other fracture of shaft of unspecified humerus, sequela	ICD-10-CM	Diagnosis
S22.068S	Other fracture of T7-T8 thoracic vertebra, sequela	ICD-10-CM	Diagnosis
S22.038S	Other fracture of third thoracic vertebra, sequela	ICD-10-CM	Diagnosis
S92.819A	Other fracture of unspecified foot, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S92.819B	Other fracture of unspecified foot, initial encounter for open fracture	ICD-10-CM	Diagnosis
S92.819P	Other fracture of unspecified foot, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S92.819K	Other fracture of unspecified foot, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S92.819G	Other fracture of unspecified foot, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S92.819D	Other fracture of unspecified foot, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S32.399A	Other fracture of unspecified ilium, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S32.399B	Other fracture of unspecified ilium, initial encounter for open fracture	ICD-10-CM	Diagnosis
S32.399G	Other fracture of unspecified ilium, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S32.399K	Other fracture of unspecified ilium, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S32.399D	Other fracture of unspecified ilium, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S32.008S	Other fracture of unspecified lumbar vertebra, sequela	ICD-10-CM	Diagnosis
S62.399S	Other fracture of unspecified metacarpal bone, sequela	ICD-10-CM	Diagnosis
S82.099A	Other fracture of unspecified patella, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S22.008S	Other fracture of unspecified thoracic vertebra, sequela	ICD-10-CM	Diagnosis
S92.599S	Other fracture of unspecified lesser toe(s), sequela	ICD-10-CM	Diagnosis
S82.192S	Other fracture of upper end of left tibia, sequela	ICD-10-CM	Diagnosis
S52.181S	Other fracture of upper end of right radius, sequela	ICD-10-CM	Diagnosis
S82.191S	Other fracture of upper end of right tibia, sequela	ICD-10-CM	Diagnosis
S52.091S	Other fracture of upper end of right ulna, sequela	ICD-10-CM	Diagnosis
S82.199S	Other fracture of upper end of unspecified tibia, sequela	ICD-10-CM	Diagnosis
S52.099S	Other fracture of upper end of unspecified ulna, sequela	ICD-10-CM	Diagnosis
S82.192A	Other fracture of upper end of left tibia, initial encounter for closed fracture	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S82.191A	Other fracture of upper end of right tibia, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.592S	Other fractures of lower end of left radius, sequela	ICD-10-CM	Diagnosis
S52.591S	Other fractures of lower end of right radius, sequela	ICD-10-CM	Diagnosis
S52.599S	Other fractures of lower end of unspecified radius, sequela	ICD-10-CM	Diagnosis
S92.812P	Other fracture of left foot, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S52.592B	Other fractures of lower end of left radius, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S52.592C	Other fractures of lower end of left radius, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S52.592A	Other fractures of lower end of left radius, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.592K	Other fractures of lower end of left radius, subsequent encounter for closed fracture with nonunion	ICD-10-CM	Diagnosis
S52.592M	Other fractures of lower end of left radius, subsequent encounter for open fracture type I or II with nonunion	ICD-10-CM	Diagnosis
S52.592E	Other fractures of lower end of left radius, subsequent encounter for open fracture type I or II with routine healing	ICD-10-CM	Diagnosis
S52.592J	Other fractures of lower end of left radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD-10-CM	Diagnosis
S52.592N	Other fractures of lower end of left radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD-10-CM	Diagnosis
S52.592F	Other fractures of lower end of left radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD-10-CM	Diagnosis
S52.592G	Other fractures of lower end of left radius, subsequent encounter for closed fracture with delayed healing	ICD-10-CM	Diagnosis
S52.592D	Other fractures of lower end of left radius, subsequent encounter for closed fracture with routine healing	ICD-10-CM	Diagnosis
S52.592H	Other fractures of lower end of left radius, subsequent encounter for open fracture type I or II with delayed healing	ICD-10-CM	Diagnosis
S52.591B	Other fractures of lower end of right radius, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S52.591C	Other fractures of lower end of right radius, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S52.591A	Other fractures of lower end of right radius, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.591G	Other fractures of lower end of right radius, subsequent encounter for closed fracture with delayed healing	ICD-10-CM	Diagnosis
S52.591P	Other fractures of lower end of right radius, subsequent encounter for closed fracture with malunion	ICD-10-CM	Diagnosis
S52.591K	Other fractures of lower end of right radius, subsequent encounter for closed fracture with nonunion	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S52.591Q	Other fractures of lower end of right radius, subsequent encounter for open fracture type I or II with malunion	ICD-10-CM	Diagnosis
S52.591M	Other fractures of lower end of right radius, subsequent encounter for open fracture type I or II with nonunion	ICD-10-CM	Diagnosis
S52.591E	Other fractures of lower end of right radius, subsequent encounter for open fracture type I or II with routine healing	ICD-10-CM	Diagnosis
S52.591H	Other fractures of lower end of right radius, subsequent encounter for open fracture type I or II with delayed healing	ICD-10-CM	Diagnosis
S52.591J	Other fractures of lower end of right radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD-10-CM	Diagnosis
S52.591R	Other fractures of lower end of right radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD-10-CM	Diagnosis
S52.591N	Other fractures of lower end of right radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD-10-CM	Diagnosis
S52.591F	Other fractures of lower end of right radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD-10-CM	Diagnosis
S52.591D	Other fractures of lower end of right radius, subsequent encounter for closed fracture with routine healing	ICD-10-CM	Diagnosis
S82.092B	Other fracture of left patella, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.092C	Other fracture of left patella, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.092P	Other fracture of left patella, subsequent encounter for closed fracture with malunion	ICD-10-CM	Diagnosis
S82.092K	Other fracture of left patella, subsequent encounter for closed fracture with nonunion	ICD-10-CM	Diagnosis
S82.092G	Other fracture of left patella, subsequent encounter for closed fracture with delayed healing	ICD-10-CM	Diagnosis
S82.092D	Other fracture of left patella, subsequent encounter for closed fracture with routine healing	ICD-10-CM	Diagnosis
S82.092E	Other fracture of left patella, subsequent encounter for open fracture type I or II with routine healing	ICD-10-CM	Diagnosis
S82.092H	Other fracture of left patella, subsequent encounter for open fracture type I or II with delayed healing	ICD-10-CM	Diagnosis
S82.092Q	Other fracture of left patella, subsequent encounter for open fracture type I or II with malunion	ICD-10-CM	Diagnosis
S82.092M	Other fracture of left patella, subsequent encounter for open fracture type I or II with nonunion	ICD-10-CM	Diagnosis
S82.092J	Other fracture of left patella, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD-10-CM	Diagnosis
S82.092R	Other fracture of left patella, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD-10-CM	Diagnosis
S82.092N	Other fracture of left patella, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD-10-CM	Diagnosis



**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S82.092F	Other fracture of left patella, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD-10-CM	Diagnosis
S02.11HG	Other fracture of occiput, left side, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S32.19XA	Other fracture of sacrum, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.091B	Other fracture of right patella, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.091C	Other fracture of right patella, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.091P	Other fracture of right patella, subsequent encounter for closed fracture with malunion	ICD-10-CM	Diagnosis
S82.091K	Other fracture of right patella, subsequent encounter for closed fracture with nonunion	ICD-10-CM	Diagnosis
S82.091G	Other fracture of right patella, subsequent encounter for closed fracture with delayed healing	ICD-10-CM	Diagnosis
S82.091D	Other fracture of right patella, subsequent encounter for closed fracture with routine healing	ICD-10-CM	Diagnosis
S82.091E	Other fracture of right patella, subsequent encounter for open fracture type I or II with routine healing	ICD-10-CM	Diagnosis
S82.091H	Other fracture of right patella, subsequent encounter for open fracture type I or II with delayed healing	ICD-10-CM	Diagnosis
S82.091Q	Other fracture of right patella, subsequent encounter for open fracture type I or II with malunion	ICD-10-CM	Diagnosis
S82.091M	Other fracture of right patella, subsequent encounter for open fracture type I or II with nonunion	ICD-10-CM	Diagnosis
S82.091J	Other fracture of right patella, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD-10-CM	Diagnosis
S82.091R	Other fracture of right patella, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD-10-CM	Diagnosis
S82.091N	Other fracture of right patella, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD-10-CM	Diagnosis
S82.091F	Other fracture of right patella, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD-10-CM	Diagnosis
S82.292B	Other fracture of shaft of left tibia, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.292C	Other fracture of shaft of left tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.292G	Other fracture of shaft of left tibia, subsequent encounter for closed fracture with delayed healing	ICD-10-CM	Diagnosis
S82.292P	Other fracture of shaft of left tibia, subsequent encounter for closed fracture with malunion	ICD-10-CM	Diagnosis
S82.292K	Other fracture of shaft of left tibia, subsequent encounter for closed fracture with nonunion	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S82.292D	Other fracture of shaft of left tibia, subsequent encounter for closed fracture with routine healing	ICD-10-CM	Diagnosis
S82.292H	Other fracture of shaft of left tibia, subsequent encounter for open fracture type I or II with delayed healing	ICD-10-CM	Diagnosis
S82.292E	Other fracture of shaft of left tibia, subsequent encounter for open fracture type I or II with routine healing	ICD-10-CM	Diagnosis
S82.292J	Other fracture of shaft of left tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD-10-CM	Diagnosis
S82.292R	Other fracture of shaft of left tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD-10-CM	Diagnosis
S82.292N	Other fracture of shaft of left tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD-10-CM	Diagnosis
S82.292F	Other fracture of shaft of left tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD-10-CM	Diagnosis
S82.292Q	Other fracture of shaft of left tibia, subsequent encounter for open fracture type I or II with malunion	ICD-10-CM	Diagnosis
S82.292M	Other fracture of shaft of left tibia, subsequent encounter for open fracture type I or II with nonunion	ICD-10-CM	Diagnosis
S52.392B	Other fracture of shaft of radius, left arm, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S52.392C	Other fracture of shaft of radius, left arm, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S52.392A	Other fracture of shaft of radius, left arm, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.392G	Other fracture of shaft of radius, left arm, subsequent encounter for closed fracture with delayed healing	ICD-10-CM	Diagnosis
S52.392K	Other fracture of shaft of radius, left arm, subsequent encounter for closed fracture with nonunion	ICD-10-CM	Diagnosis
S52.392E	Other fracture of shaft of radius, left arm, subsequent encounter for open fracture type I or II with routine healing	ICD-10-CM	Diagnosis
S52.392M	Other fracture of shaft of radius, left arm, subsequent encounter for open fracture type I or II with nonunion	ICD-10-CM	Diagnosis
S52.392J	Other fracture of shaft of radius, left arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD-10-CM	Diagnosis
S52.392F	Other fracture of shaft of radius, left arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD-10-CM	Diagnosis
S52.392D	Other fracture of shaft of radius, left arm, subsequent encounter for closed fracture with routine healing	ICD-10-CM	Diagnosis
S52.391G	Other fracture of shaft of radius, right arm, subsequent encounter for closed fracture with delayed healing	ICD-10-CM	Diagnosis
S52.391D	Other fracture of shaft of radius, right arm, subsequent encounter for closed fracture with routine healing	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S52.391P	Other fracture of shaft of radius, right arm, subsequent encounter for closed fracture with malunion	ICD-10-CM	Diagnosis
S52.391K	Other fracture of shaft of radius, right arm, subsequent encounter for closed fracture with nonunion	ICD-10-CM	Diagnosis
S52.391H	Other fracture of shaft of radius, right arm, subsequent encounter for open fracture type I or II with delayed healing	ICD-10-CM	Diagnosis
S52.391E	Other fracture of shaft of radius, right arm, subsequent encounter for open fracture type I or II with routine healing	ICD-10-CM	Diagnosis
S52.391Q	Other fracture of shaft of radius, right arm, subsequent encounter for open fracture type I or II with malunion	ICD-10-CM	Diagnosis
S52.391M	Other fracture of shaft of radius, right arm, subsequent encounter for open fracture type I or II with nonunion	ICD-10-CM	Diagnosis
S52.391J	Other fracture of shaft of radius, right arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD-10-CM	Diagnosis
S52.391F	Other fracture of shaft of radius, right arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD-10-CM	Diagnosis
S52.391R	Other fracture of shaft of radius, right arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD-10-CM	Diagnosis
S52.391N	Other fracture of shaft of radius, right arm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD-10-CM	Diagnosis
S82.291B	Other fracture of shaft of right tibia, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.291C	Other fracture of shaft of right tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.291G	Other fracture of shaft of right tibia, subsequent encounter for closed fracture with delayed healing	ICD-10-CM	Diagnosis
S82.291P	Other fracture of shaft of right tibia, subsequent encounter for closed fracture with malunion	ICD-10-CM	Diagnosis
S82.291K	Other fracture of shaft of right tibia, subsequent encounter for closed fracture with nonunion	ICD-10-CM	Diagnosis
S82.291D	Other fracture of shaft of right tibia, subsequent encounter for closed fracture with routine healing	ICD-10-CM	Diagnosis
S82.291H	Other fracture of shaft of right tibia, subsequent encounter for open fracture type I or II with delayed healing	ICD-10-CM	Diagnosis
S82.291E	Other fracture of shaft of right tibia, subsequent encounter for open fracture type I or II with routine healing	ICD-10-CM	Diagnosis
S82.291J	Other fracture of shaft of right tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD-10-CM	Diagnosis
S82.291R	Other fracture of shaft of right tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD-10-CM	Diagnosis
S82.291N	Other fracture of shaft of right tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S82.291F	Other fracture of shaft of right tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD-10-CM	Diagnosis
S82.291Q	Other fracture of shaft of right tibia, subsequent encounter for open fracture type I or II with malunion	ICD-10-CM	Diagnosis
S82.291M	Other fracture of shaft of right tibia, subsequent encounter for open fracture type I or II with nonunion	ICD-10-CM	Diagnosis
S82.299B	Other fracture of shaft of unspecified tibia, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.299C	Other fracture of shaft of unspecified tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.299A	Other fracture of shaft of unspecified tibia, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.299G	Other fracture of shaft of unspecified tibia, subsequent encounter for closed fracture with delayed healing	ICD-10-CM	Diagnosis
S82.299P	Other fracture of shaft of unspecified tibia, subsequent encounter for closed fracture with malunion	ICD-10-CM	Diagnosis
S82.299K	Other fracture of shaft of unspecified tibia, subsequent encounter for closed fracture with nonunion	ICD-10-CM	Diagnosis
S82.299D	Other fracture of shaft of unspecified tibia, subsequent encounter for closed fracture with routine healing	ICD-10-CM	Diagnosis
S82.299E	Other fracture of shaft of unspecified tibia, subsequent encounter for open fracture type I or II with routine healing	ICD-10-CM	Diagnosis
S82.299J	Other fracture of shaft of unspecified tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD-10-CM	Diagnosis
S82.299R	Other fracture of shaft of unspecified tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD-10-CM	Diagnosis
S82.299N	Other fracture of shaft of unspecified tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD-10-CM	Diagnosis
S82.299H	Other fracture of shaft of unspecified tibia, subsequent encounter for open fracture type I or II with delayed healing	ICD-10-CM	Diagnosis
S82.299Q	Other fracture of shaft of unspecified tibia, subsequent encounter for open fracture type I or II with malunion	ICD-10-CM	Diagnosis
S82.299M	Other fracture of shaft of unspecified tibia, subsequent encounter for open fracture type I or II with nonunion	ICD-10-CM	Diagnosis
S82.299F	Other fracture of shaft of unspecified tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD-10-CM	Diagnosis
S52.392H	Other fracture of shaft of radius, left arm, subsequent encounter for open fracture type I or II with delayed healing	ICD-10-CM	Diagnosis
S52.391B	Other fracture of shaft of radius, right arm, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S52.391A	Other fracture of shaft of radius, right arm, initial encounter for closed fracture	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S32.008B	Other fracture of unspecified lumbar vertebra, initial encounter for open fracture	ICD-10-CM	Diagnosis
S32.008G	Other fracture of unspecified lumbar vertebra, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S32.008K	Other fracture of unspecified lumbar vertebra, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S32.008D	Other fracture of unspecified lumbar vertebra, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S32.008A	Other fracture of unspecified lumbar vertebra, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.099B	Other fracture of unspecified patella, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.099C	Other fracture of unspecified patella, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.099P	Other fracture of unspecified patella, subsequent encounter for closed fracture with malunion	ICD-10-CM	Diagnosis
S82.099K	Other fracture of unspecified patella, subsequent encounter for closed fracture with nonunion	ICD-10-CM	Diagnosis
S82.099G	Other fracture of unspecified patella, subsequent encounter for closed fracture with delayed healing	ICD-10-CM	Diagnosis
S82.099E	Other fracture of unspecified patella, subsequent encounter for open fracture type I or II with routine healing	ICD-10-CM	Diagnosis
S82.099H	Other fracture of unspecified patella, subsequent encounter for open fracture type I or II with delayed healing	ICD-10-CM	Diagnosis
S82.099Q	Other fracture of unspecified patella, subsequent encounter for open fracture type I or II with malunion	ICD-10-CM	Diagnosis
S82.099M	Other fracture of unspecified patella, subsequent encounter for open fracture type I or II with nonunion	ICD-10-CM	Diagnosis
S82.099J	Other fracture of unspecified patella, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD-10-CM	Diagnosis
S82.099R	Other fracture of unspecified patella, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD-10-CM	Diagnosis
S82.099N	Other fracture of unspecified patella, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD-10-CM	Diagnosis
S82.099F	Other fracture of unspecified patella, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD-10-CM	Diagnosis
S82.099D	Other fracture of unspecified patella, subsequent encounter for closed fracture with routine healing	ICD-10-CM	Diagnosis
S52.182C	Other fracture of upper end of left radius, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S52.189C	Other fracture of upper end of unspecified radius, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S52.189A	Other fracture of upper end of unspecified radius, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.189B	Other fracture of upper end of unspecified radius, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S52.182G	Other fracture of upper end of left radius, subsequent encounter for closed fracture with delayed healing	ICD-10-CM	Diagnosis
S52.182P	Other fracture of upper end of left radius, subsequent encounter for closed fracture with malunion	ICD-10-CM	Diagnosis
S52.182K	Other fracture of upper end of left radius, subsequent encounter for closed fracture with nonunion	ICD-10-CM	Diagnosis
S52.182D	Other fracture of upper end of left radius, subsequent encounter for closed fracture with routine healing	ICD-10-CM	Diagnosis
S52.182H	Other fracture of upper end of left radius, subsequent encounter for open fracture type I or II with delayed healing	ICD-10-CM	Diagnosis
S52.182Q	Other fracture of upper end of left radius, subsequent encounter for open fracture type I or II with malunion	ICD-10-CM	Diagnosis
S52.182M	Other fracture of upper end of left radius, subsequent encounter for open fracture type I or II with nonunion	ICD-10-CM	Diagnosis
S52.182E	Other fracture of upper end of left radius, subsequent encounter for open fracture type I or II with routine healing	ICD-10-CM	Diagnosis
S52.182N	Other fracture of upper end of left radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD-10-CM	Diagnosis
S52.182J	Other fracture of upper end of left radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD-10-CM	Diagnosis
S52.182F	Other fracture of upper end of left radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD-10-CM	Diagnosis
S52.182R	Other fracture of upper end of left radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD-10-CM	Diagnosis
S52.181J	Other fracture of upper end of right radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD-10-CM	Diagnosis
S52.189G	Other fracture of upper end of unspecified radius, subsequent encounter for closed fracture with delayed healing	ICD-10-CM	Diagnosis
S52.189P	Other fracture of upper end of unspecified radius, subsequent encounter for closed fracture with malunion	ICD-10-CM	Diagnosis
S52.189K	Other fracture of upper end of unspecified radius, subsequent encounter for closed fracture with nonunion	ICD-10-CM	Diagnosis
S52.189D	Other fracture of upper end of unspecified radius, subsequent encounter for closed fracture with routine healing	ICD-10-CM	Diagnosis
S52.189H	Other fracture of upper end of unspecified radius, subsequent encounter for open fracture type I or II with delayed healing	ICD-10-CM	Diagnosis
S52.189Q	Other fracture of upper end of unspecified radius, subsequent encounter for open fracture type I or II with malunion	ICD-10-CM	Diagnosis



**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S52.189M	Other fracture of upper end of unspecified radius, subsequent encounter for open fracture type I or II with nonunion	ICD-10-CM	Diagnosis
S52.189E	Other fracture of upper end of unspecified radius, subsequent encounter for open fracture type I or II with routine healing	ICD-10-CM	Diagnosis
S52.189N	Other fracture of upper end of unspecified radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD-10-CM	Diagnosis
S52.189J	Other fracture of upper end of unspecified radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD-10-CM	Diagnosis
S52.189R	Other fracture of upper end of unspecified radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD-10-CM	Diagnosis
S52.189F	Other fracture of upper end of unspecified radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD-10-CM	Diagnosis
S52.099J	Other fracture of upper end of unspecified ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD-10-CM	Diagnosis
S52.182A	Other fracture of upper end of left radius, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.182B	Other fracture of upper end of left radius, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S52.092C	Other fracture of upper end of left ulna, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S52.092A	Other fracture of upper end of left ulna, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.092B	Other fracture of upper end of left ulna, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S52.092J	Other fracture of upper end of left ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD-10-CM	Diagnosis
S52.092G	Other fracture of upper end of left ulna, subsequent encounter for closed fracture with delayed healing	ICD-10-CM	Diagnosis
S52.092P	Other fracture of upper end of left ulna, subsequent encounter for closed fracture with malunion	ICD-10-CM	Diagnosis
S52.092K	Other fracture of upper end of left ulna, subsequent encounter for closed fracture with nonunion	ICD-10-CM	Diagnosis
S52.092D	Other fracture of upper end of left ulna, subsequent encounter for closed fracture with routine healing	ICD-10-CM	Diagnosis
S52.092Q	Other fracture of upper end of left ulna, subsequent encounter for open fracture type I or II with malunion	ICD-10-CM	Diagnosis
S52.092M	Other fracture of upper end of left ulna, subsequent encounter for open fracture type I or II with nonunion	ICD-10-CM	Diagnosis
S52.092E	Other fracture of upper end of left ulna, subsequent encounter for open fracture type I or II with routine healing	ICD-10-CM	Diagnosis
S52.092H	Other fracture of upper end of left ulna, subsequent encounter for open fracture type I or II with delayed healing	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S52.092N	Other fracture of upper end of left ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD-10-CM	Diagnosis
S52.092F	Other fracture of upper end of left ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD-10-CM	Diagnosis
S52.181C	Other fracture of upper end of right radius, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S52.181A	Other fracture of upper end of right radius, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.181B	Other fracture of upper end of right radius, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S52.181R	Other fracture of upper end of right radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD-10-CM	Diagnosis
S52.181P	Other fracture of upper end of right radius, subsequent encounter for closed fracture with malunion	ICD-10-CM	Diagnosis
S52.181K	Other fracture of upper end of right radius, subsequent encounter for closed fracture with nonunion	ICD-10-CM	Diagnosis
S52.181Q	Other fracture of upper end of right radius, subsequent encounter for open fracture type I or II with malunion	ICD-10-CM	Diagnosis
S52.181N	Other fracture of upper end of right radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD-10-CM	Diagnosis
S52.181F	Other fracture of upper end of right radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD-10-CM	Diagnosis
S52.181G	Other fracture of upper end of right radius, subsequent encounter for closed fracture with delayed healing	ICD-10-CM	Diagnosis
S52.181D	Other fracture of upper end of right radius, subsequent encounter for closed fracture with routine healing	ICD-10-CM	Diagnosis
S52.181E	Other fracture of upper end of right radius, subsequent encounter for open fracture type I or II with routine healing	ICD-10-CM	Diagnosis
S52.181H	Other fracture of upper end of right radius, subsequent encounter for open fracture type I or II with delayed healing	ICD-10-CM	Diagnosis
S52.181M	Other fracture of upper end of right radius, subsequent encounter for open fracture type I or II with nonunion	ICD-10-CM	Diagnosis
S52.091C	Other fracture of upper end of right ulna, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S52.091A	Other fracture of upper end of right ulna, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.091B	Other fracture of upper end of right ulna, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S52.091J	Other fracture of upper end of right ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD-10-CM	Diagnosis
S52.091K	Other fracture of upper end of right ulna, subsequent encounter for closed fracture with nonunion	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S52.091Q	Other fracture of upper end of right ulna, subsequent encounter for open fracture type I or II with malunion	ICD-10-CM	Diagnosis
S52.091G	Other fracture of upper end of right ulna, subsequent encounter for closed fracture with delayed healing	ICD-10-CM	Diagnosis
S52.091P	Other fracture of upper end of right ulna, subsequent encounter for closed fracture with malunion	ICD-10-CM	Diagnosis
S52.091D	Other fracture of upper end of right ulna, subsequent encounter for closed fracture with routine healing	ICD-10-CM	Diagnosis
S52.091M	Other fracture of upper end of right ulna, subsequent encounter for open fracture type I or II with nonunion	ICD-10-CM	Diagnosis
S52.091E	Other fracture of upper end of right ulna, subsequent encounter for open fracture type I or II with routine healing	ICD-10-CM	Diagnosis
S52.091R	Other fracture of upper end of right ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD-10-CM	Diagnosis
S52.091H	Other fracture of upper end of right ulna, subsequent encounter for open fracture type I or II with delayed healing	ICD-10-CM	Diagnosis
S52.091N	Other fracture of upper end of right ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD-10-CM	Diagnosis
S52.091F	Other fracture of upper end of right ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD-10-CM	Diagnosis
S52.099B	Other fracture of upper end of unspecified ulna, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S52.099C	Other fracture of upper end of unspecified ulna, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S52.099A	Other fracture of upper end of unspecified ulna, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.099F	Other fracture of upper end of unspecified ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD-10-CM	Diagnosis
S52.099P	Other fracture of upper end of unspecified ulna, subsequent encounter for closed fracture with malunion	ICD-10-CM	Diagnosis
S52.099K	Other fracture of upper end of unspecified ulna, subsequent encounter for closed fracture with nonunion	ICD-10-CM	Diagnosis
S52.099D	Other fracture of upper end of unspecified ulna, subsequent encounter for closed fracture with routine healing	ICD-10-CM	Diagnosis
S52.099Q	Other fracture of upper end of unspecified ulna, subsequent encounter for open fracture type I or II with malunion	ICD-10-CM	Diagnosis
S52.099M	Other fracture of upper end of unspecified ulna, subsequent encounter for open fracture type I or II with nonunion	ICD-10-CM	Diagnosis
S52.099G	Other fracture of upper end of unspecified ulna, subsequent encounter for closed fracture with delayed healing	ICD-10-CM	Diagnosis
S52.099H	Other fracture of upper end of unspecified ulna, subsequent encounter for open fracture type I or II with delayed healing	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S52.099E	Other fracture of upper end of unspecified ulna, subsequent encounter for open fracture type I or II with routine healing	ICD-10-CM	Diagnosis
S52.099R	Other fracture of upper end of unspecified ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD-10-CM	Diagnosis
S52.099N	Other fracture of upper end of unspecified ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD-10-CM	Diagnosis
M23.8X2	Other internal derangements of left knee	ICD-10-CM	Diagnosis
M23.8X1	Other internal derangements of right knee	ICD-10-CM	Diagnosis
M23.8X9	Other internal derangements of unspecified knee	ICD-10-CM	Diagnosis
M23.307	Other meniscus derangements, unspecified meniscus, left knee	ICD-10-CM	Diagnosis
M23.306	Other meniscus derangements, unspecified meniscus, right knee	ICD-10-CM	Diagnosis
S12.121S	Other nondisplaced dens fracture, sequela	ICD-10-CM	Diagnosis
S12.091S	Other nondisplaced fracture of first cervical vertebra, sequela	ICD-10-CM	Diagnosis
S42.495S	Other nondisplaced fracture of lower end of left humerus, sequela	ICD-10-CM	Diagnosis
S42.494S	Other nondisplaced fracture of lower end of right humerus, sequela	ICD-10-CM	Diagnosis
S11.89XA	Other open wound of other specified part of neck, initial encounter	ICD-10-CM	Diagnosis
S11.89XS	Other open wound of other specified part of neck, sequela	ICD-10-CM	Diagnosis
S11.89XD	Other open wound of other specified part of neck, subsequent encounter	ICD-10-CM	Diagnosis
S99.192P	Other physeal fracture of left metatarsal, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S99.199B	Other physeal fracture of unspecified metatarsal, initial encounter for open fracture	ICD-10-CM	Diagnosis
S99.199P	Other physeal fracture of unspecified metatarsal, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S99.199K	Other physeal fracture of unspecified metatarsal, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S99.092S	Other physeal fracture of left calcaneus, sequela	ICD-10-CM	Diagnosis
S99.192S	Other physeal fracture of left metatarsal, sequela	ICD-10-CM	Diagnosis
S49.192S	Other physeal fracture of lower end of humerus, left arm, sequela	ICD-10-CM	Diagnosis
S49.191S	Other physeal fracture of lower end of humerus, right arm, sequela	ICD-10-CM	Diagnosis
S49.199S	Other physeal fracture of lower end of humerus, unspecified arm, sequela	ICD-10-CM	Diagnosis
S59.292S	Other physeal fracture of lower end of radius, left arm, sequela	ICD-10-CM	Diagnosis
S59.291S	Other physeal fracture of lower end of radius, right arm, sequela	ICD-10-CM	Diagnosis
S59.299S	Other physeal fracture of lower end of radius, unspecified arm, sequela	ICD-10-CM	Diagnosis
S79.192S	Other physeal fracture of lower end of left femur, sequela	ICD-10-CM	Diagnosis
S79.191S	Other physeal fracture of lower end of right femur, sequela	ICD-10-CM	Diagnosis
S59.092S	Other physeal fracture of lower end of ulna, left arm, sequela	ICD-10-CM	Diagnosis
S59.091S	Other physeal fracture of lower end of ulna, right arm, sequela	ICD-10-CM	Diagnosis
S59.099S	Other physeal fracture of lower end of ulna, unspecified arm, sequela	ICD-10-CM	Diagnosis
S79.199S	Other physeal fracture of lower end of unspecified femur, sequela	ICD-10-CM	Diagnosis
S89.399S	Other physeal fracture of lower end of unspecified fibula, sequela	ICD-10-CM	Diagnosis
S99.292S	Other physeal fracture of phalanx of left toe, sequela	ICD-10-CM	Diagnosis
S99.291S	Other physeal fracture of phalanx of right toe, sequela	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S99.299S	Other physeal fracture of phalanx of unspecified toe, sequela	ICD-10-CM	Diagnosis
S99.091S	Other physeal fracture of right calcaneus, sequela	ICD-10-CM	Diagnosis
S99.191S	Other physeal fracture of right metatarsal, sequela	ICD-10-CM	Diagnosis
S99.191B	Other physeal fracture of right metatarsal, initial encounter for open fracture	ICD-10-CM	Diagnosis
S99.191A	Other physeal fracture of right metatarsal, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S99.099S	Other physeal fracture of unspecified calcaneus, sequela	ICD-10-CM	Diagnosis
S99.199S	Other physeal fracture of unspecified metatarsal, sequela	ICD-10-CM	Diagnosis
S49.092S	Other physeal fracture of upper end of humerus, left arm, sequela	ICD-10-CM	Diagnosis
S49.091S	Other physeal fracture of upper end of humerus, right arm, sequela	ICD-10-CM	Diagnosis
S49.099S	Other physeal fracture of upper end of humerus, unspecified arm, sequela	ICD-10-CM	Diagnosis
S59.192S	Other physeal fracture of upper end of radius, left arm, sequela	ICD-10-CM	Diagnosis
S59.199S	Other physeal fracture of upper end of radius, unspecified arm, sequela	ICD-10-CM	Diagnosis
S79.092S	Other physeal fracture of upper end of left femur, sequela	ICD-10-CM	Diagnosis
S89.092S	Other physeal fracture of upper end of left tibia, sequela	ICD-10-CM	Diagnosis
S59.191S	Other physeal fracture of upper end of radius, right arm, sequela	ICD-10-CM	Diagnosis
S79.091S	Other physeal fracture of upper end of right femur, sequela	ICD-10-CM	Diagnosis
S89.091S	Other physeal fracture of upper end of right tibia, sequela	ICD-10-CM	Diagnosis
S79.099S	Other physeal fracture of upper end of unspecified femur, sequela	ICD-10-CM	Diagnosis
S89.099S	Other physeal fracture of upper end of unspecified tibia, sequela	ICD-10-CM	Diagnosis
S99.092A	Other physeal fracture of left calcaneus, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S99.092B	Other physeal fracture of left calcaneus, initial encounter for open fracture	ICD-10-CM	Diagnosis
S99.092G	Other physeal fracture of left calcaneus, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S99.092D	Other physeal fracture of left calcaneus, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S99.092P	Other physeal fracture of left calcaneus, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S99.092K	Other physeal fracture of left calcaneus, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S99.192B	Other physeal fracture of left metatarsal, initial encounter for open fracture	ICD-10-CM	Diagnosis
S99.192G	Other physeal fracture of left metatarsal, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S99.192K	Other physeal fracture of left metatarsal, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S99.192D	Other physeal fracture of left metatarsal, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S99.192A	Other physeal fracture of left metatarsal, initial encounter for closed fracture	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S99.291G	Other physeal fracture of phalanx of right toe, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S99.291D	Other physeal fracture of phalanx of right toe, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S99.291P	Other physeal fracture of phalanx of right toe, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S99.291K	Other physeal fracture of phalanx of right toe, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S99.091B	Other physeal fracture of right calcaneus, initial encounter for open fracture	ICD-10-CM	Diagnosis
S99.091G	Other physeal fracture of right calcaneus, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S99.091P	Other physeal fracture of right calcaneus, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S99.091K	Other physeal fracture of right calcaneus, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S99.091D	Other physeal fracture of right calcaneus, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S99.091A	Other physeal fracture of right calcaneus, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S99.191D	Other physeal fracture of right metatarsal, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S99.099P	Other physeal fracture of unspecified calcaneus, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S99.099A	Other physeal fracture of unspecified calcaneus, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S99.099B	Other physeal fracture of unspecified calcaneus, initial encounter for open fracture	ICD-10-CM	Diagnosis
S99.099G	Other physeal fracture of unspecified calcaneus, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S99.099D	Other physeal fracture of unspecified calcaneus, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S99.099K	Other physeal fracture of unspecified calcaneus, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S99.199A	Other physeal fracture of unspecified metatarsal, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S99.199G	Other physeal fracture of unspecified metatarsal, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S99.199D	Other physeal fracture of unspecified metatarsal, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
M43.4	Other recurrent atlantoaxial dislocation	ICD-10-CM	Diagnosis
M43.5X9	Other recurrent vertebral dislocation, site unspecified	ICD-10-CM	Diagnosis



**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S32.692G	Other specified fracture of left ischium, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S32.492S	Other specified fracture of left acetabulum, sequela	ICD-10-CM	Diagnosis
S32.492A	Other specified fracture of left acetabulum, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S32.492B	Other specified fracture of left acetabulum, initial encounter for open fracture	ICD-10-CM	Diagnosis
S32.692A	Other specified fracture of left ischium, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S32.692B	Other specified fracture of left ischium, initial encounter for open fracture	ICD-10-CM	Diagnosis
S32.692K	Other specified fracture of left ischium, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S32.692D	Other specified fracture of left ischium, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S32.491A	Other specified fracture of right acetabulum, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S32.491B	Other specified fracture of right acetabulum, initial encounter for open fracture	ICD-10-CM	Diagnosis
S32.491S	Other specified fracture of right acetabulum, sequela	ICD-10-CM	Diagnosis
S32.691A	Other specified fracture of right ischium, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S32.691B	Other specified fracture of right ischium, initial encounter for open fracture	ICD-10-CM	Diagnosis
S32.691K	Other specified fracture of right ischium, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S32.499A	Other specified fracture of unspecified acetabulum, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S32.499B	Other specified fracture of unspecified acetabulum, initial encounter for open fracture	ICD-10-CM	Diagnosis
S32.499S	Other specified fracture of unspecified acetabulum, sequela	ICD-10-CM	Diagnosis
S32.499D	Other specified fracture of unspecified acetabulum, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S32.699A	Other specified fracture of unspecified ischium, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S32.699B	Other specified fracture of unspecified ischium, initial encounter for open fracture	ICD-10-CM	Diagnosis
S32.699K	Other specified fracture of unspecified ischium, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S32.699S	Other specified fracture of unspecified ischium, sequela	ICD-10-CM	Diagnosis
S32.492G	Other specified fracture of left acetabulum, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S32.492K	Other specified fracture of left acetabulum, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S32.492D	Other specified fracture of left acetabulum, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S32.592A	Other specified fracture of left pubis, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S32.592B	Other specified fracture of left pubis, initial encounter for open fracture	ICD-10-CM	Diagnosis
S32.592G	Other specified fracture of left pubis, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S32.592K	Other specified fracture of left pubis, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S32.592D	Other specified fracture of left pubis, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S32.491G	Other specified fracture of right acetabulum, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S32.491K	Other specified fracture of right acetabulum, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S32.491D	Other specified fracture of right acetabulum, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S32.591A	Other specified fracture of right pubis, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S32.591B	Other specified fracture of right pubis, initial encounter for open fracture	ICD-10-CM	Diagnosis
S32.591G	Other specified fracture of right pubis, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S32.591K	Other specified fracture of right pubis, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S32.591D	Other specified fracture of right pubis, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S32.499K	Other specified fracture of unspecified acetabulum, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S32.499G	Other specified fracture of unspecified acetabulum, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S32.699G	Other specified fracture of unspecified ischium, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S32.599A	Other specified fracture of unspecified pubis, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S32.599B	Other specified fracture of unspecified pubis, initial encounter for open fracture	ICD-10-CM	Diagnosis
S32.692S	Other specified fracture of left ischium, sequela	ICD-10-CM	Diagnosis
S32.592S	Other specified fracture of left pubis, sequela	ICD-10-CM	Diagnosis
S32.591S	Other specified fracture of right pubis, sequela	ICD-10-CM	Diagnosis
S32.691S	Other specified fracture of right ischium, sequela	ICD-10-CM	Diagnosis
S32.599G	Other specified fracture of unspecified pubis, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S32.599K	Other specified fracture of unspecified pubis, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S32.599D	Other specified fracture of unspecified pubis, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S32.599S	Other specified fracture of unspecified pubis, sequela	ICD-10-CM	Diagnosis
M23.612	Other spontaneous disruption of anterior cruciate ligament of left knee	ICD-10-CM	Diagnosis
M23.619	Other spontaneous disruption of anterior cruciate ligament of unspecified knee	ICD-10-CM	Diagnosis
M23.611	Other spontaneous disruption of anterior cruciate ligament of right knee	ICD-10-CM	Diagnosis
M23.642	Other spontaneous disruption of lateral collateral ligament of left knee	ICD-10-CM	Diagnosis
M23.649	Other spontaneous disruption of lateral collateral ligament of unspecified knee	ICD-10-CM	Diagnosis
M23.641	Other spontaneous disruption of lateral collateral ligament of right knee	ICD-10-CM	Diagnosis
M23.632	Other spontaneous disruption of medial collateral ligament of left knee	ICD-10-CM	Diagnosis
M23.639	Other spontaneous disruption of medial collateral ligament of unspecified knee	ICD-10-CM	Diagnosis
M23.631	Other spontaneous disruption of medial collateral ligament of right knee	ICD-10-CM	Diagnosis
M23.622	Other spontaneous disruption of posterior cruciate ligament of left knee	ICD-10-CM	Diagnosis
M23.629	Other spontaneous disruption of posterior cruciate ligament of unspecified knee	ICD-10-CM	Diagnosis
M23.621	Other spontaneous disruption of posterior cruciate ligament of right knee	ICD-10-CM	Diagnosis
S53.192S	Other subluxation of left ulnohumeral joint, sequela	ICD-10-CM	Diagnosis
S83.092A	Other subluxation of left patella, initial encounter	ICD-10-CM	Diagnosis
S83.092D	Other subluxation of left patella, subsequent encounter	ICD-10-CM	Diagnosis
S53.092A	Other subluxation of left radial head, initial encounter	ICD-10-CM	Diagnosis
S53.092D	Other subluxation of left radial head, subsequent encounter	ICD-10-CM	Diagnosis
S43.082A	Other subluxation of left shoulder joint, initial encounter	ICD-10-CM	Diagnosis
S43.082D	Other subluxation of left shoulder joint, subsequent encounter	ICD-10-CM	Diagnosis
S53.192A	Other subluxation of left ulnohumeral joint, initial encounter	ICD-10-CM	Diagnosis
S53.192D	Other subluxation of left ulnohumeral joint, subsequent encounter	ICD-10-CM	Diagnosis
S63.092A	Other subluxation of left wrist and hand, initial encounter	ICD-10-CM	Diagnosis
S63.092D	Other subluxation of left wrist and hand, subsequent encounter	ICD-10-CM	Diagnosis
S93.332A	Other subluxation of left foot, initial encounter	ICD-10-CM	Diagnosis
S93.332S	Other subluxation of left foot, sequela	ICD-10-CM	Diagnosis
S93.332D	Other subluxation of left foot, subsequent encounter	ICD-10-CM	Diagnosis
S83.192A	Other subluxation of left knee, initial encounter	ICD-10-CM	Diagnosis
S83.192S	Other subluxation of left knee, sequela	ICD-10-CM	Diagnosis
S83.192D	Other subluxation of left knee, subsequent encounter	ICD-10-CM	Diagnosis
S83.092S	Other subluxation of left patella, sequela	ICD-10-CM	Diagnosis
S53.092S	Other subluxation of left radial head, sequela	ICD-10-CM	Diagnosis
S43.082S	Other subluxation of left shoulder joint, sequela	ICD-10-CM	Diagnosis
S63.092S	Other subluxation of left wrist and hand, sequela	ICD-10-CM	Diagnosis
S93.331S	Other subluxation of right foot, sequela	ICD-10-CM	Diagnosis
S83.191S	Other subluxation of right knee, sequela	ICD-10-CM	Diagnosis
S83.091S	Other subluxation of right patella, sequela	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S53.091S	Other subluxation of right radial head, sequela	ICD-10-CM	Diagnosis
S63.091S	Other subluxation of right wrist and hand, sequela	ICD-10-CM	Diagnosis
S93.333S	Other subluxation of unspecified foot, sequela	ICD-10-CM	Diagnosis
S83.193S	Other subluxation of unspecified knee, sequela	ICD-10-CM	Diagnosis
S83.093S	Other subluxation of unspecified patella, sequela	ICD-10-CM	Diagnosis
S93.331A	Other subluxation of right foot, initial encounter	ICD-10-CM	Diagnosis
S93.331D	Other subluxation of right foot, subsequent encounter	ICD-10-CM	Diagnosis
S83.191A	Other subluxation of right knee, initial encounter	ICD-10-CM	Diagnosis
S83.191D	Other subluxation of right knee, subsequent encounter	ICD-10-CM	Diagnosis
S43.081S	Other subluxation of right shoulder joint, sequela	ICD-10-CM	Diagnosis
S83.091A	Other subluxation of right patella, initial encounter	ICD-10-CM	Diagnosis
S83.091D	Other subluxation of right patella, subsequent encounter	ICD-10-CM	Diagnosis
S53.091A	Other subluxation of right radial head, initial encounter	ICD-10-CM	Diagnosis
S53.091D	Other subluxation of right radial head, subsequent encounter	ICD-10-CM	Diagnosis
S43.081A	Other subluxation of right shoulder joint, initial encounter	ICD-10-CM	Diagnosis
S43.081D	Other subluxation of right shoulder joint, subsequent encounter	ICD-10-CM	Diagnosis
S53.191A	Other subluxation of right ulnohumeral joint, initial encounter	ICD-10-CM	Diagnosis
S53.191S	Other subluxation of right ulnohumeral joint, sequela	ICD-10-CM	Diagnosis
S53.191D	Other subluxation of right ulnohumeral joint, subsequent encounter	ICD-10-CM	Diagnosis
S63.091A	Other subluxation of right wrist and hand, initial encounter	ICD-10-CM	Diagnosis
S63.091D	Other subluxation of right wrist and hand, subsequent encounter	ICD-10-CM	Diagnosis
S93.333A	Other subluxation of unspecified foot, initial encounter	ICD-10-CM	Diagnosis
S93.333D	Other subluxation of unspecified foot, subsequent encounter	ICD-10-CM	Diagnosis
S83.193A	Other subluxation of unspecified knee, initial encounter	ICD-10-CM	Diagnosis
S83.193D	Other subluxation of unspecified knee, subsequent encounter	ICD-10-CM	Diagnosis
S83.093A	Other subluxation of unspecified patella, initial encounter	ICD-10-CM	Diagnosis
S83.093D	Other subluxation of unspecified patella, subsequent encounter	ICD-10-CM	Diagnosis
S53.093A	Other subluxation of unspecified radial head, initial encounter	ICD-10-CM	Diagnosis
S53.093S	Other subluxation of unspecified radial head, sequela	ICD-10-CM	Diagnosis
S53.093D	Other subluxation of unspecified radial head, subsequent encounter	ICD-10-CM	Diagnosis
S43.083A	Other subluxation of unspecified shoulder joint, initial encounter	ICD-10-CM	Diagnosis
S43.083S	Other subluxation of unspecified shoulder joint, sequela	ICD-10-CM	Diagnosis
S43.083D	Other subluxation of unspecified shoulder joint, subsequent encounter	ICD-10-CM	Diagnosis
S53.193A	Other subluxation of unspecified ulnohumeral joint, initial encounter	ICD-10-CM	Diagnosis
S53.193S	Other subluxation of unspecified ulnohumeral joint, sequela	ICD-10-CM	Diagnosis
S53.193D	Other subluxation of unspecified ulnohumeral joint, subsequent encounter	ICD-10-CM	Diagnosis
S63.093S	Other subluxation of unspecified wrist and hand, sequela	ICD-10-CM	Diagnosis
S63.093A	Other subluxation of unspecified wrist and hand, initial encounter	ICD-10-CM	Diagnosis
S63.093D	Other subluxation of unspecified wrist and hand, subsequent encounter	ICD-10-CM	Diagnosis
S99.292P	Other physeal fracture of phalanx of left toe, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S99.292K	Other physeal fracture of phalanx of left toe, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S99.292D	Other physeal fracture of phalanx of left toe, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S48.129A	Partial traumatic amputation at level between unspecified shoulder and elbow, initial encounter	ICD-10-CM	Diagnosis
S48.922A	Partial traumatic amputation of left shoulder and upper arm, level unspecified, initial encounter	ICD-10-CM	Diagnosis
S48.921A	Partial traumatic amputation of right shoulder and upper arm, level unspecified, initial encounter	ICD-10-CM	Diagnosis
S48.929D	Partial traumatic amputation of unspecified shoulder and upper arm, level unspecified, subsequent encounter	ICD-10-CM	Diagnosis
S48.929A	Partial traumatic amputation of unspecified shoulder and upper arm, level unspecified, initial encounter	ICD-10-CM	Diagnosis
S68.629A	Partial traumatic transphalangeal amputation of unspecified finger, initial encounter	ICD-10-CM	Diagnosis
S68.629S	Partial traumatic transphalangeal amputation of unspecified finger, sequela	ICD-10-CM	Diagnosis
S68.629D	Partial traumatic transphalangeal amputation of unspecified finger, subsequent encounter	ICD-10-CM	Diagnosis
S48.122S	Partial traumatic amputation at level between left shoulder and elbow, sequela	ICD-10-CM	Diagnosis
S48.121S	Partial traumatic amputation at level between right shoulder and elbow, sequela	ICD-10-CM	Diagnosis
S48.129S	Partial traumatic amputation at level between unspecified shoulder and elbow, sequela	ICD-10-CM	Diagnosis
S48.122D	Partial traumatic amputation at level between left shoulder and elbow, subsequent encounter	ICD-10-CM	Diagnosis
S48.121D	Partial traumatic amputation at level between right shoulder and elbow, subsequent encounter	ICD-10-CM	Diagnosis
S48.922D	Partial traumatic amputation of left shoulder and upper arm, level unspecified, subsequent encounter	ICD-10-CM	Diagnosis
S48.922S	Partial traumatic amputation of left shoulder and upper arm, level unspecified, sequela	ICD-10-CM	Diagnosis
S48.122A	Partial traumatic amputation at level between left shoulder and elbow, initial encounter	ICD-10-CM	Diagnosis
S48.121A	Partial traumatic amputation at level between right shoulder and elbow, initial encounter	ICD-10-CM	Diagnosis
S48.129D	Partial traumatic amputation at level between unspecified shoulder and elbow, subsequent encounter	ICD-10-CM	Diagnosis
S48.921D	Partial traumatic amputation of right shoulder and upper arm, level unspecified, subsequent encounter	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S48.921S	Partial traumatic amputation of right shoulder and upper arm, level unspecified, sequela	ICD-10-CM	Diagnosis
S38.232D	Partial traumatic amputation of scrotum and testis, subsequent encounter	ICD-10-CM	Diagnosis
S48.029D	Partial traumatic amputation at unspecified shoulder joint, subsequent encounter	ICD-10-CM	Diagnosis
S48.929S	Partial traumatic amputation of unspecified shoulder and upper arm, level unspecified, sequela	ICD-10-CM	Diagnosis
S68.621A	Partial traumatic transphalangeal amputation of left index finger, initial encounter	ICD-10-CM	Diagnosis
S68.621S	Partial traumatic transphalangeal amputation of left index finger, sequela	ICD-10-CM	Diagnosis
S68.621D	Partial traumatic transphalangeal amputation of left index finger, subsequent encounter	ICD-10-CM	Diagnosis
S68.627A	Partial traumatic transphalangeal amputation of left little finger, initial encounter	ICD-10-CM	Diagnosis
S68.627S	Partial traumatic transphalangeal amputation of left little finger, sequela	ICD-10-CM	Diagnosis
S68.627D	Partial traumatic transphalangeal amputation of left little finger, subsequent encounter	ICD-10-CM	Diagnosis
S68.623A	Partial traumatic transphalangeal amputation of left middle finger, initial encounter	ICD-10-CM	Diagnosis
S68.623S	Partial traumatic transphalangeal amputation of left middle finger, sequela	ICD-10-CM	Diagnosis
S68.623D	Partial traumatic transphalangeal amputation of left middle finger, subsequent encounter	ICD-10-CM	Diagnosis
S68.625A	Partial traumatic transphalangeal amputation of left ring finger, initial encounter	ICD-10-CM	Diagnosis
S68.625S	Partial traumatic transphalangeal amputation of left ring finger, sequela	ICD-10-CM	Diagnosis
S68.625D	Partial traumatic transphalangeal amputation of left ring finger, subsequent encounter	ICD-10-CM	Diagnosis
S68.628A	Partial traumatic transphalangeal amputation of other finger, initial encounter	ICD-10-CM	Diagnosis
S68.628S	Partial traumatic transphalangeal amputation of other finger, sequela	ICD-10-CM	Diagnosis
S68.628D	Partial traumatic transphalangeal amputation of other finger, subsequent encounter	ICD-10-CM	Diagnosis
S68.620A	Partial traumatic transphalangeal amputation of right index finger, initial encounter	ICD-10-CM	Diagnosis
S68.620S	Partial traumatic transphalangeal amputation of right index finger, sequela	ICD-10-CM	Diagnosis
S68.620D	Partial traumatic transphalangeal amputation of right index finger, subsequent encounter	ICD-10-CM	Diagnosis
S68.626A	Partial traumatic transphalangeal amputation of right little finger, initial encounter	ICD-10-CM	Diagnosis
S68.626S	Partial traumatic transphalangeal amputation of right little finger, sequela	ICD-10-CM	Diagnosis



**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S68.626D	Partial traumatic transphalangeal amputation of right little finger, subsequent encounter	ICD-10-CM	Diagnosis
S68.622A	Partial traumatic transphalangeal amputation of right middle finger, initial encounter	ICD-10-CM	Diagnosis
S68.622S	Partial traumatic transphalangeal amputation of right middle finger, sequela	ICD-10-CM	Diagnosis
S68.622D	Partial traumatic transphalangeal amputation of right middle finger, subsequent encounter	ICD-10-CM	Diagnosis
S68.624A	Partial traumatic transphalangeal amputation of right ring finger, initial encounter	ICD-10-CM	Diagnosis
S68.624S	Partial traumatic transphalangeal amputation of right ring finger, sequela	ICD-10-CM	Diagnosis
S68.624D	Partial traumatic transphalangeal amputation of right ring finger, subsequent encounter	ICD-10-CM	Diagnosis
S48.022D	Partial traumatic amputation at left shoulder joint, subsequent encounter	ICD-10-CM	Diagnosis
S48.021D	Partial traumatic amputation at right shoulder joint, subsequent encounter	ICD-10-CM	Diagnosis
S48.029A	Partial traumatic amputation at unspecified shoulder joint, initial encounter	ICD-10-CM	Diagnosis
S98.229A	Partial traumatic amputation of two or more unspecified lesser toes, initial encounter	ICD-10-CM	Diagnosis
S98.229S	Partial traumatic amputation of two or more unspecified lesser toes, sequela	ICD-10-CM	Diagnosis
S98.229D	Partial traumatic amputation of two or more unspecified lesser toes, subsequent encounter	ICD-10-CM	Diagnosis
S88.122S	Partial traumatic amputation at level between knee and ankle, left lower leg, sequela	ICD-10-CM	Diagnosis
S88.122A	Partial traumatic amputation at level between knee and ankle, left lower leg, initial encounter	ICD-10-CM	Diagnosis
S88.122D	Partial traumatic amputation at level between knee and ankle, left lower leg, subsequent encounter	ICD-10-CM	Diagnosis
S88.121S	Partial traumatic amputation at level between knee and ankle, right lower leg, sequela	ICD-10-CM	Diagnosis
S88.121A	Partial traumatic amputation at level between knee and ankle, right lower leg, initial encounter	ICD-10-CM	Diagnosis
S88.121D	Partial traumatic amputation at level between knee and ankle, right lower leg, subsequent encounter	ICD-10-CM	Diagnosis
S88.129A	Partial traumatic amputation at level between knee and ankle, unspecified lower leg, initial encounter	ICD-10-CM	Diagnosis
S88.129D	Partial traumatic amputation at level between knee and ankle, unspecified lower leg, subsequent encounter	ICD-10-CM	Diagnosis
S88.129S	Partial traumatic amputation at level between knee and ankle, unspecified lower leg, sequela	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S58.122A	Partial traumatic amputation at level between elbow and wrist, left arm, initial encounter	ICD-10-CM	Diagnosis
S58.122S	Partial traumatic amputation at level between elbow and wrist, left arm, sequela	ICD-10-CM	Diagnosis
S58.122D	Partial traumatic amputation at level between elbow and wrist, left arm, subsequent encounter	ICD-10-CM	Diagnosis
S58.121A	Partial traumatic amputation at level between elbow and wrist, right arm, initial encounter	ICD-10-CM	Diagnosis
S58.121S	Partial traumatic amputation at level between elbow and wrist, right arm, sequela	ICD-10-CM	Diagnosis
S58.121D	Partial traumatic amputation at level between elbow and wrist, right arm, subsequent encounter	ICD-10-CM	Diagnosis
S58.129A	Partial traumatic amputation at level between elbow and wrist, unspecified arm, initial encounter	ICD-10-CM	Diagnosis
S58.129S	Partial traumatic amputation at level between elbow and wrist, unspecified arm, sequela	ICD-10-CM	Diagnosis
S58.129D	Partial traumatic amputation at level between elbow and wrist, unspecified arm, subsequent encounter	ICD-10-CM	Diagnosis
S88.922A	Partial traumatic amputation of left lower leg, level unspecified, initial encounter	ICD-10-CM	Diagnosis
S88.922S	Partial traumatic amputation of left lower leg, level unspecified, sequela	ICD-10-CM	Diagnosis
S88.922D	Partial traumatic amputation of left lower leg, level unspecified, subsequent encounter	ICD-10-CM	Diagnosis
S88.921A	Partial traumatic amputation of right lower leg, level unspecified, initial encounter	ICD-10-CM	Diagnosis
S88.921S	Partial traumatic amputation of right lower leg, level unspecified, sequela	ICD-10-CM	Diagnosis
S88.921D	Partial traumatic amputation of right lower leg, level unspecified, subsequent encounter	ICD-10-CM	Diagnosis
S88.929A	Partial traumatic amputation of unspecified lower leg, level unspecified, initial encounter	ICD-10-CM	Diagnosis
S88.929S	Partial traumatic amputation of unspecified lower leg, level unspecified, sequela	ICD-10-CM	Diagnosis
S88.929D	Partial traumatic amputation of unspecified lower leg, level unspecified, subsequent encounter	ICD-10-CM	Diagnosis
S68.729A	Partial traumatic transmetacarpal amputation of unspecified hand, initial encounter	ICD-10-CM	Diagnosis
S68.729S	Partial traumatic transmetacarpal amputation of unspecified hand, sequela	ICD-10-CM	Diagnosis
S68.729D	Partial traumatic transmetacarpal amputation of unspecified hand, subsequent encounter	ICD-10-CM	Diagnosis
S68.522A	Partial traumatic transphalangeal amputation of left thumb, initial encounter	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S68.521A	Partial traumatic transphalangeal amputation of right thumb, initial encounter	ICD-10-CM	Diagnosis
S68.521S	Partial traumatic transphalangeal amputation of right thumb, sequela	ICD-10-CM	Diagnosis
S68.521D	Partial traumatic transphalangeal amputation of right thumb, subsequent encounter	ICD-10-CM	Diagnosis
S68.529A	Partial traumatic transphalangeal amputation of unspecified thumb, initial encounter	ICD-10-CM	Diagnosis
S68.529S	Partial traumatic transphalangeal amputation of unspecified thumb, sequela	ICD-10-CM	Diagnosis
S68.529D	Partial traumatic transphalangeal amputation of unspecified thumb, subsequent encounter	ICD-10-CM	Diagnosis
S38.212A	Partial traumatic amputation of female external genital organs, initial encounter	ICD-10-CM	Diagnosis
S38.212S	Partial traumatic amputation of female external genital organs, sequela	ICD-10-CM	Diagnosis
S38.212D	Partial traumatic amputation of female external genital organs, subsequent encounter	ICD-10-CM	Diagnosis
S68.722A	Partial traumatic transmetacarpal amputation of left hand, initial encounter	ICD-10-CM	Diagnosis
S68.722S	Partial traumatic transmetacarpal amputation of left hand, sequela	ICD-10-CM	Diagnosis
S68.722D	Partial traumatic transmetacarpal amputation of left hand, subsequent encounter	ICD-10-CM	Diagnosis
S68.721A	Partial traumatic transmetacarpal amputation of right hand, initial encounter	ICD-10-CM	Diagnosis
S68.721S	Partial traumatic transmetacarpal amputation of right hand, sequela	ICD-10-CM	Diagnosis
S68.721D	Partial traumatic transmetacarpal amputation of right hand, subsequent encounter	ICD-10-CM	Diagnosis
S68.522S	Partial traumatic transphalangeal amputation of left thumb, sequela	ICD-10-CM	Diagnosis
S68.522D	Partial traumatic transphalangeal amputation of left thumb, subsequent encounter	ICD-10-CM	Diagnosis
S98.142A	Partial traumatic amputation of one left lesser toe, initial encounter	ICD-10-CM	Diagnosis
S98.142S	Partial traumatic amputation of one left lesser toe, sequela	ICD-10-CM	Diagnosis
S98.142D	Partial traumatic amputation of one left lesser toe, subsequent encounter	ICD-10-CM	Diagnosis
S98.141A	Partial traumatic amputation of one right lesser toe, initial encounter	ICD-10-CM	Diagnosis
S98.141S	Partial traumatic amputation of one right lesser toe, sequela	ICD-10-CM	Diagnosis
S98.141D	Partial traumatic amputation of one right lesser toe, subsequent encounter	ICD-10-CM	Diagnosis
S98.149A	Partial traumatic amputation of one unspecified lesser toe, initial encounter	ICD-10-CM	Diagnosis
S98.149S	Partial traumatic amputation of one unspecified lesser toe, sequela	ICD-10-CM	Diagnosis
S98.149D	Partial traumatic amputation of one unspecified lesser toe, subsequent encounter	ICD-10-CM	Diagnosis
S98.222A	Partial traumatic amputation of two or more left lesser toes, initial encounter	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S98.222S	Partial traumatic amputation of two or more left lesser toes, sequela	ICD-10-CM	Diagnosis
S98.222D	Partial traumatic amputation of two or more left lesser toes, subsequent encounter	ICD-10-CM	Diagnosis
S98.221A	Partial traumatic amputation of two or more right lesser toes, initial encounter	ICD-10-CM	Diagnosis
S98.221S	Partial traumatic amputation of two or more right lesser toes, sequela	ICD-10-CM	Diagnosis
S98.221D	Partial traumatic amputation of two or more right lesser toes, subsequent encounter	ICD-10-CM	Diagnosis
S78.122A	Partial traumatic amputation at level between left hip and knee, initial encounter	ICD-10-CM	Diagnosis
S78.122S	Partial traumatic amputation at level between left hip and knee, sequela	ICD-10-CM	Diagnosis
S78.122D	Partial traumatic amputation at level between left hip and knee, subsequent encounter	ICD-10-CM	Diagnosis
S78.121A	Partial traumatic amputation at level between right hip and knee, initial encounter	ICD-10-CM	Diagnosis
S78.121S	Partial traumatic amputation at level between right hip and knee, sequela	ICD-10-CM	Diagnosis
S78.121D	Partial traumatic amputation at level between right hip and knee, subsequent encounter	ICD-10-CM	Diagnosis
S78.129A	Partial traumatic amputation at level between unspecified hip and knee, initial encounter	ICD-10-CM	Diagnosis
S78.129S	Partial traumatic amputation at level between unspecified hip and knee, sequela	ICD-10-CM	Diagnosis
S78.129D	Partial traumatic amputation at level between unspecified hip and knee, subsequent encounter	ICD-10-CM	Diagnosis
S88.022A	Partial traumatic amputation at knee level, left lower leg, initial encounter	ICD-10-CM	Diagnosis
S88.022S	Partial traumatic amputation at knee level, left lower leg, sequela	ICD-10-CM	Diagnosis
S88.022D	Partial traumatic amputation at knee level, left lower leg, subsequent encounter	ICD-10-CM	Diagnosis
S88.021A	Partial traumatic amputation at knee level, right lower leg, initial encounter	ICD-10-CM	Diagnosis
S88.021S	Partial traumatic amputation at knee level, right lower leg, sequela	ICD-10-CM	Diagnosis
S88.021D	Partial traumatic amputation at knee level, right lower leg, subsequent encounter	ICD-10-CM	Diagnosis
S88.029A	Partial traumatic amputation at knee level, unspecified lower leg, initial encounter	ICD-10-CM	Diagnosis
S88.029S	Partial traumatic amputation at knee level, unspecified lower leg, sequela	ICD-10-CM	Diagnosis
S88.029D	Partial traumatic amputation at knee level, unspecified lower leg, subsequent encounter	ICD-10-CM	Diagnosis
S98.022S	Partial traumatic amputation of left foot at ankle level, sequela	ICD-10-CM	Diagnosis
S98.922S	Partial traumatic amputation of left foot, level unspecified, sequela	ICD-10-CM	Diagnosis
S98.022D	Partial traumatic amputation of left foot at ankle level, subsequent encounter	ICD-10-CM	Diagnosis
S98.022A	Partial traumatic amputation of left foot at ankle level, initial encounter	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S98.922A	Partial traumatic amputation of left foot, level unspecified, initial encounter	ICD-10-CM	Diagnosis
S98.922D	Partial traumatic amputation of left foot, level unspecified, subsequent encounter	ICD-10-CM	Diagnosis
S98.122A	Partial traumatic amputation of left great toe, initial encounter	ICD-10-CM	Diagnosis
S98.122S	Partial traumatic amputation of left great toe, sequela	ICD-10-CM	Diagnosis
S98.122D	Partial traumatic amputation of left great toe, subsequent encounter	ICD-10-CM	Diagnosis
S68.422A	Partial traumatic amputation of left hand at wrist level, initial encounter	ICD-10-CM	Diagnosis
S68.422S	Partial traumatic amputation of left hand at wrist level, sequela	ICD-10-CM	Diagnosis
S68.422D	Partial traumatic amputation of left hand at wrist level, subsequent encounter	ICD-10-CM	Diagnosis
S78.022A	Partial traumatic amputation at left hip joint, initial encounter	ICD-10-CM	Diagnosis
S78.022S	Partial traumatic amputation at left hip joint, sequela	ICD-10-CM	Diagnosis
S78.022D	Partial traumatic amputation at left hip joint, subsequent encounter	ICD-10-CM	Diagnosis
S78.922A	Partial traumatic amputation of left hip and thigh, level unspecified, initial encounter	ICD-10-CM	Diagnosis
S78.922S	Partial traumatic amputation of left hip and thigh, level unspecified, sequela	ICD-10-CM	Diagnosis
S78.922D	Partial traumatic amputation of left hip and thigh, level unspecified, subsequent encounter	ICD-10-CM	Diagnosis
S98.322A	Partial traumatic amputation of left midfoot, initial encounter	ICD-10-CM	Diagnosis
S98.322D	Partial traumatic amputation of left midfoot, subsequent encounter	ICD-10-CM	Diagnosis
S48.022A	Partial traumatic amputation at left shoulder joint, initial encounter	ICD-10-CM	Diagnosis
S48.022S	Partial traumatic amputation at left shoulder joint, sequela	ICD-10-CM	Diagnosis
S38.222A	Partial traumatic amputation of penis, initial encounter	ICD-10-CM	Diagnosis
S38.222D	Partial traumatic amputation of penis, subsequent encounter	ICD-10-CM	Diagnosis
S98.021S	Partial traumatic amputation of right foot at ankle level, sequela	ICD-10-CM	Diagnosis
S98.921S	Partial traumatic amputation of right foot, level unspecified, sequela	ICD-10-CM	Diagnosis
S98.021D	Partial traumatic amputation of right foot at ankle level, subsequent encounter	ICD-10-CM	Diagnosis
S98.021A	Partial traumatic amputation of right foot at ankle level, initial encounter	ICD-10-CM	Diagnosis
S98.921A	Partial traumatic amputation of right foot, level unspecified, initial encounter	ICD-10-CM	Diagnosis
S98.921D	Partial traumatic amputation of right foot, level unspecified, subsequent encounter	ICD-10-CM	Diagnosis
S98.121A	Partial traumatic amputation of right great toe, initial encounter	ICD-10-CM	Diagnosis
S98.121S	Partial traumatic amputation of right great toe, sequela	ICD-10-CM	Diagnosis
S98.121D	Partial traumatic amputation of right great toe, subsequent encounter	ICD-10-CM	Diagnosis
S68.421A	Partial traumatic amputation of right hand at wrist level, initial encounter	ICD-10-CM	Diagnosis
S68.421S	Partial traumatic amputation of right hand at wrist level, sequela	ICD-10-CM	Diagnosis
S68.421D	Partial traumatic amputation of right hand at wrist level, subsequent encounter	ICD-10-CM	Diagnosis
S78.021A	Partial traumatic amputation at right hip joint, initial encounter	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S78.021S	Partial traumatic amputation at right hip joint, sequela	ICD-10-CM	Diagnosis
S78.021D	Partial traumatic amputation at right hip joint, subsequent encounter	ICD-10-CM	Diagnosis
S78.921A	Partial traumatic amputation of right hip and thigh, level unspecified, initial encounter	ICD-10-CM	Diagnosis
S78.921S	Partial traumatic amputation of right hip and thigh, level unspecified, sequela	ICD-10-CM	Diagnosis
S78.921D	Partial traumatic amputation of right hip and thigh, level unspecified, subsequent encounter	ICD-10-CM	Diagnosis
S98.321A	Partial traumatic amputation of right midfoot, initial encounter	ICD-10-CM	Diagnosis
S98.321D	Partial traumatic amputation of right midfoot, subsequent encounter	ICD-10-CM	Diagnosis
S48.021A	Partial traumatic amputation at right shoulder joint, initial encounter	ICD-10-CM	Diagnosis
S48.021S	Partial traumatic amputation at right shoulder joint, sequela	ICD-10-CM	Diagnosis
S38.232A	Partial traumatic amputation of scrotum and testis, initial encounter	ICD-10-CM	Diagnosis
S38.232S	Partial traumatic amputation of scrotum and testis, sequela	ICD-10-CM	Diagnosis
S98.929S	Partial traumatic amputation of unspecified foot, level unspecified, sequela	ICD-10-CM	Diagnosis
S98.929A	Partial traumatic amputation of unspecified foot, level unspecified, initial encounter	ICD-10-CM	Diagnosis
S98.929D	Partial traumatic amputation of unspecified foot, level unspecified, subsequent encounter	ICD-10-CM	Diagnosis
S98.129A	Partial traumatic amputation of unspecified great toe, initial encounter	ICD-10-CM	Diagnosis
S98.129S	Partial traumatic amputation of unspecified great toe, sequela	ICD-10-CM	Diagnosis
S98.129D	Partial traumatic amputation of unspecified great toe, subsequent encounter	ICD-10-CM	Diagnosis
S68.429A	Partial traumatic amputation of unspecified hand at wrist level, initial encounter	ICD-10-CM	Diagnosis
S68.429S	Partial traumatic amputation of unspecified hand at wrist level, sequela	ICD-10-CM	Diagnosis
S68.429D	Partial traumatic amputation of unspecified hand at wrist level, subsequent encounter	ICD-10-CM	Diagnosis
S78.029A	Partial traumatic amputation at unspecified hip joint, initial encounter	ICD-10-CM	Diagnosis
S78.029S	Partial traumatic amputation at unspecified hip joint, sequela	ICD-10-CM	Diagnosis
S78.029D	Partial traumatic amputation at unspecified hip joint, subsequent encounter	ICD-10-CM	Diagnosis
S78.929S	Partial traumatic amputation of unspecified hip and thigh, level unspecified, sequela	ICD-10-CM	Diagnosis
S78.929D	Partial traumatic amputation of unspecified hip and thigh, level unspecified, subsequent encounter	ICD-10-CM	Diagnosis
S78.929A	Partial traumatic amputation of unspecified hip and thigh, level unspecified, initial encounter	ICD-10-CM	Diagnosis
S98.329A	Partial traumatic amputation of unspecified midfoot, initial encounter	ICD-10-CM	Diagnosis
S98.329S	Partial traumatic amputation of unspecified midfoot, sequela	ICD-10-CM	Diagnosis
S98.329D	Partial traumatic amputation of unspecified midfoot, subsequent encounter	ICD-10-CM	Diagnosis



**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S48.029S	Partial traumatic amputation at unspecified shoulder joint, sequela	ICD-10-CM	Diagnosis
S98.029A	Partial traumatic amputation of unspecified foot at ankle level, initial encounter	ICD-10-CM	Diagnosis
S98.029S	Partial traumatic amputation of unspecified foot at ankle level, sequela	ICD-10-CM	Diagnosis
S98.029D	Partial traumatic amputation of unspecified foot at ankle level, subsequent encounter	ICD-10-CM	Diagnosis
S58.022A	Partial traumatic amputation at elbow level, left arm, initial encounter	ICD-10-CM	Diagnosis
S58.022S	Partial traumatic amputation at elbow level, left arm, sequela	ICD-10-CM	Diagnosis
S58.022D	Partial traumatic amputation at elbow level, left arm, subsequent encounter	ICD-10-CM	Diagnosis
S58.021A	Partial traumatic amputation at elbow level, right arm, initial encounter	ICD-10-CM	Diagnosis
S58.021S	Partial traumatic amputation at elbow level, right arm, sequela	ICD-10-CM	Diagnosis
S58.021D	Partial traumatic amputation at elbow level, right arm, subsequent encounter	ICD-10-CM	Diagnosis
S58.029A	Partial traumatic amputation at elbow level, unspecified arm, initial encounter	ICD-10-CM	Diagnosis
S58.029S	Partial traumatic amputation at elbow level, unspecified arm, sequela	ICD-10-CM	Diagnosis
S58.029D	Partial traumatic amputation at elbow level, unspecified arm, subsequent encounter	ICD-10-CM	Diagnosis
S28.222S	Partial traumatic amputation of left breast, sequela	ICD-10-CM	Diagnosis
S28.222A	Partial traumatic amputation of left breast, initial encounter	ICD-10-CM	Diagnosis
S28.222D	Partial traumatic amputation of left breast, subsequent encounter	ICD-10-CM	Diagnosis
S08.122A	Partial traumatic amputation of left ear, initial encounter	ICD-10-CM	Diagnosis
S08.122D	Partial traumatic amputation of left ear, subsequent encounter	ICD-10-CM	Diagnosis
S58.922A	Partial traumatic amputation of left forearm, level unspecified, initial encounter	ICD-10-CM	Diagnosis
S58.922S	Partial traumatic amputation of left forearm, level unspecified, sequela	ICD-10-CM	Diagnosis
S58.922D	Partial traumatic amputation of left forearm, level unspecified, subsequent encounter	ICD-10-CM	Diagnosis
S98.322S	Partial traumatic amputation of left midfoot, sequela	ICD-10-CM	Diagnosis
S08.812A	Partial traumatic amputation of nose, initial encounter	ICD-10-CM	Diagnosis
S08.812D	Partial traumatic amputation of nose, subsequent encounter	ICD-10-CM	Diagnosis
S08.122S	Partial traumatic amputation of left ear, sequela	ICD-10-CM	Diagnosis
S08.812S	Partial traumatic amputation of nose, sequela	ICD-10-CM	Diagnosis
S38.222S	Partial traumatic amputation of penis, sequela	ICD-10-CM	Diagnosis
S08.121S	Partial traumatic amputation of right ear, sequela	ICD-10-CM	Diagnosis
S28.221A	Partial traumatic amputation of right breast, initial encounter	ICD-10-CM	Diagnosis
S28.221S	Partial traumatic amputation of right breast, sequela	ICD-10-CM	Diagnosis
S28.221D	Partial traumatic amputation of right breast, subsequent encounter	ICD-10-CM	Diagnosis
S08.121A	Partial traumatic amputation of right ear, initial encounter	ICD-10-CM	Diagnosis
S08.121D	Partial traumatic amputation of right ear, subsequent encounter	ICD-10-CM	Diagnosis
S58.921A	Partial traumatic amputation of right forearm, level unspecified, initial encounter	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S58.921S	Partial traumatic amputation of right forearm, level unspecified, sequela	ICD-10-CM	Diagnosis
S58.921D	Partial traumatic amputation of right forearm, level unspecified, subsequent encounter	ICD-10-CM	Diagnosis
S98.321S	Partial traumatic amputation of right midfoot, sequela	ICD-10-CM	Diagnosis
S28.229A	Partial traumatic amputation of unspecified breast, initial encounter	ICD-10-CM	Diagnosis
S28.229S	Partial traumatic amputation of unspecified breast, sequela	ICD-10-CM	Diagnosis
S28.229D	Partial traumatic amputation of unspecified breast, subsequent encounter	ICD-10-CM	Diagnosis
S08.129A	Partial traumatic amputation of unspecified ear, initial encounter	ICD-10-CM	Diagnosis
S08.129S	Partial traumatic amputation of unspecified ear, sequela	ICD-10-CM	Diagnosis
S08.129D	Partial traumatic amputation of unspecified ear, subsequent encounter	ICD-10-CM	Diagnosis
S58.929A	Partial traumatic amputation of unspecified forearm, level unspecified, initial encounter	ICD-10-CM	Diagnosis
S58.929S	Partial traumatic amputation of unspecified forearm, level unspecified, sequela	ICD-10-CM	Diagnosis
S58.929D	Partial traumatic amputation of unspecified forearm, level unspecified, subsequent encounter	ICD-10-CM	Diagnosis
S68.121A	Partial traumatic metacarpophalangeal amputation of left index finger, initial encounter	ICD-10-CM	Diagnosis
S68.121S	Partial traumatic metacarpophalangeal amputation of left index finger, sequela	ICD-10-CM	Diagnosis
S68.121D	Partial traumatic metacarpophalangeal amputation of left index finger, subsequent encounter	ICD-10-CM	Diagnosis
S68.127A	Partial traumatic metacarpophalangeal amputation of left little finger, initial encounter	ICD-10-CM	Diagnosis
S68.127S	Partial traumatic metacarpophalangeal amputation of left little finger, sequela	ICD-10-CM	Diagnosis
S68.127D	Partial traumatic metacarpophalangeal amputation of left little finger, subsequent encounter	ICD-10-CM	Diagnosis
S68.123A	Partial traumatic metacarpophalangeal amputation of left middle finger, initial encounter	ICD-10-CM	Diagnosis
S68.123S	Partial traumatic metacarpophalangeal amputation of left middle finger, sequela	ICD-10-CM	Diagnosis
S68.123D	Partial traumatic metacarpophalangeal amputation of left middle finger, subsequent encounter	ICD-10-CM	Diagnosis
S68.125A	Partial traumatic metacarpophalangeal amputation of left ring finger, initial encounter	ICD-10-CM	Diagnosis
S68.125S	Partial traumatic metacarpophalangeal amputation of left ring finger, sequela	ICD-10-CM	Diagnosis
S68.125D	Partial traumatic metacarpophalangeal amputation of left ring finger, subsequent encounter	ICD-10-CM	Diagnosis
S68.128A	Partial traumatic metacarpophalangeal amputation of other finger, initial encounter	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S68.128S	Partial traumatic metacarpophalangeal amputation of other finger, sequela	ICD-10-CM	Diagnosis
S68.128D	Partial traumatic metacarpophalangeal amputation of other finger, subsequent encounter	ICD-10-CM	Diagnosis
S68.120A	Partial traumatic metacarpophalangeal amputation of right index finger, initial encounter	ICD-10-CM	Diagnosis
S68.120S	Partial traumatic metacarpophalangeal amputation of right index finger, sequela	ICD-10-CM	Diagnosis
S68.120D	Partial traumatic metacarpophalangeal amputation of right index finger, subsequent encounter	ICD-10-CM	Diagnosis
S68.126A	Partial traumatic metacarpophalangeal amputation of right little finger, initial encounter	ICD-10-CM	Diagnosis
S68.126S	Partial traumatic metacarpophalangeal amputation of right little finger, sequela	ICD-10-CM	Diagnosis
S68.126D	Partial traumatic metacarpophalangeal amputation of right little finger, subsequent encounter	ICD-10-CM	Diagnosis
S68.122A	Partial traumatic metacarpophalangeal amputation of right middle finger, initial encounter	ICD-10-CM	Diagnosis
S68.122S	Partial traumatic metacarpophalangeal amputation of right middle finger, sequela	ICD-10-CM	Diagnosis
S68.122D	Partial traumatic metacarpophalangeal amputation of right middle finger, subsequent encounter	ICD-10-CM	Diagnosis
S68.124A	Partial traumatic metacarpophalangeal amputation of right ring finger, initial encounter	ICD-10-CM	Diagnosis
S68.124S	Partial traumatic metacarpophalangeal amputation of right ring finger, sequela	ICD-10-CM	Diagnosis
S68.124D	Partial traumatic metacarpophalangeal amputation of right ring finger, subsequent encounter	ICD-10-CM	Diagnosis
S68.129A	Partial traumatic metacarpophalangeal amputation of unspecified finger, initial encounter	ICD-10-CM	Diagnosis
S68.129S	Partial traumatic metacarpophalangeal amputation of unspecified finger, sequela	ICD-10-CM	Diagnosis
S68.129D	Partial traumatic metacarpophalangeal amputation of unspecified finger, subsequent encounter	ICD-10-CM	Diagnosis
S68.022A	Partial traumatic metacarpophalangeal amputation of left thumb, initial encounter	ICD-10-CM	Diagnosis
S68.022S	Partial traumatic metacarpophalangeal amputation of left thumb, sequela	ICD-10-CM	Diagnosis
S68.022D	Partial traumatic metacarpophalangeal amputation of left thumb, subsequent encounter	ICD-10-CM	Diagnosis
S68.021A	Partial traumatic metacarpophalangeal amputation of right thumb, initial encounter	ICD-10-CM	Diagnosis
S68.021S	Partial traumatic metacarpophalangeal amputation of right thumb, sequela	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S68.021D	Partial traumatic metacarpophalangeal amputation of right thumb, subsequent encounter	ICD-10-CM	Diagnosis
S68.029A	Partial traumatic metacarpophalangeal amputation of unspecified thumb, initial encounter	ICD-10-CM	Diagnosis
S68.029S	Partial traumatic metacarpophalangeal amputation of unspecified thumb, sequela	ICD-10-CM	Diagnosis
S68.029D	Partial traumatic metacarpophalangeal amputation of unspecified thumb, subsequent encounter	ICD-10-CM	Diagnosis
M22.2X2	Patellofemoral disorders, left knee	ICD-10-CM	Diagnosis
M22.2X1	Patellofemoral disorders, right knee	ICD-10-CM	Diagnosis
M22.2X9	Patellofemoral disorders, unspecified knee	ICD-10-CM	Diagnosis
S05.42XD	Penetrating wound of orbit with or without foreign body, left eye, subsequent encounter	ICD-10-CM	Diagnosis
S05.41XD	Penetrating wound of orbit with or without foreign body, right eye, subsequent encounter	ICD-10-CM	Diagnosis
S05.40XD	Penetrating wound of orbit with or without foreign body, unspecified eye, subsequent encounter	ICD-10-CM	Diagnosis
S05.50XD	Penetrating wound with foreign body of unspecified eyeball, subsequent encounter	ICD-10-CM	Diagnosis
S05.62XD	Penetrating wound without foreign body of left eyeball, subsequent encounter	ICD-10-CM	Diagnosis
S05.61XD	Penetrating wound without foreign body of right eyeball, subsequent encounter	ICD-10-CM	Diagnosis
S05.60XD	Penetrating wound without foreign body of unspecified eyeball, subsequent encounter	ICD-10-CM	Diagnosis
S05.42XA	Penetrating wound of orbit with or without foreign body, left eye, initial encounter	ICD-10-CM	Diagnosis
S05.42XS	Penetrating wound of orbit with or without foreign body, left eye, sequela	ICD-10-CM	Diagnosis
S05.41XA	Penetrating wound of orbit with or without foreign body, right eye, initial encounter	ICD-10-CM	Diagnosis
S05.41XS	Penetrating wound of orbit with or without foreign body, right eye, sequela	ICD-10-CM	Diagnosis
S05.40XA	Penetrating wound of orbit with or without foreign body, unspecified eye, initial encounter	ICD-10-CM	Diagnosis
S05.40XS	Penetrating wound of orbit with or without foreign body, unspecified eye, sequela	ICD-10-CM	Diagnosis
S05.52XA	Penetrating wound with foreign body of left eyeball, initial encounter	ICD-10-CM	Diagnosis
S05.52XS	Penetrating wound with foreign body of left eyeball, sequela	ICD-10-CM	Diagnosis
S05.52XD	Penetrating wound with foreign body of left eyeball, subsequent encounter	ICD-10-CM	Diagnosis
S05.51XA	Penetrating wound with foreign body of right eyeball, initial encounter	ICD-10-CM	Diagnosis
S05.51XS	Penetrating wound with foreign body of right eyeball, sequela	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S05.51XD	Penetrating wound with foreign body of right eyeball, subsequent encounter	ICD-10-CM	Diagnosis
S05.50XA	Penetrating wound with foreign body of unspecified eyeball, initial encounter	ICD-10-CM	Diagnosis
S05.50XS	Penetrating wound with foreign body of unspecified eyeball, sequela	ICD-10-CM	Diagnosis
S05.62XA	Penetrating wound without foreign body of left eyeball, initial encounter	ICD-10-CM	Diagnosis
S05.62XS	Penetrating wound without foreign body of left eyeball, sequela	ICD-10-CM	Diagnosis
S05.61XA	Penetrating wound without foreign body of right eyeball, initial encounter	ICD-10-CM	Diagnosis
S05.61XS	Penetrating wound without foreign body of right eyeball, sequela	ICD-10-CM	Diagnosis
S05.60XA	Penetrating wound without foreign body of unspecified eyeball, initial encounter	ICD-10-CM	Diagnosis
S05.60XS	Penetrating wound without foreign body of unspecified eyeball, sequela	ICD-10-CM	Diagnosis
S83.262A	Peripheral tear of lateral meniscus, current injury, left knee, initial encounter	ICD-10-CM	Diagnosis
S83.262S	Peripheral tear of lateral meniscus, current injury, left knee, sequela	ICD-10-CM	Diagnosis
S83.262D	Peripheral tear of lateral meniscus, current injury, left knee, subsequent encounter	ICD-10-CM	Diagnosis
S83.261A	Peripheral tear of lateral meniscus, current injury, right knee, initial encounter	ICD-10-CM	Diagnosis
S83.261S	Peripheral tear of lateral meniscus, current injury, right knee, sequela	ICD-10-CM	Diagnosis
S83.261D	Peripheral tear of lateral meniscus, current injury, right knee, subsequent encounter	ICD-10-CM	Diagnosis
S83.269A	Peripheral tear of lateral meniscus, current injury, unspecified knee, initial encounter	ICD-10-CM	Diagnosis
S83.269S	Peripheral tear of lateral meniscus, current injury, unspecified knee, sequela	ICD-10-CM	Diagnosis
S83.269D	Peripheral tear of lateral meniscus, current injury, unspecified knee, subsequent encounter	ICD-10-CM	Diagnosis
S83.222A	Peripheral tear of medial meniscus, current injury, left knee, initial encounter	ICD-10-CM	Diagnosis
S83.222S	Peripheral tear of medial meniscus, current injury, left knee, sequela	ICD-10-CM	Diagnosis
S83.222D	Peripheral tear of medial meniscus, current injury, left knee, subsequent encounter	ICD-10-CM	Diagnosis
S83.221A	Peripheral tear of medial meniscus, current injury, right knee, initial encounter	ICD-10-CM	Diagnosis
S83.221S	Peripheral tear of medial meniscus, current injury, right knee, sequela	ICD-10-CM	Diagnosis
S83.221D	Peripheral tear of medial meniscus, current injury, right knee, subsequent encounter	ICD-10-CM	Diagnosis
S83.229A	Peripheral tear of medial meniscus, current injury, unspecified knee, initial encounter	ICD-10-CM	Diagnosis
S83.229S	Peripheral tear of medial meniscus, current injury, unspecified knee, sequela	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S83.229D	Peripheral tear of medial meniscus, current injury, unspecified knee, subsequent encounter	ICD-10-CM	Diagnosis
Z87.312	Personal history of (healed) stress fracture	ICD-10-CM	Diagnosis
S12.111A	Posterior displaced Type II dens fracture, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.014P	Posterior displaced fracture of sternal end of right clavicle, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S42.014K	Posterior displaced fracture of sternal end of right clavicle, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S42.015A	Posterior displaced fracture of sternal end of left clavicle, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.015B	Posterior displaced fracture of sternal end of left clavicle, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.015G	Posterior displaced fracture of sternal end of left clavicle, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S42.015D	Posterior displaced fracture of sternal end of left clavicle, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S42.014A	Posterior displaced fracture of sternal end of right clavicle, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.014B	Posterior displaced fracture of sternal end of right clavicle, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.014G	Posterior displaced fracture of sternal end of right clavicle, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S42.014D	Posterior displaced fracture of sternal end of right clavicle, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S42.016D	Posterior displaced fracture of sternal end of unspecified clavicle, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S42.016A	Posterior displaced fracture of sternal end of unspecified clavicle, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.016B	Posterior displaced fracture of sternal end of unspecified clavicle, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.016G	Posterior displaced fracture of sternal end of unspecified clavicle, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S42.015S	Posterior displaced fracture of sternal end of left clavicle, sequela	ICD-10-CM	Diagnosis
S42.014S	Posterior displaced fracture of sternal end of right clavicle, sequela	ICD-10-CM	Diagnosis
S42.016S	Posterior displaced fracture of sternal end of unspecified clavicle, sequela	ICD-10-CM	Diagnosis
S42.015P	Posterior displaced fracture of sternal end of left clavicle, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S42.015K	Posterior displaced fracture of sternal end of left clavicle, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S42.016P	Posterior displaced fracture of sternal end of unspecified clavicle, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis



**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S42.016K	Posterior displaced fracture of sternal end of unspecified clavicle, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S12.111B	Posterior displaced Type II dens fracture, initial encounter for open fracture	ICD-10-CM	Diagnosis
S12.111G	Posterior displaced Type II dens fracture, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S12.111K	Posterior displaced Type II dens fracture, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S12.111D	Posterior displaced Type II dens fracture, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S43.152D	Posterior dislocation of left acromioclavicular joint, subsequent encounter	ICD-10-CM	Diagnosis
S43.151D	Posterior dislocation of right acromioclavicular joint, subsequent encounter	ICD-10-CM	Diagnosis
S43.159D	Posterior dislocation of unspecified acromioclavicular joint, subsequent encounter	ICD-10-CM	Diagnosis
S73.015A	Posterior dislocation of left hip, initial encounter	ICD-10-CM	Diagnosis
S73.015D	Posterior dislocation of left hip, subsequent encounter	ICD-10-CM	Diagnosis
S53.025S	Posterior dislocation of left radial head, sequela	ICD-10-CM	Diagnosis
S43.225S	Posterior dislocation of left sternoclavicular joint, sequela	ICD-10-CM	Diagnosis
S43.152A	Posterior dislocation of left acromioclavicular joint, initial encounter	ICD-10-CM	Diagnosis
S43.025A	Posterior dislocation of left humerus, initial encounter	ICD-10-CM	Diagnosis
S43.025D	Posterior dislocation of left humerus, subsequent encounter	ICD-10-CM	Diagnosis
S53.025A	Posterior dislocation of left radial head, initial encounter	ICD-10-CM	Diagnosis
S53.025D	Posterior dislocation of left radial head, subsequent encounter	ICD-10-CM	Diagnosis
S43.225A	Posterior dislocation of left sternoclavicular joint, initial encounter	ICD-10-CM	Diagnosis
S43.225D	Posterior dislocation of left sternoclavicular joint, subsequent encounter	ICD-10-CM	Diagnosis
S53.125A	Posterior dislocation of left ulnohumeral joint, initial encounter	ICD-10-CM	Diagnosis
S53.125S	Posterior dislocation of left ulnohumeral joint, sequela	ICD-10-CM	Diagnosis
S53.125D	Posterior dislocation of left ulnohumeral joint, subsequent encounter	ICD-10-CM	Diagnosis
S43.152S	Posterior dislocation of left acromioclavicular joint, sequela	ICD-10-CM	Diagnosis
S73.015S	Posterior dislocation of left hip, sequela	ICD-10-CM	Diagnosis
S43.025S	Posterior dislocation of left humerus, sequela	ICD-10-CM	Diagnosis
S43.151S	Posterior dislocation of right acromioclavicular joint, sequela	ICD-10-CM	Diagnosis
S73.014S	Posterior dislocation of right hip, sequela	ICD-10-CM	Diagnosis
S43.024S	Posterior dislocation of right humerus, sequela	ICD-10-CM	Diagnosis
S73.016S	Posterior dislocation of unspecified hip, sequela	ICD-10-CM	Diagnosis
S83.125A	Posterior dislocation of proximal end of tibia, left knee, initial encounter	ICD-10-CM	Diagnosis
S83.125S	Posterior dislocation of proximal end of tibia, left knee, sequela	ICD-10-CM	Diagnosis
S83.125D	Posterior dislocation of proximal end of tibia, left knee, subsequent encounter	ICD-10-CM	Diagnosis
S83.124A	Posterior dislocation of proximal end of tibia, right knee, initial encounter	ICD-10-CM	Diagnosis
S83.124S	Posterior dislocation of proximal end of tibia, right knee, sequela	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S83.124D	Posterior dislocation of proximal end of tibia, right knee, subsequent encounter	ICD-10-CM	Diagnosis
S83.126A	Posterior dislocation of proximal end of tibia, unspecified knee, initial encounter	ICD-10-CM	Diagnosis
S83.126S	Posterior dislocation of proximal end of tibia, unspecified knee, sequela	ICD-10-CM	Diagnosis
S83.126D	Posterior dislocation of proximal end of tibia, unspecified knee, subsequent encounter	ICD-10-CM	Diagnosis
S53.024S	Posterior dislocation of right radial head, sequela	ICD-10-CM	Diagnosis
S43.224S	Posterior dislocation of right sternoclavicular joint, sequela	ICD-10-CM	Diagnosis
S43.151A	Posterior dislocation of right acromioclavicular joint, initial encounter	ICD-10-CM	Diagnosis
S73.014A	Posterior dislocation of right hip, initial encounter	ICD-10-CM	Diagnosis
S73.014D	Posterior dislocation of right hip, subsequent encounter	ICD-10-CM	Diagnosis
S43.024A	Posterior dislocation of right humerus, initial encounter	ICD-10-CM	Diagnosis
S43.024D	Posterior dislocation of right humerus, subsequent encounter	ICD-10-CM	Diagnosis
S53.024A	Posterior dislocation of right radial head, initial encounter	ICD-10-CM	Diagnosis
S53.024D	Posterior dislocation of right radial head, subsequent encounter	ICD-10-CM	Diagnosis
S43.224A	Posterior dislocation of right sternoclavicular joint, initial encounter	ICD-10-CM	Diagnosis
S43.224D	Posterior dislocation of right sternoclavicular joint, subsequent encounter	ICD-10-CM	Diagnosis
S53.124A	Posterior dislocation of right ulnohumeral joint, initial encounter	ICD-10-CM	Diagnosis
S53.124S	Posterior dislocation of right ulnohumeral joint, sequela	ICD-10-CM	Diagnosis
S53.124D	Posterior dislocation of right ulnohumeral joint, subsequent encounter	ICD-10-CM	Diagnosis
S43.159A	Posterior dislocation of unspecified acromioclavicular joint, initial encounter	ICD-10-CM	Diagnosis
S73.016A	Posterior dislocation of unspecified hip, initial encounter	ICD-10-CM	Diagnosis
S73.016D	Posterior dislocation of unspecified hip, subsequent encounter	ICD-10-CM	Diagnosis
S43.026A	Posterior dislocation of unspecified humerus, initial encounter	ICD-10-CM	Diagnosis
S43.026S	Posterior dislocation of unspecified humerus, sequela	ICD-10-CM	Diagnosis
S43.026D	Posterior dislocation of unspecified humerus, subsequent encounter	ICD-10-CM	Diagnosis
S53.026A	Posterior dislocation of unspecified radial head, initial encounter	ICD-10-CM	Diagnosis
S53.026S	Posterior dislocation of unspecified radial head, sequela	ICD-10-CM	Diagnosis
S53.026D	Posterior dislocation of unspecified radial head, subsequent encounter	ICD-10-CM	Diagnosis
S43.226A	Posterior dislocation of unspecified sternoclavicular joint, initial encounter	ICD-10-CM	Diagnosis
S43.226S	Posterior dislocation of unspecified sternoclavicular joint, sequela	ICD-10-CM	Diagnosis
S43.226D	Posterior dislocation of unspecified sternoclavicular joint, subsequent encounter	ICD-10-CM	Diagnosis
S53.126A	Posterior dislocation of unspecified ulnohumeral joint, initial encounter	ICD-10-CM	Diagnosis
S53.126S	Posterior dislocation of unspecified ulnohumeral joint, sequela	ICD-10-CM	Diagnosis
S53.126D	Posterior dislocation of unspecified ulnohumeral joint, subsequent encounter	ICD-10-CM	Diagnosis
S43.159S	Posterior dislocation of unspecified acromioclavicular joint, sequela	ICD-10-CM	Diagnosis
S12.111S	Posterior displaced Type II dens fracture, sequela	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S53.123D	Posterior subluxation of unspecified ulnohumeral joint, subsequent encounter	ICD-10-CM	Diagnosis
S53.121D	Posterior subluxation of right ulnohumeral joint, subsequent encounter	ICD-10-CM	Diagnosis
S73.012A	Posterior subluxation of left hip, initial encounter	ICD-10-CM	Diagnosis
S73.012D	Posterior subluxation of left hip, subsequent encounter	ICD-10-CM	Diagnosis
S53.022S	Posterior subluxation of left radial head, sequela	ICD-10-CM	Diagnosis
S43.222S	Posterior subluxation of left sternoclavicular joint, sequela	ICD-10-CM	Diagnosis
S43.022A	Posterior subluxation of left humerus, initial encounter	ICD-10-CM	Diagnosis
S43.022D	Posterior subluxation of left humerus, subsequent encounter	ICD-10-CM	Diagnosis
S53.022A	Posterior subluxation of left radial head, initial encounter	ICD-10-CM	Diagnosis
S53.022D	Posterior subluxation of left radial head, subsequent encounter	ICD-10-CM	Diagnosis
S43.222A	Posterior subluxation of left sternoclavicular joint, initial encounter	ICD-10-CM	Diagnosis
S43.222D	Posterior subluxation of left sternoclavicular joint, subsequent encounter	ICD-10-CM	Diagnosis
S53.122A	Posterior subluxation of left ulnohumeral joint, initial encounter	ICD-10-CM	Diagnosis
S53.122S	Posterior subluxation of left ulnohumeral joint, sequela	ICD-10-CM	Diagnosis
S53.122D	Posterior subluxation of left ulnohumeral joint, subsequent encounter	ICD-10-CM	Diagnosis
S73.012S	Posterior subluxation of left hip, sequela	ICD-10-CM	Diagnosis
S43.022S	Posterior subluxation of left humerus, sequela	ICD-10-CM	Diagnosis
S73.011S	Posterior subluxation of right hip, sequela	ICD-10-CM	Diagnosis
S43.021S	Posterior subluxation of right humerus, sequela	ICD-10-CM	Diagnosis
S73.013S	Posterior subluxation of unspecified hip, sequela	ICD-10-CM	Diagnosis
S83.122A	Posterior subluxation of proximal end of tibia, left knee, initial encounter	ICD-10-CM	Diagnosis
S83.122S	Posterior subluxation of proximal end of tibia, left knee, sequela	ICD-10-CM	Diagnosis
S83.122D	Posterior subluxation of proximal end of tibia, left knee, subsequent encounter	ICD-10-CM	Diagnosis
S83.121A	Posterior subluxation of proximal end of tibia, right knee, initial encounter	ICD-10-CM	Diagnosis
S83.121S	Posterior subluxation of proximal end of tibia, right knee, sequela	ICD-10-CM	Diagnosis
S83.121D	Posterior subluxation of proximal end of tibia, right knee, subsequent encounter	ICD-10-CM	Diagnosis
S83.123A	Posterior subluxation of proximal end of tibia, unspecified knee, initial encounter	ICD-10-CM	Diagnosis
S83.123S	Posterior subluxation of proximal end of tibia, unspecified knee, sequela	ICD-10-CM	Diagnosis
S83.123D	Posterior subluxation of proximal end of tibia, unspecified knee, subsequent encounter	ICD-10-CM	Diagnosis
S53.021S	Posterior subluxation of right radial head, sequela	ICD-10-CM	Diagnosis
S43.221S	Posterior subluxation of right sternoclavicular joint, sequela	ICD-10-CM	Diagnosis
S73.011A	Posterior subluxation of right hip, initial encounter	ICD-10-CM	Diagnosis
S73.011D	Posterior subluxation of right hip, subsequent encounter	ICD-10-CM	Diagnosis
S43.021A	Posterior subluxation of right humerus, initial encounter	ICD-10-CM	Diagnosis
S43.021D	Posterior subluxation of right humerus, subsequent encounter	ICD-10-CM	Diagnosis
S53.021A	Posterior subluxation of right radial head, initial encounter	ICD-10-CM	Diagnosis
S53.021D	Posterior subluxation of right radial head, subsequent encounter	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S43.221A	Posterior subluxation of right sternoclavicular joint, initial encounter	ICD-10-CM	Diagnosis
S43.221D	Posterior subluxation of right sternoclavicular joint, subsequent encounter	ICD-10-CM	Diagnosis
S53.121A	Posterior subluxation of right ulnohumeral joint, initial encounter	ICD-10-CM	Diagnosis
S53.121S	Posterior subluxation of right ulnohumeral joint, sequela	ICD-10-CM	Diagnosis
S73.013A	Posterior subluxation of unspecified hip, initial encounter	ICD-10-CM	Diagnosis
S73.013D	Posterior subluxation of unspecified hip, subsequent encounter	ICD-10-CM	Diagnosis
S43.023A	Posterior subluxation of unspecified humerus, initial encounter	ICD-10-CM	Diagnosis
S43.023S	Posterior subluxation of unspecified humerus, sequela	ICD-10-CM	Diagnosis
S43.023D	Posterior subluxation of unspecified humerus, subsequent encounter	ICD-10-CM	Diagnosis
S53.023A	Posterior subluxation of unspecified radial head, initial encounter	ICD-10-CM	Diagnosis
S53.023S	Posterior subluxation of unspecified radial head, sequela	ICD-10-CM	Diagnosis
S53.023D	Posterior subluxation of unspecified radial head, subsequent encounter	ICD-10-CM	Diagnosis
S43.223A	Posterior subluxation of unspecified sternoclavicular joint, initial encounter	ICD-10-CM	Diagnosis
S43.223S	Posterior subluxation of unspecified sternoclavicular joint, sequela	ICD-10-CM	Diagnosis
S43.223D	Posterior subluxation of unspecified sternoclavicular joint, subsequent encounter	ICD-10-CM	Diagnosis
S53.123A	Posterior subluxation of unspecified ulnohumeral joint, initial encounter	ICD-10-CM	Diagnosis
S53.123S	Posterior subluxation of unspecified ulnohumeral joint, sequela	ICD-10-CM	Diagnosis
S09.313A	Primary blast injury of ear, bilateral, initial encounter	ICD-10-CM	Diagnosis
S09.313D	Primary blast injury of ear, bilateral, subsequent encounter	ICD-10-CM	Diagnosis
S09.312A	Primary blast injury of left ear, initial encounter	ICD-10-CM	Diagnosis
S09.312D	Primary blast injury of left ear, subsequent encounter	ICD-10-CM	Diagnosis
S09.313S	Primary blast injury of ear, bilateral, sequela	ICD-10-CM	Diagnosis
S09.312S	Primary blast injury of left ear, sequela	ICD-10-CM	Diagnosis
S09.311S	Primary blast injury of right ear, sequela	ICD-10-CM	Diagnosis
S09.319S	Primary blast injury of unspecified ear, sequela	ICD-10-CM	Diagnosis
S09.311A	Primary blast injury of right ear, initial encounter	ICD-10-CM	Diagnosis
S09.311D	Primary blast injury of right ear, subsequent encounter	ICD-10-CM	Diagnosis
S09.319A	Primary blast injury of unspecified ear, initial encounter	ICD-10-CM	Diagnosis
S09.319D	Primary blast injury of unspecified ear, subsequent encounter	ICD-10-CM	Diagnosis
S21.141D	Puncture wound with foreign body of right front wall of thorax without penetration into thoracic cavity, subsequent encounter	ICD-10-CM	Diagnosis
S21.339A	Puncture wound without foreign body of unspecified front wall of thorax with penetration into thoracic cavity, initial encounter	ICD-10-CM	Diagnosis
S21.339D	Puncture wound without foreign body of unspecified front wall of thorax with penetration into thoracic cavity, subsequent encounter	ICD-10-CM	Diagnosis
S21.439A	Puncture wound without foreign body of unspecified back wall of thorax with penetration into thoracic cavity, initial encounter	ICD-10-CM	Diagnosis
S21.432A	Puncture wound without foreign body of left back wall of thorax with penetration into thoracic cavity, initial encounter	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S21.332D	Puncture wound without foreign body of left front wall of thorax with penetration into thoracic cavity, subsequent encounter	ICD-10-CM	Diagnosis
S21.332A	Puncture wound without foreign body of left front wall of thorax with penetration into thoracic cavity, initial encounter	ICD-10-CM	Diagnosis
S21.431A	Puncture wound without foreign body of right back wall of thorax with penetration into thoracic cavity, initial encounter	ICD-10-CM	Diagnosis
S21.331D	Puncture wound without foreign body of right front wall of thorax with penetration into thoracic cavity, subsequent encounter	ICD-10-CM	Diagnosis
S21.331A	Puncture wound without foreign body of right front wall of thorax with penetration into thoracic cavity, initial encounter	ICD-10-CM	Diagnosis
S21.439D	Puncture wound without foreign body of unspecified back wall of thorax with penetration into thoracic cavity, subsequent encounter	ICD-10-CM	Diagnosis
S21.442A	Puncture wound with foreign body of left back wall of thorax with penetration into thoracic cavity, initial encounter	ICD-10-CM	Diagnosis
S21.442S	Puncture wound with foreign body of left back wall of thorax with penetration into thoracic cavity, sequela	ICD-10-CM	Diagnosis
S21.442D	Puncture wound with foreign body of left back wall of thorax with penetration into thoracic cavity, subsequent encounter	ICD-10-CM	Diagnosis
S01.442S	Puncture wound with foreign body of left cheek and temporomandibular area, sequela	ICD-10-CM	Diagnosis
S01.442A	Puncture wound with foreign body of left cheek and temporomandibular area, initial encounter	ICD-10-CM	Diagnosis
S01.442D	Puncture wound with foreign body of left cheek and temporomandibular area, subsequent encounter	ICD-10-CM	Diagnosis
S21.342A	Puncture wound with foreign body of left front wall of thorax with penetration into thoracic cavity, initial encounter	ICD-10-CM	Diagnosis
S21.342S	Puncture wound with foreign body of left front wall of thorax with penetration into thoracic cavity, sequela	ICD-10-CM	Diagnosis
S21.441A	Puncture wound with foreign body of right back wall of thorax with penetration into thoracic cavity, initial encounter	ICD-10-CM	Diagnosis
S21.441S	Puncture wound with foreign body of right back wall of thorax with penetration into thoracic cavity, sequela	ICD-10-CM	Diagnosis
S21.441D	Puncture wound with foreign body of right back wall of thorax with penetration into thoracic cavity, subsequent encounter	ICD-10-CM	Diagnosis
S01.441A	Puncture wound with foreign body of right cheek and temporomandibular area, initial encounter	ICD-10-CM	Diagnosis
S01.441S	Puncture wound with foreign body of right cheek and temporomandibular area, sequela	ICD-10-CM	Diagnosis
S01.441D	Puncture wound with foreign body of right cheek and temporomandibular area, subsequent encounter	ICD-10-CM	Diagnosis
S21.341S	Puncture wound with foreign body of right front wall of thorax with penetration into thoracic cavity, sequela	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S21.341A	Puncture wound with foreign body of right front wall of thorax with penetration into thoracic cavity, initial encounter	ICD-10-CM	Diagnosis
S21.341D	Puncture wound with foreign body of right front wall of thorax with penetration into thoracic cavity, subsequent encounter	ICD-10-CM	Diagnosis
S21.449S	Puncture wound with foreign body of unspecified back wall of thorax with penetration into thoracic cavity, sequela	ICD-10-CM	Diagnosis
S21.449D	Puncture wound with foreign body of unspecified back wall of thorax with penetration into thoracic cavity, subsequent encounter	ICD-10-CM	Diagnosis
S21.449A	Puncture wound with foreign body of unspecified back wall of thorax with penetration into thoracic cavity, initial encounter	ICD-10-CM	Diagnosis
S01.449S	Puncture wound with foreign body of unspecified cheek and temporomandibular area, sequela	ICD-10-CM	Diagnosis
S01.449A	Puncture wound with foreign body of unspecified cheek and temporomandibular area, initial encounter	ICD-10-CM	Diagnosis
S01.449D	Puncture wound with foreign body of unspecified cheek and temporomandibular area, subsequent encounter	ICD-10-CM	Diagnosis
S21.432S	Puncture wound without foreign body of left back wall of thorax with penetration into thoracic cavity, sequela	ICD-10-CM	Diagnosis
S21.432D	Puncture wound without foreign body of left back wall of thorax with penetration into thoracic cavity, subsequent encounter	ICD-10-CM	Diagnosis
S01.432A	Puncture wound without foreign body of left cheek and temporomandibular area, initial encounter	ICD-10-CM	Diagnosis
S01.432S	Puncture wound without foreign body of left cheek and temporomandibular area, sequela	ICD-10-CM	Diagnosis
S01.432D	Puncture wound without foreign body of left cheek and temporomandibular area, subsequent encounter	ICD-10-CM	Diagnosis
S21.332S	Puncture wound without foreign body of left front wall of thorax with penetration into thoracic cavity, sequela	ICD-10-CM	Diagnosis
S21.431S	Puncture wound without foreign body of right back wall of thorax with penetration into thoracic cavity, sequela	ICD-10-CM	Diagnosis
S21.431D	Puncture wound without foreign body of right back wall of thorax with penetration into thoracic cavity, subsequent encounter	ICD-10-CM	Diagnosis
S01.431A	Puncture wound without foreign body of right cheek and temporomandibular area, initial encounter	ICD-10-CM	Diagnosis
S01.431S	Puncture wound without foreign body of right cheek and temporomandibular area, sequela	ICD-10-CM	Diagnosis
S01.431D	Puncture wound without foreign body of right cheek and temporomandibular area, subsequent encounter	ICD-10-CM	Diagnosis
S21.331S	Puncture wound without foreign body of right front wall of thorax with penetration into thoracic cavity, sequela	ICD-10-CM	Diagnosis
S21.439S	Puncture wound without foreign body of unspecified back wall of thorax with penetration into thoracic cavity, sequela	ICD-10-CM	Diagnosis



**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S01.439A	Puncture wound without foreign body of unspecified cheek and temporomandibular area, initial encounter	ICD-10-CM	Diagnosis
S01.439D	Puncture wound without foreign body of unspecified cheek and temporomandibular area, subsequent encounter	ICD-10-CM	Diagnosis
S01.439S	Puncture wound without foreign body of unspecified cheek and temporomandibular area, sequela	ICD-10-CM	Diagnosis
S21.339S	Puncture wound without foreign body of unspecified front wall of thorax with penetration into thoracic cavity, sequela	ICD-10-CM	Diagnosis
S21.142A	Puncture wound with foreign body of left front wall of thorax without penetration into thoracic cavity, initial encounter	ICD-10-CM	Diagnosis
S21.142S	Puncture wound with foreign body of left front wall of thorax without penetration into thoracic cavity, sequela	ICD-10-CM	Diagnosis
S21.142D	Puncture wound with foreign body of left front wall of thorax without penetration into thoracic cavity, subsequent encounter	ICD-10-CM	Diagnosis
S21.141S	Puncture wound with foreign body of right front wall of thorax without penetration into thoracic cavity, sequela	ICD-10-CM	Diagnosis
S21.141A	Puncture wound with foreign body of right front wall of thorax without penetration into thoracic cavity, initial encounter	ICD-10-CM	Diagnosis
S21.149A	Puncture wound with foreign body of unspecified front wall of thorax without penetration into thoracic cavity, initial encounter	ICD-10-CM	Diagnosis
S21.149D	Puncture wound with foreign body of unspecified front wall of thorax without penetration into thoracic cavity, subsequent encounter	ICD-10-CM	Diagnosis
S21.149S	Puncture wound with foreign body of unspecified front wall of thorax without penetration into thoracic cavity, sequela	ICD-10-CM	Diagnosis
S21.132A	Puncture wound without foreign body of left front wall of thorax without penetration into thoracic cavity, initial encounter	ICD-10-CM	Diagnosis
S21.132S	Puncture wound without foreign body of left front wall of thorax without penetration into thoracic cavity, sequela	ICD-10-CM	Diagnosis
S21.132D	Puncture wound without foreign body of left front wall of thorax without penetration into thoracic cavity, subsequent encounter	ICD-10-CM	Diagnosis
S21.131A	Puncture wound without foreign body of right front wall of thorax without penetration into thoracic cavity, initial encounter	ICD-10-CM	Diagnosis
S21.131S	Puncture wound without foreign body of right front wall of thorax without penetration into thoracic cavity, sequela	ICD-10-CM	Diagnosis
S21.131D	Puncture wound without foreign body of right front wall of thorax without penetration into thoracic cavity, subsequent encounter	ICD-10-CM	Diagnosis
S21.239A	Puncture wound without foreign body of unspecified back wall of thorax without penetration into thoracic cavity, initial encounter	ICD-10-CM	Diagnosis
S21.239D	Puncture wound without foreign body of unspecified back wall of thorax without penetration into thoracic cavity, subsequent encounter	ICD-10-CM	Diagnosis
S21.139A	Puncture wound without foreign body of unspecified front wall of thorax without penetration into thoracic cavity, initial encounter	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S21.139S	Puncture wound without foreign body of unspecified front wall of thorax without penetration into thoracic cavity, sequela	ICD-10-CM	Diagnosis
S21.139D	Puncture wound without foreign body of unspecified front wall of thorax without penetration into thoracic cavity, subsequent encounter	ICD-10-CM	Diagnosis
S61.237A	Puncture wound without foreign body of left little finger without damage to nail, initial encounter	ICD-10-CM	Diagnosis
S61.237S	Puncture wound without foreign body of left little finger without damage to nail, sequela	ICD-10-CM	Diagnosis
S61.237D	Puncture wound without foreign body of left little finger without damage to nail, subsequent encounter	ICD-10-CM	Diagnosis
S61.235A	Puncture wound without foreign body of left ring finger without damage to nail, initial encounter	ICD-10-CM	Diagnosis
S61.235S	Puncture wound without foreign body of left ring finger without damage to nail, sequela	ICD-10-CM	Diagnosis
S61.235D	Puncture wound without foreign body of left ring finger without damage to nail, subsequent encounter	ICD-10-CM	Diagnosis
S61.236A	Puncture wound without foreign body of right little finger without damage to nail, initial encounter	ICD-10-CM	Diagnosis
S61.236S	Puncture wound without foreign body of right little finger without damage to nail, sequela	ICD-10-CM	Diagnosis
S61.236D	Puncture wound without foreign body of right little finger without damage to nail, subsequent encounter	ICD-10-CM	Diagnosis
S61.234A	Puncture wound without foreign body of right ring finger without damage to nail, initial encounter	ICD-10-CM	Diagnosis
S61.234S	Puncture wound without foreign body of right ring finger without damage to nail, sequela	ICD-10-CM	Diagnosis
S61.234D	Puncture wound without foreign body of right ring finger without damage to nail, subsequent encounter	ICD-10-CM	Diagnosis
S31.644A	Puncture wound with foreign body of abdominal wall, left lower quadrant with penetration into peritoneal cavity, initial encounter	ICD-10-CM	Diagnosis
S31.641A	Puncture wound with foreign body of abdominal wall, left upper quadrant with penetration into peritoneal cavity, initial encounter	ICD-10-CM	Diagnosis
S31.643A	Puncture wound with foreign body of abdominal wall, right lower quadrant with penetration into peritoneal cavity, initial encounter	ICD-10-CM	Diagnosis
S31.640A	Puncture wound with foreign body of abdominal wall, right upper quadrant with penetration into peritoneal cavity, initial encounter	ICD-10-CM	Diagnosis
S31.635A	Puncture wound without foreign body of abdominal wall, periumbilic region with penetration into peritoneal cavity, initial encounter	ICD-10-CM	Diagnosis
S31.635D	Puncture wound without foreign body of abdominal wall, periumbilic region with penetration into peritoneal cavity, subsequent encounter	ICD-10-CM	Diagnosis
S31.639A	Puncture wound without foreign body of abdominal wall, unspecified quadrant with penetration into peritoneal cavity, initial encounter	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S31.639D	Puncture wound without foreign body of abdominal wall, unspecified quadrant with penetration into peritoneal cavity, subsequent encounter	ICD-10-CM	Diagnosis
S21.342D	Puncture wound with foreign body of left front wall of thorax with penetration into thoracic cavity, subsequent encounter	ICD-10-CM	Diagnosis
S31.144A	Puncture wound of abdominal wall with foreign body, left lower quadrant without penetration into peritoneal cavity, initial encounter	ICD-10-CM	Diagnosis
S31.144S	Puncture wound of abdominal wall with foreign body, left lower quadrant without penetration into peritoneal cavity, sequela	ICD-10-CM	Diagnosis
S31.144D	Puncture wound of abdominal wall with foreign body, left lower quadrant without penetration into peritoneal cavity, subsequent encounter	ICD-10-CM	Diagnosis
S31.141A	Puncture wound of abdominal wall with foreign body, left upper quadrant without penetration into peritoneal cavity, initial encounter	ICD-10-CM	Diagnosis
S31.141S	Puncture wound of abdominal wall with foreign body, left upper quadrant without penetration into peritoneal cavity, sequela	ICD-10-CM	Diagnosis
S31.141D	Puncture wound of abdominal wall with foreign body, left upper quadrant without penetration into peritoneal cavity, subsequent encounter	ICD-10-CM	Diagnosis
S31.140A	Puncture wound of abdominal wall with foreign body, right upper quadrant without penetration into peritoneal cavity, initial encounter	ICD-10-CM	Diagnosis
S31.140S	Puncture wound of abdominal wall with foreign body, right upper quadrant without penetration into peritoneal cavity, sequela	ICD-10-CM	Diagnosis
S31.140D	Puncture wound of abdominal wall with foreign body, right upper quadrant without penetration into peritoneal cavity, subsequent encounter	ICD-10-CM	Diagnosis
S31.132A	Puncture wound of abdominal wall without foreign body, epigastric region without penetration into peritoneal cavity, initial encounter	ICD-10-CM	Diagnosis
S31.132S	Puncture wound of abdominal wall without foreign body, epigastric region without penetration into peritoneal cavity, sequela	ICD-10-CM	Diagnosis
S31.132D	Puncture wound of abdominal wall without foreign body, epigastric region without penetration into peritoneal cavity, subsequent encounter	ICD-10-CM	Diagnosis
S31.130A	Puncture wound of abdominal wall without foreign body, right upper quadrant without penetration into peritoneal cavity, initial encounter	ICD-10-CM	Diagnosis
S31.130S	Puncture wound of abdominal wall without foreign body, right upper quadrant without penetration into peritoneal cavity, sequela	ICD-10-CM	Diagnosis
S31.130D	Puncture wound of abdominal wall without foreign body, right upper quadrant without penetration into peritoneal cavity, subsequent encounter	ICD-10-CM	Diagnosis
S31.131A	Puncture wound of abdominal wall without foreign body, left upper quadrant without penetration into peritoneal cavity, initial encounter	ICD-10-CM	Diagnosis
S31.131S	Puncture wound of abdominal wall without foreign body, left upper quadrant without penetration into peritoneal cavity, sequela	ICD-10-CM	Diagnosis
S31.131D	Puncture wound of abdominal wall without foreign body, left upper quadrant without penetration into peritoneal cavity, subsequent encounter	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S31.145A	Puncture wound of abdominal wall with foreign body, periumbilic region without penetration into peritoneal cavity, initial encounter	ICD-10-CM	Diagnosis
S31.145S	Puncture wound of abdominal wall with foreign body, periumbilic region without penetration into peritoneal cavity, sequela	ICD-10-CM	Diagnosis
S31.145D	Puncture wound of abdominal wall with foreign body, periumbilic region without penetration into peritoneal cavity, subsequent encounter	ICD-10-CM	Diagnosis
S31.143A	Puncture wound of abdominal wall with foreign body, right lower quadrant without penetration into peritoneal cavity, initial encounter	ICD-10-CM	Diagnosis
S31.143S	Puncture wound of abdominal wall with foreign body, right lower quadrant without penetration into peritoneal cavity, sequela	ICD-10-CM	Diagnosis
S31.143D	Puncture wound of abdominal wall with foreign body, right lower quadrant without penetration into peritoneal cavity, subsequent encounter	ICD-10-CM	Diagnosis
S31.149A	Puncture wound of abdominal wall with foreign body, unspecified quadrant without penetration into peritoneal cavity, initial encounter	ICD-10-CM	Diagnosis
S31.134A	Puncture wound of abdominal wall without foreign body, left lower quadrant without penetration into peritoneal cavity, initial encounter	ICD-10-CM	Diagnosis
S31.134S	Puncture wound of abdominal wall without foreign body, left lower quadrant without penetration into peritoneal cavity, sequela	ICD-10-CM	Diagnosis
S31.134D	Puncture wound of abdominal wall without foreign body, left lower quadrant without penetration into peritoneal cavity, subsequent encounter	ICD-10-CM	Diagnosis
S31.135A	Puncture wound of abdominal wall without foreign body, periumbilic region without penetration into peritoneal cavity, initial encounter	ICD-10-CM	Diagnosis
S31.135S	Puncture wound of abdominal wall without foreign body, periumbilic region without penetration into peritoneal cavity, sequela	ICD-10-CM	Diagnosis
S31.135D	Puncture wound of abdominal wall without foreign body, periumbilic region without penetration into peritoneal cavity, subsequent encounter	ICD-10-CM	Diagnosis
S31.133A	Puncture wound of abdominal wall without foreign body, right lower quadrant without penetration into peritoneal cavity, initial encounter	ICD-10-CM	Diagnosis
S31.133S	Puncture wound of abdominal wall without foreign body, right lower quadrant without penetration into peritoneal cavity, sequela	ICD-10-CM	Diagnosis
S31.133D	Puncture wound of abdominal wall without foreign body, right lower quadrant without penetration into peritoneal cavity, subsequent encounter	ICD-10-CM	Diagnosis
S31.139A	Puncture wound of abdominal wall without foreign body, unspecified quadrant without penetration into peritoneal cavity, initial encounter	ICD-10-CM	Diagnosis
S31.139S	Puncture wound of abdominal wall without foreign body, unspecified quadrant without penetration into peritoneal cavity, sequela	ICD-10-CM	Diagnosis
S31.139D	Puncture wound of abdominal wall without foreign body, unspecified quadrant without penetration into peritoneal cavity, subsequent encounter	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S31.142A	Puncture wound of abdominal wall with foreign body, epigastric region without penetration into peritoneal cavity, initial encounter	ICD-10-CM	Diagnosis
S31.142S	Puncture wound of abdominal wall with foreign body, epigastric region without penetration into peritoneal cavity, sequela	ICD-10-CM	Diagnosis
S31.142D	Puncture wound of abdominal wall with foreign body, epigastric region without penetration into peritoneal cavity, subsequent encounter	ICD-10-CM	Diagnosis
S31.149S	Puncture wound of abdominal wall with foreign body, unspecified quadrant without penetration into peritoneal cavity, sequela	ICD-10-CM	Diagnosis
S31.644D	Puncture wound with foreign body of abdominal wall, left lower quadrant with penetration into peritoneal cavity, subsequent encounter	ICD-10-CM	Diagnosis
S31.641D	Puncture wound with foreign body of abdominal wall, left upper quadrant with penetration into peritoneal cavity, subsequent encounter	ICD-10-CM	Diagnosis
S31.643D	Puncture wound with foreign body of abdominal wall, right lower quadrant with penetration into peritoneal cavity, subsequent encounter	ICD-10-CM	Diagnosis
S31.640D	Puncture wound with foreign body of abdominal wall, right upper quadrant with penetration into peritoneal cavity, subsequent encounter	ICD-10-CM	Diagnosis
S31.645A	Puncture wound with foreign body of abdominal wall, periumbilic region with penetration into peritoneal cavity, initial encounter	ICD-10-CM	Diagnosis
S31.645D	Puncture wound with foreign body of abdominal wall, periumbilic region with penetration into peritoneal cavity, subsequent encounter	ICD-10-CM	Diagnosis
S31.649A	Puncture wound with foreign body of abdominal wall, unspecified quadrant with penetration into peritoneal cavity, initial encounter	ICD-10-CM	Diagnosis
S31.649D	Puncture wound with foreign body of abdominal wall, unspecified quadrant with penetration into peritoneal cavity, subsequent encounter	ICD-10-CM	Diagnosis
S21.242S	Puncture wound with foreign body of left back wall of thorax without penetration into thoracic cavity, sequela	ICD-10-CM	Diagnosis
S21.242A	Puncture wound with foreign body of left back wall of thorax without penetration into thoracic cavity, initial encounter	ICD-10-CM	Diagnosis
S21.242D	Puncture wound with foreign body of left back wall of thorax without penetration into thoracic cavity, subsequent encounter	ICD-10-CM	Diagnosis
S21.241S	Puncture wound with foreign body of right back wall of thorax without penetration into thoracic cavity, sequela	ICD-10-CM	Diagnosis
S21.241A	Puncture wound with foreign body of right back wall of thorax without penetration into thoracic cavity, initial encounter	ICD-10-CM	Diagnosis
S21.241D	Puncture wound with foreign body of right back wall of thorax without penetration into thoracic cavity, subsequent encounter	ICD-10-CM	Diagnosis
S21.249S	Puncture wound with foreign body of unspecified back wall of thorax without penetration into thoracic cavity, sequela	ICD-10-CM	Diagnosis
S21.249A	Puncture wound with foreign body of unspecified back wall of thorax without penetration into thoracic cavity, initial encounter	ICD-10-CM	Diagnosis
S21.249D	Puncture wound with foreign body of unspecified back wall of thorax without penetration into thoracic cavity, subsequent encounter	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S31.632S	Puncture wound without foreign body of abdominal wall, epigastric region with penetration into peritoneal cavity, sequela	ICD-10-CM	Diagnosis
S31.632A	Puncture wound without foreign body of abdominal wall, epigastric region with penetration into peritoneal cavity, initial encounter	ICD-10-CM	Diagnosis
S31.632D	Puncture wound without foreign body of abdominal wall, epigastric region with penetration into peritoneal cavity, subsequent encounter	ICD-10-CM	Diagnosis
S31.635S	Puncture wound without foreign body of abdominal wall, periumbilic region with penetration into peritoneal cavity, sequela	ICD-10-CM	Diagnosis
S31.639S	Puncture wound without foreign body of abdominal wall, unspecified quadrant with penetration into peritoneal cavity, sequela	ICD-10-CM	Diagnosis
S21.232S	Puncture wound without foreign body of left back wall of thorax without penetration into thoracic cavity, sequela	ICD-10-CM	Diagnosis
S21.232D	Puncture wound without foreign body of left back wall of thorax without penetration into thoracic cavity, subsequent encounter	ICD-10-CM	Diagnosis
S21.232A	Puncture wound without foreign body of left back wall of thorax without penetration into thoracic cavity, initial encounter	ICD-10-CM	Diagnosis
S61.231A	Puncture wound without foreign body of left index finger without damage to nail, initial encounter	ICD-10-CM	Diagnosis
S61.231S	Puncture wound without foreign body of left index finger without damage to nail, sequela	ICD-10-CM	Diagnosis
S61.231D	Puncture wound without foreign body of left index finger without damage to nail, subsequent encounter	ICD-10-CM	Diagnosis
S91.135A	Puncture wound without foreign body of left lesser toe(s) without damage to nail, initial encounter	ICD-10-CM	Diagnosis
S91.135S	Puncture wound without foreign body of left lesser toe(s) without damage to nail, sequela	ICD-10-CM	Diagnosis
S91.135D	Puncture wound without foreign body of left lesser toe(s) without damage to nail, subsequent encounter	ICD-10-CM	Diagnosis
S61.233A	Puncture wound without foreign body of left middle finger without damage to nail, initial encounter	ICD-10-CM	Diagnosis
S61.233S	Puncture wound without foreign body of left middle finger without damage to nail, sequela	ICD-10-CM	Diagnosis
S61.233D	Puncture wound without foreign body of left middle finger without damage to nail, subsequent encounter	ICD-10-CM	Diagnosis
S11.23XS	Puncture wound without foreign body of pharynx and cervical esophagus, sequela	ICD-10-CM	Diagnosis
S11.23XD	Puncture wound without foreign body of pharynx and cervical esophagus, subsequent encounter	ICD-10-CM	Diagnosis
S21.231S	Puncture wound without foreign body of right back wall of thorax without penetration into thoracic cavity, sequela	ICD-10-CM	Diagnosis
S21.231D	Puncture wound without foreign body of right back wall of thorax without penetration into thoracic cavity, subsequent encounter	ICD-10-CM	Diagnosis



**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S61.230A	Puncture wound without foreign body of right index finger without damage to nail, initial encounter	ICD-10-CM	Diagnosis
S61.230S	Puncture wound without foreign body of right index finger without damage to nail, sequela	ICD-10-CM	Diagnosis
S61.230D	Puncture wound without foreign body of right index finger without damage to nail, subsequent encounter	ICD-10-CM	Diagnosis
S91.134A	Puncture wound without foreign body of right lesser toe(s) without damage to nail, initial encounter	ICD-10-CM	Diagnosis
S91.134S	Puncture wound without foreign body of right lesser toe(s) without damage to nail, sequela	ICD-10-CM	Diagnosis
S91.134D	Puncture wound without foreign body of right lesser toe(s) without damage to nail, subsequent encounter	ICD-10-CM	Diagnosis
S61.232A	Puncture wound without foreign body of right middle finger without damage to nail, initial encounter	ICD-10-CM	Diagnosis
S61.232S	Puncture wound without foreign body of right middle finger without damage to nail, sequela	ICD-10-CM	Diagnosis
S61.232D	Puncture wound without foreign body of right middle finger without damage to nail, subsequent encounter	ICD-10-CM	Diagnosis
S21.239S	Puncture wound without foreign body of unspecified back wall of thorax without penetration into thoracic cavity, sequela	ICD-10-CM	Diagnosis
S01.139S	Puncture wound without foreign body of unspecified eyelid and periocular area, sequela	ICD-10-CM	Diagnosis
S01.139A	Puncture wound without foreign body of unspecified eyelid and periocular area, initial encounter	ICD-10-CM	Diagnosis
S91.136A	Puncture wound without foreign body of unspecified lesser toe(s) without damage to nail, initial encounter	ICD-10-CM	Diagnosis
S91.136S	Puncture wound without foreign body of unspecified lesser toe(s) without damage to nail, sequela	ICD-10-CM	Diagnosis
S91.136D	Puncture wound without foreign body of unspecified lesser toe(s) without damage to nail, subsequent encounter	ICD-10-CM	Diagnosis
S31.642S	Puncture wound with foreign body of abdominal wall, epigastric region with penetration into peritoneal cavity, sequela	ICD-10-CM	Diagnosis
S31.644S	Puncture wound with foreign body of abdominal wall, left lower quadrant with penetration into peritoneal cavity, sequela	ICD-10-CM	Diagnosis
S31.641S	Puncture wound with foreign body of abdominal wall, left upper quadrant with penetration into peritoneal cavity, sequela	ICD-10-CM	Diagnosis
S31.643S	Puncture wound with foreign body of abdominal wall, right lower quadrant with penetration into peritoneal cavity, sequela	ICD-10-CM	Diagnosis
S31.640S	Puncture wound with foreign body of abdominal wall, right upper quadrant with penetration into peritoneal cavity, sequela	ICD-10-CM	Diagnosis
S31.642A	Puncture wound with foreign body of abdominal wall, epigastric region with penetration into peritoneal cavity, initial encounter	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S31.642D	Puncture wound with foreign body of abdominal wall, epigastric region with penetration into peritoneal cavity, subsequent encounter	ICD-10-CM	Diagnosis
S31.645S	Puncture wound with foreign body of abdominal wall, periumbilic region with penetration into peritoneal cavity, sequela	ICD-10-CM	Diagnosis
S31.649S	Puncture wound with foreign body of abdominal wall, unspecified quadrant with penetration into peritoneal cavity, sequela	ICD-10-CM	Diagnosis
S01.142S	Puncture wound with foreign body of left eyelid and periocular area, sequela	ICD-10-CM	Diagnosis
S01.142A	Puncture wound with foreign body of left eyelid and periocular area, initial encounter	ICD-10-CM	Diagnosis
S01.142D	Puncture wound with foreign body of left eyelid and periocular area, subsequent encounter	ICD-10-CM	Diagnosis
S91.242A	Puncture wound with foreign body of left great toe with damage to nail, initial encounter	ICD-10-CM	Diagnosis
S91.242S	Puncture wound with foreign body of left great toe with damage to nail, sequela	ICD-10-CM	Diagnosis
S91.242D	Puncture wound with foreign body of left great toe with damage to nail, subsequent encounter	ICD-10-CM	Diagnosis
S91.142A	Puncture wound with foreign body of left great toe without damage to nail, initial encounter	ICD-10-CM	Diagnosis
S91.142S	Puncture wound with foreign body of left great toe without damage to nail, sequela	ICD-10-CM	Diagnosis
S91.142D	Puncture wound with foreign body of left great toe without damage to nail, subsequent encounter	ICD-10-CM	Diagnosis
S91.145A	Puncture wound with foreign body of left lesser toe(s) without damage to nail, initial encounter	ICD-10-CM	Diagnosis
S91.145S	Puncture wound with foreign body of left lesser toe(s) without damage to nail, sequela	ICD-10-CM	Diagnosis
S91.145D	Puncture wound with foreign body of left lesser toe(s) without damage to nail, subsequent encounter	ICD-10-CM	Diagnosis
S91.245A	Puncture wound with foreign body of left lesser toe(s) with damage to nail, initial encounter	ICD-10-CM	Diagnosis
S91.245S	Puncture wound with foreign body of left lesser toe(s) with damage to nail, sequela	ICD-10-CM	Diagnosis
S91.245D	Puncture wound with foreign body of left lesser toe(s) with damage to nail, subsequent encounter	ICD-10-CM	Diagnosis
S01.141S	Puncture wound with foreign body of right eyelid and periocular area, sequela	ICD-10-CM	Diagnosis
S01.141A	Puncture wound with foreign body of right eyelid and periocular area, initial encounter	ICD-10-CM	Diagnosis
S01.141D	Puncture wound with foreign body of right eyelid and periocular area, subsequent encounter	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S91.241A	Puncture wound with foreign body of right great toe with damage to nail, initial encounter	ICD-10-CM	Diagnosis
S91.241S	Puncture wound with foreign body of right great toe with damage to nail, sequela	ICD-10-CM	Diagnosis
S91.241D	Puncture wound with foreign body of right great toe with damage to nail, subsequent encounter	ICD-10-CM	Diagnosis
S91.141A	Puncture wound with foreign body of right great toe without damage to nail, initial encounter	ICD-10-CM	Diagnosis
S91.141S	Puncture wound with foreign body of right great toe without damage to nail, sequela	ICD-10-CM	Diagnosis
S91.141D	Puncture wound with foreign body of right great toe without damage to nail, subsequent encounter	ICD-10-CM	Diagnosis
S91.144A	Puncture wound with foreign body of right lesser toe(s) without damage to nail, initial encounter	ICD-10-CM	Diagnosis
S91.144S	Puncture wound with foreign body of right lesser toe(s) without damage to nail, sequela	ICD-10-CM	Diagnosis
S91.144D	Puncture wound with foreign body of right lesser toe(s) without damage to nail, subsequent encounter	ICD-10-CM	Diagnosis
S91.244A	Puncture wound with foreign body of right lesser toe(s) with damage to nail, initial encounter	ICD-10-CM	Diagnosis
S91.244S	Puncture wound with foreign body of right lesser toe(s) with damage to nail, sequela	ICD-10-CM	Diagnosis
S91.244D	Puncture wound with foreign body of right lesser toe(s) with damage to nail, subsequent encounter	ICD-10-CM	Diagnosis
S31.542A	Puncture wound with foreign body of unspecified external genital organs, female, initial encounter	ICD-10-CM	Diagnosis
S31.542D	Puncture wound with foreign body of unspecified external genital organs, female, subsequent encounter	ICD-10-CM	Diagnosis
S31.542S	Puncture wound with foreign body of unspecified external genital organs, female, sequela	ICD-10-CM	Diagnosis
S31.541A	Puncture wound with foreign body of unspecified external genital organs, male, initial encounter	ICD-10-CM	Diagnosis
S31.541S	Puncture wound with foreign body of unspecified external genital organs, male, sequela	ICD-10-CM	Diagnosis
S31.541D	Puncture wound with foreign body of unspecified external genital organs, male, subsequent encounter	ICD-10-CM	Diagnosis
S01.149S	Puncture wound with foreign body of unspecified eyelid and periocular area, sequela	ICD-10-CM	Diagnosis
S01.149D	Puncture wound with foreign body of unspecified eyelid and periocular area, subsequent encounter	ICD-10-CM	Diagnosis
S01.149A	Puncture wound with foreign body of unspecified eyelid and periocular area, initial encounter	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S21.349A	Puncture wound with foreign body of unspecified front wall of thorax with penetration into thoracic cavity, initial encounter	ICD-10-CM	Diagnosis
S21.349S	Puncture wound with foreign body of unspecified front wall of thorax with penetration into thoracic cavity, sequela	ICD-10-CM	Diagnosis
S21.349D	Puncture wound with foreign body of unspecified front wall of thorax with penetration into thoracic cavity, subsequent encounter	ICD-10-CM	Diagnosis
S91.243A	Puncture wound with foreign body of unspecified great toe with damage to nail, initial encounter	ICD-10-CM	Diagnosis
S91.243D	Puncture wound with foreign body of unspecified great toe with damage to nail, subsequent encounter	ICD-10-CM	Diagnosis
S91.243S	Puncture wound with foreign body of unspecified great toe with damage to nail, sequela	ICD-10-CM	Diagnosis
S91.143A	Puncture wound with foreign body of unspecified great toe without damage to nail, initial encounter	ICD-10-CM	Diagnosis
S91.143S	Puncture wound with foreign body of unspecified great toe without damage to nail, sequela	ICD-10-CM	Diagnosis
S91.143D	Puncture wound with foreign body of unspecified great toe without damage to nail, subsequent encounter	ICD-10-CM	Diagnosis
S91.246S	Puncture wound with foreign body of unspecified lesser toe(s) with damage to nail, sequela	ICD-10-CM	Diagnosis
S91.246A	Puncture wound with foreign body of unspecified lesser toe(s) with damage to nail, initial encounter	ICD-10-CM	Diagnosis
S91.246D	Puncture wound with foreign body of unspecified lesser toe(s) with damage to nail, subsequent encounter	ICD-10-CM	Diagnosis
S91.146A	Puncture wound with foreign body of unspecified lesser toe(s) without damage to nail, initial encounter	ICD-10-CM	Diagnosis
S91.146S	Puncture wound with foreign body of unspecified lesser toe(s) without damage to nail, sequela	ICD-10-CM	Diagnosis
S91.146D	Puncture wound with foreign body of unspecified lesser toe(s) without damage to nail, subsequent encounter	ICD-10-CM	Diagnosis
S31.634S	Puncture wound without foreign body of abdominal wall, left lower quadrant with penetration into peritoneal cavity, sequela	ICD-10-CM	Diagnosis
S31.631S	Puncture wound without foreign body of abdominal wall, left upper quadrant with penetration into peritoneal cavity, sequela	ICD-10-CM	Diagnosis
S31.633S	Puncture wound without foreign body of abdominal wall, right lower quadrant with penetration into peritoneal cavity, sequela	ICD-10-CM	Diagnosis
S31.630S	Puncture wound without foreign body of abdominal wall, right upper quadrant with penetration into peritoneal cavity, sequela	ICD-10-CM	Diagnosis
S31.634A	Puncture wound without foreign body of abdominal wall, left lower quadrant with penetration into peritoneal cavity, initial encounter	ICD-10-CM	Diagnosis
S31.634D	Puncture wound without foreign body of abdominal wall, left lower quadrant with penetration into peritoneal cavity, subsequent encounter	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S31.631A	Puncture wound without foreign body of abdominal wall, left upper quadrant with penetration into peritoneal cavity, initial encounter	ICD-10-CM	Diagnosis
S31.631D	Puncture wound without foreign body of abdominal wall, left upper quadrant with penetration into peritoneal cavity, subsequent encounter	ICD-10-CM	Diagnosis
S31.633A	Puncture wound without foreign body of abdominal wall, right lower quadrant with penetration into peritoneal cavity, initial encounter	ICD-10-CM	Diagnosis
S31.633D	Puncture wound without foreign body of abdominal wall, right lower quadrant with penetration into peritoneal cavity, subsequent encounter	ICD-10-CM	Diagnosis
S31.630A	Puncture wound without foreign body of abdominal wall, right upper quadrant with penetration into peritoneal cavity, initial encounter	ICD-10-CM	Diagnosis
S31.630D	Puncture wound without foreign body of abdominal wall, right upper quadrant with penetration into peritoneal cavity, subsequent encounter	ICD-10-CM	Diagnosis
S01.132S	Puncture wound without foreign body of left eyelid and periorcular area, sequela	ICD-10-CM	Diagnosis
S01.132A	Puncture wound without foreign body of left eyelid and periorcular area, initial encounter	ICD-10-CM	Diagnosis
S01.132D	Puncture wound without foreign body of left eyelid and periorcular area, subsequent encounter	ICD-10-CM	Diagnosis
S91.132A	Puncture wound without foreign body of left great toe without damage to nail, initial encounter	ICD-10-CM	Diagnosis
S91.132S	Puncture wound without foreign body of left great toe without damage to nail, sequela	ICD-10-CM	Diagnosis
S91.132D	Puncture wound without foreign body of left great toe without damage to nail, subsequent encounter	ICD-10-CM	Diagnosis
S91.232A	Puncture wound without foreign body of left great toe with damage to nail, initial encounter	ICD-10-CM	Diagnosis
S91.232S	Puncture wound without foreign body of left great toe with damage to nail, sequela	ICD-10-CM	Diagnosis
S91.232D	Puncture wound without foreign body of left great toe with damage to nail, subsequent encounter	ICD-10-CM	Diagnosis
S91.235A	Puncture wound without foreign body of left lesser toe(s) with damage to nail, initial encounter	ICD-10-CM	Diagnosis
S91.235S	Puncture wound without foreign body of left lesser toe(s) with damage to nail, sequela	ICD-10-CM	Diagnosis
S91.235D	Puncture wound without foreign body of left lesser toe(s) with damage to nail, subsequent encounter	ICD-10-CM	Diagnosis
S01.131S	Puncture wound without foreign body of right eyelid and periorcular area, sequela	ICD-10-CM	Diagnosis
S01.131A	Puncture wound without foreign body of right eyelid and periorcular area, initial encounter	ICD-10-CM	Diagnosis
S01.131D	Puncture wound without foreign body of right eyelid and periorcular area, subsequent encounter	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S91.131A	Puncture wound without foreign body of right great toe without damage to nail, initial encounter	ICD-10-CM	Diagnosis
S91.131S	Puncture wound without foreign body of right great toe without damage to nail, sequela	ICD-10-CM	Diagnosis
S91.131D	Puncture wound without foreign body of right great toe without damage to nail, subsequent encounter	ICD-10-CM	Diagnosis
S91.231A	Puncture wound without foreign body of right great toe with damage to nail, initial encounter	ICD-10-CM	Diagnosis
S91.231S	Puncture wound without foreign body of right great toe with damage to nail, sequela	ICD-10-CM	Diagnosis
S91.231D	Puncture wound without foreign body of right great toe with damage to nail, subsequent encounter	ICD-10-CM	Diagnosis
S91.234A	Puncture wound without foreign body of right lesser toe(s) with damage to nail, initial encounter	ICD-10-CM	Diagnosis
S91.234S	Puncture wound without foreign body of right lesser toe(s) with damage to nail, sequela	ICD-10-CM	Diagnosis
S91.234D	Puncture wound without foreign body of right lesser toe(s) with damage to nail, subsequent encounter	ICD-10-CM	Diagnosis
S31.531A	Puncture wound without foreign body of unspecified external genital organs, male, initial encounter	ICD-10-CM	Diagnosis
S31.532A	Puncture wound without foreign body of unspecified external genital organs, female, initial encounter	ICD-10-CM	Diagnosis
S31.532S	Puncture wound without foreign body of unspecified external genital organs, female, sequela	ICD-10-CM	Diagnosis
S31.532D	Puncture wound without foreign body of unspecified external genital organs, female, subsequent encounter	ICD-10-CM	Diagnosis
S31.531S	Puncture wound without foreign body of unspecified external genital organs, male, sequela	ICD-10-CM	Diagnosis
S31.531D	Puncture wound without foreign body of unspecified external genital organs, male, subsequent encounter	ICD-10-CM	Diagnosis
S01.139D	Puncture wound without foreign body of unspecified eyelid and periorcular area, subsequent encounter	ICD-10-CM	Diagnosis
S91.233A	Puncture wound without foreign body of unspecified great toe with damage to nail, initial encounter	ICD-10-CM	Diagnosis
S91.233S	Puncture wound without foreign body of unspecified great toe with damage to nail, sequela	ICD-10-CM	Diagnosis
S91.233D	Puncture wound without foreign body of unspecified great toe with damage to nail, subsequent encounter	ICD-10-CM	Diagnosis
S91.133A	Puncture wound without foreign body of unspecified great toe without damage to nail, initial encounter	ICD-10-CM	Diagnosis
S91.133D	Puncture wound without foreign body of unspecified great toe without damage to nail, subsequent encounter	ICD-10-CM	Diagnosis



**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S91.133S	Puncture wound without foreign body of unspecified great toe without damage to nail, sequela	ICD-10-CM	Diagnosis
S91.236A	Puncture wound without foreign body of unspecified lesser toe(s) with damage to nail, initial encounter	ICD-10-CM	Diagnosis
S91.236S	Puncture wound without foreign body of unspecified lesser toe(s) with damage to nail, sequela	ICD-10-CM	Diagnosis
S91.236D	Puncture wound without foreign body of unspecified lesser toe(s) with damage to nail, subsequent encounter	ICD-10-CM	Diagnosis
S91.239A	Puncture wound without foreign body of unspecified toe(s) with damage to nail, initial encounter	ICD-10-CM	Diagnosis
S91.239S	Puncture wound without foreign body of unspecified toe(s) with damage to nail, sequela	ICD-10-CM	Diagnosis
S91.239D	Puncture wound without foreign body of unspecified toe(s) with damage to nail, subsequent encounter	ICD-10-CM	Diagnosis
S21.231A	Puncture wound without foreign body of right back wall of thorax without penetration into thoracic cavity, initial encounter	ICD-10-CM	Diagnosis
S11.24XA	Puncture wound with foreign body of pharynx and cervical esophagus, initial encounter	ICD-10-CM	Diagnosis
S11.24XS	Puncture wound with foreign body of pharynx and cervical esophagus, sequela	ICD-10-CM	Diagnosis
S11.24XD	Puncture wound with foreign body of pharynx and cervical esophagus, subsequent encounter	ICD-10-CM	Diagnosis
S11.23XA	Puncture wound without foreign body of pharynx and cervical esophagus, initial encounter	ICD-10-CM	Diagnosis
S11.13XA	Puncture wound without foreign body of thyroid gland, initial encounter	ICD-10-CM	Diagnosis
S31.34XD	Puncture wound with foreign body of scrotum and testes, subsequent encounter	ICD-10-CM	Diagnosis
S91.149A	Puncture wound with foreign body of unspecified toe(s) without damage to nail, initial encounter	ICD-10-CM	Diagnosis
S91.149D	Puncture wound with foreign body of unspecified toe(s) without damage to nail, subsequent encounter	ICD-10-CM	Diagnosis
S91.149S	Puncture wound with foreign body of unspecified toe(s) without damage to nail, sequela	ICD-10-CM	Diagnosis
S31.824A	Puncture wound with foreign body of left buttock, initial encounter	ICD-10-CM	Diagnosis
S11.83XD	Puncture wound without foreign body of other specified part of neck, subsequent encounter	ICD-10-CM	Diagnosis
S31.33XD	Puncture wound without foreign body of scrotum and testes, subsequent encounter	ICD-10-CM	Diagnosis
S91.139A	Puncture wound without foreign body of unspecified toe(s) without damage to nail, initial encounter	ICD-10-CM	Diagnosis
S91.139S	Puncture wound without foreign body of unspecified toe(s) without damage to nail, sequela	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S91.139D	Puncture wound without foreign body of unspecified toe(s) without damage to nail, subsequent encounter	ICD-10-CM	Diagnosis
S31.43XD	Puncture wound without foreign body of vagina and vulva, subsequent encounter	ICD-10-CM	Diagnosis
S11.13XD	Puncture wound without foreign body of thyroid gland, subsequent encounter	ICD-10-CM	Diagnosis
S61.241A	Puncture wound with foreign body of left index finger without damage to nail, initial encounter	ICD-10-CM	Diagnosis
S61.241S	Puncture wound with foreign body of left index finger without damage to nail, sequela	ICD-10-CM	Diagnosis
S61.241D	Puncture wound with foreign body of left index finger without damage to nail, subsequent encounter	ICD-10-CM	Diagnosis
S61.341A	Puncture wound with foreign body of left index finger with damage to nail, initial encounter	ICD-10-CM	Diagnosis
S61.341S	Puncture wound with foreign body of left index finger with damage to nail, sequela	ICD-10-CM	Diagnosis
S61.341D	Puncture wound with foreign body of left index finger with damage to nail, subsequent encounter	ICD-10-CM	Diagnosis
S61.347A	Puncture wound with foreign body of left little finger with damage to nail, initial encounter	ICD-10-CM	Diagnosis
S61.347S	Puncture wound with foreign body of left little finger with damage to nail, sequela	ICD-10-CM	Diagnosis
S61.347D	Puncture wound with foreign body of left little finger with damage to nail, subsequent encounter	ICD-10-CM	Diagnosis
S61.247A	Puncture wound with foreign body of left little finger without damage to nail, initial encounter	ICD-10-CM	Diagnosis
S61.247S	Puncture wound with foreign body of left little finger without damage to nail, sequela	ICD-10-CM	Diagnosis
S61.247D	Puncture wound with foreign body of left little finger without damage to nail, subsequent encounter	ICD-10-CM	Diagnosis
S61.343A	Puncture wound with foreign body of left middle finger with damage to nail, initial encounter	ICD-10-CM	Diagnosis
S61.343S	Puncture wound with foreign body of left middle finger with damage to nail, sequela	ICD-10-CM	Diagnosis
S61.343D	Puncture wound with foreign body of left middle finger with damage to nail, subsequent encounter	ICD-10-CM	Diagnosis
S61.243A	Puncture wound with foreign body of left middle finger without damage to nail, initial encounter	ICD-10-CM	Diagnosis
S61.243S	Puncture wound with foreign body of left middle finger without damage to nail, sequela	ICD-10-CM	Diagnosis
S61.243D	Puncture wound with foreign body of left middle finger without damage to nail, subsequent encounter	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S61.345A	Puncture wound with foreign body of left ring finger with damage to nail, initial encounter	ICD-10-CM	Diagnosis
S61.345S	Puncture wound with foreign body of left ring finger with damage to nail, sequela	ICD-10-CM	Diagnosis
S61.345D	Puncture wound with foreign body of left ring finger with damage to nail, subsequent encounter	ICD-10-CM	Diagnosis
S61.245A	Puncture wound with foreign body of left ring finger without damage to nail, initial encounter	ICD-10-CM	Diagnosis
S61.245S	Puncture wound with foreign body of left ring finger without damage to nail, sequela	ICD-10-CM	Diagnosis
S61.245D	Puncture wound with foreign body of left ring finger without damage to nail, subsequent encounter	ICD-10-CM	Diagnosis
S61.348A	Puncture wound with foreign body of other finger with damage to nail, initial encounter	ICD-10-CM	Diagnosis
S61.348S	Puncture wound with foreign body of other finger with damage to nail, sequela	ICD-10-CM	Diagnosis
S61.348D	Puncture wound with foreign body of other finger with damage to nail, subsequent encounter	ICD-10-CM	Diagnosis
S61.248A	Puncture wound with foreign body of other finger without damage to nail, initial encounter	ICD-10-CM	Diagnosis
S61.248S	Puncture wound with foreign body of other finger without damage to nail, sequela	ICD-10-CM	Diagnosis
S61.248D	Puncture wound with foreign body of other finger without damage to nail, subsequent encounter	ICD-10-CM	Diagnosis
S61.240A	Puncture wound with foreign body of right index finger without damage to nail, initial encounter	ICD-10-CM	Diagnosis
S61.240S	Puncture wound with foreign body of right index finger without damage to nail, sequela	ICD-10-CM	Diagnosis
S61.240D	Puncture wound with foreign body of right index finger without damage to nail, subsequent encounter	ICD-10-CM	Diagnosis
S61.340A	Puncture wound with foreign body of right index finger with damage to nail, initial encounter	ICD-10-CM	Diagnosis
S61.340S	Puncture wound with foreign body of right index finger with damage to nail, sequela	ICD-10-CM	Diagnosis
S61.340D	Puncture wound with foreign body of right index finger with damage to nail, subsequent encounter	ICD-10-CM	Diagnosis
S61.346A	Puncture wound with foreign body of right little finger with damage to nail, initial encounter	ICD-10-CM	Diagnosis
S61.346S	Puncture wound with foreign body of right little finger with damage to nail, sequela	ICD-10-CM	Diagnosis
S61.346D	Puncture wound with foreign body of right little finger with damage to nail, subsequent encounter	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S61.246A	Puncture wound with foreign body of right little finger without damage to nail, initial encounter	ICD-10-CM	Diagnosis
S61.246S	Puncture wound with foreign body of right little finger without damage to nail, sequela	ICD-10-CM	Diagnosis
S61.246D	Puncture wound with foreign body of right little finger without damage to nail, subsequent encounter	ICD-10-CM	Diagnosis
S61.342A	Puncture wound with foreign body of right middle finger with damage to nail, initial encounter	ICD-10-CM	Diagnosis
S61.342S	Puncture wound with foreign body of right middle finger with damage to nail, sequela	ICD-10-CM	Diagnosis
S61.342D	Puncture wound with foreign body of right middle finger with damage to nail, subsequent encounter	ICD-10-CM	Diagnosis
S61.242A	Puncture wound with foreign body of right middle finger without damage to nail, initial encounter	ICD-10-CM	Diagnosis
S61.242S	Puncture wound with foreign body of right middle finger without damage to nail, sequela	ICD-10-CM	Diagnosis
S61.242D	Puncture wound with foreign body of right middle finger without damage to nail, subsequent encounter	ICD-10-CM	Diagnosis
S61.344A	Puncture wound with foreign body of right ring finger with damage to nail, initial encounter	ICD-10-CM	Diagnosis
S61.344S	Puncture wound with foreign body of right ring finger with damage to nail, sequela	ICD-10-CM	Diagnosis
S61.344D	Puncture wound with foreign body of right ring finger with damage to nail, subsequent encounter	ICD-10-CM	Diagnosis
S61.244A	Puncture wound with foreign body of right ring finger without damage to nail, initial encounter	ICD-10-CM	Diagnosis
S61.244S	Puncture wound with foreign body of right ring finger without damage to nail, sequela	ICD-10-CM	Diagnosis
S61.244D	Puncture wound with foreign body of right ring finger without damage to nail, subsequent encounter	ICD-10-CM	Diagnosis
S61.249A	Puncture wound with foreign body of unspecified finger without damage to nail, initial encounter	ICD-10-CM	Diagnosis
S61.249S	Puncture wound with foreign body of unspecified finger without damage to nail, sequela	ICD-10-CM	Diagnosis
S61.249D	Puncture wound with foreign body of unspecified finger without damage to nail, subsequent encounter	ICD-10-CM	Diagnosis
S61.349A	Puncture wound with foreign body of unspecified finger with damage to nail, initial encounter	ICD-10-CM	Diagnosis
S61.349S	Puncture wound with foreign body of unspecified finger with damage to nail, sequela	ICD-10-CM	Diagnosis
S61.349D	Puncture wound with foreign body of unspecified finger with damage to nail, subsequent encounter	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S61.331A	Puncture wound without foreign body of left index finger with damage to nail, initial encounter	ICD-10-CM	Diagnosis
S61.331S	Puncture wound without foreign body of left index finger with damage to nail, sequela	ICD-10-CM	Diagnosis
S61.331D	Puncture wound without foreign body of left index finger with damage to nail, subsequent encounter	ICD-10-CM	Diagnosis
S61.337A	Puncture wound without foreign body of left little finger with damage to nail, initial encounter	ICD-10-CM	Diagnosis
S61.337S	Puncture wound without foreign body of left little finger with damage to nail, sequela	ICD-10-CM	Diagnosis
S61.337D	Puncture wound without foreign body of left little finger with damage to nail, subsequent encounter	ICD-10-CM	Diagnosis
S61.333A	Puncture wound without foreign body of left middle finger with damage to nail, initial encounter	ICD-10-CM	Diagnosis
S61.333S	Puncture wound without foreign body of left middle finger with damage to nail, sequela	ICD-10-CM	Diagnosis
S61.333D	Puncture wound without foreign body of left middle finger with damage to nail, subsequent encounter	ICD-10-CM	Diagnosis
S61.335A	Puncture wound without foreign body of left ring finger with damage to nail, initial encounter	ICD-10-CM	Diagnosis
S61.335S	Puncture wound without foreign body of left ring finger with damage to nail, sequela	ICD-10-CM	Diagnosis
S61.335D	Puncture wound without foreign body of left ring finger with damage to nail, subsequent encounter	ICD-10-CM	Diagnosis
S61.338A	Puncture wound without foreign body of other finger with damage to nail, initial encounter	ICD-10-CM	Diagnosis
S61.338S	Puncture wound without foreign body of other finger with damage to nail, sequela	ICD-10-CM	Diagnosis
S61.338D	Puncture wound without foreign body of other finger with damage to nail, subsequent encounter	ICD-10-CM	Diagnosis
S61.238A	Puncture wound without foreign body of other finger without damage to nail, initial encounter	ICD-10-CM	Diagnosis
S61.238S	Puncture wound without foreign body of other finger without damage to nail, sequela	ICD-10-CM	Diagnosis
S61.238D	Puncture wound without foreign body of other finger without damage to nail, subsequent encounter	ICD-10-CM	Diagnosis
S61.330A	Puncture wound without foreign body of right index finger with damage to nail, initial encounter	ICD-10-CM	Diagnosis
S61.330S	Puncture wound without foreign body of right index finger with damage to nail, sequela	ICD-10-CM	Diagnosis
S61.330D	Puncture wound without foreign body of right index finger with damage to nail, subsequent encounter	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S61.336A	Puncture wound without foreign body of right little finger with damage to nail, initial encounter	ICD-10-CM	Diagnosis
S61.336S	Puncture wound without foreign body of right little finger with damage to nail, sequela	ICD-10-CM	Diagnosis
S61.336D	Puncture wound without foreign body of right little finger with damage to nail, subsequent encounter	ICD-10-CM	Diagnosis
S61.332A	Puncture wound without foreign body of right middle finger with damage to nail, initial encounter	ICD-10-CM	Diagnosis
S61.332S	Puncture wound without foreign body of right middle finger with damage to nail, sequela	ICD-10-CM	Diagnosis
S61.332D	Puncture wound without foreign body of right middle finger with damage to nail, subsequent encounter	ICD-10-CM	Diagnosis
S61.334A	Puncture wound without foreign body of right ring finger with damage to nail, initial encounter	ICD-10-CM	Diagnosis
S61.334S	Puncture wound without foreign body of right ring finger with damage to nail, sequela	ICD-10-CM	Diagnosis
S61.334D	Puncture wound without foreign body of right ring finger with damage to nail, subsequent encounter	ICD-10-CM	Diagnosis
S61.239A	Puncture wound without foreign body of unspecified finger without damage to nail, initial encounter	ICD-10-CM	Diagnosis
S61.239S	Puncture wound without foreign body of unspecified finger without damage to nail, sequela	ICD-10-CM	Diagnosis
S61.239D	Puncture wound without foreign body of unspecified finger without damage to nail, subsequent encounter	ICD-10-CM	Diagnosis
S61.339A	Puncture wound without foreign body of unspecified finger with damage to nail, initial encounter	ICD-10-CM	Diagnosis
S61.339S	Puncture wound without foreign body of unspecified finger with damage to nail, sequela	ICD-10-CM	Diagnosis
S61.339D	Puncture wound without foreign body of unspecified finger with damage to nail, subsequent encounter	ICD-10-CM	Diagnosis
S31.040A	Puncture wound with foreign body of lower back and pelvis without penetration into retroperitoneum, initial encounter	ICD-10-CM	Diagnosis
S31.040S	Puncture wound with foreign body of lower back and pelvis without penetration into retroperitoneum, sequela	ICD-10-CM	Diagnosis
S31.040D	Puncture wound with foreign body of lower back and pelvis without penetration into retroperitoneum, subsequent encounter	ICD-10-CM	Diagnosis
S31.041A	Puncture wound with foreign body of lower back and pelvis with penetration into retroperitoneum, initial encounter	ICD-10-CM	Diagnosis
S31.041S	Puncture wound with foreign body of lower back and pelvis with penetration into retroperitoneum, sequela	ICD-10-CM	Diagnosis
S31.041D	Puncture wound with foreign body of lower back and pelvis with penetration into retroperitoneum, subsequent encounter	ICD-10-CM	Diagnosis



**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S31.031A	Puncture wound without foreign body of lower back and pelvis with penetration into retroperitoneum, initial encounter	ICD-10-CM	Diagnosis
S31.031S	Puncture wound without foreign body of lower back and pelvis with penetration into retroperitoneum, sequela	ICD-10-CM	Diagnosis
S31.031D	Puncture wound without foreign body of lower back and pelvis with penetration into retroperitoneum, subsequent encounter	ICD-10-CM	Diagnosis
S31.030A	Puncture wound without foreign body of lower back and pelvis without penetration into retroperitoneum, initial encounter	ICD-10-CM	Diagnosis
S31.030S	Puncture wound without foreign body of lower back and pelvis without penetration into retroperitoneum, sequela	ICD-10-CM	Diagnosis
S31.030D	Puncture wound without foreign body of lower back and pelvis without penetration into retroperitoneum, subsequent encounter	ICD-10-CM	Diagnosis
S11.84XD	Puncture wound with foreign body of other specified part of neck, subsequent encounter	ICD-10-CM	Diagnosis
S61.049A	Puncture wound with foreign body of unspecified thumb without damage to nail, initial encounter	ICD-10-CM	Diagnosis
S61.049S	Puncture wound with foreign body of unspecified thumb without damage to nail, sequela	ICD-10-CM	Diagnosis
S61.049D	Puncture wound with foreign body of unspecified thumb without damage to nail, subsequent encounter	ICD-10-CM	Diagnosis
S11.14XA	Puncture wound with foreign body of thyroid gland, initial encounter	ICD-10-CM	Diagnosis
S11.14XS	Puncture wound with foreign body of thyroid gland, sequela	ICD-10-CM	Diagnosis
S11.14XD	Puncture wound with foreign body of thyroid gland, subsequent encounter	ICD-10-CM	Diagnosis
S61.032A	Puncture wound without foreign body of left thumb without damage to nail, initial encounter	ICD-10-CM	Diagnosis
S61.032S	Puncture wound without foreign body of left thumb without damage to nail, sequela	ICD-10-CM	Diagnosis
S61.032D	Puncture wound without foreign body of left thumb without damage to nail, subsequent encounter	ICD-10-CM	Diagnosis
S11.83XA	Puncture wound without foreign body of other specified part of neck, initial encounter	ICD-10-CM	Diagnosis
S61.031A	Puncture wound without foreign body of right thumb without damage to nail, initial encounter	ICD-10-CM	Diagnosis
S61.031S	Puncture wound without foreign body of right thumb without damage to nail, sequela	ICD-10-CM	Diagnosis
S61.031D	Puncture wound without foreign body of right thumb without damage to nail, subsequent encounter	ICD-10-CM	Diagnosis
S61.039A	Puncture wound without foreign body of unspecified thumb without damage to nail, initial encounter	ICD-10-CM	Diagnosis
S61.039S	Puncture wound without foreign body of unspecified thumb without damage to nail, sequela	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S61.039D	Puncture wound without foreign body of unspecified thumb without damage to nail, subsequent encounter	ICD-10-CM	Diagnosis
S11.13XS	Puncture wound without foreign body of thyroid gland, sequela	ICD-10-CM	Diagnosis
S61.442S	Puncture wound with foreign body of left hand, sequela	ICD-10-CM	Diagnosis
S71.042S	Puncture wound with foreign body, left hip, sequela	ICD-10-CM	Diagnosis
S71.041S	Puncture wound with foreign body, right hip, sequela	ICD-10-CM	Diagnosis
S31.834D	Puncture wound with foreign body of anus, subsequent encounter	ICD-10-CM	Diagnosis
S31.824D	Puncture wound with foreign body of left buttock, subsequent encounter	ICD-10-CM	Diagnosis
S01.342A	Puncture wound with foreign body of left ear, initial encounter	ICD-10-CM	Diagnosis
S01.342D	Puncture wound with foreign body of left ear, subsequent encounter	ICD-10-CM	Diagnosis
S61.442A	Puncture wound with foreign body of left hand, initial encounter	ICD-10-CM	Diagnosis
S61.442D	Puncture wound with foreign body of left hand, subsequent encounter	ICD-10-CM	Diagnosis
S71.042D	Puncture wound with foreign body, left hip, subsequent encounter	ICD-10-CM	Diagnosis
S81.842A	Puncture wound with foreign body, left lower leg, initial encounter	ICD-10-CM	Diagnosis
S81.842S	Puncture wound with foreign body, left lower leg, sequela	ICD-10-CM	Diagnosis
S81.842D	Puncture wound with foreign body, left lower leg, subsequent encounter	ICD-10-CM	Diagnosis
S41.042A	Puncture wound with foreign body of left shoulder, initial encounter	ICD-10-CM	Diagnosis
S41.042S	Puncture wound with foreign body of left shoulder, sequela	ICD-10-CM	Diagnosis
S41.042D	Puncture wound with foreign body of left shoulder, subsequent encounter	ICD-10-CM	Diagnosis
S71.142A	Puncture wound with foreign body, left thigh, initial encounter	ICD-10-CM	Diagnosis
S71.142D	Puncture wound with foreign body, left thigh, subsequent encounter	ICD-10-CM	Diagnosis
S61.142A	Puncture wound with foreign body of left thumb with damage to nail, initial encounter	ICD-10-CM	Diagnosis
S61.142S	Puncture wound with foreign body of left thumb with damage to nail, sequela	ICD-10-CM	Diagnosis
S61.142D	Puncture wound with foreign body of left thumb with damage to nail, subsequent encounter	ICD-10-CM	Diagnosis
S61.042A	Puncture wound with foreign body of left thumb without damage to nail, initial encounter	ICD-10-CM	Diagnosis
S61.042S	Puncture wound with foreign body of left thumb without damage to nail, sequela	ICD-10-CM	Diagnosis
S61.042D	Puncture wound with foreign body of left thumb without damage to nail, subsequent encounter	ICD-10-CM	Diagnosis
S41.142A	Puncture wound with foreign body of left upper arm, initial encounter	ICD-10-CM	Diagnosis
S41.142S	Puncture wound with foreign body of left upper arm, sequela	ICD-10-CM	Diagnosis
S41.142D	Puncture wound with foreign body of left upper arm, subsequent encounter	ICD-10-CM	Diagnosis
S61.542A	Puncture wound with foreign body of left wrist, initial encounter	ICD-10-CM	Diagnosis
S61.542D	Puncture wound with foreign body of left wrist, subsequent encounter	ICD-10-CM	Diagnosis
S01.24XA	Puncture wound with foreign body of nose, initial encounter	ICD-10-CM	Diagnosis
S01.24XD	Puncture wound with foreign body of nose, subsequent encounter	ICD-10-CM	Diagnosis
S01.542A	Puncture wound with foreign body of oral cavity, initial encounter	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S01.542S	Puncture wound with foreign body of oral cavity, sequela	ICD-10-CM	Diagnosis
S01.542D	Puncture wound with foreign body of oral cavity, subsequent encounter	ICD-10-CM	Diagnosis
S01.84XA	Puncture wound with foreign body of other part of head, initial encounter	ICD-10-CM	Diagnosis
S01.84XS	Puncture wound with foreign body of other part of head, sequela	ICD-10-CM	Diagnosis
S01.84XD	Puncture wound with foreign body of other part of head, subsequent encounter	ICD-10-CM	Diagnosis
S11.84XA	Puncture wound with foreign body of other specified part of neck, initial encounter	ICD-10-CM	Diagnosis
S11.84XS	Puncture wound with foreign body of other specified part of neck, sequela	ICD-10-CM	Diagnosis
S31.24XD	Puncture wound with foreign body of penis, subsequent encounter	ICD-10-CM	Diagnosis
S31.814A	Puncture wound with foreign body of right buttock, initial encounter	ICD-10-CM	Diagnosis
S31.814D	Puncture wound with foreign body of right buttock, subsequent encounter	ICD-10-CM	Diagnosis
S01.341A	Puncture wound with foreign body of right ear, initial encounter	ICD-10-CM	Diagnosis
S01.341D	Puncture wound with foreign body of right ear, subsequent encounter	ICD-10-CM	Diagnosis
S61.441A	Puncture wound with foreign body of right hand, initial encounter	ICD-10-CM	Diagnosis
S61.441D	Puncture wound with foreign body of right hand, subsequent encounter	ICD-10-CM	Diagnosis
S71.041D	Puncture wound with foreign body, right hip, subsequent encounter	ICD-10-CM	Diagnosis
S81.841A	Puncture wound with foreign body, right lower leg, initial encounter	ICD-10-CM	Diagnosis
S81.841S	Puncture wound with foreign body, right lower leg, sequela	ICD-10-CM	Diagnosis
S81.841D	Puncture wound with foreign body, right lower leg, subsequent encounter	ICD-10-CM	Diagnosis
S41.041A	Puncture wound with foreign body of right shoulder, initial encounter	ICD-10-CM	Diagnosis
S41.041S	Puncture wound with foreign body of right shoulder, sequela	ICD-10-CM	Diagnosis
S41.041D	Puncture wound with foreign body of right shoulder, subsequent encounter	ICD-10-CM	Diagnosis
S71.141A	Puncture wound with foreign body, right thigh, initial encounter	ICD-10-CM	Diagnosis
S71.141D	Puncture wound with foreign body, right thigh, subsequent encounter	ICD-10-CM	Diagnosis
S61.041A	Puncture wound with foreign body of right thumb without damage to nail, initial encounter	ICD-10-CM	Diagnosis
S61.041S	Puncture wound with foreign body of right thumb without damage to nail, sequela	ICD-10-CM	Diagnosis
S61.041D	Puncture wound with foreign body of right thumb without damage to nail, subsequent encounter	ICD-10-CM	Diagnosis
S61.141A	Puncture wound with foreign body of right thumb with damage to nail, initial encounter	ICD-10-CM	Diagnosis
S61.141S	Puncture wound with foreign body of right thumb with damage to nail, sequela	ICD-10-CM	Diagnosis
S61.141D	Puncture wound with foreign body of right thumb with damage to nail, subsequent encounter	ICD-10-CM	Diagnosis
S41.141A	Puncture wound with foreign body of right upper arm, initial encounter	ICD-10-CM	Diagnosis
S41.141S	Puncture wound with foreign body of right upper arm, sequela	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S41.141D	Puncture wound with foreign body of right upper arm, subsequent encounter	ICD-10-CM	Diagnosis
S61.541A	Puncture wound with foreign body of right wrist, initial encounter	ICD-10-CM	Diagnosis
S61.541D	Puncture wound with foreign body of right wrist, subsequent encounter	ICD-10-CM	Diagnosis
S01.04XA	Puncture wound with foreign body of scalp, initial encounter	ICD-10-CM	Diagnosis
S01.04XD	Puncture wound with foreign body of scalp, subsequent encounter	ICD-10-CM	Diagnosis
S31.34XA	Puncture wound with foreign body of scrotum and testes, initial encounter	ICD-10-CM	Diagnosis
S31.34XS	Puncture wound with foreign body of scrotum and testes, sequela	ICD-10-CM	Diagnosis
S31.804A	Puncture wound with foreign body of unspecified buttock, initial encounter	ICD-10-CM	Diagnosis
S31.804S	Puncture wound with foreign body of unspecified buttock, sequela	ICD-10-CM	Diagnosis
S31.804D	Puncture wound with foreign body of unspecified buttock, subsequent encounter	ICD-10-CM	Diagnosis
S01.349A	Puncture wound with foreign body of unspecified ear, initial encounter	ICD-10-CM	Diagnosis
S01.349D	Puncture wound with foreign body of unspecified ear, subsequent encounter	ICD-10-CM	Diagnosis
S61.449A	Puncture wound with foreign body of unspecified hand, initial encounter	ICD-10-CM	Diagnosis
S61.449D	Puncture wound with foreign body of unspecified hand, subsequent encounter	ICD-10-CM	Diagnosis
S71.049A	Puncture wound with foreign body, unspecified hip, initial encounter	ICD-10-CM	Diagnosis
S71.049D	Puncture wound with foreign body, unspecified hip, subsequent encounter	ICD-10-CM	Diagnosis
S81.849A	Puncture wound with foreign body, unspecified lower leg, initial encounter	ICD-10-CM	Diagnosis
S81.849S	Puncture wound with foreign body, unspecified lower leg, sequela	ICD-10-CM	Diagnosis
S81.849D	Puncture wound with foreign body, unspecified lower leg, subsequent encounter	ICD-10-CM	Diagnosis
S01.94XA	Puncture wound with foreign body of unspecified part of head, initial encounter	ICD-10-CM	Diagnosis
S01.94XS	Puncture wound with foreign body of unspecified part of head, sequela	ICD-10-CM	Diagnosis
S01.94XD	Puncture wound with foreign body of unspecified part of head, subsequent encounter	ICD-10-CM	Diagnosis
S11.94XA	Puncture wound with foreign body of unspecified part of neck, initial encounter	ICD-10-CM	Diagnosis
S11.94XS	Puncture wound with foreign body of unspecified part of neck, sequela	ICD-10-CM	Diagnosis
S11.94XD	Puncture wound with foreign body of unspecified part of neck, subsequent encounter	ICD-10-CM	Diagnosis
S21.94XA	Puncture wound with foreign body of unspecified part of thorax, initial encounter	ICD-10-CM	Diagnosis
S21.94XS	Puncture wound with foreign body of unspecified part of thorax, sequela	ICD-10-CM	Diagnosis
S21.94XD	Puncture wound with foreign body of unspecified part of thorax, subsequent encounter	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S41.049A	Puncture wound with foreign body of unspecified shoulder, initial encounter	ICD-10-CM	Diagnosis
S41.049S	Puncture wound with foreign body of unspecified shoulder, sequela	ICD-10-CM	Diagnosis
S41.049D	Puncture wound with foreign body of unspecified shoulder, subsequent encounter	ICD-10-CM	Diagnosis
S71.149A	Puncture wound with foreign body, unspecified thigh, initial encounter	ICD-10-CM	Diagnosis
S71.149D	Puncture wound with foreign body, unspecified thigh, subsequent encounter	ICD-10-CM	Diagnosis
S61.149A	Puncture wound with foreign body of unspecified thumb with damage to nail, initial encounter	ICD-10-CM	Diagnosis
S61.149S	Puncture wound with foreign body of unspecified thumb with damage to nail, sequela	ICD-10-CM	Diagnosis
S61.149D	Puncture wound with foreign body of unspecified thumb with damage to nail, subsequent encounter	ICD-10-CM	Diagnosis
S91.249A	Puncture wound with foreign body of unspecified toe(s) with damage to nail, initial encounter	ICD-10-CM	Diagnosis
S91.249D	Puncture wound with foreign body of unspecified toe(s) with damage to nail, subsequent encounter	ICD-10-CM	Diagnosis
S91.249S	Puncture wound with foreign body of unspecified toe(s) with damage to nail, sequela	ICD-10-CM	Diagnosis
S41.149A	Puncture wound with foreign body of unspecified upper arm, initial encounter	ICD-10-CM	Diagnosis
S41.149S	Puncture wound with foreign body of unspecified upper arm, sequela	ICD-10-CM	Diagnosis
S41.149D	Puncture wound with foreign body of unspecified upper arm, subsequent encounter	ICD-10-CM	Diagnosis
S61.549A	Puncture wound with foreign body of unspecified wrist, initial encounter	ICD-10-CM	Diagnosis
S61.549D	Puncture wound with foreign body of unspecified wrist, subsequent encounter	ICD-10-CM	Diagnosis
S31.44XA	Puncture wound with foreign body of vagina and vulva, initial encounter	ICD-10-CM	Diagnosis
S31.44XS	Puncture wound with foreign body of vagina and vulva, sequela	ICD-10-CM	Diagnosis
S31.44XD	Puncture wound with foreign body of vagina and vulva, subsequent encounter	ICD-10-CM	Diagnosis
S51.849S	Puncture wound with foreign body of unspecified forearm, sequela	ICD-10-CM	Diagnosis
S31.834A	Puncture wound with foreign body of anus, initial encounter	ICD-10-CM	Diagnosis
S11.014A	Puncture wound with foreign body of larynx, initial encounter	ICD-10-CM	Diagnosis
S11.014D	Puncture wound with foreign body of larynx, subsequent encounter	ICD-10-CM	Diagnosis
S01.342S	Puncture wound with foreign body of left ear, sequela	ICD-10-CM	Diagnosis
S01.541A	Puncture wound with foreign body of lip, initial encounter	ICD-10-CM	Diagnosis
S01.541D	Puncture wound with foreign body of lip, subsequent encounter	ICD-10-CM	Diagnosis
S91.042A	Puncture wound with foreign body, left ankle, initial encounter	ICD-10-CM	Diagnosis
S91.042S	Puncture wound with foreign body, left ankle, sequela	ICD-10-CM	Diagnosis
S91.042D	Puncture wound with foreign body, left ankle, subsequent encounter	ICD-10-CM	Diagnosis
S21.042A	Puncture wound with foreign body of left breast, initial encounter	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S21.042S	Puncture wound with foreign body of left breast, sequela	ICD-10-CM	Diagnosis
S21.042D	Puncture wound with foreign body of left breast, subsequent encounter	ICD-10-CM	Diagnosis
S31.824S	Puncture wound with foreign body of left buttock, sequela	ICD-10-CM	Diagnosis
S51.042A	Puncture wound with foreign body of left elbow, initial encounter	ICD-10-CM	Diagnosis
S51.042S	Puncture wound with foreign body of left elbow, sequela	ICD-10-CM	Diagnosis
S51.042D	Puncture wound with foreign body of left elbow, subsequent encounter	ICD-10-CM	Diagnosis
S91.342A	Puncture wound with foreign body, left foot, initial encounter	ICD-10-CM	Diagnosis
S91.342S	Puncture wound with foreign body, left foot, sequela	ICD-10-CM	Diagnosis
S91.342D	Puncture wound with foreign body, left foot, subsequent encounter	ICD-10-CM	Diagnosis
S51.842A	Puncture wound with foreign body of left forearm, initial encounter	ICD-10-CM	Diagnosis
S51.842S	Puncture wound with foreign body of left forearm, sequela	ICD-10-CM	Diagnosis
S51.842D	Puncture wound with foreign body of left forearm, subsequent encounter	ICD-10-CM	Diagnosis
S71.042A	Puncture wound with foreign body, left hip, initial encounter	ICD-10-CM	Diagnosis
S81.042A	Puncture wound with foreign body, left knee, initial encounter	ICD-10-CM	Diagnosis
S81.042S	Puncture wound with foreign body, left knee, sequela	ICD-10-CM	Diagnosis
S81.042D	Puncture wound with foreign body, left knee, subsequent encounter	ICD-10-CM	Diagnosis
S71.142S	Puncture wound with foreign body, left thigh, sequela	ICD-10-CM	Diagnosis
S61.542S	Puncture wound with foreign body of left wrist, sequela	ICD-10-CM	Diagnosis
S31.24XA	Puncture wound with foreign body of penis, initial encounter	ICD-10-CM	Diagnosis
S01.341S	Puncture wound with foreign body of right ear, sequela	ICD-10-CM	Diagnosis
S91.041A	Puncture wound with foreign body, right ankle, initial encounter	ICD-10-CM	Diagnosis
S91.041S	Puncture wound with foreign body, right ankle, sequela	ICD-10-CM	Diagnosis
S91.041D	Puncture wound with foreign body, right ankle, subsequent encounter	ICD-10-CM	Diagnosis
S21.041A	Puncture wound with foreign body of right breast, initial encounter	ICD-10-CM	Diagnosis
S21.041S	Puncture wound with foreign body of right breast, sequela	ICD-10-CM	Diagnosis
S21.041D	Puncture wound with foreign body of right breast, subsequent encounter	ICD-10-CM	Diagnosis
S31.814S	Puncture wound with foreign body of right buttock, sequela	ICD-10-CM	Diagnosis
S51.041A	Puncture wound with foreign body of right elbow, initial encounter	ICD-10-CM	Diagnosis
S51.041S	Puncture wound with foreign body of right elbow, sequela	ICD-10-CM	Diagnosis
S51.041D	Puncture wound with foreign body of right elbow, subsequent encounter	ICD-10-CM	Diagnosis
S91.341A	Puncture wound with foreign body, right foot, initial encounter	ICD-10-CM	Diagnosis
S91.341S	Puncture wound with foreign body, right foot, sequela	ICD-10-CM	Diagnosis
S91.341D	Puncture wound with foreign body, right foot, subsequent encounter	ICD-10-CM	Diagnosis
S51.841A	Puncture wound with foreign body of right forearm, initial encounter	ICD-10-CM	Diagnosis
S51.841S	Puncture wound with foreign body of right forearm, sequela	ICD-10-CM	Diagnosis
S51.841D	Puncture wound with foreign body of right forearm, subsequent encounter	ICD-10-CM	Diagnosis
S61.441S	Puncture wound with foreign body of right hand, sequela	ICD-10-CM	Diagnosis
S71.041A	Puncture wound with foreign body, right hip, initial encounter	ICD-10-CM	Diagnosis
S81.041A	Puncture wound with foreign body, right knee, initial encounter	ICD-10-CM	Diagnosis
S81.041S	Puncture wound with foreign body, right knee, sequela	ICD-10-CM	Diagnosis
S81.041D	Puncture wound with foreign body, right knee, subsequent encounter	ICD-10-CM	Diagnosis
S71.141S	Puncture wound with foreign body, right thigh, sequela	ICD-10-CM	Diagnosis



**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S61.541S	Puncture wound with foreign body of right wrist, sequela	ICD-10-CM	Diagnosis
S11.024A	Puncture wound with foreign body of trachea, initial encounter	ICD-10-CM	Diagnosis
S11.024D	Puncture wound with foreign body of trachea, subsequent encounter	ICD-10-CM	Diagnosis
S91.049A	Puncture wound with foreign body, unspecified ankle, initial encounter	ICD-10-CM	Diagnosis
S91.049D	Puncture wound with foreign body, unspecified ankle, subsequent encounter	ICD-10-CM	Diagnosis
S91.049S	Puncture wound with foreign body, unspecified ankle, sequela	ICD-10-CM	Diagnosis
S21.049A	Puncture wound with foreign body of unspecified breast, initial encounter	ICD-10-CM	Diagnosis
S21.049S	Puncture wound with foreign body of unspecified breast, sequela	ICD-10-CM	Diagnosis
S21.049D	Puncture wound with foreign body of unspecified breast, subsequent encounter	ICD-10-CM	Diagnosis
S01.349S	Puncture wound with foreign body of unspecified ear, sequela	ICD-10-CM	Diagnosis
S51.049A	Puncture wound with foreign body of unspecified elbow, initial encounter	ICD-10-CM	Diagnosis
S51.049S	Puncture wound with foreign body of unspecified elbow, sequela	ICD-10-CM	Diagnosis
S51.049D	Puncture wound with foreign body of unspecified elbow, subsequent encounter	ICD-10-CM	Diagnosis
S91.349A	Puncture wound with foreign body, unspecified foot, initial encounter	ICD-10-CM	Diagnosis
S91.349S	Puncture wound with foreign body, unspecified foot, sequela	ICD-10-CM	Diagnosis
S91.349D	Puncture wound with foreign body, unspecified foot, subsequent encounter	ICD-10-CM	Diagnosis
S51.849A	Puncture wound with foreign body of unspecified forearm, initial encounter	ICD-10-CM	Diagnosis
S51.849D	Puncture wound with foreign body of unspecified forearm, subsequent encounter	ICD-10-CM	Diagnosis
S61.449S	Puncture wound with foreign body of unspecified hand, sequela	ICD-10-CM	Diagnosis
S71.049S	Puncture wound with foreign body, unspecified hip, sequela	ICD-10-CM	Diagnosis
S81.049A	Puncture wound with foreign body, unspecified knee, initial encounter	ICD-10-CM	Diagnosis
S81.049D	Puncture wound with foreign body, unspecified knee, subsequent encounter	ICD-10-CM	Diagnosis
S81.049S	Puncture wound with foreign body, unspecified knee, sequela	ICD-10-CM	Diagnosis
S71.149S	Puncture wound with foreign body, unspecified thigh, sequela	ICD-10-CM	Diagnosis
S61.549S	Puncture wound with foreign body of unspecified wrist, sequela	ICD-10-CM	Diagnosis
S11.034A	Puncture wound with foreign body of vocal cord, initial encounter	ICD-10-CM	Diagnosis
S11.034S	Puncture wound with foreign body of vocal cord, sequela	ICD-10-CM	Diagnosis
S11.034D	Puncture wound with foreign body of vocal cord, subsequent encounter	ICD-10-CM	Diagnosis
S31.833D	Puncture wound without foreign body of anus, subsequent encounter	ICD-10-CM	Diagnosis
S91.332A	Puncture wound without foreign body, left foot, initial encounter	ICD-10-CM	Diagnosis
S91.332S	Puncture wound without foreign body, left foot, sequela	ICD-10-CM	Diagnosis
S91.332D	Puncture wound without foreign body, left foot, subsequent encounter	ICD-10-CM	Diagnosis
S01.531D	Puncture wound without foreign body of lip, subsequent encounter	ICD-10-CM	Diagnosis
S31.823A	Puncture wound without foreign body of left buttock, initial encounter	ICD-10-CM	Diagnosis
S31.823S	Puncture wound without foreign body of left buttock, sequela	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S31.823D	Puncture wound without foreign body of left buttock, subsequent encounter	ICD-10-CM	Diagnosis
S61.432A	Puncture wound without foreign body of left hand, initial encounter	ICD-10-CM	Diagnosis
S61.432D	Puncture wound without foreign body of left hand, subsequent encounter	ICD-10-CM	Diagnosis
S71.032A	Puncture wound without foreign body, left hip, initial encounter	ICD-10-CM	Diagnosis
S71.032D	Puncture wound without foreign body, left hip, subsequent encounter	ICD-10-CM	Diagnosis
S81.832A	Puncture wound without foreign body, left lower leg, initial encounter	ICD-10-CM	Diagnosis
S81.832S	Puncture wound without foreign body, left lower leg, sequela	ICD-10-CM	Diagnosis
S81.832D	Puncture wound without foreign body, left lower leg, subsequent encounter	ICD-10-CM	Diagnosis
S41.032A	Puncture wound without foreign body of left shoulder, initial encounter	ICD-10-CM	Diagnosis
S41.032S	Puncture wound without foreign body of left shoulder, sequela	ICD-10-CM	Diagnosis
S41.032D	Puncture wound without foreign body of left shoulder, subsequent encounter	ICD-10-CM	Diagnosis
S71.132A	Puncture wound without foreign body, left thigh, initial encounter	ICD-10-CM	Diagnosis
S71.132D	Puncture wound without foreign body, left thigh, subsequent encounter	ICD-10-CM	Diagnosis
S61.132A	Puncture wound without foreign body of left thumb with damage to nail, initial encounter	ICD-10-CM	Diagnosis
S61.132S	Puncture wound without foreign body of left thumb with damage to nail, sequela	ICD-10-CM	Diagnosis
S61.132D	Puncture wound without foreign body of left thumb with damage to nail, subsequent encounter	ICD-10-CM	Diagnosis
S41.132A	Puncture wound without foreign body of left upper arm, initial encounter	ICD-10-CM	Diagnosis
S41.132S	Puncture wound without foreign body of left upper arm, sequela	ICD-10-CM	Diagnosis
S41.132D	Puncture wound without foreign body of left upper arm, subsequent encounter	ICD-10-CM	Diagnosis
S61.532A	Puncture wound without foreign body of left wrist, initial encounter	ICD-10-CM	Diagnosis
S61.532D	Puncture wound without foreign body of left wrist, subsequent encounter	ICD-10-CM	Diagnosis
S01.23XA	Puncture wound without foreign body of nose, initial encounter	ICD-10-CM	Diagnosis
S01.23XD	Puncture wound without foreign body of nose, subsequent encounter	ICD-10-CM	Diagnosis
S01.532A	Puncture wound without foreign body of oral cavity, initial encounter	ICD-10-CM	Diagnosis
S01.532S	Puncture wound without foreign body of oral cavity, sequela	ICD-10-CM	Diagnosis
S01.532D	Puncture wound without foreign body of oral cavity, subsequent encounter	ICD-10-CM	Diagnosis
S01.83XA	Puncture wound without foreign body of other part of head, initial encounter	ICD-10-CM	Diagnosis
S01.83XS	Puncture wound without foreign body of other part of head, sequela	ICD-10-CM	Diagnosis
S01.83XD	Puncture wound without foreign body of other part of head, subsequent encounter	ICD-10-CM	Diagnosis
S11.83XS	Puncture wound without foreign body of other specified part of neck, sequela	ICD-10-CM	Diagnosis
S31.23XA	Puncture wound without foreign body of penis, initial encounter	ICD-10-CM	Diagnosis
S31.23XD	Puncture wound without foreign body of penis, subsequent encounter	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S91.331A	Puncture wound without foreign body, right foot, initial encounter	ICD-10-CM	Diagnosis
S91.331S	Puncture wound without foreign body, right foot, sequela	ICD-10-CM	Diagnosis
S91.331D	Puncture wound without foreign body, right foot, subsequent encounter	ICD-10-CM	Diagnosis
S31.813A	Puncture wound without foreign body of right buttock, initial encounter	ICD-10-CM	Diagnosis
S31.813S	Puncture wound without foreign body of right buttock, sequela	ICD-10-CM	Diagnosis
S31.813D	Puncture wound without foreign body of right buttock, subsequent encounter	ICD-10-CM	Diagnosis
S61.431A	Puncture wound without foreign body of right hand, initial encounter	ICD-10-CM	Diagnosis
S61.431D	Puncture wound without foreign body of right hand, subsequent encounter	ICD-10-CM	Diagnosis
S71.031A	Puncture wound without foreign body, right hip, initial encounter	ICD-10-CM	Diagnosis
S71.031D	Puncture wound without foreign body, right hip, subsequent encounter	ICD-10-CM	Diagnosis
S81.831A	Puncture wound without foreign body, right lower leg, initial encounter	ICD-10-CM	Diagnosis
S81.831S	Puncture wound without foreign body, right lower leg, sequela	ICD-10-CM	Diagnosis
S81.831D	Puncture wound without foreign body, right lower leg, subsequent encounter	ICD-10-CM	Diagnosis
S41.031A	Puncture wound without foreign body of right shoulder, initial encounter	ICD-10-CM	Diagnosis
S41.031S	Puncture wound without foreign body of right shoulder, sequela	ICD-10-CM	Diagnosis
S41.031D	Puncture wound without foreign body of right shoulder, subsequent encounter	ICD-10-CM	Diagnosis
S71.131A	Puncture wound without foreign body, right thigh, initial encounter	ICD-10-CM	Diagnosis
S71.131D	Puncture wound without foreign body, right thigh, subsequent encounter	ICD-10-CM	Diagnosis
S61.131A	Puncture wound without foreign body of right thumb with damage to nail, initial encounter	ICD-10-CM	Diagnosis
S61.131S	Puncture wound without foreign body of right thumb with damage to nail, sequela	ICD-10-CM	Diagnosis
S61.131D	Puncture wound without foreign body of right thumb with damage to nail, subsequent encounter	ICD-10-CM	Diagnosis
S41.131A	Puncture wound without foreign body of right upper arm, initial encounter	ICD-10-CM	Diagnosis
S41.131S	Puncture wound without foreign body of right upper arm, sequela	ICD-10-CM	Diagnosis
S41.131D	Puncture wound without foreign body of right upper arm, subsequent encounter	ICD-10-CM	Diagnosis
S61.531A	Puncture wound without foreign body of right wrist, initial encounter	ICD-10-CM	Diagnosis
S61.531D	Puncture wound without foreign body of right wrist, subsequent encounter	ICD-10-CM	Diagnosis
S01.03XA	Puncture wound without foreign body of scalp, initial encounter	ICD-10-CM	Diagnosis
S01.03XD	Puncture wound without foreign body of scalp, subsequent encounter	ICD-10-CM	Diagnosis
S31.33XA	Puncture wound without foreign body of scrotum and testes, initial encounter	ICD-10-CM	Diagnosis
S31.33XS	Puncture wound without foreign body of scrotum and testes, sequela	ICD-10-CM	Diagnosis
S31.803A	Puncture wound without foreign body of unspecified buttock, initial encounter	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S31.803S	Puncture wound without foreign body of unspecified buttock, sequela	ICD-10-CM	Diagnosis
S31.803D	Puncture wound without foreign body of unspecified buttock, subsequent encounter	ICD-10-CM	Diagnosis
S91.339A	Puncture wound without foreign body, unspecified foot, initial encounter	ICD-10-CM	Diagnosis
S91.339S	Puncture wound without foreign body, unspecified foot, sequela	ICD-10-CM	Diagnosis
S91.339D	Puncture wound without foreign body, unspecified foot, subsequent encounter	ICD-10-CM	Diagnosis
S61.439A	Puncture wound without foreign body of unspecified hand, initial encounter	ICD-10-CM	Diagnosis
S61.439D	Puncture wound without foreign body of unspecified hand, subsequent encounter	ICD-10-CM	Diagnosis
S71.039A	Puncture wound without foreign body, unspecified hip, initial encounter	ICD-10-CM	Diagnosis
S71.039D	Puncture wound without foreign body, unspecified hip, subsequent encounter	ICD-10-CM	Diagnosis
S81.839A	Puncture wound without foreign body, unspecified lower leg, initial encounter	ICD-10-CM	Diagnosis
S81.839S	Puncture wound without foreign body, unspecified lower leg, sequela	ICD-10-CM	Diagnosis
S81.839D	Puncture wound without foreign body, unspecified lower leg, subsequent encounter	ICD-10-CM	Diagnosis
S01.93XA	Puncture wound without foreign body of unspecified part of head, initial encounter	ICD-10-CM	Diagnosis
S01.93XS	Puncture wound without foreign body of unspecified part of head, sequela	ICD-10-CM	Diagnosis
S01.93XD	Puncture wound without foreign body of unspecified part of head, subsequent encounter	ICD-10-CM	Diagnosis
S11.93XA	Puncture wound without foreign body of unspecified part of neck, initial encounter	ICD-10-CM	Diagnosis
S11.93XS	Puncture wound without foreign body of unspecified part of neck, sequela	ICD-10-CM	Diagnosis
S11.93XD	Puncture wound without foreign body of unspecified part of neck, subsequent encounter	ICD-10-CM	Diagnosis
S21.93XD	Puncture wound without foreign body of unspecified part of thorax, subsequent encounter	ICD-10-CM	Diagnosis
S21.93XA	Puncture wound without foreign body of unspecified part of thorax, initial encounter	ICD-10-CM	Diagnosis
S21.93XS	Puncture wound without foreign body of unspecified part of thorax, sequela	ICD-10-CM	Diagnosis
S41.039A	Puncture wound without foreign body of unspecified shoulder, initial encounter	ICD-10-CM	Diagnosis
S41.039S	Puncture wound without foreign body of unspecified shoulder, sequela	ICD-10-CM	Diagnosis
S41.039D	Puncture wound without foreign body of unspecified shoulder, subsequent encounter	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S71.139A	Puncture wound without foreign body, unspecified thigh, initial encounter	ICD-10-CM	Diagnosis
S71.139S	Puncture wound without foreign body, unspecified thigh, sequela	ICD-10-CM	Diagnosis
S71.139D	Puncture wound without foreign body, unspecified thigh, subsequent encounter	ICD-10-CM	Diagnosis
S61.139A	Puncture wound without foreign body of unspecified thumb with damage to nail, initial encounter	ICD-10-CM	Diagnosis
S61.139S	Puncture wound without foreign body of unspecified thumb with damage to nail, sequela	ICD-10-CM	Diagnosis
S61.139D	Puncture wound without foreign body of unspecified thumb with damage to nail, subsequent encounter	ICD-10-CM	Diagnosis
S41.139A	Puncture wound without foreign body of unspecified upper arm, initial encounter	ICD-10-CM	Diagnosis
S41.139S	Puncture wound without foreign body of unspecified upper arm, sequela	ICD-10-CM	Diagnosis
S41.139D	Puncture wound without foreign body of unspecified upper arm, subsequent encounter	ICD-10-CM	Diagnosis
S61.539A	Puncture wound without foreign body of unspecified wrist, initial encounter	ICD-10-CM	Diagnosis
S61.539S	Puncture wound without foreign body of unspecified wrist, sequela	ICD-10-CM	Diagnosis
S61.539D	Puncture wound without foreign body of unspecified wrist, subsequent encounter	ICD-10-CM	Diagnosis
S31.43XA	Puncture wound without foreign body of vagina and vulva, initial encounter	ICD-10-CM	Diagnosis
S31.43XS	Puncture wound without foreign body of vagina and vulva, sequela	ICD-10-CM	Diagnosis
S31.833A	Puncture wound without foreign body of anus, initial encounter	ICD-10-CM	Diagnosis
S11.013A	Puncture wound without foreign body of larynx, initial encounter	ICD-10-CM	Diagnosis
S11.013S	Puncture wound without foreign body of larynx, sequela	ICD-10-CM	Diagnosis
S11.013D	Puncture wound without foreign body of larynx, subsequent encounter	ICD-10-CM	Diagnosis
S01.332D	Puncture wound without foreign body of left ear, subsequent encounter	ICD-10-CM	Diagnosis
S01.531A	Puncture wound without foreign body of lip, initial encounter	ICD-10-CM	Diagnosis
S91.032A	Puncture wound without foreign body, left ankle, initial encounter	ICD-10-CM	Diagnosis
S91.032S	Puncture wound without foreign body, left ankle, sequela	ICD-10-CM	Diagnosis
S91.032D	Puncture wound without foreign body, left ankle, subsequent encounter	ICD-10-CM	Diagnosis
S21.032A	Puncture wound without foreign body of left breast, initial encounter	ICD-10-CM	Diagnosis
S21.032S	Puncture wound without foreign body of left breast, sequela	ICD-10-CM	Diagnosis
S21.032D	Puncture wound without foreign body of left breast, subsequent encounter	ICD-10-CM	Diagnosis
S01.332A	Puncture wound without foreign body of left ear, initial encounter	ICD-10-CM	Diagnosis
S01.332S	Puncture wound without foreign body of left ear, sequela	ICD-10-CM	Diagnosis
S51.032D	Puncture wound without foreign body of left elbow, subsequent encounter	ICD-10-CM	Diagnosis
S51.032A	Puncture wound without foreign body of left elbow, initial encounter	ICD-10-CM	Diagnosis
S51.032S	Puncture wound without foreign body of left elbow, sequela	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S51.832A	Puncture wound without foreign body of left forearm, initial encounter	ICD-10-CM	Diagnosis
S51.832S	Puncture wound without foreign body of left forearm, sequela	ICD-10-CM	Diagnosis
S51.832D	Puncture wound without foreign body of left forearm, subsequent encounter	ICD-10-CM	Diagnosis
S61.432S	Puncture wound without foreign body of left hand, sequela	ICD-10-CM	Diagnosis
S71.032S	Puncture wound without foreign body, left hip, sequela	ICD-10-CM	Diagnosis
S81.032A	Puncture wound without foreign body, left knee, initial encounter	ICD-10-CM	Diagnosis
S81.032S	Puncture wound without foreign body, left knee, sequela	ICD-10-CM	Diagnosis
S81.032D	Puncture wound without foreign body, left knee, subsequent encounter	ICD-10-CM	Diagnosis
S71.132S	Puncture wound without foreign body, left thigh, sequela	ICD-10-CM	Diagnosis
S61.532S	Puncture wound without foreign body of left wrist, sequela	ICD-10-CM	Diagnosis
S31.23XS	Puncture wound without foreign body of penis, sequela	ICD-10-CM	Diagnosis
S01.331D	Puncture wound without foreign body of right ear, subsequent encounter	ICD-10-CM	Diagnosis
S91.031A	Puncture wound without foreign body, right ankle, initial encounter	ICD-10-CM	Diagnosis
S91.031S	Puncture wound without foreign body, right ankle, sequela	ICD-10-CM	Diagnosis
S91.031D	Puncture wound without foreign body, right ankle, subsequent encounter	ICD-10-CM	Diagnosis
S21.031A	Puncture wound without foreign body of right breast, initial encounter	ICD-10-CM	Diagnosis
S21.031S	Puncture wound without foreign body of right breast, sequela	ICD-10-CM	Diagnosis
S21.031D	Puncture wound without foreign body of right breast, subsequent encounter	ICD-10-CM	Diagnosis
S01.331A	Puncture wound without foreign body of right ear, initial encounter	ICD-10-CM	Diagnosis
S01.331S	Puncture wound without foreign body of right ear, sequela	ICD-10-CM	Diagnosis
S51.031A	Puncture wound without foreign body of right elbow, initial encounter	ICD-10-CM	Diagnosis
S51.031S	Puncture wound without foreign body of right elbow, sequela	ICD-10-CM	Diagnosis
S51.031D	Puncture wound without foreign body of right elbow, subsequent encounter	ICD-10-CM	Diagnosis
S51.831A	Puncture wound without foreign body of right forearm, initial encounter	ICD-10-CM	Diagnosis
S51.831S	Puncture wound without foreign body of right forearm, sequela	ICD-10-CM	Diagnosis
S51.831D	Puncture wound without foreign body of right forearm, subsequent encounter	ICD-10-CM	Diagnosis
S61.431S	Puncture wound without foreign body of right hand, sequela	ICD-10-CM	Diagnosis
S71.031S	Puncture wound without foreign body, right hip, sequela	ICD-10-CM	Diagnosis
S81.031A	Puncture wound without foreign body, right knee, initial encounter	ICD-10-CM	Diagnosis
S81.031S	Puncture wound without foreign body, right knee, sequela	ICD-10-CM	Diagnosis
S81.031D	Puncture wound without foreign body, right knee, subsequent encounter	ICD-10-CM	Diagnosis
S71.131S	Puncture wound without foreign body, right thigh, sequela	ICD-10-CM	Diagnosis
S61.531S	Puncture wound without foreign body of right wrist, sequela	ICD-10-CM	Diagnosis
S01.03XS	Puncture wound without foreign body of scalp, sequela	ICD-10-CM	Diagnosis
S11.023A	Puncture wound without foreign body of trachea, initial encounter	ICD-10-CM	Diagnosis
S11.023S	Puncture wound without foreign body of trachea, sequela	ICD-10-CM	Diagnosis
S11.023D	Puncture wound without foreign body of trachea, subsequent encounter	ICD-10-CM	Diagnosis
S91.039D	Puncture wound without foreign body, unspecified ankle, subsequent encounter	ICD-10-CM	Diagnosis



**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S91.039A	Puncture wound without foreign body, unspecified ankle, initial encounter	ICD-10-CM	Diagnosis
S91.039S	Puncture wound without foreign body, unspecified ankle, sequela	ICD-10-CM	Diagnosis
S21.039A	Puncture wound without foreign body of unspecified breast, initial encounter	ICD-10-CM	Diagnosis
S21.039S	Puncture wound without foreign body of unspecified breast, sequela	ICD-10-CM	Diagnosis
S21.039D	Puncture wound without foreign body of unspecified breast, subsequent encounter	ICD-10-CM	Diagnosis
S01.339A	Puncture wound without foreign body of unspecified ear, initial encounter	ICD-10-CM	Diagnosis
S01.339S	Puncture wound without foreign body of unspecified ear, sequela	ICD-10-CM	Diagnosis
S01.339D	Puncture wound without foreign body of unspecified ear, subsequent encounter	ICD-10-CM	Diagnosis
S51.039A	Puncture wound without foreign body of unspecified elbow, initial encounter	ICD-10-CM	Diagnosis
S51.039S	Puncture wound without foreign body of unspecified elbow, sequela	ICD-10-CM	Diagnosis
S51.039D	Puncture wound without foreign body of unspecified elbow, subsequent encounter	ICD-10-CM	Diagnosis
S51.839A	Puncture wound without foreign body of unspecified forearm, initial encounter	ICD-10-CM	Diagnosis
S51.839S	Puncture wound without foreign body of unspecified forearm, sequela	ICD-10-CM	Diagnosis
S51.839D	Puncture wound without foreign body of unspecified forearm, subsequent encounter	ICD-10-CM	Diagnosis
S61.439S	Puncture wound without foreign body of unspecified hand, sequela	ICD-10-CM	Diagnosis
S71.039S	Puncture wound without foreign body, unspecified hip, sequela	ICD-10-CM	Diagnosis
S81.039A	Puncture wound without foreign body, unspecified knee, initial encounter	ICD-10-CM	Diagnosis
S81.039S	Puncture wound without foreign body, unspecified knee, sequela	ICD-10-CM	Diagnosis
S81.039D	Puncture wound without foreign body, unspecified knee, subsequent encounter	ICD-10-CM	Diagnosis
S11.033A	Puncture wound without foreign body of vocal cord, initial encounter	ICD-10-CM	Diagnosis
S11.033S	Puncture wound without foreign body of vocal cord, sequela	ICD-10-CM	Diagnosis
S11.033D	Puncture wound without foreign body of vocal cord, subsequent encounter	ICD-10-CM	Diagnosis
S11.014S	Puncture wound with foreign body of larynx, sequela	ICD-10-CM	Diagnosis
S31.834S	Puncture wound with foreign body of anus, sequela	ICD-10-CM	Diagnosis
S01.541S	Puncture wound with foreign body of lip, sequela	ICD-10-CM	Diagnosis
S01.24XS	Puncture wound with foreign body of nose, sequela	ICD-10-CM	Diagnosis
S31.24XS	Puncture wound with foreign body of penis, sequela	ICD-10-CM	Diagnosis
S01.04XS	Puncture wound with foreign body of scalp, sequela	ICD-10-CM	Diagnosis
S11.024S	Puncture wound with foreign body of trachea, sequela	ICD-10-CM	Diagnosis
S31.833S	Puncture wound without foreign body of anus, sequela	ICD-10-CM	Diagnosis
S01.531S	Puncture wound without foreign body of lip, sequela	ICD-10-CM	Diagnosis
S01.23XS	Puncture wound without foreign body of nose, sequela	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S31.149D	Puncture wound of abdominal wall with foreign body, unspecified quadrant without penetration into peritoneal cavity, subsequent encounter	ICD-10-CM	Diagnosis
M43.3	Recurrent atlantoaxial dislocation with myelopathy	ICD-10-CM	Diagnosis
M24.472	Recurrent dislocation, left ankle	ICD-10-CM	Diagnosis
M24.422	Recurrent dislocation, left elbow	ICD-10-CM	Diagnosis
M24.445	Recurrent dislocation, left finger	ICD-10-CM	Diagnosis
M24.475	Recurrent dislocation, left foot	ICD-10-CM	Diagnosis
M24.442	Recurrent dislocation, left hand	ICD-10-CM	Diagnosis
M24.452	Recurrent dislocation, left hip	ICD-10-CM	Diagnosis
M24.462	Recurrent dislocation, left knee	ICD-10-CM	Diagnosis
M24.412	Recurrent dislocation, left shoulder	ICD-10-CM	Diagnosis
M24.478	Recurrent dislocation, left toe(s)	ICD-10-CM	Diagnosis
M24.432	Recurrent dislocation, left wrist	ICD-10-CM	Diagnosis
M22.02	Recurrent dislocation of patella, left knee	ICD-10-CM	Diagnosis
M22.01	Recurrent dislocation of patella, right knee	ICD-10-CM	Diagnosis
M22.00	Recurrent dislocation of patella, unspecified knee	ICD-10-CM	Diagnosis
M24.471	Recurrent dislocation, right ankle	ICD-10-CM	Diagnosis
M24.421	Recurrent dislocation, right elbow	ICD-10-CM	Diagnosis
M24.444	Recurrent dislocation, right finger	ICD-10-CM	Diagnosis
M24.474	Recurrent dislocation, right foot	ICD-10-CM	Diagnosis
M24.441	Recurrent dislocation, right hand	ICD-10-CM	Diagnosis
M24.451	Recurrent dislocation, right hip	ICD-10-CM	Diagnosis
M24.461	Recurrent dislocation, right knee	ICD-10-CM	Diagnosis
M24.411	Recurrent dislocation, right shoulder	ICD-10-CM	Diagnosis
M24.477	Recurrent dislocation, right toe(s)	ICD-10-CM	Diagnosis
M24.431	Recurrent dislocation, right wrist	ICD-10-CM	Diagnosis
M24.473	Recurrent dislocation, unspecified ankle	ICD-10-CM	Diagnosis
M24.429	Recurrent dislocation, unspecified elbow	ICD-10-CM	Diagnosis
M24.446	Recurrent dislocation, unspecified finger	ICD-10-CM	Diagnosis
M24.476	Recurrent dislocation, unspecified foot	ICD-10-CM	Diagnosis
M24.443	Recurrent dislocation, unspecified hand	ICD-10-CM	Diagnosis
M24.459	Recurrent dislocation, unspecified hip	ICD-10-CM	Diagnosis
M24.40	Recurrent dislocation, unspecified joint	ICD-10-CM	Diagnosis
M24.469	Recurrent dislocation, unspecified knee	ICD-10-CM	Diagnosis
M24.419	Recurrent dislocation, unspecified shoulder	ICD-10-CM	Diagnosis
M24.479	Recurrent dislocation, unspecified toe(s)	ICD-10-CM	Diagnosis
M24.439	Recurrent dislocation, unspecified wrist	ICD-10-CM	Diagnosis
M22.12	Recurrent subluxation of patella, left knee	ICD-10-CM	Diagnosis
M22.11	Recurrent subluxation of patella, right knee	ICD-10-CM	Diagnosis
M22.10	Recurrent subluxation of patella, unspecified knee	ICD-10-CM	Diagnosis
S99.132G	Salter-Harris Type III physeal fracture of left metatarsal, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S99.132D	Salter-Harris Type III physeal fracture of left metatarsal, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S99.131G	Salter-Harris Type III physeal fracture of right metatarsal, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S99.131D	Salter-Harris Type III physeal fracture of right metatarsal, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S99.139G	Salter-Harris Type III physeal fracture of unspecified metatarsal, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S99.139D	Salter-Harris Type III physeal fracture of unspecified metatarsal, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S99.242S	Salter-Harris Type IV physeal fracture of phalanx of left toe, sequela	ICD-10-CM	Diagnosis
S99.241S	Salter-Harris Type IV physeal fracture of phalanx of right toe, sequela	ICD-10-CM	Diagnosis
S99.242K	Salter-Harris Type IV physeal fracture of phalanx of left toe, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S59.019A	Salter-Harris Type I physeal fracture of lower end of ulna, unspecified arm, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S59.019S	Salter-Harris Type I physeal fracture of lower end of ulna, unspecified arm, sequela	ICD-10-CM	Diagnosis
S59.019P	Salter-Harris Type I physeal fracture of lower end of ulna, unspecified arm, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S59.019K	Salter-Harris Type I physeal fracture of lower end of ulna, unspecified arm, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S59.019G	Salter-Harris Type I physeal fracture of lower end of ulna, unspecified arm, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S59.019D	Salter-Harris Type I physeal fracture of lower end of ulna, unspecified arm, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S79.129A	Salter-Harris Type II physeal fracture of lower end of unspecified femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S79.129G	Salter-Harris Type II physeal fracture of lower end of unspecified femur, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S79.129P	Salter-Harris Type II physeal fracture of lower end of unspecified femur, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S79.129K	Salter-Harris Type II physeal fracture of lower end of unspecified femur, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S79.129D	Salter-Harris Type II physeal fracture of lower end of unspecified femur, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S89.329A	Salter-Harris Type II physeal fracture of lower end of unspecified fibula, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S89.329S	Salter-Harris Type II physeal fracture of lower end of unspecified fibula, sequela	ICD-10-CM	Diagnosis
S89.329G	Salter-Harris Type II physeal fracture of lower end of unspecified fibula, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S89.329P	Salter-Harris Type II physeal fracture of lower end of unspecified fibula, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S89.329K	Salter-Harris Type II physeal fracture of lower end of unspecified fibula, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S89.329D	Salter-Harris Type II physeal fracture of lower end of unspecified fibula, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S89.129A	Salter-Harris Type II physeal fracture of lower end of unspecified tibia, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S89.129G	Salter-Harris Type II physeal fracture of lower end of unspecified tibia, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S89.129P	Salter-Harris Type II physeal fracture of lower end of unspecified tibia, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S89.129K	Salter-Harris Type II physeal fracture of lower end of unspecified tibia, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S89.129D	Salter-Harris Type II physeal fracture of lower end of unspecified tibia, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S49.129A	Salter-Harris Type II physeal fracture of lower end of humerus, unspecified arm, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S49.129S	Salter-Harris Type II physeal fracture of lower end of humerus, unspecified arm, sequela	ICD-10-CM	Diagnosis
S49.129G	Salter-Harris Type II physeal fracture of lower end of humerus, unspecified arm, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S49.129P	Salter-Harris Type II physeal fracture of lower end of humerus, unspecified arm, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S49.129K	Salter-Harris Type II physeal fracture of lower end of humerus, unspecified arm, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S49.129D	Salter-Harris Type II physeal fracture of lower end of humerus, unspecified arm, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S59.229A	Salter-Harris Type II physeal fracture of lower end of radius, unspecified arm, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S59.229S	Salter-Harris Type II physeal fracture of lower end of radius, unspecified arm, sequela	ICD-10-CM	Diagnosis
S59.229G	Salter-Harris Type II physeal fracture of lower end of radius, unspecified arm, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S59.229P	Salter-Harris Type II physeal fracture of lower end of radius, unspecified arm, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S59.229K	Salter-Harris Type II physeal fracture of lower end of radius, unspecified arm, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S59.229D	Salter-Harris Type II physeal fracture of lower end of radius, unspecified arm, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S59.029A	Salter-Harris Type II physeal fracture of lower end of ulna, unspecified arm, initial encounter for closed fracture	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S59.029S	Salter-Harris Type II physeal fracture of lower end of ulna, unspecified arm, sequela	ICD-10-CM	Diagnosis
S59.029G	Salter-Harris Type II physeal fracture of lower end of ulna, unspecified arm, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S59.029P	Salter-Harris Type II physeal fracture of lower end of ulna, unspecified arm, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S59.029K	Salter-Harris Type II physeal fracture of lower end of ulna, unspecified arm, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S59.029D	Salter-Harris Type II physeal fracture of lower end of ulna, unspecified arm, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S49.029A	Salter-Harris Type II physeal fracture of upper end of humerus, unspecified arm, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S49.029S	Salter-Harris Type II physeal fracture of upper end of humerus, unspecified arm, sequela	ICD-10-CM	Diagnosis
S49.029G	Salter-Harris Type II physeal fracture of upper end of humerus, unspecified arm, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S49.029P	Salter-Harris Type II physeal fracture of upper end of humerus, unspecified arm, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S49.029K	Salter-Harris Type II physeal fracture of upper end of humerus, unspecified arm, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S49.029D	Salter-Harris Type II physeal fracture of upper end of humerus, unspecified arm, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S59.129A	Salter-Harris Type II physeal fracture of upper end of radius, unspecified arm, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S59.129S	Salter-Harris Type II physeal fracture of upper end of radius, unspecified arm, sequela	ICD-10-CM	Diagnosis
S59.129G	Salter-Harris Type II physeal fracture of upper end of radius, unspecified arm, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S59.129P	Salter-Harris Type II physeal fracture of upper end of radius, unspecified arm, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S59.129K	Salter-Harris Type II physeal fracture of upper end of radius, unspecified arm, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S59.129D	Salter-Harris Type II physeal fracture of upper end of radius, unspecified arm, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S79.131A	Salter-Harris Type III physeal fracture of lower end of right femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S89.131A	Salter-Harris Type III physeal fracture of lower end of right tibia, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S79.139A	Salter-Harris Type III physeal fracture of lower end of unspecified femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S79.139S	Salter-Harris Type III physeal fracture of lower end of unspecified femur, sequela	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S79.139G	Salter-Harris Type III physeal fracture of lower end of unspecified femur, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S79.139P	Salter-Harris Type III physeal fracture of lower end of unspecified femur, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S79.139K	Salter-Harris Type III physeal fracture of lower end of unspecified femur, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S79.139D	Salter-Harris Type III physeal fracture of lower end of unspecified femur, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S89.139A	Salter-Harris Type III physeal fracture of lower end of unspecified tibia, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S89.139S	Salter-Harris Type III physeal fracture of lower end of unspecified tibia, sequela	ICD-10-CM	Diagnosis
S89.139G	Salter-Harris Type III physeal fracture of lower end of unspecified tibia, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S89.139P	Salter-Harris Type III physeal fracture of lower end of unspecified tibia, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S89.139K	Salter-Harris Type III physeal fracture of lower end of unspecified tibia, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S89.139D	Salter-Harris Type III physeal fracture of lower end of unspecified tibia, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S89.039A	Salter-Harris Type III physeal fracture of upper end of unspecified tibia, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S89.039S	Salter-Harris Type III physeal fracture of upper end of unspecified tibia, sequela	ICD-10-CM	Diagnosis
S89.039G	Salter-Harris Type III physeal fracture of upper end of unspecified tibia, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S89.039P	Salter-Harris Type III physeal fracture of upper end of unspecified tibia, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S89.039K	Salter-Harris Type III physeal fracture of upper end of unspecified tibia, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S89.039D	Salter-Harris Type III physeal fracture of upper end of unspecified tibia, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S59.049A	Salter-Harris Type IV physeal fracture of lower end of ulna, unspecified arm, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S59.049S	Salter-Harris Type IV physeal fracture of lower end of ulna, unspecified arm, sequela	ICD-10-CM	Diagnosis
S59.049G	Salter-Harris Type IV physeal fracture of lower end of ulna, unspecified arm, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S59.049P	Salter-Harris Type IV physeal fracture of lower end of ulna, unspecified arm, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S59.049K	Salter-Harris Type IV physeal fracture of lower end of ulna, unspecified arm, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis



**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S59.049D	Salter-Harris Type IV physeal fracture of lower end of ulna, unspecified arm, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S49.132A	Salter-Harris Type III physeal fracture of lower end of humerus, left arm, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S49.132S	Salter-Harris Type III physeal fracture of lower end of humerus, left arm, sequela	ICD-10-CM	Diagnosis
S49.132P	Salter-Harris Type III physeal fracture of lower end of humerus, left arm, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S49.132K	Salter-Harris Type III physeal fracture of lower end of humerus, left arm, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S49.131A	Salter-Harris Type III physeal fracture of lower end of humerus, right arm, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S49.131S	Salter-Harris Type III physeal fracture of lower end of humerus, right arm, sequela	ICD-10-CM	Diagnosis
S49.131P	Salter-Harris Type III physeal fracture of lower end of humerus, right arm, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S49.131K	Salter-Harris Type III physeal fracture of lower end of humerus, right arm, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S49.139S	Salter-Harris Type III physeal fracture of lower end of humerus, unspecified arm, sequela	ICD-10-CM	Diagnosis
S49.032A	Salter-Harris Type III physeal fracture of upper end of humerus, left arm, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S49.032S	Salter-Harris Type III physeal fracture of upper end of humerus, left arm, sequela	ICD-10-CM	Diagnosis
S49.032P	Salter-Harris Type III physeal fracture of upper end of humerus, left arm, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S49.032K	Salter-Harris Type III physeal fracture of upper end of humerus, left arm, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S49.031A	Salter-Harris Type III physeal fracture of upper end of humerus, right arm, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S49.031S	Salter-Harris Type III physeal fracture of upper end of humerus, right arm, sequela	ICD-10-CM	Diagnosis
S49.031P	Salter-Harris Type III physeal fracture of upper end of humerus, right arm, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S49.039S	Salter-Harris Type III physeal fracture of upper end of humerus, unspecified arm, sequela	ICD-10-CM	Diagnosis
S49.039K	Salter-Harris Type III physeal fracture of upper end of humerus, unspecified arm, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S99.112K	Salter-Harris Type I physeal fracture of left metatarsal, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S99.111K	Salter-Harris Type I physeal fracture of right metatarsal, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S99.119P	Salter-Harris Type I physeal fracture of unspecified metatarsal, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S99.119K	Salter-Harris Type I physeal fracture of unspecified metatarsal, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S99.019D	Salter-Harris Type I physeal fracture of unspecified calcaneus, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S99.019G	Salter-Harris Type I physeal fracture of unspecified calcaneus, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S99.019P	Salter-Harris Type I physeal fracture of unspecified calcaneus, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S99.019K	Salter-Harris Type I physeal fracture of unspecified calcaneus, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S99.122P	Salter-Harris Type II physeal fracture of left metatarsal, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S99.122K	Salter-Harris Type II physeal fracture of left metatarsal, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S99.121S	Salter-Harris Type II physeal fracture of right metatarsal, sequela	ICD-10-CM	Diagnosis
S99.121P	Salter-Harris Type II physeal fracture of right metatarsal, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S99.121K	Salter-Harris Type II physeal fracture of right metatarsal, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S99.129P	Salter-Harris Type II physeal fracture of unspecified metatarsal, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S99.129K	Salter-Harris Type II physeal fracture of unspecified metatarsal, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S99.022A	Salter-Harris Type II physeal fracture of left calcaneus, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S99.022B	Salter-Harris Type II physeal fracture of left calcaneus, initial encounter for open fracture	ICD-10-CM	Diagnosis
S99.022G	Salter-Harris Type II physeal fracture of left calcaneus, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S99.022D	Salter-Harris Type II physeal fracture of left calcaneus, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S99.021S	Salter-Harris Type II physeal fracture of right calcaneus, sequela	ICD-10-CM	Diagnosis
S99.232A	Salter-Harris Type III physeal fracture of phalanx of left toe, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S99.232B	Salter-Harris Type III physeal fracture of phalanx of left toe, initial encounter for open fracture	ICD-10-CM	Diagnosis
S99.231A	Salter-Harris Type III physeal fracture of phalanx of right toe, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S99.231B	Salter-Harris Type III physeal fracture of phalanx of right toe, initial encounter for open fracture	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S99.239A	Salter-Harris Type III physeal fracture of phalanx of unspecified toe, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S99.239B	Salter-Harris Type III physeal fracture of phalanx of unspecified toe, initial encounter for open fracture	ICD-10-CM	Diagnosis
S99.032A	Salter-Harris Type III physeal fracture of left calcaneus, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S99.032B	Salter-Harris Type III physeal fracture of left calcaneus, initial encounter for open fracture	ICD-10-CM	Diagnosis
S99.032G	Salter-Harris Type III physeal fracture of left calcaneus, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S99.032D	Salter-Harris Type III physeal fracture of left calcaneus, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S99.032P	Salter-Harris Type III physeal fracture of left calcaneus, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S99.032K	Salter-Harris Type III physeal fracture of left calcaneus, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S99.031A	Salter-Harris Type III physeal fracture of right calcaneus, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S99.031B	Salter-Harris Type III physeal fracture of right calcaneus, initial encounter for open fracture	ICD-10-CM	Diagnosis
S99.031G	Salter-Harris Type III physeal fracture of right calcaneus, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S99.031D	Salter-Harris Type III physeal fracture of right calcaneus, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S99.031P	Salter-Harris Type III physeal fracture of right calcaneus, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S99.031K	Salter-Harris Type III physeal fracture of right calcaneus, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S99.039A	Salter-Harris Type III physeal fracture of unspecified calcaneus, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S99.039B	Salter-Harris Type III physeal fracture of unspecified calcaneus, initial encounter for open fracture	ICD-10-CM	Diagnosis
S99.039G	Salter-Harris Type III physeal fracture of unspecified calcaneus, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S99.039P	Salter-Harris Type III physeal fracture of unspecified calcaneus, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S99.039K	Salter-Harris Type III physeal fracture of unspecified calcaneus, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S99.039D	Salter-Harris Type III physeal fracture of unspecified calcaneus, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S99.142P	Salter-Harris Type IV physeal fracture of left metatarsal, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S99.142K	Salter-Harris Type IV physeal fracture of left metatarsal, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S99.141S	Salter-Harris Type IV physeal fracture of right metatarsal, sequela	ICD-10-CM	Diagnosis
S99.141P	Salter-Harris Type IV physeal fracture of right metatarsal, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S99.141K	Salter-Harris Type IV physeal fracture of right metatarsal, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S99.149P	Salter-Harris Type IV physeal fracture of unspecified metatarsal, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S99.149K	Salter-Harris Type IV physeal fracture of unspecified metatarsal, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S99.112P	Salter-Harris Type I physeal fracture of left metatarsal, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S99.111P	Salter-Harris Type I physeal fracture of right metatarsal, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S99.132A	Salter-Harris Type III physeal fracture of left metatarsal, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S99.132P	Salter-Harris Type III physeal fracture of left metatarsal, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S99.132K	Salter-Harris Type III physeal fracture of left metatarsal, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S99.131A	Salter-Harris Type III physeal fracture of right metatarsal, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S99.131P	Salter-Harris Type III physeal fracture of right metatarsal, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S99.131K	Salter-Harris Type III physeal fracture of right metatarsal, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S99.139P	Salter-Harris Type III physeal fracture of unspecified metatarsal, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S99.139K	Salter-Harris Type III physeal fracture of unspecified metatarsal, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S99.139A	Salter-Harris Type III physeal fracture of unspecified metatarsal, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S99.249S	Salter-Harris Type IV physeal fracture of phalanx of unspecified toe, sequela	ICD-10-CM	Diagnosis
S49.112A	Salter-Harris Type I physeal fracture of lower end of humerus, left arm, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S49.112G	Salter-Harris Type I physeal fracture of lower end of humerus, left arm, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S49.112D	Salter-Harris Type I physeal fracture of lower end of humerus, left arm, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S49.111A	Salter-Harris Type I physeal fracture of lower end of humerus, right arm, initial encounter for closed fracture	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S49.111S	Salter-Harris Type I physeal fracture of lower end of humerus, right arm, sequela	ICD-10-CM	Diagnosis
S49.111G	Salter-Harris Type I physeal fracture of lower end of humerus, right arm, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S49.111D	Salter-Harris Type I physeal fracture of lower end of humerus, right arm, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S79.112A	Salter-Harris Type I physeal fracture of lower end of left femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S79.112P	Salter-Harris Type I physeal fracture of lower end of left femur, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S79.112K	Salter-Harris Type I physeal fracture of lower end of left femur, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S79.112G	Salter-Harris Type I physeal fracture of lower end of left femur, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S79.112D	Salter-Harris Type I physeal fracture of lower end of left femur, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S79.112S	Salter-Harris Type I physeal fracture of lower end of left femur, sequela	ICD-10-CM	Diagnosis
S89.312A	Salter-Harris Type I physeal fracture of lower end of left fibula, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S89.312S	Salter-Harris Type I physeal fracture of lower end of left fibula, sequela	ICD-10-CM	Diagnosis
S89.312P	Salter-Harris Type I physeal fracture of lower end of left fibula, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S89.312K	Salter-Harris Type I physeal fracture of lower end of left fibula, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S89.312G	Salter-Harris Type I physeal fracture of lower end of left fibula, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S89.312D	Salter-Harris Type I physeal fracture of lower end of left fibula, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S89.112A	Salter-Harris Type I physeal fracture of lower end of left tibia, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S89.112S	Salter-Harris Type I physeal fracture of lower end of left tibia, sequela	ICD-10-CM	Diagnosis
S89.112P	Salter-Harris Type I physeal fracture of lower end of left tibia, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S89.112K	Salter-Harris Type I physeal fracture of lower end of left tibia, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S89.112G	Salter-Harris Type I physeal fracture of lower end of left tibia, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S89.112D	Salter-Harris Type I physeal fracture of lower end of left tibia, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S59.212A	Salter-Harris Type I physeal fracture of lower end of radius, left arm, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S59.212S	Salter-Harris Type I physeal fracture of lower end of radius, left arm, sequela	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S59.212G	Salter-Harris Type I physeal fracture of lower end of radius, left arm, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S59.212D	Salter-Harris Type I physeal fracture of lower end of radius, left arm, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S59.211A	Salter-Harris Type I physeal fracture of lower end of radius, right arm, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S59.211S	Salter-Harris Type I physeal fracture of lower end of radius, right arm, sequela	ICD-10-CM	Diagnosis
S59.211G	Salter-Harris Type I physeal fracture of lower end of radius, right arm, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S59.211D	Salter-Harris Type I physeal fracture of lower end of radius, right arm, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S79.111A	Salter-Harris Type I physeal fracture of lower end of right femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S79.111P	Salter-Harris Type I physeal fracture of lower end of right femur, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S79.111K	Salter-Harris Type I physeal fracture of lower end of right femur, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S79.111G	Salter-Harris Type I physeal fracture of lower end of right femur, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S79.111D	Salter-Harris Type I physeal fracture of lower end of right femur, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S79.111S	Salter-Harris Type I physeal fracture of lower end of right femur, sequela	ICD-10-CM	Diagnosis
S89.311A	Salter-Harris Type I physeal fracture of lower end of right fibula, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S89.311P	Salter-Harris Type I physeal fracture of lower end of right fibula, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S89.311K	Salter-Harris Type I physeal fracture of lower end of right fibula, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S89.311G	Salter-Harris Type I physeal fracture of lower end of right fibula, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S89.311D	Salter-Harris Type I physeal fracture of lower end of right fibula, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S89.111A	Salter-Harris Type I physeal fracture of lower end of right tibia, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S89.111P	Salter-Harris Type I physeal fracture of lower end of right tibia, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S89.111K	Salter-Harris Type I physeal fracture of lower end of right tibia, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S89.111G	Salter-Harris Type I physeal fracture of lower end of right tibia, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S89.111D	Salter-Harris Type I physeal fracture of lower end of right tibia, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis



**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S59.012S	Salter-Harris Type I physeal fracture of lower end of ulna, left arm, sequela	ICD-10-CM	Diagnosis
S59.011S	Salter-Harris Type I physeal fracture of lower end of ulna, right arm, sequela	ICD-10-CM	Diagnosis
S89.319S	Salter-Harris Type I physeal fracture of lower end of unspecified fibula, sequela	ICD-10-CM	Diagnosis
S89.319G	Salter-Harris Type I physeal fracture of lower end of unspecified fibula, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S89.319P	Salter-Harris Type I physeal fracture of lower end of unspecified fibula, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S89.319K	Salter-Harris Type I physeal fracture of lower end of unspecified fibula, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S89.319D	Salter-Harris Type I physeal fracture of lower end of unspecified fibula, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S89.119S	Salter-Harris Type I physeal fracture of lower end of unspecified tibia, sequela	ICD-10-CM	Diagnosis
S89.119G	Salter-Harris Type I physeal fracture of lower end of unspecified tibia, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S89.119P	Salter-Harris Type I physeal fracture of lower end of unspecified tibia, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S89.119K	Salter-Harris Type I physeal fracture of lower end of unspecified tibia, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S89.119D	Salter-Harris Type I physeal fracture of lower end of unspecified tibia, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S49.112S	Salter-Harris Type I physeal fracture of lower end of humerus, left arm, sequela	ICD-10-CM	Diagnosis
S89.311S	Salter-Harris Type I physeal fracture of lower end of right fibula, sequela	ICD-10-CM	Diagnosis
S89.111S	Salter-Harris Type I physeal fracture of lower end of right tibia, sequela	ICD-10-CM	Diagnosis
S49.112P	Salter-Harris Type I physeal fracture of lower end of humerus, left arm, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S49.112K	Salter-Harris Type I physeal fracture of lower end of humerus, left arm, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S49.111P	Salter-Harris Type I physeal fracture of lower end of humerus, right arm, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S49.111K	Salter-Harris Type I physeal fracture of lower end of humerus, right arm, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S49.119A	Salter-Harris Type I physeal fracture of lower end of humerus, unspecified arm, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S49.119S	Salter-Harris Type I physeal fracture of lower end of humerus, unspecified arm, sequela	ICD-10-CM	Diagnosis
S49.119P	Salter-Harris Type I physeal fracture of lower end of humerus, unspecified arm, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S49.119K	Salter-Harris Type I physeal fracture of lower end of humerus, unspecified arm, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S49.119G	Salter-Harris Type I physeal fracture of lower end of humerus, unspecified arm, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S49.119D	Salter-Harris Type I physeal fracture of lower end of humerus, unspecified arm, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S59.212P	Salter-Harris Type I physeal fracture of lower end of radius, left arm, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S59.212K	Salter-Harris Type I physeal fracture of lower end of radius, left arm, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S59.211P	Salter-Harris Type I physeal fracture of lower end of radius, right arm, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S59.211K	Salter-Harris Type I physeal fracture of lower end of radius, right arm, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S59.219A	Salter-Harris Type I physeal fracture of lower end of radius, unspecified arm, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S59.219S	Salter-Harris Type I physeal fracture of lower end of radius, unspecified arm, sequela	ICD-10-CM	Diagnosis
S59.219P	Salter-Harris Type I physeal fracture of lower end of radius, unspecified arm, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S59.219K	Salter-Harris Type I physeal fracture of lower end of radius, unspecified arm, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S59.219G	Salter-Harris Type I physeal fracture of lower end of radius, unspecified arm, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S59.219D	Salter-Harris Type I physeal fracture of lower end of radius, unspecified arm, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S59.012A	Salter-Harris Type I physeal fracture of lower end of ulna, left arm, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S59.012P	Salter-Harris Type I physeal fracture of lower end of ulna, left arm, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S59.012K	Salter-Harris Type I physeal fracture of lower end of ulna, left arm, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S59.012G	Salter-Harris Type I physeal fracture of lower end of ulna, left arm, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S59.012D	Salter-Harris Type I physeal fracture of lower end of ulna, left arm, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S59.011A	Salter-Harris Type I physeal fracture of lower end of ulna, right arm, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S59.011P	Salter-Harris Type I physeal fracture of lower end of ulna, right arm, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S59.011K	Salter-Harris Type I physeal fracture of lower end of ulna, right arm, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S59.011G	Salter-Harris Type I physeal fracture of lower end of ulna, right arm, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S59.011D	Salter-Harris Type I physeal fracture of lower end of ulna, right arm, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S79.119A	Salter-Harris Type I physeal fracture of lower end of unspecified femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S79.119P	Salter-Harris Type I physeal fracture of lower end of unspecified femur, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S79.119K	Salter-Harris Type I physeal fracture of lower end of unspecified femur, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S79.119G	Salter-Harris Type I physeal fracture of lower end of unspecified femur, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S79.119D	Salter-Harris Type I physeal fracture of lower end of unspecified femur, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S79.119S	Salter-Harris Type I physeal fracture of lower end of unspecified femur, sequela	ICD-10-CM	Diagnosis
S89.319A	Salter-Harris Type I physeal fracture of lower end of unspecified fibula, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S89.119A	Salter-Harris Type I physeal fracture of lower end of unspecified tibia, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S49.012A	Salter-Harris Type I physeal fracture of upper end of humerus, left arm, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S49.012S	Salter-Harris Type I physeal fracture of upper end of humerus, left arm, sequela	ICD-10-CM	Diagnosis
S49.012G	Salter-Harris Type I physeal fracture of upper end of humerus, left arm, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S49.012P	Salter-Harris Type I physeal fracture of upper end of humerus, left arm, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S49.012K	Salter-Harris Type I physeal fracture of upper end of humerus, left arm, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S49.012D	Salter-Harris Type I physeal fracture of upper end of humerus, left arm, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S49.011A	Salter-Harris Type I physeal fracture of upper end of humerus, right arm, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S49.011S	Salter-Harris Type I physeal fracture of upper end of humerus, right arm, sequela	ICD-10-CM	Diagnosis
S49.011G	Salter-Harris Type I physeal fracture of upper end of humerus, right arm, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S49.011P	Salter-Harris Type I physeal fracture of upper end of humerus, right arm, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S49.011K	Salter-Harris Type I physeal fracture of upper end of humerus, right arm, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S49.011D	Salter-Harris Type I physeal fracture of upper end of humerus, right arm, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S49.019A	Salter-Harris Type I physeal fracture of upper end of humerus, unspecified arm, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S49.019S	Salter-Harris Type I physeal fracture of upper end of humerus, unspecified arm, sequela	ICD-10-CM	Diagnosis
S49.019P	Salter-Harris Type I physeal fracture of upper end of humerus, unspecified arm, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S49.019K	Salter-Harris Type I physeal fracture of upper end of humerus, unspecified arm, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S49.019G	Salter-Harris Type I physeal fracture of upper end of humerus, unspecified arm, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S49.019D	Salter-Harris Type I physeal fracture of upper end of humerus, unspecified arm, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S79.012A	Salter-Harris Type I physeal fracture of upper end of left femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S79.012S	Salter-Harris Type I physeal fracture of upper end of left femur, sequela	ICD-10-CM	Diagnosis
S79.012G	Salter-Harris Type I physeal fracture of upper end of left femur, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S79.012P	Salter-Harris Type I physeal fracture of upper end of left femur, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S79.012K	Salter-Harris Type I physeal fracture of upper end of left femur, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S79.012D	Salter-Harris Type I physeal fracture of upper end of left femur, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S89.212A	Salter-Harris Type I physeal fracture of upper end of left fibula, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S89.212S	Salter-Harris Type I physeal fracture of upper end of left fibula, sequela	ICD-10-CM	Diagnosis
S89.212G	Salter-Harris Type I physeal fracture of upper end of left fibula, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S89.212P	Salter-Harris Type I physeal fracture of upper end of left fibula, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S89.212K	Salter-Harris Type I physeal fracture of upper end of left fibula, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S89.212D	Salter-Harris Type I physeal fracture of upper end of left fibula, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S89.012A	Salter-Harris Type I physeal fracture of upper end of left tibia, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S89.012S	Salter-Harris Type I physeal fracture of upper end of left tibia, sequela	ICD-10-CM	Diagnosis
S89.012G	Salter-Harris Type I physeal fracture of upper end of left tibia, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S89.012P	Salter-Harris Type I physeal fracture of upper end of left tibia, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S89.012K	Salter-Harris Type I physeal fracture of upper end of left tibia, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S89.012D	Salter-Harris Type I physeal fracture of upper end of left tibia, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S59.112A	Salter-Harris Type I physeal fracture of upper end of radius, left arm, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S59.112S	Salter-Harris Type I physeal fracture of upper end of radius, left arm, sequela	ICD-10-CM	Diagnosis
S59.112G	Salter-Harris Type I physeal fracture of upper end of radius, left arm, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S59.112P	Salter-Harris Type I physeal fracture of upper end of radius, left arm, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S59.112K	Salter-Harris Type I physeal fracture of upper end of radius, left arm, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S59.112D	Salter-Harris Type I physeal fracture of upper end of radius, left arm, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S59.111A	Salter-Harris Type I physeal fracture of upper end of radius, right arm, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S59.111S	Salter-Harris Type I physeal fracture of upper end of radius, right arm, sequela	ICD-10-CM	Diagnosis
S59.111G	Salter-Harris Type I physeal fracture of upper end of radius, right arm, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S59.111P	Salter-Harris Type I physeal fracture of upper end of radius, right arm, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S59.111K	Salter-Harris Type I physeal fracture of upper end of radius, right arm, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S59.111D	Salter-Harris Type I physeal fracture of upper end of radius, right arm, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S59.119A	Salter-Harris Type I physeal fracture of upper end of radius, unspecified arm, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S59.119S	Salter-Harris Type I physeal fracture of upper end of radius, unspecified arm, sequela	ICD-10-CM	Diagnosis
S59.119P	Salter-Harris Type I physeal fracture of upper end of radius, unspecified arm, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S59.119K	Salter-Harris Type I physeal fracture of upper end of radius, unspecified arm, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S59.119G	Salter-Harris Type I physeal fracture of upper end of radius, unspecified arm, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S59.119D	Salter-Harris Type I physeal fracture of upper end of radius, unspecified arm, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S79.011A	Salter-Harris Type I physeal fracture of upper end of right femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S79.011S	Salter-Harris Type I physeal fracture of upper end of right femur, sequela	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S79.011G	Salter-Harris Type I physeal fracture of upper end of right femur, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S79.011P	Salter-Harris Type I physeal fracture of upper end of right femur, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S79.011K	Salter-Harris Type I physeal fracture of upper end of right femur, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S79.011D	Salter-Harris Type I physeal fracture of upper end of right femur, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S89.211A	Salter-Harris Type I physeal fracture of upper end of right fibula, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S89.211S	Salter-Harris Type I physeal fracture of upper end of right fibula, sequela	ICD-10-CM	Diagnosis
S89.211G	Salter-Harris Type I physeal fracture of upper end of right fibula, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S89.211P	Salter-Harris Type I physeal fracture of upper end of right fibula, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S89.211K	Salter-Harris Type I physeal fracture of upper end of right fibula, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S89.211D	Salter-Harris Type I physeal fracture of upper end of right fibula, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S89.011A	Salter-Harris Type I physeal fracture of upper end of right tibia, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S89.011S	Salter-Harris Type I physeal fracture of upper end of right tibia, sequela	ICD-10-CM	Diagnosis
S89.011G	Salter-Harris Type I physeal fracture of upper end of right tibia, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S89.011P	Salter-Harris Type I physeal fracture of upper end of right tibia, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S89.011K	Salter-Harris Type I physeal fracture of upper end of right tibia, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S89.011D	Salter-Harris Type I physeal fracture of upper end of right tibia, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S79.019A	Salter-Harris Type I physeal fracture of upper end of unspecified femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S79.019S	Salter-Harris Type I physeal fracture of upper end of unspecified femur, sequela	ICD-10-CM	Diagnosis
S79.019P	Salter-Harris Type I physeal fracture of upper end of unspecified femur, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S79.019K	Salter-Harris Type I physeal fracture of upper end of unspecified femur, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S79.019G	Salter-Harris Type I physeal fracture of upper end of unspecified femur, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S79.019D	Salter-Harris Type I physeal fracture of upper end of unspecified femur, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis



**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S89.219A	Salter-Harris Type I physeal fracture of upper end of unspecified fibula, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S89.219S	Salter-Harris Type I physeal fracture of upper end of unspecified fibula, sequela	ICD-10-CM	Diagnosis
S89.219P	Salter-Harris Type I physeal fracture of upper end of unspecified fibula, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S89.219K	Salter-Harris Type I physeal fracture of upper end of unspecified fibula, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S89.219G	Salter-Harris Type I physeal fracture of upper end of unspecified fibula, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S89.219D	Salter-Harris Type I physeal fracture of upper end of unspecified fibula, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S89.019A	Salter-Harris Type I physeal fracture of upper end of unspecified tibia, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S89.019S	Salter-Harris Type I physeal fracture of upper end of unspecified tibia, sequela	ICD-10-CM	Diagnosis
S89.019P	Salter-Harris Type I physeal fracture of upper end of unspecified tibia, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S89.019K	Salter-Harris Type I physeal fracture of upper end of unspecified tibia, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S89.019G	Salter-Harris Type I physeal fracture of upper end of unspecified tibia, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S89.019D	Salter-Harris Type I physeal fracture of upper end of unspecified tibia, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S99.012P	Salter-Harris Type I physeal fracture of left calcaneus, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S99.012K	Salter-Harris Type I physeal fracture of left calcaneus, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S79.122A	Salter-Harris Type II physeal fracture of lower end of left femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S79.122S	Salter-Harris Type II physeal fracture of lower end of left femur, sequela	ICD-10-CM	Diagnosis
S79.122G	Salter-Harris Type II physeal fracture of lower end of left femur, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S79.122P	Salter-Harris Type II physeal fracture of lower end of left femur, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S79.122K	Salter-Harris Type II physeal fracture of lower end of left femur, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S79.122D	Salter-Harris Type II physeal fracture of lower end of left femur, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S89.322A	Salter-Harris Type II physeal fracture of lower end of left fibula, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S89.322S	Salter-Harris Type II physeal fracture of lower end of left fibula, sequela	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S89.322G	Salter-Harris Type II physeal fracture of lower end of left fibula, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S89.322P	Salter-Harris Type II physeal fracture of lower end of left fibula, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S89.322K	Salter-Harris Type II physeal fracture of lower end of left fibula, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S89.322D	Salter-Harris Type II physeal fracture of lower end of left fibula, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S89.122A	Salter-Harris Type II physeal fracture of lower end of left tibia, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S89.122S	Salter-Harris Type II physeal fracture of lower end of left tibia, sequela	ICD-10-CM	Diagnosis
S89.122G	Salter-Harris Type II physeal fracture of lower end of left tibia, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S89.122P	Salter-Harris Type II physeal fracture of lower end of left tibia, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S89.122K	Salter-Harris Type II physeal fracture of lower end of left tibia, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S89.122D	Salter-Harris Type II physeal fracture of lower end of left tibia, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S79.121A	Salter-Harris Type II physeal fracture of lower end of right femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S79.121S	Salter-Harris Type II physeal fracture of lower end of right femur, sequela	ICD-10-CM	Diagnosis
S79.121G	Salter-Harris Type II physeal fracture of lower end of right femur, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S79.121P	Salter-Harris Type II physeal fracture of lower end of right femur, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S79.121K	Salter-Harris Type II physeal fracture of lower end of right femur, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S79.121D	Salter-Harris Type II physeal fracture of lower end of right femur, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S89.321A	Salter-Harris Type II physeal fracture of lower end of right fibula, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S89.321S	Salter-Harris Type II physeal fracture of lower end of right fibula, sequela	ICD-10-CM	Diagnosis
S89.321G	Salter-Harris Type II physeal fracture of lower end of right fibula, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S89.321P	Salter-Harris Type II physeal fracture of lower end of right fibula, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S89.321K	Salter-Harris Type II physeal fracture of lower end of right fibula, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S89.321D	Salter-Harris Type II physeal fracture of lower end of right fibula, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S89.121A	Salter-Harris Type II physeal fracture of lower end of right tibia, initial encounter for closed fracture	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S89.121S	Salter-Harris Type II physeal fracture of lower end of right tibia, sequela	ICD-10-CM	Diagnosis
S89.121G	Salter-Harris Type II physeal fracture of lower end of right tibia, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S89.121P	Salter-Harris Type II physeal fracture of lower end of right tibia, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S89.121K	Salter-Harris Type II physeal fracture of lower end of right tibia, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S89.121D	Salter-Harris Type II physeal fracture of lower end of right tibia, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S79.129S	Salter-Harris Type II physeal fracture of lower end of unspecified femur, sequela	ICD-10-CM	Diagnosis
S89.129S	Salter-Harris Type II physeal fracture of lower end of unspecified tibia, sequela	ICD-10-CM	Diagnosis
S49.122A	Salter-Harris Type II physeal fracture of lower end of humerus, left arm, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S49.122S	Salter-Harris Type II physeal fracture of lower end of humerus, left arm, sequela	ICD-10-CM	Diagnosis
S49.122G	Salter-Harris Type II physeal fracture of lower end of humerus, left arm, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S49.122P	Salter-Harris Type II physeal fracture of lower end of humerus, left arm, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S49.122K	Salter-Harris Type II physeal fracture of lower end of humerus, left arm, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S49.122D	Salter-Harris Type II physeal fracture of lower end of humerus, left arm, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S49.121A	Salter-Harris Type II physeal fracture of lower end of humerus, right arm, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S49.121S	Salter-Harris Type II physeal fracture of lower end of humerus, right arm, sequela	ICD-10-CM	Diagnosis
S49.121G	Salter-Harris Type II physeal fracture of lower end of humerus, right arm, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S49.121P	Salter-Harris Type II physeal fracture of lower end of humerus, right arm, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S49.121K	Salter-Harris Type II physeal fracture of lower end of humerus, right arm, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S49.121D	Salter-Harris Type II physeal fracture of lower end of humerus, right arm, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S59.222A	Salter-Harris Type II physeal fracture of lower end of radius, left arm, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S59.222S	Salter-Harris Type II physeal fracture of lower end of radius, left arm, sequela	ICD-10-CM	Diagnosis
S59.222G	Salter-Harris Type II physeal fracture of lower end of radius, left arm, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S59.222P	Salter-Harris Type II physeal fracture of lower end of radius, left arm, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S59.222K	Salter-Harris Type II physeal fracture of lower end of radius, left arm, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S59.222D	Salter-Harris Type II physeal fracture of lower end of radius, left arm, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S59.221A	Salter-Harris Type II physeal fracture of lower end of radius, right arm, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S59.221S	Salter-Harris Type II physeal fracture of lower end of radius, right arm, sequela	ICD-10-CM	Diagnosis
S59.221G	Salter-Harris Type II physeal fracture of lower end of radius, right arm, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S59.221P	Salter-Harris Type II physeal fracture of lower end of radius, right arm, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S59.221K	Salter-Harris Type II physeal fracture of lower end of radius, right arm, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S59.221D	Salter-Harris Type II physeal fracture of lower end of radius, right arm, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S59.022A	Salter-Harris Type II physeal fracture of lower end of ulna, left arm, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S59.022S	Salter-Harris Type II physeal fracture of lower end of ulna, left arm, sequela	ICD-10-CM	Diagnosis
S59.022G	Salter-Harris Type II physeal fracture of lower end of ulna, left arm, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S59.022P	Salter-Harris Type II physeal fracture of lower end of ulna, left arm, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S59.022K	Salter-Harris Type II physeal fracture of lower end of ulna, left arm, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S59.022D	Salter-Harris Type II physeal fracture of lower end of ulna, left arm, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S59.021A	Salter-Harris Type II physeal fracture of lower end of ulna, right arm, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S59.021S	Salter-Harris Type II physeal fracture of lower end of ulna, right arm, sequela	ICD-10-CM	Diagnosis
S59.021G	Salter-Harris Type II physeal fracture of lower end of ulna, right arm, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S59.021P	Salter-Harris Type II physeal fracture of lower end of ulna, right arm, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S59.021K	Salter-Harris Type II physeal fracture of lower end of ulna, right arm, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S59.021D	Salter-Harris Type II physeal fracture of lower end of ulna, right arm, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S49.022A	Salter-Harris Type II physeal fracture of upper end of humerus, left arm, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S49.022S	Salter-Harris Type II physeal fracture of upper end of humerus, left arm, sequela	ICD-10-CM	Diagnosis
S49.022G	Salter-Harris Type II physeal fracture of upper end of humerus, left arm, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S49.022P	Salter-Harris Type II physeal fracture of upper end of humerus, left arm, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S49.022K	Salter-Harris Type II physeal fracture of upper end of humerus, left arm, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S49.022D	Salter-Harris Type II physeal fracture of upper end of humerus, left arm, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S49.021A	Salter-Harris Type II physeal fracture of upper end of humerus, right arm, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S49.021S	Salter-Harris Type II physeal fracture of upper end of humerus, right arm, sequela	ICD-10-CM	Diagnosis
S49.021G	Salter-Harris Type II physeal fracture of upper end of humerus, right arm, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S49.021P	Salter-Harris Type II physeal fracture of upper end of humerus, right arm, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S49.021K	Salter-Harris Type II physeal fracture of upper end of humerus, right arm, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S49.021D	Salter-Harris Type II physeal fracture of upper end of humerus, right arm, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S89.222A	Salter-Harris Type II physeal fracture of upper end of left fibula, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S89.222S	Salter-Harris Type II physeal fracture of upper end of left fibula, sequela	ICD-10-CM	Diagnosis
S89.222G	Salter-Harris Type II physeal fracture of upper end of left fibula, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S89.222P	Salter-Harris Type II physeal fracture of upper end of left fibula, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S89.222K	Salter-Harris Type II physeal fracture of upper end of left fibula, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S89.222D	Salter-Harris Type II physeal fracture of upper end of left fibula, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S89.022A	Salter-Harris Type II physeal fracture of upper end of left tibia, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S89.022S	Salter-Harris Type II physeal fracture of upper end of left tibia, sequela	ICD-10-CM	Diagnosis
S89.022G	Salter-Harris Type II physeal fracture of upper end of left tibia, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S89.022P	Salter-Harris Type II physeal fracture of upper end of left tibia, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S89.022K	Salter-Harris Type II physeal fracture of upper end of left tibia, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S89.022D	Salter-Harris Type II physeal fracture of upper end of left tibia, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S59.122A	Salter-Harris Type II physeal fracture of upper end of radius, left arm, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S59.122S	Salter-Harris Type II physeal fracture of upper end of radius, left arm, sequela	ICD-10-CM	Diagnosis
S59.122G	Salter-Harris Type II physeal fracture of upper end of radius, left arm, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S59.122P	Salter-Harris Type II physeal fracture of upper end of radius, left arm, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S59.122K	Salter-Harris Type II physeal fracture of upper end of radius, left arm, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S59.122D	Salter-Harris Type II physeal fracture of upper end of radius, left arm, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S59.121A	Salter-Harris Type II physeal fracture of upper end of radius, right arm, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S59.121S	Salter-Harris Type II physeal fracture of upper end of radius, right arm, sequela	ICD-10-CM	Diagnosis
S59.121G	Salter-Harris Type II physeal fracture of upper end of radius, right arm, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S59.121P	Salter-Harris Type II physeal fracture of upper end of radius, right arm, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S59.121K	Salter-Harris Type II physeal fracture of upper end of radius, right arm, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S59.121D	Salter-Harris Type II physeal fracture of upper end of radius, right arm, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S89.221A	Salter-Harris Type II physeal fracture of upper end of right fibula, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S89.221S	Salter-Harris Type II physeal fracture of upper end of right fibula, sequela	ICD-10-CM	Diagnosis
S89.221G	Salter-Harris Type II physeal fracture of upper end of right fibula, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S89.221P	Salter-Harris Type II physeal fracture of upper end of right fibula, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S89.221K	Salter-Harris Type II physeal fracture of upper end of right fibula, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S89.221D	Salter-Harris Type II physeal fracture of upper end of right fibula, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S89.021A	Salter-Harris Type II physeal fracture of upper end of right tibia, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S89.021S	Salter-Harris Type II physeal fracture of upper end of right tibia, sequela	ICD-10-CM	Diagnosis



**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S89.021G	Salter-Harris Type II physeal fracture of upper end of right tibia, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S89.021P	Salter-Harris Type II physeal fracture of upper end of right tibia, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S89.021K	Salter-Harris Type II physeal fracture of upper end of right tibia, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S89.021D	Salter-Harris Type II physeal fracture of upper end of right tibia, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S89.229A	Salter-Harris Type II physeal fracture of upper end of unspecified fibula, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S89.229S	Salter-Harris Type II physeal fracture of upper end of unspecified fibula, sequela	ICD-10-CM	Diagnosis
S89.229G	Salter-Harris Type II physeal fracture of upper end of unspecified fibula, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S89.229P	Salter-Harris Type II physeal fracture of upper end of unspecified fibula, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S89.229K	Salter-Harris Type II physeal fracture of upper end of unspecified fibula, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S89.229D	Salter-Harris Type II physeal fracture of upper end of unspecified fibula, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S89.029A	Salter-Harris Type II physeal fracture of upper end of unspecified tibia, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S89.029S	Salter-Harris Type II physeal fracture of upper end of unspecified tibia, sequela	ICD-10-CM	Diagnosis
S89.029G	Salter-Harris Type II physeal fracture of upper end of unspecified tibia, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S89.029P	Salter-Harris Type II physeal fracture of upper end of unspecified tibia, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S89.029K	Salter-Harris Type II physeal fracture of upper end of unspecified tibia, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S89.029D	Salter-Harris Type II physeal fracture of upper end of unspecified tibia, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S99.239G	Salter-Harris Type III physeal fracture of phalanx of unspecified toe, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S99.239D	Salter-Harris Type III physeal fracture of phalanx of unspecified toe, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S99.132B	Salter-Harris Type III physeal fracture of left metatarsal, initial encounter for open fracture	ICD-10-CM	Diagnosis
S99.131B	Salter-Harris Type III physeal fracture of right metatarsal, initial encounter for open fracture	ICD-10-CM	Diagnosis
S99.139B	Salter-Harris Type III physeal fracture of unspecified metatarsal, initial encounter for open fracture	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S79.132A	Salter-Harris Type III physeal fracture of lower end of left femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S79.132S	Salter-Harris Type III physeal fracture of lower end of left femur, sequela	ICD-10-CM	Diagnosis
S79.132G	Salter-Harris Type III physeal fracture of lower end of left femur, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S79.132P	Salter-Harris Type III physeal fracture of lower end of left femur, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S79.132K	Salter-Harris Type III physeal fracture of lower end of left femur, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S79.132D	Salter-Harris Type III physeal fracture of lower end of left femur, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S89.132A	Salter-Harris Type III physeal fracture of lower end of left tibia, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S89.132S	Salter-Harris Type III physeal fracture of lower end of left tibia, sequela	ICD-10-CM	Diagnosis
S89.132G	Salter-Harris Type III physeal fracture of lower end of left tibia, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S89.132P	Salter-Harris Type III physeal fracture of lower end of left tibia, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S89.132K	Salter-Harris Type III physeal fracture of lower end of left tibia, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S89.132D	Salter-Harris Type III physeal fracture of lower end of left tibia, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S59.232A	Salter-Harris Type III physeal fracture of lower end of radius, left arm, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S59.232S	Salter-Harris Type III physeal fracture of lower end of radius, left arm, sequela	ICD-10-CM	Diagnosis
S59.232G	Salter-Harris Type III physeal fracture of lower end of radius, left arm, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S59.232P	Salter-Harris Type III physeal fracture of lower end of radius, left arm, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S59.232K	Salter-Harris Type III physeal fracture of lower end of radius, left arm, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S59.232D	Salter-Harris Type III physeal fracture of lower end of radius, left arm, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S59.231A	Salter-Harris Type III physeal fracture of lower end of radius, right arm, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S59.231S	Salter-Harris Type III physeal fracture of lower end of radius, right arm, sequela	ICD-10-CM	Diagnosis
S59.231G	Salter-Harris Type III physeal fracture of lower end of radius, right arm, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S59.231P	Salter-Harris Type III physeal fracture of lower end of radius, right arm, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S59.231K	Salter-Harris Type III physeal fracture of lower end of radius, right arm, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S59.231D	Salter-Harris Type III physeal fracture of lower end of radius, right arm, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S79.131S	Salter-Harris Type III physeal fracture of lower end of right femur, sequela	ICD-10-CM	Diagnosis
S79.131G	Salter-Harris Type III physeal fracture of lower end of right femur, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S79.131D	Salter-Harris Type III physeal fracture of lower end of right femur, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S79.131P	Salter-Harris Type III physeal fracture of lower end of right femur, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S79.131K	Salter-Harris Type III physeal fracture of lower end of right femur, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S89.131S	Salter-Harris Type III physeal fracture of lower end of right tibia, sequela	ICD-10-CM	Diagnosis
S89.131G	Salter-Harris Type III physeal fracture of lower end of right tibia, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S89.131D	Salter-Harris Type III physeal fracture of lower end of right tibia, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S89.131P	Salter-Harris Type III physeal fracture of lower end of right tibia, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S89.131K	Salter-Harris Type III physeal fracture of lower end of right tibia, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S59.032A	Salter-Harris Type III physeal fracture of lower end of ulna, left arm, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S59.032S	Salter-Harris Type III physeal fracture of lower end of ulna, left arm, sequela	ICD-10-CM	Diagnosis
S59.032G	Salter-Harris Type III physeal fracture of lower end of ulna, left arm, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S59.032P	Salter-Harris Type III physeal fracture of lower end of ulna, left arm, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S59.032K	Salter-Harris Type III physeal fracture of lower end of ulna, left arm, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S59.032D	Salter-Harris Type III physeal fracture of lower end of ulna, left arm, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S59.031A	Salter-Harris Type III physeal fracture of lower end of ulna, right arm, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S59.031S	Salter-Harris Type III physeal fracture of lower end of ulna, right arm, sequela	ICD-10-CM	Diagnosis
S59.031G	Salter-Harris Type III physeal fracture of lower end of ulna, right arm, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S59.031P	Salter-Harris Type III physeal fracture of lower end of ulna, right arm, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S59.031K	Salter-Harris Type III physeal fracture of lower end of ulna, right arm, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S59.031D	Salter-Harris Type III physeal fracture of lower end of ulna, right arm, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S89.032A	Salter-Harris Type III physeal fracture of upper end of left tibia, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S89.032S	Salter-Harris Type III physeal fracture of upper end of left tibia, sequela	ICD-10-CM	Diagnosis
S89.032G	Salter-Harris Type III physeal fracture of upper end of left tibia, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S89.032P	Salter-Harris Type III physeal fracture of upper end of left tibia, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S89.032K	Salter-Harris Type III physeal fracture of upper end of left tibia, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S89.032D	Salter-Harris Type III physeal fracture of upper end of left tibia, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S59.132A	Salter-Harris Type III physeal fracture of upper end of radius, left arm, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S59.132S	Salter-Harris Type III physeal fracture of upper end of radius, left arm, sequela	ICD-10-CM	Diagnosis
S59.132G	Salter-Harris Type III physeal fracture of upper end of radius, left arm, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S59.132P	Salter-Harris Type III physeal fracture of upper end of radius, left arm, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S59.132K	Salter-Harris Type III physeal fracture of upper end of radius, left arm, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S59.132D	Salter-Harris Type III physeal fracture of upper end of radius, left arm, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S59.131A	Salter-Harris Type III physeal fracture of upper end of radius, right arm, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S59.131S	Salter-Harris Type III physeal fracture of upper end of radius, right arm, sequela	ICD-10-CM	Diagnosis
S59.131G	Salter-Harris Type III physeal fracture of upper end of radius, right arm, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S59.131P	Salter-Harris Type III physeal fracture of upper end of radius, right arm, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S59.131K	Salter-Harris Type III physeal fracture of upper end of radius, right arm, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S59.131D	Salter-Harris Type III physeal fracture of upper end of radius, right arm, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S89.031A	Salter-Harris Type III physeal fracture of upper end of right tibia, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S89.031S	Salter-Harris Type III physeal fracture of upper end of right tibia, sequela	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S89.031G	Salter-Harris Type III physeal fracture of upper end of right tibia, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S89.031P	Salter-Harris Type III physeal fracture of upper end of right tibia, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S89.031K	Salter-Harris Type III physeal fracture of upper end of right tibia, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S89.031D	Salter-Harris Type III physeal fracture of upper end of right tibia, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S99.132S	Salter-Harris Type III physeal fracture of left metatarsal, sequela	ICD-10-CM	Diagnosis
S99.131S	Salter-Harris Type III physeal fracture of right metatarsal, sequela	ICD-10-CM	Diagnosis
S99.139S	Salter-Harris Type III physeal fracture of unspecified metatarsal, sequela	ICD-10-CM	Diagnosis
S99.049G	Salter-Harris Type IV physeal fracture of unspecified calcaneus, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S99.049D	Salter-Harris Type IV physeal fracture of unspecified calcaneus, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S49.142A	Salter-Harris Type IV physeal fracture of lower end of humerus, left arm, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S49.142S	Salter-Harris Type IV physeal fracture of lower end of humerus, left arm, sequela	ICD-10-CM	Diagnosis
S49.142G	Salter-Harris Type IV physeal fracture of lower end of humerus, left arm, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S49.142P	Salter-Harris Type IV physeal fracture of lower end of humerus, left arm, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S49.142K	Salter-Harris Type IV physeal fracture of lower end of humerus, left arm, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S49.142D	Salter-Harris Type IV physeal fracture of lower end of humerus, left arm, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S49.141A	Salter-Harris Type IV physeal fracture of lower end of humerus, right arm, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S49.141S	Salter-Harris Type IV physeal fracture of lower end of humerus, right arm, sequela	ICD-10-CM	Diagnosis
S49.141G	Salter-Harris Type IV physeal fracture of lower end of humerus, right arm, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S49.141P	Salter-Harris Type IV physeal fracture of lower end of humerus, right arm, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S49.141K	Salter-Harris Type IV physeal fracture of lower end of humerus, right arm, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S49.141D	Salter-Harris Type IV physeal fracture of lower end of humerus, right arm, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S59.242A	Salter-Harris Type IV physeal fracture of lower end of radius, left arm, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S59.242S	Salter-Harris Type IV physeal fracture of lower end of radius, left arm, sequela	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S59.242G	Salter-Harris Type IV physeal fracture of lower end of radius, left arm, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S59.242P	Salter-Harris Type IV physeal fracture of lower end of radius, left arm, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S59.242K	Salter-Harris Type IV physeal fracture of lower end of radius, left arm, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S59.242D	Salter-Harris Type IV physeal fracture of lower end of radius, left arm, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S59.241A	Salter-Harris Type IV physeal fracture of lower end of radius, right arm, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S59.241S	Salter-Harris Type IV physeal fracture of lower end of radius, right arm, sequela	ICD-10-CM	Diagnosis
S59.241G	Salter-Harris Type IV physeal fracture of lower end of radius, right arm, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S59.241P	Salter-Harris Type IV physeal fracture of lower end of radius, right arm, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S59.241K	Salter-Harris Type IV physeal fracture of lower end of radius, right arm, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S59.241D	Salter-Harris Type IV physeal fracture of lower end of radius, right arm, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S49.149A	Salter-Harris Type IV physeal fracture of lower end of humerus, unspecified arm, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S49.149S	Salter-Harris Type IV physeal fracture of lower end of humerus, unspecified arm, sequela	ICD-10-CM	Diagnosis
S49.149G	Salter-Harris Type IV physeal fracture of lower end of humerus, unspecified arm, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S49.149P	Salter-Harris Type IV physeal fracture of lower end of humerus, unspecified arm, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S49.149K	Salter-Harris Type IV physeal fracture of lower end of humerus, unspecified arm, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S49.149D	Salter-Harris Type IV physeal fracture of lower end of humerus, unspecified arm, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S79.142A	Salter-Harris Type IV physeal fracture of lower end of left femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S79.142S	Salter-Harris Type IV physeal fracture of lower end of left femur, sequela	ICD-10-CM	Diagnosis
S79.142G	Salter-Harris Type IV physeal fracture of lower end of left femur, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S79.142P	Salter-Harris Type IV physeal fracture of lower end of left femur, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S79.142K	Salter-Harris Type IV physeal fracture of lower end of left femur, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S79.142D	Salter-Harris Type IV physeal fracture of lower end of left femur, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis



**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S89.142A	Salter-Harris Type IV physeal fracture of lower end of left tibia, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S89.142S	Salter-Harris Type IV physeal fracture of lower end of left tibia, sequela	ICD-10-CM	Diagnosis
S89.142G	Salter-Harris Type IV physeal fracture of lower end of left tibia, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S89.142P	Salter-Harris Type IV physeal fracture of lower end of left tibia, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S89.142K	Salter-Harris Type IV physeal fracture of lower end of left tibia, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S89.142D	Salter-Harris Type IV physeal fracture of lower end of left tibia, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S59.249A	Salter-Harris Type IV physeal fracture of lower end of radius, unspecified arm, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S59.249S	Salter-Harris Type IV physeal fracture of lower end of radius, unspecified arm, sequela	ICD-10-CM	Diagnosis
S59.249G	Salter-Harris Type IV physeal fracture of lower end of radius, unspecified arm, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S59.249P	Salter-Harris Type IV physeal fracture of lower end of radius, unspecified arm, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S59.249K	Salter-Harris Type IV physeal fracture of lower end of radius, unspecified arm, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S59.249D	Salter-Harris Type IV physeal fracture of lower end of radius, unspecified arm, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S79.141A	Salter-Harris Type IV physeal fracture of lower end of right femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S79.141S	Salter-Harris Type IV physeal fracture of lower end of right femur, sequela	ICD-10-CM	Diagnosis
S79.141G	Salter-Harris Type IV physeal fracture of lower end of right femur, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S79.141P	Salter-Harris Type IV physeal fracture of lower end of right femur, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S79.141K	Salter-Harris Type IV physeal fracture of lower end of right femur, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S79.141D	Salter-Harris Type IV physeal fracture of lower end of right femur, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S89.141K	Salter-Harris Type IV physeal fracture of lower end of right tibia, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S89.141A	Salter-Harris Type IV physeal fracture of lower end of right tibia, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S89.141S	Salter-Harris Type IV physeal fracture of lower end of right tibia, sequela	ICD-10-CM	Diagnosis
S89.141G	Salter-Harris Type IV physeal fracture of lower end of right tibia, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S89.141P	Salter-Harris Type IV physeal fracture of lower end of right tibia, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S89.141D	Salter-Harris Type IV physeal fracture of lower end of right tibia, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S59.042A	Salter-Harris Type IV physeal fracture of lower end of ulna, left arm, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S59.042S	Salter-Harris Type IV physeal fracture of lower end of ulna, left arm, sequela	ICD-10-CM	Diagnosis
S59.042G	Salter-Harris Type IV physeal fracture of lower end of ulna, left arm, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S59.042P	Salter-Harris Type IV physeal fracture of lower end of ulna, left arm, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S59.042K	Salter-Harris Type IV physeal fracture of lower end of ulna, left arm, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S59.042D	Salter-Harris Type IV physeal fracture of lower end of ulna, left arm, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S59.041A	Salter-Harris Type IV physeal fracture of lower end of ulna, right arm, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S59.041S	Salter-Harris Type IV physeal fracture of lower end of ulna, right arm, sequela	ICD-10-CM	Diagnosis
S59.041G	Salter-Harris Type IV physeal fracture of lower end of ulna, right arm, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S59.041P	Salter-Harris Type IV physeal fracture of lower end of ulna, right arm, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S59.041K	Salter-Harris Type IV physeal fracture of lower end of ulna, right arm, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S59.041D	Salter-Harris Type IV physeal fracture of lower end of ulna, right arm, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S79.149A	Salter-Harris Type IV physeal fracture of lower end of unspecified femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S79.149S	Salter-Harris Type IV physeal fracture of lower end of unspecified femur, sequela	ICD-10-CM	Diagnosis
S79.149G	Salter-Harris Type IV physeal fracture of lower end of unspecified femur, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S79.149P	Salter-Harris Type IV physeal fracture of lower end of unspecified femur, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S79.149K	Salter-Harris Type IV physeal fracture of lower end of unspecified femur, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S79.149D	Salter-Harris Type IV physeal fracture of lower end of unspecified femur, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S89.149A	Salter-Harris Type IV physeal fracture of lower end of unspecified tibia, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S89.149S	Salter-Harris Type IV physeal fracture of lower end of unspecified tibia, sequela	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S89.149G	Salter-Harris Type IV physeal fracture of lower end of unspecified tibia, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S89.149P	Salter-Harris Type IV physeal fracture of lower end of unspecified tibia, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S89.149K	Salter-Harris Type IV physeal fracture of lower end of unspecified tibia, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S89.149D	Salter-Harris Type IV physeal fracture of lower end of unspecified tibia, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S49.042A	Salter-Harris Type IV physeal fracture of upper end of humerus, left arm, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S49.042S	Salter-Harris Type IV physeal fracture of upper end of humerus, left arm, sequela	ICD-10-CM	Diagnosis
S49.042G	Salter-Harris Type IV physeal fracture of upper end of humerus, left arm, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S49.042P	Salter-Harris Type IV physeal fracture of upper end of humerus, left arm, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S49.042K	Salter-Harris Type IV physeal fracture of upper end of humerus, left arm, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S49.042D	Salter-Harris Type IV physeal fracture of upper end of humerus, left arm, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S49.041A	Salter-Harris Type IV physeal fracture of upper end of humerus, right arm, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S49.041S	Salter-Harris Type IV physeal fracture of upper end of humerus, right arm, sequela	ICD-10-CM	Diagnosis
S49.041G	Salter-Harris Type IV physeal fracture of upper end of humerus, right arm, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S49.041P	Salter-Harris Type IV physeal fracture of upper end of humerus, right arm, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S49.041K	Salter-Harris Type IV physeal fracture of upper end of humerus, right arm, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S49.041D	Salter-Harris Type IV physeal fracture of upper end of humerus, right arm, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S49.049A	Salter-Harris Type IV physeal fracture of upper end of humerus, unspecified arm, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S49.049S	Salter-Harris Type IV physeal fracture of upper end of humerus, unspecified arm, sequela	ICD-10-CM	Diagnosis
S49.049G	Salter-Harris Type IV physeal fracture of upper end of humerus, unspecified arm, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S49.049P	Salter-Harris Type IV physeal fracture of upper end of humerus, unspecified arm, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S49.049K	Salter-Harris Type IV physeal fracture of upper end of humerus, unspecified arm, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S49.049D	Salter-Harris Type IV physeal fracture of upper end of humerus, unspecified arm, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S89.042A	Salter-Harris Type IV physeal fracture of upper end of left tibia, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S89.042S	Salter-Harris Type IV physeal fracture of upper end of left tibia, sequela	ICD-10-CM	Diagnosis
S89.042G	Salter-Harris Type IV physeal fracture of upper end of left tibia, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S89.042P	Salter-Harris Type IV physeal fracture of upper end of left tibia, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S89.042K	Salter-Harris Type IV physeal fracture of upper end of left tibia, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S89.042D	Salter-Harris Type IV physeal fracture of upper end of left tibia, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S59.142A	Salter-Harris Type IV physeal fracture of upper end of radius, left arm, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S59.142S	Salter-Harris Type IV physeal fracture of upper end of radius, left arm, sequela	ICD-10-CM	Diagnosis
S59.142G	Salter-Harris Type IV physeal fracture of upper end of radius, left arm, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S59.142P	Salter-Harris Type IV physeal fracture of upper end of radius, left arm, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S59.142K	Salter-Harris Type IV physeal fracture of upper end of radius, left arm, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S59.142D	Salter-Harris Type IV physeal fracture of upper end of radius, left arm, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S59.141A	Salter-Harris Type IV physeal fracture of upper end of radius, right arm, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S59.141S	Salter-Harris Type IV physeal fracture of upper end of radius, right arm, sequela	ICD-10-CM	Diagnosis
S59.141G	Salter-Harris Type IV physeal fracture of upper end of radius, right arm, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S59.141P	Salter-Harris Type IV physeal fracture of upper end of radius, right arm, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S59.141K	Salter-Harris Type IV physeal fracture of upper end of radius, right arm, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S59.141D	Salter-Harris Type IV physeal fracture of upper end of radius, right arm, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S59.149A	Salter-Harris Type IV physeal fracture of upper end of radius, unspecified arm, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S59.149S	Salter-Harris Type IV physeal fracture of upper end of radius, unspecified arm, sequela	ICD-10-CM	Diagnosis
S59.149G	Salter-Harris Type IV physeal fracture of upper end of radius, unspecified arm, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S59.149P	Salter-Harris Type IV physeal fracture of upper end of radius, unspecified arm, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S59.149K	Salter-Harris Type IV physeal fracture of upper end of radius, unspecified arm, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S59.149D	Salter-Harris Type IV physeal fracture of upper end of radius, unspecified arm, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S89.041A	Salter-Harris Type IV physeal fracture of upper end of right tibia, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S89.041S	Salter-Harris Type IV physeal fracture of upper end of right tibia, sequela	ICD-10-CM	Diagnosis
S89.041G	Salter-Harris Type IV physeal fracture of upper end of right tibia, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S89.041P	Salter-Harris Type IV physeal fracture of upper end of right tibia, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S89.041K	Salter-Harris Type IV physeal fracture of upper end of right tibia, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S89.041D	Salter-Harris Type IV physeal fracture of upper end of right tibia, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S89.049A	Salter-Harris Type IV physeal fracture of upper end of unspecified tibia, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S89.049S	Salter-Harris Type IV physeal fracture of upper end of unspecified tibia, sequela	ICD-10-CM	Diagnosis
S89.049G	Salter-Harris Type IV physeal fracture of upper end of unspecified tibia, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S89.049P	Salter-Harris Type IV physeal fracture of upper end of unspecified tibia, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S89.049K	Salter-Harris Type IV physeal fracture of upper end of unspecified tibia, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S89.049D	Salter-Harris Type IV physeal fracture of upper end of unspecified tibia, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S99.112S	Salter-Harris Type I physeal fracture of left metatarsal, sequela	ICD-10-CM	Diagnosis
S99.112G	Salter-Harris Type I physeal fracture of left metatarsal, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S99.112D	Salter-Harris Type I physeal fracture of left metatarsal, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S99.112A	Salter-Harris Type I physeal fracture of left metatarsal, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S99.112B	Salter-Harris Type I physeal fracture of left metatarsal, initial encounter for open fracture	ICD-10-CM	Diagnosis
S99.212A	Salter-Harris Type I physeal fracture of phalanx of left toe, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S99.212B	Salter-Harris Type I physeal fracture of phalanx of left toe, initial encounter for open fracture	ICD-10-CM	Diagnosis
S99.212S	Salter-Harris Type I physeal fracture of phalanx of left toe, sequela	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S99.212P	Salter-Harris Type I physeal fracture of phalanx of left toe, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S99.212K	Salter-Harris Type I physeal fracture of phalanx of left toe, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S99.211A	Salter-Harris Type I physeal fracture of phalanx of right toe, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S99.211B	Salter-Harris Type I physeal fracture of phalanx of right toe, initial encounter for open fracture	ICD-10-CM	Diagnosis
S99.211S	Salter-Harris Type I physeal fracture of phalanx of right toe, sequela	ICD-10-CM	Diagnosis
S99.211P	Salter-Harris Type I physeal fracture of phalanx of right toe, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S99.211K	Salter-Harris Type I physeal fracture of phalanx of right toe, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S99.219A	Salter-Harris Type I physeal fracture of phalanx of unspecified toe, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S99.219B	Salter-Harris Type I physeal fracture of phalanx of unspecified toe, initial encounter for open fracture	ICD-10-CM	Diagnosis
S99.219S	Salter-Harris Type I physeal fracture of phalanx of unspecified toe, sequela	ICD-10-CM	Diagnosis
S99.111S	Salter-Harris Type I physeal fracture of right metatarsal, sequela	ICD-10-CM	Diagnosis
S99.111G	Salter-Harris Type I physeal fracture of right metatarsal, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S99.111D	Salter-Harris Type I physeal fracture of right metatarsal, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S99.111A	Salter-Harris Type I physeal fracture of right metatarsal, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S99.111B	Salter-Harris Type I physeal fracture of right metatarsal, initial encounter for open fracture	ICD-10-CM	Diagnosis
S99.119A	Salter-Harris Type I physeal fracture of unspecified metatarsal, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S99.119B	Salter-Harris Type I physeal fracture of unspecified metatarsal, initial encounter for open fracture	ICD-10-CM	Diagnosis
S99.119S	Salter-Harris Type I physeal fracture of unspecified metatarsal, sequela	ICD-10-CM	Diagnosis
S99.119G	Salter-Harris Type I physeal fracture of unspecified metatarsal, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S99.119D	Salter-Harris Type I physeal fracture of unspecified metatarsal, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S99.012S	Salter-Harris Type I physeal fracture of left calcaneus, sequela	ICD-10-CM	Diagnosis
S99.019S	Salter-Harris Type I physeal fracture of unspecified calcaneus, sequela	ICD-10-CM	Diagnosis
S99.019A	Salter-Harris Type I physeal fracture of unspecified calcaneus, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S99.019B	Salter-Harris Type I physeal fracture of unspecified calcaneus, initial encounter for open fracture	ICD-10-CM	Diagnosis
S99.122S	Salter-Harris Type II physeal fracture of left metatarsal, sequela	ICD-10-CM	Diagnosis



**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S99.122G	Salter-Harris Type II physeal fracture of left metatarsal, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S99.122D	Salter-Harris Type II physeal fracture of left metatarsal, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S99.122A	Salter-Harris Type II physeal fracture of left metatarsal, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S99.122B	Salter-Harris Type II physeal fracture of left metatarsal, initial encounter for open fracture	ICD-10-CM	Diagnosis
S99.222A	Salter-Harris Type II physeal fracture of phalanx of left toe, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S99.222B	Salter-Harris Type II physeal fracture of phalanx of left toe, initial encounter for open fracture	ICD-10-CM	Diagnosis
S99.222S	Salter-Harris Type II physeal fracture of phalanx of left toe, sequela	ICD-10-CM	Diagnosis
S99.222G	Salter-Harris Type II physeal fracture of phalanx of left toe, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S99.222D	Salter-Harris Type II physeal fracture of phalanx of left toe, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S99.221A	Salter-Harris Type II physeal fracture of phalanx of right toe, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S99.221B	Salter-Harris Type II physeal fracture of phalanx of right toe, initial encounter for open fracture	ICD-10-CM	Diagnosis
S99.221S	Salter-Harris Type II physeal fracture of phalanx of right toe, sequela	ICD-10-CM	Diagnosis
S99.221G	Salter-Harris Type II physeal fracture of phalanx of right toe, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S99.221D	Salter-Harris Type II physeal fracture of phalanx of right toe, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S99.229A	Salter-Harris Type II physeal fracture of phalanx of unspecified toe, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S99.229B	Salter-Harris Type II physeal fracture of phalanx of unspecified toe, initial encounter for open fracture	ICD-10-CM	Diagnosis
S99.229S	Salter-Harris Type II physeal fracture of phalanx of unspecified toe, sequela	ICD-10-CM	Diagnosis
S99.229G	Salter-Harris Type II physeal fracture of phalanx of unspecified toe, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S99.229D	Salter-Harris Type II physeal fracture of phalanx of unspecified toe, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S99.129A	Salter-Harris Type II physeal fracture of unspecified metatarsal, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S99.129B	Salter-Harris Type II physeal fracture of unspecified metatarsal, initial encounter for open fracture	ICD-10-CM	Diagnosis
S99.129S	Salter-Harris Type II physeal fracture of unspecified metatarsal, sequela	ICD-10-CM	Diagnosis
S99.129G	Salter-Harris Type II physeal fracture of unspecified metatarsal, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S99.129D	Salter-Harris Type II physeal fracture of unspecified metatarsal, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S99.022S	Salter-Harris Type II physeal fracture of left calcaneus, sequela	ICD-10-CM	Diagnosis
S99.029S	Salter-Harris Type II physeal fracture of unspecified calcaneus, sequela	ICD-10-CM	Diagnosis
S99.232S	Salter-Harris Type III physeal fracture of phalanx of left toe, sequela	ICD-10-CM	Diagnosis
S99.232G	Salter-Harris Type III physeal fracture of phalanx of left toe, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S99.232D	Salter-Harris Type III physeal fracture of phalanx of left toe, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S99.231S	Salter-Harris Type III physeal fracture of phalanx of right toe, sequela	ICD-10-CM	Diagnosis
S99.231G	Salter-Harris Type III physeal fracture of phalanx of right toe, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S99.231D	Salter-Harris Type III physeal fracture of phalanx of right toe, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S99.239S	Salter-Harris Type III physeal fracture of phalanx of unspecified toe, sequela	ICD-10-CM	Diagnosis
S99.032S	Salter-Harris Type III physeal fracture of left calcaneus, sequela	ICD-10-CM	Diagnosis
S99.031S	Salter-Harris Type III physeal fracture of right calcaneus, sequela	ICD-10-CM	Diagnosis
S99.039S	Salter-Harris Type III physeal fracture of unspecified calcaneus, sequela	ICD-10-CM	Diagnosis
S99.042S	Salter-Harris Type IV physeal fracture of left calcaneus, sequela	ICD-10-CM	Diagnosis
S99.041S	Salter-Harris Type IV physeal fracture of right calcaneus, sequela	ICD-10-CM	Diagnosis
S99.049S	Salter-Harris Type IV physeal fracture of unspecified calcaneus, sequela	ICD-10-CM	Diagnosis
S99.142S	Salter-Harris Type IV physeal fracture of left metatarsal, sequela	ICD-10-CM	Diagnosis
S99.142G	Salter-Harris Type IV physeal fracture of left metatarsal, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S99.142D	Salter-Harris Type IV physeal fracture of left metatarsal, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S99.042A	Salter-Harris Type IV physeal fracture of left calcaneus, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S99.042B	Salter-Harris Type IV physeal fracture of left calcaneus, initial encounter for open fracture	ICD-10-CM	Diagnosis
S99.042G	Salter-Harris Type IV physeal fracture of left calcaneus, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S99.042P	Salter-Harris Type IV physeal fracture of left calcaneus, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S99.042K	Salter-Harris Type IV physeal fracture of left calcaneus, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S99.042D	Salter-Harris Type IV physeal fracture of left calcaneus, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S99.142A	Salter-Harris Type IV physeal fracture of left metatarsal, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S99.142B	Salter-Harris Type IV physeal fracture of left metatarsal, initial encounter for open fracture	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S99.041A	Salter-Harris Type IV physeal fracture of right calcaneus, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S99.041B	Salter-Harris Type IV physeal fracture of right calcaneus, initial encounter for open fracture	ICD-10-CM	Diagnosis
S99.041G	Salter-Harris Type IV physeal fracture of right calcaneus, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S99.041P	Salter-Harris Type IV physeal fracture of right calcaneus, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S99.041K	Salter-Harris Type IV physeal fracture of right calcaneus, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S99.041D	Salter-Harris Type IV physeal fracture of right calcaneus, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S99.049A	Salter-Harris Type IV physeal fracture of unspecified calcaneus, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S99.049B	Salter-Harris Type IV physeal fracture of unspecified calcaneus, initial encounter for open fracture	ICD-10-CM	Diagnosis
S99.049P	Salter-Harris Type IV physeal fracture of unspecified calcaneus, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S99.049K	Salter-Harris Type IV physeal fracture of unspecified calcaneus, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S99.149A	Salter-Harris Type IV physeal fracture of unspecified metatarsal, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S99.149B	Salter-Harris Type IV physeal fracture of unspecified metatarsal, initial encounter for open fracture	ICD-10-CM	Diagnosis
S99.149S	Salter-Harris Type IV physeal fracture of unspecified metatarsal, sequela	ICD-10-CM	Diagnosis
S99.149G	Salter-Harris Type IV physeal fracture of unspecified metatarsal, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S99.149D	Salter-Harris Type IV physeal fracture of unspecified metatarsal, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S59.239A	Salter-Harris Type III physeal fracture of lower end of radius, unspecified arm, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S59.239S	Salter-Harris Type III physeal fracture of lower end of radius, unspecified arm, sequela	ICD-10-CM	Diagnosis
S59.239G	Salter-Harris Type III physeal fracture of lower end of radius, unspecified arm, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S59.239P	Salter-Harris Type III physeal fracture of lower end of radius, unspecified arm, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S59.239K	Salter-Harris Type III physeal fracture of lower end of radius, unspecified arm, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S59.239D	Salter-Harris Type III physeal fracture of lower end of radius, unspecified arm, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S59.039A	Salter-Harris Type III physeal fracture of lower end of ulna, unspecified arm, initial encounter for closed fracture	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S59.039S	Salter-Harris Type III physeal fracture of lower end of ulna, unspecified arm, sequela	ICD-10-CM	Diagnosis
S59.039G	Salter-Harris Type III physeal fracture of lower end of ulna, unspecified arm, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S59.039P	Salter-Harris Type III physeal fracture of lower end of ulna, unspecified arm, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S59.039K	Salter-Harris Type III physeal fracture of lower end of ulna, unspecified arm, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S59.039D	Salter-Harris Type III physeal fracture of lower end of ulna, unspecified arm, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S59.139A	Salter-Harris Type III physeal fracture of upper end of radius, unspecified arm, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S59.139S	Salter-Harris Type III physeal fracture of upper end of radius, unspecified arm, sequela	ICD-10-CM	Diagnosis
S59.139G	Salter-Harris Type III physeal fracture of upper end of radius, unspecified arm, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S59.139P	Salter-Harris Type III physeal fracture of upper end of radius, unspecified arm, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S59.139K	Salter-Harris Type III physeal fracture of upper end of radius, unspecified arm, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S59.139D	Salter-Harris Type III physeal fracture of upper end of radius, unspecified arm, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S49.131G	Salter-Harris Type III physeal fracture of lower end of humerus, right arm, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S49.131D	Salter-Harris Type III physeal fracture of lower end of humerus, right arm, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S49.139A	Salter-Harris Type III physeal fracture of lower end of humerus, unspecified arm, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S49.139P	Salter-Harris Type III physeal fracture of lower end of humerus, unspecified arm, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S49.139K	Salter-Harris Type III physeal fracture of lower end of humerus, unspecified arm, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S49.032G	Salter-Harris Type III physeal fracture of upper end of humerus, left arm, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S49.032D	Salter-Harris Type III physeal fracture of upper end of humerus, left arm, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S49.031G	Salter-Harris Type III physeal fracture of upper end of humerus, right arm, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S49.031K	Salter-Harris Type III physeal fracture of upper end of humerus, right arm, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S49.031D	Salter-Harris Type III physeal fracture of upper end of humerus, right arm, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S49.039A	Salter-Harris Type III physeal fracture of upper end of humerus, unspecified arm, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S49.039P	Salter-Harris Type III physeal fracture of upper end of humerus, unspecified arm, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S99.012A	Salter-Harris Type I physeal fracture of left calcaneus, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S99.012B	Salter-Harris Type I physeal fracture of left calcaneus, initial encounter for open fracture	ICD-10-CM	Diagnosis
S99.012G	Salter-Harris Type I physeal fracture of left calcaneus, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S99.012D	Salter-Harris Type I physeal fracture of left calcaneus, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S99.011A	Salter-Harris Type I physeal fracture of right calcaneus, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S99.011B	Salter-Harris Type I physeal fracture of right calcaneus, initial encounter for open fracture	ICD-10-CM	Diagnosis
S99.011S	Salter-Harris Type I physeal fracture of right calcaneus, sequela	ICD-10-CM	Diagnosis
S99.011G	Salter-Harris Type I physeal fracture of right calcaneus, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S99.011P	Salter-Harris Type I physeal fracture of right calcaneus, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S99.011K	Salter-Harris Type I physeal fracture of right calcaneus, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S99.011D	Salter-Harris Type I physeal fracture of right calcaneus, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S99.022P	Salter-Harris Type II physeal fracture of left calcaneus, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S99.022K	Salter-Harris Type II physeal fracture of left calcaneus, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S99.021P	Salter-Harris Type II physeal fracture of right calcaneus, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S99.021K	Salter-Harris Type II physeal fracture of right calcaneus, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S99.021A	Salter-Harris Type II physeal fracture of right calcaneus, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S99.021B	Salter-Harris Type II physeal fracture of right calcaneus, initial encounter for open fracture	ICD-10-CM	Diagnosis
S99.021G	Salter-Harris Type II physeal fracture of right calcaneus, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S99.021D	Salter-Harris Type II physeal fracture of right calcaneus, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S99.029P	Salter-Harris Type II physeal fracture of unspecified calcaneus, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S99.029K	Salter-Harris Type II physeal fracture of unspecified calcaneus, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S99.029A	Salter-Harris Type II physeal fracture of unspecified calcaneus, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S99.029B	Salter-Harris Type II physeal fracture of unspecified calcaneus, initial encounter for open fracture	ICD-10-CM	Diagnosis
S99.029G	Salter-Harris Type II physeal fracture of unspecified calcaneus, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S99.029D	Salter-Harris Type II physeal fracture of unspecified calcaneus, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S99.229P	Salter-Harris Type II physeal fracture of phalanx of unspecified toe, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S99.229K	Salter-Harris Type II physeal fracture of phalanx of unspecified toe, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S99.232P	Salter-Harris Type III physeal fracture of phalanx of left toe, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S99.232K	Salter-Harris Type III physeal fracture of phalanx of left toe, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S99.231P	Salter-Harris Type III physeal fracture of phalanx of right toe, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S99.231K	Salter-Harris Type III physeal fracture of phalanx of right toe, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S99.212G	Salter-Harris Type I physeal fracture of phalanx of left toe, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S99.212D	Salter-Harris Type I physeal fracture of phalanx of left toe, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S99.211G	Salter-Harris Type I physeal fracture of phalanx of right toe, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S99.211D	Salter-Harris Type I physeal fracture of phalanx of right toe, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S99.219G	Salter-Harris Type I physeal fracture of phalanx of unspecified toe, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S99.219P	Salter-Harris Type I physeal fracture of phalanx of unspecified toe, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S99.219K	Salter-Harris Type I physeal fracture of phalanx of unspecified toe, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S99.219D	Salter-Harris Type I physeal fracture of phalanx of unspecified toe, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S99.222P	Salter-Harris Type II physeal fracture of phalanx of left toe, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S99.222K	Salter-Harris Type II physeal fracture of phalanx of left toe, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis



**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S99.221P	Salter-Harris Type II physeal fracture of phalanx of right toe, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S99.221K	Salter-Harris Type II physeal fracture of phalanx of right toe, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S99.239P	Salter-Harris Type III physeal fracture of phalanx of unspecified toe, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S99.239K	Salter-Harris Type III physeal fracture of phalanx of unspecified toe, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S32.132A	Severely displaced Zone III fracture of sacrum, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S32.132B	Severely displaced Zone III fracture of sacrum, initial encounter for open fracture	ICD-10-CM	Diagnosis
S32.122K	Severely displaced Zone II fracture of sacrum, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S32.122A	Severely displaced Zone II fracture of sacrum, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S32.122B	Severely displaced Zone II fracture of sacrum, initial encounter for open fracture	ICD-10-CM	Diagnosis
S32.122G	Severely displaced Zone II fracture of sacrum, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S32.122D	Severely displaced Zone II fracture of sacrum, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S32.132G	Severely displaced Zone III fracture of sacrum, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S32.132K	Severely displaced Zone III fracture of sacrum, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S32.132D	Severely displaced Zone III fracture of sacrum, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S32.112S	Severely displaced Zone I fracture of sacrum, sequela	ICD-10-CM	Diagnosis
S32.112K	Severely displaced Zone I fracture of sacrum, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S32.112A	Severely displaced Zone I fracture of sacrum, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S32.112B	Severely displaced Zone I fracture of sacrum, initial encounter for open fracture	ICD-10-CM	Diagnosis
S32.112G	Severely displaced Zone I fracture of sacrum, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S32.112D	Severely displaced Zone I fracture of sacrum, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S32.122S	Severely displaced Zone II fracture of sacrum, sequela	ICD-10-CM	Diagnosis
S32.132S	Severely displaced Zone III fracture of sacrum, sequela	ICD-10-CM	Diagnosis
S99.121G	Salter-Harris Type II physeal fracture of right metatarsal, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S99.141G	Salter-Harris Type IV physeal fracture of right metatarsal, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S99.121B	Salter-Harris Type II physeal fracture of right metatarsal, initial encounter for open fracture	ICD-10-CM	Diagnosis
S99.121D	Salter-Harris Type II physeal fracture of right metatarsal, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S99.121A	Salter-Harris Type II physeal fracture of right metatarsal, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S99.141B	Salter-Harris Type IV physeal fracture of right metatarsal, initial encounter for open fracture	ICD-10-CM	Diagnosis
S99.141D	Salter-Harris Type IV physeal fracture of right metatarsal, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S99.141A	Salter-Harris Type IV physeal fracture of right metatarsal, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S49.132G	Salter-Harris Type III physeal fracture of lower end of humerus, left arm, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S49.132D	Salter-Harris Type III physeal fracture of lower end of humerus, left arm, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S99.241G	Salter-Harris Type IV physeal fracture of phalanx of right toe, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S99.241D	Salter-Harris Type IV physeal fracture of phalanx of right toe, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S99.242G	Salter-Harris Type IV physeal fracture of phalanx of left toe, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S99.242D	Salter-Harris Type IV physeal fracture of phalanx of left toe, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S99.242P	Salter-Harris Type IV physeal fracture of phalanx of left toe, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S99.242B	Salter-Harris Type IV physeal fracture of phalanx of left toe, initial encounter for open fracture	ICD-10-CM	Diagnosis
S99.241A	Salter-Harris Type IV physeal fracture of phalanx of right toe, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S99.241B	Salter-Harris Type IV physeal fracture of phalanx of right toe, initial encounter for open fracture	ICD-10-CM	Diagnosis
S99.241P	Salter-Harris Type IV physeal fracture of phalanx of right toe, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S99.249A	Salter-Harris Type IV physeal fracture of phalanx of unspecified toe, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S99.249B	Salter-Harris Type IV physeal fracture of phalanx of unspecified toe, initial encounter for open fracture	ICD-10-CM	Diagnosis
S99.249G	Salter-Harris Type IV physeal fracture of phalanx of unspecified toe, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S99.249D	Salter-Harris Type IV physeal fracture of phalanx of unspecified toe, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S99.249P	Salter-Harris Type IV physeal fracture of phalanx of unspecified toe, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S99.249K	Salter-Harris Type IV physeal fracture of phalanx of unspecified toe, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S99.241K	Salter-Harris Type IV physeal fracture of phalanx of right toe, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S49.139G	Salter-Harris Type III physeal fracture of lower end of humerus, unspecified arm, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S49.139D	Salter-Harris Type III physeal fracture of lower end of humerus, unspecified arm, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S49.039G	Salter-Harris Type III physeal fracture of upper end of humerus, unspecified arm, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S49.039D	Salter-Harris Type III physeal fracture of upper end of humerus, unspecified arm, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S99.242A	Salter-Harris Type IV physeal fracture of phalanx of left toe, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.542S	Smith's fracture of left radius, sequela	ICD-10-CM	Diagnosis
S52.541S	Smith's fracture of right radius, sequela	ICD-10-CM	Diagnosis
S52.549S	Smith's fracture of unspecified radius, sequela	ICD-10-CM	Diagnosis
S52.542C	Smith's fracture of left radius, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S52.542A	Smith's fracture of left radius, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.542B	Smith's fracture of left radius, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S52.542Q	Smith's fracture of left radius, subsequent encounter for open fracture type I or II with malunion	ICD-10-CM	Diagnosis
S52.542M	Smith's fracture of left radius, subsequent encounter for open fracture type I or II with nonunion	ICD-10-CM	Diagnosis
S52.542E	Smith's fracture of left radius, subsequent encounter for open fracture type I or II with routine healing	ICD-10-CM	Diagnosis
S52.542H	Smith's fracture of left radius, subsequent encounter for open fracture type I or II with delayed healing	ICD-10-CM	Diagnosis
S52.542J	Smith's fracture of left radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD-10-CM	Diagnosis
S52.542R	Smith's fracture of left radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD-10-CM	Diagnosis
S52.542N	Smith's fracture of left radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD-10-CM	Diagnosis
S52.542F	Smith's fracture of left radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S52.542D	Smith's fracture of left radius, subsequent encounter for closed fracture with routine healing	ICD-10-CM	Diagnosis
S52.542G	Smith's fracture of left radius, subsequent encounter for closed fracture with delayed healing	ICD-10-CM	Diagnosis
S52.542P	Smith's fracture of left radius, subsequent encounter for closed fracture with malunion	ICD-10-CM	Diagnosis
S52.542K	Smith's fracture of left radius, subsequent encounter for closed fracture with nonunion	ICD-10-CM	Diagnosis
S52.541C	Smith's fracture of right radius, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S52.541A	Smith's fracture of right radius, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.541B	Smith's fracture of right radius, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S52.541Q	Smith's fracture of right radius, subsequent encounter for open fracture type I or II with malunion	ICD-10-CM	Diagnosis
S52.541M	Smith's fracture of right radius, subsequent encounter for open fracture type I or II with nonunion	ICD-10-CM	Diagnosis
S52.541E	Smith's fracture of right radius, subsequent encounter for open fracture type I or II with routine healing	ICD-10-CM	Diagnosis
S52.541H	Smith's fracture of right radius, subsequent encounter for open fracture type I or II with delayed healing	ICD-10-CM	Diagnosis
S52.541J	Smith's fracture of right radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD-10-CM	Diagnosis
S52.541R	Smith's fracture of right radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD-10-CM	Diagnosis
S52.541N	Smith's fracture of right radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD-10-CM	Diagnosis
S52.541F	Smith's fracture of right radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD-10-CM	Diagnosis
S52.541D	Smith's fracture of right radius, subsequent encounter for closed fracture with routine healing	ICD-10-CM	Diagnosis
S52.541G	Smith's fracture of right radius, subsequent encounter for closed fracture with delayed healing	ICD-10-CM	Diagnosis
S52.541P	Smith's fracture of right radius, subsequent encounter for closed fracture with malunion	ICD-10-CM	Diagnosis
S52.541K	Smith's fracture of right radius, subsequent encounter for closed fracture with nonunion	ICD-10-CM	Diagnosis
S52.549B	Smith's fracture of unspecified radius, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S52.549C	Smith's fracture of unspecified radius, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S52.549A	Smith's fracture of unspecified radius, initial encounter for closed fracture	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S52.549Q	Smith's fracture of unspecified radius, subsequent encounter for open fracture type I or II with malunion	ICD-10-CM	Diagnosis
S52.549M	Smith's fracture of unspecified radius, subsequent encounter for open fracture type I or II with nonunion	ICD-10-CM	Diagnosis
S52.549E	Smith's fracture of unspecified radius, subsequent encounter for open fracture type I or II with routine healing	ICD-10-CM	Diagnosis
S52.549H	Smith's fracture of unspecified radius, subsequent encounter for open fracture type I or II with delayed healing	ICD-10-CM	Diagnosis
S52.549J	Smith's fracture of unspecified radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD-10-CM	Diagnosis
S52.549R	Smith's fracture of unspecified radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD-10-CM	Diagnosis
S52.549N	Smith's fracture of unspecified radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD-10-CM	Diagnosis
S52.549F	Smith's fracture of unspecified radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD-10-CM	Diagnosis
S52.549D	Smith's fracture of unspecified radius, subsequent encounter for closed fracture with routine healing	ICD-10-CM	Diagnosis
S52.549G	Smith's fracture of unspecified radius, subsequent encounter for closed fracture with delayed healing	ICD-10-CM	Diagnosis
S52.549P	Smith's fracture of unspecified radius, subsequent encounter for closed fracture with malunion	ICD-10-CM	Diagnosis
S52.549K	Smith's fracture of unspecified radius, subsequent encounter for closed fracture with nonunion	ICD-10-CM	Diagnosis
S32.011K	Stable burst fracture of first lumbar vertebra, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S32.021K	Stable burst fracture of second lumbar vertebra, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S22.031G	Stable burst fracture of third thoracic vertebra, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S22.031K	Stable burst fracture of third thoracic vertebra, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S22.041G	Stable burst fracture of fourth thoracic vertebra, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S22.041K	Stable burst fracture of fourth thoracic vertebra, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S32.051G	Stable burst fracture of fifth lumbar vertebra, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S32.051K	Stable burst fracture of fifth lumbar vertebra, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S22.001K	Stable burst fracture of unspecified thoracic vertebra, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S32.011S	Stable burst fracture of first lumbar vertebra, sequela	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

Code	Description	Code Type	Code Category
S12.01XS	Stable burst fracture of first cervical vertebra, sequela	ICD-10-CM	Diagnosis
S22.011S	Stable burst fracture of first thoracic vertebra, sequela	ICD-10-CM	Diagnosis
S22.021S	Stable burst fracture of second thoracic vertebra, sequela	ICD-10-CM	Diagnosis
S32.031S	Stable burst fracture of third lumbar vertebra, sequela	ICD-10-CM	Diagnosis
S22.031S	Stable burst fracture of third thoracic vertebra, sequela	ICD-10-CM	Diagnosis
S32.041S	Stable burst fracture of fourth lumbar vertebra, sequela	ICD-10-CM	Diagnosis
S22.041S	Stable burst fracture of fourth thoracic vertebra, sequela	ICD-10-CM	Diagnosis
S32.051S	Stable burst fracture of fifth lumbar vertebra, sequela	ICD-10-CM	Diagnosis
S22.051S	Stable burst fracture of T5-T6 vertebra, sequela	ICD-10-CM	Diagnosis
S22.061S	Stable burst fracture of T7-T8 vertebra, sequela	ICD-10-CM	Diagnosis
S22.071S	Stable burst fracture of T9-T10 vertebra, sequela	ICD-10-CM	Diagnosis
S22.081S	Stable burst fracture of T11-T12 vertebra, sequela	ICD-10-CM	Diagnosis
S32.001S	Stable burst fracture of unspecified lumbar vertebra, sequela	ICD-10-CM	Diagnosis
S22.001S	Stable burst fracture of unspecified thoracic vertebra, sequela	ICD-10-CM	Diagnosis
S12.01XA	Stable burst fracture of first cervical vertebra, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S12.01XB	Stable burst fracture of first cervical vertebra, initial encounter for open fracture	ICD-10-CM	Diagnosis
S12.01XG	Stable burst fracture of first cervical vertebra, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S12.01XK	Stable burst fracture of first cervical vertebra, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S12.01XD	Stable burst fracture of first cervical vertebra, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S32.011G	Stable burst fracture of first lumbar vertebra, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S32.011D	Stable burst fracture of first lumbar vertebra, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S32.011A	Stable burst fracture of first lumbar vertebra, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S32.011B	Stable burst fracture of first lumbar vertebra, initial encounter for open fracture	ICD-10-CM	Diagnosis
S22.011A	Stable burst fracture of first thoracic vertebra, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S22.011B	Stable burst fracture of first thoracic vertebra, initial encounter for open fracture	ICD-10-CM	Diagnosis
S22.011G	Stable burst fracture of first thoracic vertebra, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S22.011K	Stable burst fracture of first thoracic vertebra, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S22.011D	Stable burst fracture of first thoracic vertebra, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis



**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S32.021G	Stable burst fracture of second lumbar vertebra, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S32.021D	Stable burst fracture of second lumbar vertebra, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S32.021A	Stable burst fracture of second lumbar vertebra, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S32.021B	Stable burst fracture of second lumbar vertebra, initial encounter for open fracture	ICD-10-CM	Diagnosis
S32.021S	Stable burst fracture of second lumbar vertebra, sequela	ICD-10-CM	Diagnosis
S22.021A	Stable burst fracture of second thoracic vertebra, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S22.021B	Stable burst fracture of second thoracic vertebra, initial encounter for open fracture	ICD-10-CM	Diagnosis
S22.021G	Stable burst fracture of second thoracic vertebra, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S22.021K	Stable burst fracture of second thoracic vertebra, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S22.021D	Stable burst fracture of second thoracic vertebra, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S32.031G	Stable burst fracture of third lumbar vertebra, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S32.031K	Stable burst fracture of third lumbar vertebra, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S32.031D	Stable burst fracture of third lumbar vertebra, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S32.031A	Stable burst fracture of third lumbar vertebra, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S32.031B	Stable burst fracture of third lumbar vertebra, initial encounter for open fracture	ICD-10-CM	Diagnosis
S22.031A	Stable burst fracture of third thoracic vertebra, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S22.031B	Stable burst fracture of third thoracic vertebra, initial encounter for open fracture	ICD-10-CM	Diagnosis
S22.031D	Stable burst fracture of third thoracic vertebra, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S32.041G	Stable burst fracture of fourth lumbar vertebra, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S32.041K	Stable burst fracture of fourth lumbar vertebra, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S32.041D	Stable burst fracture of fourth lumbar vertebra, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S32.041A	Stable burst fracture of fourth lumbar vertebra, initial encounter for closed fracture	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S32.041B	Stable burst fracture of fourth lumbar vertebra, initial encounter for open fracture	ICD-10-CM	Diagnosis
S22.041A	Stable burst fracture of fourth thoracic vertebra, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S22.041B	Stable burst fracture of fourth thoracic vertebra, initial encounter for open fracture	ICD-10-CM	Diagnosis
S22.041D	Stable burst fracture of fourth thoracic vertebra, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S32.051D	Stable burst fracture of fifth lumbar vertebra, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S32.051A	Stable burst fracture of fifth lumbar vertebra, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S32.051B	Stable burst fracture of fifth lumbar vertebra, initial encounter for open fracture	ICD-10-CM	Diagnosis
S22.081A	Stable burst fracture of T11-T12 vertebra, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S22.081B	Stable burst fracture of T11-T12 vertebra, initial encounter for open fracture	ICD-10-CM	Diagnosis
S22.081G	Stable burst fracture of T11-T12 vertebra, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S22.081K	Stable burst fracture of T11-T12 vertebra, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S22.081D	Stable burst fracture of T11-T12 vertebra, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S22.051A	Stable burst fracture of T5-T6 vertebra, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S22.051B	Stable burst fracture of T5-T6 vertebra, initial encounter for open fracture	ICD-10-CM	Diagnosis
S22.051G	Stable burst fracture of T5-T6 vertebra, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S22.051K	Stable burst fracture of T5-T6 vertebra, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S22.051D	Stable burst fracture of T5-T6 vertebra, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S22.061A	Stable burst fracture of T7-T8 vertebra, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S22.061B	Stable burst fracture of T7-T8 vertebra, initial encounter for open fracture	ICD-10-CM	Diagnosis
S22.061G	Stable burst fracture of T7-T8 vertebra, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S22.061K	Stable burst fracture of T7-T8 vertebra, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S22.061D	Stable burst fracture of T7-T8 vertebra, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S22.071A	Stable burst fracture of T9-T10 vertebra, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S22.071B	Stable burst fracture of T9-T10 vertebra, initial encounter for open fracture	ICD-10-CM	Diagnosis
S22.071G	Stable burst fracture of T9-T10 vertebra, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S22.071K	Stable burst fracture of T9-T10 vertebra, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S22.071D	Stable burst fracture of T9-T10 vertebra, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S32.001G	Stable burst fracture of unspecified lumbar vertebra, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S32.001D	Stable burst fracture of unspecified lumbar vertebra, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S32.001K	Stable burst fracture of unspecified lumbar vertebra, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S32.001A	Stable burst fracture of unspecified lumbar vertebra, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S32.001B	Stable burst fracture of unspecified lumbar vertebra, initial encounter for open fracture	ICD-10-CM	Diagnosis
S22.001A	Stable burst fracture of unspecified thoracic vertebra, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S22.001B	Stable burst fracture of unspecified thoracic vertebra, initial encounter for open fracture	ICD-10-CM	Diagnosis
S22.001G	Stable burst fracture of unspecified thoracic vertebra, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S22.001D	Stable burst fracture of unspecified thoracic vertebra, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S22.23XA	Sternal manubrial dissociation, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S22.23XB	Sternal manubrial dissociation, initial encounter for open fracture	ICD-10-CM	Diagnosis
S22.23XS	Sternal manubrial dissociation, sequela	ICD-10-CM	Diagnosis
S22.23XD	Sternal manubrial dissociation, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
M84.359A	Stress fracture, hip, unspecified, initial encounter for fracture	ICD-10-CM	Diagnosis
M84.359S	Stress fracture, hip, unspecified, sequela	ICD-10-CM	Diagnosis
M84.372S	Stress fracture, left ankle, sequela	ICD-10-CM	Diagnosis
M84.352S	Stress fracture, left femur, sequela	ICD-10-CM	Diagnosis
M84.364S	Stress fracture, left fibula, sequela	ICD-10-CM	Diagnosis
M84.345S	Stress fracture, left finger(s), sequela	ICD-10-CM	Diagnosis
M84.375S	Stress fracture, left foot, sequela	ICD-10-CM	Diagnosis
M84.342S	Stress fracture, left hand, sequela	ICD-10-CM	Diagnosis
M84.322S	Stress fracture, left humerus, sequela	ICD-10-CM	Diagnosis
M84.334S	Stress fracture, left radius, sequela	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
M84.312S	Stress fracture, left shoulder, sequela	ICD-10-CM	Diagnosis
M84.362S	Stress fracture, left tibia, sequela	ICD-10-CM	Diagnosis
M84.378S	Stress fracture, left toe(s), sequela	ICD-10-CM	Diagnosis
M84.332S	Stress fracture, left ulna, sequela	ICD-10-CM	Diagnosis
M84.372A	Stress fracture, left ankle, initial encounter for fracture	ICD-10-CM	Diagnosis
M84.352A	Stress fracture, left femur, initial encounter for fracture	ICD-10-CM	Diagnosis
M84.364A	Stress fracture, left fibula, initial encounter for fracture	ICD-10-CM	Diagnosis
M84.345A	Stress fracture, left finger(s), initial encounter for fracture	ICD-10-CM	Diagnosis
M84.375A	Stress fracture, left foot, initial encounter for fracture	ICD-10-CM	Diagnosis
M84.342A	Stress fracture, left hand, initial encounter for fracture	ICD-10-CM	Diagnosis
M84.322A	Stress fracture, left humerus, initial encounter for fracture	ICD-10-CM	Diagnosis
M84.334A	Stress fracture, left radius, initial encounter for fracture	ICD-10-CM	Diagnosis
M84.312A	Stress fracture, left shoulder, initial encounter for fracture	ICD-10-CM	Diagnosis
M84.362A	Stress fracture, left tibia, initial encounter for fracture	ICD-10-CM	Diagnosis
M84.378A	Stress fracture, left toe(s), initial encounter for fracture	ICD-10-CM	Diagnosis
M84.332A	Stress fracture, left ulna, initial encounter for fracture	ICD-10-CM	Diagnosis
M84.38XA	Stress fracture, other site, initial encounter for fracture	ICD-10-CM	Diagnosis
M84.38XS	Stress fracture, other site, sequela	ICD-10-CM	Diagnosis
M84.350A	Stress fracture, pelvis, initial encounter for fracture	ICD-10-CM	Diagnosis
M84.350S	Stress fracture, pelvis, sequela	ICD-10-CM	Diagnosis
M84.371S	Stress fracture, right ankle, sequela	ICD-10-CM	Diagnosis
M84.351S	Stress fracture, right femur, sequela	ICD-10-CM	Diagnosis
M84.363S	Stress fracture, right fibula, sequela	ICD-10-CM	Diagnosis
M84.344S	Stress fracture, right finger(s), sequela	ICD-10-CM	Diagnosis
M84.374S	Stress fracture, right foot, sequela	ICD-10-CM	Diagnosis
M84.341S	Stress fracture, right hand, sequela	ICD-10-CM	Diagnosis
M84.321S	Stress fracture, right humerus, sequela	ICD-10-CM	Diagnosis
M84.333S	Stress fracture, right radius, sequela	ICD-10-CM	Diagnosis
M84.311S	Stress fracture, right shoulder, sequela	ICD-10-CM	Diagnosis
M84.361S	Stress fracture, right tibia, sequela	ICD-10-CM	Diagnosis
M84.377S	Stress fracture, right toe(s), sequela	ICD-10-CM	Diagnosis
M84.331S	Stress fracture, right ulna, sequela	ICD-10-CM	Diagnosis
M84.371A	Stress fracture, right ankle, initial encounter for fracture	ICD-10-CM	Diagnosis
M84.351A	Stress fracture, right femur, initial encounter for fracture	ICD-10-CM	Diagnosis
M84.363A	Stress fracture, right fibula, initial encounter for fracture	ICD-10-CM	Diagnosis
M84.344A	Stress fracture, right finger(s), initial encounter for fracture	ICD-10-CM	Diagnosis
M84.374A	Stress fracture, right foot, initial encounter for fracture	ICD-10-CM	Diagnosis
M84.341A	Stress fracture, right hand, initial encounter for fracture	ICD-10-CM	Diagnosis
M84.321A	Stress fracture, right humerus, initial encounter for fracture	ICD-10-CM	Diagnosis
M84.333A	Stress fracture, right radius, initial encounter for fracture	ICD-10-CM	Diagnosis
M84.311A	Stress fracture, right shoulder, initial encounter for fracture	ICD-10-CM	Diagnosis
M84.361A	Stress fracture, right tibia, initial encounter for fracture	ICD-10-CM	Diagnosis
M84.377A	Stress fracture, right toe(s), initial encounter for fracture	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
M84.331A	Stress fracture, right ulna, initial encounter for fracture	ICD-10-CM	Diagnosis
M84.373A	Stress fracture, unspecified ankle, initial encounter for fracture	ICD-10-CM	Diagnosis
M84.353A	Stress fracture, unspecified femur, initial encounter for fracture	ICD-10-CM	Diagnosis
M84.346A	Stress fracture, unspecified finger(s), initial encounter for fracture	ICD-10-CM	Diagnosis
M84.376A	Stress fracture, unspecified foot, initial encounter for fracture	ICD-10-CM	Diagnosis
M84.343A	Stress fracture, unspecified hand, initial encounter for fracture	ICD-10-CM	Diagnosis
M84.329A	Stress fracture, unspecified humerus, initial encounter for fracture	ICD-10-CM	Diagnosis
M84.30XA	Stress fracture, unspecified site, initial encounter for fracture	ICD-10-CM	Diagnosis
M84.369S	Stress fracture, unspecified tibia and fibula, sequela	ICD-10-CM	Diagnosis
M84.379A	Stress fracture, unspecified toe(s), initial encounter for fracture	ICD-10-CM	Diagnosis
M84.339S	Stress fracture, unspecified ulna and radius, sequela	ICD-10-CM	Diagnosis
M84.373S	Stress fracture, unspecified ankle, sequela	ICD-10-CM	Diagnosis
M84.353S	Stress fracture, unspecified femur, sequela	ICD-10-CM	Diagnosis
M84.346S	Stress fracture, unspecified finger(s), sequela	ICD-10-CM	Diagnosis
M84.376S	Stress fracture, unspecified foot, sequela	ICD-10-CM	Diagnosis
M84.343S	Stress fracture, unspecified hand, sequela	ICD-10-CM	Diagnosis
M84.329S	Stress fracture, unspecified humerus, sequela	ICD-10-CM	Diagnosis
M84.319S	Stress fracture, unspecified shoulder, sequela	ICD-10-CM	Diagnosis
M84.30XS	Stress fracture, unspecified site, sequela	ICD-10-CM	Diagnosis
M84.379S	Stress fracture, unspecified toe(s), sequela	ICD-10-CM	Diagnosis
M84.359G	Stress fracture, hip, unspecified, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
M84.359P	Stress fracture, hip, unspecified, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
M84.359K	Stress fracture, hip, unspecified, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
M84.359D	Stress fracture, hip, unspecified, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
M84.372G	Stress fracture, left ankle, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
M84.372P	Stress fracture, left ankle, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
M84.372K	Stress fracture, left ankle, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
M84.372D	Stress fracture, left ankle, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
M84.352G	Stress fracture, left femur, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
M84.352P	Stress fracture, left femur, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
M84.352K	Stress fracture, left femur, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
M84.352D	Stress fracture, left femur, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
M84.364G	Stress fracture, left fibula, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
M84.364P	Stress fracture, left fibula, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
M84.364K	Stress fracture, left fibula, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
M84.364D	Stress fracture, left fibula, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
M84.345G	Stress fracture, left finger(s), subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
M84.345P	Stress fracture, left finger(s), subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
M84.345K	Stress fracture, left finger(s), subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
M84.345D	Stress fracture, left finger(s), subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
M84.375G	Stress fracture, left foot, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
M84.375P	Stress fracture, left foot, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
M84.375K	Stress fracture, left foot, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
M84.375D	Stress fracture, left foot, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
M84.342G	Stress fracture, left hand, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
M84.342P	Stress fracture, left hand, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
M84.342K	Stress fracture, left hand, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
M84.342D	Stress fracture, left hand, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
M84.322G	Stress fracture, left humerus, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
M84.322P	Stress fracture, left humerus, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
M84.322K	Stress fracture, left humerus, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
M84.322D	Stress fracture, left humerus, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis



**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
M84.334G	Stress fracture, left radius, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
M84.334P	Stress fracture, left radius, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
M84.334K	Stress fracture, left radius, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
M84.334D	Stress fracture, left radius, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
M84.312G	Stress fracture, left shoulder, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
M84.312P	Stress fracture, left shoulder, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
M84.312K	Stress fracture, left shoulder, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
M84.312D	Stress fracture, left shoulder, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
M84.362G	Stress fracture, left tibia, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
M84.362P	Stress fracture, left tibia, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
M84.362K	Stress fracture, left tibia, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
M84.362D	Stress fracture, left tibia, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
M84.378G	Stress fracture, left toe(s), subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
M84.378P	Stress fracture, left toe(s), subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
M84.378K	Stress fracture, left toe(s), subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
M84.378D	Stress fracture, left toe(s), subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
M84.332G	Stress fracture, left ulna, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
M84.332P	Stress fracture, left ulna, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
M84.332K	Stress fracture, left ulna, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
M84.332D	Stress fracture, left ulna, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
M84.38XG	Stress fracture, other site, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
M84.38XP	Stress fracture, other site, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
M84.38XK	Stress fracture, other site, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
M84.38XD	Stress fracture, other site, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
M84.350G	Stress fracture, pelvis, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
M84.350P	Stress fracture, pelvis, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
M84.350K	Stress fracture, pelvis, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
M84.350D	Stress fracture, pelvis, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
M84.371G	Stress fracture, right ankle, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
M84.371P	Stress fracture, right ankle, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
M84.371K	Stress fracture, right ankle, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
M84.371D	Stress fracture, right ankle, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
M84.351G	Stress fracture, right femur, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
M84.351P	Stress fracture, right femur, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
M84.351K	Stress fracture, right femur, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
M84.351D	Stress fracture, right femur, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
M84.363G	Stress fracture, right fibula, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
M84.363P	Stress fracture, right fibula, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
M84.363K	Stress fracture, right fibula, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
M84.363D	Stress fracture, right fibula, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
M84.344G	Stress fracture, right finger(s), subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
M84.344P	Stress fracture, right finger(s), subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
M84.344K	Stress fracture, right finger(s), subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
M84.344D	Stress fracture, right finger(s), subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
M84.374G	Stress fracture, right foot, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
M84.374P	Stress fracture, right foot, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
M84.374K	Stress fracture, right foot, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
M84.374D	Stress fracture, right foot, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
M84.341G	Stress fracture, right hand, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
M84.341P	Stress fracture, right hand, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
M84.341K	Stress fracture, right hand, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
M84.341D	Stress fracture, right hand, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
M84.321G	Stress fracture, right humerus, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
M84.321P	Stress fracture, right humerus, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
M84.321K	Stress fracture, right humerus, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
M84.321D	Stress fracture, right humerus, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
M84.333G	Stress fracture, right radius, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
M84.333P	Stress fracture, right radius, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
M84.333K	Stress fracture, right radius, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
M84.333D	Stress fracture, right radius, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
M84.311G	Stress fracture, right shoulder, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
M84.311P	Stress fracture, right shoulder, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
M84.311K	Stress fracture, right shoulder, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
M84.311D	Stress fracture, right shoulder, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
M84.361G	Stress fracture, right tibia, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
M84.361P	Stress fracture, right tibia, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
M84.361K	Stress fracture, right tibia, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
M84.361D	Stress fracture, right tibia, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
M84.377G	Stress fracture, right toe(s), subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
M84.377P	Stress fracture, right toe(s), subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
M84.377K	Stress fracture, right toe(s), subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
M84.377D	Stress fracture, right toe(s), subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
M84.331G	Stress fracture, right ulna, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
M84.331P	Stress fracture, right ulna, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
M84.331K	Stress fracture, right ulna, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
M84.331D	Stress fracture, right ulna, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
M84.373G	Stress fracture, unspecified ankle, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
M84.373P	Stress fracture, unspecified ankle, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
M84.373K	Stress fracture, unspecified ankle, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
M84.373D	Stress fracture, unspecified ankle, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
M84.353G	Stress fracture, unspecified femur, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
M84.353P	Stress fracture, unspecified femur, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
M84.353K	Stress fracture, unspecified femur, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
M84.353D	Stress fracture, unspecified femur, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
M84.346G	Stress fracture, unspecified finger(s), subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
M84.346P	Stress fracture, unspecified finger(s), subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
M84.346K	Stress fracture, unspecified finger(s), subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
M84.346D	Stress fracture, unspecified finger(s), subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
M84.376G	Stress fracture, unspecified foot, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
M84.376P	Stress fracture, unspecified foot, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
M84.376K	Stress fracture, unspecified foot, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
M84.376D	Stress fracture, unspecified foot, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
M84.343G	Stress fracture, unspecified hand, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
M84.343P	Stress fracture, unspecified hand, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
M84.343K	Stress fracture, unspecified hand, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
M84.343D	Stress fracture, unspecified hand, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
M84.329G	Stress fracture, unspecified humerus, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
M84.329P	Stress fracture, unspecified humerus, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
M84.329K	Stress fracture, unspecified humerus, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
M84.329D	Stress fracture, unspecified humerus, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
M84.319G	Stress fracture, unspecified shoulder, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
M84.319P	Stress fracture, unspecified shoulder, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
M84.319K	Stress fracture, unspecified shoulder, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
M84.319A	Stress fracture, unspecified shoulder, initial encounter for fracture	ICD-10-CM	Diagnosis
M84.319D	Stress fracture, unspecified shoulder, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
M84.30XG	Stress fracture, unspecified site, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
M84.30XP	Stress fracture, unspecified site, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
M84.30XK	Stress fracture, unspecified site, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
M84.30XD	Stress fracture, unspecified site, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
M84.369A	Stress fracture, unspecified tibia and fibula, initial encounter for fracture	ICD-10-CM	Diagnosis
M84.369D	Stress fracture, unspecified tibia and fibula, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
M84.369G	Stress fracture, unspecified tibia and fibula, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
M84.369P	Stress fracture, unspecified tibia and fibula, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
M84.369K	Stress fracture, unspecified tibia and fibula, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
M84.379G	Stress fracture, unspecified toe(s), subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
M84.379P	Stress fracture, unspecified toe(s), subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
M84.379K	Stress fracture, unspecified toe(s), subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
M84.379D	Stress fracture, unspecified toe(s), subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
M84.339A	Stress fracture, unspecified ulna and radius, initial encounter for fracture	ICD-10-CM	Diagnosis
M84.339D	Stress fracture, unspecified ulna and radius, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
M84.339G	Stress fracture, unspecified ulna and radius, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
M84.339P	Stress fracture, unspecified ulna and radius, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
M84.339K	Stress fracture, unspecified ulna and radius, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S22.23XG	Sternal manubrial dissociation, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S22.23XK	Sternal manubrial dissociation, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S63.217D	Subluxation of metacarpophalangeal joint of left little finger, subsequent encounter	ICD-10-CM	Diagnosis
S13.110A	Subluxation of C0/C1 cervical vertebrae, initial encounter	ICD-10-CM	Diagnosis
S13.110D	Subluxation of C0/C1 cervical vertebrae, subsequent encounter	ICD-10-CM	Diagnosis
S13.120D	Subluxation of C1/C2 cervical vertebrae, subsequent encounter	ICD-10-CM	Diagnosis
S13.120A	Subluxation of C1/C2 cervical vertebrae, initial encounter	ICD-10-CM	Diagnosis
S13.130A	Subluxation of C2/C3 cervical vertebrae, initial encounter	ICD-10-CM	Diagnosis
S13.130D	Subluxation of C2/C3 cervical vertebrae, subsequent encounter	ICD-10-CM	Diagnosis
S13.140A	Subluxation of C3/C4 cervical vertebrae, initial encounter	ICD-10-CM	Diagnosis



**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S13.140D	Subluxation of C3/C4 cervical vertebrae, subsequent encounter	ICD-10-CM	Diagnosis
S13.150A	Subluxation of C4/C5 cervical vertebrae, initial encounter	ICD-10-CM	Diagnosis
S13.150D	Subluxation of C4/C5 cervical vertebrae, subsequent encounter	ICD-10-CM	Diagnosis
S13.160A	Subluxation of C5/C6 cervical vertebrae, initial encounter	ICD-10-CM	Diagnosis
S13.160D	Subluxation of C5/C6 cervical vertebrae, subsequent encounter	ICD-10-CM	Diagnosis
S13.170A	Subluxation of C6/C7 cervical vertebrae, initial encounter	ICD-10-CM	Diagnosis
S13.170D	Subluxation of C6/C7 cervical vertebrae, subsequent encounter	ICD-10-CM	Diagnosis
S13.180A	Subluxation of C7/T1 cervical vertebrae, initial encounter	ICD-10-CM	Diagnosis
S13.180D	Subluxation of C7/T1 cervical vertebrae, subsequent encounter	ICD-10-CM	Diagnosis
S63.042S	Subluxation of carpometacarpal joint of left thumb, sequela	ICD-10-CM	Diagnosis
S63.042A	Subluxation of carpometacarpal joint of left thumb, initial encounter	ICD-10-CM	Diagnosis
S63.042D	Subluxation of carpometacarpal joint of left thumb, subsequent encounter	ICD-10-CM	Diagnosis
S63.041S	Subluxation of carpometacarpal joint of right thumb, sequela	ICD-10-CM	Diagnosis
S63.041A	Subluxation of carpometacarpal joint of right thumb, initial encounter	ICD-10-CM	Diagnosis
S63.041D	Subluxation of carpometacarpal joint of right thumb, subsequent encounter	ICD-10-CM	Diagnosis
S63.043D	Subluxation of carpometacarpal joint of unspecified thumb, subsequent encounter	ICD-10-CM	Diagnosis
S63.043A	Subluxation of carpometacarpal joint of unspecified thumb, initial encounter	ICD-10-CM	Diagnosis
S63.043S	Subluxation of carpometacarpal joint of unspecified thumb, sequela	ICD-10-CM	Diagnosis
M99.19	Subluxation complex (vertebral) of abdomen and other regions	ICD-10-CM	Diagnosis
M99.11	Subluxation complex (vertebral) of cervical region	ICD-10-CM	Diagnosis
M99.10	Subluxation complex (vertebral) of head region	ICD-10-CM	Diagnosis
M99.16	Subluxation complex (vertebral) of lower extremity	ICD-10-CM	Diagnosis
M99.13	Subluxation complex (vertebral) of lumbar region	ICD-10-CM	Diagnosis
M99.15	Subluxation complex (vertebral) of pelvic region	ICD-10-CM	Diagnosis
M99.18	Subluxation complex (vertebral) of rib cage	ICD-10-CM	Diagnosis
M99.14	Subluxation complex (vertebral) of sacral region	ICD-10-CM	Diagnosis
M99.12	Subluxation complex (vertebral) of thoracic region	ICD-10-CM	Diagnosis
M99.17	Subluxation complex (vertebral) of upper extremity	ICD-10-CM	Diagnosis
S63.072A	Subluxation of distal end of left ulna, initial encounter	ICD-10-CM	Diagnosis
S63.072D	Subluxation of distal end of left ulna, subsequent encounter	ICD-10-CM	Diagnosis
S63.071A	Subluxation of distal end of right ulna, initial encounter	ICD-10-CM	Diagnosis
S63.071D	Subluxation of distal end of right ulna, subsequent encounter	ICD-10-CM	Diagnosis
S63.073A	Subluxation of distal end of unspecified ulna, initial encounter	ICD-10-CM	Diagnosis
S63.073S	Subluxation of distal end of unspecified ulna, sequela	ICD-10-CM	Diagnosis
S63.241A	Subluxation of distal interphalangeal joint of left index finger, initial encounter	ICD-10-CM	Diagnosis
S63.241S	Subluxation of distal interphalangeal joint of left index finger, sequela	ICD-10-CM	Diagnosis
S63.241D	Subluxation of distal interphalangeal joint of left index finger, subsequent encounter	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S63.247A	Subluxation of distal interphalangeal joint of left little finger, initial encounter	ICD-10-CM	Diagnosis
S63.247S	Subluxation of distal interphalangeal joint of left little finger, sequela	ICD-10-CM	Diagnosis
S63.247D	Subluxation of distal interphalangeal joint of left little finger, subsequent encounter	ICD-10-CM	Diagnosis
S63.243S	Subluxation of distal interphalangeal joint of left middle finger, sequela	ICD-10-CM	Diagnosis
S63.243D	Subluxation of distal interphalangeal joint of left middle finger, subsequent encounter	ICD-10-CM	Diagnosis
S63.243A	Subluxation of distal interphalangeal joint of left middle finger, initial encounter	ICD-10-CM	Diagnosis
S63.245A	Subluxation of distal interphalangeal joint of left ring finger, initial encounter	ICD-10-CM	Diagnosis
S63.245S	Subluxation of distal interphalangeal joint of left ring finger, sequela	ICD-10-CM	Diagnosis
S63.245D	Subluxation of distal interphalangeal joint of left ring finger, subsequent encounter	ICD-10-CM	Diagnosis
S63.142A	Subluxation of distal interphalangeal joint of left thumb, initial encounter	ICD-10-CM	Diagnosis
S63.142S	Subluxation of distal interphalangeal joint of left thumb, sequela	ICD-10-CM	Diagnosis
S63.142D	Subluxation of distal interphalangeal joint of left thumb, subsequent encounter	ICD-10-CM	Diagnosis
S63.248A	Subluxation of distal interphalangeal joint of other finger, initial encounter	ICD-10-CM	Diagnosis
S63.248S	Subluxation of distal interphalangeal joint of other finger, sequela	ICD-10-CM	Diagnosis
S63.248D	Subluxation of distal interphalangeal joint of other finger, subsequent encounter	ICD-10-CM	Diagnosis
S63.240A	Subluxation of distal interphalangeal joint of right index finger, initial encounter	ICD-10-CM	Diagnosis
S63.240S	Subluxation of distal interphalangeal joint of right index finger, sequela	ICD-10-CM	Diagnosis
S63.240D	Subluxation of distal interphalangeal joint of right index finger, subsequent encounter	ICD-10-CM	Diagnosis
S63.246A	Subluxation of distal interphalangeal joint of right little finger, initial encounter	ICD-10-CM	Diagnosis
S63.246S	Subluxation of distal interphalangeal joint of right little finger, sequela	ICD-10-CM	Diagnosis
S63.246D	Subluxation of distal interphalangeal joint of right little finger, subsequent encounter	ICD-10-CM	Diagnosis
S63.242A	Subluxation of distal interphalangeal joint of right middle finger, initial encounter	ICD-10-CM	Diagnosis
S63.242S	Subluxation of distal interphalangeal joint of right middle finger, sequela	ICD-10-CM	Diagnosis
S63.242D	Subluxation of distal interphalangeal joint of right middle finger, subsequent encounter	ICD-10-CM	Diagnosis
S63.244A	Subluxation of distal interphalangeal joint of right ring finger, initial encounter	ICD-10-CM	Diagnosis
S63.244S	Subluxation of distal interphalangeal joint of right ring finger, sequela	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S63.244D	Subluxation of distal interphalangeal joint of right ring finger, subsequent encounter	ICD-10-CM	Diagnosis
S63.141A	Subluxation of distal interphalangeal joint of right thumb, initial encounter	ICD-10-CM	Diagnosis
S63.141S	Subluxation of distal interphalangeal joint of right thumb, sequela	ICD-10-CM	Diagnosis
S63.141D	Subluxation of distal interphalangeal joint of right thumb, subsequent encounter	ICD-10-CM	Diagnosis
S63.249A	Subluxation of distal interphalangeal joint of unspecified finger, initial encounter	ICD-10-CM	Diagnosis
S63.249S	Subluxation of distal interphalangeal joint of unspecified finger, sequela	ICD-10-CM	Diagnosis
S63.249D	Subluxation of distal interphalangeal joint of unspecified finger, subsequent encounter	ICD-10-CM	Diagnosis
S63.143A	Subluxation of distal interphalangeal joint of unspecified thumb, initial encounter	ICD-10-CM	Diagnosis
S63.143S	Subluxation of distal interphalangeal joint of unspecified thumb, sequela	ICD-10-CM	Diagnosis
S63.143D	Subluxation of distal interphalangeal joint of unspecified thumb, subsequent encounter	ICD-10-CM	Diagnosis
S63.012A	Subluxation of distal radioulnar joint of left wrist, initial encounter	ICD-10-CM	Diagnosis
S63.011A	Subluxation of distal radioulnar joint of right wrist, initial encounter	ICD-10-CM	Diagnosis
S63.013A	Subluxation of distal radioulnar joint of unspecified wrist, initial encounter	ICD-10-CM	Diagnosis
S63.013S	Subluxation of distal radioulnar joint of unspecified wrist, sequela	ICD-10-CM	Diagnosis
S63.013D	Subluxation of distal radioulnar joint of unspecified wrist, subsequent encounter	ICD-10-CM	Diagnosis
S63.012S	Subluxation of distal radioulnar joint of left wrist, sequela	ICD-10-CM	Diagnosis
S63.012D	Subluxation of distal radioulnar joint of left wrist, subsequent encounter	ICD-10-CM	Diagnosis
S63.011S	Subluxation of distal radioulnar joint of right wrist, sequela	ICD-10-CM	Diagnosis
S63.011D	Subluxation of distal radioulnar joint of right wrist, subsequent encounter	ICD-10-CM	Diagnosis
S63.073D	Subluxation of distal end of unspecified ulna, subsequent encounter	ICD-10-CM	Diagnosis
S63.122S	Subluxation of interphalangeal joint of left thumb, sequela	ICD-10-CM	Diagnosis
S63.122A	Subluxation of interphalangeal joint of left thumb, initial encounter	ICD-10-CM	Diagnosis
S63.122D	Subluxation of interphalangeal joint of left thumb, subsequent encounter	ICD-10-CM	Diagnosis
S63.121A	Subluxation of interphalangeal joint of right thumb, initial encounter	ICD-10-CM	Diagnosis
S63.121S	Subluxation of interphalangeal joint of right thumb, sequela	ICD-10-CM	Diagnosis
S63.121D	Subluxation of interphalangeal joint of right thumb, subsequent encounter	ICD-10-CM	Diagnosis
S63.123A	Subluxation of interphalangeal joint of unspecified thumb, initial encounter	ICD-10-CM	Diagnosis
S63.123S	Subluxation of interphalangeal joint of unspecified thumb, sequela	ICD-10-CM	Diagnosis
S63.123D	Subluxation of interphalangeal joint of unspecified thumb, subsequent encounter	ICD-10-CM	Diagnosis
S93.132A	Subluxation of interphalangeal joint of left great toe, initial encounter	ICD-10-CM	Diagnosis
S93.132S	Subluxation of interphalangeal joint of left great toe, sequela	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S93.132D	Subluxation of interphalangeal joint of left great toe, subsequent encounter	ICD-10-CM	Diagnosis
S93.135A	Subluxation of interphalangeal joint of left lesser toe(s), initial encounter	ICD-10-CM	Diagnosis
S93.135S	Subluxation of interphalangeal joint of left lesser toe(s), sequela	ICD-10-CM	Diagnosis
S93.135D	Subluxation of interphalangeal joint of left lesser toe(s), subsequent encounter	ICD-10-CM	Diagnosis
S93.131A	Subluxation of interphalangeal joint of right great toe, initial encounter	ICD-10-CM	Diagnosis
S93.131S	Subluxation of interphalangeal joint of right great toe, sequela	ICD-10-CM	Diagnosis
S93.131D	Subluxation of interphalangeal joint of right great toe, subsequent encounter	ICD-10-CM	Diagnosis
S93.134A	Subluxation of interphalangeal joint of right lesser toe(s), initial encounter	ICD-10-CM	Diagnosis
S93.134S	Subluxation of interphalangeal joint of right lesser toe(s), sequela	ICD-10-CM	Diagnosis
S93.134D	Subluxation of interphalangeal joint of right lesser toe(s), subsequent encounter	ICD-10-CM	Diagnosis
S93.133A	Subluxation of interphalangeal joint of unspecified great toe, initial encounter	ICD-10-CM	Diagnosis
S93.133S	Subluxation of interphalangeal joint of unspecified great toe, sequela	ICD-10-CM	Diagnosis
S93.133D	Subluxation of interphalangeal joint of unspecified great toe, subsequent encounter	ICD-10-CM	Diagnosis
S93.136A	Subluxation of interphalangeal joint of unspecified lesser toe(s), initial encounter	ICD-10-CM	Diagnosis
S93.136S	Subluxation of interphalangeal joint of unspecified lesser toe(s), sequela	ICD-10-CM	Diagnosis
S93.136D	Subluxation of interphalangeal joint of unspecified lesser toe(s), subsequent encounter	ICD-10-CM	Diagnosis
S93.139A	Subluxation of interphalangeal joint of unspecified toe(s), initial encounter	ICD-10-CM	Diagnosis
S93.139S	Subluxation of interphalangeal joint of unspecified toe(s), sequela	ICD-10-CM	Diagnosis
S93.139D	Subluxation of interphalangeal joint of unspecified toe(s), subsequent encounter	ICD-10-CM	Diagnosis
S33.110A	Subluxation of L1/L2 lumbar vertebra, initial encounter	ICD-10-CM	Diagnosis
S33.110S	Subluxation of L1/L2 lumbar vertebra, sequela	ICD-10-CM	Diagnosis
S33.110D	Subluxation of L1/L2 lumbar vertebra, subsequent encounter	ICD-10-CM	Diagnosis
S33.120A	Subluxation of L2/L3 lumbar vertebra, initial encounter	ICD-10-CM	Diagnosis
S33.120S	Subluxation of L2/L3 lumbar vertebra, sequela	ICD-10-CM	Diagnosis
S33.120D	Subluxation of L2/L3 lumbar vertebra, subsequent encounter	ICD-10-CM	Diagnosis
S33.130A	Subluxation of L3/L4 lumbar vertebra, initial encounter	ICD-10-CM	Diagnosis
S33.130S	Subluxation of L3/L4 lumbar vertebra, sequela	ICD-10-CM	Diagnosis
S33.130D	Subluxation of L3/L4 lumbar vertebra, subsequent encounter	ICD-10-CM	Diagnosis
S33.140A	Subluxation of L4/L5 lumbar vertebra, initial encounter	ICD-10-CM	Diagnosis
S33.140S	Subluxation of L4/L5 lumbar vertebra, sequela	ICD-10-CM	Diagnosis
S33.140D	Subluxation of L4/L5 lumbar vertebra, subsequent encounter	ICD-10-CM	Diagnosis
S93.02XA	Subluxation of left ankle joint, initial encounter	ICD-10-CM	Diagnosis
S93.02XD	Subluxation of left ankle joint, subsequent encounter	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S63.211A	Subluxation of metacarpophalangeal joint of left index finger, initial encounter	ICD-10-CM	Diagnosis
S63.211S	Subluxation of metacarpophalangeal joint of left index finger, sequela	ICD-10-CM	Diagnosis
S63.211D	Subluxation of metacarpophalangeal joint of left index finger, subsequent encounter	ICD-10-CM	Diagnosis
S63.217A	Subluxation of metacarpophalangeal joint of left little finger, initial encounter	ICD-10-CM	Diagnosis
S63.217S	Subluxation of metacarpophalangeal joint of left little finger, sequela	ICD-10-CM	Diagnosis
S63.213A	Subluxation of metacarpophalangeal joint of left middle finger, initial encounter	ICD-10-CM	Diagnosis
S63.213D	Subluxation of metacarpophalangeal joint of left middle finger, subsequent encounter	ICD-10-CM	Diagnosis
S63.213S	Subluxation of metacarpophalangeal joint of left middle finger, sequela	ICD-10-CM	Diagnosis
S63.215A	Subluxation of metacarpophalangeal joint of left ring finger, initial encounter	ICD-10-CM	Diagnosis
S63.215S	Subluxation of metacarpophalangeal joint of left ring finger, sequela	ICD-10-CM	Diagnosis
S63.215D	Subluxation of metacarpophalangeal joint of left ring finger, subsequent encounter	ICD-10-CM	Diagnosis
S63.112A	Subluxation of metacarpophalangeal joint of left thumb, initial encounter	ICD-10-CM	Diagnosis
S63.112S	Subluxation of metacarpophalangeal joint of left thumb, sequela	ICD-10-CM	Diagnosis
S63.112D	Subluxation of metacarpophalangeal joint of left thumb, subsequent encounter	ICD-10-CM	Diagnosis
S63.218A	Subluxation of metacarpophalangeal joint of other finger, initial encounter	ICD-10-CM	Diagnosis
S63.218S	Subluxation of metacarpophalangeal joint of other finger, sequela	ICD-10-CM	Diagnosis
S63.218D	Subluxation of metacarpophalangeal joint of other finger, subsequent encounter	ICD-10-CM	Diagnosis
S63.210A	Subluxation of metacarpophalangeal joint of right index finger, initial encounter	ICD-10-CM	Diagnosis
S63.210S	Subluxation of metacarpophalangeal joint of right index finger, sequela	ICD-10-CM	Diagnosis
S63.210D	Subluxation of metacarpophalangeal joint of right index finger, subsequent encounter	ICD-10-CM	Diagnosis
S63.216A	Subluxation of metacarpophalangeal joint of right little finger, initial encounter	ICD-10-CM	Diagnosis
S63.216S	Subluxation of metacarpophalangeal joint of right little finger, sequela	ICD-10-CM	Diagnosis
S63.216D	Subluxation of metacarpophalangeal joint of right little finger, subsequent encounter	ICD-10-CM	Diagnosis
S63.212A	Subluxation of metacarpophalangeal joint of right middle finger, initial encounter	ICD-10-CM	Diagnosis
S63.212D	Subluxation of metacarpophalangeal joint of right middle finger, subsequent encounter	ICD-10-CM	Diagnosis
S63.212S	Subluxation of metacarpophalangeal joint of right middle finger, sequela	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S63.214A	Subluxation of metacarpophalangeal joint of right ring finger, initial encounter	ICD-10-CM	Diagnosis
S63.214S	Subluxation of metacarpophalangeal joint of right ring finger, sequela	ICD-10-CM	Diagnosis
S63.214D	Subluxation of metacarpophalangeal joint of right ring finger, subsequent encounter	ICD-10-CM	Diagnosis
S63.111A	Subluxation of metacarpophalangeal joint of right thumb, initial encounter	ICD-10-CM	Diagnosis
S63.111S	Subluxation of metacarpophalangeal joint of right thumb, sequela	ICD-10-CM	Diagnosis
S63.111D	Subluxation of metacarpophalangeal joint of right thumb, subsequent encounter	ICD-10-CM	Diagnosis
S63.219A	Subluxation of metacarpophalangeal joint of unspecified finger, initial encounter	ICD-10-CM	Diagnosis
S63.219S	Subluxation of metacarpophalangeal joint of unspecified finger, sequela	ICD-10-CM	Diagnosis
S63.219D	Subluxation of metacarpophalangeal joint of unspecified finger, subsequent encounter	ICD-10-CM	Diagnosis
S63.113A	Subluxation of metacarpophalangeal joint of unspecified thumb, initial encounter	ICD-10-CM	Diagnosis
S63.113S	Subluxation of metacarpophalangeal joint of unspecified thumb, sequela	ICD-10-CM	Diagnosis
S63.113D	Subluxation of metacarpophalangeal joint of unspecified thumb, subsequent encounter	ICD-10-CM	Diagnosis
S63.062A	Subluxation of metacarpal (bone), proximal end of left hand, initial encounter	ICD-10-CM	Diagnosis
S63.062S	Subluxation of metacarpal (bone), proximal end of left hand, sequela	ICD-10-CM	Diagnosis
S63.062D	Subluxation of metacarpal (bone), proximal end of left hand, subsequent encounter	ICD-10-CM	Diagnosis
S63.061A	Subluxation of metacarpal (bone), proximal end of right hand, initial encounter	ICD-10-CM	Diagnosis
S63.061S	Subluxation of metacarpal (bone), proximal end of right hand, sequela	ICD-10-CM	Diagnosis
S63.061D	Subluxation of metacarpal (bone), proximal end of right hand, subsequent encounter	ICD-10-CM	Diagnosis
S63.063A	Subluxation of metacarpal (bone), proximal end of unspecified hand, initial encounter	ICD-10-CM	Diagnosis
S63.063S	Subluxation of metacarpal (bone), proximal end of unspecified hand, sequela	ICD-10-CM	Diagnosis
S63.063D	Subluxation of metacarpal (bone), proximal end of unspecified hand, subsequent encounter	ICD-10-CM	Diagnosis
S63.032S	Subluxation of midcarpal joint of left wrist, sequela	ICD-10-CM	Diagnosis
S63.032A	Subluxation of midcarpal joint of left wrist, initial encounter	ICD-10-CM	Diagnosis
S63.032D	Subluxation of midcarpal joint of left wrist, subsequent encounter	ICD-10-CM	Diagnosis
S63.031S	Subluxation of midcarpal joint of right wrist, sequela	ICD-10-CM	Diagnosis
S63.031A	Subluxation of midcarpal joint of right wrist, initial encounter	ICD-10-CM	Diagnosis
S63.031D	Subluxation of midcarpal joint of right wrist, subsequent encounter	ICD-10-CM	Diagnosis
S63.033A	Subluxation of midcarpal joint of unspecified wrist, initial encounter	ICD-10-CM	Diagnosis



**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S63.033S	Subluxation of midcarpal joint of unspecified wrist, sequela	ICD-10-CM	Diagnosis
S63.033D	Subluxation of midcarpal joint of unspecified wrist, subsequent encounter	ICD-10-CM	Diagnosis
S93.142A	Subluxation of metatarsophalangeal joint of left great toe, initial encounter	ICD-10-CM	Diagnosis
S93.142S	Subluxation of metatarsophalangeal joint of left great toe, sequela	ICD-10-CM	Diagnosis
S93.142D	Subluxation of metatarsophalangeal joint of left great toe, subsequent encounter	ICD-10-CM	Diagnosis
S93.145A	Subluxation of metatarsophalangeal joint of left lesser toe(s), initial encounter	ICD-10-CM	Diagnosis
S93.145S	Subluxation of metatarsophalangeal joint of left lesser toe(s), sequela	ICD-10-CM	Diagnosis
S93.145D	Subluxation of metatarsophalangeal joint of left lesser toe(s), subsequent encounter	ICD-10-CM	Diagnosis
S93.141A	Subluxation of metatarsophalangeal joint of right great toe, initial encounter	ICD-10-CM	Diagnosis
S93.141S	Subluxation of metatarsophalangeal joint of right great toe, sequela	ICD-10-CM	Diagnosis
S93.141D	Subluxation of metatarsophalangeal joint of right great toe, subsequent encounter	ICD-10-CM	Diagnosis
S93.144A	Subluxation of metatarsophalangeal joint of right lesser toe(s), initial encounter	ICD-10-CM	Diagnosis
S93.144S	Subluxation of metatarsophalangeal joint of right lesser toe(s), sequela	ICD-10-CM	Diagnosis
S93.144D	Subluxation of metatarsophalangeal joint of right lesser toe(s), subsequent encounter	ICD-10-CM	Diagnosis
S93.143A	Subluxation of metatarsophalangeal joint of unspecified great toe, initial encounter	ICD-10-CM	Diagnosis
S93.143S	Subluxation of metatarsophalangeal joint of unspecified great toe, sequela	ICD-10-CM	Diagnosis
S93.143D	Subluxation of metatarsophalangeal joint of unspecified great toe, subsequent encounter	ICD-10-CM	Diagnosis
S93.146A	Subluxation of metatarsophalangeal joint of unspecified lesser toe(s), initial encounter	ICD-10-CM	Diagnosis
S93.146S	Subluxation of metatarsophalangeal joint of unspecified lesser toe(s), sequela	ICD-10-CM	Diagnosis
S93.146D	Subluxation of metatarsophalangeal joint of unspecified lesser toe(s), subsequent encounter	ICD-10-CM	Diagnosis
S93.149A	Subluxation of metatarsophalangeal joint of unspecified toe(s), initial encounter	ICD-10-CM	Diagnosis
S93.149S	Subluxation of metatarsophalangeal joint of unspecified toe(s), sequela	ICD-10-CM	Diagnosis
S93.149D	Subluxation of metatarsophalangeal joint of unspecified toe(s), subsequent encounter	ICD-10-CM	Diagnosis
S13.110S	Subluxation of C0/C1 cervical vertebrae, sequela	ICD-10-CM	Diagnosis
S13.120S	Subluxation of C1/C2 cervical vertebrae, sequela	ICD-10-CM	Diagnosis
S13.130S	Subluxation of C2/C3 cervical vertebrae, sequela	ICD-10-CM	Diagnosis
S13.140S	Subluxation of C3/C4 cervical vertebrae, sequela	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S13.150S	Subluxation of C4/C5 cervical vertebrae, sequela	ICD-10-CM	Diagnosis
S13.160S	Subluxation of C5/C6 cervical vertebrae, sequela	ICD-10-CM	Diagnosis
S13.170S	Subluxation of C6/C7 cervical vertebrae, sequela	ICD-10-CM	Diagnosis
S13.180S	Subluxation of C7/T1 cervical vertebrae, sequela	ICD-10-CM	Diagnosis
S63.072S	Subluxation of distal end of left ulna, sequela	ICD-10-CM	Diagnosis
S63.071S	Subluxation of distal end of right ulna, sequela	ICD-10-CM	Diagnosis
S43.112A	Subluxation of left acromioclavicular joint, initial encounter	ICD-10-CM	Diagnosis
S43.112S	Subluxation of left acromioclavicular joint, sequela	ICD-10-CM	Diagnosis
S43.112D	Subluxation of left acromioclavicular joint, subsequent encounter	ICD-10-CM	Diagnosis
S93.02XS	Subluxation of left ankle joint, sequela	ICD-10-CM	Diagnosis
S43.312A	Subluxation of left scapula, initial encounter	ICD-10-CM	Diagnosis
S43.312S	Subluxation of left scapula, sequela	ICD-10-CM	Diagnosis
S43.312D	Subluxation of left scapula, subsequent encounter	ICD-10-CM	Diagnosis
S43.111A	Subluxation of right acromioclavicular joint, initial encounter	ICD-10-CM	Diagnosis
S43.111S	Subluxation of right acromioclavicular joint, sequela	ICD-10-CM	Diagnosis
S43.111D	Subluxation of right acromioclavicular joint, subsequent encounter	ICD-10-CM	Diagnosis
S93.01XS	Subluxation of right ankle joint, sequela	ICD-10-CM	Diagnosis
S43.311A	Subluxation of right scapula, initial encounter	ICD-10-CM	Diagnosis
S43.311S	Subluxation of right scapula, sequela	ICD-10-CM	Diagnosis
S23.110S	Subluxation of T1/T2 thoracic vertebra, sequela	ICD-10-CM	Diagnosis
S23.160S	Subluxation of T10/T11 thoracic vertebra, sequela	ICD-10-CM	Diagnosis
S23.162S	Subluxation of T11/T12 thoracic vertebra, sequela	ICD-10-CM	Diagnosis
S23.170S	Subluxation of T12/L1 thoracic vertebra, sequela	ICD-10-CM	Diagnosis
S23.120S	Subluxation of T2/T3 thoracic vertebra, sequela	ICD-10-CM	Diagnosis
S23.122S	Subluxation of T3/T4 thoracic vertebra, sequela	ICD-10-CM	Diagnosis
S23.130S	Subluxation of T4/T5 thoracic vertebra, sequela	ICD-10-CM	Diagnosis
S23.132S	Subluxation of T5/T6 thoracic vertebra, sequela	ICD-10-CM	Diagnosis
S23.140S	Subluxation of T6/T7 thoracic vertebra, sequela	ICD-10-CM	Diagnosis
S23.142S	Subluxation of T7/T8 thoracic vertebra, sequela	ICD-10-CM	Diagnosis
S23.150S	Subluxation of T8/T9 thoracic vertebra, sequela	ICD-10-CM	Diagnosis
S23.152S	Subluxation of T9/T10 thoracic vertebra, sequela	ICD-10-CM	Diagnosis
S43.119S	Subluxation of unspecified acromioclavicular joint, sequela	ICD-10-CM	Diagnosis
S93.03XS	Subluxation of unspecified ankle joint, sequela	ICD-10-CM	Diagnosis
S43.313S	Subluxation of unspecified scapula, sequela	ICD-10-CM	Diagnosis
S63.052A	Subluxation of other carpometacarpal joint of left hand, initial encounter	ICD-10-CM	Diagnosis
S63.052S	Subluxation of other carpometacarpal joint of left hand, sequela	ICD-10-CM	Diagnosis
S63.052D	Subluxation of other carpometacarpal joint of left hand, subsequent encounter	ICD-10-CM	Diagnosis
S63.051A	Subluxation of other carpometacarpal joint of right hand, initial encounter	ICD-10-CM	Diagnosis
S63.051S	Subluxation of other carpometacarpal joint of right hand, sequela	ICD-10-CM	Diagnosis
S63.051D	Subluxation of other carpometacarpal joint of right hand, subsequent encounter	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S63.053A	Subluxation of other carpometacarpal joint of unspecified hand, initial encounter	ICD-10-CM	Diagnosis
S63.053S	Subluxation of other carpometacarpal joint of unspecified hand, sequela	ICD-10-CM	Diagnosis
S63.053D	Subluxation of other carpometacarpal joint of unspecified hand, subsequent encounter	ICD-10-CM	Diagnosis
S43.392A	Subluxation of other parts of left shoulder girdle, initial encounter	ICD-10-CM	Diagnosis
S43.392S	Subluxation of other parts of left shoulder girdle, sequela	ICD-10-CM	Diagnosis
S43.392D	Subluxation of other parts of left shoulder girdle, subsequent encounter	ICD-10-CM	Diagnosis
S43.391A	Subluxation of other parts of right shoulder girdle, initial encounter	ICD-10-CM	Diagnosis
S43.391S	Subluxation of other parts of right shoulder girdle, sequela	ICD-10-CM	Diagnosis
S43.391D	Subluxation of other parts of right shoulder girdle, subsequent encounter	ICD-10-CM	Diagnosis
S43.393A	Subluxation of other parts of unspecified shoulder girdle, initial encounter	ICD-10-CM	Diagnosis
S43.393S	Subluxation of other parts of unspecified shoulder girdle, sequela	ICD-10-CM	Diagnosis
S43.393D	Subluxation of other parts of unspecified shoulder girdle, subsequent encounter	ICD-10-CM	Diagnosis
S63.239S	Subluxation of proximal interphalangeal joint of unspecified finger, sequela	ICD-10-CM	Diagnosis
S63.231S	Subluxation of proximal interphalangeal joint of left index finger, sequela	ICD-10-CM	Diagnosis
S63.231D	Subluxation of proximal interphalangeal joint of left index finger, subsequent encounter	ICD-10-CM	Diagnosis
S63.231A	Subluxation of proximal interphalangeal joint of left index finger, initial encounter	ICD-10-CM	Diagnosis
S63.237S	Subluxation of proximal interphalangeal joint of left little finger, sequela	ICD-10-CM	Diagnosis
S63.237D	Subluxation of proximal interphalangeal joint of left little finger, subsequent encounter	ICD-10-CM	Diagnosis
S63.237A	Subluxation of proximal interphalangeal joint of left little finger, initial encounter	ICD-10-CM	Diagnosis
S63.233A	Subluxation of proximal interphalangeal joint of left middle finger, initial encounter	ICD-10-CM	Diagnosis
S63.233S	Subluxation of proximal interphalangeal joint of left middle finger, sequela	ICD-10-CM	Diagnosis
S63.233D	Subluxation of proximal interphalangeal joint of left middle finger, subsequent encounter	ICD-10-CM	Diagnosis
S63.235A	Subluxation of proximal interphalangeal joint of left ring finger, initial encounter	ICD-10-CM	Diagnosis
S63.235S	Subluxation of proximal interphalangeal joint of left ring finger, sequela	ICD-10-CM	Diagnosis
S63.235D	Subluxation of proximal interphalangeal joint of left ring finger, subsequent encounter	ICD-10-CM	Diagnosis
S63.238A	Subluxation of proximal interphalangeal joint of other finger, initial encounter	ICD-10-CM	Diagnosis
S63.238S	Subluxation of proximal interphalangeal joint of other finger, sequela	ICD-10-CM	Diagnosis
S63.238D	Subluxation of proximal interphalangeal joint of other finger, subsequent encounter	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S63.230S	Subluxation of proximal interphalangeal joint of right index finger, sequela	ICD-10-CM	Diagnosis
S63.230D	Subluxation of proximal interphalangeal joint of right index finger, subsequent encounter	ICD-10-CM	Diagnosis
S63.230A	Subluxation of proximal interphalangeal joint of right index finger, initial encounter	ICD-10-CM	Diagnosis
S63.236S	Subluxation of proximal interphalangeal joint of right little finger, sequela	ICD-10-CM	Diagnosis
S63.236A	Subluxation of proximal interphalangeal joint of right little finger, initial encounter	ICD-10-CM	Diagnosis
S63.236D	Subluxation of proximal interphalangeal joint of right little finger, subsequent encounter	ICD-10-CM	Diagnosis
S63.232A	Subluxation of proximal interphalangeal joint of right middle finger, initial encounter	ICD-10-CM	Diagnosis
S63.232S	Subluxation of proximal interphalangeal joint of right middle finger, sequela	ICD-10-CM	Diagnosis
S63.232D	Subluxation of proximal interphalangeal joint of right middle finger, subsequent encounter	ICD-10-CM	Diagnosis
S63.234A	Subluxation of proximal interphalangeal joint of right ring finger, initial encounter	ICD-10-CM	Diagnosis
S63.234S	Subluxation of proximal interphalangeal joint of right ring finger, sequela	ICD-10-CM	Diagnosis
S63.234D	Subluxation of proximal interphalangeal joint of right ring finger, subsequent encounter	ICD-10-CM	Diagnosis
S63.239A	Subluxation of proximal interphalangeal joint of unspecified finger, initial encounter	ICD-10-CM	Diagnosis
S63.239D	Subluxation of proximal interphalangeal joint of unspecified finger, subsequent encounter	ICD-10-CM	Diagnosis
S63.132A	Subluxation of proximal interphalangeal joint of left thumb, initial encounter	ICD-10-CM	Diagnosis
S63.132S	Subluxation of proximal interphalangeal joint of left thumb, sequela	ICD-10-CM	Diagnosis
S63.132D	Subluxation of proximal interphalangeal joint of left thumb, subsequent encounter	ICD-10-CM	Diagnosis
S63.131A	Subluxation of proximal interphalangeal joint of right thumb, initial encounter	ICD-10-CM	Diagnosis
S63.131S	Subluxation of proximal interphalangeal joint of right thumb, sequela	ICD-10-CM	Diagnosis
S63.131D	Subluxation of proximal interphalangeal joint of right thumb, subsequent encounter	ICD-10-CM	Diagnosis
S63.133A	Subluxation of proximal interphalangeal joint of unspecified thumb, initial encounter	ICD-10-CM	Diagnosis
S63.133S	Subluxation of proximal interphalangeal joint of unspecified thumb, sequela	ICD-10-CM	Diagnosis
S63.133D	Subluxation of proximal interphalangeal joint of unspecified thumb, subsequent encounter	ICD-10-CM	Diagnosis
S63.022S	Subluxation of radiocarpal joint of left wrist, sequela	ICD-10-CM	Diagnosis
S63.022A	Subluxation of radiocarpal joint of left wrist, initial encounter	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S63.022D	Subluxation of radiocarpal joint of left wrist, subsequent encounter	ICD-10-CM	Diagnosis
S63.021A	Subluxation of radiocarpal joint of right wrist, initial encounter	ICD-10-CM	Diagnosis
S63.021S	Subluxation of radiocarpal joint of right wrist, sequela	ICD-10-CM	Diagnosis
S63.021D	Subluxation of radiocarpal joint of right wrist, subsequent encounter	ICD-10-CM	Diagnosis
S63.023A	Subluxation of radiocarpal joint of unspecified wrist, initial encounter	ICD-10-CM	Diagnosis
S63.023S	Subluxation of radiocarpal joint of unspecified wrist, sequela	ICD-10-CM	Diagnosis
S63.023D	Subluxation of radiocarpal joint of unspecified wrist, subsequent encounter	ICD-10-CM	Diagnosis
S93.01XA	Subluxation of right ankle joint, initial encounter	ICD-10-CM	Diagnosis
S93.01XD	Subluxation of right ankle joint, subsequent encounter	ICD-10-CM	Diagnosis
S43.311D	Subluxation of right scapula, subsequent encounter	ICD-10-CM	Diagnosis
S23.110A	Subluxation of T1/T2 thoracic vertebra, initial encounter	ICD-10-CM	Diagnosis
S23.110D	Subluxation of T1/T2 thoracic vertebra, subsequent encounter	ICD-10-CM	Diagnosis
S23.160A	Subluxation of T10/T11 thoracic vertebra, initial encounter	ICD-10-CM	Diagnosis
S23.160D	Subluxation of T10/T11 thoracic vertebra, subsequent encounter	ICD-10-CM	Diagnosis
S23.162A	Subluxation of T11/T12 thoracic vertebra, initial encounter	ICD-10-CM	Diagnosis
S23.162D	Subluxation of T11/T12 thoracic vertebra, subsequent encounter	ICD-10-CM	Diagnosis
S23.170A	Subluxation of T12/L1 thoracic vertebra, initial encounter	ICD-10-CM	Diagnosis
S23.170D	Subluxation of T12/L1 thoracic vertebra, subsequent encounter	ICD-10-CM	Diagnosis
S23.120A	Subluxation of T2/T3 thoracic vertebra, initial encounter	ICD-10-CM	Diagnosis
S23.120D	Subluxation of T2/T3 thoracic vertebra, subsequent encounter	ICD-10-CM	Diagnosis
S23.122A	Subluxation of T3/T4 thoracic vertebra, initial encounter	ICD-10-CM	Diagnosis
S23.122D	Subluxation of T3/T4 thoracic vertebra, subsequent encounter	ICD-10-CM	Diagnosis
S23.130A	Subluxation of T4/T5 thoracic vertebra, initial encounter	ICD-10-CM	Diagnosis
S23.130D	Subluxation of T4/T5 thoracic vertebra, subsequent encounter	ICD-10-CM	Diagnosis
S23.132A	Subluxation of T5/T6 thoracic vertebra, initial encounter	ICD-10-CM	Diagnosis
S23.132D	Subluxation of T5/T6 thoracic vertebra, subsequent encounter	ICD-10-CM	Diagnosis
S23.140A	Subluxation of T6/T7 thoracic vertebra, initial encounter	ICD-10-CM	Diagnosis
S23.140D	Subluxation of T6/T7 thoracic vertebra, subsequent encounter	ICD-10-CM	Diagnosis
S23.142A	Subluxation of T7/T8 thoracic vertebra, initial encounter	ICD-10-CM	Diagnosis
S23.142D	Subluxation of T7/T8 thoracic vertebra, subsequent encounter	ICD-10-CM	Diagnosis
S23.150A	Subluxation of T8/T9 thoracic vertebra, initial encounter	ICD-10-CM	Diagnosis
S23.150D	Subluxation of T8/T9 thoracic vertebra, subsequent encounter	ICD-10-CM	Diagnosis
S23.152A	Subluxation of T9/T10 thoracic vertebra, initial encounter	ICD-10-CM	Diagnosis
S23.152D	Subluxation of T9/T10 thoracic vertebra, subsequent encounter	ICD-10-CM	Diagnosis
S93.312A	Subluxation of tarsal joint of left foot, initial encounter	ICD-10-CM	Diagnosis
S93.312D	Subluxation of tarsal joint of left foot, subsequent encounter	ICD-10-CM	Diagnosis
S93.312S	Subluxation of tarsal joint of left foot, sequela	ICD-10-CM	Diagnosis
S93.311S	Subluxation of tarsal joint of right foot, sequela	ICD-10-CM	Diagnosis
S93.311A	Subluxation of tarsal joint of right foot, initial encounter	ICD-10-CM	Diagnosis
S93.311D	Subluxation of tarsal joint of right foot, subsequent encounter	ICD-10-CM	Diagnosis
S93.313A	Subluxation of tarsal joint of unspecified foot, initial encounter	ICD-10-CM	Diagnosis
S93.313S	Subluxation of tarsal joint of unspecified foot, sequela	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S93.313D	Subluxation of tarsal joint of unspecified foot, subsequent encounter	ICD-10-CM	Diagnosis
S93.322S	Subluxation of tarsometatarsal joint of left foot, sequela	ICD-10-CM	Diagnosis
S93.322A	Subluxation of tarsometatarsal joint of left foot, initial encounter	ICD-10-CM	Diagnosis
S93.322D	Subluxation of tarsometatarsal joint of left foot, subsequent encounter	ICD-10-CM	Diagnosis
S93.321S	Subluxation of tarsometatarsal joint of right foot, sequela	ICD-10-CM	Diagnosis
S93.321A	Subluxation of tarsometatarsal joint of right foot, initial encounter	ICD-10-CM	Diagnosis
S93.321D	Subluxation of tarsometatarsal joint of right foot, subsequent encounter	ICD-10-CM	Diagnosis
S93.323A	Subluxation of tarsometatarsal joint of unspecified foot, initial encounter	ICD-10-CM	Diagnosis
S93.323S	Subluxation of tarsometatarsal joint of unspecified foot, sequela	ICD-10-CM	Diagnosis
S93.323D	Subluxation of tarsometatarsal joint of unspecified foot, subsequent encounter	ICD-10-CM	Diagnosis
S43.119D	Subluxation of unspecified acromioclavicular joint, subsequent encounter	ICD-10-CM	Diagnosis
S93.03XA	Subluxation of unspecified ankle joint, initial encounter	ICD-10-CM	Diagnosis
S93.03XD	Subluxation of unspecified ankle joint, subsequent encounter	ICD-10-CM	Diagnosis
S13.100A	Subluxation of unspecified cervical vertebrae, initial encounter	ICD-10-CM	Diagnosis
S13.100S	Subluxation of unspecified cervical vertebrae, sequela	ICD-10-CM	Diagnosis
S13.100D	Subluxation of unspecified cervical vertebrae, subsequent encounter	ICD-10-CM	Diagnosis
S63.221A	Subluxation of unspecified interphalangeal joint of left index finger, initial encounter	ICD-10-CM	Diagnosis
S63.221S	Subluxation of unspecified interphalangeal joint of left index finger, sequela	ICD-10-CM	Diagnosis
S63.221D	Subluxation of unspecified interphalangeal joint of left index finger, subsequent encounter	ICD-10-CM	Diagnosis
S63.227A	Subluxation of unspecified interphalangeal joint of left little finger, initial encounter	ICD-10-CM	Diagnosis
S63.227S	Subluxation of unspecified interphalangeal joint of left little finger, sequela	ICD-10-CM	Diagnosis
S63.227D	Subluxation of unspecified interphalangeal joint of left little finger, subsequent encounter	ICD-10-CM	Diagnosis
S63.223A	Subluxation of unspecified interphalangeal joint of left middle finger, initial encounter	ICD-10-CM	Diagnosis
S63.223S	Subluxation of unspecified interphalangeal joint of left middle finger, sequela	ICD-10-CM	Diagnosis
S63.223D	Subluxation of unspecified interphalangeal joint of left middle finger, subsequent encounter	ICD-10-CM	Diagnosis
S63.225A	Subluxation of unspecified interphalangeal joint of left ring finger, initial encounter	ICD-10-CM	Diagnosis
S63.225S	Subluxation of unspecified interphalangeal joint of left ring finger, sequela	ICD-10-CM	Diagnosis
S63.225D	Subluxation of unspecified interphalangeal joint of left ring finger, subsequent encounter	ICD-10-CM	Diagnosis
S63.228A	Subluxation of unspecified interphalangeal joint of other finger, initial encounter	ICD-10-CM	Diagnosis
S63.228S	Subluxation of unspecified interphalangeal joint of other finger, sequela	ICD-10-CM	Diagnosis



**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S63.228D	Subluxation of unspecified interphalangeal joint of other finger, subsequent encounter	ICD-10-CM	Diagnosis
S63.220A	Subluxation of unspecified interphalangeal joint of right index finger, initial encounter	ICD-10-CM	Diagnosis
S63.220S	Subluxation of unspecified interphalangeal joint of right index finger, sequela	ICD-10-CM	Diagnosis
S63.220D	Subluxation of unspecified interphalangeal joint of right index finger, subsequent encounter	ICD-10-CM	Diagnosis
S63.226A	Subluxation of unspecified interphalangeal joint of right little finger, initial encounter	ICD-10-CM	Diagnosis
S63.226S	Subluxation of unspecified interphalangeal joint of right little finger, sequela	ICD-10-CM	Diagnosis
S63.226D	Subluxation of unspecified interphalangeal joint of right little finger, subsequent encounter	ICD-10-CM	Diagnosis
S63.222A	Subluxation of unspecified interphalangeal joint of right middle finger, initial encounter	ICD-10-CM	Diagnosis
S63.222S	Subluxation of unspecified interphalangeal joint of right middle finger, sequela	ICD-10-CM	Diagnosis
S63.222D	Subluxation of unspecified interphalangeal joint of right middle finger, subsequent encounter	ICD-10-CM	Diagnosis
S63.224A	Subluxation of unspecified interphalangeal joint of right ring finger, initial encounter	ICD-10-CM	Diagnosis
S63.224S	Subluxation of unspecified interphalangeal joint of right ring finger, sequela	ICD-10-CM	Diagnosis
S63.224D	Subluxation of unspecified interphalangeal joint of right ring finger, subsequent encounter	ICD-10-CM	Diagnosis
S63.229A	Subluxation of unspecified interphalangeal joint of unspecified finger, initial encounter	ICD-10-CM	Diagnosis
S63.229S	Subluxation of unspecified interphalangeal joint of unspecified finger, sequela	ICD-10-CM	Diagnosis
S63.229D	Subluxation of unspecified interphalangeal joint of unspecified finger, subsequent encounter	ICD-10-CM	Diagnosis
S33.100A	Subluxation of unspecified lumbar vertebra, initial encounter	ICD-10-CM	Diagnosis
S33.100D	Subluxation of unspecified lumbar vertebra, subsequent encounter	ICD-10-CM	Diagnosis
S43.302A	Subluxation of unspecified parts of left shoulder girdle, initial encounter	ICD-10-CM	Diagnosis
S43.302S	Subluxation of unspecified parts of left shoulder girdle, sequela	ICD-10-CM	Diagnosis
S43.302D	Subluxation of unspecified parts of left shoulder girdle, subsequent encounter	ICD-10-CM	Diagnosis
S43.301A	Subluxation of unspecified parts of right shoulder girdle, initial encounter	ICD-10-CM	Diagnosis
S43.301D	Subluxation of unspecified parts of right shoulder girdle, subsequent encounter	ICD-10-CM	Diagnosis
S43.301S	Subluxation of unspecified parts of right shoulder girdle, sequela	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S43.303A	Subluxation of unspecified parts of unspecified shoulder girdle, initial encounter	ICD-10-CM	Diagnosis
S43.303S	Subluxation of unspecified parts of unspecified shoulder girdle, sequela	ICD-10-CM	Diagnosis
S43.303D	Subluxation of unspecified parts of unspecified shoulder girdle, subsequent encounter	ICD-10-CM	Diagnosis
S43.313A	Subluxation of unspecified scapula, initial encounter	ICD-10-CM	Diagnosis
S43.313D	Subluxation of unspecified scapula, subsequent encounter	ICD-10-CM	Diagnosis
S23.100A	Subluxation of unspecified thoracic vertebra, initial encounter	ICD-10-CM	Diagnosis
S23.100S	Subluxation of unspecified thoracic vertebra, sequela	ICD-10-CM	Diagnosis
S23.100D	Subluxation of unspecified thoracic vertebra, subsequent encounter	ICD-10-CM	Diagnosis
S43.119A	Subluxation of unspecified acromioclavicular joint, initial encounter	ICD-10-CM	Diagnosis
S33.100S	Subluxation of unspecified lumbar vertebra, sequela	ICD-10-CM	Diagnosis
S83.32XA	Tear of articular cartilage of left knee, current, initial encounter	ICD-10-CM	Diagnosis
S83.32XS	Tear of articular cartilage of left knee, current, sequela	ICD-10-CM	Diagnosis
S83.32XD	Tear of articular cartilage of left knee, current, subsequent encounter	ICD-10-CM	Diagnosis
S83.31XA	Tear of articular cartilage of right knee, current, initial encounter	ICD-10-CM	Diagnosis
S83.31XS	Tear of articular cartilage of right knee, current, sequela	ICD-10-CM	Diagnosis
S83.31XD	Tear of articular cartilage of right knee, current, subsequent encounter	ICD-10-CM	Diagnosis
S83.30XA	Tear of articular cartilage of unspecified knee, current, initial encounter	ICD-10-CM	Diagnosis
S83.30XD	Tear of articular cartilage of unspecified knee, current, subsequent encounter	ICD-10-CM	Diagnosis
S83.30XS	Tear of articular cartilage of unspecified knee, current, sequela	ICD-10-CM	Diagnosis
S72.472S	Torus fracture of lower end of left femur, sequela	ICD-10-CM	Diagnosis
S82.822S	Torus fracture of lower end of left fibula, sequela	ICD-10-CM	Diagnosis
S42.482S	Torus fracture of lower end of left humerus, sequela	ICD-10-CM	Diagnosis
S52.522S	Torus fracture of lower end of left radius, sequela	ICD-10-CM	Diagnosis
S82.312S	Torus fracture of lower end of left tibia, sequela	ICD-10-CM	Diagnosis
S72.471S	Torus fracture of lower end of right femur, sequela	ICD-10-CM	Diagnosis
S82.821S	Torus fracture of lower end of right fibula, sequela	ICD-10-CM	Diagnosis
S52.521S	Torus fracture of lower end of right radius, sequela	ICD-10-CM	Diagnosis
S82.311S	Torus fracture of lower end of right tibia, sequela	ICD-10-CM	Diagnosis
S72.479S	Torus fracture of lower end of unspecified femur, sequela	ICD-10-CM	Diagnosis
S42.481S	Torus fracture of lower end of right humerus, sequela	ICD-10-CM	Diagnosis
S82.829S	Torus fracture of lower end of unspecified fibula, sequela	ICD-10-CM	Diagnosis
S42.489S	Torus fracture of lower end of unspecified humerus, sequela	ICD-10-CM	Diagnosis
S52.529S	Torus fracture of lower end of unspecified radius, sequela	ICD-10-CM	Diagnosis
S82.319S	Torus fracture of lower end of unspecified tibia, sequela	ICD-10-CM	Diagnosis
S52.629S	Torus fracture of lower end of unspecified ulna, sequela	ICD-10-CM	Diagnosis
S82.312A	Torus fracture of lower end of left tibia, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.311A	Torus fracture of lower end of right tibia, initial encounter for closed fracture	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S82.319A	Torus fracture of lower end of unspecified tibia, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.622S	Torus fracture of lower end of left ulna, sequela	ICD-10-CM	Diagnosis
S52.012S	Torus fracture of upper end of left ulna, sequela	ICD-10-CM	Diagnosis
S82.812S	Torus fracture of upper end of left fibula, sequela	ICD-10-CM	Diagnosis
S42.272S	Torus fracture of upper end of left humerus, sequela	ICD-10-CM	Diagnosis
S82.162S	Torus fracture of upper end of left tibia, sequela	ICD-10-CM	Diagnosis
S82.811S	Torus fracture of upper end of right fibula, sequela	ICD-10-CM	Diagnosis
S52.111S	Torus fracture of upper end of right radius, sequela	ICD-10-CM	Diagnosis
S82.161S	Torus fracture of upper end of right tibia, sequela	ICD-10-CM	Diagnosis
S52.011S	Torus fracture of upper end of right ulna, sequela	ICD-10-CM	Diagnosis
S42.271S	Torus fracture of upper end of right humerus, sequela	ICD-10-CM	Diagnosis
S82.819S	Torus fracture of upper end of unspecified fibula, sequela	ICD-10-CM	Diagnosis
S42.279S	Torus fracture of upper end of unspecified humerus, sequela	ICD-10-CM	Diagnosis
S52.119S	Torus fracture of upper end of unspecified radius, sequela	ICD-10-CM	Diagnosis
S82.169S	Torus fracture of upper end of unspecified tibia, sequela	ICD-10-CM	Diagnosis
S52.019S	Torus fracture of upper end of unspecified ulna, sequela	ICD-10-CM	Diagnosis
S42.482A	Torus fracture of lower end of left humerus, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.482G	Torus fracture of lower end of left humerus, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S42.482P	Torus fracture of lower end of left humerus, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S42.482K	Torus fracture of lower end of left humerus, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S42.482D	Torus fracture of lower end of left humerus, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S42.481A	Torus fracture of lower end of right humerus, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.481G	Torus fracture of lower end of right humerus, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S42.481P	Torus fracture of lower end of right humerus, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S42.481K	Torus fracture of lower end of right humerus, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S42.481D	Torus fracture of lower end of right humerus, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S42.489A	Torus fracture of lower end of unspecified humerus, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.489G	Torus fracture of lower end of unspecified humerus, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S42.489P	Torus fracture of lower end of unspecified humerus, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S42.489K	Torus fracture of lower end of unspecified humerus, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S42.489D	Torus fracture of lower end of unspecified humerus, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S52.621S	Torus fracture of lower end of right ulna, sequela	ICD-10-CM	Diagnosis
S72.472A	Torus fracture of lower end of left femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S72.472D	Torus fracture of lower end of left femur, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S72.472K	Torus fracture of lower end of left femur, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S72.472G	Torus fracture of lower end of left femur, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S72.472P	Torus fracture of lower end of left femur, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S82.822A	Torus fracture of lower end of left fibula, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.822G	Torus fracture of lower end of left fibula, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S82.822P	Torus fracture of lower end of left fibula, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S82.822K	Torus fracture of lower end of left fibula, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S82.822D	Torus fracture of lower end of left fibula, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S52.522A	Torus fracture of lower end of left radius, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.522P	Torus fracture of lower end of left radius, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S52.522K	Torus fracture of lower end of left radius, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S52.522G	Torus fracture of lower end of left radius, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S52.522D	Torus fracture of lower end of left radius, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S82.312G	Torus fracture of lower end of left tibia, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S82.312P	Torus fracture of lower end of left tibia, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S82.312K	Torus fracture of lower end of left tibia, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S82.312D	Torus fracture of lower end of left tibia, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S52.622A	Torus fracture of lower end of left ulna, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.622G	Torus fracture of lower end of left ulna, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S52.622P	Torus fracture of lower end of left ulna, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S52.622K	Torus fracture of lower end of left ulna, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S52.622D	Torus fracture of lower end of left ulna, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S72.471A	Torus fracture of lower end of right femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S72.471D	Torus fracture of lower end of right femur, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S72.471G	Torus fracture of lower end of right femur, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S72.471P	Torus fracture of lower end of right femur, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S72.471K	Torus fracture of lower end of right femur, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S82.821A	Torus fracture of lower end of right fibula, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.821G	Torus fracture of lower end of right fibula, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S82.821P	Torus fracture of lower end of right fibula, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S82.821K	Torus fracture of lower end of right fibula, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S82.821D	Torus fracture of lower end of right fibula, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S52.521A	Torus fracture of lower end of right radius, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.521P	Torus fracture of lower end of right radius, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S52.521K	Torus fracture of lower end of right radius, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S52.521G	Torus fracture of lower end of right radius, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S52.521D	Torus fracture of lower end of right radius, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S82.311G	Torus fracture of lower end of right tibia, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S82.311P	Torus fracture of lower end of right tibia, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S82.311K	Torus fracture of lower end of right tibia, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S82.311D	Torus fracture of lower end of right tibia, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S52.621A	Torus fracture of lower end of right ulna, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.621G	Torus fracture of lower end of right ulna, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S52.621P	Torus fracture of lower end of right ulna, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S52.621K	Torus fracture of lower end of right ulna, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S52.621D	Torus fracture of lower end of right ulna, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S72.479A	Torus fracture of lower end of unspecified femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S72.479D	Torus fracture of lower end of unspecified femur, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S72.479G	Torus fracture of lower end of unspecified femur, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S72.479P	Torus fracture of lower end of unspecified femur, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S72.479K	Torus fracture of lower end of unspecified femur, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S82.829A	Torus fracture of lower end of unspecified fibula, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.829G	Torus fracture of lower end of unspecified fibula, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S82.829P	Torus fracture of lower end of unspecified fibula, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S82.829K	Torus fracture of lower end of unspecified fibula, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S82.829D	Torus fracture of lower end of unspecified fibula, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S52.529A	Torus fracture of lower end of unspecified radius, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.529G	Torus fracture of lower end of unspecified radius, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S52.529P	Torus fracture of lower end of unspecified radius, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis



**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S52.529K	Torus fracture of lower end of unspecified radius, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S52.529D	Torus fracture of lower end of unspecified radius, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S82.319G	Torus fracture of lower end of unspecified tibia, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S82.319P	Torus fracture of lower end of unspecified tibia, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S82.319K	Torus fracture of lower end of unspecified tibia, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S82.319D	Torus fracture of lower end of unspecified tibia, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S52.629A	Torus fracture of lower end of unspecified ulna, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.629P	Torus fracture of lower end of unspecified ulna, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S52.629K	Torus fracture of lower end of unspecified ulna, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S52.629G	Torus fracture of lower end of unspecified ulna, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S52.629D	Torus fracture of lower end of unspecified ulna, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S42.272G	Torus fracture of upper end of left humerus, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S42.271G	Torus fracture of upper end of right humerus, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S42.279G	Torus fracture of upper end of unspecified humerus, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S42.279P	Torus fracture of upper end of unspecified humerus, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S42.279K	Torus fracture of upper end of unspecified humerus, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S42.279D	Torus fracture of upper end of unspecified humerus, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S42.272A	Torus fracture of upper end of left humerus, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.272P	Torus fracture of upper end of left humerus, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S42.272K	Torus fracture of upper end of left humerus, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S42.272D	Torus fracture of upper end of left humerus, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S52.112S	Torus fracture of upper end of left radius, sequela	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S42.271A	Torus fracture of upper end of right humerus, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.271P	Torus fracture of upper end of right humerus, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S42.271K	Torus fracture of upper end of right humerus, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S42.271D	Torus fracture of upper end of right humerus, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S42.279A	Torus fracture of upper end of unspecified humerus, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.812A	Torus fracture of upper end of left fibula, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.812G	Torus fracture of upper end of left fibula, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S82.812P	Torus fracture of upper end of left fibula, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S82.812K	Torus fracture of upper end of left fibula, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S82.812D	Torus fracture of upper end of left fibula, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S52.112A	Torus fracture of upper end of left radius, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.112D	Torus fracture of upper end of left radius, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S52.112G	Torus fracture of upper end of left radius, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S52.112P	Torus fracture of upper end of left radius, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S52.112K	Torus fracture of upper end of left radius, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S82.162A	Torus fracture of upper end of left tibia, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.162G	Torus fracture of upper end of left tibia, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S82.162P	Torus fracture of upper end of left tibia, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S82.162K	Torus fracture of upper end of left tibia, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S82.162D	Torus fracture of upper end of left tibia, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S52.012A	Torus fracture of upper end of left ulna, initial encounter for closed fracture	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S52.012P	Torus fracture of upper end of left ulna, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S52.012K	Torus fracture of upper end of left ulna, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S52.012D	Torus fracture of upper end of left ulna, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S52.012G	Torus fracture of upper end of left ulna, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S82.811A	Torus fracture of upper end of right fibula, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.811G	Torus fracture of upper end of right fibula, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S82.811P	Torus fracture of upper end of right fibula, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S82.811K	Torus fracture of upper end of right fibula, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S82.811D	Torus fracture of upper end of right fibula, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S52.111A	Torus fracture of upper end of right radius, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.111G	Torus fracture of upper end of right radius, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S52.111P	Torus fracture of upper end of right radius, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S52.111K	Torus fracture of upper end of right radius, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S52.111D	Torus fracture of upper end of right radius, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S82.161A	Torus fracture of upper end of right tibia, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.161G	Torus fracture of upper end of right tibia, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S82.161P	Torus fracture of upper end of right tibia, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S82.161K	Torus fracture of upper end of right tibia, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S82.161D	Torus fracture of upper end of right tibia, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S52.011A	Torus fracture of upper end of right ulna, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.011G	Torus fracture of upper end of right ulna, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S52.011P	Torus fracture of upper end of right ulna, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S52.011K	Torus fracture of upper end of right ulna, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S52.011D	Torus fracture of upper end of right ulna, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S82.819A	Torus fracture of upper end of unspecified fibula, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.819G	Torus fracture of upper end of unspecified fibula, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S82.819P	Torus fracture of upper end of unspecified fibula, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S82.819K	Torus fracture of upper end of unspecified fibula, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S82.819D	Torus fracture of upper end of unspecified fibula, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S52.119A	Torus fracture of upper end of unspecified radius, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.119G	Torus fracture of upper end of unspecified radius, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S52.119P	Torus fracture of upper end of unspecified radius, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S52.119K	Torus fracture of upper end of unspecified radius, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S52.119D	Torus fracture of upper end of unspecified radius, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S82.169A	Torus fracture of upper end of unspecified tibia, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.169G	Torus fracture of upper end of unspecified tibia, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S82.169P	Torus fracture of upper end of unspecified tibia, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S82.169K	Torus fracture of upper end of unspecified tibia, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S82.169D	Torus fracture of upper end of unspecified tibia, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S52.019A	Torus fracture of upper end of unspecified ulna, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.019G	Torus fracture of upper end of unspecified ulna, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S52.019P	Torus fracture of upper end of unspecified ulna, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S52.019K	Torus fracture of upper end of unspecified ulna, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S52.019D	Torus fracture of upper end of unspecified ulna, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S38.3XXD	Transection (partial) of abdomen, subsequent encounter	ICD-10-CM	Diagnosis
S38.3XXA	Transection (partial) of abdomen, initial encounter	ICD-10-CM	Diagnosis
S38.3XXS	Transection (partial) of abdomen, sequela	ICD-10-CM	Diagnosis
S33.0XXA	Traumatic rupture of lumbar intervertebral disc, initial encounter	ICD-10-CM	Diagnosis
S33.0XXS	Traumatic rupture of lumbar intervertebral disc, sequela	ICD-10-CM	Diagnosis
S33.0XXD	Traumatic rupture of lumbar intervertebral disc, subsequent encounter	ICD-10-CM	Diagnosis
S28.1XXA	Traumatic amputation (partial) of part of thorax, except breast, initial encounter	ICD-10-CM	Diagnosis
S08.89XA	Traumatic amputation of other parts of head, initial encounter	ICD-10-CM	Diagnosis
S08.89XD	Traumatic amputation of other parts of head, subsequent encounter	ICD-10-CM	Diagnosis
S08.89XS	Traumatic amputation of other parts of head, sequela	ICD-10-CM	Diagnosis
S28.1XXS	Traumatic amputation (partial) of part of thorax, except breast, sequela	ICD-10-CM	Diagnosis
S28.1XXD	Traumatic amputation (partial) of part of thorax, except breast, subsequent encounter	ICD-10-CM	Diagnosis
M12.572	Traumatic arthropathy, left ankle and foot	ICD-10-CM	Diagnosis
M12.522	Traumatic arthropathy, left elbow	ICD-10-CM	Diagnosis
M12.542	Traumatic arthropathy, left hand	ICD-10-CM	Diagnosis
M12.552	Traumatic arthropathy, left hip	ICD-10-CM	Diagnosis
M12.562	Traumatic arthropathy, left knee	ICD-10-CM	Diagnosis
M12.512	Traumatic arthropathy, left shoulder	ICD-10-CM	Diagnosis
M12.532	Traumatic arthropathy, left wrist	ICD-10-CM	Diagnosis
M12.59	Traumatic arthropathy, multiple sites	ICD-10-CM	Diagnosis
M12.58	Traumatic arthropathy, other specified site	ICD-10-CM	Diagnosis
M12.571	Traumatic arthropathy, right ankle and foot	ICD-10-CM	Diagnosis
M12.521	Traumatic arthropathy, right elbow	ICD-10-CM	Diagnosis
M12.541	Traumatic arthropathy, right hand	ICD-10-CM	Diagnosis
M12.551	Traumatic arthropathy, right hip	ICD-10-CM	Diagnosis
M12.561	Traumatic arthropathy, right knee	ICD-10-CM	Diagnosis
M12.511	Traumatic arthropathy, right shoulder	ICD-10-CM	Diagnosis
M12.531	Traumatic arthropathy, right wrist	ICD-10-CM	Diagnosis
M12.579	Traumatic arthropathy, unspecified ankle and foot	ICD-10-CM	Diagnosis
M12.529	Traumatic arthropathy, unspecified elbow	ICD-10-CM	Diagnosis
M12.549	Traumatic arthropathy, unspecified hand	ICD-10-CM	Diagnosis
M12.559	Traumatic arthropathy, unspecified hip	ICD-10-CM	Diagnosis
M12.569	Traumatic arthropathy, unspecified knee	ICD-10-CM	Diagnosis
M12.519	Traumatic arthropathy, unspecified shoulder	ICD-10-CM	Diagnosis
M12.50	Traumatic arthropathy, unspecified site	ICD-10-CM	Diagnosis
M12.539	Traumatic arthropathy, unspecified wrist	ICD-10-CM	Diagnosis
S13.0XXD	Traumatic rupture of cervical intervertebral disc, subsequent encounter	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S13.0XXA	Traumatic rupture of cervical intervertebral disc, initial encounter	ICD-10-CM	Diagnosis
S13.0XXS	Traumatic rupture of cervical intervertebral disc, sequela	ICD-10-CM	Diagnosis
S09.22XA	Traumatic rupture of left ear drum, initial encounter	ICD-10-CM	Diagnosis
S09.22XD	Traumatic rupture of left ear drum, subsequent encounter	ICD-10-CM	Diagnosis
S09.22XS	Traumatic rupture of left ear drum, sequela	ICD-10-CM	Diagnosis
S09.21XS	Traumatic rupture of right ear drum, sequela	ICD-10-CM	Diagnosis
S33.4XXS	Traumatic rupture of symphysis pubis, sequela	ICD-10-CM	Diagnosis
S09.21XA	Traumatic rupture of right ear drum, initial encounter	ICD-10-CM	Diagnosis
S09.21XD	Traumatic rupture of right ear drum, subsequent encounter	ICD-10-CM	Diagnosis
S33.4XXA	Traumatic rupture of symphysis pubis, initial encounter	ICD-10-CM	Diagnosis
S33.4XXD	Traumatic rupture of symphysis pubis, subsequent encounter	ICD-10-CM	Diagnosis
S23.0XXA	Traumatic rupture of thoracic intervertebral disc, initial encounter	ICD-10-CM	Diagnosis
S23.0XXS	Traumatic rupture of thoracic intervertebral disc, sequela	ICD-10-CM	Diagnosis
S23.0XXD	Traumatic rupture of thoracic intervertebral disc, subsequent encounter	ICD-10-CM	Diagnosis
S09.20XA	Traumatic rupture of unspecified ear drum, initial encounter	ICD-10-CM	Diagnosis
S09.20XD	Traumatic rupture of unspecified ear drum, subsequent encounter	ICD-10-CM	Diagnosis
S09.20XS	Traumatic rupture of unspecified ear drum, sequela	ICD-10-CM	Diagnosis
S12.24XG	Type III traumatic spondylolisthesis of third cervical vertebra, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S12.34XS	Type III traumatic spondylolisthesis of fourth cervical vertebra, sequela	ICD-10-CM	Diagnosis
S32.14XS	Type 1 fracture of sacrum, sequela	ICD-10-CM	Diagnosis
S32.14XA	Type 1 fracture of sacrum, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S32.14XB	Type 1 fracture of sacrum, initial encounter for open fracture	ICD-10-CM	Diagnosis
S32.14XG	Type 1 fracture of sacrum, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S32.14XK	Type 1 fracture of sacrum, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S32.14XD	Type 1 fracture of sacrum, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S32.15XS	Type 2 fracture of sacrum, sequela	ICD-10-CM	Diagnosis
S32.15XA	Type 2 fracture of sacrum, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S32.15XB	Type 2 fracture of sacrum, initial encounter for open fracture	ICD-10-CM	Diagnosis
S32.15XG	Type 2 fracture of sacrum, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S32.15XK	Type 2 fracture of sacrum, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S32.15XD	Type 2 fracture of sacrum, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S32.16XS	Type 3 fracture of sacrum, sequela	ICD-10-CM	Diagnosis
S32.16XA	Type 3 fracture of sacrum, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S32.16XB	Type 3 fracture of sacrum, initial encounter for open fracture	ICD-10-CM	Diagnosis
S32.16XG	Type 3 fracture of sacrum, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis



**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S32.16XK	Type 3 fracture of sacrum, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S32.16XD	Type 3 fracture of sacrum, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S32.17XS	Type 4 fracture of sacrum, sequela	ICD-10-CM	Diagnosis
S32.17XA	Type 4 fracture of sacrum, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S32.17XB	Type 4 fracture of sacrum, initial encounter for open fracture	ICD-10-CM	Diagnosis
S32.17XG	Type 4 fracture of sacrum, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S32.17XK	Type 4 fracture of sacrum, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S32.17XD	Type 4 fracture of sacrum, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S02.11BD	Type I occipital condyle fracture, left side, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S02.11AG	Type I occipital condyle fracture, right side, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S02.11AK	Type I occipital condyle fracture, right side, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S02.11AD	Type I occipital condyle fracture, right side, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S02.11BB	Type I occipital condyle fracture, left side, initial encounter for open fracture	ICD-10-CM	Diagnosis
S02.11BG	Type I occipital condyle fracture, left side, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S02.11BA	Type I occipital condyle fracture, left side, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S02.11BS	Type I occipital condyle fracture, left side, sequela	ICD-10-CM	Diagnosis
S02.11BK	Type I occipital condyle fracture, left side, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S02.11AS	Type I occipital condyle fracture, right side, sequela	ICD-10-CM	Diagnosis
S02.11AA	Type I occipital condyle fracture, right side, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S02.11AB	Type I occipital condyle fracture, right side, initial encounter for open fracture	ICD-10-CM	Diagnosis
S02.110A	Type I occipital condyle fracture, unspecified side, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S02.110B	Type I occipital condyle fracture, unspecified side, initial encounter for open fracture	ICD-10-CM	Diagnosis
S02.110G	Type I occipital condyle fracture, unspecified side, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S02.110D	Type I occipital condyle fracture, unspecified side, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S02.110S	Type I occipital condyle fracture, unspecified side, sequela	ICD-10-CM	Diagnosis
S02.110K	Type I occipital condyle fracture, unspecified side, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S02.11DA	Type II occipital condyle fracture, left side, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S02.11DB	Type II occipital condyle fracture, left side, initial encounter for open fracture	ICD-10-CM	Diagnosis
S02.11DG	Type II occipital condyle fracture, left side, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S02.11DK	Type II occipital condyle fracture, left side, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S02.11DD	Type II occipital condyle fracture, left side, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S02.11CA	Type II occipital condyle fracture, right side, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S02.11CB	Type II occipital condyle fracture, right side, initial encounter for open fracture	ICD-10-CM	Diagnosis
S02.11CG	Type II occipital condyle fracture, right side, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S02.11CK	Type II occipital condyle fracture, right side, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S02.11CD	Type II occipital condyle fracture, right side, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S02.111G	Type II occipital condyle fracture, unspecified side, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S02.11DS	Type II occipital condyle fracture, left side, sequela	ICD-10-CM	Diagnosis
S02.11CS	Type II occipital condyle fracture, right side, sequela	ICD-10-CM	Diagnosis
S02.111S	Type II occipital condyle fracture, unspecified side, sequela	ICD-10-CM	Diagnosis
S02.111A	Type II occipital condyle fracture, unspecified side, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S02.111B	Type II occipital condyle fracture, unspecified side, initial encounter for open fracture	ICD-10-CM	Diagnosis
S02.111K	Type II occipital condyle fracture, unspecified side, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S02.111D	Type II occipital condyle fracture, unspecified side, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S02.11FA	Type III occipital condyle fracture, left side, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S02.11FB	Type III occipital condyle fracture, left side, initial encounter for open fracture	ICD-10-CM	Diagnosis
S02.11EA	Type III occipital condyle fracture, right side, initial encounter for closed fracture	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S02.11EB	Type III occipital condyle fracture, right side, initial encounter for open fracture	ICD-10-CM	Diagnosis
S02.112G	Type III occipital condyle fracture, unspecified side, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S02.112D	Type III occipital condyle fracture, unspecified side, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S02.11FG	Type III occipital condyle fracture, left side, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S02.11FS	Type III occipital condyle fracture, left side, sequela	ICD-10-CM	Diagnosis
S02.11FK	Type III occipital condyle fracture, left side, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S02.11FD	Type III occipital condyle fracture, left side, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S02.11EG	Type III occipital condyle fracture, right side, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S02.11ES	Type III occipital condyle fracture, right side, sequela	ICD-10-CM	Diagnosis
S02.11EK	Type III occipital condyle fracture, right side, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S02.11ED	Type III occipital condyle fracture, right side, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S02.112S	Type III occipital condyle fracture, unspecified side, sequela	ICD-10-CM	Diagnosis
S02.112A	Type III occipital condyle fracture, unspecified side, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S02.112B	Type III occipital condyle fracture, unspecified side, initial encounter for open fracture	ICD-10-CM	Diagnosis
S02.112K	Type III occipital condyle fracture, unspecified side, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S12.24XA	Type III traumatic spondylolisthesis of third cervical vertebra, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S12.24XB	Type III traumatic spondylolisthesis of third cervical vertebra, initial encounter for open fracture	ICD-10-CM	Diagnosis
S12.34XA	Type III traumatic spondylolisthesis of fourth cervical vertebra, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S12.34XB	Type III traumatic spondylolisthesis of fourth cervical vertebra, initial encounter for open fracture	ICD-10-CM	Diagnosis
S12.54XS	Type III traumatic spondylolisthesis of sixth cervical vertebra, sequela	ICD-10-CM	Diagnosis
S12.54XG	Type III traumatic spondylolisthesis of sixth cervical vertebra, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S12.54XK	Type III traumatic spondylolisthesis of sixth cervical vertebra, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S12.54XD	Type III traumatic spondylolisthesis of sixth cervical vertebra, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S12.64XA	Type III traumatic spondylolisthesis of seventh cervical vertebra, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S12.64XB	Type III traumatic spondylolisthesis of seventh cervical vertebra, initial encounter for open fracture	ICD-10-CM	Diagnosis
S12.64XG	Type III traumatic spondylolisthesis of seventh cervical vertebra, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S12.64XK	Type III traumatic spondylolisthesis of seventh cervical vertebra, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S12.64XD	Type III traumatic spondylolisthesis of seventh cervical vertebra, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S12.64XS	Type III traumatic spondylolisthesis of seventh cervical vertebra, sequela	ICD-10-CM	Diagnosis
S12.44XA	Type III traumatic spondylolisthesis of fifth cervical vertebra, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S12.44XB	Type III traumatic spondylolisthesis of fifth cervical vertebra, initial encounter for open fracture	ICD-10-CM	Diagnosis
S12.44XG	Type III traumatic spondylolisthesis of fifth cervical vertebra, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S12.44XK	Type III traumatic spondylolisthesis of fifth cervical vertebra, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S12.34XG	Type III traumatic spondylolisthesis of fourth cervical vertebra, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S12.24XK	Type III traumatic spondylolisthesis of third cervical vertebra, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S12.24XD	Type III traumatic spondylolisthesis of third cervical vertebra, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S12.24XS	Type III traumatic spondylolisthesis of third cervical vertebra, sequela	ICD-10-CM	Diagnosis
S12.34XK	Type III traumatic spondylolisthesis of fourth cervical vertebra, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S12.34XD	Type III traumatic spondylolisthesis of fourth cervical vertebra, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S12.44XS	Type III traumatic spondylolisthesis of fifth cervical vertebra, sequela	ICD-10-CM	Diagnosis
S12.54XB	Type III traumatic spondylolisthesis of sixth cervical vertebra, initial encounter for open fracture	ICD-10-CM	Diagnosis
S12.44XD	Type III traumatic spondylolisthesis of fifth cervical vertebra, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S12.54XA	Type III traumatic spondylolisthesis of sixth cervical vertebra, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S12.14XA	Type III traumatic spondylolisthesis of second cervical vertebra, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S12.14XB	Type III traumatic spondylolisthesis of second cervical vertebra, initial encounter for open fracture	ICD-10-CM	Diagnosis
S12.14XG	Type III traumatic spondylolisthesis of second cervical vertebra, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S12.14XK	Type III traumatic spondylolisthesis of second cervical vertebra, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S12.14XD	Type III traumatic spondylolisthesis of second cervical vertebra, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S12.14XS	Type III traumatic spondylolisthesis of second cervical vertebra, sequela	ICD-10-CM	Diagnosis
S12.000S	Unspecified displaced fracture of first cervical vertebra, sequela	ICD-10-CM	Diagnosis
S12.300S	Unspecified displaced fracture of fourth cervical vertebra, sequela	ICD-10-CM	Diagnosis
S12.400S	Unspecified displaced fracture of fifth cervical vertebra, sequela	ICD-10-CM	Diagnosis
S12.500S	Unspecified displaced fracture of sixth cervical vertebra, sequela	ICD-10-CM	Diagnosis
S12.600S	Unspecified displaced fracture of seventh cervical vertebra, sequela	ICD-10-CM	Diagnosis
S12.000K	Unspecified displaced fracture of first cervical vertebra, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S12.000A	Unspecified displaced fracture of first cervical vertebra, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S12.000B	Unspecified displaced fracture of first cervical vertebra, initial encounter for open fracture	ICD-10-CM	Diagnosis
S12.000G	Unspecified displaced fracture of first cervical vertebra, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S12.000D	Unspecified displaced fracture of first cervical vertebra, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S12.300A	Unspecified displaced fracture of fourth cervical vertebra, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S12.300B	Unspecified displaced fracture of fourth cervical vertebra, initial encounter for open fracture	ICD-10-CM	Diagnosis
S12.300G	Unspecified displaced fracture of fourth cervical vertebra, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S12.300K	Unspecified displaced fracture of fourth cervical vertebra, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S12.300D	Unspecified displaced fracture of fourth cervical vertebra, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S12.400A	Unspecified displaced fracture of fifth cervical vertebra, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S12.400B	Unspecified displaced fracture of fifth cervical vertebra, initial encounter for open fracture	ICD-10-CM	Diagnosis
S12.400K	Unspecified displaced fracture of fifth cervical vertebra, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S12.400G	Unspecified displaced fracture of fifth cervical vertebra, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S12.400D	Unspecified displaced fracture of fifth cervical vertebra, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S12.500A	Unspecified displaced fracture of sixth cervical vertebra, initial encounter for closed fracture	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S12.500B	Unspecified displaced fracture of sixth cervical vertebra, initial encounter for open fracture	ICD-10-CM	Diagnosis
S12.500G	Unspecified displaced fracture of sixth cervical vertebra, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S12.500K	Unspecified displaced fracture of sixth cervical vertebra, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S12.500D	Unspecified displaced fracture of sixth cervical vertebra, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S12.600A	Unspecified displaced fracture of seventh cervical vertebra, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S12.600B	Unspecified displaced fracture of seventh cervical vertebra, initial encounter for open fracture	ICD-10-CM	Diagnosis
S12.600G	Unspecified displaced fracture of seventh cervical vertebra, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S12.600K	Unspecified displaced fracture of seventh cervical vertebra, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S12.600D	Unspecified displaced fracture of seventh cervical vertebra, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S42.211P	Unspecified displaced fracture of surgical neck of right humerus, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S42.211K	Unspecified displaced fracture of surgical neck of right humerus, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S42.211S	Unspecified displaced fracture of surgical neck of right humerus, sequela	ICD-10-CM	Diagnosis
S12.200S	Unspecified displaced fracture of third cervical vertebra, sequela	ICD-10-CM	Diagnosis
S42.213S	Unspecified displaced fracture of surgical neck of unspecified humerus, sequela	ICD-10-CM	Diagnosis
S12.200A	Unspecified displaced fracture of third cervical vertebra, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S12.200B	Unspecified displaced fracture of third cervical vertebra, initial encounter for open fracture	ICD-10-CM	Diagnosis
S12.200G	Unspecified displaced fracture of third cervical vertebra, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S12.200K	Unspecified displaced fracture of third cervical vertebra, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S12.200D	Unspecified displaced fracture of third cervical vertebra, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S42.212D	Unspecified displaced fracture of surgical neck of left humerus, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S42.212A	Unspecified displaced fracture of surgical neck of left humerus, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.212B	Unspecified displaced fracture of surgical neck of left humerus, initial encounter for open fracture	ICD-10-CM	Diagnosis



**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S42.212G	Unspecified displaced fracture of surgical neck of left humerus, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S42.212P	Unspecified displaced fracture of surgical neck of left humerus, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S42.212K	Unspecified displaced fracture of surgical neck of left humerus, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S42.211A	Unspecified displaced fracture of surgical neck of right humerus, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.211B	Unspecified displaced fracture of surgical neck of right humerus, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.211G	Unspecified displaced fracture of surgical neck of right humerus, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S42.211D	Unspecified displaced fracture of surgical neck of right humerus, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S42.213A	Unspecified displaced fracture of surgical neck of unspecified humerus, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.213B	Unspecified displaced fracture of surgical neck of unspecified humerus, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.213G	Unspecified displaced fracture of surgical neck of unspecified humerus, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S42.213P	Unspecified displaced fracture of surgical neck of unspecified humerus, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S42.213K	Unspecified displaced fracture of surgical neck of unspecified humerus, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S42.213D	Unspecified displaced fracture of surgical neck of unspecified humerus, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S42.212S	Unspecified displaced fracture of surgical neck of left humerus, sequela	ICD-10-CM	Diagnosis
S62.202S	Unspecified fracture of first metacarpal bone, left hand, sequela	ICD-10-CM	Diagnosis
S62.209S	Unspecified fracture of first metacarpal bone, unspecified hand, sequela	ICD-10-CM	Diagnosis
S62.201S	Unspecified fracture of first metacarpal bone, right hand, sequela	ICD-10-CM	Diagnosis
S22.019A	Unspecified fracture of first thoracic vertebra, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S22.019B	Unspecified fracture of first thoracic vertebra, initial encounter for open fracture	ICD-10-CM	Diagnosis
S22.029A	Unspecified fracture of second thoracic vertebra, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S22.029B	Unspecified fracture of second thoracic vertebra, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.305S	Unspecified fracture of fourth metacarpal bone, left hand, sequela	ICD-10-CM	Diagnosis
S62.304S	Unspecified fracture of fourth metacarpal bone, right hand, sequela	ICD-10-CM	Diagnosis
S22.049S	Unspecified fracture of fourth thoracic vertebra, sequela	ICD-10-CM	Diagnosis
S62.307S	Unspecified fracture of fifth metacarpal bone, left hand, sequela	ICD-10-CM	Diagnosis
S62.306S	Unspecified fracture of fifth metacarpal bone, right hand, sequela	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S02.10XA	Unspecified fracture of base of skull, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S02.10XB	Unspecified fracture of base of skull, initial encounter for open fracture	ICD-10-CM	Diagnosis
S02.92XA	Unspecified fracture of facial bones, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S02.92XB	Unspecified fracture of facial bones, initial encounter for open fracture	ICD-10-CM	Diagnosis
S72.052A	Unspecified fracture of head of left femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S72.051A	Unspecified fracture of head of right femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S72.059S	Unspecified fracture of head of unspecified femur, sequela	ICD-10-CM	Diagnosis
S92.002A	Unspecified fracture of left calcaneus, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.002A	Unspecified fracture of left patella, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.309A	Unspecified fracture of lower end of unspecified tibia, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.402S	Unspecified fracture of lower end of left humerus, sequela	ICD-10-CM	Diagnosis
S42.401S	Unspecified fracture of lower end of right humerus, sequela	ICD-10-CM	Diagnosis
S42.409S	Unspecified fracture of lower end of unspecified humerus, sequela	ICD-10-CM	Diagnosis
S52.509S	Unspecified fracture of the lower end of unspecified radius, sequela	ICD-10-CM	Diagnosis
S72.409S	Unspecified fracture of lower end of unspecified femur, sequela	ICD-10-CM	Diagnosis
S82.309S	Unspecified fracture of lower end of unspecified tibia, sequela	ICD-10-CM	Diagnosis
S82.302A	Unspecified fracture of lower end of left tibia, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.301A	Unspecified fracture of lower end of right tibia, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S32.402A	Unspecified fracture of left acetabulum, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S32.402G	Unspecified fracture of left acetabulum, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S32.402K	Unspecified fracture of left acetabulum, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S32.402D	Unspecified fracture of left acetabulum, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S92.002B	Unspecified fracture of left calcaneus, initial encounter for open fracture	ICD-10-CM	Diagnosis
S92.002G	Unspecified fracture of left calcaneus, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S92.002P	Unspecified fracture of left calcaneus, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S92.002K	Unspecified fracture of left calcaneus, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S92.002D	Unspecified fracture of left calcaneus, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S72.92XA	Unspecified fracture of left femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S92.902A	Unspecified fracture of left foot, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S92.902B	Unspecified fracture of left foot, initial encounter for open fracture	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S92.902G	Unspecified fracture of left foot, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S92.902P	Unspecified fracture of left foot, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S92.902K	Unspecified fracture of left foot, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S92.902D	Unspecified fracture of left foot, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S82.92XA	Unspecified fracture of left lower leg, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S92.102A	Unspecified fracture of left talus, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S92.102B	Unspecified fracture of left talus, initial encounter for open fracture	ICD-10-CM	Diagnosis
S92.102G	Unspecified fracture of left talus, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S92.102P	Unspecified fracture of left talus, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S92.102K	Unspecified fracture of left talus, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S92.102D	Unspecified fracture of left talus, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S92.912A	Unspecified fracture of left toe(s), initial encounter for closed fracture	ICD-10-CM	Diagnosis
S92.912B	Unspecified fracture of left toe(s), initial encounter for open fracture	ICD-10-CM	Diagnosis
S92.912G	Unspecified fracture of left toe(s), subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S92.912P	Unspecified fracture of left toe(s), subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S92.912K	Unspecified fracture of left toe(s), subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S92.912D	Unspecified fracture of left toe(s), subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S62.002S	Unspecified fracture of navicular [scaphoid] bone of left wrist, sequela	ICD-10-CM	Diagnosis
S62.009S	Unspecified fracture of navicular [scaphoid] bone of unspecified wrist, sequela	ICD-10-CM	Diagnosis
S02.119A	Unspecified fracture of occiput, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S02.119B	Unspecified fracture of occiput, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.308S	Unspecified fracture of other metacarpal bone, sequela	ICD-10-CM	Diagnosis
S92.001A	Unspecified fracture of right calcaneus, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.001A	Unspecified fracture of right patella, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S32.401D	Unspecified fracture of right acetabulum, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S92.001B	Unspecified fracture of right calcaneus, initial encounter for open fracture	ICD-10-CM	Diagnosis
S92.001G	Unspecified fracture of right calcaneus, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S92.001P	Unspecified fracture of right calcaneus, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S92.001K	Unspecified fracture of right calcaneus, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S92.001D	Unspecified fracture of right calcaneus, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S72.91XA	Unspecified fracture of right femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S92.901A	Unspecified fracture of right foot, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S92.901B	Unspecified fracture of right foot, initial encounter for open fracture	ICD-10-CM	Diagnosis
S92.901G	Unspecified fracture of right foot, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S92.901P	Unspecified fracture of right foot, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S92.901K	Unspecified fracture of right foot, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S92.901D	Unspecified fracture of right foot, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S32.301K	Unspecified fracture of right ilium, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S32.301G	Unspecified fracture of right ilium, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S32.301D	Unspecified fracture of right ilium, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S82.91XA	Unspecified fracture of right lower leg, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S92.101A	Unspecified fracture of right talus, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S92.101B	Unspecified fracture of right talus, initial encounter for open fracture	ICD-10-CM	Diagnosis
S92.101G	Unspecified fracture of right talus, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S92.101P	Unspecified fracture of right talus, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S92.101K	Unspecified fracture of right talus, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S92.101D	Unspecified fracture of right talus, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S92.911A	Unspecified fracture of right toe(s), initial encounter for closed fracture	ICD-10-CM	Diagnosis
S92.911B	Unspecified fracture of right toe(s), initial encounter for open fracture	ICD-10-CM	Diagnosis
S92.911G	Unspecified fracture of right toe(s), subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S92.911P	Unspecified fracture of right toe(s), subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S92.911K	Unspecified fracture of right toe(s), subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S92.911D	Unspecified fracture of right toe(s), subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S32.10XA	Unspecified fracture of sacrum, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S32.10XB	Unspecified fracture of sacrum, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.302S	Unspecified fracture of shaft of humerus, left arm, sequela	ICD-10-CM	Diagnosis
S42.301S	Unspecified fracture of shaft of humerus, right arm, sequela	ICD-10-CM	Diagnosis
S42.309S	Unspecified fracture of shaft of humerus, unspecified arm, sequela	ICD-10-CM	Diagnosis
S82.402A	Unspecified fracture of shaft of left fibula, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.202A	Unspecified fracture of shaft of left tibia, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.401A	Unspecified fracture of shaft of right fibula, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.201A	Unspecified fracture of shaft of right tibia, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.409A	Unspecified fracture of shaft of unspecified fibula, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.209A	Unspecified fracture of shaft of unspecified tibia, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S72.309S	Unspecified fracture of shaft of unspecified femur, sequela	ICD-10-CM	Diagnosis
S82.409S	Unspecified fracture of shaft of unspecified fibula, sequela	ICD-10-CM	Diagnosis
S52.309S	Unspecified fracture of shaft of unspecified radius, sequela	ICD-10-CM	Diagnosis
S82.209S	Unspecified fracture of shaft of unspecified tibia, sequela	ICD-10-CM	Diagnosis
S52.209S	Unspecified fracture of shaft of unspecified ulna, sequela	ICD-10-CM	Diagnosis
S02.91XA	Unspecified fracture of skull, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S02.91XB	Unspecified fracture of skull, initial encounter for open fracture	ICD-10-CM	Diagnosis
S22.20XA	Unspecified fracture of sternum, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S22.20XB	Unspecified fracture of sternum, initial encounter for open fracture	ICD-10-CM	Diagnosis
S22.089A	Unspecified fracture of T11-T12 vertebra, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S22.089B	Unspecified fracture of T11-T12 vertebra, initial encounter for open fracture	ICD-10-CM	Diagnosis
S22.059A	Unspecified fracture of T5-T6 vertebra, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S22.059B	Unspecified fracture of T5-T6 vertebra, initial encounter for open fracture	ICD-10-CM	Diagnosis
S22.069A	Unspecified fracture of T7-T8 vertebra, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S22.069B	Unspecified fracture of T7-T8 vertebra, initial encounter for open fracture	ICD-10-CM	Diagnosis
S22.079A	Unspecified fracture of T9-T10 vertebra, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S22.079B	Unspecified fracture of T9-T10 vertebra, initial encounter for open fracture	ICD-10-CM	Diagnosis
S32.039S	Unspecified fracture of third lumbar vertebra, sequela	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S22.039S	Unspecified fracture of third thoracic vertebra, sequela	ICD-10-CM	Diagnosis
S32.409G	Unspecified fracture of unspecified acetabulum, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S32.409K	Unspecified fracture of unspecified acetabulum, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S32.409D	Unspecified fracture of unspecified acetabulum, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S92.009A	Unspecified fracture of unspecified calcaneus, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S92.009B	Unspecified fracture of unspecified calcaneus, initial encounter for open fracture	ICD-10-CM	Diagnosis
S92.009G	Unspecified fracture of unspecified calcaneus, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S92.009P	Unspecified fracture of unspecified calcaneus, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S92.009K	Unspecified fracture of unspecified calcaneus, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S92.009D	Unspecified fracture of unspecified calcaneus, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S72.90XA	Unspecified fracture of unspecified femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S92.909A	Unspecified fracture of unspecified foot, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S92.909B	Unspecified fracture of unspecified foot, initial encounter for open fracture	ICD-10-CM	Diagnosis
S92.909G	Unspecified fracture of unspecified foot, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S92.909P	Unspecified fracture of unspecified foot, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S92.909K	Unspecified fracture of unspecified foot, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S92.909D	Unspecified fracture of unspecified foot, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S82.90XA	Unspecified fracture of unspecified lower leg, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.009A	Unspecified fracture of unspecified patella, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S92.109A	Unspecified fracture of unspecified talus, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S92.109B	Unspecified fracture of unspecified talus, initial encounter for open fracture	ICD-10-CM	Diagnosis
S92.109G	Unspecified fracture of unspecified talus, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis



**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S92.109P	Unspecified fracture of unspecified talus, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S92.109K	Unspecified fracture of unspecified talus, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S92.109D	Unspecified fracture of unspecified talus, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S22.009S	Unspecified fracture of unspecified thoracic vertebra, sequela	ICD-10-CM	Diagnosis
S92.919A	Unspecified fracture of unspecified toe(s), initial encounter for closed fracture	ICD-10-CM	Diagnosis
S92.919B	Unspecified fracture of unspecified toe(s), initial encounter for open fracture	ICD-10-CM	Diagnosis
S92.919P	Unspecified fracture of unspecified toe(s), subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S92.919K	Unspecified fracture of unspecified toe(s), subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S92.009S	Unspecified fracture of unspecified calcaneus, sequela	ICD-10-CM	Diagnosis
S82.90XS	Unspecified fracture of unspecified lower leg, sequela	ICD-10-CM	Diagnosis
S32.009S	Unspecified fracture of unspecified lumbar vertebra, sequela	ICD-10-CM	Diagnosis
S62.309S	Unspecified fracture of unspecified metacarpal bone, sequela	ICD-10-CM	Diagnosis
S62.90XS	Unspecified fracture of unspecified wrist and hand, sequela	ICD-10-CM	Diagnosis
S42.202S	Unspecified fracture of upper end of left humerus, sequela	ICD-10-CM	Diagnosis
S42.201S	Unspecified fracture of upper end of right humerus, sequela	ICD-10-CM	Diagnosis
S42.209S	Unspecified fracture of upper end of unspecified humerus, sequela	ICD-10-CM	Diagnosis
S82.109S	Unspecified fracture of upper end of unspecified tibia, sequela	ICD-10-CM	Diagnosis
S52.009S	Unspecified fracture of upper end of unspecified ulna, sequela	ICD-10-CM	Diagnosis
S82.102A	Unspecified fracture of upper end of left tibia, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.101A	Unspecified fracture of upper end of right tibia, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.109A	Unspecified fracture of upper end of unspecified tibia, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S32.019K	Unspecified fracture of first lumbar vertebra, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S32.019D	Unspecified fracture of first lumbar vertebra, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S32.019G	Unspecified fracture of first lumbar vertebra, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S32.019A	Unspecified fracture of first lumbar vertebra, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S32.019B	Unspecified fracture of first lumbar vertebra, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.202G	Unspecified fracture of first metacarpal bone, left hand, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S62.202D	Unspecified fracture of first metacarpal bone, left hand, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S62.201G	Unspecified fracture of first metacarpal bone, right hand, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S62.201D	Unspecified fracture of first metacarpal bone, right hand, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S62.202A	Unspecified fracture of first metacarpal bone, left hand, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S62.202B	Unspecified fracture of first metacarpal bone, left hand, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.202P	Unspecified fracture of first metacarpal bone, left hand, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S62.202K	Unspecified fracture of first metacarpal bone, left hand, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S62.201A	Unspecified fracture of first metacarpal bone, right hand, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S62.201B	Unspecified fracture of first metacarpal bone, right hand, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.201P	Unspecified fracture of first metacarpal bone, right hand, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S62.201K	Unspecified fracture of first metacarpal bone, right hand, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S62.209A	Unspecified fracture of first metacarpal bone, unspecified hand, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S62.209B	Unspecified fracture of first metacarpal bone, unspecified hand, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.209G	Unspecified fracture of first metacarpal bone, unspecified hand, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S62.209P	Unspecified fracture of first metacarpal bone, unspecified hand, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S62.209K	Unspecified fracture of first metacarpal bone, unspecified hand, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S62.209D	Unspecified fracture of first metacarpal bone, unspecified hand, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S22.019K	Unspecified fracture of first thoracic vertebra, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S22.019D	Unspecified fracture of first thoracic vertebra, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S22.019G	Unspecified fracture of first thoracic vertebra, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S32.029K	Unspecified fracture of second lumbar vertebra, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S32.029D	Unspecified fracture of second lumbar vertebra, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S32.029G	Unspecified fracture of second lumbar vertebra, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S32.029A	Unspecified fracture of second lumbar vertebra, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S32.029B	Unspecified fracture of second lumbar vertebra, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.301G	Unspecified fracture of second metacarpal bone, left hand, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S62.301D	Unspecified fracture of second metacarpal bone, left hand, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S62.300G	Unspecified fracture of second metacarpal bone, right hand, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S62.300D	Unspecified fracture of second metacarpal bone, right hand, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S62.301A	Unspecified fracture of second metacarpal bone, left hand, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S62.301B	Unspecified fracture of second metacarpal bone, left hand, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.301P	Unspecified fracture of second metacarpal bone, left hand, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S62.301K	Unspecified fracture of second metacarpal bone, left hand, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S62.300A	Unspecified fracture of second metacarpal bone, right hand, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S62.300B	Unspecified fracture of second metacarpal bone, right hand, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.300P	Unspecified fracture of second metacarpal bone, right hand, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S62.300K	Unspecified fracture of second metacarpal bone, right hand, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S22.029K	Unspecified fracture of second thoracic vertebra, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S22.029D	Unspecified fracture of second thoracic vertebra, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S22.029G	Unspecified fracture of second thoracic vertebra, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S32.039G	Unspecified fracture of third lumbar vertebra, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S32.039K	Unspecified fracture of third lumbar vertebra, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S32.039D	Unspecified fracture of third lumbar vertebra, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S32.039A	Unspecified fracture of third lumbar vertebra, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S32.039B	Unspecified fracture of third lumbar vertebra, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.303G	Unspecified fracture of third metacarpal bone, left hand, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S62.303D	Unspecified fracture of third metacarpal bone, left hand, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S62.302G	Unspecified fracture of third metacarpal bone, right hand, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S62.302D	Unspecified fracture of third metacarpal bone, right hand, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S62.303A	Unspecified fracture of third metacarpal bone, left hand, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S62.303B	Unspecified fracture of third metacarpal bone, left hand, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.303P	Unspecified fracture of third metacarpal bone, left hand, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S62.303K	Unspecified fracture of third metacarpal bone, left hand, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S62.302A	Unspecified fracture of third metacarpal bone, right hand, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S62.302B	Unspecified fracture of third metacarpal bone, right hand, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.302P	Unspecified fracture of third metacarpal bone, right hand, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S62.302K	Unspecified fracture of third metacarpal bone, right hand, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S22.039A	Unspecified fracture of third thoracic vertebra, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S22.039B	Unspecified fracture of third thoracic vertebra, initial encounter for open fracture	ICD-10-CM	Diagnosis
S22.039G	Unspecified fracture of third thoracic vertebra, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S22.039K	Unspecified fracture of third thoracic vertebra, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S22.039D	Unspecified fracture of third thoracic vertebra, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S32.049G	Unspecified fracture of fourth lumbar vertebra, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S32.049K	Unspecified fracture of fourth lumbar vertebra, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S32.049D	Unspecified fracture of fourth lumbar vertebra, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S32.049A	Unspecified fracture of fourth lumbar vertebra, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S32.049B	Unspecified fracture of fourth lumbar vertebra, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.305G	Unspecified fracture of fourth metacarpal bone, left hand, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S62.305D	Unspecified fracture of fourth metacarpal bone, left hand, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S62.304G	Unspecified fracture of fourth metacarpal bone, right hand, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S62.304D	Unspecified fracture of fourth metacarpal bone, right hand, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S62.305A	Unspecified fracture of fourth metacarpal bone, left hand, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S62.305B	Unspecified fracture of fourth metacarpal bone, left hand, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.305P	Unspecified fracture of fourth metacarpal bone, left hand, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S62.305K	Unspecified fracture of fourth metacarpal bone, left hand, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S62.304A	Unspecified fracture of fourth metacarpal bone, right hand, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S62.304B	Unspecified fracture of fourth metacarpal bone, right hand, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.304P	Unspecified fracture of fourth metacarpal bone, right hand, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S62.304K	Unspecified fracture of fourth metacarpal bone, right hand, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S22.049A	Unspecified fracture of fourth thoracic vertebra, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S22.049B	Unspecified fracture of fourth thoracic vertebra, initial encounter for open fracture	ICD-10-CM	Diagnosis
S22.049G	Unspecified fracture of fourth thoracic vertebra, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S22.049K	Unspecified fracture of fourth thoracic vertebra, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S22.049D	Unspecified fracture of fourth thoracic vertebra, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S32.059G	Unspecified fracture of fifth lumbar vertebra, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S32.059K	Unspecified fracture of fifth lumbar vertebra, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S32.059D	Unspecified fracture of fifth lumbar vertebra, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S32.059A	Unspecified fracture of fifth lumbar vertebra, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S32.059B	Unspecified fracture of fifth lumbar vertebra, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.307G	Unspecified fracture of fifth metacarpal bone, left hand, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S62.307D	Unspecified fracture of fifth metacarpal bone, left hand, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S62.306G	Unspecified fracture of fifth metacarpal bone, right hand, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S62.306D	Unspecified fracture of fifth metacarpal bone, right hand, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S62.307A	Unspecified fracture of fifth metacarpal bone, left hand, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S62.307B	Unspecified fracture of fifth metacarpal bone, left hand, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.307P	Unspecified fracture of fifth metacarpal bone, left hand, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S62.307K	Unspecified fracture of fifth metacarpal bone, left hand, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S62.306A	Unspecified fracture of fifth metacarpal bone, right hand, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S62.306B	Unspecified fracture of fifth metacarpal bone, right hand, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.306P	Unspecified fracture of fifth metacarpal bone, right hand, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S62.306K	Unspecified fracture of fifth metacarpal bone, right hand, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S02.10XK	Unspecified fracture of base of skull, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S02.10XD	Unspecified fracture of base of skull, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S02.10XG	Unspecified fracture of base of skull, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S02.92XK	Unspecified fracture of facial bones, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis



**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S02.92XG	Unspecified fracture of facial bones, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S02.92XD	Unspecified fracture of facial bones, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S72.052B	Unspecified fracture of head of left femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.052C	Unspecified fracture of head of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.052J	Unspecified fracture of head of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD-10-CM	Diagnosis
S72.052P	Unspecified fracture of head of left femur, subsequent encounter for closed fracture with malunion	ICD-10-CM	Diagnosis
S72.052K	Unspecified fracture of head of left femur, subsequent encounter for closed fracture with nonunion	ICD-10-CM	Diagnosis
S72.052G	Unspecified fracture of head of left femur, subsequent encounter for closed fracture with delayed healing	ICD-10-CM	Diagnosis
S72.052D	Unspecified fracture of head of left femur, subsequent encounter for closed fracture with routine healing	ICD-10-CM	Diagnosis
S72.052H	Unspecified fracture of head of left femur, subsequent encounter for open fracture type I or II with delayed healing	ICD-10-CM	Diagnosis
S72.052Q	Unspecified fracture of head of left femur, subsequent encounter for open fracture type I or II with malunion	ICD-10-CM	Diagnosis
S72.052M	Unspecified fracture of head of left femur, subsequent encounter for open fracture type I or II with nonunion	ICD-10-CM	Diagnosis
S72.052E	Unspecified fracture of head of left femur, subsequent encounter for open fracture type I or II with routine healing	ICD-10-CM	Diagnosis
S72.052R	Unspecified fracture of head of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD-10-CM	Diagnosis
S72.052N	Unspecified fracture of head of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD-10-CM	Diagnosis
S72.052F	Unspecified fracture of head of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD-10-CM	Diagnosis
S72.051B	Unspecified fracture of head of right femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.051C	Unspecified fracture of head of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.051J	Unspecified fracture of head of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD-10-CM	Diagnosis
S72.051P	Unspecified fracture of head of right femur, subsequent encounter for closed fracture with malunion	ICD-10-CM	Diagnosis
S72.051K	Unspecified fracture of head of right femur, subsequent encounter for closed fracture with nonunion	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S72.051G	Unspecified fracture of head of right femur, subsequent encounter for closed fracture with delayed healing	ICD-10-CM	Diagnosis
S72.051D	Unspecified fracture of head of right femur, subsequent encounter for closed fracture with routine healing	ICD-10-CM	Diagnosis
S72.051H	Unspecified fracture of head of right femur, subsequent encounter for open fracture type I or II with delayed healing	ICD-10-CM	Diagnosis
S72.051Q	Unspecified fracture of head of right femur, subsequent encounter for open fracture type I or II with malunion	ICD-10-CM	Diagnosis
S72.051M	Unspecified fracture of head of right femur, subsequent encounter for open fracture type I or II with nonunion	ICD-10-CM	Diagnosis
S72.051E	Unspecified fracture of head of right femur, subsequent encounter for open fracture type I or II with routine healing	ICD-10-CM	Diagnosis
S72.051R	Unspecified fracture of head of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD-10-CM	Diagnosis
S72.051N	Unspecified fracture of head of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD-10-CM	Diagnosis
S72.051F	Unspecified fracture of head of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD-10-CM	Diagnosis
S72.059B	Unspecified fracture of head of unspecified femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.059C	Unspecified fracture of head of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.059A	Unspecified fracture of head of unspecified femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S72.059J	Unspecified fracture of head of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD-10-CM	Diagnosis
S72.059F	Unspecified fracture of head of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD-10-CM	Diagnosis
S72.059G	Unspecified fracture of head of unspecified femur, subsequent encounter for closed fracture with delayed healing	ICD-10-CM	Diagnosis
S72.059P	Unspecified fracture of head of unspecified femur, subsequent encounter for closed fracture with malunion	ICD-10-CM	Diagnosis
S72.059K	Unspecified fracture of head of unspecified femur, subsequent encounter for closed fracture with nonunion	ICD-10-CM	Diagnosis
S72.059D	Unspecified fracture of head of unspecified femur, subsequent encounter for closed fracture with routine healing	ICD-10-CM	Diagnosis
S72.059H	Unspecified fracture of head of unspecified femur, subsequent encounter for open fracture type I or II with delayed healing	ICD-10-CM	Diagnosis
S72.059Q	Unspecified fracture of head of unspecified femur, subsequent encounter for open fracture type I or II with malunion	ICD-10-CM	Diagnosis
S72.059M	Unspecified fracture of head of unspecified femur, subsequent encounter for open fracture type I or II with nonunion	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S72.059E	Unspecified fracture of head of unspecified femur, subsequent encounter for open fracture type I or II with routine healing	ICD-10-CM	Diagnosis
S72.059R	Unspecified fracture of head of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD-10-CM	Diagnosis
S72.059N	Unspecified fracture of head of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD-10-CM	Diagnosis
S42.402A	Unspecified fracture of lower end of left humerus, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.402B	Unspecified fracture of lower end of left humerus, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.402P	Unspecified fracture of lower end of left humerus, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S42.402K	Unspecified fracture of lower end of left humerus, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S42.402D	Unspecified fracture of lower end of left humerus, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S42.402G	Unspecified fracture of lower end of left humerus, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S42.401A	Unspecified fracture of lower end of right humerus, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.401B	Unspecified fracture of lower end of right humerus, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.401P	Unspecified fracture of lower end of right humerus, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S42.401K	Unspecified fracture of lower end of right humerus, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S42.401D	Unspecified fracture of lower end of right humerus, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S42.401G	Unspecified fracture of lower end of right humerus, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S42.409A	Unspecified fracture of lower end of unspecified humerus, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.409B	Unspecified fracture of lower end of unspecified humerus, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.409G	Unspecified fracture of lower end of unspecified humerus, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S42.409P	Unspecified fracture of lower end of unspecified humerus, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S42.409K	Unspecified fracture of lower end of unspecified humerus, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S42.409D	Unspecified fracture of lower end of unspecified humerus, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S52.502Q	Unspecified fracture of the lower end of left radius, subsequent encounter for open fracture type I or II with malunion	ICD-10-CM	Diagnosis
S52.502M	Unspecified fracture of the lower end of left radius, subsequent encounter for open fracture type I or II with nonunion	ICD-10-CM	Diagnosis
S52.502E	Unspecified fracture of the lower end of left radius, subsequent encounter for open fracture type I or II with routine healing	ICD-10-CM	Diagnosis
S52.501Q	Unspecified fracture of the lower end of right radius, subsequent encounter for open fracture type I or II with malunion	ICD-10-CM	Diagnosis
S52.501M	Unspecified fracture of the lower end of right radius, subsequent encounter for open fracture type I or II with nonunion	ICD-10-CM	Diagnosis
S52.501E	Unspecified fracture of the lower end of right radius, subsequent encounter for open fracture type I or II with routine healing	ICD-10-CM	Diagnosis
S52.509Q	Unspecified fracture of the lower end of unspecified radius, subsequent encounter for open fracture type I or II with malunion	ICD-10-CM	Diagnosis
S52.509M	Unspecified fracture of the lower end of unspecified radius, subsequent encounter for open fracture type I or II with nonunion	ICD-10-CM	Diagnosis
S52.509J	Unspecified fracture of the lower end of unspecified radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD-10-CM	Diagnosis
S52.501A	Unspecified fracture of the lower end of right radius, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S72.402C	Unspecified fracture of lower end of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.402A	Unspecified fracture of lower end of left femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S72.402B	Unspecified fracture of lower end of left femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.402G	Unspecified fracture of lower end of left femur, subsequent encounter for closed fracture with delayed healing	ICD-10-CM	Diagnosis
S72.402P	Unspecified fracture of lower end of left femur, subsequent encounter for closed fracture with malunion	ICD-10-CM	Diagnosis
S72.402K	Unspecified fracture of lower end of left femur, subsequent encounter for closed fracture with nonunion	ICD-10-CM	Diagnosis
S72.402D	Unspecified fracture of lower end of left femur, subsequent encounter for closed fracture with routine healing	ICD-10-CM	Diagnosis
S72.402H	Unspecified fracture of lower end of left femur, subsequent encounter for open fracture type I or II with delayed healing	ICD-10-CM	Diagnosis
S72.402Q	Unspecified fracture of lower end of left femur, subsequent encounter for open fracture type I or II with malunion	ICD-10-CM	Diagnosis
S72.402M	Unspecified fracture of lower end of left femur, subsequent encounter for open fracture type I or II with nonunion	ICD-10-CM	Diagnosis
S72.402E	Unspecified fracture of lower end of left femur, subsequent encounter for open fracture type I or II with routine healing	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S72.402J	Unspecified fracture of lower end of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD-10-CM	Diagnosis
S72.402R	Unspecified fracture of lower end of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD-10-CM	Diagnosis
S72.402N	Unspecified fracture of lower end of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD-10-CM	Diagnosis
S72.402F	Unspecified fracture of lower end of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD-10-CM	Diagnosis
S52.502B	Unspecified fracture of the lower end of left radius, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S52.502C	Unspecified fracture of the lower end of left radius, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S52.502A	Unspecified fracture of the lower end of left radius, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.502P	Unspecified fracture of the lower end of left radius, subsequent encounter for closed fracture with malunion	ICD-10-CM	Diagnosis
S52.502K	Unspecified fracture of the lower end of left radius, subsequent encounter for closed fracture with nonunion	ICD-10-CM	Diagnosis
S52.502H	Unspecified fracture of the lower end of left radius, subsequent encounter for open fracture type I or II with delayed healing	ICD-10-CM	Diagnosis
S52.502J	Unspecified fracture of the lower end of left radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD-10-CM	Diagnosis
S52.502R	Unspecified fracture of the lower end of left radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD-10-CM	Diagnosis
S52.502N	Unspecified fracture of the lower end of left radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD-10-CM	Diagnosis
S52.502F	Unspecified fracture of the lower end of left radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD-10-CM	Diagnosis
S52.502G	Unspecified fracture of the lower end of left radius, subsequent encounter for closed fracture with delayed healing	ICD-10-CM	Diagnosis
S52.502D	Unspecified fracture of the lower end of left radius, subsequent encounter for closed fracture with routine healing	ICD-10-CM	Diagnosis
S82.302B	Unspecified fracture of lower end of left tibia, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.302C	Unspecified fracture of lower end of left tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.302P	Unspecified fracture of lower end of left tibia, subsequent encounter for closed fracture with malunion	ICD-10-CM	Diagnosis
S82.302K	Unspecified fracture of lower end of left tibia, subsequent encounter for closed fracture with nonunion	ICD-10-CM	Diagnosis
S82.302G	Unspecified fracture of lower end of left tibia, subsequent encounter for closed fracture with delayed healing	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S82.302D	Unspecified fracture of lower end of left tibia, subsequent encounter for closed fracture with routine healing	ICD-10-CM	Diagnosis
S82.302H	Unspecified fracture of lower end of left tibia, subsequent encounter for open fracture type I or II with delayed healing	ICD-10-CM	Diagnosis
S82.302Q	Unspecified fracture of lower end of left tibia, subsequent encounter for open fracture type I or II with malunion	ICD-10-CM	Diagnosis
S82.302M	Unspecified fracture of lower end of left tibia, subsequent encounter for open fracture type I or II with nonunion	ICD-10-CM	Diagnosis
S82.302E	Unspecified fracture of lower end of left tibia, subsequent encounter for open fracture type I or II with routine healing	ICD-10-CM	Diagnosis
S82.302J	Unspecified fracture of lower end of left tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD-10-CM	Diagnosis
S82.302R	Unspecified fracture of lower end of left tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD-10-CM	Diagnosis
S82.302N	Unspecified fracture of lower end of left tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD-10-CM	Diagnosis
S82.302F	Unspecified fracture of lower end of left tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD-10-CM	Diagnosis
S52.602B	Unspecified fracture of lower end of left ulna, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S52.602C	Unspecified fracture of lower end of left ulna, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S52.602A	Unspecified fracture of lower end of left ulna, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.602G	Unspecified fracture of lower end of left ulna, subsequent encounter for closed fracture with delayed healing	ICD-10-CM	Diagnosis
S52.602P	Unspecified fracture of lower end of left ulna, subsequent encounter for closed fracture with malunion	ICD-10-CM	Diagnosis
S52.602K	Unspecified fracture of lower end of left ulna, subsequent encounter for closed fracture with nonunion	ICD-10-CM	Diagnosis
S52.602Q	Unspecified fracture of lower end of left ulna, subsequent encounter for open fracture type I or II with malunion	ICD-10-CM	Diagnosis
S52.602E	Unspecified fracture of lower end of left ulna, subsequent encounter for open fracture type I or II with routine healing	ICD-10-CM	Diagnosis
S52.602N	Unspecified fracture of lower end of left ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD-10-CM	Diagnosis
S52.602J	Unspecified fracture of lower end of left ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD-10-CM	Diagnosis
S52.602F	Unspecified fracture of lower end of left ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD-10-CM	Diagnosis
S52.602H	Unspecified fracture of lower end of left ulna, subsequent encounter for open fracture type I or II with delayed healing	ICD-10-CM	Diagnosis



**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S52.602M	Unspecified fracture of lower end of left ulna, subsequent encounter for open fracture type I or II with nonunion	ICD-10-CM	Diagnosis
S52.602R	Unspecified fracture of lower end of left ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD-10-CM	Diagnosis
S52.602D	Unspecified fracture of lower end of left ulna, subsequent encounter for closed fracture with routine healing	ICD-10-CM	Diagnosis
S72.401C	Unspecified fracture of lower end of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.401A	Unspecified fracture of lower end of right femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S72.401B	Unspecified fracture of lower end of right femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.401G	Unspecified fracture of lower end of right femur, subsequent encounter for closed fracture with delayed healing	ICD-10-CM	Diagnosis
S72.401P	Unspecified fracture of lower end of right femur, subsequent encounter for closed fracture with malunion	ICD-10-CM	Diagnosis
S72.401K	Unspecified fracture of lower end of right femur, subsequent encounter for closed fracture with nonunion	ICD-10-CM	Diagnosis
S72.401D	Unspecified fracture of lower end of right femur, subsequent encounter for closed fracture with routine healing	ICD-10-CM	Diagnosis
S72.401H	Unspecified fracture of lower end of right femur, subsequent encounter for open fracture type I or II with delayed healing	ICD-10-CM	Diagnosis
S72.401Q	Unspecified fracture of lower end of right femur, subsequent encounter for open fracture type I or II with malunion	ICD-10-CM	Diagnosis
S72.401M	Unspecified fracture of lower end of right femur, subsequent encounter for open fracture type I or II with nonunion	ICD-10-CM	Diagnosis
S72.401E	Unspecified fracture of lower end of right femur, subsequent encounter for open fracture type I or II with routine healing	ICD-10-CM	Diagnosis
S72.401J	Unspecified fracture of lower end of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD-10-CM	Diagnosis
S72.401R	Unspecified fracture of lower end of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD-10-CM	Diagnosis
S72.401N	Unspecified fracture of lower end of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD-10-CM	Diagnosis
S72.401F	Unspecified fracture of lower end of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD-10-CM	Diagnosis
S52.501B	Unspecified fracture of the lower end of right radius, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S52.501C	Unspecified fracture of the lower end of right radius, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S52.501K	Unspecified fracture of the lower end of right radius, subsequent encounter for closed fracture with nonunion	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S52.501H	Unspecified fracture of the lower end of right radius, subsequent encounter for open fracture type I or II with delayed healing	ICD-10-CM	Diagnosis
S52.501J	Unspecified fracture of the lower end of right radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD-10-CM	Diagnosis
S52.501R	Unspecified fracture of the lower end of right radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD-10-CM	Diagnosis
S52.501N	Unspecified fracture of the lower end of right radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD-10-CM	Diagnosis
S52.501F	Unspecified fracture of the lower end of right radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD-10-CM	Diagnosis
S52.501G	Unspecified fracture of the lower end of right radius, subsequent encounter for closed fracture with delayed healing	ICD-10-CM	Diagnosis
S52.501P	Unspecified fracture of the lower end of right radius, subsequent encounter for closed fracture with malunion	ICD-10-CM	Diagnosis
S52.501D	Unspecified fracture of the lower end of right radius, subsequent encounter for closed fracture with routine healing	ICD-10-CM	Diagnosis
S82.301B	Unspecified fracture of lower end of right tibia, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.301C	Unspecified fracture of lower end of right tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.301P	Unspecified fracture of lower end of right tibia, subsequent encounter for closed fracture with malunion	ICD-10-CM	Diagnosis
S82.301K	Unspecified fracture of lower end of right tibia, subsequent encounter for closed fracture with nonunion	ICD-10-CM	Diagnosis
S82.301G	Unspecified fracture of lower end of right tibia, subsequent encounter for closed fracture with delayed healing	ICD-10-CM	Diagnosis
S82.301D	Unspecified fracture of lower end of right tibia, subsequent encounter for closed fracture with routine healing	ICD-10-CM	Diagnosis
S82.301H	Unspecified fracture of lower end of right tibia, subsequent encounter for open fracture type I or II with delayed healing	ICD-10-CM	Diagnosis
S82.301Q	Unspecified fracture of lower end of right tibia, subsequent encounter for open fracture type I or II with malunion	ICD-10-CM	Diagnosis
S82.301M	Unspecified fracture of lower end of right tibia, subsequent encounter for open fracture type I or II with nonunion	ICD-10-CM	Diagnosis
S82.301E	Unspecified fracture of lower end of right tibia, subsequent encounter for open fracture type I or II with routine healing	ICD-10-CM	Diagnosis
S82.301J	Unspecified fracture of lower end of right tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD-10-CM	Diagnosis
S82.301R	Unspecified fracture of lower end of right tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD-10-CM	Diagnosis
S82.301N	Unspecified fracture of lower end of right tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S82.301F	Unspecified fracture of lower end of right tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD-10-CM	Diagnosis
S52.601C	Unspecified fracture of lower end of right ulna, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S52.601A	Unspecified fracture of lower end of right ulna, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.601B	Unspecified fracture of lower end of right ulna, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S52.601G	Unspecified fracture of lower end of right ulna, subsequent encounter for closed fracture with delayed healing	ICD-10-CM	Diagnosis
S52.601Q	Unspecified fracture of lower end of right ulna, subsequent encounter for open fracture type I or II with malunion	ICD-10-CM	Diagnosis
S52.601E	Unspecified fracture of lower end of right ulna, subsequent encounter for open fracture type I or II with routine healing	ICD-10-CM	Diagnosis
S52.601J	Unspecified fracture of lower end of right ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD-10-CM	Diagnosis
S52.601F	Unspecified fracture of lower end of right ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD-10-CM	Diagnosis
S52.601H	Unspecified fracture of lower end of right ulna, subsequent encounter for open fracture type I or II with delayed healing	ICD-10-CM	Diagnosis
S52.601M	Unspecified fracture of lower end of right ulna, subsequent encounter for open fracture type I or II with nonunion	ICD-10-CM	Diagnosis
S52.601R	Unspecified fracture of lower end of right ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD-10-CM	Diagnosis
S52.601N	Unspecified fracture of lower end of right ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD-10-CM	Diagnosis
S52.601D	Unspecified fracture of lower end of right ulna, subsequent encounter for closed fracture with routine healing	ICD-10-CM	Diagnosis
S52.601P	Unspecified fracture of lower end of right ulna, subsequent encounter for closed fracture with malunion	ICD-10-CM	Diagnosis
S52.601K	Unspecified fracture of lower end of right ulna, subsequent encounter for closed fracture with nonunion	ICD-10-CM	Diagnosis
S72.409C	Unspecified fracture of lower end of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.409A	Unspecified fracture of lower end of unspecified femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S72.409B	Unspecified fracture of lower end of unspecified femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.409G	Unspecified fracture of lower end of unspecified femur, subsequent encounter for closed fracture with delayed healing	ICD-10-CM	Diagnosis
S72.409P	Unspecified fracture of lower end of unspecified femur, subsequent encounter for closed fracture with malunion	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S72.409K	Unspecified fracture of lower end of unspecified femur, subsequent encounter for closed fracture with nonunion	ICD-10-CM	Diagnosis
S72.409D	Unspecified fracture of lower end of unspecified femur, subsequent encounter for closed fracture with routine healing	ICD-10-CM	Diagnosis
S72.409Q	Unspecified fracture of lower end of unspecified femur, subsequent encounter for open fracture type I or II with malunion	ICD-10-CM	Diagnosis
S72.409M	Unspecified fracture of lower end of unspecified femur, subsequent encounter for open fracture type I or II with nonunion	ICD-10-CM	Diagnosis
S72.409E	Unspecified fracture of lower end of unspecified femur, subsequent encounter for open fracture type I or II with routine healing	ICD-10-CM	Diagnosis
S72.409J	Unspecified fracture of lower end of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD-10-CM	Diagnosis
S72.409R	Unspecified fracture of lower end of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD-10-CM	Diagnosis
S72.409N	Unspecified fracture of lower end of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD-10-CM	Diagnosis
S72.409F	Unspecified fracture of lower end of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD-10-CM	Diagnosis
S72.409H	Unspecified fracture of lower end of unspecified femur, subsequent encounter for open fracture type I or II with delayed healing	ICD-10-CM	Diagnosis
S52.509B	Unspecified fracture of the lower end of unspecified radius, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S52.509C	Unspecified fracture of the lower end of unspecified radius, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S52.509A	Unspecified fracture of the lower end of unspecified radius, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.509H	Unspecified fracture of the lower end of unspecified radius, subsequent encounter for open fracture type I or II with delayed healing	ICD-10-CM	Diagnosis
S52.509E	Unspecified fracture of the lower end of unspecified radius, subsequent encounter for open fracture type I or II with routine healing	ICD-10-CM	Diagnosis
S52.509R	Unspecified fracture of the lower end of unspecified radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD-10-CM	Diagnosis
S52.509N	Unspecified fracture of the lower end of unspecified radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD-10-CM	Diagnosis
S52.509F	Unspecified fracture of the lower end of unspecified radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD-10-CM	Diagnosis
S52.509G	Unspecified fracture of the lower end of unspecified radius, subsequent encounter for closed fracture with delayed healing	ICD-10-CM	Diagnosis
S52.509P	Unspecified fracture of the lower end of unspecified radius, subsequent encounter for closed fracture with malunion	ICD-10-CM	Diagnosis
S52.509K	Unspecified fracture of the lower end of unspecified radius, subsequent encounter for closed fracture with nonunion	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S52.509D	Unspecified fracture of the lower end of unspecified radius, subsequent encounter for closed fracture with routine healing	ICD-10-CM	Diagnosis
S82.309B	Unspecified fracture of lower end of unspecified tibia, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.309C	Unspecified fracture of lower end of unspecified tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.309P	Unspecified fracture of lower end of unspecified tibia, subsequent encounter for closed fracture with malunion	ICD-10-CM	Diagnosis
S82.309K	Unspecified fracture of lower end of unspecified tibia, subsequent encounter for closed fracture with nonunion	ICD-10-CM	Diagnosis
S82.309G	Unspecified fracture of lower end of unspecified tibia, subsequent encounter for closed fracture with delayed healing	ICD-10-CM	Diagnosis
S82.309D	Unspecified fracture of lower end of unspecified tibia, subsequent encounter for closed fracture with routine healing	ICD-10-CM	Diagnosis
S82.309Q	Unspecified fracture of lower end of unspecified tibia, subsequent encounter for open fracture type I or II with malunion	ICD-10-CM	Diagnosis
S82.309M	Unspecified fracture of lower end of unspecified tibia, subsequent encounter for open fracture type I or II with nonunion	ICD-10-CM	Diagnosis
S82.309E	Unspecified fracture of lower end of unspecified tibia, subsequent encounter for open fracture type I or II with routine healing	ICD-10-CM	Diagnosis
S82.309J	Unspecified fracture of lower end of unspecified tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD-10-CM	Diagnosis
S82.309R	Unspecified fracture of lower end of unspecified tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD-10-CM	Diagnosis
S82.309N	Unspecified fracture of lower end of unspecified tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD-10-CM	Diagnosis
S82.309F	Unspecified fracture of lower end of unspecified tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD-10-CM	Diagnosis
S82.309H	Unspecified fracture of lower end of unspecified tibia, subsequent encounter for open fracture type I or II with delayed healing	ICD-10-CM	Diagnosis
S52.609C	Unspecified fracture of lower end of unspecified ulna, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S52.609A	Unspecified fracture of lower end of unspecified ulna, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.609B	Unspecified fracture of lower end of unspecified ulna, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S52.609G	Unspecified fracture of lower end of unspecified ulna, subsequent encounter for closed fracture with delayed healing	ICD-10-CM	Diagnosis
S52.609K	Unspecified fracture of lower end of unspecified ulna, subsequent encounter for closed fracture with nonunion	ICD-10-CM	Diagnosis
S52.609J	Unspecified fracture of lower end of unspecified ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S52.609F	Unspecified fracture of lower end of unspecified ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD-10-CM	Diagnosis
S52.609M	Unspecified fracture of lower end of unspecified ulna, subsequent encounter for open fracture type I or II with nonunion	ICD-10-CM	Diagnosis
S52.609E	Unspecified fracture of lower end of unspecified ulna, subsequent encounter for open fracture type I or II with routine healing	ICD-10-CM	Diagnosis
S52.609H	Unspecified fracture of lower end of unspecified ulna, subsequent encounter for open fracture type I or II with delayed healing	ICD-10-CM	Diagnosis
S52.609D	Unspecified fracture of lower end of unspecified ulna, subsequent encounter for closed fracture with routine healing	ICD-10-CM	Diagnosis
S72.92XB	Unspecified fracture of left femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.92XC	Unspecified fracture of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.92XG	Unspecified fracture of left femur, subsequent encounter for closed fracture with delayed healing	ICD-10-CM	Diagnosis
S72.92XP	Unspecified fracture of left femur, subsequent encounter for closed fracture with malunion	ICD-10-CM	Diagnosis
S72.92XK	Unspecified fracture of left femur, subsequent encounter for closed fracture with nonunion	ICD-10-CM	Diagnosis
S72.92XD	Unspecified fracture of left femur, subsequent encounter for closed fracture with routine healing	ICD-10-CM	Diagnosis
S72.92XH	Unspecified fracture of left femur, subsequent encounter for open fracture type I or II with delayed healing	ICD-10-CM	Diagnosis
S72.92XQ	Unspecified fracture of left femur, subsequent encounter for open fracture type I or II with malunion	ICD-10-CM	Diagnosis
S72.92XM	Unspecified fracture of left femur, subsequent encounter for open fracture type I or II with nonunion	ICD-10-CM	Diagnosis
S72.92XE	Unspecified fracture of left femur, subsequent encounter for open fracture type I or II with routine healing	ICD-10-CM	Diagnosis
S72.92XJ	Unspecified fracture of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD-10-CM	Diagnosis
S72.92XR	Unspecified fracture of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD-10-CM	Diagnosis
S72.92XN	Unspecified fracture of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD-10-CM	Diagnosis
S72.92XF	Unspecified fracture of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD-10-CM	Diagnosis
S52.92XN	Unspecified fracture of left forearm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD-10-CM	Diagnosis
S52.92XA	Unspecified fracture of left forearm, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.92XB	Unspecified fracture of left forearm, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis



**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S52.92XC	Unspecified fracture of left forearm, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S52.92XG	Unspecified fracture of left forearm, subsequent encounter for closed fracture with delayed healing	ICD-10-CM	Diagnosis
S52.92XP	Unspecified fracture of left forearm, subsequent encounter for closed fracture with malunion	ICD-10-CM	Diagnosis
S52.92XK	Unspecified fracture of left forearm, subsequent encounter for closed fracture with nonunion	ICD-10-CM	Diagnosis
S52.92XD	Unspecified fracture of left forearm, subsequent encounter for closed fracture with routine healing	ICD-10-CM	Diagnosis
S52.92XH	Unspecified fracture of left forearm, subsequent encounter for open fracture type I or II with delayed healing	ICD-10-CM	Diagnosis
S52.92XQ	Unspecified fracture of left forearm, subsequent encounter for open fracture type I or II with malunion	ICD-10-CM	Diagnosis
S52.92XM	Unspecified fracture of left forearm, subsequent encounter for open fracture type I or II with nonunion	ICD-10-CM	Diagnosis
S52.92XE	Unspecified fracture of left forearm, subsequent encounter for open fracture type I or II with routine healing	ICD-10-CM	Diagnosis
S52.92XR	Unspecified fracture of left forearm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD-10-CM	Diagnosis
S52.92XF	Unspecified fracture of left forearm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD-10-CM	Diagnosis
S52.92XJ	Unspecified fracture of left forearm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD-10-CM	Diagnosis
S82.92XB	Unspecified fracture of left lower leg, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.92XC	Unspecified fracture of left lower leg, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.92XG	Unspecified fracture of left lower leg, subsequent encounter for closed fracture with delayed healing	ICD-10-CM	Diagnosis
S82.92XP	Unspecified fracture of left lower leg, subsequent encounter for closed fracture with malunion	ICD-10-CM	Diagnosis
S82.92XK	Unspecified fracture of left lower leg, subsequent encounter for closed fracture with nonunion	ICD-10-CM	Diagnosis
S82.92XD	Unspecified fracture of left lower leg, subsequent encounter for closed fracture with routine healing	ICD-10-CM	Diagnosis
S82.92XH	Unspecified fracture of left lower leg, subsequent encounter for open fracture type I or II with delayed healing	ICD-10-CM	Diagnosis
S82.92XQ	Unspecified fracture of left lower leg, subsequent encounter for open fracture type I or II with malunion	ICD-10-CM	Diagnosis
S82.92XM	Unspecified fracture of left lower leg, subsequent encounter for open fracture type I or II with nonunion	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S82.92XE	Unspecified fracture of left lower leg, subsequent encounter for open fracture type I or II with routine healing	ICD-10-CM	Diagnosis
S82.92XJ	Unspecified fracture of left lower leg, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD-10-CM	Diagnosis
S82.92XR	Unspecified fracture of left lower leg, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD-10-CM	Diagnosis
S82.92XN	Unspecified fracture of left lower leg, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD-10-CM	Diagnosis
S82.92XF	Unspecified fracture of left lower leg, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD-10-CM	Diagnosis
S82.002B	Unspecified fracture of left patella, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.002C	Unspecified fracture of left patella, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.002G	Unspecified fracture of left patella, subsequent encounter for closed fracture with delayed healing	ICD-10-CM	Diagnosis
S82.002P	Unspecified fracture of left patella, subsequent encounter for closed fracture with malunion	ICD-10-CM	Diagnosis
S82.002K	Unspecified fracture of left patella, subsequent encounter for closed fracture with nonunion	ICD-10-CM	Diagnosis
S82.002D	Unspecified fracture of left patella, subsequent encounter for closed fracture with routine healing	ICD-10-CM	Diagnosis
S82.002H	Unspecified fracture of left patella, subsequent encounter for open fracture type I or II with delayed healing	ICD-10-CM	Diagnosis
S82.002Q	Unspecified fracture of left patella, subsequent encounter for open fracture type I or II with malunion	ICD-10-CM	Diagnosis
S82.002M	Unspecified fracture of left patella, subsequent encounter for open fracture type I or II with nonunion	ICD-10-CM	Diagnosis
S82.002E	Unspecified fracture of left patella, subsequent encounter for open fracture type I or II with routine healing	ICD-10-CM	Diagnosis
S82.002J	Unspecified fracture of left patella, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD-10-CM	Diagnosis
S82.002R	Unspecified fracture of left patella, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD-10-CM	Diagnosis
S82.002N	Unspecified fracture of left patella, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD-10-CM	Diagnosis
S82.002F	Unspecified fracture of left patella, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD-10-CM	Diagnosis
S62.92XA	Unspecified fracture of left wrist and hand, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S62.92XB	Unspecified fracture of left wrist and hand, initial encounter for open fracture	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S62.92XP	Unspecified fracture of left wrist and hand, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S62.92XK	Unspecified fracture of left wrist and hand, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S62.92XG	Unspecified fracture of left wrist and hand, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S62.92XD	Unspecified fracture of left wrist and hand, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S62.002G	Unspecified fracture of navicular [scaphoid] bone of left wrist, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S62.002A	Unspecified fracture of navicular [scaphoid] bone of left wrist, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S62.002B	Unspecified fracture of navicular [scaphoid] bone of left wrist, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.002P	Unspecified fracture of navicular [scaphoid] bone of left wrist, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S62.002K	Unspecified fracture of navicular [scaphoid] bone of left wrist, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S62.002D	Unspecified fracture of navicular [scaphoid] bone of left wrist, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S62.001A	Unspecified fracture of navicular [scaphoid] bone of right wrist, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S62.001B	Unspecified fracture of navicular [scaphoid] bone of right wrist, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.001G	Unspecified fracture of navicular [scaphoid] bone of right wrist, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S62.001D	Unspecified fracture of navicular [scaphoid] bone of right wrist, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S62.009A	Unspecified fracture of navicular [scaphoid] bone of unspecified wrist, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S62.009B	Unspecified fracture of navicular [scaphoid] bone of unspecified wrist, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.009G	Unspecified fracture of navicular [scaphoid] bone of unspecified wrist, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S62.009P	Unspecified fracture of navicular [scaphoid] bone of unspecified wrist, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S62.009K	Unspecified fracture of navicular [scaphoid] bone of unspecified wrist, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S62.009D	Unspecified fracture of navicular [scaphoid] bone of unspecified wrist, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S02.119K	Unspecified fracture of occiput, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S02.119G	Unspecified fracture of occiput, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S02.119D	Unspecified fracture of occiput, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S62.308G	Unspecified fracture of other metacarpal bone, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S62.308D	Unspecified fracture of other metacarpal bone, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S62.308A	Unspecified fracture of other metacarpal bone, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S62.308B	Unspecified fracture of other metacarpal bone, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.308P	Unspecified fracture of other metacarpal bone, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S62.308K	Unspecified fracture of other metacarpal bone, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S32.401G	Unspecified fracture of right acetabulum, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S32.401K	Unspecified fracture of right acetabulum, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S72.91XB	Unspecified fracture of right femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.91XC	Unspecified fracture of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.91XG	Unspecified fracture of right femur, subsequent encounter for closed fracture with delayed healing	ICD-10-CM	Diagnosis
S72.91XP	Unspecified fracture of right femur, subsequent encounter for closed fracture with malunion	ICD-10-CM	Diagnosis
S72.91XK	Unspecified fracture of right femur, subsequent encounter for closed fracture with nonunion	ICD-10-CM	Diagnosis
S72.91XD	Unspecified fracture of right femur, subsequent encounter for closed fracture with routine healing	ICD-10-CM	Diagnosis
S72.91XH	Unspecified fracture of right femur, subsequent encounter for open fracture type I or II with delayed healing	ICD-10-CM	Diagnosis
S72.91XQ	Unspecified fracture of right femur, subsequent encounter for open fracture type I or II with malunion	ICD-10-CM	Diagnosis
S72.91XM	Unspecified fracture of right femur, subsequent encounter for open fracture type I or II with nonunion	ICD-10-CM	Diagnosis
S72.91XE	Unspecified fracture of right femur, subsequent encounter for open fracture type I or II with routine healing	ICD-10-CM	Diagnosis
S72.91XJ	Unspecified fracture of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S72.91XR	Unspecified fracture of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD-10-CM	Diagnosis
S72.91XN	Unspecified fracture of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD-10-CM	Diagnosis
S72.91XF	Unspecified fracture of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD-10-CM	Diagnosis
S52.91XF	Unspecified fracture of right forearm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD-10-CM	Diagnosis
S52.91XC	Unspecified fracture of right forearm, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S52.91XA	Unspecified fracture of right forearm, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.91XB	Unspecified fracture of right forearm, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S52.91XH	Unspecified fracture of right forearm, subsequent encounter for open fracture type I or II with delayed healing	ICD-10-CM	Diagnosis
S52.91XQ	Unspecified fracture of right forearm, subsequent encounter for open fracture type I or II with malunion	ICD-10-CM	Diagnosis
S52.91XM	Unspecified fracture of right forearm, subsequent encounter for open fracture type I or II with nonunion	ICD-10-CM	Diagnosis
S52.91XE	Unspecified fracture of right forearm, subsequent encounter for open fracture type I or II with routine healing	ICD-10-CM	Diagnosis
S52.91XN	Unspecified fracture of right forearm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD-10-CM	Diagnosis
S52.91XJ	Unspecified fracture of right forearm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD-10-CM	Diagnosis
S52.91XR	Unspecified fracture of right forearm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD-10-CM	Diagnosis
S52.91XD	Unspecified fracture of right forearm, subsequent encounter for closed fracture with routine healing	ICD-10-CM	Diagnosis
S52.91XG	Unspecified fracture of right forearm, subsequent encounter for closed fracture with delayed healing	ICD-10-CM	Diagnosis
S52.91XP	Unspecified fracture of right forearm, subsequent encounter for closed fracture with malunion	ICD-10-CM	Diagnosis
S52.91XK	Unspecified fracture of right forearm, subsequent encounter for closed fracture with nonunion	ICD-10-CM	Diagnosis
S82.91XB	Unspecified fracture of right lower leg, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.91XC	Unspecified fracture of right lower leg, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.91XG	Unspecified fracture of right lower leg, subsequent encounter for closed fracture with delayed healing	ICD-10-CM	Diagnosis
S82.91XP	Unspecified fracture of right lower leg, subsequent encounter for closed fracture with malunion	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S82.91XK	Unspecified fracture of right lower leg, subsequent encounter for closed fracture with nonunion	ICD-10-CM	Diagnosis
S82.91XD	Unspecified fracture of right lower leg, subsequent encounter for closed fracture with routine healing	ICD-10-CM	Diagnosis
S82.91XH	Unspecified fracture of right lower leg, subsequent encounter for open fracture type I or II with delayed healing	ICD-10-CM	Diagnosis
S82.91XQ	Unspecified fracture of right lower leg, subsequent encounter for open fracture type I or II with malunion	ICD-10-CM	Diagnosis
S82.91XM	Unspecified fracture of right lower leg, subsequent encounter for open fracture type I or II with nonunion	ICD-10-CM	Diagnosis
S82.91XE	Unspecified fracture of right lower leg, subsequent encounter for open fracture type I or II with routine healing	ICD-10-CM	Diagnosis
S82.91XJ	Unspecified fracture of right lower leg, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD-10-CM	Diagnosis
S82.91XR	Unspecified fracture of right lower leg, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD-10-CM	Diagnosis
S82.91XN	Unspecified fracture of right lower leg, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD-10-CM	Diagnosis
S82.91XF	Unspecified fracture of right lower leg, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD-10-CM	Diagnosis
S82.001B	Unspecified fracture of right patella, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.001C	Unspecified fracture of right patella, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.001G	Unspecified fracture of right patella, subsequent encounter for closed fracture with delayed healing	ICD-10-CM	Diagnosis
S82.001P	Unspecified fracture of right patella, subsequent encounter for closed fracture with malunion	ICD-10-CM	Diagnosis
S82.001K	Unspecified fracture of right patella, subsequent encounter for closed fracture with nonunion	ICD-10-CM	Diagnosis
S82.001D	Unspecified fracture of right patella, subsequent encounter for closed fracture with routine healing	ICD-10-CM	Diagnosis
S82.001H	Unspecified fracture of right patella, subsequent encounter for open fracture type I or II with delayed healing	ICD-10-CM	Diagnosis
S82.001Q	Unspecified fracture of right patella, subsequent encounter for open fracture type I or II with malunion	ICD-10-CM	Diagnosis
S82.001M	Unspecified fracture of right patella, subsequent encounter for open fracture type I or II with nonunion	ICD-10-CM	Diagnosis
S82.001E	Unspecified fracture of right patella, subsequent encounter for open fracture type I or II with routine healing	ICD-10-CM	Diagnosis
S82.001J	Unspecified fracture of right patella, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD-10-CM	Diagnosis



**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S82.001R	Unspecified fracture of right patella, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD-10-CM	Diagnosis
S82.001N	Unspecified fracture of right patella, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD-10-CM	Diagnosis
S82.001F	Unspecified fracture of right patella, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD-10-CM	Diagnosis
S62.91XA	Unspecified fracture of right wrist and hand, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S62.91XB	Unspecified fracture of right wrist and hand, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.91XP	Unspecified fracture of right wrist and hand, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S62.91XK	Unspecified fracture of right wrist and hand, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S62.91XG	Unspecified fracture of right wrist and hand, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S62.91XD	Unspecified fracture of right wrist and hand, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S32.10XK	Unspecified fracture of sacrum, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S32.10XD	Unspecified fracture of sacrum, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S32.10XG	Unspecified fracture of sacrum, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S62.301S	Unspecified fracture of second metacarpal bone, left hand, sequela	ICD-10-CM	Diagnosis
S62.300S	Unspecified fracture of second metacarpal bone, right hand, sequela	ICD-10-CM	Diagnosis
S42.302A	Unspecified fracture of shaft of humerus, left arm, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.302B	Unspecified fracture of shaft of humerus, left arm, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.302G	Unspecified fracture of shaft of humerus, left arm, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S42.302P	Unspecified fracture of shaft of humerus, left arm, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S42.302K	Unspecified fracture of shaft of humerus, left arm, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S42.302D	Unspecified fracture of shaft of humerus, left arm, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S42.301A	Unspecified fracture of shaft of humerus, right arm, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.301B	Unspecified fracture of shaft of humerus, right arm, initial encounter for open fracture	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S42.301G	Unspecified fracture of shaft of humerus, right arm, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S42.301P	Unspecified fracture of shaft of humerus, right arm, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S42.301K	Unspecified fracture of shaft of humerus, right arm, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S42.301D	Unspecified fracture of shaft of humerus, right arm, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S42.309A	Unspecified fracture of shaft of humerus, unspecified arm, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.309B	Unspecified fracture of shaft of humerus, unspecified arm, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.309G	Unspecified fracture of shaft of humerus, unspecified arm, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S42.309P	Unspecified fracture of shaft of humerus, unspecified arm, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S42.309K	Unspecified fracture of shaft of humerus, unspecified arm, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S42.309D	Unspecified fracture of shaft of humerus, unspecified arm, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S72.302B	Unspecified fracture of shaft of left femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.302C	Unspecified fracture of shaft of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.302A	Unspecified fracture of shaft of left femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S72.302J	Unspecified fracture of shaft of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD-10-CM	Diagnosis
S72.302N	Unspecified fracture of shaft of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD-10-CM	Diagnosis
S72.302F	Unspecified fracture of shaft of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD-10-CM	Diagnosis
S72.302G	Unspecified fracture of shaft of left femur, subsequent encounter for closed fracture with delayed healing	ICD-10-CM	Diagnosis
S72.302P	Unspecified fracture of shaft of left femur, subsequent encounter for closed fracture with malunion	ICD-10-CM	Diagnosis
S72.302K	Unspecified fracture of shaft of left femur, subsequent encounter for closed fracture with nonunion	ICD-10-CM	Diagnosis
S72.302D	Unspecified fracture of shaft of left femur, subsequent encounter for closed fracture with routine healing	ICD-10-CM	Diagnosis
S72.302H	Unspecified fracture of shaft of left femur, subsequent encounter for open fracture type I or II with delayed healing	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S72.302Q	Unspecified fracture of shaft of left femur, subsequent encounter for open fracture type I or II with malunion	ICD-10-CM	Diagnosis
S72.302M	Unspecified fracture of shaft of left femur, subsequent encounter for open fracture type I or II with nonunion	ICD-10-CM	Diagnosis
S72.302E	Unspecified fracture of shaft of left femur, subsequent encounter for open fracture type I or II with routine healing	ICD-10-CM	Diagnosis
S72.302R	Unspecified fracture of shaft of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD-10-CM	Diagnosis
S82.402C	Unspecified fracture of shaft of left fibula, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.402B	Unspecified fracture of shaft of left fibula, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.402G	Unspecified fracture of shaft of left fibula, subsequent encounter for closed fracture with delayed healing	ICD-10-CM	Diagnosis
S82.402P	Unspecified fracture of shaft of left fibula, subsequent encounter for closed fracture with malunion	ICD-10-CM	Diagnosis
S82.402K	Unspecified fracture of shaft of left fibula, subsequent encounter for closed fracture with nonunion	ICD-10-CM	Diagnosis
S82.402D	Unspecified fracture of shaft of left fibula, subsequent encounter for closed fracture with routine healing	ICD-10-CM	Diagnosis
S82.402Q	Unspecified fracture of shaft of left fibula, subsequent encounter for open fracture type I or II with malunion	ICD-10-CM	Diagnosis
S82.402M	Unspecified fracture of shaft of left fibula, subsequent encounter for open fracture type I or II with nonunion	ICD-10-CM	Diagnosis
S82.402E	Unspecified fracture of shaft of left fibula, subsequent encounter for open fracture type I or II with routine healing	ICD-10-CM	Diagnosis
S82.402J	Unspecified fracture of shaft of left fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD-10-CM	Diagnosis
S82.402R	Unspecified fracture of shaft of left fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD-10-CM	Diagnosis
S82.402N	Unspecified fracture of shaft of left fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD-10-CM	Diagnosis
S82.402F	Unspecified fracture of shaft of left fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD-10-CM	Diagnosis
S82.402H	Unspecified fracture of shaft of left fibula, subsequent encounter for open fracture type I or II with delayed healing	ICD-10-CM	Diagnosis
S52.302B	Unspecified fracture of shaft of left radius, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S52.302C	Unspecified fracture of shaft of left radius, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S52.302A	Unspecified fracture of shaft of left radius, initial encounter for closed fracture	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S52.302E	Unspecified fracture of shaft of left radius, subsequent encounter for open fracture type I or II with routine healing	ICD-10-CM	Diagnosis
S52.302J	Unspecified fracture of shaft of left radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD-10-CM	Diagnosis
S52.302R	Unspecified fracture of shaft of left radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD-10-CM	Diagnosis
S52.302N	Unspecified fracture of shaft of left radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD-10-CM	Diagnosis
S52.302F	Unspecified fracture of shaft of left radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD-10-CM	Diagnosis
S52.302G	Unspecified fracture of shaft of left radius, subsequent encounter for closed fracture with delayed healing	ICD-10-CM	Diagnosis
S52.302P	Unspecified fracture of shaft of left radius, subsequent encounter for closed fracture with malunion	ICD-10-CM	Diagnosis
S52.302K	Unspecified fracture of shaft of left radius, subsequent encounter for closed fracture with nonunion	ICD-10-CM	Diagnosis
S52.302D	Unspecified fracture of shaft of left radius, subsequent encounter for closed fracture with routine healing	ICD-10-CM	Diagnosis
S52.302H	Unspecified fracture of shaft of left radius, subsequent encounter for open fracture type I or II with delayed healing	ICD-10-CM	Diagnosis
S52.302Q	Unspecified fracture of shaft of left radius, subsequent encounter for open fracture type I or II with malunion	ICD-10-CM	Diagnosis
S52.302M	Unspecified fracture of shaft of left radius, subsequent encounter for open fracture type I or II with nonunion	ICD-10-CM	Diagnosis
S82.202C	Unspecified fracture of shaft of left tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.202B	Unspecified fracture of shaft of left tibia, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.202G	Unspecified fracture of shaft of left tibia, subsequent encounter for closed fracture with delayed healing	ICD-10-CM	Diagnosis
S82.202P	Unspecified fracture of shaft of left tibia, subsequent encounter for closed fracture with malunion	ICD-10-CM	Diagnosis
S82.202K	Unspecified fracture of shaft of left tibia, subsequent encounter for closed fracture with nonunion	ICD-10-CM	Diagnosis
S82.202D	Unspecified fracture of shaft of left tibia, subsequent encounter for closed fracture with routine healing	ICD-10-CM	Diagnosis
S82.202H	Unspecified fracture of shaft of left tibia, subsequent encounter for open fracture type I or II with delayed healing	ICD-10-CM	Diagnosis
S82.202Q	Unspecified fracture of shaft of left tibia, subsequent encounter for open fracture type I or II with malunion	ICD-10-CM	Diagnosis
S82.202M	Unspecified fracture of shaft of left tibia, subsequent encounter for open fracture type I or II with nonunion	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S82.202E	Unspecified fracture of shaft of left tibia, subsequent encounter for open fracture type I or II with routine healing	ICD-10-CM	Diagnosis
S82.202R	Unspecified fracture of shaft of left tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD-10-CM	Diagnosis
S82.202N	Unspecified fracture of shaft of left tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD-10-CM	Diagnosis
S82.202F	Unspecified fracture of shaft of left tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD-10-CM	Diagnosis
S82.202J	Unspecified fracture of shaft of left tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD-10-CM	Diagnosis
S72.301B	Unspecified fracture of shaft of right femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.301C	Unspecified fracture of shaft of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.301A	Unspecified fracture of shaft of right femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S72.301J	Unspecified fracture of shaft of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD-10-CM	Diagnosis
S72.301F	Unspecified fracture of shaft of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD-10-CM	Diagnosis
S72.301G	Unspecified fracture of shaft of right femur, subsequent encounter for closed fracture with delayed healing	ICD-10-CM	Diagnosis
S72.301P	Unspecified fracture of shaft of right femur, subsequent encounter for closed fracture with malunion	ICD-10-CM	Diagnosis
S72.301K	Unspecified fracture of shaft of right femur, subsequent encounter for closed fracture with nonunion	ICD-10-CM	Diagnosis
S72.301D	Unspecified fracture of shaft of right femur, subsequent encounter for closed fracture with routine healing	ICD-10-CM	Diagnosis
S72.301H	Unspecified fracture of shaft of right femur, subsequent encounter for open fracture type I or II with delayed healing	ICD-10-CM	Diagnosis
S72.301Q	Unspecified fracture of shaft of right femur, subsequent encounter for open fracture type I or II with malunion	ICD-10-CM	Diagnosis
S72.301M	Unspecified fracture of shaft of right femur, subsequent encounter for open fracture type I or II with nonunion	ICD-10-CM	Diagnosis
S72.301E	Unspecified fracture of shaft of right femur, subsequent encounter for open fracture type I or II with routine healing	ICD-10-CM	Diagnosis
S72.301R	Unspecified fracture of shaft of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD-10-CM	Diagnosis
S72.301N	Unspecified fracture of shaft of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD-10-CM	Diagnosis
S82.401C	Unspecified fracture of shaft of right fibula, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S82.401B	Unspecified fracture of shaft of right fibula, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.401G	Unspecified fracture of shaft of right fibula, subsequent encounter for closed fracture with delayed healing	ICD-10-CM	Diagnosis
S82.401P	Unspecified fracture of shaft of right fibula, subsequent encounter for closed fracture with malunion	ICD-10-CM	Diagnosis
S82.401K	Unspecified fracture of shaft of right fibula, subsequent encounter for closed fracture with nonunion	ICD-10-CM	Diagnosis
S82.401D	Unspecified fracture of shaft of right fibula, subsequent encounter for closed fracture with routine healing	ICD-10-CM	Diagnosis
S82.401Q	Unspecified fracture of shaft of right fibula, subsequent encounter for open fracture type I or II with malunion	ICD-10-CM	Diagnosis
S82.401M	Unspecified fracture of shaft of right fibula, subsequent encounter for open fracture type I or II with nonunion	ICD-10-CM	Diagnosis
S82.401E	Unspecified fracture of shaft of right fibula, subsequent encounter for open fracture type I or II with routine healing	ICD-10-CM	Diagnosis
S82.401J	Unspecified fracture of shaft of right fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD-10-CM	Diagnosis
S82.401R	Unspecified fracture of shaft of right fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD-10-CM	Diagnosis
S82.401N	Unspecified fracture of shaft of right fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD-10-CM	Diagnosis
S82.401F	Unspecified fracture of shaft of right fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD-10-CM	Diagnosis
S82.401H	Unspecified fracture of shaft of right fibula, subsequent encounter for open fracture type I or II with delayed healing	ICD-10-CM	Diagnosis
S52.301B	Unspecified fracture of shaft of right radius, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S52.301C	Unspecified fracture of shaft of right radius, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S52.301A	Unspecified fracture of shaft of right radius, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.301J	Unspecified fracture of shaft of right radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD-10-CM	Diagnosis
S52.301R	Unspecified fracture of shaft of right radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD-10-CM	Diagnosis
S52.301F	Unspecified fracture of shaft of right radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD-10-CM	Diagnosis
S52.301G	Unspecified fracture of shaft of right radius, subsequent encounter for closed fracture with delayed healing	ICD-10-CM	Diagnosis
S52.301P	Unspecified fracture of shaft of right radius, subsequent encounter for closed fracture with malunion	ICD-10-CM	Diagnosis



**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S52.301K	Unspecified fracture of shaft of right radius, subsequent encounter for closed fracture with nonunion	ICD-10-CM	Diagnosis
S52.301D	Unspecified fracture of shaft of right radius, subsequent encounter for closed fracture with routine healing	ICD-10-CM	Diagnosis
S52.301H	Unspecified fracture of shaft of right radius, subsequent encounter for open fracture type I or II with delayed healing	ICD-10-CM	Diagnosis
S52.301Q	Unspecified fracture of shaft of right radius, subsequent encounter for open fracture type I or II with malunion	ICD-10-CM	Diagnosis
S52.301M	Unspecified fracture of shaft of right radius, subsequent encounter for open fracture type I or II with nonunion	ICD-10-CM	Diagnosis
S52.301E	Unspecified fracture of shaft of right radius, subsequent encounter for open fracture type I or II with routine healing	ICD-10-CM	Diagnosis
S52.301N	Unspecified fracture of shaft of right radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD-10-CM	Diagnosis
S82.201C	Unspecified fracture of shaft of right tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.201B	Unspecified fracture of shaft of right tibia, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.201G	Unspecified fracture of shaft of right tibia, subsequent encounter for closed fracture with delayed healing	ICD-10-CM	Diagnosis
S82.201P	Unspecified fracture of shaft of right tibia, subsequent encounter for closed fracture with malunion	ICD-10-CM	Diagnosis
S82.201K	Unspecified fracture of shaft of right tibia, subsequent encounter for closed fracture with nonunion	ICD-10-CM	Diagnosis
S82.201D	Unspecified fracture of shaft of right tibia, subsequent encounter for closed fracture with routine healing	ICD-10-CM	Diagnosis
S82.201H	Unspecified fracture of shaft of right tibia, subsequent encounter for open fracture type I or II with delayed healing	ICD-10-CM	Diagnosis
S82.201Q	Unspecified fracture of shaft of right tibia, subsequent encounter for open fracture type I or II with malunion	ICD-10-CM	Diagnosis
S82.201M	Unspecified fracture of shaft of right tibia, subsequent encounter for open fracture type I or II with nonunion	ICD-10-CM	Diagnosis
S82.201E	Unspecified fracture of shaft of right tibia, subsequent encounter for open fracture type I or II with routine healing	ICD-10-CM	Diagnosis
S82.201R	Unspecified fracture of shaft of right tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD-10-CM	Diagnosis
S82.201N	Unspecified fracture of shaft of right tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD-10-CM	Diagnosis
S82.201F	Unspecified fracture of shaft of right tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD-10-CM	Diagnosis
S82.201J	Unspecified fracture of shaft of right tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S72.309B	Unspecified fracture of shaft of unspecified femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.309C	Unspecified fracture of shaft of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.309A	Unspecified fracture of shaft of unspecified femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S72.309Q	Unspecified fracture of shaft of unspecified femur, subsequent encounter for open fracture type I or II with malunion	ICD-10-CM	Diagnosis
S72.309J	Unspecified fracture of shaft of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD-10-CM	Diagnosis
S72.309R	Unspecified fracture of shaft of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD-10-CM	Diagnosis
S72.309N	Unspecified fracture of shaft of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD-10-CM	Diagnosis
S72.309G	Unspecified fracture of shaft of unspecified femur, subsequent encounter for closed fracture with delayed healing	ICD-10-CM	Diagnosis
S72.309P	Unspecified fracture of shaft of unspecified femur, subsequent encounter for closed fracture with malunion	ICD-10-CM	Diagnosis
S72.309K	Unspecified fracture of shaft of unspecified femur, subsequent encounter for closed fracture with nonunion	ICD-10-CM	Diagnosis
S72.309D	Unspecified fracture of shaft of unspecified femur, subsequent encounter for closed fracture with routine healing	ICD-10-CM	Diagnosis
S72.309H	Unspecified fracture of shaft of unspecified femur, subsequent encounter for open fracture type I or II with delayed healing	ICD-10-CM	Diagnosis
S72.309M	Unspecified fracture of shaft of unspecified femur, subsequent encounter for open fracture type I or II with nonunion	ICD-10-CM	Diagnosis
S72.309E	Unspecified fracture of shaft of unspecified femur, subsequent encounter for open fracture type I or II with routine healing	ICD-10-CM	Diagnosis
S72.309F	Unspecified fracture of shaft of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD-10-CM	Diagnosis
S82.409B	Unspecified fracture of shaft of unspecified fibula, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.409C	Unspecified fracture of shaft of unspecified fibula, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.409G	Unspecified fracture of shaft of unspecified fibula, subsequent encounter for closed fracture with delayed healing	ICD-10-CM	Diagnosis
S82.409P	Unspecified fracture of shaft of unspecified fibula, subsequent encounter for closed fracture with malunion	ICD-10-CM	Diagnosis
S82.409K	Unspecified fracture of shaft of unspecified fibula, subsequent encounter for closed fracture with nonunion	ICD-10-CM	Diagnosis
S82.409D	Unspecified fracture of shaft of unspecified fibula, subsequent encounter for closed fracture with routine healing	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S82.409R	Unspecified fracture of shaft of unspecified fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD-10-CM	Diagnosis
S82.409N	Unspecified fracture of shaft of unspecified fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD-10-CM	Diagnosis
S82.409F	Unspecified fracture of shaft of unspecified fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD-10-CM	Diagnosis
S82.409H	Unspecified fracture of shaft of unspecified fibula, subsequent encounter for open fracture type I or II with delayed healing	ICD-10-CM	Diagnosis
S82.409Q	Unspecified fracture of shaft of unspecified fibula, subsequent encounter for open fracture type I or II with malunion	ICD-10-CM	Diagnosis
S82.409M	Unspecified fracture of shaft of unspecified fibula, subsequent encounter for open fracture type I or II with nonunion	ICD-10-CM	Diagnosis
S82.409E	Unspecified fracture of shaft of unspecified fibula, subsequent encounter for open fracture type I or II with routine healing	ICD-10-CM	Diagnosis
S82.409J	Unspecified fracture of shaft of unspecified fibula, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD-10-CM	Diagnosis
S52.309B	Unspecified fracture of shaft of unspecified radius, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S52.309C	Unspecified fracture of shaft of unspecified radius, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S52.309A	Unspecified fracture of shaft of unspecified radius, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.309J	Unspecified fracture of shaft of unspecified radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD-10-CM	Diagnosis
S52.309R	Unspecified fracture of shaft of unspecified radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD-10-CM	Diagnosis
S52.309N	Unspecified fracture of shaft of unspecified radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD-10-CM	Diagnosis
S52.309F	Unspecified fracture of shaft of unspecified radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD-10-CM	Diagnosis
S52.309G	Unspecified fracture of shaft of unspecified radius, subsequent encounter for closed fracture with delayed healing	ICD-10-CM	Diagnosis
S52.309P	Unspecified fracture of shaft of unspecified radius, subsequent encounter for closed fracture with malunion	ICD-10-CM	Diagnosis
S52.309K	Unspecified fracture of shaft of unspecified radius, subsequent encounter for closed fracture with nonunion	ICD-10-CM	Diagnosis
S52.309D	Unspecified fracture of shaft of unspecified radius, subsequent encounter for closed fracture with routine healing	ICD-10-CM	Diagnosis
S52.309H	Unspecified fracture of shaft of unspecified radius, subsequent encounter for open fracture type I or II with delayed healing	ICD-10-CM	Diagnosis
S52.309Q	Unspecified fracture of shaft of unspecified radius, subsequent encounter for open fracture type I or II with malunion	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S52.309M	Unspecified fracture of shaft of unspecified radius, subsequent encounter for open fracture type I or II with nonunion	ICD-10-CM	Diagnosis
S52.309E	Unspecified fracture of shaft of unspecified radius, subsequent encounter for open fracture type I or II with routine healing	ICD-10-CM	Diagnosis
S82.209C	Unspecified fracture of shaft of unspecified tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.209B	Unspecified fracture of shaft of unspecified tibia, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.209G	Unspecified fracture of shaft of unspecified tibia, subsequent encounter for closed fracture with delayed healing	ICD-10-CM	Diagnosis
S82.209P	Unspecified fracture of shaft of unspecified tibia, subsequent encounter for closed fracture with malunion	ICD-10-CM	Diagnosis
S82.209K	Unspecified fracture of shaft of unspecified tibia, subsequent encounter for closed fracture with nonunion	ICD-10-CM	Diagnosis
S82.209D	Unspecified fracture of shaft of unspecified tibia, subsequent encounter for closed fracture with routine healing	ICD-10-CM	Diagnosis
S82.209Q	Unspecified fracture of shaft of unspecified tibia, subsequent encounter for open fracture type I or II with malunion	ICD-10-CM	Diagnosis
S82.209M	Unspecified fracture of shaft of unspecified tibia, subsequent encounter for open fracture type I or II with nonunion	ICD-10-CM	Diagnosis
S82.209E	Unspecified fracture of shaft of unspecified tibia, subsequent encounter for open fracture type I or II with routine healing	ICD-10-CM	Diagnosis
S82.209R	Unspecified fracture of shaft of unspecified tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD-10-CM	Diagnosis
S82.209N	Unspecified fracture of shaft of unspecified tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD-10-CM	Diagnosis
S82.209F	Unspecified fracture of shaft of unspecified tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD-10-CM	Diagnosis
S82.209J	Unspecified fracture of shaft of unspecified tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD-10-CM	Diagnosis
S82.209H	Unspecified fracture of shaft of unspecified tibia, subsequent encounter for open fracture type I or II with delayed healing	ICD-10-CM	Diagnosis
S52.202C	Unspecified fracture of shaft of left ulna, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S52.202A	Unspecified fracture of shaft of left ulna, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.202B	Unspecified fracture of shaft of left ulna, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S52.202R	Unspecified fracture of shaft of left ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD-10-CM	Diagnosis
S52.202N	Unspecified fracture of shaft of left ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S52.202K	Unspecified fracture of shaft of left ulna, subsequent encounter for closed fracture with nonunion	ICD-10-CM	Diagnosis
S52.202G	Unspecified fracture of shaft of left ulna, subsequent encounter for closed fracture with delayed healing	ICD-10-CM	Diagnosis
S52.202D	Unspecified fracture of shaft of left ulna, subsequent encounter for closed fracture with routine healing	ICD-10-CM	Diagnosis
S52.202H	Unspecified fracture of shaft of left ulna, subsequent encounter for open fracture type I or II with delayed healing	ICD-10-CM	Diagnosis
S52.202E	Unspecified fracture of shaft of left ulna, subsequent encounter for open fracture type I or II with routine healing	ICD-10-CM	Diagnosis
S52.202P	Unspecified fracture of shaft of left ulna, subsequent encounter for closed fracture with malunion	ICD-10-CM	Diagnosis
S52.202Q	Unspecified fracture of shaft of left ulna, subsequent encounter for open fracture type I or II with malunion	ICD-10-CM	Diagnosis
S52.202M	Unspecified fracture of shaft of left ulna, subsequent encounter for open fracture type I or II with nonunion	ICD-10-CM	Diagnosis
S52.202J	Unspecified fracture of shaft of left ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD-10-CM	Diagnosis
S52.202F	Unspecified fracture of shaft of left ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD-10-CM	Diagnosis
S52.201B	Unspecified fracture of shaft of right ulna, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S52.201C	Unspecified fracture of shaft of right ulna, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S52.201A	Unspecified fracture of shaft of right ulna, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.201G	Unspecified fracture of shaft of right ulna, subsequent encounter for closed fracture with delayed healing	ICD-10-CM	Diagnosis
S52.201P	Unspecified fracture of shaft of right ulna, subsequent encounter for closed fracture with malunion	ICD-10-CM	Diagnosis
S52.201K	Unspecified fracture of shaft of right ulna, subsequent encounter for closed fracture with nonunion	ICD-10-CM	Diagnosis
S52.201D	Unspecified fracture of shaft of right ulna, subsequent encounter for closed fracture with routine healing	ICD-10-CM	Diagnosis
S52.201H	Unspecified fracture of shaft of right ulna, subsequent encounter for open fracture type I or II with delayed healing	ICD-10-CM	Diagnosis
S52.201Q	Unspecified fracture of shaft of right ulna, subsequent encounter for open fracture type I or II with malunion	ICD-10-CM	Diagnosis
S52.201M	Unspecified fracture of shaft of right ulna, subsequent encounter for open fracture type I or II with nonunion	ICD-10-CM	Diagnosis
S52.201E	Unspecified fracture of shaft of right ulna, subsequent encounter for open fracture type I or II with routine healing	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S52.201J	Unspecified fracture of shaft of right ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD-10-CM	Diagnosis
S52.201R	Unspecified fracture of shaft of right ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD-10-CM	Diagnosis
S52.201N	Unspecified fracture of shaft of right ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD-10-CM	Diagnosis
S52.201F	Unspecified fracture of shaft of right ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD-10-CM	Diagnosis
S52.209B	Unspecified fracture of shaft of unspecified ulna, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S52.209C	Unspecified fracture of shaft of unspecified ulna, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S52.209A	Unspecified fracture of shaft of unspecified ulna, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.209H	Unspecified fracture of shaft of unspecified ulna, subsequent encounter for open fracture type I or II with delayed healing	ICD-10-CM	Diagnosis
S52.209Q	Unspecified fracture of shaft of unspecified ulna, subsequent encounter for open fracture type I or II with malunion	ICD-10-CM	Diagnosis
S52.209M	Unspecified fracture of shaft of unspecified ulna, subsequent encounter for open fracture type I or II with nonunion	ICD-10-CM	Diagnosis
S52.209J	Unspecified fracture of shaft of unspecified ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD-10-CM	Diagnosis
S52.209R	Unspecified fracture of shaft of unspecified ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD-10-CM	Diagnosis
S52.209N	Unspecified fracture of shaft of unspecified ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD-10-CM	Diagnosis
S52.209F	Unspecified fracture of shaft of unspecified ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD-10-CM	Diagnosis
S52.209G	Unspecified fracture of shaft of unspecified ulna, subsequent encounter for closed fracture with delayed healing	ICD-10-CM	Diagnosis
S52.209P	Unspecified fracture of shaft of unspecified ulna, subsequent encounter for closed fracture with malunion	ICD-10-CM	Diagnosis
S52.209K	Unspecified fracture of shaft of unspecified ulna, subsequent encounter for closed fracture with nonunion	ICD-10-CM	Diagnosis
S52.209D	Unspecified fracture of shaft of unspecified ulna, subsequent encounter for closed fracture with routine healing	ICD-10-CM	Diagnosis
S52.209E	Unspecified fracture of shaft of unspecified ulna, subsequent encounter for open fracture type I or II with routine healing	ICD-10-CM	Diagnosis
S02.91XK	Unspecified fracture of skull, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S02.91XG	Unspecified fracture of skull, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis



**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S02.91XD	Unspecified fracture of skull, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S22.20XG	Unspecified fracture of sternum, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S22.20XK	Unspecified fracture of sternum, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S22.20XD	Unspecified fracture of sternum, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S22.089K	Unspecified fracture of T11-T12 vertebra, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S22.089D	Unspecified fracture of T11-T12 vertebra, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S22.089G	Unspecified fracture of T11-T12 vertebra, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S22.059G	Unspecified fracture of T5-T6 vertebra, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S22.059K	Unspecified fracture of T5-T6 vertebra, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S22.059D	Unspecified fracture of T5-T6 vertebra, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S22.069G	Unspecified fracture of T7-T8 vertebra, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S22.069K	Unspecified fracture of T7-T8 vertebra, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S22.069D	Unspecified fracture of T7-T8 vertebra, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S22.079K	Unspecified fracture of T9-T10 vertebra, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S22.079D	Unspecified fracture of T9-T10 vertebra, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S22.079G	Unspecified fracture of T9-T10 vertebra, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S62.303S	Unspecified fracture of third metacarpal bone, left hand, sequela	ICD-10-CM	Diagnosis
S62.302S	Unspecified fracture of third metacarpal bone, right hand, sequela	ICD-10-CM	Diagnosis
S72.90XB	Unspecified fracture of unspecified femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.90XC	Unspecified fracture of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.90XG	Unspecified fracture of unspecified femur, subsequent encounter for closed fracture with delayed healing	ICD-10-CM	Diagnosis
S72.90XP	Unspecified fracture of unspecified femur, subsequent encounter for closed fracture with malunion	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S72.90XK	Unspecified fracture of unspecified femur, subsequent encounter for closed fracture with nonunion	ICD-10-CM	Diagnosis
S72.90XD	Unspecified fracture of unspecified femur, subsequent encounter for closed fracture with routine healing	ICD-10-CM	Diagnosis
S72.90XH	Unspecified fracture of unspecified femur, subsequent encounter for open fracture type I or II with delayed healing	ICD-10-CM	Diagnosis
S72.90XQ	Unspecified fracture of unspecified femur, subsequent encounter for open fracture type I or II with malunion	ICD-10-CM	Diagnosis
S72.90XM	Unspecified fracture of unspecified femur, subsequent encounter for open fracture type I or II with nonunion	ICD-10-CM	Diagnosis
S72.90XE	Unspecified fracture of unspecified femur, subsequent encounter for open fracture type I or II with routine healing	ICD-10-CM	Diagnosis
S72.90XJ	Unspecified fracture of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD-10-CM	Diagnosis
S72.90XR	Unspecified fracture of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD-10-CM	Diagnosis
S72.90XN	Unspecified fracture of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD-10-CM	Diagnosis
S72.90XF	Unspecified fracture of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD-10-CM	Diagnosis
S52.90XC	Unspecified fracture of unspecified forearm, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S52.90XA	Unspecified fracture of unspecified forearm, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.90XB	Unspecified fracture of unspecified forearm, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S52.90XH	Unspecified fracture of unspecified forearm, subsequent encounter for open fracture type I or II with delayed healing	ICD-10-CM	Diagnosis
S52.90XQ	Unspecified fracture of unspecified forearm, subsequent encounter for open fracture type I or II with malunion	ICD-10-CM	Diagnosis
S52.90XM	Unspecified fracture of unspecified forearm, subsequent encounter for open fracture type I or II with nonunion	ICD-10-CM	Diagnosis
S52.90XE	Unspecified fracture of unspecified forearm, subsequent encounter for open fracture type I or II with routine healing	ICD-10-CM	Diagnosis
S52.90XJ	Unspecified fracture of unspecified forearm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD-10-CM	Diagnosis
S52.90XF	Unspecified fracture of unspecified forearm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD-10-CM	Diagnosis
S52.90XR	Unspecified fracture of unspecified forearm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD-10-CM	Diagnosis
S52.90XN	Unspecified fracture of unspecified forearm, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S52.90XD	Unspecified fracture of unspecified forearm, subsequent encounter for closed fracture with routine healing	ICD-10-CM	Diagnosis
S52.90XG	Unspecified fracture of unspecified forearm, subsequent encounter for closed fracture with delayed healing	ICD-10-CM	Diagnosis
S52.90XP	Unspecified fracture of unspecified forearm, subsequent encounter for closed fracture with malunion	ICD-10-CM	Diagnosis
S52.90XK	Unspecified fracture of unspecified forearm, subsequent encounter for closed fracture with nonunion	ICD-10-CM	Diagnosis
S82.90XB	Unspecified fracture of unspecified lower leg, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.90XC	Unspecified fracture of unspecified lower leg, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.90XG	Unspecified fracture of unspecified lower leg, subsequent encounter for closed fracture with delayed healing	ICD-10-CM	Diagnosis
S82.90XP	Unspecified fracture of unspecified lower leg, subsequent encounter for closed fracture with malunion	ICD-10-CM	Diagnosis
S82.90XK	Unspecified fracture of unspecified lower leg, subsequent encounter for closed fracture with nonunion	ICD-10-CM	Diagnosis
S82.90XD	Unspecified fracture of unspecified lower leg, subsequent encounter for closed fracture with routine healing	ICD-10-CM	Diagnosis
S82.90XH	Unspecified fracture of unspecified lower leg, subsequent encounter for open fracture type I or II with delayed healing	ICD-10-CM	Diagnosis
S82.90XQ	Unspecified fracture of unspecified lower leg, subsequent encounter for open fracture type I or II with malunion	ICD-10-CM	Diagnosis
S82.90XM	Unspecified fracture of unspecified lower leg, subsequent encounter for open fracture type I or II with nonunion	ICD-10-CM	Diagnosis
S82.90XE	Unspecified fracture of unspecified lower leg, subsequent encounter for open fracture type I or II with routine healing	ICD-10-CM	Diagnosis
S82.90XJ	Unspecified fracture of unspecified lower leg, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD-10-CM	Diagnosis
S82.90XR	Unspecified fracture of unspecified lower leg, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD-10-CM	Diagnosis
S82.90XN	Unspecified fracture of unspecified lower leg, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD-10-CM	Diagnosis
S82.90XF	Unspecified fracture of unspecified lower leg, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD-10-CM	Diagnosis
S32.009G	Unspecified fracture of unspecified lumbar vertebra, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S32.009K	Unspecified fracture of unspecified lumbar vertebra, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S32.009D	Unspecified fracture of unspecified lumbar vertebra, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S32.009A	Unspecified fracture of unspecified lumbar vertebra, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S32.009B	Unspecified fracture of unspecified lumbar vertebra, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.309D	Unspecified fracture of unspecified metacarpal bone, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S62.309A	Unspecified fracture of unspecified metacarpal bone, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S62.309B	Unspecified fracture of unspecified metacarpal bone, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.309G	Unspecified fracture of unspecified metacarpal bone, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S62.309P	Unspecified fracture of unspecified metacarpal bone, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S62.309K	Unspecified fracture of unspecified metacarpal bone, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S82.009B	Unspecified fracture of unspecified patella, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.009C	Unspecified fracture of unspecified patella, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.009G	Unspecified fracture of unspecified patella, subsequent encounter for closed fracture with delayed healing	ICD-10-CM	Diagnosis
S82.009P	Unspecified fracture of unspecified patella, subsequent encounter for closed fracture with malunion	ICD-10-CM	Diagnosis
S82.009K	Unspecified fracture of unspecified patella, subsequent encounter for closed fracture with nonunion	ICD-10-CM	Diagnosis
S82.009D	Unspecified fracture of unspecified patella, subsequent encounter for closed fracture with routine healing	ICD-10-CM	Diagnosis
S82.009Q	Unspecified fracture of unspecified patella, subsequent encounter for open fracture type I or II with malunion	ICD-10-CM	Diagnosis
S82.009M	Unspecified fracture of unspecified patella, subsequent encounter for open fracture type I or II with nonunion	ICD-10-CM	Diagnosis
S82.009E	Unspecified fracture of unspecified patella, subsequent encounter for open fracture type I or II with routine healing	ICD-10-CM	Diagnosis
S82.009J	Unspecified fracture of unspecified patella, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD-10-CM	Diagnosis
S82.009R	Unspecified fracture of unspecified patella, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD-10-CM	Diagnosis
S82.009N	Unspecified fracture of unspecified patella, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD-10-CM	Diagnosis
S82.009F	Unspecified fracture of unspecified patella, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S82.009H	Unspecified fracture of unspecified patella, subsequent encounter for open fracture type I or II with delayed healing	ICD-10-CM	Diagnosis
S22.009A	Unspecified fracture of unspecified thoracic vertebra, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S22.009B	Unspecified fracture of unspecified thoracic vertebra, initial encounter for open fracture	ICD-10-CM	Diagnosis
S22.009G	Unspecified fracture of unspecified thoracic vertebra, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S22.009K	Unspecified fracture of unspecified thoracic vertebra, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S22.009D	Unspecified fracture of unspecified thoracic vertebra, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S92.919G	Unspecified fracture of unspecified toe(s), subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S92.919D	Unspecified fracture of unspecified toe(s), subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S62.90XA	Unspecified fracture of unspecified wrist and hand, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S62.90XB	Unspecified fracture of unspecified wrist and hand, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.90XP	Unspecified fracture of unspecified wrist and hand, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S62.90XK	Unspecified fracture of unspecified wrist and hand, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S62.90XG	Unspecified fracture of unspecified wrist and hand, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S62.90XD	Unspecified fracture of unspecified wrist and hand, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S52.002Q	Unspecified fracture of upper end of left ulna, subsequent encounter for open fracture type I or II with malunion	ICD-10-CM	Diagnosis
S52.002M	Unspecified fracture of upper end of left ulna, subsequent encounter for open fracture type I or II with nonunion	ICD-10-CM	Diagnosis
S52.002H	Unspecified fracture of upper end of left ulna, subsequent encounter for open fracture type I or II with delayed healing	ICD-10-CM	Diagnosis
S52.002E	Unspecified fracture of upper end of left ulna, subsequent encounter for open fracture type I or II with routine healing	ICD-10-CM	Diagnosis
S52.002G	Unspecified fracture of upper end of left ulna, subsequent encounter for closed fracture with delayed healing	ICD-10-CM	Diagnosis
S52.002J	Unspecified fracture of upper end of left ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD-10-CM	Diagnosis
S52.001N	Unspecified fracture of upper end of right ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S52.001H	Unspecified fracture of upper end of right ulna, subsequent encounter for open fracture type I or II with delayed healing	ICD-10-CM	Diagnosis
S52.001Q	Unspecified fracture of upper end of right ulna, subsequent encounter for open fracture type I or II with malunion	ICD-10-CM	Diagnosis
S52.001M	Unspecified fracture of upper end of right ulna, subsequent encounter for open fracture type I or II with nonunion	ICD-10-CM	Diagnosis
S52.001E	Unspecified fracture of upper end of right ulna, subsequent encounter for open fracture type I or II with routine healing	ICD-10-CM	Diagnosis
S52.001F	Unspecified fracture of upper end of right ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD-10-CM	Diagnosis
S52.001G	Unspecified fracture of upper end of right ulna, subsequent encounter for closed fracture with delayed healing	ICD-10-CM	Diagnosis
S52.009J	Unspecified fracture of upper end of unspecified ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD-10-CM	Diagnosis
S52.009Q	Unspecified fracture of upper end of unspecified ulna, subsequent encounter for open fracture type I or II with malunion	ICD-10-CM	Diagnosis
S52.009E	Unspecified fracture of upper end of unspecified ulna, subsequent encounter for open fracture type I or II with routine healing	ICD-10-CM	Diagnosis
S52.009R	Unspecified fracture of upper end of unspecified ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD-10-CM	Diagnosis
S52.009H	Unspecified fracture of upper end of unspecified ulna, subsequent encounter for open fracture type I or II with delayed healing	ICD-10-CM	Diagnosis
S52.009M	Unspecified fracture of upper end of unspecified ulna, subsequent encounter for open fracture type I or II with nonunion	ICD-10-CM	Diagnosis
S52.009F	Unspecified fracture of upper end of unspecified ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD-10-CM	Diagnosis
S52.009G	Unspecified fracture of upper end of unspecified ulna, subsequent encounter for closed fracture with delayed healing	ICD-10-CM	Diagnosis
S52.009D	Unspecified fracture of upper end of unspecified ulna, subsequent encounter for closed fracture with routine healing	ICD-10-CM	Diagnosis
S52.009P	Unspecified fracture of upper end of unspecified ulna, subsequent encounter for closed fracture with malunion	ICD-10-CM	Diagnosis
S52.009K	Unspecified fracture of upper end of unspecified ulna, subsequent encounter for closed fracture with nonunion	ICD-10-CM	Diagnosis
S52.009N	Unspecified fracture of upper end of unspecified ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD-10-CM	Diagnosis
S42.202A	Unspecified fracture of upper end of left humerus, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.202B	Unspecified fracture of upper end of left humerus, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.202G	Unspecified fracture of upper end of left humerus, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis



**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S42.202P	Unspecified fracture of upper end of left humerus, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S42.202K	Unspecified fracture of upper end of left humerus, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S42.202D	Unspecified fracture of upper end of left humerus, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S42.201A	Unspecified fracture of upper end of right humerus, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.201B	Unspecified fracture of upper end of right humerus, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.201G	Unspecified fracture of upper end of right humerus, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S42.201P	Unspecified fracture of upper end of right humerus, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S42.201K	Unspecified fracture of upper end of right humerus, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S42.201D	Unspecified fracture of upper end of right humerus, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S42.209A	Unspecified fracture of upper end of unspecified humerus, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.209B	Unspecified fracture of upper end of unspecified humerus, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.209G	Unspecified fracture of upper end of unspecified humerus, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S42.209P	Unspecified fracture of upper end of unspecified humerus, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S42.209K	Unspecified fracture of upper end of unspecified humerus, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S42.209D	Unspecified fracture of upper end of unspecified humerus, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S82.102B	Unspecified fracture of upper end of left tibia, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.102C	Unspecified fracture of upper end of left tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.102G	Unspecified fracture of upper end of left tibia, subsequent encounter for closed fracture with delayed healing	ICD-10-CM	Diagnosis
S82.102D	Unspecified fracture of upper end of left tibia, subsequent encounter for closed fracture with routine healing	ICD-10-CM	Diagnosis
S82.102P	Unspecified fracture of upper end of left tibia, subsequent encounter for closed fracture with malunion	ICD-10-CM	Diagnosis
S82.102K	Unspecified fracture of upper end of left tibia, subsequent encounter for closed fracture with nonunion	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S82.102H	Unspecified fracture of upper end of left tibia, subsequent encounter for open fracture type I or II with delayed healing	ICD-10-CM	Diagnosis
S82.102Q	Unspecified fracture of upper end of left tibia, subsequent encounter for open fracture type I or II with malunion	ICD-10-CM	Diagnosis
S82.102M	Unspecified fracture of upper end of left tibia, subsequent encounter for open fracture type I or II with nonunion	ICD-10-CM	Diagnosis
S82.102E	Unspecified fracture of upper end of left tibia, subsequent encounter for open fracture type I or II with routine healing	ICD-10-CM	Diagnosis
S82.102J	Unspecified fracture of upper end of left tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD-10-CM	Diagnosis
S82.102R	Unspecified fracture of upper end of left tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD-10-CM	Diagnosis
S82.102N	Unspecified fracture of upper end of left tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD-10-CM	Diagnosis
S82.102F	Unspecified fracture of upper end of left tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD-10-CM	Diagnosis
S52.002A	Unspecified fracture of upper end of left ulna, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.002B	Unspecified fracture of upper end of left ulna, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S52.002C	Unspecified fracture of upper end of left ulna, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S52.002R	Unspecified fracture of upper end of left ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD-10-CM	Diagnosis
S52.002N	Unspecified fracture of upper end of left ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD-10-CM	Diagnosis
S52.002P	Unspecified fracture of upper end of left ulna, subsequent encounter for closed fracture with malunion	ICD-10-CM	Diagnosis
S52.002K	Unspecified fracture of upper end of left ulna, subsequent encounter for closed fracture with nonunion	ICD-10-CM	Diagnosis
S52.002D	Unspecified fracture of upper end of left ulna, subsequent encounter for closed fracture with routine healing	ICD-10-CM	Diagnosis
S52.002F	Unspecified fracture of upper end of left ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD-10-CM	Diagnosis
S82.101B	Unspecified fracture of upper end of right tibia, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.101C	Unspecified fracture of upper end of right tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.101G	Unspecified fracture of upper end of right tibia, subsequent encounter for closed fracture with delayed healing	ICD-10-CM	Diagnosis
S82.101D	Unspecified fracture of upper end of right tibia, subsequent encounter for closed fracture with routine healing	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S82.101P	Unspecified fracture of upper end of right tibia, subsequent encounter for closed fracture with malunion	ICD-10-CM	Diagnosis
S82.101K	Unspecified fracture of upper end of right tibia, subsequent encounter for closed fracture with nonunion	ICD-10-CM	Diagnosis
S82.101H	Unspecified fracture of upper end of right tibia, subsequent encounter for open fracture type I or II with delayed healing	ICD-10-CM	Diagnosis
S82.101Q	Unspecified fracture of upper end of right tibia, subsequent encounter for open fracture type I or II with malunion	ICD-10-CM	Diagnosis
S82.101M	Unspecified fracture of upper end of right tibia, subsequent encounter for open fracture type I or II with nonunion	ICD-10-CM	Diagnosis
S82.101E	Unspecified fracture of upper end of right tibia, subsequent encounter for open fracture type I or II with routine healing	ICD-10-CM	Diagnosis
S82.101J	Unspecified fracture of upper end of right tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD-10-CM	Diagnosis
S82.101R	Unspecified fracture of upper end of right tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD-10-CM	Diagnosis
S82.101N	Unspecified fracture of upper end of right tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD-10-CM	Diagnosis
S82.101F	Unspecified fracture of upper end of right tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD-10-CM	Diagnosis
S52.001J	Unspecified fracture of upper end of right ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD-10-CM	Diagnosis
S52.001R	Unspecified fracture of upper end of right ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD-10-CM	Diagnosis
S52.001P	Unspecified fracture of upper end of right ulna, subsequent encounter for closed fracture with malunion	ICD-10-CM	Diagnosis
S52.001K	Unspecified fracture of upper end of right ulna, subsequent encounter for closed fracture with nonunion	ICD-10-CM	Diagnosis
S82.109C	Unspecified fracture of upper end of unspecified tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.109B	Unspecified fracture of upper end of unspecified tibia, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.109G	Unspecified fracture of upper end of unspecified tibia, subsequent encounter for closed fracture with delayed healing	ICD-10-CM	Diagnosis
S82.109D	Unspecified fracture of upper end of unspecified tibia, subsequent encounter for closed fracture with routine healing	ICD-10-CM	Diagnosis
S82.109P	Unspecified fracture of upper end of unspecified tibia, subsequent encounter for closed fracture with malunion	ICD-10-CM	Diagnosis
S82.109K	Unspecified fracture of upper end of unspecified tibia, subsequent encounter for closed fracture with nonunion	ICD-10-CM	Diagnosis
S82.109Q	Unspecified fracture of upper end of unspecified tibia, subsequent encounter for open fracture type I or II with malunion	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S82.109M	Unspecified fracture of upper end of unspecified tibia, subsequent encounter for open fracture type I or II with nonunion	ICD-10-CM	Diagnosis
S82.109E	Unspecified fracture of upper end of unspecified tibia, subsequent encounter for open fracture type I or II with routine healing	ICD-10-CM	Diagnosis
S82.109J	Unspecified fracture of upper end of unspecified tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD-10-CM	Diagnosis
S82.109R	Unspecified fracture of upper end of unspecified tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD-10-CM	Diagnosis
S82.109N	Unspecified fracture of upper end of unspecified tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD-10-CM	Diagnosis
S82.109F	Unspecified fracture of upper end of unspecified tibia, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD-10-CM	Diagnosis
S82.109H	Unspecified fracture of upper end of unspecified tibia, subsequent encounter for open fracture type I or II with delayed healing	ICD-10-CM	Diagnosis
S52.009A	Unspecified fracture of upper end of unspecified ulna, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.009B	Unspecified fracture of upper end of unspecified ulna, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S52.009C	Unspecified fracture of upper end of unspecified ulna, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
M23.90	Unspecified internal derangement of unspecified knee	ICD-10-CM	Diagnosis
S72.012S	Unspecified intracapsular fracture of left femur, sequela	ICD-10-CM	Diagnosis
S72.011S	Unspecified intracapsular fracture of right femur, sequela	ICD-10-CM	Diagnosis
S72.019S	Unspecified intracapsular fracture of unspecified femur, sequela	ICD-10-CM	Diagnosis
S72.012A	Unspecified intracapsular fracture of left femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S72.012B	Unspecified intracapsular fracture of left femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.012C	Unspecified intracapsular fracture of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.012G	Unspecified intracapsular fracture of left femur, subsequent encounter for closed fracture with delayed healing	ICD-10-CM	Diagnosis
S72.012D	Unspecified intracapsular fracture of left femur, subsequent encounter for closed fracture with routine healing	ICD-10-CM	Diagnosis
S72.012P	Unspecified intracapsular fracture of left femur, subsequent encounter for closed fracture with malunion	ICD-10-CM	Diagnosis
S72.012K	Unspecified intracapsular fracture of left femur, subsequent encounter for closed fracture with nonunion	ICD-10-CM	Diagnosis
S72.012H	Unspecified intracapsular fracture of left femur, subsequent encounter for open fracture type I or II with delayed healing	ICD-10-CM	Diagnosis
S72.012Q	Unspecified intracapsular fracture of left femur, subsequent encounter for open fracture type I or II with malunion	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S72.012M	Unspecified intracapsular fracture of left femur, subsequent encounter for open fracture type I or II with nonunion	ICD-10-CM	Diagnosis
S72.012R	Unspecified intracapsular fracture of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD-10-CM	Diagnosis
S72.012N	Unspecified intracapsular fracture of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD-10-CM	Diagnosis
S72.012E	Unspecified intracapsular fracture of left femur, subsequent encounter for open fracture type I or II with routine healing	ICD-10-CM	Diagnosis
S72.012J	Unspecified intracapsular fracture of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD-10-CM	Diagnosis
S72.012F	Unspecified intracapsular fracture of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD-10-CM	Diagnosis
S72.011A	Unspecified intracapsular fracture of right femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S72.011B	Unspecified intracapsular fracture of right femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.011C	Unspecified intracapsular fracture of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.011G	Unspecified intracapsular fracture of right femur, subsequent encounter for closed fracture with delayed healing	ICD-10-CM	Diagnosis
S72.011D	Unspecified intracapsular fracture of right femur, subsequent encounter for closed fracture with routine healing	ICD-10-CM	Diagnosis
S72.011P	Unspecified intracapsular fracture of right femur, subsequent encounter for closed fracture with malunion	ICD-10-CM	Diagnosis
S72.011K	Unspecified intracapsular fracture of right femur, subsequent encounter for closed fracture with nonunion	ICD-10-CM	Diagnosis
S72.011H	Unspecified intracapsular fracture of right femur, subsequent encounter for open fracture type I or II with delayed healing	ICD-10-CM	Diagnosis
S72.011Q	Unspecified intracapsular fracture of right femur, subsequent encounter for open fracture type I or II with malunion	ICD-10-CM	Diagnosis
S72.011M	Unspecified intracapsular fracture of right femur, subsequent encounter for open fracture type I or II with nonunion	ICD-10-CM	Diagnosis
S72.011R	Unspecified intracapsular fracture of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD-10-CM	Diagnosis
S72.011N	Unspecified intracapsular fracture of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD-10-CM	Diagnosis
S72.011E	Unspecified intracapsular fracture of right femur, subsequent encounter for open fracture type I or II with routine healing	ICD-10-CM	Diagnosis
S72.011J	Unspecified intracapsular fracture of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD-10-CM	Diagnosis
S72.011F	Unspecified intracapsular fracture of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S72.019A	Unspecified intracapsular fracture of unspecified femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S72.019D	Unspecified intracapsular fracture of unspecified femur, subsequent encounter for closed fracture with routine healing	ICD-10-CM	Diagnosis
S72.019P	Unspecified intracapsular fracture of unspecified femur, subsequent encounter for closed fracture with malunion	ICD-10-CM	Diagnosis
S72.019K	Unspecified intracapsular fracture of unspecified femur, subsequent encounter for closed fracture with nonunion	ICD-10-CM	Diagnosis
S72.019R	Unspecified intracapsular fracture of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD-10-CM	Diagnosis
S72.019N	Unspecified intracapsular fracture of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD-10-CM	Diagnosis
S72.019Q	Unspecified intracapsular fracture of unspecified femur, subsequent encounter for open fracture type I or II with malunion	ICD-10-CM	Diagnosis
S72.019M	Unspecified intracapsular fracture of unspecified femur, subsequent encounter for open fracture type I or II with nonunion	ICD-10-CM	Diagnosis
S72.019F	Unspecified intracapsular fracture of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD-10-CM	Diagnosis
S72.019B	Unspecified intracapsular fracture of unspecified femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.019C	Unspecified intracapsular fracture of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.019G	Unspecified intracapsular fracture of unspecified femur, subsequent encounter for closed fracture with delayed healing	ICD-10-CM	Diagnosis
S72.019H	Unspecified intracapsular fracture of unspecified femur, subsequent encounter for open fracture type I or II with delayed healing	ICD-10-CM	Diagnosis
S72.019E	Unspecified intracapsular fracture of unspecified femur, subsequent encounter for open fracture type I or II with routine healing	ICD-10-CM	Diagnosis
S72.019J	Unspecified intracapsular fracture of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD-10-CM	Diagnosis
S12.001K	Unspecified nondisplaced fracture of first cervical vertebra, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S12.001A	Unspecified nondisplaced fracture of first cervical vertebra, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S12.001B	Unspecified nondisplaced fracture of first cervical vertebra, initial encounter for open fracture	ICD-10-CM	Diagnosis
S12.001G	Unspecified nondisplaced fracture of first cervical vertebra, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S12.001D	Unspecified nondisplaced fracture of first cervical vertebra, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S12.301G	Unspecified nondisplaced fracture of fourth cervical vertebra, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis



**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S12.301K	Unspecified nondisplaced fracture of fourth cervical vertebra, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S12.301D	Unspecified nondisplaced fracture of fourth cervical vertebra, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S12.301A	Unspecified nondisplaced fracture of fourth cervical vertebra, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S12.301B	Unspecified nondisplaced fracture of fourth cervical vertebra, initial encounter for open fracture	ICD-10-CM	Diagnosis
S12.001S	Unspecified nondisplaced fracture of first cervical vertebra, sequela	ICD-10-CM	Diagnosis
S12.201A	Unspecified nondisplaced fracture of third cervical vertebra, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S12.201B	Unspecified nondisplaced fracture of third cervical vertebra, initial encounter for open fracture	ICD-10-CM	Diagnosis
S12.201S	Unspecified nondisplaced fracture of third cervical vertebra, sequela	ICD-10-CM	Diagnosis
S12.301S	Unspecified nondisplaced fracture of fourth cervical vertebra, sequela	ICD-10-CM	Diagnosis
S12.401S	Unspecified nondisplaced fracture of fifth cervical vertebra, sequela	ICD-10-CM	Diagnosis
S12.401A	Unspecified nondisplaced fracture of fifth cervical vertebra, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S12.501A	Unspecified nondisplaced fracture of sixth cervical vertebra, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S12.501B	Unspecified nondisplaced fracture of sixth cervical vertebra, initial encounter for open fracture	ICD-10-CM	Diagnosis
S12.501G	Unspecified nondisplaced fracture of sixth cervical vertebra, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S12.501K	Unspecified nondisplaced fracture of sixth cervical vertebra, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S12.501D	Unspecified nondisplaced fracture of sixth cervical vertebra, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S12.601A	Unspecified nondisplaced fracture of seventh cervical vertebra, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S12.601B	Unspecified nondisplaced fracture of seventh cervical vertebra, initial encounter for open fracture	ICD-10-CM	Diagnosis
S12.601K	Unspecified nondisplaced fracture of seventh cervical vertebra, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S12.601G	Unspecified nondisplaced fracture of seventh cervical vertebra, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S12.601D	Unspecified nondisplaced fracture of seventh cervical vertebra, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S42.216A	Unspecified nondisplaced fracture of surgical neck of unspecified humerus, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.216B	Unspecified nondisplaced fracture of surgical neck of unspecified humerus, initial encounter for open fracture	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S42.216S	Unspecified nondisplaced fracture of surgical neck of unspecified humerus, sequela	ICD-10-CM	Diagnosis
S42.216G	Unspecified nondisplaced fracture of surgical neck of unspecified humerus, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S42.216P	Unspecified nondisplaced fracture of surgical neck of unspecified humerus, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S42.216K	Unspecified nondisplaced fracture of surgical neck of unspecified humerus, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S42.216D	Unspecified nondisplaced fracture of surgical neck of unspecified humerus, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S12.501S	Unspecified nondisplaced fracture of sixth cervical vertebra, sequela	ICD-10-CM	Diagnosis
S12.601S	Unspecified nondisplaced fracture of seventh cervical vertebra, sequela	ICD-10-CM	Diagnosis
S12.401B	Unspecified nondisplaced fracture of fifth cervical vertebra, initial encounter for open fracture	ICD-10-CM	Diagnosis
S12.401G	Unspecified nondisplaced fracture of fifth cervical vertebra, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S12.401K	Unspecified nondisplaced fracture of fifth cervical vertebra, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S12.401D	Unspecified nondisplaced fracture of fifth cervical vertebra, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S42.214K	Unspecified nondisplaced fracture of surgical neck of right humerus, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S42.215A	Unspecified nondisplaced fracture of surgical neck of left humerus, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.215B	Unspecified nondisplaced fracture of surgical neck of left humerus, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.215S	Unspecified nondisplaced fracture of surgical neck of left humerus, sequela	ICD-10-CM	Diagnosis
S42.215G	Unspecified nondisplaced fracture of surgical neck of left humerus, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S42.215P	Unspecified nondisplaced fracture of surgical neck of left humerus, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S42.215K	Unspecified nondisplaced fracture of surgical neck of left humerus, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S42.215D	Unspecified nondisplaced fracture of surgical neck of left humerus, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S42.214B	Unspecified nondisplaced fracture of surgical neck of right humerus, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.214A	Unspecified nondisplaced fracture of surgical neck of right humerus, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.214S	Unspecified nondisplaced fracture of surgical neck of right humerus, sequela	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S42.214G	Unspecified nondisplaced fracture of surgical neck of right humerus, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S42.214P	Unspecified nondisplaced fracture of surgical neck of right humerus, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S42.214D	Unspecified nondisplaced fracture of surgical neck of right humerus, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S12.201G	Unspecified nondisplaced fracture of third cervical vertebra, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S12.201D	Unspecified nondisplaced fracture of third cervical vertebra, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S12.201K	Unspecified nondisplaced fracture of third cervical vertebra, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S02.113A	Unspecified occipital condyle fracture, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S02.113B	Unspecified occipital condyle fracture, initial encounter for open fracture	ICD-10-CM	Diagnosis
S02.113G	Unspecified occipital condyle fracture, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S02.113D	Unspecified occipital condyle fracture, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S02.113K	Unspecified occipital condyle fracture, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S31.602A	Unspecified open wound of abdominal wall, epigastric region with penetration into peritoneal cavity, initial encounter	ICD-10-CM	Diagnosis
S31.603A	Unspecified open wound of abdominal wall, right lower quadrant with penetration into peritoneal cavity, initial encounter	ICD-10-CM	Diagnosis
S31.603D	Unspecified open wound of abdominal wall, right lower quadrant with penetration into peritoneal cavity, subsequent encounter	ICD-10-CM	Diagnosis
S31.105A	Unspecified open wound of abdominal wall, periumbilic region without penetration into peritoneal cavity, initial encounter	ICD-10-CM	Diagnosis
S31.105S	Unspecified open wound of abdominal wall, periumbilic region without penetration into peritoneal cavity, sequela	ICD-10-CM	Diagnosis
S31.105D	Unspecified open wound of abdominal wall, periumbilic region without penetration into peritoneal cavity, subsequent encounter	ICD-10-CM	Diagnosis
S31.109A	Unspecified open wound of abdominal wall, unspecified quadrant without penetration into peritoneal cavity, initial encounter	ICD-10-CM	Diagnosis
S31.109D	Unspecified open wound of abdominal wall, unspecified quadrant without penetration into peritoneal cavity, subsequent encounter	ICD-10-CM	Diagnosis
S31.609A	Unspecified open wound of abdominal wall, unspecified quadrant with penetration into peritoneal cavity, initial encounter	ICD-10-CM	Diagnosis
S31.609D	Unspecified open wound of abdominal wall, unspecified quadrant with penetration into peritoneal cavity, subsequent encounter	ICD-10-CM	Diagnosis
S31.103A	Unspecified open wound of abdominal wall, right lower quadrant without penetration into peritoneal cavity, initial encounter	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S31.103D	Unspecified open wound of abdominal wall, right lower quadrant without penetration into peritoneal cavity, subsequent encounter	ICD-10-CM	Diagnosis
S31.100A	Unspecified open wound of abdominal wall, right upper quadrant without penetration into peritoneal cavity, initial encounter	ICD-10-CM	Diagnosis
S21.202A	Unspecified open wound of left back wall of thorax without penetration into thoracic cavity, initial encounter	ICD-10-CM	Diagnosis
S21.202S	Unspecified open wound of left back wall of thorax without penetration into thoracic cavity, sequela	ICD-10-CM	Diagnosis
S21.202D	Unspecified open wound of left back wall of thorax without penetration into thoracic cavity, subsequent encounter	ICD-10-CM	Diagnosis
S21.402A	Unspecified open wound of left back wall of thorax with penetration into thoracic cavity, initial encounter	ICD-10-CM	Diagnosis
S21.402S	Unspecified open wound of left back wall of thorax with penetration into thoracic cavity, sequela	ICD-10-CM	Diagnosis
S21.402D	Unspecified open wound of left back wall of thorax with penetration into thoracic cavity, subsequent encounter	ICD-10-CM	Diagnosis
S01.402S	Unspecified open wound of left cheek and temporomandibular area, sequela	ICD-10-CM	Diagnosis
S01.402D	Unspecified open wound of left cheek and temporomandibular area, subsequent encounter	ICD-10-CM	Diagnosis
S01.402A	Unspecified open wound of left cheek and temporomandibular area, initial encounter	ICD-10-CM	Diagnosis
S61.201A	Unspecified open wound of left index finger without damage to nail, initial encounter	ICD-10-CM	Diagnosis
S61.201S	Unspecified open wound of left index finger without damage to nail, sequela	ICD-10-CM	Diagnosis
S61.201D	Unspecified open wound of left index finger without damage to nail, subsequent encounter	ICD-10-CM	Diagnosis
S61.207A	Unspecified open wound of left little finger without damage to nail, initial encounter	ICD-10-CM	Diagnosis
S61.207S	Unspecified open wound of left little finger without damage to nail, sequela	ICD-10-CM	Diagnosis
S61.207D	Unspecified open wound of left little finger without damage to nail, subsequent encounter	ICD-10-CM	Diagnosis
S61.203A	Unspecified open wound of left middle finger without damage to nail, initial encounter	ICD-10-CM	Diagnosis
S61.203S	Unspecified open wound of left middle finger without damage to nail, sequela	ICD-10-CM	Diagnosis
S61.203D	Unspecified open wound of left middle finger without damage to nail, subsequent encounter	ICD-10-CM	Diagnosis
S61.205A	Unspecified open wound of left ring finger without damage to nail, initial encounter	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S61.205S	Unspecified open wound of left ring finger without damage to nail, sequela	ICD-10-CM	Diagnosis
S61.205D	Unspecified open wound of left ring finger without damage to nail, subsequent encounter	ICD-10-CM	Diagnosis
S21.201A	Unspecified open wound of right back wall of thorax without penetration into thoracic cavity, initial encounter	ICD-10-CM	Diagnosis
S21.201S	Unspecified open wound of right back wall of thorax without penetration into thoracic cavity, sequela	ICD-10-CM	Diagnosis
S21.201D	Unspecified open wound of right back wall of thorax without penetration into thoracic cavity, subsequent encounter	ICD-10-CM	Diagnosis
S21.401A	Unspecified open wound of right back wall of thorax with penetration into thoracic cavity, initial encounter	ICD-10-CM	Diagnosis
S01.401D	Unspecified open wound of right cheek and temporomandibular area, subsequent encounter	ICD-10-CM	Diagnosis
S01.401S	Unspecified open wound of right cheek and temporomandibular area, sequela	ICD-10-CM	Diagnosis
S01.401A	Unspecified open wound of right cheek and temporomandibular area, initial encounter	ICD-10-CM	Diagnosis
S61.206S	Unspecified open wound of right little finger without damage to nail, sequela	ICD-10-CM	Diagnosis
S61.206D	Unspecified open wound of right little finger without damage to nail, subsequent encounter	ICD-10-CM	Diagnosis
S61.202S	Unspecified open wound of right middle finger without damage to nail, sequela	ICD-10-CM	Diagnosis
S61.202D	Unspecified open wound of right middle finger without damage to nail, subsequent encounter	ICD-10-CM	Diagnosis
S61.204A	Unspecified open wound of right ring finger without damage to nail, initial encounter	ICD-10-CM	Diagnosis
S61.204S	Unspecified open wound of right ring finger without damage to nail, sequela	ICD-10-CM	Diagnosis
S61.204D	Unspecified open wound of right ring finger without damage to nail, subsequent encounter	ICD-10-CM	Diagnosis
S01.409D	Unspecified open wound of unspecified cheek and temporomandibular area, subsequent encounter	ICD-10-CM	Diagnosis
S01.409S	Unspecified open wound of unspecified cheek and temporomandibular area, sequela	ICD-10-CM	Diagnosis
S01.409A	Unspecified open wound of unspecified cheek and temporomandibular area, initial encounter	ICD-10-CM	Diagnosis
S31.502S	Unspecified open wound of unspecified external genital organs, female, sequela	ICD-10-CM	Diagnosis
S31.502D	Unspecified open wound of unspecified external genital organs, female, subsequent encounter	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S31.501A	Unspecified open wound of unspecified external genital organs, male, initial encounter	ICD-10-CM	Diagnosis
S31.501D	Unspecified open wound of unspecified external genital organs, male, subsequent encounter	ICD-10-CM	Diagnosis
S01.109D	Unspecified open wound of unspecified eyelid and periocular area, subsequent encounter	ICD-10-CM	Diagnosis
S01.109A	Unspecified open wound of unspecified eyelid and periocular area, initial encounter	ICD-10-CM	Diagnosis
S91.106A	Unspecified open wound of unspecified lesser toe(s) without damage to nail, initial encounter	ICD-10-CM	Diagnosis
S91.106S	Unspecified open wound of unspecified lesser toe(s) without damage to nail, sequela	ICD-10-CM	Diagnosis
S91.106D	Unspecified open wound of unspecified lesser toe(s) without damage to nail, subsequent encounter	ICD-10-CM	Diagnosis
S31.102S	Unspecified open wound of abdominal wall, epigastric region without penetration into peritoneal cavity, sequela	ICD-10-CM	Diagnosis
S31.102D	Unspecified open wound of abdominal wall, epigastric region without penetration into peritoneal cavity, subsequent encounter	ICD-10-CM	Diagnosis
S31.101A	Unspecified open wound of abdominal wall, left upper quadrant without penetration into peritoneal cavity, initial encounter	ICD-10-CM	Diagnosis
S31.101S	Unspecified open wound of abdominal wall, left upper quadrant without penetration into peritoneal cavity, sequela	ICD-10-CM	Diagnosis
S31.101D	Unspecified open wound of abdominal wall, left upper quadrant without penetration into peritoneal cavity, subsequent encounter	ICD-10-CM	Diagnosis
S31.100D	Unspecified open wound of abdominal wall, right upper quadrant without penetration into peritoneal cavity, subsequent encounter	ICD-10-CM	Diagnosis
S31.001A	Unspecified open wound of lower back and pelvis with penetration into retroperitoneum, initial encounter	ICD-10-CM	Diagnosis
S31.001S	Unspecified open wound of lower back and pelvis with penetration into retroperitoneum, sequela	ICD-10-CM	Diagnosis
S31.001D	Unspecified open wound of lower back and pelvis with penetration into retroperitoneum, subsequent encounter	ICD-10-CM	Diagnosis
S31.829A	Unspecified open wound of left buttock, initial encounter	ICD-10-CM	Diagnosis
S31.829D	Unspecified open wound of left buttock, subsequent encounter	ICD-10-CM	Diagnosis
S01.102A	Unspecified open wound of left eyelid and periocular area, initial encounter	ICD-10-CM	Diagnosis
S01.102S	Unspecified open wound of left eyelid and periocular area, sequela	ICD-10-CM	Diagnosis
S01.102D	Unspecified open wound of left eyelid and periocular area, subsequent encounter	ICD-10-CM	Diagnosis
S91.202A	Unspecified open wound of left great toe with damage to nail, initial encounter	ICD-10-CM	Diagnosis
S91.202S	Unspecified open wound of left great toe with damage to nail, sequela	ICD-10-CM	Diagnosis



**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S91.202D	Unspecified open wound of left great toe with damage to nail, subsequent encounter	ICD-10-CM	Diagnosis
S91.102A	Unspecified open wound of left great toe without damage to nail, initial encounter	ICD-10-CM	Diagnosis
S91.102S	Unspecified open wound of left great toe without damage to nail, sequela	ICD-10-CM	Diagnosis
S91.102D	Unspecified open wound of left great toe without damage to nail, subsequent encounter	ICD-10-CM	Diagnosis
S71.002D	Unspecified open wound, left hip, subsequent encounter	ICD-10-CM	Diagnosis
S61.301A	Unspecified open wound of left index finger with damage to nail, initial encounter	ICD-10-CM	Diagnosis
S61.301S	Unspecified open wound of left index finger with damage to nail, sequela	ICD-10-CM	Diagnosis
S61.301D	Unspecified open wound of left index finger with damage to nail, subsequent encounter	ICD-10-CM	Diagnosis
S91.205A	Unspecified open wound of left lesser toe(s) with damage to nail, initial encounter	ICD-10-CM	Diagnosis
S91.205S	Unspecified open wound of left lesser toe(s) with damage to nail, sequela	ICD-10-CM	Diagnosis
S91.205D	Unspecified open wound of left lesser toe(s) with damage to nail, subsequent encounter	ICD-10-CM	Diagnosis
S91.105A	Unspecified open wound of left lesser toe(s) without damage to nail, initial encounter	ICD-10-CM	Diagnosis
S91.105S	Unspecified open wound of left lesser toe(s) without damage to nail, sequela	ICD-10-CM	Diagnosis
S91.105D	Unspecified open wound of left lesser toe(s) without damage to nail, subsequent encounter	ICD-10-CM	Diagnosis
S61.307A	Unspecified open wound of left little finger with damage to nail, initial encounter	ICD-10-CM	Diagnosis
S61.307S	Unspecified open wound of left little finger with damage to nail, sequela	ICD-10-CM	Diagnosis
S61.307D	Unspecified open wound of left little finger with damage to nail, subsequent encounter	ICD-10-CM	Diagnosis
S61.303A	Unspecified open wound of left middle finger with damage to nail, initial encounter	ICD-10-CM	Diagnosis
S61.303S	Unspecified open wound of left middle finger with damage to nail, sequela	ICD-10-CM	Diagnosis
S61.303D	Unspecified open wound of left middle finger with damage to nail, subsequent encounter	ICD-10-CM	Diagnosis
S61.305A	Unspecified open wound of left ring finger with damage to nail, initial encounter	ICD-10-CM	Diagnosis
S61.305S	Unspecified open wound of left ring finger with damage to nail, sequela	ICD-10-CM	Diagnosis
S61.305D	Unspecified open wound of left ring finger with damage to nail, subsequent encounter	ICD-10-CM	Diagnosis
S71.102A	Unspecified open wound, left thigh, initial encounter	ICD-10-CM	Diagnosis
S71.102D	Unspecified open wound, left thigh, subsequent encounter	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S61.102A	Unspecified open wound of left thumb with damage to nail, initial encounter	ICD-10-CM	Diagnosis
S61.102S	Unspecified open wound of left thumb with damage to nail, sequela	ICD-10-CM	Diagnosis
S61.102D	Unspecified open wound of left thumb with damage to nail, subsequent encounter	ICD-10-CM	Diagnosis
S61.002A	Unspecified open wound of left thumb without damage to nail, initial encounter	ICD-10-CM	Diagnosis
S61.002S	Unspecified open wound of left thumb without damage to nail, sequela	ICD-10-CM	Diagnosis
S61.002D	Unspecified open wound of left thumb without damage to nail, subsequent encounter	ICD-10-CM	Diagnosis
S01.502A	Unspecified open wound of oral cavity, initial encounter	ICD-10-CM	Diagnosis
S01.502D	Unspecified open wound of oral cavity, subsequent encounter	ICD-10-CM	Diagnosis
S61.308A	Unspecified open wound of other finger with damage to nail, initial encounter	ICD-10-CM	Diagnosis
S61.308S	Unspecified open wound of other finger with damage to nail, sequela	ICD-10-CM	Diagnosis
S61.308D	Unspecified open wound of other finger with damage to nail, subsequent encounter	ICD-10-CM	Diagnosis
S61.208A	Unspecified open wound of other finger without damage to nail, initial encounter	ICD-10-CM	Diagnosis
S61.208S	Unspecified open wound of other finger without damage to nail, sequela	ICD-10-CM	Diagnosis
S61.208D	Unspecified open wound of other finger without damage to nail, subsequent encounter	ICD-10-CM	Diagnosis
S01.80XA	Unspecified open wound of other part of head, initial encounter	ICD-10-CM	Diagnosis
S01.80XD	Unspecified open wound of other part of head, subsequent encounter	ICD-10-CM	Diagnosis
S31.20XD	Unspecified open wound of penis, subsequent encounter	ICD-10-CM	Diagnosis
S11.20XA	Unspecified open wound of pharynx and cervical esophagus, initial encounter	ICD-10-CM	Diagnosis
S11.20XS	Unspecified open wound of pharynx and cervical esophagus, sequela	ICD-10-CM	Diagnosis
S11.20XD	Unspecified open wound of pharynx and cervical esophagus, subsequent encounter	ICD-10-CM	Diagnosis
S21.401S	Unspecified open wound of right back wall of thorax with penetration into thoracic cavity, sequela	ICD-10-CM	Diagnosis
S21.401D	Unspecified open wound of right back wall of thorax with penetration into thoracic cavity, subsequent encounter	ICD-10-CM	Diagnosis
S31.819A	Unspecified open wound of right buttock, initial encounter	ICD-10-CM	Diagnosis
S31.819D	Unspecified open wound of right buttock, subsequent encounter	ICD-10-CM	Diagnosis
S01.101A	Unspecified open wound of right eyelid and periorcular area, initial encounter	ICD-10-CM	Diagnosis
S01.101S	Unspecified open wound of right eyelid and periorcular area, sequela	ICD-10-CM	Diagnosis
S01.101D	Unspecified open wound of right eyelid and periorcular area, subsequent encounter	ICD-10-CM	Diagnosis
S91.201A	Unspecified open wound of right great toe with damage to nail, initial encounter	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S91.201S	Unspecified open wound of right great toe with damage to nail, sequela	ICD-10-CM	Diagnosis
S91.201D	Unspecified open wound of right great toe with damage to nail, subsequent encounter	ICD-10-CM	Diagnosis
S91.101A	Unspecified open wound of right great toe without damage to nail, initial encounter	ICD-10-CM	Diagnosis
S91.101S	Unspecified open wound of right great toe without damage to nail, sequela	ICD-10-CM	Diagnosis
S91.101D	Unspecified open wound of right great toe without damage to nail, subsequent encounter	ICD-10-CM	Diagnosis
S71.001D	Unspecified open wound, right hip, subsequent encounter	ICD-10-CM	Diagnosis
S61.300A	Unspecified open wound of right index finger with damage to nail, initial encounter	ICD-10-CM	Diagnosis
S61.300S	Unspecified open wound of right index finger with damage to nail, sequela	ICD-10-CM	Diagnosis
S61.300D	Unspecified open wound of right index finger with damage to nail, subsequent encounter	ICD-10-CM	Diagnosis
S61.200A	Unspecified open wound of right index finger without damage to nail, initial encounter	ICD-10-CM	Diagnosis
S61.200S	Unspecified open wound of right index finger without damage to nail, sequela	ICD-10-CM	Diagnosis
S61.200D	Unspecified open wound of right index finger without damage to nail, subsequent encounter	ICD-10-CM	Diagnosis
S91.204A	Unspecified open wound of right lesser toe(s) with damage to nail, initial encounter	ICD-10-CM	Diagnosis
S91.204S	Unspecified open wound of right lesser toe(s) with damage to nail, sequela	ICD-10-CM	Diagnosis
S91.204D	Unspecified open wound of right lesser toe(s) with damage to nail, subsequent encounter	ICD-10-CM	Diagnosis
S91.104A	Unspecified open wound of right lesser toe(s) without damage to nail, initial encounter	ICD-10-CM	Diagnosis
S91.104S	Unspecified open wound of right lesser toe(s) without damage to nail, sequela	ICD-10-CM	Diagnosis
S91.104D	Unspecified open wound of right lesser toe(s) without damage to nail, subsequent encounter	ICD-10-CM	Diagnosis
S61.306A	Unspecified open wound of right little finger with damage to nail, initial encounter	ICD-10-CM	Diagnosis
S61.306D	Unspecified open wound of right little finger with damage to nail, subsequent encounter	ICD-10-CM	Diagnosis
S61.306S	Unspecified open wound of right little finger with damage to nail, sequela	ICD-10-CM	Diagnosis
S61.302A	Unspecified open wound of right middle finger with damage to nail, initial encounter	ICD-10-CM	Diagnosis
S61.302S	Unspecified open wound of right middle finger with damage to nail, sequela	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S61.302D	Unspecified open wound of right middle finger with damage to nail, subsequent encounter	ICD-10-CM	Diagnosis
S61.304A	Unspecified open wound of right ring finger with damage to nail, initial encounter	ICD-10-CM	Diagnosis
S61.304S	Unspecified open wound of right ring finger with damage to nail, sequela	ICD-10-CM	Diagnosis
S61.304D	Unspecified open wound of right ring finger with damage to nail, subsequent encounter	ICD-10-CM	Diagnosis
S71.101A	Unspecified open wound, right thigh, initial encounter	ICD-10-CM	Diagnosis
S71.101D	Unspecified open wound, right thigh, subsequent encounter	ICD-10-CM	Diagnosis
S61.101A	Unspecified open wound of right thumb with damage to nail, initial encounter	ICD-10-CM	Diagnosis
S61.101S	Unspecified open wound of right thumb with damage to nail, sequela	ICD-10-CM	Diagnosis
S61.101D	Unspecified open wound of right thumb with damage to nail, subsequent encounter	ICD-10-CM	Diagnosis
S61.001A	Unspecified open wound of right thumb without damage to nail, initial encounter	ICD-10-CM	Diagnosis
S61.001S	Unspecified open wound of right thumb without damage to nail, sequela	ICD-10-CM	Diagnosis
S61.001D	Unspecified open wound of right thumb without damage to nail, subsequent encounter	ICD-10-CM	Diagnosis
S31.30XA	Unspecified open wound of scrotum and testes, initial encounter	ICD-10-CM	Diagnosis
S31.30XD	Unspecified open wound of scrotum and testes, subsequent encounter	ICD-10-CM	Diagnosis
S31.809A	Unspecified open wound of unspecified buttock, initial encounter	ICD-10-CM	Diagnosis
S31.809D	Unspecified open wound of unspecified buttock, subsequent encounter	ICD-10-CM	Diagnosis
S31.502A	Unspecified open wound of unspecified external genital organs, female, initial encounter	ICD-10-CM	Diagnosis
S31.501S	Unspecified open wound of unspecified external genital organs, male, sequela	ICD-10-CM	Diagnosis
S01.109S	Unspecified open wound of unspecified eyelid and periocular area, sequela	ICD-10-CM	Diagnosis
S61.309A	Unspecified open wound of unspecified finger with damage to nail, initial encounter	ICD-10-CM	Diagnosis
S61.309S	Unspecified open wound of unspecified finger with damage to nail, sequela	ICD-10-CM	Diagnosis
S61.309D	Unspecified open wound of unspecified finger with damage to nail, subsequent encounter	ICD-10-CM	Diagnosis
S61.209A	Unspecified open wound of unspecified finger without damage to nail, initial encounter	ICD-10-CM	Diagnosis
S61.209S	Unspecified open wound of unspecified finger without damage to nail, sequela	ICD-10-CM	Diagnosis
S61.209D	Unspecified open wound of unspecified finger without damage to nail, subsequent encounter	ICD-10-CM	Diagnosis
S91.203A	Unspecified open wound of unspecified great toe with damage to nail, initial encounter	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S91.203D	Unspecified open wound of unspecified great toe with damage to nail, subsequent encounter	ICD-10-CM	Diagnosis
S91.203S	Unspecified open wound of unspecified great toe with damage to nail, sequela	ICD-10-CM	Diagnosis
S91.103A	Unspecified open wound of unspecified great toe without damage to nail, initial encounter	ICD-10-CM	Diagnosis
S91.103S	Unspecified open wound of unspecified great toe without damage to nail, sequela	ICD-10-CM	Diagnosis
S91.103D	Unspecified open wound of unspecified great toe without damage to nail, subsequent encounter	ICD-10-CM	Diagnosis
S71.009D	Unspecified open wound, unspecified hip, subsequent encounter	ICD-10-CM	Diagnosis
S91.206A	Unspecified open wound of unspecified lesser toe(s) with damage to nail, initial encounter	ICD-10-CM	Diagnosis
S91.206S	Unspecified open wound of unspecified lesser toe(s) with damage to nail, sequela	ICD-10-CM	Diagnosis
S91.206D	Unspecified open wound of unspecified lesser toe(s) with damage to nail, subsequent encounter	ICD-10-CM	Diagnosis
S21.90XA	Unspecified open wound of unspecified part of thorax, initial encounter	ICD-10-CM	Diagnosis
S21.90XD	Unspecified open wound of unspecified part of thorax, subsequent encounter	ICD-10-CM	Diagnosis
S71.109A	Unspecified open wound, unspecified thigh, initial encounter	ICD-10-CM	Diagnosis
S71.109D	Unspecified open wound, unspecified thigh, subsequent encounter	ICD-10-CM	Diagnosis
S61.109A	Unspecified open wound of unspecified thumb with damage to nail, initial encounter	ICD-10-CM	Diagnosis
S61.109S	Unspecified open wound of unspecified thumb with damage to nail, sequela	ICD-10-CM	Diagnosis
S61.109D	Unspecified open wound of unspecified thumb with damage to nail, subsequent encounter	ICD-10-CM	Diagnosis
S61.009A	Unspecified open wound of unspecified thumb without damage to nail, initial encounter	ICD-10-CM	Diagnosis
S61.009S	Unspecified open wound of unspecified thumb without damage to nail, sequela	ICD-10-CM	Diagnosis
S61.009D	Unspecified open wound of unspecified thumb without damage to nail, subsequent encounter	ICD-10-CM	Diagnosis
S91.209A	Unspecified open wound of unspecified toe(s) with damage to nail, initial encounter	ICD-10-CM	Diagnosis
S91.209S	Unspecified open wound of unspecified toe(s) with damage to nail, sequela	ICD-10-CM	Diagnosis
S91.209D	Unspecified open wound of unspecified toe(s) with damage to nail, subsequent encounter	ICD-10-CM	Diagnosis
S91.109A	Unspecified open wound of unspecified toe(s) without damage to nail, initial encounter	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S91.109S	Unspecified open wound of unspecified toe(s) without damage to nail, sequela	ICD-10-CM	Diagnosis
S91.109D	Unspecified open wound of unspecified toe(s) without damage to nail, subsequent encounter	ICD-10-CM	Diagnosis
S31.809S	Unspecified open wound of unspecified buttock, sequela	ICD-10-CM	Diagnosis
S71.009A	Unspecified open wound, unspecified hip, initial encounter	ICD-10-CM	Diagnosis
S21.90XS	Unspecified open wound of unspecified part of thorax, sequela	ICD-10-CM	Diagnosis
S31.40XA	Unspecified open wound of vagina and vulva, initial encounter	ICD-10-CM	Diagnosis
S31.40XD	Unspecified open wound of vagina and vulva, subsequent encounter	ICD-10-CM	Diagnosis
S31.602S	Unspecified open wound of abdominal wall, epigastric region with penetration into peritoneal cavity, sequela	ICD-10-CM	Diagnosis
S31.602D	Unspecified open wound of abdominal wall, epigastric region with penetration into peritoneal cavity, subsequent encounter	ICD-10-CM	Diagnosis
S31.104A	Unspecified open wound of abdominal wall, left lower quadrant without penetration into peritoneal cavity, initial encounter	ICD-10-CM	Diagnosis
S31.104S	Unspecified open wound of abdominal wall, left lower quadrant without penetration into peritoneal cavity, sequela	ICD-10-CM	Diagnosis
S31.104D	Unspecified open wound of abdominal wall, left lower quadrant without penetration into peritoneal cavity, subsequent encounter	ICD-10-CM	Diagnosis
S31.604A	Unspecified open wound of abdominal wall, left lower quadrant with penetration into peritoneal cavity, initial encounter	ICD-10-CM	Diagnosis
S31.604D	Unspecified open wound of abdominal wall, left lower quadrant with penetration into peritoneal cavity, subsequent encounter	ICD-10-CM	Diagnosis
S31.604S	Unspecified open wound of abdominal wall, left lower quadrant with penetration into peritoneal cavity, sequela	ICD-10-CM	Diagnosis
S31.601A	Unspecified open wound of abdominal wall, left upper quadrant with penetration into peritoneal cavity, initial encounter	ICD-10-CM	Diagnosis
S31.601D	Unspecified open wound of abdominal wall, left upper quadrant with penetration into peritoneal cavity, subsequent encounter	ICD-10-CM	Diagnosis
S31.601S	Unspecified open wound of abdominal wall, left upper quadrant with penetration into peritoneal cavity, sequela	ICD-10-CM	Diagnosis
S31.605S	Unspecified open wound of abdominal wall, periumbilic region with penetration into peritoneal cavity, sequela	ICD-10-CM	Diagnosis
S31.603S	Unspecified open wound of abdominal wall, right lower quadrant with penetration into peritoneal cavity, sequela	ICD-10-CM	Diagnosis
S31.600A	Unspecified open wound of abdominal wall, right upper quadrant with penetration into peritoneal cavity, initial encounter	ICD-10-CM	Diagnosis
S31.600D	Unspecified open wound of abdominal wall, right upper quadrant with penetration into peritoneal cavity, subsequent encounter	ICD-10-CM	Diagnosis
S31.600S	Unspecified open wound of abdominal wall, right upper quadrant with penetration into peritoneal cavity, sequela	ICD-10-CM	Diagnosis
S31.609S	Unspecified open wound of abdominal wall, unspecified quadrant with penetration into peritoneal cavity, sequela	ICD-10-CM	Diagnosis



**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S31.605A	Unspecified open wound of abdominal wall, periumbilic region with penetration into peritoneal cavity, initial encounter	ICD-10-CM	Diagnosis
S31.605D	Unspecified open wound of abdominal wall, periumbilic region with penetration into peritoneal cavity, subsequent encounter	ICD-10-CM	Diagnosis
S31.109S	Unspecified open wound of abdominal wall, unspecified quadrant without penetration into peritoneal cavity, sequela	ICD-10-CM	Diagnosis
S31.000A	Unspecified open wound of lower back and pelvis without penetration into retroperitoneum, initial encounter	ICD-10-CM	Diagnosis
S31.000S	Unspecified open wound of lower back and pelvis without penetration into retroperitoneum, sequela	ICD-10-CM	Diagnosis
S31.000D	Unspecified open wound of lower back and pelvis without penetration into retroperitoneum, subsequent encounter	ICD-10-CM	Diagnosis
S21.102A	Unspecified open wound of left front wall of thorax without penetration into thoracic cavity, initial encounter	ICD-10-CM	Diagnosis
S21.102D	Unspecified open wound of left front wall of thorax without penetration into thoracic cavity, subsequent encounter	ICD-10-CM	Diagnosis
S21.102S	Unspecified open wound of left front wall of thorax without penetration into thoracic cavity, sequela	ICD-10-CM	Diagnosis
S21.302A	Unspecified open wound of left front wall of thorax with penetration into thoracic cavity, initial encounter	ICD-10-CM	Diagnosis
S21.302S	Unspecified open wound of left front wall of thorax with penetration into thoracic cavity, sequela	ICD-10-CM	Diagnosis
S21.302D	Unspecified open wound of left front wall of thorax with penetration into thoracic cavity, subsequent encounter	ICD-10-CM	Diagnosis
S21.101S	Unspecified open wound of right front wall of thorax without penetration into thoracic cavity, sequela	ICD-10-CM	Diagnosis
S21.301A	Unspecified open wound of right front wall of thorax with penetration into thoracic cavity, initial encounter	ICD-10-CM	Diagnosis
S21.301S	Unspecified open wound of right front wall of thorax with penetration into thoracic cavity, sequela	ICD-10-CM	Diagnosis
S21.101A	Unspecified open wound of right front wall of thorax without penetration into thoracic cavity, initial encounter	ICD-10-CM	Diagnosis
S21.101D	Unspecified open wound of right front wall of thorax without penetration into thoracic cavity, subsequent encounter	ICD-10-CM	Diagnosis
S21.301D	Unspecified open wound of right front wall of thorax with penetration into thoracic cavity, subsequent encounter	ICD-10-CM	Diagnosis
S61.206A	Unspecified open wound of right little finger without damage to nail, initial encounter	ICD-10-CM	Diagnosis
S61.202A	Unspecified open wound of right middle finger without damage to nail, initial encounter	ICD-10-CM	Diagnosis
S21.209A	Unspecified open wound of unspecified back wall of thorax without penetration into thoracic cavity, initial encounter	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S21.209S	Unspecified open wound of unspecified back wall of thorax without penetration into thoracic cavity, sequela	ICD-10-CM	Diagnosis
S21.209D	Unspecified open wound of unspecified back wall of thorax without penetration into thoracic cavity, subsequent encounter	ICD-10-CM	Diagnosis
S21.409A	Unspecified open wound of unspecified back wall of thorax with penetration into thoracic cavity, initial encounter	ICD-10-CM	Diagnosis
S21.409S	Unspecified open wound of unspecified back wall of thorax with penetration into thoracic cavity, sequela	ICD-10-CM	Diagnosis
S21.409D	Unspecified open wound of unspecified back wall of thorax with penetration into thoracic cavity, subsequent encounter	ICD-10-CM	Diagnosis
S21.109A	Unspecified open wound of unspecified front wall of thorax without penetration into thoracic cavity, initial encounter	ICD-10-CM	Diagnosis
S21.109S	Unspecified open wound of unspecified front wall of thorax without penetration into thoracic cavity, sequela	ICD-10-CM	Diagnosis
S21.109D	Unspecified open wound of unspecified front wall of thorax without penetration into thoracic cavity, subsequent encounter	ICD-10-CM	Diagnosis
S21.309D	Unspecified open wound of unspecified front wall of thorax with penetration into thoracic cavity, subsequent encounter	ICD-10-CM	Diagnosis
S21.309A	Unspecified open wound of unspecified front wall of thorax with penetration into thoracic cavity, initial encounter	ICD-10-CM	Diagnosis
S21.309S	Unspecified open wound of unspecified front wall of thorax with penetration into thoracic cavity, sequela	ICD-10-CM	Diagnosis
S31.103S	Unspecified open wound of abdominal wall, right lower quadrant without penetration into peritoneal cavity, sequela	ICD-10-CM	Diagnosis
S31.100S	Unspecified open wound of abdominal wall, right upper quadrant without penetration into peritoneal cavity, sequela	ICD-10-CM	Diagnosis
S31.102A	Unspecified open wound of abdominal wall, epigastric region without penetration into peritoneal cavity, initial encounter	ICD-10-CM	Diagnosis
S89.302S	Unspecified physeal fracture of lower end of left fibula, sequela	ICD-10-CM	Diagnosis
S89.301S	Unspecified physeal fracture of lower end of right fibula, sequela	ICD-10-CM	Diagnosis
S79.109S	Unspecified physeal fracture of lower end of unspecified femur, sequela	ICD-10-CM	Diagnosis
S89.309S	Unspecified physeal fracture of lower end of unspecified fibula, sequela	ICD-10-CM	Diagnosis
S89.109S	Unspecified physeal fracture of lower end of unspecified tibia, sequela	ICD-10-CM	Diagnosis
S99.002B	Unspecified physeal fracture of left calcaneus, initial encounter for open fracture	ICD-10-CM	Diagnosis
S49.002S	Unspecified physeal fracture of upper end of humerus, left arm, sequela	ICD-10-CM	Diagnosis
S79.002S	Unspecified physeal fracture of upper end of left femur, sequela	ICD-10-CM	Diagnosis
S89.202S	Unspecified physeal fracture of upper end of left fibula, sequela	ICD-10-CM	Diagnosis
S89.002S	Unspecified physeal fracture of upper end of left tibia, sequela	ICD-10-CM	Diagnosis
S79.001S	Unspecified physeal fracture of upper end of right femur, sequela	ICD-10-CM	Diagnosis
S89.201S	Unspecified physeal fracture of upper end of right fibula, sequela	ICD-10-CM	Diagnosis
S89.001S	Unspecified physeal fracture of upper end of right tibia, sequela	ICD-10-CM	Diagnosis
S79.009S	Unspecified physeal fracture of upper end of unspecified femur, sequela	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S89.009S	Unspecified physeal fracture of upper end of unspecified tibia, sequela	ICD-10-CM	Diagnosis
S49.001S	Unspecified physeal fracture of upper end of humerus, right arm, sequela	ICD-10-CM	Diagnosis
S49.009S	Unspecified physeal fracture of upper end of humerus, unspecified arm, sequela	ICD-10-CM	Diagnosis
S59.102S	Unspecified physeal fracture of upper end of radius, left arm, sequela	ICD-10-CM	Diagnosis
S59.101S	Unspecified physeal fracture of upper end of radius, right arm, sequela	ICD-10-CM	Diagnosis
S49.102A	Unspecified physeal fracture of lower end of humerus, left arm, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S49.102G	Unspecified physeal fracture of lower end of humerus, left arm, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S49.102P	Unspecified physeal fracture of lower end of humerus, left arm, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S49.102K	Unspecified physeal fracture of lower end of humerus, left arm, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S49.102D	Unspecified physeal fracture of lower end of humerus, left arm, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S49.101A	Unspecified physeal fracture of lower end of humerus, right arm, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S49.101G	Unspecified physeal fracture of lower end of humerus, right arm, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S49.101P	Unspecified physeal fracture of lower end of humerus, right arm, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S49.101K	Unspecified physeal fracture of lower end of humerus, right arm, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S49.101D	Unspecified physeal fracture of lower end of humerus, right arm, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S49.109A	Unspecified physeal fracture of lower end of humerus, unspecified arm, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S49.109G	Unspecified physeal fracture of lower end of humerus, unspecified arm, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S49.109P	Unspecified physeal fracture of lower end of humerus, unspecified arm, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S49.109K	Unspecified physeal fracture of lower end of humerus, unspecified arm, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S49.109D	Unspecified physeal fracture of lower end of humerus, unspecified arm, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S59.202A	Unspecified physeal fracture of lower end of radius, left arm, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S59.202G	Unspecified physeal fracture of lower end of radius, left arm, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S59.202P	Unspecified physeal fracture of lower end of radius, left arm, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S59.202K	Unspecified physeal fracture of lower end of radius, left arm, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S59.202D	Unspecified physeal fracture of lower end of radius, left arm, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S59.201G	Unspecified physeal fracture of lower end of radius, right arm, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S59.201P	Unspecified physeal fracture of lower end of radius, right arm, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S59.201K	Unspecified physeal fracture of lower end of radius, right arm, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S59.201D	Unspecified physeal fracture of lower end of radius, right arm, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S59.209A	Unspecified physeal fracture of lower end of radius, unspecified arm, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S59.209G	Unspecified physeal fracture of lower end of radius, unspecified arm, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S59.209P	Unspecified physeal fracture of lower end of radius, unspecified arm, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S59.209K	Unspecified physeal fracture of lower end of radius, unspecified arm, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S59.209D	Unspecified physeal fracture of lower end of radius, unspecified arm, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S59.002A	Unspecified physeal fracture of lower end of ulna, left arm, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S59.002S	Unspecified physeal fracture of lower end of ulna, left arm, sequela	ICD-10-CM	Diagnosis
S59.002G	Unspecified physeal fracture of lower end of ulna, left arm, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S59.002P	Unspecified physeal fracture of lower end of ulna, left arm, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S59.002K	Unspecified physeal fracture of lower end of ulna, left arm, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S59.002D	Unspecified physeal fracture of lower end of ulna, left arm, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S59.001A	Unspecified physeal fracture of lower end of ulna, right arm, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S59.001S	Unspecified physeal fracture of lower end of ulna, right arm, sequela	ICD-10-CM	Diagnosis
S59.001G	Unspecified physeal fracture of lower end of ulna, right arm, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S59.001P	Unspecified physeal fracture of lower end of ulna, right arm, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S59.001K	Unspecified physeal fracture of lower end of ulna, right arm, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S59.001D	Unspecified physeal fracture of lower end of ulna, right arm, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S59.009A	Unspecified physeal fracture of lower end of ulna, unspecified arm, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S59.009S	Unspecified physeal fracture of lower end of ulna, unspecified arm, sequela	ICD-10-CM	Diagnosis
S59.009G	Unspecified physeal fracture of lower end of ulna, unspecified arm, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S59.009P	Unspecified physeal fracture of lower end of ulna, unspecified arm, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S59.009K	Unspecified physeal fracture of lower end of ulna, unspecified arm, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S59.009D	Unspecified physeal fracture of lower end of ulna, unspecified arm, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S79.102A	Unspecified physeal fracture of lower end of left femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S79.102G	Unspecified physeal fracture of lower end of left femur, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S79.102P	Unspecified physeal fracture of lower end of left femur, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S79.102K	Unspecified physeal fracture of lower end of left femur, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S79.102D	Unspecified physeal fracture of lower end of left femur, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S89.302A	Unspecified physeal fracture of lower end of left fibula, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S89.302G	Unspecified physeal fracture of lower end of left fibula, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S89.302P	Unspecified physeal fracture of lower end of left fibula, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S89.302K	Unspecified physeal fracture of lower end of left fibula, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S89.302D	Unspecified physeal fracture of lower end of left fibula, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S89.102A	Unspecified physeal fracture of lower end of left tibia, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S89.102G	Unspecified physeal fracture of lower end of left tibia, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S89.102P	Unspecified physeal fracture of lower end of left tibia, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S89.102K	Unspecified physeal fracture of lower end of left tibia, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S89.102D	Unspecified physeal fracture of lower end of left tibia, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S59.201A	Unspecified physeal fracture of lower end of radius, right arm, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S79.101A	Unspecified physeal fracture of lower end of right femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S79.101G	Unspecified physeal fracture of lower end of right femur, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S79.101P	Unspecified physeal fracture of lower end of right femur, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S79.101K	Unspecified physeal fracture of lower end of right femur, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S79.101D	Unspecified physeal fracture of lower end of right femur, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S89.301A	Unspecified physeal fracture of lower end of right fibula, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S89.301G	Unspecified physeal fracture of lower end of right fibula, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S89.301P	Unspecified physeal fracture of lower end of right fibula, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S89.301K	Unspecified physeal fracture of lower end of right fibula, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S89.301D	Unspecified physeal fracture of lower end of right fibula, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S89.101A	Unspecified physeal fracture of lower end of right tibia, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S89.101G	Unspecified physeal fracture of lower end of right tibia, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S89.101P	Unspecified physeal fracture of lower end of right tibia, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S89.101K	Unspecified physeal fracture of lower end of right tibia, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S89.101D	Unspecified physeal fracture of lower end of right tibia, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S79.109A	Unspecified physeal fracture of lower end of unspecified femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S79.109G	Unspecified physeal fracture of lower end of unspecified femur, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S79.109P	Unspecified physeal fracture of lower end of unspecified femur, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S79.109K	Unspecified physeal fracture of lower end of unspecified femur, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis



**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S79.109D	Unspecified physeal fracture of lower end of unspecified femur, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S89.309A	Unspecified physeal fracture of lower end of unspecified fibula, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S89.309G	Unspecified physeal fracture of lower end of unspecified fibula, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S89.309D	Unspecified physeal fracture of lower end of unspecified fibula, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S89.309P	Unspecified physeal fracture of lower end of unspecified fibula, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S89.309K	Unspecified physeal fracture of lower end of unspecified fibula, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S89.109A	Unspecified physeal fracture of lower end of unspecified tibia, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S89.109G	Unspecified physeal fracture of lower end of unspecified tibia, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S89.109P	Unspecified physeal fracture of lower end of unspecified tibia, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S89.109K	Unspecified physeal fracture of lower end of unspecified tibia, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S89.109D	Unspecified physeal fracture of lower end of unspecified tibia, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S99.002G	Unspecified physeal fracture of left calcaneus, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S99.002D	Unspecified physeal fracture of left calcaneus, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S99.002A	Unspecified physeal fracture of left calcaneus, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S99.102D	Unspecified physeal fracture of left metatarsal, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S99.102A	Unspecified physeal fracture of left metatarsal, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S99.102B	Unspecified physeal fracture of left metatarsal, initial encounter for open fracture	ICD-10-CM	Diagnosis
S99.102K	Unspecified physeal fracture of left metatarsal, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S99.101G	Unspecified physeal fracture of right metatarsal, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S99.101A	Unspecified physeal fracture of right metatarsal, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S99.101D	Unspecified physeal fracture of right metatarsal, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S99.001A	Unspecified physeal fracture of right calcaneus, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S99.001B	Unspecified physeal fracture of right calcaneus, initial encounter for open fracture	ICD-10-CM	Diagnosis
S99.001G	Unspecified physeal fracture of right calcaneus, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S99.001D	Unspecified physeal fracture of right calcaneus, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S99.101B	Unspecified physeal fracture of right metatarsal, initial encounter for open fracture	ICD-10-CM	Diagnosis
S99.101P	Unspecified physeal fracture of right metatarsal, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S99.101K	Unspecified physeal fracture of right metatarsal, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S99.109B	Unspecified physeal fracture of unspecified metatarsal, initial encounter for open fracture	ICD-10-CM	Diagnosis
S99.109A	Unspecified physeal fracture of unspecified metatarsal, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S99.109G	Unspecified physeal fracture of unspecified metatarsal, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S99.109K	Unspecified physeal fracture of unspecified metatarsal, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S99.109D	Unspecified physeal fracture of unspecified metatarsal, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S59.102G	Unspecified physeal fracture of upper end of radius, left arm, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S59.102D	Unspecified physeal fracture of upper end of radius, left arm, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S59.102P	Unspecified physeal fracture of upper end of radius, left arm, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S59.102K	Unspecified physeal fracture of upper end of radius, left arm, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S59.101G	Unspecified physeal fracture of upper end of radius, right arm, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S59.101D	Unspecified physeal fracture of upper end of radius, right arm, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S59.101P	Unspecified physeal fracture of upper end of radius, right arm, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S59.101K	Unspecified physeal fracture of upper end of radius, right arm, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S59.109G	Unspecified physeal fracture of upper end of radius, unspecified arm, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S59.109D	Unspecified physeal fracture of upper end of radius, unspecified arm, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S59.109P	Unspecified physeal fracture of upper end of radius, unspecified arm, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S59.109K	Unspecified physeal fracture of upper end of radius, unspecified arm, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S89.209S	Unspecified physeal fracture of upper end of unspecified fibula, sequela	ICD-10-CM	Diagnosis
S49.002A	Unspecified physeal fracture of upper end of humerus, left arm, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S49.002G	Unspecified physeal fracture of upper end of humerus, left arm, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S49.002P	Unspecified physeal fracture of upper end of humerus, left arm, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S49.002K	Unspecified physeal fracture of upper end of humerus, left arm, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S49.002D	Unspecified physeal fracture of upper end of humerus, left arm, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S49.001A	Unspecified physeal fracture of upper end of humerus, right arm, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S49.001G	Unspecified physeal fracture of upper end of humerus, right arm, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S49.001P	Unspecified physeal fracture of upper end of humerus, right arm, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S49.001K	Unspecified physeal fracture of upper end of humerus, right arm, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S49.001D	Unspecified physeal fracture of upper end of humerus, right arm, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S49.009A	Unspecified physeal fracture of upper end of humerus, unspecified arm, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S49.009G	Unspecified physeal fracture of upper end of humerus, unspecified arm, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S49.009P	Unspecified physeal fracture of upper end of humerus, unspecified arm, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S49.009K	Unspecified physeal fracture of upper end of humerus, unspecified arm, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S49.009D	Unspecified physeal fracture of upper end of humerus, unspecified arm, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S79.002A	Unspecified physeal fracture of upper end of left femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S79.002G	Unspecified physeal fracture of upper end of left femur, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S79.002P	Unspecified physeal fracture of upper end of left femur, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S79.002K	Unspecified physeal fracture of upper end of left femur, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S79.002D	Unspecified physeal fracture of upper end of left femur, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S89.202A	Unspecified physeal fracture of upper end of left fibula, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S89.202G	Unspecified physeal fracture of upper end of left fibula, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S89.202P	Unspecified physeal fracture of upper end of left fibula, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S89.202K	Unspecified physeal fracture of upper end of left fibula, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S89.202D	Unspecified physeal fracture of upper end of left fibula, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S89.002A	Unspecified physeal fracture of upper end of left tibia, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S89.002G	Unspecified physeal fracture of upper end of left tibia, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S89.002P	Unspecified physeal fracture of upper end of left tibia, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S89.002K	Unspecified physeal fracture of upper end of left tibia, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S89.002D	Unspecified physeal fracture of upper end of left tibia, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S59.102A	Unspecified physeal fracture of upper end of radius, left arm, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S59.101A	Unspecified physeal fracture of upper end of radius, right arm, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S59.109A	Unspecified physeal fracture of upper end of radius, unspecified arm, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S59.109S	Unspecified physeal fracture of upper end of radius, unspecified arm, sequela	ICD-10-CM	Diagnosis
S79.001A	Unspecified physeal fracture of upper end of right femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S79.001G	Unspecified physeal fracture of upper end of right femur, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S79.001P	Unspecified physeal fracture of upper end of right femur, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S79.001K	Unspecified physeal fracture of upper end of right femur, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S79.001D	Unspecified physeal fracture of upper end of right femur, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S89.201A	Unspecified physeal fracture of upper end of right fibula, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S89.201G	Unspecified physeal fracture of upper end of right fibula, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S89.201P	Unspecified physeal fracture of upper end of right fibula, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S89.201K	Unspecified physeal fracture of upper end of right fibula, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S89.201D	Unspecified physeal fracture of upper end of right fibula, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S89.001A	Unspecified physeal fracture of upper end of right tibia, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S89.001G	Unspecified physeal fracture of upper end of right tibia, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S89.001P	Unspecified physeal fracture of upper end of right tibia, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S89.001K	Unspecified physeal fracture of upper end of right tibia, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S89.001D	Unspecified physeal fracture of upper end of right tibia, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S79.009A	Unspecified physeal fracture of upper end of unspecified femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S79.009G	Unspecified physeal fracture of upper end of unspecified femur, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S79.009P	Unspecified physeal fracture of upper end of unspecified femur, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S79.009K	Unspecified physeal fracture of upper end of unspecified femur, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S79.009D	Unspecified physeal fracture of upper end of unspecified femur, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S89.209A	Unspecified physeal fracture of upper end of unspecified fibula, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S89.209G	Unspecified physeal fracture of upper end of unspecified fibula, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S89.209D	Unspecified physeal fracture of upper end of unspecified fibula, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S89.209P	Unspecified physeal fracture of upper end of unspecified fibula, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S89.209K	Unspecified physeal fracture of upper end of unspecified fibula, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S89.009A	Unspecified physeal fracture of upper end of unspecified tibia, initial encounter for closed fracture	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S89.009G	Unspecified physeal fracture of upper end of unspecified tibia, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S89.009P	Unspecified physeal fracture of upper end of unspecified tibia, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S89.009K	Unspecified physeal fracture of upper end of unspecified tibia, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S89.009D	Unspecified physeal fracture of upper end of unspecified tibia, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S99.102G	Unspecified physeal fracture of left metatarsal, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S99.102P	Unspecified physeal fracture of left metatarsal, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S99.109P	Unspecified physeal fracture of unspecified metatarsal, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S63.209S	Unspecified subluxation of unspecified finger, sequela	ICD-10-CM	Diagnosis
S83.207A	Unspecified tear of unspecified meniscus, current injury, left knee, initial encounter	ICD-10-CM	Diagnosis
S83.207S	Unspecified tear of unspecified meniscus, current injury, left knee, sequela	ICD-10-CM	Diagnosis
S83.207D	Unspecified tear of unspecified meniscus, current injury, left knee, subsequent encounter	ICD-10-CM	Diagnosis
S83.206A	Unspecified tear of unspecified meniscus, current injury, right knee, initial encounter	ICD-10-CM	Diagnosis
S83.206S	Unspecified tear of unspecified meniscus, current injury, right knee, sequela	ICD-10-CM	Diagnosis
S83.206D	Unspecified tear of unspecified meniscus, current injury, right knee, subsequent encounter	ICD-10-CM	Diagnosis
S83.209A	Unspecified tear of unspecified meniscus, current injury, unspecified knee, initial encounter	ICD-10-CM	Diagnosis
S83.209S	Unspecified tear of unspecified meniscus, current injury, unspecified knee, sequela	ICD-10-CM	Diagnosis
S83.209D	Unspecified tear of unspecified meniscus, current injury, unspecified knee, subsequent encounter	ICD-10-CM	Diagnosis
S12.430K	Unspecified traumatic displaced spondylolisthesis of fifth cervical vertebra, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S12.430S	Unspecified traumatic displaced spondylolisthesis of fifth cervical vertebra, sequela	ICD-10-CM	Diagnosis
S12.630A	Unspecified traumatic displaced spondylolisthesis of seventh cervical vertebra, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S12.630B	Unspecified traumatic displaced spondylolisthesis of seventh cervical vertebra, initial encounter for open fracture	ICD-10-CM	Diagnosis
S12.230G	Unspecified traumatic displaced spondylolisthesis of third cervical vertebra, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis



**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S12.230D	Unspecified traumatic displaced spondylolisthesis of third cervical vertebra, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S12.330A	Unspecified traumatic displaced spondylolisthesis of fourth cervical vertebra, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S12.330B	Unspecified traumatic displaced spondylolisthesis of fourth cervical vertebra, initial encounter for open fracture	ICD-10-CM	Diagnosis
S12.330G	Unspecified traumatic displaced spondylolisthesis of fourth cervical vertebra, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S12.430B	Unspecified traumatic displaced spondylolisthesis of fifth cervical vertebra, initial encounter for open fracture	ICD-10-CM	Diagnosis
S12.530G	Unspecified traumatic displaced spondylolisthesis of sixth cervical vertebra, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S12.530K	Unspecified traumatic displaced spondylolisthesis of sixth cervical vertebra, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S12.530D	Unspecified traumatic displaced spondylolisthesis of sixth cervical vertebra, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S12.630G	Unspecified traumatic displaced spondylolisthesis of seventh cervical vertebra, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S12.630K	Unspecified traumatic displaced spondylolisthesis of seventh cervical vertebra, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S12.630D	Unspecified traumatic displaced spondylolisthesis of seventh cervical vertebra, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S12.530A	Unspecified traumatic displaced spondylolisthesis of sixth cervical vertebra, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S12.530B	Unspecified traumatic displaced spondylolisthesis of sixth cervical vertebra, initial encounter for open fracture	ICD-10-CM	Diagnosis
S12.330K	Unspecified traumatic displaced spondylolisthesis of fourth cervical vertebra, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S12.430G	Unspecified traumatic displaced spondylolisthesis of fifth cervical vertebra, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S12.630S	Unspecified traumatic displaced spondylolisthesis of seventh cervical vertebra, sequela	ICD-10-CM	Diagnosis
S12.330S	Unspecified traumatic displaced spondylolisthesis of fourth cervical vertebra, sequela	ICD-10-CM	Diagnosis
S12.330D	Unspecified traumatic displaced spondylolisthesis of fourth cervical vertebra, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S12.430D	Unspecified traumatic displaced spondylolisthesis of fifth cervical vertebra, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S12.530S	Unspecified traumatic displaced spondylolisthesis of sixth cervical vertebra, sequela	ICD-10-CM	Diagnosis
S12.430A	Unspecified traumatic displaced spondylolisthesis of fifth cervical vertebra, initial encounter for closed fracture	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S12.230K	Unspecified traumatic displaced spondylolisthesis of third cervical vertebra, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S12.230S	Unspecified traumatic displaced spondylolisthesis of third cervical vertebra, sequela	ICD-10-CM	Diagnosis
S12.131A	Unspecified traumatic nondisplaced spondylolisthesis of second cervical vertebra, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S12.131B	Unspecified traumatic nondisplaced spondylolisthesis of second cervical vertebra, initial encounter for open fracture	ICD-10-CM	Diagnosis
S12.231A	Unspecified traumatic nondisplaced spondylolisthesis of third cervical vertebra, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S12.331G	Unspecified traumatic nondisplaced spondylolisthesis of fourth cervical vertebra, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S12.331D	Unspecified traumatic nondisplaced spondylolisthesis of fourth cervical vertebra, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S12.331A	Unspecified traumatic nondisplaced spondylolisthesis of fourth cervical vertebra, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S12.331B	Unspecified traumatic nondisplaced spondylolisthesis of fourth cervical vertebra, initial encounter for open fracture	ICD-10-CM	Diagnosis
S12.631A	Unspecified traumatic nondisplaced spondylolisthesis of seventh cervical vertebra, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S12.631B	Unspecified traumatic nondisplaced spondylolisthesis of seventh cervical vertebra, initial encounter for open fracture	ICD-10-CM	Diagnosis
S12.231B	Unspecified traumatic nondisplaced spondylolisthesis of third cervical vertebra, initial encounter for open fracture	ICD-10-CM	Diagnosis
S12.231G	Unspecified traumatic nondisplaced spondylolisthesis of third cervical vertebra, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S12.431D	Unspecified traumatic nondisplaced spondylolisthesis of fifth cervical vertebra, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S12.531G	Unspecified traumatic nondisplaced spondylolisthesis of sixth cervical vertebra, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S12.531K	Unspecified traumatic nondisplaced spondylolisthesis of sixth cervical vertebra, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S12.531D	Unspecified traumatic nondisplaced spondylolisthesis of sixth cervical vertebra, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S12.631G	Unspecified traumatic nondisplaced spondylolisthesis of seventh cervical vertebra, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S12.631K	Unspecified traumatic nondisplaced spondylolisthesis of seventh cervical vertebra, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S12.631D	Unspecified traumatic nondisplaced spondylolisthesis of seventh cervical vertebra, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S12.431A	Unspecified traumatic nondisplaced spondylolisthesis of fifth cervical vertebra, initial encounter for closed fracture	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S12.431B	Unspecified traumatic nondisplaced spondylolisthesis of fifth cervical vertebra, initial encounter for open fracture	ICD-10-CM	Diagnosis
S12.531A	Unspecified traumatic nondisplaced spondylolisthesis of sixth cervical vertebra, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S12.531B	Unspecified traumatic nondisplaced spondylolisthesis of sixth cervical vertebra, initial encounter for open fracture	ICD-10-CM	Diagnosis
S12.531S	Unspecified traumatic nondisplaced spondylolisthesis of sixth cervical vertebra, sequela	ICD-10-CM	Diagnosis
S12.431S	Unspecified traumatic nondisplaced spondylolisthesis of fifth cervical vertebra, sequela	ICD-10-CM	Diagnosis
S12.431G	Unspecified traumatic nondisplaced spondylolisthesis of fifth cervical vertebra, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S12.231K	Unspecified traumatic nondisplaced spondylolisthesis of third cervical vertebra, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S12.231D	Unspecified traumatic nondisplaced spondylolisthesis of third cervical vertebra, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S12.331K	Unspecified traumatic nondisplaced spondylolisthesis of fourth cervical vertebra, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S12.431K	Unspecified traumatic nondisplaced spondylolisthesis of fifth cervical vertebra, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S12.331S	Unspecified traumatic nondisplaced spondylolisthesis of fourth cervical vertebra, sequela	ICD-10-CM	Diagnosis
S12.231S	Unspecified traumatic nondisplaced spondylolisthesis of third cervical vertebra, sequela	ICD-10-CM	Diagnosis
S12.631S	Unspecified traumatic nondisplaced spondylolisthesis of seventh cervical vertebra, sequela	ICD-10-CM	Diagnosis
S12.230A	Unspecified traumatic displaced spondylolisthesis of third cervical vertebra, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S12.130A	Unspecified traumatic displaced spondylolisthesis of second cervical vertebra, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S12.130B	Unspecified traumatic displaced spondylolisthesis of second cervical vertebra, initial encounter for open fracture	ICD-10-CM	Diagnosis
S12.130G	Unspecified traumatic displaced spondylolisthesis of second cervical vertebra, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S12.230B	Unspecified traumatic displaced spondylolisthesis of third cervical vertebra, initial encounter for open fracture	ICD-10-CM	Diagnosis
S12.131G	Unspecified traumatic nondisplaced spondylolisthesis of second cervical vertebra, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S12.131K	Unspecified traumatic nondisplaced spondylolisthesis of second cervical vertebra, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S12.131D	Unspecified traumatic nondisplaced spondylolisthesis of second cervical vertebra, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S12.130K	Unspecified traumatic displaced spondylolisthesis of second cervical vertebra, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S12.130D	Unspecified traumatic displaced spondylolisthesis of second cervical vertebra, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S12.130S	Unspecified traumatic displaced spondylolisthesis of second cervical vertebra, sequela	ICD-10-CM	Diagnosis
S12.131S	Unspecified traumatic nondisplaced spondylolisthesis of second cervical vertebra, sequela	ICD-10-CM	Diagnosis
S72.102B	Unspecified trochanteric fracture of left femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.102C	Unspecified trochanteric fracture of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.102J	Unspecified trochanteric fracture of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD-10-CM	Diagnosis
S72.102F	Unspecified trochanteric fracture of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD-10-CM	Diagnosis
S72.102G	Unspecified trochanteric fracture of left femur, subsequent encounter for closed fracture with delayed healing	ICD-10-CM	Diagnosis
S72.102P	Unspecified trochanteric fracture of left femur, subsequent encounter for closed fracture with malunion	ICD-10-CM	Diagnosis
S72.102K	Unspecified trochanteric fracture of left femur, subsequent encounter for closed fracture with nonunion	ICD-10-CM	Diagnosis
S72.102D	Unspecified trochanteric fracture of left femur, subsequent encounter for closed fracture with routine healing	ICD-10-CM	Diagnosis
S72.102H	Unspecified trochanteric fracture of left femur, subsequent encounter for open fracture type I or II with delayed healing	ICD-10-CM	Diagnosis
S72.102Q	Unspecified trochanteric fracture of left femur, subsequent encounter for open fracture type I or II with malunion	ICD-10-CM	Diagnosis
S72.102M	Unspecified trochanteric fracture of left femur, subsequent encounter for open fracture type I or II with nonunion	ICD-10-CM	Diagnosis
S72.102E	Unspecified trochanteric fracture of left femur, subsequent encounter for open fracture type I or II with routine healing	ICD-10-CM	Diagnosis
S72.102R	Unspecified trochanteric fracture of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD-10-CM	Diagnosis
S72.102N	Unspecified trochanteric fracture of left femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD-10-CM	Diagnosis
S72.101B	Unspecified trochanteric fracture of right femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.101C	Unspecified trochanteric fracture of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.101J	Unspecified trochanteric fracture of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S72.101R	Unspecified trochanteric fracture of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD-10-CM	Diagnosis
S72.101N	Unspecified trochanteric fracture of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD-10-CM	Diagnosis
S72.101F	Unspecified trochanteric fracture of right femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD-10-CM	Diagnosis
S72.101G	Unspecified trochanteric fracture of right femur, subsequent encounter for closed fracture with delayed healing	ICD-10-CM	Diagnosis
S72.101P	Unspecified trochanteric fracture of right femur, subsequent encounter for closed fracture with malunion	ICD-10-CM	Diagnosis
S72.101K	Unspecified trochanteric fracture of right femur, subsequent encounter for closed fracture with nonunion	ICD-10-CM	Diagnosis
S72.101D	Unspecified trochanteric fracture of right femur, subsequent encounter for closed fracture with routine healing	ICD-10-CM	Diagnosis
S72.101H	Unspecified trochanteric fracture of right femur, subsequent encounter for open fracture type I or II with delayed healing	ICD-10-CM	Diagnosis
S72.101Q	Unspecified trochanteric fracture of right femur, subsequent encounter for open fracture type I or II with malunion	ICD-10-CM	Diagnosis
S72.101M	Unspecified trochanteric fracture of right femur, subsequent encounter for open fracture type I or II with nonunion	ICD-10-CM	Diagnosis
S72.101E	Unspecified trochanteric fracture of right femur, subsequent encounter for open fracture type I or II with routine healing	ICD-10-CM	Diagnosis
S72.109B	Unspecified trochanteric fracture of unspecified femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.109C	Unspecified trochanteric fracture of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.109H	Unspecified trochanteric fracture of unspecified femur, subsequent encounter for open fracture type I or II with delayed healing	ICD-10-CM	Diagnosis
S72.109J	Unspecified trochanteric fracture of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD-10-CM	Diagnosis
S72.109R	Unspecified trochanteric fracture of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD-10-CM	Diagnosis
S72.109N	Unspecified trochanteric fracture of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD-10-CM	Diagnosis
S72.109F	Unspecified trochanteric fracture of unspecified femur, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD-10-CM	Diagnosis
S72.109G	Unspecified trochanteric fracture of unspecified femur, subsequent encounter for closed fracture with delayed healing	ICD-10-CM	Diagnosis
S72.109P	Unspecified trochanteric fracture of unspecified femur, subsequent encounter for closed fracture with malunion	ICD-10-CM	Diagnosis
S72.109K	Unspecified trochanteric fracture of unspecified femur, subsequent encounter for closed fracture with nonunion	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S72.109D	Unspecified trochanteric fracture of unspecified femur, subsequent encounter for closed fracture with routine healing	ICD-10-CM	Diagnosis
S72.109Q	Unspecified trochanteric fracture of unspecified femur, subsequent encounter for open fracture type I or II with malunion	ICD-10-CM	Diagnosis
S72.109M	Unspecified trochanteric fracture of unspecified femur, subsequent encounter for open fracture type I or II with nonunion	ICD-10-CM	Diagnosis
S72.109E	Unspecified trochanteric fracture of unspecified femur, subsequent encounter for open fracture type I or II with routine healing	ICD-10-CM	Diagnosis
S72.102S	Unspecified trochanteric fracture of left femur, sequela	ICD-10-CM	Diagnosis
S72.101S	Unspecified trochanteric fracture of right femur, sequela	ICD-10-CM	Diagnosis
S72.109S	Unspecified trochanteric fracture of unspecified femur, sequela	ICD-10-CM	Diagnosis
S72.102A	Unspecified trochanteric fracture of left femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S72.101A	Unspecified trochanteric fracture of right femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S72.109A	Unspecified trochanteric fracture of unspecified femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S32.119A	Unspecified Zone I fracture of sacrum, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S32.119B	Unspecified Zone I fracture of sacrum, initial encounter for open fracture	ICD-10-CM	Diagnosis
S32.119G	Unspecified Zone I fracture of sacrum, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S32.119K	Unspecified Zone I fracture of sacrum, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S32.119D	Unspecified Zone I fracture of sacrum, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S32.129A	Unspecified Zone II fracture of sacrum, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S32.129B	Unspecified Zone II fracture of sacrum, initial encounter for open fracture	ICD-10-CM	Diagnosis
S32.129G	Unspecified Zone II fracture of sacrum, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S32.129K	Unspecified Zone II fracture of sacrum, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S32.129D	Unspecified Zone II fracture of sacrum, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S32.139A	Unspecified Zone III fracture of sacrum, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S32.139B	Unspecified Zone III fracture of sacrum, initial encounter for open fracture	ICD-10-CM	Diagnosis
S32.139G	Unspecified Zone III fracture of sacrum, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S32.139K	Unspecified Zone III fracture of sacrum, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S32.139D	Unspecified Zone III fracture of sacrum, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis



**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S12.100A	Unspecified displaced fracture of second cervical vertebra, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S12.100B	Unspecified displaced fracture of second cervical vertebra, initial encounter for open fracture	ICD-10-CM	Diagnosis
S12.100G	Unspecified displaced fracture of second cervical vertebra, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S12.100K	Unspecified displaced fracture of second cervical vertebra, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S12.100S	Unspecified displaced fracture of second cervical vertebra, sequela	ICD-10-CM	Diagnosis
S12.100D	Unspecified displaced fracture of second cervical vertebra, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S32.302G	Unspecified fracture of left ilium, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S32.302D	Unspecified fracture of left ilium, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S32.302K	Unspecified fracture of left ilium, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S32.402B	Unspecified fracture of left acetabulum, initial encounter for open fracture	ICD-10-CM	Diagnosis
S32.401A	Unspecified fracture of right acetabulum, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S32.401B	Unspecified fracture of right acetabulum, initial encounter for open fracture	ICD-10-CM	Diagnosis
S32.409A	Unspecified fracture of unspecified acetabulum, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S32.409B	Unspecified fracture of unspecified acetabulum, initial encounter for open fracture	ICD-10-CM	Diagnosis
S32.309A	Unspecified fracture of unspecified ilium, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S32.309G	Unspecified fracture of unspecified ilium, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S32.309K	Unspecified fracture of unspecified ilium, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S32.309D	Unspecified fracture of unspecified ilium, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S32.409S	Unspecified fracture of unspecified acetabulum, sequela	ICD-10-CM	Diagnosis
S12.101B	Unspecified nondisplaced fracture of second cervical vertebra, initial encounter for open fracture	ICD-10-CM	Diagnosis
S12.101G	Unspecified nondisplaced fracture of second cervical vertebra, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S12.101K	Unspecified nondisplaced fracture of second cervical vertebra, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S12.101D	Unspecified nondisplaced fracture of second cervical vertebra, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S12.101S	Unspecified nondisplaced fracture of second cervical vertebra, sequela	ICD-10-CM	Diagnosis
S12.101A	Unspecified nondisplaced fracture of second cervical vertebra, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S01.302A	Unspecified open wound of left ear, initial encounter	ICD-10-CM	Diagnosis
S01.302D	Unspecified open wound of left ear, subsequent encounter	ICD-10-CM	Diagnosis
S51.002A	Unspecified open wound of left elbow, initial encounter	ICD-10-CM	Diagnosis
S51.002D	Unspecified open wound of left elbow, subsequent encounter	ICD-10-CM	Diagnosis
S11.80XD	Unspecified open wound of other specified part of neck, subsequent encounter	ICD-10-CM	Diagnosis
S11.80XA	Unspecified open wound of other specified part of neck, initial encounter	ICD-10-CM	Diagnosis
S11.80XS	Unspecified open wound of other specified part of neck, sequela	ICD-10-CM	Diagnosis
S01.301D	Unspecified open wound of right ear, subsequent encounter	ICD-10-CM	Diagnosis
S51.001A	Unspecified open wound of right elbow, initial encounter	ICD-10-CM	Diagnosis
S51.001D	Unspecified open wound of right elbow, subsequent encounter	ICD-10-CM	Diagnosis
S51.009A	Unspecified open wound of unspecified elbow, initial encounter	ICD-10-CM	Diagnosis
S51.009D	Unspecified open wound of unspecified elbow, subsequent encounter	ICD-10-CM	Diagnosis
S01.90XA	Unspecified open wound of unspecified part of head, initial encounter	ICD-10-CM	Diagnosis
S01.90XD	Unspecified open wound of unspecified part of head, subsequent encounter	ICD-10-CM	Diagnosis
S01.309A	Unspecified open wound of unspecified ear, initial encounter	ICD-10-CM	Diagnosis
S01.309S	Unspecified open wound of unspecified ear, sequela	ICD-10-CM	Diagnosis
S01.309D	Unspecified open wound of unspecified ear, subsequent encounter	ICD-10-CM	Diagnosis
S51.009S	Unspecified open wound of unspecified elbow, sequela	ICD-10-CM	Diagnosis
S01.90XS	Unspecified open wound of unspecified part of head, sequela	ICD-10-CM	Diagnosis
S99.109S	Unspecified physeal fracture of unspecified metatarsal, sequela	ICD-10-CM	Diagnosis
S52.101J	Unspecified fracture of upper end of right radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD-10-CM	Diagnosis
S43.005D	Unspecified dislocation of left shoulder joint, subsequent encounter	ICD-10-CM	Diagnosis
S53.105A	Unspecified dislocation of left ulnohumeral joint, initial encounter	ICD-10-CM	Diagnosis
S53.105D	Unspecified dislocation of left ulnohumeral joint, subsequent encounter	ICD-10-CM	Diagnosis
S43.004D	Unspecified dislocation of right shoulder joint, subsequent encounter	ICD-10-CM	Diagnosis
S53.104A	Unspecified dislocation of right ulnohumeral joint, initial encounter	ICD-10-CM	Diagnosis
S53.104D	Unspecified dislocation of right ulnohumeral joint, subsequent encounter	ICD-10-CM	Diagnosis
S43.006A	Unspecified dislocation of unspecified shoulder joint, initial encounter	ICD-10-CM	Diagnosis
S43.006D	Unspecified dislocation of unspecified shoulder joint, subsequent encounter	ICD-10-CM	Diagnosis
S53.106A	Unspecified dislocation of unspecified ulnohumeral joint, initial encounter	ICD-10-CM	Diagnosis
S53.106S	Unspecified dislocation of unspecified ulnohumeral joint, sequela	ICD-10-CM	Diagnosis
S53.106D	Unspecified dislocation of unspecified ulnohumeral joint, subsequent encounter	ICD-10-CM	Diagnosis
S53.005S	Unspecified dislocation of left radial head, sequela	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S43.205S	Unspecified dislocation of left sternoclavicular joint, sequela	ICD-10-CM	Diagnosis
S43.102A	Unspecified dislocation of left acromioclavicular joint, initial encounter	ICD-10-CM	Diagnosis
S43.102D	Unspecified dislocation of left acromioclavicular joint, subsequent encounter	ICD-10-CM	Diagnosis
S93.305A	Unspecified dislocation of left foot, initial encounter	ICD-10-CM	Diagnosis
S93.305D	Unspecified dislocation of left foot, subsequent encounter	ICD-10-CM	Diagnosis
S73.005A	Unspecified dislocation of left hip, initial encounter	ICD-10-CM	Diagnosis
S73.005D	Unspecified dislocation of left hip, subsequent encounter	ICD-10-CM	Diagnosis
S63.251A	Unspecified dislocation of left index finger, initial encounter	ICD-10-CM	Diagnosis
S63.251S	Unspecified dislocation of left index finger, sequela	ICD-10-CM	Diagnosis
S63.251D	Unspecified dislocation of left index finger, subsequent encounter	ICD-10-CM	Diagnosis
S83.105A	Unspecified dislocation of left knee, initial encounter	ICD-10-CM	Diagnosis
S83.105D	Unspecified dislocation of left knee, subsequent encounter	ICD-10-CM	Diagnosis
S63.257A	Unspecified dislocation of left little finger, initial encounter	ICD-10-CM	Diagnosis
S63.257S	Unspecified dislocation of left little finger, sequela	ICD-10-CM	Diagnosis
S63.257D	Unspecified dislocation of left little finger, subsequent encounter	ICD-10-CM	Diagnosis
S63.253A	Unspecified dislocation of left middle finger, initial encounter	ICD-10-CM	Diagnosis
S63.253S	Unspecified dislocation of left middle finger, sequela	ICD-10-CM	Diagnosis
S63.253D	Unspecified dislocation of left middle finger, subsequent encounter	ICD-10-CM	Diagnosis
S83.005A	Unspecified dislocation of left patella, initial encounter	ICD-10-CM	Diagnosis
S83.005D	Unspecified dislocation of left patella, subsequent encounter	ICD-10-CM	Diagnosis
S53.005A	Unspecified dislocation of left radial head, initial encounter	ICD-10-CM	Diagnosis
S53.005D	Unspecified dislocation of left radial head, subsequent encounter	ICD-10-CM	Diagnosis
S63.255A	Unspecified dislocation of left ring finger, initial encounter	ICD-10-CM	Diagnosis
S63.255S	Unspecified dislocation of left ring finger, sequela	ICD-10-CM	Diagnosis
S63.255D	Unspecified dislocation of left ring finger, subsequent encounter	ICD-10-CM	Diagnosis
S43.205A	Unspecified dislocation of left sternoclavicular joint, initial encounter	ICD-10-CM	Diagnosis
S43.205D	Unspecified dislocation of left sternoclavicular joint, subsequent encounter	ICD-10-CM	Diagnosis
S43.005A	Unspecified dislocation of left shoulder joint, initial encounter	ICD-10-CM	Diagnosis
S43.005S	Unspecified dislocation of left shoulder joint, sequela	ICD-10-CM	Diagnosis
S63.105A	Unspecified dislocation of left thumb, initial encounter	ICD-10-CM	Diagnosis
S63.105D	Unspecified dislocation of left thumb, subsequent encounter	ICD-10-CM	Diagnosis
S93.105A	Unspecified dislocation of left toe(s), initial encounter	ICD-10-CM	Diagnosis
S93.105D	Unspecified dislocation of left toe(s), subsequent encounter	ICD-10-CM	Diagnosis
S53.105S	Unspecified dislocation of left ulnohumeral joint, sequela	ICD-10-CM	Diagnosis
S63.005S	Unspecified dislocation of left wrist and hand, sequela	ICD-10-CM	Diagnosis
S63.005A	Unspecified dislocation of left wrist and hand, initial encounter	ICD-10-CM	Diagnosis
S63.005D	Unspecified dislocation of left wrist and hand, subsequent encounter	ICD-10-CM	Diagnosis
S93.305S	Unspecified dislocation of left foot, sequela	ICD-10-CM	Diagnosis
S73.005S	Unspecified dislocation of left hip, sequela	ICD-10-CM	Diagnosis
S83.105S	Unspecified dislocation of left knee, sequela	ICD-10-CM	Diagnosis
S83.005S	Unspecified dislocation of left patella, sequela	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S63.105S	Unspecified dislocation of left thumb, sequela	ICD-10-CM	Diagnosis
S93.105S	Unspecified dislocation of left toe(s), sequela	ICD-10-CM	Diagnosis
S43.102S	Unspecified dislocation of left acromioclavicular joint, sequela	ICD-10-CM	Diagnosis
S93.304S	Unspecified dislocation of right foot, sequela	ICD-10-CM	Diagnosis
S73.004S	Unspecified dislocation of right hip, sequela	ICD-10-CM	Diagnosis
S83.104S	Unspecified dislocation of right knee, sequela	ICD-10-CM	Diagnosis
S83.004S	Unspecified dislocation of right patella, sequela	ICD-10-CM	Diagnosis
S63.104S	Unspecified dislocation of right thumb, sequela	ICD-10-CM	Diagnosis
S93.104S	Unspecified dislocation of right toe(s), sequela	ICD-10-CM	Diagnosis
S43.101S	Unspecified dislocation of right acromioclavicular joint, sequela	ICD-10-CM	Diagnosis
S63.258A	Unspecified dislocation of other finger, initial encounter	ICD-10-CM	Diagnosis
S63.258S	Unspecified dislocation of other finger, sequela	ICD-10-CM	Diagnosis
S63.258D	Unspecified dislocation of other finger, subsequent encounter	ICD-10-CM	Diagnosis
S43.204S	Unspecified dislocation of right sternoclavicular joint, sequela	ICD-10-CM	Diagnosis
S43.101A	Unspecified dislocation of right acromioclavicular joint, initial encounter	ICD-10-CM	Diagnosis
S43.101D	Unspecified dislocation of right acromioclavicular joint, subsequent encounter	ICD-10-CM	Diagnosis
S93.304A	Unspecified dislocation of right foot, initial encounter	ICD-10-CM	Diagnosis
S93.304D	Unspecified dislocation of right foot, subsequent encounter	ICD-10-CM	Diagnosis
S73.004A	Unspecified dislocation of right hip, initial encounter	ICD-10-CM	Diagnosis
S73.004D	Unspecified dislocation of right hip, subsequent encounter	ICD-10-CM	Diagnosis
S63.250A	Unspecified dislocation of right index finger, initial encounter	ICD-10-CM	Diagnosis
S63.250S	Unspecified dislocation of right index finger, sequela	ICD-10-CM	Diagnosis
S63.250D	Unspecified dislocation of right index finger, subsequent encounter	ICD-10-CM	Diagnosis
S83.104A	Unspecified dislocation of right knee, initial encounter	ICD-10-CM	Diagnosis
S83.104D	Unspecified dislocation of right knee, subsequent encounter	ICD-10-CM	Diagnosis
S63.256A	Unspecified dislocation of right little finger, initial encounter	ICD-10-CM	Diagnosis
S63.256S	Unspecified dislocation of right little finger, sequela	ICD-10-CM	Diagnosis
S63.256D	Unspecified dislocation of right little finger, subsequent encounter	ICD-10-CM	Diagnosis
S63.252A	Unspecified dislocation of right middle finger, initial encounter	ICD-10-CM	Diagnosis
S63.252S	Unspecified dislocation of right middle finger, sequela	ICD-10-CM	Diagnosis
S63.252D	Unspecified dislocation of right middle finger, subsequent encounter	ICD-10-CM	Diagnosis
S83.004A	Unspecified dislocation of right patella, initial encounter	ICD-10-CM	Diagnosis
S83.004D	Unspecified dislocation of right patella, subsequent encounter	ICD-10-CM	Diagnosis
S53.004A	Unspecified dislocation of right radial head, initial encounter	ICD-10-CM	Diagnosis
S53.004S	Unspecified dislocation of right radial head, sequela	ICD-10-CM	Diagnosis
S53.004D	Unspecified dislocation of right radial head, subsequent encounter	ICD-10-CM	Diagnosis
S63.254A	Unspecified dislocation of right ring finger, initial encounter	ICD-10-CM	Diagnosis
S63.254S	Unspecified dislocation of right ring finger, sequela	ICD-10-CM	Diagnosis
S63.254D	Unspecified dislocation of right ring finger, subsequent encounter	ICD-10-CM	Diagnosis
S43.204A	Unspecified dislocation of right sternoclavicular joint, initial encounter	ICD-10-CM	Diagnosis
S43.204D	Unspecified dislocation of right sternoclavicular joint, subsequent encounter	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S43.004A	Unspecified dislocation of right shoulder joint, initial encounter	ICD-10-CM	Diagnosis
S43.004S	Unspecified dislocation of right shoulder joint, sequela	ICD-10-CM	Diagnosis
S63.104A	Unspecified dislocation of right thumb, initial encounter	ICD-10-CM	Diagnosis
S63.104D	Unspecified dislocation of right thumb, subsequent encounter	ICD-10-CM	Diagnosis
S93.104A	Unspecified dislocation of right toe(s), initial encounter	ICD-10-CM	Diagnosis
S93.104D	Unspecified dislocation of right toe(s), subsequent encounter	ICD-10-CM	Diagnosis
S53.104S	Unspecified dislocation of right ulnohumeral joint, sequela	ICD-10-CM	Diagnosis
S63.004S	Unspecified dislocation of right wrist and hand, sequela	ICD-10-CM	Diagnosis
S63.004A	Unspecified dislocation of right wrist and hand, initial encounter	ICD-10-CM	Diagnosis
S63.004D	Unspecified dislocation of right wrist and hand, subsequent encounter	ICD-10-CM	Diagnosis
S43.109A	Unspecified dislocation of unspecified acromioclavicular joint, initial encounter	ICD-10-CM	Diagnosis
S43.109S	Unspecified dislocation of unspecified acromioclavicular joint, sequela	ICD-10-CM	Diagnosis
S43.109D	Unspecified dislocation of unspecified acromioclavicular joint, subsequent encounter	ICD-10-CM	Diagnosis
S63.259A	Unspecified dislocation of unspecified finger, initial encounter	ICD-10-CM	Diagnosis
S63.259S	Unspecified dislocation of unspecified finger, sequela	ICD-10-CM	Diagnosis
S63.259D	Unspecified dislocation of unspecified finger, subsequent encounter	ICD-10-CM	Diagnosis
S93.306A	Unspecified dislocation of unspecified foot, initial encounter	ICD-10-CM	Diagnosis
S93.306D	Unspecified dislocation of unspecified foot, subsequent encounter	ICD-10-CM	Diagnosis
S73.006A	Unspecified dislocation of unspecified hip, initial encounter	ICD-10-CM	Diagnosis
S73.006D	Unspecified dislocation of unspecified hip, subsequent encounter	ICD-10-CM	Diagnosis
S83.106A	Unspecified dislocation of unspecified knee, initial encounter	ICD-10-CM	Diagnosis
S83.106D	Unspecified dislocation of unspecified knee, subsequent encounter	ICD-10-CM	Diagnosis
S83.006A	Unspecified dislocation of unspecified patella, initial encounter	ICD-10-CM	Diagnosis
S83.006S	Unspecified dislocation of unspecified patella, sequela	ICD-10-CM	Diagnosis
S83.006D	Unspecified dislocation of unspecified patella, subsequent encounter	ICD-10-CM	Diagnosis
S53.006D	Unspecified dislocation of unspecified radial head, subsequent encounter	ICD-10-CM	Diagnosis
S53.006A	Unspecified dislocation of unspecified radial head, initial encounter	ICD-10-CM	Diagnosis
S53.006S	Unspecified dislocation of unspecified radial head, sequela	ICD-10-CM	Diagnosis
S43.206A	Unspecified dislocation of unspecified sternoclavicular joint, initial encounter	ICD-10-CM	Diagnosis
S43.206D	Unspecified dislocation of unspecified sternoclavicular joint, subsequent encounter	ICD-10-CM	Diagnosis
S43.006S	Unspecified dislocation of unspecified shoulder joint, sequela	ICD-10-CM	Diagnosis
S63.106A	Unspecified dislocation of unspecified thumb, initial encounter	ICD-10-CM	Diagnosis
S63.106D	Unspecified dislocation of unspecified thumb, subsequent encounter	ICD-10-CM	Diagnosis
S93.106A	Unspecified dislocation of unspecified toe(s), initial encounter	ICD-10-CM	Diagnosis
S63.006S	Unspecified dislocation of unspecified wrist and hand, sequela	ICD-10-CM	Diagnosis
S63.006A	Unspecified dislocation of unspecified wrist and hand, initial encounter	ICD-10-CM	Diagnosis
S63.006D	Unspecified dislocation of unspecified wrist and hand, subsequent encounter	ICD-10-CM	Diagnosis
S93.306S	Unspecified dislocation of unspecified foot, sequela	ICD-10-CM	Diagnosis



**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S73.006S	Unspecified dislocation of unspecified hip, sequela	ICD-10-CM	Diagnosis
S83.106S	Unspecified dislocation of unspecified knee, sequela	ICD-10-CM	Diagnosis
S43.206S	Unspecified dislocation of unspecified sternoclavicular joint, sequela	ICD-10-CM	Diagnosis
S63.106S	Unspecified dislocation of unspecified thumb, sequela	ICD-10-CM	Diagnosis
S93.106S	Unspecified dislocation of unspecified toe(s), sequela	ICD-10-CM	Diagnosis
M22.92	Unspecified disorder of patella, left knee	ICD-10-CM	Diagnosis
M22.91	Unspecified disorder of patella, right knee	ICD-10-CM	Diagnosis
M22.90	Unspecified disorder of patella, unspecified knee	ICD-10-CM	Diagnosis
S32.019S	Unspecified fracture of first lumbar vertebra, sequela	ICD-10-CM	Diagnosis
S32.029S	Unspecified fracture of second lumbar vertebra, sequela	ICD-10-CM	Diagnosis
S32.049S	Unspecified fracture of fourth lumbar vertebra, sequela	ICD-10-CM	Diagnosis
S32.059S	Unspecified fracture of fifth lumbar vertebra, sequela	ICD-10-CM	Diagnosis
S72.052S	Unspecified fracture of head of left femur, sequela	ICD-10-CM	Diagnosis
S72.051S	Unspecified fracture of head of right femur, sequela	ICD-10-CM	Diagnosis
S32.402S	Unspecified fracture of left acetabulum, sequela	ICD-10-CM	Diagnosis
S72.92XS	Unspecified fracture of left femur, sequela	ICD-10-CM	Diagnosis
S32.302B	Unspecified fracture of left ilium, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.92XS	Unspecified fracture of left wrist and hand, sequela	ICD-10-CM	Diagnosis
S52.602S	Unspecified fracture of lower end of left ulna, sequela	ICD-10-CM	Diagnosis
S72.402S	Unspecified fracture of lower end of left femur, sequela	ICD-10-CM	Diagnosis
S52.502S	Unspecified fracture of the lower end of left radius, sequela	ICD-10-CM	Diagnosis
S82.302S	Unspecified fracture of lower end of left tibia, sequela	ICD-10-CM	Diagnosis
S72.401S	Unspecified fracture of lower end of right femur, sequela	ICD-10-CM	Diagnosis
S52.501S	Unspecified fracture of the lower end of right radius, sequela	ICD-10-CM	Diagnosis
S82.301S	Unspecified fracture of lower end of right tibia, sequela	ICD-10-CM	Diagnosis
S52.601S	Unspecified fracture of lower end of right ulna, sequela	ICD-10-CM	Diagnosis
S32.302A	Unspecified fracture of left ilium, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S32.602A	Unspecified fracture of left ischium, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S32.602B	Unspecified fracture of left ischium, initial encounter for open fracture	ICD-10-CM	Diagnosis
S32.502A	Unspecified fracture of left pubis, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S32.502B	Unspecified fracture of left pubis, initial encounter for open fracture	ICD-10-CM	Diagnosis
S32.502G	Unspecified fracture of left pubis, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S32.502K	Unspecified fracture of left pubis, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S32.502D	Unspecified fracture of left pubis, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S02.10XS	Unspecified fracture of base of skull, sequela	ICD-10-CM	Diagnosis
S02.92XS	Unspecified fracture of facial bones, sequela	ICD-10-CM	Diagnosis
S92.002S	Unspecified fracture of left calcaneus, sequela	ICD-10-CM	Diagnosis
S92.902S	Unspecified fracture of left foot, sequela	ICD-10-CM	Diagnosis
S52.92XS	Unspecified fracture of left forearm, sequela	ICD-10-CM	Diagnosis
S32.302S	Unspecified fracture of left ilium, sequela	ICD-10-CM	Diagnosis



**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S32.602S	Unspecified fracture of left ischium, sequela	ICD-10-CM	Diagnosis
S82.92XS	Unspecified fracture of left lower leg, sequela	ICD-10-CM	Diagnosis
S82.002S	Unspecified fracture of left patella, sequela	ICD-10-CM	Diagnosis
S32.502S	Unspecified fracture of left pubis, sequela	ICD-10-CM	Diagnosis
S92.102S	Unspecified fracture of left talus, sequela	ICD-10-CM	Diagnosis
S92.912S	Unspecified fracture of left toe(s), sequela	ICD-10-CM	Diagnosis
S02.119S	Unspecified fracture of occiput, sequela	ICD-10-CM	Diagnosis
S92.001S	Unspecified fracture of right calcaneus, sequela	ICD-10-CM	Diagnosis
S92.901S	Unspecified fracture of right foot, sequela	ICD-10-CM	Diagnosis
S52.91XS	Unspecified fracture of right forearm, sequela	ICD-10-CM	Diagnosis
S32.301S	Unspecified fracture of right ilium, sequela	ICD-10-CM	Diagnosis
S32.601S	Unspecified fracture of right ischium, sequela	ICD-10-CM	Diagnosis
S82.91XS	Unspecified fracture of right lower leg, sequela	ICD-10-CM	Diagnosis
S82.001S	Unspecified fracture of right patella, sequela	ICD-10-CM	Diagnosis
S32.501S	Unspecified fracture of right pubis, sequela	ICD-10-CM	Diagnosis
S92.101S	Unspecified fracture of right talus, sequela	ICD-10-CM	Diagnosis
S92.911S	Unspecified fracture of right toe(s), sequela	ICD-10-CM	Diagnosis
S32.10XS	Unspecified fracture of sacrum, sequela	ICD-10-CM	Diagnosis
S02.91XS	Unspecified fracture of skull, sequela	ICD-10-CM	Diagnosis
S22.20XS	Unspecified fracture of sternum, sequela	ICD-10-CM	Diagnosis
S22.089S	Unspecified fracture of T11-T12 vertebra, sequela	ICD-10-CM	Diagnosis
S22.059S	Unspecified fracture of T5-T6 vertebra, sequela	ICD-10-CM	Diagnosis
S22.069S	Unspecified fracture of T7-T8 vertebra, sequela	ICD-10-CM	Diagnosis
S22.079S	Unspecified fracture of T9-T10 vertebra, sequela	ICD-10-CM	Diagnosis
S92.909S	Unspecified fracture of unspecified foot, sequela	ICD-10-CM	Diagnosis
S92.919S	Unspecified fracture of unspecified toe(s), sequela	ICD-10-CM	Diagnosis
S32.401S	Unspecified fracture of right acetabulum, sequela	ICD-10-CM	Diagnosis
S72.91XS	Unspecified fracture of right femur, sequela	ICD-10-CM	Diagnosis
S62.91XS	Unspecified fracture of right wrist and hand, sequela	ICD-10-CM	Diagnosis
S32.301A	Unspecified fracture of right ilium, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S32.301B	Unspecified fracture of right ilium, initial encounter for open fracture	ICD-10-CM	Diagnosis
S32.601A	Unspecified fracture of right ischium, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S32.601B	Unspecified fracture of right ischium, initial encounter for open fracture	ICD-10-CM	Diagnosis
S32.501A	Unspecified fracture of right pubis, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S32.501B	Unspecified fracture of right pubis, initial encounter for open fracture	ICD-10-CM	Diagnosis
S32.501G	Unspecified fracture of right pubis, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S32.501K	Unspecified fracture of right pubis, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S32.501D	Unspecified fracture of right pubis, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S82.402S	Unspecified fracture of shaft of left fibula, sequela	ICD-10-CM	Diagnosis
S52.302S	Unspecified fracture of shaft of left radius, sequela	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S72.302S	Unspecified fracture of shaft of left femur, sequela	ICD-10-CM	Diagnosis
S82.202S	Unspecified fracture of shaft of left tibia, sequela	ICD-10-CM	Diagnosis
S52.202S	Unspecified fracture of shaft of left ulna, sequela	ICD-10-CM	Diagnosis
S52.201S	Unspecified fracture of shaft of right ulna, sequela	ICD-10-CM	Diagnosis
S72.301S	Unspecified fracture of shaft of right femur, sequela	ICD-10-CM	Diagnosis
S82.401S	Unspecified fracture of shaft of right fibula, sequela	ICD-10-CM	Diagnosis
S52.301S	Unspecified fracture of shaft of right radius, sequela	ICD-10-CM	Diagnosis
S82.201S	Unspecified fracture of shaft of right tibia, sequela	ICD-10-CM	Diagnosis
S32.309B	Unspecified fracture of unspecified ilium, initial encounter for open fracture	ICD-10-CM	Diagnosis
S32.509A	Unspecified fracture of unspecified pubis, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S32.509B	Unspecified fracture of unspecified pubis, initial encounter for open fracture	ICD-10-CM	Diagnosis
S72.90XS	Unspecified fracture of unspecified femur, sequela	ICD-10-CM	Diagnosis
S52.90XS	Unspecified fracture of unspecified forearm, sequela	ICD-10-CM	Diagnosis
S32.309S	Unspecified fracture of unspecified ilium, sequela	ICD-10-CM	Diagnosis
S32.609S	Unspecified fracture of unspecified ischium, sequela	ICD-10-CM	Diagnosis
S82.009S	Unspecified fracture of unspecified patella, sequela	ICD-10-CM	Diagnosis
S32.509S	Unspecified fracture of unspecified pubis, sequela	ICD-10-CM	Diagnosis
S92.109S	Unspecified fracture of unspecified talus, sequela	ICD-10-CM	Diagnosis
S52.002S	Unspecified fracture of upper end of left ulna, sequela	ICD-10-CM	Diagnosis
S52.102S	Unspecified fracture of upper end of left radius, sequela	ICD-10-CM	Diagnosis
S82.102S	Unspecified fracture of upper end of left tibia, sequela	ICD-10-CM	Diagnosis
S52.101S	Unspecified fracture of upper end of right radius, sequela	ICD-10-CM	Diagnosis
S82.101S	Unspecified fracture of upper end of right tibia, sequela	ICD-10-CM	Diagnosis
S52.001S	Unspecified fracture of upper end of right ulna, sequela	ICD-10-CM	Diagnosis
S22.019S	Unspecified fracture of first thoracic vertebra, sequela	ICD-10-CM	Diagnosis
S22.029S	Unspecified fracture of second thoracic vertebra, sequela	ICD-10-CM	Diagnosis
S52.609P	Unspecified fracture of lower end of unspecified ulna, subsequent encounter for closed fracture with malunion	ICD-10-CM	Diagnosis
S52.609Q	Unspecified fracture of lower end of unspecified ulna, subsequent encounter for open fracture type I or II with malunion	ICD-10-CM	Diagnosis
S52.609R	Unspecified fracture of lower end of unspecified ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD-10-CM	Diagnosis
S52.609N	Unspecified fracture of lower end of unspecified ulna, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD-10-CM	Diagnosis
S32.602G	Unspecified fracture of left ischium, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S32.602K	Unspecified fracture of left ischium, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S32.602D	Unspecified fracture of left ischium, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S62.001S	Unspecified fracture of navicular [scaphoid] bone of right wrist, sequela	ICD-10-CM	Diagnosis
S62.001P	Unspecified fracture of navicular [scaphoid] bone of right wrist, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S62.001K	Unspecified fracture of navicular [scaphoid] bone of right wrist, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S32.601G	Unspecified fracture of right ischium, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S32.601K	Unspecified fracture of right ischium, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S32.601D	Unspecified fracture of right ischium, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S32.609A	Unspecified fracture of unspecified ischium, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S32.609B	Unspecified fracture of unspecified ischium, initial encounter for open fracture	ICD-10-CM	Diagnosis
S32.609K	Unspecified fracture of unspecified ischium, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S32.609G	Unspecified fracture of unspecified ischium, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S32.609D	Unspecified fracture of unspecified ischium, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S32.509G	Unspecified fracture of unspecified pubis, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S32.509K	Unspecified fracture of unspecified pubis, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S32.509D	Unspecified fracture of unspecified pubis, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S52.102J	Unspecified fracture of upper end of left radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD-10-CM	Diagnosis
S52.102F	Unspecified fracture of upper end of left radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD-10-CM	Diagnosis
S52.101F	Unspecified fracture of upper end of right radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD-10-CM	Diagnosis
S52.001B	Unspecified fracture of upper end of right ulna, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S52.001C	Unspecified fracture of upper end of right ulna, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S52.001D	Unspecified fracture of upper end of right ulna, subsequent encounter for closed fracture with routine healing	ICD-10-CM	Diagnosis
S52.109S	Unspecified fracture of upper end of unspecified radius, sequela	ICD-10-CM	Diagnosis
S52.102B	Unspecified fracture of upper end of left radius, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S52.102C	Unspecified fracture of upper end of left radius, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S52.102A	Unspecified fracture of upper end of left radius, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.102G	Unspecified fracture of upper end of left radius, subsequent encounter for closed fracture with delayed healing	ICD-10-CM	Diagnosis
S52.102P	Unspecified fracture of upper end of left radius, subsequent encounter for closed fracture with malunion	ICD-10-CM	Diagnosis
S52.102K	Unspecified fracture of upper end of left radius, subsequent encounter for closed fracture with nonunion	ICD-10-CM	Diagnosis
S52.102D	Unspecified fracture of upper end of left radius, subsequent encounter for closed fracture with routine healing	ICD-10-CM	Diagnosis
S52.102H	Unspecified fracture of upper end of left radius, subsequent encounter for open fracture type I or II with delayed healing	ICD-10-CM	Diagnosis
S52.102Q	Unspecified fracture of upper end of left radius, subsequent encounter for open fracture type I or II with malunion	ICD-10-CM	Diagnosis
S52.102M	Unspecified fracture of upper end of left radius, subsequent encounter for open fracture type I or II with nonunion	ICD-10-CM	Diagnosis
S52.102E	Unspecified fracture of upper end of left radius, subsequent encounter for open fracture type I or II with routine healing	ICD-10-CM	Diagnosis
S52.102R	Unspecified fracture of upper end of left radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD-10-CM	Diagnosis
S52.102N	Unspecified fracture of upper end of left radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD-10-CM	Diagnosis
S52.101B	Unspecified fracture of upper end of right radius, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S52.101C	Unspecified fracture of upper end of right radius, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S52.101A	Unspecified fracture of upper end of right radius, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.101G	Unspecified fracture of upper end of right radius, subsequent encounter for closed fracture with delayed healing	ICD-10-CM	Diagnosis
S52.101P	Unspecified fracture of upper end of right radius, subsequent encounter for closed fracture with malunion	ICD-10-CM	Diagnosis
S52.101K	Unspecified fracture of upper end of right radius, subsequent encounter for closed fracture with nonunion	ICD-10-CM	Diagnosis
S52.101D	Unspecified fracture of upper end of right radius, subsequent encounter for closed fracture with routine healing	ICD-10-CM	Diagnosis
S52.101H	Unspecified fracture of upper end of right radius, subsequent encounter for open fracture type I or II with delayed healing	ICD-10-CM	Diagnosis
S52.101Q	Unspecified fracture of upper end of right radius, subsequent encounter for open fracture type I or II with malunion	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S52.101M	Unspecified fracture of upper end of right radius, subsequent encounter for open fracture type I or II with nonunion	ICD-10-CM	Diagnosis
S52.101E	Unspecified fracture of upper end of right radius, subsequent encounter for open fracture type I or II with routine healing	ICD-10-CM	Diagnosis
S52.101R	Unspecified fracture of upper end of right radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD-10-CM	Diagnosis
S52.101N	Unspecified fracture of upper end of right radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD-10-CM	Diagnosis
S52.001A	Unspecified fracture of upper end of right ulna, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.109A	Unspecified fracture of upper end of unspecified radius, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.109B	Unspecified fracture of upper end of unspecified radius, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S52.109C	Unspecified fracture of upper end of unspecified radius, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S52.109G	Unspecified fracture of upper end of unspecified radius, subsequent encounter for closed fracture with delayed healing	ICD-10-CM	Diagnosis
S52.109P	Unspecified fracture of upper end of unspecified radius, subsequent encounter for closed fracture with malunion	ICD-10-CM	Diagnosis
S52.109K	Unspecified fracture of upper end of unspecified radius, subsequent encounter for closed fracture with nonunion	ICD-10-CM	Diagnosis
S52.109D	Unspecified fracture of upper end of unspecified radius, subsequent encounter for closed fracture with routine healing	ICD-10-CM	Diagnosis
S52.109H	Unspecified fracture of upper end of unspecified radius, subsequent encounter for open fracture type I or II with delayed healing	ICD-10-CM	Diagnosis
S52.109Q	Unspecified fracture of upper end of unspecified radius, subsequent encounter for open fracture type I or II with malunion	ICD-10-CM	Diagnosis
S52.109M	Unspecified fracture of upper end of unspecified radius, subsequent encounter for open fracture type I or II with nonunion	ICD-10-CM	Diagnosis
S52.109E	Unspecified fracture of upper end of unspecified radius, subsequent encounter for open fracture type I or II with routine healing	ICD-10-CM	Diagnosis
S52.109J	Unspecified fracture of upper end of unspecified radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with delayed healing	ICD-10-CM	Diagnosis
S52.109R	Unspecified fracture of upper end of unspecified radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with malunion	ICD-10-CM	Diagnosis
S52.109N	Unspecified fracture of upper end of unspecified radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with nonunion	ICD-10-CM	Diagnosis
S52.109F	Unspecified fracture of upper end of unspecified radius, subsequent encounter for open fracture type IIIA, IIIB, or IIIC with routine healing	ICD-10-CM	Diagnosis
M23.92	Unspecified internal derangement of left knee	ICD-10-CM	Diagnosis
M23.91	Unspecified internal derangement of right knee	ICD-10-CM	Diagnosis
S02.113S	Unspecified occipital condyle fracture, sequela	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S31.839D	Unspecified open wound of anus, subsequent encounter	ICD-10-CM	Diagnosis
S11.019A	Unspecified open wound of larynx, initial encounter	ICD-10-CM	Diagnosis
S11.019D	Unspecified open wound of larynx, subsequent encounter	ICD-10-CM	Diagnosis
S91.002S	Unspecified open wound, left ankle, sequela	ICD-10-CM	Diagnosis
S91.302A	Unspecified open wound, left foot, initial encounter	ICD-10-CM	Diagnosis
S91.302S	Unspecified open wound, left foot, sequela	ICD-10-CM	Diagnosis
S91.302D	Unspecified open wound, left foot, subsequent encounter	ICD-10-CM	Diagnosis
S51.802S	Unspecified open wound of left forearm, sequela	ICD-10-CM	Diagnosis
S71.002S	Unspecified open wound, left hip, sequela	ICD-10-CM	Diagnosis
S81.002S	Unspecified open wound, left knee, sequela	ICD-10-CM	Diagnosis
S81.802S	Unspecified open wound, left lower leg, sequela	ICD-10-CM	Diagnosis
S71.102S	Unspecified open wound, left thigh, sequela	ICD-10-CM	Diagnosis
S01.501D	Unspecified open wound of lip, subsequent encounter	ICD-10-CM	Diagnosis
S91.002A	Unspecified open wound, left ankle, initial encounter	ICD-10-CM	Diagnosis
S91.002D	Unspecified open wound, left ankle, subsequent encounter	ICD-10-CM	Diagnosis
S21.002A	Unspecified open wound of left breast, initial encounter	ICD-10-CM	Diagnosis
S21.002D	Unspecified open wound of left breast, subsequent encounter	ICD-10-CM	Diagnosis
S51.802A	Unspecified open wound of left forearm, initial encounter	ICD-10-CM	Diagnosis
S51.802D	Unspecified open wound of left forearm, subsequent encounter	ICD-10-CM	Diagnosis
S61.402A	Unspecified open wound of left hand, initial encounter	ICD-10-CM	Diagnosis
S61.402D	Unspecified open wound of left hand, subsequent encounter	ICD-10-CM	Diagnosis
S71.002A	Unspecified open wound, left hip, initial encounter	ICD-10-CM	Diagnosis
S81.002A	Unspecified open wound, left knee, initial encounter	ICD-10-CM	Diagnosis
S81.002D	Unspecified open wound, left knee, subsequent encounter	ICD-10-CM	Diagnosis
S81.802A	Unspecified open wound, left lower leg, initial encounter	ICD-10-CM	Diagnosis
S81.802D	Unspecified open wound, left lower leg, subsequent encounter	ICD-10-CM	Diagnosis
S41.002A	Unspecified open wound of left shoulder, initial encounter	ICD-10-CM	Diagnosis
S41.002D	Unspecified open wound of left shoulder, subsequent encounter	ICD-10-CM	Diagnosis
S41.102A	Unspecified open wound of left upper arm, initial encounter	ICD-10-CM	Diagnosis
S41.102D	Unspecified open wound of left upper arm, subsequent encounter	ICD-10-CM	Diagnosis
S61.502A	Unspecified open wound of left wrist, initial encounter	ICD-10-CM	Diagnosis
S61.502D	Unspecified open wound of left wrist, subsequent encounter	ICD-10-CM	Diagnosis
S01.20XD	Unspecified open wound of nose, subsequent encounter	ICD-10-CM	Diagnosis
S31.839A	Unspecified open wound of anus, initial encounter	ICD-10-CM	Diagnosis
S31.839S	Unspecified open wound of anus, sequela	ICD-10-CM	Diagnosis
S11.019S	Unspecified open wound of larynx, sequela	ICD-10-CM	Diagnosis
S21.002S	Unspecified open wound of left breast, sequela	ICD-10-CM	Diagnosis
S31.829S	Unspecified open wound of left buttock, sequela	ICD-10-CM	Diagnosis
S01.302S	Unspecified open wound of left ear, sequela	ICD-10-CM	Diagnosis
S51.002S	Unspecified open wound of left elbow, sequela	ICD-10-CM	Diagnosis
S61.402S	Unspecified open wound of left hand, sequela	ICD-10-CM	Diagnosis
S41.002S	Unspecified open wound of left shoulder, sequela	ICD-10-CM	Diagnosis
S41.102S	Unspecified open wound of left upper arm, sequela	ICD-10-CM	Diagnosis



**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S61.502S	Unspecified open wound of left wrist, sequela	ICD-10-CM	Diagnosis
S01.501A	Unspecified open wound of lip, initial encounter	ICD-10-CM	Diagnosis
S01.501S	Unspecified open wound of lip, sequela	ICD-10-CM	Diagnosis
S01.20XA	Unspecified open wound of nose, initial encounter	ICD-10-CM	Diagnosis
S01.20XS	Unspecified open wound of nose, sequela	ICD-10-CM	Diagnosis
S01.502S	Unspecified open wound of oral cavity, sequela	ICD-10-CM	Diagnosis
S31.20XS	Unspecified open wound of penis, sequela	ICD-10-CM	Diagnosis
S21.001S	Unspecified open wound of right breast, sequela	ICD-10-CM	Diagnosis
S31.819S	Unspecified open wound of right buttock, sequela	ICD-10-CM	Diagnosis
S01.301S	Unspecified open wound of right ear, sequela	ICD-10-CM	Diagnosis
S51.001S	Unspecified open wound of right elbow, sequela	ICD-10-CM	Diagnosis
S61.401S	Unspecified open wound of right hand, sequela	ICD-10-CM	Diagnosis
S41.001S	Unspecified open wound of right shoulder, sequela	ICD-10-CM	Diagnosis
S61.501S	Unspecified open wound of right wrist, sequela	ICD-10-CM	Diagnosis
S01.00XS	Unspecified open wound of scalp, sequela	ICD-10-CM	Diagnosis
S11.10XS	Unspecified open wound of thyroid gland, sequela	ICD-10-CM	Diagnosis
S11.029S	Unspecified open wound of trachea, sequela	ICD-10-CM	Diagnosis
S31.40XS	Unspecified open wound of vagina and vulva, sequela	ICD-10-CM	Diagnosis
S11.039S	Unspecified open wound of vocal cord, sequela	ICD-10-CM	Diagnosis
S01.80XS	Unspecified open wound of other part of head, sequela	ICD-10-CM	Diagnosis
S31.20XA	Unspecified open wound of penis, initial encounter	ICD-10-CM	Diagnosis
S91.001S	Unspecified open wound, right ankle, sequela	ICD-10-CM	Diagnosis
S91.301A	Unspecified open wound, right foot, initial encounter	ICD-10-CM	Diagnosis
S91.301S	Unspecified open wound, right foot, sequela	ICD-10-CM	Diagnosis
S91.301D	Unspecified open wound, right foot, subsequent encounter	ICD-10-CM	Diagnosis
S51.801S	Unspecified open wound of right forearm, sequela	ICD-10-CM	Diagnosis
S71.001S	Unspecified open wound, right hip, sequela	ICD-10-CM	Diagnosis
S81.001S	Unspecified open wound, right knee, sequela	ICD-10-CM	Diagnosis
S81.801S	Unspecified open wound, right lower leg, sequela	ICD-10-CM	Diagnosis
S71.101S	Unspecified open wound, right thigh, sequela	ICD-10-CM	Diagnosis
S41.101S	Unspecified open wound of right upper arm, sequela	ICD-10-CM	Diagnosis
S91.001A	Unspecified open wound, right ankle, initial encounter	ICD-10-CM	Diagnosis
S91.001D	Unspecified open wound, right ankle, subsequent encounter	ICD-10-CM	Diagnosis
S21.001A	Unspecified open wound of right breast, initial encounter	ICD-10-CM	Diagnosis
S21.001D	Unspecified open wound of right breast, subsequent encounter	ICD-10-CM	Diagnosis
S01.301A	Unspecified open wound of right ear, initial encounter	ICD-10-CM	Diagnosis
S51.801A	Unspecified open wound of right forearm, initial encounter	ICD-10-CM	Diagnosis
S51.801D	Unspecified open wound of right forearm, subsequent encounter	ICD-10-CM	Diagnosis
S61.401A	Unspecified open wound of right hand, initial encounter	ICD-10-CM	Diagnosis
S61.401D	Unspecified open wound of right hand, subsequent encounter	ICD-10-CM	Diagnosis
S71.001A	Unspecified open wound, right hip, initial encounter	ICD-10-CM	Diagnosis
S81.001A	Unspecified open wound, right knee, initial encounter	ICD-10-CM	Diagnosis
S81.001D	Unspecified open wound, right knee, subsequent encounter	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S81.801A	Unspecified open wound, right lower leg, initial encounter	ICD-10-CM	Diagnosis
S81.801D	Unspecified open wound, right lower leg, subsequent encounter	ICD-10-CM	Diagnosis
S41.001A	Unspecified open wound of right shoulder, initial encounter	ICD-10-CM	Diagnosis
S41.001D	Unspecified open wound of right shoulder, subsequent encounter	ICD-10-CM	Diagnosis
S41.101A	Unspecified open wound of right upper arm, initial encounter	ICD-10-CM	Diagnosis
S41.101D	Unspecified open wound of right upper arm, subsequent encounter	ICD-10-CM	Diagnosis
S61.501A	Unspecified open wound of right wrist, initial encounter	ICD-10-CM	Diagnosis
S61.501D	Unspecified open wound of right wrist, subsequent encounter	ICD-10-CM	Diagnosis
S01.00XA	Unspecified open wound of scalp, initial encounter	ICD-10-CM	Diagnosis
S01.00XD	Unspecified open wound of scalp, subsequent encounter	ICD-10-CM	Diagnosis
S31.30XS	Unspecified open wound of scrotum and testes, sequela	ICD-10-CM	Diagnosis
S11.10XA	Unspecified open wound of thyroid gland, initial encounter	ICD-10-CM	Diagnosis
S11.10XD	Unspecified open wound of thyroid gland, subsequent encounter	ICD-10-CM	Diagnosis
S11.029A	Unspecified open wound of trachea, initial encounter	ICD-10-CM	Diagnosis
S11.029D	Unspecified open wound of trachea, subsequent encounter	ICD-10-CM	Diagnosis
S91.009A	Unspecified open wound, unspecified ankle, initial encounter	ICD-10-CM	Diagnosis
S91.009D	Unspecified open wound, unspecified ankle, subsequent encounter	ICD-10-CM	Diagnosis
S21.009A	Unspecified open wound of unspecified breast, initial encounter	ICD-10-CM	Diagnosis
S21.009D	Unspecified open wound of unspecified breast, subsequent encounter	ICD-10-CM	Diagnosis
S91.309A	Unspecified open wound, unspecified foot, initial encounter	ICD-10-CM	Diagnosis
S91.309D	Unspecified open wound, unspecified foot, subsequent encounter	ICD-10-CM	Diagnosis
S51.809A	Unspecified open wound of unspecified forearm, initial encounter	ICD-10-CM	Diagnosis
S51.809S	Unspecified open wound of unspecified forearm, sequela	ICD-10-CM	Diagnosis
S51.809D	Unspecified open wound of unspecified forearm, subsequent encounter	ICD-10-CM	Diagnosis
S61.409A	Unspecified open wound of unspecified hand, initial encounter	ICD-10-CM	Diagnosis
S61.409D	Unspecified open wound of unspecified hand, subsequent encounter	ICD-10-CM	Diagnosis
S81.009A	Unspecified open wound, unspecified knee, initial encounter	ICD-10-CM	Diagnosis
S81.009D	Unspecified open wound, unspecified knee, subsequent encounter	ICD-10-CM	Diagnosis
S81.809A	Unspecified open wound, unspecified lower leg, initial encounter	ICD-10-CM	Diagnosis
S81.809S	Unspecified open wound, unspecified lower leg, sequela	ICD-10-CM	Diagnosis
S81.809D	Unspecified open wound, unspecified lower leg, subsequent encounter	ICD-10-CM	Diagnosis
S11.90XA	Unspecified open wound of unspecified part of neck, initial encounter	ICD-10-CM	Diagnosis
S11.90XD	Unspecified open wound of unspecified part of neck, subsequent encounter	ICD-10-CM	Diagnosis
S41.009A	Unspecified open wound of unspecified shoulder, initial encounter	ICD-10-CM	Diagnosis
S41.009D	Unspecified open wound of unspecified shoulder, subsequent encounter	ICD-10-CM	Diagnosis
S41.109A	Unspecified open wound of unspecified upper arm, initial encounter	ICD-10-CM	Diagnosis
S41.109S	Unspecified open wound of unspecified upper arm, sequela	ICD-10-CM	Diagnosis
S41.109D	Unspecified open wound of unspecified upper arm, subsequent encounter	ICD-10-CM	Diagnosis
S61.509A	Unspecified open wound of unspecified wrist, initial encounter	ICD-10-CM	Diagnosis
S61.509D	Unspecified open wound of unspecified wrist, subsequent encounter	ICD-10-CM	Diagnosis
S91.009S	Unspecified open wound, unspecified ankle, sequela	ICD-10-CM	Diagnosis
S21.009S	Unspecified open wound of unspecified breast, sequela	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S91.309S	Unspecified open wound, unspecified foot, sequela	ICD-10-CM	Diagnosis
S61.409S	Unspecified open wound of unspecified hand, sequela	ICD-10-CM	Diagnosis
S71.009S	Unspecified open wound, unspecified hip, sequela	ICD-10-CM	Diagnosis
S81.009S	Unspecified open wound, unspecified knee, sequela	ICD-10-CM	Diagnosis
S11.90XS	Unspecified open wound of unspecified part of neck, sequela	ICD-10-CM	Diagnosis
S41.009S	Unspecified open wound of unspecified shoulder, sequela	ICD-10-CM	Diagnosis
S71.109S	Unspecified open wound, unspecified thigh, sequela	ICD-10-CM	Diagnosis
S61.509S	Unspecified open wound of unspecified wrist, sequela	ICD-10-CM	Diagnosis
S11.039A	Unspecified open wound of vocal cord, initial encounter	ICD-10-CM	Diagnosis
S11.039D	Unspecified open wound of vocal cord, subsequent encounter	ICD-10-CM	Diagnosis
S99.102S	Unspecified physeal fracture of left metatarsal, sequela	ICD-10-CM	Diagnosis
S99.002S	Unspecified physeal fracture of left calcaneus, sequela	ICD-10-CM	Diagnosis
S99.101S	Unspecified physeal fracture of right metatarsal, sequela	ICD-10-CM	Diagnosis
S99.001S	Unspecified physeal fracture of right calcaneus, sequela	ICD-10-CM	Diagnosis
S49.102S	Unspecified physeal fracture of lower end of humerus, left arm, sequela	ICD-10-CM	Diagnosis
S49.101S	Unspecified physeal fracture of lower end of humerus, right arm, sequela	ICD-10-CM	Diagnosis
S49.109S	Unspecified physeal fracture of lower end of humerus, unspecified arm, sequela	ICD-10-CM	Diagnosis
S79.102S	Unspecified physeal fracture of lower end of left femur, sequela	ICD-10-CM	Diagnosis
S89.102S	Unspecified physeal fracture of lower end of left tibia, sequela	ICD-10-CM	Diagnosis
S59.202S	Unspecified physeal fracture of lower end of radius, left arm, sequela	ICD-10-CM	Diagnosis
S59.201S	Unspecified physeal fracture of lower end of radius, right arm, sequela	ICD-10-CM	Diagnosis
S59.209S	Unspecified physeal fracture of lower end of radius, unspecified arm, sequela	ICD-10-CM	Diagnosis
S79.101S	Unspecified physeal fracture of lower end of right femur, sequela	ICD-10-CM	Diagnosis
S89.101S	Unspecified physeal fracture of lower end of right tibia, sequela	ICD-10-CM	Diagnosis
S99.002P	Unspecified physeal fracture of left calcaneus, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S99.002K	Unspecified physeal fracture of left calcaneus, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S99.202S	Unspecified physeal fracture of phalanx of left toe, sequela	ICD-10-CM	Diagnosis
S99.202A	Unspecified physeal fracture of phalanx of left toe, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S99.202B	Unspecified physeal fracture of phalanx of left toe, initial encounter for open fracture	ICD-10-CM	Diagnosis
S99.202G	Unspecified physeal fracture of phalanx of left toe, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S99.202P	Unspecified physeal fracture of phalanx of left toe, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S99.202K	Unspecified physeal fracture of phalanx of left toe, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S99.202D	Unspecified physeal fracture of phalanx of left toe, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S99.201A	Unspecified physeal fracture of phalanx of right toe, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S99.201B	Unspecified physeal fracture of phalanx of right toe, initial encounter for open fracture	ICD-10-CM	Diagnosis
S99.201S	Unspecified physeal fracture of phalanx of right toe, sequela	ICD-10-CM	Diagnosis
S99.201G	Unspecified physeal fracture of phalanx of right toe, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S99.201P	Unspecified physeal fracture of phalanx of right toe, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S99.201K	Unspecified physeal fracture of phalanx of right toe, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S99.201D	Unspecified physeal fracture of phalanx of right toe, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S99.209A	Unspecified physeal fracture of phalanx of unspecified toe, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S99.209B	Unspecified physeal fracture of phalanx of unspecified toe, initial encounter for open fracture	ICD-10-CM	Diagnosis
S99.209S	Unspecified physeal fracture of phalanx of unspecified toe, sequela	ICD-10-CM	Diagnosis
S99.209G	Unspecified physeal fracture of phalanx of unspecified toe, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S99.209P	Unspecified physeal fracture of phalanx of unspecified toe, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S99.209K	Unspecified physeal fracture of phalanx of unspecified toe, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S99.209D	Unspecified physeal fracture of phalanx of unspecified toe, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S99.001P	Unspecified physeal fracture of right calcaneus, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S99.001K	Unspecified physeal fracture of right calcaneus, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S99.009A	Unspecified physeal fracture of unspecified calcaneus, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S99.009B	Unspecified physeal fracture of unspecified calcaneus, initial encounter for open fracture	ICD-10-CM	Diagnosis
S99.009S	Unspecified physeal fracture of unspecified calcaneus, sequela	ICD-10-CM	Diagnosis
S99.009G	Unspecified physeal fracture of unspecified calcaneus, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S99.009P	Unspecified physeal fracture of unspecified calcaneus, subsequent encounter for fracture with malunion	ICD-10-CM	Diagnosis
S99.009K	Unspecified physeal fracture of unspecified calcaneus, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S99.009D	Unspecified physeal fracture of unspecified calcaneus, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S53.102A	Unspecified subluxation of left ulnohumeral joint, initial encounter	ICD-10-CM	Diagnosis
S53.102S	Unspecified subluxation of left ulnohumeral joint, sequela	ICD-10-CM	Diagnosis
S53.102D	Unspecified subluxation of left ulnohumeral joint, subsequent encounter	ICD-10-CM	Diagnosis
S53.101A	Unspecified subluxation of right ulnohumeral joint, initial encounter	ICD-10-CM	Diagnosis
S53.101S	Unspecified subluxation of right ulnohumeral joint, sequela	ICD-10-CM	Diagnosis
S53.101D	Unspecified subluxation of right ulnohumeral joint, subsequent encounter	ICD-10-CM	Diagnosis
S53.103A	Unspecified subluxation of unspecified ulnohumeral joint, initial encounter	ICD-10-CM	Diagnosis
S53.103S	Unspecified subluxation of unspecified ulnohumeral joint, sequela	ICD-10-CM	Diagnosis
S53.103D	Unspecified subluxation of unspecified ulnohumeral joint, subsequent encounter	ICD-10-CM	Diagnosis
S53.002S	Unspecified subluxation of left radial head, sequela	ICD-10-CM	Diagnosis
S63.205S	Unspecified subluxation of left ring finger, sequela	ICD-10-CM	Diagnosis
S43.202S	Unspecified subluxation of left sternoclavicular joint, sequela	ICD-10-CM	Diagnosis
S93.302A	Unspecified subluxation of left foot, initial encounter	ICD-10-CM	Diagnosis
S93.302D	Unspecified subluxation of left foot, subsequent encounter	ICD-10-CM	Diagnosis
S73.002A	Unspecified subluxation of left hip, initial encounter	ICD-10-CM	Diagnosis
S73.002D	Unspecified subluxation of left hip, subsequent encounter	ICD-10-CM	Diagnosis
S63.201A	Unspecified subluxation of left index finger, initial encounter	ICD-10-CM	Diagnosis
S63.201S	Unspecified subluxation of left index finger, sequela	ICD-10-CM	Diagnosis
S63.201D	Unspecified subluxation of left index finger, subsequent encounter	ICD-10-CM	Diagnosis
S83.102A	Unspecified subluxation of left knee, initial encounter	ICD-10-CM	Diagnosis
S83.102D	Unspecified subluxation of left knee, subsequent encounter	ICD-10-CM	Diagnosis
S63.207A	Unspecified subluxation of left little finger, initial encounter	ICD-10-CM	Diagnosis
S63.207S	Unspecified subluxation of left little finger, sequela	ICD-10-CM	Diagnosis
S63.207D	Unspecified subluxation of left little finger, subsequent encounter	ICD-10-CM	Diagnosis
S63.203A	Unspecified subluxation of left middle finger, initial encounter	ICD-10-CM	Diagnosis
S63.203S	Unspecified subluxation of left middle finger, sequela	ICD-10-CM	Diagnosis
S63.203D	Unspecified subluxation of left middle finger, subsequent encounter	ICD-10-CM	Diagnosis
S83.002A	Unspecified subluxation of left patella, initial encounter	ICD-10-CM	Diagnosis
S83.002D	Unspecified subluxation of left patella, subsequent encounter	ICD-10-CM	Diagnosis
S53.002A	Unspecified subluxation of left radial head, initial encounter	ICD-10-CM	Diagnosis
S53.002D	Unspecified subluxation of left radial head, subsequent encounter	ICD-10-CM	Diagnosis
S63.205A	Unspecified subluxation of left ring finger, initial encounter	ICD-10-CM	Diagnosis
S63.205D	Unspecified subluxation of left ring finger, subsequent encounter	ICD-10-CM	Diagnosis
S43.202A	Unspecified subluxation of left sternoclavicular joint, initial encounter	ICD-10-CM	Diagnosis
S43.202D	Unspecified subluxation of left sternoclavicular joint, subsequent encounter	ICD-10-CM	Diagnosis
S43.002A	Unspecified subluxation of left shoulder joint, initial encounter	ICD-10-CM	Diagnosis
S43.002S	Unspecified subluxation of left shoulder joint, sequela	ICD-10-CM	Diagnosis
S43.002D	Unspecified subluxation of left shoulder joint, subsequent encounter	ICD-10-CM	Diagnosis
S63.102A	Unspecified subluxation of left thumb, initial encounter	ICD-10-CM	Diagnosis
S63.102D	Unspecified subluxation of left thumb, subsequent encounter	ICD-10-CM	Diagnosis



**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S93.102A	Unspecified subluxation of left toe(s), initial encounter	ICD-10-CM	Diagnosis
S93.102D	Unspecified subluxation of left toe(s), subsequent encounter	ICD-10-CM	Diagnosis
S63.002S	Unspecified subluxation of left wrist and hand, sequela	ICD-10-CM	Diagnosis
S63.002A	Unspecified subluxation of left wrist and hand, initial encounter	ICD-10-CM	Diagnosis
S63.002D	Unspecified subluxation of left wrist and hand, subsequent encounter	ICD-10-CM	Diagnosis
S93.302S	Unspecified subluxation of left foot, sequela	ICD-10-CM	Diagnosis
S73.002S	Unspecified subluxation of left hip, sequela	ICD-10-CM	Diagnosis
S83.102S	Unspecified subluxation of left knee, sequela	ICD-10-CM	Diagnosis
S83.002S	Unspecified subluxation of left patella, sequela	ICD-10-CM	Diagnosis
S63.102S	Unspecified subluxation of left thumb, sequela	ICD-10-CM	Diagnosis
S93.102S	Unspecified subluxation of left toe(s), sequela	ICD-10-CM	Diagnosis
S63.208S	Unspecified subluxation of other finger, sequela	ICD-10-CM	Diagnosis
S93.301S	Unspecified subluxation of right foot, sequela	ICD-10-CM	Diagnosis
S73.001S	Unspecified subluxation of right hip, sequela	ICD-10-CM	Diagnosis
S83.101S	Unspecified subluxation of right knee, sequela	ICD-10-CM	Diagnosis
S83.001S	Unspecified subluxation of right patella, sequela	ICD-10-CM	Diagnosis
S63.101S	Unspecified subluxation of right thumb, sequela	ICD-10-CM	Diagnosis
S93.101S	Unspecified subluxation of right toe(s), sequela	ICD-10-CM	Diagnosis
S63.204A	Unspecified subluxation of right ring finger, initial encounter	ICD-10-CM	Diagnosis
S63.204D	Unspecified subluxation of right ring finger, subsequent encounter	ICD-10-CM	Diagnosis
S63.208A	Unspecified subluxation of other finger, initial encounter	ICD-10-CM	Diagnosis
S63.208D	Unspecified subluxation of other finger, subsequent encounter	ICD-10-CM	Diagnosis
S43.201S	Unspecified subluxation of right sternoclavicular joint, sequela	ICD-10-CM	Diagnosis
S93.301A	Unspecified subluxation of right foot, initial encounter	ICD-10-CM	Diagnosis
S93.301D	Unspecified subluxation of right foot, subsequent encounter	ICD-10-CM	Diagnosis
S73.001A	Unspecified subluxation of right hip, initial encounter	ICD-10-CM	Diagnosis
S73.001D	Unspecified subluxation of right hip, subsequent encounter	ICD-10-CM	Diagnosis
S63.200A	Unspecified subluxation of right index finger, initial encounter	ICD-10-CM	Diagnosis
S63.200S	Unspecified subluxation of right index finger, sequela	ICD-10-CM	Diagnosis
S63.200D	Unspecified subluxation of right index finger, subsequent encounter	ICD-10-CM	Diagnosis
S83.101A	Unspecified subluxation of right knee, initial encounter	ICD-10-CM	Diagnosis
S83.101D	Unspecified subluxation of right knee, subsequent encounter	ICD-10-CM	Diagnosis
S63.206A	Unspecified subluxation of right little finger, initial encounter	ICD-10-CM	Diagnosis
S63.206S	Unspecified subluxation of right little finger, sequela	ICD-10-CM	Diagnosis
S63.206D	Unspecified subluxation of right little finger, subsequent encounter	ICD-10-CM	Diagnosis
S63.202A	Unspecified subluxation of right middle finger, initial encounter	ICD-10-CM	Diagnosis
S63.202S	Unspecified subluxation of right middle finger, sequela	ICD-10-CM	Diagnosis
S63.202D	Unspecified subluxation of right middle finger, subsequent encounter	ICD-10-CM	Diagnosis
S83.001A	Unspecified subluxation of right patella, initial encounter	ICD-10-CM	Diagnosis
S83.001D	Unspecified subluxation of right patella, subsequent encounter	ICD-10-CM	Diagnosis
S53.001A	Unspecified subluxation of right radial head, initial encounter	ICD-10-CM	Diagnosis
S53.001S	Unspecified subluxation of right radial head, sequela	ICD-10-CM	Diagnosis
S53.001D	Unspecified subluxation of right radial head, subsequent encounter	ICD-10-CM	Diagnosis



**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S63.204S	Unspecified subluxation of right ring finger, sequela	ICD-10-CM	Diagnosis
S43.201A	Unspecified subluxation of right sternoclavicular joint, initial encounter	ICD-10-CM	Diagnosis
S43.201D	Unspecified subluxation of right sternoclavicular joint, subsequent encounter	ICD-10-CM	Diagnosis
S43.001A	Unspecified subluxation of right shoulder joint, initial encounter	ICD-10-CM	Diagnosis
S43.001S	Unspecified subluxation of right shoulder joint, sequela	ICD-10-CM	Diagnosis
S43.001D	Unspecified subluxation of right shoulder joint, subsequent encounter	ICD-10-CM	Diagnosis
S63.101A	Unspecified subluxation of right thumb, initial encounter	ICD-10-CM	Diagnosis
S63.101D	Unspecified subluxation of right thumb, subsequent encounter	ICD-10-CM	Diagnosis
S93.101A	Unspecified subluxation of right toe(s), initial encounter	ICD-10-CM	Diagnosis
S93.101D	Unspecified subluxation of right toe(s), subsequent encounter	ICD-10-CM	Diagnosis
S63.001S	Unspecified subluxation of right wrist and hand, sequela	ICD-10-CM	Diagnosis
S63.001A	Unspecified subluxation of right wrist and hand, initial encounter	ICD-10-CM	Diagnosis
S63.001D	Unspecified subluxation of right wrist and hand, subsequent encounter	ICD-10-CM	Diagnosis
S63.209A	Unspecified subluxation of unspecified finger, initial encounter	ICD-10-CM	Diagnosis
S63.209D	Unspecified subluxation of unspecified finger, subsequent encounter	ICD-10-CM	Diagnosis
S93.303A	Unspecified subluxation of unspecified foot, initial encounter	ICD-10-CM	Diagnosis
S93.303D	Unspecified subluxation of unspecified foot, subsequent encounter	ICD-10-CM	Diagnosis
S73.003A	Unspecified subluxation of unspecified hip, initial encounter	ICD-10-CM	Diagnosis
S73.003D	Unspecified subluxation of unspecified hip, subsequent encounter	ICD-10-CM	Diagnosis
S83.103A	Unspecified subluxation of unspecified knee, initial encounter	ICD-10-CM	Diagnosis
S83.103D	Unspecified subluxation of unspecified knee, subsequent encounter	ICD-10-CM	Diagnosis
S83.003A	Unspecified subluxation of unspecified patella, initial encounter	ICD-10-CM	Diagnosis
S83.003S	Unspecified subluxation of unspecified patella, sequela	ICD-10-CM	Diagnosis
S83.003D	Unspecified subluxation of unspecified patella, subsequent encounter	ICD-10-CM	Diagnosis
S53.003D	Unspecified subluxation of unspecified radial head, subsequent encounter	ICD-10-CM	Diagnosis
S53.003A	Unspecified subluxation of unspecified radial head, initial encounter	ICD-10-CM	Diagnosis
S53.003S	Unspecified subluxation of unspecified radial head, sequela	ICD-10-CM	Diagnosis
S43.203A	Unspecified subluxation of unspecified sternoclavicular joint, initial encounter	ICD-10-CM	Diagnosis
S43.203D	Unspecified subluxation of unspecified sternoclavicular joint, subsequent encounter	ICD-10-CM	Diagnosis
S43.003D	Unspecified subluxation of unspecified shoulder joint, subsequent encounter	ICD-10-CM	Diagnosis
S43.003A	Unspecified subluxation of unspecified shoulder joint, initial encounter	ICD-10-CM	Diagnosis
S43.003S	Unspecified subluxation of unspecified shoulder joint, sequela	ICD-10-CM	Diagnosis
S63.103A	Unspecified subluxation of unspecified thumb, initial encounter	ICD-10-CM	Diagnosis
S63.103D	Unspecified subluxation of unspecified thumb, subsequent encounter	ICD-10-CM	Diagnosis
S93.103A	Unspecified subluxation of unspecified toe(s), initial encounter	ICD-10-CM	Diagnosis
S93.103D	Unspecified subluxation of unspecified toe(s), subsequent encounter	ICD-10-CM	Diagnosis
S63.003S	Unspecified subluxation of unspecified wrist and hand, sequela	ICD-10-CM	Diagnosis
S63.003A	Unspecified subluxation of unspecified wrist and hand, initial encounter	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S63.003D	Unspecified subluxation of unspecified wrist and hand, subsequent encounter	ICD-10-CM	Diagnosis
S93.303S	Unspecified subluxation of unspecified foot, sequela	ICD-10-CM	Diagnosis
S73.003S	Unspecified subluxation of unspecified hip, sequela	ICD-10-CM	Diagnosis
S83.103S	Unspecified subluxation of unspecified knee, sequela	ICD-10-CM	Diagnosis
S43.203S	Unspecified subluxation of unspecified sternoclavicular joint, sequela	ICD-10-CM	Diagnosis
S63.103S	Unspecified subluxation of unspecified thumb, sequela	ICD-10-CM	Diagnosis
S93.103S	Unspecified subluxation of unspecified toe(s), sequela	ICD-10-CM	Diagnosis
S32.119S	Unspecified Zone I fracture of sacrum, sequela	ICD-10-CM	Diagnosis
S32.129S	Unspecified Zone II fracture of sacrum, sequela	ICD-10-CM	Diagnosis
S32.139S	Unspecified Zone III fracture of sacrum, sequela	ICD-10-CM	Diagnosis
S52.609S	Unspecified fracture of lower end of unspecified ulna, sequela	ICD-10-CM	Diagnosis
S93.106D	Unspecified dislocation of unspecified toe(s), subsequent encounter	ICD-10-CM	Diagnosis
S32.012G	Unstable burst fracture of first lumbar vertebra, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S32.012K	Unstable burst fracture of first lumbar vertebra, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S32.012D	Unstable burst fracture of first lumbar vertebra, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S22.012K	Unstable burst fracture of first thoracic vertebra, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S22.012D	Unstable burst fracture of first thoracic vertebra, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S32.022G	Unstable burst fracture of second lumbar vertebra, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S32.022D	Unstable burst fracture of second lumbar vertebra, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S22.022K	Unstable burst fracture of second thoracic vertebra, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S32.032D	Unstable burst fracture of third lumbar vertebra, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S22.032K	Unstable burst fracture of third thoracic vertebra, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S22.032D	Unstable burst fracture of third thoracic vertebra, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S32.042G	Unstable burst fracture of fourth lumbar vertebra, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S32.042K	Unstable burst fracture of fourth lumbar vertebra, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S32.042D	Unstable burst fracture of fourth lumbar vertebra, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S22.042D	Unstable burst fracture of fourth thoracic vertebra, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S32.052K	Unstable burst fracture of fifth lumbar vertebra, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S32.052D	Unstable burst fracture of fifth lumbar vertebra, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S22.082D	Unstable burst fracture of T11-T12 vertebra, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S22.072G	Unstable burst fracture of T9-T10 vertebra, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S22.072K	Unstable burst fracture of T9-T10 vertebra, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S22.002D	Unstable burst fracture of unspecified thoracic vertebra, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S32.002G	Unstable burst fracture of unspecified lumbar vertebra, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S32.002K	Unstable burst fracture of unspecified lumbar vertebra, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S32.002D	Unstable burst fracture of unspecified lumbar vertebra, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S32.012S	Unstable burst fracture of first lumbar vertebra, sequela	ICD-10-CM	Diagnosis
S32.022S	Unstable burst fracture of second lumbar vertebra, sequela	ICD-10-CM	Diagnosis
S32.032S	Unstable burst fracture of third lumbar vertebra, sequela	ICD-10-CM	Diagnosis
S22.032S	Unstable burst fracture of third thoracic vertebra, sequela	ICD-10-CM	Diagnosis
S32.042S	Unstable burst fracture of fourth lumbar vertebra, sequela	ICD-10-CM	Diagnosis
S22.042S	Unstable burst fracture of fourth thoracic vertebra, sequela	ICD-10-CM	Diagnosis
S32.052S	Unstable burst fracture of fifth lumbar vertebra, sequela	ICD-10-CM	Diagnosis
S22.082S	Unstable burst fracture of T11-T12 vertebra, sequela	ICD-10-CM	Diagnosis
S22.052S	Unstable burst fracture of T5-T6 vertebra, sequela	ICD-10-CM	Diagnosis
S22.062S	Unstable burst fracture of T7-T8 vertebra, sequela	ICD-10-CM	Diagnosis
S22.072S	Unstable burst fracture of T9-T10 vertebra, sequela	ICD-10-CM	Diagnosis
S32.002S	Unstable burst fracture of unspecified lumbar vertebra, sequela	ICD-10-CM	Diagnosis
S22.002S	Unstable burst fracture of unspecified thoracic vertebra, sequela	ICD-10-CM	Diagnosis
S12.02XA	Unstable burst fracture of first cervical vertebra, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S12.02XB	Unstable burst fracture of first cervical vertebra, initial encounter for open fracture	ICD-10-CM	Diagnosis
S12.02XG	Unstable burst fracture of first cervical vertebra, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S12.02XK	Unstable burst fracture of first cervical vertebra, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S12.02XD	Unstable burst fracture of first cervical vertebra, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S32.012A	Unstable burst fracture of first lumbar vertebra, initial encounter for closed fracture	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S32.012B	Unstable burst fracture of first lumbar vertebra, initial encounter for open fracture	ICD-10-CM	Diagnosis
S22.012A	Unstable burst fracture of first thoracic vertebra, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S22.012B	Unstable burst fracture of first thoracic vertebra, initial encounter for open fracture	ICD-10-CM	Diagnosis
S22.012S	Unstable burst fracture of first thoracic vertebra, sequela	ICD-10-CM	Diagnosis
S32.022A	Unstable burst fracture of second lumbar vertebra, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S32.022B	Unstable burst fracture of second lumbar vertebra, initial encounter for open fracture	ICD-10-CM	Diagnosis
S32.022K	Unstable burst fracture of second lumbar vertebra, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S22.022A	Unstable burst fracture of second thoracic vertebra, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S22.022B	Unstable burst fracture of second thoracic vertebra, initial encounter for open fracture	ICD-10-CM	Diagnosis
S22.022S	Unstable burst fracture of second thoracic vertebra, sequela	ICD-10-CM	Diagnosis
S22.022D	Unstable burst fracture of second thoracic vertebra, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S32.032A	Unstable burst fracture of third lumbar vertebra, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S32.032B	Unstable burst fracture of third lumbar vertebra, initial encounter for open fracture	ICD-10-CM	Diagnosis
S32.032K	Unstable burst fracture of third lumbar vertebra, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S22.032A	Unstable burst fracture of third thoracic vertebra, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S22.032B	Unstable burst fracture of third thoracic vertebra, initial encounter for open fracture	ICD-10-CM	Diagnosis
S32.042A	Unstable burst fracture of fourth lumbar vertebra, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S32.042B	Unstable burst fracture of fourth lumbar vertebra, initial encounter for open fracture	ICD-10-CM	Diagnosis
S22.042A	Unstable burst fracture of fourth thoracic vertebra, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S22.042B	Unstable burst fracture of fourth thoracic vertebra, initial encounter for open fracture	ICD-10-CM	Diagnosis
S32.052A	Unstable burst fracture of fifth lumbar vertebra, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S32.052B	Unstable burst fracture of fifth lumbar vertebra, initial encounter for open fracture	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S22.082A	Unstable burst fracture of T11-T12 vertebra, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S22.082B	Unstable burst fracture of T11-T12 vertebra, initial encounter for open fracture	ICD-10-CM	Diagnosis
S22.052A	Unstable burst fracture of T5-T6 vertebra, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S22.052B	Unstable burst fracture of T5-T6 vertebra, initial encounter for open fracture	ICD-10-CM	Diagnosis
S22.052G	Unstable burst fracture of T5-T6 vertebra, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S22.052K	Unstable burst fracture of T5-T6 vertebra, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S22.052D	Unstable burst fracture of T5-T6 vertebra, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S22.062A	Unstable burst fracture of T7-T8 vertebra, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S22.062B	Unstable burst fracture of T7-T8 vertebra, initial encounter for open fracture	ICD-10-CM	Diagnosis
S22.062G	Unstable burst fracture of T7-T8 vertebra, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S22.062K	Unstable burst fracture of T7-T8 vertebra, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S22.062D	Unstable burst fracture of T7-T8 vertebra, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S22.072A	Unstable burst fracture of T9-T10 vertebra, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S22.072B	Unstable burst fracture of T9-T10 vertebra, initial encounter for open fracture	ICD-10-CM	Diagnosis
S22.072D	Unstable burst fracture of T9-T10 vertebra, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S32.002A	Unstable burst fracture of unspecified lumbar vertebra, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S32.002B	Unstable burst fracture of unspecified lumbar vertebra, initial encounter for open fracture	ICD-10-CM	Diagnosis
S22.002A	Unstable burst fracture of unspecified thoracic vertebra, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S22.002B	Unstable burst fracture of unspecified thoracic vertebra, initial encounter for open fracture	ICD-10-CM	Diagnosis
S12.02XS	Unstable burst fracture of first cervical vertebra, sequela	ICD-10-CM	Diagnosis
S22.012G	Unstable burst fracture of first thoracic vertebra, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S22.022G	Unstable burst fracture of second thoracic vertebra, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S32.032G	Unstable burst fracture of third lumbar vertebra, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S22.032G	Unstable burst fracture of third thoracic vertebra, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S22.042G	Unstable burst fracture of fourth thoracic vertebra, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S22.042K	Unstable burst fracture of fourth thoracic vertebra, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S32.052G	Unstable burst fracture of fifth lumbar vertebra, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S22.082G	Unstable burst fracture of T11-T12 vertebra, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S22.082K	Unstable burst fracture of T11-T12 vertebra, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S22.002G	Unstable burst fracture of unspecified thoracic vertebra, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S22.002K	Unstable burst fracture of unspecified thoracic vertebra, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S22.000K	Wedge compression fracture of unspecified thoracic vertebra, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S22.030G	Wedge compression fracture of third thoracic vertebra, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S22.030K	Wedge compression fracture of third thoracic vertebra, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S22.040G	Wedge compression fracture of fourth thoracic vertebra, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S22.040K	Wedge compression fracture of fourth thoracic vertebra, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S22.010S	Wedge compression fracture of first thoracic vertebra, sequela	ICD-10-CM	Diagnosis
S22.020S	Wedge compression fracture of second thoracic vertebra, sequela	ICD-10-CM	Diagnosis
S32.030S	Wedge compression fracture of third lumbar vertebra, sequela	ICD-10-CM	Diagnosis
S22.030S	Wedge compression fracture of third thoracic vertebra, sequela	ICD-10-CM	Diagnosis
S32.040S	Wedge compression fracture of fourth lumbar vertebra, sequela	ICD-10-CM	Diagnosis
S22.040S	Wedge compression fracture of fourth thoracic vertebra, sequela	ICD-10-CM	Diagnosis
S32.050S	Wedge compression fracture of fifth lumbar vertebra, sequela	ICD-10-CM	Diagnosis
S22.080S	Wedge compression fracture of T11-T12 vertebra, sequela	ICD-10-CM	Diagnosis
S22.050S	Wedge compression fracture of T5-T6 vertebra, sequela	ICD-10-CM	Diagnosis
S22.060S	Wedge compression fracture of T7-T8 vertebra, sequela	ICD-10-CM	Diagnosis
S22.070S	Wedge compression fracture of T9-T10 vertebra, sequela	ICD-10-CM	Diagnosis
S32.000S	Wedge compression fracture of unspecified lumbar vertebra, sequela	ICD-10-CM	Diagnosis
S22.000S	Wedge compression fracture of unspecified thoracic vertebra, sequela	ICD-10-CM	Diagnosis
S32.010G	Wedge compression fracture of first lumbar vertebra, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis



**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S32.010K	Wedge compression fracture of first lumbar vertebra, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S32.010D	Wedge compression fracture of first lumbar vertebra, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S32.010A	Wedge compression fracture of first lumbar vertebra, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S32.010B	Wedge compression fracture of first lumbar vertebra, initial encounter for open fracture	ICD-10-CM	Diagnosis
S32.010S	Wedge compression fracture of first lumbar vertebra, sequela	ICD-10-CM	Diagnosis
S22.010A	Wedge compression fracture of first thoracic vertebra, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S22.010B	Wedge compression fracture of first thoracic vertebra, initial encounter for open fracture	ICD-10-CM	Diagnosis
S22.010G	Wedge compression fracture of first thoracic vertebra, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S22.010K	Wedge compression fracture of first thoracic vertebra, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S22.010D	Wedge compression fracture of first thoracic vertebra, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S32.020G	Wedge compression fracture of second lumbar vertebra, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S32.020K	Wedge compression fracture of second lumbar vertebra, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S32.020D	Wedge compression fracture of second lumbar vertebra, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S32.020A	Wedge compression fracture of second lumbar vertebra, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S32.020B	Wedge compression fracture of second lumbar vertebra, initial encounter for open fracture	ICD-10-CM	Diagnosis
S32.020S	Wedge compression fracture of second lumbar vertebra, sequela	ICD-10-CM	Diagnosis
S22.020A	Wedge compression fracture of second thoracic vertebra, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S22.020B	Wedge compression fracture of second thoracic vertebra, initial encounter for open fracture	ICD-10-CM	Diagnosis
S22.020G	Wedge compression fracture of second thoracic vertebra, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S22.020K	Wedge compression fracture of second thoracic vertebra, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S22.020D	Wedge compression fracture of second thoracic vertebra, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S32.030G	Wedge compression fracture of third lumbar vertebra, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S32.030K	Wedge compression fracture of third lumbar vertebra, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S32.030D	Wedge compression fracture of third lumbar vertebra, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S32.030A	Wedge compression fracture of third lumbar vertebra, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S32.030B	Wedge compression fracture of third lumbar vertebra, initial encounter for open fracture	ICD-10-CM	Diagnosis
S22.030A	Wedge compression fracture of third thoracic vertebra, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S22.030B	Wedge compression fracture of third thoracic vertebra, initial encounter for open fracture	ICD-10-CM	Diagnosis
S22.030D	Wedge compression fracture of third thoracic vertebra, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S32.040G	Wedge compression fracture of fourth lumbar vertebra, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S32.040K	Wedge compression fracture of fourth lumbar vertebra, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S32.040D	Wedge compression fracture of fourth lumbar vertebra, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S32.040A	Wedge compression fracture of fourth lumbar vertebra, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S32.040B	Wedge compression fracture of fourth lumbar vertebra, initial encounter for open fracture	ICD-10-CM	Diagnosis
S22.040A	Wedge compression fracture of fourth thoracic vertebra, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S22.040B	Wedge compression fracture of fourth thoracic vertebra, initial encounter for open fracture	ICD-10-CM	Diagnosis
S22.040D	Wedge compression fracture of fourth thoracic vertebra, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S32.050G	Wedge compression fracture of fifth lumbar vertebra, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S32.050K	Wedge compression fracture of fifth lumbar vertebra, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S32.050D	Wedge compression fracture of fifth lumbar vertebra, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S32.050A	Wedge compression fracture of fifth lumbar vertebra, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S32.050B	Wedge compression fracture of fifth lumbar vertebra, initial encounter for open fracture	ICD-10-CM	Diagnosis
S22.080A	Wedge compression fracture of T11-T12 vertebra, initial encounter for closed fracture	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S22.080B	Wedge compression fracture of T11-T12 vertebra, initial encounter for open fracture	ICD-10-CM	Diagnosis
S22.080G	Wedge compression fracture of T11-T12 vertebra, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S22.080K	Wedge compression fracture of T11-T12 vertebra, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S22.080D	Wedge compression fracture of T11-T12 vertebra, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S22.050A	Wedge compression fracture of T5-T6 vertebra, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S22.050B	Wedge compression fracture of T5-T6 vertebra, initial encounter for open fracture	ICD-10-CM	Diagnosis
S22.050G	Wedge compression fracture of T5-T6 vertebra, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S22.050K	Wedge compression fracture of T5-T6 vertebra, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S22.050D	Wedge compression fracture of T5-T6 vertebra, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S22.060A	Wedge compression fracture of T7-T8 vertebra, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S22.060B	Wedge compression fracture of T7-T8 vertebra, initial encounter for open fracture	ICD-10-CM	Diagnosis
S22.060G	Wedge compression fracture of T7-T8 vertebra, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S22.060K	Wedge compression fracture of T7-T8 vertebra, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S22.060D	Wedge compression fracture of T7-T8 vertebra, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S22.070A	Wedge compression fracture of T9-T10 vertebra, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S22.070B	Wedge compression fracture of T9-T10 vertebra, initial encounter for open fracture	ICD-10-CM	Diagnosis
S22.070G	Wedge compression fracture of T9-T10 vertebra, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S22.070K	Wedge compression fracture of T9-T10 vertebra, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S22.070D	Wedge compression fracture of T9-T10 vertebra, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S32.000G	Wedge compression fracture of unspecified lumbar vertebra, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S32.000K	Wedge compression fracture of unspecified lumbar vertebra, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis

**Appendix D. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), International Classification of Diseases, Tenth Revision, Clinical Modification/Procedure Coding System (ICD-10-CM/PCS), Healthcare Common Procedure Coding System (HCPCS) and Current Procedural Terminology, Category II (CPT-II) Diagnosis and Procedure Codes Used to Define Baseline Indications in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S32.000D	Wedge compression fracture of unspecified lumbar vertebra, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S32.000A	Wedge compression fracture of unspecified lumbar vertebra, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S32.000B	Wedge compression fracture of unspecified lumbar vertebra, initial encounter for open fracture	ICD-10-CM	Diagnosis
S22.000A	Wedge compression fracture of unspecified thoracic vertebra, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S22.000B	Wedge compression fracture of unspecified thoracic vertebra, initial encounter for open fracture	ICD-10-CM	Diagnosis
S22.000G	Wedge compression fracture of unspecified thoracic vertebra, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S22.000D	Wedge compression fracture of unspecified thoracic vertebra, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S02.40FS	Zygomatic fracture, left side, sequela	ICD-10-CM	Diagnosis
S02.40FA	Zygomatic fracture, left side, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S02.40FB	Zygomatic fracture, left side, initial encounter for open fracture	ICD-10-CM	Diagnosis
S02.40FG	Zygomatic fracture, left side, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S02.40FK	Zygomatic fracture, left side, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S02.40FD	Zygomatic fracture, left side, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S02.40ES	Zygomatic fracture, right side, sequela	ICD-10-CM	Diagnosis
S02.40EA	Zygomatic fracture, right side, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S02.40EB	Zygomatic fracture, right side, initial encounter for open fracture	ICD-10-CM	Diagnosis
S02.40EG	Zygomatic fracture, right side, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S02.40EK	Zygomatic fracture, right side, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S02.40ED	Zygomatic fracture, right side, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S02.402A	Zygomatic fracture, unspecified side, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S02.402B	Zygomatic fracture, unspecified side, initial encounter for open fracture	ICD-10-CM	Diagnosis
S02.402G	Zygomatic fracture, unspecified side, subsequent encounter for fracture with delayed healing	ICD-10-CM	Diagnosis
S02.402K	Zygomatic fracture, unspecified side, subsequent encounter for fracture with nonunion	ICD-10-CM	Diagnosis
S02.402D	Zygomatic fracture, unspecified side, subsequent encounter for fracture with routine healing	ICD-10-CM	Diagnosis
S02.402S	Zygomatic fracture, unspecified side, sequela	ICD-10-CM	Diagnosis

**Appendix E. Specifications for Parameters for this Request**

This request used the Cohort Identification and Descriptive Analysis (CIDA) tool, version 6.0.0, to characterize user demographics and treatment duration of higher dosage strength opioid analgesics in the Sentinel Distributed Database (SDD).

**Query Period:** January 1, 2012 - June 30, 2018

**Coverage requirement:** Medical & Drug Coverage

**Pre-index enrollment requirement:** 183 days

**Post-index enrollment requirement:** 30 days

**Enrollment gap:** 45 days

**Age Groups (Years):** 0-17, 18-29, 30-49, 50-64, 65+ years

**Stratifications, Type 5 Output:** Sex, Age

**Stratifications, Baseline:** Year

**Envelope macro:** Reclassify encounters during inpatient stay as inpatient

**Freeze data:** No

**Baseline table:** Yes

**Exposure**

Scenario	Exposure	Stockpiling	Care Setting	Cohort Definition	Incident exposure washout period (only assessed prior to first episode)	Incident with respect to:	Evaluation for Dispensings Only, or Days Supply	Episode Gap Type	Episode Gap (%)	Censor treatment episode at evidence of:
1	Higher dosage strength oral and transmucosal opioid analgesics	See Appendix F	Any care setting	Include all valid episodes during the query period	183 days	Higher dosage strength oral and transmucosal opioid analgesics	Days Supply	Percentage	50	Death, Disenrollment, DP end date
2	Lower dosage strength oral and transmucosal opioid analgesics	See Appendix F	Any care setting	Include all valid episodes during the query period	183 days	Lower dosage strength oral and transmucosal opioid analgesics	Days Supply	Percentage	50	Death, Disenrollment, DP end date
3	All oral and transmucosal opioid analgesics	See Appendix F	Any care setting	Include all valid episodes during the query period	183 days	All oral and transmucosal opioid analgesics	Days Supply	Percentage	50	Death, Disenrollment, DP end date
4	Transdermal Opioid Analgesics (Fentanyl & Buprenorphine)	See Appendix F	Any care setting	Include all valid episodes during the query period	183 days	Transdermal Opioid Analgesics (Fentanyl & Buprenorphine)	Days Supply	Percentage	50	Death, Disenrollment, DP end date

International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM), ICD-10-CM, Healthcare Common Procedure Coding System (HCPCS), and Current Procedural Terminology, Category II (CPT-II) codes are provided by Optum360.

National Drug Codes (NDCs) are checked against First Data Bank's "National Drug Data File (NDDF®) Plus."

**Appendix F. Specifications for Stockpiling Parameters for this Request**

**Query Period:** January 1, 2012 - June 30, 2018  
**Coverage requirement:** Medical & Drug Coverage  
**Pre-index enrollment requirement:** 183 days  
**Post-index enrollment requirement:** 30 days  
**Enrollment gap:** 45 days  
**Age Groups (Years):** 0-17, 18-29, 30-49, 50-64, 65+ years  
**Stratifications, Type 5 Output:** Sex, Age  
**Stratifications, Baseline:** Year  
**Envelope macro:** Reclassify encounters during inpatient stay as inpatient  
**Freeze data:** No  
**Baseline table:** Yes  
**Data Partners:** All Data Partners

**Stockpiling**

<b>Stockpiling group</b>	<b>Same day dispensing processing for days supplied</b>	<b>Same day dispensing processing for amount supplied</b>	<b>Range of allowable days supplied values</b>	<b>Range of allowable amount supplied values</b>	<b>Overlap percentage</b>
Generic name and form	Maximum	Maximum	1-141	1-2280	25%