

Disclaimer

Data obtained through Sentinel are intended to complement other types of evidence such as preclinical studies, clinical trials, postmarket studies, and adverse event reports, all of which are used by FDA to inform regulatory decisions regarding medical product safety. The information contained in this report is provided as part of FDA's commitment to place knowledge acquired from Sentinel in the public domain as soon as possible. Any public health actions taken by FDA regarding products involved in Sentinel queries will continue to be communicated through existing channels.

FDA wants to emphasize that the fact that FDA has initiated a query involving a medical product and is reporting findings related to that query does not mean that FDA is suggesting health care practitioners should change their prescribing practices for the medical product or that patients taking the medical product should stop using it. Patients who have questions about the use of an identified medical product should contact their health care practitioners.

The following report contains a description of the request, request specifications, and results from the modular program run(s).

If you are using a web page screen reader and are unable to access this document, please contact the Sentinel Operations Center for assistance at info@sentinelsystem.org.



Overview for Request cder mpl1r wp045 nsdp v01

Request ID: cder mpl1r wp045 nsdp v01

<u>Request Description</u>: This report contains estimates of atypical and typical antipsychotics and Selective Serotonin Reuptake Inhibitors (SSRIs) users with subsequent ischemic stroke or intracranial hemorrhage. This report also contains baseline characteristics of atypical and typical antipsychotics users with and without prior SSRI use.

Sentinel Modular Program Tool Used: Cohort Identification and Descriptive Analysis (CIDA) tool, version 3.3.2

<u>Data Source:</u> The query was run against the Sentinel Distributed Database (SDD) for the time period from January 1, 2001 to September 30, 2015. The request was distributed to 16 Data Partners on December 23, 2016. See Appendix A for a list of the latest dates of available data for each Data Partner.

Study Design: This request was designed to identify occurrences of the exposures of interest and occurrences of the health outcomes of interest during exposed time. The number of patients who met the cohort eligibility criteria and the number of member-years that those patients contributed to the study period were calculated. Among those eligible patients, the number of patients with the exposure of interest and the number of exposed patients with the health outcome of interest were calculated. This request also evaluated the distribution of baseline covariates for exposed patients. A list of diagnosis and procedure codes used to define covariates can be found in Appendix B and a list of generic and brand names used to define covariates can be found in Appendix C.

Exposures of Interest: The exposures of interest were atypical and typical antipsychotics, SSRI only use and concomitant atypical antipsychotic and SSRI use. Nine exposure cohorts were examined separately: 1) Typical antipsychotics; 2) Haloperidol only; 3) Atypical antipsychotics; 4) SSRIs only, excluding antipsychotic-SSRI combination National Drug Codes (NDCs); 5) Olanzapine with SSRI use within 60 days prior to index (i.e., the date of the exposure of interest); 6) Quetiapine with SSRI use within 60 days prior to index; 7) Risperidone with SSRI use within 60 days prior to index; 8) Aripirazole with SSRI use within 60 days prior to index. A list of generic and brand names used to define drug exposures can be found in Appendix D.

<u>Cohort Eligibility Criteria:</u> Patients were required to be continuously enrolled in plans with both medical and drug coverage for 183 days before their exposure date, during which gaps in coverage of up to 45 days were allowed. Patients were required to have had no evidence of atypical or typical antipsychotic use in the 183 days prior to the index date. For cohort 4 (SSRIs only, excluding antipsychotic-SSRI combination NDCs), patients were also required to have had no evidence of SSRI use in the 183 days prior to the index date.

Follow-Up Time: Follow-up began one day after the exposure of interest occurred due to a blackout period of one day, and continued until the first occurrence of any of the following: 1) disenrollment; 2) the study end date (September 30, 2015); 3) the end date of the data provided by each Data Partner (see Appendix A); 4) the end of the exposure episode; 5) the occurrence of atypical and/or typical antipsychotic incidence criteria; or 6) the occurrence of the health outcome of interest. Exposure episodes were created based on pharmacy dispensings days supplied. Multiple exposure episodes were bridged into one exposure episode if they occurred within 30 days of each other. An exposure extension period of 30 days was added onto the end of each exposure episode length after the gaps were bridged. Only the first valid exposure episode per patient that occurred during the study period was included.

<u>Health Outcomes of Interest:</u> Two outcomes of interest were examined: ischemic stroke and intracranial hemorrhage, which were defined by International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM) diagnosis codes. Please see Appendix E for a list of ICD-9-CM codes. Only diagnoses that occurred in the inpatient setting with a principal diagnosis indicator were included. Patients were required to have had no evidence of ischemic stroke and intracranial hemorrhage in the 60 days prior to the index date.

<u>Limitations:</u> Algorithms used to define exposures and outcomes are imperfect; thus, it is possible that there may be misclassification.

Please see the Appendix F for the specifications of parameters used in the analyses for this request.

Notes: Please contact the Sentinel Operations Center Query Fulfillment Team (qf@sentinelsystem.org) for questions and to provide comments/suggestions for future enhancements to this document.



| | Table of Contents |
|-----------------|---|
| | |
| Glossary | List of Terms Found in this Report and their Definitions |
| Table 1a | Baseline Characteristics of Patients Exposed to Atypical or Typical Antipsychotics with or without Selective Serotonin Reuptake Inhibitors (SSRIs) from January 1, 2001 to September 30, 2015, by Exposure (Scenarios with Outcome = Ischemic Stroke) |
| Table 1b | Baseline Characteristics of Patients Exposed to Atypical or Typical Antipsychotics with or without Selective Serotonin Reuptake Inhibitors (SSRIs) from January 1, 2001 to September 30, 2015, by Exposure (Scenarios with Outcome = Intracranial Hemorrhage) |
| Table 2a | Haloperidol Use by Strength of Dispensing from Index Date (Scenario with Outcome = Ischemic Stroke) |
| Table 2b | Haloperidol Use by Strength of Dispensing from Index Date (Scenario with Outcome = Intracranial Hemorrhage) |
| Table 3a | Baseline Stroke and Selective Serotonin Reuptake Inhibitor (SSRI) Dispensing of Exposed Patients at -183 to -61 Days Prior to Index Date (Scenarios with Outcome = Ischemic Stroke) |
| Table 3b | Baseline Stroke and Selective Serotonin Reuptake Inhibitor (SSRI) Dispensing of Exposed Patients at -183 to -61 Days Prior to Index Date (Scenarios with Outcome = Intracranial Hemorrhage) |
| <u>Table 4a</u> | Summary of Stroke following Treatment with Atypical or Typical Antipsychotics, with or without Selective Serotonin Reuptake Inhibitors (SSRIs) in the Sentinel Distributed Database between January 1, 2001 and September 30, 2015 by Exposure and Outcome (Scenarios with Outcome = Ischemic Stroke) |
| Table 4b | Summary of Stroke following Treatment with Atypical or Typical Antipsychotics, with or without Selective Serotonin Reuptake Inhibitors (SSRIs) in the Sentinel Distributed Database between January 1, 2001 and September 30, 2015 by Exposure and Outcome (Scenarios with Outcome = Intracranial Hemorrhage) |
| Appendix A | Dates of Available Data for Each Data Partner up to Request End Date (9/30/2015) |
| Appendix B | List of Diagnosis and Procedure Codes Used to Define Covariates in this Request |
| Appendix C | List of Generic and Brand Names used to Define Covariates in this Request |
| Appendix D | List of Generic and Brand Names used to Define Atpyical or Typical Antipsychotic with or without SSRI Exposures in this Request |
| Appendix E | List of Diagnosis Codes used to Define Outcomes in this Request |
| Appendix F | Modular Program Specifications for cder_mpl1r_wp045_nsdp_v01 |



Glossary of Terms for Analyses Using Cohort Identification and Descriptive Analysis (CIDA) Tool*

Amount Supplied - number of units (pills, tablets, vials) dispensed. Net amount per NDC per dispensing. This is equivalent to the "RxAmt" value in the Sentinel Common Data Model.

Blackout Period - number of days at the beginning of a treatment episode that events are to be ignored. If an event occurs during the blackout period, the episode is excluded.

Care Setting - type of medical encounter or facility where the exposure, event, or condition code was recorded. Possible care settings include: Inpatient Hospital Stay (IP), Non-Acute Institutional Stay (IS), Emergency Department (ED), Ambulatory Visit (AV), and Other Ambulatory Visit (OA). For laboratory results, possible care settings include: Emergency department (E), Home (H), Inpatient (I), Outpatient (O), or Unknown or Missing (U). Along with the Principal Diagnosis Indicator, forms the Care Setting/PDX parameter.

Ambulatory Visit (AV) - includes visits at outpatient clinics, same-day surgeries, urgent care visits, and other same-day ambulatory hospital encounters, but excludes emergency department encounters.

Emergency Department (ED) - includes ED encounters that become inpatient stays (in which case inpatient stays would be a separate encounter). Excludes urgent care visits.

Inpatient Hospital Stay (IP) - includes all inpatient stays, same-day hospital discharges, hospital transfers, and acute hospital care where the discharge is after the admission date.

Non-Acute Institutional Stay (IS) - includes hospice, skilled nursing facility (SNF), rehab center, nursing home, residential, overnight non-hospital dialysis and other non-hospital stays.

Other Ambulatory Visit (OA) - includes other non overnight AV encounters such as hospice visits, home health visits, skilled nursing facility visits, other non-hospital visits, as well as telemedicine, telephone and email consultations.

Cohort Definition (drug/exposure) - indicates how the cohort will be defined: (1) 01: Cohort includes only the first valid treatment episode during the query period; (2) 02: Cohort includes all valid treatment episodes during the query period; (3) 03: Cohort includes all valid treatment episodes during the query period until an event occurs.

Days Supplied - number of days supplied for all dispensings in qualifying treatment episodes.

Episodes - treatment episodes; length of episode is determined by days supplied in one dispensing or consecutive dispensings bridged by the episode gap.

Eligible Members - number of members eligible for an incident treatment episode (defined by the drug/exposure and event washout periods) with drug and medical coverage during the query period.

Enrollment Gap - number of days allowed between two consecutive enrollment periods without breaking a "continuously enrolled" sequence.

Episode Gap - number of days allowed between two (or more) consecutive exposures (dispensings/procedures) to be considered the same treatment episode.

Event Deduplication - specifies how events are counted by the MP algorithm: (0) 0: Counts all occurrences of an HOI during an exposure episode; (1) 1: de-duplicates occurrences of the same HOI code and code type on the same day; (2) 2: de-duplicates occurrences of the same HOI group on the same day (e.g., de-duplicates at the group level).

Exposure Extension Period - number of days post treatment period in which the outcomes/events are counted for a treatment episode.

Exposure Episode Length - number of days after exposure initiation that is considered "exposed time."

Lookback Period (pre-existing condition) - number of days wherein a member is required to have evidence of pre-existing condition (diagnosis/procedure/drug dispensing).

Member-Years - sum of all days of enrollment with medical and drug coverage** in the query period preceded by an exposure washout period all divided by 365.25.

Minimum Days Supplied - specifies a minimum number of days in length of the days supplied for the episode to be considered.

Minimum Episode Duration - specifies a minimum number of days in length of the episode for it to be considered.

Principal Diagnosis (PDX) - diagnosis or condition established to be chiefly responsible for admission of the patient to the hospital. 'P' = principal diagnosis, 'S' = secondary diagnosis, 'X' = unspecified diagnosis, '.' = blank. Along with the Care Setting values, forms the Caresetting/PDX parameter.

Query Period - period in which the modular program looks for exposures and outcomes of interest.



Treatment Episode Truncation Indicator - indicates whether observation of the incident query code during follow-up requires truncation of valid treatment episodes. A value of Y indicates that the treatment episodes should be truncated at the first occurrence of an incident query code. A value of N indicates that the treatment episodes should not be truncated at the occurrence of the incident query code.

Users - number of members with exposure during the query period. Member must have no evidence of exposure(s) of interest (defined by incidence criteria) in the prior washout period. A user may only be counted once in a query period.

Washout Period (drug/exposure)** - number of days a user is required to have no evidence of prior exposure (drug dispensing/procedure) and continuous drug and medical coverage prior to an incident treatment episode.

Years at Risk - number of days supplied plus any episode gaps and exposure extension periods all divided by 365.25.

- *all terms may not be used in this report
- **incident treatment episodes must be incident to both the exposure and the event



Table 1a: Baseline Characteristics of Patients Exposed to Atypical or Typical Antipsychotics with or without Selective Serotonin Reuptake Inhibitors (SSRIs) from January 1, 2001 to September 30, 2015, by

| | | Typic | -1 | | | | | | | | | | | | | | | | |
|--------------------------|------------------------------------|----------------|----------------|-------------|---------------|-----------------|----------------|----------------------|----------------|----------------|---------------|---|---------------|----------------|-------------|----------------|---------------|----------------|--------------|
| | | i ypic | aı | Halope | ridol | Atypi | cal | SSRI o | alv | Olanza | pine + | Quetia | oine + | Risperio | one + | Aripipra | zole + | Olanza | pine + |
| | | Antipsycl | hotics | Паюрс | illuoi | Antipsyc | hotics | 33111 01 | y | SSI | RI | SSF | | SSF | | SSF | | Fluox | etine |
| | 1 | N Mean | % Std | N Mean | % Std | N Mean | % Std | N Mean | % Std | N Mean | % Std | N Mean | % Std | N Mean | % Std | N Mean | % Std | N Mean | % Sto |
| Characteristic | Number of patients | 148,229 | | 81,883 | | 1,241,864 | | 7,069,928 | | 86,811 | | 234,760 | | 111,168 | | 145,996 | | 33,897 | , |
| Characteristic | Number of outcomes while | 140,223 | | 01,003 | | 1,241,004 | | 7,003,320 | | 00,011 | | 234,700 | | 111,100 | | 143,330 | | 33,037 | |
| | on therapy | _ | _ | _ | _ | _ | _ | _ | _ | _ | _ | _ | _ | _ | _ | _ | _ | _ | _ |
| | Person-days at risk | - | - | - | - | - | - | - | - | - | - | - | - | - | - | ı | - | - | - |
| Dations Characteristics | | 62.4 | 40.2 | 70 | 47.0 | 40.6 | 10 | 45.6 | 16.1 | 40.0 | 10.5 | 40.5 | 40.2 | 54.4 | 20 | 42.6 | 44.7 | 45.0 | 1.0 |
| Patient Characteristics | Age 18-39 | 62.4 24,654 | 18.3 16.6% | 70 8,590 | 17.9 10.5% | 48.6 474,808 | 19 38.2% | 45.6 2,901,349 | 16.1 41.0% | 48.9 31.703 | 18.5 36.5% | 48.5 88,601 | 18.3 37.7% | 51.1 39,449 | 20 35.5% | 43.6 61.616 | 14.7 42.2% | 45.6 13,919 | 16. 41.19 |
| | 40-54 | 29,237 | 19.7% | 9,914 | 12.1% | 348,067 | 28.0% | 2,901,349 | 31.0% | - , | 29.4% | | 29.3% | 28,231 | 25.4% | 49,867 | 34.2% | 10,753 | 31.79 |
| | 55+ | | | 63,379 | | 418,989 | 33.7% | | | 25,488 | 34.1% | 68,868 77,291 | 32.9% | , | 39.1% | | 23.6% | | 27.29 |
| | | 94,338 | 63.6% | 63,379 | 77.4% 0.0% | 418,989 | 0.0% | 1,975,786 | | 29,620 | 0.0% | 77,291 | 0.0% | 43,488 | 0.0% | 34,513 | 0.0% | 9,225 | 0.09 |
| | Gender (Ambiguous) Gender (Female) | 71,550 | 48.3% | 45,671 | 55.8% | 756,054 | 60.9% | 4,794,245 | 0.0% 67.8% | 54,359 | 62.6% | 151,274 | 64.4% | 70,384 | 63.3% | 101,420 | 69.5% | 21,289 | 62.89 |
| | Gender (Female) | 76,665 | 48.3% 51.7% | 36,199 | 44.2% | 485,738 | 39.1% | 2,275,339 | 32.2% | 32,451 | 37.4% | 83,473 | 35.6% | 40,772 | 36.7% | 44,571 | 30.5% | 12.608 | |
| | Gender (Unknown) | 12 | 0.0% | 36,199 | 0.0% | 485,738 | 0.0% | 337 | 0.0% | 32,451 | 0.0% | 83,473 | | 40,772 | 0.0% | 44,571 | 0.0% | 12,608 | 0.09 |
| | Centre (Cinare VIII) | | 0.070 | | 0.070 | 3 | 0.070 | 33, | 0.070 | _ | 0.070 | | 0.070 | | 0.070 |) | 0.070 | | 0.0 |
| | Combined comorbidity | | | | | | | | | | | | | | | _ | | | |
| Recorded history of: | index | 2.9 | 3.2 | 3.9 | 3.5 | 1.4 | 1.9 | 0.4 | 1.4 | 1.4 | . 2 | 1.4 | 1.9 | 1.6 | 2 | 1 | 1.4 | 1.1 | . 1. |
| Medical Conditions | | | | | | | | | | | | | | | | | | | |
| | Acute Myocardial Infarction | 11,227 | 7.6% | 8,447 | 10.3% | 36,416 | 2.9% | 124,763 | 1.8% | 2,648 | 3.1% | 7,196 | 3.1% | 3,996 | 3.6% | 2,051 | 1.4% | 780 | 2.39 |
| | Diabetes | 31,619 | 21.3% | 19,554 | 23.9% | 154,252 | 12.4% | 661,690 | 9.4% | 9,921 | 11.4% | 29,765 | 12.7% | 16,858 | 15.2% | 15,298 | 10.5% | 3,385 | |
| | Heart Failure | 18,954 | 12.8% | 15,586 | 19.0% | 63,400 | 5.1% | 166,463 | 2.4% | 4,689 | 5.4% | 11,927 | 5.1% | 7,549 | 6.8% | 2,847 | 2.0% | 1,122 | |
| | rieart railure | 10,554 | 12.070 | 13,360 | 15.0% | 03,400 | 3.170 | 100,403 | 2.4/0 | 4,005 | 3.476 | 11,527 | 3.170 | 7,343 | 0.876 | 2,047 | 2.070 | 1,122 | 3.3. |
| | Hypercholesterolemia | 47,336 | 31.9% | 27,506 | 33.6% | 283,670 | 22.8% | 1,400,527 | 19.8% | 18,609 | 21.4% | 56,774 | 24.2% | 27,010 | 24.3% | 33,034 | 22.6% | 6,799 | 20.19 |
| | Hypertension | 70,546 | 47.6% | 44,579 | 54.4% | 383,517 | 30.9% | 1,629,328 | 23.0% | 26,929 | 31.0% | 76,992 | 32.8% | 39,478 | 35.5% | 36,362 | 24.9% | 9,020 | 26.69 |
| | Kidney Failure (acute or | | | | | | | | | | | | | | | | | | |
| | chronic) | 23,285 | 15.7% | 18,059 | 22.1% | 71,968 | 5.8% | 191,142 | 2.7% | 4,325 | 5.0% | 13,741 | 5.9% | 7,729 | 7.0% | 3,689 | 2.5% | 1,096 | 3.29 |
| | Obesity | 12,813 | 8.6% | 7,406 | 9.0% | 94,530 | 7.6% | 473,548 | 6.7% | 5,857 | 6.7% | 19,296 | 8.2% | 9,457 | 8.5% | 13,708 | 9.4% | 2,506 | 7.49 |
| | | 2.054 | 4.00/ | 2.425 | 2 50/ | 44.455 | 4.00/ | 44 450 | 0.60/ | 4.000 | 4.00/ | 2.00= | 4.00/ | 4.650 | 4 = 0/ | 0.45 | 0.50 | 200 | |
| Psychiatric Conditions | Transient Ischemic Attack | 2,864 | 1.9% | 2,135 | 2.6% | 14,457 | 1.2% | 41,450 | 0.6% | 1,023 | 1.2% | 2,937 | 1.3% | 1,653 | 1.5% | 845 | 0.6% | 309 | 0.99 |
| r sycillatric conditions | Anxiety | 28,089 | 18.9% | 15,204 | 18.6% | 428,685 | 34.5% | 1,391,114 | 19.7% | 34,705 | 40.0% | 104,802 | 44.6% | 44,398 | 39.9% | 61.860 | 42.4% | 12,572 | 37.19 |
| | Bipolar | 14,052 | 9.5% | 6,167 | 7.5% | 285,475 | 23.0% | 155,880 | 2.2% | 19,198 | 22.1% | 47,434 | 20.2% | 22,946 | 20.6% | 32,970 | 22.6% | 8,012 | 23.69 |
| | Depression | 37,324 | 25.2% | 21,020 | 25.7% | 594,818 | 47.9% | 1,513,202 | 21.4% | 49,100 | 56.6% | 142,918 | 60.9% | 65,233 | 58.7% | 95,678 | 65.5% | 18,429 | + |
| | Post Traumatic Stress | | | | | 55 .,522 | | | | , | 00.072 | | | | | 00,010 | | , | |
| | Disorder | 2,920 | 2.0% | 1,043 | 1.3% | 56,799 | 4.6% | 65,850 | 0.9% | 4,020 | 4.6% | 14,912 | 6.4% | 6,793 | 6.1% | 7,923 | 5.4% | 1,343 | 4.09 |
| | Schizophrenia/ Psychotic | _, | | _,-, | | | | | | ., | | | | | | ., | | -, | |
| | Disorder | 18,265 | 12.3% | 13,103 | 16.0% | 130,941 | 10.5% | 47,537 | 0.7% | 9,604 | 11.1% | 17,608 | 7.5% | 16,889 | 15.2% | 6,879 | 4.7% | 2,496 | 7.49 |
| | Substance Abuse | 16,489 | 11.1% | 9,331 | 11.4% | 208,537 | 16.8% | 285,839 | 4.0% | 15,134 | | 51,450 | 21.9% | 18,276 | 16.4% | 18,517 | 12.7% | 5,244 | _ |
| History of use: | | -, | | ., | | , | | , | - /- | 1 | 1 | , <u>, , , , , , , , , , , , , , , , , , </u> | | -, - | | -,- | | | 1 |
| | | | | | | | | | | | | | | | | | | | |
| | Angiotensin- converting | | | | | | | | | | | | | | | | | | |
| | enzyme (ACE) inhibitors | 31,640 | 21.3% | 19,091 | 23.3% | 167,513 | 13.5% | 790,418 | 11.2% | 12,283 | 14.1% | 34,256 | 14.6% | 18,373 | 16.5% | 16,780 | 11.5% | 4,158 | 12.39 |
| | Antiarrhythmics | 2,866 | 1.9% | 1,932 | 2.4% | 11,568 | 0.9% | 51,719 | 0.7% | 920 | 1.1% | 2,224 | 0.9% | 1,261 | 1.1% | 881 | 0.6% | 236 | 0.79 |
| | Authorization (2) | | 4.501 | | E *** | 47.65 | | 67.05 | 4.00 | | | 2.25 | | 4 700 | 4 | | | 2== |] |
| | Anticoagulant (Non-Oral) | 6,848 | 4.6% | 4,433 | 5.4% | 17,633 | 1.4% | 67,356 | 1.0% | 1,419 | | 3,386 | 1.4% | 1,700 | 1.5% | 1,457 | 1.0% | | |
| | Anticoagulant (Oral) | 13,051 | 8.8% | 9,547 | 11.7% | 45,188 | 3.6% | 167,175 | 2.4% | 3,290 | 3.8% | 8,684 | 3.7% | 4,990 | 4.5% | 2,860 | 2.0% | 875 | |
| | Beta Blockers | 35,762 | 24.1% | 23,765 | 29.0% | 178,155 | 14.3% 17.5% | 750,023 1.034.114 | 10.6% 14.6% | 12,888 | 14.8% | 37,564 | 16.0% | 18,554 | 16.7% | 17,015 | 11.7% | 4,294 | 12.79 |



Table 1a: Baseline Characteristics of Patients Exposed to Atypical or Typical Antipsychotics with or without Selective Serotonin Reuptake Inhibitors (SSRIs) from January 1, 2001 to September 30, 2015, by

Exposure (Scenarios with Outcome = Ischemic Stroke)

| | | Typic | al | Halope | ridal | Atypi | ical | SSRI o | alv | Olanzap | oine + | Quetiap | ine + | Risperid | lone + | Aripipra | zole + | Olanza | oine + |
|-----------------------------------|-------------------------------|-----------|--------|--------|-------|----------|--------|---------|-------|---------|--------|---------|-------|----------|--------|----------|--------|--------|--------|
| | | Antipsycl | hotics | Паюро | iluoi | Antipsyc | hotics | 33111 0 | ···y | SSR | RI | SSR | l . | SSR | RI | SSF | RI | Fluoxe | tine |
| | | N Mean | % Std | N Mean | % Std | N Mean | % Std | N Mean | % Std | N Mean | % Std | N Mean | % Std | N Mean | % Std | N Mean | % Std | N Mean | % Std |
| | | | | | | | | | | | | | | | | | | | |
| Health Service Utilization | Number of ambulatory | | | | | | | | | | | | | | | | | | |
| Intensity | encounters (AV) | 11.5 | 12.7 | 11.6 | 12.8 | 9.9 | 10.8 | 6.4 | 7.9 | 10.2 | 10.8 | 10.9 | 10.9 | 10.1 | 10.9 | 11.2 | 11 | 9.5 | 9.9 |
| | Number of emergency | | | | | | | | | | | | | | | | | | |
| | room encounters (ED) | 1.0 | 1.7 | 1.2 | 1.8 | 0.7 | 1.5 | 0.3 | 0.9 | 0.9 | 1.8 | 0.9 | 1.7 | 0.9 | 1.7 | 0.5 | 1.2 | 0.8 | 1.6 |
| | | | | | | | | | | | | | | | | | | | |
| | Number of inpatient | | | | | | | | | | | | | | | | | | |
| | hospital encounters (IP) | 0.7 | 1.2 | 0.9 | 1.3 | 0.4 | 0.9 | 0.1 | 0.5 | 0.5 | 1 | 0.4 | 0.9 | 0.5 | 0.9 | 0.2 | 0.7 | 0.3 | 0.8 |
| | | | | | | | | | | | | | | | | | | | |
| | Number of non-acute | | | | | | | | | | | | | | | | | | |
| | institutional encounters (IS) | 0.3 | 1.0 | 0.4 | 1.2 | 0.2 | 0.8 | 0 | 0.4 | 0.2 | 0.7 | 0.2 | 0.8 | 0.2 | 0.9 | 0.1 | 0.5 | 0.1 | 0.6 |
| | Number of other | | | | | | | | | | | | | | | | | | |
| | ambulatory encounters | | | | | | | | | | | | | | | | | | |
| | (OA) | 6.4 | 9.9 | 9.1 | 11.6 | 2.6 | 5.8 | 1.6 | 4.0 | 2.4 | 5.7 | 2.9 | 6.1 | 3.1 | 6.4 | 2.2 | 5.1 | 2 | 4.8 |
| | Number of filled | | | | | | | | | | | | | | | | | | |
| | prescriptions | 21.1 | 19.1 | 22.7 | 19.5 | 18.9 | 18.1 | 9.9 | 11.8 | 23.1 | 21.3 | 22.7 | 19.4 | 21.5 | 19.9 | 20.7 | 16.6 | 20.5 | 19.6 |
| | Number of generics | 9.0 | 6.5 | 9.7 | 6.7 | 7.4 | 5.7 | 4.5 | 4.2 | 8.9 | 6.5 | 8.9 | 5.9 | 8.2 | 5.9 | 7.9 | 5.2 | 8.2 | 6.2 |
| | Number of unique drug | | | | | | | | | | | | | | | | | | |
| | classes | 8.1 | 5.6 | 8.8 | 5.7 | 6.8 | 4.9 | 4.1 | 3.8 | 7.9 | 5.4 | 8.0 | 5.0 | 7.5 | 5.1 | 7.2 | 4.6 | 7.3 | 5.2 |
| | | | | | | | | | | | | | | | | | | | |

Note: Continuous variables are presented as mean (std) and categorical variables are presented as n (%)



Table 1b: Baseline Characteristics of Patients Exposed to Atypical or Typical Antipsychotics with or without Selective Serotonin Reuptake Inhibitors (SSRIs) from January 1, 2001 to September 30, 2015, by

| , | :h Outcome = Intracranial He | Typic | cal | Halope | ridol | Atypic | | SSRI or | nly | Olanza | | Quetiap | | Risperid | | Aripipra | | Olanza | |
|---------------------------|------------------------------|----------|-------|--------|-------|-----------|-------|-----------|-------|----------|-------|---------|-------|----------|-------|----------|-------|--------|----------|
| | | Antipsyc | | • | | Antipsych | | | | SSI | | SSR | | SSR | | SSF | | Fluoxe | |
| | T | N Mean | % Std | N Mean | % Std | N Mean | % Std | N Mean | % Std | N Mean | % Std | N Mean | % Std | N Mean | % Std | N Mean | % Std | N Mean | % Std |
| Characteristic | Number of patients | 148,232 | | 81,885 | | 1,241,877 | | 7,069,948 | | 86,813 | | 234,765 | | 111,172 | | 145,996 | | 33,897 | |
| Cilaracteristic | Number of outcomes while | 140,232 | | 61,663 | | 1,241,677 | | 7,003,348 | | 60,613 | | 234,703 | | 111,172 | | 143,330 | | 33,037 | 1 |
| | on therapy | _ | _ | _ | _ | _ | _ | _ | _ | _ | _ | _ | _ | _ | _ | _ | _ | _ | _ |
| | Person time at risk | _ | | _ | _ | _ | _ | _ | _ | _ | _ | _ | _ | _ | | _ | _ | _ | <u> </u> |
| | T CISOTI EITIC GCTISK | | | | | | | | | | | | | | | | | | |
| Patient Characteristics | Age | 62.4 | 18.3 | 70 | 17.9 | 48.6 | 19 | 45.6 | 16.1 | 48.9 | 18.5 | 48.5 | 18.3 | 51.1 | 20 | 43.6 | 14.7 | 45.6 | 16.6 |
| - uncirc una uncirciotico | 18-39 | 24,654 | 16.6% | 8,590 | 10.5% | 474,808 | | 2,901,349 | 41.0% | 31,703 | 36.5% | 88,602 | 37.7% | 39,449 | 35.5% | 61,616 | 42.2% | 13,919 | |
| | 40-54 | 29,237 | 19.7% | 9,914 | 12.1% | 348,067 | 28.0% | 2,192,797 | 31.0% | 25,488 | | 68,868 | 29.3% | 28,231 | 25.4% | 49,867 | 34.2% | 10,753 | 31.7% |
| | 55+ | 94,341 | 63.6% | 63,381 | 77.4% | 419,002 | | 1,975,802 | 27.9% | 29,622 | | 77,295 | 32.9% | 43,492 | 39.1% | 34,513 | 23.6% | 9,225 | |
| | Gender (Ambiguous) | 2 | 0.0% | 2 | 0.0% | 4 | 0.0% | 7 | 0.0% | - | 0.0% | 2 | 0.0% | - | 0.0% | | 0.0% | - | 0.0% |
| | Gender (Female) | 71,550 | 48.3% | 45,671 | 55.8% | 756,062 | 60.9% | 4,794,259 | 67.8% | 54,361 | 62.6% | 151,278 | 64.4% | 70,386 | 63.3% | 101,420 | 69.5% | 21,289 | 62.8% |
| | Gender (Male) | 76,668 | 51.7% | 36,201 | 44.2% | 485,743 | | 2,275,345 | 32.2% | 32,451 | 37.4% | 83,474 | 35.6% | 40,774 | 36.7% | 44,571 | 30.5% | 12,608 | |
| | Gender (Unknown) | 12 | 0.0% | 11 | 0.0% | 68 | | 337 | 0.0% | 1 | 0.0% | 11 | 0.0% | 12 | 0.0% | .,5 | 0.0% | -,230 | 0.09 |
| | | T | , | | | | | | 1 | <u> </u> | 1 | | | | 3.270 | <u> </u> | | | 1 |
| | Combined comorbidity | | | | | | | | | | | | | | | | | | |
| Recorded history of: | index | 2.9 | 3.2 | 3.9 | 3.5 | 1.4 | 1.9 | 0.4 | 1.4 | 1.4 | 2 | 1.4 | 1.9 | 1.6 | 2 | 1 | 1.4 | 1.1 | 1.7 |
| Medical Conditions | | | | | | | | | | | | | | | | | | | |
| | Acute Myocardial | | | | | | | | | | | | | | | | | | |
| | Infarction | 11,227 | 7.6% | 8,447 | 10.3% | 36,418 | 2.9% | 124,765 | 1.8% | 2,648 | 3.1% | 7,197 | 3.1% | 3,997 | 3.6% | 2,051 | 1.4% | 780 | 2.3% |
| | Diabetes | 31,618 | 21.3% | 19,553 | 23.9% | 154,255 | 12.4% | 661,695 | 9.4% | 9,921 | | 29,767 | 12.7% | 16,859 | 15.2% | 15,298 | 10.5% | 3,385 | 10.0% |
| | Heart Failure | 18,955 | 12.8% | 15,587 | 19.0% | 63,403 | 5.1% | 166,465 | 2.4% | 4,689 | 5.4% | 11,928 | 5.1% | 7,551 | 6.8% | 2,847 | 2.0% | 1,122 | 3.3% |
| | | | | | | | | | | | | | | | | , | | - | |
| | Hypercholesterolemia | 47,338 | 31.9% | 27,507 | 33.6% | 283,671 | 22.8% | 1,400,533 | 19.8% | 18,609 | 21.4% | 56,775 | 24.2% | 27,010 | 24.3% | 33,034 | 22.6% | 6,799 | 20.1% |
| | Hypertension | 70,548 | 47.6% | 44,581 | 54.4% | 383,523 | 30.9% | 1,629,337 | 23.0% | 26,930 | 31.0% | 76,994 | 32.8% | 39,480 | 35.5% | 36,362 | 24.9% | 9,020 | 26.6% |
| | Kidney Failure (acute or | | | | | | | | | | | | | | | | | | |
| | chronic) | 23,286 | 15.7% | 18,060 | 22.1% | 71,971 | 5.8% | 191,143 | 2.7% | 4,325 | 5.0% | 13,742 | 5.9% | 7,730 | 7.0% | 3,689 | 2.5% | 1,096 | 3.2% |
| | Obesity | 12,814 | 8.6% | 7,406 | 9.0% | 94,531 | 7.6% | 473,550 | 6.7% | 5,857 | 6.7% | 19,296 | 8.2% | 9,458 | 8.5% | 13,708 | 9.4% | 2,506 | 7.4% |
| | | | | | | | | | | | | | | | | | | | |
| | Transient Ischemic Attack | 2,864 | 1.9% | 2,135 | 2.6% | 14,459 | 1.2% | 41,451 | 0.6% | 1,024 | 1.2% | 2,938 | 1.3% | 1,653 | 1.5% | 845 | 0.6% | 309 | 0.9% |
| Psychiatric Conditions | | | | | | | | | | | | | | | | | | | |
| | Anxiety | 28,089 | 18.9% | 15,204 | 18.6% | 428,687 | 34.5% | 1,391,118 | 19.7% | 34,705 | 40.0% | 104,802 | 44.6% | 44,399 | 39.9% | 61,860 | 42.4% | 12,572 | 37.1% |
| | Bipolar | 14,052 | 9.5% | 6,167 | 7.5% | 285,476 | 23.0% | 155,880 | 2.2% | 19,198 | 22.1% | 47,434 | 20.2% | 22,946 | 20.6% | 32,970 | 22.6% | 8,012 | 23.6% |
| | Depression | 37,324 | 25.2% | 21,020 | 25.7% | 594,823 | 47.9% | 1,513,208 | 21.4% | 49,101 | 56.6% | 142,920 | 60.9% | 65,234 | 58.7% | 95,678 | 65.5% | 18,429 | 54.4% |
| | Post Traumatic Stress | | | | | | | | | | | | | | | | | | |
| | Disorder | 2,920 | 2.0% | 1,043 | 1.3% | 56,799 | 4.6% | 65,850 | 0.9% | 4,020 | 4.6% | 14,912 | 6.4% | 6,793 | 6.1% | 7,923 | 5.4% | 1,343 | 4.0% |
| | Schizophrenia/ Psychotic | | | | | | | | | | | | | | | | | | |
| | Disorder | 18,265 | 12.3% | 13,103 | 16.0% | 130,943 | 10.5% | 47,538 | 0.7% | 9,604 | 11.1% | 17,608 | 7.5% | 16,890 | 15.2% | 6,879 | 4.7% | 2,496 | 7.4% |
| | Substance Abuse | 16,490 | 11.1% | 9,332 | 11.4% | 208,538 | 16.8% | 285,840 | 4.0% | 15,134 | 17.4% | 51,450 | 21.9% | 18,276 | 16.4% | 18,517 | 12.7% | 5,244 | 15.5% |
| History of use: | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | |
| | Angiotensin- converting | | | | | | | | | | | | | | | | | | |
| | enzyme (ACE) inhibitors | 31,641 | | 19,092 | 23.3% | 167,519 | | 790,423 | | 12,284 | | 34,259 | 14.6% | 18,374 | | 16,780 | | 4,158 | 12.3% |
| | Antiarrhythmics | 2,866 | 1.9% | 1,932 | 2.4% | 11,568 | 0.9% | 51,718 | 0.7% | 920 | 1.1% | 2,224 | 0.9% | 1,261 | 1.1% | 881 | 0.6% | 236 | 0.7% |
| | | | | | | | | | | | | | | | | | | | 1 |
| | Anticoagulant (Non-Oral) | 6,848 | 4.6% | 4,433 | 5.4% | 17,633 | | 67,355 | 1.0% | 1,419 | | 3,386 | 1.4% | 1,700 | 1.5% | 1,457 | 1.0% | 373 | |
| | Anticoagulant (Oral) | 13,052 | 8.8% | 9,548 | 11.7% | 45,188 | 3.6% | 167,178 | 2.4% | 3,290 | 3.8% | 8,684 | 3.7% | 4,990 | 4.5% | 2,860 | 2.0% | 875 | 2.6% |
| | Beta Blockers | 35,764 | 24.1% | 23,767 | 29.0% | 178,158 | | 750,025 | 10.6% | 12,888 | | 37,565 | 16.0% | 18,555 | 16.7% | 17,015 | 11.7% | 4,294 | |
| | Statins | 39,050 | 26.3% | 23,511 | 28.7% | 217,769 | 17.5% | 1,034,119 | 14.6% | 14,850 | 17.1% | 45,772 | 19.5% | 22,715 | 20.4% | 25,372 | 17.4% | 5,237 | 15.4% |



Table 1b: Baseline Characteristics of Patients Exposed to Atypical or Typical Antipsychotics with or without Selective Serotonin Reuptake Inhibitors (SSRIs) from January 1, 2001 to September 30, 2015, by Exposure (Scenarios with Outcome = Intracranial Hemorrhage)

| | | Турі | cal | Halope | ridol | Atypio | al | SSRI or | ılv | Olanzar | oine + | Quetiap | ine + | Risperio | lone + | Aripipra | zole + | Olanzap | ine + |
|----------------------------|--|----------|--------|--------|-------|-----------|--------|----------|-------|---------|--------|---------|-------|----------|--------|----------|--------|---------|-------|
| | | Antipsyc | hotics | Паюре | | Antipsycl | notics | 33111 01 | , | SSF | RI | SSR | a l | SSF | RI | SSR | RI | Fluoxe | tine |
| | | N Mean | % Std | N Mean | % Std | N Mean | % Std | N Mean | % Std | N Mean | % Std | N Mean | % Std | N Mean | % Std | N Mean | % Std | N Mean | % Std |
| Health Service Utilization | Number of ambulatory | | | | | | | | | | | | | | | | | | |
| Intensity | encounters (AV) | 11.5 | 12.7 | 11.6 | 12.8 | 9.9 | 10.8 | 6.4 | 7.9 | 10.2 | 10.8 | 10.9 | 10.9 | 10.1 | 10.9 | 11.2 | 11.0 | 9.5 | 9.9 |
| | Number of emergency | | | | | | | | | | | | | | | | | | |
| | room encounters (ED) | 1.0 | 1.7 | 1.2 | 1.8 | 0.7 | 1.5 | 0.3 | 0.9 | 0.9 | 1.8 | 0.9 | 1.7 | 0.9 | 1.7 | 0.5 | 1.2 | 0.8 | 1.6 |
| | Number of inpatient hospital encounters (IP) | 0.7 | 1.2 | 0.9 | 1.3 | 0.4 | 0.9 | 0.1 | 0.5 | 0.5 | 1 | 0.4 | 0.9 | 0.5 | 0.9 | 0.2 | 0.7 | 0.3 | 0.8 |
| | Number of non-acute | 0.7 | 1.2 | 0.9 | 1.5 | 0.4 | 0.9 | 0.1 | 0.5 | 0.5 | | 0.4 | 0.9 | 0.5 | 0.9 | 0.2 | 0.7 | 0.5 | 0.0 |
| | institutional encounters (IS) | 0.3 | 1.0 | 0.4 | 1.2 | 0.2 | 0.8 | 0 | 0.4 | 0.2 | 0.7 | 0.2 | 0.8 | 0.2 | 0.9 | 0.1 | 0.5 | 0.1 | 0.6 |
| | Number of other ambulatory encounters (OA) | 6.4 | 9.9 | 9.1 | 11.6 | 2.6 | 5.8 | 1.6 | 4.0 | 2.4 | 5.7 | 2.9 | 6.1 | 3.1 | 6.4 | 2.2 | 5.1 | 2.0 | 4.8 |
| | Number of filled prescriptions | 21.1 | 19.1 | _ | 19.5 | 18.9 | | 9.9 | | | | | | | | 20.7 | | | |
| | Number of generics | 9.0 | | | 6.7 | 7.4 | | 4.5 | 4.2 | 8.9 | _ | | | | | 7.9 | | 8.2 | |
| | Number of unique drug classes | 8.1 | 5.6 | 8.8 | 5.7 | 6.8 | | 4.1 | 3.8 | | | | | | | 7.2 | 4.6 | 7.3 | |

Note: Continuous variables are presented as mean (std) and categorical variables are presented as n (%)



Table 2a: Haloperidol Use by Strength of Dispensing from Index Date (Scenario with Outcome = Ischemic Stroke)

| | Halop | eridol |
|------------------------------|--------|--------|
| | N | % |
| Haloperidol Low (0.5-2 mg) | 55,087 | 67.3% |
| Haloperidol Medium (5-10 mg) | 11,749 | 14.3% |
| Haloperidol High (20 mg) | 104 | 0.1% |
| Haloperidol Liquid | 15,314 | 18.7% |



Table 2b: Haloperidol Use by Strength of Dispensing from Index Date (Scenario with Outcome = Intracranial Hemorrhage)

| | Halop | eridol |
|------------------------------|--------|--------|
| | N | % |
| Haloperidol Low (0.5-2 mg) | 55,089 | 67.3% |
| Haloperidol Medium (5-10 mg) | 11,749 | 14.3% |
| Haloperidol High (20 mg) | 104 | 0.1% |
| Haloperidol Liquid | 15,314 | 18.7% |



Table 3a: Baseline Stroke and Selective Serotonin Reuptake Inhibitor (SSRI) Dispensing of Exposed Patients at -183 to -61 Days Prior to Index Date (Scenarios with Outcome = Ischemic Stroke)

| | • • | ical chotics | Halop | eridol | Atyp Antipsy | | SSRI | only | Olanzapiı | ne + SSRI | Quetiapii | Quetiapine + SSRI F | | ne + SSRI | Aripiprazo | ole + SSRI | Olanza Fluox | pine + etine |
|--------|--------|-----------------|--------|--------|-----------------|-------|--------|------|-----------|-----------|-----------|---------------------|--------|-----------|------------|------------|-----------------|-----------------|
| | N | % | N | % | N | % | N | % | N | % | N | % | N | % | N | % | N | % |
| Stroke | 3,218 | 2.2% | 2,404 | 2.9% | 16,549 | 1.3% | 40,131 | 0.6% | 1,231 | 1.4% | 3,305 | 1.4% | 2,028 | 1.8% | 929 | 0.6% | 330 | 1.0% |
| SSRI | 29,677 | 20.0% | 17,784 | 21.7% | 412,230 | 33.2% | 33 | 0.0% | 50,353 | 58.0% | 157,589 | 67.1% | 71,116 | 64.0% | 112,752 | 77.2% | 16,833 | 49.7% |

^{*} Please note that due to an algorithm limitation when identifying baseline covariate dispensings, Tables 1-3 potentially included antipsychotic and SSRI initiators who had dispensings with zero-day supply or zero-amount supplied. This would explain the non-zero baseline SSRI use in the SSRI-only scenarios. This only affects covariate identifications, and standard Level 1 request output, such as Table 4, is not affected by this issue.



Table 3b: Baseline Stroke and Selective Serotonin Reuptake Inhibitor (SSRI) Dispensing of Exposed Patients at -183 to -61 Days Prior to Index Date (Scenarios with Outcome = Intracranial Hemorrhage)

| | ,, | ical chotics | Halop | eridol | Atyp Antipsy | oical chotics | SSRI | only | Olanzapiı | ne + SSRI | Quetiapii | ne + SSRI | Risperido | ne + SSRI | Aripiprazo | ole + SSRI | | apine + cetine |
|--------|--------|-----------------|--------|--------|-----------------|------------------|--------|------|-----------|-----------|-----------|-----------|-----------|-----------|------------|------------|--------|-------------------|
| | N | % | N | % | N | % | N | % | N | % | N | % | N | % | N | % | N | % |
| | | | | | | | | | | | | | | | | | | |
| Stroke | 3,219 | 2.2% | 2,405 | 2.9% | 16,551 | 1.3% | 40,135 | 0.6% | 1,232 | 1.4% | 3,306 | 1.4% | 2,028 | 1.8% | 929 | 0.6% | 330 | 1.0% |
| SSRI | 29,677 | 20.0% | 17,784 | 21.7% | 412,233 | 33.2% | 33 | 0.0% | 50,354 | 58.0% | 157,590 | 67.1% | 71,116 | 64.0% | 112,752 | 77.2% | 16,833 | 49.7% |

^{*} Please note that due to an algorithm limitation when identifying baseline covariate dispensings, Tables 1-3 potentially included antipsychotic and SSRI initiators who had dispensings with zero-day supply or zero-amount supplied. This would explain the non-zero baseline SSRI use in the SSRI-only scenarios. This only affects covariate identifications, and standard Level 1 request output, such as Table 4, is not affected by this issue.



Table 4a: Summary of Stroke following Treatment with Atypical or Typical Antipsychotics, with or without Selective Serotonin Reuptake Inhibitors (SSRIs) in the Sentinel Distributed Database between January 1, 2001 and September 30, 2015 by Exposure and Outcome (Scenarios with Outcome = Ischemic Stroke)

| | | | | | | New Users w/ | | | New Users / 1K | Days Supplied/ | | Days Supplied/ | New Users w/ Outcome |
|---|------------|-------------|---------------|-----------------|---------------|--------------|------------------|---------------|------------------|----------------|--------------------|----------------|----------------------|
| | New Users | Dispensings | Days Supplied | Amount Supplied | Years at Risk | Outcome | Eligible Members | Member- Years | Eligible Members | User | Dispensings / User | Dispensing | / 10K Years at Risk |
| Typical Antipsychotics and Ischemi | ic Stroke | | | | | | | | | | | | |
| | 148,229 | 343,197 | 9,378,548 | 19,203,352 | 35,356.6 | - | 92,070,866 | 248,793,823.4 | 1.61 | 63.27 | 2.32 | 27.33 | - |
| Haloperidol and Ischemic Stroke | | | | | | | | | | | | | |
| | 81,883 | 178,200 | 4,740,282 | 8,867,583 | 17,602.5 | - | 92,070,867 | 248,905,461.8 | 0.89 | 57.89 | 2.18 | 26.60 | - |
| Atypical Antipsychotics and Ischem | nic Stroke | | | | | | | | | | | | |
| | 1,241,864 | 6,109,312 | 200,008,249 | 300,496,290 | 631,084.5 | - | 92,070,844 | 247,483,464.9 | 13.49 | 161.05 | 4.92 | 32.74 | - |
| SSRI only and Ischemic Stroke | | | | | | | | | | | | | |
| | 7,069,928 | 34,720,384 | 1,322,739,772 | 1,490,945,037 | 4,229,714.8 | - | 88,658,363 | 220,610,607.0 | 79.74 | 187.09 | 4.91 | 38.10 | - |
| Olanzapine/SSRI and Ischemic Stro | ke | | | | | | | | | | | | |
| | 86,811 | 366,124 | 11,817,447 | 16,369,716 | 39,691.5 | - | 11,985,859 | 16,899,080.7 | 7.24 | 136.13 | 4.22 | 32.28 | - |
| Quetiapine/SSRI and Ischemic Stro | ke | | | | | | | | | | | | |
| | 234,760 | 1,081,765 | 35,789,530 | 62,263,582 | 116,921.8 | - | 11,985,859 | 16,840,838.4 | 19.59 | 152.45 | 4.61 | 33.08 | - |
| Risperidone/SSRI and Ischemic Stro | oke | | | | | | | | | | | | |
| | 111,168 | 488,364 | 16,049,563 | 23,798,043 | 53,083.4 | - | 11,985,859 | 16,896,037.2 | 9.27 | 144.37 | 4.39 | 32.86 | - |
| Aripiprazole/SSRI and Ischemic Str | oke | | | | | | | | | | | | |
| · | 145,996 | 565,924 | 18,458,137 | 19,113,189 | 63,353.3 | - | 11,985,859 | 16,879,612.3 | 12.18 | 126.43 | 3.88 | 32.62 | - |
| Olanzapine/Fluoxetine and Ischem | ic Stroke | | | | | | | | | | | | |
| | 33,897 | 135,592 | 4,486,883 | 6,120,531 | 15,185.6 | - | 2,924,106 | 3,915,547.5 | 11.59 | 132.37 | 4.00 | 33.09 | - |



Table 4b: Summary of Stroke following Treatment with Atypical or Typical Antipsychotics, with or without Selective Serotonin Reuptake Inhibitors (SSRIs) in the Sentinel Distributed Database between January 1, 2001 and September 30, 2015 by Exposure and Outcome (Scenarios with Outcome = Intracranial Hemorrhage)

| | | | | | New Users w/ | | | New Users / 1K | Days Supplied/ | | Days Supplied/ | New Users w/ Outcome |
|---|-------------|---------------|-----------------|---------------|--------------|------------------|---------------|------------------|----------------|--------------------|----------------|----------------------|
| New Users | Dispensings | Days Supplied | Amount Supplied | Years at Risk | Outcome | Eligible Members | Member- Years | Eligible Members | User | Dispensings / User | Dispensing | / 10K Years at Risk |
| Typical Antipsychotics and Intracranial Hemorrha | ige | | | | | | | | | | | |
| 148,232 | 343,201 | 9,378,592 | 19,203,416 | 35,429.6 | - | 92,070,887 | 248,794,352.1 | 1.61 | 63.27 | 2.32 | 27.33 | - |
| Haloperidol and Intracranial Hemorrhage | | | | | | | | | | | | |
| 81,885 | 178,203 | 4,740,321 | 8,867,637 | 17,651.3 | - | 92,070,888 | 248,905,991.5 | 0.89 | 57.89 | 2.18 | 26.60 | - |
| Atypical Antipsychotics and Intracranial Hemorrh | age | | | | | | | | | | | |
| 1,241,877 | 6,109,359 | 200,009,627 | 300,498,255 | 632,124.0 | - | 92,070,865 | 247,483,995.2 | 13.49 | 161.05 | 4.92 | 32.74 | - |
| SSRI only and Intracranial Hemorrhage | | | | | | | | | | | | |
| 7,069,948 | 34,720,423 | 1,322,740,817 | 1,490,946,083 | 4,234,589.6 | - | 88,658,394 | 220,611,035.3 | 79.74 | 187.09 | 4.91 | 38.10 | - |
| Olanzapine/SSRI and Intracranial Hemorrhage | | | | | | | | | | | | |
| 86,813 | 366,126 | 11,817,478 | 16,369,747 | 39,767.8 | - | 11,985,874 | 16,899,140.5 | 7.24 | 136.13 | 4.22 | 32.28 | - |
| Quetiapine/SSRI and Intracranial Hemorrhage | | | | | | | | | | | | |
| 234,765 | 1,081,777 | 35,789,838 | 62,264,040 | 117,093.7 | - | 11,985,874 | 16,840,898.0 | 19.59 | 152.45 | 4.61 | 33.08 | - |
| Risperidone/SSRI and Intracranial Hemorrhage | | | | | | | | | | | | |
| 111,172 | 488,396 | 16,050,666 | 23,799,545 | 53,198.0 | - | 11,985,874 | 16,896,096.8 | 9.28 | 144.38 | 4.39 | 32.86 | - |
| Aripiprazole/SSRI and Intracranial Hemorrhage | | | | | | | | | | | | |
| 145,996 | 565,924 | 18,458,137 | 19,113,189 | 63,385.6 | - | 11,985,874 | 16,879,672.1 | 12.18 | 126.43 | 3.88 | 32.62 | - |
| Olanzapine/Fluoxetine and Intracranial Hemorrh | age | | | | | | | | | | | |
| 33,897 | 135,592 | 4,486,883 | 6,120,531 | 15,212.5 | - | 2,924,109 | 3,915,560.3 | 11.59 | 132.37 | 4.00 | 33.09 | - |



Appendix A: Dates of Available Data for Each Data Partner up to Request End Date (9/30/2015)

| | T | _ |
|--------|------------|------------|
| DP ID | Start Date | End Date |
| DP0001 | 1/1/2008 | 9/30/2015 |
| DP0002 | 1/1/2012 | 9/30/2015 |
| DP0003 | 1/1/2006 | 9/30/2015 |
| DP0004 | 1/1/2004 | 9/30/2015 |
| DP0005 | 1/1/2000 | 9/30/2015 |
| DP0006 | 1/1/2000 | 9/30/2015 |
| DP0007 | 1/1/2000 | 9/30/2015 |
| DP0008 | 1/1/2000 | 9/30/2015 |
| DP0009 | 1/1/2007 | 9/30/2015 |
| DP0010 | 1/1/2000 | 9/30/2015 |
| DP0011 | 1/1/2000 | 5/31/2015 |
| DP0012 | 1/1/2005 | 9/30/2015 |
| DP0013 | 1/1/2000 | 9/30/2015 |
| DP0014 | 1/1/2000 | 9/30/2015 |
| DP0015 | 1/1/2008 | 9/30/2015 |
| DP0016 | 1/1/2000 | 10/31/2014 |



Appendix B: List of Diagnosis and Procedure Codes Used to Define Covariates in this Request

| <u>Code</u> | Code Type | <u>Description</u> |
|-------------|-----------|--|
| AMI | | |
| 410.0 | ICD-9-CM | Acute myocardial infarction of anterolateral wall |
| 410 | ICD-9-CM | Acute myocardial infarction |
| 410.00 | ICD-9-CM | Acute myocardial infarction of anterolateral wall, episode of care unspecified |
| 410.01 | ICD-9-CM | Acute myocardial infarction of anterolateral wall, initial episode of care |
| 410.02 | ICD-9-CM | Acute myocardial infarction of anterolateral wall, subsequent episode of care |
| 410.1 | ICD-9-CM | Acute myocardial infarction of other anterior wall |
| 410.10 | ICD-9-CM | Acute myocardial infarction of other anterior wall, episode of care unspecified |
| 410.11 | ICD-9-CM | Acute myocardial infarction of other anterior wall, initial episode of care |
| 410.12 | ICD-9-CM | Acute myocardial infarction of other anterior wall, subsequent episode of care |
| 410.2 | ICD-9-CM | Acute myocardial infarction of inferolateral wall |
| 410.20 | ICD-9-CM | Acute myocardial infarction of inferolateral wall, episode of care unspecified |
| 410.21 | ICD-9-CM | Acute myocardial infarction of inferolateral wall, initial episode of care |
| 410.22 | ICD-9-CM | Acute myocardial infarction of inferolateral wall, subsequent episode of care |
| 410.30 | ICD-9-CM | Acute myocardial infarction of inferoposterior wall, episode of care unspecified |
| 410.3 | ICD-9-CM | Acute myocardial infarction of inferoposterior wall |
| 410.31 | ICD-9-CM | Acute myocardial infarction of inferoposterior wall, initial episode of care |
| 410.32 | ICD-9-CM | Acute myocardial infarction of inferoposterior wall, subsequent episode of care |
| 410.40 | ICD-9-CM | Acute myocardial infarction of other inferior wall, episode of care unspecified |
| 410.4 | ICD-9-CM | Acute myocardial infarction of other inferior wall |
| 410.41 | ICD-9-CM | Acute myocardial infarction of other inferior wall, initial episode of care |
| 410.42 | ICD-9-CM | Acute myocardial infarction of other inferior wall, subsequent episode of care |
| 410.5 | ICD-9-CM | Acute myocardial infarction of other lateral wall |
| 410.50 | ICD-9-CM | Acute myocardial infarction of other lateral wall, episode of care unspecified |
| 410.51 | ICD-9-CM | Acute myocardial infarction of other lateral wall, initial episode of care |
| 410.52 | ICD-9-CM | Acute myocardial infarction of other lateral wall, subsequent episode of care |
| 410.60 | ICD-9-CM | Acute myocardial infarction, true posterior wall infarction, episode of care unspecified |
| 410.6 | ICD-9-CM | Acute myocardial infarction, true posterior wall infarction |
| 410.61 | ICD-9-CM | Acute myocardial infarction, true posterior wall infarction, initial episode of care |
| 410.62 | ICD-9-CM | Acute myocardial infarction, true posterior wall infarction, subsequent episode of care |
| 410.7 | ICD-9-CM | Acute myocardial infarction, subendocardial infarction |



| 410.70 | ICD-9-CM | Acute myocardial infarction, subendocardial infarction, episode of care unspecified |
|--|---|--|
| 410.71 | ICD-9-CM | Acute myocardial infarction, subendocardial infarction, initial episode of care |
| 410.72 | ICD-9-CM | Acute myocardial infarction, subendocardial infarction, subsequent episode of care |
| 410.8 | ICD-9-CM | Acute myocardial infarction of other specified sites |
| 410.80 | ICD-9-CM | Acute myocardial infarction of other specified sites, episode of care unspecified |
| 410.81 | ICD-9-CM | Acute myocardial infarction of other specified sites, initial episode of care |
| 410.82 | ICD-9-CM | Acute myocardial infarction of other specified sites, subsequent episode of care |
| 410.9 | ICD-9-CM | Acute myocardial infarction, unspecified site |
| 410.90 | ICD-9-CM | Acute myocardial infarction, unspecified site, episode of care unspecified |
| 410.91 | ICD-9-CM | Acute myocardial infarction, unspecified site, initial episode of care |
| 410.92 | ICD-9-CM | Acute myocardial infarction, unspecified site, subsequent episode of care |
| 411 | ICD-9-CM | Other acute and subacute forms of ischemic heart disease |
| 411.0 | ICD-9-CM | Postmyocardial infarction syndrome |
| 411.1 | ICD-9-CM | Intermediate coronary syndrome |
| 411.8 | ICD-9-CM | Other acute and subacute forms of ischemic heart disease |
| 411.81 | ICD-9-CM | Acute coronary occlusion without myocardial infarction |
| 411.89 | ICD-9-CM | Other acute and subacute form of ischemic heart disease |
| 111.05 | | |
| 412 | ICD-9-CM | Old myocardial infarction |
| | | |
| 412 | | |
| 412 Diabetes | ICD-9-CM | Old myocardial infarction Secondary diabetes mellitus Secondary diabetes mellitus without mention of complication |
| 412 Diabetes 249 | ICD-9-CM | Old myocardial infarction Secondary diabetes mellitus |
| 412 Diabetes 249 249.0 | ICD-9-CM ICD-9-CM ICD-9-CM | Old myocardial infarction Secondary diabetes mellitus Secondary diabetes mellitus without mention of complication Secondary diabetes mellitus without mention of complication, not stated as uncontrolled, or |
| 412 Diabetes 249 249.0 249.00 | ICD-9-CM ICD-9-CM ICD-9-CM ICD-9-CM | Old myocardial infarction Secondary diabetes mellitus Secondary diabetes mellitus without mention of complication Secondary diabetes mellitus without mention of complication, not stated as uncontrolled, or unspecified |
| 412 Diabetes 249 249.0 249.00 | ICD-9-CM ICD-9-CM ICD-9-CM ICD-9-CM | Old myocardial infarction Secondary diabetes mellitus Secondary diabetes mellitus without mention of complication Secondary diabetes mellitus without mention of complication, not stated as uncontrolled, or unspecified Secondary diabetes mellitus without mention of complication, uncontrolled |
| 412 Diabetes 249 249.0 249.00 249.01 249.1 249.10 | ICD-9-CM ICD-9-CM ICD-9-CM ICD-9-CM ICD-9-CM ICD-9-CM ICD-9-CM ICD-9-CM | Secondary diabetes mellitus Secondary diabetes mellitus without mention of complication Secondary diabetes mellitus without mention of complication, not stated as uncontrolled, or unspecified Secondary diabetes mellitus without mention of complication, uncontrolled Secondary diabetes mellitus with ketoacidosis Secondary diabetes mellitus with ketoacidosis, not stated as uncontrolled, or unspecified Secondary diabetes mellitus with ketoacidosis, uncontrolled |
| 412 Diabetes 249 249.0 249.00 249.01 249.1 249.10 | ICD-9-CM ICD-9-CM ICD-9-CM ICD-9-CM ICD-9-CM ICD-9-CM ICD-9-CM | Secondary diabetes mellitus Secondary diabetes mellitus without mention of complication Secondary diabetes mellitus without mention of complication, not stated as uncontrolled, or unspecified Secondary diabetes mellitus without mention of complication, uncontrolled Secondary diabetes mellitus with ketoacidosis Secondary diabetes mellitus with ketoacidosis, not stated as uncontrolled, or unspecified Secondary diabetes mellitus with ketoacidosis, uncontrolled Secondary diabetes mellitus with hyperosmolarity |
| 412 Diabetes 249 249.0 249.00 249.01 249.1 249.10 | ICD-9-CM ICD-9-CM ICD-9-CM ICD-9-CM ICD-9-CM ICD-9-CM ICD-9-CM ICD-9-CM | Secondary diabetes mellitus Secondary diabetes mellitus without mention of complication Secondary diabetes mellitus without mention of complication, not stated as uncontrolled, or unspecified Secondary diabetes mellitus without mention of complication, uncontrolled Secondary diabetes mellitus with ketoacidosis Secondary diabetes mellitus with ketoacidosis, not stated as uncontrolled, or unspecified Secondary diabetes mellitus with ketoacidosis, uncontrolled |
| 412 Diabetes 249 249.0 249.00 249.01 249.10 249.11 249.2 249.20 | ICD-9-CM | Secondary diabetes mellitus Secondary diabetes mellitus without mention of complication Secondary diabetes mellitus without mention of complication, not stated as uncontrolled, or unspecified Secondary diabetes mellitus without mention of complication, uncontrolled Secondary diabetes mellitus with ketoacidosis Secondary diabetes mellitus with ketoacidosis, not stated as uncontrolled, or unspecified Secondary diabetes mellitus with ketoacidosis, uncontrolled Secondary diabetes mellitus with hyperosmolarity Secondary diabetes mellitus with hyperosmolarity, not stated as uncontrolled, or unspecified Secondary diabetes mellitus with hyperosmolarity, uncontrolled |
| 412 Diabetes 249 249.0 249.00 249.01 249.1 249.10 249.11 249.2 249.20 | ICD-9-CM ICD-9-CM ICD-9-CM ICD-9-CM ICD-9-CM ICD-9-CM ICD-9-CM ICD-9-CM ICD-9-CM | Secondary diabetes mellitus Secondary diabetes mellitus without mention of complication Secondary diabetes mellitus without mention of complication, not stated as uncontrolled, or unspecified Secondary diabetes mellitus without mention of complication, uncontrolled Secondary diabetes mellitus with ketoacidosis Secondary diabetes mellitus with ketoacidosis, not stated as uncontrolled, or unspecified Secondary diabetes mellitus with ketoacidosis, uncontrolled Secondary diabetes mellitus with hyperosmolarity Secondary diabetes mellitus with hyperosmolarity, not stated as uncontrolled, or unspecified |



| 249.31 | ICD-9-CM | Secondary diabetes mellitus with other coma, uncontrolled |
|--------|----------|---|
| 249.4 | ICD-9-CM | Secondary diabetes mellitus with renal manifestations |
| 249.40 | ICD-9-CM | Secondary diabetes mellitus with renal manifestations, not stated as uncontrolled, or unspecified |
| 249.41 | ICD-9-CM | Secondary diabetes mellitus with renal manifestations, uncontrolled |
| 249.5 | ICD-9-CM | Secondary diabetes mellitus with ophthalmic manifestations |
| 249.50 | ICD-9-CM | Secondary diabetes mellitus with ophthalmic manifestations, not stated as uncontrolled, or unspecified |
| 249.51 | ICD-9-CM | Secondary diabetes mellitus with ophthalmic manifestations, uncontrolled |
| 249.6 | ICD-9-CM | Secondary diabetes mellitus with neurological manifestations |
| 249.60 | ICD-9-CM | Secondary diabetes mellitus with neurological manifestations, not stated as uncontrolled, or unspecified |
| 249.61 | ICD-9-CM | Secondary diabetes mellitus with neurological manifestations, uncontrolled |
| 249.7 | ICD-9-CM | Secondary diabetes mellitus with peripheral circulatory disorders |
| 249.70 | ICD-9-CM | Secondary diabetes mellitus with peripheral circulatory disorders, not stated as uncontrolled, or unspecified |
| 249.71 | ICD-9-CM | Secondary diabetes mellitus with peripheral circulatory disorders, uncontrolled |
| 249.8 | ICD-9-CM | Secondary diabetes mellitus with other specified manifestations |
| 249.80 | ICD-9-CM | Secondary diabetes mellitus with other specified manifestations, not stated as uncontrolled, or unspecified |
| 249.81 | ICD-9-CM | Secondary diabetes mellitus with other specified manifestations, uncontrolled |
| 249.9 | ICD-9-CM | Secondary diabetes mellitus with unspecified complication |
| 249.90 | ICD-9-CM | Secondary diabetes mellitus with unspecified complication, not stated as uncontrolled, or unspecified |
| 249.91 | ICD-9-CM | Secondary diabetes mellitus with unspecified complication, uncontrolled |
| 250 | ICD-9-CM | Diabetes mellitus |
| 250.0 | ICD-9-CM | Diabetes mellitus without mention of complication |
| 250.00 | ICD-9-CM | Diabetes mellitus without mention of complication, type II or unspecified type, not stated as uncontrolled |
| 250.01 | ICD-9-CM | Diabetes mellitus without mention of complication, type I [juvenile type], not stated as uncontrolled |
| 250.02 | ICD-9-CM | Diabetes mellitus without mention of complication, type II or unspecified type, uncontrolled |
| 250.03 | ICD-9-CM | Diabetes mellitus without mention of complication, type I [juvenile type], uncontrolled |



| 250.1 | ICD-9-CM | Diabetes with ketoacidosis |
|--------|----------|--|
| 250.10 | ICD-9-CM | Diabetes with ketoacidosis, type II or unspecified type, not stated as uncontrolled |
| 250.11 | ICD-9-CM | Diabetes with ketoacidosis, type I [juvenile type], not stated as uncontrolled |
| 250.12 | ICD-9-CM | Diabetes with ketoacidosis, type II or unspecified type, uncontrolled |
| 250.13 | ICD-9-CM | Diabetes with ketoacidosis, type I [juvenile type], uncontrolled |
| 250.2 | ICD-9-CM | Diabetes with hyperosmolarity |
| 250.20 | ICD-9-CM | Diabetes with hyperosmolarity, type II or unspecified type, not stated as uncontrolled |
| 250.21 | ICD-9-CM | Diabetes with hyperosmolarity, type I [juvenile type], not stated as uncontrolled |
| 250.22 | ICD-9-CM | Diabetes with hyperosmolarity, type II or unspecified type, uncontrolled |
| 250.23 | ICD-9-CM | Diabetes with hyperosmolarity, type I [juvenile type], uncontrolled |
| 250.3 | ICD-9-CM | Diabetes with other coma |
| 250.30 | ICD-9-CM | Diabetes with other coma, type II or unspecified type, not stated as uncontrolled |
| 250.31 | ICD-9-CM | Diabetes with other coma, type I [juvenile type], not stated as uncontrolled |
| 250.32 | ICD-9-CM | Diabetes with other coma, type II or unspecified type, uncontrolled |
| 250.33 | ICD-9-CM | Diabetes with other coma, type I [juvenile type], uncontrolled |
| 250.4 | ICD-9-CM | Diabetes with renal manifestations |
| 250.40 | ICD-9-CM | Diabetes with renal manifestations, type II or unspecified type, not stated as uncontrolled |
| | | |
| 250.41 | ICD-9-CM | Diabetes with renal manifestations, type I [juvenile type], not stated as uncontrolled |
| 250.42 | ICD-9-CM | Diabetes with renal manifestations, type II or unspecified type, uncontrolled |
| 250.43 | ICD-9-CM | Diabetes with renal manifestations, type I [juvenile type], uncontrolled |
| 250.5 | ICD-9-CM | Diabetes with ophthalmic manifestations |
| 250.50 | ICD-9-CM | Diabetes with ophthalmic manifestations, type II or unspecified type, not stated as uncontrolled |
| 250.51 | ICD-9-CM | Diabetes with ophthalmic manifestations, type I [juvenile type], not stated as uncontrolled |
| | | 7 77 5 77 27 |
| 250.52 | ICD-9-CM | Diabetes with ophthalmic manifestations, type II or unspecified type, uncontrolled |
| 250.53 | ICD-9-CM | Diabetes with ophthalmic manifestations, type I [juvenile type], uncontrolled |
| 250.6 | ICD-9-CM | Diabetes with neurological manifestations |
| 250.60 | ICD-9-CM | Diabetes with neurological manifestations, type II or unspecified type, not stated as uncontrolled |
| 250.61 | ICD-9-CM | Diabetes with neurological manifestations, type I [juvenile type], not stated as uncontrolled |
| 250.62 | ICD-9-CM | Diabetes with neurological manifestations, type II or unspecified type, uncontrolled |



| 250.63 | ICD 0 CM | Dishatos with navyalarical manifestations time I (invenile time) uncentralled |
|----------------------|----------------------|--|
| 250.63 | ICD-9-CM ICD-9-CM | Diabetes with neurological manifestations, type I [juvenile type], uncontrolled Diabetes with peripheral circulatory disorders |
| | | · |
| 250.70 | ICD-9-CM | Diabetes with peripheral circulatory disorders, type II or unspecified type, not stated as uncontrolled |
| 250.71 | ICD-9-CM | Diabetes with peripheral circulatory disorders, type I [juvenile type], not stated as uncontrolled |
| 250.72 | ICD-9-CM | Diabetes with peripheral circulatory disorders, type II or unspecified type, uncontrolled |
| 250.73 | ICD-9-CM | Diabetes with peripheral circulatory disorders, type I [juvenile type], uncontrolled |
| 250.8 | ICD-9-CM | Diabetes with other specified manifestations |
| 250.80 | ICD-9-CM | Diabetes with other specified manifestations, type II or unspecified type, not stated as uncontrolled |
| 250.81 | ICD-9-CM | Diabetes with other specified manifestations, type I [juvenile type], not stated as uncontrolled |
| 250.82 | ICD-9-CM | Diabetes with other specified manifestations, type II or unspecified type, uncontrolled |
| 250.83 | ICD-9-CM | Diabetes with other specified manifestations, type I [juvenile type], uncontrolled |
| 250.9 | ICD-9-CM | Diabetes with unspecified complication |
| 250.90 | ICD-9-CM | Diabetes with unspecified complication, type II or unspecified type, not stated as uncontrolled |
| 250.91 | ICD-9-CM | Diabetes with unspecified complication, type I [juvenile type], not stated as uncontrolled |
| 250.92 | ICD-9-CM | Diabetes with unspecified complication, type II or unspecified type, uncontrolled |
| 250.93 | ICD-9-CM | Diabetes with unspecified complication, type I [juvenile type], uncontrolled |
| 357.2 | ICD-9-CM | Polyneuropathy in diabetes |
| 362.0 | ICD-9-CM | Diabetic retinopathy |
| 362.01 | ICD-9-CM | Background diabetic retinopathy |
| 362.02 | ICD-9-CM | Proliferative diabetic retinopathy |
| 362.03 | ICD-9-CM | Nonproliferative diabetic retinopathy NOS |
| 362.04 | ICD-9-CM | Mild nonproliferative diabetic retinopathy |
| 362.05 | ICD-9-CM | Moderate nonproliferative diabetic retinopathy |
| 362.06 | ICD-9-CM | Severe nonproliferative diabetic retinopathy |
| 362.07 | ICD-9-CM | Diabetic macular edema |
| 366.41 | ICD-9-CM | Diabetic cataract |
| Heart Failure | | |
| 398.91 | ICD-9-CM | Rheumatic heart failure (congestive) |



| 402.01 | ICD-9-CM | Malignant hypertensive heart disease with heart failure |
|--------|----------|--|
| 402.11 | ICD-9-CM | Benign hypertensive heart disease with heart failure |
| 402.91 | ICD-9-CM | Hypertensive heart disease, unspecified, with heart failure |
| 404.01 | ICD-9-CM | Hypertensive heart and chronic kidney disease, malignant, with heart failure and with chronic kidney |
| | | disease stage I through stage IV, or unspecified |
| 404.03 | ICD-9-CM | Hypertensive heart and chronic kidney disease, malignant, with heart failure and with chronic kidney |
| | | disease stage V or end stage renal disease |
| 404.11 | ICD-9-CM | Hypertensive heart and chronic kidney disease, benign, with heart failure and with chronic kidney |
| | | disease stage I through stage IV, or unspecified |
| 404.13 | ICD-9-CM | Hypertensive heart and chronic kidney disease, benign, with heart failure and chronic kidney disease |
| | | stage V or end stage renal disease |
| 404.91 | ICD-9-CM | Hypertensive heart and chronic kidney disease, unspecified, with heart failure and with chronic |
| | | kidney disease stage I through stage IV, or unspecified |
| 404.93 | ICD-9-CM | Hypertensive heart and chronic kidney disease, unspecified, with heart failure and chronic kidney |
| | | disease stage V or end stage renal disease |
| 428.0 | ICD-9-CM | Congestive heart failure, unspecified |
| 428 | ICD-9-CM | Heart failure |
| 428.1 | ICD-9-CM | Left heart failure |
| 428.20 | ICD-9-CM | Unspecified systolic heart failure |
| 428.2 | ICD-9-CM | Systolic heart failure |
| 428.21 | ICD-9-CM | Acute systolic heart failure |
| 428.22 | ICD-9-CM | Chronic systolic heart failure |
| 428.23 | ICD-9-CM | Acute on chronic systolic heart failure |
| 428.30 | ICD-9-CM | Unspecified diastolic heart failure |
| 428.3 | ICD-9-CM | Diastolic heart failure |
| 428.31 | ICD-9-CM | Acute diastolic heart failure |
| 428.32 | ICD-9-CM | Chronic diastolic heart failure |
| 428.33 | ICD-9-CM | Acute on chronic diastolic heart failure |
| 428.40 | ICD-9-CM | Unspecified combined systolic and diastolic heart failure |
| 428.4 | ICD-9-CM | Combined systolic and diastolic heart failure |
| 428.41 | ICD-9-CM | Acute combined systolic and diastolic heart failure |
| 428.42 | ICD-9-CM | Chronic combined systolic and diastolic heart failure |
| 428.43 | ICD-9-CM | Acute on chronic combined systolic and diastolic heart failure |
| 428.9 | ICD-9-CM | Unspecified heart failure |



| 272.0 ICD-9-CM Pure hypercholesterolemia 272.1 ICD-9-CM Pure hyperglyceridemia 272.2 ICD-9-CM Mixed hyperlipidemia 272.3 ICD-9-CM Hyperchylomicronemia 272.4 ICD-9-CM Other and unspecified hyperlipidemia 472.4 ICD-9-CM Other and unspecified hyperlipidemia 472.4 ICD-9-CM Other and unspecified hyperlipidemia 472.1 ICD-9-CM Essential hypertension 472.1 ICD-9-CM Essential hypertension 473.1 ICD-9-CM Essential hypertension 474.1 ICD-9-CM Essential hypertension 475.1 ICD-9-CM Escondary hypertension, malignant 475.1 ICD-9-CM Escondary hypertension, malignant 475.1 ICD-9-CM Escondary hypertension, malignant 475.1 ICD-9-CM Escondary hypertension, benign 475.1 ICD-9-CM Escondary hypertension, unspecified 475.9 ICD-9-CM Other secondary hypertension, unspecified 475.9 ICD-9-CM Escondary hypertension, unspecified 475.9 ICD-9-CM Escondary hypertension, unspecified 475.9 ICD-9-CM Hypertensive encephalopathy 476.2 ICD-9-CM Hypertensive heart disease 477.2 ICD-9-CM Hypertensive heart disease 477.3 ICD-9-CM Hypertensive heart disease 478.4 ICD-9-CM Hypertensive heart disease 479.5 ICD-9-CM Hype | Hypercholesterolemia | | |
|--|----------------------|-----------------|---|
| 272.1 ICD-9-CM Pure hyperglyceridemia 272.2 ICD-9-CM Mixed hyperlipidemia 272.4 ICD-9-CM Other and unspecified hyperlipidemia Hypertension 862.11 ICD-9-CM Hypertensive retinopathy 401 ICD-9-CM Essential hypertension 401.0 ICD-9-CM Essential hypertension, malignant 401.1 ICD-9-CM Essential hypertension, benign 401.9 ICD-9-CM Essential hypertension 405.0 ICD-9-CM Essential hypertension 405.0 ICD-9-CM Essential hypertension, benign 405.0 ICD-9-CM Secondary hypertension, malignant 405.0 ICD-9-CM Secondary hypertension, malignant 405.01 ICD-9-CM Secondary hypertension, benign 405.11 ICD-9-CM Secondary hypertension, benign 405.11 ICD-9-CM Secondary hypertension, benign 405.11 ICD-9-CM Secondary hypertension, unspecified 405.9 ICD-9-CM Other secondary hypertension, unspecified 405.91 ICD-9-CM Secondary renovascular hypertension, unspecified 405.91 ICD-9-CM Other secondary hypertension, unspecified 405.91 ICD-9-CM Hyper | | | Pure hypercholesterolemia |
| 272.2ICD-9-CMMixed hyperlipidemia272.3ICD-9-CMHyperchylomicronemia272.4ICD-9-CMOther and unspecified hyperlipidemiaHypertension362.11ICD-9-CMHypertensive retinopathy401ICD-9-CMEssential hypertension, malignant401.0ICD-9-CMEssential hypertension, benign401.1ICD-9-CMEssential hypertension, benign401.9ICD-9-CMUnspecified essential hypertension405.0ICD-9-CMSecondary hypertension, malignant405ICD-9-CMSecondary hypertension, malignant405.01ICD-9-CMSecondary renovascular hypertension, malignant405.02ICD-9-CMSecondary hypertension, benign405.11ICD-9-CMSecondary hypertension, benign405.12ICD-9-CMSecondary renovascular hypertension, benign405.13ICD-9-CMSecondary hypertension, benign405.14ICD-9-CMSecondary hypertension, benign405.15ICD-9-CMUnspecified secondary hypertension, unspecified405.91ICD-9-CMUnspecified secondary hypertension, unspecified405.99ICD-9-CMOther secondary hypertension, unspecified405.99ICD-9-CMHypertensive encephalopathy402.xICD-9-CMHypertensive heart disease403.xICD-9-CMHypertensive heart disease404.xICD-9-CMHypertensive heart and chronic kidney disease405.01CD-9-CMHypertensive chronic kidney disease, benign4 | | | |
| 272.3ICD-9-CMHyperchylomicronemia272.4ICD-9-CMOther and unspecified hyperlipidemiaHypertensionTCD-9-CMHypertensive retinopathy362.11ICD-9-CMEssential hypertension401.0ICD-9-CMEssential hypertension, malignant401.1ICD-9-CMEssential hypertension, benign401.9ICD-9-CMUnspecified essential hypertension405.0ICD-9-CMSecondary hypertension, malignant405.1ICD-9-CMSecondary hypertension, malignant405.01ICD-9-CMSecondary hypertension, malignant405.02ICD-9-CMSecondary hypertension, malignant405.03ICD-9-CMSecondary hypertension, benign405.11ICD-9-CMSecondary renovascular hypertension, benign405.12ICD-9-CMSecondary renovascular hypertension, benign405.13ICD-9-CMSecondary renovascular hypertension, benign405.19ICD-9-CMSecondary renovascular hypertension, unspecified405.99ICD-9-CMOther secondary hypertension, unspecified405.99ICD-9-CMSecondary renovascular hypertension, unspecified405.90ICD-9-CMOther secondary hypertension, unspecified405.91ICD-9-CMHypertensive encephalopathy402.xICD-9-CMHypertensive heart disease404.xICD-9-CMHypertensive heart and chronic kidney disease405.01ICD-9-CMHypertensive heart and chronic kidney disease405.02ICD-9-CMHypertensive chronic kidney disease, mal | | | ,, ,, |
| 272.4 ICD-9-CM Other and unspecified hyperlipidemia Hypertension 362.11 ICD-9-CM Essential hypertension 401.0 ICD-9-CM Essential hypertension, malignant 401.1 ICD-9-CM Essential hypertension, benign 401.9 ICD-9-CM Sesential hypertension, benign 405.0 ICD-9-CM Secondary hypertension 405.1 ICD-9-CM Secondary hypertension, malignant 405.01 ICD-9-CM Secondary hypertension, malignant 405.01 ICD-9-CM Secondary hypertension, malignant 405.1 ICD-9-CM Other secondary hypertension, malignant 405.1 ICD-9-CM Secondary renovascular hypertension, benign 405.11 ICD-9-CM Secondary hypertension, benign 405.91 ICD-9-CM Other secondary hypertension, unspecified 405.92 ICD-9-CM Unspecified secondary hypertension, unspecified 405.93 ICD-9-CM Secondary renovascular hypertension, unspecified 405.94 ICD-9-CM Hypertensive encephalopathy 402.x ICD-9-CM | | | ••• |
| Hypertension 362.11 ICD-9-CM Hypertensive retinopathy 401 ICD-9-CM Essential hypertension 401.0 ICD-9-CM Essential hypertension, malignant 401.1 ICD-9-CM Essential hypertension, malignant 401.1 ICD-9-CM Essential hypertension 401.9 ICD-9-CM Essential hypertension 405.0 ICD-9-CM Secondary hypertension 405.0 ICD-9-CM Secondary hypertension 405.0 ICD-9-CM Secondary hypertension, malignant 405.0 ICD-9-CM Secondary renovascular hypertension, malignant 405.09 ICD-9-CM Secondary hypertension, malignant 405.11 ICD-9-CM Secondary hypertension, benign 405.11 ICD-9-CM Secondary renovascular hypertension, benign 405.11 ICD-9-CM Secondary renovascular hypertension, benign 405.10 ICD-9-CM Other secondary hypertension, benign 405.10 ICD-9-CM Secondary renovascular hypertension, unspecified 405.9 ICD-9-CM Other secondary hypertension, unspecified 405.9 ICD-9-CM Unspecified secondary hypertension, unspecified 405.91 ICD-9-CM Secondary renovascular hypertension, unspecified 405.99 ICD-9-CM Other secondary hypertension, unspecified 405.99 ICD-9-CM Hypertensive encephalopathy 402.x ICD-9-CM Hypertensive heart disease 403.x ICD-9-CM Hypertensive heart disease 404.x ICD-9-CM Hypertensive heart disease 405.F ICD-9-CM Hypertensive heart disease 406.F ICD-9-CM Hypertensive heart and chronic kidney disease 406.F ICD-9-CM Hypertensive chronic kidney disease 407.0 ICD-9-CM Hypertensive chronic kidney disease 408.1 ICD-9-CM Hypertensive chronic kidney disease 409.1 ICD-9-CM Hypertensive chronic kidney disease, malignant 409.1 ICD-9-CM Hypertensive chronic kidney disease, benign 400.1 ICD-9-CM Hypertensive chronic kidney disease, unspecified | | | , |
| 362.11 ICD-9-CM Hypertensive retinopathy 401 ICD-9-CM Essential hypertension 401.0 ICD-9-CM Essential hypertension, malignant 401.1 ICD-9-CM Essential hypertension 401.9 ICD-9-CM Unspecified essential hypertension 405.0 ICD-9-CM Secondary hypertension, malignant 405.01 ICD-9-CM Secondary hypertension, malignant 405.09 ICD-9-CM Secondary hypertension, malignant 405.11 ICD-9-CM Secondary hypertension, benign 405.11 ICD-9-CM Secondary renovascular hypertension, benign 405.91 ICD-9-CM Other secondary hypertension, unspecified 405.92 ICD-9-CM Other secondary hypertension, unspecified 405.93 ICD-9-CM Secondary renovascular hypertension, unspecified 405.94 ICD-9-CM Other secondary hypertension, unspecified 405.95 ICD-9-CM Other secondary hypertension, unspecified 405.99 ICD-9-CM Hypertensive encephalopathy 402.x ICD-9-CM Hypertensive chronic kidney disease 403.x ICD-9-CM Hypertensive chronic | | TOD 5 CIVI | Other and anopeemed hypermolaemia |
| 401ICD-9-CMEssential hypertension401.0ICD-9-CMEssential hypertension, malignant401.1ICD-9-CMEssential hypertension, benign401.9ICD-9-CMUnspecified essential hypertension405.0ICD-9-CMSecondary hypertension malignant405ICD-9-CMSecondary hypertension, malignant405.01ICD-9-CMSecondary hypertension, malignant405.11ICD-9-CMSecondary hypertension, benign405.11ICD-9-CMSecondary hypertension, benign405.19ICD-9-CMSecondary hypertension, benign405.19ICD-9-CMOther secondary hypertension, benign405.91ICD-9-CMUnspecified secondary hypertension, unspecified405.92ICD-9-CMSecondary renovascular hypertension, unspecified405.93ICD-9-CMSecondary renovascular hypertension, unspecified405.94ICD-9-CMSecondary renovascular hypertension, unspecified405.95ICD-9-CMHypertensive encephalopathy405.96ICD-9-CMHypertensive encephalopathy406.97ICD-9-CMHypertensive heart disease403.xICD-9-CMHypertensive heart and chronic kidney disease404.xICD-9-CMHypertensive heart and chronic kidney disease405.pICD-9-CMHypertensive heart and chronic kidney disease403.0ICD-9-CMHypertensive chronic kidney disease, malignant403ICD-9-CMHypertensive chronic kidney disease, penign403.1ICD-9-CMHypertensive chronic kidney | | ICD-9-CM | Hypertensive retinopathy |
| 401.0ICD-9-CMEssential hypertension, malignant401.1ICD-9-CMEssential hypertension, benign401.9ICD-9-CMUnspecified essential hypertension405.0ICD-9-CMSecondary hypertension405ICD-9-CMSecondary hypertension, malignant405.01ICD-9-CMSecondary hypertension, malignant405.09ICD-9-CMOther secondary hypertension, malignant405.11ICD-9-CMSecondary hypertension, benign405.12ICD-9-CMSecondary renovascular hypertension, benign405.19ICD-9-CMSecondary hypertension, benign405.19ICD-9-CMOther secondary hypertension, unspecified405.91ICD-9-CMSecondary renovascular hypertension, unspecified405.91ICD-9-CMSecondary renovascular hypertension, unspecified405.92ICD-9-CMOther secondary hypertension, unspecified405.93ICD-9-CMHypertensive encephalopathy402.xICD-9-CMHypertensive heart disease403.xICD-9-CMHypertensive heart and chronic kidney disease404.xICD-9-CMHypertensive heart and chronic kidney disease405.65CPT Category IIHypertensive heart and chronic kidney disease403.0ICD-9-CMHypertensive chronic kidney disease, malignant403ICD-9-CMHypertensive chronic kidney disease, benign403.1ICD-9-CMHypertensive chronic kidney disease, unspecified | | | |
| 401.1 ICD-9-CM Essential hypertension, benign 401.9 ICD-9-CM Unspecified essential hypertension 405.0 ICD-9-CM Secondary hypertension, malignant 405.0 ICD-9-CM Secondary hypertension 405.0 ICD-9-CM Secondary hypertension 405.0 ICD-9-CM Secondary renovascular hypertension, malignant 405.09 ICD-9-CM Other secondary hypertension, malignant 405.1 ICD-9-CM Secondary renovascular hypertension, benign 405.11 ICD-9-CM Secondary renovascular hypertension, benign 405.19 ICD-9-CM Other secondary hypertension, benign 405.19 ICD-9-CM Unspecified secondary hypertension, unspecified 405.91 ICD-9-CM Secondary renovascular hypertension, unspecified 405.91 ICD-9-CM Secondary renovascular hypertension, unspecified 405.99 ICD-9-CM Other secondary hypertension, unspecified 405.99 ICD-9-CM Hypertensive encephalopathy 402.x ICD-9-CM Hypertensive heart disease 403.x ICD-9-CM Hypertensive heart disease 404.x ICD-9-CM Hypertensive heart and chronic kidney disease 405.6 CPT Category II Hypertension plan of care documented as appropriate Kidney Failure 285.21 ICD-9-CM Hypertensive chronic kidney disease, malignant 403.0 ICD-9-CM Hypertensive chronic kidney disease, malignant 403.1 ICD-9-CM Hypertensive chronic kidney disease, benign 403.9 ICD-9-CM Hypertensive chronic kidney disease, benign | 401.0 | | • • |
| 401.9ICD-9-CMUnspecified essential hypertension405.0ICD-9-CMSecondary hypertension, malignant405.0ICD-9-CMSecondary hypertension405.01ICD-9-CMSecondary renovascular hypertension, malignant405.09ICD-9-CMOther secondary hypertension, benign405.11ICD-9-CMSecondary hypertension, benign405.12ICD-9-CMSecondary renovascular hypertension, benign405.19ICD-9-CMOther secondary hypertension, benign405.91ICD-9-CMUnspecified secondary hypertension, unspecified405.99ICD-9-CMSecondary renovascular hypertension, unspecified405.99ICD-9-CMOther secondary hypertension, unspecified405.99ICD-9-CMHypertensive encephalopathy402.xICD-9-CMHypertensive encephalopathy402.xICD-9-CMHypertensive heart disease403.xICD-9-CMHypertensive heart and chronic kidney disease404.xICD-9-CMHypertensive heart and chronic kidney disease405.FCPT Category IIHypertensive heart and chronic kidney disease KIdney Failure 285.21ICD-9-CMAnemia in chronic kidney disease, malignant403ICD-9-CMHypertensive chronic kidney disease, benign403.1ICD-9-CMHypertensive chronic kidney disease, benign403.9ICD-9-CMHypertensive chronic kidney disease, unspecified | 401.1 | | • |
| 405.0ICD-9-CMSecondary hypertension, malignant405ICD-9-CMSecondary hypertension405.01ICD-9-CMSecondary renovascular hypertension, malignant405.09ICD-9-CMOther secondary hypertension, malignant405.11ICD-9-CMSecondary hypertension, benign405.12ICD-9-CMSecondary renovascular hypertension, benign405.19ICD-9-CMOther secondary hypertension, unspecified405.9ICD-9-CMUnspecified secondary hypertension, unspecified405.99ICD-9-CMSecondary renovascular hypertension, unspecified405.99ICD-9-CMOther secondary hypertension, unspecified405.99ICD-9-CMOther secondary hypertension, unspecified402.xICD-9-CMHypertensive encephalopathy402.xICD-9-CMHypertensive heart disease403.xICD-9-CMHypertensive chronic kidney disease404.xICD-9-CMHypertensive heart and chronic kidney disease405.FCPT Category IIHypertension plan of care documented as appropriateKidney Failure285.21ICD-9-CMAnemia in chronic kidney disease,403.0ICD-9-CMHypertensive chronic kidney disease,403.1ICD-9-CMHypertensive chronic kidney disease, benign403.9ICD-9-CMHypertensive chronic kidney disease, unspecified | 401.9 | ICD-9-CM | • |
| 405ICD-9-CMSecondary hypertension405.01ICD-9-CMSecondary renovascular hypertension, malignant405.09ICD-9-CMOther secondary hypertension, malignant405.1ICD-9-CMSecondary hypertension, benign405.11ICD-9-CMSecondary renovascular hypertension, benign405.19ICD-9-CMOther secondary hypertension, unspecified405.9ICD-9-CMUnspecified secondary hypertension, unspecified405.99ICD-9-CMSecondary renovascular hypertension, unspecified405.99ICD-9-CMOther secondary hypertension, unspecified437.2ICD-9-CMHypertensive encephalopathy402.xICD-9-CMHypertensive encephalopathy402.xICD-9-CMHypertensive chronic kidney disease403.xICD-9-CMHypertensive chronic kidney disease404.xICD-9-CMHypertensive heart and chronic kidney disease405.FCPT Category IIHypertensive heart and chronic kidney disease403.0ICD-9-CMAnemia in chronic kidney disease403.1ICD-9-CMHypertensive chronic kidney disease, malignant403.9ICD-9-CMHypertensive chronic kidney disease, benign403.9ICD-9-CMHypertensive chronic kidney disease, benign | 405.0 | ICD-9-CM | · |
| 405.09 ICD-9-CM Other secondary hypertension, malignant 405.1 ICD-9-CM Secondary hypertension, benign 405.11 ICD-9-CM Secondary renovascular hypertension, benign 405.19 ICD-9-CM Other secondary hypertension, benign 405.9 ICD-9-CM Unspecified secondary hypertension, unspecified 405.91 ICD-9-CM Secondary renovascular hypertension, unspecified 405.99 ICD-9-CM Other secondary hypertension, unspecified 407.20 ICD-9-CM Hypertensive encephalopathy 407.21 ICD-9-CM Hypertensive encephalopathy 408.222 ICD-9-CM Hypertensive heart disease 408.222 ICD-9-CM Hypertensive heart disease 408.222 ICD-9-CM Hypertensive heart disease 409.222 ICD-9-CM Hypertensive heart and chronic kidney disease 409.222 ICD-9-CM Hypertensive heart and chronic kidney disease 405.05 ICD-9-CM Hypertension plan of care documented as appropriate **Kidney Failure** 285.21 ICD-9-CM Anemia in chronic kidney disease 403.0 ICD-9-CM Hypertensive chronic kidney disease 403.1 ICD-9-CM Hypertensive chronic kidney disease 403.1 ICD-9-CM Hypertensive chronic kidney disease, unspecified | 405 | ICD-9-CM | |
| 405.1 ICD-9-CM Secondary hypertension, benign 405.11 ICD-9-CM Secondary renovascular hypertension, benign 405.19 ICD-9-CM Other secondary hypertension, benign 405.9 ICD-9-CM Unspecified secondary hypertension, unspecified 405.91 ICD-9-CM Secondary renovascular hypertension, unspecified 405.99 ICD-9-CM Secondary renovascular hypertension, unspecified 405.99 ICD-9-CM Other secondary hypertension, unspecified 437.2 ICD-9-CM Hypertensive encephalopathy 402.x ICD-9-CM Hypertensive heart disease 403.x ICD-9-CM Hypertensive chronic kidney disease 404.x ICD-9-CM Hypertensive heart and chronic kidney disease 4050F CPT Category II Hypertension plan of care documented as appropriate Kidney Failure 285.21 ICD-9-CM Anemia in chronic kidney disease 403.0 ICD-9-CM Hypertensive chronic kidney disease, malignant 403 ICD-9-CM Hypertensive chronic kidney disease 403.1 ICD-9-CM Hypertensive chronic kidney disease, benign 403.9 ICD-9-CM Hypertensive chronic kidney disease, unspecified | 405.01 | ICD-9-CM | Secondary renovascular hypertension, malignant |
| 405.11 ICD-9-CM Secondary renovascular hypertension, benign 405.19 ICD-9-CM Other secondary hypertension, benign 405.9 ICD-9-CM Unspecified secondary hypertension, unspecified 405.91 ICD-9-CM Secondary renovascular hypertension, unspecified 405.99 ICD-9-CM Other secondary hypertension, unspecified 407.2 ICD-9-CM Hypertensive encephalopathy 402.x ICD-9-CM Hypertensive heart disease 403.x ICD-9-CM Hypertensive chronic kidney disease 404.x ICD-9-CM Hypertensive heart and chronic kidney disease 4050F CPT Category II Hypertension plan of care documented as appropriate Kidney Failure 285.21 ICD-9-CM Anemia in chronic kidney disease 403.0 ICD-9-CM Hypertensive chronic kidney disease, malignant 403 ICD-9-CM Hypertensive chronic kidney disease 403.1 ICD-9-CM Hypertensive chronic kidney disease, benign 403.9 ICD-9-CM Hypertensive chronic kidney disease, unspecified | 405.09 | ICD-9-CM | Other secondary hypertension, malignant |
| 405.19 ICD-9-CM Other secondary hypertension, benign 405.9 ICD-9-CM Unspecified secondary hypertension, unspecified 405.91 ICD-9-CM Secondary renovascular hypertension, unspecified 405.99 ICD-9-CM Other secondary hypertension, unspecified 437.2 ICD-9-CM Hypertensive encephalopathy 402.x ICD-9-CM Hypertensive heart disease 403.x ICD-9-CM Hypertensive chronic kidney disease 404.x ICD-9-CM Hypertensive heart and chronic kidney disease 4050F CPT Category II Hypertension plan of care documented as appropriate Kidney Failure 285.21 ICD-9-CM Anemia in chronic kidney disease 403.0 ICD-9-CM Hypertensive chronic kidney disease, malignant 403 ICD-9-CM Hypertensive chronic kidney disease 403.1 ICD-9-CM Hypertensive chronic kidney disease, unspecified | 405.1 | ICD-9-CM | Secondary hypertension, benign |
| 405.9 ICD-9-CM Unspecified secondary hypertension, unspecified 405.91 ICD-9-CM Secondary renovascular hypertension, unspecified 405.99 ICD-9-CM Other secondary hypertension, unspecified 437.2 ICD-9-CM Hypertensive encephalopathy 402.x ICD-9-CM Hypertensive heart disease 403.x ICD-9-CM Hypertensive chronic kidney disease 404.x ICD-9-CM Hypertensive heart and chronic kidney disease 405.0F CPT Category II Hypertension plan of care documented as appropriate Kidney Failure 285.21 ICD-9-CM Anemia in chronic kidney disease 403.0 ICD-9-CM Hypertensive chronic kidney disease, malignant 403 ICD-9-CM Hypertensive chronic kidney disease 403.1 ICD-9-CM Hypertensive chronic kidney disease, benign 403.9 ICD-9-CM Hypertensive chronic kidney disease, unspecified | 405.11 | ICD-9-CM | Secondary renovascular hypertension, benign |
| 405.91 ICD-9-CM Secondary renovascular hypertension, unspecified 405.99 ICD-9-CM Other secondary hypertension, unspecified 437.2 ICD-9-CM Hypertensive encephalopathy 402.x ICD-9-CM Hypertensive heart disease 403.x ICD-9-CM Hypertensive chronic kidney disease 404.x ICD-9-CM Hypertensive heart and chronic kidney disease 4050F CPT Category II Hypertension plan of care documented as appropriate Kidney Failure 285.21 ICD-9-CM Anemia in chronic kidney disease 403.0 ICD-9-CM Hypertensive chronic kidney disease, malignant 403 ICD-9-CM Hypertensive chronic kidney disease 403.1 ICD-9-CM Hypertensive chronic kidney disease, benign 403.9 ICD-9-CM Hypertensive chronic kidney disease, unspecified | 405.19 | ICD-9-CM | Other secondary hypertension, benign |
| 405.99 ICD-9-CM Other secondary hypertension, unspecified 437.2 ICD-9-CM Hypertensive encephalopathy 402.x ICD-9-CM Hypertensive heart disease 403.x ICD-9-CM Hypertensive chronic kidney disease 404.x ICD-9-CM Hypertensive heart and chronic kidney disease 4050F CPT Category II Hypertension plan of care documented as appropriate Kidney Failure 285.21 ICD-9-CM Anemia in chronic kidney disease 403.0 ICD-9-CM Hypertensive chronic kidney disease, malignant 403 ICD-9-CM Hypertensive chronic kidney disease 403.1 ICD-9-CM Hypertensive chronic kidney disease, benign 403.9 ICD-9-CM Hypertensive chronic kidney disease, unspecified | 405.9 | ICD-9-CM | Unspecified secondary hypertension, unspecified |
| 437.2 ICD-9-CM Hypertensive encephalopathy 402.x ICD-9-CM Hypertensive heart disease 403.x ICD-9-CM Hypertensive chronic kidney disease 404.x ICD-9-CM Hypertensive heart and chronic kidney disease 4050F CPT Category II Hypertension plan of care documented as appropriate Kidney Failure 285.21 ICD-9-CM Anemia in chronic kidney disease 403.0 ICD-9-CM Hypertensive chronic kidney disease, malignant 403 ICD-9-CM Hypertensive chronic kidney disease 403.1 ICD-9-CM Hypertensive chronic kidney disease, benign 403.9 ICD-9-CM Hypertensive chronic kidney disease, unspecified | 405.91 | ICD-9-CM | Secondary renovascular hypertension, unspecified |
| 402.x ICD-9-CM Hypertensive heart disease 403.x ICD-9-CM Hypertensive chronic kidney disease 404.x ICD-9-CM Hypertensive heart and chronic kidney disease 4050F CPT Category II Hypertension plan of care documented as appropriate Kidney Failure 285.21 ICD-9-CM Anemia in chronic kidney disease 403.0 ICD-9-CM Hypertensive chronic kidney disease, malignant 403 ICD-9-CM Hypertensive chronic kidney disease 403.1 ICD-9-CM Hypertensive chronic kidney disease, benign 403.9 ICD-9-CM Hypertensive chronic kidney disease, unspecified | 405.99 | ICD-9-CM | Other secondary hypertension, unspecified |
| 403.x ICD-9-CM Hypertensive chronic kidney disease 404.x ICD-9-CM Hypertensive heart and chronic kidney disease 4050F CPT Category II Hypertension plan of care documented as appropriate Kidney Failure 285.21 ICD-9-CM Anemia in chronic kidney disease 403.0 ICD-9-CM Hypertensive chronic kidney disease, malignant 403 ICD-9-CM Hypertensive chronic kidney disease 403.1 ICD-9-CM Hypertensive chronic kidney disease, benign 403.9 ICD-9-CM Hypertensive chronic kidney disease, unspecified | 437.2 | ICD-9-CM | Hypertensive encephalopathy |
| 404.x ICD-9-CM Hypertensive heart and chronic kidney disease 4050F CPT Category II Hypertension plan of care documented as appropriate Kidney Failure 285.21 ICD-9-CM Anemia in chronic kidney disease 403.0 ICD-9-CM Hypertensive chronic kidney disease, malignant 403 ICD-9-CM Hypertensive chronic kidney disease 403.1 ICD-9-CM Hypertensive chronic kidney disease, benign 403.9 ICD-9-CM Hypertensive chronic kidney disease, unspecified | 402.x | ICD-9-CM | Hypertensive heart disease |
| 4050F CPT Category II Hypertension plan of care documented as appropriate Kidney Failure 285.21 ICD-9-CM Anemia in chronic kidney disease 403.0 ICD-9-CM Hypertensive chronic kidney disease, malignant 403 ICD-9-CM Hypertensive chronic kidney disease 403.1 ICD-9-CM Hypertensive chronic kidney disease, benign 403.9 ICD-9-CM Hypertensive chronic kidney disease, unspecified | 403.x | ICD-9-CM | Hypertensive chronic kidney disease |
| Kidney Failure 285.21 ICD-9-CM Anemia in chronic kidney disease 403.0 ICD-9-CM Hypertensive chronic kidney disease, malignant 403 ICD-9-CM Hypertensive chronic kidney disease 403.1 ICD-9-CM Hypertensive chronic kidney disease, benign 403.9 ICD-9-CM Hypertensive chronic kidney disease, unspecified | 404.x | ICD-9-CM | Hypertensive heart and chronic kidney disease |
| 285.21 ICD-9-CM Anemia in chronic kidney disease 403.0 ICD-9-CM Hypertensive chronic kidney disease, malignant 403 ICD-9-CM Hypertensive chronic kidney disease 403.1 ICD-9-CM Hypertensive chronic kidney disease, benign 403.9 ICD-9-CM Hypertensive chronic kidney disease, unspecified | 4050F | CPT Category II | Hypertension plan of care documented as appropriate |
| 403.0 ICD-9-CM Hypertensive chronic kidney disease, malignant 403 ICD-9-CM Hypertensive chronic kidney disease 403.1 ICD-9-CM Hypertensive chronic kidney disease, benign 403.9 ICD-9-CM Hypertensive chronic kidney disease, unspecified | Kidney Failure | | |
| 403 ICD-9-CM Hypertensive chronic kidney disease 403.1 ICD-9-CM Hypertensive chronic kidney disease, benign 403.9 ICD-9-CM Hypertensive chronic kidney disease, unspecified | 285.21 | ICD-9-CM | Anemia in chronic kidney disease |
| 403.1 ICD-9-CM Hypertensive chronic kidney disease, benign 403.9 ICD-9-CM Hypertensive chronic kidney disease, unspecified | 403.0 | ICD-9-CM | Hypertensive chronic kidney disease, malignant |
| 403.9 ICD-9-CM Hypertensive chronic kidney disease, unspecified | 403 | ICD-9-CM | Hypertensive chronic kidney disease |
| | 403.1 | ICD-9-CM | Hypertensive chronic kidney disease, benign |
| 404 ICD-9-CM Hypertensive heart and chronic kidney disease | 403.9 | ICD-9-CM | Hypertensive chronic kidney disease, unspecified |
| | 404 | ICD-9-CM | Hypertensive heart and chronic kidney disease |



| 404.1 | ICD-9-CM | Hypertensive heart and chronic kidney disease, benign |
|---------|----------|--|
| 404.9 | ICD-9-CM | Hypertensive heart and chronic kidney disease, unspecified |
| 458.21 | ICD-9-CM | Hypotension of hemodialysis |
| 584 | ICD-9-CM | Acute kidney failure |
| 584.5 | ICD-9-CM | Acute kidney failure with lesion of tubular necrosis |
| 584.6 | ICD-9-CM | Acute kidney failure with lesion of renal cortical necrosis |
| 584.7 | ICD-9-CM | Acute kidney failure with lesion of medullary [papillary] necrosis |
| 584.8 | ICD-9-CM | Acute kidney failure with other specified pathological lesion in kidney |
| 584.9 | ICD-9-CM | Acute kidney failure, unspecified |
| 585 | ICD-9-CM | Chronic kidney disease (CKD) |
| 585.1 | ICD-9-CM | Chronic kidney disease, Stage I |
| 585.2 | ICD-9-CM | Chronic kidney disease, Stage II (mild) |
| 585.3 | ICD-9-CM | Chronic kidney disease, Stage III (moderate) |
| 585.4 | ICD-9-CM | Chronic kidney disease, Stage IV (severe) |
| 585.5 | ICD-9-CM | Chronic kidney disease, Stage V |
| 585.6 | ICD-9-CM | End stage renal disease |
| 585.9 | ICD-9-CM | Chronic kidney disease, unspecified |
| 586 | ICD-9-CM | Unspecified renal failure |
| 588.81 | ICD-9-CM | Secondary hyperparathyroidism (of renal origin) |
| 588.89 | ICD-9-CM | Other specified disorders resulting from impaired renal function |
| 639.3 | ICD-9-CM | Complications following abortion and ectopic and molar pregnancies, kidney failure |
| 669.3 | ICD-9-CM | Acute kidney failure following labor and delivery |
| 669.32 | ICD-9-CM | Acute kidney failure following labor and delivery, delivered, with mention of postpartum |
| | | complication |
| 996.56 | ICD-9-CM | Mechanical complications due to peritoneal dialysis catheter |
| 996.68 | ICD-9-CM | Infection and inflammatory reaction due to peritoneal dialysis catheter |
| 996.73 | ICD-9-CM | Other complications due to renal dialysis device, implant, and graft |
| G8771 | HCPCS | Documentation of diagnosis of chronic kidney disease |
| V42.0 | ICD-9-CM | Kidney replaced by transplant |
| V45.1 | ICD-9-CM | Renal dialysis status |
| V56 | ICD-9-CM | Encounter for dialysis and dialysis catheter care |
| Obesity | | |
| 278.0 | ICD-9-CM | Overweight and obesity |
| 278.00 | ICD-9-CM | Obesity, unspecified |
| | | |



| 278.01 | ICD-9-CM | Morbid obesity |
|-----------------|------------|---|
| 278.02 | ICD-9-CM | Overweight |
| 278.03 | ICD-9-CM | Obesity hypoventilation syndrome |
| 783.1 | ICD-9-CM | Abnormal weight gain |
| 793.91 | ICD-9-CM | Image test inconclusive due to excess body fat |
| 795.91 V85.3 | ICD-9-CM | Body mass index between 30-39 adult |
| V85.4 | ICD-9-CM | Body mass index 40 and over adult |
| V85.54 | ICD-9-CM | · |
| Stroke | ICD-9-CIVI | Body Mass Index, pediatric, greater than or equal to 95th percentile for age |
| | ICD O CM | Cultura altura i al ha una aurita a ca |
| 430 | ICD-9-CM | Subarachnoid hemorrhage |
| 431 | ICD-9-CM | Intracerebral hemorrhage |
| 432 | ICD-9-CM | Other and unspecified intracranial hemorrhage |
| 432.0 | ICD-9-CM | Nontraumatic extradural hemorrhage |
| 432.1 | ICD-9-CM | Subdural hemorrhage |
| 432.9 | ICD-9-CM | Unspecified intracranial hemorrhage |
| 433.01 | ICD-9-CM | Occlusion and stenosis of basilar artery with cerebral infarction |
| 433.11 | ICD-9-CM | Occlusion and stenosis of carotid artery with cerebral infarction |
| 433.21 | ICD-9-CM | Occlusion and stenosis of vertebral artery with cerebral infarction |
| 433.31 | ICD-9-CM | Occlusion and stenosis of multiple and bilateral precerebral arteries with cerebral infarction |
| | | |
| 433.81 | ICD-9-CM | Occlusion and stenosis of other specified precerebral artery with cerebral infarction |
| 433.91 | ICD-9-CM | Occlusion and stenosis of unspecified precerebral artery with cerebral infarction |
| 434.01 | ICD-9-CM | Cerebral thrombosis with cerebral infarction |
| 434.11 | ICD-9-CM | Cerebral embolism with cerebral infarction |
| 434.91 | ICD-9-CM | Cerebral artery occlusion, unspecified, with cerebral infarction |
| 436 | ICD-9-CM | Acute, but ill-defined, cerebrovascular disease |
| TIA | | |
| 435 | ICD-9-CM | Transient cerebral ischemia |
| 435.0 | ICD-9-CM | Basilar artery syndrome |
| 435.1 | ICD-9-CM | Vertebral artery syndrome |
| 435.2 | ICD-9-CM | Subclavian steal syndrome |
| 435.3 | ICD-9-CM | Vertebrobasilar artery syndrome |
| 435.8 | ICD-9-CM | Other specified transient cerebral ischemias |
| 435.9 | ICD-9-CM | Unspecified transient cerebral ischemia |
| .55.5 | 102 3 6141 | and a surface of the content of the |



| Anxiety | 100.0.014 | |
|---------|-----------|---|
| 293.84 | ICD-9-CM | Anxiety disorder in conditions classified elsewhere |
| 300.0 | ICD-9-CM | Anxiety, dissociative and somatoform disorders |
| 300.00 | ICD-9-CM | Anxiety state, unspecified |
| 300.01 | ICD-9-CM | Anxiety states |
| 300.02 | ICD-9-CM | Generalized anxiety disorder |
| 300.09 | ICD-9-CM | Other anxiety states |
| 300.10 | ICD-9-CM | Hysteria, unspecified |
| 300.2 | ICD-9-CM | Phobic disorders |
| 300.20 | ICD-9-CM | Phobia, unspecified |
| 300.21 | ICD-9-CM | Agoraphobia with panic disorder |
| 300.22 | ICD-9-CM | Agoraphobia without mention of panic attacks |
| 300.23 | ICD-9-CM | Social phobia |
| 300.29 | ICD-9-CM | Other isolated or specific phobias |
| 300.3 | ICD-9-CM | Obsessive-compulsive disorders |
| 300.5 | ICD-9-CM | Neurasthenia |
| 300.89 | ICD-9-CM | Other somatoform disorders |
| 300.9 | ICD-9-CM | Unspecified nonpsychotic mental disorder |
| 308.0 | ICD-9-CM | Predominant disturbance of emotions |
| 308.1 | ICD-9-CM | Predominant disturbance of consciousness |
| 308.2 | ICD-9-CM | Predominant psychomotor disturbance |
| 308.3 | ICD-9-CM | Other acute reactions to stress |
| 308.4 | ICD-9-CM | Mixed disorders as reaction to stress |
| 308.9 | ICD-9-CM | Unspecified acute reaction to stress |
| 313.0 | ICD-9-CM | Overanxious disorder |
| 313.1 | ICD-9-CM | Misery and unhappiness disorder |
| 313.21 | ICD-9-CM | Shyness disorder of childhood |
| 313.22 | ICD-9-CM | Introverted disorder of childhood |
| 313.3 | ICD-9-CM | Relationship problems |
| 313.82 | ICD-9-CM | Identity disorder |
| 313.83 | ICD-9-CM | Academic underachievement disorder |
| Bipolar | | |
| 296.0 | ICD-9-CM | Bipolar I disorder, single manic episode |
| 296.00 | ICD-9-CM | Bipolar I disorder, single manic episode, unspecified |
| | | |



| 296.01 | ICD-9-CM | Bipolar I disorder, single manic episode, mild |
|--------|----------|---|
| 296.02 | ICD-9-CM | Bipolar I disorder, single manic episode, moderate |
| 296.03 | ICD-9-CM | Bipolar I disorder, single manic episode, severe, without mention of psychotic behavior |
| 296.04 | ICD-9-CM | Bipolar I disorder, single manic episode, severe, specified as with psychotic behavior |
| 296.05 | ICD-9-CM | Bipolar I disorder, single manic episode, in partial or unspecified remission |
| 296.06 | ICD-9-CM | Bipolar I disorder, single manic episode, in full remission |
| 296.10 | ICD-9-CM | Manic disorder, recurrent episode, unspecified |
| 296.11 | ICD-9-CM | Manic disorder, recurrent episode, mild |
| 296.12 | ICD-9-CM | Manic disorder, recurrent episode, moderate |
| 296.13 | ICD-9-CM | Manic disorder, recurrent episode, severe, without mention of psychotic behavior |
| 296.14 | ICD-9-CM | Manic disorder, recurrent episode, severe, specified as with psychotic behavior |
| 296.15 | ICD-9-CM | Manic disorder, recurrent episode, in partial or unspecified remission |
| 296.16 | ICD-9-CM | Manic disorder, recurrent episode, in full remission |
| 296.40 | ICD-9-CM | Bipolar I disorder, most recent episode (or current) manic, unspecified |
| 296.4 | ICD-9-CM | Bipolar I disorder, most recent episode (or current) manic |
| 296.41 | ICD-9-CM | Bipolar I disorder, most recent episode (or current) manic, mild |
| 296.42 | ICD-9-CM | Bipolar I disorder, most recent episode (or current) manic, moderate |
| 296.43 | ICD-9-CM | Bipolar I disorder, most recent episode (or current) manic, severe, without mention of psychotic |
| | | behavior |
| 296.44 | ICD-9-CM | Bipolar I disorder, most recent episode (or current) manic, severe, specified as with psychotic |
| | | behavior |
| 296.45 | ICD-9-CM | Bipolar I disorder, most recent episode (or current) manic, in partial or unspecified remission |
| | | |
| 296.46 | ICD-9-CM | Bipolar I disorder, most recent episode (or current) manic, in full remission |
| 296.50 | ICD-9-CM | Bipolar I disorder, most recent episode (or current) depressed, unspecified |
| 296.5 | ICD-9-CM | Bipolar I disorder, most recent episode (or current), depressed |
| 296.51 | ICD-9-CM | Bipolar I disorder, most recent episode (or current) depressed, mild |
| 296.52 | ICD-9-CM | Bipolar I disorder, most recent episode (or current) depressed, moderate |
| 296.53 | ICD-9-CM | Bipolar I disorder, most recent episode (or current) depressed, severe, without mention of psychotic behavior |
| 296.54 | ICD-9-CM | Bipolar I disorder, most recent episode (or current) depressed, severe, specified as with psychotic behavior |
| 296.55 | ICD-9-CM | Bipolar I disorder, most recent episode (or current) depressed, in partial or unspecified remission |
| | | |



| 296.56 | ICD-9-CM | Bipolar I disorder, most recent episode (or current) depressed, in full remission |
|------------------|----------|---|
| 296.6 | ICD-9-CM | Bipolar I disorder, most recent episode (or current), mixed |
| 296.60 | ICD-9-CM | Bipolar I disorder, most recent episode (or current) mixed, unspecified |
| 296.61 | ICD-9-CM | Bipolar I disorder, most recent episode (or current) mixed, mild |
| 296.62 | ICD-9-CM | Bipolar I disorder, most recent episode (or current) mixed, moderate |
| 296.63 | ICD-9-CM | Bipolar I disorder, most recent episode (or current) mixed, severe, without mention of psychotic behavior |
| 296.64 | ICD-9-CM | Bipolar I disorder, most recent episode (or current) mixed, severe, specified as with psychotic behavior |
| 296.65 | ICD-9-CM | Bipolar I disorder, most recent episode (or current) mixed, in partial or unspecified remission |
| 296.66 | ICD-9-CM | Bipolar I disorder, most recent episode (or current) mixed, in full remission |
| 296.7 | ICD-9-CM | Bipolar I disorder, most recent episode (or current) unspecified |
| 296.8 | ICD-9-CM | Other and unspecified bipolar disorders |
| 296.80 | ICD-9-CM | Bipolar disorder, unspecified |
| 296.81 | ICD-9-CM | Atypical manic disorder |
| 296.82 | ICD-9-CM | Atypical depressive disorder |
| 296.89 | ICD-9-CM | Other and unspecified bipolar disorders |
| 296.9 | ICD-9-CM | Other and unspecified episodic mood disorder |
| 296.90 | ICD-9-CM | Unspecified episodic mood disorder |
| 296.99 | ICD-9-CM | Other specified episodic mood disorder |
| Schizophrenia ar | nd other | |
| psychosis | | |
| 293.81 | ICD-9-CM | Psychotic disorder with delusions in conditions classified elsewhere |
| 293.82 | ICD-9-CM | Psychotic disorder with hallucinations in conditions classified elsewhere |
| 295.0 | ICD-9-CM | Simple type schizophrenia |
| 295.00 | ICD-9-CM | Simple schizophrenia, unspecified condition |
| 295.01 | ICD-9-CM | Simple schizophrenia, subchronic condition |
| 295.02 | ICD-9-CM | Simple schizophrenia, chronic condition |
| 295.03 | ICD-9-CM | Simple schizophrenia, subchronic condition with acute exacerbation |
| 295.04 | ICD-9-CM | Simple schizophrenia, chronic condition with acute exacerbation |
| 295.05 | ICD-9-CM | Simple schizophrenia, in remission |
| 295.1 | ICD-9-CM | Disorganized type schizophrenia |
| 295.10 | ICD-9-CM | Disorganized schizophrenia, unspecified condition |
| | | |



| 295 | 5.11 | ICD-9-CM | Disorganized schizophrenia, subchronic condition |
|-----|------|----------|--|
| 295 | 5.12 | ICD-9-CM | Disorganized schizophrenia, chronic condition |
| 295 | 5.13 | ICD-9-CM | Disorganized schizophrenia, subchronic condition with acute exacerbation |
| 295 | 5.14 | ICD-9-CM | Disorganized schizophrenia, chronic condition with acute exacerbation |
| 295 | 5.15 | ICD-9-CM | Disorganized schizophrenia, in remission |
| 295 | 5.20 | ICD-9-CM | Catatonic schizophrenia, unspecified condition |
| 295 | 5.2 | ICD-9-CM | Catatonic type schizophrenia |
| 295 | 5.21 | ICD-9-CM | Catatonic schizophrenia, subchronic condition |
| 295 | 5.22 | ICD-9-CM | Catatonic schizophrenia, chronic condition |
| 295 | 5.23 | ICD-9-CM | Catatonic schizophrenia, subchronic condition with acute exacerbation |
| 295 | 5.24 | ICD-9-CM | Catatonic schizophrenia, chronic condition with acute exacerbation |
| 295 | 5.25 | ICD-9-CM | Catatonic schizophrenia, in remission |
| 295 | 5.30 | ICD-9-CM | Paranoid schizophrenia, unspecified condition |
| 295 | 5.3 | ICD-9-CM | Paranoid type schizophrenia |
| 295 | 5.31 | ICD-9-CM | Paranoid schizophrenia, subchronic condition |
| 295 | 5.32 | ICD-9-CM | Paranoid schizophrenia, chronic condition |
| 295 | 5.33 | ICD-9-CM | Paranoid schizophrenia, subchronic condition with acute exacerbation |
| 295 | 5.34 | ICD-9-CM | Paranoid schizophrenia, chronic condition with acute exacerbation |
| 295 | 5.35 | ICD-9-CM | Paranoid schizophrenia, in remission |
| 295 | 5.5 | ICD-9-CM | Latent schizophrenia |
| 295 | 5.50 | ICD-9-CM | Latent schizophrenia, unspecified condition |
| 295 | 5.51 | ICD-9-CM | Latent schizophrenia, subchronic condition |
| 295 | 5.52 | ICD-9-CM | Latent schizophrenia, chronic condition |
| 295 | 5.53 | ICD-9-CM | Latent schizophrenia, subchronic condition with acute exacerbation |
| 295 | 5.54 | ICD-9-CM | Latent schizophrenia, chronic condition with acute exacerbation |
| 295 | 5.55 | ICD-9-CM | Latent schizophrenia, in remission |
| 295 | 5.80 | ICD-9-CM | Other specified types of schizophrenia, unspecified condition |
| 295 | 5.8 | ICD-9-CM | Other specified types of schizophrenia |
| 295 | 5.81 | ICD-9-CM | Other specified types of schizophrenia, subchronic condition |
| 295 | 5.82 | ICD-9-CM | Other specified types of schizophrenia, chronic condition |
| 295 | 5.83 | ICD-9-CM | Other specified types of schizophrenia, subchronic condition with acute exacerbation |
| | 5.84 | ICD-9-CM | Other specified types of schizophrenia, chronic condition with acute exacerbation |
| | 5.85 | ICD-9-CM | Other specified types of schizophrenia, in remission |
| 295 | 5.90 | ICD-9-CM | Unspecified schizophrenia, unspecified condition |
| | | | |



| 295.9 | ICD-9-CM | Unspecified schizophrenia |
|-----------------|----------|---|
| 295.91 | ICD-9-CM | Unspecified schizophrenia, subchronic condition |
| 295.92 | ICD-9-CM | Unspecified schizophrenia, chronic condition |
| 295.93 | ICD-9-CM | Unspecified schizophrenia, subchronic condition with acute exacerbation |
| 295.94 | ICD-9-CM | Unspecified schizophrenia, chronic condition with acute exacerbation |
| 295.95 | ICD-9-CM | Unspecified schizophrenia, in remission |
| 297 | ICD-9-CM | Delusional disorders |
| 297.0 | ICD-9-CM | Paranoid state, simple |
| 297.1 | ICD-9-CM | Delusional disorder |
| 297.2 | ICD-9-CM | Paraphrenia |
| 297.3 | ICD-9-CM | Shared psychotic disorder |
| 297.8 | ICD-9-CM | Other specified paranoid states |
| 297.9 | ICD-9-CM | Unspecified paranoid state |
| 298 | ICD-9-CM | Other nonorganic psychoses |
| 298.0 | ICD-9-CM | Depressive type psychosis |
| 298.1 | ICD-9-CM | Excitative type psychosis |
| 298.2 | ICD-9-CM | Reactive confusion |
| 298.3 | ICD-9-CM | Acute paranoid reaction |
| 298.4 | ICD-9-CM | Psychogenic paranoid psychosis |
| 298.8 | ICD-9-CM | Other and unspecified reactive psychosis |
| 298.9 | ICD-9-CM | Unspecified psychosis |
| V11.0 | ICD-9-CM | Personal history of schizophrenia |
| Substance abuse | | |
| 94.46 | ICD-9-CM | Alcoholism counseling |
| 94.53 | ICD-9-CM | Referral for alcoholism rehabilitation |
| 94.6 | ICD-9-CM | Alcohol and drug rehabilitation and detoxification |
| 94.61 | ICD-9-CM | Alcohol rehabilitation |
| 94.62 | ICD-9-CM | Alcohol detoxification |
| 94.63 | ICD-9-CM | Alcohol rehabilitation and detoxification |
| 94.67 | ICD-9-CM | Combined alcohol and drug rehabilitation |
| 94.68 | ICD-9-CM | Combined alcohol and drug detoxification |
| 94.69 | ICD-9-CM | Combined alcohol and drug rehabilitation and detoxification |
| 291 | ICD-9-CM | Alcohol-induced mental disorders |
| 291.0 | ICD-9-CM | Alcohol withdrawal delirium |



| 204.4 | 100 0 014 | Alaskal to describe a setate a successive discorder |
|--------|-----------|--|
| 291.1 | ICD-9-CM | Alcohol-induced persisting amnestic disorder |
| 291.2 | ICD-9-CM | Alcohol-induced persisting dementia |
| 291.3 | ICD-9-CM | Alcohol-induced psychotic disorder with hallucinations |
| 291.4 | ICD-9-CM | Idiosyncratic alcohol intoxication |
| 291.5 | ICD-9-CM | Alcohol-induced psychotic disorder with delusions |
| 291.8 | ICD-9-CM | Other specified alcohol-induced mental disorders |
| 291.81 | ICD-9-CM | Alcohol withdrawal |
| 291.82 | ICD-9-CM | Alcohol induced sleep disorders |
| 291.89 | ICD-9-CM | Other specified alcohol-induced mental disorders |
| 291.9 | ICD-9-CM | Unspecified alcohol-induced mental disorders |
| 292 | ICD-9-CM | Drug-induced mental disorders |
| 292.0 | ICD-9-CM | Drug withdrawal |
| 292.1 | ICD-9-CM | Drug-induced psychotic disorder |
| 292.11 | ICD-9-CM | Drug-induced psychotic disorder with delusions |
| 292.12 | ICD-9-CM | Drug-induced psychotic disorder with hallucinations |
| 292.2 | ICD-9-CM | Pathological drug intoxication |
| 292.8 | ICD-9-CM | Other specified drug-induced mental disorders |
| 292.81 | ICD-9-CM | Drug-induced delirium |
| 292.82 | ICD-9-CM | Drug-induced persisting dementia |
| 292.83 | ICD-9-CM | Drug-induced persisting amnestic disorder |
| 292.84 | ICD-9-CM | Drug-induced mood disorder |
| 292.85 | ICD-9-CM | Drug induced sleep disorders |
| 292.89 | ICD-9-CM | Other specified drug-induced mental disorder |
| 292.9 | ICD-9-CM | Unspecified drug-induced mental disorder |
| 303 | ICD-9-CM | Alcohol dependence syndrome |
| 303.00 | ICD-9-CM | Acute alcoholic intoxication, unspecified |
| 303.0 | ICD-9-CM | Acute alcoholic intoxication |
| 303.01 | ICD-9-CM | Acute alcoholic intoxication, continuous |
| 303.02 | ICD-9-CM | Acute alcoholic intoxication, episodic |
| 303.03 | ICD-9-CM | Acute alcoholic intoxication, in remission |
| 303.9 | ICD-9-CM | Other and unspecified alcohol dependence |
| 303.90 | ICD-9-CM | Other and unspecified alcohol dependence, unspecified |
| 303.91 | ICD-9-CM | Other and unspecified alcohol dependence, continuous |
| 303.92 | ICD-9-CM | Other and unspecified alcohol dependence, episodic |
| | | , , , , , |



| 303.93 | ICD-9-CM | Other and unspecified alcohol dependence, in remission |
|--------|----------|--|
| 304.0 | ICD-9-CM | Opioid type dependence |
| 304 | ICD-9-CM | Drug dependence |
| 304.00 | ICD-9-CM | Opioid type dependence, unspecified |
| 304.01 | ICD-9-CM | Opioid type dependence, continuous |
| 304.02 | ICD-9-CM | Opioid type dependence, episodic |
| 304.03 | ICD-9-CM | Opioid type dependence, in remission |
| 304.1 | ICD-9-CM | Sedative, hypnotic or anxiolytic dependence |
| 304.10 | ICD-9-CM | Sedative, hypnotic or anxiolytic dependence, unspecified |
| 304.11 | ICD-9-CM | Sedative, hypnotic or anxiolytic dependence, continuous |
| 304.12 | ICD-9-CM | Sedative, hypnotic or anxiolytic dependence, episodic |
| 304.13 | ICD-9-CM | Sedative, hypnotic or anxiolytic dependence, in remission |
| 304.2 | ICD-9-CM | Cocaine dependence |
| 304.20 | ICD-9-CM | Cocaine dependence, unspecified |
| 304.21 | ICD-9-CM | Cocaine dependence, continuous |
| 304.22 | ICD-9-CM | Cocaine dependence, episodic |
| 304.23 | ICD-9-CM | Cocaine dependence, in remission |
| 304.30 | ICD-9-CM | Cannabis dependence, unspecified |
| 304.3 | ICD-9-CM | Cannabis dependence |
| 304.31 | ICD-9-CM | Cannabis dependence, continuous |
| 304.32 | ICD-9-CM | Cannabis dependence, episodic |
| 304.33 | ICD-9-CM | Cannabis dependence, in remission |
| 304.4 | ICD-9-CM | Amphetamine and other psychostimulant dependence |
| 304.40 | ICD-9-CM | Amphetamine and other psychostimulant dependence, unspecified |
| 304.41 | ICD-9-CM | Amphetamine and other psychostimulant dependence, continuous |
| 304.42 | ICD-9-CM | Amphetamine and other psychostimulant dependence, episodic |
| 304.43 | ICD-9-CM | Amphetamine and other psychostimulant dependence, in remission |
| 304.50 | ICD-9-CM | Hallucinogen dependence, unspecified |
| 304.5 | ICD-9-CM | Hallucinogen dependence |
| 304.51 | ICD-9-CM | Hallucinogen dependence, continuous |
| 304.52 | ICD-9-CM | Hallucinogen dependence, episodic |
| 304.53 | ICD-9-CM | Hallucinogen dependence, in remission |
| 304.60 | ICD-9-CM | Other specified drug dependence, unspecified |
| 304.6 | ICD-9-CM | Other specified drug dependence |
| | | |



| 304.61 | ICD-9-CM | Other specified drug dependence, continuous |
|--------|----------|---|
| 304.62 | ICD-9-CM | Other specified drug dependence, episodic |
| 304.63 | ICD-9-CM | Other specified drug dependence, in remission |
| 304.7 | ICD-9-CM | Combinations of opioid type drug with any other drug dependence |
| 304.70 | ICD-9-CM | Combinations of opioid type drug with any other drug dependence, unspecified |
| 304.71 | ICD-9-CM | Combinations of opioid type drug with any other drug dependence, continuous |
| 304.72 | ICD-9-CM | Combinations of opioid type drug with any other drug dependence, episodic |
| 304.73 | ICD-9-CM | Combinations of opioid type drug with any other drug dependence, in remission |
| 304.80 | ICD-9-CM | Combinations of drug dependence excluding opioid type drug, unspecified |
| 304.8 | ICD-9-CM | Combinations of drug dependence excluding opioid type drug |
| 304.81 | ICD-9-CM | Combinations of drug dependence excluding opioid type drug, continuous |
| 304.82 | ICD-9-CM | Combinations of drug dependence excluding opioid type drug, episodic |
| 304.83 | ICD-9-CM | Combinations of drug dependence excluding opioid type drug, in remission |
| 304.90 | ICD-9-CM | Unspecified drug dependence, unspecified |
| 304.9 | ICD-9-CM | Unspecified drug dependence |
| 304.91 | ICD-9-CM | Unspecified drug dependence, continuous |
| 304.92 | ICD-9-CM | Unspecified drug dependence, episodic |
| 304.93 | ICD-9-CM | Unspecified drug dependence, in remission |
| 305.00 | ICD-9-CM | Nondependent alcohol abuse, unspecified |
| 305.0 | ICD-9-CM | Nondependent alcohol abuse |
| 305 | ICD-9-CM | Nondependent abuse of drugs |
| 305.01 | ICD-9-CM | Nondependent alcohol abuse, continuous |
| 305.02 | ICD-9-CM | Nondependent alcohol abuse, episodic |
| 305.03 | ICD-9-CM | Nondependent alcohol abuse, in remission |
| 305.2 | ICD-9-CM | Nondependent cannabis abuse |
| 305.20 | ICD-9-CM | Nondependent cannabis abuse, unspecified |
| 305.21 | ICD-9-CM | Nondependent cannabis abuse, continuous |
| 305.22 | ICD-9-CM | Nondependent cannabis abuse, episodic |
| 305.23 | ICD-9-CM | Nondependent cannabis abuse, in remission |
| 305.30 | ICD-9-CM | Nondependent hallucinogen abuse, unspecified |
| 305.3 | ICD-9-CM | Nondependent hallucinogen abuse |
| 305.31 | ICD-9-CM | Nondependent hallucinogen abuse, continuous |
| 305.32 | ICD-9-CM | Nondependent hallucinogen abuse, episodic |
| 305.33 | ICD-9-CM | Nondependent hallucinogen abuse, in remission |



| 305.4 | ICD-9-CM | Nondependent sedative, hypnotic or anxiolytic abuse |
|--------|----------|--|
| 305.40 | ICD-9-CM | Nondependent sedative, hypnotic or anxiolytic abuse, unspecified |
| 305.41 | ICD-9-CM | Nondependent sedative hypnotic or anxiolytic abuse, continuous |
| 305.42 | ICD-9-CM | Nondependent sedative, hypnotic or anxiolytic abuse, episodic |
| 305.43 | ICD-9-CM | Nondependent sedative, hypnotic or anxiolytic abuse, in remission |
| 305.5 | ICD-9-CM | Nondependent opioid abuse |
| 305.50 | ICD-9-CM | Nondependent opioid abuse, unspecified |
| 305.51 | ICD-9-CM | Nondependent opioid abuse, continuous |
| 305.52 | ICD-9-CM | Nondependent opioid abuse, episodic |
| 305.53 | ICD-9-CM | Nondependent opioid abuse, in remission |
| 305.6 | ICD-9-CM | Nondependent cocaine abuse |
| 305.60 | ICD-9-CM | Nondependent cocaine abuse, unspecified |
| 305.61 | ICD-9-CM | Nondependent cocaine abuse, continuous |
| 305.62 | ICD-9-CM | Nondependent cocaine abuse, episodic |
| 305.63 | ICD-9-CM | Nondependent cocaine abuse, in remission |
| 305.7 | ICD-9-CM | Nondependent amphetamine or related acting sympathomimetic abuse |
| 305.70 | ICD-9-CM | Nondependent amphetamine or related acting sympathomimetic abuse, unspecified |
| 305.71 | ICD-9-CM | Nondependent amphetamine or related acting sympathomimetic abuse, continuous |
| 305.72 | ICD-9-CM | Nondependent amphetamine or related acting sympathomimetic abuse, episodic |
| 305.73 | ICD-9-CM | Nondependent amphetamine or related acting sympathomimetic abuse, in remission |
| 305.80 | ICD-9-CM | Nondependent antidepressant type abuse, unspecified |
| 305.8 | ICD-9-CM | Nondependent antidepressant type abuse |
| 305.81 | ICD-9-CM | Nondependent antidepressant type abuse, continuous |
| 305.82 | ICD-9-CM | Nondependent antidepressant type abuse, episodic |
| 305.83 | ICD-9-CM | Nondependent antidepressant type abuse, in remission |
| 305.9 | ICD-9-CM | Other, mixed, or unspecified nondependent drug abuse |
| 305.90 | ICD-9-CM | Other, mixed, or unspecified nondependent drug abuse, unspecified |
| 305.91 | ICD-9-CM | Other, mixed, or unspecified nondependent drug abuse, continuous |
| 305.92 | ICD-9-CM | Other, mixed, or unspecified nondependent drug abuse, episodic |
| 305.93 | ICD-9-CM | Other, mixed, or unspecified nondependent drug abuse, in remission |
| 571.0 | ICD-9-CM | Alcoholic fatty liver |
| 571.1 | ICD-9-CM | Acute alcoholic hepatitis |
| 571.2 | ICD-9-CM | Alcoholic cirrhosis of liver |
| 571.3 | ICD-9-CM | Unspecified alcoholic liver damage |
| | | |



| 648.3 | ICD-9-CM | Maternal drug dependence complicating pregnancy, childbirth, or the puerperium |
|------------|-----------------|---|
| 4320F | CPT Category II | Patient counseled regarding psychosocial and pharmacologic treatment options for alcohol |
| | 0 , | dependence (SUD) |
| H0005 | HCPCS | Alcohol and/or drug services; group counseling by a clinician |
| H0007 | HCPCS | Alcohol and/or drug services; crisis intervention (outpatient) |
| H0008 | HCPCS | Alcohol and/or drug services; subacute detoxification (hospital inpatient) |
| H0010 | HCPCS | Alcohol and/or drug services; subacute detoxification (residential addiction program inpatient) |
| H0011 | HCPCS | Alcohol and/or drug services; acute detoxification (residential addiction program inpatient) |
| | | |
| H0012 | HCPCS | Alcohol and/or drug services; subacute detoxification (residential addiction program outpatient) |
| H0013 | HCPCS | Alcohol and/or drug services; acute detoxification (residential addiction program outpatient) |
| 110013 | TICFCS | Alcohol and/or drug services, acute detoxilication (residential addiction program outpatient) |
| H0014 | HCPCS | Alcohol and/or drug services; ambulatory detoxification |
| H0015 | HCPCS | Alcohol and/or drug services; intensive outpatient (treatment program that operates at least 3 |
| | | hours/day and at least 3 days/week and is based on an individualized treatment plan), including |
| | | assessment, counseling; crisis intervention, and activity therapies or education |
| H0020 | HCPCS | Alcohol and/or drug services; methadone administration and/or service (provision of the drug by a |
| | | licensed program) |
| H0022 | HCPCS | Alcohol and/or drug intervention service (planned facilitation) |
| H2035 | HCPCS | Alcohol and/or other drug treatment program, per hour |
| H2036 | HCPCS | Alcohol and/or other drug treatment program, per diem |
| T1006 | HCPCS | Alcohol and/or substance abuse services, family/couple counseling |
| T1007 | HCPCS | Alcohol and/or substance abuse services, treatment plan development and/or modification |
| T1008 | HCPCS | Day treatment for individual alcohol and/or substance abuse services |
| T1010 | HCPCS | Meals for individuals receiving alcohol and/or substance abuse services (when meals not included in |
| | | the program) |
| T1012 | HCPCS | Alcohol and/or substance abuse services, skills development |
| V65.42 | ICD-9-CM | Counseling on substance use and abuse |
| Depression | | |
| 296.2 | ICD-9-CM | Major depressive disorder, single episode |



| 296.20 | ICD-9-CM | Major depressive disorder, single episode, unspecified | |
|----------------------|----------|--|--|
| 296.21 | ICD-9-CM | Major depressive disorder, single episode, mild | |
| 296.22 | ICD-9-CM | Major depressive disorder, single episode, moderate | |
| 296.23 | ICD-9-CM | Major depressive disorder, single episode, severe, without mention of psychotic behavior | |
| | | | |
| 296.24 | ICD-9-CM | Major depressive disorder, single episode, severe, specified as with psychotic behavior | |
| 296.25 | ICD-9-CM | Major depressive disorder, single episode, in partial or unspecified remission | |
| 296.26 | ICD-9-CM | Major depressive disorder, single episode in full remission | |
| 296.3 | ICD-9-CM | Major depressive disorder, recurrent episode | |
| 296.30 | ICD-9-CM | Major depressive disorder, recurrent episode, unspecified | |
| 296.31 | ICD-9-CM | Major depressive disorder, recurrent episode, mild | |
| 296.32 | ICD-9-CM | Major depressive disorder, recurrent episode, moderate | |
| 296.33 | ICD-9-CM | Major depressive disorder, recurrent episode, severe, without mention of psychotic behavior | |
| | | | |
| 296.34 | ICD-9-CM | Major depressive disorder, recurrent episode, severe, specified as with psychotic behavior | |
| | | | |
| 296.35 | ICD-9-CM | Major depressive disorder, recurrent episode, in partial or unspecified remission | |
| 296.36 | ICD-9-CM | Major depressive disorder, recurrent episode, in full remission | |
| 300.4 | ICD-9-CM | Dysthymic disorder | |
| 309.1 | ICD-9-CM | Prolonged depressive reaction as adjustment reaction | |
| 311 | ICD-9-CM | Depressive disorder, not elsewhere classified | |
| PTSD | | | |
| 309.81 | ICD-9-CM | Posttraumatic stress disorder | |
| Anticoagulant (oral) | | | |
| 964.2 | ICD-9-CM | Poisoning by anticoagulants | |
| E934.2 | ICD-9-CM | Anticoagulants causing adverse effect in therapeutic use | |
| V58.61 | ICD-9-CM | Long-term (current) use of anticoagulants | |
| 99363 | CPT-4 | Anticoagulant management for an outpatient taking warfarin, physician review and interpretation of | |
| | | International Normalized Ratio (INR) testing, patient instructions, dosage adjustment (as needed), | |
| | | and ordering of additional tests; initial 90 days of therapy (must include a minimum of 8 INR | |
| | | measurements) | |
| | | | |



| 99364 | CPT-4 | Anticoagulant management for an outpatient taking warfarin, physician review and interpretation of International Normalized Ratio (INR) testing, patient instructions, dosage adjustment (as needed), and ordering of additional tests; each subsequent 90 days of therapy (must include a minimum of 3 INR measurements) |
|---------------------|-----------------|---|
| 4075F | CPT Category II | Anticoagulant therapy prescribed at discharge (STR) |
| G8225 | HCPCS | Patient documented to have been prescribed an anticoagulant at discharge |
| G8967 | HCPCS | Warfarin or another oral anticoagulant that is FDA approved prescribed |
| Anticoagulant (non- | | |
| oral) | | |
| 289.84 | ICD-9-CM | Heparin-induced thrombocytopenia [HIT] |
| 99.19 | ICD-9-CM | Injection of anticoagulant |
| 85525 | CPT-4 | Heparin neutralization |
| 99557 | CPT-4 | Home infusion of continuous anticoagulant therapy (eg, heparin), per visit |
| 85520 | HCPCS | Heparin assay |
| J1644 | HCPCS | Injection, Heparin sodium, per 1000 units |
| S9336 | HCPCS | Home infusion therapy, continuous anticoagulant infusion therapy (e.g., Heparin), administrative services, professional pharmacy services, care coordination and all necessary supplies and equipment (drugs and nursing visits coded separately), per diem |
| S9372 | HCPCS | Home therapy; intermittent anticoagulant injection therapy (e.g., Heparin); administrative services, professional pharmacy services, care coordination, and all necessary supplies and equipment (drugs and nursing visits coded separately), per diem (do not use this code for flushing of infusion devices with Heparin to maintain patency) |



Appendix C: List of Generic and Brand Names used to Define Covariates in this Request

| Exposure | Generic Name | Brand Name |
|----------------|---------------------------------------|--------------------------------|
| ACE-Inhibitors | BENAZEPRIL HCL | Lotensin |
| ACE-Inhibitors | CAPTOPRIL | captopril |
| ACE-Inhibitors | ENALAPRIL MALEATE | Vasotec |
| ACE-Inhibitors | LISINOPRIL | Zestril |
| ACE-Inhibitors | LISINOPRIL/HYDROCHLOROTHIAZIDE | Prinzide |
| ACE-Inhibitors | LISINOPRIL/HYDROCHLOROTHIAZIDE | Zestoretic |
| ACE-Inhibitors | QUINAPRIL HCL | Accupril |
| ACE-Inhibitors | FOSINOPRIL SODIUM | Monopril |
| ACE-Inhibitors | RAMIPRIL | Altace |
| ACE-Inhibitors | ENALAPRIL MALEATE | enalapril maleate |
| ACE-Inhibitors | ENALAPRIL MALEATE/FELODIPINE | Lexxel |
| ACE-Inhibitors | CAPTOPRIL | Capoten |
| ACE-Inhibitors | LISINOPRIL | lisinopril |
| ACE-Inhibitors | LISINOPRIL | Prinivil |
| ACE-Inhibitors | CAPTOPRIL/HYDROCHLOROTHIAZIDE | captopril-hydrochlorothiazide |
| ACE-Inhibitors | TRANDOLAPRIL/VERAPAMIL HCL | Tarka |
| ACE-Inhibitors | TRANDOLAPRIL | Mavik |
| ACE-Inhibitors | ENALAPRIL MALEATE/HYDROCHLOROTHIAZIDE | Vaseretic |
| ACE-Inhibitors | QUINAPRIL HCL/HYDROCHLOROTHIAZIDE | Accuretic |
| ACE-Inhibitors | AMLODIPINE BESYLATE/BENAZEPRIL HCL | Lotrel |
| ACE-Inhibitors | BENAZEPRIL HCL/HYDROCHLOROTHIAZIDE | Lotensin HCT |
| ACE-Inhibitors | MOEXIPRIL HCL | Univasc |
| ACE-Inhibitors | LISINOPRIL/HYDROCHLOROTHIAZIDE | lisinopril-hydrochlorothiazide |
| ACE-Inhibitors | ENALAPRIL MALEATE/HYDROCHLOROTHIAZIDE | enalapril-hydrochlorothiazide |
| ACE-Inhibitors | CAPTOPRIL/HYDROCHLOROTHIAZIDE | Capozide |
| ACE-Inhibitors | MOEXIPRIL HCL | moexipril |
| ACE-Inhibitors | QUINAPRIL HCL | quinapril |
| ACE-Inhibitors | BENAZEPRIL HCL | benazepril |
| ACE-Inhibitors | FOSINOPRIL SODIUM | fosinopril |
| ACE-Inhibitors | BENAZEPRIL HCL/HYDROCHLOROTHIAZIDE | benazepril-hydrochlorothiazide |
| ACE-Inhibitors | FOSINOPRIL SODIUM/HYDROCHLOROTHIAZIDE | Monopril HCT |
| ACE-Inhibitors | RAMIPRIL | ramipril |



ACE-Inhibitors MOEXIPRIL HCL/HYDROCHLOROTHIAZIDE moexipril-hydrochlorothiazide

ACE-Inhibitors QUINAPRIL HCL/HYDROCHLOROTHIAZIDE Quinaretic ACE-Inhibitors TRANDOLAPRIL trandolapril

ACE-Inhibitors FOSINOPRIL SODIUM/HYDROCHLOROTHIAZIDE fosinopril-hydrochlorothiazide

ACE-Inhibitors AMLODIPINE BESYLATE/BENAZEPRIL HCL amlodipine-benazepril
ACE-Inhibitors PERINDOPRIL ERBUMINE perindopril erbumine

ACE-Inhibitors MOEXIPRIL HCL/HYDROCHLOROTHIAZIDE Uniretic

ACE-Inhibitors PERINDOPRIL ERBUMINE Aceon

ACE-Inhibitors LISINOPRIL/DIETARY SUPPLEMENT, COMB.10 Lytensopril

ACE-Inhibitors LISINOPRIL/DIETARY SUPPLEMENT, COMB.10 Lytensopril-90

ACE-Inhibitors TRANDOLAPRIL/VERAPAMIL HCL trandolapril-verapamil

ACE-Inhibitors QUINAPRIL HCL/HYDROCHLOROTHIAZIDE quinapril-hydrochlorothiazide

ACE-Inhibitors LISINOPRIL Qbrelis

ACE-Inhibitors PERINDOPRIL ARGININE/AMLODIPINE BESYLATE Prestalia
ACE-Inhibitors ENALAPRIL MALEATE Epaned

Antiarrhythmics QUINIDINE GLUCONATE quinidine gluconate

Antiarrhythmics VERAPAMIL HCL verapamil
Antiarrhythmics PROCAINAMIDE HCL procainamide
Antiarrhythmics QUINIDINE SULFATE Quinidex Extentabs

Antiarrhythmics MEXILETINE HCL mexiletine
Antiarrhythmics AMIODARONE HCL amiodarone
Antiarrhythmics QUINIDINE SULFATE quinidine sulfate
Antiarrhythmics PROCAINAMIDE HCL Procanbid

Antiarrhythmics DISOPYRAMIDE PHOSPHATE disopyramide phosphate

Antiarrhythmics MEXILETINE HCL Mexitil
Antiarrhythmics TOCAINIDE HCL Tonocard
Antiarrhythmics PROCAINAMIDE HCL Pronestyl
Antiarrhythmics AMIODARONE HCL Pacerone
Antiarrhythmics PROPAFENONE HCL propafenone

Antiarrhythmics QUINIDINE GLUCONATE Quinaglute Dura-Tabs

AntiarrhythmicsSOTALOL HCLsotalolAntiarrhythmicsPROPAFENONE HCLRythmolAntiarrhythmicsMORICIZINE HCLEthmozineAntiarrhythmicsFLECAINIDE ACETATEflecainide



| DISOPYRAMIDE PHOSPHATE | Norpace |
|------------------------|--|
| AMIODARONE HCL | Cordarone |
| VERAPAMIL HCL | Calan |
| PROPAFENONE HCL | Rythmol SR |
| DISOPYRAMIDE PHOSPHATE | Norpace CR |
| PROCAINAMIDE HCL | Pronestyl-SR |
| SOTALOL HCL | Betapace AF |
| SOTALOL HCL | Betapace |
| SOTALOL HCL | Sotalol AF |
| FLECAINIDE ACETATE | Tambocor |
| SOTALOL HCL | Sorine |
| DRONEDARONE HCL | Multaq |
| SOTALOL HCL | Sotylize |
| DOFETILIDE | dofetilide |
| DOFETILIDE | Tikosyn |
| | AMIODARONE HCL VERAPAMIL HCL PROPAFENONE HCL DISOPYRAMIDE PHOSPHATE PROCAINAMIDE HCL SOTALOL HCL SOTALOL HCL SOTALOL HCL FLECAINIDE ACETATE SOTALOL HCL DRONEDARONE HCL SOTALOL HCL DOFETILIDE |

Anticoagulant (non-oral) HEPARIN SODIUM, PORCINE/DEXTROSE 5 % IN WATER heparin (porcine) in 5 % dex

Anticoagulant (non-oral) ARDEPARIN SODIUM, PORCINE Normiflo

Anticoagulant (non-oral) HEPARIN SODIUM, PORCINE IN 0.9 % SODIUM CHLORIDE **Heparin Combination** Anticoagulant (non-oral) heparin (porcine) HEPARIN SODIUM, PORCINE Anticoagulant (non-oral) HEPARIN SODIUM, PORCINE Vasceze

Anticoagulant (non-oral) heparin (bovine) HEPARIN SODIUM, BEEF

Anticoagulant (non-oral) **FONDAPARINUX SODIUM** Arixtra Anticoagulant (non-oral) HEPARIN SODIUM, PORCINE IN 0.9 % SODIUM CHLORIDE Hep-Pak Anticoagulant (non-oral) Refludan LEPIRUDIN, RECOMBINANT Anticoagulant (non-oral) TINZAPARIN SODIUM, PORCINE Innohep Anticoagulant (non-oral) DANAPAROID SODIUM, PORCINE Orgaran

heparin, porcine (PF) Anticoagulant (non-oral) HEPARIN SODIUM, PORCINE/PF

Anticoagulant (non-oral) **ENOXAPARIN SODIUM** Lovenox Anticoagulant (non-oral) **ARGATROBAN** argatroban

Anticoagulant (non-oral) HEPARIN SODIUM, PORCINE IN 0.9 % SODIUM CHLORIDE heparin (porcine) in 0.9% NaCl Anticoagulant (non-oral) heparin (porcine) in NaCl (PF) HEPARIN SODIUM, PORCINE IN 0.9 % SODIUM CHLORIDE/PF Anticoagulant (non-oral) HEPARIN SODIUM, PORCINE IN 0.45 % SODIUM CHLORIDE heparin(porcine) in 0.45% NaCl

Anticoagulant (non-oral) DALTEPARIN SODIUM, PORCINE Fragmin Anticoagulant (non-oral) DESIRUDIN Iprivask



Anticoagulant (non-oral) ENOXAPARIN SODIUM enoxaparin

Anticoagulant (non-oral) HEPARIN SODIUM, PORCINE/DEXTROSE 5 % IN WATER/PF heparin (porcine) in D5W (PF)

Anticoagulant (non-oral) BIVALIRUDIN Angiomax
Anticoagulant (non-oral) WARFARIN SODIUM Coumadin

Anticoagulant (non-oral) HEPARIN SODIUM, PORCINE/PF Monoject Prefill Advanced (PF)

Anticoagulant (non-oral) FONDAPARINUX SODIUM fondaparinux

Anticoagulant (non-oral) ARGATROBAN IN SODIUM CHLORIDE, ISO-OSMOTIC argatroban in NaCL (iso-os)

Anticoagulant (non-oral) HEPARIN SODIUM, PORCINE/PF Monoject Prefill (PF)

Anticoagulant (non-oral) BIVALIRUDIN bivalirudin

Anticoagulant (non-oral) ARGATROBAN IN 0.9 % SODIUM CHLORIDE argatroban in 0.9 % sod chlor

Anticoagulant (oral) WARFARIN SODIUM warfarin Anticoagulant (oral) ANISINDIONE Miradon Anticoagulant (oral) WARFARIN SODIUM Jantoven Anticoagulant (oral) DABIGATRAN ETEXILATE MESYLATE Pradaxa Anticoagulant (oral) RIVAROXABAN Xarelto Anticoagulant (oral) **EDOXABAN TOSYLATE** Savaysa **APIXABAN**

Anticoagulant (oral) APIXABAN Eliquis
Beta Blockers ATENOLOL atenolol
Beta Blockers ATENOLOL Tenormin
Beta Blockers METOPROLOL TARTRATE Lopressor

Beta BlockersNADOLOLCorgardBeta BlockersPROPRANOLOL HCLInderalBeta BlockersPROPRANOLOL HCLpropranololBeta BlockersPROPRANOLOL HCL/HYDROCHLOROTHIAZIDEInderide

Beta Blockers TIMOLOL MALEATE timolol maleate

Beta Blockers NADOLOL nadolol
Beta Blockers PROPRANOLOL HCL Inderal LA

Beta Blockers METOPROLOL TARTRATE metoprolol tartrate

Beta Blockers ATENOLOL/CHLORTHALIDONE atenolol-chlorthalidone

Beta BlockersPINDOLOLpindololBeta BlockersACEBUTOLOL HCLSectralBeta BlockersACEBUTOLOL HCLacebutolol

Beta Blockers PROPRANOLOL HCL/HYDROCHLOROTHIAZIDE propranolol-hydrochlorothiazid

Beta Blockers BISOPROLOL FUMARATE/HYDROCHLOROTHIAZIDE bisoprolol-hydrochlorothiazide



Beta BlockersPROPRANOLOL HCL/HYDROCHLOROTHIAZIDEInderide LABeta BlockersPINDOLOLViskenBeta BlockersNADOLOL/BENDROFLUMETHIAZIDECorzideBeta BlockersATENOLOLSenormin

Beta Blockers BISOPROLOL FUMARATE bisoprolol fumarate

Beta Blockers ATENOLOL/CHLORTHALIDONE Tenoretic 50

Beta Blockers BISOPROLOL FUMARATE/HYDROCHLOROTHIAZIDE Ziac

Beta Blockers METOPROLOL SUCCINATE Toprol XL

Beta Blockers
Beta Blockers
Beta Blockers
Beta Blockers
Beta Blockers
TIMOLOL MALEATE
Beta Blockers
TIMOLOL MALEATE/HYDROCHLOROTHIAZIDE
Beta Blockers
CARTEOLOL HCL
Timolide
Cartrol

Beta Blockers METOPROLOL TARTRATE/HYDROCHLOROTHIAZIDE Lopressor HCT
Beta Blockers PROPRANOLOL HCL InnoPran XL

Beta Blockers METOPROLOL SUCCINATE metoprolol succinate

Beta Blockers BETAXOLOL HCL betaxolol

Beta Blockers NADOLOL/BENDROFLUMETHIAZIDE nadolol-bendroflumethiazide

Beta Blockers METOPROLOL TARTRATE/DIETARY SUPPLEMENT, COMB.10 Hypertensolol

Beta Blockers PENBUTOLOL SULFATE Levatol

Beta Blockers METOPROLOL TARTRATE/HYDROCHLOROTHIAZIDE metoprolol ta-hydrochlorothiaz

Beta BlockersNEBIVOLOL HCLBystolicBeta BlockersMETOPROLOL SUCCINATE/HYDROCHLOROTHIAZIDEDutoprolBeta BlockersATENOLOL/CHLORTHALIDONETenoretic 100

Beta Blockers METOPROLOL SUCCINATE/HYDROCHLOROTHIAZIDE metoprolol su-hydrochlorothiaz

Beta Blockers PROPRANOLOL HCL Hemangeol Beta Blockers PROPRANOLOL HCL Inderal XL SSRI FLUOXETINE HCL Prozac SSRI PAROXETINE HCL Paxil SSRI SERTRALINE HCL Zoloft

SSRI FLUVOXAMINE MALEATE fluvoxamine
SSRI CITALOPRAM HYDROBROMIDE Celexa
SSRI FLUOXETINE HCL fluoxetine
SSRI FLUVOXAMINE MALEATE Luvox



| SSRI | FLUOXETINE HCL | Sarafem |
|---------|---|-----------------------|
| SSRI | CITALOPRAM HYDROBROMIDE | citalopram |
| SSRI | PAROXETINE HCL | Paxil CR |
| SSRI | PAROXETINE HCL | paroxetine HCl |
| SSRI | FLUOXETINE HCL | Rapiflux |
| SSRI | PAROXETINE MESYLATE | Pexeva |
| SSRI | ESCITALOPRAM OXALATE | Lexapro |
| SSRI | SERTRALINE HCL | sertraline |
| SSRI | FLUOXETINE HCL | Prozac Weekly |
| SSRI | FLUOXETINE HCL | Selfemra |
| SSRI | FLUOXETINE HCL/DIETARY SUPPLEMENT, MISC COMB17 | Gaboxetine |
| SSRI | FLUOXETINE HCL/DIETARY SUPPLEMENT, MISC. COMBO8 | Sentroxatine |
| SSRI | OLANZAPINE/FLUOXETINE HCL | Symbyax |
| SSRI | ESCITALOPRAM OXALATE | escitalopram oxalate |
| SSRI | FLUVOXAMINE MALEATE | Luvox CR |
| SSRI | VILAZODONE HCL | Viibryd |
| SSRI | VORTIOXETINE HYDROBROMIDE | Brintellix |
| SSRI | OLANZAPINE/FLUOXETINE HCL | olanzapine-fluoxetine |
| SSRI | VORTIOXETINE HYDROBROMIDE | Trintellix |
| Statins | ATORVASTATIN CALCIUM | Lipitor |
| Statins | FLUVASTATIN SODIUM | Lescol |
| Statins | LOVASTATIN | Mevacor |
| Statins | PRAVASTATIN SODIUM | Pravachol |
| | | |

Statins ASPIRIN (CALCIUM CARB & MAGNESIUM BUFFERS)/PRAVASTATIN PRAVIGARD PAC

Baycol

Zocor

CERIVASTATIN SODIUM

SIMVASTATIN

Statins LOVASTATIN Altocor Statins LOVASTATIN Altoprev Statins LOVASTATIN lovastatin Statins **SIMVASTATIN** simvastatin Statins PRAVASTATIN SODIUM pravastatin Advicor Statins NIACIN/LOVASTATIN Lescol XL Statins **FLUVASTATIN SODIUM** Statins AMLODIPINE BESYLATE/ATORVASTATIN CALCIUM Caduet

Statins

Statins



| Statins | EZETIMIBE/SIMVASTATIN | Vytorin 10-10 |
|---------|--|-------------------------|
| Statins | EZETIMIBE/SIMVASTATIN | Vytorin 10-20 |
| Statins | EZETIMIBE/SIMVASTATIN | Vytorin 10-40 |
| Statins | ROSUVASTATIN CALCIUM | Crestor |
| Statins | NIACIN/SIMVASTATIN | Simcor |
| Statins | EZETIMIBE/SIMVASTATIN | Vytorin 10-80 |
| Statins | AMLODIPINE BESYLATE/ATORVASTATIN CALCIUM | amlodipine-atorvastatin |
| Chatina | ATODVACTATINI CALCIUNA | |

StatinsATORVASTATIN CALCIUMatorvastatinStatinsPITAVASTATIN CALCIUMLivaloStatinsSITAGLIPTIN PHOSPHATE/SIMVASTATINJuvisyncStatinsEZETIMIBE/ATORVASTATIN CALCIUMLiptruzet

Statins ROSUVASTATIN CALCIUM rosuvastatin
Statins FLUVASTATIN SODIUM fluvastatin



Appendix D: List of Generic and Brand Names used to Define Atpyical or Typical Antipsychotic with or without SSRI Exposures in this Request

| Exposure | Generic Name | Brand Name |
|------------------------|---------------------------|------------------------|
| Atypical Antipsychotic | ARIPIPRAZOLE | Abilify |
| Atypical Antipsychotic | ARIPIPRAZOLE | Abilify Discmelt |
| Atypical Antipsychotic | ARIPIPRAZOLE | aripiprazole |
| Atypical Antipsychotic | ASENAPINE MALEATE | Saphris |
| Atypical Antipsychotic | ASENAPINE MALEATE | Saphris (black cherry) |
| Atypical Antipsychotic | BREXPIPRAZOLE | Rexulti |
| Atypical Antipsychotic | CARIPRAZINE HCL | Vraylar |
| Atypical Antipsychotic | CLOZAPINE | clozapine |
| Atypical Antipsychotic | CLOZAPINE | Clozaril |
| Atypical Antipsychotic | CLOZAPINE | FazaClo |
| Atypical Antipsychotic | CLOZAPINE | Versacloz |
| Atypical Antipsychotic | ILOPERIDONE | Fanapt |
| Atypical Antipsychotic | LURASIDONE HCL | Latuda |
| Atypical Antipsychotic | OLANZAPINE | olanzapine |
| Atypical Antipsychotic | OLANZAPINE | Zyprexa |
| Atypical Antipsychotic | OLANZAPINE | Zyprexa Zydis |
| Atypical Antipsychotic | OLANZAPINE/FLUOXETINE HCL | olanzapine-fluoxetine |
| Atypical Antipsychotic | OLANZAPINE/FLUOXETINE HCL | Symbyax |
| Atypical Antipsychotic | PALIPERIDONE | Invega |
| Atypical Antipsychotic | PALIPERIDONE | paliperidone |
| Atypical Antipsychotic | PIMAVANSERIN TARTRATE | Nuplazid |
| Atypical Antipsychotic | QUETIAPINE FUMARATE | quetiapine |
| Atypical Antipsychotic | QUETIAPINE FUMARATE | Seroquel |
| Atypical Antipsychotic | QUETIAPINE FUMARATE | Seroquel XR |
| Atypical Antipsychotic | RISPERIDONE | Risperdal |
| Atypical Antipsychotic | RISPERIDONE | Risperdal M-TAB |
| Atypical Antipsychotic | RISPERIDONE | risperidone |
| Atypical Antipsychotic | ZIPRASIDONE HCL | Geodon |
| Atypical Antipsychotic | ZIPRASIDONE HCL | ziprasidone HCl |
| Haloperidol | HALOPERIDOL | haloperidol |
| Haloperidol | HALOPERIDOL LACTATE | Haldol |
| Haloperidol | HALOPERIDOL LACTATE | haloperidol lactate |



Typical Antipsychotic CHLORPROMAZINE HCL chlorpromazine
Typical Antipsychotic CHLORPROMAZINE HCL Thorazine

Typical Antipsychotic FLUPHENAZINE HCL fluphenazine HCl

Typical Antipsychotic FLUPHENAZINE HCL Permitil
Typical Antipsychotic FLUPHENAZINE HCL Prolixin
Typical Antipsychotic HALOPERIDOL haloperidol
Typical Antipsychotic HALOPERIDOL LACTATE Haldol

Typical Antipsychotic HALOPERIDOL LACTATE haloperidol lactate

Typical Antipsychotic LOXAPINE HCL Loxitane-C

Typical Antipsychotic LOXAPINE SUCCINATE loxapine succinate

Typical Antipsychotic LOXAPINE SUCCINATE Loxitane

Typical Antipsychotic MOLINDONE HCL Moban

Typical Antipsychotic MOLINDONE HCL molindone

Typical Antipsychotic PERPHENAZINE perphenazine

Typical Antipsychotic PERPHENAZINE Trilafon

Typical Antipsychotic PERPHENAZINE/AMITRIPTYLINE HCL Duo-Vil 2-10
Typical Antipsychotic PERPHENAZINE/AMITRIPTYLINE HCL Duo-Vil 2-25
Typical Antipsychotic PERPHENAZINE/AMITRIPTYLINE HCL Etrafon 2-10
Typical Antipsychotic PERPHENAZINE/AMITRIPTYLINE HCL Etrafon 2-25
Typical Antipsychotic PERPHENAZINE/AMITRIPTYLINE HCL Etrafon Forte 4-25

Typical Antipsychotic PERPHENAZINE/AMITRIPTYLINE HCL perphenazine-amitriptyline

Typical Antipsychotic PERPHENAZINE/AMITRIPTYLINE HCL Triavil 2-10

Typical Antipsychotic PERPHENAZINE/AMITRIPTYLINE HCL Triavil 2-25

Typical Antipsychotic PERPHENAZINE/AMITRIPTYLINE HCL Triavil 4-25

Typical Antipsychotic PIMOZIDE Orap
Typical Antipsychotic PIMOZIDE pimozide
Typical Antipsychotic THIORIDAZINE HCL Mellaril
Typical Antipsychotic THIORIDAZINE HCL Mellaril-S
Typical Antipsychotic THIORIDAZINE HCL thioridazine

Typical Antipsychotic THIOTHIXENE Navane
Typical Antipsychotic THIOTHIXENE thiothixene
Typical Antipsychotic THIOTHIXENE HCL thiothixene HCl

Typical Antipsychotic TRIFLUOPERAZINE HCL Stelazine

Typical Antipsychotic TRIFLUOPERAZINE HCL trifluoperazine



| SSRI only | CITALOPRAM HYDROBROMIDE | Celexa |
|-----------|-------------------------|------------|
| SSRI only | CITALOPRAM HYDROBROMIDE | citalopram |

SSRI only ESCITALOPRAM OXALATE escitalopram oxalate

SSRI only ESCITALOPRAM OXALATE Lexapro
SSRI only FLUOXETINE HCL fluoxetine
SSRI only FLUOXETINE HCL Prozac

SSRI only FLUOXETINE HCL Prozac Weekly

SSRI only **FLUOXETINE HCL** Rapiflux Sarafem SSRI only **FLUOXETINE HCL** SSRI only **FLUOXETINE HCL** Selfemra SSRI only FLUOXETINE HCL/DIETARY SUPPLEMENT, MISC COMB17 Gaboxetine Sentroxatine SSRI only FLUOXETINE HCL/DIETARY SUPPLEMENT, MISC. COMBO8 SSRI only fluvoxamine **FLUVOXAMINE MALEATE** SSRI only FLUVOXAMINE MALEATE Luvox

SSRI only FLUVOXAMINE MALEATE Luvox CR
SSRI only PAROXETINE HCL paroxetine HCl

SSRI only PAROXETINE HCL Paxil SSRI only PAROXETINE HCL Paxil CR PAROXETINE MESYLATE SSRI only Pexeva SERTRALINE HCL sertraline SSRI only SSRI only SERTRALINE HCL Zoloft SSRI only VILAZODONE HCL Viibryd SSRI only **VORTIOXETINE HYDROBROMIDE** Brintellix SSRI only Trintellix **VORTIOXETINE HYDROBROMIDE**

SSRI + Atypical Antipsychotic OLANZAPINE/FLUOXETINE HCL olanzapine-fluoxetine

SSRI + Atypical Antipsychotic OLANZAPINE/FLUOXETINE HCL Symbyax
Olanzapine OLANZAPINE olanzapine
Olanzapine OLANZAPINE Zyprexa
Olanzapine OLANZAPINE Zyprexa Zydis

Olanzapine OLANZAPINE/FLUOXETINE HCL olanzapine-fluoxetine

OlanzapineOLANZAPINE/FLUOXETINE HCLSymbyaxQuetiapineQUETIAPINE FUMARATEquetiapineQuetiapineQUETIAPINE FUMARATESeroquelQuetiapineQUETIAPINE FUMARATESeroquel XR



Risperidone RISPERIDONE Risperdal

Risperidone RISPERIDONE Risperdal M-TAB
Risperidone RISPERIDONE risperidone
Aripiprazole ARIPIPRAZOLE Abilify

Aripiprazole ARIPIPRAZOLE Abilify Discmelt Aripiprazole ARIPIPRAZOLE aripiprazole Fluoxetine FLUOXETINE HCL fluoxetine FLUOXETINE HCL Prozac

Fluoxetine FLUOXETINE HCL Prozac Weekly

Fluoxetine FLUOXETINE HCL Rapiflux
Fluoxetine FLUOXETINE HCL Sarafem
Fluoxetine FLUOXETINE HCL Selfemra
Fluoxetine FLUOXETINE HCL/DIETARY SUPPLEMENT, MISC COMB17 Gaboxetine
Fluoxetine FLUOXETINE HCL/DIETARY SUPPLEMENT, MISC.COMB08 Sentroxatine



Appendix E: List of Diagnosis Codes Used to Define Outcomes in this Request

| Code | Code Category | Code Type | Description |
|-------------|---------------|-----------|--|
| Ischemic S | Stroke | | |
| 433.01 | Diagnosis | ICD-9-CM | Occlusion and stenosis of basilar artery with cerebral infarction |
| 433.11 | Diagnosis | ICD-9-CM | Occlusion and stenosis of carotid artery with cerebral infarction |
| 433.21 | Diagnosis | ICD-9-CM | Occlusion and stenosis of vertebral artery with cerebral infarction |
| 433.31 | Diagnosis | ICD-9-CM | Occlusion and stenosis of multiple and bilateral precerebral arteries with cerebral infarction |
| 433.81 | Diagnosis | ICD-9-CM | Occlusion and stenosis of other specified precerebral artery with cerebral infarction |
| 433.91 | Diagnosis | ICD-9-CM | Occlusion and stenosis of unspecified precerebral artery with cerebral infarction |
| 434.01 | Diagnosis | ICD-9-CM | Cerebral thrombosis with cerebral infarction |
| 434.11 | Diagnosis | ICD-9-CM | Cerebral embolism with cerebral infarction |
| 434.91 | Diagnosis | ICD-9-CM | Cerebral artery occlusion, unspecified, with cerebral infarction |
| 436 | Diagnosis | ICD-9-CM | Acute, but ill-defined, cerebrovascular disease |
| Intracrania | al Hemorrhage | | |
| 430 | Diagnosis | ICD-9-CM | Subarachnoid hemorrhage |
| 431 | Diagnosis | ICD-9-CM | Intracerebral hemorrhage |



Appendix F: Modular Program Specifications for cder mpl1r wp045 nsdp v01

CIOA Specifications for Antipsychotics and Risk of Stroke
Sentiner's Cohort Identification and Descriptive Analysis (ICDM) tool, version 3.3.2 was used to investigate the characteristics of users of atypical and typical antipsychotics, as well as SSRI only users and SSRI is specific atypical antipsychotics users. There are a total of 18 scenarios in this request.

Ourset are Requirement: Medical and Drug
Exerciments (182 Days
Englishment Requirement: 182 Days
Englishment Requirement: 182 Days
Englishment Requirement: 182 Days
Englishment Requirement: 183 Days
Englishment Requir

| | Exposure Pre-existing Co | | | | | | | | | ondition | | | Con | rariates | Event/Outcome | | | | | | | | |
|-----|---|--|-------------------|---|-------------|---------------------|-------------------------|----------------------|------------------------|--|-------------------------------|------|-----------------------|---|--------------------------|--------------------------|----------------------------------|--------------------|---|-------------------------------------|------------------|---------------|-----------------|
| ı | | | | | | Exposure | | | Episode | | l I | Care | | | | | 11 | | | ı | | | |
| rio | Incident exposure | Incident w/ respect to: | Washout (days) | Cohort Definition | Episode Gap | Extension Period | Min Episode Duration | Min Days Supplied | Truncation at Death | Additional Censoring Criteria | Pre-existing Condition 1 | | Include or Exclude | Lookback Period | Pre-existing Condition 2 | on Include or Exclude | Lookback Period | Covariate | Covariate Evaluation Window | Event/ Outcome | Care Setting/PDX | Washout (day: | Bla s) perio |
| | Typical antipsychotics | Atypical and typical antipsychotics | 183 | Cohort includes only the first valid treatment episode during the query period | 30 | 30 | 1 | 1 | Yes | Atypical antipsychotics | Stroke (covariate definition) | Any | Exclude | 60 days before to 1 day before index | - | - | - | See Covariate tab. | 183 days before to 1 day before index | Stroke (ischemic stroke) | IPP | 0 | |
| | Haloperidol | Atypical and typical antipsychotics | 183 | Cohort includes only the first valid treatment episode during the query period | 30 | 30 | 1 | 1 | Yes | Typical and atypical antipsychotics | Stroke (covariate definition) | Any | Exclude | 60 days before to 1 day before index | | - | - | See Covariate tab. | 183 days before to 1 day before index for all covariates except haloperidol (0 days before, 0 days after) | Stroke (ischemic stroke) | IPP | 0 | |
| | Atypical antipsychotics | Atypical and typical antipsychotics | 183 | Cohort includes only the first valid treatment episode during the query period | 30 | 30 | 1 | 1 | Yes | Typical antipsychotics | Stroke (covariate definition) | Any | Exclude | 60 days before to 1 day before index | - | - | - | See Covariate tab. | 183 days before to 1 day before index | Stroke (ischemic stroke) | IPP | 0 | |
| | SSRI_ex (SSRI excluding antipsychotic-SSRI combo) | SSRI, typical and atypical antipsychotics | 183 | Cohort includes only the first valid treatment episode during the query period | 30 | 30 | 1 | 1 | Yes | Typical and atypical antipsychotics | Stroke (covariate definition) | Any | Exclude | 60 days before to 1 day before index | - | - | - | See Covariate tab. | 183 days before to 1 day before index | Stroke (ischemic stroke) | IPP | 0 | |
| | Olanzapine | Atypical and typical antipsychotics | 183 | Cohort includes only the first valid treatment episode during the query period | 30 | 30 | 1 | 1 | Yes | Typical antipsychotics | Stroke (covariate definition) | Any | Exclude | 60 days before to 1 day before index | SSRI | Include | 60 days before index to index | See Covariate tab. | 183 days before to 1 day before index | Stroke (ischemic stroke) | IPP | 0 | |
| | Quetiapine | Atypical and typical antipsychotics | 183 | Cohort includes only the first valid treatment episode during the query period | 30 | 30 | 1 | 1 | Yes | Typical antipsychotics | Stroke (covariate definition) | Any | Exclude | 60 days before to 1 day before index | SSRI | Include | 60 days before index to index | See Covariate tab. | 183 days before to 1 day before index | Stroke (ischemic stroke) | IPP | 0 | |
| | Risperidone | Atypical and typical antipsychotics | 183 | Cohort includes only the first valid treatment episode during the query period | 30 | 30 | 1 | 1 | Yes | Typical antipsychotics | Stroke (covariate definition) | Any | Exclude | 60 days before to 1 day before index | SSRI | Include | 60 days before index to index | See Covariate tab. | 183 days before to 1 day before index | Stroke (ischemic stroke) | IPP | 0 | |
| | Aripiprazole | Atypical and typical antipsychotics | 183 | Cohort includes only the first valid treatment episode during the query period | 30 | 30 | 1 | 1 | Yes | Typical antipsychotics | Stroke (covariate definition) | Any | Exclude | 60 days before to 1 day before index | SSRI | Include | 60 days before index to index | See Covariate tab. | 183 days before to 1 day before index | Stroke (ischemic stroke) | IPP | 0 | |
| | Olanzapine | Atypical and typical antipsychotics | 183 | Cohort includes only the first valid treatment episode during the query period | 30 | 30 | 1 | 1 | Yes | Typical antipsychotics | Stroke (covariate definition) | Any | Exclude | 60 days before to 1 day before index | Fluoxetine | Include | 60 days before index to index | See Covariate tab. | 183 days before to 1 day before index | Stroke (ischemic stroke) | IPP | 0 | |
| | Typical antipsychotics | Atypical and typical antipsychotics | 183 | Cohort includes only the first valid treatment episode during the query period | 30 | 30 | 1 | 1 | Yes | Atypical antipsychotics | Stroke (covariate definition) | Any | Exclude | 60 days before to 1 day before index | - | - | - | See Covariate tab. | 183 days before to 1 day before index | Stroke (intracranial hemmorhage) | IPP | 0 | |
| | Haloperidol | Atypical and typical antipsychotics | 183 | Cohort includes only the first valid treatment episode during the query period | 30 | 30 | 1 | 1 | Yes | Typical and atypical antipsychotics | Stroke (covariate definition) | Any | | 60 days before to 1 day before index | - | - | - | See Covariate tab. | 183 days before to 1 day before index for all covariates except haloperidol (0 days before, 0 days after) | hemmorhage) | IPP | 0 | |
| | Atypical antipsychotics | Atypical and typical antipsychotics | 183 | Cohort includes only the first valid treatment episode during the query period | 30 | 30 | 1 | 1 | Yes | Typical antipsychotics | Stroke (covariate definition) | Any | Exclude | 60 days before to 1 day before index | | - | - | See Covariate tab. | 183 days before to 1 day before index | Stroke (intracranial hemmorhage) | IPP | 0 | |
| | SSRI_ex (SSRI excluding antipsychotic-SSRI combo) | SSRI, typical and atypical antipsychotics | 183 | Cohort includes only the first valid treatment episode during the query period | 30 | 30 | 1 | 1 | Yes | Typical and atypical antipsychotics | Stroke (covariate definition) | Any | Exclude | 60 days before to 1 day before index | • | - | - | See Covariate tab. | 183 days before to 1 day before index | Stroke (intracranial hemmorhage) | IPP | 0 | |
| | Olanzapine | Atypical and typical antipsychotics | 183 | Cohort includes only the first valid treatment episode during the query period | 30 | 30 | 1 | 1 | Yes | Typical antipsychotics | Stroke (covariate definition) | Any | Exclude | 60 days before to 1 day before index | SSRI | Include | 60 days before index to index | See Covariate tab. | 183 days before to 1 day before index | Stroke (intracranial hemmorhage) | IPP | 0 | |
| | Quetiapine | Atypical and typical antipsychotics | 183 | Cohort includes only the first valid treatment episode during the query period | 30 | 30 | 1 | 1 | Yes | Typical antipsychotics | Stroke (covariate definition) | Any | Exclude | 60 days before to 1 day before index | SSRI | Include | 60 days before index to index | See Covariate tab. | 183 days before to 1 day before index | Stroke (intracranial hemmorhage) | IPP | 0 | |
| | Risperidone | Atypical and typical antipsychotics | 183 | Cohort includes only the first valid treatment episode during the query period | 30 | 30 | 1 | 1 | Yes | Typical antipsychotics | definition) | Any | | 60 days before to 1 day before index | SSRI | | 60 days before index to index | See Covariate tab. | 183 days before to 1 day before index | hemmorhage) | IPP | 0 | |
| | Aripiprazole | Atypical and typical antipsychotics | 183 | Cohort includes only the first valid treatment episode during the query period | 30 | 30 | 1 | 1 | Yes | Typical antipsychotics | definition) | Any | | 60 days before to 1 day before index | | | 60 days before index to index | See Covariate tab. | 183 days before to 1 day before index | hemmorhage) | IPP | 0 | |
| | Olanzapine | Atypical and typical antipsychotics | 183 | Cohort includes only the first valid treatment episode during the query period | 30 | 30 | 1 | 1 | Yes | Typical antipsychotics | Stroke (covariate definition) | Any | Exclude | 60 days before to 1 day before index | Fluoxetine | Include | 60 days before index to index | See Covariate tab. | 183 days before to 1 day before index | Stroke (intracranial hemmorhage) | IPP | 0 | |