

List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|----------------------------|--|---------------------|
| Atrial Fibrillation | | |
| I48.0 | Paroxysmal atrial fibrillation | ICD-10-CM Diagnosis |
| I48.1 | Persistent atrial fibrillation | ICD-10-CM Diagnosis |
| I48.2 | Chronic atrial fibrillation | ICD-10-CM Diagnosis |
| I48.4 | Atypical atrial flutter | ICD-10-CM Diagnosis |
| I48.91 | Unspecified atrial fibrillation | ICD-10-CM Diagnosis |
| 427.3 | Atrial fibrillation and flutter | ICD-9-CM Diagnosis |
| 427.31 | Atrial fibrillation | ICD-9-CM Diagnosis |
| Anemia | | |
| D50.1 | Sideropenic dysphagia | ICD-10-CM Diagnosis |
| D50.8 | Other iron deficiency anemias | ICD-10-CM Diagnosis |
| D50.9 | Iron deficiency anemia, unspecified | ICD-10-CM Diagnosis |
| D51.0 | Vitamin B12 deficiency anemia due to intrinsic factor deficiency | ICD-10-CM Diagnosis |
| D51.1 | Vitamin B12 deficiency anemia due to selective vitamin B12 malabso | ICD-10-CM Diagnosis |
| D51.2 | Transcobalamin II deficiency | ICD-10-CM Diagnosis |
| D51.3 | Other dietary vitamin B12 deficiency anemia | ICD-10-CM Diagnosis |
| D51.8 | Other vitamin B12 deficiency anemias | ICD-10-CM Diagnosis |
| D51.9 | Vitamin B12 deficiency anemia, unspecified | ICD-10-CM Diagnosis |
| D52.0 | Dietary folate deficiency anemia | ICD-10-CM Diagnosis |
| D52.1 | Drug-induced folate deficiency anemia | ICD-10-CM Diagnosis |
| D52.8 | Other folate deficiency anemias | ICD-10-CM Diagnosis |
| D52.9 | Folate deficiency anemia, unspecified | ICD-10-CM Diagnosis |
| D53.0 | Protein deficiency anemia | ICD-10-CM Diagnosis |
| D53.1 | Other megaloblastic anemias, not elsewhere classified | ICD-10-CM Diagnosis |
| D53.2 | Scorbutic anemia | ICD-10-CM Diagnosis |
| D53.8 | Other specified nutritional anemias | ICD-10-CM Diagnosis |
| D53.9 | Nutritional anemia, unspecified | ICD-10-CM Diagnosis |
| D55.0 | Anemia due to glucose-6-phosphate dehydrogenase [G6PD] deficiency | ICD-10-CM Diagnosis |
| D55.1 | Anemia due to other disorders of glutathione metabolism | ICD-10-CM Diagnosis |
| D55.2 | Anemia due to disorders of glycolytic enzymes | ICD-10-CM Diagnosis |
| D55.3 | Anemia due to disorders of nucleotide metabolism | ICD-10-CM Diagnosis |
| D55.8 | Other anemias due to enzyme disorders | ICD-10-CM Diagnosis |
| D55.9 | Anemia due to enzyme disorder, unspecified | ICD-10-CM Diagnosis |
| D56.4 | Hereditary persistence of fetal hemoglobin [HPFH] | ICD-10-CM Diagnosis |
| D56.8 | Other thalassemias | ICD-10-CM Diagnosis |
| D57.00 | Hb-SS disease with crisis, unspecified | ICD-10-CM Diagnosis |
| D57.01 | Hb-SS disease with acute chest syndrome | ICD-10-CM Diagnosis |
| D57.02 | Hb-SS disease with splenic sequestration | ICD-10-CM Diagnosis |
| D57.1 | Sickle-cell disease without crisis | ICD-10-CM Diagnosis |
| D57.20 | Sickle-cell/Hb-C disease without crisis | ICD-10-CM Diagnosis |

List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|--|---------------------|
| D57.211 | Sickle-cell/Hb-C disease with acute chest syndrome | ICD-10-CM Diagnosis |
| D57.212 | Sickle-cell/Hb-C disease with splenic sequestration | ICD-10-CM Diagnosis |
| D57.219 | Sickle-cell/Hb-C disease with crisis, unspecified | ICD-10-CM Diagnosis |
| D57.40 | Sickle-cell thalassemia without crisis | ICD-10-CM Diagnosis |
| D57.411 | Sickle-cell thalassemia with acute chest syndrome | ICD-10-CM Diagnosis |
| D57.412 | Sickle-cell thalassemia with splenic sequestration | ICD-10-CM Diagnosis |
| D57.419 | Sickle-cell thalassemia with crisis, unspecified | ICD-10-CM Diagnosis |
| D57.80 | Other sickle-cell disorders without crisis | ICD-10-CM Diagnosis |
| D57.811 | Other sickle-cell disorders with acute chest syndrome | ICD-10-CM Diagnosis |
| D57.812 | Other sickle-cell disorders with splenic sequestration | ICD-10-CM Diagnosis |
| D57.819 | Other sickle-cell disorders with crisis, unspecified | ICD-10-CM Diagnosis |
| D58.0 | Hereditary spherocytosis | ICD-10-CM Diagnosis |
| D58.1 | Hereditary elliptocytosis | ICD-10-CM Diagnosis |
| D58.2 | Other hemoglobinopathies | ICD-10-CM Diagnosis |
| D58.8 | Other specified hereditary hemolytic anemias | ICD-10-CM Diagnosis |
| D58.9 | Hereditary hemolytic anemia, unspecified | ICD-10-CM Diagnosis |
| D59.0 | Drug-induced autoimmune hemolytic anemia | ICD-10-CM Diagnosis |
| D59.1 | Other autoimmune hemolytic anemias | ICD-10-CM Diagnosis |
| D59.2 | Drug-induced nonautoimmune hemolytic anemia | ICD-10-CM Diagnosis |
| D59.3 | Hemolytic-uremic syndrome | ICD-10-CM Diagnosis |
| D59.4 | Other nonautoimmune hemolytic anemias | ICD-10-CM Diagnosis |
| D59.5 | Paroxysmal nocturnal hemoglobinuria [Marchiafava-Micheli] | ICD-10-CM Diagnosis |
| D59.6 | Hemoglobinuria due to hemolysis from other external causes | ICD-10-CM Diagnosis |
| D59.8 | Other acquired hemolytic anemias | ICD-10-CM Diagnosis |
| D59.9 | Acquired hemolytic anemia, unspecified | ICD-10-CM Diagnosis |
| D60.0 | Chronic acquired pure red cell aplasia | ICD-10-CM Diagnosis |
| D60.1 | Transient acquired pure red cell aplasia | ICD-10-CM Diagnosis |
| D60.8 | Other acquired pure red cell aplasias | ICD-10-CM Diagnosis |
| D60.9 | Acquired pure red cell aplasia, unspecified | ICD-10-CM Diagnosis |
| D61.01 | Constitutional (pure) red blood cell aplasia | ICD-10-CM Diagnosis |
| D61.09 | Other constitutional aplastic anemia | ICD-10-CM Diagnosis |
| D61.1 | Drug-induced aplastic anemia | ICD-10-CM Diagnosis |
| D61.2 | Aplastic anemia due to other external agents | ICD-10-CM Diagnosis |
| D61.3 | Idiopathic aplastic anemia | ICD-10-CM Diagnosis |
| D61.82 | Myelophthisis | ICD-10-CM Diagnosis |
| D61.89 | Other specified aplastic anemias and other bone marrow failure syn | ICD-10-CM Diagnosis |
| D61.9 | Aplastic anemia, unspecified | ICD-10-CM Diagnosis |
| D62 | Acute posthemorrhagic anemia | ICD-10-CM Diagnosis |
| D63.0 | Anemia in neoplastic disease | ICD-10-CM Diagnosis |
| D63.1 | Anemia in chronic kidney disease | ICD-10-CM Diagnosis |

List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|--|---------------------|
| D63.8 | Anemia in other chronic diseases classified elsewhere | ICD-10-CM Diagnosis |
| D64.0 | Hereditary sideroblastic anemia | ICD-10-CM Diagnosis |
| D64.1 | Secondary sideroblastic anemia due to disease | ICD-10-CM Diagnosis |
| D64.2 | Secondary sideroblastic anemia due to drugs and toxins | ICD-10-CM Diagnosis |
| D64.3 | Other sideroblastic anemias | ICD-10-CM Diagnosis |
| D64.4 | Congenital dyserythropoietic anemia | ICD-10-CM Diagnosis |
| D64.8 | Other specified anemias | ICD-10-CM Diagnosis |
| D64.9 | Anemia, unspecified | ICD-10-CM Diagnosis |
| 280 | Iron deficiency anemias | ICD-9-CM Diagnosis |
| 280.1 | Iron deficiency anemia secondary to inadequate dietary iron intake | ICD-9-CM Diagnosis |
| 280.8 | Other specified iron deficiency anemias | ICD-9-CM Diagnosis |
| 280.9 | Unspecified iron deficiency anemia | ICD-9-CM Diagnosis |
| 281.0 | Pernicious anemia | ICD-9-CM Diagnosis |
| 281.1 | Other vitamin B12 deficiency anemia | ICD-9-CM Diagnosis |
| 281.2 | Folate-deficiency anemia | ICD-9-CM Diagnosis |
| 281.3 | Other specified megaloblastic anemias not elsewhere classified | ICD-9-CM Diagnosis |
| 281.4 | Protein-deficiency anemia | ICD-9-CM Diagnosis |
| 281.8 | Anemia associated with other specified nutritional deficiency | ICD-9-CM Diagnosis |
| 281.9 | Unspecified deficiency anemia | ICD-9-CM Diagnosis |
| 282.0 | Hereditary spherocytosis | ICD-9-CM Diagnosis |
| 282.1 | Hereditary elliptocytosis | ICD-9-CM Diagnosis |
| 282.2 | Anemias due to disorders of glutathione metabolism | ICD-9-CM Diagnosis |
| 282.3 | Other hemolytic anemias due to enzyme deficiency | ICD-9-CM Diagnosis |
| 282.4 | Thalassemias | ICD-9-CM Diagnosis |
| 282.7 | Other hemoglobinopathies | ICD-9-CM Diagnosis |
| 282.8 | Other specified hereditary hemolytic anemias | ICD-9-CM Diagnosis |
| 282.9 | Unspecified hereditary hemolytic anemia | ICD-9-CM Diagnosis |
| 283.0 | Autoimmune hemolytic anemias | ICD-9-CM Diagnosis |
| 283.1 | Non-autoimmune hemolytic anemias | ICD-9-CM Diagnosis |
| 283.2 | Hemoglobinuria due to hemolysis from external causes | ICD-9-CM Diagnosis |
| 283.9 | Acquired hemolytic anemia, unspecified | ICD-9-CM Diagnosis |
| 284.0 | Constitutional aplastic anemia | ICD-9-CM Diagnosis |
| 284.1 | Pancytopenia | ICD-9-CM Diagnosis |
| 284.2 | Myelophthisis | ICD-9-CM Diagnosis |
| 284.8 | Other specified aplastic anemias | ICD-9-CM Diagnosis |
| 284.9 | Unspecified aplastic anemia | ICD-9-CM Diagnosis |
| 285.0 | Sideroblastic anemia | ICD-9-CM Diagnosis |
| 285.1 | Acute posthemorrhagic anemia | ICD-9-CM Diagnosis |
| 285.8 | Other specified anemias | ICD-9-CM Diagnosis |
| 285.9 | Unspecified anemia | ICD-9-CM Diagnosis |

List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-----------------------|--|---------------------|
| 282.41 | Sickle-cell thalassemia without crisis | ICD-9-CM Diagnosis |
| 282.42 | Sickle-cell thalassemia with crisis | ICD-9-CM Diagnosis |
| 282.49 | Other thalassemia | ICD-9-CM Diagnosis |
| 282.60 | Sickle-cell disease, unspecified | ICD-9-CM Diagnosis |
| 282.61 | Hb-SS disease without crisis | ICD-9-CM Diagnosis |
| 282.62 | Hb-SS disease with crisis | ICD-9-CM Diagnosis |
| 282.63 | Sickle-cell/Hb-C disease without crisis | ICD-9-CM Diagnosis |
| 282.64 | Sickle-cell/Hb-C disease with crisis | ICD-9-CM Diagnosis |
| 282.68 | Other sickle-cell disease without crisis | ICD-9-CM Diagnosis |
| 282.69 | Other sickle-cell disease with crisis | ICD-9-CM Diagnosis |
| 283.11 | Hemolytic-uremic syndrome | ICD-9-CM Diagnosis |
| 283.19 | Other non-autoimmune hemolytic anemias | ICD-9-CM Diagnosis |
| 284.01 | Constitutional red blood cell aplasia | ICD-9-CM Diagnosis |
| 284.09 | Other constitutional aplastic anemia | ICD-9-CM Diagnosis |
| 284.81 | Red cell aplasia (acquired) (adult) (with thymoma) | ICD-9-CM Diagnosis |
| 284.89 | Other specified aplastic anemias | ICD-9-CM Diagnosis |
| 285.21 | Anemia in chronic kidney disease | ICD-9-CM Diagnosis |
| 285.22 | Anemia in neoplastic disease | ICD-9-CM Diagnosis |
| 285.29 | Anemia of other chronic disease | ICD-9-CM Diagnosis |
| Any Hemorrhage | | |
| D50.0 | Iron deficiency anemia secondary to blood loss (chronic) | ICD-10-CM Diagnosis |
| D62 | Acute posthemorrhagic anemia | ICD-10-CM Diagnosis |
| H11.33 | Conjunctival hemorrhage, bilateral | ICD-10-CM Diagnosis |
| I31.2 | Hemopericardium, not elsewhere classified | ICD-10-CM Diagnosis |
| I60.00 | Nontraumatic subarachnoid hemorrhage from unspecified carotid siphon and bifurcation | ICD-10-CM Diagnosis |
| I60.01 | Nontraumatic subarachnoid hemorrhage from right carotid siphon and bifurcation | ICD-10-CM Diagnosis |
| I60.02 | Nontraumatic subarachnoid hemorrhage from left carotid siphon and bifurcation | ICD-10-CM Diagnosis |
| I60.10 | Nontraumatic subarachnoid hemorrhage from unspecified middle cerebral artery | ICD-10-CM Diagnosis |
| I60.11 | Nontraumatic subarachnoid hemorrhage from right middle cerebral artery | ICD-10-CM Diagnosis |
| I60.12 | Nontraumatic subarachnoid hemorrhage from left middle cerebral artery | ICD-10-CM Diagnosis |
| I60.2 | Nontraumatic subarachnoid hemorrhage from anterior communicating artery | ICD-10-CM Diagnosis |
| I60.20 | Nontraumatic subarachnoid hemorrhage from unspecified anterior communicating artery | ICD-10-CM Diagnosis |
| I60.21 | Nontraumatic subarachnoid hemorrhage from right anterior communicating artery | ICD-10-CM Diagnosis |
| I60.22 | Nontraumatic subarachnoid hemorrhage from left anterior communicating artery | ICD-10-CM Diagnosis |
| I60.30 | Nontraumatic subarachnoid hemorrhage from unspecified posterior communicating artery | ICD-10-CM Diagnosis |
| I60.31 | Nontraumatic subarachnoid hemorrhage from right posterior communicating artery | ICD-10-CM Diagnosis |
| I60.32 | Nontraumatic subarachnoid hemorrhage from left posterior communicating artery | ICD-10-CM Diagnosis |

List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|---|---------------------|
| I60.4 | Nontraumatic subarachnoid hemorrhage from basilar artery | ICD-10-CM Diagnosis |
| I60.50 | Nontraumatic subarachnoid hemorrhage from unspecified vertebral artery | ICD-10-CM Diagnosis |
| I60.51 | Nontraumatic subarachnoid hemorrhage from right vertebral artery | ICD-10-CM Diagnosis |
| I60.52 | Nontraumatic subarachnoid hemorrhage from left vertebral artery | ICD-10-CM Diagnosis |
| I60.6 | Nontraumatic subarachnoid hemorrhage from other intracranial arteries | ICD-10-CM Diagnosis |
| I60.7 | Nontraumatic subarachnoid hemorrhage from unspecified intracranial artery | ICD-10-CM Diagnosis |
| I60.8 | Other nontraumatic subarachnoid hemorrhage | ICD-10-CM Diagnosis |
| I60.9 | Nontraumatic subarachnoid hemorrhage, unspecified | ICD-10-CM Diagnosis |
| I61.0 | Nontraumatic intracerebral hemorrhage in hemisphere, subcortical | ICD-10-CM Diagnosis |
| I61.1 | Nontraumatic intracerebral hemorrhage in hemisphere, cortical | ICD-10-CM Diagnosis |
| I61.2 | Nontraumatic intracerebral hemorrhage in hemisphere, unspecified | ICD-10-CM Diagnosis |
| I61.3 | Nontraumatic intracerebral hemorrhage in brain stem | ICD-10-CM Diagnosis |
| I61.4 | Nontraumatic intracerebral hemorrhage in cerebellum | ICD-10-CM Diagnosis |
| I61.5 | Nontraumatic intracerebral hemorrhage, intraventricular | ICD-10-CM Diagnosis |
| I61.6 | Nontraumatic intracerebral hemorrhage, multiple localized | ICD-10-CM Diagnosis |
| I61.8 | Other nontraumatic intracerebral hemorrhage | ICD-10-CM Diagnosis |
| I61.9 | Nontraumatic intracerebral hemorrhage, unspecified | ICD-10-CM Diagnosis |
| I62.00 | Nontraumatic subdural hemorrhage, unspecified | ICD-10-CM Diagnosis |
| I62.01 | Nontraumatic acute subdural hemorrhage | ICD-10-CM Diagnosis |
| I62.02 | Nontraumatic subacute subdural hemorrhage | ICD-10-CM Diagnosis |
| I62.03 | Nontraumatic chronic subdural hemorrhage | ICD-10-CM Diagnosis |
| I62.1 | Nontraumatic extradural hemorrhage | ICD-10-CM Diagnosis |
| I62.9 | Nontraumatic intracranial hemorrhage, unspecified | ICD-10-CM Diagnosis |
| I84.10 | Unspecified bleeding hemorrhoids | ICD-10-CM Diagnosis |
| I84.101 | Unspecified bleeding hemorrhoids | ICD-10-CM Diagnosis |
| I84.11 | Internal bleeding hemorrhoids | ICD-10-CM Diagnosis |
| I84.111 | Internal bleeding hemorrhoids | ICD-10-CM Diagnosis |
| I84.12 | External bleeding hemorrhoids | ICD-10-CM Diagnosis |
| I84.121 | External bleeding hemorrhoids | ICD-10-CM Diagnosis |
| I84.13 | Internal and external bleeding hemorrhoids | ICD-10-CM Diagnosis |
| I84.131 | Internal and external bleeding hemorrhoids | ICD-10-CM Diagnosis |
| I85.01 | Esophageal varices with bleeding | ICD-10-CM Diagnosis |
| I85.11 | Secondary esophageal varices with bleeding | ICD-10-CM Diagnosis |
| K22.11 | Ulcer of esophagus with bleeding | ICD-10-CM Diagnosis |
| K22.6 | Gastro-esophageal laceration-hemorrhage syndrome | ICD-10-CM Diagnosis |
| K25.0 | Acute gastric ulcer with hemorrhage | ICD-10-CM Diagnosis |
| K25.2 | Acute gastric ulcer with both hemorrhage and perforation | ICD-10-CM Diagnosis |
| K25.4 | Chronic or unspecified gastric ulcer with hemorrhage | ICD-10-CM Diagnosis |
| K25.6 | Chronic or unspecified gastric ulcer with both hemorrhage and perforation | ICD-10-CM Diagnosis |
| K25.7 | Chronic gastric ulcer without hemorrhage or perforation | ICD-10-CM Diagnosis |

List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|---|---------------------|
| K26.0 | Acute duodenal ulcer with hemorrhage | ICD-10-CM Diagnosis |
| K26.2 | Acute duodenal ulcer with both hemorrhage and perforation | ICD-10-CM Diagnosis |
| K26.4 | Chronic or unspecified duodenal ulcer with hemorrhage | ICD-10-CM Diagnosis |
| K26.6 | Chronic or unspecified duodenal ulcer with both hemorrhage and perforation | ICD-10-CM Diagnosis |
| K27.0 | Acute peptic ulcer, site unspecified, with hemorrhage | ICD-10-CM Diagnosis |
| K27.2 | Acute peptic ulcer, site unspecified, with both hemorrhage and perforation | ICD-10-CM Diagnosis |
| K27.4 | Chronic or unspecified peptic ulcer, site unspecified, with hemorrhage | ICD-10-CM Diagnosis |
| K27.6 | Chronic or unspecified peptic ulcer, site unspecified, with both hemorrhage and | ICD-10-CM Diagnosis |
| K28.0 | Acute gastrojejunal ulcer with hemorrhage | ICD-10-CM Diagnosis |
| K28.2 | Acute gastrojejunal ulcer with both hemorrhage and perforation | ICD-10-CM Diagnosis |
| K28.4 | Chronic or unspecified gastrojejunal ulcer with hemorrhage | ICD-10-CM Diagnosis |
| K28.6 | Chronic or unspecified gastrojejunal ulcer with both hemorrhage and perforation | ICD-10-CM Diagnosis |
| K29.01 | Acute gastritis with bleeding | ICD-10-CM Diagnosis |
| K29.21 | Alcoholic gastritis with bleeding | ICD-10-CM Diagnosis |
| K29.31 | Chronic superficial gastritis with bleeding | ICD-10-CM Diagnosis |
| K29.41 | Chronic atrophic gastritis with bleeding | ICD-10-CM Diagnosis |
| K29.51 | Unspecified chronic gastritis with bleeding | ICD-10-CM Diagnosis |
| K29.61 | Other gastritis with bleeding | ICD-10-CM Diagnosis |
| K29.71 | Gastritis, unspecified, with bleeding | ICD-10-CM Diagnosis |
| K29.81 | Duodenitis with bleeding | ICD-10-CM Diagnosis |
| K29.91 | Gastroduodenitis, unspecified, with bleeding | ICD-10-CM Diagnosis |
| K31.811 | Angiodysplasia of stomach and duodenum with bleeding | ICD-10-CM Diagnosis |
| K31.82 | Dieulafoy lesion (hemorrhagic) of stomach and duodenum | ICD-10-CM Diagnosis |
| K55.21 | Angiodysplasia of colon with hemorrhage | ICD-10-CM Diagnosis |
| K57.01 | Diverticulitis of small intestine with perforation and abscess with bleeding | ICD-10-CM Diagnosis |
| K57.11 | Diverticulosis of small intestine without perforation or abscess with bleeding | ICD-10-CM Diagnosis |
| K57.13 | Diverticulitis of small intestine without perforation or abscess with bleeding | ICD-10-CM Diagnosis |
| K57.21 | Diverticulitis of large intestine with perforation and abscess with bleeding | ICD-10-CM Diagnosis |
| K57.31 | Diverticulosis of large intestine without perforation or abscess with bleeding | ICD-10-CM Diagnosis |
| K57.33 | Diverticulitis of large intestine without perforation or abscess with bleeding | ICD-10-CM Diagnosis |
| K57.41 | Diverticulitis of both small and large intestine with perforation and abscess with bleeding | ICD-10-CM Diagnosis |
| K57.51 | Diverticulosis of both small and large intestine without perforation or abscess with bleeding | ICD-10-CM Diagnosis |
| K57.53 | Diverticulitis of both small and large intestine without perforation or abscess with | ICD-10-CM Diagnosis |
| K57.81 | Diverticulitis of intestine, part unspecified, with perforation and abscess with | ICD-10-CM Diagnosis |
| K57.91 | Diverticulosis of intestine, part unspecified, without perforation or abscess with | ICD-10-CM Diagnosis |
| K57.93 | Diverticulitis of intestine, part unspecified, without perforation or abscess with | ICD-10-CM Diagnosis |
| K62.5 | Hemorrhage of anus and rectum | ICD-10-CM Diagnosis |
| K66.1 | Hemoperitoneum | ICD-10-CM Diagnosis |

List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|--|---------------------|
| K92.0 | Hematemesis | ICD-10-CM Diagnosis |
| K92.1 | Melena | ICD-10-CM Diagnosis |
| K92.2 | Gastrointestinal hemorrhage, unspecified | ICD-10-CM Diagnosis |
| M25.00 | Hemarthrosis, unspecified joint | ICD-10-CM Diagnosis |
| M25.019 | Hemarthrosis, unspecified shoulder | ICD-10-CM Diagnosis |
| M25.029 | Hemarthrosis, unspecified elbow | ICD-10-CM Diagnosis |
| M25.039 | Hemarthrosis, unspecified wrist | ICD-10-CM Diagnosis |
| M25.049 | Hemarthrosis, unspecified hand | ICD-10-CM Diagnosis |
| M25.059 | Hemarthrosis, unspecified hip | ICD-10-CM Diagnosis |
| M25.069 | Hemarthrosis, unspecified knee | ICD-10-CM Diagnosis |
| M25.073 | Hemarthrosis, unspecified ankle | ICD-10-CM Diagnosis |
| M25.076 | Hemarthrosis, unspecified foot | ICD-10-CM Diagnosis |
| M25.08 | Hemarthrosis, other specified site | ICD-10-CM Diagnosis |
| R04.0 | Epistaxis | ICD-10-CM Diagnosis |
| R04.1 | Hemorrhage from throat | ICD-10-CM Diagnosis |
| R58 | Hemorrhage, not elsewhere classified | ICD-10-CM Diagnosis |
| S06.34 | Traumatic hemorrhage of right cerebrum | ICD-10-CM Diagnosis |
| S06.340A | Traumatic hemorrhage of right cerebrum without loss of consciousness, initial | ICD-10-CM Diagnosis |
| S06.340D | Traumatic hemorrhage of right cerebrum without loss of consciousness, subsequent | ICD-10-CM Diagnosis |
| S06.341A | Traumatic hemorrhage of right cerebrum with loss of consciousness of 30 minutes | ICD-10-CM Diagnosis |
| S06.341D | Traumatic hemorrhage of right cerebrum with loss of consciousness of 30 minutes | ICD-10-CM Diagnosis |
| S06.342A | Traumatic hemorrhage of right cerebrum with loss of consciousness of 31 minutes to | ICD-10-CM Diagnosis |
| S06.342D | Traumatic hemorrhage of right cerebrum with loss of consciousness of 31 minutes to | ICD-10-CM Diagnosis |
| S06.343A | Traumatic hemorrhage of right cerebrum with loss of consciousness of 1 hours to 5 | ICD-10-CM Diagnosis |
| S06.343D | Traumatic hemorrhage of right cerebrum with loss of consciousness of 1 hours to 5 | ICD-10-CM Diagnosis |
| S06.344A | Traumatic hemorrhage of right cerebrum with loss of consciousness of 6 hours to 24 | ICD-10-CM Diagnosis |
| S06.344D | Traumatic hemorrhage of right cerebrum with loss of consciousness of 6 hours to 24 | ICD-10-CM Diagnosis |
| S06.345A | Traumatic hemorrhage of right cerebrum with loss of consciousness greater than 24 | ICD-10-CM Diagnosis |
| S06.345D | Traumatic hemorrhage of right cerebrum with loss of consciousness greater than 24 | ICD-10-CM Diagnosis |
| S06.346A | Traumatic hemorrhage of right cerebrum with loss of consciousness greater than 24 | ICD-10-CM Diagnosis |
| S06.346D | Traumatic hemorrhage of right cerebrum with loss of consciousness greater than 24 | ICD-10-CM Diagnosis |
| S06.347A | Traumatic hemorrhage of right cerebrum with loss of consciousness of any duration | ICD-10-CM Diagnosis |
| S06.347D | Traumatic hemorrhage of right cerebrum with loss of consciousness of any duration | ICD-10-CM Diagnosis |
| S06.348A | Traumatic hemorrhage of right cerebrum with loss of consciousness of any duration | ICD-10-CM Diagnosis |
| S06.348D | Traumatic hemorrhage of right cerebrum with loss of consciousness of any duration | ICD-10-CM Diagnosis |
| S06.349A | Traumatic hemorrhage of right cerebrum with loss of consciousness of unspecified | ICD-10-CM Diagnosis |
| S06.349D | Traumatic hemorrhage of right cerebrum with loss of consciousness of unspecified | ICD-10-CM Diagnosis |
| S06.35 | Traumatic hemorrhage of left cerebrum | ICD-10-CM Diagnosis |
| S06.350A | Traumatic hemorrhage of left cerebrum without loss of consciousness, initial | ICD-10-CM Diagnosis |
| S06.350D | Traumatic hemorrhage of left cerebrum without loss of consciousness, subsequent | ICD-10-CM Diagnosis |

List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|--|---------------------|
| S06.351A | Traumatic hemorrhage of left cerebrum with loss of consciousness of 30 minutes or | ICD-10-CM Diagnosis |
| S06.351D | Traumatic hemorrhage of left cerebrum with loss of consciousness of 30 minutes or | ICD-10-CM Diagnosis |
| S06.352A | Traumatic hemorrhage of left cerebrum with loss of consciousness of 31 minutes to | ICD-10-CM Diagnosis |
| S06.352D | Traumatic hemorrhage of left cerebrum with loss of consciousness of 31 minutes to | ICD-10-CM Diagnosis |
| S06.353A | Traumatic hemorrhage of left cerebrum with loss of consciousness of 1 hours to 5 | ICD-10-CM Diagnosis |
| S06.353D | Traumatic hemorrhage of left cerebrum with loss of consciousness of 1 hours to 5 | ICD-10-CM Diagnosis |
| S06.354A | Traumatic hemorrhage of left cerebrum with loss of consciousness of 6 hours to 24 | ICD-10-CM Diagnosis |
| S06.354D | Traumatic hemorrhage of left cerebrum with loss of consciousness of 6 hours to 24 | ICD-10-CM Diagnosis |
| S06.355A | Traumatic hemorrhage of left cerebrum with loss of consciousness greater than 24 | ICD-10-CM Diagnosis |
| S06.355D | Traumatic hemorrhage of left cerebrum with loss of consciousness greater than 24 | ICD-10-CM Diagnosis |
| S06.356A | Traumatic hemorrhage of left cerebrum with loss of consciousness greater than 24 | ICD-10-CM Diagnosis |
| S06.356D | Traumatic hemorrhage of left cerebrum with loss of consciousness greater than 24 | ICD-10-CM Diagnosis |
| S06.357A | Traumatic hemorrhage of left cerebrum with loss of consciousness of any duration | ICD-10-CM Diagnosis |
| S06.357D | Traumatic hemorrhage of left cerebrum with loss of consciousness of any duration with death due to brain injury prior to regaining consciousness, subsequent | ICD-10-CM Diagnosis |
| S06.358A | Traumatic hemorrhage of left cerebrum with loss of consciousness of any duration with death due to other cause prior to regaining consciousness, initial encounter | ICD-10-CM Diagnosis |
| S06.358D | Traumatic hemorrhage of left cerebrum with loss of consciousness of any duration with death due to other cause prior to regaining consciousness, subsequent | ICD-10-CM Diagnosis |
| S06.359A | Traumatic hemorrhage of left cerebrum with loss of consciousness of unspecified | ICD-10-CM Diagnosis |
| S06.359D | Traumatic hemorrhage of left cerebrum with loss of consciousness of unspecified | ICD-10-CM Diagnosis |
| S06.36 | Traumatic hemorrhage of cerebrum, unspecified | ICD-10-CM Diagnosis |
| S06.360A | Traumatic hemorrhage of cerebrum, unspecified, without loss of consciousness, | ICD-10-CM Diagnosis |
| S06.360D | Traumatic hemorrhage of cerebrum, unspecified, without loss of consciousness, | ICD-10-CM Diagnosis |
| S06.361A | Traumatic hemorrhage of cerebrum, unspecified, with loss of consciousness of 30 | ICD-10-CM Diagnosis |
| S06.361D | Traumatic hemorrhage of cerebrum, unspecified, with loss of consciousness of 30 | ICD-10-CM Diagnosis |
| S06.362A | Traumatic hemorrhage of cerebrum, unspecified, with loss of consciousness of 31 | ICD-10-CM Diagnosis |
| S06.362D | Traumatic hemorrhage of cerebrum, unspecified, with loss of consciousness of 31 | ICD-10-CM Diagnosis |
| S06.363A | Traumatic hemorrhage of cerebrum, unspecified, with loss of consciousness of 1 | ICD-10-CM Diagnosis |
| S06.363D | Traumatic hemorrhage of cerebrum, unspecified, with loss of consciousness of 1 | ICD-10-CM Diagnosis |
| S06.364A | Traumatic hemorrhage of cerebrum, unspecified, with loss of consciousness of 6 hours to 24 hours, initial encounter | ICD-10-CM Diagnosis |
| S06.364D | Traumatic hemorrhage of cerebrum, unspecified, with loss of consciousness of 6 hours to 24 hours, subsequent encounter | ICD-10-CM Diagnosis |
| S06.365A | Traumatic hemorrhage of cerebrum, unspecified, with loss of consciousness greater than 24 hours with return to pre-existing conscious level, initial encounter | ICD-10-CM Diagnosis |
| S06.365D | Traumatic hemorrhage of cerebrum, unspecified, with loss of consciousness greater than 24 hours with return to pre-existing conscious level, subsequent encounter | ICD-10-CM Diagnosis |
| S06.366A | Traumatic hemorrhage of cerebrum, unspecified, with loss of consciousness greater than 24 hours without return to pre-existing conscious level with patient surviving, | ICD-10-CM Diagnosis |

List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|--|---------------------|
| S06.366D | Traumatic hemorrhage of cerebrum, unspecified, with loss of consciousness greater than 24 hours without return to pre-existing conscious level with patient surviving, | ICD-10-CM Diagnosis |
| S06.367A | Traumatic hemorrhage of cerebrum, unspecified, with loss of consciousness of any duration with death due to brain injury prior to regaining consciousness, initial | ICD-10-CM Diagnosis |
| S06.367D | Traumatic hemorrhage of cerebrum, unspecified, with loss of consciousness of any duration with death due to brain injury prior to regaining consciousness, subsequent | ICD-10-CM Diagnosis |
| S06.368A | Traumatic hemorrhage of cerebrum, unspecified, with loss of consciousness of any duration with death due to other cause prior to regaining consciousness, initial | ICD-10-CM Diagnosis |
| S06.368D | Traumatic hemorrhage of cerebrum, unspecified, with loss of consciousness of any duration with death due to other cause prior to regaining consciousness, | ICD-10-CM Diagnosis |
| S06.369A | Traumatic hemorrhage of cerebrum, unspecified, with loss of consciousness of unspecified duration, initial encounter | ICD-10-CM Diagnosis |
| S06.369D | Traumatic hemorrhage of cerebrum, unspecified, with loss of consciousness of unspecified duration, subsequent encounter | ICD-10-CM Diagnosis |
| S06.4 | Epidural hemorrhage | ICD-10-CM Diagnosis |
| S06.4X0A | Epidural hemorrhage without loss of consciousness, initial encounter | ICD-10-CM Diagnosis |
| S06.4X0D | Epidural hemorrhage without loss of consciousness, subsequent encounter | ICD-10-CM Diagnosis |
| S06.4X1A | Epidural hemorrhage with loss of consciousness of 30 minutes or less, initial | ICD-10-CM Diagnosis |
| S06.4X1D | Epidural hemorrhage with loss of consciousness of 30 minutes or less, subsequent | ICD-10-CM Diagnosis |
| S06.4X2A | Epidural hemorrhage with loss of consciousness of 31 minutes to 59 minutes, initial | ICD-10-CM Diagnosis |
| S06.4X2D | Epidural hemorrhage with loss of consciousness of 31 minutes to 59 minutes, | ICD-10-CM Diagnosis |
| S06.4X3A | Epidural hemorrhage with loss of consciousness of 1 hour to 5 hours 59 minutes, | ICD-10-CM Diagnosis |
| S06.4X3D | Epidural hemorrhage with loss of consciousness of 1 hour to 5 hours 59 minutes, | ICD-10-CM Diagnosis |
| S06.4X4A | Epidural hemorrhage with loss of consciousness of 6 hours to 24 hours, initial | ICD-10-CM Diagnosis |
| S06.4X4D | Epidural hemorrhage with loss of consciousness of 6 hours to 24 hours, subsequent | ICD-10-CM Diagnosis |
| S06.4X5A | Epidural hemorrhage with loss of consciousness greater than 24 hours with return to | ICD-10-CM Diagnosis |
| S06.4X5D | Epidural hemorrhage with loss of consciousness greater than 24 hours with return to | ICD-10-CM Diagnosis |
| S06.4X6A | Epidural hemorrhage with loss of consciousness greater than 24 hours without | ICD-10-CM Diagnosis |
| S06.4X6D | Epidural hemorrhage with loss of consciousness greater than 24 hours without | ICD-10-CM Diagnosis |
| S06.4X7A | Epidural hemorrhage with loss of consciousness of any duration with death due to | ICD-10-CM Diagnosis |
| S06.4X7D | Epidural hemorrhage with loss of consciousness of any duration with death due to | ICD-10-CM Diagnosis |
| S06.4X8A | Epidural hemorrhage with loss of consciousness of any duration with death due to | ICD-10-CM Diagnosis |
| S06.4X8D | Epidural hemorrhage with loss of consciousness of any duration with death due to | ICD-10-CM Diagnosis |
| S06.4X9A | Epidural hemorrhage with loss of consciousness of unspecified duration, initial | ICD-10-CM Diagnosis |
| S06.4X9D | Epidural hemorrhage with loss of consciousness of unspecified duration, subsequent | ICD-10-CM Diagnosis |
| S06.5 | Traumatic subdural hemorrhage | ICD-10-CM Diagnosis |
| S06.5X0A | Traumatic subdural hemorrhage without loss of consciousness, initial encounter | ICD-10-CM Diagnosis |
| S06.5X0D | Traumatic subdural hemorrhage without loss of consciousness, subsequent | ICD-10-CM Diagnosis |
| S06.5X1A | Traumatic subdural hemorrhage with loss of consciousness of 30 minutes or less, | ICD-10-CM Diagnosis |
| S06.5X1D | Traumatic subdural hemorrhage with loss of consciousness of 30 minutes or less, | ICD-10-CM Diagnosis |
| S06.5X2A | Traumatic subdural hemorrhage with loss of consciousness of 31 minutes to 59 | ICD-10-CM Diagnosis |



List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|--|---------------------|
| S06.5X2D | Traumatic subdural hemorrhage with loss of consciousness of 31 minutes to 59 | ICD-10-CM Diagnosis |
| S06.5X3A | Traumatic subdural hemorrhage with loss of consciousness of 1 hour to 5 hours 59 minutes, initial encounter | ICD-10-CM Diagnosis |
| S06.5X3D | Traumatic subdural hemorrhage with loss of consciousness of 1 hour to 5 hours 59 minutes, subsequent encounter | ICD-10-CM Diagnosis |
| S06.5X4A | Traumatic subdural hemorrhage with loss of consciousness of 6 hours to 24 hours, initial encounter | ICD-10-CM Diagnosis |
| S06.5X4D | Traumatic subdural hemorrhage with loss of consciousness of 6 hours to 24 hours, subsequent encounter | ICD-10-CM Diagnosis |
| S06.5X5A | Traumatic subdural hemorrhage with loss of consciousness greater than 24 hours with return to pre-existing conscious level, initial encounter | ICD-10-CM Diagnosis |
| S06.5X5D | Traumatic subdural hemorrhage with loss of consciousness greater than 24 hours with return to pre-existing conscious level, subsequent encounter | ICD-10-CM Diagnosis |
| S06.5X6A | Traumatic subdural hemorrhage with loss of consciousness greater than 24 hours without return to pre-existing conscious level with patient surviving, initial | ICD-10-CM Diagnosis |
| S06.5X6D | Traumatic subdural hemorrhage with loss of consciousness greater than 24 hours without return to pre-existing conscious level with patient surviving, subsequent | ICD-10-CM Diagnosis |
| S06.5X7A | Traumatic subdural hemorrhage with loss of consciousness of any duration with death due to brain injury before regaining consciousness, initial encounter | ICD-10-CM Diagnosis |
| S06.5X7D | Traumatic subdural hemorrhage with loss of consciousness of any duration with death due to brain injury before regaining consciousness, subsequent encounter | ICD-10-CM Diagnosis |
| S06.5X8A | Traumatic subdural hemorrhage with loss of consciousness of any duration with death due to other cause before regaining consciousness, initial encounter | ICD-10-CM Diagnosis |
| S06.5X8D | Traumatic subdural hemorrhage with loss of consciousness of any duration with death due to other cause before regaining consciousness, subsequent encounter | ICD-10-CM Diagnosis |
| S06.5X9A | Traumatic subdural hemorrhage with loss of consciousness of unspecified duration, initial encounter | ICD-10-CM Diagnosis |
| S06.5X9D | Traumatic subdural hemorrhage with loss of consciousness of unspecified duration, subsequent encounter | ICD-10-CM Diagnosis |
| S06.6 | Traumatic subarachnoid hemorrhage | ICD-10-CM Diagnosis |
| S06.6X0A | Traumatic subarachnoid hemorrhage without loss of consciousness, initial encounter | ICD-10-CM Diagnosis |
| S06.6X0D | Traumatic subarachnoid hemorrhage without loss of consciousness, subsequent encounter | ICD-10-CM Diagnosis |
| S06.6X1A | Traumatic subarachnoid hemorrhage with loss of consciousness of 30 minutes or less, initial encounter | ICD-10-CM Diagnosis |
| S06.6X1D | Traumatic subarachnoid hemorrhage with loss of consciousness of 30 minutes or less, subsequent encounter | ICD-10-CM Diagnosis |
| S06.6X2A | Traumatic subarachnoid hemorrhage with loss of consciousness of 31 minutes to 59 minutes, initial encounter | ICD-10-CM Diagnosis |
| S06.6X2D | Traumatic subarachnoid hemorrhage with loss of consciousness of 31 minutes to 59 | ICD-10-CM Diagnosis |

List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|--|---------------------|
| S06.6X3A | Traumatic subarachnoid hemorrhage with loss of consciousness of 1 hour to 5 hours 59 minutes, initial encounter | ICD-10-CM Diagnosis |
| S06.6X3D | Traumatic subarachnoid hemorrhage with loss of consciousness of 1 hour to 5 hours 59 minutes, subsequent encounter | ICD-10-CM Diagnosis |
| S06.6X4A | Traumatic subarachnoid hemorrhage with loss of consciousness of 6 hours to 24 hours, initial encounter | ICD-10-CM Diagnosis |
| S06.6X4D | Traumatic subarachnoid hemorrhage with loss of consciousness of 6 hours to 24 hours, subsequent encounter | ICD-10-CM Diagnosis |
| S06.6X5A | Traumatic subarachnoid hemorrhage with loss of consciousness greater than 24 hours with return to pre-existing conscious level, initial encounter | ICD-10-CM Diagnosis |
| S06.6X5D | Traumatic subarachnoid hemorrhage with loss of consciousness greater than 24 hours with return to pre-existing conscious level, subsequent encounter | ICD-10-CM Diagnosis |
| S06.6X6A | Traumatic subarachnoid hemorrhage with loss of consciousness greater than 24 hours without return to pre-existing conscious level with patient surviving, initial | ICD-10-CM Diagnosis |
| S06.6X6D | Traumatic subarachnoid hemorrhage with loss of consciousness greater than 24 hours without return to pre-existing conscious level with patient surviving, | ICD-10-CM Diagnosis |
| S06.6X7A | Traumatic subarachnoid hemorrhage with loss of consciousness of any duration with death due to brain injury prior to regaining consciousness, initial encounter | ICD-10-CM Diagnosis |
| S06.6X7D | Traumatic subarachnoid hemorrhage with loss of consciousness of any duration with death due to brain injury prior to regaining consciousness, subsequent encounter | ICD-10-CM Diagnosis |
| S06.6X8A | Traumatic subarachnoid hemorrhage with loss of consciousness of any duration with death due to other cause prior to regaining consciousness, initial encounter | ICD-10-CM Diagnosis |
| S06.6X8D | Traumatic subarachnoid hemorrhage with loss of consciousness of any duration with death due to other cause prior to regaining consciousness, subsequent encounter | ICD-10-CM Diagnosis |
| S06.6X9A | Traumatic subarachnoid hemorrhage with loss of consciousness of unspecified duration, initial encounter | ICD-10-CM Diagnosis |
| S06.6X9D | Traumatic subarachnoid hemorrhage with loss of consciousness of unspecified duration, subsequent encounter | ICD-10-CM Diagnosis |
| I69.00 | Unspecified sequelae of nontraumatic subarachnoid hemorrhage | ICD-10-CM Diagnosis |
| I69.010 | Attention and concentration deficit following nontraumatic subarachnoid hemorrhage | ICD-10-CM Diagnosis |
| I69.011 | Memory deficit following nontraumatic subarachnoid hemorrhage | ICD-10-CM Diagnosis |
| I69.012 | Visuospatial deficit and spatial neglect following nontraumatic subarachnoid hemorrhage | ICD-10-CM Diagnosis |
| I69.013 | Psychomotor deficit following nontraumatic subarachnoid hemorrhage | ICD-10-CM Diagnosis |
| I69.014 | Frontal lobe and executive function deficit following nontraumatic subarachnoid hemorrhage | ICD-10-CM Diagnosis |
| I69.015 | Cognitive social or emotional deficit following nontraumatic subarachnoid | ICD-10-CM Diagnosis |
| I69.018 | Other symptoms and signs involving cognitive functions following nontraumatic subarachnoid hemorrhage | ICD-10-CM Diagnosis |
| I69.019 | Unspecified symptoms and signs involving cognitive functions following nontraumatic subarachnoid hemorrhage | ICD-10-CM Diagnosis |

List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|---|---------------------|
| 169.020 | Aphasia following nontraumatic subarachnoid hemorrhage | ICD-10-CM Diagnosis |
| 169.021 | Dysphasia following nontraumatic subarachnoid hemorrhage | ICD-10-CM Diagnosis |
| 169.022 | Dysarthria following nontraumatic subarachnoid hemorrhage | ICD-10-CM Diagnosis |
| 169.023 | Fluency disorder following nontraumatic subarachnoid hemorrhage | ICD-10-CM Diagnosis |
| 169.028 | Other speech and language deficits following nontraumatic subarachnoid hemorrhage | ICD-10-CM Diagnosis |
| 169.031 | Monoplegia of upper limb following nontraumatic subarachnoid hemorrhage affecting right dominant side | ICD-10-CM Diagnosis |
| 169.032 | Monoplegia of upper limb following nontraumatic subarachnoid hemorrhage affecting left dominant side | ICD-10-CM Diagnosis |
| 169.033 | Monoplegia of upper limb following nontraumatic subarachnoid hemorrhage affecting right non-dominant side | ICD-10-CM Diagnosis |
| 169.034 | Monoplegia of upper limb following nontraumatic subarachnoid hemorrhage affecting left non-dominant side | ICD-10-CM Diagnosis |
| 169.039 | Monoplegia of upper limb following nontraumatic subarachnoid hemorrhage affecting unspecified side | ICD-10-CM Diagnosis |
| 169.041 | Monoplegia of lower limb following nontraumatic subarachnoid hemorrhage affecting right dominant side | ICD-10-CM Diagnosis |
| 169.042 | Monoplegia of lower limb following nontraumatic subarachnoid hemorrhage affecting left dominant side | ICD-10-CM Diagnosis |
| 169.043 | Monoplegia of lower limb following nontraumatic subarachnoid hemorrhage affecting right non-dominant side | ICD-10-CM Diagnosis |
| 169.044 | Monoplegia of lower limb following nontraumatic subarachnoid hemorrhage affecting left non-dominant side | ICD-10-CM Diagnosis |
| 169.049 | Monoplegia of lower limb following nontraumatic subarachnoid hemorrhage affecting unspecified side | ICD-10-CM Diagnosis |
| 169.051 | Hemiplegia and hemiparesis following nontraumatic subarachnoid hemorrhage affecting right dominant side | ICD-10-CM Diagnosis |
| 169.052 | Hemiplegia and hemiparesis following nontraumatic subarachnoid hemorrhage affecting left dominant side | ICD-10-CM Diagnosis |
| 169.053 | Hemiplegia and hemiparesis following nontraumatic subarachnoid hemorrhage affecting right non-dominant side | ICD-10-CM Diagnosis |
| 169.054 | Hemiplegia and hemiparesis following nontraumatic subarachnoid hemorrhage | ICD-10-CM Diagnosis |
| 169.059 | Hemiplegia and hemiparesis following nontraumatic subarachnoid hemorrhage | ICD-10-CM Diagnosis |
| 169.061 | Other paralytic syndrome following nontraumatic subarachnoid hemorrhage | ICD-10-CM Diagnosis |
| 169.062 | Other paralytic syndrome following nontraumatic subarachnoid hemorrhage affecting left dominant side | ICD-10-CM Diagnosis |
| 169.063 | Other paralytic syndrome following nontraumatic subarachnoid hemorrhage affecting right non-dominant side | ICD-10-CM Diagnosis |
| 169.064 | Other paralytic syndrome following nontraumatic subarachnoid hemorrhage affecting left non-dominant side | ICD-10-CM Diagnosis |

List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|--|---------------------|
| 169.065 | Other paralytic syndrome following nontraumatic subarachnoid hemorrhage, bilateral | ICD-10-CM Diagnosis |
| 169.069 | Other paralytic syndrome following nontraumatic subarachnoid hemorrhage affecting unspecified side | ICD-10-CM Diagnosis |
| 169.090 | Apraxia following nontraumatic subarachnoid hemorrhage | ICD-10-CM Diagnosis |
| 169.091 | Dysphagia following nontraumatic subarachnoid hemorrhage | ICD-10-CM Diagnosis |
| 169.092 | Facial weakness following nontraumatic subarachnoid hemorrhage | ICD-10-CM Diagnosis |
| 169.093 | Ataxia following nontraumatic subarachnoid hemorrhage | ICD-10-CM Diagnosis |
| 169.098 | Other sequelae following nontraumatic subarachnoid hemorrhage | ICD-10-CM Diagnosis |
| 169.10 | Unspecified sequelae of nontraumatic intracerebral hemorrhage | ICD-10-CM Diagnosis |
| 169.110 | Attention and concentration deficit following nontraumatic intracerebral hemorrhage | ICD-10-CM Diagnosis |
| 169.111 | Memory deficit following nontraumatic intracerebral hemorrhage | ICD-10-CM Diagnosis |
| 169.112 | Visuospatial deficit and spatial neglect following nontraumatic intracerebral hemorrhage | ICD-10-CM Diagnosis |
| 169.113 | Psychomotor deficit following nontraumatic intracerebral hemorrhage | ICD-10-CM Diagnosis |
| 169.114 | Frontal lobe and executive function deficit following nontraumatic intracerebral hemorrhage | ICD-10-CM Diagnosis |
| 169.115 | Cognitive social or emotional deficit following nontraumatic intracerebral hemorrhage | ICD-10-CM Diagnosis |
| 169.118 | Other symptoms and signs involving cognitive functions following nontraumatic intracerebral hemorrhage | ICD-10-CM Diagnosis |
| 169.119 | Unspecified symptoms and signs involving cognitive functions following | ICD-10-CM Diagnosis |
| 169.120 | Aphasia following nontraumatic intracerebral hemorrhage | ICD-10-CM Diagnosis |
| 169.121 | Dysphasia following nontraumatic intracerebral hemorrhage | ICD-10-CM Diagnosis |
| 169.122 | Dysarthria following nontraumatic intracerebral hemorrhage | ICD-10-CM Diagnosis |
| 169.123 | Fluency disorder following nontraumatic intracerebral hemorrhage | ICD-10-CM Diagnosis |
| 169.128 | Other speech and language deficits following nontraumatic intracerebral hemorrhage | ICD-10-CM Diagnosis |
| 169.131 | Monoplegia of upper limb following nontraumatic intracerebral hemorrhage affecting right dominant side | ICD-10-CM Diagnosis |
| 169.132 | Monoplegia of upper limb following nontraumatic intracerebral hemorrhage affecting left dominant side | ICD-10-CM Diagnosis |
| 169.133 | Monoplegia of upper limb following nontraumatic intracerebral hemorrhage affecting right non-dominant side | ICD-10-CM Diagnosis |
| 169.134 | Monoplegia of upper limb following nontraumatic intracerebral hemorrhage affecting left non-dominant side | ICD-10-CM Diagnosis |
| 169.139 | Monoplegia of upper limb following nontraumatic intracerebral hemorrhage affecting unspecified side | ICD-10-CM Diagnosis |
| 169.141 | Monoplegia of lower limb following nontraumatic intracerebral hemorrhage affecting right dominant side | ICD-10-CM Diagnosis |

List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|--|---------------------|
| 169.142 | Monoplegia of lower limb following nontraumatic intracerebral hemorrhage affecting left dominant side | ICD-10-CM Diagnosis |
| 169.143 | Monoplegia of lower limb following nontraumatic intracerebral hemorrhage affecting right non-dominant side | ICD-10-CM Diagnosis |
| 169.144 | Monoplegia of lower limb following nontraumatic intracerebral hemorrhage affecting left non-dominant side | ICD-10-CM Diagnosis |
| 169.149 | Monoplegia of lower limb following nontraumatic intracerebral hemorrhage affecting unspecified side | ICD-10-CM Diagnosis |
| 169.151 | Hemiplegia and hemiparesis following nontraumatic intracerebral hemorrhage affecting right dominant side | ICD-10-CM Diagnosis |
| 169.152 | Hemiplegia and hemiparesis following nontraumatic intracerebral hemorrhage affecting left dominant side | ICD-10-CM Diagnosis |
| 169.153 | Hemiplegia and hemiparesis following nontraumatic intracerebral hemorrhage affecting right non-dominant side | ICD-10-CM Diagnosis |
| 169.154 | Hemiplegia and hemiparesis following nontraumatic intracerebral hemorrhage affecting left non-dominant side | ICD-10-CM Diagnosis |
| 169.159 | Hemiplegia and hemiparesis following nontraumatic intracerebral hemorrhage affecting unspecified side | ICD-10-CM Diagnosis |
| 169.161 | Other paralytic syndrome following nontraumatic intracerebral hemorrhage | ICD-10-CM Diagnosis |
| 169.162 | Other paralytic syndrome following nontraumatic intracerebral hemorrhage affecting left dominant side | ICD-10-CM Diagnosis |
| 169.163 | Other paralytic syndrome following nontraumatic intracerebral hemorrhage affecting right non-dominant side | ICD-10-CM Diagnosis |
| 169.164 | Other paralytic syndrome following nontraumatic intracerebral hemorrhage affecting left non-dominant side | ICD-10-CM Diagnosis |
| 169.165 | Other paralytic syndrome following nontraumatic intracerebral hemorrhage, bilateral | ICD-10-CM Diagnosis |
| 169.169 | Other paralytic syndrome following nontraumatic intracerebral hemorrhage affecting unspecified side | ICD-10-CM Diagnosis |
| 169.190 | Apraxia following nontraumatic intracerebral hemorrhage | ICD-10-CM Diagnosis |
| 169.191 | Dysphagia following nontraumatic intracerebral hemorrhage | ICD-10-CM Diagnosis |
| 169.192 | Facial weakness following nontraumatic intracerebral hemorrhage | ICD-10-CM Diagnosis |
| 169.193 | Ataxia following nontraumatic intracerebral hemorrhage | ICD-10-CM Diagnosis |
| 169.198 | Other sequelae of nontraumatic intracerebral hemorrhage | ICD-10-CM Diagnosis |
| 169.20 | Unspecified sequelae of other nontraumatic intracranial hemorrhage | ICD-10-CM Diagnosis |
| 169.210 | Attention and concentration deficit following other nontraumatic intracranial hemorrhage | ICD-10-CM Diagnosis |
| 169.211 | Memory deficit following other nontraumatic intracranial hemorrhage | ICD-10-CM Diagnosis |
| 169.212 | Visuospatial deficit and spatial neglect following other nontraumatic intracranial hemorrhage | ICD-10-CM Diagnosis |
| 169.213 | Psychomotor deficit following other nontraumatic intracranial hemorrhage | ICD-10-CM Diagnosis |

List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|---|---------------------|
| 169.214 | Frontal lobe and executive function deficit following other nontraumatic intracranial hemorrhage | ICD-10-CM Diagnosis |
| 169.215 | Cognitive social or emotional deficit following other nontraumatic intracranial hemorrhage | ICD-10-CM Diagnosis |
| 169.218 | Other symptoms and signs involving cognitive functions following other nontraumatic intracranial hemorrhage | ICD-10-CM Diagnosis |
| 169.219 | Unspecified symptoms and signs involving cognitive functions following other nontraumatic intracranial hemorrhage | ICD-10-CM Diagnosis |
| 169.220 | Aphasia following other nontraumatic intracranial hemorrhage | ICD-10-CM Diagnosis |
| 169.221 | Dysphasia following other nontraumatic intracranial hemorrhage | ICD-10-CM Diagnosis |
| 169.222 | Dysarthria following other nontraumatic intracranial hemorrhage | ICD-10-CM Diagnosis |
| 169.223 | Fluency disorder following other nontraumatic intracranial hemorrhage | ICD-10-CM Diagnosis |
| 169.228 | Other speech and language deficits following other nontraumatic intracranial hemorrhage | ICD-10-CM Diagnosis |
| 169.231 | Monoplegia of upper limb following other nontraumatic intracranial hemorrhage | ICD-10-CM Diagnosis |
| 169.232 | Monoplegia of upper limb following other nontraumatic intracranial hemorrhage affecting left dominant side | ICD-10-CM Diagnosis |
| 169.233 | Monoplegia of upper limb following other nontraumatic intracranial hemorrhage affecting right non-dominant side | ICD-10-CM Diagnosis |
| 169.234 | Monoplegia of upper limb following other nontraumatic intracranial hemorrhage affecting left non-dominant side | ICD-10-CM Diagnosis |
| 169.239 | Monoplegia of upper limb following other nontraumatic intracranial hemorrhage affecting unspecified side | ICD-10-CM Diagnosis |
| 169.241 | Monoplegia of lower limb following other nontraumatic intracranial hemorrhage | ICD-10-CM Diagnosis |
| 169.242 | Monoplegia of lower limb following other nontraumatic intracranial hemorrhage | ICD-10-CM Diagnosis |
| 169.243 | Monoplegia of lower limb following other nontraumatic intracranial hemorrhage | ICD-10-CM Diagnosis |
| 169.244 | Monoplegia of lower limb following other nontraumatic intracranial hemorrhage | ICD-10-CM Diagnosis |
| 169.249 | Monoplegia of lower limb following other nontraumatic intracranial hemorrhage affecting unspecified side | ICD-10-CM Diagnosis |
| 169.251 | Hemiplegia and hemiparesis following other nontraumatic intracranial hemorrhage affecting right dominant side | ICD-10-CM Diagnosis |
| 169.252 | Hemiplegia and hemiparesis following other nontraumatic intracranial hemorrhage affecting left dominant side | ICD-10-CM Diagnosis |
| 169.253 | Hemiplegia and hemiparesis following other nontraumatic intracranial hemorrhage affecting right non-dominant side | ICD-10-CM Diagnosis |
| 169.254 | Hemiplegia and hemiparesis following other nontraumatic intracranial hemorrhage affecting left non-dominant side | ICD-10-CM Diagnosis |
| 169.259 | Hemiplegia and hemiparesis following other nontraumatic intracranial hemorrhage affecting unspecified side | ICD-10-CM Diagnosis |
| 169.261 | Other paralytic syndrome following other nontraumatic intracranial hemorrhage affecting right dominant side | ICD-10-CM Diagnosis |

List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|---|---------------------|
| 169.262 | Other paralytic syndrome following other nontraumatic intracranial hemorrhage affecting left dominant side | ICD-10-CM Diagnosis |
| 169.263 | Other paralytic syndrome following other nontraumatic intracranial hemorrhage affecting right non-dominant side | ICD-10-CM Diagnosis |
| 169.264 | Other paralytic syndrome following other nontraumatic intracranial hemorrhage affecting left non-dominant side | ICD-10-CM Diagnosis |
| 169.265 | Other paralytic syndrome following other nontraumatic intracranial hemorrhage, bilateral | ICD-10-CM Diagnosis |
| 169.269 | Other paralytic syndrome following other nontraumatic intracranial hemorrhage affecting unspecified side | ICD-10-CM Diagnosis |
| 169.290 | Apraxia following other nontraumatic intracranial hemorrhage | ICD-10-CM Diagnosis |
| 169.291 | Dysphagia following other nontraumatic intracranial hemorrhage | ICD-10-CM Diagnosis |
| 169.292 | Facial weakness following other nontraumatic intracranial hemorrhage | ICD-10-CM Diagnosis |
| 169.293 | Ataxia following other nontraumatic intracranial hemorrhage | ICD-10-CM Diagnosis |
| 169.298 | Other sequelae of other nontraumatic intracranial hemorrhage | ICD-10-CM Diagnosis |
| 430 | Subarachnoid hemorrhage | ICD-9-CM Diagnosis |
| 431 | Intracerebral hemorrhage | ICD-9-CM Diagnosis |
| 432 | Other and unspecified intracranial hemorrhage | ICD-9-CM Diagnosis |
| 578 | Gastrointestinal hemorrhage | ICD-9-CM Diagnosis |
| 280.0 | Iron deficiency anemia secondary to blood loss (chronic) | ICD-9-CM Diagnosis |
| 285.1 | Acute posthemorrhagic anemia | ICD-9-CM Diagnosis |
| 363.6 | Choroidal hemorrhage and rupture | ICD-9-CM Diagnosis |
| 423.0 | Hemopericardium | ICD-9-CM Diagnosis |
| 432.0 | Nontraumatic extradural hemorrhage | ICD-9-CM Diagnosis |
| 432.1 | Subdural hemorrhage | ICD-9-CM Diagnosis |
| 432.9 | Unspecified intracranial hemorrhage | ICD-9-CM Diagnosis |
| 455.2 | Internal hemorrhoids with other complication | ICD-9-CM Diagnosis |
| 455.5 | External hemorrhoids with other complication | ICD-9-CM Diagnosis |
| 455.8 | Unspecified hemorrhoids with other complication | ICD-9-CM Diagnosis |
| 456.0 | Esophageal varices with bleeding | ICD-9-CM Diagnosis |
| 459.0 | Unspecified hemorrhage | ICD-9-CM Diagnosis |
| 530.7 | Gastroesophageal laceration-hemorrhage syndrome | ICD-9-CM Diagnosis |
| 531.0 | Acute gastric ulcer with hemorrhage | ICD-9-CM Diagnosis |
| 531.2 | Acute gastric ulcer with hemorrhage and perforation | ICD-9-CM Diagnosis |
| 531.4 | Chronic or unspecified gastric ulcer with hemorrhage | ICD-9-CM Diagnosis |
| 531.6 | Chronic or unspecified gastric ulcer with hemorrhage and perforation | ICD-9-CM Diagnosis |
| 532.0 | Acute duodenal ulcer with hemorrhage | ICD-9-CM Diagnosis |
| 532.2 | Acute duodenal ulcer with hemorrhage and perforation | ICD-9-CM Diagnosis |
| 532.4 | Chronic or unspecified duodenal ulcer with hemorrhage | ICD-9-CM Diagnosis |
| 532.6 | Chronic or unspecified duodenal ulcer with hemorrhage and perforation | ICD-9-CM Diagnosis |
| 533.0 | Acute peptic ulcer, unspecified site, with hemorrhage | ICD-9-CM Diagnosis |

List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|--|--------------------|
| 533.2 | Acute peptic ulcer, unspecified site, with hemorrhage and perforation | ICD-9-CM Diagnosis |
| 533.4 | Chronic or unspecified peptic ulcer, unspecified site, with hemorrhage | ICD-9-CM Diagnosis |
| 533.6 | Chronic or unspecified peptic ulcer, unspecified site, with hemorrhage and perforation | ICD-9-CM Diagnosis |
| 534.0 | Acute gastrojejunal ulcer with hemorrhage | ICD-9-CM Diagnosis |
| 534.2 | Acute gastrojejunal ulcer with hemorrhage and perforation | ICD-9-CM Diagnosis |
| 534.4 | Chronic or unspecified gastrojejunal ulcer with hemorrhage | ICD-9-CM Diagnosis |
| 534.6 | Chronic or unspecified gastrojejunal ulcer with hemorrhage and perforation | ICD-9-CM Diagnosis |
| 569.3 | Hemorrhage of rectum and anus | ICD-9-CM Diagnosis |
| 578.0 | Hematemesis | ICD-9-CM Diagnosis |
| 578.1 | Blood in stool | ICD-9-CM Diagnosis |
| 578.9 | Hemorrhage of gastrointestinal tract, unspecified | ICD-9-CM Diagnosis |
| 599.7 | Hematuria | ICD-9-CM Diagnosis |
| 784.7 | Epistaxis | ICD-9-CM Diagnosis |
| 784.8 | Hemorrhage from throat | ICD-9-CM Diagnosis |
| 786.3 | Hemoptysis | ICD-9-CM Diagnosis |
| 852.0 | Subarachnoid hemorrhage following injury without mention of open intracranial wound | ICD-9-CM Diagnosis |
| 852.2 | Subdural hemorrhage following injury without mention of open intracranial wound | ICD-9-CM Diagnosis |
| 852.4 | Extradural hemorrhage following injury without mention of open intracranial wound | ICD-9-CM Diagnosis |
| 853.0 | Other and unspecified intracranial hemorrhage following injury, without mention of open intracranial wound | ICD-9-CM Diagnosis |
| 372.72 | Conjunctival hemorrhage | ICD-9-CM Diagnosis |
| 456.20 | Esophageal varices with bleeding in diseases classified elsewhere | ICD-9-CM Diagnosis |
| 530.21 | Ulcer of esophagus with bleeding | ICD-9-CM Diagnosis |
| 530.82 | Esophageal hemorrhage | ICD-9-CM Diagnosis |
| 531.00 | Acute gastric ulcer with hemorrhage, without mention of obstruction | ICD-9-CM Diagnosis |
| 531.01 | Acute gastric ulcer with hemorrhage and obstruction | ICD-9-CM Diagnosis |
| 531.20 | Acute gastric ulcer with hemorrhage and perforation, without mention of obstruction | ICD-9-CM Diagnosis |
| 531.21 | Acute gastric ulcer with hemorrhage, perforation, and obstruction | ICD-9-CM Diagnosis |
| 531.40 | Chronic or unspecified gastric ulcer with hemorrhage, without mention of obstruction | ICD-9-CM Diagnosis |
| 531.41 | Chronic or unspecified gastric ulcer with hemorrhage and obstruction | ICD-9-CM Diagnosis |
| 531.60 | Chronic or unspecified gastric ulcer with hemorrhage and perforation, without mention of obstruction | ICD-9-CM Diagnosis |
| 531.61 | Chronic or unspecified gastric ulcer with hemorrhage, perforation, and obstruction | ICD-9-CM Diagnosis |
| 532.00 | Acute duodenal ulcer with hemorrhage, without mention of obstruction | ICD-9-CM Diagnosis |
| 532.01 | Acute duodenal ulcer with hemorrhage and obstruction | ICD-9-CM Diagnosis |
| 532.20 | Acute duodenal ulcer with hemorrhage and perforation, without mention of | ICD-9-CM Diagnosis |
| 532.21 | Acute duodenal ulcer with hemorrhage, perforation, and obstruction | ICD-9-CM Diagnosis |

List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|--|--------------------|
| 532.40 | Duodenal ulcer, chronic or unspecified, with hemorrhage, without mention of | ICD-9-CM Diagnosis |
| 532.41 | Chronic or unspecified duodenal ulcer with hemorrhage and obstruction | ICD-9-CM Diagnosis |
| 532.60 | Chronic or unspecified duodenal ulcer with hemorrhage and perforation, without mention of obstruction | ICD-9-CM Diagnosis |
| 532.61 | Chronic or unspecified duodenal ulcer with hemorrhage, perforation, and obstruction | ICD-9-CM Diagnosis |
| 533.00 | Acute peptic ulcer, unspecified site, with hemorrhage, without mention of obstruction | ICD-9-CM Diagnosis |
| 533.01 | Acute peptic ulcer, unspecified site, with hemorrhage and obstruction | ICD-9-CM Diagnosis |
| 533.20 | Acute peptic ulcer, unspecified site, with hemorrhage and perforation, without mention of obstruction | ICD-9-CM Diagnosis |
| 533.21 | Acute peptic ulcer, unspecified site, with hemorrhage, perforation, and obstruction | ICD-9-CM Diagnosis |
| 533.40 | Chronic or unspecified peptic ulcer, unspecified site, with hemorrhage, without mention of obstruction | ICD-9-CM Diagnosis |
| 533.41 | Chronic or unspecified peptic ulcer, unspecified site, with hemorrhage and obstruction | ICD-9-CM Diagnosis |
| 533.60 | Chronic or unspecified peptic ulcer, unspecified site, with hemorrhage and perforation, without mention of obstruction | ICD-9-CM Diagnosis |
| 533.61 | Chronic or unspecified peptic ulcer, unspecified site, with hemorrhage, perforation, and obstruction | ICD-9-CM Diagnosis |
| 534.00 | Acute gastrojejunal ulcer with hemorrhage, without mention of obstruction | ICD-9-CM Diagnosis |
| 534.01 | Acute gastrojejunal ulcer, with hemorrhage and obstruction | ICD-9-CM Diagnosis |
| 534.20 | Acute gastrojejunal ulcer with hemorrhage and perforation, without mention of obstruction | ICD-9-CM Diagnosis |
| 534.21 | Acute gastrojejunal ulcer with hemorrhage, perforation, and obstruction | ICD-9-CM Diagnosis |
| 534.40 | Chronic or unspecified gastrojejunal ulcer with hemorrhage, without mention of obstruction | ICD-9-CM Diagnosis |
| 534.41 | Chronic or unspecified gastrojejunal ulcer, with hemorrhage and obstruction | ICD-9-CM Diagnosis |
| 534.60 | Chronic or unspecified gastrojejunal ulcer with hemorrhage and perforation, without mention of obstruction | ICD-9-CM Diagnosis |
| 534.61 | Chronic or unspecified gastrojejunal ulcer with hemorrhage, perforation, and obstruction | ICD-9-CM Diagnosis |
| 535.01 | Acute gastritis with hemorrhage | ICD-9-CM Diagnosis |
| 535.11 | Atrophic gastritis with hemorrhage | ICD-9-CM Diagnosis |
| 535.21 | Gastric mucosal hypertrophy with hemorrhage | ICD-9-CM Diagnosis |
| 535.31 | Alcoholic gastritis with hemorrhage | ICD-9-CM Diagnosis |
| 535.41 | Other specified gastritis with hemorrhage | ICD-9-CM Diagnosis |
| 535.51 | Unspecified gastritis and gastroduodenitis with hemorrhage | ICD-9-CM Diagnosis |
| 535.61 | Duodenitis with hemorrhage | ICD-9-CM Diagnosis |
| 537.83 | Angiodysplasia of stomach and duodenum with hemorrhage | ICD-9-CM Diagnosis |

List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|---|--------------------|
| 537.84 | Dieulafoy lesion (hemorrhagic) of stomach and duodenum | ICD-9-CM Diagnosis |
| 562.02 | Diverticulosis of small intestine with hemorrhage | ICD-9-CM Diagnosis |
| 562.03 | Diverticulitis of small intestine with hemorrhage | ICD-9-CM Diagnosis |
| 562.12 | Diverticulosis of colon with hemorrhage | ICD-9-CM Diagnosis |
| 562.13 | Diverticulitis of colon with hemorrhage | ICD-9-CM Diagnosis |
| 568.81 | Hemoperitoneum (nontraumatic) | ICD-9-CM Diagnosis |
| 569.85 | Angiodysplasia of intestine with hemorrhage | ICD-9-CM Diagnosis |
| 569.86 | Dieulafoy lesion (hemorrhagic) of intestine | ICD-9-CM Diagnosis |
| 719.10 | Hemarthrosis, site unspecified | ICD-9-CM Diagnosis |
| 719.11 | Hemarthrosis, shoulder region | ICD-9-CM Diagnosis |
| 719.12 | Hemarthrosis, upper arm | ICD-9-CM Diagnosis |
| 719.13 | Hemarthrosis, forearm | ICD-9-CM Diagnosis |
| 719.14 | Hemarthrosis, hand | ICD-9-CM Diagnosis |
| 719.15 | Hemarthrosis, pelvic region and thigh | ICD-9-CM Diagnosis |
| 719.16 | Hemarthrosis, lower leg | ICD-9-CM Diagnosis |
| 719.17 | Hemarthrosis, ankle and foot | ICD-9-CM Diagnosis |
| 719.18 | Hemarthrosis, other specified site | ICD-9-CM Diagnosis |
| 719.19 | Hemarthrosis, multiple sites | ICD-9-CM Diagnosis |
| 852.00 | Subarachnoid hemorrhage following injury, without mention of open intracranial | ICD-9-CM Diagnosis |
| 852.01 | Subarachnoid hemorrhage following injury, without mention of open intracranial | ICD-9-CM Diagnosis |
| 852.02 | Subarachnoid hemorrhage following injury, without mention of open intracranial | ICD-9-CM Diagnosis |
| 852.03 | Subarachnoid hemorrhage following injury, without mention of open intracranial | ICD-9-CM Diagnosis |
| 852.04 | Subarachnoid hemorrhage following injury, without mention of open intracranial | ICD-9-CM Diagnosis |
| 852.05 | Subarachnoid hemorrhage following injury, without mention of open intracranial | ICD-9-CM Diagnosis |
| 852.06 | Subarachnoid hemorrhage following injury, without mention of open intracranial | ICD-9-CM Diagnosis |
| 852.09 | Subarachnoid hemorrhage following injury, without mention of open intracranial | ICD-9-CM Diagnosis |
| 852.20 | Subdural hemorrhage following injury, without mention of open intracranial wound, | ICD-9-CM Diagnosis |
| 852.21 | Subdural hemorrhage following injury, without mention of open intracranial wound, | ICD-9-CM Diagnosis |
| 852.22 | Subdural hemorrhage following injury, without mention of open intracranial wound, | ICD-9-CM Diagnosis |
| 852.23 | Subdural hemorrhage following injury, without mention of open intracranial wound, | ICD-9-CM Diagnosis |
| 852.24 | Subdural hemorrhage following injury, without mention of open intracranial wound, | ICD-9-CM Diagnosis |
| 852.25 | Subdural hemorrhage following injury, without mention of open intracranial wound, | ICD-9-CM Diagnosis |
| 852.26 | Subdural hemorrhage following injury, without mention of open intracranial wound, | ICD-9-CM Diagnosis |
| 852.29 | Subdural hemorrhage following injury, without mention of open intracranial wound, | ICD-9-CM Diagnosis |
| 852.40 | Extradural hemorrhage following injury, without mention of open intracranial | ICD-9-CM Diagnosis |
| 852.41 | Extradural hemorrhage following injury, without mention of open intracranial | ICD-9-CM Diagnosis |
| 852.42 | Extradural hemorrhage following injury, without mention of open intracranial | ICD-9-CM Diagnosis |
| 852.43 | Extradural hemorrhage following injury, without mention of open intracranial | ICD-9-CM Diagnosis |
| 852.44 | Extradural hemorrhage following injury, without mention of open intracranial | ICD-9-CM Diagnosis |
| 852.45 | Extradural hemorrhage following injury, without mention of open intracranial | ICD-9-CM Diagnosis |

List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|---------------------------------------|--|--------------------|
| 852.46 | Extradural hemorrhage following injury, without mention of open intracranial | ICD-9-CM Diagnosis |
| 852.49 | Extradural hemorrhage following injury, without mention of open intracranial | ICD-9-CM Diagnosis |
| 853.00 | Other and unspecified intracranial hemorrhage following injury, without mention of | ICD-9-CM Diagnosis |
| 853.01 | Other and unspecified intracranial hemorrhage following injury, without mention of | ICD-9-CM Diagnosis |
| 853.02 | Other and unspecified intracranial hemorrhage following injury, without mention of | ICD-9-CM Diagnosis |
| 853.03 | Other and unspecified intracranial hemorrhage following injury, without mention of | ICD-9-CM Diagnosis |
| 853.04 | Other and unspecified intracranial hemorrhage following injury, without mention of | ICD-9-CM Diagnosis |
| 853.05 | Other and unspecified intracranial hemorrhage following injury. Without mention of | ICD-9-CM Diagnosis |
| 853.06 | Other and unspecified intracranial hemorrhage following injury, without mention of | ICD-9-CM Diagnosis |
| 853.09 | Other and unspecified intracranial hemorrhage following injury, without mention of | ICD-9-CM Diagnosis |
| Coronary Artery Bypass Surgery | | |
| 4110F | Internal mammary artery graft performed for primary, isolated coronary artery bypass graft procedure (CABG) | CPT-2 Procedure |
| 00566 | Anesthesia for direct coronary artery bypass grafting; without pump oxygenator | CPT-4 Procedure |
| 00567 | Anesthesia for direct coronary artery bypass grafting; with pump oxygenator | CPT-4 Procedure |
| 33510 | Coronary artery bypass, vein only; single coronary venous graft | CPT-4 Procedure |
| 33511 | Coronary artery bypass, vein only; 2 coronary venous grafts | CPT-4 Procedure |
| 33512 | Coronary artery bypass, vein only; 3 coronary venous grafts | CPT-4 Procedure |
| 33513 | Coronary artery bypass, vein only; 4 coronary venous grafts | CPT-4 Procedure |
| 33514 | Coronary artery bypass, vein only; 5 coronary venous grafts | CPT-4 Procedure |
| 33516 | Coronary artery bypass, vein only; 6 or more coronary venous grafts | CPT-4 Procedure |
| 33517 | Coronary artery bypass, using venous graft(s) and arterial graft(s); single vein graft (List separately in addition to code for primary procedure) | CPT-4 Procedure |
| 33518 | Coronary artery bypass, using venous graft(s) and arterial graft(s); 2 venous grafts (List separately in addition to code for primary procedure) | CPT-4 Procedure |
| 33519 | Coronary artery bypass, using venous graft(s) and arterial graft(s); 3 venous grafts (List separately in addition to code for primary procedure) | CPT-4 Procedure |
| 33520 | Coronary Artery Bypass, Nonautogenous Graft (eg, Synthetic Or Cadaver); Single Graft | CPT-4 Procedure |
| 33521 | Coronary artery bypass, using venous graft(s) and arterial graft(s); 4 venous grafts (List separately in addition to code for primary procedure) | CPT-4 Procedure |
| 33522 | Coronary artery bypass, using venous graft(s) and arterial graft(s); 5 venous grafts (List separately in addition to code for primary procedure) | CPT-4 Procedure |
| 33523 | Coronary artery bypass, using venous graft(s) and arterial graft(s); 6 or more venous grafts (List separately in addition to code for primary procedure) | CPT-4 Procedure |
| 33525 | Coronary Artery Bypass, Nonautogenous Graft (eg, Synthetic Or Cadaver); Two Coronary Grafts | CPT-4 Procedure |
| 33530 | Reoperation, coronary artery bypass procedure or valve procedure, more than 1 month after original operation (List separately in addition to code for primary procedure) | CPT-4 Procedure |

List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|--|------------------|
| 33572 | Coronary endarterectomy, open, any method, of left anterior descending, circumflex, or right coronary artery performed in conjunction with coronary artery bypass graft procedure, each vessel (List separately in addition to primary procedure) | CPT-4 Procedure |
| 92937 | Percutaneous transluminal revascularization of or through coronary artery bypass graft (internal mammary, free arterial, venous), any combination of intracoronary stent, atherectomy and angioplasty, including distal protection when performed; single vessel | CPT-4 Procedure |
| 92938 | Percutaneous transluminal revascularization of or through coronary artery bypass graft (internal mammary, free arterial, venous), any combination of intracoronary stent, atherectomy and angioplasty, including distal protection when performed; each additional branch subtended by the bypass graft (List separately in addition to code for primary procedure) | CPT-4 Procedure |
| 92941 | Percutaneous transluminal revascularization of acute total/subtotal occlusion during acute myocardial infarction, coronary artery or coronary artery bypass graft, any combination of intracoronary stent, atherectomy and angioplasty, including aspiration thrombectomy when performed, single vessel | CPT-4 Procedure |
| 92943 | Percutaneous transluminal revascularization of chronic total occlusion, coronary artery, coronary artery branch, or coronary artery bypass graft, any combination of intracoronary stent, atherectomy and angioplasty; single vessel | CPT-4 Procedure |
| 92944 | Percutaneous transluminal revascularization of chronic total occlusion, coronary artery, coronary artery branch, or coronary artery bypass graft, any combination of intracoronary stent, atherectomy and angioplasty; each additional coronary artery, coronary artery branch, or bypass graft (List separately in addition to code for primary procedure) | CPT-4 Procedure |
| C9604 | Percutaneous transluminal revascularization of or through coronary artery bypass graft (internal mammary, free arterial, venous), any combination of drug-eluting intracoronary stent, atherectomy and angioplasty, including distal protection when performed; single vessel | HCPCS Procedure |
| C9605 | Percutaneous transluminal revascularization of or through coronary artery bypass graft (internal mammary, free arterial, venous), any combination of drug-eluting intracoronary stent, atherectomy and angioplasty, including distal protection when performed; each additional branch subtended by the bypass graft (list separately in addition to code for primary procedure) | HCPCS Procedure |
| C9606 | Percutaneous transluminal revascularization of acute total/subtotal occlusion during acute myocardial infarction, coronary artery or coronary artery bypass graft, any combination of drug-eluting intracoronary stent, atherectomy and angioplasty, including aspiration thrombectomy when performed, single vessel | HCPCS Procedure |
| C9607 | Percutaneous transluminal revascularization of chronic total occlusion, coronary artery, coronary artery branch, or coronary artery bypass graft, any combination of drug-eluting intracoronary stent, atherectomy and angioplasty; single vessel | HCPCS Procedure |

List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|--|---------------------|
| C9608 | Percutaneous transluminal revascularization of chronic total occlusion, coronary artery, coronary artery branch, or coronary artery bypass graft, any combination of drug-eluting intracoronary stent, atherectomy and angioplasty; each additional coronary artery, coronary artery branch, or bypass graft (list separately in addition to code for primary procedure) | HCPCS Procedure |
| G8158 | Patient documented to have received coronary artery bypass graft with use of internal mammary artery | HCPCS Procedure |
| G8159 | Patient documented to have received coronary artery bypass graft without use of internal mammary artery | HCPCS Procedure |
| G8160 | Clinician documented that patient was not an eligible candidate for coronary artery bypass graft with use of internal mammary artery measure | HCPCS Procedure |
| G8161 | Patient with isolated coronary artery bypass graft documented to have received pre-operative beta-blockade | HCPCS Procedure |
| G8162 | Patient with isolated coronary artery bypass graft not documented to have received preoperative beta-blockade | HCPCS Procedure |
| G8163 | Clinician documented that patient with isolated coronary artery bypass graft was not an eligible candidate for pre-operative beta-blockade measure | HCPCS Procedure |
| G8164 | Patient with isolated coronary artery bypass graft documented to have prolonged intubation | HCPCS Procedure |
| G8165 | Patient with isolated coronary artery bypass graft not documented to have prolonged intubation | HCPCS Procedure |
| G8166 | Patient with isolated coronary artery bypass graft documented to have required surgical re-exploration | HCPCS Procedure |
| G8167 | Patient with isolated coronary artery bypass graft did not require surgical re-exploration | HCPCS Procedure |
| G8170 | Patient with isolated coronary artery bypass graft documented to have been discharged on aspirin or clopidogrel | HCPCS Procedure |
| G8171 | Patient with isolated coronary artery bypass graft not documented to have been discharged on aspirin or clopidogrel | HCPCS Procedure |
| G8172 | Clinician documented that patient with isolated coronary artery bypass graft was not an eligible candidate for antiplatelet therapy at discharge measure | HCPCS Procedure |
| G8497 | All quality actions for the applicable measures in the coronary artery bypass graft (CABG) measures group have been performed for this patient | HCPCS Procedure |
| G8544 | I intend to report the coronary artery bypass graft (CABG) measures group | HCPCS Procedure |
| S2205 | Minimally invasive direct coronary artery bypass surgery involving mini-thoracotomy or mini-sternotomy surgery, performed under direct vision; using arterial graft(s), single coronary arterial graft | HCPCS Procedure |
| I25.7 | Atherosclerosis of coronary artery bypass graft(s) and coronary artery of transplanted heart with angina pectoris | ICD-10-CM Diagnosis |
| I25.70 | Atherosclerosis of coronary artery bypass graft(s), unspecified, with angina pectoris | ICD-10-CM Diagnosis |

List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|--|---------------------|
| I25.700 | Atherosclerosis of coronary artery bypass graft(s), unspecified, with unstable angina pectoris | ICD-10-CM Diagnosis |
| I25.701 | Atherosclerosis of coronary artery bypass graft(s), unspecified, with angina pectoris with documented spasm | ICD-10-CM Diagnosis |
| I25.708 | Atherosclerosis of coronary artery bypass graft(s), unspecified, with other forms of angina pectoris | ICD-10-CM Diagnosis |
| I25.709 | Atherosclerosis of coronary artery bypass graft(s), unspecified, with unspecified angina pectoris | ICD-10-CM Diagnosis |
| I25.71 | Atherosclerosis of autologous vein coronary artery bypass graft(s) with angina pectoris | ICD-10-CM Diagnosis |
| I25.710 | Atherosclerosis of autologous vein coronary artery bypass graft(s) with unstable angina pectoris | ICD-10-CM Diagnosis |
| I25.711 | Atherosclerosis of autologous vein coronary artery bypass graft(s) with angina pectoris with documented spasm | ICD-10-CM Diagnosis |
| I25.718 | Atherosclerosis of autologous vein coronary artery bypass graft(s) with other forms of angina pectoris | ICD-10-CM Diagnosis |
| I25.719 | Atherosclerosis of autologous vein coronary artery bypass graft(s) with unspecified angina pectoris | ICD-10-CM Diagnosis |
| I25.72 | Atherosclerosis of autologous artery coronary artery bypass graft(s) with angina pectoris | ICD-10-CM Diagnosis |
| I25.720 | Atherosclerosis of autologous artery coronary artery bypass graft(s) with unstable angina pectoris | ICD-10-CM Diagnosis |
| I25.721 | Atherosclerosis of autologous artery coronary artery bypass graft(s) with angina pectoris with documented spasm | ICD-10-CM Diagnosis |
| I25.728 | Atherosclerosis of autologous artery coronary artery bypass graft(s) with other forms of angina pectoris | ICD-10-CM Diagnosis |
| I25.729 | Atherosclerosis of autologous artery coronary artery bypass graft(s) with unspecified angina pectoris | ICD-10-CM Diagnosis |
| I25.73 | Atherosclerosis of nonautologous biological coronary artery bypass graft(s) with angina pectoris | ICD-10-CM Diagnosis |
| I25.730 | Atherosclerosis of nonautologous biological coronary artery bypass graft(s) with unstable angina pectoris | ICD-10-CM Diagnosis |
| I25.731 | Atherosclerosis of nonautologous biological coronary artery bypass graft(s) with angina pectoris with documented spasm | ICD-10-CM Diagnosis |
| I25.738 | Atherosclerosis of nonautologous biological coronary artery bypass graft(s) with other forms of angina pectoris | ICD-10-CM Diagnosis |
| I25.739 | Atherosclerosis of nonautologous biological coronary artery bypass graft(s) with unspecified angina pectoris | ICD-10-CM Diagnosis |
| I25.79 | Atherosclerosis of other coronary artery bypass graft(s) with angina pectoris | ICD-10-CM Diagnosis |
| I25.790 | Atherosclerosis of other coronary artery bypass graft(s) with unstable angina pectoris | ICD-10-CM Diagnosis |

List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|--|----------------------|
| I25.791 | Atherosclerosis of other coronary artery bypass graft(s) with angina pectoris with documented spasm | ICD-10-CM Diagnosis |
| I25.798 | Atherosclerosis of other coronary artery bypass graft(s) with other forms of angina pectoris | ICD-10-CM Diagnosis |
| I25.799 | Atherosclerosis of other coronary artery bypass graft(s) with unspecified angina | ICD-10-CM Diagnosis |
| I25.810 | Atherosclerosis of coronary artery bypass graft(s) without angina pectoris | ICD-10-CM Diagnosis |
| T82.2 | Mechanical complication of coronary artery bypass graft and biological heart valve graft | ICD-10-CM Diagnosis |
| T82.21 | Mechanical complication of coronary artery bypass graft | ICD-10-CM Diagnosis |
| T82.211 | Breakdown (mechanical) of coronary artery bypass graft | ICD-10-CM Diagnosis |
| T82.211A | Breakdown (mechanical) of coronary artery bypass graft, initial encounter | ICD-10-CM Diagnosis |
| T82.211D | Breakdown (mechanical) of coronary artery bypass graft, subsequent encounter | ICD-10-CM Diagnosis |
| T82.211S | Breakdown (mechanical) of coronary artery bypass graft, sequela | ICD-10-CM Diagnosis |
| T82.212 | Displacement of coronary artery bypass graft | ICD-10-CM Diagnosis |
| T82.212A | Displacement of coronary artery bypass graft, initial encounter | ICD-10-CM Diagnosis |
| T82.212D | Displacement of coronary artery bypass graft, subsequent encounter | ICD-10-CM Diagnosis |
| T82.212S | Displacement of coronary artery bypass graft, sequela | ICD-10-CM Diagnosis |
| T82.213 | Leakage of coronary artery bypass graft | ICD-10-CM Diagnosis |
| T82.213A | Leakage of coronary artery bypass graft, initial encounter | ICD-10-CM Diagnosis |
| T82.213D | Leakage of coronary artery bypass graft, subsequent encounter | ICD-10-CM Diagnosis |
| T82.213S | Leakage of coronary artery bypass graft, sequela | ICD-10-CM Diagnosis |
| T82.218 | Other mechanical complication of coronary artery bypass graft | ICD-10-CM Diagnosis |
| T82.218A | Other mechanical complication of coronary artery bypass graft, initial encounter | ICD-10-CM Diagnosis |
| T82.218D | Other mechanical complication of coronary artery bypass graft, subsequent | ICD-10-CM Diagnosis |
| T82.218S | Other mechanical complication of coronary artery bypass graft, sequela | ICD-10-CM Diagnosis |
| B202 | Plain Radiography / Coronary Artery Bypass Graft, Single | ICD-10-PCS Procedure |
| B2020ZZ | Plain Radiography of Single Coronary Artery Bypass Graft using High Osmolar Contrast | ICD-10-PCS Procedure |
| B2021ZZ | Plain Radiography of Single Coronary Artery Bypass Graft using Low Osmolar Contrast | ICD-10-PCS Procedure |
| B202YZZ | Plain Radiography of Single Coronary Artery Bypass Graft using Other Contrast | ICD-10-PCS Procedure |
| B203 | Plain Radiography / Coronary Artery Bypass Grafts, Multiple | ICD-10-PCS Procedure |
| B2030ZZ | Plain Radiography of Multiple Coronary Artery Bypass Grafts using High Osmolar Contrast | ICD-10-PCS Procedure |
| B2031ZZ | Plain Radiography of Multiple Coronary Artery Bypass Grafts using Low Osmolar Contrast | ICD-10-PCS Procedure |
| B203YZZ | Plain Radiography of Multiple Coronary Artery Bypass Grafts using Other Contrast | ICD-10-PCS Procedure |
| B212 | Fluoroscopy / Coronary Artery Bypass Graft, Single | ICD-10-PCS Procedure |
| B212010 | Fluoroscopy of Single Coronary Artery Bypass Graft using High Osmolar Contrast, Laser Intraoperative | ICD-10-PCS Procedure |
| B2120ZZ | Fluoroscopy of Single Coronary Artery Bypass Graft using High Osmolar Contrast | ICD-10-PCS Procedure |

List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|--|----------------------|
| B212110 | Fluoroscopy of Single Coronary Artery Bypass Graft using Low Osmolar Contrast, Laser Intraoperative | ICD-10-PCS Procedure |
| B2121ZZ | Fluoroscopy of Single Coronary Artery Bypass Graft using Low Osmolar Contrast | ICD-10-PCS Procedure |
| B212Y10 | Fluoroscopy of Single Coronary Artery Bypass Graft using Other Contrast, Laser Intraoperative | ICD-10-PCS Procedure |
| B212YZZ | Fluoroscopy of Single Coronary Artery Bypass Graft using Other Contrast | ICD-10-PCS Procedure |
| B213 | Fluoroscopy / Coronary Artery Bypass Grafts, Multiple | ICD-10-PCS Procedure |
| B213010 | Fluoroscopy of Multiple Coronary Artery Bypass Grafts using High Osmolar Contrast, Laser Intraoperative | ICD-10-PCS Procedure |
| B2130ZZ | Fluoroscopy of Multiple Coronary Artery Bypass Grafts using High Osmolar Contrast | ICD-10-PCS Procedure |
| B213110 | Fluoroscopy of Multiple Coronary Artery Bypass Grafts using Low Osmolar Contrast, | ICD-10-PCS Procedure |
| B2131ZZ | Fluoroscopy of Multiple Coronary Artery Bypass Grafts using Low Osmolar Contrast | ICD-10-PCS Procedure |
| B213Y10 | Fluoroscopy of Multiple Coronary Artery Bypass Grafts using Other Contrast, Laser Intraoperative | ICD-10-PCS Procedure |
| B213YZZ | Fluoroscopy of Multiple Coronary Artery Bypass Grafts using Other Contrast | ICD-10-PCS Procedure |
| B223 | Computerized Tomography (CT Scan) / Coronary Artery Bypass Grafts, Multiple | ICD-10-PCS Procedure |
| B22300Z | Computerized Tomography (CT Scan) of Multiple Coronary Artery Bypass Grafts using High Osmolar Contrast, Unenhanced and Enhanced | ICD-10-PCS Procedure |
| B2230ZZ | Computerized Tomography (CT Scan) of Multiple Coronary Artery Bypass Grafts using High Osmolar Contrast | ICD-10-PCS Procedure |
| B22310Z | Computerized Tomography (CT Scan) of Multiple Coronary Artery Bypass Grafts | ICD-10-PCS Procedure |
| B2231ZZ | Computerized Tomography (CT Scan) of Multiple Coronary Artery Bypass Grafts using Low Osmolar Contrast | ICD-10-PCS Procedure |
| B223Y0Z | Computerized Tomography (CT Scan) of Multiple Coronary Artery Bypass Grafts using Other Contrast, Unenhanced and Enhanced | ICD-10-PCS Procedure |
| B223YZZ | Computerized Tomography (CT Scan) of Multiple Coronary Artery Bypass Grafts using Other Contrast | ICD-10-PCS Procedure |
| B223ZZZ | Computerized Tomography (CT Scan) of Multiple Coronary Artery Bypass Grafts using Intravascular Optical Coherence | ICD-10-PCS Procedure |
| B223ZZZ | Computerized Tomography (CT Scan) of Multiple Coronary Artery Bypass Grafts | ICD-10-PCS Procedure |
| B233 | Magnetic Resonance Imaging (MRI) / Coronary Artery Bypass Grafts, Multiple | ICD-10-PCS Procedure |
| B233Y0Z | Magnetic Resonance Imaging (MRI) of Multiple Coronary Artery Bypass Grafts using Other Contrast, Unenhanced and Enhanced | ICD-10-PCS Procedure |
| B233YZZ | Magnetic Resonance Imaging (MRI) of Multiple Coronary Artery Bypass Grafts using Other Contrast | ICD-10-PCS Procedure |
| B233ZZZ | Magnetic Resonance Imaging (MRI) of Multiple Coronary Artery Bypass Grafts | ICD-10-PCS Procedure |
| 99603 | Mechanical complication due to coronary bypass graft | ICD-9-CM Diagnosis |
| V45.81 | Postprocedural aortocoronary bypass status | ICD-9-CM Diagnosis |
| 36.1 | Bypass anastomosis for heart revascularization | ICD-9-CM Procedure |
| 36.2 | Heart revascularization by arterial implant | ICD-9-CM Procedure |

List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|---------------------------------|--|---------------------|
| 36.10 | Aortocoronary bypass for heart revascularization, not otherwise specified | ICD-9-CM Procedure |
| 36.11 | (Aorto)coronary bypass of one coronary artery | ICD-9-CM Procedure |
| 36.12 | (Aorto)coronary bypass of two coronary arteries | ICD-9-CM Procedure |
| 36.13 | (Aorto)coronary bypass of three coronary arteries | ICD-9-CM Procedure |
| 36.14 | (Aorto)coronary bypass of four or more coronary arteries | ICD-9-CM Procedure |
| 36.15 | Single internal mammary-coronary artery bypass | ICD-9-CM Procedure |
| 36.16 | Double internal mammary-coronary artery bypass | ICD-9-CM Procedure |
| 36.17 | Abdominal-coronary artery bypass | ICD-9-CM Procedure |
| 36.19 | Other bypass anastomosis for heart revascularization | ICD-9-CM Procedure |
| Congestive Heart Failure | | |
| I09.81 | Rheumatic heart failure | ICD-10-CM Diagnosis |
| I11.0 | Hypertensive heart disease with heart failure | ICD-10-CM Diagnosis |
| I13.0 | Hypertensive heart and chronic kidney disease with heart failure and stage 1 | ICD-10-CM Diagnosis |
| I13.2 | Hypertensive heart and chronic kidney disease with heart failure and with stage 5 chronic kidney disease, or end stage renal disease | ICD-10-CM Diagnosis |
| I50.1 | Left ventricular failure | ICD-10-CM Diagnosis |
| I50.20 | Unspecified systolic (congestive) heart failure | ICD-10-CM Diagnosis |
| I50.21 | Acute systolic (congestive) heart failure | ICD-10-CM Diagnosis |
| I50.22 | Chronic systolic (congestive) heart failure | ICD-10-CM Diagnosis |
| I50.23 | Acute on chronic systolic (congestive) heart failure | ICD-10-CM Diagnosis |
| I50.30 | Unspecified diastolic (congestive) heart failure | ICD-10-CM Diagnosis |
| I50.31 | Acute diastolic (congestive) heart failure | ICD-10-CM Diagnosis |
| I50.32 | Chronic diastolic (congestive) heart failure | ICD-10-CM Diagnosis |
| I50.33 | Acute on chronic diastolic (congestive) heart failure | ICD-10-CM Diagnosis |
| I50.40 | Unspecified combined systolic (congestive) and diastolic (congestive) heart failure | ICD-10-CM Diagnosis |
| I50.41 | Acute combined systolic (congestive) and diastolic (congestive) heart failure | ICD-10-CM Diagnosis |
| I50.42 | Chronic combined systolic (congestive) and diastolic (congestive) heart failure | ICD-10-CM Diagnosis |
| I50.43 | Acute on chronic combined systolic (congestive) and diastolic (congestive) heart | ICD-10-CM Diagnosis |
| I50.9 | Heart failure, unspecified | ICD-10-CM Diagnosis |
| I42.0 | Dilated cardiomyopathy | ICD-10-CM Diagnosis |
| I42.5 | Other restrictive cardiomyopathy | ICD-10-CM Diagnosis |
| I42.6 | Alcoholic cardiomyopathy | ICD-10-CM Diagnosis |
| I42.7 | Cardiomyopathy due to drug and external agent | ICD-10-CM Diagnosis |
| I42.8 | Other cardiomyopathies | ICD-10-CM Diagnosis |
| I42.9 | Cardiomyopathy, unspecified | ICD-10-CM Diagnosis |
| I43 | Cardiomyopathy in diseases classified elsewhere | ICD-10-CM Diagnosis |
| 428.2 | Systolic heart failure | ICD-9-CM Diagnosis |
| 428.3 | Diastolic heart failure | ICD-9-CM Diagnosis |
| 428.4 | Combined systolic and diastolic heart failure | ICD-9-CM Diagnosis |
| 398.91 | Rheumatic heart failure (congestive) | ICD-9-CM Diagnosis |

List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-----------------|---|---------------------|
| 402.01 | Malignant hypertensive heart disease with heart failure | ICD-9-CM Diagnosis |
| 402.11 | Benign hypertensive heart disease with heart failure | ICD-9-CM Diagnosis |
| 402.91 | Hypertensive heart disease, unspecified, with heart failure | ICD-9-CM Diagnosis |
| 404.01 | Hypertensive heart and chronic kidney disease, malignant, with heart failure and with chronic kidney disease stage I through stage IV | ICD-9-CM Diagnosis |
| 404.03 | Hypertensive heart and chronic kidney disease, malignant, with heart failure and | ICD-9-CM Diagnosis |
| 404.11 | Hypertensive heart and chronic kidney disease, benign, with heart failure and with | ICD-9-CM Diagnosis |
| 404.13 | Hypertensive heart and chronic kidney disease, benign, with heart failure and | ICD-9-CM Diagnosis |
| 404.91 | Hypertensive heart and chronic kidney disease, unspecified, with heart failure and | ICD-9-CM Diagnosis |
| 404.93 | Hypertensive heart and chronic kidney disease, unspecified, with heart failure and | ICD-9-CM Diagnosis |
| 425.2 | Obscure cardiomyopathy of Africa | ICD-9-CM Diagnosis |
| 425.4 | Other primary cardiomyopathies | ICD-9-CM Diagnosis |
| 425.5 | Alcoholic cardiomyopathy | ICD-9-CM Diagnosis |
| 425.7 | Nutritional and metabolic cardiomyopathy | ICD-9-CM Diagnosis |
| 425.9 | Unspecified secondary cardiomyopathy | ICD-9-CM Diagnosis |
| 428.0 | Congestive heart failure, unspecified | ICD-9-CM Diagnosis |
| 428.1 | Left heart failure | ICD-9-CM Diagnosis |
| 428.20 | Unspecified systolic heart failure | ICD-9-CM Diagnosis |
| 428.21 | Acute systolic heart failure | ICD-9-CM Diagnosis |
| 428.22 | Chronic systolic heart failure | ICD-9-CM Diagnosis |
| 428.23 | Acute on chronic systolic heart failure | ICD-9-CM Diagnosis |
| 428.30 | Unspecified diastolic heart failure | ICD-9-CM Diagnosis |
| 428.31 | Acute diastolic heart failure | ICD-9-CM Diagnosis |
| 428.32 | Chronic diastolic heart failure | ICD-9-CM Diagnosis |
| 428.33 | Acute on chronic diastolic heart failure | ICD-9-CM Diagnosis |
| 428.40 | Unspecified combined systolic and diastolic heart failure | ICD-9-CM Diagnosis |
| 428.41 | Acute combined systolic and diastolic heart failure | ICD-9-CM Diagnosis |
| 428.42 | Chronic combined systolic and diastolic heart failure | ICD-9-CM Diagnosis |
| 428.43 | Acute on chronic combined systolic and diastolic heart failure | ICD-9-CM Diagnosis |
| 428.9 | Unspecified heart failure | ICD-9-CM Diagnosis |
| Diabetes | | |
| E08.31 | Diabetes mellitus due to underlying condition with unspecified diabetic retinopathy | ICD-10-CM Diagnosis |
| E08.311 | Diabetes mellitus due to underlying condition with unspecified diabetic retinopathy with macular edema | ICD-10-CM Diagnosis |
| E08.319 | Diabetes mellitus due to underlying condition with unspecified diabetic retinopathy without macular edema | ICD-10-CM Diagnosis |
| E08.32 | Diabetes mellitus due to underlying condition with mild nonproliferative diabetic retinopathy | ICD-10-CM Diagnosis |
| E08.321 | Diabetes mellitus due to underlying condition with mild nonproliferative diabetic retinopathy with macular edema | ICD-10-CM Diagnosis |

List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|---|---------------------|
| E08.329 | Diabetes mellitus due to underlying condition with mild nonproliferative diabetic retinopathy without macular edema | ICD-10-CM Diagnosis |
| E08.33 | Diabetes mellitus due to underlying condition with moderate nonproliferative diabetic retinopathy | ICD-10-CM Diagnosis |
| E08.331 | Diabetes mellitus due to underlying condition with moderate nonproliferative diabetic retinopathy with macular edema | ICD-10-CM Diagnosis |
| E08.339 | Diabetes mellitus due to underlying condition with moderate nonproliferative diabetic retinopathy without macular edema | ICD-10-CM Diagnosis |
| E08.34 | Diabetes mellitus due to underlying condition with severe nonproliferative diabetic retinopathy | ICD-10-CM Diagnosis |
| E08.341 | Diabetes mellitus due to underlying condition with severe nonproliferative diabetic retinopathy with macular edema | ICD-10-CM Diagnosis |
| E08.349 | Diabetes mellitus due to underlying condition with severe nonproliferative diabetic retinopathy without macular edema | ICD-10-CM Diagnosis |
| E08.35 | Diabetes mellitus due to underlying condition with proliferative diabetic retinopathy | ICD-10-CM Diagnosis |
| E08.351 | Diabetes mellitus due to underlying condition with proliferative diabetic retinopathy with macular edema | ICD-10-CM Diagnosis |
| E08.359 | Diabetes mellitus due to underlying condition with proliferative diabetic retinopathy without macular edema | ICD-10-CM Diagnosis |
| E08.36 | Diabetes mellitus due to underlying condition with diabetic cataract | ICD-10-CM Diagnosis |
| E08.40 | Diabetes mellitus due to underlying condition with diabetic neuropathy, unspecified | ICD-10-CM Diagnosis |
| E08.42 | Diabetes mellitus due to underlying condition with diabetic polyneuropathy | ICD-10-CM Diagnosis |
| E08.51 | Diabetes mellitus due to underlying condition with diabetic peripheral angiopathy without gangrene | ICD-10-CM Diagnosis |
| E08.52 | Diabetes mellitus due to underlying condition with diabetic peripheral angiopathy with gangrene | ICD-10-CM Diagnosis |
| E08.59 | Diabetes mellitus due to underlying condition with other circulatory complications | ICD-10-CM Diagnosis |
| E08.65 | Diabetes mellitus due to underlying condition with hyperglycemia | ICD-10-CM Diagnosis |
| E09.31 | Drug or chemical induced diabetes mellitus with unspecified diabetic retinopathy | ICD-10-CM Diagnosis |
| E09.311 | Drug or chemical induced diabetes mellitus with unspecified diabetic retinopathy with macular edema | ICD-10-CM Diagnosis |
| E09.319 | Drug or chemical induced diabetes mellitus with unspecified diabetic retinopathy without macular edema | ICD-10-CM Diagnosis |
| E09.32 | Drug or chemical induced diabetes mellitus with mild nonproliferative diabetic retinopathy | ICD-10-CM Diagnosis |
| E09.321 | Drug or chemical induced diabetes mellitus with mild nonproliferative diabetic retinopathy with macular edema | ICD-10-CM Diagnosis |

List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|--|---------------------|
| E09.329 | Drug or chemical induced diabetes mellitus with mild nonproliferative diabetic retinopathy without macular edema | ICD-10-CM Diagnosis |
| E09.33 | Drug or chemical induced diabetes mellitus with moderate nonproliferative diabetic retinopathy | ICD-10-CM Diagnosis |
| E09.331 | Drug or chemical induced diabetes mellitus with moderate nonproliferative diabetic retinopathy with macular edema | ICD-10-CM Diagnosis |
| E09.339 | Drug or chemical induced diabetes mellitus with moderate nonproliferative diabetic retinopathy without macular edema | ICD-10-CM Diagnosis |
| E09.34 | Drug or chemical induced diabetes mellitus with severe nonproliferative diabetic retinopathy | ICD-10-CM Diagnosis |
| E09.341 | Drug or chemical induced diabetes mellitus with severe nonproliferative diabetic retinopathy with macular edema | ICD-10-CM Diagnosis |
| E09.349 | Drug or chemical induced diabetes mellitus with severe nonproliferative diabetic retinopathy without macular edema | ICD-10-CM Diagnosis |
| E09.35 | Drug or chemical induced diabetes mellitus with proliferative diabetic retinopathy | ICD-10-CM Diagnosis |
| E09.351 | Drug or chemical induced diabetes mellitus with proliferative diabetic retinopathy with macular edema | ICD-10-CM Diagnosis |
| E09.359 | Drug or chemical induced diabetes mellitus with proliferative diabetic retinopathy without macular edema | ICD-10-CM Diagnosis |
| E09.36 | Drug or chemical induced diabetes mellitus with diabetic cataract | ICD-10-CM Diagnosis |
| E09.40 | Drug or chemical induced diabetes mellitus with neurological complications with diabetic neuropathy, unspecified | ICD-10-CM Diagnosis |
| E09.42 | Drug or chemical induced diabetes mellitus with neurological complications with diabetic polyneuropathy | ICD-10-CM Diagnosis |
| E09.51 | Drug or chemical induced diabetes mellitus with diabetic peripheral angiopathy without gangrene | ICD-10-CM Diagnosis |
| E09.52 | Drug or chemical induced diabetes mellitus with diabetic peripheral angiopathy with gangrene | ICD-10-CM Diagnosis |
| E09.59 | Drug or chemical induced diabetes mellitus with other circulatory complications | ICD-10-CM Diagnosis |
| E10.10 | Type 1 diabetes mellitus with ketoacidosis without coma | ICD-10-CM Diagnosis |
| E10.11 | Type 1 diabetes mellitus with ketoacidosis with coma | ICD-10-CM Diagnosis |
| E10.21 | Type 1 diabetes mellitus with diabetic nephropathy | ICD-10-CM Diagnosis |
| E10.22 | Type 1 diabetes mellitus with diabetic chronic kidney disease | ICD-10-CM Diagnosis |
| E10.29 | Type 1 diabetes mellitus with other diabetic kidney complication | ICD-10-CM Diagnosis |
| E10.31 | Type 1 diabetes mellitus with unspecified diabetic retinopathy | ICD-10-CM Diagnosis |
| E10.311 | Type 1 diabetes mellitus with unspecified diabetic retinopathy with macular edema | ICD-10-CM Diagnosis |
| E10.319 | Type 1 diabetes mellitus with unspecified diabetic retinopathy without macular edema | ICD-10-CM Diagnosis |
| E10.32 | Type 1 diabetes mellitus with mild nonproliferative diabetic retinopathy | ICD-10-CM Diagnosis |

List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|--|---------------------|
| E10.321 | Type 1 diabetes mellitus with mild nonproliferative diabetic retinopathy with macular edema | ICD-10-CM Diagnosis |
| E10.3211 | Type 1 diabetes mellitus with mild nonproliferative diabetic retinopathy with macular edema, right eye | ICD-10-CM Diagnosis |
| E10.3212 | Type 1 diabetes mellitus with mild nonproliferative diabetic retinopathy with macular edema, left eye | ICD-10-CM Diagnosis |
| E10.3213 | Type 1 diabetes mellitus with mild nonproliferative diabetic retinopathy with macular edema, bilateral | ICD-10-CM Diagnosis |
| E10.3219 | Type 1 diabetes mellitus with mild nonproliferative diabetic retinopathy with macular edema, unspecified e | ICD-10-CM Diagnosis |
| E10.329 | Type 1 diabetes mellitus with mild nonproliferative diabetic retinopathy without macular edema | ICD-10-CM Diagnosis |
| E10.3291 | Type 1 diabetes mellitus with mild nonproliferative diabetic retinopathy without macular edema, right eye | ICD-10-CM Diagnosis |
| E10.3292 | Type 1 diabetes mellitus with mild nonproliferative diabetic retinopathy without macular edema, left eye | ICD-10-CM Diagnosis |
| E10.3293 | Type 1 diabetes mellitus with mild nonproliferative diabetic retinopathy without macular edema, bilateral | ICD-10-CM Diagnosis |
| E10.3299 | Type 1 diabetes mellitus with mild nonproliferative diabetic retinopathy without macular edema, unspecifie | ICD-10-CM Diagnosis |
| E10.33 | Type 1 diabetes mellitus with moderate nonproliferative diabetic retinopathy | ICD-10-CM Diagnosis |
| E10.331 | Type 1 diabetes mellitus with moderate nonproliferative diabetic retinopathy with macular edema | ICD-10-CM Diagnosis |
| E10.3311 | Type 1 diabetes mellitus with moderate nonproliferative diabetic retinopathy with macular edema, right eye | ICD-10-CM Diagnosis |
| E10.3312 | Type 1 diabetes mellitus with moderate nonproliferative diabetic retinopathy with macular edema, left eye | ICD-10-CM Diagnosis |
| E10.3313 | Type 1 diabetes mellitus with moderate nonproliferative diabetic retinopathy with macular edema, bilateral | ICD-10-CM Diagnosis |
| E10.3319 | Type 1 diabetes mellitus with moderate nonproliferative diabetic retinopathy with macular edema, unspecifi | ICD-10-CM Diagnosis |
| E10.339 | Type 1 diabetes mellitus with moderate nonproliferative diabetic retinopathy without macular edema | ICD-10-CM Diagnosis |
| E10.3391 | Type 1 diabetes mellitus with moderate nonproliferative diabetic retinopathy without macular edema, right | ICD-10-CM Diagnosis |
| E10.3392 | Type 1 diabetes mellitus with moderate nonproliferative diabetic retinopathy without macular edema, left e | ICD-10-CM Diagnosis |
| E10.3393 | Type 1 diabetes mellitus with moderate nonproliferative diabetic retinopathy without macular edema, bilate | ICD-10-CM Diagnosis |
| E10.3399 | Type 1 diabetes mellitus with moderate nonproliferative diabetic retinopathy without macular edema, unspec | ICD-10-CM Diagnosis |
| E10.34 | Type 1 diabetes mellitus with severe nonproliferative diabetic retinopathy | ICD-10-CM Diagnosis |

List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|--|---------------------|
| E10.341 | Type 1 diabetes mellitus with severe nonproliferative diabetic retinopathy with macular edema | ICD-10-CM Diagnosis |
| E10.3411 | Type 1 diabetes mellitus with severe nonproliferative diabetic retinopathy with macular edema, right eye | ICD-10-CM Diagnosis |
| E10.3412 | Type 1 diabetes mellitus with severe nonproliferative diabetic retinopathy with macular edema, left eye | ICD-10-CM Diagnosis |
| E10.3413 | Type 1 diabetes mellitus with severe nonproliferative diabetic retinopathy with macular edema, bilateral | ICD-10-CM Diagnosis |
| E10.3419 | Type 1 diabetes mellitus with severe nonproliferative diabetic retinopathy with macular edema, unspecified | ICD-10-CM Diagnosis |
| E10.349 | Type 1 diabetes mellitus with severe nonproliferative diabetic retinopathy without macular edema | ICD-10-CM Diagnosis |
| E10.3491 | Type 1 diabetes mellitus with severe nonproliferative diabetic retinopathy without macular edema, right ey | ICD-10-CM Diagnosis |
| E10.3492 | Type 1 diabetes mellitus with severe nonproliferative diabetic retinopathy without macular edema, left eye | ICD-10-CM Diagnosis |
| E10.3493 | Type 1 diabetes mellitus with severe nonproliferative diabetic retinopathy without macular edema, bilatera | ICD-10-CM Diagnosis |
| E10.3499 | Type 1 diabetes mellitus with severe nonproliferative diabetic retinopathy without macular edema, unspecif | ICD-10-CM Diagnosis |
| E10.35 | Type 1 diabetes mellitus with proliferative diabetic retinopathy | ICD-10-CM Diagnosis |
| E10.351 | Type 1 diabetes mellitus with proliferative diabetic retinopathy with macular edema | ICD-10-CM Diagnosis |
| E10.3511 | Type 1 diabetes mellitus with proliferative diabetic retinopathy with macular edema, right eye | ICD-10-CM Diagnosis |
| E10.3512 | Type 1 diabetes mellitus with proliferative diabetic retinopathy with macular edema, left eye | ICD-10-CM Diagnosis |
| E10.3513 | Type 1 diabetes mellitus with proliferative diabetic retinopathy with macular edema, bilateral | ICD-10-CM Diagnosis |
| E10.3519 | Type 1 diabetes mellitus with proliferative diabetic retinopathy with macular edema, unspecified eye | ICD-10-CM Diagnosis |
| E10.3521 | Type 1 diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment involvin | ICD-10-CM Diagnosis |
| E10.3522 | Type 1 diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment involvin | ICD-10-CM Diagnosis |
| E10.3523 | Type 1 diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment involvin | ICD-10-CM Diagnosis |
| E10.3529 | Type 1 diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment involvin | ICD-10-CM Diagnosis |
| E10.3531 | Type 1 diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment not invo | ICD-10-CM Diagnosis |

List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|--|---------------------|
| E10.3532 | Type 1 diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment not invo | ICD-10-CM Diagnosis |
| E10.3533 | Type 1 diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment not invo | ICD-10-CM Diagnosis |
| E10.3539 | Type 1 diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment not invo | ICD-10-CM Diagnosis |
| E10.3541 | Type 1 diabetes mellitus with proliferative diabetic retinopathy with combined traction retinal detachment | ICD-10-CM Diagnosis |
| E10.3542 | Type 1 diabetes mellitus with proliferative diabetic retinopathy with combined traction retinal detachment | ICD-10-CM Diagnosis |
| E10.3543 | Type 1 diabetes mellitus with proliferative diabetic retinopathy with combined traction retinal detachment | ICD-10-CM Diagnosis |
| E10.3549 | Type 1 diabetes mellitus with proliferative diabetic retinopathy with combined traction retinal detachment | ICD-10-CM Diagnosis |
| E10.3551 | Type 1 diabetes mellitus with stable proliferative diabetic retinopathy, right eye | ICD-10-CM Diagnosis |
| E10.3552 | Type 1 diabetes mellitus with stable proliferative diabetic retinopathy, left eye | ICD-10-CM Diagnosis |
| E10.3553 | Type 1 diabetes mellitus with stable proliferative diabetic retinopathy, bilateral | ICD-10-CM Diagnosis |
| E10.3559 | Type 1 diabetes mellitus with stable proliferative diabetic retinopathy, unspecified eye | ICD-10-CM Diagnosis |
| E10.359 | Type 1 diabetes mellitus with proliferative diabetic retinopathy without macular edema | ICD-10-CM Diagnosis |
| E10.3591 | Type 1 diabetes mellitus with proliferative diabetic retinopathy without macular edema, right eye | ICD-10-CM Diagnosis |
| E10.3592 | Type 1 diabetes mellitus with proliferative diabetic retinopathy without macular edema, left eye | ICD-10-CM Diagnosis |
| E10.3593 | Type 1 diabetes mellitus with proliferative diabetic retinopathy without macular edema, bilateral | ICD-10-CM Diagnosis |
| E10.3599 | Type 1 diabetes mellitus with proliferative diabetic retinopathy without macular edema, unspecified eye | ICD-10-CM Diagnosis |
| E10.36 | Type 1 diabetes mellitus with diabetic cataract | ICD-10-CM Diagnosis |
| E10.37X1 | Type 1 diabetes mellitus with diabetic macular edema, resolved following treatment, right eye | ICD-10-CM Diagnosis |
| E10.37X2 | Type 1 diabetes mellitus with diabetic macular edema, resolved following treatment, left eye | ICD-10-CM Diagnosis |
| E10.37X3 | Type 1 diabetes mellitus with diabetic macular edema, resolved following treatment, bilateral | ICD-10-CM Diagnosis |
| E10.37X9 | Type 1 diabetes mellitus with diabetic macular edema, resolved following treatment, unspecified eye | ICD-10-CM Diagnosis |
| E10.39 | Type 1 diabetes mellitus with other diabetic ophthalmic complication | ICD-10-CM Diagnosis |
| E10.40 | Type 1 diabetes mellitus with diabetic neuropathy, unspecified | ICD-10-CM Diagnosis |
| E10.41 | Type 1 diabetes mellitus with diabetic mononeuropathy | ICD-10-CM Diagnosis |

List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|--|---------------------|
| E10.42 | Type 1 diabetes mellitus with diabetic polyneuropathy | ICD-10-CM Diagnosis |
| E10.43 | Type 1 diabetes mellitus with diabetic autonomic (poly)neuropathy | ICD-10-CM Diagnosis |
| E10.44 | Type 1 diabetes mellitus with diabetic amyotrophy | ICD-10-CM Diagnosis |
| E10.49 | Type 1 diabetes mellitus with other diabetic neurological complication | ICD-10-CM Diagnosis |
| E10.51 | Type 1 diabetes mellitus with diabetic peripheral angiopathy without gangrene | ICD-10-CM Diagnosis |
| E10.52 | Type 1 diabetes mellitus with diabetic peripheral angiopathy with gangrene | ICD-10-CM Diagnosis |
| E10.59 | Type 1 diabetes mellitus with other circulatory complications | ICD-10-CM Diagnosis |
| E10.61 | Type 1 diabetes mellitus with diabetic arthropathy | ICD-10-CM Diagnosis |
| E10.610 | Type 1 diabetes mellitus with diabetic neuropathic arthropathy | ICD-10-CM Diagnosis |
| E10.618 | Type 1 diabetes mellitus with other diabetic arthropathy | ICD-10-CM Diagnosis |
| E10.62 | Type 1 diabetes mellitus with skin complications | ICD-10-CM Diagnosis |
| E10.620 | Type 1 diabetes mellitus with diabetic dermatitis | ICD-10-CM Diagnosis |
| E10.621 | Type 1 diabetes mellitus with foot ulcer | ICD-10-CM Diagnosis |
| E10.622 | Type 1 diabetes mellitus with other skin ulcer | ICD-10-CM Diagnosis |
| E10.628 | Type 1 diabetes mellitus with other skin complications | ICD-10-CM Diagnosis |
| E10.63 | Type 1 diabetes mellitus with oral complications | ICD-10-CM Diagnosis |
| E10.630 | Type 1 diabetes mellitus with periodontal disease | ICD-10-CM Diagnosis |
| E10.638 | Type 1 diabetes mellitus with other oral complications | ICD-10-CM Diagnosis |
| E10.64 | Type 1 diabetes mellitus with hypoglycemia | ICD-10-CM Diagnosis |
| E10.641 | Type 1 diabetes mellitus with hypoglycemia with coma | ICD-10-CM Diagnosis |
| E10.649 | Type 1 diabetes mellitus with hypoglycemia without coma | ICD-10-CM Diagnosis |
| E10.65 | Type 1 diabetes mellitus with hyperglycemia | ICD-10-CM Diagnosis |
| E10.69 | Type 1 diabetes mellitus with other specified complication | ICD-10-CM Diagnosis |
| E10.8 | Type 1 diabetes mellitus with unspecified complications | ICD-10-CM Diagnosis |
| E10.9 | Type 1 diabetes mellitus without complications | ICD-10-CM Diagnosis |
| E11.00 | Type 2 diabetes mellitus with hyperosmolarity without nonketotic hyperglycemic-hyperosmolar coma (NKHHC) | ICD-10-CM Diagnosis |
| E11.01 | Type 2 diabetes mellitus with hyperosmolarity with coma | ICD-10-CM Diagnosis |
| E11.21 | Type 2 diabetes mellitus with diabetic nephropathy | ICD-10-CM Diagnosis |
| E11.22 | Type 2 diabetes mellitus with diabetic chronic kidney disease | ICD-10-CM Diagnosis |
| E11.29 | Type 2 diabetes mellitus with other diabetic kidney complication | ICD-10-CM Diagnosis |
| E11.31 | Type 2 diabetes mellitus with unspecified diabetic retinopathy | ICD-10-CM Diagnosis |
| E11.311 | Type 2 diabetes mellitus with unspecified diabetic retinopathy with macular edema | ICD-10-CM Diagnosis |
| E11.319 | Type 2 diabetes mellitus with unspecified diabetic retinopathy without macular edema | ICD-10-CM Diagnosis |
| E11.32 | Type 2 diabetes mellitus with mild nonproliferative diabetic retinopathy | ICD-10-CM Diagnosis |
| E11.321 | Type 2 diabetes mellitus with mild nonproliferative diabetic retinopathy with macular edema | ICD-10-CM Diagnosis |
| E11.3211 | Type 2 diabetes mellitus with mild nonproliferative diabetic retinopathy with macular edema, right eye | ICD-10-CM Diagnosis |

List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|--|---------------------|
| E11.3212 | Type 2 diabetes mellitus with mild nonproliferative diabetic retinopathy with macular edema, left eye | ICD-10-CM Diagnosis |
| E11.3213 | Type 2 diabetes mellitus with mild nonproliferative diabetic retinopathy with macular edema, bilateral | ICD-10-CM Diagnosis |
| E11.3219 | Type 2 diabetes mellitus with mild nonproliferative diabetic retinopathy with macular edema, unspecified e | ICD-10-CM Diagnosis |
| E11.329 | Type 2 diabetes mellitus with mild nonproliferative diabetic retinopathy without macular edema | ICD-10-CM Diagnosis |
| E11.3291 | Type 2 diabetes mellitus with mild nonproliferative diabetic retinopathy without macular edema, right eye | ICD-10-CM Diagnosis |
| E11.3292 | Type 2 diabetes mellitus with mild nonproliferative diabetic retinopathy without macular edema, left eye | ICD-10-CM Diagnosis |
| E11.3293 | Type 2 diabetes mellitus with mild nonproliferative diabetic retinopathy without macular edema, bilateral | ICD-10-CM Diagnosis |
| E11.3299 | Type 2 diabetes mellitus with mild nonproliferative diabetic retinopathy without macular edema, unspecifie | ICD-10-CM Diagnosis |
| E11.33 | Type 2 diabetes mellitus with moderate nonproliferative diabetic retinopathy | ICD-10-CM Diagnosis |
| E11.331 | Type 2 diabetes mellitus with moderate nonproliferative diabetic retinopathy with macular edema | ICD-10-CM Diagnosis |
| E11.3311 | Type 2 diabetes mellitus with moderate nonproliferative diabetic retinopathy with macular edema, right eye | ICD-10-CM Diagnosis |
| E11.3312 | Type 2 diabetes mellitus with moderate nonproliferative diabetic retinopathy with macular edema, left eye | ICD-10-CM Diagnosis |
| E11.3313 | Type 2 diabetes mellitus with moderate nonproliferative diabetic retinopathy with macular edema, bilateral | ICD-10-CM Diagnosis |
| E11.3319 | Type 2 diabetes mellitus with moderate nonproliferative diabetic retinopathy with macular edema, unspecifi | ICD-10-CM Diagnosis |
| E11.339 | Type 2 diabetes mellitus with moderate nonproliferative diabetic retinopathy without macular edema | ICD-10-CM Diagnosis |
| E11.3391 | Type 2 diabetes mellitus with moderate nonproliferative diabetic retinopathy without macular edema, right | ICD-10-CM Diagnosis |
| E11.3392 | Type 2 diabetes mellitus with moderate nonproliferative diabetic retinopathy without macular edema, left e | ICD-10-CM Diagnosis |
| E11.3393 | Type 2 diabetes mellitus with moderate nonproliferative diabetic retinopathy without macular edema, bilate | ICD-10-CM Diagnosis |
| E11.3399 | Type 2 diabetes mellitus with moderate nonproliferative diabetic retinopathy without macular edema, unspec | ICD-10-CM Diagnosis |
| E11.34 | Type 2 diabetes mellitus with severe nonproliferative diabetic retinopathy | ICD-10-CM Diagnosis |
| E11.341 | Type 2 diabetes mellitus with severe nonproliferative diabetic retinopathy with macular edema | ICD-10-CM Diagnosis |
| E11.3411 | Type 2 diabetes mellitus with severe nonproliferative diabetic retinopathy with macular edema, right eye | ICD-10-CM Diagnosis |

List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|---|---------------------|
| E11.3412 | Type 2 diabetes mellitus with severe nonproliferative diabetic retinopathy with macular edema, left eye | ICD-10-CM Diagnosis |
| E11.3413 | Type 2 diabetes mellitus with severe nonproliferative diabetic retinopathy with macular edema, bilateral | ICD-10-CM Diagnosis |
| E11.3419 | Type 2 diabetes mellitus with severe nonproliferative diabetic retinopathy with macular edema, unspecified | ICD-10-CM Diagnosis |
| E11.349 | Type 2 diabetes mellitus with severe nonproliferative diabetic retinopathy without macular edema | ICD-10-CM Diagnosis |
| E11.3491 | Type 2 diabetes mellitus with severe nonproliferative diabetic retinopathy without macular edema, right eye | ICD-10-CM Diagnosis |
| E11.3492 | Type 2 diabetes mellitus with severe nonproliferative diabetic retinopathy without macular edema, left eye | ICD-10-CM Diagnosis |
| E11.3493 | Type 2 diabetes mellitus with severe nonproliferative diabetic retinopathy without macular edema, bilatera | ICD-10-CM Diagnosis |
| E11.3499 | Type 2 diabetes mellitus with severe nonproliferative diabetic retinopathy without macular edema, unspecif | ICD-10-CM Diagnosis |
| E11.35 | Type 2 diabetes mellitus with proliferative diabetic retinopathy | ICD-10-CM Diagnosis |
| E11.351 | Type 2 diabetes mellitus with proliferative diabetic retinopathy with macular edema | ICD-10-CM Diagnosis |
| E11.3511 | Type 2 diabetes mellitus with proliferative diabetic retinopathy with macular edema, right eye | ICD-10-CM Diagnosis |
| E11.3512 | Type 2 diabetes mellitus with proliferative diabetic retinopathy with macular edema, left eye | ICD-10-CM Diagnosis |
| E11.3513 | Type 2 diabetes mellitus with proliferative diabetic retinopathy with macular edema, bilateral | ICD-10-CM Diagnosis |
| E11.3519 | Type 2 diabetes mellitus with proliferative diabetic retinopathy with macular edema, unspecified eye | ICD-10-CM Diagnosis |
| E11.3521 | Type 2 diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment involvin | ICD-10-CM Diagnosis |
| E11.3522 | Type 2 diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment involvin | ICD-10-CM Diagnosis |
| E11.3523 | Type 2 diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment involvin | ICD-10-CM Diagnosis |
| E11.3529 | Type 2 diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment involvin | ICD-10-CM Diagnosis |
| E11.3531 | Type 2 diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment not invo | ICD-10-CM Diagnosis |
| E11.3532 | Type 2 diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment not invo | ICD-10-CM Diagnosis |
| E11.3533 | Type 2 diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment not invo | ICD-10-CM Diagnosis |

List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|--|---------------------|
| E11.3539 | Type 2 diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment not invo | ICD-10-CM Diagnosis |
| E11.3541 | Type 2 diabetes mellitus with proliferative diabetic retinopathy with combined traction retinal detachment | ICD-10-CM Diagnosis |
| E11.3542 | Type 2 diabetes mellitus with proliferative diabetic retinopathy with combined traction retinal detachment | ICD-10-CM Diagnosis |
| E11.3543 | Type 2 diabetes mellitus with proliferative diabetic retinopathy with combined traction retinal detachment | ICD-10-CM Diagnosis |
| E11.3549 | Type 2 diabetes mellitus with proliferative diabetic retinopathy with combined traction retinal detachment | ICD-10-CM Diagnosis |
| E11.3551 | Type 2 diabetes mellitus with stable proliferative diabetic retinopathy, right eye | ICD-10-CM Diagnosis |
| E11.3552 | Type 2 diabetes mellitus with stable proliferative diabetic retinopathy, left eye | ICD-10-CM Diagnosis |
| E11.3553 | Type 2 diabetes mellitus with stable proliferative diabetic retinopathy, bilateral | ICD-10-CM Diagnosis |
| E11.3559 | Type 2 diabetes mellitus with stable proliferative diabetic retinopathy, unspecified eye | ICD-10-CM Diagnosis |
| E11.359 | Type 2 diabetes mellitus with proliferative diabetic retinopathy without macular edema | ICD-10-CM Diagnosis |
| E11.3591 | Type 2 diabetes mellitus with proliferative diabetic retinopathy without macular edema, right eye | ICD-10-CM Diagnosis |
| E11.3592 | Type 2 diabetes mellitus with proliferative diabetic retinopathy without macular edema, left eye | ICD-10-CM Diagnosis |
| E11.3593 | Type 2 diabetes mellitus with proliferative diabetic retinopathy without macular edema, bilateral | ICD-10-CM Diagnosis |
| E11.3599 | Type 2 diabetes mellitus with proliferative diabetic retinopathy without macular edema, unspecified eye | ICD-10-CM Diagnosis |
| E11.36 | Type 2 diabetes mellitus with diabetic cataract | ICD-10-CM Diagnosis |
| E11.37X1 | Type 2 diabetes mellitus with diabetic macular edema, resolved following treatment, right eye | ICD-10-CM Diagnosis |
| E11.37X2 | Type 2 diabetes mellitus with diabetic macular edema, resolved following treatment, left eye | ICD-10-CM Diagnosis |
| E11.37X3 | Type 2 diabetes mellitus with diabetic macular edema, resolved following treatment, bilateral | ICD-10-CM Diagnosis |
| E11.37X9 | Type 2 diabetes mellitus with diabetic macular edema, resolved following treatment, unspecified eye | ICD-10-CM Diagnosis |
| E11.39 | Type 2 diabetes mellitus with other diabetic ophthalmic complication | ICD-10-CM Diagnosis |
| E11.40 | Type 2 diabetes mellitus with diabetic neuropathy, unspecified | ICD-10-CM Diagnosis |
| E11.41 | Type 2 diabetes mellitus with diabetic mononeuropathy | ICD-10-CM Diagnosis |
| E11.42 | Type 2 diabetes mellitus with diabetic polyneuropathy | ICD-10-CM Diagnosis |
| E11.43 | Type 2 diabetes mellitus with diabetic autonomic (poly)neuropathy | ICD-10-CM Diagnosis |
| E11.44 | Type 2 diabetes mellitus with diabetic amyotrophy | ICD-10-CM Diagnosis |

List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|--|---------------------|
| E11.49 | Type 2 diabetes mellitus with other diabetic neurological complication | ICD-10-CM Diagnosis |
| E11.51 | Type 2 diabetes mellitus with diabetic peripheral angiopathy without gangrene | ICD-10-CM Diagnosis |
| E11.52 | Type 2 diabetes mellitus with diabetic peripheral angiopathy with gangrene | ICD-10-CM Diagnosis |
| E11.59 | Type 2 diabetes mellitus with other circulatory complications | ICD-10-CM Diagnosis |
| E11.61 | Type 2 diabetes mellitus with diabetic arthropathy | ICD-10-CM Diagnosis |
| E11.610 | Type 2 diabetes mellitus with diabetic neuropathic arthropathy | ICD-10-CM Diagnosis |
| E11.618 | Type 2 diabetes mellitus with other diabetic arthropathy | ICD-10-CM Diagnosis |
| E11.62 | Type 2 diabetes mellitus with skin complications | ICD-10-CM Diagnosis |
| E11.620 | Type 2 diabetes mellitus with diabetic dermatitis | ICD-10-CM Diagnosis |
| E11.621 | Type 2 diabetes mellitus with foot ulcer | ICD-10-CM Diagnosis |
| E11.622 | Type 2 diabetes mellitus with other skin ulcer | ICD-10-CM Diagnosis |
| E11.628 | Type 2 diabetes mellitus with other skin complications | ICD-10-CM Diagnosis |
| E11.63 | Type 2 diabetes mellitus with oral complications | ICD-10-CM Diagnosis |
| E11.630 | Type 2 diabetes mellitus with periodontal disease | ICD-10-CM Diagnosis |
| E11.638 | Type 2 diabetes mellitus with other oral complications | ICD-10-CM Diagnosis |
| E11.64 | Type 2 diabetes mellitus with hypoglycemia | ICD-10-CM Diagnosis |
| E11.641 | Type 2 diabetes mellitus with hypoglycemia with coma | ICD-10-CM Diagnosis |
| E11.649 | Type 2 diabetes mellitus with hypoglycemia without coma | ICD-10-CM Diagnosis |
| E11.65 | Type 2 diabetes mellitus with hyperglycemia | ICD-10-CM Diagnosis |
| E11.69 | Type 2 diabetes mellitus with other specified complication | ICD-10-CM Diagnosis |
| E11.8 | Type 2 diabetes mellitus with unspecified complications | ICD-10-CM Diagnosis |
| E11.9 | Type 2 diabetes mellitus without complications | ICD-10-CM Diagnosis |
| E13.00 | Other specified diabetes mellitus with hyperosmolarity without nonketotic hyperglycemic-hyperosmolar coma | ICD-10-CM Diagnosis |
| E13.01 | Other specified diabetes mellitus with hyperosmolarity with coma | ICD-10-CM Diagnosis |
| E13.10 | Other specified diabetes mellitus with ketoacidosis without coma | ICD-10-CM Diagnosis |
| E13.11 | Other specified diabetes mellitus with ketoacidosis with coma | ICD-10-CM Diagnosis |
| E13.21 | Other specified diabetes mellitus with diabetic nephropathy | ICD-10-CM Diagnosis |
| E13.22 | Other specified diabetes mellitus with diabetic chronic kidney disease | ICD-10-CM Diagnosis |
| E13.29 | Other specified diabetes mellitus with other diabetic kidney complication | ICD-10-CM Diagnosis |
| E13.31 | Other specified diabetes mellitus with unspecified diabetic retinopathy | ICD-10-CM Diagnosis |
| E13.311 | Other specified diabetes mellitus with unspecified diabetic retinopathy with macular edema | ICD-10-CM Diagnosis |
| E13.319 | Other specified diabetes mellitus with unspecified diabetic retinopathy without macular edema | ICD-10-CM Diagnosis |
| E13.32 | Other specified diabetes mellitus with mild nonproliferative diabetic retinopathy | ICD-10-CM Diagnosis |
| E13.321 | Other specified diabetes mellitus with mild nonproliferative diabetic retinopathy with macular edema | ICD-10-CM Diagnosis |
| E13.3211 | Other specified diabetes mellitus with mild nonproliferative diabetic retinopathy with macular edema, righ | ICD-10-CM Diagnosis |

List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|---|---------------------|
| E13.3212 | Other specified diabetes mellitus with mild nonproliferative diabetic retinopathy with macular edema, left | ICD-10-CM Diagnosis |
| E13.3213 | Other specified diabetes mellitus with mild nonproliferative diabetic retinopathy with macular edema, bila | ICD-10-CM Diagnosis |
| E13.3219 | Other specified diabetes mellitus with mild nonproliferative diabetic retinopathy with macular edema, unsp | ICD-10-CM Diagnosis |
| E13.329 | Other specified diabetes mellitus with mild nonproliferative diabetic retinopathy without macular edema | ICD-10-CM Diagnosis |
| E13.3291 | Other specified diabetes mellitus with mild nonproliferative diabetic retinopathy without macular edema, r | ICD-10-CM Diagnosis |
| E13.3292 | Other specified diabetes mellitus with mild nonproliferative diabetic retinopathy without macular edema, l | ICD-10-CM Diagnosis |
| E13.3293 | Other specified diabetes mellitus with mild nonproliferative diabetic retinopathy without macular edema, b | ICD-10-CM Diagnosis |
| E13.3299 | Other specified diabetes mellitus with mild nonproliferative diabetic retinopathy without macular edema, u | ICD-10-CM Diagnosis |
| E13.33 | Other specified diabetes mellitus with moderate nonproliferative diabetic retinopathy | ICD-10-CM Diagnosis |
| E13.331 | Other specified diabetes mellitus with moderate nonproliferative diabetic retinopathy with macular edema | ICD-10-CM Diagnosis |
| E13.3311 | Other specified diabetes mellitus with moderate nonproliferative diabetic retinopathy with macular edema, | ICD-10-CM Diagnosis |
| E13.3312 | Other specified diabetes mellitus with moderate nonproliferative diabetic retinopathy with macular edema, | ICD-10-CM Diagnosis |
| E13.3313 | Other specified diabetes mellitus with moderate nonproliferative diabetic retinopathy with macular edema, | ICD-10-CM Diagnosis |
| E13.3319 | Other specified diabetes mellitus with moderate nonproliferative diabetic retinopathy with macular edema, | ICD-10-CM Diagnosis |
| E13.339 | Other specified diabetes mellitus with moderate nonproliferative diabetic retinopathy without macular edema | ICD-10-CM Diagnosis |
| E13.3391 | Other specified diabetes mellitus with moderate nonproliferative diabetic retinopathy without macular edem | ICD-10-CM Diagnosis |
| E13.3392 | Other specified diabetes mellitus with moderate nonproliferative diabetic retinopathy without macular edem | ICD-10-CM Diagnosis |
| E13.3393 | Other specified diabetes mellitus with moderate nonproliferative diabetic retinopathy without macular edem | ICD-10-CM Diagnosis |
| E13.3399 | Other specified diabetes mellitus with moderate nonproliferative diabetic retinopathy without macular edem | ICD-10-CM Diagnosis |
| E13.34 | Other specified diabetes mellitus with severe nonproliferative diabetic retinopathy | ICD-10-CM Diagnosis |
| E13.341 | Other specified diabetes mellitus with severe nonproliferative diabetic retinopathy with macular edema | ICD-10-CM Diagnosis |

List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|--|---------------------|
| E13.3411 | Other specified diabetes mellitus with severe nonproliferative diabetic retinopathy with macular edema, ri | ICD-10-CM Diagnosis |
| E13.3412 | Other specified diabetes mellitus with severe nonproliferative diabetic retinopathy with macular edema, le | ICD-10-CM Diagnosis |
| E13.3413 | Other specified diabetes mellitus with severe nonproliferative diabetic retinopathy with macular edema, bi | ICD-10-CM Diagnosis |
| E13.3419 | Other specified diabetes mellitus with severe nonproliferative diabetic retinopathy with macular edema, un | ICD-10-CM Diagnosis |
| E13.349 | Other specified diabetes mellitus with severe nonproliferative diabetic retinopathy without macular edema | ICD-10-CM Diagnosis |
| E13.3491 | Other specified diabetes mellitus with severe nonproliferative diabetic retinopathy without macular edema, | ICD-10-CM Diagnosis |
| E13.3492 | Other specified diabetes mellitus with severe nonproliferative diabetic retinopathy without macular edema, | ICD-10-CM Diagnosis |
| E13.3493 | Other specified diabetes mellitus with severe nonproliferative diabetic retinopathy without macular edema, | ICD-10-CM Diagnosis |
| E13.3499 | Other specified diabetes mellitus with severe nonproliferative diabetic retinopathy without macular edema, | ICD-10-CM Diagnosis |
| E13.35 | Other specified diabetes mellitus with proliferative diabetic retinopathy | ICD-10-CM Diagnosis |
| E13.351 | Other specified diabetes mellitus with proliferative diabetic retinopathy with macular edema | ICD-10-CM Diagnosis |
| E13.3511 | Other specified diabetes mellitus with proliferative diabetic retinopathy with macular edema, right eye | ICD-10-CM Diagnosis |
| E13.3512 | Other specified diabetes mellitus with proliferative diabetic retinopathy with macular edema, left eye | ICD-10-CM Diagnosis |
| E13.3513 | Other specified diabetes mellitus with proliferative diabetic retinopathy with macular edema, bilateral | ICD-10-CM Diagnosis |
| E13.3519 | Other specified diabetes mellitus with proliferative diabetic retinopathy with macular edema, unspecified | ICD-10-CM Diagnosis |
| E13.3521 | Other specified diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment | ICD-10-CM Diagnosis |
| E13.3522 | Other specified diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment | ICD-10-CM Diagnosis |
| E13.3523 | Other specified diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment | ICD-10-CM Diagnosis |
| E13.3529 | Other specified diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment | ICD-10-CM Diagnosis |
| E13.3531 | Other specified diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment | ICD-10-CM Diagnosis |
| E13.3532 | Other specified diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment | ICD-10-CM Diagnosis |

List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|--|---------------------|
| E13.3533 | Other specified diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment | ICD-10-CM Diagnosis |
| E13.3539 | Other specified diabetes mellitus with proliferative diabetic retinopathy with traction retinal detachment | ICD-10-CM Diagnosis |
| E13.3541 | Other specified diabetes mellitus with proliferative diabetic retinopathy with combined traction retinal d | ICD-10-CM Diagnosis |
| E13.3542 | Other specified diabetes mellitus with proliferative diabetic retinopathy with combined traction retinal d | ICD-10-CM Diagnosis |
| E13.3543 | Other specified diabetes mellitus with proliferative diabetic retinopathy with combined traction retinal d | ICD-10-CM Diagnosis |
| E13.3549 | Other specified diabetes mellitus with proliferative diabetic retinopathy with combined traction retinal d | ICD-10-CM Diagnosis |
| E13.3551 | Other specified diabetes mellitus with stable proliferative diabetic retinopathy, right eye | ICD-10-CM Diagnosis |
| E13.3552 | Other specified diabetes mellitus with stable proliferative diabetic retinopathy, left eye | ICD-10-CM Diagnosis |
| E13.3553 | Other specified diabetes mellitus with stable proliferative diabetic retinopathy, bilateral | ICD-10-CM Diagnosis |
| E13.3559 | Other specified diabetes mellitus with stable proliferative diabetic retinopathy, unspecified eye | ICD-10-CM Diagnosis |
| E13.359 | Other specified diabetes mellitus with proliferative diabetic retinopathy without macular edema | ICD-10-CM Diagnosis |
| E13.3591 | Other specified diabetes mellitus with proliferative diabetic retinopathy without macular edema, right eye | ICD-10-CM Diagnosis |
| E13.3592 | Other specified diabetes mellitus with proliferative diabetic retinopathy without macular edema, left eye | ICD-10-CM Diagnosis |
| E13.3593 | Other specified diabetes mellitus with proliferative diabetic retinopathy without macular edema, bilateral | ICD-10-CM Diagnosis |
| E13.3599 | Other specified diabetes mellitus with proliferative diabetic retinopathy without macular edema, unspecifi | ICD-10-CM Diagnosis |
| E13.36 | Other specified diabetes mellitus with diabetic cataract | ICD-10-CM Diagnosis |
| E13.37X1 | Other specified diabetes mellitus with diabetic macular edema, resolved following treatment, right eye | ICD-10-CM Diagnosis |
| E13.37X2 | Other specified diabetes mellitus with diabetic macular edema, resolved following treatment, left eye | ICD-10-CM Diagnosis |
| E13.37X3 | Other specified diabetes mellitus with diabetic macular edema, resolved following treatment, bilateral | ICD-10-CM Diagnosis |
| E13.37X9 | Other specified diabetes mellitus with diabetic macular edema, resolved following treatment, unspecified e | ICD-10-CM Diagnosis |
| E13.39 | Other specified diabetes mellitus with other diabetic ophthalmic complication | ICD-10-CM Diagnosis |
| E13.40 | Other specified diabetes mellitus with diabetic neuropathy, unspecified | ICD-10-CM Diagnosis |
| E13.41 | Other specified diabetes mellitus with diabetic mononeuropathy | ICD-10-CM Diagnosis |

List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|--|---------------------|
| E13.42 | Other specified diabetes mellitus with diabetic polyneuropathy | ICD-10-CM Diagnosis |
| E13.43 | Other specified diabetes mellitus with diabetic autonomic (poly)neuropathy | ICD-10-CM Diagnosis |
| E13.44 | Other specified diabetes mellitus with diabetic amyotrophy | ICD-10-CM Diagnosis |
| E13.49 | Other specified diabetes mellitus with other diabetic neurological complication | ICD-10-CM Diagnosis |
| E13.51 | Other specified diabetes mellitus with diabetic peripheral angiopathy without gangrene | ICD-10-CM Diagnosis |
| E13.52 | Other specified diabetes mellitus with diabetic peripheral angiopathy with gangrene | ICD-10-CM Diagnosis |
| E13.59 | Other specified diabetes mellitus with other circulatory complications | ICD-10-CM Diagnosis |
| E13.61 | Other specified diabetes mellitus with diabetic arthropathy | ICD-10-CM Diagnosis |
| E13.610 | Other specified diabetes mellitus with diabetic neuropathic arthropathy | ICD-10-CM Diagnosis |
| E13.618 | Other specified diabetes mellitus with other diabetic arthropathy | ICD-10-CM Diagnosis |
| E13.62 | Other specified diabetes mellitus with skin complications | ICD-10-CM Diagnosis |
| E13.620 | Other specified diabetes mellitus with diabetic dermatitis | ICD-10-CM Diagnosis |
| E13.621 | Other specified diabetes mellitus with foot ulcer | ICD-10-CM Diagnosis |
| E13.622 | Other specified diabetes mellitus with other skin ulcer | ICD-10-CM Diagnosis |
| E13.628 | Other specified diabetes mellitus with other skin complications | ICD-10-CM Diagnosis |
| E13.63 | Other specified diabetes mellitus with oral complications | ICD-10-CM Diagnosis |
| E13.630 | Other specified diabetes mellitus with periodontal disease | ICD-10-CM Diagnosis |
| E13.638 | Other specified diabetes mellitus with other oral complications | ICD-10-CM Diagnosis |
| E13.64 | Other specified diabetes mellitus with hypoglycemia | ICD-10-CM Diagnosis |
| E13.641 | Other specified diabetes mellitus with hypoglycemia with coma | ICD-10-CM Diagnosis |
| E13.649 | Other specified diabetes mellitus with hypoglycemia without coma | ICD-10-CM Diagnosis |
| E13.65 | Other specified diabetes mellitus with hyperglycemia | ICD-10-CM Diagnosis |
| E13.69 | Other specified diabetes mellitus with other specified complication | ICD-10-CM Diagnosis |
| E13.8 | Other specified diabetes mellitus with unspecified complications | ICD-10-CM Diagnosis |
| E13.9 | Other specified diabetes mellitus without complications | ICD-10-CM Diagnosis |
| 250.0 | Diabetes mellitus without mention of complication | ICD-9-CM Diagnosis |
| 250.1 | Diabetes with ketoacidosis | ICD-9-CM Diagnosis |
| 250.2 | Diabetes with hyperosmolarity | ICD-9-CM Diagnosis |
| 250.3 | Diabetes with other coma | ICD-9-CM Diagnosis |
| 250.4 | Diabetes with renal manifestations | ICD-9-CM Diagnosis |
| 250.5 | Diabetes with ophthalmic manifestations | ICD-9-CM Diagnosis |
| 250.6 | Diabetes with neurological manifestations | ICD-9-CM Diagnosis |
| 250.7 | Diabetes with peripheral circulatory disorders | ICD-9-CM Diagnosis |
| 250.8 | Diabetes with other specified manifestations | ICD-9-CM Diagnosis |
| 250.9 | Diabetes with unspecified complication | ICD-9-CM Diagnosis |
| 357.2 | Polyneuropathy in diabetes | ICD-9-CM Diagnosis |
| 362.0 | Diabetic retinopathy | ICD-9-CM Diagnosis |

List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|---|--------------------|
| 249.70 | Secondary diabetes mellitus with peripheral circulatory disorders, not stated as uncontrolled, or unspecified | ICD-9-CM Diagnosis |
| 249.71 | Secondary diabetes mellitus with peripheral circulatory disorders, uncontrolled | ICD-9-CM Diagnosis |
| 250.00 | Diabetes mellitus without mention of complication, type II or unspecified type, not stated as uncontrolled | ICD-9-CM Diagnosis |
| 250.01 | Diabetes mellitus without mention of complication, type I [juvenile type], not stated as uncontrolled | ICD-9-CM Diagnosis |
| 250.02 | Diabetes mellitus without mention of complication, type II or unspecified type, uncontrolled | ICD-9-CM Diagnosis |
| 250.03 | Diabetes mellitus without mention of complication, type I [juvenile type], uncontrolled | ICD-9-CM Diagnosis |
| 250.10 | Diabetes with ketoacidosis, type II or unspecified type, not stated as uncontrolled | ICD-9-CM Diagnosis |
| 250.11 | Diabetes with ketoacidosis, type I [juvenile type], not stated as uncontrolled | ICD-9-CM Diagnosis |
| 250.12 | Diabetes with ketoacidosis, type II or unspecified type, uncontrolled | ICD-9-CM Diagnosis |
| 250.13 | Diabetes with ketoacidosis, type I [juvenile type], uncontrolled | ICD-9-CM Diagnosis |
| 250.20 | Diabetes with hyperosmolarity, type II or unspecified type, not stated as uncontrolled | ICD-9-CM Diagnosis |
| 250.21 | Diabetes with hyperosmolarity, type I [juvenile type], not stated as uncontrolled | ICD-9-CM Diagnosis |
| 250.22 | Diabetes with hyperosmolarity, type II or unspecified type, uncontrolled | ICD-9-CM Diagnosis |
| 250.23 | Diabetes with hyperosmolarity, type I [juvenile type], uncontrolled | ICD-9-CM Diagnosis |
| 250.30 | Diabetes with other coma, type II or unspecified type, not stated as uncontrolled | ICD-9-CM Diagnosis |
| 250.31 | Diabetes with other coma, type I [juvenile type], not stated as uncontrolled | ICD-9-CM Diagnosis |
| 250.32 | Diabetes with other coma, type II or unspecified type, uncontrolled | ICD-9-CM Diagnosis |
| 250.33 | Diabetes with other coma, type I [juvenile type], uncontrolled | ICD-9-CM Diagnosis |
| 250.40 | Diabetes with renal manifestations, type II or unspecified type, not stated as uncontrolled | ICD-9-CM Diagnosis |
| 250.41 | Diabetes with renal manifestations, type I [juvenile type], not stated as uncontrolled | ICD-9-CM Diagnosis |
| 250.42 | Diabetes with renal manifestations, type II or unspecified type, uncontrolled | ICD-9-CM Diagnosis |
| 250.43 | Diabetes with renal manifestations, type I [juvenile type], uncontrolled | ICD-9-CM Diagnosis |
| 250.50 | Diabetes with ophthalmic manifestations, type II or unspecified type, not stated as uncontrolled | ICD-9-CM Diagnosis |
| 250.51 | Diabetes with ophthalmic manifestations, type I [juvenile type], not stated as uncontrolled | ICD-9-CM Diagnosis |
| 250.52 | Diabetes with ophthalmic manifestations, type II or unspecified type, uncontrolled | ICD-9-CM Diagnosis |
| 250.53 | Diabetes with ophthalmic manifestations, type I [juvenile type], uncontrolled | ICD-9-CM Diagnosis |

List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-----------------|---|--------------------|
| 250.60 | Diabetes with neurological manifestations, type II or unspecified type, not stated as uncontrolled | ICD-9-CM Diagnosis |
| 250.61 | Diabetes with neurological manifestations, type I [juvenile type], not stated as uncontrolled | ICD-9-CM Diagnosis |
| 250.62 | Diabetes with neurological manifestations, type II or unspecified type, uncontrolled | ICD-9-CM Diagnosis |
| 250.63 | Diabetes with neurological manifestations, type I [juvenile type], uncontrolled | ICD-9-CM Diagnosis |
| 250.70 | Diabetes with peripheral circulatory disorders, type II or unspecified type, not stated as uncontrolled | ICD-9-CM Diagnosis |
| 250.71 | Diabetes with peripheral circulatory disorders, type I [juvenile type], not stated as uncontrolled | ICD-9-CM Diagnosis |
| 250.72 | Diabetes with peripheral circulatory disorders, type II or unspecified type, uncontrolled | ICD-9-CM Diagnosis |
| 250.73 | Diabetes with peripheral circulatory disorders, type I [juvenile type], uncontrolled | ICD-9-CM Diagnosis |
| 250.80 | Diabetes with other specified manifestations, type II or unspecified type, not stated as uncontrolled | ICD-9-CM Diagnosis |
| 250.81 | Diabetes with other specified manifestations, type I [juvenile type], not stated as uncontrolled | ICD-9-CM Diagnosis |
| 250.82 | Diabetes with other specified manifestations, type II or unspecified type, uncontrolled | ICD-9-CM Diagnosis |
| 250.83 | Diabetes with other specified manifestations, type I [juvenile type], uncontrolled | ICD-9-CM Diagnosis |
| 250.90 | Diabetes with unspecified complication, type II or unspecified type, not stated as uncontrolled | ICD-9-CM Diagnosis |
| 250.91 | Diabetes with unspecified complication, type I [juvenile type], not stated as uncontrolled | ICD-9-CM Diagnosis |
| 250.92 | Diabetes with unspecified complication, type II or unspecified type, uncontrolled | ICD-9-CM Diagnosis |
| 250.93 | Diabetes with unspecified complication, type I [juvenile type], uncontrolled | ICD-9-CM Diagnosis |
| 362.01 | Background diabetic retinopathy | ICD-9-CM Diagnosis |
| 362.02 | Proliferative diabetic retinopathy | ICD-9-CM Diagnosis |
| 362.03 | Nonproliferative diabetic retinopathy NOS | ICD-9-CM Diagnosis |
| 362.04 | Mild nonproliferative diabetic retinopathy | ICD-9-CM Diagnosis |
| 362.05 | Moderate nonproliferative diabetic retinopathy | ICD-9-CM Diagnosis |
| 362.06 | Severe nonproliferative diabetic retinopathy | ICD-9-CM Diagnosis |
| 362.07 | Diabetic macular edema | ICD-9-CM Diagnosis |
| 366.41 | Diabetic cataract | ICD-9-CM Diagnosis |
| Dialysis | | |
| 0505F | Hemodialysis plan of care documented (ESRD, P-ESRD) | CPT-2 Procedure |
| 0507F | Peritoneal dialysis plan of care documented (ESRD) | CPT-2 Procedure |

List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|--|------------------|
| 4052F | Hemodialysis via functioning arteriovenous (AV) fistula (E | CPT-2 Procedure |
| 4053F | Hemodialysis via functioning arteriovenous (AV) graft (ESR | CPT-2 Procedure |
| 4054F | Hemodialysis via catheter (ESRD) | CPT-2 Procedure |
| 4055F | Patient receiving peritoneal dialysis (ESRD) | CPT-2 Procedure |
| 36145 | Introduction of needle or intracatheter; arteriovenous shu | CPT-4 Procedure |
| 36147 | Introduction of needle and/or catheter, arteriovenous shun | CPT-4 Procedure |
| 36148 | Introduction of needle and/or catheter, arteriovenous shun | CPT-4 Procedure |
| 36800 | Insertion of cannula for hemodialysis, other purpose (sepa | CPT-4 Procedure |
| 36810 | Insertion of cannula for hemodialysis, other purpose (sepa | CPT-4 Procedure |
| 36815 | Insertion of cannula for hemodialysis, other purpose (sepa | CPT-4 Procedure |
| 36818 | Arteriovenous anastomosis, open; by upper arm cephalic vei | CPT-4 Procedure |
| 36819 | Arteriovenous anastomosis, open; by upper arm basilic vein | CPT-4 Procedure |
| 36820 | Arteriovenous anastomosis, open; by forearm vein transposi | CPT-4 Procedure |
| 36821 | Arteriovenous anastomosis, open; direct, any site (eg, Cim | CPT-4 Procedure |
| 90921 | End-stage renal disease (ESRD) related services per full month; for patients twenty years of age and older | CPT-4 Procedure |
| 90922 | End-stage renal disease (ESRD) related services (less than full month), per day; for patients younger than two years of age | CPT-4 Procedure |
| 90923 | End-stage renal disease (ESRD) related services (less than full month), per day; for patients between two and eleven years of age | CPT-4 Procedure |
| 90924 | End-stage renal disease (ESRD) related services (less than full month), per day; for patients between twelve and nineteen years of age | CPT-4 Procedure |
| 90925 | End-stage renal disease (ESRD) related services (less than full month), per day; for patients twenty years of age and older | CPT-4 Procedure |
| 90935 | Hemodialysis procedure with single evaluation by a physici | CPT-4 Procedure |
| 90937 | Hemodialysis procedure requiring repeated evaluation(s) wi | CPT-4 Procedure |
| 90941 | Hemodialysis, For Acute Renal Failure And Or Intoxication, | CPT-4 Procedure |
| 90942 | Hemodialysis, For Acute Renal Failure And Or Intoxication, | CPT-4 Procedure |
| 90943 | Hemodialysis, For Acute Renal Failure And Or Intoxication, | CPT-4 Procedure |
| 90944 | Hemodialysis, For Acute Renal Failure And Or Intoxication, | CPT-4 Procedure |
| 90945 | Dialysis procedure other than hemodialysis (eg, peritoneal | CPT-4 Procedure |
| 90947 | Dialysis procedure other than hemodialysis (eg, peritoneal | CPT-4 Procedure |
| 90951 | End-stage renal disease (ESRD) related services monthly, f | CPT-4 Procedure |
| 90952 | End-stage renal disease (ESRD) related services monthly, f | CPT-4 Procedure |
| 90953 | End-stage renal disease (ESRD) related services monthly, f | CPT-4 Procedure |
| 90954 | End-stage renal disease (ESRD) related services monthly, f | CPT-4 Procedure |
| 90955 | End-stage renal disease (ESRD) related services monthly, f | CPT-4 Procedure |
| 90956 | End-stage renal disease (ESRD) related services monthly, f | CPT-4 Procedure |
| 90957 | End-stage renal disease (ESRD) related services monthly, f | CPT-4 Procedure |
| 90958 | End-stage renal disease (ESRD) related services monthly, f | CPT-4 Procedure |
| 90959 | End-stage renal disease (ESRD) related services monthly, f | CPT-4 Procedure |

List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|---|------------------|
| 90960 | End-stage renal disease (ESRD) related services monthly, f | CPT-4 Procedure |
| 90961 | End-stage renal disease (ESRD) related services monthly, f | CPT-4 Procedure |
| 90962 | End-stage renal disease (ESRD) related services monthly, f | CPT-4 Procedure |
| 90963 | End-stage renal disease (ESRD) related services for home d | CPT-4 Procedure |
| 90964 | End-stage renal disease (ESRD) related services for home d | CPT-4 Procedure |
| 90965 | End-stage renal disease (ESRD) related services for home d | CPT-4 Procedure |
| 90966 | End-stage renal disease (ESRD) related services for home d | CPT-4 Procedure |
| 90967 | End-stage renal disease (ESRD) related services for dialys | CPT-4 Procedure |
| 90968 | End-stage renal disease (ESRD) related services for dialys | CPT-4 Procedure |
| 90969 | End-stage renal disease (ESRD) related services for dialys | CPT-4 Procedure |
| 90970 | End-stage renal disease (ESRD) related services for dialys | CPT-4 Procedure |
| 90976 | Peritoneal Dialysis For End-stage Renal Disease (esrd), | CPT-4 Procedure |
| 90977 | Peritoneal Dialysis For End-stage Renal Disease (esrd), | CPT-4 Procedure |
| 90978 | Peritoneal Dialysis For End-stage Renal Disease (esrd), | CPT-4 Procedure |
| 90979 | Peritoneal Dialysis For End-stage Renal Disease (esrd), | CPT-4 Procedure |
| 90982 | Peritoneal Dialysis For End-stage Renal Disease (esrd), | CPT-4 Procedure |
| 90983 | Peritoneal Dialysis For End-stage Renal Disease (esrd), | CPT-4 Procedure |
| 90984 | Peritoneal Dialysis For End-stage Renal Disease (esrd), | CPT-4 Procedure |
| 90985 | Peritoneal Dialysis For End-stage Renal Disease (esrd), | CPT-4 Procedure |
| 90988 | Supervision Of Hemodialysis In Hospital Or Other Facility | CPT-4 Procedure |
| 90989 | Dialysis training, patient, including helper where applica | CPT-4 Procedure |
| 90990 | Hemodialysis Training And/or Counseling | CPT-4 Procedure |
| 90991 | Home Hemodialysis Care, Outpatient, For Those Services Eit | CPT-4 Procedure |
| 90992 | Peritoneal Dialysis Training And/or Counseling | CPT-4 Procedure |
| 90993 | Dialysis training, patient, including helper where applica | CPT-4 Procedure |
| 90994 | Supervision Of Chronic Ambulatory Peritoneal Dialysis (cap | CPT-4 Procedure |
| 90995 | End Stage Renal Disease (esrd) Related Services, Per Full Month | CPT-4 Procedure |
| 90996 | Continuous Arteriovenous Hemofiltration (cavh) (per Day) | CPT-4 Procedure |
| 90997 | Hemoperfusion (eg, with activated charcoal or resin) | CPT-4 Procedure |
| 90998 | End Stage Renal Disease (esrd) Related Services (less Than Full Month), Per Day | CPT-4 Procedure |
| 99512 | Home visit for hemodialysis | CPT-4 Procedure |
| 99559 | Home infusion of peritoneal dialysis, per visit | CPT-4 Procedure |
| A4900 | Continuous ambulatory peritoneal dialysis (capd) supply ki | HCPCS Procedure |
| A4901 | Continuous cycling peritoneal dialysis (ccpd) supply kit | HCPCS Procedure |
| A4905 | Intermittent peritoneal dialysis (ipd) supply kit | HCPCS Procedure |
| E1590 | Hemodialysis machine | HCPCS Procedure |
| E1592 | Automatic intermittent peritoneal dialysis system | HCPCS Procedure |
| E1594 | Cycler dialysis machine for peritoneal dialysis | HCPCS Procedure |
| G0257 | Unscheduled or emergency dialysis treatment for an ESRD pa | HCPCS Procedure |
| G0320 | ESRD related services for home dialysis patients per full | HCPCS Procedure |

List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-----------------------------|--|---------------------|
| G0321 | ESRD related services for home dialysis patients per full | HCPCS Procedure |
| G0322 | End Stage Renal disease (ESRD) related services for home d | HCPCS Procedure |
| G0323 | End Stage Renal disease (ESRD) related services for home d | HCPCS Procedure |
| G0324 | ESRD related services for home dialysis (less than full mo | HCPCS Procedure |
| G0325 | ESRD related services for home dialysis (less than full mo | HCPCS Procedure |
| G0326 | ESRD related services for home dialysis (less than full mo | HCPCS Procedure |
| G0327 | ESRD related services for home dialysis (less than full mo | HCPCS Procedure |
| S9335 | Home therapy, hemodialysis; administrative services, profe | HCPCS Procedure |
| S9339 | Home therapy; peritoneal dialysis, administrative services | HCPCS Procedure |
| Z49.01 | Encounter for fitting and adjustment of extracorporeal dia | ICD-10-CM Diagnosis |
| Z49.02 | Encounter for fitting and adjustment of peritoneal dialysi | ICD-10-CM Diagnosis |
| Z49.31 | Encounter for adequacy testing for hemodialysis | ICD-10-CM Diagnosis |
| Z49.32 | Encounter for adequacy testing for peritoneal dialysis | ICD-10-CM Diagnosis |
| Z91.15 | Patient's noncompliance with renal dialysis | ICD-10-CM Diagnosis |
| Z99.2 | Dependence on renal dialysis | ICD-10-CM Diagnosis |
| 585.5 | Chronic kidney disease, Stage V | ICD-9-CM Diagnosis |
| 585.6 | End stage renal disease | ICD-9-CM Diagnosis |
| V420 | Kidney replaced by transplant | ICD-9-CM Diagnosis |
| V45.1 | Renal dialysis status | ICD-9-CM Diagnosis |
| V45.11 | Renal dialysis status | ICD-9-CM Diagnosis |
| V56.0 | Encounter for extracorporeal dialysis | ICD-9-CM Diagnosis |
| V56.1 | Fitting and adjustment of extracorporeal dialysis catheter | ICD-9-CM Diagnosis |
| 12.55 | Arteriovenostomy for renal dialysis | ICD-9-CM Procedure |
| 39.27 | Hemodialysis | ICD-9-CM Procedure |
| 39.42 | Peritoneal dialysis | ICD-9-CM Procedure |
| 39.95 | Revision of arteriovenous shunt for renal dialysis | ICD-9-CM Procedure |
| 54.98 | Venous catheterization for renal dialysis | ICD-9-CM Procedure |
| Deep Vein Thrombosis | | |
| H34.13 | Central retinal artery occlusion, bilateral | ICD-10-CM Diagnosis |
| H34.8110 | Central retinal vein occlusion, right eye, with macular edema | ICD-10-CM Diagnosis |
| H34.8111 | Central retinal vein occlusion, right eye, with retinal neovascularization | ICD-10-CM Diagnosis |
| H34.8112 | Central retinal vein occlusion, right eye, stable | ICD-10-CM Diagnosis |
| H34.8120 | Central retinal vein occlusion, left eye, with macular edema | ICD-10-CM Diagnosis |
| H34.8121 | Central retinal vein occlusion, left eye, with retinal neovascularization | ICD-10-CM Diagnosis |
| H34.8122 | Central retinal vein occlusion, left eye, stable | ICD-10-CM Diagnosis |
| H34.8130 | Central retinal vein occlusion, bilateral, with macular edema | ICD-10-CM Diagnosis |
| H34.8131 | Central retinal vein occlusion, bilateral, with retinal neovascularization | ICD-10-CM Diagnosis |
| H34.8132 | Central retinal vein occlusion, bilateral, stable | ICD-10-CM Diagnosis |
| H34.8190 | Central retinal vein occlusion, unspecified eye, with macular edema | ICD-10-CM Diagnosis |
| H34.8191 | Central retinal vein occlusion, unspecified eye, with retinal neovascularization | ICD-10-CM Diagnosis |

List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|---|---------------------|
| H34.8192 | Central retinal vein occlusion, unspecified eye, stable | ICD-10-CM Diagnosis |
| H34.8310 | Tributary (branch) retinal vein occlusion, right eye, with macular edema | ICD-10-CM Diagnosis |
| H34.8311 | Tributary (branch) retinal vein occlusion, right eye, with retinal neovascularization | ICD-10-CM Diagnosis |
| H34.8312 | Tributary (branch) retinal vein occlusion, right eye, stable | ICD-10-CM Diagnosis |
| H34.8320 | Tributary (branch) retinal vein occlusion, left eye, with macular edema | ICD-10-CM Diagnosis |
| H34.8321 | Tributary (branch) retinal vein occlusion, left eye, with retinal neovascularization | ICD-10-CM Diagnosis |
| H34.8322 | Tributary (branch) retinal vein occlusion, left eye, stable | ICD-10-CM Diagnosis |
| H34.8330 | Tributary (branch) retinal vein occlusion, bilateral, with macular edema | ICD-10-CM Diagnosis |
| H34.8331 | Tributary (branch) retinal vein occlusion, bilateral, with retinal neovascularization | ICD-10-CM Diagnosis |
| H34.8332 | Tributary (branch) retinal vein occlusion, bilateral, stable | ICD-10-CM Diagnosis |
| H34.8390 | Tributary (branch) retinal vein occlusion, unspecified eye, with macular edema | ICD-10-CM Diagnosis |
| H34.8391 | Tributary (branch) retinal vein occlusion, unspecified eye, with retinal neovasculari | ICD-10-CM Diagnosis |
| H34.8392 | Tributary (branch) retinal vein occlusion, unspecified eye, stable | ICD-10-CM Diagnosis |
| I67.6 | Nonpyogenic thrombosis of intracranial venous system | ICD-10-CM Diagnosis |
| I81 | Portal vein thrombosis | ICD-10-CM Diagnosis |
| I82.0 | Budd-Chiari syndrome | ICD-10-CM Diagnosis |
| I82.210 | Acute embolism and thrombosis of superior vena cava | ICD-10-CM Diagnosis |
| I82.211 | Chronic embolism and thrombosis of superior vena cava | ICD-10-CM Diagnosis |
| I82.220 | Acute embolism and thrombosis of inferior vena cava | ICD-10-CM Diagnosis |
| I82.221 | Chronic embolism and thrombosis of inferior vena cava | ICD-10-CM Diagnosis |
| I82.290 | Acute embolism and thrombosis of other thoracic veins | ICD-10-CM Diagnosis |
| I82.291 | Chronic embolism and thrombosis of other thoracic veins | ICD-10-CM Diagnosis |
| I82.3 | Embolism and thrombosis of renal vein | ICD-10-CM Diagnosis |
| I82.40 | Acute embolism and thrombosis of unspecified deep veins of lower extremity | ICD-10-CM Diagnosis |
| I82.401 | Acute embolism and thrombosis of unspecified deep veins of right lower extremity | ICD-10-CM Diagnosis |
| I82.402 | Acute embolism and thrombosis of unspecified deep veins of left lower extremity | ICD-10-CM Diagnosis |
| I82.403 | Acute embolism and thrombosis of unspecified deep veins of lower extremity, | ICD-10-CM Diagnosis |
| I82.409 | Acute embolism and thrombosis of unspecified deep veins of unspecified lower | ICD-10-CM Diagnosis |
| I82.41 | Acute embolism and thrombosis of femoral vein | ICD-10-CM Diagnosis |
| I82.411 | Acute embolism and thrombosis of right femoral vein | ICD-10-CM Diagnosis |
| I82.412 | Acute embolism and thrombosis of left femoral vein | ICD-10-CM Diagnosis |
| I82.413 | Acute embolism and thrombosis of femoral vein, bilateral | ICD-10-CM Diagnosis |
| I82.419 | Acute embolism and thrombosis of unspecified femoral vein | ICD-10-CM Diagnosis |
| I82.42 | Acute embolism and thrombosis of iliac vein | ICD-10-CM Diagnosis |
| I82.421 | Acute embolism and thrombosis of right iliac vein | ICD-10-CM Diagnosis |
| I82.422 | Acute embolism and thrombosis of left iliac vein | ICD-10-CM Diagnosis |
| I82.423 | Acute embolism and thrombosis of iliac vein, bilateral | ICD-10-CM Diagnosis |

List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|--|---------------------|
| 182.429 | Acute embolism and thrombosis of unspecified iliac vein | ICD-10-CM Diagnosis |
| 182.43 | Acute embolism and thrombosis of popliteal vein | ICD-10-CM Diagnosis |
| 182.431 | Acute embolism and thrombosis of right popliteal vein | ICD-10-CM Diagnosis |
| 182.432 | Acute embolism and thrombosis of left popliteal vein | ICD-10-CM Diagnosis |
| 182.433 | Acute embolism and thrombosis of popliteal vein, bilateral | ICD-10-CM Diagnosis |
| 182.439 | Acute embolism and thrombosis of unspecified popliteal vein | ICD-10-CM Diagnosis |
| 182.44 | Acute embolism and thrombosis of tibial vein | ICD-10-CM Diagnosis |
| 182.441 | Acute embolism and thrombosis of right tibial vein | ICD-10-CM Diagnosis |
| 182.442 | Acute embolism and thrombosis of left tibial vein | ICD-10-CM Diagnosis |
| 182.443 | Acute embolism and thrombosis of tibial vein, bilateral | ICD-10-CM Diagnosis |
| 182.449 | Acute embolism and thrombosis of unspecified tibial vein | ICD-10-CM Diagnosis |
| 182.49 | Acute embolism and thrombosis of other specified deep vein of lower extremity | ICD-10-CM Diagnosis |
| 182.491 | Acute embolism and thrombosis of other specified deep vein of right lower | ICD-10-CM Diagnosis |
| 182.492 | Acute embolism and thrombosis of other specified deep vein of left lower extremity | ICD-10-CM Diagnosis |
| 182.493 | Acute embolism and thrombosis of other specified deep vein of lower extremity, | ICD-10-CM Diagnosis |
| 182.499 | Acute embolism and thrombosis of other specified deep vein of unspecified lower | ICD-10-CM Diagnosis |
| 182.4Y | Acute embolism and thrombosis of unspecified deep veins of proximal lower | ICD-10-CM Diagnosis |
| 182.4Y1 | Acute embolism and thrombosis of unspecified deep veins of right proximal lower | ICD-10-CM Diagnosis |
| 182.4Y2 | Acute embolism and thrombosis of unspecified deep veins of left proximal lower | ICD-10-CM Diagnosis |
| 182.4Y3 | Acute embolism and thrombosis of unspecified deep veins of proximal lower | ICD-10-CM Diagnosis |
| 182.4Y9 | Acute embolism and thrombosis of unspecified deep veins of unspecified proximal | ICD-10-CM Diagnosis |
| 182.4Z | Acute embolism and thrombosis of unspecified deep veins of distal lower extremity | ICD-10-CM Diagnosis |
| 182.4Z1 | Acute embolism and thrombosis of unspecified deep veins of right distal lower extremity | ICD-10-CM Diagnosis |
| 182.4Z2 | Acute embolism and thrombosis of unspecified deep veins of left distal lower extremity | ICD-10-CM Diagnosis |
| 182.4Z3 | Acute embolism and thrombosis of unspecified deep veins of distal lower extremity, bilateral | ICD-10-CM Diagnosis |
| 182.4Z9 | Acute embolism and thrombosis of unspecified deep veins of unspecified distal lower e | ICD-10-CM Diagnosis |
| 182.501 | Chronic embolism and thrombosis of unspecified deep veins of right lower extremity | ICD-10-CM Diagnosis |
| 182.502 | Chronic embolism and thrombosis of unspecified deep veins of left lower extremity | ICD-10-CM Diagnosis |
| 182.503 | Chronic embolism and thrombosis of unspecified deep veins of lower extremity, bilateral | ICD-10-CM Diagnosis |
| 182.509 | Chronic embolism and thrombosis of unspecified deep veins of unspecified lower extrem | ICD-10-CM Diagnosis |
| 182.511 | Chronic embolism and thrombosis of right femoral vein | ICD-10-CM Diagnosis |
| 182.512 | Chronic embolism and thrombosis of left femoral vein | ICD-10-CM Diagnosis |
| 182.513 | Chronic embolism and thrombosis of femoral vein, bilateral | ICD-10-CM Diagnosis |

List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|---|---------------------|
| I82.519 | Chronic embolism and thrombosis of unspecified femoral vein | ICD-10-CM Diagnosis |
| I82.521 | Chronic embolism and thrombosis of right iliac vein | ICD-10-CM Diagnosis |
| I82.522 | Chronic embolism and thrombosis of left iliac vein | ICD-10-CM Diagnosis |
| I82.523 | Chronic embolism and thrombosis of iliac vein, bilateral | ICD-10-CM Diagnosis |
| I82.529 | Chronic embolism and thrombosis of unspecified iliac vein | ICD-10-CM Diagnosis |
| I82.531 | Chronic embolism and thrombosis of right popliteal vein | ICD-10-CM Diagnosis |
| I82.532 | Chronic embolism and thrombosis of left popliteal vein | ICD-10-CM Diagnosis |
| I82.533 | Chronic embolism and thrombosis of popliteal vein, bilateral | ICD-10-CM Diagnosis |
| I82.539 | Chronic embolism and thrombosis of unspecified popliteal vein | ICD-10-CM Diagnosis |
| I82.541 | Chronic embolism and thrombosis of right tibial vein | ICD-10-CM Diagnosis |
| I82.542 | Chronic embolism and thrombosis of left tibial vein | ICD-10-CM Diagnosis |
| I82.543 | Chronic embolism and thrombosis of tibial vein, bilateral | ICD-10-CM Diagnosis |
| I82.549 | Chronic embolism and thrombosis of unspecified tibial vein | ICD-10-CM Diagnosis |
| I82.591 | Chronic embolism and thrombosis of other specified deep vein of right lower | ICD-10-CM Diagnosis |
| I82.592 | Chronic embolism and thrombosis of other specified deep vein of left lower | ICD-10-CM Diagnosis |
| I82.593 | Chronic embolism and thrombosis of other specified deep vein of lower extremity, | ICD-10-CM Diagnosis |
| I82.599 | Chronic embolism and thrombosis of other specified deep vein of unspecified lower | ICD-10-CM Diagnosis |
| I82.5Y1 | Chronic embolism and thrombosis of unspecified deep veins of right proximal lower | ICD-10-CM Diagnosis |
| I82.5Y2 | Chronic embolism and thrombosis of unspecified deep veins of left proximal lower | ICD-10-CM Diagnosis |
| I82.5Y3 | Chronic embolism and thrombosis of unspecified deep veins of proximal lower | ICD-10-CM Diagnosis |
| I82.5Y9 | Chronic embolism and thrombosis of unspecified deep veins of unspecified proximal | ICD-10-CM Diagnosis |
| I82.5Z1 | Chronic embolism and thrombosis of unspecified deep veins of right distal lower | ICD-10-CM Diagnosis |
| I82.5Z2 | Chronic embolism and thrombosis of unspecified deep veins of left distal lower | ICD-10-CM Diagnosis |
| I82.5Z3 | Chronic embolism and thrombosis of unspecified deep veins of distal lower | ICD-10-CM Diagnosis |
| I82.5Z9 | Chronic embolism and thrombosis of unspecified deep veins of unspecified distal | ICD-10-CM Diagnosis |
| I82.609 | Acute embolism and thrombosis of unspecified veins of unspecified upper extremity | ICD-10-CM Diagnosis |
| I82.621 | Acute embolism and thrombosis of deep veins of right upper extremity | ICD-10-CM Diagnosis |
| I82.622 | Acute embolism and thrombosis of deep veins of left upper extremity | ICD-10-CM Diagnosis |
| I82.623 | Acute embolism and thrombosis of deep veins of upper extremity, bilateral | ICD-10-CM Diagnosis |
| I82.629 | Acute embolism and thrombosis of deep veins of unspecified upper extremity | ICD-10-CM Diagnosis |
| I82.709 | Chronic embolism and thrombosis of unspecified veins of unspecified upper | ICD-10-CM Diagnosis |
| I82.721 | Chronic embolism and thrombosis of deep veins of right upper extremity | ICD-10-CM Diagnosis |
| I82.722 | Chronic embolism and thrombosis of deep veins of left upper extremity | ICD-10-CM Diagnosis |
| I82.723 | Chronic embolism and thrombosis of deep veins of upper extremity, bilateral | ICD-10-CM Diagnosis |
| I82.729 | Chronic embolism and thrombosis of deep veins of unspecified upper extremity | ICD-10-CM Diagnosis |
| I82.890 | Acute embolism and thrombosis of other specified veins | ICD-10-CM Diagnosis |
| I82.A1 | Acute embolism and thrombosis of axillary vein | ICD-10-CM Diagnosis |
| I82.A11 | Acute embolism and thrombosis of right axillary vein | ICD-10-CM Diagnosis |
| I82.A12 | Acute embolism and thrombosis of left axillary vein | ICD-10-CM Diagnosis |

List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|--|---------------------|
| I82.A13 | Acute embolism and thrombosis of axillary vein, bilateral | ICD-10-CM Diagnosis |
| I82.A19 | Acute embolism and thrombosis of unspecified axillary vein | ICD-10-CM Diagnosis |
| I82.A21 | Chronic embolism and thrombosis of right axillary vein | ICD-10-CM Diagnosis |
| I82.A22 | Chronic embolism and thrombosis of left axillary vein | ICD-10-CM Diagnosis |
| I82.A23 | Chronic embolism and thrombosis of axillary vein, bilateral | ICD-10-CM Diagnosis |
| I82.A29 | Chronic embolism and thrombosis of unspecified axillary vein | ICD-10-CM Diagnosis |
| I82.B11 | Acute embolism and thrombosis of right subclavian vein | ICD-10-CM Diagnosis |
| I82.B12 | Acute embolism and thrombosis of left subclavian vein | ICD-10-CM Diagnosis |
| I82.B13 | Acute embolism and thrombosis of subclavian vein, bilateral | ICD-10-CM Diagnosis |
| I82.B19 | Acute embolism and thrombosis of unspecified subclavian vein | ICD-10-CM Diagnosis |
| I82.B21 | Chronic embolism and thrombosis of right subclavian vein | ICD-10-CM Diagnosis |
| I82.B22 | Chronic embolism and thrombosis of left subclavian vein | ICD-10-CM Diagnosis |
| I82.B23 | Chronic embolism and thrombosis of subclavian vein, bilateral | ICD-10-CM Diagnosis |
| I82.B29 | Chronic embolism and thrombosis of unspecified subclavian vein | ICD-10-CM Diagnosis |
| I82.C11 | Acute embolism and thrombosis of right internal jugular vein | ICD-10-CM Diagnosis |
| I82.C12 | Acute embolism and thrombosis of left internal jugular vein | ICD-10-CM Diagnosis |
| I82.C13 | Acute embolism and thrombosis of internal jugular vein, bilateral | ICD-10-CM Diagnosis |
| I82.C19 | Acute embolism and thrombosis of unspecified internal jugular vein | ICD-10-CM Diagnosis |
| I82.C21 | Chronic embolism and thrombosis of right internal jugular vein | ICD-10-CM Diagnosis |
| I82.C22 | Chronic embolism and thrombosis of left internal jugular vein | ICD-10-CM Diagnosis |
| I82.C23 | Chronic embolism and thrombosis of internal jugular vein, bilateral | ICD-10-CM Diagnosis |
| I82.C29 | Chronic embolism and thrombosis of unspecified internal jugular vein | ICD-10-CM Diagnosis |
| K64.5 | Perianal venous thrombosis | ICD-10-CM Diagnosis |
| O22.30 | Deep phlebothrombosis in pregnancy, unspecified trimester | ICD-10-CM Diagnosis |
| O22.31 | Deep phlebothrombosis in pregnancy, first trimester | ICD-10-CM Diagnosis |
| O22.32 | Deep phlebothrombosis in pregnancy, second trimester | ICD-10-CM Diagnosis |
| O22.33 | Deep phlebothrombosis in pregnancy, third trimester | ICD-10-CM Diagnosis |
| O22.50 | Cerebral venous thrombosis in pregnancy, unspecified trimester | ICD-10-CM Diagnosis |
| O22.51 | Cerebral venous thrombosis in pregnancy, first trimester | ICD-10-CM Diagnosis |
| O22.52 | Cerebral venous thrombosis in pregnancy, second trimester | ICD-10-CM Diagnosis |
| O22.53 | Cerebral venous thrombosis in pregnancy, third trimester | ICD-10-CM Diagnosis |
| O87.1 | Deep phlebothrombosis in the puerperium | ICD-10-CM Diagnosis |
| O87.3 | Cerebral venous thrombosis in the puerperium | ICD-10-CM Diagnosis |
| Z86.718 | Personal history of other venous thrombosis and embolism | ICD-10-CM Diagnosis |
| 452 | Portal vein thrombosis | ICD-9-CM Diagnosis |
| 453 | Other venous embolism and thrombosis | ICD-9-CM Diagnosis |
| 437.6 | Nonpyogenic thrombosis of intracranial venous sinus | ICD-9-CM Diagnosis |
| 453.0 | Budd-Chiari syndrome | ICD-9-CM Diagnosis |
| 453.2 | Other venous embolism and thrombosis, of inferior vena cava | ICD-9-CM Diagnosis |
| 453.3 | Embolism and thrombosis of renal vein | ICD-9-CM Diagnosis |

List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------------------------|--|---------------------|
| 453.4 | Acute venous embolism and thrombosis of deep vessels of lower extremity | ICD-9-CM Diagnosis |
| 453.5 | Chronic venous embolism and thrombosis of deep vessels of lower extremity | ICD-9-CM Diagnosis |
| 453.8 | Acute venous embolism and thrombosis of other specified veins | ICD-9-CM Diagnosis |
| 671.3 | Deep phlebothrombosis, antepartum | ICD-9-CM Diagnosis |
| 671.4 | Deep phlebothrombosis, postpartum | ICD-9-CM Diagnosis |
| 362.35 | Central vein occlusion of retina | ICD-9-CM Diagnosis |
| 453.40 | Acute venous embolism and thrombosis of unspecified deep vessels of lower | ICD-9-CM Diagnosis |
| 453.41 | Acute venous embolism and thrombosis of deep vessels of proximal lower extremity | ICD-9-CM Diagnosis |
| 453.42 | Acute venous embolism and thrombosis of deep vessels of distal lower extremity | ICD-9-CM Diagnosis |
| 453.50 | Chronic venous embolism and thrombosis of unspecified deep vessels of lower | ICD-9-CM Diagnosis |
| 453.51 | Chronic venous embolism and thrombosis of deep vessels of proximal lower | ICD-9-CM Diagnosis |
| 453.52 | Chronic venous embolism and thrombosis of deep vessels of distal lower extremity | ICD-9-CM Diagnosis |
| 453.72 | Chronic venous embolism and thrombosis of deep veins of upper extremity | ICD-9-CM Diagnosis |
| 453.73 | Chronic venous embolism and thrombosis of upper extremity, unspecified | ICD-9-CM Diagnosis |
| 453.74 | Chronic venous embolism and thrombosis of axillary veins | ICD-9-CM Diagnosis |
| 453.75 | Chronic venous embolism and thrombosis of subclavian veins | ICD-9-CM Diagnosis |
| 453.76 | Chronic venous embolism and thrombosis of internal jugular veins | ICD-9-CM Diagnosis |
| 453.77 | Chronic venous embolism and thrombosis of other thoracic veins | ICD-9-CM Diagnosis |
| 453.79 | Chronic venous embolism and thrombosis of other specified veins | ICD-9-CM Diagnosis |
| 453.82 | Acute venous embolism and thrombosis of deep veins of upper extremity | ICD-9-CM Diagnosis |
| 453.83 | Acute venous embolism and thrombosis of upper extremity, unspecified | ICD-9-CM Diagnosis |
| 453.84 | Acute venous embolism and thrombosis of axillary veins | ICD-9-CM Diagnosis |
| 453.85 | Acute venous embolism and thrombosis of subclavian veins | ICD-9-CM Diagnosis |
| 453.86 | Acute venous embolism and thrombosis of internal jugular veins | ICD-9-CM Diagnosis |
| 453.87 | Acute venous embolism and thrombosis of other thoracic veins | ICD-9-CM Diagnosis |
| 453.89 | Acute venous embolism and thrombosis of other specified veins | ICD-9-CM Diagnosis |
| 671.30 | Deep phlebothrombosis, antepartum, unspecified as to episode of care | ICD-9-CM Diagnosis |
| 671.31 | Deep phlebothrombosis, antepartum, with delivery | ICD-9-CM Diagnosis |
| 671.33 | Deep phlebothrombosis, antepartum | ICD-9-CM Diagnosis |
| 671.40 | Deep phlebothrombosis, postpartum, unspecified as to episode of care | ICD-9-CM Diagnosis |
| 671.42 | Deep phlebothrombosis, postpartum, with delivery | ICD-9-CM Diagnosis |
| 671.44 | Deep phlebothrombosis, postpartum condition or complication | ICD-9-CM Diagnosis |
| V12.51 | Personal history of venous thrombosis and embolism | ICD-9-CM Diagnosis |
| Gastrointestinal Bleed | | |
| 184.10 | Unspecified bleeding hemorrhoids | ICD-10-CM Diagnosis |
| 184.101 | Unspecified bleeding hemorrhoids | ICD-10-CM Diagnosis |
| 184.11 | Internal bleeding hemorrhoids | ICD-10-CM Diagnosis |
| 184.111 | Internal bleeding hemorrhoids | ICD-10-CM Diagnosis |
| 184.12 | External bleeding hemorrhoids | ICD-10-CM Diagnosis |
| 184.121 | External bleeding hemorrhoids | ICD-10-CM Diagnosis |

List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|---|---------------------|
| I84.13 | Internal and external bleeding hemorrhoids | ICD-10-CM Diagnosis |
| I84.131 | Internal and external bleeding hemorrhoids | ICD-10-CM Diagnosis |
| I85.01 | Esophageal varices with bleeding | ICD-10-CM Diagnosis |
| I85.11 | Secondary esophageal varices with bleeding | ICD-10-CM Diagnosis |
| K22.11 | Ulcer of esophagus with bleeding | ICD-10-CM Diagnosis |
| K22.6 | Gastro-esophageal laceration-hemorrhage syndrome | ICD-10-CM Diagnosis |
| K25.0 | Acute gastric ulcer with hemorrhage | ICD-10-CM Diagnosis |
| K25.2 | Acute gastric ulcer with both hemorrhage and perforation | ICD-10-CM Diagnosis |
| K25.4 | Chronic or unspecified gastric ulcer with hemorrhage | ICD-10-CM Diagnosis |
| K25.6 | Chronic or unspecified gastric ulcer with both hemorrhage and perforation | ICD-10-CM Diagnosis |
| K25.7 | Chronic gastric ulcer without hemorrhage or perforation | ICD-10-CM Diagnosis |
| K26.0 | Acute duodenal ulcer with hemorrhage | ICD-10-CM Diagnosis |
| K26.2 | Acute duodenal ulcer with both hemorrhage and perforation | ICD-10-CM Diagnosis |
| K26.4 | Chronic or unspecified duodenal ulcer with hemorrhage | ICD-10-CM Diagnosis |
| K26.6 | Chronic or unspecified duodenal ulcer with both hemorrhage and perforation | ICD-10-CM Diagnosis |
| K27.0 | Acute peptic ulcer, site unspecified, with hemorrhage | ICD-10-CM Diagnosis |
| K27.2 | Acute peptic ulcer, site unspecified, with both hemorrhage and perforation | ICD-10-CM Diagnosis |
| K27.4 | Chronic or unspecified peptic ulcer, site unspecified, with hemorrhage | ICD-10-CM Diagnosis |
| K27.6 | Chronic or unspecified peptic ulcer, site unspecified, with both hemorrhage and | ICD-10-CM Diagnosis |
| K28.0 | Acute gastrojejunal ulcer with hemorrhage | ICD-10-CM Diagnosis |
| K28.2 | Acute gastrojejunal ulcer with both hemorrhage and perforation | ICD-10-CM Diagnosis |
| K28.4 | Chronic or unspecified gastrojejunal ulcer with hemorrhage | ICD-10-CM Diagnosis |
| K28.6 | Chronic or unspecified gastrojejunal ulcer with both hemorrhage and perforation | ICD-10-CM Diagnosis |
| K29.01 | Acute gastritis with bleeding | ICD-10-CM Diagnosis |
| K29.21 | Alcoholic gastritis with bleeding | ICD-10-CM Diagnosis |
| K29.31 | Chronic superficial gastritis with bleeding | ICD-10-CM Diagnosis |
| K29.41 | Chronic atrophic gastritis with bleeding | ICD-10-CM Diagnosis |
| K29.51 | Unspecified chronic gastritis with bleeding | ICD-10-CM Diagnosis |
| K29.61 | Other gastritis with bleeding | ICD-10-CM Diagnosis |
| K29.71 | Gastritis, unspecified, with bleeding | ICD-10-CM Diagnosis |
| K29.81 | Duodenitis with bleeding | ICD-10-CM Diagnosis |
| K29.91 | Gastroduodenitis, unspecified, with bleeding | ICD-10-CM Diagnosis |
| K31.811 | Angiodysplasia of stomach and duodenum with bleeding | ICD-10-CM Diagnosis |
| K31.82 | Dieulafoy lesion (hemorrhagic) of stomach and duodenum | ICD-10-CM Diagnosis |
| K55.21 | Angiodysplasia of colon with hemorrhage | ICD-10-CM Diagnosis |
| K57.01 | Diverticulitis of small intestine with perforation and abscess with bleeding | ICD-10-CM Diagnosis |
| K57.11 | Diverticulosis of small intestine without perforation or abscess with bleeding | ICD-10-CM Diagnosis |
| K57.13 | Diverticulitis of small intestine without perforation or abscess with bleeding | ICD-10-CM Diagnosis |
| K57.21 | Diverticulitis of large intestine with perforation and abscess with bleeding | ICD-10-CM Diagnosis |
| K57.31 | Diverticulosis of large intestine without perforation or abscess with bleeding | ICD-10-CM Diagnosis |

List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|--|---------------------|
| K57.33 | Diverticulitis of large intestine without perforation or abscess with bleeding | ICD-10-CM Diagnosis |
| K57.41 | Diverticulitis of both small and large intestine with perforation and abscess with | ICD-10-CM Diagnosis |
| K57.51 | Diverticulosis of both small and large intestine without perforation or abscess with | ICD-10-CM Diagnosis |
| K57.53 | Diverticulitis of both small and large intestine without perforation or abscess with | ICD-10-CM Diagnosis |
| K57.81 | Diverticulitis of intestine, part unspecified, with perforation and abscess with | ICD-10-CM Diagnosis |
| K57.91 | Diverticulosis of intestine, part unspecified, without perforation or abscess with | ICD-10-CM Diagnosis |
| K57.93 | Diverticulitis of intestine, part unspecified, without perforation or abscess with | ICD-10-CM Diagnosis |
| K62.5 | Hemorrhage of anus and rectum | ICD-10-CM Diagnosis |
| K92.0 | Hematemesis | ICD-10-CM Diagnosis |
| K92.1 | Melena | ICD-10-CM Diagnosis |
| K92.2 | Gastrointestinal hemorrhage, unspecified | ICD-10-CM Diagnosis |
| 578 | Gastrointestinal hemorrhage | ICD-9-CM Diagnosis |
| 455.2 | Internal hemorrhoids with other complication | ICD-9-CM Diagnosis |
| 455.5 | External hemorrhoids with other complication | ICD-9-CM Diagnosis |
| 455.8 | Unspecified hemorrhoids with other complication | ICD-9-CM Diagnosis |
| 456.0 | Esophageal varices with bleeding | ICD-9-CM Diagnosis |
| 530.7 | Gastroesophageal laceration-hemorrhage syndrome | ICD-9-CM Diagnosis |
| 531.0 | Acute gastric ulcer with hemorrhage | ICD-9-CM Diagnosis |
| 531.2 | Acute gastric ulcer with hemorrhage and perforation | ICD-9-CM Diagnosis |
| 531.4 | Chronic or unspecified gastric ulcer with hemorrhage | ICD-9-CM Diagnosis |
| 531.6 | Chronic or unspecified gastric ulcer with hemorrhage and perforation | ICD-9-CM Diagnosis |
| 532.0 | Acute duodenal ulcer with hemorrhage | ICD-9-CM Diagnosis |
| 532.2 | Acute duodenal ulcer with hemorrhage and perforation | ICD-9-CM Diagnosis |
| 532.4 | Chronic or unspecified duodenal ulcer with hemorrhage | ICD-9-CM Diagnosis |
| 532.6 | Chronic or unspecified duodenal ulcer with hemorrhage and perforation | ICD-9-CM Diagnosis |
| 533.0 | Acute peptic ulcer, unspecified site, with hemorrhage | ICD-9-CM Diagnosis |
| 533.2 | Acute peptic ulcer, unspecified site, with hemorrhage and perforation | ICD-9-CM Diagnosis |
| 533.4 | Chronic or unspecified peptic ulcer, unspecified site, with hemorrhage | ICD-9-CM Diagnosis |
| 533.6 | Chronic or unspecified peptic ulcer, unspecified site, with hemorrhage and | ICD-9-CM Diagnosis |
| 534.0 | Acute gastrojejunal ulcer with hemorrhage | ICD-9-CM Diagnosis |
| 534.2 | Acute gastrojejunal ulcer with hemorrhage and perforation | ICD-9-CM Diagnosis |
| 534.4 | Chronic or unspecified gastrojejunal ulcer with hemorrhage | ICD-9-CM Diagnosis |
| 534.6 | Chronic or unspecified gastrojejunal ulcer with hemorrhage and perforation | ICD-9-CM Diagnosis |
| 569.3 | Hemorrhage of rectum and anus | ICD-9-CM Diagnosis |
| 578.0 | Hematemesis | ICD-9-CM Diagnosis |
| 578.1 | Blood in stool | ICD-9-CM Diagnosis |
| 578.9 | Hemorrhage of gastrointestinal tract, unspecified | ICD-9-CM Diagnosis |
| 456.20 | Esophageal varices with bleeding in diseases classified elsewhere | ICD-9-CM Diagnosis |
| 530.21 | Ulcer of esophagus with bleeding | ICD-9-CM Diagnosis |
| 530.82 | Esophageal hemorrhage | ICD-9-CM Diagnosis |

List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|---|--------------------|
| 531.00 | Acute gastric ulcer with hemorrhage, without mention of obstruction | ICD-9-CM Diagnosis |
| 531.01 | Acute gastric ulcer with hemorrhage and obstruction | ICD-9-CM Diagnosis |
| 531.20 | Acute gastric ulcer with hemorrhage and perforation, without mention of | ICD-9-CM Diagnosis |
| 531.21 | Acute gastric ulcer with hemorrhage, perforation, and obstruction | ICD-9-CM Diagnosis |
| 531.40 | Chronic or unspecified gastric ulcer with hemorrhage, without mention of | ICD-9-CM Diagnosis |
| 531.41 | Chronic or unspecified gastric ulcer with hemorrhage and obstruction | ICD-9-CM Diagnosis |
| 531.60 | Chronic or unspecified gastric ulcer with hemorrhage and perforation, without | ICD-9-CM Diagnosis |
| 531.61 | Chronic or unspecified gastric ulcer with hemorrhage, perforation, and obstruction | ICD-9-CM Diagnosis |
| 532.00 | Acute duodenal ulcer with hemorrhage, without mention of obstruction | ICD-9-CM Diagnosis |
| 532.01 | Acute duodenal ulcer with hemorrhage and obstruction | ICD-9-CM Diagnosis |
| 532.20 | Acute duodenal ulcer with hemorrhage and perforation, without mention of | ICD-9-CM Diagnosis |
| 532.21 | Acute duodenal ulcer with hemorrhage, perforation, and obstruction | ICD-9-CM Diagnosis |
| 532.40 | Duodenal ulcer, chronic or unspecified, with hemorrhage, without mention of | ICD-9-CM Diagnosis |
| 532.41 | Chronic or unspecified duodenal ulcer with hemorrhage and obstruction | ICD-9-CM Diagnosis |
| 532.60 | Chronic or unspecified duodenal ulcer with hemorrhage and perforation, without | ICD-9-CM Diagnosis |
| 532.61 | Chronic or unspecified duodenal ulcer with hemorrhage, perforation, and | ICD-9-CM Diagnosis |
| 533.00 | Acute peptic ulcer, unspecified site, with hemorrhage, without mention of | ICD-9-CM Diagnosis |
| 533.01 | Acute peptic ulcer, unspecified site, with hemorrhage and obstruction | ICD-9-CM Diagnosis |
| 533.20 | Acute peptic ulcer, unspecified site, with hemorrhage and perforation, without mention of obstruction | ICD-9-CM Diagnosis |
| 533.21 | Acute peptic ulcer, unspecified site, with hemorrhage, perforation, and obstruction | ICD-9-CM Diagnosis |
| 533.40 | Chronic or unspecified peptic ulcer, unspecified site, with hemorrhage, without | ICD-9-CM Diagnosis |
| 533.41 | Chronic or unspecified peptic ulcer, unspecified site, with hemorrhage and | ICD-9-CM Diagnosis |
| 533.60 | Chronic or unspecified peptic ulcer, unspecified site, with hemorrhage and | ICD-9-CM Diagnosis |
| 533.61 | Chronic or unspecified peptic ulcer, unspecified site, with hemorrhage, perforation, | ICD-9-CM Diagnosis |
| 534.00 | Acute gastrojejunal ulcer with hemorrhage, without mention of obstruction | ICD-9-CM Diagnosis |
| 534.01 | Acute gastrojejunal ulcer, with hemorrhage and obstruction | ICD-9-CM Diagnosis |
| 534.20 | Acute gastrojejunal ulcer with hemorrhage and perforation, without mention of | ICD-9-CM Diagnosis |
| 534.21 | Acute gastrojejunal ulcer with hemorrhage, perforation, and obstruction | ICD-9-CM Diagnosis |
| 534.40 | Chronic or unspecified gastrojejunal ulcer with hemorrhage, without mention of | ICD-9-CM Diagnosis |
| 534.41 | Chronic or unspecified gastrojejunal ulcer, with hemorrhage and obstruction | ICD-9-CM Diagnosis |
| 534.60 | Chronic or unspecified gastrojejunal ulcer with hemorrhage and perforation, | ICD-9-CM Diagnosis |
| 534.61 | Chronic or unspecified gastrojejunal ulcer with hemorrhage, perforation, and obstruction | ICD-9-CM Diagnosis |
| 535.01 | Acute gastritis with hemorrhage | ICD-9-CM Diagnosis |
| 535.11 | Atrophic gastritis with hemorrhage | ICD-9-CM Diagnosis |
| 535.21 | Gastric mucosal hypertrophy with hemorrhage | ICD-9-CM Diagnosis |
| 535.31 | Alcoholic gastritis with hemorrhage | ICD-9-CM Diagnosis |
| 535.41 | Other specified gastritis with hemorrhage | ICD-9-CM Diagnosis |
| 535.51 | Unspecified gastritis and gastroduodenitis with hemorrhage | ICD-9-CM Diagnosis |

List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|---------------------|---|---------------------|
| 535.61 | Duodenitis with hemorrhage | ICD-9-CM Diagnosis |
| 537.83 | Angiodysplasia of stomach and duodenum with hemorrhage | ICD-9-CM Diagnosis |
| 537.84 | Dieulafoy lesion (hemorrhagic) of stomach and duodenum | ICD-9-CM Diagnosis |
| 562.02 | Diverticulosis of small intestine with hemorrhage | ICD-9-CM Diagnosis |
| 562.03 | Diverticulitis of small intestine with hemorrhage | ICD-9-CM Diagnosis |
| 562.12 | Diverticulosis of colon with hemorrhage | ICD-9-CM Diagnosis |
| 562.13 | Diverticulitis of colon with hemorrhage | ICD-9-CM Diagnosis |
| 569.85 | Angiodysplasia of intestine with hemorrhage | ICD-9-CM Diagnosis |
| 569.86 | Dieulafoy lesion (hemorrhagic) of intestine | ICD-9-CM Diagnosis |
| Hypertension | | |
| 4050F | Hypertension plan of care documented as appropriate | CPT-4 Procedure |
| I10 | Essential (primary) hypertension | ICD-10-CM Diagnosis |
| I11.0 | Hypertensive heart disease with heart failure | ICD-10-CM Diagnosis |
| I11.9 | Hypertensive heart disease without heart failure | ICD-10-CM Diagnosis |
| I12.0 | Hypertensive chronic kidney disease with stage 5 chronic kidney disease or end stage renal disease | ICD-10-CM Diagnosis |
| I12.9 | Hypertensive chronic kidney disease with stage 1 through stage 4 chronic kidney disease, or unspecified chronic kidney disease | ICD-10-CM Diagnosis |
| I13.0 | Hypertensive heart and chronic kidney disease with heart failure and stage 1 through stage 4 chronic kidney disease, or unspecified c | ICD-10-CM Diagnosis |
| I13.10 | Hypertensive heart and chronic kidney disease without heart failure, with stage 1 through stage 4 chronic kidney disease, or unspecif | ICD-10-CM Diagnosis |
| I13.11 | Hypertensive heart and chronic kidney disease without heart failure, with stage 5 chronic kidney disease, or end stage renal disease | ICD-10-CM Diagnosis |
| I13.2 | Hypertensive heart and chronic kidney disease with heart failure and with stage 5 chronic kidney disease, or end stage renal disease | ICD-10-CM Diagnosis |
| I15.0 | Renovascular hypertension | ICD-10-CM Diagnosis |
| I15.1 | Hypertension secondary to other renal disorders | ICD-10-CM Diagnosis |
| I15.2 | Hypertension secondary to endocrine disorders | ICD-10-CM Diagnosis |
| I15.8 | Other secondary hypertension | ICD-10-CM Diagnosis |
| I15.9 | Secondary hypertension, unspecified | ICD-10-CM Diagnosis |
| I16.0 | Hypertensive urgency | ICD-10-CM Diagnosis |
| I16.1 | Hypertensive emergency | ICD-10-CM Diagnosis |
| I16.9 | Hypertensive crisis, unspecified | ICD-10-CM Diagnosis |
| I67.4 | Hypertensive encephalopathy | ICD-10-CM Diagnosis |
| N26.2 | Page kidney | ICD-10-CM Diagnosis |
| 401 | Essential hypertension | ICD-9-CM Diagnosis |
| 402 | Hypertensive heart disease | ICD-9-CM Diagnosis |
| 403 | Hypertensive chronic kidney disease | ICD-9-CM Diagnosis |
| 404 | Hypertensive heart and chronic kidney disease | ICD-9-CM Diagnosis |
| 405 | Secondary hypertension | ICD-9-CM Diagnosis |

List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|--|--------------------|
| 401.0 | Essential hypertension, malignant | ICD-9-CM Diagnosis |
| 401.1 | Essential hypertension, benign | ICD-9-CM Diagnosis |
| 401.9 | Unspecified essential hypertension | ICD-9-CM Diagnosis |
| 402.0 | Malignant hypertensive heart disease | ICD-9-CM Diagnosis |
| 402.1 | Benign hypertensive heart disease | ICD-9-CM Diagnosis |
| 402.9 | Unspecified hypertensive heart disease | ICD-9-CM Diagnosis |
| 403.0 | Hypertensive chronic kidney disease, malignant | ICD-9-CM Diagnosis |
| 403.1 | Hypertensive chronic kidney disease, benign | ICD-9-CM Diagnosis |
| 403.9 | Hypertensive chronic kidney disease, unspecified | ICD-9-CM Diagnosis |
| 404.0 | Hypertensive heart and chronic kidney disease, malignant | ICD-9-CM Diagnosis |
| 404.1 | Hypertensive heart and chronic kidney disease, benign | ICD-9-CM Diagnosis |
| 404.9 | Hypertensive heart and chronic kidney disease, unspecified | ICD-9-CM Diagnosis |
| 405.0 | Secondary hypertension, malignant | ICD-9-CM Diagnosis |
| 405.1 | Secondary hypertension, benign | ICD-9-CM Diagnosis |
| 405.9 | Unspecified secondary hypertension, unspecified | ICD-9-CM Diagnosis |
| 437.2 | Hypertensive encephalopathy | ICD-9-CM Diagnosis |
| 402.00 | Malignant hypertensive heart disease without heart failure | ICD-9-CM Diagnosis |
| 402.01 | Malignant hypertensive heart disease with heart failure | ICD-9-CM Diagnosis |
| 402.10 | Benign hypertensive heart disease without heart failure | ICD-9-CM Diagnosis |
| 402.11 | Benign hypertensive heart disease with heart failure | ICD-9-CM Diagnosis |
| 402.90 | Unspecified hypertensive heart disease without heart failure | ICD-9-CM Diagnosis |
| 402.91 | Hypertensive heart disease, unspecified, with heart failure | ICD-9-CM Diagnosis |
| 403.00 | Hypertensive chronic kidney disease, malignant, with chronic kidney disease stage I through stage IV, or unspecified | ICD-9-CM Diagnosis |
| 403.01 | Hypertensive chronic kidney disease, malignant, with chronic kidney disease stage V or end stage renal disease | ICD-9-CM Diagnosis |
| 403.10 | Hypertensive chronic kidney disease, benign, with chronic kidney disease stage I through stage IV, or unspecified | ICD-9-CM Diagnosis |
| 403.11 | Hypertensive chronic kidney disease, benign, with chronic kidney disease stage V or end stage renal disease | ICD-9-CM Diagnosis |
| 403.90 | Hypertensive chronic kidney disease, unspecified, with chronic kidney disease stage I through stage IV, or unspecified | ICD-9-CM Diagnosis |
| 403.91 | Hypertensive chronic kidney disease, unspecified, with chronic kidney disease stage V or end stage renal disease | ICD-9-CM Diagnosis |
| 404.00 | Hypertensive heart and chronic kidney disease, malignant, without heart failure and with chronic kidney disease stage I through stage IV | ICD-9-CM Diagnosis |
| 404.01 | Hypertensive heart and chronic kidney disease, malignant, with heart failure and with chronic kidney disease stage I through stage IV | ICD-9-CM Diagnosis |
| 404.02 | Hypertensive heart and chronic kidney disease, malignant, without heart failure and with chronic kidney disease stage V or end stage | ICD-9-CM Diagnosis |

List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|---------------------------|---|---------------------|
| 404.03 | Hypertensive heart and chronic kidney disease, malignant, with heart failure and with chronic kidney disease stage V or end stage ren | ICD-9-CM Diagnosis |
| 404.10 | Hypertensive heart and chronic kidney disease, benign, without heart failure and with chronic kidney disease stage I through stage IV | ICD-9-CM Diagnosis |
| 404.11 | Hypertensive heart and chronic kidney disease, benign, with heart failure and with chronic kidney disease stage I through stage IV, o | ICD-9-CM Diagnosis |
| 404.12 | Hypertensive heart and chronic kidney disease, benign, without heart failure and with chronic kidney disease stage V or end stage ren | ICD-9-CM Diagnosis |
| 404.13 | Hypertensive heart and chronic kidney disease, benign, with heart failure and chronic kidney disease stage V or end stage renal disea | ICD-9-CM Diagnosis |
| 404.90 | Hypertensive heart and chronic kidney disease, unspecified, without heart failure and with chronic kidney disease stage I through sta | ICD-9-CM Diagnosis |
| 404.91 | Hypertensive heart and chronic kidney disease, unspecified, with heart failure and with chronic kidney disease stage I through stage | ICD-9-CM Diagnosis |
| 404.92 | Hypertensive heart and chronic kidney disease, unspecified, without heart failure and with chronic kidney disease stage V or end stag | ICD-9-CM Diagnosis |
| 404.93 | Hypertensive heart and chronic kidney disease, unspecified, with heart failure and chronic kidney disease stage V or end stage renal | ICD-9-CM Diagnosis |
| 405.01 | Secondary renovascular hypertension, malignant | ICD-9-CM Diagnosis |
| 405.09 | Other secondary hypertension, malignant | ICD-9-CM Diagnosis |
| 405.11 | Secondary renovascular hypertension, benign | ICD-9-CM Diagnosis |
| 405.19 | Other secondary hypertension, benign | ICD-9-CM Diagnosis |
| 405.91 | Secondary renovascular hypertension, unspecified | ICD-9-CM Diagnosis |
| 405.99 | Other secondary hypertension, unspecified | ICD-9-CM Diagnosis |
| Intercranial Bleed | | |
| 160.00 | Nontraumatic subarachnoid hemorrhage from unspecified carotid siphon and bifurcation | ICD-10-CM Diagnosis |
| 160.01 | Nontraumatic subarachnoid hemorrhage from right carotid siphon and bifurcation | ICD-10-CM Diagnosis |
| 160.02 | Nontraumatic subarachnoid hemorrhage from left carotid siphon and bifurcation | ICD-10-CM Diagnosis |
| 160.10 | Nontraumatic subarachnoid hemorrhage from unspecified middle cerebral artery | ICD-10-CM Diagnosis |
| 160.11 | Nontraumatic subarachnoid hemorrhage from right middle cerebral artery | ICD-10-CM Diagnosis |
| 160.12 | Nontraumatic subarachnoid hemorrhage from left middle cerebral artery | ICD-10-CM Diagnosis |
| 160.2 | Nontraumatic subarachnoid hemorrhage from anterior communicating artery | ICD-10-CM Diagnosis |
| 160.20 | Nontraumatic subarachnoid hemorrhage from unspecified anterior communicating artery | ICD-10-CM Diagnosis |
| 160.21 | Nontraumatic subarachnoid hemorrhage from right anterior communicating artery | ICD-10-CM Diagnosis |

List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|---|---------------------|
| I60.22 | Nontraumatic subarachnoid hemorrhage from left anterior communicating artery | ICD-10-CM Diagnosis |
| I60.30 | Nontraumatic subarachnoid hemorrhage from unspecified posterior communicating artery | ICD-10-CM Diagnosis |
| I60.31 | Nontraumatic subarachnoid hemorrhage from right posterior communicating artery | ICD-10-CM Diagnosis |
| I60.32 | Nontraumatic subarachnoid hemorrhage from left posterior communicating artery | ICD-10-CM Diagnosis |
| I60.4 | Nontraumatic subarachnoid hemorrhage from basilar artery | ICD-10-CM Diagnosis |
| I60.50 | Nontraumatic subarachnoid hemorrhage from unspecified vertebral artery | ICD-10-CM Diagnosis |
| I60.51 | Nontraumatic subarachnoid hemorrhage from right vertebral artery | ICD-10-CM Diagnosis |
| I60.52 | Nontraumatic subarachnoid hemorrhage from left vertebral artery | ICD-10-CM Diagnosis |
| I60.6 | Nontraumatic subarachnoid hemorrhage from other intracranial arteries | ICD-10-CM Diagnosis |
| I60.7 | Nontraumatic subarachnoid hemorrhage from unspecified intracranial artery | ICD-10-CM Diagnosis |
| I60.8 | Other nontraumatic subarachnoid hemorrhage | ICD-10-CM Diagnosis |
| I60.9 | Nontraumatic subarachnoid hemorrhage, unspecified | ICD-10-CM Diagnosis |
| I61.0 | Nontraumatic intracerebral hemorrhage in hemisphere, subcortical | ICD-10-CM Diagnosis |
| I61.1 | Nontraumatic intracerebral hemorrhage in hemisphere, cortical | ICD-10-CM Diagnosis |
| I61.2 | Nontraumatic intracerebral hemorrhage in hemisphere, unspecified | ICD-10-CM Diagnosis |
| I61.3 | Nontraumatic intracerebral hemorrhage in brain stem | ICD-10-CM Diagnosis |
| I61.4 | Nontraumatic intracerebral hemorrhage in cerebellum | ICD-10-CM Diagnosis |
| I61.5 | Nontraumatic intracerebral hemorrhage, intraventricular | ICD-10-CM Diagnosis |
| I61.6 | Nontraumatic intracerebral hemorrhage, multiple localized | ICD-10-CM Diagnosis |
| I61.8 | Other nontraumatic intracerebral hemorrhage | ICD-10-CM Diagnosis |
| I61.9 | Nontraumatic intracerebral hemorrhage, unspecified | ICD-10-CM Diagnosis |
| I62.00 | Nontraumatic subdural hemorrhage, unspecified | ICD-10-CM Diagnosis |
| I62.01 | Nontraumatic acute subdural hemorrhage | ICD-10-CM Diagnosis |
| I62.02 | Nontraumatic subacute subdural hemorrhage | ICD-10-CM Diagnosis |
| I62.03 | Nontraumatic chronic subdural hemorrhage | ICD-10-CM Diagnosis |
| I62.1 | Nontraumatic extradural hemorrhage | ICD-10-CM Diagnosis |
| I62.9 | Nontraumatic intracranial hemorrhage, unspecified | ICD-10-CM Diagnosis |
| S06.34 | Traumatic hemorrhage of right cerebrum | ICD-10-CM Diagnosis |
| S06.340A | Traumatic hemorrhage of right cerebrum without loss of consciousness, initial | ICD-10-CM Diagnosis |
| S06.340D | Traumatic hemorrhage of right cerebrum without loss of consciousness, subsequent | ICD-10-CM Diagnosis |
| S06.341A | Traumatic hemorrhage of right cerebrum with loss of consciousness of 30 minutes | ICD-10-CM Diagnosis |
| S06.341D | Traumatic hemorrhage of right cerebrum with loss of consciousness of 30 minutes | ICD-10-CM Diagnosis |
| S06.342A | Traumatic hemorrhage of right cerebrum with loss of consciousness of 31 minutes to 59 minutes, subsequent encounter | ICD-10-CM Diagnosis |
| S06.342D | Traumatic hemorrhage of right cerebrum with loss of consciousness of 31 minutes to 59 minutes, subsequent encounter | ICD-10-CM Diagnosis |
| S06.343A | Traumatic hemorrhage of right cerebrum with loss of consciousness of 1 hours to 5 hours 59 minutes, initial encounter | ICD-10-CM Diagnosis |

List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|--|---------------------|
| S06.343D | Traumatic hemorrhage of right cerebrum with loss of consciousness of 1 hours to 5 hours 59 minutes, subsequent encounter | ICD-10-CM Diagnosis |
| S06.344A | Traumatic hemorrhage of right cerebrum with loss of consciousness of 6 hours to 24 hours, initial encounter | ICD-10-CM Diagnosis |
| S06.344D | Traumatic hemorrhage of right cerebrum with loss of consciousness of 6 hours to 24 hours, subsequent encounter | ICD-10-CM Diagnosis |
| S06.345A | Traumatic hemorrhage of right cerebrum with loss of consciousness greater than 24 hours with return to pre-existing conscious level, initial encounter | ICD-10-CM Diagnosis |
| S06.345D | Traumatic hemorrhage of right cerebrum with loss of consciousness greater than 24 hours with return to pre-existing conscious level, subsequent encounter | ICD-10-CM Diagnosis |
| S06.346A | Traumatic hemorrhage of right cerebrum with loss of consciousness greater than 24 hours without return to pre-existing conscious level with patient surviving, initial | ICD-10-CM Diagnosis |
| S06.346D | Traumatic hemorrhage of right cerebrum with loss of consciousness greater than 24 hours without return to pre-existing conscious level with patient surviving, | ICD-10-CM Diagnosis |
| S06.347A | Traumatic hemorrhage of right cerebrum with loss of consciousness of any duration with death due to brain injury prior to regaining consciousness, initial encounter | ICD-10-CM Diagnosis |
| S06.347D | Traumatic hemorrhage of right cerebrum with loss of consciousness of any duration with death due to brain injury prior to regaining consciousness, subsequent | ICD-10-CM Diagnosis |
| S06.348A | Traumatic hemorrhage of right cerebrum with loss of consciousness of any duration with death due to other cause prior to regaining consciousness, initial encounter | ICD-10-CM Diagnosis |
| S06.348D | Traumatic hemorrhage of right cerebrum with loss of consciousness of any duration with death due to other cause prior to regaining consciousness, subsequent encounter | ICD-10-CM Diagnosis |
| S06.349A | Traumatic hemorrhage of right cerebrum with loss of consciousness of unspecified duration, initial encounter | ICD-10-CM Diagnosis |
| S06.349D | Traumatic hemorrhage of right cerebrum with loss of consciousness of unspecified duration, subsequent encounter | ICD-10-CM Diagnosis |
| S06.35 | Traumatic hemorrhage of left cerebrum | ICD-10-CM Diagnosis |
| S06.350A | Traumatic hemorrhage of left cerebrum without loss of consciousness, initial encounter | ICD-10-CM Diagnosis |
| S06.350D | Traumatic hemorrhage of left cerebrum without loss of consciousness, subsequent encounter | ICD-10-CM Diagnosis |
| S06.351A | Traumatic hemorrhage of left cerebrum with loss of consciousness of 30 minutes or less, initial encounter | ICD-10-CM Diagnosis |
| S06.351D | Traumatic hemorrhage of left cerebrum with loss of consciousness of 30 minutes or less, subsequent encounter | ICD-10-CM Diagnosis |
| S06.352A | Traumatic hemorrhage of left cerebrum with loss of consciousness of 31 minutes to | ICD-10-CM Diagnosis |
| S06.352D | Traumatic hemorrhage of left cerebrum with loss of consciousness of 31 minutes to 59 minutes, subsequent encounter | ICD-10-CM Diagnosis |
| S06.353A | Traumatic hemorrhage of left cerebrum with loss of consciousness of 1 hours to 5 hours 59 minutes, initial encounter | ICD-10-CM Diagnosis |

List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|---|---------------------|
| S06.353D | Traumatic hemorrhage of left cerebrum with loss of consciousness of 1 hours to 5 hours 59 minutes, subsequent encounter | ICD-10-CM Diagnosis |
| S06.354A | Traumatic hemorrhage of left cerebrum with loss of consciousness of 6 hours to 24 hours, initial encounter | ICD-10-CM Diagnosis |
| S06.354D | Traumatic hemorrhage of left cerebrum with loss of consciousness of 6 hours to 24 hours, subsequent encounter | ICD-10-CM Diagnosis |
| S06.355A | Traumatic hemorrhage of left cerebrum with loss of consciousness greater than 24 hours with return to pre-existing conscious level, initial encounter | ICD-10-CM Diagnosis |
| S06.355D | Traumatic hemorrhage of left cerebrum with loss of consciousness greater than 24 hours with return to pre-existing conscious level, subsequent encounter | ICD-10-CM Diagnosis |
| S06.356A | Traumatic hemorrhage of left cerebrum with loss of consciousness greater than 24 hours without return to pre-existing conscious level with patient surviving, initial | ICD-10-CM Diagnosis |
| S06.356D | Traumatic hemorrhage of left cerebrum with loss of consciousness greater than 24 hours without return to pre-existing conscious level with patient surviving, | ICD-10-CM Diagnosis |
| S06.357A | Traumatic hemorrhage of left cerebrum with loss of consciousness of any duration with death due to brain injury prior to regaining consciousness, initial encounter | ICD-10-CM Diagnosis |
| S06.357D | Traumatic hemorrhage of left cerebrum with loss of consciousness of any duration with death due to brain injury prior to regaining consciousness, subsequent | ICD-10-CM Diagnosis |
| S06.358A | Traumatic hemorrhage of left cerebrum with loss of consciousness of any duration with death due to other cause prior to regaining consciousness, initial encounter | ICD-10-CM Diagnosis |
| S06.358D | Traumatic hemorrhage of left cerebrum with loss of consciousness of any duration with death due to other cause prior to regaining consciousness, subsequent encounter | ICD-10-CM Diagnosis |
| S06.359A | Traumatic hemorrhage of left cerebrum with loss of consciousness of unspecified duration, initial encounter | ICD-10-CM Diagnosis |
| S06.359D | Traumatic hemorrhage of left cerebrum with loss of consciousness of unspecified duration, subsequent encounter | ICD-10-CM Diagnosis |
| S06.36 | Traumatic hemorrhage of cerebrum, unspecified | ICD-10-CM Diagnosis |
| S06.360A | Traumatic hemorrhage of cerebrum, unspecified, without loss of consciousness, initial encounter | ICD-10-CM Diagnosis |
| S06.360D | Traumatic hemorrhage of cerebrum, unspecified, without loss of consciousness, subsequent encounter | ICD-10-CM Diagnosis |
| S06.361A | Traumatic hemorrhage of cerebrum, unspecified, with loss of consciousness of 30 minutes or less, initial encounter | ICD-10-CM Diagnosis |
| S06.361D | Traumatic hemorrhage of cerebrum, unspecified, with loss of consciousness of 30 minutes or less, subsequent encounter | ICD-10-CM Diagnosis |
| S06.362A | Traumatic hemorrhage of cerebrum, unspecified, with loss of consciousness of 31 | ICD-10-CM Diagnosis |
| S06.362D | Traumatic hemorrhage of cerebrum, unspecified, with loss of consciousness of 31 minutes to 59 minutes, subsequent encounter | ICD-10-CM Diagnosis |
| S06.363A | Traumatic hemorrhage of cerebrum, unspecified, with loss of consciousness of 1 hours to 5 hours 59 minutes, initial encounter | ICD-10-CM Diagnosis |

List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|---|---------------------|
| S06.363D | Traumatic hemorrhage of cerebrum, unspecified, with loss of consciousness of 1 hours to 5 hours 59 minutes, subsequent encounter | ICD-10-CM Diagnosis |
| S06.364A | Traumatic hemorrhage of cerebrum, unspecified, with loss of consciousness of 6 hours to 24 hours, initial encounter | ICD-10-CM Diagnosis |
| S06.364D | Traumatic hemorrhage of cerebrum, unspecified, with loss of consciousness of 6 hours to 24 hours, subsequent encounter | ICD-10-CM Diagnosis |
| S06.365A | Traumatic hemorrhage of cerebrum, unspecified, with loss of consciousness greater than 24 hours with return to pre-existing conscious level, initial encounter | ICD-10-CM Diagnosis |
| S06.365D | Traumatic hemorrhage of cerebrum, unspecified, with loss of consciousness greater than 24 hours with return to pre-existing conscious level, subsequent encounter | ICD-10-CM Diagnosis |
| S06.366A | Traumatic hemorrhage of cerebrum, unspecified, with loss of consciousness greater than 24 hours without return to pre-existing conscious level with patient surviving, | ICD-10-CM Diagnosis |
| S06.366D | Traumatic hemorrhage of cerebrum, unspecified, with loss of consciousness greater than 24 hours without return to pre-existing conscious level with patient surviving, | ICD-10-CM Diagnosis |
| S06.367A | Traumatic hemorrhage of cerebrum, unspecified, with loss of consciousness of any duration with death due to brain injury prior to regaining consciousness, initial | ICD-10-CM Diagnosis |
| S06.367D | Traumatic hemorrhage of cerebrum, unspecified, with loss of consciousness of any duration with death due to brain injury prior to regaining consciousness, subsequent encounter | ICD-10-CM Diagnosis |
| S06.368A | Traumatic hemorrhage of cerebrum, unspecified, with loss of consciousness of any duration with death due to other cause prior to regaining consciousness, initial encounter | ICD-10-CM Diagnosis |
| S06.368D | Traumatic hemorrhage of cerebrum, unspecified, with loss of consciousness of any duration with death due to other cause prior to regaining consciousness, subsequent encounter | ICD-10-CM Diagnosis |
| S06.369A | Traumatic hemorrhage of cerebrum, unspecified, with loss of consciousness of unspecified duration, initial encounter | ICD-10-CM Diagnosis |
| S06.369D | Traumatic hemorrhage of cerebrum, unspecified, with loss of consciousness of unspecified duration, subsequent encounter | ICD-10-CM Diagnosis |
| S06.4 | Epidural hemorrhage | ICD-10-CM Diagnosis |
| S06.4X0A | Epidural hemorrhage without loss of consciousness, initial encounter | ICD-10-CM Diagnosis |
| S06.4X0D | Epidural hemorrhage without loss of consciousness, subsequent encounter | ICD-10-CM Diagnosis |
| S06.4X1A | Epidural hemorrhage with loss of consciousness of 30 minutes or less, initial encounter | ICD-10-CM Diagnosis |
| S06.4X1D | Epidural hemorrhage with loss of consciousness of 30 minutes or less, subsequent encounter | ICD-10-CM Diagnosis |
| S06.4X2A | Epidural hemorrhage with loss of consciousness of 31 minutes to 59 minutes, initial | ICD-10-CM Diagnosis |
| S06.4X2D | Epidural hemorrhage with loss of consciousness of 31 minutes to 59 minutes, | ICD-10-CM Diagnosis |
| S06.4X3A | Epidural hemorrhage with loss of consciousness of 1 hour to 5 hours 59 minutes, | ICD-10-CM Diagnosis |
| S06.4X3D | Epidural hemorrhage with loss of consciousness of 1 hour to 5 hours 59 minutes, subsequent encounter | ICD-10-CM Diagnosis |

List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|--|---------------------|
| S06.4X4A | Epidural hemorrhage with loss of consciousness of 6 hours to 24 hours, initial encounter | ICD-10-CM Diagnosis |
| S06.4X4D | Epidural hemorrhage with loss of consciousness of 6 hours to 24 hours, subsequent encounter | ICD-10-CM Diagnosis |
| S06.4X5A | Epidural hemorrhage with loss of consciousness greater than 24 hours with return to pre-existing conscious level, initial encounter | ICD-10-CM Diagnosis |
| S06.4X5D | Epidural hemorrhage with loss of consciousness greater than 24 hours with return to pre-existing conscious level, subsequent encounter | ICD-10-CM Diagnosis |
| S06.4X6A | Epidural hemorrhage with loss of consciousness greater than 24 hours without return to pre-existing conscious level with patient surviving, initial encounter | ICD-10-CM Diagnosis |
| S06.4X6D | Epidural hemorrhage with loss of consciousness greater than 24 hours without return to pre-existing conscious level with patient surviving, subsequent encounter | ICD-10-CM Diagnosis |
| S06.4X7A | Epidural hemorrhage with loss of consciousness of any duration with death due to brain injury prior to regaining consciousness, initial encounter | ICD-10-CM Diagnosis |
| S06.4X7D | Epidural hemorrhage with loss of consciousness of any duration with death due to brain injury prior to regaining consciousness, subsequent encounter | ICD-10-CM Diagnosis |
| S06.4X8A | Epidural hemorrhage with loss of consciousness of any duration with death due to other causes prior to regaining consciousness, initial encounter | ICD-10-CM Diagnosis |
| S06.4X8D | Epidural hemorrhage with loss of consciousness of any duration with death due to other causes prior to regaining consciousness, subsequent encounter | ICD-10-CM Diagnosis |
| S06.4X9A | Epidural hemorrhage with loss of consciousness of unspecified duration, initial encounter | ICD-10-CM Diagnosis |
| S06.4X9D | Epidural hemorrhage with loss of consciousness of unspecified duration, subsequent encounter | ICD-10-CM Diagnosis |
| S06.5 | Traumatic subdural hemorrhage | ICD-10-CM Diagnosis |
| S06.5X0A | Traumatic subdural hemorrhage without loss of consciousness, initial encounter | ICD-10-CM Diagnosis |
| S06.5X0D | Traumatic subdural hemorrhage without loss of consciousness, subsequent encounter | ICD-10-CM Diagnosis |
| S06.5X1A | Traumatic subdural hemorrhage with loss of consciousness of 30 minutes or less, initial encounter | ICD-10-CM Diagnosis |
| S06.5X1D | Traumatic subdural hemorrhage with loss of consciousness of 30 minutes or less, subsequent encounter | ICD-10-CM Diagnosis |
| S06.5X2A | Traumatic subdural hemorrhage with loss of consciousness of 31 minutes to 59 minutes, initial encounter | ICD-10-CM Diagnosis |
| S06.5X2D | Traumatic subdural hemorrhage with loss of consciousness of 31 minutes to 59 minutes, subsequent encounter | ICD-10-CM Diagnosis |
| S06.5X3A | Traumatic subdural hemorrhage with loss of consciousness of 1 hour to 5 hours 59 minutes, initial encounter | ICD-10-CM Diagnosis |
| S06.5X3D | Traumatic subdural hemorrhage with loss of consciousness of 1 hour to 5 hours 59 minutes, subsequent encounter | ICD-10-CM Diagnosis |
| S06.5X4A | Traumatic subdural hemorrhage with loss of consciousness of 6 hours to 24 hours, initial encounter | ICD-10-CM Diagnosis |

List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|--|---------------------|
| S06.5X4D | Traumatic subdural hemorrhage with loss of consciousness of 6 hours to 24 hours, subsequent encounter | ICD-10-CM Diagnosis |
| S06.5X5A | Traumatic subdural hemorrhage with loss of consciousness greater than 24 hours with return to pre-existing conscious level, initial encounter | ICD-10-CM Diagnosis |
| S06.5X5D | Traumatic subdural hemorrhage with loss of consciousness greater than 24 hours with return to pre-existing conscious level, subsequent encounter | ICD-10-CM Diagnosis |
| S06.5X6A | Traumatic subdural hemorrhage with loss of consciousness greater than 24 hours without return to pre-existing conscious level with patient surviving, initial | ICD-10-CM Diagnosis |
| S06.5X6D | Traumatic subdural hemorrhage with loss of consciousness greater than 24 hours without return to pre-existing conscious level with patient surviving, subsequent | ICD-10-CM Diagnosis |
| S06.5X7A | Traumatic subdural hemorrhage with loss of consciousness of any duration with death due to brain injury before regaining consciousness, initial encounter | ICD-10-CM Diagnosis |
| S06.5X7D | Traumatic subdural hemorrhage with loss of consciousness of any duration with death due to brain injury before regaining consciousness, subsequent encounter | ICD-10-CM Diagnosis |
| S06.5X8A | Traumatic subdural hemorrhage with loss of consciousness of any duration with death due to other cause before regaining consciousness, initial encounter | ICD-10-CM Diagnosis |
| S06.5X8D | Traumatic subdural hemorrhage with loss of consciousness of any duration with death due to other cause before regaining consciousness, subsequent encounter | ICD-10-CM Diagnosis |
| S06.5X9A | Traumatic subdural hemorrhage with loss of consciousness of unspecified duration, initial encounter | ICD-10-CM Diagnosis |
| S06.5X9D | Traumatic subdural hemorrhage with loss of consciousness of unspecified duration, subsequent encounter | ICD-10-CM Diagnosis |
| S06.6 | Traumatic subarachnoid hemorrhage | ICD-10-CM Diagnosis |
| S06.6X0A | Traumatic subarachnoid hemorrhage without loss of consciousness, initial encounter | ICD-10-CM Diagnosis |
| S06.6X0D | Traumatic subarachnoid hemorrhage without loss of consciousness, subsequent encounter | ICD-10-CM Diagnosis |
| S06.6X1A | Traumatic subarachnoid hemorrhage with loss of consciousness of 30 minutes or less, initial encounter | ICD-10-CM Diagnosis |
| S06.6X1D | Traumatic subarachnoid hemorrhage with loss of consciousness of 30 minutes or less, subsequent encounter | ICD-10-CM Diagnosis |
| S06.6X2A | Traumatic subarachnoid hemorrhage with loss of consciousness of 31 minutes to 59 | ICD-10-CM Diagnosis |
| S06.6X2D | Traumatic subarachnoid hemorrhage with loss of consciousness of 31 minutes to 59 minutes, subsequent encounter | ICD-10-CM Diagnosis |
| S06.6X3A | Traumatic subarachnoid hemorrhage with loss of consciousness of 1 hour to 5 hours 59 minutes, initial encounter | ICD-10-CM Diagnosis |
| S06.6X3D | Traumatic subarachnoid hemorrhage with loss of consciousness of 1 hour to 5 hours 59 minutes, subsequent encounter | ICD-10-CM Diagnosis |
| S06.6X4A | Traumatic subarachnoid hemorrhage with loss of consciousness of 6 hours to 24 hours, initial encounter | ICD-10-CM Diagnosis |

List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|--|---------------------|
| S06.6X4D | Traumatic subarachnoid hemorrhage with loss of consciousness of 6 hours to 24 hours, subsequent encounter | ICD-10-CM Diagnosis |
| S06.6X5A | Traumatic subarachnoid hemorrhage with loss of consciousness greater than 24 hours with return to pre-existing conscious level, initial encounter | ICD-10-CM Diagnosis |
| S06.6X5D | Traumatic subarachnoid hemorrhage with loss of consciousness greater than 24 hours with return to pre-existing conscious level, subsequent encounter | ICD-10-CM Diagnosis |
| S06.6X6A | Traumatic subarachnoid hemorrhage with loss of consciousness greater than 24 hours without return to pre-existing conscious level with patient surviving, initial | ICD-10-CM Diagnosis |
| S06.6X6D | Traumatic subarachnoid hemorrhage with loss of consciousness greater than 24 hours without return to pre-existing conscious level with patient surviving, | ICD-10-CM Diagnosis |
| S06.6X7A | Traumatic subarachnoid hemorrhage with loss of consciousness of any duration with death due to brain injury prior to regaining consciousness, initial encounter | ICD-10-CM Diagnosis |
| S06.6X7D | Traumatic subarachnoid hemorrhage with loss of consciousness of any duration with death due to brain injury prior to regaining consciousness, subsequent encounter | ICD-10-CM Diagnosis |
| S06.6X8A | Traumatic subarachnoid hemorrhage with loss of consciousness of any duration with death due to other cause prior to regaining consciousness, initial encounter | ICD-10-CM Diagnosis |
| S06.6X8D | Traumatic subarachnoid hemorrhage with loss of consciousness of any duration with death due to other cause prior to regaining consciousness, subsequent encounter | ICD-10-CM Diagnosis |
| S06.6X9A | Traumatic subarachnoid hemorrhage with loss of consciousness of unspecified duration, initial encounter | ICD-10-CM Diagnosis |
| S06.6X9D | Traumatic subarachnoid hemorrhage with loss of consciousness of unspecified duration, subsequent encounter | ICD-10-CM Diagnosis |
| 169.00 | Unspecified sequelae of nontraumatic subarachnoid hemorrhage | ICD-10-CM Diagnosis |
| 169.010 | Attention and concentration deficit following nontraumatic subarachnoid hemorrhage | ICD-10-CM Diagnosis |
| 169.011 | Memory deficit following nontraumatic subarachnoid hemorrhage | ICD-10-CM Diagnosis |
| 169.012 | Visuospatial deficit and spatial neglect following nontraumatic subarachnoid hemorrhage | ICD-10-CM Diagnosis |
| 169.013 | Psychomotor deficit following nontraumatic subarachnoid hemorrhage | ICD-10-CM Diagnosis |
| 169.014 | Frontal lobe and executive function deficit following nontraumatic subarachnoid | ICD-10-CM Diagnosis |
| 169.015 | Cognitive social or emotional deficit following nontraumatic subarachnoid hemorrhage | ICD-10-CM Diagnosis |
| 169.018 | Other symptoms and signs involving cognitive functions following nontraumatic | ICD-10-CM Diagnosis |
| 169.019 | Unspecified symptoms and signs involving cognitive functions following nontraumatic subarachnoid hemorrhage | ICD-10-CM Diagnosis |
| 169.020 | Aphasia following nontraumatic subarachnoid hemorrhage | ICD-10-CM Diagnosis |
| 169.021 | Dysphasia following nontraumatic subarachnoid hemorrhage | ICD-10-CM Diagnosis |
| 169.022 | Dysarthria following nontraumatic subarachnoid hemorrhage | ICD-10-CM Diagnosis |
| 169.023 | Fluency disorder following nontraumatic subarachnoid hemorrhage | ICD-10-CM Diagnosis |

List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|---|---------------------|
| 169.028 | Other speech and language deficits following nontraumatic subarachnoid hemorrhage | ICD-10-CM Diagnosis |
| 169.031 | Monoplegia of upper limb following nontraumatic subarachnoid hemorrhage | ICD-10-CM Diagnosis |
| 169.032 | Monoplegia of upper limb following nontraumatic subarachnoid hemorrhage | ICD-10-CM Diagnosis |
| 169.033 | Monoplegia of upper limb following nontraumatic subarachnoid hemorrhage | ICD-10-CM Diagnosis |
| 169.034 | Monoplegia of upper limb following nontraumatic subarachnoid hemorrhage | ICD-10-CM Diagnosis |
| 169.039 | Monoplegia of upper limb following nontraumatic subarachnoid hemorrhage affecting unspecified side | ICD-10-CM Diagnosis |
| 169.041 | Monoplegia of lower limb following nontraumatic subarachnoid hemorrhage affecting right dominant side | ICD-10-CM Diagnosis |
| 169.042 | Monoplegia of lower limb following nontraumatic subarachnoid hemorrhage affecting left dominant side | ICD-10-CM Diagnosis |
| 169.043 | Monoplegia of lower limb following nontraumatic subarachnoid hemorrhage affecting right non-dominant side | ICD-10-CM Diagnosis |
| 169.044 | Monoplegia of lower limb following nontraumatic subarachnoid hemorrhage affecting left non-dominant side | ICD-10-CM Diagnosis |
| 169.049 | Monoplegia of lower limb following nontraumatic subarachnoid hemorrhage affecting unspecified side | ICD-10-CM Diagnosis |
| 169.051 | Hemiplegia and hemiparesis following nontraumatic subarachnoid hemorrhage affecting right dominant side | ICD-10-CM Diagnosis |
| 169.052 | Hemiplegia and hemiparesis following nontraumatic subarachnoid hemorrhage affecting left dominant side | ICD-10-CM Diagnosis |
| 169.053 | Hemiplegia and hemiparesis following nontraumatic subarachnoid hemorrhage affecting right non-dominant side | ICD-10-CM Diagnosis |
| 169.054 | Hemiplegia and hemiparesis following nontraumatic subarachnoid hemorrhage affecting left non-dominant side | ICD-10-CM Diagnosis |
| 169.059 | Hemiplegia and hemiparesis following nontraumatic subarachnoid hemorrhage affecting unspecified side | ICD-10-CM Diagnosis |
| 169.061 | Other paralytic syndrome following nontraumatic subarachnoid hemorrhage affecting right dominant side | ICD-10-CM Diagnosis |
| 169.062 | Other paralytic syndrome following nontraumatic subarachnoid hemorrhage affecting left dominant side | ICD-10-CM Diagnosis |
| 169.063 | Other paralytic syndrome following nontraumatic subarachnoid hemorrhage affecting right non-dominant side | ICD-10-CM Diagnosis |
| 169.064 | Other paralytic syndrome following nontraumatic subarachnoid hemorrhage affecting left non-dominant side | ICD-10-CM Diagnosis |
| 169.065 | Other paralytic syndrome following nontraumatic subarachnoid hemorrhage, bilateral | ICD-10-CM Diagnosis |
| 169.069 | Other paralytic syndrome following nontraumatic subarachnoid hemorrhage affecting unspecified side | ICD-10-CM Diagnosis |
| 169.090 | Apraxia following nontraumatic subarachnoid hemorrhage | ICD-10-CM Diagnosis |
| 169.091 | Dysphagia following nontraumatic subarachnoid hemorrhage | ICD-10-CM Diagnosis |

List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|--|---------------------|
| I69.092 | Facial weakness following nontraumatic subarachnoid hemorrhage | ICD-10-CM Diagnosis |
| I69.093 | Ataxia following nontraumatic subarachnoid hemorrhage | ICD-10-CM Diagnosis |
| I69.098 | Other sequelae following nontraumatic subarachnoid hemorrhage | ICD-10-CM Diagnosis |
| I69.10 | Unspecified sequelae of nontraumatic intracerebral hemorrhage | ICD-10-CM Diagnosis |
| I69.110 | Attention and concentration deficit following nontraumatic intracerebral | ICD-10-CM Diagnosis |
| I69.111 | Memory deficit following nontraumatic intracerebral hemorrhage | ICD-10-CM Diagnosis |
| I69.112 | Visuospatial deficit and spatial neglect following nontraumatic intracerebral | ICD-10-CM Diagnosis |
| I69.113 | Psychomotor deficit following nontraumatic intracerebral hemorrhage | ICD-10-CM Diagnosis |
| I69.114 | Frontal lobe and executive function deficit following nontraumatic intracerebral | ICD-10-CM Diagnosis |
| I69.115 | Cognitive social or emotional deficit following nontraumatic intracerebral hemorrhage | ICD-10-CM Diagnosis |
| I69.118 | Other symptoms and signs involving cognitive functions following nontraumatic | ICD-10-CM Diagnosis |
| I69.119 | Unspecified symptoms and signs involving cognitive functions following nontraumatic intracerebral hemorrhage | ICD-10-CM Diagnosis |
| I69.120 | Aphasia following nontraumatic intracerebral hemorrhage | ICD-10-CM Diagnosis |
| I69.121 | Dysphasia following nontraumatic intracerebral hemorrhage | ICD-10-CM Diagnosis |
| I69.122 | Dysarthria following nontraumatic intracerebral hemorrhage | ICD-10-CM Diagnosis |
| I69.123 | Fluency disorder following nontraumatic intracerebral hemorrhage | ICD-10-CM Diagnosis |
| I69.128 | Other speech and language deficits following nontraumatic intracerebral hemorrhage | ICD-10-CM Diagnosis |
| I69.131 | Monoplegia of upper limb following nontraumatic intracerebral hemorrhage | ICD-10-CM Diagnosis |
| I69.132 | Monoplegia of upper limb following nontraumatic intracerebral hemorrhage | ICD-10-CM Diagnosis |
| I69.133 | Monoplegia of upper limb following nontraumatic intracerebral hemorrhage | ICD-10-CM Diagnosis |
| I69.134 | Monoplegia of upper limb following nontraumatic intracerebral hemorrhage | ICD-10-CM Diagnosis |
| I69.139 | Monoplegia of upper limb following nontraumatic intracerebral hemorrhage affecting unspecified side | ICD-10-CM Diagnosis |
| I69.141 | Monoplegia of lower limb following nontraumatic intracerebral hemorrhage affecting right dominant side | ICD-10-CM Diagnosis |
| I69.142 | Monoplegia of lower limb following nontraumatic intracerebral hemorrhage affecting left dominant side | ICD-10-CM Diagnosis |
| I69.143 | Monoplegia of lower limb following nontraumatic intracerebral hemorrhage affecting right non-dominant side | ICD-10-CM Diagnosis |
| I69.144 | Monoplegia of lower limb following nontraumatic intracerebral hemorrhage affecting left non-dominant side | ICD-10-CM Diagnosis |
| I69.149 | Monoplegia of lower limb following nontraumatic intracerebral hemorrhage affecting unspecified side | ICD-10-CM Diagnosis |
| I69.151 | Hemiplegia and hemiparesis following nontraumatic intracerebral hemorrhage affecting right dominant side | ICD-10-CM Diagnosis |
| I69.152 | Hemiplegia and hemiparesis following nontraumatic intracerebral hemorrhage affecting left dominant side | ICD-10-CM Diagnosis |

List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|---|---------------------|
| 169.153 | Hemiplegia and hemiparesis following nontraumatic intracerebral hemorrhage affecting right non-dominant side | ICD-10-CM Diagnosis |
| 169.154 | Hemiplegia and hemiparesis following nontraumatic intracerebral hemorrhage affecting left non-dominant side | ICD-10-CM Diagnosis |
| 169.159 | Hemiplegia and hemiparesis following nontraumatic intracerebral hemorrhage affecting unspecified side | ICD-10-CM Diagnosis |
| 169.161 | Other paralytic syndrome following nontraumatic intracerebral hemorrhage affecting right dominant side | ICD-10-CM Diagnosis |
| 169.162 | Other paralytic syndrome following nontraumatic intracerebral hemorrhage affecting left dominant side | ICD-10-CM Diagnosis |
| 169.163 | Other paralytic syndrome following nontraumatic intracerebral hemorrhage affecting right non-dominant side | ICD-10-CM Diagnosis |
| 169.164 | Other paralytic syndrome following nontraumatic intracerebral hemorrhage affecting left non-dominant side | ICD-10-CM Diagnosis |
| 169.165 | Other paralytic syndrome following nontraumatic intracerebral hemorrhage, bilateral | ICD-10-CM Diagnosis |
| 169.169 | Other paralytic syndrome following nontraumatic intracerebral hemorrhage affecting unspecified side | ICD-10-CM Diagnosis |
| 169.190 | Apraxia following nontraumatic intracerebral hemorrhage | ICD-10-CM Diagnosis |
| 169.191 | Dysphagia following nontraumatic intracerebral hemorrhage | ICD-10-CM Diagnosis |
| 169.192 | Facial weakness following nontraumatic intracerebral hemorrhage | ICD-10-CM Diagnosis |
| 169.193 | Ataxia following nontraumatic intracerebral hemorrhage | ICD-10-CM Diagnosis |
| 169.198 | Other sequelae of nontraumatic intracerebral hemorrhage | ICD-10-CM Diagnosis |
| 169.20 | Unspecified sequelae of other nontraumatic intracranial hemorrhage | ICD-10-CM Diagnosis |
| 169.210 | Attention and concentration deficit following other nontraumatic intracranial | ICD-10-CM Diagnosis |
| 169.211 | Memory deficit following other nontraumatic intracranial hemorrhage | ICD-10-CM Diagnosis |
| 169.212 | Visuospatial deficit and spatial neglect following other nontraumatic intracranial | ICD-10-CM Diagnosis |
| 169.213 | Psychomotor deficit following other nontraumatic intracranial hemorrhage | ICD-10-CM Diagnosis |
| 169.214 | Frontal lobe and executive function deficit following other nontraumatic intracranial | ICD-10-CM Diagnosis |
| 169.215 | Cognitive social or emotional deficit following other nontraumatic intracranial hemorrhage | ICD-10-CM Diagnosis |
| 169.218 | Other symptoms and signs involving cognitive functions following other | ICD-10-CM Diagnosis |
| 169.219 | Unspecified symptoms and signs involving cognitive functions following other nontraumatic intracranial hemorrhage | ICD-10-CM Diagnosis |
| 169.220 | Aphasia following other nontraumatic intracranial hemorrhage | ICD-10-CM Diagnosis |
| 169.221 | Dysphasia following other nontraumatic intracranial hemorrhage | ICD-10-CM Diagnosis |
| 169.222 | Dysarthria following other nontraumatic intracranial hemorrhage | ICD-10-CM Diagnosis |
| 169.223 | Fluency disorder following other nontraumatic intracranial hemorrhage | ICD-10-CM Diagnosis |
| 169.228 | Other speech and language deficits following other nontraumatic intracranial hemorrhage | ICD-10-CM Diagnosis |
| 169.231 | Monoplegia of upper limb following other nontraumatic intracranial hemorrhage | ICD-10-CM Diagnosis |

List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|---|---------------------|
| 169.232 | Monoplegia of upper limb following other nontraumatic intracranial hemorrhage | ICD-10-CM Diagnosis |
| 169.233 | Monoplegia of upper limb following other nontraumatic intracranial hemorrhage | ICD-10-CM Diagnosis |
| 169.234 | Monoplegia of upper limb following other nontraumatic intracranial hemorrhage | ICD-10-CM Diagnosis |
| 169.239 | Monoplegia of upper limb following other nontraumatic intracranial hemorrhage affecting unspecified side | ICD-10-CM Diagnosis |
| 169.241 | Monoplegia of lower limb following other nontraumatic intracranial hemorrhage affecting right dominant side | ICD-10-CM Diagnosis |
| 169.242 | Monoplegia of lower limb following other nontraumatic intracranial hemorrhage affecting left dominant side | ICD-10-CM Diagnosis |
| 169.243 | Monoplegia of lower limb following other nontraumatic intracranial hemorrhage affecting right non-dominant side | ICD-10-CM Diagnosis |
| 169.244 | Monoplegia of lower limb following other nontraumatic intracranial hemorrhage affecting left non-dominant side | ICD-10-CM Diagnosis |
| 169.249 | Monoplegia of lower limb following other nontraumatic intracranial hemorrhage affecting unspecified side | ICD-10-CM Diagnosis |
| 169.251 | Hemiplegia and hemiparesis following other nontraumatic intracranial hemorrhage affecting right dominant side | ICD-10-CM Diagnosis |
| 169.252 | Hemiplegia and hemiparesis following other nontraumatic intracranial hemorrhage affecting left dominant side | ICD-10-CM Diagnosis |
| 169.253 | Hemiplegia and hemiparesis following other nontraumatic intracranial hemorrhage affecting right non-dominant side | ICD-10-CM Diagnosis |
| 169.254 | Hemiplegia and hemiparesis following other nontraumatic intracranial hemorrhage affecting left non-dominant side | ICD-10-CM Diagnosis |
| 169.259 | Hemiplegia and hemiparesis following other nontraumatic intracranial hemorrhage affecting unspecified side | ICD-10-CM Diagnosis |
| 169.261 | Other paralytic syndrome following other nontraumatic intracranial hemorrhage affecting right dominant side | ICD-10-CM Diagnosis |
| 169.262 | Other paralytic syndrome following other nontraumatic intracranial hemorrhage affecting left dominant side | ICD-10-CM Diagnosis |
| 169.263 | Other paralytic syndrome following other nontraumatic intracranial hemorrhage affecting right non-dominant side | ICD-10-CM Diagnosis |
| 169.264 | Other paralytic syndrome following other nontraumatic intracranial hemorrhage affecting left non-dominant side | ICD-10-CM Diagnosis |
| 169.265 | Other paralytic syndrome following other nontraumatic intracranial hemorrhage, bilateral | ICD-10-CM Diagnosis |
| 169.269 | Other paralytic syndrome following other nontraumatic intracranial hemorrhage affecting unspecified side | ICD-10-CM Diagnosis |
| 169.290 | Apraxia following other nontraumatic intracranial hemorrhage | ICD-10-CM Diagnosis |
| 169.291 | Dysphagia following other nontraumatic intracranial hemorrhage | ICD-10-CM Diagnosis |
| 169.292 | Facial weakness following other nontraumatic intracranial hemorrhage | ICD-10-CM Diagnosis |
| 169.293 | Ataxia following other nontraumatic intracranial hemorrhage | ICD-10-CM Diagnosis |
| 169.298 | Other sequelae of other nontraumatic intracranial hemorrhage | ICD-10-CM Diagnosis |

List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|--|--------------------|
| 430 | Subarachnoid hemorrhage | ICD-9-CM Diagnosis |
| 431 | Intracerebral hemorrhage | ICD-9-CM Diagnosis |
| 432 | Other and unspecified intracranial hemorrhage | ICD-9-CM Diagnosis |
| 432.0 | Nontraumatic extradural hemorrhage | ICD-9-CM Diagnosis |
| 432.1 | Subdural hemorrhage | ICD-9-CM Diagnosis |
| 432.9 | Unspecified intracranial hemorrhage | ICD-9-CM Diagnosis |
| 852.0 | Subarachnoid hemorrhage following injury without mention of open intracranial | ICD-9-CM Diagnosis |
| 852.2 | Subdural hemorrhage following injury without mention of open intracranial wound | ICD-9-CM Diagnosis |
| 852.4 | Extradural hemorrhage following injury without mention of open intracranial wound | ICD-9-CM Diagnosis |
| 853.0 | Other and unspecified intracranial hemorrhage following injury, without mention of | ICD-9-CM Diagnosis |
| 852.00 | Subarachnoid hemorrhage following injury, without mention of open intracranial | ICD-9-CM Diagnosis |
| 852.01 | Subarachnoid hemorrhage following injury, without mention of open intracranial | ICD-9-CM Diagnosis |
| 852.02 | Subarachnoid hemorrhage following injury, without mention of open intracranial | ICD-9-CM Diagnosis |
| 852.03 | Subarachnoid hemorrhage following injury, without mention of open intracranial | ICD-9-CM Diagnosis |
| 852.04 | Subarachnoid hemorrhage following injury, without mention of open intracranial | ICD-9-CM Diagnosis |
| 852.05 | Subarachnoid hemorrhage following injury, without mention of open intracranial | ICD-9-CM Diagnosis |
| 852.06 | Subarachnoid hemorrhage following injury, without mention of open intracranial | ICD-9-CM Diagnosis |
| 852.09 | Subarachnoid hemorrhage following injury, without mention of open intracranial | ICD-9-CM Diagnosis |
| | wound, unspecified concussion | |
| 852.20 | Subdural hemorrhage following injury, without mention of open intracranial wound, ICD-9-CM Diagnosis | |
| | unspecified state of consciousness | |
| 852.21 | Subdural hemorrhage following injury, without mention of open intracranial wound, ICD-9-CM Diagnosis | |
| | no loss of consciousness | |
| 852.22 | Subdural hemorrhage following injury, without mention of open intracranial wound, ICD-9-CM Diagnosis | |
| | brief (less than one hour) loss of consciousness | |
| 852.23 | Subdural hemorrhage following injury, without mention of open intracranial wound, ICD-9-CM Diagnosis | |
| | moderate (1-24 hours) loss of consciousness | |
| 852.24 | Subdural hemorrhage following injury, without mention of open intracranial wound, ICD-9-CM Diagnosis | |
| | prolonged (more than 24 hours) loss of consciousness and return to pre-existing | |
| 852.25 | Subdural hemorrhage following injury, without mention of open intracranial wound, ICD-9-CM Diagnosis | |
| | prolonged (more than 24 hours) loss of consciousness, without return to pre-existing | |
| 852.26 | Subdural hemorrhage following injury, without mention of open intracranial wound, ICD-9-CM Diagnosis | |
| | loss of consciousness of unspecified duration | |
| 852.29 | Subdural hemorrhage following injury, without mention of open intracranial wound, ICD-9-CM Diagnosis | |
| | unspecified concussion | |
| 852.40 | Extradural hemorrhage following injury, without mention of open intracranial ICD-9-CM Diagnosis | |
| | wound, unspecified state of consciousness | |
| 852.41 | Extradural hemorrhage following injury, without mention of open intracranial ICD-9-CM Diagnosis | |
| | wound, no loss of consciousness | |
| 852.42 | Extradural hemorrhage following injury, without mention of open intracranial ICD-9-CM Diagnosis | |
| | wound, brief (less than 1 hour) loss of consciousness | |

List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|---|---|--------------------|
| 852.43 | Extradural hemorrhage following injury, without mention of open intracranial wound, moderate (1-24 hours) loss of consciousness | ICD-9-CM Diagnosis |
| 852.44 | Extradural hemorrhage following injury, without mention of open intracranial wound, prolonged (more than 24 hours) loss of consciousness and return to pre-existing conscious level | ICD-9-CM Diagnosis |
| 852.45 | Extradural hemorrhage following injury, without mention of open intracranial wound, prolonged (more than 24 hours) loss of consciousness, without return to pre- | ICD-9-CM Diagnosis |
| 852.46 | Extradural hemorrhage following injury, without mention of open intracranial wound, loss of consciousness of unspecified duration | ICD-9-CM Diagnosis |
| 852.49 | Extradural hemorrhage following injury, without mention of open intracranial wound, unspecified concussion | ICD-9-CM Diagnosis |
| 853.00 | Other and unspecified intracranial hemorrhage following injury, without mention of open intracranial wound, unspecified state of consciousness | ICD-9-CM Diagnosis |
| 853.01 | Other and unspecified intracranial hemorrhage following injury, without mention of open intracranial wound, no loss of consciousness | ICD-9-CM Diagnosis |
| 853.02 | Other and unspecified intracranial hemorrhage following injury, without mention of open intracranial wound, brief (less than 1 hour) loss of consciousness | ICD-9-CM Diagnosis |
| 853.03 | Other and unspecified intracranial hemorrhage following injury, without mention of open intracranial wound, moderate (1-24 hours) loss of consciousness | ICD-9-CM Diagnosis |
| 853.04 | Other and unspecified intracranial hemorrhage following injury, without mention of open intracranial wound, prolonged (more than 24 hours) loss of consciousness and return to preexisting conscious level | ICD-9-CM Diagnosis |
| 853.05 | Other and unspecified intracranial hemorrhage following injury. Without mention of open intracranial wound, prolonged (more than 24 hours) loss of consciousness, | ICD-9-CM Diagnosis |
| 853.06 | Other and unspecified intracranial hemorrhage following injury, without mention of open intracranial wound, loss of consciousness of unspecified duration | ICD-9-CM Diagnosis |
| 853.09 | Other and unspecified intracranial hemorrhage following injury, without mention of open intracranial wound, unspecified concussion | ICD-9-CM Diagnosis |
| International Normalized Ratio | | |
| 3555F | Patient had International Normalized Ratio (INR) measurement performed (AFIB) | CPT-2 Procedure |
| 85610 | PROTHROMBIN TIME | CPT-4 Procedure |
| International Normalized Ratio (Other) | | |
| 99363 | Anticoagulant management for an outpatient taking warfarin, physician review and interpretation of International Normalized Ratio (INR) testing, patient instructions, dosage adjustment (as needed), and ordering of additional tests; initial 90 days of therapy (must include a minimum of 8 INR measurements) | CPT-4 Procedure |

List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|---|------------------|
| 99364 | Anticoagulant management for an outpatient taking warfarin, physician review and interpretation of International Normalized Ratio (INR) testing, patient instructions, dosage adjustment (as needed), and ordering of additional tests; each subsequent 90 days of therapy (must include a minimum of 3 INR measurements) | CPT-4 Procedure |
| G0248 | Demonstration, prior to initiation of home INR monitoring, for patient with either mechanical heart valve(s), chronic atrial fibrillation, or venous thromboembolism who meets Medicare coverage criteria, under the direction of a physician; includes: face-to-face demonstration of use and care of the INR monitor, o | HCPCS Procedure |
| G0249 | Provision of test materials and equipment for home INR monitoring of patient with either mechanical heart valve(s), chronic atrial fibrillation, or venous thromboembolism who meets Medicare coverage criteria; includes: provision of materials for use in the home and reporting of test results to physician; testing | HCPCS Procedure |
| G0250 | Physician review, interpretation, and patient management of home INR testing for patient with either mechanical heart valve(s), chronic atrial fibrillation, or venous thromboembolism who meets Medicare coverage criteria; testing not occurring more frequently than once a week; billing units of service include 4 t | HCPCS Procedure |

| Kidney Disease | | |
|------------------------------|--|---------------------|
| N18.4 | Chronic kidney disease, stage 4 (severe) | ICD-10-CM Diagnosis |
| N18.5 | Chronic kidney disease, stage 5 | ICD-10-CM Diagnosis |
| N18.6 | End stage renal disease | ICD-10-CM Diagnosis |
| Z94.0 | Kidney transplant status | ICD-10-CM Diagnosis |
| Z99.2 | Dependence on renal dialysis | ICD-10-CM Diagnosis |
| Z49.02 | Encounter for fitting and adjustment of peritoneal dialysis catheter | ICD-10-CM Diagnosis |
| Z49.31 | Encounter for adequacy testing for hemodialysis | ICD-10-CM Diagnosis |
| Z49.32 | Encounter for adequacy testing for peritoneal dialysis | ICD-10-CM Diagnosis |
| 5854 | Chronic kidney disease, Stage IV (severe) | ICD-9-CM Diagnosis |
| 5855 | Chronic kidney disease, Stage V | ICD-9-CM Diagnosis |
| 585.6 | End stage renal disease | ICD-9-CM Diagnosis |
| V42.0 | Kidney replaced by transplant | ICD-9-CM Diagnosis |
| V4511 | Renal dialysis status | ICD-9-CM Diagnosis |
| V56.2 | Fitting and adjustment of peritoneal dialysis catheter | ICD-9-CM Diagnosis |
| V56.31 | Encounter for adequacy testing for hemodialysis | ICD-9-CM Diagnosis |
| V56.8 | Encounter other dialysis | ICD-9-CM Diagnosis |
| Myocardial Infarction | | |
| I21.01 | ST elevation (STEMI) myocardial infarction involving left main coronary artery | ICD-10-CM Diagnosis |
| I21.02 | ST elevation (STEMI) myocardial infarction involving left anterior descending coronary a | ICD-10-CM Diagnosis |

List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|--|---------------------|
| I21.09 | ST elevation (STEMI) myocardial infarction involving other coronary artery of anterior w | ICD-10-CM Diagnosis |
| I21.11 | ST elevation (STEMI) myocardial infarction involving right coronary artery | ICD-10-CM Diagnosis |
| I21.19 | ST elevation (STEMI) myocardial infarction involving other coronary artery of inferior w | ICD-10-CM Diagnosis |
| I21.21 | ST elevation (STEMI) myocardial infarction involving left circumflex coronary artery | ICD-10-CM Diagnosis |
| I21.29 | ST elevation (STEMI) myocardial infarction involving other sites | ICD-10-CM Diagnosis |
| I21.3 | ST elevation (STEMI) myocardial infarction of unspecified site | ICD-10-CM Diagnosis |
| I21.4 | Non-ST elevation (NSTEMI) myocardial infarction | ICD-10-CM Diagnosis |
| I22.0 | Subsequent ST elevation (STEMI) myocardial infarction of anterior wall | ICD-10-CM Diagnosis |
| I22.1 | Subsequent ST elevation (STEMI) myocardial infarction of inferior wall | ICD-10-CM Diagnosis |
| I22.2 | Subsequent non-ST elevation (NSTEMI) myocardial infarction | ICD-10-CM Diagnosis |
| I22.8 | Subsequent ST elevation (STEMI) myocardial infarction of other sites | ICD-10-CM Diagnosis |
| I22.9 | Subsequent ST elevation (STEMI) myocardial infarction of unspecified site | ICD-10-CM Diagnosis |
| 410.00 | Acute myocardial infarction of anterolateral wall, episode of care unspecified | ICD-9-CM Diagnosis |
| 410.01 | Acute myocardial infarction of anterolateral wall, initial episode of care | ICD-9-CM Diagnosis |
| 410.10 | Acute myocardial infarction of other anterior wall, episode of care unspecified | ICD-9-CM Diagnosis |
| 410.11 | Acute myocardial infarction of other anterior wall, initial episode of care | ICD-9-CM Diagnosis |
| 410.20 | Acute myocardial infarction of inferolateral wall, episode of care unspecified | ICD-9-CM Diagnosis |
| 410.21 | Acute myocardial infarction of inferolateral wall, initial episode of care | ICD-9-CM Diagnosis |
| 410.30 | Acute myocardial infarction of inferoposterior wall, episode of care unspecified | ICD-9-CM Diagnosis |
| 410.31 | Acute myocardial infarction of inferoposterior wall, initial episode of care | ICD-9-CM Diagnosis |
| 410.40 | Acute myocardial infarction of other inferior wall, episode of care unspecified | ICD-9-CM Diagnosis |
| 410.41 | Acute myocardial infarction of other inferior wall, initial episode of care | ICD-9-CM Diagnosis |
| 410.50 | Acute myocardial infarction of other lateral wall, episode of care unspecified | ICD-9-CM Diagnosis |
| 410.51 | Acute myocardial infarction of other lateral wall, initial episode of care | ICD-9-CM Diagnosis |
| 410.60 | Acute myocardial infarction, true posterior wall infarction, episode of care unspecified | ICD-9-CM Diagnosis |
| 410.61 | Acute myocardial infarction, true posterior wall infarction, initial episode of care | ICD-9-CM Diagnosis |
| 410.70 | Acute myocardial infarction, subendocardial infarction, episode of care unspecified | ICD-9-CM Diagnosis |
| 410.71 | Acute myocardial infarction, subendocardial infarction, initial episode of care | ICD-9-CM Diagnosis |
| 410.80 | Acute myocardial infarction of other specified sites, episode of care unspecified | ICD-9-CM Diagnosis |
| 410.81 | Acute myocardial infarction of other specified sites, initial episode of care | ICD-9-CM Diagnosis |
| 410.90 | Acute myocardial infarction, unspecified site, episode of care unspecified | ICD-9-CM Diagnosis |
| 410.91 | Acute myocardial infarction, unspecified site, initial episode of care | ICD-9-CM Diagnosis |

Mechanical Prosthetic Valve

List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|---|---------------------|
| 33405 | Replacement, aortic valve, with cardiopulmonary bypass; with prosthetic valve other than homograft or stentless valve | CPT-4 Procedure |
| 33411 | Replacement, aortic valve; with aortic annulus enlargement, noncoronary sinus | CPT-4 Procedure |
| 33412 | Replacement, aortic valve; with transventricular aortic annulus enlargement (Konno procedure) | CPT-4 Procedure |
| 33430 | Replacement, mitral valve, with cardiopulmonary bypass | CPT-4 Procedure |
| 33465 | Replacement, tricuspid valve, with cardiopulmonary bypass | CPT-4 Procedure |
| 33475 | Replacement, pulmonary valve | CPT-4 Procedure |
| 33480 | Replacement And/or Repair, Double Valve Procedure, By Methods 33400-33465 | CPT-4 Procedure |
| 33481 | Single Valve Replacement; With Commissurotomy Or Valvuloplasty Of Another Valve | CPT-4 Procedure |
| 33482 | Single Valve Replacement; With Commissurotomy Or Valvuloplasty Of Two Valves | CPT-4 Procedure |
| 33483 | Double Valve Replacement; | CPT-4 Procedure |
| 33485 | Double Valve Replacement; With Commissurotomy Or Valvuloplasty Of One Valve | CPT-4 Procedure |
| 33490 | Replacement And/or Repair, Triple Valve Procedure, By Methods 33400-33465 | CPT-4 Procedure |
| 33492 | Triple Valve Replacement | CPT-4 Procedure |
| 33496 | Repair of non-structural prosthetic valve dysfunction with cardiopulmonary bypass (separate procedure) | CPT-4 Procedure |
| 33530 | Reoperation, coronary artery bypass procedure or valve procedure, more than 1 month after original operation (List separate | CPT-4 Procedure |
| 33863 | Ascending aorta graft, with cardiopulmonary bypass, with aortic root replacement using valved conduit and coronary reconstr | CPT-4 Procedure |
| 33865 | ASCEND.AORTA GRAFT,W BYPASS;W VALVE REPLACEMEN | CPT-4 Procedure |
| G0248 | Demonstration, prior to initiation of home INR monitoring, for patient with either mechanical heart valve(s), chronic atria | HCPCS Procedure |
| G0249 | Provision of test materials and equipment for home INR monitoring of patient with either mechanical heart valve(s), chronic | HCPCS Procedure |
| G0250 | Physician review, interpretation, and patient management of home INR testing for patient with either mechanical heart valve | HCPCS Procedure |
| T82.0 | Mechanical complication of heart valve prosthesis | ICD-10-CM Diagnosis |
| T82.01 | Breakdown (mechanical) of heart valve prosthesis | ICD-10-CM Diagnosis |
| T82.01XA | Breakdown (mechanical) of heart valve prosthesis, initial encounter | ICD-10-CM Diagnosis |
| T82.01XD | Breakdown (mechanical) of heart valve prosthesis, subsequent encounter | ICD-10-CM Diagnosis |
| T82.01XS | Breakdown (mechanical) of heart valve prosthesis, sequela | ICD-10-CM Diagnosis |
| T82.02 | Displacement of heart valve prosthesis | ICD-10-CM Diagnosis |
| T82.02XA | Displacement of heart valve prosthesis, initial encounter | ICD-10-CM Diagnosis |
| T82.02XD | Displacement of heart valve prosthesis, subsequent encounter | ICD-10-CM Diagnosis |

List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|---|----------------------|
| T82.02XS | Displacement of heart valve prosthesis, sequela | ICD-10-CM Diagnosis |
| T82.03 | Leakage of heart valve prosthesis | ICD-10-CM Diagnosis |
| T82.03XA | Leakage of heart valve prosthesis, initial encounter | ICD-10-CM Diagnosis |
| T82.03XD | Leakage of heart valve prosthesis, subsequent encounter | ICD-10-CM Diagnosis |
| T82.03XS | Leakage of heart valve prosthesis, sequela | ICD-10-CM Diagnosis |
| T82.09 | Other mechanical complication of heart valve prosthesis | ICD-10-CM Diagnosis |
| T82.09XA | Other mechanical complication of heart valve prosthesis, initial encounter | ICD-10-CM Diagnosis |
| T82.09XD | Other mechanical complication of heart valve prosthesis, subsequent encounter | ICD-10-CM Diagnosis |
| T82.09XS | Other mechanical complication of heart valve prosthesis, sequela | ICD-10-CM Diagnosis |
| T82.6 | Infection and inflammatory reaction due to cardiac valve prosthesis | ICD-10-CM Diagnosis |
| T82.6XXA | Infection and inflammatory reaction due to cardiac valve prosthesis, initial encounter | ICD-10-CM Diagnosis |
| T82.6XXD | Infection and inflammatory reaction due to cardiac valve prosthesis, subsequent encounter | ICD-10-CM Diagnosis |
| T82.6XXS | Infection and inflammatory reaction due to cardiac valve prosthesis, sequela | ICD-10-CM Diagnosis |
| T85.61 | Breakdown (mechanical) of other specified internal prosthetic devices, implants and grafts | ICD-10-CM Diagnosis |
| T85.618A | Breakdown (mechanical) of other specified internal prosthetic devices, implants and grafts, initial encounter | ICD-10-CM Diagnosis |
| T85.618D | Breakdown (mechanical) of other specified internal prosthetic devices, implants and grafts, subsequent encounter | ICD-10-CM Diagnosis |
| T85.618S | Breakdown (mechanical) of other specified internal prosthetic devices, implants and grafts, sequela | ICD-10-CM Diagnosis |
| T85.69 | Other mechanical complication of other specified internal prosthetic devices, implants and grafts | ICD-10-CM Diagnosis |
| T85.698A | Other mechanical complication of other specified internal prosthetic devices, implants and grafts, initial encounter | ICD-10-CM Diagnosis |
| T85.698D | Other mechanical complication of other specified internal prosthetic devices, implants and grafts, subsequent encounter | ICD-10-CM Diagnosis |
| T85.698S | Other mechanical complication of other specified internal prosthetic devices, implants and grafts, sequela | ICD-10-CM Diagnosis |
| Z95.2 | Presence of prosthetic heart valve | ICD-10-CM Diagnosis |
| Z95.4 | Presence of other heart-valve replacement | ICD-10-CM Diagnosis |
| 02RF | Replacement / Aortic Valve | ICD-10-PCS Procedure |
| 02RG | Replacement / Mitral Valve | ICD-10-PCS Procedure |
| 02RH | Replacement / Pulmonary Valve | ICD-10-PCS Procedure |
| 02RJ | Replacement / Tricuspid Valve | ICD-10-PCS Procedure |
| 02UF | Supplement / Aortic Valve | ICD-10-PCS Procedure |
| 02UG | Supplement / Mitral Valve | ICD-10-PCS Procedure |
| 02UH | Supplement / Pulmonary Valve | ICD-10-PCS Procedure |

List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|----------------------------------|--|----------------------|
| 02UJ | Supplement / Tricuspid Valve | ICD-10-PCS Procedure |
| 02WF | Revision / Aortic Valve | ICD-10-PCS Procedure |
| 02WG | Revision / Mitral Valve | ICD-10-PCS Procedure |
| 02WH | Revision / Pulmonary Valve | ICD-10-PCS Procedure |
| 02WJ | Revision / Tricuspid Valve | ICD-10-PCS Procedure |
| 996.02 | Mechanical complication due to heart valve prosthesis | ICD-9-CM Diagnosis |
| 996.71 | Other complications due to heart valve prosthesis | ICD-9-CM Diagnosis |
| V43.3 | Heart valve replaced by other means | ICD-9-CM Diagnosis |
| 35.2 | Open and other replacement of heart valve | ICD-9-CM Procedure |
| 35.06 | Transapical replacement of aortic valve | ICD-9-CM Procedure |
| 35.08 | Transapical replacement of pulmonary valve | ICD-9-CM Procedure |
| 35.20 | Open And Other Replacement Of Unspecified Heart Valve | ICD-9-CM Procedure |
| 35.22 | Open and other replacement of aortic valve | ICD-9-CM Procedure |
| 35.24 | Open And Other Replacement Of Mitral Valve | ICD-9-CM Procedure |
| 35.26 | Open and other replacement of pulmonary valve | ICD-9-CM Procedure |
| 35.28 | Open and other replacement of tricuspid valve | ICD-9-CM Procedure |
| Pulmonary Embolism | | |
| 126.09 | Other pulmonary embolism with acute cor pulmonale | ICD-10-CM Diagnosis |
| 126.92 | Saddle embolus of pulmonary artery without acute cor pulmonale | ICD-10-CM Diagnosis |
| 126.99 | Other pulmonary embolism without acute cor pulmonale | ICD-10-CM Diagnosis |
| 127.82 | Chronic pulmonary embolism | ICD-10-CM Diagnosis |
| 415.1 | Pulmonary embolism and infarction | ICD-9-CM Diagnosis |
| 416.2 | Chronic pulmonary embolism | ICD-9-CM Diagnosis |
| 415.11 | Iatrogenic pulmonary embolism and infarction | ICD-9-CM Diagnosis |
| 415.13 | Saddle embolus of pulmonary artery | ICD-9-CM Diagnosis |
| 415.19 | Other pulmonary embolism and infarction | ICD-9-CM Diagnosis |
| Peripheral Artery Disease | | |
| 27295 | Disarticulation of hip | CPT-4 Procedure |
| 27590 | Amputation, thigh, through femur, any level; | CPT-4 Procedure |
| 27591 | Amputation, thigh, through femur, any level; immediate fitting technique including first cast | CPT-4 Procedure |
| 27592 | Amputation, thigh, through femur, any level; open, circular (guillotine) | CPT-4 Procedure |
| 27598 | Disarticulation at knee | CPT-4 Procedure |
| 27880 | Amputation, leg, through tibia and fibula; | CPT-4 Procedure |
| 27881 | Amputation, leg, through tibia and fibula; with immediate fitting technique including application of first cast | CPT-4 Procedure |
| 27882 | Amputation, leg, through tibia and fibula; open, circular (guillotine) | CPT-4 Procedure |
| 27888 | Amputation, ankle, through malleoli of tibia and fibula (eg, Syme, Pirogoff type procedures), with plastic closure and resection of nerves | CPT-4 Procedure |
| 27889 | Ankle disarticulation | CPT-4 Procedure |
| 28800 | Amputation, foot; midtarsal (eg, Chopart type procedure) | CPT-4 Procedure |

List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|--|------------------|
| 28805 | Amputation, foot; transmetatarsal | CPT-4 Procedure |
| 28810 | Amputation, metatarsal, with toe, single | CPT-4 Procedure |
| 28820 | Amputation, toe; metatarsophalangeal joint | CPT-4 Procedure |
| 28825 | Amputation, toe; interphalangeal joint | CPT-4 Procedure |
| 35311 | Thromboendarterectomy, including patch graft, if performed; subclavian, innominate, by thoracic incision | CPT-4 Procedure |
| 35321 | Thromboendarterectomy, including patch graft, if performed; axillary-brachial | CPT-4 Procedure |
| 35331 | Thromboendarterectomy, including patch graft, if performed; abdominal aorta | CPT-4 Procedure |
| 35341 | Thromboendarterectomy, including patch graft, if performed; mesenteric, celiac, or renal | CPT-4 Procedure |
| 35351 | Thromboendarterectomy, including patch graft, if performed; iliac | CPT-4 Procedure |
| 35355 | Thromboendarterectomy, including patch graft, if performed; iliofemoral | CPT-4 Procedure |
| 35361 | Thromboendarterectomy, including patch graft, if performed; combined aortoiliac | CPT-4 Procedure |
| 35363 | Thromboendarterectomy, including patch graft, if performed; combined aortoiliofemoral | CPT-4 Procedure |
| 35371 | Thromboendarterectomy, including patch graft, if performed; common femoral | CPT-4 Procedure |
| 35372 | Thromboendarterectomy, including patch graft, if performed; deep (profunda) femoral | CPT-4 Procedure |
| 35381 | Thromboendarterectomy, with or without patch graft; femoral and/or popliteal, and/or tibioperoneal | CPT-4 Procedure |
| 35454 | Transluminal balloon angioplasty, open; iliac | CPT-4 Procedure |
| 35456 | Transluminal balloon angioplasty, open; femoral-popliteal | CPT-4 Procedure |
| 35459 | Transluminal balloon angioplasty, open; tibioperoneal trunk and branches | CPT-4 Procedure |
| 35470 | Transluminal balloon angioplasty, percutaneous; tibioperoneal trunk or branches, each vessel | CPT-4 Procedure |
| 35473 | Transluminal balloon angioplasty, percutaneous; iliac | CPT-4 Procedure |
| 35474 | Transluminal balloon angioplasty, percutaneous; femoral-popliteal | CPT-4 Procedure |
| 35482 | Transluminal peripheral atherectomy, open; iliac | CPT-4 Procedure |
| 35483 | Transluminal peripheral atherectomy, open; femoral-popliteal | CPT-4 Procedure |
| 35484 | Transluminal peripheral atherectomy, open; brachiocephalic trunk or branches, each vessel | CPT-4 Procedure |
| 35485 | Transluminal peripheral atherectomy, open; tibioperoneal trunk and branches | CPT-4 Procedure |
| 35492 | Transluminal peripheral atherectomy, percutaneous; iliac | CPT-4 Procedure |
| 35493 | Transluminal peripheral atherectomy, percutaneous; femoral-popliteal | CPT-4 Procedure |
| 35495 | Transluminal peripheral atherectomy, percutaneous; tibioperoneal trunk and branches | CPT-4 Procedure |
| 35521 | Bypass graft, with vein; axillary-femoral | CPT-4 Procedure |
| 35533 | Bypass graft, with vein; axillary-femoral-femoral | CPT-4 Procedure |
| 35541 | Bypass graft, with vein; aortoiliac or bi-iliac | CPT-4 Procedure |

List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|--|------------------|
| 35546 | Bypass graft, with vein; aortofemoral or bifemoral | CPT-4 Procedure |
| 35548 | Bypass graft, with vein; aortoiliofemoral, unilateral | CPT-4 Procedure |
| 35549 | Bypass graft, with vein; aortoiliofemoral, bilateral | CPT-4 Procedure |
| 35551 | Bypass graft, with vein; aortofemoral-popliteal | CPT-4 Procedure |
| 35556 | Bypass graft, with vein; femoral-popliteal | CPT-4 Procedure |
| 35558 | Bypass graft, with vein; femoral-femoral | CPT-4 Procedure |
| 35563 | Bypass graft, with vein; ilioiliac | CPT-4 Procedure |
| 35565 | Bypass graft, with vein; iliofemoral | CPT-4 Procedure |
| 35566 | Bypass graft, with vein; femoral-anterior tibial, posterior tibial, peroneal artery or other distal vessels | CPT-4 Procedure |
| 35570 | Bypass graft, with vein; tibial-tibial, peroneal-tibial, or tibial/peroneal trunk-tibial | CPT-4 Procedure |
| 35571 | Bypass graft, with vein; popliteal-tibial, -peroneal artery or other distal vessels | CPT-4 Procedure |
| 35641 | Bypass graft, with other than vein; aortoiliac or bi-iliac | CPT-4 Procedure |
| 35646 | Bypass graft, with other than vein; aortobifemoral | CPT-4 Procedure |
| 35654 | Bypass graft, with other than vein; axillary-femoral-femoral | CPT-4 Procedure |
| 35681 | Bypass graft; composite, prosthetic and vein (List separately in addition to code for primary procedure) | CPT-4 Procedure |
| 35682 | Bypass graft; autogenous composite, 2 segments of veins from 2 locations (List separately in addition to code for primary procedure) | CPT-4 Procedure |
| 35683 | Bypass graft; autogenous composite, 3 or more segments of vein from 2 or more locations (List separately in addition to code for primary procedure) | CPT-4 Procedure |
| 35879 | Revision, lower extremity arterial bypass, without thrombectomy, open; with vein patch angioplasty | CPT-4 Procedure |
| 37207 | Transcatheter placement of an intravascular stent(s) (except coronary, carotid, vertebral, iliac and lower extremity arteries), open; initial vessel | CPT-4 Procedure |
| 37208 | Transcatheter placement of an intravascular stent(s) (except coronary, carotid, vertebral, iliac and lower extremity arteries), open; each additional vessel (List separately in addition to code for primary procedure) | CPT-4 Procedure |
| 37220 | Revascularization, endovascular, open or percutaneous, iliac artery, unilateral, initial vessel; with transluminal angioplasty | CPT-4 Procedure |
| 37221 | Revascularization, endovascular, open or percutaneous, iliac artery, unilateral, initial vessel; with transluminal stent placement(s), includes angioplasty within the same vessel, when performed | CPT-4 Procedure |
| 37222 | Revascularization, endovascular, open or percutaneous, iliac artery, each additional ipsilateral iliac vessel; with transluminal angioplasty (List separately in addition to code for primary procedure) | CPT-4 Procedure |
| 37223 | Revascularization, endovascular, open or percutaneous, iliac artery, each additional ipsilateral iliac vessel; with transluminal stent placement(s), includes angioplasty within the same vessel, when performed (List separately in addition to code for primary procedure) | CPT-4 Procedure |

List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|---|------------------|
| 37224 | Revascularization, endovascular, open or percutaneous, femoral, popliteal artery(s), unilateral; with transluminal angioplasty | CPT-4 Procedure |
| 37225 | Revascularization, endovascular, open or percutaneous, femoral, popliteal artery(s), unilateral; with atherectomy, includes angioplasty within the same vessel, when performed | CPT-4 Procedure |
| 37226 | Revascularization, endovascular, open or percutaneous, femoral, popliteal artery(s), unilateral; with transluminal stent placement(s), includes angioplasty within the same vessel, when performed | CPT-4 Procedure |
| 37227 | Revascularization, endovascular, open or percutaneous, femoral, popliteal artery(s), unilateral; with transluminal stent placement(s) and atherectomy, includes angioplasty within the same vessel, when performed | CPT-4 Procedure |
| 37228 | Revascularization, endovascular, open or percutaneous, tibial, peroneal artery, unilateral, initial vessel; with transluminal angioplasty | CPT-4 Procedure |
| 37229 | Revascularization, endovascular, open or percutaneous, tibial, peroneal artery, unilateral, initial vessel; with atherectomy, includes angioplasty within the same vessel, when performed | CPT-4 Procedure |
| 37230 | Revascularization, endovascular, open or percutaneous, tibial, peroneal artery, unilateral, initial vessel; with transluminal stent placement(s), includes angioplasty within the same vessel, when performed | CPT-4 Procedure |
| 37231 | Revascularization, endovascular, open or percutaneous, tibial, peroneal artery, unilateral, initial vessel; with transluminal stent placement(s) and atherectomy, includes angioplasty within the same vessel, when performed | CPT-4 Procedure |
| 37232 | Revascularization, endovascular, open or percutaneous, tibial/peroneal artery, unilateral, each additional vessel; with transluminal angioplasty (List separately in addition to code for primary procedure) | CPT-4 Procedure |
| 37233 | Revascularization, endovascular, open or percutaneous, tibial/peroneal artery, unilateral, each additional vessel; with atherectomy, includes angioplasty within the same vessel, when performed (List separately in addition to code for primary procedure) | CPT-4 Procedure |
| 37234 | Revascularization, endovascular, open or percutaneous, tibial/peroneal artery, unilateral, each additional vessel; with transluminal stent placement(s), includes angioplasty within the same vessel, when performed (List separately in addition to code for p | CPT-4 Procedure |
| 37235 | Revascularization, endovascular, open or percutaneous, tibial/peroneal artery, unilateral, each additional vessel; with transluminal stent placement(s) and atherectomy, includes angioplasty within the same vessel, when performed (List separately in additi | CPT-4 Procedure |
| 75962 | Transluminal balloon angioplasty, peripheral artery other than renal, or other visceral artery, iliac or lower extremity, radiological supervision and interpretation | CPT-4 Procedure |
| 75963 | Percutaneous Transluminal Angioplasty, Any Method, Peripheral Artery; Complete Procedure | CPT-4 Procedure |

List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|--|----------------------|
| 75964 | Transluminal balloon angioplasty, each additional peripheral artery other than renal or other visceral artery, iliac or lower extremity, radiological supervision and interpretation (List separately in addition to code for primary procedure) | CPT-4 Procedure |
| 75992 | Transluminal atherectomy, peripheral artery, radiological supervision and interpretation | CPT-4 Procedure |
| 75993 | Transluminal atherectomy, each additional peripheral artery, radiological supervision and interpretation (List separately in addition to code for primary procedure) | CPT-4 Procedure |
| 93668 | Peripheral arterial disease (PAD) rehabilitation, per session | CPT-4 Procedure |
| E08.51 | Diabetes mellitus due to underlying condition with diabetic peripheral angiopathy without gangrene | ICD-10-CM Diagnosis |
| E08.52 | Diabetes mellitus due to underlying condition with diabetic peripheral angiopathy with gangrene | ICD-10-CM Diagnosis |
| E09.51 | Drug or chemical induced diabetes mellitus with diabetic peripheral angiopathy without gangrene | ICD-10-CM Diagnosis |
| E09.52 | Drug or chemical induced diabetes mellitus with diabetic peripheral angiopathy with gangrene | ICD-10-CM Diagnosis |
| E10.51 | Type 1 diabetes mellitus with diabetic peripheral angiopathy without gangrene | ICD-10-CM Diagnosis |
| E10.52 | Type 1 diabetes mellitus with diabetic peripheral angiopathy with gangrene | ICD-10-CM Diagnosis |
| E11.51 | Type 2 diabetes mellitus with diabetic peripheral angiopathy without gangrene | ICD-10-CM Diagnosis |
| E11.52 | Type 2 diabetes mellitus with diabetic peripheral angiopathy with gangrene | ICD-10-CM Diagnosis |
| E13.51 | Other specified diabetes mellitus with diabetic peripheral angiopathy without gangrene | ICD-10-CM Diagnosis |
| E13.52 | Other specified diabetes mellitus with diabetic peripheral angiopathy with gangrene | ICD-10-CM Diagnosis |
| I73.8 | Other specified peripheral vascular diseases | ICD-10-CM Diagnosis |
| I73.9 | Peripheral vascular disease, unspecified | ICD-10-CM Diagnosis |
| I77.1 | Stricture of artery | ICD-10-CM Diagnosis |
| Z95.82 | Presence of other vascular implants and grafts | ICD-10-CM Diagnosis |
| Z95.820 | Peripheral vascular angioplasty status with implants and grafts | ICD-10-CM Diagnosis |
| 0312090 | Bypass Innominate Artery to Right Upper Arm Artery with Autologous Venous Tissue, Open Approach | ICD-10-PCS Procedure |
| 0312091 | Bypass Innominate Artery to Left Upper Arm Artery with Autologous Venous Tissue, Open Approach | ICD-10-PCS Procedure |
| 0312092 | Bypass Innominate Artery to Bilateral Upper Arm Artery with Autologous Venous Tissue, Open Approach | ICD-10-PCS Procedure |
| 0312093 | Bypass Innominate Artery to Right Lower Arm Artery with Autologous Venous Tissue, Open Approach | ICD-10-PCS Procedure |
| 0312094 | Bypass Innominate Artery to Left Lower Arm Artery with Autologous Venous Tissue, Open Approach | ICD-10-PCS Procedure |

List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|---|----------------------|
| 0312095 | Bypass Innominate Artery to Bilateral Lower Arm Artery with Autologous Venous Tissue, Open Approach | ICD-10-PCS Procedure |
| 0312096 | Bypass Innominate Artery to Right Upper Leg Artery with Autologous Venous Tissue, Open Approach | ICD-10-PCS Procedure |
| 0312097 | Bypass Innominate Artery to Left Upper Leg Artery with Autologous Venous Tissue, Open Approach | ICD-10-PCS Procedure |
| 0312098 | Bypass Innominate Artery to Bilateral Upper Leg Artery with Autologous Venous Tissue, Open Approach | ICD-10-PCS Procedure |
| 0312099 | Bypass Innominate Artery to Right Lower Leg Artery with Autologous Venous Tissue, Open Approach | ICD-10-PCS Procedure |
| 031209B | Bypass Innominate Artery to Left Lower Leg Artery with Autologous Venous Tissue, Open Approach | ICD-10-PCS Procedure |
| 031209C | Bypass Innominate Artery to Bilateral Lower Leg Artery with Autologous Venous Tissue, Open Approach | ICD-10-PCS Procedure |
| 031209D | Bypass Innominate Artery to Upper Arm Vein with Autologous Venous Tissue, Open Approach | ICD-10-PCS Procedure |
| 031209F | Bypass Innominate Artery to Lower Arm Vein with Autologous Venous Tissue, Open Approach | ICD-10-PCS Procedure |
| 031209J | Bypass Innominate Artery to Right Extracranial Artery with Autologous Venous Tissue, Open Approach | ICD-10-PCS Procedure |
| 031209K | Bypass Innominate Artery to Left Extracranial Artery with Autologous Venous Tissue, Open Approach | ICD-10-PCS Procedure |
| 03120A0 | Bypass Innominate Artery to Right Upper Arm Artery with Autologous Arterial Tissue, Open Approach | ICD-10-PCS Procedure |
| 03120A1 | Bypass Innominate Artery to Left Upper Arm Artery with Autologous Arterial Tissue, Open Approach | ICD-10-PCS Procedure |
| 03120A2 | Bypass Innominate Artery to Bilateral Upper Arm Artery with Autologous Arterial Tissue, Open Approach | ICD-10-PCS Procedure |
| 03120A3 | Bypass Innominate Artery to Right Lower Arm Artery with Autologous Arterial Tissue, Open Approach | ICD-10-PCS Procedure |
| 03120A4 | Bypass Innominate Artery to Left Lower Arm Artery with Autologous Arterial Tissue, Open Approach | ICD-10-PCS Procedure |
| 03120A5 | Bypass Innominate Artery to Bilateral Lower Arm Artery with Autologous Arterial Tissue, Open Approach | ICD-10-PCS Procedure |
| 03120A6 | Bypass Innominate Artery to Right Upper Leg Artery with Autologous Arterial Tissue, Open Approach | ICD-10-PCS Procedure |
| 03120A7 | Bypass Innominate Artery to Left Upper Leg Artery with Autologous Arterial Tissue, Open Approach | ICD-10-PCS Procedure |
| 03120A8 | Bypass Innominate Artery to Bilateral Upper Leg Artery with Autologous Arterial Tissue, Open Approach | ICD-10-PCS Procedure |
| 03120A9 | Bypass Innominate Artery to Right Lower Leg Artery with Autologous Arterial Tissue, Open Approach | ICD-10-PCS Procedure |

List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|---|----------------------|
| 03120AB | Bypass Innominate Artery to Left Lower Leg Artery with Autologous Arterial Tissue, Open Approach | ICD-10-PCS Procedure |
| 03120AC | Bypass Innominate Artery to Bilateral Lower Leg Artery with Autologous Arterial Tissue, Open Approach | ICD-10-PCS Procedure |
| 03120AD | Bypass Innominate Artery to Upper Arm Vein with Autologous Arterial Tissue, Open Approach | ICD-10-PCS Procedure |
| 03120AF | Bypass Innominate Artery to Lower Arm Vein with Autologous Arterial Tissue, Open Approach | ICD-10-PCS Procedure |
| 03120AJ | Bypass Innominate Artery to Right Extracranial Artery with Autologous Arterial Tissue, Open Approach | ICD-10-PCS Procedure |
| 03120AK | Bypass Innominate Artery to Left Extracranial Artery with Autologous Arterial Tissue, Open Approach | ICD-10-PCS Procedure |
| 03120J0 | Bypass Innominate Artery to Right Upper Arm Artery with Synthetic Substitute, Open Approach | ICD-10-PCS Procedure |
| 03120J1 | Bypass Innominate Artery to Left Upper Arm Artery with Synthetic Substitute, Open Approach | ICD-10-PCS Procedure |
| 03120J2 | Bypass Innominate Artery to Bilateral Upper Arm Artery with Synthetic Substitute, Open Approach | ICD-10-PCS Procedure |
| 03120J3 | Bypass Innominate Artery to Right Lower Arm Artery with Synthetic Substitute, Open Approach | ICD-10-PCS Procedure |
| 03120J4 | Bypass Innominate Artery to Left Lower Arm Artery with Synthetic Substitute, Open Approach | ICD-10-PCS Procedure |
| 03120J5 | Bypass Innominate Artery to Bilateral Lower Arm Artery with Synthetic Substitute, Open Approach | ICD-10-PCS Procedure |
| 03120J6 | Bypass Innominate Artery to Right Upper Leg Artery with Synthetic Substitute, Open Approach | ICD-10-PCS Procedure |
| 03120J7 | Bypass Innominate Artery to Left Upper Leg Artery with Synthetic Substitute, Open Approach | ICD-10-PCS Procedure |
| 03120J8 | Bypass Innominate Artery to Bilateral Upper Leg Artery with Synthetic Substitute, Open Approach | ICD-10-PCS Procedure |
| 03120J9 | Bypass Innominate Artery to Right Lower Leg Artery with Synthetic Substitute, Open Approach | ICD-10-PCS Procedure |
| 03120JB | Bypass Innominate Artery to Left Lower Leg Artery with Synthetic Substitute, Open Approach | ICD-10-PCS Procedure |
| 03120JC | Bypass Innominate Artery to Bilateral Lower Leg Artery with Synthetic Substitute, Open Approach | ICD-10-PCS Procedure |
| 03120JD | Bypass Innominate Artery to Upper Arm Vein with Synthetic Substitute, Open Approach | ICD-10-PCS Procedure |
| 03120JF | Bypass Innominate Artery to Lower Arm Vein with Synthetic Substitute, Open Approach | ICD-10-PCS Procedure |
| 03120JJ | Bypass Innominate Artery to Right Extracranial Artery with Synthetic Substitute, Open Approach | ICD-10-PCS Procedure |

List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|--|----------------------|
| 03120JK | Bypass Innominate Artery to Left Extracranial Artery with Synthetic Substitute, Open Approach | ICD-10-PCS Procedure |
| 03120K0 | Bypass Innominate Artery to Right Upper Arm Artery with Nonautologous Tissue Substitute, Open Approach | ICD-10-PCS Procedure |
| 03120K1 | Bypass Innominate Artery to Left Upper Arm Artery with Nonautologous Tissue Substitute, Open Approach | ICD-10-PCS Procedure |
| 03120K2 | Bypass Innominate Artery to Bilateral Upper Arm Artery with Nonautologous Tissue Substitute, Open Approach | ICD-10-PCS Procedure |
| 03120K3 | Bypass Innominate Artery to Right Lower Arm Artery with Nonautologous Tissue Substitute, Open Approach | ICD-10-PCS Procedure |
| 03120K4 | Bypass Innominate Artery to Left Lower Arm Artery with Nonautologous Tissue Substitute, Open Approach | ICD-10-PCS Procedure |
| 03120K5 | Bypass Innominate Artery to Bilateral Lower Arm Artery with Nonautologous Tissue Substitute, Open Approach | ICD-10-PCS Procedure |
| 03120K6 | Bypass Innominate Artery to Right Upper Leg Artery with Nonautologous Tissue Substitute, Open Approach | ICD-10-PCS Procedure |
| 03120K7 | Bypass Innominate Artery to Left Upper Leg Artery with Nonautologous Tissue Substitute, Open Approach | ICD-10-PCS Procedure |
| 03120K8 | Bypass Innominate Artery to Bilateral Upper Leg Artery with Nonautologous Tissue Substitute, Open Approach | ICD-10-PCS Procedure |
| 03120K9 | Bypass Innominate Artery to Right Lower Leg Artery with Nonautologous Tissue Substitute, Open Approach | ICD-10-PCS Procedure |
| 03120KB | Bypass Innominate Artery to Left Lower Leg Artery with Nonautologous Tissue Substitute, Open Approach | ICD-10-PCS Procedure |
| 03120KC | Bypass Innominate Artery to Bilateral Lower Leg Artery with Nonautologous Tissue Substitute, Open Approach | ICD-10-PCS Procedure |
| 03120KD | Bypass Innominate Artery to Upper Arm Vein with Nonautologous Tissue Substitute, Open Approach | ICD-10-PCS Procedure |
| 03120KF | Bypass Innominate Artery to Lower Arm Vein with Nonautologous Tissue Substitute, Open Approach | ICD-10-PCS Procedure |
| 03120KJ | Bypass Innominate Artery to Right Extracranial Artery with Nonautologous Tissue Substitute, Open Approach | ICD-10-PCS Procedure |
| 03120KK | Bypass Innominate Artery to Left Extracranial Artery with Nonautologous Tissue Substitute, Open Approach | ICD-10-PCS Procedure |
| 03120Z0 | Bypass Innominate Artery to Right Upper Arm Artery, Open Approach | ICD-10-PCS Procedure |
| 03120Z1 | Bypass Innominate Artery to Left Upper Arm Artery, Open Approach | ICD-10-PCS Procedure |
| 03120Z2 | Bypass Innominate Artery to Bilateral Upper Arm Artery, Open Approach | ICD-10-PCS Procedure |
| 03120Z3 | Bypass Innominate Artery to Right Lower Arm Artery, Open Approach | ICD-10-PCS Procedure |
| 03120Z4 | Bypass Innominate Artery to Left Lower Arm Artery, Open Approach | ICD-10-PCS Procedure |
| 03120Z5 | Bypass Innominate Artery to Bilateral Lower Arm Artery, Open Approach | ICD-10-PCS Procedure |
| 03120Z6 | Bypass Innominate Artery to Right Upper Leg Artery, Open Approach | ICD-10-PCS Procedure |
| 03120Z7 | Bypass Innominate Artery to Left Upper Leg Artery, Open Approach | ICD-10-PCS Procedure |

List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|---|----------------------|
| 03120Z8 | Bypass Innominate Artery to Bilateral Upper Leg Artery, Open Approach | ICD-10-PCS Procedure |
| 03120Z9 | Bypass Innominate Artery to Right Lower Leg Artery, Open Approach | ICD-10-PCS Procedure |
| 03120ZB | Bypass Innominate Artery to Left Lower Leg Artery, Open Approach | ICD-10-PCS Procedure |
| 03120ZC | Bypass Innominate Artery to Bilateral Lower Leg Artery, Open Approach | ICD-10-PCS Procedure |
| 03120ZD | Bypass Innominate Artery to Upper Arm Vein, Open Approach | ICD-10-PCS Procedure |
| 03120ZF | Bypass Innominate Artery to Lower Arm Vein, Open Approach | ICD-10-PCS Procedure |
| 03120ZJ | Bypass Innominate Artery to Right Extracranial Artery, Open Approach | ICD-10-PCS Procedure |
| 03120ZK | Bypass Innominate Artery to Left Extracranial Artery, Open Approach | ICD-10-PCS Procedure |
| 0313090 | Bypass Right Subclavian Artery to Right Upper Arm Artery with Autologous Venous Tissue, Open Approach | ICD-10-PCS Procedure |
| 0313091 | Bypass Right Subclavian Artery to Left Upper Arm Artery with Autologous Venous Tissue, Open Approach | ICD-10-PCS Procedure |
| 0313092 | Bypass Right Subclavian Artery to Bilateral Upper Arm Artery with Autologous Venous Tissue, Open Approach | ICD-10-PCS Procedure |
| 0313093 | Bypass Right Subclavian Artery to Right Lower Arm Artery with Autologous Venous Tissue, Open Approach | ICD-10-PCS Procedure |
| 0313094 | Bypass Right Subclavian Artery to Left Lower Arm Artery with Autologous Venous Tissue, Open Approach | ICD-10-PCS Procedure |
| 0313095 | Bypass Right Subclavian Artery to Bilateral Lower Arm Artery with Autologous Venous Tissue, Open Approach | ICD-10-PCS Procedure |
| 0313096 | Bypass Right Subclavian Artery to Right Upper Leg Artery with Autologous Venous Tissue, Open Approach | ICD-10-PCS Procedure |
| 0313097 | Bypass Right Subclavian Artery to Left Upper Leg Artery with Autologous Venous Tissue, Open Approach | ICD-10-PCS Procedure |
| 0313098 | Bypass Right Subclavian Artery to Bilateral Upper Leg Artery with Autologous Venous Tissue, Open Approach | ICD-10-PCS Procedure |
| 0313099 | Bypass Right Subclavian Artery to Right Lower Leg Artery with Autologous Venous Tissue, Open Approach | ICD-10-PCS Procedure |
| 031309B | Bypass Right Subclavian Artery to Left Lower Leg Artery with Autologous Venous Tissue, Open Approach | ICD-10-PCS Procedure |
| 031309C | Bypass Right Subclavian Artery to Bilateral Lower Leg Artery with Autologous Venous Tissue, Open Approach | ICD-10-PCS Procedure |
| 031309D | Bypass Right Subclavian Artery to Upper Arm Vein with Autologous Venous Tissue, Open Approach | ICD-10-PCS Procedure |
| 031309F | Bypass Right Subclavian Artery to Lower Arm Vein with Autologous Venous Tissue, Open Approach | ICD-10-PCS Procedure |
| 031309J | Bypass Right Subclavian Artery to Right Extracranial Artery with Autologous Venous Tissue, Open Approach | ICD-10-PCS Procedure |
| 031309K | Bypass Right Subclavian Artery to Left Extracranial Artery with Autologous Venous Tissue, Open Approach | ICD-10-PCS Procedure |
| 03130A0 | Bypass Right Subclavian Artery to Right Upper Arm Artery with Autologous Arterial Tissue, Open Approach | ICD-10-PCS Procedure |

List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|---|----------------------|
| 03130A1 | Bypass Right Subclavian Artery to Left Upper Arm Artery with Autologous Arterial Tissue, Open Approach | ICD-10-PCS Procedure |
| 03130A2 | Bypass Right Subclavian Artery to Bilateral Upper Arm Artery with Autologous Arterial Tissue, Open Approach | ICD-10-PCS Procedure |
| 03130A3 | Bypass Right Subclavian Artery to Right Lower Arm Artery with Autologous Arterial Tissue, Open Approach | ICD-10-PCS Procedure |
| 03130A4 | Bypass Right Subclavian Artery to Left Lower Arm Artery with Autologous Arterial Tissue, Open Approach | ICD-10-PCS Procedure |
| 03130A5 | Bypass Right Subclavian Artery to Bilateral Lower Arm Artery with Autologous Arterial Tissue, Open Approach | ICD-10-PCS Procedure |
| 03130A6 | Bypass Right Subclavian Artery to Right Upper Leg Artery with Autologous Arterial Tissue, Open Approach | ICD-10-PCS Procedure |
| 03130A7 | Bypass Right Subclavian Artery to Left Upper Leg Artery with Autologous Arterial Tissue, Open Approach | ICD-10-PCS Procedure |
| 03130A8 | Bypass Right Subclavian Artery to Bilateral Upper Leg Artery with Autologous Arterial Tissue, Open Approach | ICD-10-PCS Procedure |
| 03130A9 | Bypass Right Subclavian Artery to Right Lower Leg Artery with Autologous Arterial Tissue, Open Approach | ICD-10-PCS Procedure |
| 03130AB | Bypass Right Subclavian Artery to Left Lower Leg Artery with Autologous Arterial Tissue, Open Approach | ICD-10-PCS Procedure |
| 03130AC | Bypass Right Subclavian Artery to Bilateral Lower Leg Artery with Autologous Arterial Tissue, Open Approach | ICD-10-PCS Procedure |
| 03130AD | Bypass Right Subclavian Artery to Upper Arm Vein with Autologous Arterial Tissue, Open Approach | ICD-10-PCS Procedure |
| 03130AF | Bypass Right Subclavian Artery to Lower Arm Vein with Autologous Arterial Tissue, Open Approach | ICD-10-PCS Procedure |
| 03130AJ | Bypass Right Subclavian Artery to Right Extracranial Artery with Autologous Arterial Tissue, Open Approach | ICD-10-PCS Procedure |
| 03130AK | Bypass Right Subclavian Artery to Left Extracranial Artery with Autologous Arterial Tissue, Open Approach | ICD-10-PCS Procedure |
| 03130J0 | Bypass Right Subclavian Artery to Right Upper Arm Artery with Synthetic Substitute, Open Approach | ICD-10-PCS Procedure |
| 03130J1 | Bypass Right Subclavian Artery to Left Upper Arm Artery with Synthetic Substitute, Open Approach | ICD-10-PCS Procedure |
| 03130J2 | Bypass Right Subclavian Artery to Bilateral Upper Arm Artery with Synthetic Substitute, Open Approach | ICD-10-PCS Procedure |
| 03130J3 | Bypass Right Subclavian Artery to Right Lower Arm Artery with Synthetic Substitute, Open Approach | ICD-10-PCS Procedure |
| 03130J4 | Bypass Right Subclavian Artery to Left Lower Arm Artery with Synthetic Substitute, Open Approach | ICD-10-PCS Procedure |
| 03130J5 | Bypass Right Subclavian Artery to Bilateral Lower Arm Artery with Synthetic Substitute, Open Approach | ICD-10-PCS Procedure |

List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|--|----------------------|
| 03130J6 | Bypass Right Subclavian Artery to Right Upper Leg Artery with Synthetic Substitute, Open Approach | ICD-10-PCS Procedure |
| 03130J7 | Bypass Right Subclavian Artery to Left Upper Leg Artery with Synthetic Substitute, Open Approach | ICD-10-PCS Procedure |
| 03130J8 | Bypass Right Subclavian Artery to Bilateral Upper Leg Artery with Synthetic Substitute, Open Approach | ICD-10-PCS Procedure |
| 03130J9 | Bypass Right Subclavian Artery to Right Lower Leg Artery with Synthetic Substitute, Open Approach | ICD-10-PCS Procedure |
| 03130JB | Bypass Right Subclavian Artery to Left Lower Leg Artery with Synthetic Substitute, Open Approach | ICD-10-PCS Procedure |
| 03130JC | Bypass Right Subclavian Artery to Bilateral Lower Leg Artery with Synthetic Substitute, Open Approach | ICD-10-PCS Procedure |
| 03130JD | Bypass Right Subclavian Artery to Upper Arm Vein with Synthetic Substitute, Open Approach | ICD-10-PCS Procedure |
| 03130JF | Bypass Right Subclavian Artery to Lower Arm Vein with Synthetic Substitute, Open Approach | ICD-10-PCS Procedure |
| 03130JJ | Bypass Right Subclavian Artery to Right Extracranial Artery with Synthetic Substitute, Open Approach | ICD-10-PCS Procedure |
| 03130JK | Bypass Right Subclavian Artery to Left Extracranial Artery with Synthetic Substitute, Open Approach | ICD-10-PCS Procedure |
| 03130K0 | Bypass Right Subclavian Artery to Right Upper Arm Artery with Nonautologous Tissue Substitute, Open Approach | ICD-10-PCS Procedure |
| 03130K1 | Bypass Right Subclavian Artery to Left Upper Arm Artery with Nonautologous Tissue Substitute, Open Approach | ICD-10-PCS Procedure |
| 03130K2 | Bypass Right Subclavian Artery to Bilateral Upper Arm Artery with Nonautologous Tissue Substitute, Open Approach | ICD-10-PCS Procedure |
| 03130K3 | Bypass Right Subclavian Artery to Right Lower Arm Artery with Nonautologous Tissue Substitute, Open Approach | ICD-10-PCS Procedure |
| 03130K4 | Bypass Right Subclavian Artery to Left Lower Arm Artery with Nonautologous Tissue Substitute, Open Approach | ICD-10-PCS Procedure |
| 03130K5 | Bypass Right Subclavian Artery to Bilateral Lower Arm Artery with Nonautologous Tissue Substitute, Open Approach | ICD-10-PCS Procedure |
| 03130K6 | Bypass Right Subclavian Artery to Right Upper Leg Artery with Nonautologous Tissue Substitute, Open Approach | ICD-10-PCS Procedure |
| 03130K7 | Bypass Right Subclavian Artery to Left Upper Leg Artery with Nonautologous Tissue Substitute, Open Approach | ICD-10-PCS Procedure |
| 03130K8 | Bypass Right Subclavian Artery to Bilateral Upper Leg Artery with Nonautologous Tissue Substitute, Open Approach | ICD-10-PCS Procedure |
| 03130K9 | Bypass Right Subclavian Artery to Right Lower Leg Artery with Nonautologous Tissue Substitute, Open Approach | ICD-10-PCS Procedure |
| 03130KB | Bypass Right Subclavian Artery to Left Lower Leg Artery with Nonautologous Tissue Substitute, Open Approach | ICD-10-PCS Procedure |

List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|--|----------------------|
| 03130KC | Bypass Right Subclavian Artery to Bilateral Lower Leg Artery with Nonautologous Tissue Substitute, Open Approach | ICD-10-PCS Procedure |
| 03130KD | Bypass Right Subclavian Artery to Upper Arm Vein with Nonautologous Tissue Substitute, Open Approach | ICD-10-PCS Procedure |
| 03130KF | Bypass Right Subclavian Artery to Lower Arm Vein with Nonautologous Tissue Substitute, Open Approach | ICD-10-PCS Procedure |
| 03130KJ | Bypass Right Subclavian Artery to Right Extracranial Artery with Nonautologous Tissue Substitute, Open Approach | ICD-10-PCS Procedure |
| 03130KK | Bypass Right Subclavian Artery to Left Extracranial Artery with Nonautologous Tissue Substitute, Open Approach | ICD-10-PCS Procedure |
| 03130Z0 | Bypass Right Subclavian Artery to Right Upper Arm Artery, Open Approach | ICD-10-PCS Procedure |
| 03130Z1 | Bypass Right Subclavian Artery to Left Upper Arm Artery, Open Approach | ICD-10-PCS Procedure |
| 03130Z2 | Bypass Right Subclavian Artery to Bilateral Upper Arm Artery, Open Approach | ICD-10-PCS Procedure |
| 03130Z3 | Bypass Right Subclavian Artery to Right Lower Arm Artery, Open Approach | ICD-10-PCS Procedure |
| 03130Z4 | Bypass Right Subclavian Artery to Left Lower Arm Artery, Open Approach | ICD-10-PCS Procedure |
| 03130Z5 | Bypass Right Subclavian Artery to Bilateral Lower Arm Artery, Open Approach | ICD-10-PCS Procedure |
| 03130Z6 | Bypass Right Subclavian Artery to Right Upper Leg Artery, Open Approach | ICD-10-PCS Procedure |
| 03130Z7 | Bypass Right Subclavian Artery to Left Upper Leg Artery, Open Approach | ICD-10-PCS Procedure |
| 03130Z8 | Bypass Right Subclavian Artery to Bilateral Upper Leg Artery, Open Approach | ICD-10-PCS Procedure |
| 03130Z9 | Bypass Right Subclavian Artery to Right Lower Leg Artery, Open Approach | ICD-10-PCS Procedure |
| 03130ZB | Bypass Right Subclavian Artery to Left Lower Leg Artery, Open Approach | ICD-10-PCS Procedure |
| 03130ZC | Bypass Right Subclavian Artery to Bilateral Lower Leg Artery, Open Approach | ICD-10-PCS Procedure |
| 03130ZD | Bypass Right Subclavian Artery to Upper Arm Vein, Open Approach | ICD-10-PCS Procedure |
| 03130ZF | Bypass Right Subclavian Artery to Lower Arm Vein, Open Approach | ICD-10-PCS Procedure |
| 03130ZJ | Bypass Right Subclavian Artery to Right Extracranial Artery, Open Approach | ICD-10-PCS Procedure |
| 03130ZK | Bypass Right Subclavian Artery to Left Extracranial Artery, Open Approach | ICD-10-PCS Procedure |
| 0314090 | Bypass Left Subclavian Artery to Right Upper Arm Artery with Autologous Venous Tissue, Open Approach | ICD-10-PCS Procedure |
| 0314091 | Bypass Left Subclavian Artery to Left Upper Arm Artery with Autologous Venous Tissue, Open Approach | ICD-10-PCS Procedure |
| 0314092 | Bypass Left Subclavian Artery to Bilateral Upper Arm Artery with Autologous Venous Tissue, Open Approach | ICD-10-PCS Procedure |
| 0314093 | Bypass Left Subclavian Artery to Right Lower Arm Artery with Autologous Venous Tissue, Open Approach | ICD-10-PCS Procedure |
| 0314094 | Bypass Left Subclavian Artery to Left Lower Arm Artery with Autologous Venous Tissue, Open Approach | ICD-10-PCS Procedure |
| 0314095 | Bypass Left Subclavian Artery to Bilateral Lower Arm Artery with Autologous Venous Tissue, Open Approach | ICD-10-PCS Procedure |
| 0314096 | Bypass Left Subclavian Artery to Right Upper Leg Artery with Autologous Venous Tissue, Open Approach | ICD-10-PCS Procedure |

List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|--|----------------------|
| 0314097 | Bypass Left Subclavian Artery to Left Upper Leg Artery with Autologous Venous Tissue, Open Approach | ICD-10-PCS Procedure |
| 0314098 | Bypass Left Subclavian Artery to Bilateral Upper Leg Artery with Autologous Venous Tissue, Open Approach | ICD-10-PCS Procedure |
| 0314099 | Bypass Left Subclavian Artery to Right Lower Leg Artery with Autologous Venous Tissue, Open Approach | ICD-10-PCS Procedure |
| 031409B | Bypass Left Subclavian Artery to Left Lower Leg Artery with Autologous Venous Tissue, Open Approach | ICD-10-PCS Procedure |
| 031409C | Bypass Left Subclavian Artery to Bilateral Lower Leg Artery with Autologous Venous Tissue, Open Approach | ICD-10-PCS Procedure |
| 031409D | Bypass Left Subclavian Artery to Upper Arm Vein with Autologous Venous Tissue, Open Approach | ICD-10-PCS Procedure |
| 031409F | Bypass Left Subclavian Artery to Lower Arm Vein with Autologous Venous Tissue, Open Approach | ICD-10-PCS Procedure |
| 031409J | Bypass Left Subclavian Artery to Right Extracranial Artery with Autologous Venous Tissue, Open Approach | ICD-10-PCS Procedure |
| 031409K | Bypass Left Subclavian Artery to Left Extracranial Artery with Autologous Venous Tissue, Open Approach | ICD-10-PCS Procedure |
| 03140A0 | Bypass Left Subclavian Artery to Right Upper Arm Artery with Autologous Arterial Tissue, Open Approach | ICD-10-PCS Procedure |
| 03140A1 | Bypass Left Subclavian Artery to Left Upper Arm Artery with Autologous Arterial Tissue, Open Approach | ICD-10-PCS Procedure |
| 03140A2 | Bypass Left Subclavian Artery to Bilateral Upper Arm Artery with Autologous Arterial Tissue, Open Approach | ICD-10-PCS Procedure |
| 03140A3 | Bypass Left Subclavian Artery to Right Lower Arm Artery with Autologous Arterial Tissue, Open Approach | ICD-10-PCS Procedure |
| 03140A4 | Bypass Left Subclavian Artery to Left Lower Arm Artery with Autologous Arterial Tissue, Open Approach | ICD-10-PCS Procedure |
| 03140A5 | Bypass Left Subclavian Artery to Bilateral Lower Arm Artery with Autologous Arterial Tissue, Open Approach | ICD-10-PCS Procedure |
| 03140A6 | Bypass Left Subclavian Artery to Right Upper Leg Artery with Autologous Arterial Tissue, Open Approach | ICD-10-PCS Procedure |
| 03140A7 | Bypass Left Subclavian Artery to Left Upper Leg Artery with Autologous Arterial Tissue, Open Approach | ICD-10-PCS Procedure |
| 03140A8 | Bypass Left Subclavian Artery to Bilateral Upper Leg Artery with Autologous Arterial Tissue, Open Approach | ICD-10-PCS Procedure |
| 03140A9 | Bypass Left Subclavian Artery to Right Lower Leg Artery with Autologous Arterial Tissue, Open Approach | ICD-10-PCS Procedure |
| 03140AB | Bypass Left Subclavian Artery to Left Lower Leg Artery with Autologous Arterial Tissue, Open Approach | ICD-10-PCS Procedure |
| 03140AC | Bypass Left Subclavian Artery to Bilateral Lower Leg Artery with Autologous Arterial Tissue, Open Approach | ICD-10-PCS Procedure |

List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|---|----------------------|
| 03140AD | Bypass Left Subclavian Artery to Upper Arm Vein with Autologous Arterial Tissue, Open Approach | ICD-10-PCS Procedure |
| 03140AF | Bypass Left Subclavian Artery to Lower Arm Vein with Autologous Arterial Tissue, Open Approach | ICD-10-PCS Procedure |
| 03140AJ | Bypass Left Subclavian Artery to Right Extracranial Artery with Autologous Arterial Tissue, Open Approach | ICD-10-PCS Procedure |
| 03140AK | Bypass Left Subclavian Artery to Left Extracranial Artery with Autologous Arterial Tissue, Open Approach | ICD-10-PCS Procedure |
| 03140J0 | Bypass Left Subclavian Artery to Right Upper Arm Artery with Synthetic Substitute, Open Approach | ICD-10-PCS Procedure |
| 03140J1 | Bypass Left Subclavian Artery to Left Upper Arm Artery with Synthetic Substitute, Open Approach | ICD-10-PCS Procedure |
| 03140J2 | Bypass Left Subclavian Artery to Bilateral Upper Arm Artery with Synthetic Substitute, Open Approach | ICD-10-PCS Procedure |
| 03140J3 | Bypass Left Subclavian Artery to Right Lower Arm Artery with Synthetic Substitute, Open Approach | ICD-10-PCS Procedure |
| 03140J4 | Bypass Left Subclavian Artery to Left Lower Arm Artery with Synthetic Substitute, Open Approach | ICD-10-PCS Procedure |
| 03140J5 | Bypass Left Subclavian Artery to Bilateral Lower Arm Artery with Synthetic Substitute, Open Approach | ICD-10-PCS Procedure |
| 03140J6 | Bypass Left Subclavian Artery to Right Upper Leg Artery with Synthetic Substitute, Open Approach | ICD-10-PCS Procedure |
| 03140J7 | Bypass Left Subclavian Artery to Left Upper Leg Artery with Synthetic Substitute, Open Approach | ICD-10-PCS Procedure |
| 03140J8 | Bypass Left Subclavian Artery to Bilateral Upper Leg Artery with Synthetic Substitute, Open Approach | ICD-10-PCS Procedure |
| 03140J9 | Bypass Left Subclavian Artery to Right Lower Leg Artery with Synthetic Substitute, Open Approach | ICD-10-PCS Procedure |
| 03140JB | Bypass Left Subclavian Artery to Left Lower Leg Artery with Synthetic Substitute, Open Approach | ICD-10-PCS Procedure |
| 03140JC | Bypass Left Subclavian Artery to Bilateral Lower Leg Artery with Synthetic Substitute, Open Approach | ICD-10-PCS Procedure |
| 03140JD | Bypass Left Subclavian Artery to Upper Arm Vein with Synthetic Substitute, Open Approach | ICD-10-PCS Procedure |
| 03140JF | Bypass Left Subclavian Artery to Lower Arm Vein with Synthetic Substitute, Open Approach | ICD-10-PCS Procedure |
| 03140JJ | Bypass Left Subclavian Artery to Right Extracranial Artery with Synthetic Substitute, Open Approach | ICD-10-PCS Procedure |
| 03140JK | Bypass Left Subclavian Artery to Left Extracranial Artery with Synthetic Substitute, Open Approach | ICD-10-PCS Procedure |
| 03140K0 | Bypass Left Subclavian Artery to Right Upper Arm Artery with Nonautologous Tissue Substitute, Open Approach | ICD-10-PCS Procedure |

List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|---|----------------------|
| 03140K1 | Bypass Left Subclavian Artery to Left Upper Arm Artery with Nonautologous Tissue Substitute, Open Approach | ICD-10-PCS Procedure |
| 03140K2 | Bypass Left Subclavian Artery to Bilateral Upper Arm Artery with Nonautologous Tissue Substitute, Open Approach | ICD-10-PCS Procedure |
| 03140K3 | Bypass Left Subclavian Artery to Right Lower Arm Artery with Nonautologous Tissue Substitute, Open Approach | ICD-10-PCS Procedure |
| 03140K4 | Bypass Left Subclavian Artery to Left Lower Arm Artery with Nonautologous Tissue Substitute, Open Approach | ICD-10-PCS Procedure |
| 03140K5 | Bypass Left Subclavian Artery to Bilateral Lower Arm Artery with Nonautologous Tissue Substitute, Open Approach | ICD-10-PCS Procedure |
| 03140K6 | Bypass Left Subclavian Artery to Right Upper Leg Artery with Nonautologous Tissue Substitute, Open Approach | ICD-10-PCS Procedure |
| 03140K7 | Bypass Left Subclavian Artery to Left Upper Leg Artery with Nonautologous Tissue Substitute, Open Approach | ICD-10-PCS Procedure |
| 03140K8 | Bypass Left Subclavian Artery to Bilateral Upper Leg Artery with Nonautologous Tissue Substitute, Open Approach | ICD-10-PCS Procedure |
| 03140K9 | Bypass Left Subclavian Artery to Right Lower Leg Artery with Nonautologous Tissue Substitute, Open Approach | ICD-10-PCS Procedure |
| 03140KB | Bypass Left Subclavian Artery to Left Lower Leg Artery with Nonautologous Tissue Substitute, Open Approach | ICD-10-PCS Procedure |
| 03140KC | Bypass Left Subclavian Artery to Bilateral Lower Leg Artery with Nonautologous Tissue Substitute, Open Approach | ICD-10-PCS Procedure |
| 03140KD | Bypass Left Subclavian Artery to Upper Arm Vein with Nonautologous Tissue Substitute, Open Approach | ICD-10-PCS Procedure |
| 03140KF | Bypass Left Subclavian Artery to Lower Arm Vein with Nonautologous Tissue Substitute, Open Approach | ICD-10-PCS Procedure |
| 03140KJ | Bypass Left Subclavian Artery to Right Extracranial Artery with Nonautologous Tissue Substitute, Open Approach | ICD-10-PCS Procedure |
| 03140KK | Bypass Left Subclavian Artery to Left Extracranial Artery with Nonautologous Tissue Substitute, Open Approach | ICD-10-PCS Procedure |
| 03140Z0 | Bypass Left Subclavian Artery to Right Upper Arm Artery, Open Approach | ICD-10-PCS Procedure |
| 03140Z1 | Bypass Left Subclavian Artery to Left Upper Arm Artery, Open Approach | ICD-10-PCS Procedure |
| 03140Z2 | Bypass Left Subclavian Artery to Bilateral Upper Arm Artery, Open Approach | ICD-10-PCS Procedure |
| 03140Z3 | Bypass Left Subclavian Artery to Right Lower Arm Artery, Open Approach | ICD-10-PCS Procedure |
| 03140Z4 | Bypass Left Subclavian Artery to Left Lower Arm Artery, Open Approach | ICD-10-PCS Procedure |
| 03140Z5 | Bypass Left Subclavian Artery to Bilateral Lower Arm Artery, Open Approach | ICD-10-PCS Procedure |
| 03140Z6 | Bypass Left Subclavian Artery to Right Upper Leg Artery, Open Approach | ICD-10-PCS Procedure |
| 03140Z7 | Bypass Left Subclavian Artery to Left Upper Leg Artery, Open Approach | ICD-10-PCS Procedure |
| 03140Z8 | Bypass Left Subclavian Artery to Bilateral Upper Leg Artery, Open Approach | ICD-10-PCS Procedure |
| 03140Z9 | Bypass Left Subclavian Artery to Right Lower Leg Artery, Open Approach | ICD-10-PCS Procedure |
| 03140ZB | Bypass Left Subclavian Artery to Left Lower Leg Artery, Open Approach | ICD-10-PCS Procedure |
| 03140ZC | Bypass Left Subclavian Artery to Bilateral Lower Leg Artery, Open Approach | ICD-10-PCS Procedure |

List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|---|----------------------|
| 03140ZD | Bypass Left Subclavian Artery to Upper Arm Vein, Open Approach | ICD-10-PCS Procedure |
| 03140ZF | Bypass Left Subclavian Artery to Lower Arm Vein, Open Approach | ICD-10-PCS Procedure |
| 03140ZJ | Bypass Left Subclavian Artery to Right Extracranial Artery, Open Approach | ICD-10-PCS Procedure |
| 03140ZK | Bypass Left Subclavian Artery to Left Extracranial Artery, Open Approach | ICD-10-PCS Procedure |
| 0315090 | Bypass Right Axillary Artery to Right Upper Arm Artery with Autologous Venous Tissue, Open Approach | ICD-10-PCS Procedure |
| 0315091 | Bypass Right Axillary Artery to Left Upper Arm Artery with Autologous Venous Tissue, Open Approach | ICD-10-PCS Procedure |
| 0315092 | Bypass Right Axillary Artery to Bilateral Upper Arm Artery with Autologous Venous Tissue, Open Approach | ICD-10-PCS Procedure |
| 0315093 | Bypass Right Axillary Artery to Right Lower Arm Artery with Autologous Venous Tissue, Open Approach | ICD-10-PCS Procedure |
| 0315094 | Bypass Right Axillary Artery to Left Lower Arm Artery with Autologous Venous Tissue, Open Approach | ICD-10-PCS Procedure |
| 0315095 | Bypass Right Axillary Artery to Bilateral Lower Arm Artery with Autologous Venous Tissue, Open Approach | ICD-10-PCS Procedure |
| 0315096 | Bypass Right Axillary Artery to Right Upper Leg Artery with Autologous Venous Tissue, Open Approach | ICD-10-PCS Procedure |
| 0315097 | Bypass Right Axillary Artery to Left Upper Leg Artery with Autologous Venous Tissue, Open Approach | ICD-10-PCS Procedure |
| 0315098 | Bypass Right Axillary Artery to Bilateral Upper Leg Artery with Autologous Venous Tissue, Open Approach | ICD-10-PCS Procedure |
| 0315099 | Bypass Right Axillary Artery to Right Lower Leg Artery with Autologous Venous Tissue, Open Approach | ICD-10-PCS Procedure |
| 031509B | Bypass Right Axillary Artery to Left Lower Leg Artery with Autologous Venous Tissue, Open Approach | ICD-10-PCS Procedure |
| 031509C | Bypass Right Axillary Artery to Bilateral Lower Leg Artery with Autologous Venous Tissue, Open Approach | ICD-10-PCS Procedure |
| 031509D | Bypass Right Axillary Artery to Upper Arm Vein with Autologous Venous Tissue, Open Approach | ICD-10-PCS Procedure |
| 031509F | Bypass Right Axillary Artery to Lower Arm Vein with Autologous Venous Tissue, Open Approach | ICD-10-PCS Procedure |
| 031509J | Bypass Right Axillary Artery to Right Extracranial Artery with Autologous Venous Tissue, Open Approach | ICD-10-PCS Procedure |
| 031509K | Bypass Right Axillary Artery to Left Extracranial Artery with Autologous Venous Tissue, Open Approach | ICD-10-PCS Procedure |
| 03150A0 | Bypass Right Axillary Artery to Right Upper Arm Artery with Autologous Arterial Tissue, Open Approach | ICD-10-PCS Procedure |
| 03150A1 | Bypass Right Axillary Artery to Left Upper Arm Artery with Autologous Arterial Tissue, Open Approach | ICD-10-PCS Procedure |
| 03150A2 | Bypass Right Axillary Artery to Bilateral Upper Arm Artery with Autologous Arterial Tissue, Open Approach | ICD-10-PCS Procedure |

List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|---|----------------------|
| 03150A3 | Bypass Right Axillary Artery to Right Lower Arm Artery with Autologous Arterial Tissue, Open Approach | ICD-10-PCS Procedure |
| 03150A4 | Bypass Right Axillary Artery to Left Lower Arm Artery with Autologous Arterial Tissue, Open Approach | ICD-10-PCS Procedure |
| 03150A5 | Bypass Right Axillary Artery to Bilateral Lower Arm Artery with Autologous Arterial Tissue, Open Approach | ICD-10-PCS Procedure |
| 03150A6 | Bypass Right Axillary Artery to Right Upper Leg Artery with Autologous Arterial Tissue, Open Approach | ICD-10-PCS Procedure |
| 03150A7 | Bypass Right Axillary Artery to Left Upper Leg Artery with Autologous Arterial Tissue, Open Approach | ICD-10-PCS Procedure |
| 03150A8 | Bypass Right Axillary Artery to Bilateral Upper Leg Artery with Autologous Arterial Tissue, Open Approach | ICD-10-PCS Procedure |
| 03150A9 | Bypass Right Axillary Artery to Right Lower Leg Artery with Autologous Arterial Tissue, Open Approach | ICD-10-PCS Procedure |
| 03150AB | Bypass Right Axillary Artery to Left Lower Leg Artery with Autologous Arterial Tissue, Open Approach | ICD-10-PCS Procedure |
| 03150AC | Bypass Right Axillary Artery to Bilateral Lower Leg Artery with Autologous Arterial Tissue, Open Approach | ICD-10-PCS Procedure |
| 03150AD | Bypass Right Axillary Artery to Upper Arm Vein with Autologous Arterial Tissue, Open Approach | ICD-10-PCS Procedure |
| 03150AF | Bypass Right Axillary Artery to Lower Arm Vein with Autologous Arterial Tissue, Open Approach | ICD-10-PCS Procedure |
| 03150AJ | Bypass Right Axillary Artery to Right Extracranial Artery with Autologous Arterial Tissue, Open Approach | ICD-10-PCS Procedure |
| 03150AK | Bypass Right Axillary Artery to Left Extracranial Artery with Autologous Arterial Tissue, Open Approach | ICD-10-PCS Procedure |
| 03150J0 | Bypass Right Axillary Artery to Right Upper Arm Artery with Synthetic Substitute, Open Approach | ICD-10-PCS Procedure |
| 03150J1 | Bypass Right Axillary Artery to Left Upper Arm Artery with Synthetic Substitute, Open Approach | ICD-10-PCS Procedure |
| 03150J2 | Bypass Right Axillary Artery to Bilateral Upper Arm Artery with Synthetic Substitute, Open Approach | ICD-10-PCS Procedure |
| 03150J3 | Bypass Right Axillary Artery to Right Lower Arm Artery with Synthetic Substitute, Open Approach | ICD-10-PCS Procedure |
| 03150J4 | Bypass Right Axillary Artery to Left Lower Arm Artery with Synthetic Substitute, Open Approach | ICD-10-PCS Procedure |
| 03150J5 | Bypass Right Axillary Artery to Bilateral Lower Arm Artery with Synthetic Substitute, Open Approach | ICD-10-PCS Procedure |
| 03150J6 | Bypass Right Axillary Artery to Right Upper Leg Artery with Synthetic Substitute, Open Approach | ICD-10-PCS Procedure |
| 03150J7 | Bypass Right Axillary Artery to Left Upper Leg Artery with Synthetic Substitute, Open Approach | ICD-10-PCS Procedure |



List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|--|----------------------|
| 03150J8 | Bypass Right Axillary Artery to Bilateral Upper Leg Artery with Synthetic Substitute, Open Approach | ICD-10-PCS Procedure |
| 03150J9 | Bypass Right Axillary Artery to Right Lower Leg Artery with Synthetic Substitute, Open Approach | ICD-10-PCS Procedure |
| 03150JB | Bypass Right Axillary Artery to Left Lower Leg Artery with Synthetic Substitute, Open Approach | ICD-10-PCS Procedure |
| 03150JC | Bypass Right Axillary Artery to Bilateral Lower Leg Artery with Synthetic Substitute, Open Approach | ICD-10-PCS Procedure |
| 03150JD | Bypass Right Axillary Artery to Upper Arm Vein with Synthetic Substitute, Open Approach | ICD-10-PCS Procedure |
| 03150JF | Bypass Right Axillary Artery to Lower Arm Vein with Synthetic Substitute, Open Approach | ICD-10-PCS Procedure |
| 03150JJ | Bypass Right Axillary Artery to Right Extracranial Artery with Synthetic Substitute, Open Approach | ICD-10-PCS Procedure |
| 03150JK | Bypass Right Axillary Artery to Left Extracranial Artery with Synthetic Substitute, Open Approach | ICD-10-PCS Procedure |
| 03150K0 | Bypass Right Axillary Artery to Right Upper Arm Artery with Nonautologous Tissue Substitute, Open Approach | ICD-10-PCS Procedure |
| 03150K1 | Bypass Right Axillary Artery to Left Upper Arm Artery with Nonautologous Tissue Substitute, Open Approach | ICD-10-PCS Procedure |
| 03150K2 | Bypass Right Axillary Artery to Bilateral Upper Arm Artery with Nonautologous Tissue Substitute, Open Approach | ICD-10-PCS Procedure |
| 03150K3 | Bypass Right Axillary Artery to Right Lower Arm Artery with Nonautologous Tissue Substitute, Open Approach | ICD-10-PCS Procedure |
| 03150K4 | Bypass Right Axillary Artery to Left Lower Arm Artery with Nonautologous Tissue Substitute, Open Approach | ICD-10-PCS Procedure |
| 03150K5 | Bypass Right Axillary Artery to Bilateral Lower Arm Artery with Nonautologous Tissue Substitute, Open Approach | ICD-10-PCS Procedure |
| 03150K6 | Bypass Right Axillary Artery to Right Upper Leg Artery with Nonautologous Tissue Substitute, Open Approach | ICD-10-PCS Procedure |
| 03150K7 | Bypass Right Axillary Artery to Left Upper Leg Artery with Nonautologous Tissue Substitute, Open Approach | ICD-10-PCS Procedure |
| 03150K8 | Bypass Right Axillary Artery to Bilateral Upper Leg Artery with Nonautologous Tissue Substitute, Open Approach | ICD-10-PCS Procedure |
| 03150K9 | Bypass Right Axillary Artery to Right Lower Leg Artery with Nonautologous Tissue Substitute, Open Approach | ICD-10-PCS Procedure |
| 03150KB | Bypass Right Axillary Artery to Left Lower Leg Artery with Nonautologous Tissue Substitute, Open Approach | ICD-10-PCS Procedure |
| 03150KC | Bypass Right Axillary Artery to Bilateral Lower Leg Artery with Nonautologous Tissue Substitute, Open Approach | ICD-10-PCS Procedure |
| 03150KD | Bypass Right Axillary Artery to Upper Arm Vein with Nonautologous Tissue Substitute, Open Approach | ICD-10-PCS Procedure |

List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|---|----------------------|
| 03150KF | Bypass Right Axillary Artery to Lower Arm Vein with Nonautologous Tissue Substitute, Open Approach | ICD-10-PCS Procedure |
| 03150KJ | Bypass Right Axillary Artery to Right Extracranial Artery with Nonautologous Tissue Substitute, Open Approach | ICD-10-PCS Procedure |
| 03150KK | Bypass Right Axillary Artery to Left Extracranial Artery with Nonautologous Tissue Substitute, Open Approach | ICD-10-PCS Procedure |
| 03150Z0 | Bypass Right Axillary Artery to Right Upper Arm Artery, Open Approach | ICD-10-PCS Procedure |
| 03150Z1 | Bypass Right Axillary Artery to Left Upper Arm Artery, Open Approach | ICD-10-PCS Procedure |
| 03150Z2 | Bypass Right Axillary Artery to Bilateral Upper Arm Artery, Open Approach | ICD-10-PCS Procedure |
| 03150Z3 | Bypass Right Axillary Artery to Right Lower Arm Artery, Open Approach | ICD-10-PCS Procedure |
| 03150Z4 | Bypass Right Axillary Artery to Left Lower Arm Artery, Open Approach | ICD-10-PCS Procedure |
| 03150Z5 | Bypass Right Axillary Artery to Bilateral Lower Arm Artery, Open Approach | ICD-10-PCS Procedure |
| 03150Z6 | Bypass Right Axillary Artery to Right Upper Leg Artery, Open Approach | ICD-10-PCS Procedure |
| 03150Z7 | Bypass Right Axillary Artery to Left Upper Leg Artery, Open Approach | ICD-10-PCS Procedure |
| 03150Z8 | Bypass Right Axillary Artery to Bilateral Upper Leg Artery, Open Approach | ICD-10-PCS Procedure |
| 03150Z9 | Bypass Right Axillary Artery to Right Lower Leg Artery, Open Approach | ICD-10-PCS Procedure |
| 03150ZB | Bypass Right Axillary Artery to Left Lower Leg Artery, Open Approach | ICD-10-PCS Procedure |
| 03150ZC | Bypass Right Axillary Artery to Bilateral Lower Leg Artery, Open Approach | ICD-10-PCS Procedure |
| 03150ZD | Bypass Right Axillary Artery to Upper Arm Vein, Open Approach | ICD-10-PCS Procedure |
| 03150ZF | Bypass Right Axillary Artery to Lower Arm Vein, Open Approach | ICD-10-PCS Procedure |
| 03150ZJ | Bypass Right Axillary Artery to Right Extracranial Artery, Open Approach | ICD-10-PCS Procedure |
| 03150ZK | Bypass Right Axillary Artery to Left Extracranial Artery, Open Approach | ICD-10-PCS Procedure |
| 0316090 | Bypass Left Axillary Artery to Right Upper Arm Artery with Autologous Venous Tissue, Open Approach | ICD-10-PCS Procedure |
| 0316091 | Bypass Left Axillary Artery to Left Upper Arm Artery with Autologous Venous Tissue, Open Approach | ICD-10-PCS Procedure |
| 0316092 | Bypass Left Axillary Artery to Bilateral Upper Arm Artery with Autologous Venous Tissue, Open Approach | ICD-10-PCS Procedure |
| 0316093 | Bypass Left Axillary Artery to Right Lower Arm Artery with Autologous Venous Tissue, Open Approach | ICD-10-PCS Procedure |
| 0316094 | Bypass Left Axillary Artery to Left Lower Arm Artery with Autologous Venous Tissue, Open Approach | ICD-10-PCS Procedure |
| 0316095 | Bypass Left Axillary Artery to Bilateral Lower Arm Artery with Autologous Venous Tissue, Open Approach | ICD-10-PCS Procedure |
| 0316096 | Bypass Left Axillary Artery to Right Upper Leg Artery with Autologous Venous Tissue, Open Approach | ICD-10-PCS Procedure |
| 0316097 | Bypass Left Axillary Artery to Left Upper Leg Artery with Autologous Venous Tissue, Open Approach | ICD-10-PCS Procedure |
| 0316098 | Bypass Left Axillary Artery to Bilateral Upper Leg Artery with Autologous Venous Tissue, Open Approach | ICD-10-PCS Procedure |

List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|--|----------------------|
| 0316099 | Bypass Left Axillary Artery to Right Lower Leg Artery with Autologous Venous Tissue, Open Approach | ICD-10-PCS Procedure |
| 031609B | Bypass Left Axillary Artery to Left Lower Leg Artery with Autologous Venous Tissue, Open Approach | ICD-10-PCS Procedure |
| 031609C | Bypass Left Axillary Artery to Bilateral Lower Leg Artery with Autologous Venous Tissue, Open Approach | ICD-10-PCS Procedure |
| 031609D | Bypass Left Axillary Artery to Upper Arm Vein with Autologous Venous Tissue, Open Approach | ICD-10-PCS Procedure |
| 031609F | Bypass Left Axillary Artery to Lower Arm Vein with Autologous Venous Tissue, Open Approach | ICD-10-PCS Procedure |
| 031609J | Bypass Left Axillary Artery to Right Extracranial Artery with Autologous Venous Tissue, Open Approach | ICD-10-PCS Procedure |
| 031609K | Bypass Left Axillary Artery to Left Extracranial Artery with Autologous Venous Tissue, Open Approach | ICD-10-PCS Procedure |
| 03160A0 | Bypass Left Axillary Artery to Right Upper Arm Artery with Autologous Arterial Tissue, Open Approach | ICD-10-PCS Procedure |
| 03160A1 | Bypass Left Axillary Artery to Left Upper Arm Artery with Autologous Arterial Tissue, Open Approach | ICD-10-PCS Procedure |
| 03160A2 | Bypass Left Axillary Artery to Bilateral Upper Arm Artery with Autologous Arterial Tissue, Open Approach | ICD-10-PCS Procedure |
| 03160A3 | Bypass Left Axillary Artery to Right Lower Arm Artery with Autologous Arterial Tissue, Open Approach | ICD-10-PCS Procedure |
| 03160A4 | Bypass Left Axillary Artery to Left Lower Arm Artery with Autologous Arterial Tissue, Open Approach | ICD-10-PCS Procedure |
| 03160A5 | Bypass Left Axillary Artery to Bilateral Lower Arm Artery with Autologous Arterial Tissue, Open Approach | ICD-10-PCS Procedure |
| 03160A6 | Bypass Left Axillary Artery to Right Upper Leg Artery with Autologous Arterial Tissue, Open Approach | ICD-10-PCS Procedure |
| 03160A7 | Bypass Left Axillary Artery to Left Upper Leg Artery with Autologous Arterial Tissue, Open Approach | ICD-10-PCS Procedure |
| 03160A8 | Bypass Left Axillary Artery to Bilateral Upper Leg Artery with Autologous Arterial Tissue, Open Approach | ICD-10-PCS Procedure |
| 03160A9 | Bypass Left Axillary Artery to Right Lower Leg Artery with Autologous Arterial Tissue, Open Approach | ICD-10-PCS Procedure |
| 03160AB | Bypass Left Axillary Artery to Left Lower Leg Artery with Autologous Arterial Tissue, Open Approach | ICD-10-PCS Procedure |
| 03160AC | Bypass Left Axillary Artery to Bilateral Lower Leg Artery with Autologous Arterial Tissue, Open Approach | ICD-10-PCS Procedure |
| 03160AD | Bypass Left Axillary Artery to Upper Arm Vein with Autologous Arterial Tissue, Open Approach | ICD-10-PCS Procedure |
| 03160AF | Bypass Left Axillary Artery to Lower Arm Vein with Autologous Arterial Tissue, Open Approach | ICD-10-PCS Procedure |

List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|---|----------------------|
| 03160AJ | Bypass Left Axillary Artery to Right Extracranial Artery with Autologous Arterial Tissue, Open Approach | ICD-10-PCS Procedure |
| 03160AK | Bypass Left Axillary Artery to Left Extracranial Artery with Autologous Arterial Tissue, Open Approach | ICD-10-PCS Procedure |
| 03160J0 | Bypass Left Axillary Artery to Right Upper Arm Artery with Synthetic Substitute, Open Approach | ICD-10-PCS Procedure |
| 03160J1 | Bypass Left Axillary Artery to Left Upper Arm Artery with Synthetic Substitute, Open Approach | ICD-10-PCS Procedure |
| 03160J2 | Bypass Left Axillary Artery to Bilateral Upper Arm Artery with Synthetic Substitute, Open Approach | ICD-10-PCS Procedure |
| 03160J3 | Bypass Left Axillary Artery to Right Lower Arm Artery with Synthetic Substitute, Open Approach | ICD-10-PCS Procedure |
| 03160J4 | Bypass Left Axillary Artery to Left Lower Arm Artery with Synthetic Substitute, Open Approach | ICD-10-PCS Procedure |
| 03160J5 | Bypass Left Axillary Artery to Bilateral Lower Arm Artery with Synthetic Substitute, Open Approach | ICD-10-PCS Procedure |
| 03160J6 | Bypass Left Axillary Artery to Right Upper Leg Artery with Synthetic Substitute, Open Approach | ICD-10-PCS Procedure |
| 03160J7 | Bypass Left Axillary Artery to Left Upper Leg Artery with Synthetic Substitute, Open Approach | ICD-10-PCS Procedure |
| 03160J8 | Bypass Left Axillary Artery to Bilateral Upper Leg Artery with Synthetic Substitute, Open Approach | ICD-10-PCS Procedure |
| 03160J9 | Bypass Left Axillary Artery to Right Lower Leg Artery with Synthetic Substitute, Open Approach | ICD-10-PCS Procedure |
| 03160JB | Bypass Left Axillary Artery to Left Lower Leg Artery with Synthetic Substitute, Open Approach | ICD-10-PCS Procedure |
| 03160JC | Bypass Left Axillary Artery to Bilateral Lower Leg Artery with Synthetic Substitute, Open Approach | ICD-10-PCS Procedure |
| 03160JD | Bypass Left Axillary Artery to Upper Arm Vein with Synthetic Substitute, Open Approach | ICD-10-PCS Procedure |
| 03160JF | Bypass Left Axillary Artery to Lower Arm Vein with Synthetic Substitute, Open Approach | ICD-10-PCS Procedure |
| 03160JJ | Bypass Left Axillary Artery to Right Extracranial Artery with Synthetic Substitute, Open Approach | ICD-10-PCS Procedure |
| 03160JK | Bypass Left Axillary Artery to Left Extracranial Artery with Synthetic Substitute, Open Approach | ICD-10-PCS Procedure |
| 03160K0 | Bypass Left Axillary Artery to Right Upper Arm Artery with Nonautologous Tissue Substitute, Open Approach | ICD-10-PCS Procedure |
| 03160K1 | Bypass Left Axillary Artery to Left Upper Arm Artery with Nonautologous Tissue Substitute, Open Approach | ICD-10-PCS Procedure |
| 03160K2 | Bypass Left Axillary Artery to Bilateral Upper Arm Artery with Nonautologous Tissue Substitute, Open Approach | ICD-10-PCS Procedure |

List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|---|----------------------|
| 03160K3 | Bypass Left Axillary Artery to Right Lower Arm Artery with Nonautologous Tissue Substitute, Open Approach | ICD-10-PCS Procedure |
| 03160K4 | Bypass Left Axillary Artery to Left Lower Arm Artery with Nonautologous Tissue Substitute, Open Approach | ICD-10-PCS Procedure |
| 03160K5 | Bypass Left Axillary Artery to Bilateral Lower Arm Artery with Nonautologous Tissue Substitute, Open Approach | ICD-10-PCS Procedure |
| 03160K6 | Bypass Left Axillary Artery to Right Upper Leg Artery with Nonautologous Tissue Substitute, Open Approach | ICD-10-PCS Procedure |
| 03160K7 | Bypass Left Axillary Artery to Left Upper Leg Artery with Nonautologous Tissue Substitute, Open Approach | ICD-10-PCS Procedure |
| 03160K8 | Bypass Left Axillary Artery to Bilateral Upper Leg Artery with Nonautologous Tissue Substitute, Open Approach | ICD-10-PCS Procedure |
| 03160K9 | Bypass Left Axillary Artery to Right Lower Leg Artery with Nonautologous Tissue Substitute, Open Approach | ICD-10-PCS Procedure |
| 03160KB | Bypass Left Axillary Artery to Left Lower Leg Artery with Nonautologous Tissue Substitute, Open Approach | ICD-10-PCS Procedure |
| 03160KC | Bypass Left Axillary Artery to Bilateral Lower Leg Artery with Nonautologous Tissue Substitute, Open Approach | ICD-10-PCS Procedure |
| 03160KD | Bypass Left Axillary Artery to Upper Arm Vein with Nonautologous Tissue Substitute, Open Approach | ICD-10-PCS Procedure |
| 03160KF | Bypass Left Axillary Artery to Lower Arm Vein with Nonautologous Tissue Substitute, Open Approach | ICD-10-PCS Procedure |
| 03160KJ | Bypass Left Axillary Artery to Right Extracranial Artery with Nonautologous Tissue Substitute, Open Approach | ICD-10-PCS Procedure |
| 03160KK | Bypass Left Axillary Artery to Left Extracranial Artery with Nonautologous Tissue Substitute, Open Approach | ICD-10-PCS Procedure |
| 03160Z0 | Bypass Left Axillary Artery to Right Upper Arm Artery, Open Approach | ICD-10-PCS Procedure |
| 03160Z1 | Bypass Left Axillary Artery to Left Upper Arm Artery, Open Approach | ICD-10-PCS Procedure |
| 03160Z2 | Bypass Left Axillary Artery to Bilateral Upper Arm Artery, Open Approach | ICD-10-PCS Procedure |
| 03160Z3 | Bypass Left Axillary Artery to Right Lower Arm Artery, Open Approach | ICD-10-PCS Procedure |
| 03160Z4 | Bypass Left Axillary Artery to Left Lower Arm Artery, Open Approach | ICD-10-PCS Procedure |
| 03160Z5 | Bypass Left Axillary Artery to Bilateral Lower Arm Artery, Open Approach | ICD-10-PCS Procedure |
| 03160Z6 | Bypass Left Axillary Artery to Right Upper Leg Artery, Open Approach | ICD-10-PCS Procedure |
| 03160Z7 | Bypass Left Axillary Artery to Left Upper Leg Artery, Open Approach | ICD-10-PCS Procedure |
| 03160Z8 | Bypass Left Axillary Artery to Bilateral Upper Leg Artery, Open Approach | ICD-10-PCS Procedure |
| 03160Z9 | Bypass Left Axillary Artery to Right Lower Leg Artery, Open Approach | ICD-10-PCS Procedure |
| 03160ZB | Bypass Left Axillary Artery to Left Lower Leg Artery, Open Approach | ICD-10-PCS Procedure |
| 03160ZC | Bypass Left Axillary Artery to Bilateral Lower Leg Artery, Open Approach | ICD-10-PCS Procedure |
| 03160ZD | Bypass Left Axillary Artery to Upper Arm Vein, Open Approach | ICD-10-PCS Procedure |
| 03160ZF | Bypass Left Axillary Artery to Lower Arm Vein, Open Approach | ICD-10-PCS Procedure |
| 03160ZJ | Bypass Left Axillary Artery to Right Extracranial Artery, Open Approach | ICD-10-PCS Procedure |

List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|--|----------------------|
| 03160ZK | Bypass Left Axillary Artery to Left Extracranial Artery, Open Approach | ICD-10-PCS Procedure |
| 0317090 | Bypass Right Brachial Artery to Right Upper Arm Artery with Autologous Venous Tissue, Open Approach | ICD-10-PCS Procedure |
| 0317093 | Bypass Right Brachial Artery to Right Lower Arm Artery with Autologous Venous Tissue, Open Approach | ICD-10-PCS Procedure |
| 031709D | Bypass Right Brachial Artery to Upper Arm Vein with Autologous Venous Tissue, Open Approach | ICD-10-PCS Procedure |
| 031709F | Bypass Right Brachial Artery to Lower Arm Vein with Autologous Venous Tissue, Open Approach | ICD-10-PCS Procedure |
| 03170A0 | Bypass Right Brachial Artery to Right Upper Arm Artery with Autologous Arterial Tissue, Open Approach | ICD-10-PCS Procedure |
| 03170A3 | Bypass Right Brachial Artery to Right Lower Arm Artery with Autologous Arterial Tissue, Open Approach | ICD-10-PCS Procedure |
| 03170AD | Bypass Right Brachial Artery to Upper Arm Vein with Autologous Arterial Tissue, Open Approach | ICD-10-PCS Procedure |
| 03170AF | Bypass Right Brachial Artery to Lower Arm Vein with Autologous Arterial Tissue, Open Approach | ICD-10-PCS Procedure |
| 03170J0 | Bypass Right Brachial Artery to Right Upper Arm Artery with Synthetic Substitute, Open Approach | ICD-10-PCS Procedure |
| 03170J3 | Bypass Right Brachial Artery to Right Lower Arm Artery with Synthetic Substitute, Open Approach | ICD-10-PCS Procedure |
| 03170JD | Bypass Right Brachial Artery to Upper Arm Vein with Synthetic Substitute, Open Approach | ICD-10-PCS Procedure |
| 03170JF | Bypass Right Brachial Artery to Lower Arm Vein with Synthetic Substitute, Open Approach | ICD-10-PCS Procedure |
| 03170K0 | Bypass Right Brachial Artery to Right Upper Arm Artery with Nonautologous Tissue Substitute, Open Approach | ICD-10-PCS Procedure |
| 03170K3 | Bypass Right Brachial Artery to Right Lower Arm Artery with Nonautologous Tissue Substitute, Open Approach | ICD-10-PCS Procedure |
| 03170KD | Bypass Right Brachial Artery to Upper Arm Vein with Nonautologous Tissue Substitute, Open Approach | ICD-10-PCS Procedure |
| 03170KF | Bypass Right Brachial Artery to Lower Arm Vein with Nonautologous Tissue Substitute, Open Approach | ICD-10-PCS Procedure |
| 03170Z0 | Bypass Right Brachial Artery to Right Upper Arm Artery, Open Approach | ICD-10-PCS Procedure |
| 03170Z3 | Bypass Right Brachial Artery to Right Lower Arm Artery, Open Approach | ICD-10-PCS Procedure |
| 03170ZD | Bypass Right Brachial Artery to Upper Arm Vein, Open Approach | ICD-10-PCS Procedure |
| 03170ZF | Bypass Right Brachial Artery to Lower Arm Vein, Open Approach | ICD-10-PCS Procedure |
| 0318091 | Bypass Left Brachial Artery to Left Upper Arm Artery with Autologous Venous Tissue, Open Approach | ICD-10-PCS Procedure |
| 0318094 | Bypass Left Brachial Artery to Left Lower Arm Artery with Autologous Venous Tissue, Open Approach | ICD-10-PCS Procedure |

List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|--|----------------------|
| 031809D | Bypass Left Brachial Artery to Upper Arm Vein with Autologous Venous Tissue, Open Approach | ICD-10-PCS Procedure |
| 031809F | Bypass Left Brachial Artery to Lower Arm Vein with Autologous Venous Tissue, Open Approach | ICD-10-PCS Procedure |
| 03180A1 | Bypass Left Brachial Artery to Left Upper Arm Artery with Autologous Arterial Tissue, Open Approach | ICD-10-PCS Procedure |
| 03180A4 | Bypass Left Brachial Artery to Left Lower Arm Artery with Autologous Arterial Tissue, Open Approach | ICD-10-PCS Procedure |
| 03180AD | Bypass Left Brachial Artery to Upper Arm Vein with Autologous Arterial Tissue, Open Approach | ICD-10-PCS Procedure |
| 03180AF | Bypass Left Brachial Artery to Lower Arm Vein with Autologous Arterial Tissue, Open Approach | ICD-10-PCS Procedure |
| 03180J1 | Bypass Left Brachial Artery to Left Upper Arm Artery with Synthetic Substitute, Open Approach | ICD-10-PCS Procedure |
| 03180J4 | Bypass Left Brachial Artery to Left Lower Arm Artery with Synthetic Substitute, Open Approach | ICD-10-PCS Procedure |
| 03180JD | Bypass Left Brachial Artery to Upper Arm Vein with Synthetic Substitute, Open Approach | ICD-10-PCS Procedure |
| 03180JF | Bypass Left Brachial Artery to Lower Arm Vein with Synthetic Substitute, Open Approach | ICD-10-PCS Procedure |
| 03180K1 | Bypass Left Brachial Artery to Left Upper Arm Artery with Nonautologous Tissue Substitute, Open Approach | ICD-10-PCS Procedure |
| 03180K4 | Bypass Left Brachial Artery to Left Lower Arm Artery with Nonautologous Tissue Substitute, Open Approach | ICD-10-PCS Procedure |
| 03180KD | Bypass Left Brachial Artery to Upper Arm Vein with Nonautologous Tissue Substitute, Open Approach | ICD-10-PCS Procedure |
| 03180KF | Bypass Left Brachial Artery to Lower Arm Vein with Nonautologous Tissue Substitute, Open Approach | ICD-10-PCS Procedure |
| 03180Z1 | Bypass Left Brachial Artery to Left Upper Arm Artery, Open Approach | ICD-10-PCS Procedure |
| 03180Z4 | Bypass Left Brachial Artery to Left Lower Arm Artery, Open Approach | ICD-10-PCS Procedure |
| 03180ZD | Bypass Left Brachial Artery to Upper Arm Vein, Open Approach | ICD-10-PCS Procedure |
| 03180ZF | Bypass Left Brachial Artery to Lower Arm Vein, Open Approach | ICD-10-PCS Procedure |
| 0319093 | Bypass Right Ulnar Artery to Right Lower Arm Artery with Autologous Venous Tissue, Open Approach | ICD-10-PCS Procedure |
| 031909F | Bypass Right Ulnar Artery to Lower Arm Vein with Autologous Venous Tissue, Open Approach | ICD-10-PCS Procedure |
| 03190A3 | Bypass Right Ulnar Artery to Right Lower Arm Artery with Autologous Arterial Tissue, Open Approach | ICD-10-PCS Procedure |
| 03190AF | Bypass Right Ulnar Artery to Lower Arm Vein with Autologous Arterial Tissue, Open Approach | ICD-10-PCS Procedure |
| 03190J3 | Bypass Right Ulnar Artery to Right Lower Arm Artery with Synthetic Substitute, Open Approach | ICD-10-PCS Procedure |

List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|--|----------------------|
| 03190JF | Bypass Right Ulnar Artery to Lower Arm Vein with Synthetic Substitute, Open Approach | ICD-10-PCS Procedure |
| 03190K3 | Bypass Right Ulnar Artery to Right Lower Arm Artery with Nonautologous Tissue Substitute, Open Approach | ICD-10-PCS Procedure |
| 03190KF | Bypass Right Ulnar Artery to Lower Arm Vein with Nonautologous Tissue Substitute, Open Approach | ICD-10-PCS Procedure |
| 03190Z3 | Bypass Right Ulnar Artery to Right Lower Arm Artery, Open Approach | ICD-10-PCS Procedure |
| 03190ZF | Bypass Right Ulnar Artery to Lower Arm Vein, Open Approach | ICD-10-PCS Procedure |
| 031A094 | Bypass Left Ulnar Artery to Left Lower Arm Artery with Autologous Venous Tissue, Open Approach | ICD-10-PCS Procedure |
| 031A09F | Bypass Left Ulnar Artery to Lower Arm Vein with Autologous Venous Tissue, Open Approach | ICD-10-PCS Procedure |
| 031A0A4 | Bypass Left Ulnar Artery to Left Lower Arm Artery with Autologous Arterial Tissue, Open Approach | ICD-10-PCS Procedure |
| 031A0AF | Bypass Left Ulnar Artery to Lower Arm Vein with Autologous Arterial Tissue, Open Approach | ICD-10-PCS Procedure |
| 031A0J4 | Bypass Left Ulnar Artery to Left Lower Arm Artery with Synthetic Substitute, Open Approach | ICD-10-PCS Procedure |
| 031A0JF | Bypass Left Ulnar Artery to Lower Arm Vein with Synthetic Substitute, Open Approach | ICD-10-PCS Procedure |
| 031A0K4 | Bypass Left Ulnar Artery to Left Lower Arm Artery with Nonautologous Tissue Substitute, Open Approach | ICD-10-PCS Procedure |
| 031A0KF | Bypass Left Ulnar Artery to Lower Arm Vein with Nonautologous Tissue Substitute, Open Approach | ICD-10-PCS Procedure |
| 031A0Z4 | Bypass Left Ulnar Artery to Left Lower Arm Artery, Open Approach | ICD-10-PCS Procedure |
| 031A0ZF | Bypass Left Ulnar Artery to Lower Arm Vein, Open Approach | ICD-10-PCS Procedure |
| 031B093 | Bypass Right Radial Artery to Right Lower Arm Artery with Autologous Venous Tissue, Open Approach | ICD-10-PCS Procedure |
| 031B09F | Bypass Right Radial Artery to Lower Arm Vein with Autologous Venous Tissue, Open Approach | ICD-10-PCS Procedure |
| 031B0A3 | Bypass Right Radial Artery to Right Lower Arm Artery with Autologous Arterial Tissue, Open Approach | ICD-10-PCS Procedure |
| 031B0AF | Bypass Right Radial Artery to Lower Arm Vein with Autologous Arterial Tissue, Open Approach | ICD-10-PCS Procedure |
| 031B0J3 | Bypass Right Radial Artery to Right Lower Arm Artery with Synthetic Substitute, Open Approach | ICD-10-PCS Procedure |
| 031B0JF | Bypass Right Radial Artery to Lower Arm Vein with Synthetic Substitute, Open Approach | ICD-10-PCS Procedure |
| 031B0K3 | Bypass Right Radial Artery to Right Lower Arm Artery with Nonautologous Tissue Substitute, Open Approach | ICD-10-PCS Procedure |
| 031B0KF | Bypass Right Radial Artery to Lower Arm Vein with Nonautologous Tissue Substitute, Open Approach | ICD-10-PCS Procedure |



List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|---|----------------------|
| 031B0Z3 | Bypass Right Radial Artery to Right Lower Arm Artery, Open Approach | ICD-10-PCS Procedure |
| 031B0ZF | Bypass Right Radial Artery to Lower Arm Vein, Open Approach | ICD-10-PCS Procedure |
| 031C094 | Bypass Left Radial Artery to Left Lower Arm Artery with Autologous Venous Tissue, Open Approach | ICD-10-PCS Procedure |
| 031C09F | Bypass Left Radial Artery to Lower Arm Vein with Autologous Venous Tissue, Open Approach | ICD-10-PCS Procedure |
| 031C0A4 | Bypass Left Radial Artery to Left Lower Arm Artery with Autologous Arterial Tissue, Open Approach | ICD-10-PCS Procedure |
| 031C0AF | Bypass Left Radial Artery to Lower Arm Vein with Autologous Arterial Tissue, Open Approach | ICD-10-PCS Procedure |
| 031C0J4 | Bypass Left Radial Artery to Left Lower Arm Artery with Synthetic Substitute, Open Approach | ICD-10-PCS Procedure |
| 031C0JF | Bypass Left Radial Artery to Lower Arm Vein with Synthetic Substitute, Open Approach | ICD-10-PCS Procedure |
| 031C0K4 | Bypass Left Radial Artery to Left Lower Arm Artery with Nonautologous Tissue Substitute, Open Approach | ICD-10-PCS Procedure |
| 031C0KF | Bypass Left Radial Artery to Lower Arm Vein with Nonautologous Tissue Substitute, Open Approach | ICD-10-PCS Procedure |
| 031C0Z4 | Bypass Left Radial Artery to Left Lower Arm Artery, Open Approach | ICD-10-PCS Procedure |
| 031C0ZF | Bypass Left Radial Artery to Lower Arm Vein, Open Approach | ICD-10-PCS Procedure |
| 031G09G | Bypass Intracranial Artery to Intracranial Artery with Autologous Venous Tissue, Open Approach | ICD-10-PCS Procedure |
| 031G0AG | Bypass Intracranial Artery to Intracranial Artery with Autologous Arterial Tissue, Open Approach | ICD-10-PCS Procedure |
| 031G0JG | Bypass Intracranial Artery to Intracranial Artery with Synthetic Substitute, Open Approach | ICD-10-PCS Procedure |
| 031G0KG | Bypass Intracranial Artery to Intracranial Artery with Nonautologous Tissue Substitute, Open Approach | ICD-10-PCS Procedure |
| 031G0ZG | Bypass Intracranial Artery to Intracranial Artery, Open Approach | ICD-10-PCS Procedure |
| 031H09J | Bypass Right Common Carotid Artery to Right Extracranial Artery with Autologous Venous Tissue, Open Approach | ICD-10-PCS Procedure |
| 031H0AJ | Bypass Right Common Carotid Artery to Right Extracranial Artery with Autologous Arterial Tissue, Open Approach | ICD-10-PCS Procedure |
| 031H0JJ | Bypass Right Common Carotid Artery to Right Extracranial Artery with Synthetic Substitute, Open Approach | ICD-10-PCS Procedure |
| 031H0KJ | Bypass Right Common Carotid Artery to Right Extracranial Artery with Nonautologous Tissue Substitute, Open Approach | ICD-10-PCS Procedure |
| 031H0ZJ | Bypass Right Common Carotid Artery to Right Extracranial Artery, Open Approach | ICD-10-PCS Procedure |
| 031J09K | Bypass Left Common Carotid Artery to Left Extracranial Artery with Autologous Venous Tissue, Open Approach | ICD-10-PCS Procedure |

List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|---|----------------------|
| 031J0AK | Bypass Left Common Carotid Artery to Left Extracranial Artery with Autologous Arterial Tissue, Open Approach | ICD-10-PCS Procedure |
| 031J0JK | Bypass Left Common Carotid Artery to Left Extracranial Artery with Synthetic Substitute, Open Approach | ICD-10-PCS Procedure |
| 031J0KK | Bypass Left Common Carotid Artery to Left Extracranial Artery with Nonautologous Tissue Substitute, Open Approach | ICD-10-PCS Procedure |
| 031J0ZK | Bypass Left Common Carotid Artery to Left Extracranial Artery, Open Approach | ICD-10-PCS Procedure |
| 031K09J | Bypass Right Internal Carotid Artery to Right Extracranial Artery with Autologous Venous Tissue, Open Approach | ICD-10-PCS Procedure |
| 031K0AJ | Bypass Right Internal Carotid Artery to Right Extracranial Artery with Autologous Arterial Tissue, Open Approach | ICD-10-PCS Procedure |
| 031K0JJ | Bypass Right Internal Carotid Artery to Right Extracranial Artery with Synthetic Substitute, Open Approach | ICD-10-PCS Procedure |
| 031K0KJ | Bypass Right Internal Carotid Artery to Right Extracranial Artery with Nonautologous Tissue Substitute, Open Approach | ICD-10-PCS Procedure |
| 031K0ZJ | Bypass Right Internal Carotid Artery to Right Extracranial Artery, Open Approach | ICD-10-PCS Procedure |
| 031L09K | Bypass Left Internal Carotid Artery to Left Extracranial Artery with Autologous Venous Tissue, Open Approach | ICD-10-PCS Procedure |
| 031L0AK | Bypass Left Internal Carotid Artery to Left Extracranial Artery with Autologous Arterial Tissue, Open Approach | ICD-10-PCS Procedure |
| 031L0JK | Bypass Left Internal Carotid Artery to Left Extracranial Artery with Synthetic Substitute, Open Approach | ICD-10-PCS Procedure |
| 031L0KK | Bypass Left Internal Carotid Artery to Left Extracranial Artery with Nonautologous Tissue Substitute, Open Approach | ICD-10-PCS Procedure |
| 031L0ZK | Bypass Left Internal Carotid Artery to Left Extracranial Artery, Open Approach | ICD-10-PCS Procedure |
| 031M09J | Bypass Right External Carotid Artery to Right Extracranial Artery with Autologous Venous Tissue, Open Approach | ICD-10-PCS Procedure |
| 031M0AJ | Bypass Right External Carotid Artery to Right Extracranial Artery with Autologous Arterial Tissue, Open Approach | ICD-10-PCS Procedure |
| 031M0JJ | Bypass Right External Carotid Artery to Right Extracranial Artery with Synthetic Substitute, Open Approach | ICD-10-PCS Procedure |
| 031M0KJ | Bypass Right External Carotid Artery to Right Extracranial Artery with Nonautologous Tissue Substitute, Open Approach | ICD-10-PCS Procedure |
| 031M0ZJ | Bypass Right External Carotid Artery to Right Extracranial Artery, Open Approach | ICD-10-PCS Procedure |
| 031N09K | Bypass Left External Carotid Artery to Left Extracranial Artery with Autologous Venous Tissue, Open Approach | ICD-10-PCS Procedure |
| 031N0AK | Bypass Left External Carotid Artery to Left Extracranial Artery with Autologous Arterial Tissue, Open Approach | ICD-10-PCS Procedure |

List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|---|----------------------|
| 031N0JK | Bypass Left External Carotid Artery to Left Extracranial Artery with Synthetic Substitute, Open Approach | ICD-10-PCS Procedure |
| 031N0KK | Bypass Left External Carotid Artery to Left Extracranial Artery with Nonautologous Tissue Substitute, Open Approach | ICD-10-PCS Procedure |
| 031N0ZK | Bypass Left External Carotid Artery to Left Extracranial Artery, Open Approach | ICD-10-PCS Procedure |
| 0410096 | Bypass Abdominal Aorta to Right Common Iliac Artery with Autologous Venous Tissue, Open Approach | ICD-10-PCS Procedure |
| 0410097 | Bypass Abdominal Aorta to Left Common Iliac Artery with Autologous Venous Tissue, Open Approach | ICD-10-PCS Procedure |
| 0410098 | Bypass Abdominal Aorta to Bilateral Common Iliac Arteries with Autologous Venous Tissue, Open Approach | ICD-10-PCS Procedure |
| 0410099 | Bypass Abdominal Aorta to Right Internal Iliac Artery with Autologous Venous Tissue, Open Approach | ICD-10-PCS Procedure |
| 041009B | Bypass Abdominal Aorta to Left Internal Iliac Artery with Autologous Venous Tissue, Open Approach | ICD-10-PCS Procedure |
| 041009C | Bypass Abdominal Aorta to Bilateral Internal Iliac Arteries with Autologous Venous Tissue, Open Approach | ICD-10-PCS Procedure |
| 041009D | Bypass Abdominal Aorta to Right External Iliac Artery with Autologous Venous Tissue, Open Approach | ICD-10-PCS Procedure |
| 041009F | Bypass Abdominal Aorta to Left External Iliac Artery with Autologous Venous Tissue, Open Approach | ICD-10-PCS Procedure |
| 041009G | Bypass Abdominal Aorta to Bilateral External Iliac Arteries with Autologous Venous Tissue, Open Approach | ICD-10-PCS Procedure |
| 041009H | Bypass Abdominal Aorta to Right Femoral Artery with Autologous Venous Tissue, Open Approach | ICD-10-PCS Procedure |
| 041009J | Bypass Abdominal Aorta to Left Femoral Artery with Autologous Venous Tissue, Open Approach | ICD-10-PCS Procedure |
| 041009K | Bypass Abdominal Aorta to Bilateral Femoral Arteries with Autologous Venous Tissue, Open Approach | ICD-10-PCS Procedure |
| 041009Q | Bypass Abdominal Aorta to Lower Extremity Artery with Autologous Venous Tissue, Open Approach | ICD-10-PCS Procedure |
| 041009R | Bypass Abdominal Aorta to Lower Artery with Autologous Venous Tissue, Open Approach | ICD-10-PCS Procedure |
| 04100A6 | Bypass Abdominal Aorta to Right Common Iliac Artery with Autologous Arterial Tissue, Open Approach | ICD-10-PCS Procedure |
| 04100A7 | Bypass Abdominal Aorta to Left Common Iliac Artery with Autologous Arterial Tissue, Open Approach | ICD-10-PCS Procedure |
| 04100A8 | Bypass Abdominal Aorta to Bilateral Common Iliac Arteries with Autologous Arterial Tissue, Open Approach | ICD-10-PCS Procedure |
| 04100A9 | Bypass Abdominal Aorta to Right Internal Iliac Artery with Autologous Arterial Tissue, Open Approach | ICD-10-PCS Procedure |

List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|--|----------------------|
| 04100AB | Bypass Abdominal Aorta to Left Internal Iliac Artery with Autologous Arterial Tissue, Open Approach | ICD-10-PCS Procedure |
| 04100AC | Bypass Abdominal Aorta to Bilateral Internal Iliac Arteries with Autologous Arterial Tissue, Open Approach | ICD-10-PCS Procedure |
| 04100AD | Bypass Abdominal Aorta to Right External Iliac Artery with Autologous Arterial Tissue, Open Approach | ICD-10-PCS Procedure |
| 04100AF | Bypass Abdominal Aorta to Left External Iliac Artery with Autologous Arterial Tissue, Open Approach | ICD-10-PCS Procedure |
| 04100AG | Bypass Abdominal Aorta to Bilateral External Iliac Arteries with Autologous Arterial Tissue, Open Approach | ICD-10-PCS Procedure |
| 04100AH | Bypass Abdominal Aorta to Right Femoral Artery with Autologous Arterial Tissue, Open Approach | ICD-10-PCS Procedure |
| 04100AJ | Bypass Abdominal Aorta to Left Femoral Artery with Autologous Arterial Tissue, Open Approach | ICD-10-PCS Procedure |
| 04100AK | Bypass Abdominal Aorta to Bilateral Femoral Arteries with Autologous Arterial Tissue, Open Approach | ICD-10-PCS Procedure |
| 04100AQ | Bypass Abdominal Aorta to Lower Extremity Artery with Autologous Arterial Tissue, Open Approach | ICD-10-PCS Procedure |
| 04100AR | Bypass Abdominal Aorta to Lower Artery with Autologous Arterial Tissue, Open Approach | ICD-10-PCS Procedure |
| 04100J6 | Bypass Abdominal Aorta to Right Common Iliac Artery with Synthetic Substitute, Open Approach | ICD-10-PCS Procedure |
| 04100J7 | Bypass Abdominal Aorta to Left Common Iliac Artery with Synthetic Substitute, Open Approach | ICD-10-PCS Procedure |
| 04100J8 | Bypass Abdominal Aorta to Bilateral Common Iliac Arteries with Synthetic Substitute, Open Approach | ICD-10-PCS Procedure |
| 04100J9 | Bypass Abdominal Aorta to Right Internal Iliac Artery with Synthetic Substitute, Open Approach | ICD-10-PCS Procedure |
| 04100JB | Bypass Abdominal Aorta to Left Internal Iliac Artery with Synthetic Substitute, Open Approach | ICD-10-PCS Procedure |
| 04100JC | Bypass Abdominal Aorta to Bilateral Internal Iliac Arteries with Synthetic Substitute, Open Approach | ICD-10-PCS Procedure |
| 04100JD | Bypass Abdominal Aorta to Right External Iliac Artery with Synthetic Substitute, Open Approach | ICD-10-PCS Procedure |
| 04100JF | Bypass Abdominal Aorta to Left External Iliac Artery with Synthetic Substitute, Open Approach | ICD-10-PCS Procedure |
| 04100JG | Bypass Abdominal Aorta to Bilateral External Iliac Arteries with Synthetic Substitute, Open Approach | ICD-10-PCS Procedure |
| 04100JH | Bypass Abdominal Aorta to Right Femoral Artery with Synthetic Substitute, Open Approach | ICD-10-PCS Procedure |
| 04100JJ | Bypass Abdominal Aorta to Left Femoral Artery with Synthetic Substitute, Open Approach | ICD-10-PCS Procedure |

List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|---|----------------------|
| 04100JK | Bypass Abdominal Aorta to Bilateral Femoral Arteries with Synthetic Substitute, Open Approach | ICD-10-PCS Procedure |
| 04100JQ | Bypass Abdominal Aorta to Lower Extremity Artery with Synthetic Substitute, Open Approach | ICD-10-PCS Procedure |
| 04100JR | Bypass Abdominal Aorta to Lower Artery with Synthetic Substitute, Open Approach | ICD-10-PCS Procedure |
| 04100K6 | Bypass Abdominal Aorta to Right Common Iliac Artery with Nonautologous Tissue Substitute, Open Approach | ICD-10-PCS Procedure |
| 04100K7 | Bypass Abdominal Aorta to Left Common Iliac Artery with Nonautologous Tissue Substitute, Open Approach | ICD-10-PCS Procedure |
| 04100K8 | Bypass Abdominal Aorta to Bilateral Common Iliac Arteries with Nonautologous Tissue Substitute, Open Approach | ICD-10-PCS Procedure |
| 04100K9 | Bypass Abdominal Aorta to Right Internal Iliac Artery with Nonautologous Tissue Substitute, Open Approach | ICD-10-PCS Procedure |
| 04100KB | Bypass Abdominal Aorta to Left Internal Iliac Artery with Nonautologous Tissue Substitute, Open Approach | ICD-10-PCS Procedure |
| 04100KC | Bypass Abdominal Aorta to Bilateral Internal Iliac Arteries with Nonautologous Tissue Substitute, Open Approach | ICD-10-PCS Procedure |
| 04100KD | Bypass Abdominal Aorta to Right External Iliac Artery with Nonautologous Tissue Substitute, Open Approach | ICD-10-PCS Procedure |
| 04100KF | Bypass Abdominal Aorta to Left External Iliac Artery with Nonautologous Tissue Substitute, Open Approach | ICD-10-PCS Procedure |
| 04100KG | Bypass Abdominal Aorta to Bilateral External Iliac Arteries with Nonautologous Tissue Substitute, Open Approach | ICD-10-PCS Procedure |
| 04100KH | Bypass Abdominal Aorta to Right Femoral Artery with Nonautologous Tissue Substitute, Open Approach | ICD-10-PCS Procedure |
| 04100KJ | Bypass Abdominal Aorta to Left Femoral Artery with Nonautologous Tissue Substitute, Open Approach | ICD-10-PCS Procedure |
| 04100KK | Bypass Abdominal Aorta to Bilateral Femoral Arteries with Nonautologous Tissue Substitute, Open Approach | ICD-10-PCS Procedure |
| 04100KQ | Bypass Abdominal Aorta to Lower Extremity Artery with Nonautologous Tissue Substitute, Open Approach | ICD-10-PCS Procedure |
| 04100KR | Bypass Abdominal Aorta to Lower Artery with Nonautologous Tissue Substitute, Open Approach | ICD-10-PCS Procedure |
| 04100Z6 | Bypass Abdominal Aorta to Right Common Iliac Artery, Open Approach | ICD-10-PCS Procedure |
| 04100Z7 | Bypass Abdominal Aorta to Left Common Iliac Artery, Open Approach | ICD-10-PCS Procedure |
| 04100Z8 | Bypass Abdominal Aorta to Bilateral Common Iliac Arteries, Open Approach | ICD-10-PCS Procedure |
| 04100Z9 | Bypass Abdominal Aorta to Right Internal Iliac Artery, Open Approach | ICD-10-PCS Procedure |
| 04100ZB | Bypass Abdominal Aorta to Left Internal Iliac Artery, Open Approach | ICD-10-PCS Procedure |
| 04100ZC | Bypass Abdominal Aorta to Bilateral Internal Iliac Arteries, Open Approach | ICD-10-PCS Procedure |
| 04100ZD | Bypass Abdominal Aorta to Right External Iliac Artery, Open Approach | ICD-10-PCS Procedure |
| 04100ZF | Bypass Abdominal Aorta to Left External Iliac Artery, Open Approach | ICD-10-PCS Procedure |

List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|---|----------------------|
| 04100ZG | Bypass Abdominal Aorta to Bilateral External Iliac Arteries, Open Approach | ICD-10-PCS Procedure |
| 04100ZH | Bypass Abdominal Aorta to Right Femoral Artery, Open Approach | ICD-10-PCS Procedure |
| 04100ZJ | Bypass Abdominal Aorta to Left Femoral Artery, Open Approach | ICD-10-PCS Procedure |
| 04100ZK | Bypass Abdominal Aorta to Bilateral Femoral Arteries, Open Approach | ICD-10-PCS Procedure |
| 04100ZQ | Bypass Abdominal Aorta to Lower Extremity Artery, Open Approach | ICD-10-PCS Procedure |
| 04100ZR | Bypass Abdominal Aorta to Lower Artery, Open Approach | ICD-10-PCS Procedure |
| 0410496 | Bypass Abdominal Aorta to Right Common Iliac Artery with Autologous Venous Tissue, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 0410497 | Bypass Abdominal Aorta to Left Common Iliac Artery with Autologous Venous Tissue, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 0410498 | Bypass Abdominal Aorta to Bilateral Common Iliac Arteries with Autologous Venous Tissue, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 0410499 | Bypass Abdominal Aorta to Right Internal Iliac Artery with Autologous Venous Tissue, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041049B | Bypass Abdominal Aorta to Left Internal Iliac Artery with Autologous Venous Tissue, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041049C | Bypass Abdominal Aorta to Bilateral Internal Iliac Arteries with Autologous Venous Tissue, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041049D | Bypass Abdominal Aorta to Right External Iliac Artery with Autologous Venous Tissue, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041049F | Bypass Abdominal Aorta to Left External Iliac Artery with Autologous Venous Tissue, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041049G | Bypass Abdominal Aorta to Bilateral External Iliac Arteries with Autologous Venous Tissue, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041049H | Bypass Abdominal Aorta to Right Femoral Artery with Autologous Venous Tissue, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041049J | Bypass Abdominal Aorta to Left Femoral Artery with Autologous Venous Tissue, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041049K | Bypass Abdominal Aorta to Bilateral Femoral Arteries with Autologous Venous Tissue, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041049Q | Bypass Abdominal Aorta to Lower Extremity Artery with Autologous Venous Tissue, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041049R | Bypass Abdominal Aorta to Lower Artery with Autologous Venous Tissue, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 04104A6 | Bypass Abdominal Aorta to Right Common Iliac Artery with Autologous Arterial Tissue, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 04104A7 | Bypass Abdominal Aorta to Left Common Iliac Artery with Autologous Arterial Tissue, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 04104A8 | Bypass Abdominal Aorta to Bilateral Common Iliac Arteries with Autologous Arterial Tissue, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 04104A9 | Bypass Abdominal Aorta to Right Internal Iliac Artery with Autologous Arterial Tissue, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |

List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|---|----------------------|
| 04104AB | Bypass Abdominal Aorta to Left Internal Iliac Artery with Autologous Arterial Tissue, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 04104AC | Bypass Abdominal Aorta to Bilateral Internal Iliac Arteries with Autologous Arterial Tissue, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 04104AD | Bypass Abdominal Aorta to Right External Iliac Artery with Autologous Arterial Tissue, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 04104AF | Bypass Abdominal Aorta to Left External Iliac Artery with Autologous Arterial Tissue, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 04104AG | Bypass Abdominal Aorta to Bilateral External Iliac Arteries with Autologous Arterial Tissue, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 04104AH | Bypass Abdominal Aorta to Right Femoral Artery with Autologous Arterial Tissue, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 04104AJ | Bypass Abdominal Aorta to Left Femoral Artery with Autologous Arterial Tissue, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 04104AK | Bypass Abdominal Aorta to Bilateral Femoral Arteries with Autologous Arterial Tissue, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 04104AQ | Bypass Abdominal Aorta to Lower Extremity Artery with Autologous Arterial Tissue, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 04104AR | Bypass Abdominal Aorta to Lower Artery with Autologous Arterial Tissue, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 04104J6 | Bypass Abdominal Aorta to Right Common Iliac Artery with Synthetic Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 04104J7 | Bypass Abdominal Aorta to Left Common Iliac Artery with Synthetic Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 04104J8 | Bypass Abdominal Aorta to Bilateral Common Iliac Arteries with Synthetic Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 04104J9 | Bypass Abdominal Aorta to Right Internal Iliac Artery with Synthetic Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 04104JB | Bypass Abdominal Aorta to Left Internal Iliac Artery with Synthetic Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 04104JC | Bypass Abdominal Aorta to Bilateral Internal Iliac Arteries with Synthetic Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 04104JD | Bypass Abdominal Aorta to Right External Iliac Artery with Synthetic Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 04104JF | Bypass Abdominal Aorta to Left External Iliac Artery with Synthetic Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 04104JG | Bypass Abdominal Aorta to Bilateral External Iliac Arteries with Synthetic Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 04104JH | Bypass Abdominal Aorta to Right Femoral Artery with Synthetic Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 04104JJ | Bypass Abdominal Aorta to Left Femoral Artery with Synthetic Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |

List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|--|----------------------|
| 04104JK | Bypass Abdominal Aorta to Bilateral Femoral Arteries with Synthetic Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 04104JQ | Bypass Abdominal Aorta to Lower Extremity Artery with Synthetic Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 04104JR | Bypass Abdominal Aorta to Lower Artery with Synthetic Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 04104K6 | Bypass Abdominal Aorta to Right Common Iliac Artery with Nonautologous Tissue Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 04104K7 | Bypass Abdominal Aorta to Left Common Iliac Artery with Nonautologous Tissue Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 04104K8 | Bypass Abdominal Aorta to Bilateral Common Iliac Arteries with Nonautologous Tissue Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 04104K9 | Bypass Abdominal Aorta to Right Internal Iliac Artery with Nonautologous Tissue Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 04104KB | Bypass Abdominal Aorta to Left Internal Iliac Artery with Nonautologous Tissue Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 04104KC | Bypass Abdominal Aorta to Bilateral Internal Iliac Arteries with Nonautologous Tissue Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 04104KD | Bypass Abdominal Aorta to Right External Iliac Artery with Nonautologous Tissue Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 04104KF | Bypass Abdominal Aorta to Left External Iliac Artery with Nonautologous Tissue Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 04104KG | Bypass Abdominal Aorta to Bilateral External Iliac Arteries with Nonautologous Tissue Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 04104KH | Bypass Abdominal Aorta to Right Femoral Artery with Nonautologous Tissue Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 04104KJ | Bypass Abdominal Aorta to Left Femoral Artery with Nonautologous Tissue Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 04104KK | Bypass Abdominal Aorta to Bilateral Femoral Arteries with Nonautologous Tissue Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 04104KQ | Bypass Abdominal Aorta to Lower Extremity Artery with Nonautologous Tissue Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 04104KR | Bypass Abdominal Aorta to Lower Artery with Nonautologous Tissue Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 04104Z6 | Bypass Abdominal Aorta to Right Common Iliac Artery, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 04104Z7 | Bypass Abdominal Aorta to Left Common Iliac Artery, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 04104Z8 | Bypass Abdominal Aorta to Bilateral Common Iliac Arteries, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 04104Z9 | Bypass Abdominal Aorta to Right Internal Iliac Artery, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |

List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|---|----------------------|
| 04104ZB | Bypass Abdominal Aorta to Left Internal Iliac Artery, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 04104ZC | Bypass Abdominal Aorta to Bilateral Internal Iliac Arteries, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 04104ZD | Bypass Abdominal Aorta to Right External Iliac Artery, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 04104ZF | Bypass Abdominal Aorta to Left External Iliac Artery, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 04104ZG | Bypass Abdominal Aorta to Bilateral External Iliac Arteries, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 04104ZH | Bypass Abdominal Aorta to Right Femoral Artery, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 04104ZJ | Bypass Abdominal Aorta to Left Femoral Artery, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 04104ZK | Bypass Abdominal Aorta to Bilateral Femoral Arteries, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 04104ZQ | Bypass Abdominal Aorta to Lower Extremity Artery, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 04104ZR | Bypass Abdominal Aorta to Lower Artery, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041C09H | Bypass Right Common Iliac Artery to Right Femoral Artery with Autologous Venous Tissue, Open Approach | ICD-10-PCS Procedure |
| 041C09J | Bypass Right Common Iliac Artery to Left Femoral Artery with Autologous Venous Tissue, Open Approach | ICD-10-PCS Procedure |
| 041C09K | Bypass Right Common Iliac Artery to Bilateral Femoral Arteries with Autologous Venous Tissue, Open Approach | ICD-10-PCS Procedure |
| 041C0AH | Bypass Right Common Iliac Artery to Right Femoral Artery with Autologous Arterial Tissue, Open Approach | ICD-10-PCS Procedure |
| 041C0AJ | Bypass Right Common Iliac Artery to Left Femoral Artery with Autologous Arterial Tissue, Open Approach | ICD-10-PCS Procedure |
| 041C0AK | Bypass Right Common Iliac Artery to Bilateral Femoral Arteries with Autologous Arterial Tissue, Open Approach | ICD-10-PCS Procedure |
| 041C0JH | Bypass Right Common Iliac Artery to Right Femoral Artery with Synthetic Substitute, Open Approach | ICD-10-PCS Procedure |
| 041C0JJ | Bypass Right Common Iliac Artery to Left Femoral Artery with Synthetic Substitute, Open Approach | ICD-10-PCS Procedure |
| 041C0JK | Bypass Right Common Iliac Artery to Bilateral Femoral Arteries with Synthetic Substitute, Open Approach | ICD-10-PCS Procedure |
| 041C0KH | Bypass Right Common Iliac Artery to Right Femoral Artery with Nonautologous Tissue Substitute, Open Approach | ICD-10-PCS Procedure |
| 041C0KJ | Bypass Right Common Iliac Artery to Left Femoral Artery with Nonautologous Tissue Substitute, Open Approach | ICD-10-PCS Procedure |

List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|---|----------------------|
| 041C0KK | Bypass Right Common Iliac Artery to Bilateral Femoral Arteries with Nonautologous Tissue Substitute, Open Approach | ICD-10-PCS Procedure |
| 041C0ZH | Bypass Right Common Iliac Artery to Right Femoral Artery, Open Approach | ICD-10-PCS Procedure |
| 041C0ZJ | Bypass Right Common Iliac Artery to Left Femoral Artery, Open Approach | ICD-10-PCS Procedure |
| 041C0ZK | Bypass Right Common Iliac Artery to Bilateral Femoral Arteries, Open Approach | ICD-10-PCS Procedure |
| 041C49H | Bypass Right Common Iliac Artery to Right Femoral Artery with Autologous Venous Tissue, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041C49J | Bypass Right Common Iliac Artery to Left Femoral Artery with Autologous Venous Tissue, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041C49K | Bypass Right Common Iliac Artery to Bilateral Femoral Arteries with Autologous Venous Tissue, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041C4AH | Bypass Right Common Iliac Artery to Right Femoral Artery with Autologous Arterial Tissue, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041C4AJ | Bypass Right Common Iliac Artery to Left Femoral Artery with Autologous Arterial Tissue, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041C4AK | Bypass Right Common Iliac Artery to Bilateral Femoral Arteries with Autologous Arterial Tissue, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041C4JH | Bypass Right Common Iliac Artery to Right Femoral Artery with Synthetic Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041C4JJ | Bypass Right Common Iliac Artery to Left Femoral Artery with Synthetic Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041C4JK | Bypass Right Common Iliac Artery to Bilateral Femoral Arteries with Synthetic Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041C4KH | Bypass Right Common Iliac Artery to Right Femoral Artery with Nonautologous Tissue Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041C4KJ | Bypass Right Common Iliac Artery to Left Femoral Artery with Nonautologous Tissue Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041C4KK | Bypass Right Common Iliac Artery to Bilateral Femoral Arteries with Nonautologous Tissue Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041C4ZH | Bypass Right Common Iliac Artery to Right Femoral Artery, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041C4ZJ | Bypass Right Common Iliac Artery to Left Femoral Artery, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041C4ZK | Bypass Right Common Iliac Artery to Bilateral Femoral Arteries, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041D09H | Bypass Left Common Iliac Artery to Right Femoral Artery with Autologous Venous Tissue, Open Approach | ICD-10-PCS Procedure |
| 041D09J | Bypass Left Common Iliac Artery to Left Femoral Artery with Autologous Venous Tissue, Open Approach | ICD-10-PCS Procedure |
| 041D09K | Bypass Left Common Iliac Artery to Bilateral Femoral Arteries with Autologous Venous Tissue, Open Approach | ICD-10-PCS Procedure |

List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|---|----------------------|
| 041D0AH | Bypass Left Common Iliac Artery to Right Femoral Artery with Autologous Arterial Tissue, Open Approach | ICD-10-PCS Procedure |
| 041D0AJ | Bypass Left Common Iliac Artery to Left Femoral Artery with Autologous Arterial Tissue, Open Approach | ICD-10-PCS Procedure |
| 041D0AK | Bypass Left Common Iliac Artery to Bilateral Femoral Arteries with Autologous Arterial Tissue, Open Approach | ICD-10-PCS Procedure |
| 041D0JH | Bypass Left Common Iliac Artery to Right Femoral Artery with Synthetic Substitute, Open Approach | ICD-10-PCS Procedure |
| 041D0JJ | Bypass Left Common Iliac Artery to Left Femoral Artery with Synthetic Substitute, Open Approach | ICD-10-PCS Procedure |
| 041D0JK | Bypass Left Common Iliac Artery to Bilateral Femoral Arteries with Synthetic Substitute, Open Approach | ICD-10-PCS Procedure |
| 041D0KH | Bypass Left Common Iliac Artery to Right Femoral Artery with Nonautologous Tissue Substitute, Open Approach | ICD-10-PCS Procedure |
| 041D0KJ | Bypass Left Common Iliac Artery to Left Femoral Artery with Nonautologous Tissue Substitute, Open Approach | ICD-10-PCS Procedure |
| 041D0KK | Bypass Left Common Iliac Artery to Bilateral Femoral Arteries with Nonautologous Tissue Substitute, Open Approach | ICD-10-PCS Procedure |
| 041D0ZH | Bypass Left Common Iliac Artery to Right Femoral Artery, Open Approach | ICD-10-PCS Procedure |
| 041D0ZJ | Bypass Left Common Iliac Artery to Left Femoral Artery, Open Approach | ICD-10-PCS Procedure |
| 041D0ZK | Bypass Left Common Iliac Artery to Bilateral Femoral Arteries, Open Approach | ICD-10-PCS Procedure |
| 041D49H | Bypass Left Common Iliac Artery to Right Femoral Artery with Autologous Venous Tissue, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041D49J | Bypass Left Common Iliac Artery to Left Femoral Artery with Autologous Venous Tissue, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041D49K | Bypass Left Common Iliac Artery to Bilateral Femoral Arteries with Autologous Venous Tissue, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041D4AH | Bypass Left Common Iliac Artery to Right Femoral Artery with Autologous Arterial Tissue, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041D4AJ | Bypass Left Common Iliac Artery to Left Femoral Artery with Autologous Arterial Tissue, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041D4AK | Bypass Left Common Iliac Artery to Bilateral Femoral Arteries with Autologous Arterial Tissue, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041D4JH | Bypass Left Common Iliac Artery to Right Femoral Artery with Synthetic Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041D4JJ | Bypass Left Common Iliac Artery to Left Femoral Artery with Synthetic Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041D4JK | Bypass Left Common Iliac Artery to Bilateral Femoral Arteries with Synthetic Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041D4KH | Bypass Left Common Iliac Artery to Right Femoral Artery with Nonautologous Tissue Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |

List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|--|----------------------|
| 041D4KJ | Bypass Left Common Iliac Artery to Left Femoral Artery with Nonautologous Tissue Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041D4KK | Bypass Left Common Iliac Artery to Bilateral Femoral Arteries with Nonautologous Tissue Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041D4ZH | Bypass Left Common Iliac Artery to Right Femoral Artery, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041D4ZJ | Bypass Left Common Iliac Artery to Left Femoral Artery, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041D4ZK | Bypass Left Common Iliac Artery to Bilateral Femoral Arteries, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041E09H | Bypass Right Internal Iliac Artery to Right Femoral Artery with Autologous Venous Tissue, Open Approach | ICD-10-PCS Procedure |
| 041E09J | Bypass Right Internal Iliac Artery to Left Femoral Artery with Autologous Venous Tissue, Open Approach | ICD-10-PCS Procedure |
| 041E09K | Bypass Right Internal Iliac Artery to Bilateral Femoral Arteries with Autologous Venous Tissue, Open Approach | ICD-10-PCS Procedure |
| 041E0AH | Bypass Right Internal Iliac Artery to Right Femoral Artery with Autologous Arterial Tissue, Open Approach | ICD-10-PCS Procedure |
| 041E0AJ | Bypass Right Internal Iliac Artery to Left Femoral Artery with Autologous Arterial Tissue, Open Approach | ICD-10-PCS Procedure |
| 041E0AK | Bypass Right Internal Iliac Artery to Bilateral Femoral Arteries with Autologous Arterial Tissue, Open Approach | ICD-10-PCS Procedure |
| 041E0JH | Bypass Right Internal Iliac Artery to Right Femoral Artery with Synthetic Substitute, Open Approach | ICD-10-PCS Procedure |
| 041E0JJ | Bypass Right Internal Iliac Artery to Left Femoral Artery with Synthetic Substitute, Open Approach | ICD-10-PCS Procedure |
| 041E0JK | Bypass Right Internal Iliac Artery to Bilateral Femoral Arteries with Synthetic Substitute, Open Approach | ICD-10-PCS Procedure |
| 041E0KH | Bypass Right Internal Iliac Artery to Right Femoral Artery with Nonautologous Tissue Substitute, Open Approach | ICD-10-PCS Procedure |
| 041E0KJ | Bypass Right Internal Iliac Artery to Left Femoral Artery with Nonautologous Tissue Substitute, Open Approach | ICD-10-PCS Procedure |
| 041E0KK | Bypass Right Internal Iliac Artery to Bilateral Femoral Arteries with Nonautologous Tissue Substitute, Open Approach | ICD-10-PCS Procedure |
| 041E0ZH | Bypass Right Internal Iliac Artery to Right Femoral Artery, Open Approach | ICD-10-PCS Procedure |
| 041E0ZJ | Bypass Right Internal Iliac Artery to Left Femoral Artery, Open Approach | ICD-10-PCS Procedure |
| 041E0ZK | Bypass Right Internal Iliac Artery to Bilateral Femoral Arteries, Open Approach | ICD-10-PCS Procedure |
| 041E49H | Bypass Right Internal Iliac Artery to Right Femoral Artery with Autologous Venous Tissue, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041E49J | Bypass Right Internal Iliac Artery to Left Femoral Artery with Autologous Venous Tissue, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |

List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|---|----------------------|
| 041E49K | Bypass Right Internal Iliac Artery to Bilateral Femoral Arteries with Autologous Venous Tissue, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041E4AH | Bypass Right Internal Iliac Artery to Right Femoral Artery with Autologous Arterial Tissue, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041E4AJ | Bypass Right Internal Iliac Artery to Left Femoral Artery with Autologous Arterial Tissue, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041E4AK | Bypass Right Internal Iliac Artery to Bilateral Femoral Arteries with Autologous Arterial Tissue, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041E4JH | Bypass Right Internal Iliac Artery to Right Femoral Artery with Synthetic Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041E4JJ | Bypass Right Internal Iliac Artery to Left Femoral Artery with Synthetic Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041E4JK | Bypass Right Internal Iliac Artery to Bilateral Femoral Arteries with Synthetic Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041E4KH | Bypass Right Internal Iliac Artery to Right Femoral Artery with Nonautologous Tissue Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041E4KJ | Bypass Right Internal Iliac Artery to Left Femoral Artery with Nonautologous Tissue Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041E4KK | Bypass Right Internal Iliac Artery to Bilateral Femoral Arteries with Nonautologous Tissue Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041E4ZH | Bypass Right Internal Iliac Artery to Right Femoral Artery, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041E4ZJ | Bypass Right Internal Iliac Artery to Left Femoral Artery, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041E4ZK | Bypass Right Internal Iliac Artery to Bilateral Femoral Arteries, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041F09H | Bypass Left Internal Iliac Artery to Right Femoral Artery with Autologous Venous Tissue, Open Approach | ICD-10-PCS Procedure |
| 041F09J | Bypass Left Internal Iliac Artery to Left Femoral Artery with Autologous Venous Tissue, Open Approach | ICD-10-PCS Procedure |
| 041F09K | Bypass Left Internal Iliac Artery to Bilateral Femoral Arteries with Autologous Venous Tissue, Open Approach | ICD-10-PCS Procedure |
| 041F0AH | Bypass Left Internal Iliac Artery to Right Femoral Artery with Autologous Arterial Tissue, Open Approach | ICD-10-PCS Procedure |
| 041F0AJ | Bypass Left Internal Iliac Artery to Left Femoral Artery with Autologous Arterial Tissue, Open Approach | ICD-10-PCS Procedure |
| 041F0AK | Bypass Left Internal Iliac Artery to Bilateral Femoral Arteries with Autologous Arterial Tissue, Open Approach | ICD-10-PCS Procedure |
| 041F0JH | Bypass Left Internal Iliac Artery to Right Femoral Artery with Synthetic Substitute, Open Approach | ICD-10-PCS Procedure |
| 041F0JJ | Bypass Left Internal Iliac Artery to Left Femoral Artery with Synthetic Substitute, Open Approach | ICD-10-PCS Procedure |

List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|--|----------------------|
| 041F0JK | Bypass Left Internal Iliac Artery to Bilateral Femoral Arteries with Synthetic Substitute, Open Approach | ICD-10-PCS Procedure |
| 041F0KH | Bypass Left Internal Iliac Artery to Right Femoral Artery with Nonautologous Tissue Substitute, Open Approach | ICD-10-PCS Procedure |
| 041F0KJ | Bypass Left Internal Iliac Artery to Left Femoral Artery with Nonautologous Tissue Substitute, Open Approach | ICD-10-PCS Procedure |
| 041F0KK | Bypass Left Internal Iliac Artery to Bilateral Femoral Arteries with Nonautologous Tissue Substitute, Open Approach | ICD-10-PCS Procedure |
| 041F0ZH | Bypass Left Internal Iliac Artery to Right Femoral Artery, Open Approach | ICD-10-PCS Procedure |
| 041F0ZJ | Bypass Left Internal Iliac Artery to Left Femoral Artery, Open Approach | ICD-10-PCS Procedure |
| 041F0ZK | Bypass Left Internal Iliac Artery to Bilateral Femoral Arteries, Open Approach | ICD-10-PCS Procedure |
| 041F49H | Bypass Left Internal Iliac Artery to Right Femoral Artery with Autologous Venous Tissue, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041F49J | Bypass Left Internal Iliac Artery to Left Femoral Artery with Autologous Venous Tissue, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041F49K | Bypass Left Internal Iliac Artery to Bilateral Femoral Arteries with Autologous Venous Tissue, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041F4AH | Bypass Left Internal Iliac Artery to Right Femoral Artery with Autologous Arterial Tissue, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041F4AJ | Bypass Left Internal Iliac Artery to Left Femoral Artery with Autologous Arterial Tissue, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041F4AK | Bypass Left Internal Iliac Artery to Bilateral Femoral Arteries with Autologous Arterial Tissue, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041F4JH | Bypass Left Internal Iliac Artery to Right Femoral Artery with Synthetic Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041F4JJ | Bypass Left Internal Iliac Artery to Left Femoral Artery with Synthetic Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041F4JK | Bypass Left Internal Iliac Artery to Bilateral Femoral Arteries with Synthetic Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041F4KH | Bypass Left Internal Iliac Artery to Right Femoral Artery with Nonautologous Tissue Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041F4KJ | Bypass Left Internal Iliac Artery to Left Femoral Artery with Nonautologous Tissue Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041F4KK | Bypass Left Internal Iliac Artery to Bilateral Femoral Arteries with Nonautologous Tissue Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041F4ZH | Bypass Left Internal Iliac Artery to Right Femoral Artery, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041F4ZJ | Bypass Left Internal Iliac Artery to Left Femoral Artery, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041F4ZK | Bypass Left Internal Iliac Artery to Bilateral Femoral Arteries, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |

List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|--|----------------------|
| 041H09H | Bypass Right External Iliac Artery to Right Femoral Artery with Autologous Venous Tissue, Open Approach | ICD-10-PCS Procedure |
| 041H09J | Bypass Right External Iliac Artery to Left Femoral Artery with Autologous Venous Tissue, Open Approach | ICD-10-PCS Procedure |
| 041H09K | Bypass Right External Iliac Artery to Bilateral Femoral Arteries with Autologous Venous Tissue, Open Approach | ICD-10-PCS Procedure |
| 041H0AH | Bypass Right External Iliac Artery to Right Femoral Artery with Autologous Arterial Tissue, Open Approach | ICD-10-PCS Procedure |
| 041H0AJ | Bypass Right External Iliac Artery to Left Femoral Artery with Autologous Arterial Tissue, Open Approach | ICD-10-PCS Procedure |
| 041H0AK | Bypass Right External Iliac Artery to Bilateral Femoral Arteries with Autologous Arterial Tissue, Open Approach | ICD-10-PCS Procedure |
| 041H0JH | Bypass Right External Iliac Artery to Right Femoral Artery with Synthetic Substitute, Open Approach | ICD-10-PCS Procedure |
| 041H0JJ | Bypass Right External Iliac Artery to Left Femoral Artery with Synthetic Substitute, Open Approach | ICD-10-PCS Procedure |
| 041H0JK | Bypass Right External Iliac Artery to Bilateral Femoral Arteries with Synthetic Substitute, Open Approach | ICD-10-PCS Procedure |
| 041H0KH | Bypass Right External Iliac Artery to Right Femoral Artery with Nonautologous Tissue Substitute, Open Approach | ICD-10-PCS Procedure |
| 041H0KJ | Bypass Right External Iliac Artery to Left Femoral Artery with Nonautologous Tissue Substitute, Open Approach | ICD-10-PCS Procedure |
| 041H0KK | Bypass Right External Iliac Artery to Bilateral Femoral Arteries with Nonautologous Tissue Substitute, Open Approach | ICD-10-PCS Procedure |
| 041H0ZH | Bypass Right External Iliac Artery to Right Femoral Artery, Open Approach | ICD-10-PCS Procedure |
| 041H0ZJ | Bypass Right External Iliac Artery to Left Femoral Artery, Open Approach | ICD-10-PCS Procedure |
| 041H0ZK | Bypass Right External Iliac Artery to Bilateral Femoral Arteries, Open Approach | ICD-10-PCS Procedure |
| 041H49H | Bypass Right External Iliac Artery to Right Femoral Artery with Autologous Venous Tissue, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041H49J | Bypass Right External Iliac Artery to Left Femoral Artery with Autologous Venous Tissue, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041H49K | Bypass Right External Iliac Artery to Bilateral Femoral Arteries with Autologous Venous Tissue, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041H4AH | Bypass Right External Iliac Artery to Right Femoral Artery with Autologous Arterial Tissue, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041H4AJ | Bypass Right External Iliac Artery to Left Femoral Artery with Autologous Arterial Tissue, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041H4AK | Bypass Right External Iliac Artery to Bilateral Femoral Arteries with Autologous Arterial Tissue, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041H4JH | Bypass Right External Iliac Artery to Right Femoral Artery with Synthetic Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |

List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|---|----------------------|
| 041H4JJ | Bypass Right External Iliac Artery to Left Femoral Artery with Synthetic Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041H4JK | Bypass Right External Iliac Artery to Bilateral Femoral Arteries with Synthetic Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041H4KH | Bypass Right External Iliac Artery to Right Femoral Artery with Nonautologous Tissue Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041H4KJ | Bypass Right External Iliac Artery to Left Femoral Artery with Nonautologous Tissue Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041H4KK | Bypass Right External Iliac Artery to Bilateral Femoral Arteries with Nonautologous Tissue Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041H4ZH | Bypass Right External Iliac Artery to Right Femoral Artery, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041H4ZJ | Bypass Right External Iliac Artery to Left Femoral Artery, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041H4ZK | Bypass Right External Iliac Artery to Bilateral Femoral Arteries, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041J09H | Bypass Left External Iliac Artery to Right Femoral Artery with Autologous Venous Tissue, Open Approach | ICD-10-PCS Procedure |
| 041J09J | Bypass Left External Iliac Artery to Left Femoral Artery with Autologous Venous Tissue, Open Approach | ICD-10-PCS Procedure |
| 041J09K | Bypass Left External Iliac Artery to Bilateral Femoral Arteries with Autologous Venous Tissue, Open Approach | ICD-10-PCS Procedure |
| 041J0AH | Bypass Left External Iliac Artery to Right Femoral Artery with Autologous Arterial Tissue, Open Approach | ICD-10-PCS Procedure |
| 041J0AJ | Bypass Left External Iliac Artery to Left Femoral Artery with Autologous Arterial Tissue, Open Approach | ICD-10-PCS Procedure |
| 041J0AK | Bypass Left External Iliac Artery to Bilateral Femoral Arteries with Autologous Arterial Tissue, Open Approach | ICD-10-PCS Procedure |
| 041J0JH | Bypass Left External Iliac Artery to Right Femoral Artery with Synthetic Substitute, Open Approach | ICD-10-PCS Procedure |
| 041J0JJ | Bypass Left External Iliac Artery to Left Femoral Artery with Synthetic Substitute, Open Approach | ICD-10-PCS Procedure |
| 041J0JK | Bypass Left External Iliac Artery to Bilateral Femoral Arteries with Synthetic Substitute, Open Approach | ICD-10-PCS Procedure |
| 041J0KH | Bypass Left External Iliac Artery to Right Femoral Artery with Nonautologous Tissue Substitute, Open Approach | ICD-10-PCS Procedure |
| 041J0KJ | Bypass Left External Iliac Artery to Left Femoral Artery with Nonautologous Tissue Substitute, Open Approach | ICD-10-PCS Procedure |
| 041J0KK | Bypass Left External Iliac Artery to Bilateral Femoral Arteries with Nonautologous Tissue Substitute, Open Approach | ICD-10-PCS Procedure |
| 041J0ZH | Bypass Left External Iliac Artery to Right Femoral Artery, Open Approach | ICD-10-PCS Procedure |
| 041J0ZJ | Bypass Left External Iliac Artery to Left Femoral Artery, Open Approach | ICD-10-PCS Procedure |

List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|--|----------------------|
| 041J0ZK | Bypass Left External Iliac Artery to Bilateral Femoral Arteries, Open Approach | ICD-10-PCS Procedure |
| 041J49H | Bypass Left External Iliac Artery to Right Femoral Artery with Autologous Venous Tissue, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041J49J | Bypass Left External Iliac Artery to Left Femoral Artery with Autologous Venous Tissue, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041J49K | Bypass Left External Iliac Artery to Bilateral Femoral Arteries with Autologous Venous Tissue, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041J4AH | Bypass Left External Iliac Artery to Right Femoral Artery with Autologous Arterial Tissue, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041J4AJ | Bypass Left External Iliac Artery to Left Femoral Artery with Autologous Arterial Tissue, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041J4AK | Bypass Left External Iliac Artery to Bilateral Femoral Arteries with Autologous Arterial Tissue, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041J4JH | Bypass Left External Iliac Artery to Right Femoral Artery with Synthetic Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041J4JJ | Bypass Left External Iliac Artery to Left Femoral Artery with Synthetic Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041J4JK | Bypass Left External Iliac Artery to Bilateral Femoral Arteries with Synthetic Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041J4KH | Bypass Left External Iliac Artery to Right Femoral Artery with Nonautologous Tissue Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041J4KJ | Bypass Left External Iliac Artery to Left Femoral Artery with Nonautologous Tissue Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041J4KK | Bypass Left External Iliac Artery to Bilateral Femoral Arteries with Nonautologous Tissue Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041J4ZH | Bypass Left External Iliac Artery to Right Femoral Artery, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041J4ZJ | Bypass Left External Iliac Artery to Left Femoral Artery, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041J4ZK | Bypass Left External Iliac Artery to Bilateral Femoral Arteries, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041K09H | Bypass Right Femoral Artery to Right Femoral Artery with Autologous Venous Tissue, Open Approach | ICD-10-PCS Procedure |
| 041K09J | Bypass Right Femoral Artery to Left Femoral Artery with Autologous Venous Tissue, Open Approach | ICD-10-PCS Procedure |
| 041K09K | Bypass Right Femoral Artery to Bilateral Femoral Arteries with Autologous Venous Tissue, Open Approach | ICD-10-PCS Procedure |
| 041K09L | Bypass Right Femoral Artery to Popliteal Artery with Autologous Venous Tissue, Open Approach | ICD-10-PCS Procedure |
| 041K09M | Bypass Right Femoral Artery to Peroneal Artery with Autologous Venous Tissue, Open Approach | ICD-10-PCS Procedure |

List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|--|----------------------|
| 041K09N | Bypass Right Femoral Artery to Posterior Tibial Artery with Autologous Venous Tissue, Open Approach | ICD-10-PCS Procedure |
| 041K09P | Bypass Right Femoral Artery to Foot Artery with Autologous Venous Tissue, Open Approach | ICD-10-PCS Procedure |
| 041K09Q | Bypass Right Femoral Artery to Lower Extremity Artery with Autologous Venous Tissue, Open Approach | ICD-10-PCS Procedure |
| 041K09S | Bypass Right Femoral Artery to Lower Extremity Vein with Autologous Venous Tissue, Open Approach | ICD-10-PCS Procedure |
| 041K0AH | Bypass Right Femoral Artery to Right Femoral Artery with Autologous Arterial Tissue, Open Approach | ICD-10-PCS Procedure |
| 041K0AJ | Bypass Right Femoral Artery to Left Femoral Artery with Autologous Arterial Tissue, Open Approach | ICD-10-PCS Procedure |
| 041K0AK | Bypass Right Femoral Artery to Bilateral Femoral Arteries with Autologous Arterial Tissue, Open Approach | ICD-10-PCS Procedure |
| 041K0AL | Bypass Right Femoral Artery to Popliteal Artery with Autologous Arterial Tissue, Open Approach | ICD-10-PCS Procedure |
| 041K0AM | Bypass Right Femoral Artery to Peroneal Artery with Autologous Arterial Tissue, Open Approach | ICD-10-PCS Procedure |
| 041K0AN | Bypass Right Femoral Artery to Posterior Tibial Artery with Autologous Arterial Tissue, Open Approach | ICD-10-PCS Procedure |
| 041K0AP | Bypass Right Femoral Artery to Foot Artery with Autologous Arterial Tissue, Open Approach | ICD-10-PCS Procedure |
| 041K0AQ | Bypass Right Femoral Artery to Lower Extremity Artery with Autologous Arterial Tissue, Open Approach | ICD-10-PCS Procedure |
| 041K0AS | Bypass Right Femoral Artery to Lower Extremity Vein with Autologous Arterial Tissue, Open Approach | ICD-10-PCS Procedure |
| 041K0JH | Bypass Right Femoral Artery to Right Femoral Artery with Synthetic Substitute, Open Approach | ICD-10-PCS Procedure |
| 041K0JJ | Bypass Right Femoral Artery to Left Femoral Artery with Synthetic Substitute, Open Approach | ICD-10-PCS Procedure |
| 041K0JK | Bypass Right Femoral Artery to Bilateral Femoral Arteries with Synthetic Substitute, Open Approach | ICD-10-PCS Procedure |
| 041K0JL | Bypass Right Femoral Artery to Popliteal Artery with Synthetic Substitute, Open Approach | ICD-10-PCS Procedure |
| 041K0JM | Bypass Right Femoral Artery to Peroneal Artery with Synthetic Substitute, Open Approach | ICD-10-PCS Procedure |
| 041K0JN | Bypass Right Femoral Artery to Posterior Tibial Artery with Synthetic Substitute, Open Approach | ICD-10-PCS Procedure |
| 041K0JP | Bypass Right Femoral Artery to Foot Artery with Synthetic Substitute, Open Approach | ICD-10-PCS Procedure |
| 041K0JQ | Bypass Right Femoral Artery to Lower Extremity Artery with Synthetic Substitute, Open Approach | ICD-10-PCS Procedure |

List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|---|----------------------|
| 041K0JS | Bypass Right Femoral Artery to Lower Extremity Vein with Synthetic Substitute, Open Approach | ICD-10-PCS Procedure |
| 041K0KH | Bypass Right Femoral Artery to Right Femoral Artery with Nonautologous Tissue Substitute, Open Approach | ICD-10-PCS Procedure |
| 041K0KJ | Bypass Right Femoral Artery to Left Femoral Artery with Nonautologous Tissue Substitute, Open Approach | ICD-10-PCS Procedure |
| 041K0KK | Bypass Right Femoral Artery to Bilateral Femoral Arteries with Nonautologous Tissue Substitute, Open Approach | ICD-10-PCS Procedure |
| 041K0KL | Bypass Right Femoral Artery to Popliteal Artery with Nonautologous Tissue Substitute, Open Approach | ICD-10-PCS Procedure |
| 041K0KM | Bypass Right Femoral Artery to Peroneal Artery with Nonautologous Tissue Substitute, Open Approach | ICD-10-PCS Procedure |
| 041K0KN | Bypass Right Femoral Artery to Posterior Tibial Artery with Nonautologous Tissue Substitute, Open Approach | ICD-10-PCS Procedure |
| 041K0KP | Bypass Right Femoral Artery to Foot Artery with Nonautologous Tissue Substitute, Open Approach | ICD-10-PCS Procedure |
| 041K0KQ | Bypass Right Femoral Artery to Lower Extremity Artery with Nonautologous Tissue Substitute, Open Approach | ICD-10-PCS Procedure |
| 041K0KS | Bypass Right Femoral Artery to Lower Extremity Vein with Nonautologous Tissue Substitute, Open Approach | ICD-10-PCS Procedure |
| 041K0ZH | Bypass Right Femoral Artery to Right Femoral Artery, Open Approach | ICD-10-PCS Procedure |
| 041K0ZJ | Bypass Right Femoral Artery to Left Femoral Artery, Open Approach | ICD-10-PCS Procedure |
| 041K0ZK | Bypass Right Femoral Artery to Bilateral Femoral Arteries, Open Approach | ICD-10-PCS Procedure |
| 041K0ZL | Bypass Right Femoral Artery to Popliteal Artery, Open Approach | ICD-10-PCS Procedure |
| 041K0ZM | Bypass Right Femoral Artery to Peroneal Artery, Open Approach | ICD-10-PCS Procedure |
| 041K0ZN | Bypass Right Femoral Artery to Posterior Tibial Artery, Open Approach | ICD-10-PCS Procedure |
| 041K0ZP | Bypass Right Femoral Artery to Foot Artery, Open Approach | ICD-10-PCS Procedure |
| 041K0ZQ | Bypass Right Femoral Artery to Lower Extremity Artery, Open Approach | ICD-10-PCS Procedure |
| 041K0ZS | Bypass Right Femoral Artery to Lower Extremity Vein, Open Approach | ICD-10-PCS Procedure |
| 041K49H | Bypass Right Femoral Artery to Right Femoral Artery with Autologous Venous Tissue, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041K49J | Bypass Right Femoral Artery to Left Femoral Artery with Autologous Venous Tissue, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041K49K | Bypass Right Femoral Artery to Bilateral Femoral Arteries with Autologous Venous Tissue, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041K49L | Bypass Right Femoral Artery to Popliteal Artery with Autologous Venous Tissue, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041K49M | Bypass Right Femoral Artery to Peroneal Artery with Autologous Venous Tissue, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041K49N | Bypass Right Femoral Artery to Posterior Tibial Artery with Autologous Venous Tissue, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |



List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|---|----------------------|
| 041K49P | Bypass Right Femoral Artery to Foot Artery with Autologous Venous Tissue, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041K49Q | Bypass Right Femoral Artery to Lower Extremity Artery with Autologous Venous Tissue, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041K49S | Bypass Right Femoral Artery to Lower Extremity Vein with Autologous Venous Tissue, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041K4AH | Bypass Right Femoral Artery to Right Femoral Artery with Autologous Arterial Tissue, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041K4AJ | Bypass Right Femoral Artery to Left Femoral Artery with Autologous Arterial Tissue, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041K4AK | Bypass Right Femoral Artery to Bilateral Femoral Arteries with Autologous Arterial Tissue, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041K4AL | Bypass Right Femoral Artery to Popliteal Artery with Autologous Arterial Tissue, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041K4AM | Bypass Right Femoral Artery to Peroneal Artery with Autologous Arterial Tissue, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041K4AN | Bypass Right Femoral Artery to Posterior Tibial Artery with Autologous Arterial Tissue, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041K4AP | Bypass Right Femoral Artery to Foot Artery with Autologous Arterial Tissue, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041K4AQ | Bypass Right Femoral Artery to Lower Extremity Artery with Autologous Arterial Tissue, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041K4AS | Bypass Right Femoral Artery to Lower Extremity Vein with Autologous Arterial Tissue, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041K4JH | Bypass Right Femoral Artery to Right Femoral Artery with Synthetic Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041K4JJ | Bypass Right Femoral Artery to Left Femoral Artery with Synthetic Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041K4JK | Bypass Right Femoral Artery to Bilateral Femoral Arteries with Synthetic Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041K4JL | Bypass Right Femoral Artery to Popliteal Artery with Synthetic Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041K4JM | Bypass Right Femoral Artery to Peroneal Artery with Synthetic Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041K4JN | Bypass Right Femoral Artery to Posterior Tibial Artery with Synthetic Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041K4JP | Bypass Right Femoral Artery to Foot Artery with Synthetic Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041K4JQ | Bypass Right Femoral Artery to Lower Extremity Artery with Synthetic Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041K4JS | Bypass Right Femoral Artery to Lower Extremity Vein with Synthetic Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |

List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|--|----------------------|
| 041K4KH | Bypass Right Femoral Artery to Right Femoral Artery with Nonautologous Tissue Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041K4KJ | Bypass Right Femoral Artery to Left Femoral Artery with Nonautologous Tissue Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041K4KK | Bypass Right Femoral Artery to Bilateral Femoral Arteries with Nonautologous Tissue Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041K4KL | Bypass Right Femoral Artery to Popliteal Artery with Nonautologous Tissue Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041K4KM | Bypass Right Femoral Artery to Peroneal Artery with Nonautologous Tissue Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041K4KN | Bypass Right Femoral Artery to Posterior Tibial Artery with Nonautologous Tissue Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041K4KP | Bypass Right Femoral Artery to Foot Artery with Nonautologous Tissue Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041K4KQ | Bypass Right Femoral Artery to Lower Extremity Artery with Nonautologous Tissue Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041K4KS | Bypass Right Femoral Artery to Lower Extremity Vein with Nonautologous Tissue Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041K4ZH | Bypass Right Femoral Artery to Right Femoral Artery, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041K4ZJ | Bypass Right Femoral Artery to Left Femoral Artery, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041K4ZK | Bypass Right Femoral Artery to Bilateral Femoral Arteries, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041K4ZL | Bypass Right Femoral Artery to Popliteal Artery, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041K4ZM | Bypass Right Femoral Artery to Peroneal Artery, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041K4ZN | Bypass Right Femoral Artery to Posterior Tibial Artery, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041K4ZP | Bypass Right Femoral Artery to Foot Artery, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041K4ZQ | Bypass Right Femoral Artery to Lower Extremity Artery, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041K4ZS | Bypass Right Femoral Artery to Lower Extremity Vein, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041L09H | Bypass Left Femoral Artery to Right Femoral Artery with Autologous Venous Tissue, Open Approach | ICD-10-PCS Procedure |
| 041L09J | Bypass Left Femoral Artery to Left Femoral Artery with Autologous Venous Tissue, Open Approach | ICD-10-PCS Procedure |
| 041L09K | Bypass Left Femoral Artery to Bilateral Femoral Arteries with Autologous Venous Tissue, Open Approach | ICD-10-PCS Procedure |

List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|---|----------------------|
| 041L09L | Bypass Left Femoral Artery to Popliteal Artery with Autologous Venous Tissue, Open Approach | ICD-10-PCS Procedure |
| 041L09M | Bypass Left Femoral Artery to Peroneal Artery with Autologous Venous Tissue, Open Approach | ICD-10-PCS Procedure |
| 041L09N | Bypass Left Femoral Artery to Posterior Tibial Artery with Autologous Venous Tissue, Open Approach | ICD-10-PCS Procedure |
| 041L09P | Bypass Left Femoral Artery to Foot Artery with Autologous Venous Tissue, Open Approach | ICD-10-PCS Procedure |
| 041L09Q | Bypass Left Femoral Artery to Lower Extremity Artery with Autologous Venous Tissue, Open Approach | ICD-10-PCS Procedure |
| 041L09S | Bypass Left Femoral Artery to Lower Extremity Vein with Autologous Venous Tissue, Open Approach | ICD-10-PCS Procedure |
| 041L0AH | Bypass Left Femoral Artery to Right Femoral Artery with Autologous Arterial Tissue, Open Approach | ICD-10-PCS Procedure |
| 041L0AJ | Bypass Left Femoral Artery to Left Femoral Artery with Autologous Arterial Tissue, Open Approach | ICD-10-PCS Procedure |
| 041L0AK | Bypass Left Femoral Artery to Bilateral Femoral Arteries with Autologous Arterial Tissue, Open Approach | ICD-10-PCS Procedure |
| 041L0AL | Bypass Left Femoral Artery to Popliteal Artery with Autologous Arterial Tissue, Open Approach | ICD-10-PCS Procedure |
| 041L0AM | Bypass Left Femoral Artery to Peroneal Artery with Autologous Arterial Tissue, Open Approach | ICD-10-PCS Procedure |
| 041L0AN | Bypass Left Femoral Artery to Posterior Tibial Artery with Autologous Arterial Tissue, Open Approach | ICD-10-PCS Procedure |
| 041L0AP | Bypass Left Femoral Artery to Foot Artery with Autologous Arterial Tissue, Open Approach | ICD-10-PCS Procedure |
| 041L0AQ | Bypass Left Femoral Artery to Lower Extremity Artery with Autologous Arterial Tissue, Open Approach | ICD-10-PCS Procedure |
| 041L0AS | Bypass Left Femoral Artery to Lower Extremity Vein with Autologous Arterial Tissue, Open Approach | ICD-10-PCS Procedure |
| 041L0JH | Bypass Left Femoral Artery to Right Femoral Artery with Synthetic Substitute, Open Approach | ICD-10-PCS Procedure |
| 041L0JJ | Bypass Left Femoral Artery to Left Femoral Artery with Synthetic Substitute, Open Approach | ICD-10-PCS Procedure |
| 041L0JK | Bypass Left Femoral Artery to Bilateral Femoral Arteries with Synthetic Substitute, Open Approach | ICD-10-PCS Procedure |
| 041L0JL | Bypass Left Femoral Artery to Popliteal Artery with Synthetic Substitute, Open Approach | ICD-10-PCS Procedure |
| 041L0JM | Bypass Left Femoral Artery to Peroneal Artery with Synthetic Substitute, Open Approach | ICD-10-PCS Procedure |
| 041L0JN | Bypass Left Femoral Artery to Posterior Tibial Artery with Synthetic Substitute, Open Approach | ICD-10-PCS Procedure |

List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|--|----------------------|
| 041L0JP | Bypass Left Femoral Artery to Foot Artery with Synthetic Substitute, Open Approach | ICD-10-PCS Procedure |
| 041L0JQ | Bypass Left Femoral Artery to Lower Extremity Artery with Synthetic Substitute, Open Approach | ICD-10-PCS Procedure |
| 041L0JS | Bypass Left Femoral Artery to Lower Extremity Vein with Synthetic Substitute, Open Approach | ICD-10-PCS Procedure |
| 041L0KH | Bypass Left Femoral Artery to Right Femoral Artery with Nonautologous Tissue Substitute, Open Approach | ICD-10-PCS Procedure |
| 041L0KJ | Bypass Left Femoral Artery to Left Femoral Artery with Nonautologous Tissue Substitute, Open Approach | ICD-10-PCS Procedure |
| 041L0KK | Bypass Left Femoral Artery to Bilateral Femoral Arteries with Nonautologous Tissue Substitute, Open Approach | ICD-10-PCS Procedure |
| 041L0KL | Bypass Left Femoral Artery to Popliteal Artery with Nonautologous Tissue Substitute, Open Approach | ICD-10-PCS Procedure |
| 041L0KM | Bypass Left Femoral Artery to Peroneal Artery with Nonautologous Tissue Substitute, Open Approach | ICD-10-PCS Procedure |
| 041L0KN | Bypass Left Femoral Artery to Posterior Tibial Artery with Nonautologous Tissue Substitute, Open Approach | ICD-10-PCS Procedure |
| 041L0KP | Bypass Left Femoral Artery to Foot Artery with Nonautologous Tissue Substitute, Open Approach | ICD-10-PCS Procedure |
| 041L0KQ | Bypass Left Femoral Artery to Lower Extremity Artery with Nonautologous Tissue Substitute, Open Approach | ICD-10-PCS Procedure |
| 041L0KS | Bypass Left Femoral Artery to Lower Extremity Vein with Nonautologous Tissue Substitute, Open Approach | ICD-10-PCS Procedure |
| 041L0ZH | Bypass Left Femoral Artery to Right Femoral Artery, Open Approach | ICD-10-PCS Procedure |
| 041L0ZJ | Bypass Left Femoral Artery to Left Femoral Artery, Open Approach | ICD-10-PCS Procedure |
| 041L0ZK | Bypass Left Femoral Artery to Bilateral Femoral Arteries, Open Approach | ICD-10-PCS Procedure |
| 041L0ZL | Bypass Left Femoral Artery to Popliteal Artery, Open Approach | ICD-10-PCS Procedure |
| 041L0ZM | Bypass Left Femoral Artery to Peroneal Artery, Open Approach | ICD-10-PCS Procedure |
| 041L0ZN | Bypass Left Femoral Artery to Posterior Tibial Artery, Open Approach | ICD-10-PCS Procedure |
| 041L0ZP | Bypass Left Femoral Artery to Foot Artery, Open Approach | ICD-10-PCS Procedure |
| 041L0ZQ | Bypass Left Femoral Artery to Lower Extremity Artery, Open Approach | ICD-10-PCS Procedure |
| 041L0ZS | Bypass Left Femoral Artery to Lower Extremity Vein, Open Approach | ICD-10-PCS Procedure |
| 041L49H | Bypass Left Femoral Artery to Right Femoral Artery with Autologous Venous Tissue, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041L49J | Bypass Left Femoral Artery to Left Femoral Artery with Autologous Venous Tissue, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041L49K | Bypass Left Femoral Artery to Bilateral Femoral Arteries with Autologous Venous Tissue, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041L49L | Bypass Left Femoral Artery to Popliteal Artery with Autologous Venous Tissue, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |

List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|--|----------------------|
| 041L49M | Bypass Left Femoral Artery to Peroneal Artery with Autologous Venous Tissue, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041L49N | Bypass Left Femoral Artery to Posterior Tibial Artery with Autologous Venous Tissue, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041L49P | Bypass Left Femoral Artery to Foot Artery with Autologous Venous Tissue, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041L49Q | Bypass Left Femoral Artery to Lower Extremity Artery with Autologous Venous Tissue, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041L49S | Bypass Left Femoral Artery to Lower Extremity Vein with Autologous Venous Tissue, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041L4AH | Bypass Left Femoral Artery to Right Femoral Artery with Autologous Arterial Tissue, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041L4AJ | Bypass Left Femoral Artery to Left Femoral Artery with Autologous Arterial Tissue, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041L4AK | Bypass Left Femoral Artery to Bilateral Femoral Arteries with Autologous Arterial Tissue, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041L4AL | Bypass Left Femoral Artery to Popliteal Artery with Autologous Arterial Tissue, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041L4AM | Bypass Left Femoral Artery to Peroneal Artery with Autologous Arterial Tissue, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041L4AN | Bypass Left Femoral Artery to Posterior Tibial Artery with Autologous Arterial Tissue, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041L4AP | Bypass Left Femoral Artery to Foot Artery with Autologous Arterial Tissue, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041L4AQ | Bypass Left Femoral Artery to Lower Extremity Artery with Autologous Arterial Tissue, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041L4AS | Bypass Left Femoral Artery to Lower Extremity Vein with Autologous Arterial Tissue, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041L4JH | Bypass Left Femoral Artery to Right Femoral Artery with Synthetic Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041L4JJ | Bypass Left Femoral Artery to Left Femoral Artery with Synthetic Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041L4JK | Bypass Left Femoral Artery to Bilateral Femoral Arteries with Synthetic Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041L4JL | Bypass Left Femoral Artery to Popliteal Artery with Synthetic Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041L4JM | Bypass Left Femoral Artery to Peroneal Artery with Synthetic Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041L4JN | Bypass Left Femoral Artery to Posterior Tibial Artery with Synthetic Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041L4JP | Bypass Left Femoral Artery to Foot Artery with Synthetic Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |

List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|---|----------------------|
| 041L4JQ | Bypass Left Femoral Artery to Lower Extremity Artery with Synthetic Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041L4JS | Bypass Left Femoral Artery to Lower Extremity Vein with Synthetic Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041L4KH | Bypass Left Femoral Artery to Right Femoral Artery with Nonautologous Tissue Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041L4KJ | Bypass Left Femoral Artery to Left Femoral Artery with Nonautologous Tissue Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041L4KK | Bypass Left Femoral Artery to Bilateral Femoral Arteries with Nonautologous Tissue Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041L4KL | Bypass Left Femoral Artery to Popliteal Artery with Nonautologous Tissue Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041L4KM | Bypass Left Femoral Artery to Peroneal Artery with Nonautologous Tissue Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041L4KN | Bypass Left Femoral Artery to Posterior Tibial Artery with Nonautologous Tissue Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041L4KP | Bypass Left Femoral Artery to Foot Artery with Nonautologous Tissue Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041L4KQ | Bypass Left Femoral Artery to Lower Extremity Artery with Nonautologous Tissue Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041L4KS | Bypass Left Femoral Artery to Lower Extremity Vein with Nonautologous Tissue Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041L4ZH | Bypass Left Femoral Artery to Right Femoral Artery, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041L4ZJ | Bypass Left Femoral Artery to Left Femoral Artery, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041L4ZK | Bypass Left Femoral Artery to Bilateral Femoral Arteries, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041L4ZL | Bypass Left Femoral Artery to Popliteal Artery, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041L4ZM | Bypass Left Femoral Artery to Peroneal Artery, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041L4ZN | Bypass Left Femoral Artery to Posterior Tibial Artery, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041L4ZP | Bypass Left Femoral Artery to Foot Artery, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041L4ZQ | Bypass Left Femoral Artery to Lower Extremity Artery, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041L4ZS | Bypass Left Femoral Artery to Lower Extremity Vein, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041M09L | Bypass Right Popliteal Artery to Popliteal Artery with Autologous Venous Tissue, Open Approach | ICD-10-PCS Procedure |

List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|---|----------------------|
| 041M09M | Bypass Right Popliteal Artery to Peroneal Artery with Autologous Venous Tissue, Open Approach | ICD-10-PCS Procedure |
| 041M09P | Bypass Right Popliteal Artery to Foot Artery with Autologous Venous Tissue, Open Approach | ICD-10-PCS Procedure |
| 041M09Q | Bypass Right Popliteal Artery to Lower Extremity Artery with Autologous Venous Tissue, Open Approach | ICD-10-PCS Procedure |
| 041M09S | Bypass Right Popliteal Artery to Lower Extremity Vein with Autologous Venous Tissue, Open Approach | ICD-10-PCS Procedure |
| 041M0AL | Bypass Right Popliteal Artery to Popliteal Artery with Autologous Arterial Tissue, Open Approach | ICD-10-PCS Procedure |
| 041M0AM | Bypass Right Popliteal Artery to Peroneal Artery with Autologous Arterial Tissue, Open Approach | ICD-10-PCS Procedure |
| 041M0AP | Bypass Right Popliteal Artery to Foot Artery with Autologous Arterial Tissue, Open Approach | ICD-10-PCS Procedure |
| 041M0AQ | Bypass Right Popliteal Artery to Lower Extremity Artery with Autologous Arterial Tissue, Open Approach | ICD-10-PCS Procedure |
| 041M0AS | Bypass Right Popliteal Artery to Lower Extremity Vein with Autologous Arterial Tissue, Open Approach | ICD-10-PCS Procedure |
| 041M0JL | Bypass Right Popliteal Artery to Popliteal Artery with Synthetic Substitute, Open Approach | ICD-10-PCS Procedure |
| 041M0JM | Bypass Right Popliteal Artery to Peroneal Artery with Synthetic Substitute, Open Approach | ICD-10-PCS Procedure |
| 041M0JP | Bypass Right Popliteal Artery to Foot Artery with Synthetic Substitute, Open Approach | ICD-10-PCS Procedure |
| 041M0JQ | Bypass Right Popliteal Artery to Lower Extremity Artery with Synthetic Substitute, Open Approach | ICD-10-PCS Procedure |
| 041M0JS | Bypass Right Popliteal Artery to Lower Extremity Vein with Synthetic Substitute, Open Approach | ICD-10-PCS Procedure |
| 041M0KL | Bypass Right Popliteal Artery to Popliteal Artery with Nonautologous Tissue Substitute, Open Approach | ICD-10-PCS Procedure |
| 041M0KM | Bypass Right Popliteal Artery to Peroneal Artery with Nonautologous Tissue Substitute, Open Approach | ICD-10-PCS Procedure |
| 041M0KP | Bypass Right Popliteal Artery to Foot Artery with Nonautologous Tissue Substitute, Open Approach | ICD-10-PCS Procedure |
| 041M0KQ | Bypass Right Popliteal Artery to Lower Extremity Artery with Nonautologous Tissue Substitute, Open Approach | ICD-10-PCS Procedure |
| 041M0KS | Bypass Right Popliteal Artery to Lower Extremity Vein with Nonautologous Tissue Substitute, Open Approach | ICD-10-PCS Procedure |
| 041M0ZL | Bypass Right Popliteal Artery to Popliteal Artery, Open Approach | ICD-10-PCS Procedure |
| 041M0ZM | Bypass Right Popliteal Artery to Peroneal Artery, Open Approach | ICD-10-PCS Procedure |
| 041M0ZP | Bypass Right Popliteal Artery to Foot Artery, Open Approach | ICD-10-PCS Procedure |
| 041M0ZQ | Bypass Right Popliteal Artery to Lower Extremity Artery, Open Approach | ICD-10-PCS Procedure |



List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|--|----------------------|
| 041M0ZS | Bypass Right Popliteal Artery to Lower Extremity Vein, Open Approach | ICD-10-PCS Procedure |
| 041M49L | Bypass Right Popliteal Artery to Popliteal Artery with Autologous Venous Tissue, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041M49M | Bypass Right Popliteal Artery to Peroneal Artery with Autologous Venous Tissue, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041M49P | Bypass Right Popliteal Artery to Foot Artery with Autologous Venous Tissue, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041M49Q | Bypass Right Popliteal Artery to Lower Extremity Artery with Autologous Venous Tissue, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041M49S | Bypass Right Popliteal Artery to Lower Extremity Vein with Autologous Venous Tissue, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041M4AL | Bypass Right Popliteal Artery to Popliteal Artery with Autologous Arterial Tissue, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041M4AM | Bypass Right Popliteal Artery to Peroneal Artery with Autologous Arterial Tissue, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041M4AP | Bypass Right Popliteal Artery to Foot Artery with Autologous Arterial Tissue, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041M4AQ | Bypass Right Popliteal Artery to Lower Extremity Artery with Autologous Arterial Tissue, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041M4AS | Bypass Right Popliteal Artery to Lower Extremity Vein with Autologous Arterial Tissue, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041M4JL | Bypass Right Popliteal Artery to Popliteal Artery with Synthetic Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041M4JM | Bypass Right Popliteal Artery to Peroneal Artery with Synthetic Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041M4JP | Bypass Right Popliteal Artery to Foot Artery with Synthetic Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041M4JQ | Bypass Right Popliteal Artery to Lower Extremity Artery with Synthetic Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041M4JS | Bypass Right Popliteal Artery to Lower Extremity Vein with Synthetic Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041M4KL | Bypass Right Popliteal Artery to Popliteal Artery with Nonautologous Tissue Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041M4KM | Bypass Right Popliteal Artery to Peroneal Artery with Nonautologous Tissue Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041M4KP | Bypass Right Popliteal Artery to Foot Artery with Nonautologous Tissue Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041M4KQ | Bypass Right Popliteal Artery to Lower Extremity Artery with Nonautologous Tissue Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041M4KS | Bypass Right Popliteal Artery to Lower Extremity Vein with Nonautologous Tissue Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |

List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|---|----------------------|
| 041M4ZL | Bypass Right Popliteal Artery to Popliteal Artery, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041M4ZM | Bypass Right Popliteal Artery to Peroneal Artery, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041M4ZP | Bypass Right Popliteal Artery to Foot Artery, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041M4ZQ | Bypass Right Popliteal Artery to Lower Extremity Artery, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041M4ZS | Bypass Right Popliteal Artery to Lower Extremity Vein, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041N09L | Bypass Left Popliteal Artery to Popliteal Artery with Autologous Venous Tissue, Open Approach | ICD-10-PCS Procedure |
| 041N09M | Bypass Left Popliteal Artery to Peroneal Artery with Autologous Venous Tissue, Open Approach | ICD-10-PCS Procedure |
| 041N09P | Bypass Left Popliteal Artery to Foot Artery with Autologous Venous Tissue, Open Approach | ICD-10-PCS Procedure |
| 041N09Q | Bypass Left Popliteal Artery to Lower Extremity Artery with Autologous Venous Tissue, Open Approach | ICD-10-PCS Procedure |
| 041N09S | Bypass Left Popliteal Artery to Lower Extremity Vein with Autologous Venous Tissue, Open Approach | ICD-10-PCS Procedure |
| 041N0AL | Bypass Left Popliteal Artery to Popliteal Artery with Autologous Arterial Tissue, Open Approach | ICD-10-PCS Procedure |
| 041N0AM | Bypass Left Popliteal Artery to Peroneal Artery with Autologous Arterial Tissue, Open Approach | ICD-10-PCS Procedure |
| 041N0AP | Bypass Left Popliteal Artery to Foot Artery with Autologous Arterial Tissue, Open Approach | ICD-10-PCS Procedure |
| 041N0AQ | Bypass Left Popliteal Artery to Lower Extremity Artery with Autologous Arterial Tissue, Open Approach | ICD-10-PCS Procedure |
| 041N0AS | Bypass Left Popliteal Artery to Lower Extremity Vein with Autologous Arterial Tissue, Open Approach | ICD-10-PCS Procedure |
| 041N0JL | Bypass Left Popliteal Artery to Popliteal Artery with Synthetic Substitute, Open Approach | ICD-10-PCS Procedure |
| 041N0JM | Bypass Left Popliteal Artery to Peroneal Artery with Synthetic Substitute, Open Approach | ICD-10-PCS Procedure |
| 041N0JP | Bypass Left Popliteal Artery to Foot Artery with Synthetic Substitute, Open Approach | ICD-10-PCS Procedure |
| 041N0JQ | Bypass Left Popliteal Artery to Lower Extremity Artery with Synthetic Substitute, Open Approach | ICD-10-PCS Procedure |
| 041N0JS | Bypass Left Popliteal Artery to Lower Extremity Vein with Synthetic Substitute, Open Approach | ICD-10-PCS Procedure |
| 041N0KL | Bypass Left Popliteal Artery to Popliteal Artery with Nonautologous Tissue Substitute, Open Approach | ICD-10-PCS Procedure |

List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|--|----------------------|
| 041N0KM | Bypass Left Popliteal Artery to Peroneal Artery with Nonautologous Tissue Substitute, Open Approach | ICD-10-PCS Procedure |
| 041N0KP | Bypass Left Popliteal Artery to Foot Artery with Nonautologous Tissue Substitute, Open Approach | ICD-10-PCS Procedure |
| 041N0KQ | Bypass Left Popliteal Artery to Lower Extremity Artery with Nonautologous Tissue Substitute, Open Approach | ICD-10-PCS Procedure |
| 041N0KS | Bypass Left Popliteal Artery to Lower Extremity Vein with Nonautologous Tissue Substitute, Open Approach | ICD-10-PCS Procedure |
| 041N0ZL | Bypass Left Popliteal Artery to Popliteal Artery, Open Approach | ICD-10-PCS Procedure |
| 041N0ZM | Bypass Left Popliteal Artery to Peroneal Artery, Open Approach | ICD-10-PCS Procedure |
| 041N0ZP | Bypass Left Popliteal Artery to Foot Artery, Open Approach | ICD-10-PCS Procedure |
| 041N0ZQ | Bypass Left Popliteal Artery to Lower Extremity Artery, Open Approach | ICD-10-PCS Procedure |
| 041N0ZS | Bypass Left Popliteal Artery to Lower Extremity Vein, Open Approach | ICD-10-PCS Procedure |
| 041N49L | Bypass Left Popliteal Artery to Popliteal Artery with Autologous Venous Tissue, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041N49M | Bypass Left Popliteal Artery to Peroneal Artery with Autologous Venous Tissue, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041N49P | Bypass Left Popliteal Artery to Foot Artery with Autologous Venous Tissue, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041N49Q | Bypass Left Popliteal Artery to Lower Extremity Artery with Autologous Venous Tissue, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041N49S | Bypass Left Popliteal Artery to Lower Extremity Vein with Autologous Venous Tissue, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041N4AL | Bypass Left Popliteal Artery to Popliteal Artery with Autologous Arterial Tissue, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041N4AM | Bypass Left Popliteal Artery to Peroneal Artery with Autologous Arterial Tissue, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041N4AP | Bypass Left Popliteal Artery to Foot Artery with Autologous Arterial Tissue, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041N4AQ | Bypass Left Popliteal Artery to Lower Extremity Artery with Autologous Arterial Tissue, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041N4AS | Bypass Left Popliteal Artery to Lower Extremity Vein with Autologous Arterial Tissue, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041N4JL | Bypass Left Popliteal Artery to Popliteal Artery with Synthetic Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041N4JM | Bypass Left Popliteal Artery to Peroneal Artery with Synthetic Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041N4JP | Bypass Left Popliteal Artery to Foot Artery with Synthetic Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041N4JQ | Bypass Left Popliteal Artery to Lower Extremity Artery with Synthetic Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |

List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|---|----------------------|
| 041N4JS | Bypass Left Popliteal Artery to Lower Extremity Vein with Synthetic Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041N4KL | Bypass Left Popliteal Artery to Popliteal Artery with Nonautologous Tissue Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041N4KM | Bypass Left Popliteal Artery to Peroneal Artery with Nonautologous Tissue Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041N4KP | Bypass Left Popliteal Artery to Foot Artery with Nonautologous Tissue Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041N4KQ | Bypass Left Popliteal Artery to Lower Extremity Artery with Nonautologous Tissue Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041N4KS | Bypass Left Popliteal Artery to Lower Extremity Vein with Nonautologous Tissue Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041N4ZL | Bypass Left Popliteal Artery to Popliteal Artery, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041N4ZM | Bypass Left Popliteal Artery to Peroneal Artery, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041N4ZP | Bypass Left Popliteal Artery to Foot Artery, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041N4ZQ | Bypass Left Popliteal Artery to Lower Extremity Artery, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041N4ZS | Bypass Left Popliteal Artery to Lower Extremity Vein, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 04CK0ZZ | Extirpation of Matter from Right Femoral Artery, Open Approach | ICD-10-PCS Procedure |
| 04CK3ZZ | Extirpation of Matter from Right Femoral Artery, Percutaneous Approach | ICD-10-PCS Procedure |
| 04CK4ZZ | Extirpation of Matter from Right Femoral Artery, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 04CL0ZZ | Extirpation of Matter from Left Femoral Artery, Open Approach | ICD-10-PCS Procedure |
| 04CL3ZZ | Extirpation of Matter from Left Femoral Artery, Percutaneous Approach | ICD-10-PCS Procedure |
| 04CL4ZZ | Extirpation of Matter from Left Femoral Artery, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 04CM0ZZ | Extirpation of Matter from Right Popliteal Artery, Open Approach | ICD-10-PCS Procedure |
| 04CM3ZZ | Extirpation of Matter from Right Popliteal Artery, Percutaneous Approach | ICD-10-PCS Procedure |
| 04CM4ZZ | Extirpation of Matter from Right Popliteal Artery, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 04CN0ZZ | Extirpation of Matter from Left Popliteal Artery, Open Approach | ICD-10-PCS Procedure |
| 04CN3ZZ | Extirpation of Matter from Left Popliteal Artery, Percutaneous Approach | ICD-10-PCS Procedure |
| 04CN4ZZ | Extirpation of Matter from Left Popliteal Artery, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 04CP0ZZ | Extirpation of Matter from Right Anterior Tibial Artery, Open Approach | ICD-10-PCS Procedure |
| 04CP3ZZ | Extirpation of Matter from Right Anterior Tibial Artery, Percutaneous Approach | ICD-10-PCS Procedure |

List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|--|----------------------|
| 04CP4ZZ | Extirpation of Matter from Right Anterior Tibial Artery, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 04CQ0ZZ | Extirpation of Matter from Left Anterior Tibial Artery, Open Approach | ICD-10-PCS Procedure |
| 04CQ3ZZ | Extirpation of Matter from Left Anterior Tibial Artery, Percutaneous Approach | ICD-10-PCS Procedure |
| 04CQ4ZZ | Extirpation of Matter from Left Anterior Tibial Artery, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 04CR0ZZ | Extirpation of Matter from Right Posterior Tibial Artery, Open Approach | ICD-10-PCS Procedure |
| 04CR3ZZ | Extirpation of Matter from Right Posterior Tibial Artery, Percutaneous Approach | ICD-10-PCS Procedure |
| 04CR4ZZ | Extirpation of Matter from Right Posterior Tibial Artery, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 04CS0ZZ | Extirpation of Matter from Left Posterior Tibial Artery, Open Approach | ICD-10-PCS Procedure |
| 04CS3ZZ | Extirpation of Matter from Left Posterior Tibial Artery, Percutaneous Approach | ICD-10-PCS Procedure |
| 04CS4ZZ | Extirpation of Matter from Left Posterior Tibial Artery, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 04CT0ZZ | Extirpation of Matter from Right Peroneal Artery, Open Approach | ICD-10-PCS Procedure |
| 04CT3ZZ | Extirpation of Matter from Right Peroneal Artery, Percutaneous Approach | ICD-10-PCS Procedure |
| 04CT4ZZ | Extirpation of Matter from Right Peroneal Artery, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 04CU0ZZ | Extirpation of Matter from Left Peroneal Artery, Open Approach | ICD-10-PCS Procedure |
| 04CU3ZZ | Extirpation of Matter from Left Peroneal Artery, Percutaneous Approach | ICD-10-PCS Procedure |
| 04CU4ZZ | Extirpation of Matter from Left Peroneal Artery, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 04CV0ZZ | Extirpation of Matter from Right Foot Artery, Open Approach | ICD-10-PCS Procedure |
| 04CV3ZZ | Extirpation of Matter from Right Foot Artery, Percutaneous Approach | ICD-10-PCS Procedure |
| 04CV4ZZ | Extirpation of Matter from Right Foot Artery, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 04CW0ZZ | Extirpation of Matter from Left Foot Artery, Open Approach | ICD-10-PCS Procedure |
| 04CW3ZZ | Extirpation of Matter from Left Foot Artery, Percutaneous Approach | ICD-10-PCS Procedure |
| 04CW4ZZ | Extirpation of Matter from Left Foot Artery, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 04CY0ZZ | Extirpation of Matter from Lower Artery, Open Approach | ICD-10-PCS Procedure |
| 04CY3ZZ | Extirpation of Matter from Lower Artery, Percutaneous Approach | ICD-10-PCS Procedure |
| 04CY4ZZ | Extirpation of Matter from Lower Artery, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 0Y6C0Z1 | Detachment at Right Upper Leg, High, Open Approach | ICD-10-PCS Procedure |
| 0Y6C0Z2 | Detachment at Right Upper Leg, Mid, Open Approach | ICD-10-PCS Procedure |
| 0Y6C0Z3 | Detachment at Right Upper Leg, Low, Open Approach | ICD-10-PCS Procedure |
| 0Y6D0Z1 | Detachment at Left Upper Leg, High, Open Approach | ICD-10-PCS Procedure |
| 0Y6D0Z2 | Detachment at Left Upper Leg, Mid, Open Approach | ICD-10-PCS Procedure |
| 0Y6D0Z3 | Detachment at Left Upper Leg, Low, Open Approach | ICD-10-PCS Procedure |
| 0Y6F0ZZ | Detachment at Right Knee Region, Open Approach | ICD-10-PCS Procedure |

List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|---|----------------------|
| 0Y6G0ZZ | Detachment at Left Knee Region, Open Approach | ICD-10-PCS Procedure |
| 0Y6H0Z1 | Detachment at Right Lower Leg, High, Open Approach | ICD-10-PCS Procedure |
| 0Y6H0Z2 | Detachment at Right Lower Leg, Mid, Open Approach | ICD-10-PCS Procedure |
| 0Y6H0Z3 | Detachment at Right Lower Leg, Low, Open Approach | ICD-10-PCS Procedure |
| 0Y6J0Z1 | Detachment at Left Lower Leg, High, Open Approach | ICD-10-PCS Procedure |
| 0Y6J0Z2 | Detachment at Left Lower Leg, Mid, Open Approach | ICD-10-PCS Procedure |
| 0Y6J0Z3 | Detachment at Left Lower Leg, Low, Open Approach | ICD-10-PCS Procedure |
| 0Y6M0Z0 | Detachment at Right Foot, Complete, Open Approach | ICD-10-PCS Procedure |
| 0Y6M0Z4 | Detachment at Right Foot, Complete 1st Ray, Open Approach | ICD-10-PCS Procedure |
| 0Y6M0Z5 | Detachment at Right Foot, Complete 2nd Ray, Open Approach | ICD-10-PCS Procedure |
| 0Y6M0Z6 | Detachment at Right Foot, Complete 3rd Ray, Open Approach | ICD-10-PCS Procedure |
| 0Y6M0Z7 | Detachment at Right Foot, Complete 4th Ray, Open Approach | ICD-10-PCS Procedure |
| 0Y6M0Z8 | Detachment at Right Foot, Complete 5th Ray, Open Approach | ICD-10-PCS Procedure |
| 0Y6M0Z9 | Detachment at Right Foot, Partial 1st Ray, Open Approach | ICD-10-PCS Procedure |
| 0Y6M0ZB | Detachment at Right Foot, Partial 2nd Ray, Open Approach | ICD-10-PCS Procedure |
| 0Y6M0ZC | Detachment at Right Foot, Partial 3rd Ray, Open Approach | ICD-10-PCS Procedure |
| 0Y6M0ZD | Detachment at Right Foot, Partial 4th Ray, Open Approach | ICD-10-PCS Procedure |
| 0Y6M0ZF | Detachment at Right Foot, Partial 5th Ray, Open Approach | ICD-10-PCS Procedure |
| 0Y6N0Z0 | Detachment at Left Foot, Complete, Open Approach | ICD-10-PCS Procedure |
| 0Y6N0Z4 | Detachment at Left Foot, Complete 1st Ray, Open Approach | ICD-10-PCS Procedure |
| 0Y6N0Z5 | Detachment at Left Foot, Complete 2nd Ray, Open Approach | ICD-10-PCS Procedure |
| 0Y6N0Z6 | Detachment at Left Foot, Complete 3rd Ray, Open Approach | ICD-10-PCS Procedure |
| 0Y6N0Z7 | Detachment at Left Foot, Complete 4th Ray, Open Approach | ICD-10-PCS Procedure |
| 0Y6N0Z8 | Detachment at Left Foot, Complete 5th Ray, Open Approach | ICD-10-PCS Procedure |
| 0Y6N0Z9 | Detachment at Left Foot, Partial 1st Ray, Open Approach | ICD-10-PCS Procedure |
| 0Y6N0ZB | Detachment at Left Foot, Partial 2nd Ray, Open Approach | ICD-10-PCS Procedure |
| 0Y6N0ZC | Detachment at Left Foot, Partial 3rd Ray, Open Approach | ICD-10-PCS Procedure |
| 0Y6N0ZD | Detachment at Left Foot, Partial 4th Ray, Open Approach | ICD-10-PCS Procedure |
| 0Y6N0ZF | Detachment at Left Foot, Partial 5th Ray, Open Approach | ICD-10-PCS Procedure |
| 0Y6P0Z0 | Detachment at Right 1st Toe, Complete, Open Approach | ICD-10-PCS Procedure |
| 0Y6P0Z1 | Detachment at Right 1st Toe, High, Open Approach | ICD-10-PCS Procedure |
| 0Y6P0Z2 | Detachment at Right 1st Toe, Mid, Open Approach | ICD-10-PCS Procedure |
| 0Y6P0Z3 | Detachment at Right 1st Toe, Low, Open Approach | ICD-10-PCS Procedure |
| 0Y6Q0Z0 | Detachment at Left 1st Toe, Complete, Open Approach | ICD-10-PCS Procedure |
| 0Y6Q0Z1 | Detachment at Left 1st Toe, High, Open Approach | ICD-10-PCS Procedure |
| 0Y6Q0Z2 | Detachment at Left 1st Toe, Mid, Open Approach | ICD-10-PCS Procedure |
| 0Y6Q0Z3 | Detachment at Left 1st Toe, Low, Open Approach | ICD-10-PCS Procedure |
| 0Y6R0Z0 | Detachment at Right 2nd Toe, Complete, Open Approach | ICD-10-PCS Procedure |
| 0Y6R0Z1 | Detachment at Right 2nd Toe, High, Open Approach | ICD-10-PCS Procedure |
| 0Y6R0Z2 | Detachment at Right 2nd Toe, Mid, Open Approach | ICD-10-PCS Procedure |



List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|--|----------------------|
| 0Y6R0Z3 | Detachment at Right 2nd Toe, Low, Open Approach | ICD-10-PCS Procedure |
| 0Y6S0Z0 | Detachment at Left 2nd Toe, Complete, Open Approach | ICD-10-PCS Procedure |
| 0Y6S0Z1 | Detachment at Left 2nd Toe, High, Open Approach | ICD-10-PCS Procedure |
| 0Y6S0Z2 | Detachment at Left 2nd Toe, Mid, Open Approach | ICD-10-PCS Procedure |
| 0Y6S0Z3 | Detachment at Left 2nd Toe, Low, Open Approach | ICD-10-PCS Procedure |
| 0Y6T0Z0 | Detachment at Right 3rd Toe, Complete, Open Approach | ICD-10-PCS Procedure |
| 0Y6T0Z1 | Detachment at Right 3rd Toe, High, Open Approach | ICD-10-PCS Procedure |
| 0Y6T0Z2 | Detachment at Right 3rd Toe, Mid, Open Approach | ICD-10-PCS Procedure |
| 0Y6T0Z3 | Detachment at Right 3rd Toe, Low, Open Approach | ICD-10-PCS Procedure |
| 0Y6U0Z0 | Detachment at Left 3rd Toe, Complete, Open Approach | ICD-10-PCS Procedure |
| 0Y6U0Z1 | Detachment at Left 3rd Toe, High, Open Approach | ICD-10-PCS Procedure |
| 0Y6U0Z2 | Detachment at Left 3rd Toe, Mid, Open Approach | ICD-10-PCS Procedure |
| 0Y6U0Z3 | Detachment at Left 3rd Toe, Low, Open Approach | ICD-10-PCS Procedure |
| 0Y6V0Z0 | Detachment at Right 4th Toe, Complete, Open Approach | ICD-10-PCS Procedure |
| 0Y6V0Z1 | Detachment at Right 4th Toe, High, Open Approach | ICD-10-PCS Procedure |
| 0Y6V0Z2 | Detachment at Right 4th Toe, Mid, Open Approach | ICD-10-PCS Procedure |
| 0Y6V0Z3 | Detachment at Right 4th Toe, Low, Open Approach | ICD-10-PCS Procedure |
| 0Y6W0Z0 | Detachment at Left 4th Toe, Complete, Open Approach | ICD-10-PCS Procedure |
| 0Y6W0Z1 | Detachment at Left 4th Toe, High, Open Approach | ICD-10-PCS Procedure |
| 0Y6W0Z2 | Detachment at Left 4th Toe, Mid, Open Approach | ICD-10-PCS Procedure |
| 0Y6W0Z3 | Detachment at Left 4th Toe, Low, Open Approach | ICD-10-PCS Procedure |
| 0Y6X0Z0 | Detachment at Right 5th Toe, Complete, Open Approach | ICD-10-PCS Procedure |
| 0Y6X0Z1 | Detachment at Right 5th Toe, High, Open Approach | ICD-10-PCS Procedure |
| 0Y6X0Z2 | Detachment at Right 5th Toe, Mid, Open Approach | ICD-10-PCS Procedure |
| 0Y6X0Z3 | Detachment at Right 5th Toe, Low, Open Approach | ICD-10-PCS Procedure |
| 0Y6Y0Z0 | Detachment at Left 5th Toe, Complete, Open Approach | ICD-10-PCS Procedure |
| 0Y6Y0Z1 | Detachment at Left 5th Toe, High, Open Approach | ICD-10-PCS Procedure |
| 0Y6Y0Z2 | Detachment at Left 5th Toe, Mid, Open Approach | ICD-10-PCS Procedure |
| 0Y6Y0Z3 | Detachment at Left 5th Toe, Low, Open Approach | ICD-10-PCS Procedure |
| 0370046 | Dilation of Right Internal Mammary Artery, Bifurcation, with Drug-eluting Intraluminal Device, Open Approach | ICD-10-PCS Procedure |
| 0370056 | Dilation of Right Internal Mammary Artery, Bifurcation, with Two Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 0370066 | Dilation of Right Internal Mammary Artery, Bifurcation, with Three Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 0370076 | Dilation of Right Internal Mammary Artery, Bifurcation, with Four or More Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 0370346 | Dilation of Right Internal Mammary Artery, Bifurcation, with Drug-eluting Intraluminal Device, Percutaneous Approach | ICD-10-PCS Procedure |
| 0370356 | Dilation of Right Internal Mammary Artery, Bifurcation, with Two Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |

List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|---|----------------------|
| 0370366 | Dilation of Right Internal Mammary Artery, Bifurcation, with Three Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 0370376 | Dilation of Right Internal Mammary Artery, Bifurcation, with Four or More Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 0370446 | Dilation of Right Internal Mammary Artery, Bifurcation, with Drug-eluting Intraluminal Device, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 0370456 | Dilation of Right Internal Mammary Artery, Bifurcation, with Two Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 0370466 | Dilation of Right Internal Mammary Artery, Bifurcation, with Three Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 0370476 | Dilation of Right Internal Mammary Artery, Bifurcation, with Four or More Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 0371046 | Dilation of Left Internal Mammary Artery, Bifurcation, with Drug-eluting Intraluminal Device, Open Approach | ICD-10-PCS Procedure |
| 0371056 | Dilation of Left Internal Mammary Artery, Bifurcation, with Two Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 0371066 | Dilation of Left Internal Mammary Artery, Bifurcation, with Three Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 0371076 | Dilation of Left Internal Mammary Artery, Bifurcation, with Four or More Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 0371346 | Dilation of Left Internal Mammary Artery, Bifurcation, with Drug-eluting Intraluminal Device, Percutaneous Approach | ICD-10-PCS Procedure |
| 0371356 | Dilation of Left Internal Mammary Artery, Bifurcation, with Two Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 0371366 | Dilation of Left Internal Mammary Artery, Bifurcation, with Three Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 0371376 | Dilation of Left Internal Mammary Artery, Bifurcation, with Four or More Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 0371446 | Dilation of Left Internal Mammary Artery, Bifurcation, with Drug-eluting Intraluminal Device, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 0371456 | Dilation of Left Internal Mammary Artery, Bifurcation, with Two Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 0371466 | Dilation of Left Internal Mammary Artery, Bifurcation, with Three Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 0371476 | Dilation of Left Internal Mammary Artery, Bifurcation, with Four or More Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 0372046 | Dilation of Innominate Artery, Bifurcation, with Drug-eluting Intraluminal Device, Open Approach | ICD-10-PCS Procedure |
| 0372056 | Dilation of Innominate Artery, Bifurcation, with Two Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 0372066 | Dilation of Innominate Artery, Bifurcation, with Three Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |



List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|---|----------------------|
| 0372076 | Dilation of Innominate Artery, Bifurcation, with Four or More Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 0372346 | Dilation of Innominate Artery, Bifurcation, with Drug-eluting Intraluminal Device, Percutaneous Approach | ICD-10-PCS Procedure |
| 0372356 | Dilation of Innominate Artery, Bifurcation, with Two Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 0372366 | Dilation of Innominate Artery, Bifurcation, with Three Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 0372376 | Dilation of Innominate Artery, Bifurcation, with Four or More Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 0372446 | Dilation of Innominate Artery, Bifurcation, with Drug-eluting Intraluminal Device, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 0372456 | Dilation of Innominate Artery, Bifurcation, with Two Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 0372466 | Dilation of Innominate Artery, Bifurcation, with Three Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 0372476 | Dilation of Innominate Artery, Bifurcation, with Four or More Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 0373046 | Dilation of Right Subclavian Artery, Bifurcation, with Drug-eluting Intraluminal Device, Open Approach | ICD-10-PCS Procedure |
| 0373056 | Dilation of Right Subclavian Artery, Bifurcation, with Two Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 0373066 | Dilation of Right Subclavian Artery, Bifurcation, with Three Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 0373076 | Dilation of Right Subclavian Artery, Bifurcation, with Four or More Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 0373346 | Dilation of Right Subclavian Artery, Bifurcation, with Drug-eluting Intraluminal Device, Percutaneous Approach | ICD-10-PCS Procedure |
| 0373356 | Dilation of Right Subclavian Artery, Bifurcation, with Two Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 0373366 | Dilation of Right Subclavian Artery, Bifurcation, with Three Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 0373376 | Dilation of Right Subclavian Artery, Bifurcation, with Four or More Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 0373446 | Dilation of Right Subclavian Artery, Bifurcation, with Drug-eluting Intraluminal Device, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 0373456 | Dilation of Right Subclavian Artery, Bifurcation, with Two Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 0373466 | Dilation of Right Subclavian Artery, Bifurcation, with Three Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 0373476 | Dilation of Right Subclavian Artery, Bifurcation, with Four or More Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |

List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|--|----------------------|
| 0374046 | Dilation of Left Subclavian Artery, Bifurcation, with Drug-eluting Intraluminal Device, Open Approach | ICD-10-PCS Procedure |
| 0374056 | Dilation of Left Subclavian Artery, Bifurcation, with Two Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 0374066 | Dilation of Left Subclavian Artery, Bifurcation, with Three Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 0374076 | Dilation of Left Subclavian Artery, Bifurcation, with Four or More Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 0374346 | Dilation of Left Subclavian Artery, Bifurcation, with Drug-eluting Intraluminal Device, Percutaneous Approach | ICD-10-PCS Procedure |
| 0374356 | Dilation of Left Subclavian Artery, Bifurcation, with Two Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 0374366 | Dilation of Left Subclavian Artery, Bifurcation, with Three Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 0374376 | Dilation of Left Subclavian Artery, Bifurcation, with Four or More Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 0374446 | Dilation of Left Subclavian Artery, Bifurcation, with Drug-eluting Intraluminal Device, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 0374456 | Dilation of Left Subclavian Artery, Bifurcation, with Two Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 0374466 | Dilation of Left Subclavian Artery, Bifurcation, with Three Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 0374476 | Dilation of Left Subclavian Artery, Bifurcation, with Four or More Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 0375046 | Dilation of Right Axillary Artery, Bifurcation, with Drug-eluting Intraluminal Device, Open Approach | ICD-10-PCS Procedure |
| 0375056 | Dilation of Right Axillary Artery, Bifurcation, with Two Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 0375066 | Dilation of Right Axillary Artery, Bifurcation, with Three Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 0375076 | Dilation of Right Axillary Artery, Bifurcation, with Four or More Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 0375346 | Dilation of Right Axillary Artery, Bifurcation, with Drug-eluting Intraluminal Device, Percutaneous Approach | ICD-10-PCS Procedure |
| 0375356 | Dilation of Right Axillary Artery, Bifurcation, with Two Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 0375366 | Dilation of Right Axillary Artery, Bifurcation, with Three Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 0375376 | Dilation of Right Axillary Artery, Bifurcation, with Four or More Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 0375446 | Dilation of Right Axillary Artery, Bifurcation, with Drug-eluting Intraluminal Device, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |

List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|---|----------------------|
| 0375456 | Dilation of Right Axillary Artery, Bifurcation, with Two Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 0375466 | Dilation of Right Axillary Artery, Bifurcation, with Three Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 0375476 | Dilation of Right Axillary Artery, Bifurcation, with Four or More Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 0376046 | Dilation of Left Axillary Artery, Bifurcation, with Drug-eluting Intraluminal Device, Open Approach | ICD-10-PCS Procedure |
| 0376056 | Dilation of Left Axillary Artery, Bifurcation, with Two Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 0376066 | Dilation of Left Axillary Artery, Bifurcation, with Three Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 0376076 | Dilation of Left Axillary Artery, Bifurcation, with Four or More Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 0376346 | Dilation of Left Axillary Artery, Bifurcation, with Drug-eluting Intraluminal Device, Percutaneous Approach | ICD-10-PCS Procedure |
| 0376356 | Dilation of Left Axillary Artery, Bifurcation, with Two Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 0376366 | Dilation of Left Axillary Artery, Bifurcation, with Three Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 0376376 | Dilation of Left Axillary Artery, Bifurcation, with Four or More Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 0376446 | Dilation of Left Axillary Artery, Bifurcation, with Drug-eluting Intraluminal Device, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 0376456 | Dilation of Left Axillary Artery, Bifurcation, with Two Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 0376466 | Dilation of Left Axillary Artery, Bifurcation, with Three Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 0376476 | Dilation of Left Axillary Artery, Bifurcation, with Four or More Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 0377046 | Dilation of Right Brachial Artery, Bifurcation, with Drug-eluting Intraluminal Device, Open Approach | ICD-10-PCS Procedure |
| 0377056 | Dilation of Right Brachial Artery, Bifurcation, with Two Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 0377066 | Dilation of Right Brachial Artery, Bifurcation, with Three Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 0377076 | Dilation of Right Brachial Artery, Bifurcation, with Four or More Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 0377346 | Dilation of Right Brachial Artery, Bifurcation, with Drug-eluting Intraluminal Device, Percutaneous Approach | ICD-10-PCS Procedure |
| 0377356 | Dilation of Right Brachial Artery, Bifurcation, with Two Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |

List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|---|----------------------|
| 0377366 | Dilation of Right Brachial Artery, Bifurcation, with Three Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 0377376 | Dilation of Right Brachial Artery, Bifurcation, with Four or More Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 0377446 | Dilation of Right Brachial Artery, Bifurcation, with Drug-eluting Intraluminal Device, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 0377456 | Dilation of Right Brachial Artery, Bifurcation, with Two Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 0377466 | Dilation of Right Brachial Artery, Bifurcation, with Three Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 0377476 | Dilation of Right Brachial Artery, Bifurcation, with Four or More Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 0378046 | Dilation of Left Brachial Artery, Bifurcation, with Drug-eluting Intraluminal Device, Open Approach | ICD-10-PCS Procedure |
| 0378056 | Dilation of Left Brachial Artery, Bifurcation, with Two Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 0378066 | Dilation of Left Brachial Artery, Bifurcation, with Three Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 0378076 | Dilation of Left Brachial Artery, Bifurcation, with Four or More Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 0378346 | Dilation of Left Brachial Artery, Bifurcation, with Drug-eluting Intraluminal Device, Percutaneous Approach | ICD-10-PCS Procedure |
| 0378356 | Dilation of Left Brachial Artery, Bifurcation, with Two Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 0378366 | Dilation of Left Brachial Artery, Bifurcation, with Three Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 0378376 | Dilation of Left Brachial Artery, Bifurcation, with Four or More Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 0378446 | Dilation of Left Brachial Artery, Bifurcation, with Drug-eluting Intraluminal Device, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 0378456 | Dilation of Left Brachial Artery, Bifurcation, with Two Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 0378466 | Dilation of Left Brachial Artery, Bifurcation, with Three Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 0378476 | Dilation of Left Brachial Artery, Bifurcation, with Four or More Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 0379046 | Dilation of Right Ulnar Artery, Bifurcation, with Drug-eluting Intraluminal Device, Open Approach | ICD-10-PCS Procedure |
| 0379056 | Dilation of Right Ulnar Artery, Bifurcation, with Two Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 0379066 | Dilation of Right Ulnar Artery, Bifurcation, with Three Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |

List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|--|----------------------|
| 0379076 | Dilation of Right Ulnar Artery, Bifurcation, with Four or More Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 0379346 | Dilation of Right Ulnar Artery, Bifurcation, with Drug-eluting Intraluminal Device, Percutaneous Approach | ICD-10-PCS Procedure |
| 0379356 | Dilation of Right Ulnar Artery, Bifurcation, with Two Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 0379366 | Dilation of Right Ulnar Artery, Bifurcation, with Three Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 0379376 | Dilation of Right Ulnar Artery, Bifurcation, with Four or More Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 0379446 | Dilation of Right Ulnar Artery, Bifurcation, with Drug-eluting Intraluminal Device, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 0379456 | Dilation of Right Ulnar Artery, Bifurcation, with Two Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 0379466 | Dilation of Right Ulnar Artery, Bifurcation, with Three Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 0379476 | Dilation of Right Ulnar Artery, Bifurcation, with Four or More Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 0410090 | Bypass Abdominal Aorta to Abdominal Aorta with Autologous Venous Tissue, Open Approach | ICD-10-PCS Procedure |
| 0410091 | Bypass Abdominal Aorta to Celiac Artery with Autologous Venous Tissue, Open Approach | ICD-10-PCS Procedure |
| 0410092 | Bypass Abdominal Aorta to Mesenteric Artery with Autologous Venous Tissue, Open Approach | ICD-10-PCS Procedure |
| 0410490 | Bypass Abdominal Aorta to Abdominal Aorta with Autologous Venous Tissue, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 0410491 | Bypass Abdominal Aorta to Celiac Artery with Autologous Venous Tissue, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 0410492 | Bypass Abdominal Aorta to Mesenteric Artery with Autologous Venous Tissue, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 0414093 | Bypass Splenic Artery to Right Renal Artery with Autologous Venous Tissue, Open Approach | ICD-10-PCS Procedure |
| 0414094 | Bypass Splenic Artery to Left Renal Artery with Autologous Venous Tissue, Open Approach | ICD-10-PCS Procedure |
| 0414095 | Bypass Splenic Artery to Bilateral Renal Artery with Autologous Venous Tissue, Open Approach | ICD-10-PCS Procedure |
| 0414493 | Bypass Splenic Artery to Right Renal Artery with Autologous Venous Tissue, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 0414494 | Bypass Splenic Artery to Left Renal Artery with Autologous Venous Tissue, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 0414495 | Bypass Splenic Artery to Bilateral Renal Artery with Autologous Venous Tissue, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |

List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|---|----------------------|
| 0470046 | Dilation of Abdominal Aorta, Bifurcation, with Drug-eluting Intraluminal Device, Open Approach | ICD-10-PCS Procedure |
| 0470056 | Dilation of Abdominal Aorta, Bifurcation, with Two Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 0470066 | Dilation of Abdominal Aorta, Bifurcation, with Three Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 0470076 | Dilation of Abdominal Aorta, Bifurcation, with Four or More Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 0470346 | Dilation of Abdominal Aorta, Bifurcation, with Drug-eluting Intraluminal Device, Percutaneous Approach | ICD-10-PCS Procedure |
| 0470356 | Dilation of Abdominal Aorta, Bifurcation, with Two Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 0470366 | Dilation of Abdominal Aorta, Bifurcation, with Three Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 0470376 | Dilation of Abdominal Aorta, Bifurcation, with Four or More Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 0470446 | Dilation of Abdominal Aorta, Bifurcation, with Drug-eluting Intraluminal Device, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 0470456 | Dilation of Abdominal Aorta, Bifurcation, with Two Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 0470466 | Dilation of Abdominal Aorta, Bifurcation, with Three Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 0470476 | Dilation of Abdominal Aorta, Bifurcation, with Four or More Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 0471046 | Dilation of Celiac Artery, Bifurcation, with Drug-eluting Intraluminal Device, Open Approach | ICD-10-PCS Procedure |
| 0471056 | Dilation of Celiac Artery, Bifurcation, with Two Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 0471066 | Dilation of Celiac Artery, Bifurcation, with Three Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 0471076 | Dilation of Celiac Artery, Bifurcation, with Four or More Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 0471346 | Dilation of Celiac Artery, Bifurcation, with Drug-eluting Intraluminal Device, Percutaneous Approach | ICD-10-PCS Procedure |
| 0471356 | Dilation of Celiac Artery, Bifurcation, with Two Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 0471366 | Dilation of Celiac Artery, Bifurcation, with Three Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 0471376 | Dilation of Celiac Artery, Bifurcation, with Four or More Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 0471446 | Dilation of Celiac Artery, Bifurcation, with Drug-eluting Intraluminal Device, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |



List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|--|----------------------|
| 0471456 | Dilation of Celiac Artery, Bifurcation, with Two Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 0471466 | Dilation of Celiac Artery, Bifurcation, with Three Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 0471476 | Dilation of Celiac Artery, Bifurcation, with Four or More Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 0472046 | Dilation of Gastric Artery, Bifurcation, with Drug-eluting Intraluminal Device, Open Approach | ICD-10-PCS Procedure |
| 0472056 | Dilation of Gastric Artery, Bifurcation, with Two Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 0472066 | Dilation of Gastric Artery, Bifurcation, with Three Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 0472076 | Dilation of Gastric Artery, Bifurcation, with Four or More Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 0472346 | Dilation of Gastric Artery, Bifurcation, with Drug-eluting Intraluminal Device, Percutaneous Approach | ICD-10-PCS Procedure |
| 0472356 | Dilation of Gastric Artery, Bifurcation, with Two Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 0472366 | Dilation of Gastric Artery, Bifurcation, with Three Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 0472376 | Dilation of Gastric Artery, Bifurcation, with Four or More Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 0472446 | Dilation of Gastric Artery, Bifurcation, with Drug-eluting Intraluminal Device, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 0472456 | Dilation of Gastric Artery, Bifurcation, with Two Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 0472466 | Dilation of Gastric Artery, Bifurcation, with Three Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 0472476 | Dilation of Gastric Artery, Bifurcation, with Four or More Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 0473046 | Dilation of Hepatic Artery, Bifurcation, with Drug-eluting Intraluminal Device, Open Approach | ICD-10-PCS Procedure |
| 0473056 | Dilation of Hepatic Artery, Bifurcation, with Two Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 0473066 | Dilation of Hepatic Artery, Bifurcation, with Three Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 0473076 | Dilation of Hepatic Artery, Bifurcation, with Four or More Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 0473346 | Dilation of Hepatic Artery, Bifurcation, with Drug-eluting Intraluminal Device, Percutaneous Approach | ICD-10-PCS Procedure |
| 0473356 | Dilation of Hepatic Artery, Bifurcation, with Two Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |

List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|--|----------------------|
| 0473366 | Dilation of Hepatic Artery, Bifurcation, with Three Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 0473376 | Dilation of Hepatic Artery, Bifurcation, with Four or More Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 0473446 | Dilation of Hepatic Artery, Bifurcation, with Drug-eluting Intraluminal Device, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 0473456 | Dilation of Hepatic Artery, Bifurcation, with Two Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 0473466 | Dilation of Hepatic Artery, Bifurcation, with Three Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 0473476 | Dilation of Hepatic Artery, Bifurcation, with Four or More Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 0474046 | Dilation of Splenic Artery, Bifurcation, with Drug-eluting Intraluminal Device, Open Approach | ICD-10-PCS Procedure |
| 0474056 | Dilation of Splenic Artery, Bifurcation, with Two Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 0474066 | Dilation of Splenic Artery, Bifurcation, with Three Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 0474076 | Dilation of Splenic Artery, Bifurcation, with Four or More Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 0474346 | Dilation of Splenic Artery, Bifurcation, with Drug-eluting Intraluminal Device, Percutaneous Approach | ICD-10-PCS Procedure |
| 0474356 | Dilation of Splenic Artery, Bifurcation, with Two Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 0474366 | Dilation of Splenic Artery, Bifurcation, with Three Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 0474376 | Dilation of Splenic Artery, Bifurcation, with Four or More Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 0474446 | Dilation of Splenic Artery, Bifurcation, with Drug-eluting Intraluminal Device, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 0474456 | Dilation of Splenic Artery, Bifurcation, with Two Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 0474466 | Dilation of Splenic Artery, Bifurcation, with Three Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 0474476 | Dilation of Splenic Artery, Bifurcation, with Four or More Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 0475046 | Dilation of Superior Mesenteric Artery, Bifurcation, with Drug-eluting Intraluminal Device, Open Approach | ICD-10-PCS Procedure |
| 0475056 | Dilation of Superior Mesenteric Artery, Bifurcation, with Two Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 0475066 | Dilation of Superior Mesenteric Artery, Bifurcation, with Three Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |

List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|--|----------------------|
| 0475076 | Dilation of Superior Mesenteric Artery, Bifurcation, with Four or More Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 0475346 | Dilation of Superior Mesenteric Artery, Bifurcation, with Drug-eluting Intraluminal Device, Percutaneous Approach | ICD-10-PCS Procedure |
| 0475356 | Dilation of Superior Mesenteric Artery, Bifurcation, with Two Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 0475366 | Dilation of Superior Mesenteric Artery, Bifurcation, with Three Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 0475376 | Dilation of Superior Mesenteric Artery, Bifurcation, with Four or More Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 0475446 | Dilation of Superior Mesenteric Artery, Bifurcation, with Drug-eluting Intraluminal Device, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 0475456 | Dilation of Superior Mesenteric Artery, Bifurcation, with Two Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 0475466 | Dilation of Superior Mesenteric Artery, Bifurcation, with Three Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 0475476 | Dilation of Superior Mesenteric Artery, Bifurcation, with Four or More Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 0476046 | Dilation of Right Colic Artery, Bifurcation, with Drug-eluting Intraluminal Device, Open Approach | ICD-10-PCS Procedure |
| 0476056 | Dilation of Right Colic Artery, Bifurcation, with Two Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 0476066 | Dilation of Right Colic Artery, Bifurcation, with Three Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 0476076 | Dilation of Right Colic Artery, Bifurcation, with Four or More Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 0476346 | Dilation of Right Colic Artery, Bifurcation, with Drug-eluting Intraluminal Device, Percutaneous Approach | ICD-10-PCS Procedure |
| 0476356 | Dilation of Right Colic Artery, Bifurcation, with Two Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 0476366 | Dilation of Right Colic Artery, Bifurcation, with Three Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 0476376 | Dilation of Right Colic Artery, Bifurcation, with Four or More Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 0476446 | Dilation of Right Colic Artery, Bifurcation, with Drug-eluting Intraluminal Device, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 0476456 | Dilation of Right Colic Artery, Bifurcation, with Two Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 0476466 | Dilation of Right Colic Artery, Bifurcation, with Three Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 0476476 | Dilation of Right Colic Artery, Bifurcation, with Four or More Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |

List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|---|----------------------|
| 0477046 | Dilation of Left Colic Artery, Bifurcation, with Drug-eluting Intraluminal Device, Open Approach | ICD-10-PCS Procedure |
| 0477056 | Dilation of Left Colic Artery, Bifurcation, with Two Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 0477066 | Dilation of Left Colic Artery, Bifurcation, with Three Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 0477076 | Dilation of Left Colic Artery, Bifurcation, with Four or More Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 0477346 | Dilation of Left Colic Artery, Bifurcation, with Drug-eluting Intraluminal Device, Percutaneous Approach | ICD-10-PCS Procedure |
| 0477356 | Dilation of Left Colic Artery, Bifurcation, with Two Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 0477366 | Dilation of Left Colic Artery, Bifurcation, with Three Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 0477376 | Dilation of Left Colic Artery, Bifurcation, with Four or More Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 0477446 | Dilation of Left Colic Artery, Bifurcation, with Drug-eluting Intraluminal Device, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 0477456 | Dilation of Left Colic Artery, Bifurcation, with Two Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 0477466 | Dilation of Left Colic Artery, Bifurcation, with Three Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 0477476 | Dilation of Left Colic Artery, Bifurcation, with Four or More Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 0478046 | Dilation of Middle Colic Artery, Bifurcation, with Drug-eluting Intraluminal Device, Open Approach | ICD-10-PCS Procedure |
| 0478056 | Dilation of Middle Colic Artery, Bifurcation, with Two Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 0478066 | Dilation of Middle Colic Artery, Bifurcation, with Three Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 0478076 | Dilation of Middle Colic Artery, Bifurcation, with Four or More Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 0478346 | Dilation of Middle Colic Artery, Bifurcation, with Drug-eluting Intraluminal Device, Percutaneous Approach | ICD-10-PCS Procedure |
| 0478356 | Dilation of Middle Colic Artery, Bifurcation, with Two Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 0478366 | Dilation of Middle Colic Artery, Bifurcation, with Three Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 0478376 | Dilation of Middle Colic Artery, Bifurcation, with Four or More Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 0478446 | Dilation of Middle Colic Artery, Bifurcation, with Drug-eluting Intraluminal Device, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |



List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|---|----------------------|
| 0478456 | Dilation of Middle Colic Artery, Bifurcation, with Two Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 0478466 | Dilation of Middle Colic Artery, Bifurcation, with Three Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 0478476 | Dilation of Middle Colic Artery, Bifurcation, with Four or More Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 0479046 | Dilation of Right Renal Artery, Bifurcation, with Drug-eluting Intraluminal Device, Open Approach | ICD-10-PCS Procedure |
| 0479056 | Dilation of Right Renal Artery, Bifurcation, with Two Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 0479066 | Dilation of Right Renal Artery, Bifurcation, with Three Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 0479076 | Dilation of Right Renal Artery, Bifurcation, with Four or More Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 0479346 | Dilation of Right Renal Artery, Bifurcation, with Drug-eluting Intraluminal Device, Percutaneous Approach | ICD-10-PCS Procedure |
| 0479356 | Dilation of Right Renal Artery, Bifurcation, with Two Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 0479366 | Dilation of Right Renal Artery, Bifurcation, with Three Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 0479376 | Dilation of Right Renal Artery, Bifurcation, with Four or More Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 0479446 | Dilation of Right Renal Artery, Bifurcation, with Drug-eluting Intraluminal Device, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 0479456 | Dilation of Right Renal Artery, Bifurcation, with Two Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 0479466 | Dilation of Right Renal Artery, Bifurcation, with Three Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 0479476 | Dilation of Right Renal Artery, Bifurcation, with Four or More Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 03700E6 | Dilation of Right Internal Mammary Artery, Bifurcation, with Two Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 03703E6 | Dilation of Right Internal Mammary Artery, Bifurcation, with Two Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 03704E6 | Dilation of Right Internal Mammary Artery, Bifurcation, with Two Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 03710E6 | Dilation of Left Internal Mammary Artery, Bifurcation, with Two Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 03713E6 | Dilation of Left Internal Mammary Artery, Bifurcation, with Two Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 03714E6 | Dilation of Left Internal Mammary Artery, Bifurcation, with Two Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |

List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|---|----------------------|
| 03720E6 | Dilation of Innominate Artery, Bifurcation, with Two Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 03723E6 | Dilation of Innominate Artery, Bifurcation, with Two Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 03724E6 | Dilation of Innominate Artery, Bifurcation, with Two Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 03730E6 | Dilation of Right Subclavian Artery, Bifurcation, with Two Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 03733E6 | Dilation of Right Subclavian Artery, Bifurcation, with Two Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 03734E6 | Dilation of Right Subclavian Artery, Bifurcation, with Two Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 03740E6 | Dilation of Left Subclavian Artery, Bifurcation, with Two Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 03743E6 | Dilation of Left Subclavian Artery, Bifurcation, with Two Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 03744E6 | Dilation of Left Subclavian Artery, Bifurcation, with Two Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 03750E6 | Dilation of Right Axillary Artery, Bifurcation, with Two Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 03753E6 | Dilation of Right Axillary Artery, Bifurcation, with Two Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 03754E6 | Dilation of Right Axillary Artery, Bifurcation, with Two Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 03760E6 | Dilation of Left Axillary Artery, Bifurcation, with Two Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 03763E6 | Dilation of Left Axillary Artery, Bifurcation, with Two Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 03764E6 | Dilation of Left Axillary Artery, Bifurcation, with Two Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 03770E6 | Dilation of Right Brachial Artery, Bifurcation, with Two Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 03773E6 | Dilation of Right Brachial Artery, Bifurcation, with Two Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 03774E6 | Dilation of Right Brachial Artery, Bifurcation, with Two Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 03780E6 | Dilation of Left Brachial Artery, Bifurcation, with Two Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 03783E6 | Dilation of Left Brachial Artery, Bifurcation, with Two Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 03784E6 | Dilation of Left Brachial Artery, Bifurcation, with Two Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |



List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|--|----------------------|
| 03790E6 | Dilation of Right Ulnar Artery, Bifurcation, with Two Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 03793E6 | Dilation of Right Ulnar Artery, Bifurcation, with Two Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 03794E6 | Dilation of Right Ulnar Artery, Bifurcation, with Two Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 04700E6 | Dilation of Abdominal Aorta, Bifurcation, with Two Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 04703E6 | Dilation of Abdominal Aorta, Bifurcation, with Two Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 04704E6 | Dilation of Abdominal Aorta, Bifurcation, with Two Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 04710E6 | Dilation of Celiac Artery, Bifurcation, with Two Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 04713E6 | Dilation of Celiac Artery, Bifurcation, with Two Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 04714E6 | Dilation of Celiac Artery, Bifurcation, with Two Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 04720E6 | Dilation of Gastric Artery, Bifurcation, with Two Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 04723E6 | Dilation of Gastric Artery, Bifurcation, with Two Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 04724E6 | Dilation of Gastric Artery, Bifurcation, with Two Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 04730E6 | Dilation of Hepatic Artery, Bifurcation, with Two Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 04733E6 | Dilation of Hepatic Artery, Bifurcation, with Two Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 04734E6 | Dilation of Hepatic Artery, Bifurcation, with Two Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 04740E6 | Dilation of Splenic Artery, Bifurcation, with Two Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 04743E6 | Dilation of Splenic Artery, Bifurcation, with Two Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 04744E6 | Dilation of Splenic Artery, Bifurcation, with Two Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 04750E6 | Dilation of Superior Mesenteric Artery, Bifurcation, with Two Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 04753E6 | Dilation of Superior Mesenteric Artery, Bifurcation, with Two Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 04754E6 | Dilation of Superior Mesenteric Artery, Bifurcation, with Two Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |

List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|--|----------------------|
| 04760E6 | Dilation of Right Colic Artery, Bifurcation, with Two Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 04763E6 | Dilation of Right Colic Artery, Bifurcation, with Two Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 04764E6 | Dilation of Right Colic Artery, Bifurcation, with Two Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 04770E6 | Dilation of Left Colic Artery, Bifurcation, with Two Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 04773E6 | Dilation of Left Colic Artery, Bifurcation, with Two Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 04774E6 | Dilation of Left Colic Artery, Bifurcation, with Two Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 04780E6 | Dilation of Middle Colic Artery, Bifurcation, with Two Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 04783E6 | Dilation of Middle Colic Artery, Bifurcation, with Two Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 04784E6 | Dilation of Middle Colic Artery, Bifurcation, with Two Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 04790E6 | Dilation of Right Renal Artery, Bifurcation, with Two Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 04793E6 | Dilation of Right Renal Artery, Bifurcation, with Two Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 04794E6 | Dilation of Right Renal Artery, Bifurcation, with Two Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047E046 | Dilation of Right Internal Iliac Artery, Bifurcation, with Drug-eluting Intraluminal Device, Open Approach | ICD-10-PCS Procedure |
| 047E056 | Dilation of Right Internal Iliac Artery, Bifurcation, with Two Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 047E066 | Dilation of Right Internal Iliac Artery, Bifurcation, with Three Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 047E076 | Dilation of Right Internal Iliac Artery, Bifurcation, with Four or More Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 041E099 | Bypass Right Internal Iliac Artery to Right Internal Iliac Artery with Autologous Venous Tissue, Open Approach | ICD-10-PCS Procedure |
| 027W04Z | Dilation of Thoracic Aorta, Descending with Drug-eluting Intraluminal Device, Open Approach | ICD-10-PCS Procedure |
| 027W0DZ | Dilation of Thoracic Aorta, Descending with Intraluminal Device, Open Approach | ICD-10-PCS Procedure |
| 027W0ZZ | Dilation of Thoracic Aorta, Descending, Open Approach | ICD-10-PCS Procedure |
| 027W34Z | Dilation of Thoracic Aorta, Descending with Drug-eluting Intraluminal Device, Percutaneous Approach | ICD-10-PCS Procedure |

List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|--|----------------------|
| 027W3DZ | Dilation of Thoracic Aorta, Descending with Intraluminal Device, Percutaneous Approach | ICD-10-PCS Procedure |
| 027W3ZZ | Dilation of Thoracic Aorta, Descending, Percutaneous Approach | ICD-10-PCS Procedure |
| 027W44Z | Dilation of Thoracic Aorta, Descending with Drug-eluting Intraluminal Device, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 027W4DZ | Dilation of Thoracic Aorta, Descending with Intraluminal Device, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 027W4ZZ | Dilation of Thoracic Aorta, Descending, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 027X04Z | Dilation of Thoracic Aorta, Ascending/Arch with Drug-eluting Intraluminal Device, Open Approach | ICD-10-PCS Procedure |
| 027X0DZ | Dilation of Thoracic Aorta, Ascending/Arch with Intraluminal Device, Open Approach | ICD-10-PCS Procedure |
| 027X0ZZ | Dilation of Thoracic Aorta, Ascending/Arch, Open Approach | ICD-10-PCS Procedure |
| 027X34Z | Dilation of Thoracic Aorta, Ascending/Arch with Drug-eluting Intraluminal Device, Percutaneous Approach | ICD-10-PCS Procedure |
| 027X3DZ | Dilation of Thoracic Aorta, Ascending/Arch with Intraluminal Device, Percutaneous Approach | ICD-10-PCS Procedure |
| 027X3ZZ | Dilation of Thoracic Aorta, Ascending/Arch, Percutaneous Approach | ICD-10-PCS Procedure |
| 027X44Z | Dilation of Thoracic Aorta, Ascending/Arch with Drug-eluting Intraluminal Device, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 027X4DZ | Dilation of Thoracic Aorta, Ascending/Arch with Intraluminal Device, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 027X4ZZ | Dilation of Thoracic Aorta, Ascending/Arch, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 037004Z | Dilation of Right Internal Mammary Artery with Drug-eluting Intraluminal Device, Open Approach | ICD-10-PCS Procedure |
| 037005Z | Dilation of Right Internal Mammary Artery with Two Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 037006Z | Dilation of Right Internal Mammary Artery with Three Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 037007Z | Dilation of Right Internal Mammary Artery with Four or More Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 03700D6 | Dilation of Right Internal Mammary Artery, Bifurcation, with Intraluminal Device, Open Approach | ICD-10-PCS Procedure |
| 03700DZ | Dilation of Right Internal Mammary Artery with Intraluminal Device, Open Approach | ICD-10-PCS Procedure |
| 03700EZ | Dilation of Right Internal Mammary Artery with Two Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 03700F6 | Dilation of Right Internal Mammary Artery, Bifurcation, with Three Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 03700FZ | Dilation of Right Internal Mammary Artery with Three Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |



List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|---|----------------------|
| 03700G6 | Dilation of Right Internal Mammary Artery, Bifurcation, with Four or More Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 03700GZ | Dilation of Right Internal Mammary Artery with Four or More Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 03700Z6 | Dilation of Right Internal Mammary Artery, Bifurcation, Open Approach | ICD-10-PCS Procedure |
| 03700ZZ | Dilation of Right Internal Mammary Artery, Open Approach | ICD-10-PCS Procedure |
| 037034Z | Dilation of Right Internal Mammary Artery with Drug-eluting Intraluminal Device, Percutaneous Approach | ICD-10-PCS Procedure |
| 037035Z | Dilation of Right Internal Mammary Artery with Two Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 037036Z | Dilation of Right Internal Mammary Artery with Three Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 037037Z | Dilation of Right Internal Mammary Artery with Four or More Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 03703D6 | Dilation of Right Internal Mammary Artery, Bifurcation, with Intraluminal Device, Percutaneous Approach | ICD-10-PCS Procedure |
| 03703DZ | Dilation of Right Internal Mammary Artery with Intraluminal Device, Percutaneous Approach | ICD-10-PCS Procedure |
| 03703EZ | Dilation of Right Internal Mammary Artery with Two Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 03703F6 | Dilation of Right Internal Mammary Artery, Bifurcation, with Three Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 03703FZ | Dilation of Right Internal Mammary Artery with Three Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 03703G6 | Dilation of Right Internal Mammary Artery, Bifurcation, with Four or More Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 03703GZ | Dilation of Right Internal Mammary Artery with Four or More Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 03703Z6 | Dilation of Right Internal Mammary Artery, Bifurcation, Percutaneous Approach | ICD-10-PCS Procedure |
| 03703ZZ | Dilation of Right Internal Mammary Artery, Percutaneous Approach | ICD-10-PCS Procedure |
| 037044Z | Dilation of Right Internal Mammary Artery with Drug-eluting Intraluminal Device, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 037045Z | Dilation of Right Internal Mammary Artery with Two Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 037046Z | Dilation of Right Internal Mammary Artery with Three Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 037047Z | Dilation of Right Internal Mammary Artery with Four or More Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 03704D6 | Dilation of Right Internal Mammary Artery, Bifurcation, with Intraluminal Device, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |

List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|--|----------------------|
| 03704DZ | Dilation of Right Internal Mammary Artery with Intraluminal Device, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 03704EZ | Dilation of Right Internal Mammary Artery with Two Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 03704F6 | Dilation of Right Internal Mammary Artery, Bifurcation, with Three Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 03704FZ | Dilation of Right Internal Mammary Artery with Three Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 03704G6 | Dilation of Right Internal Mammary Artery, Bifurcation, with Four or More Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 03704GZ | Dilation of Right Internal Mammary Artery with Four or More Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 03704Z6 | Dilation of Right Internal Mammary Artery, Bifurcation, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 03704ZZ | Dilation of Right Internal Mammary Artery, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 037104Z | Dilation of Left Internal Mammary Artery with Drug-eluting Intraluminal Device, Open Approach | ICD-10-PCS Procedure |
| 037105Z | Dilation of Left Internal Mammary Artery with Two Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 037106Z | Dilation of Left Internal Mammary Artery with Three Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 037107Z | Dilation of Left Internal Mammary Artery with Four or More Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 03710D6 | Dilation of Left Internal Mammary Artery, Bifurcation, with Intraluminal Device, Open Approach | ICD-10-PCS Procedure |
| 03710DZ | Dilation of Left Internal Mammary Artery with Intraluminal Device, Open Approach | ICD-10-PCS Procedure |
| 03710EZ | Dilation of Left Internal Mammary Artery with Two Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 03710F6 | Dilation of Left Internal Mammary Artery, Bifurcation, with Three Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 03710FZ | Dilation of Left Internal Mammary Artery with Three Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 03710G6 | Dilation of Left Internal Mammary Artery, Bifurcation, with Four or More Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 03710GZ | Dilation of Left Internal Mammary Artery with Four or More Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 03710Z6 | Dilation of Left Internal Mammary Artery, Bifurcation, Open Approach | ICD-10-PCS Procedure |
| 03710ZZ | Dilation of Left Internal Mammary Artery, Open Approach | ICD-10-PCS Procedure |
| 037134Z | Dilation of Left Internal Mammary Artery with Drug-eluting Intraluminal Device, Percutaneous Approach | ICD-10-PCS Procedure |

List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|---|----------------------|
| 037135Z | Dilation of Left Internal Mammary Artery with Two Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 037136Z | Dilation of Left Internal Mammary Artery with Three Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 037137Z | Dilation of Left Internal Mammary Artery with Four or More Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 03713D6 | Dilation of Left Internal Mammary Artery, Bifurcation, with Intraluminal Device, Percutaneous Approach | ICD-10-PCS Procedure |
| 03713DZ | Dilation of Left Internal Mammary Artery with Intraluminal Device, Percutaneous Approach | ICD-10-PCS Procedure |
| 03713EZ | Dilation of Left Internal Mammary Artery with Two Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 03713F6 | Dilation of Left Internal Mammary Artery, Bifurcation, with Three Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 03713FZ | Dilation of Left Internal Mammary Artery with Three Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 03713G6 | Dilation of Left Internal Mammary Artery, Bifurcation, with Four or More Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 03713GZ | Dilation of Left Internal Mammary Artery with Four or More Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 03713Z6 | Dilation of Left Internal Mammary Artery, Bifurcation, Percutaneous Approach | ICD-10-PCS Procedure |
| 03713ZZ | Dilation of Left Internal Mammary Artery, Percutaneous Approach | ICD-10-PCS Procedure |
| 037144Z | Dilation of Left Internal Mammary Artery with Drug-eluting Intraluminal Device, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 037145Z | Dilation of Left Internal Mammary Artery with Two Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 037146Z | Dilation of Left Internal Mammary Artery with Three Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 037147Z | Dilation of Left Internal Mammary Artery with Four or More Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 03714D6 | Dilation of Left Internal Mammary Artery, Bifurcation, with Intraluminal Device, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 03714DZ | Dilation of Left Internal Mammary Artery with Intraluminal Device, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 03714EZ | Dilation of Left Internal Mammary Artery with Two Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 03714F6 | Dilation of Left Internal Mammary Artery, Bifurcation, with Three Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 03714FZ | Dilation of Left Internal Mammary Artery with Three Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 03714G6 | Dilation of Left Internal Mammary Artery, Bifurcation, with Four or More Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |



List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|---|----------------------|
| 03714GZ | Dilation of Left Internal Mammary Artery with Four or More Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 03714Z6 | Dilation of Left Internal Mammary Artery, Bifurcation, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 03714ZZ | Dilation of Left Internal Mammary Artery, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 037204Z | Dilation of Innominate Artery with Drug-eluting Intraluminal Device, Open Approach | ICD-10-PCS Procedure |
| 037205Z | Dilation of Innominate Artery with Two Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 037206Z | Dilation of Innominate Artery with Three Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 037207Z | Dilation of Innominate Artery with Four or More Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 03720D6 | Dilation of Innominate Artery, Bifurcation, with Intraluminal Device, Open Approach | ICD-10-PCS Procedure |
| 03720DZ | Dilation of Innominate Artery with Intraluminal Device, Open Approach | ICD-10-PCS Procedure |
| 03720EZ | Dilation of Innominate Artery with Two Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 03720F6 | Dilation of Innominate Artery, Bifurcation, with Three Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 03720FZ | Dilation of Innominate Artery with Three Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 03720G6 | Dilation of Innominate Artery, Bifurcation, with Four or More Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 03720GZ | Dilation of Innominate Artery with Four or More Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 03720Z6 | Dilation of Innominate Artery, Bifurcation, Open Approach | ICD-10-PCS Procedure |
| 03720ZZ | Dilation of Innominate Artery, Open Approach | ICD-10-PCS Procedure |
| 037234Z | Dilation of Innominate Artery with Drug-eluting Intraluminal Device, Percutaneous Approach | ICD-10-PCS Procedure |
| 037235Z | Dilation of Innominate Artery with Two Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 037236Z | Dilation of Innominate Artery with Three Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 037237Z | Dilation of Innominate Artery with Four or More Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 03723D6 | Dilation of Innominate Artery, Bifurcation, with Intraluminal Device, Percutaneous Approach | ICD-10-PCS Procedure |
| 03723DZ | Dilation of Innominate Artery with Intraluminal Device, Percutaneous Approach | ICD-10-PCS Procedure |
| 03723EZ | Dilation of Innominate Artery with Two Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |



List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|--|----------------------|
| 03723F6 | Dilation of Innominate Artery, Bifurcation, with Three Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 03723FZ | Dilation of Innominate Artery with Three Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 03723G6 | Dilation of Innominate Artery, Bifurcation, with Four or More Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 03723GZ | Dilation of Innominate Artery with Four or More Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 03723Z6 | Dilation of Innominate Artery, Bifurcation, Percutaneous Approach | ICD-10-PCS Procedure |
| 03723ZZ | Dilation of Innominate Artery, Percutaneous Approach | ICD-10-PCS Procedure |
| 037244Z | Dilation of Innominate Artery with Drug-eluting Intraluminal Device, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 037245Z | Dilation of Innominate Artery with Two Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 037246Z | Dilation of Innominate Artery with Three Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 037247Z | Dilation of Innominate Artery with Four or More Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 03724D6 | Dilation of Innominate Artery, Bifurcation, with Intraluminal Device, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 03724DZ | Dilation of Innominate Artery with Intraluminal Device, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 03724EZ | Dilation of Innominate Artery with Two Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 03724F6 | Dilation of Innominate Artery, Bifurcation, with Three Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 03724FZ | Dilation of Innominate Artery with Three Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 03724G6 | Dilation of Innominate Artery, Bifurcation, with Four or More Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 03724GZ | Dilation of Innominate Artery with Four or More Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 03724Z6 | Dilation of Innominate Artery, Bifurcation, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 03724ZZ | Dilation of Innominate Artery, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 037304Z | Dilation of Right Subclavian Artery with Drug-eluting Intraluminal Device, Open Approach | ICD-10-PCS Procedure |
| 037305Z | Dilation of Right Subclavian Artery with Two Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 037306Z | Dilation of Right Subclavian Artery with Three Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 037307Z | Dilation of Right Subclavian Artery with Four or More Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |

List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|---|----------------------|
| 03730D6 | Dilation of Right Subclavian Artery, Bifurcation, with Intraluminal Device, Open Approach | ICD-10-PCS Procedure |
| 03730DZ | Dilation of Right Subclavian Artery with Intraluminal Device, Open Approach | ICD-10-PCS Procedure |
| 03730EZ | Dilation of Right Subclavian Artery with Two Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 03730F6 | Dilation of Right Subclavian Artery, Bifurcation, with Three Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 03730FZ | Dilation of Right Subclavian Artery with Three Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 03730G6 | Dilation of Right Subclavian Artery, Bifurcation, with Four or More Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 03730GZ | Dilation of Right Subclavian Artery with Four or More Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 03730Z6 | Dilation of Right Subclavian Artery, Bifurcation, Open Approach | ICD-10-PCS Procedure |
| 03730ZZ | Dilation of Right Subclavian Artery, Open Approach | ICD-10-PCS Procedure |
| 037334Z | Dilation of Right Subclavian Artery with Drug-eluting Intraluminal Device, Percutaneous Approach | ICD-10-PCS Procedure |
| 037335Z | Dilation of Right Subclavian Artery with Two Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 037336Z | Dilation of Right Subclavian Artery with Three Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 037337Z | Dilation of Right Subclavian Artery with Four or More Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 03733D6 | Dilation of Right Subclavian Artery, Bifurcation, with Intraluminal Device, Percutaneous Approach | ICD-10-PCS Procedure |
| 03733DZ | Dilation of Right Subclavian Artery with Intraluminal Device, Percutaneous Approach | ICD-10-PCS Procedure |
| 03733EZ | Dilation of Right Subclavian Artery with Two Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 03733F6 | Dilation of Right Subclavian Artery, Bifurcation, with Three Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 03733FZ | Dilation of Right Subclavian Artery with Three Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 03733G6 | Dilation of Right Subclavian Artery, Bifurcation, with Four or More Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 03733GZ | Dilation of Right Subclavian Artery with Four or More Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 03733Z6 | Dilation of Right Subclavian Artery, Bifurcation, Percutaneous Approach | ICD-10-PCS Procedure |
| 03733ZZ | Dilation of Right Subclavian Artery, Percutaneous Approach | ICD-10-PCS Procedure |
| 037344Z | Dilation of Right Subclavian Artery with Drug-eluting Intraluminal Device, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |



List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|--|----------------------|
| 037345Z | Dilation of Right Subclavian Artery with Two Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 037346Z | Dilation of Right Subclavian Artery with Three Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 037347Z | Dilation of Right Subclavian Artery with Four or More Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 03734D6 | Dilation of Right Subclavian Artery, Bifurcation, with Intraluminal Device, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 03734DZ | Dilation of Right Subclavian Artery with Intraluminal Device, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 03734EZ | Dilation of Right Subclavian Artery with Two Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 03734F6 | Dilation of Right Subclavian Artery, Bifurcation, with Three Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 03734FZ | Dilation of Right Subclavian Artery with Three Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 03734G6 | Dilation of Right Subclavian Artery, Bifurcation, with Four or More Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 03734GZ | Dilation of Right Subclavian Artery with Four or More Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 03734Z6 | Dilation of Right Subclavian Artery, Bifurcation, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 03734ZZ | Dilation of Right Subclavian Artery, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 037404Z | Dilation of Left Subclavian Artery with Drug-eluting Intraluminal Device, Open Approach | ICD-10-PCS Procedure |
| 037405Z | Dilation of Left Subclavian Artery with Two Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 037406Z | Dilation of Left Subclavian Artery with Three Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 037407Z | Dilation of Left Subclavian Artery with Four or More Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 03740D6 | Dilation of Left Subclavian Artery, Bifurcation, with Intraluminal Device, Open Approach | ICD-10-PCS Procedure |
| 03740DZ | Dilation of Left Subclavian Artery with Intraluminal Device, Open Approach | ICD-10-PCS Procedure |
| 03740EZ | Dilation of Left Subclavian Artery with Two Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 03740F6 | Dilation of Left Subclavian Artery, Bifurcation, with Three Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 03740FZ | Dilation of Left Subclavian Artery with Three Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 03740G6 | Dilation of Left Subclavian Artery, Bifurcation, with Four or More Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |

List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|--|----------------------|
| 03740GZ | Dilation of Left Subclavian Artery with Four or More Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 03740Z6 | Dilation of Left Subclavian Artery, Bifurcation, Open Approach | ICD-10-PCS Procedure |
| 03740ZZ | Dilation of Left Subclavian Artery, Open Approach | ICD-10-PCS Procedure |
| 037434Z | Dilation of Left Subclavian Artery with Drug-eluting Intraluminal Device, Percutaneous Approach | ICD-10-PCS Procedure |
| 037435Z | Dilation of Left Subclavian Artery with Two Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 037436Z | Dilation of Left Subclavian Artery with Three Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 037437Z | Dilation of Left Subclavian Artery with Four or More Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 03743D6 | Dilation of Left Subclavian Artery, Bifurcation, with Intraluminal Device, Percutaneous Approach | ICD-10-PCS Procedure |
| 03743DZ | Dilation of Left Subclavian Artery with Intraluminal Device, Percutaneous Approach | ICD-10-PCS Procedure |
| 03743EZ | Dilation of Left Subclavian Artery with Two Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 03743F6 | Dilation of Left Subclavian Artery, Bifurcation, with Three Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 03743FZ | Dilation of Left Subclavian Artery with Three Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 03743G6 | Dilation of Left Subclavian Artery, Bifurcation, with Four or More Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 03743GZ | Dilation of Left Subclavian Artery with Four or More Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 03743Z6 | Dilation of Left Subclavian Artery, Bifurcation, Percutaneous Approach | ICD-10-PCS Procedure |
| 03743ZZ | Dilation of Left Subclavian Artery, Percutaneous Approach | ICD-10-PCS Procedure |
| 037444Z | Dilation of Left Subclavian Artery with Drug-eluting Intraluminal Device, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 037445Z | Dilation of Left Subclavian Artery with Two Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 037446Z | Dilation of Left Subclavian Artery with Three Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 037447Z | Dilation of Left Subclavian Artery with Four or More Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 03744D6 | Dilation of Left Subclavian Artery, Bifurcation, with Intraluminal Device, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 03744DZ | Dilation of Left Subclavian Artery with Intraluminal Device, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 03744EZ | Dilation of Left Subclavian Artery with Two Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |



List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|---|----------------------|
| 03744F6 | Dilation of Left Subclavian Artery, Bifurcation, with Three Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 03744FZ | Dilation of Left Subclavian Artery with Three Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 03744G6 | Dilation of Left Subclavian Artery, Bifurcation, with Four or More Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 03744GZ | Dilation of Left Subclavian Artery with Four or More Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 03744Z6 | Dilation of Left Subclavian Artery, Bifurcation, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 03744ZZ | Dilation of Left Subclavian Artery, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 037504Z | Dilation of Right Axillary Artery with Drug-eluting Intraluminal Device, Open Approach | ICD-10-PCS Procedure |
| 037505Z | Dilation of Right Axillary Artery with Two Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 037506Z | Dilation of Right Axillary Artery with Three Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 037507Z | Dilation of Right Axillary Artery with Four or More Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 03750D6 | Dilation of Right Axillary Artery, Bifurcation, with Intraluminal Device, Open Approach | ICD-10-PCS Procedure |
| 03750DZ | Dilation of Right Axillary Artery with Intraluminal Device, Open Approach | ICD-10-PCS Procedure |
| 03750EZ | Dilation of Right Axillary Artery with Two Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 03750F6 | Dilation of Right Axillary Artery, Bifurcation, with Three Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 03750FZ | Dilation of Right Axillary Artery with Three Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 03750G6 | Dilation of Right Axillary Artery, Bifurcation, with Four or More Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 03750GZ | Dilation of Right Axillary Artery with Four or More Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 03750Z6 | Dilation of Right Axillary Artery, Bifurcation, Open Approach | ICD-10-PCS Procedure |
| 03750ZZ | Dilation of Right Axillary Artery, Open Approach | ICD-10-PCS Procedure |
| 037534Z | Dilation of Right Axillary Artery with Drug-eluting Intraluminal Device, Percutaneous Approach | ICD-10-PCS Procedure |
| 037535Z | Dilation of Right Axillary Artery with Two Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 037536Z | Dilation of Right Axillary Artery with Three Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 037537Z | Dilation of Right Axillary Artery with Four or More Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |



List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|--|----------------------|
| 03753D6 | Dilation of Right Axillary Artery, Bifurcation, with Intraluminal Device, Percutaneous Approach | ICD-10-PCS Procedure |
| 03753DZ | Dilation of Right Axillary Artery with Intraluminal Device, Percutaneous Approach | ICD-10-PCS Procedure |
| 03753EZ | Dilation of Right Axillary Artery with Two Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 03753F6 | Dilation of Right Axillary Artery, Bifurcation, with Three Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 03753FZ | Dilation of Right Axillary Artery with Three Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 03753G6 | Dilation of Right Axillary Artery, Bifurcation, with Four or More Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 03753GZ | Dilation of Right Axillary Artery with Four or More Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 03753Z6 | Dilation of Right Axillary Artery, Bifurcation, Percutaneous Approach | ICD-10-PCS Procedure |
| 03753ZZ | Dilation of Right Axillary Artery, Percutaneous Approach | ICD-10-PCS Procedure |
| 037544Z | Dilation of Right Axillary Artery with Drug-eluting Intraluminal Device, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 037545Z | Dilation of Right Axillary Artery with Two Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 037546Z | Dilation of Right Axillary Artery with Three Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 037547Z | Dilation of Right Axillary Artery with Four or More Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 03754D6 | Dilation of Right Axillary Artery, Bifurcation, with Intraluminal Device, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 03754DZ | Dilation of Right Axillary Artery with Intraluminal Device, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 03754EZ | Dilation of Right Axillary Artery with Two Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 03754F6 | Dilation of Right Axillary Artery, Bifurcation, with Three Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 03754FZ | Dilation of Right Axillary Artery with Three Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 03754G6 | Dilation of Right Axillary Artery, Bifurcation, with Four or More Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 03754GZ | Dilation of Right Axillary Artery with Four or More Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 03754Z6 | Dilation of Right Axillary Artery, Bifurcation, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 03754ZZ | Dilation of Right Axillary Artery, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |



List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|---|----------------------|
| 037604Z | Dilation of Left Axillary Artery with Drug-eluting Intraluminal Device, Open Approach | ICD-10-PCS Procedure |
| 037605Z | Dilation of Left Axillary Artery with Two Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 037606Z | Dilation of Left Axillary Artery with Three Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 037607Z | Dilation of Left Axillary Artery with Four or More Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 03760D6 | Dilation of Left Axillary Artery, Bifurcation, with Intraluminal Device, Open Approach | ICD-10-PCS Procedure |
| 03760DZ | Dilation of Left Axillary Artery with Intraluminal Device, Open Approach | ICD-10-PCS Procedure |
| 03760EZ | Dilation of Left Axillary Artery with Two Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 03760F6 | Dilation of Left Axillary Artery, Bifurcation, with Three Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 03760FZ | Dilation of Left Axillary Artery with Three Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 03760G6 | Dilation of Left Axillary Artery, Bifurcation, with Four or More Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 03760GZ | Dilation of Left Axillary Artery with Four or More Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 03760Z6 | Dilation of Left Axillary Artery, Bifurcation, Open Approach | ICD-10-PCS Procedure |
| 03760ZZ | Dilation of Left Axillary Artery, Open Approach | ICD-10-PCS Procedure |
| 037634Z | Dilation of Left Axillary Artery with Drug-eluting Intraluminal Device, Percutaneous Approach | ICD-10-PCS Procedure |
| 037635Z | Dilation of Left Axillary Artery with Two Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 037636Z | Dilation of Left Axillary Artery with Three Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 037637Z | Dilation of Left Axillary Artery with Four or More Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 03763D6 | Dilation of Left Axillary Artery, Bifurcation, with Intraluminal Device, Percutaneous Approach | ICD-10-PCS Procedure |
| 03763DZ | Dilation of Left Axillary Artery with Intraluminal Device, Percutaneous Approach | ICD-10-PCS Procedure |
| 03763EZ | Dilation of Left Axillary Artery with Two Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 03763F6 | Dilation of Left Axillary Artery, Bifurcation, with Three Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 03763FZ | Dilation of Left Axillary Artery with Three Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |

List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|---|----------------------|
| 03763G6 | Dilation of Left Axillary Artery, Bifurcation, with Four or More Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 03763GZ | Dilation of Left Axillary Artery with Four or More Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 03763Z6 | Dilation of Left Axillary Artery, Bifurcation, Percutaneous Approach | ICD-10-PCS Procedure |
| 03763ZZ | Dilation of Left Axillary Artery, Percutaneous Approach | ICD-10-PCS Procedure |
| 037644Z | Dilation of Left Axillary Artery with Drug-eluting Intraluminal Device, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 037645Z | Dilation of Left Axillary Artery with Two Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 037646Z | Dilation of Left Axillary Artery with Three Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 037647Z | Dilation of Left Axillary Artery with Four or More Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 03764D6 | Dilation of Left Axillary Artery, Bifurcation, with Intraluminal Device, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 03764DZ | Dilation of Left Axillary Artery with Intraluminal Device, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 03764EZ | Dilation of Left Axillary Artery with Two Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 03764F6 | Dilation of Left Axillary Artery, Bifurcation, with Three Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 03764FZ | Dilation of Left Axillary Artery with Three Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 03764G6 | Dilation of Left Axillary Artery, Bifurcation, with Four or More Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 03764GZ | Dilation of Left Axillary Artery with Four or More Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 03764Z6 | Dilation of Left Axillary Artery, Bifurcation, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 03764ZZ | Dilation of Left Axillary Artery, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 037704Z | Dilation of Right Brachial Artery with Drug-eluting Intraluminal Device, Open Approach | ICD-10-PCS Procedure |
| 037705Z | Dilation of Right Brachial Artery with Two Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 037706Z | Dilation of Right Brachial Artery with Three Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 037707Z | Dilation of Right Brachial Artery with Four or More Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 03770D6 | Dilation of Right Brachial Artery, Bifurcation, with Intraluminal Device, Open Approach | ICD-10-PCS Procedure |
| 03770DZ | Dilation of Right Brachial Artery with Intraluminal Device, Open Approach | ICD-10-PCS Procedure |



List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|--|----------------------|
| 03770EZ | Dilation of Right Brachial Artery with Two Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 03770F6 | Dilation of Right Brachial Artery, Bifurcation, with Three Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 03770FZ | Dilation of Right Brachial Artery with Three Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 03770G6 | Dilation of Right Brachial Artery, Bifurcation, with Four or More Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 03770GZ | Dilation of Right Brachial Artery with Four or More Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 03770Z6 | Dilation of Right Brachial Artery, Bifurcation, Open Approach | ICD-10-PCS Procedure |
| 03770ZZ | Dilation of Right Brachial Artery, Open Approach | ICD-10-PCS Procedure |
| 037734Z | Dilation of Right Brachial Artery with Drug-eluting Intraluminal Device, Percutaneous Approach | ICD-10-PCS Procedure |
| 037735Z | Dilation of Right Brachial Artery with Two Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 037736Z | Dilation of Right Brachial Artery with Three Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 037737Z | Dilation of Right Brachial Artery with Four or More Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 03773D6 | Dilation of Right Brachial Artery, Bifurcation, with Intraluminal Device, Percutaneous Approach | ICD-10-PCS Procedure |
| 03773DZ | Dilation of Right Brachial Artery with Intraluminal Device, Percutaneous Approach | ICD-10-PCS Procedure |
| 03773EZ | Dilation of Right Brachial Artery with Two Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 03773F6 | Dilation of Right Brachial Artery, Bifurcation, with Three Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 03773FZ | Dilation of Right Brachial Artery with Three Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 03773G6 | Dilation of Right Brachial Artery, Bifurcation, with Four or More Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 03773GZ | Dilation of Right Brachial Artery with Four or More Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 03773Z6 | Dilation of Right Brachial Artery, Bifurcation, Percutaneous Approach | ICD-10-PCS Procedure |
| 03773ZZ | Dilation of Right Brachial Artery, Percutaneous Approach | ICD-10-PCS Procedure |
| 037744Z | Dilation of Right Brachial Artery with Drug-eluting Intraluminal Device, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 037745Z | Dilation of Right Brachial Artery with Two Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 037746Z | Dilation of Right Brachial Artery with Three Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |



List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|--|----------------------|
| 037747Z | Dilation of Right Brachial Artery with Four or More Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 03774D6 | Dilation of Right Brachial Artery, Bifurcation, with Intraluminal Device, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 03774DZ | Dilation of Right Brachial Artery with Intraluminal Device, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 03774EZ | Dilation of Right Brachial Artery with Two Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 03774F6 | Dilation of Right Brachial Artery, Bifurcation, with Three Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 03774FZ | Dilation of Right Brachial Artery with Three Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 03774G6 | Dilation of Right Brachial Artery, Bifurcation, with Four or More Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 03774GZ | Dilation of Right Brachial Artery with Four or More Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 03774Z6 | Dilation of Right Brachial Artery, Bifurcation, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 03774ZZ | Dilation of Right Brachial Artery, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 037804Z | Dilation of Left Brachial Artery with Drug-eluting Intraluminal Device, Open Approach | ICD-10-PCS Procedure |
| 037805Z | Dilation of Left Brachial Artery with Two Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 037806Z | Dilation of Left Brachial Artery with Three Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 037807Z | Dilation of Left Brachial Artery with Four or More Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 03780D6 | Dilation of Left Brachial Artery, Bifurcation, with Intraluminal Device, Open Approach | ICD-10-PCS Procedure |
| 03780DZ | Dilation of Left Brachial Artery with Intraluminal Device, Open Approach | ICD-10-PCS Procedure |
| 03780EZ | Dilation of Left Brachial Artery with Two Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 03780F6 | Dilation of Left Brachial Artery, Bifurcation, with Three Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 03780FZ | Dilation of Left Brachial Artery with Three Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 03780G6 | Dilation of Left Brachial Artery, Bifurcation, with Four or More Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 03780GZ | Dilation of Left Brachial Artery with Four or More Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 03780Z6 | Dilation of Left Brachial Artery, Bifurcation, Open Approach | ICD-10-PCS Procedure |
| 03780ZZ | Dilation of Left Brachial Artery, Open Approach | ICD-10-PCS Procedure |

List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|--|----------------------|
| 037834Z | Dilation of Left Brachial Artery with Drug-eluting Intraluminal Device, Percutaneous Approach | ICD-10-PCS Procedure |
| 037835Z | Dilation of Left Brachial Artery with Two Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 037836Z | Dilation of Left Brachial Artery with Three Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 037837Z | Dilation of Left Brachial Artery with Four or More Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 03783D6 | Dilation of Left Brachial Artery, Bifurcation, with Intraluminal Device, Percutaneous Approach | ICD-10-PCS Procedure |
| 03783DZ | Dilation of Left Brachial Artery with Intraluminal Device, Percutaneous Approach | ICD-10-PCS Procedure |
| 03783EZ | Dilation of Left Brachial Artery with Two Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 03783F6 | Dilation of Left Brachial Artery, Bifurcation, with Three Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 03783FZ | Dilation of Left Brachial Artery with Three Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 03783G6 | Dilation of Left Brachial Artery, Bifurcation, with Four or More Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 03783GZ | Dilation of Left Brachial Artery with Four or More Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 03783Z6 | Dilation of Left Brachial Artery, Bifurcation, Percutaneous Approach | ICD-10-PCS Procedure |
| 03783ZZ | Dilation of Left Brachial Artery, Percutaneous Approach | ICD-10-PCS Procedure |
| 037844Z | Dilation of Left Brachial Artery with Drug-eluting Intraluminal Device, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 037845Z | Dilation of Left Brachial Artery with Two Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 037846Z | Dilation of Left Brachial Artery with Three Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 037847Z | Dilation of Left Brachial Artery with Four or More Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 03784D6 | Dilation of Left Brachial Artery, Bifurcation, with Intraluminal Device, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 03784DZ | Dilation of Left Brachial Artery with Intraluminal Device, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 03784EZ | Dilation of Left Brachial Artery with Two Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 03784F6 | Dilation of Left Brachial Artery, Bifurcation, with Three Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 03784FZ | Dilation of Left Brachial Artery with Three Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |



List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|---|----------------------|
| 03784G6 | Dilation of Left Brachial Artery, Bifurcation, with Four or More Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 03784GZ | Dilation of Left Brachial Artery with Four or More Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 03784Z6 | Dilation of Left Brachial Artery, Bifurcation, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 03784ZZ | Dilation of Left Brachial Artery, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 037904Z | Dilation of Right Ulnar Artery with Drug-eluting Intraluminal Device, Open Approach | ICD-10-PCS Procedure |
| 037905Z | Dilation of Right Ulnar Artery with Two Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 037906Z | Dilation of Right Ulnar Artery with Three Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 037907Z | Dilation of Right Ulnar Artery with Four or More Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 03790D6 | Dilation of Right Ulnar Artery, Bifurcation, with Intraluminal Device, Open Approach | ICD-10-PCS Procedure |
| 03790DZ | Dilation of Right Ulnar Artery with Intraluminal Device, Open Approach | ICD-10-PCS Procedure |
| 03790EZ | Dilation of Right Ulnar Artery with Two Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 03790F6 | Dilation of Right Ulnar Artery, Bifurcation, with Three Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 03790FZ | Dilation of Right Ulnar Artery with Three Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 03790G6 | Dilation of Right Ulnar Artery, Bifurcation, with Four or More Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 03790GZ | Dilation of Right Ulnar Artery with Four or More Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 03790Z6 | Dilation of Right Ulnar Artery, Bifurcation, Open Approach | ICD-10-PCS Procedure |
| 03790ZZ | Dilation of Right Ulnar Artery, Open Approach | ICD-10-PCS Procedure |
| 037934Z | Dilation of Right Ulnar Artery with Drug-eluting Intraluminal Device, Percutaneous Approach | ICD-10-PCS Procedure |
| 037935Z | Dilation of Right Ulnar Artery with Two Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 037936Z | Dilation of Right Ulnar Artery with Three Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 037937Z | Dilation of Right Ulnar Artery with Four or More Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 03793D6 | Dilation of Right Ulnar Artery, Bifurcation, with Intraluminal Device, Percutaneous Approach | ICD-10-PCS Procedure |
| 03793DZ | Dilation of Right Ulnar Artery with Intraluminal Device, Percutaneous Approach | ICD-10-PCS Procedure |



List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|---|----------------------|
| 03793EZ | Dilation of Right Ulnar Artery with Two Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 03793F6 | Dilation of Right Ulnar Artery, Bifurcation, with Three Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 03793FZ | Dilation of Right Ulnar Artery with Three Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 03793G6 | Dilation of Right Ulnar Artery, Bifurcation, with Four or More Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 03793GZ | Dilation of Right Ulnar Artery with Four or More Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 03793Z6 | Dilation of Right Ulnar Artery, Bifurcation, Percutaneous Approach | ICD-10-PCS Procedure |
| 03793ZZ | Dilation of Right Ulnar Artery, Percutaneous Approach | ICD-10-PCS Procedure |
| 037944Z | Dilation of Right Ulnar Artery with Drug-eluting Intraluminal Device, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 037945Z | Dilation of Right Ulnar Artery with Two Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 037946Z | Dilation of Right Ulnar Artery with Three Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 037947Z | Dilation of Right Ulnar Artery with Four or More Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 03794D6 | Dilation of Right Ulnar Artery, Bifurcation, with Intraluminal Device, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 03794DZ | Dilation of Right Ulnar Artery with Intraluminal Device, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 03794EZ | Dilation of Right Ulnar Artery with Two Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 03794F6 | Dilation of Right Ulnar Artery, Bifurcation, with Three Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 03794FZ | Dilation of Right Ulnar Artery with Three Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 03794G6 | Dilation of Right Ulnar Artery, Bifurcation, with Four or More Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 03794GZ | Dilation of Right Ulnar Artery with Four or More Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 03794Z6 | Dilation of Right Ulnar Artery, Bifurcation, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 03794ZZ | Dilation of Right Ulnar Artery, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 037A046 | Dilation of Left Ulnar Artery, Bifurcation, with Drug-eluting Intraluminal Device, Open Approach | ICD-10-PCS Procedure |
| 037A04Z | Dilation of Left Ulnar Artery with Drug-eluting Intraluminal Device, Open Approach | ICD-10-PCS Procedure |
| 037A056 | Dilation of Left Ulnar Artery, Bifurcation, with Two Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |



List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|--|----------------------|
| 037A05Z | Dilation of Left Ulnar Artery with Two Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 037A066 | Dilation of Left Ulnar Artery, Bifurcation, with Three Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 037A06Z | Dilation of Left Ulnar Artery with Three Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 037A076 | Dilation of Left Ulnar Artery, Bifurcation, with Four or More Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 037A07Z | Dilation of Left Ulnar Artery with Four or More Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 037A0D6 | Dilation of Left Ulnar Artery, Bifurcation, with Intraluminal Device, Open Approach | ICD-10-PCS Procedure |
| 037A0DZ | Dilation of Left Ulnar Artery with Intraluminal Device, Open Approach | ICD-10-PCS Procedure |
| 037A0E6 | Dilation of Left Ulnar Artery, Bifurcation, with Two Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 037A0EZ | Dilation of Left Ulnar Artery with Two Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 037A0F6 | Dilation of Left Ulnar Artery, Bifurcation, with Three Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 037A0FZ | Dilation of Left Ulnar Artery with Three Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 037A0G6 | Dilation of Left Ulnar Artery, Bifurcation, with Four or More Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 037A0GZ | Dilation of Left Ulnar Artery with Four or More Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 037A0Z6 | Dilation of Left Ulnar Artery, Bifurcation, Open Approach | ICD-10-PCS Procedure |
| 037A0ZZ | Dilation of Left Ulnar Artery, Open Approach | ICD-10-PCS Procedure |
| 037A346 | Dilation of Left Ulnar Artery, Bifurcation, with Drug-eluting Intraluminal Device, Percutaneous Approach | ICD-10-PCS Procedure |
| 037A34Z | Dilation of Left Ulnar Artery with Drug-eluting Intraluminal Device, Percutaneous Approach | ICD-10-PCS Procedure |
| 037A356 | Dilation of Left Ulnar Artery, Bifurcation, with Two Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 037A35Z | Dilation of Left Ulnar Artery with Two Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 037A366 | Dilation of Left Ulnar Artery, Bifurcation, with Three Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 037A36Z | Dilation of Left Ulnar Artery with Three Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 037A376 | Dilation of Left Ulnar Artery, Bifurcation, with Four or More Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 037A37Z | Dilation of Left Ulnar Artery with Four or More Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |



List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|---|----------------------|
| 037A3D6 | Dilation of Left Ulnar Artery, Bifurcation, with Intraluminal Device, Percutaneous Approach | ICD-10-PCS Procedure |
| 037A3DZ | Dilation of Left Ulnar Artery with Intraluminal Device, Percutaneous Approach | ICD-10-PCS Procedure |
| 037A3E6 | Dilation of Left Ulnar Artery, Bifurcation, with Two Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 037A3EZ | Dilation of Left Ulnar Artery with Two Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 037A3F6 | Dilation of Left Ulnar Artery, Bifurcation, with Three Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 037A3FZ | Dilation of Left Ulnar Artery with Three Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 037A3G6 | Dilation of Left Ulnar Artery, Bifurcation, with Four or More Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 037A3GZ | Dilation of Left Ulnar Artery with Four or More Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 037A3Z6 | Dilation of Left Ulnar Artery, Bifurcation, Percutaneous Approach | ICD-10-PCS Procedure |
| 037A3ZZ | Dilation of Left Ulnar Artery, Percutaneous Approach | ICD-10-PCS Procedure |
| 037A446 | Dilation of Left Ulnar Artery, Bifurcation, with Drug-eluting Intraluminal Device, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 037A44Z | Dilation of Left Ulnar Artery with Drug-eluting Intraluminal Device, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 037A456 | Dilation of Left Ulnar Artery, Bifurcation, with Two Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 037A45Z | Dilation of Left Ulnar Artery with Two Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 037A466 | Dilation of Left Ulnar Artery, Bifurcation, with Three Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 037A46Z | Dilation of Left Ulnar Artery with Three Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 037A476 | Dilation of Left Ulnar Artery, Bifurcation, with Four or More Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 037A47Z | Dilation of Left Ulnar Artery with Four or More Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 037A4D6 | Dilation of Left Ulnar Artery, Bifurcation, with Intraluminal Device, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 037A4DZ | Dilation of Left Ulnar Artery with Intraluminal Device, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 037A4E6 | Dilation of Left Ulnar Artery, Bifurcation, with Two Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 037A4EZ | Dilation of Left Ulnar Artery with Two Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |



List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|--|----------------------|
| 037A4F6 | Dilation of Left Ulnar Artery, Bifurcation, with Three Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 037A4FZ | Dilation of Left Ulnar Artery with Three Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 037A4G6 | Dilation of Left Ulnar Artery, Bifurcation, with Four or More Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 037A4GZ | Dilation of Left Ulnar Artery with Four or More Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 037A4Z6 | Dilation of Left Ulnar Artery, Bifurcation, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 037A4ZZ | Dilation of Left Ulnar Artery, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 037B046 | Dilation of Right Radial Artery, Bifurcation, with Drug-eluting Intraluminal Device, Open Approach | ICD-10-PCS Procedure |
| 037B04Z | Dilation of Right Radial Artery with Drug-eluting Intraluminal Device, Open Approach | ICD-10-PCS Procedure |
| 037B056 | Dilation of Right Radial Artery, Bifurcation, with Two Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 037B05Z | Dilation of Right Radial Artery with Two Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 037B066 | Dilation of Right Radial Artery, Bifurcation, with Three Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 037B06Z | Dilation of Right Radial Artery with Three Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 037B076 | Dilation of Right Radial Artery, Bifurcation, with Four or More Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 037B07Z | Dilation of Right Radial Artery with Four or More Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 037B0D6 | Dilation of Right Radial Artery, Bifurcation, with Intraluminal Device, Open Approach | ICD-10-PCS Procedure |
| 037B0DZ | Dilation of Right Radial Artery with Intraluminal Device, Open Approach | ICD-10-PCS Procedure |
| 037B0E6 | Dilation of Right Radial Artery, Bifurcation, with Two Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 037B0EZ | Dilation of Right Radial Artery with Two Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 037B0F6 | Dilation of Right Radial Artery, Bifurcation, with Three Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 037B0FZ | Dilation of Right Radial Artery with Three Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 037B0G6 | Dilation of Right Radial Artery, Bifurcation, with Four or More Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 037B0GZ | Dilation of Right Radial Artery with Four or More Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 037B0Z6 | Dilation of Right Radial Artery, Bifurcation, Open Approach | ICD-10-PCS Procedure |
| 037B0ZZ | Dilation of Right Radial Artery, Open Approach | ICD-10-PCS Procedure |

List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|--|----------------------|
| 037B346 | Dilation of Right Radial Artery, Bifurcation, with Drug-eluting Intraluminal Device, Percutaneous Approach | ICD-10-PCS Procedure |
| 037B34Z | Dilation of Right Radial Artery with Drug-eluting Intraluminal Device, Percutaneous Approach | ICD-10-PCS Procedure |
| 037B356 | Dilation of Right Radial Artery, Bifurcation, with Two Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 037B35Z | Dilation of Right Radial Artery with Two Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 037B366 | Dilation of Right Radial Artery, Bifurcation, with Three Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 037B36Z | Dilation of Right Radial Artery with Three Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 037B376 | Dilation of Right Radial Artery, Bifurcation, with Four or More Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 037B37Z | Dilation of Right Radial Artery with Four or More Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 037B3D6 | Dilation of Right Radial Artery, Bifurcation, with Intraluminal Device, Percutaneous Approach | ICD-10-PCS Procedure |
| 037B3DZ | Dilation of Right Radial Artery with Intraluminal Device, Percutaneous Approach | ICD-10-PCS Procedure |
| 037B3E6 | Dilation of Right Radial Artery, Bifurcation, with Two Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 037B3EZ | Dilation of Right Radial Artery with Two Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 037B3F6 | Dilation of Right Radial Artery, Bifurcation, with Three Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 037B3FZ | Dilation of Right Radial Artery with Three Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 037B3G6 | Dilation of Right Radial Artery, Bifurcation, with Four or More Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 037B3GZ | Dilation of Right Radial Artery with Four or More Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 037B3Z6 | Dilation of Right Radial Artery, Bifurcation, Percutaneous Approach | ICD-10-PCS Procedure |
| 037B3ZZ | Dilation of Right Radial Artery, Percutaneous Approach | ICD-10-PCS Procedure |
| 037B446 | Dilation of Right Radial Artery, Bifurcation, with Drug-eluting Intraluminal Device, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 037B44Z | Dilation of Right Radial Artery with Drug-eluting Intraluminal Device, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 037B456 | Dilation of Right Radial Artery, Bifurcation, with Two Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 037B45Z | Dilation of Right Radial Artery with Two Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |

List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|---|----------------------|
| 037B466 | Dilation of Right Radial Artery, Bifurcation, with Three Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 037B46Z | Dilation of Right Radial Artery with Three Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 037B476 | Dilation of Right Radial Artery, Bifurcation, with Four or More Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 037B47Z | Dilation of Right Radial Artery with Four or More Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 037B4D6 | Dilation of Right Radial Artery, Bifurcation, with Intraluminal Device, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 037B4DZ | Dilation of Right Radial Artery with Intraluminal Device, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 037B4E6 | Dilation of Right Radial Artery, Bifurcation, with Two Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 037B4EZ | Dilation of Right Radial Artery with Two Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 037B4F6 | Dilation of Right Radial Artery, Bifurcation, with Three Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 037B4FZ | Dilation of Right Radial Artery with Three Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 037B4G6 | Dilation of Right Radial Artery, Bifurcation, with Four or More Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 037B4GZ | Dilation of Right Radial Artery with Four or More Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 037B4Z6 | Dilation of Right Radial Artery, Bifurcation, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 037B4ZZ | Dilation of Right Radial Artery, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 037C046 | Dilation of Left Radial Artery, Bifurcation, with Drug-eluting Intraluminal Device, Open Approach | ICD-10-PCS Procedure |
| 037C04Z | Dilation of Left Radial Artery with Drug-eluting Intraluminal Device, Open Approach | ICD-10-PCS Procedure |
| 037C056 | Dilation of Left Radial Artery, Bifurcation, with Two Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 037C05Z | Dilation of Left Radial Artery with Two Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 037C066 | Dilation of Left Radial Artery, Bifurcation, with Three Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 037C06Z | Dilation of Left Radial Artery with Three Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 037C076 | Dilation of Left Radial Artery, Bifurcation, with Four or More Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 037C07Z | Dilation of Left Radial Artery with Four or More Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |



List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|---|----------------------|
| 037C0D6 | Dilation of Left Radial Artery, Bifurcation, with Intraluminal Device, Open Approach | ICD-10-PCS Procedure |
| 037C0DZ | Dilation of Left Radial Artery with Intraluminal Device, Open Approach | ICD-10-PCS Procedure |
| 037C0E6 | Dilation of Left Radial Artery, Bifurcation, with Two Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 037C0EZ | Dilation of Left Radial Artery with Two Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 037C0F6 | Dilation of Left Radial Artery, Bifurcation, with Three Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 037C0FZ | Dilation of Left Radial Artery with Three Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 037C0G6 | Dilation of Left Radial Artery, Bifurcation, with Four or More Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 037C0GZ | Dilation of Left Radial Artery with Four or More Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 037C0Z6 | Dilation of Left Radial Artery, Bifurcation, Open Approach | ICD-10-PCS Procedure |
| 037C0ZZ | Dilation of Left Radial Artery, Open Approach | ICD-10-PCS Procedure |
| 037C346 | Dilation of Left Radial Artery, Bifurcation, with Drug-eluting Intraluminal Device, Percutaneous Approach | ICD-10-PCS Procedure |
| 037C34Z | Dilation of Left Radial Artery with Drug-eluting Intraluminal Device, Percutaneous Approach | ICD-10-PCS Procedure |
| 037C356 | Dilation of Left Radial Artery, Bifurcation, with Two Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 037C35Z | Dilation of Left Radial Artery with Two Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 037C366 | Dilation of Left Radial Artery, Bifurcation, with Three Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 037C36Z | Dilation of Left Radial Artery with Three Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 037C376 | Dilation of Left Radial Artery, Bifurcation, with Four or More Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 037C37Z | Dilation of Left Radial Artery with Four or More Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 037C3D6 | Dilation of Left Radial Artery, Bifurcation, with Intraluminal Device, Percutaneous Approach | ICD-10-PCS Procedure |
| 037C3DZ | Dilation of Left Radial Artery with Intraluminal Device, Percutaneous Approach | ICD-10-PCS Procedure |
| 037C3E6 | Dilation of Left Radial Artery, Bifurcation, with Two Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 037C3EZ | Dilation of Left Radial Artery with Two Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 037C3F6 | Dilation of Left Radial Artery, Bifurcation, with Three Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 037C3FZ | Dilation of Left Radial Artery with Three Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |

List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|--|----------------------|
| 037C3G6 | Dilation of Left Radial Artery, Bifurcation, with Four or More Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 037C3GZ | Dilation of Left Radial Artery with Four or More Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 037C3Z6 | Dilation of Left Radial Artery, Bifurcation, Percutaneous Approach | ICD-10-PCS Procedure |
| 037C3ZZ | Dilation of Left Radial Artery, Percutaneous Approach | ICD-10-PCS Procedure |
| 037C446 | Dilation of Left Radial Artery, Bifurcation, with Drug-eluting Intraluminal Device, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 037C44Z | Dilation of Left Radial Artery with Drug-eluting Intraluminal Device, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 037C456 | Dilation of Left Radial Artery, Bifurcation, with Two Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 037C45Z | Dilation of Left Radial Artery with Two Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 037C466 | Dilation of Left Radial Artery, Bifurcation, with Three Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 037C46Z | Dilation of Left Radial Artery with Three Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 037C476 | Dilation of Left Radial Artery, Bifurcation, with Four or More Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 037C47Z | Dilation of Left Radial Artery with Four or More Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 037C4D6 | Dilation of Left Radial Artery, Bifurcation, with Intraluminal Device, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 037C4DZ | Dilation of Left Radial Artery with Intraluminal Device, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 037C4E6 | Dilation of Left Radial Artery, Bifurcation, with Two Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 037C4EZ | Dilation of Left Radial Artery with Two Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 037C4F6 | Dilation of Left Radial Artery, Bifurcation, with Three Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 037C4FZ | Dilation of Left Radial Artery with Three Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 037C4G6 | Dilation of Left Radial Artery, Bifurcation, with Four or More Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 037C4GZ | Dilation of Left Radial Artery with Four or More Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 037C4Z6 | Dilation of Left Radial Artery, Bifurcation, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 037C4ZZ | Dilation of Left Radial Artery, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 037D046 | Dilation of Right Hand Artery, Bifurcation, with Drug-eluting Intraluminal Device, Open Approach | ICD-10-PCS Procedure |



List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|---|----------------------|
| 037D04Z | Dilation of Right Hand Artery with Drug-eluting Intraluminal Device, Open Approach | ICD-10-PCS Procedure |
| 037D056 | Dilation of Right Hand Artery, Bifurcation, with Two Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 037D05Z | Dilation of Right Hand Artery with Two Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 037D066 | Dilation of Right Hand Artery, Bifurcation, with Three Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 037D06Z | Dilation of Right Hand Artery with Three Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 037D076 | Dilation of Right Hand Artery, Bifurcation, with Four or More Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 037D07Z | Dilation of Right Hand Artery with Four or More Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 037D0D6 | Dilation of Right Hand Artery, Bifurcation, with Intraluminal Device, Open Approach | ICD-10-PCS Procedure |
| 037D0DZ | Dilation of Right Hand Artery with Intraluminal Device, Open Approach | ICD-10-PCS Procedure |
| 037D0E6 | Dilation of Right Hand Artery, Bifurcation, with Two Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 037D0EZ | Dilation of Right Hand Artery with Two Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 037D0F6 | Dilation of Right Hand Artery, Bifurcation, with Three Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 037D0FZ | Dilation of Right Hand Artery with Three Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 037D0G6 | Dilation of Right Hand Artery, Bifurcation, with Four or More Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 037D0GZ | Dilation of Right Hand Artery with Four or More Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 037D0Z6 | Dilation of Right Hand Artery, Bifurcation, Open Approach | ICD-10-PCS Procedure |
| 037D0ZZ | Dilation of Right Hand Artery, Open Approach | ICD-10-PCS Procedure |
| 037D346 | Dilation of Right Hand Artery, Bifurcation, with Drug-eluting Intraluminal Device, Percutaneous Approach | ICD-10-PCS Procedure |
| 037D34Z | Dilation of Right Hand Artery with Drug-eluting Intraluminal Device, Percutaneous Approach | ICD-10-PCS Procedure |
| 037D356 | Dilation of Right Hand Artery, Bifurcation, with Two Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 037D35Z | Dilation of Right Hand Artery with Two Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 037D366 | Dilation of Right Hand Artery, Bifurcation, with Three Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 037D36Z | Dilation of Right Hand Artery with Three Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |



List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|---|----------------------|
| 037D376 | Dilation of Right Hand Artery, Bifurcation, with Four or More Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 037D37Z | Dilation of Right Hand Artery with Four or More Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 037D3D6 | Dilation of Right Hand Artery, Bifurcation, with Intraluminal Device, Percutaneous Approach | ICD-10-PCS Procedure |
| 037D3DZ | Dilation of Right Hand Artery with Intraluminal Device, Percutaneous Approach | ICD-10-PCS Procedure |
| 037D3E6 | Dilation of Right Hand Artery, Bifurcation, with Two Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 037D3EZ | Dilation of Right Hand Artery with Two Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 037D3F6 | Dilation of Right Hand Artery, Bifurcation, with Three Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 037D3FZ | Dilation of Right Hand Artery with Three Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 037D3G6 | Dilation of Right Hand Artery, Bifurcation, with Four or More Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 037D3GZ | Dilation of Right Hand Artery with Four or More Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 037D3Z6 | Dilation of Right Hand Artery, Bifurcation, Percutaneous Approach | ICD-10-PCS Procedure |
| 037D3ZZ | Dilation of Right Hand Artery, Percutaneous Approach | ICD-10-PCS Procedure |
| 037D446 | Dilation of Right Hand Artery, Bifurcation, with Drug-eluting Intraluminal Device, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 037D44Z | Dilation of Right Hand Artery with Drug-eluting Intraluminal Device, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 037D456 | Dilation of Right Hand Artery, Bifurcation, with Two Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 037D45Z | Dilation of Right Hand Artery with Two Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 037D466 | Dilation of Right Hand Artery, Bifurcation, with Three Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 037D46Z | Dilation of Right Hand Artery with Three Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 037D476 | Dilation of Right Hand Artery, Bifurcation, with Four or More Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 037D47Z | Dilation of Right Hand Artery with Four or More Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 037D4D6 | Dilation of Right Hand Artery, Bifurcation, with Intraluminal Device, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 037D4DZ | Dilation of Right Hand Artery with Intraluminal Device, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |



List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|--|----------------------|
| 037D4E6 | Dilation of Right Hand Artery, Bifurcation, with Two Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 037D4EZ | Dilation of Right Hand Artery with Two Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 037D4F6 | Dilation of Right Hand Artery, Bifurcation, with Three Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 037D4FZ | Dilation of Right Hand Artery with Three Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 037D4G6 | Dilation of Right Hand Artery, Bifurcation, with Four or More Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 037D4GZ | Dilation of Right Hand Artery with Four or More Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 037D4Z6 | Dilation of Right Hand Artery, Bifurcation, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 037D4ZZ | Dilation of Right Hand Artery, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 037F046 | Dilation of Left Hand Artery, Bifurcation, with Drug-eluting Intraluminal Device, Open Approach | ICD-10-PCS Procedure |
| 037F04Z | Dilation of Left Hand Artery with Drug-eluting Intraluminal Device, Open Approach | ICD-10-PCS Procedure |
| 037F056 | Dilation of Left Hand Artery, Bifurcation, with Two Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 037F05Z | Dilation of Left Hand Artery with Two Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 037F066 | Dilation of Left Hand Artery, Bifurcation, with Three Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 037F06Z | Dilation of Left Hand Artery with Three Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 037F076 | Dilation of Left Hand Artery, Bifurcation, with Four or More Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 037F07Z | Dilation of Left Hand Artery with Four or More Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 037F0D6 | Dilation of Left Hand Artery, Bifurcation, with Intraluminal Device, Open Approach | ICD-10-PCS Procedure |
| 037F0DZ | Dilation of Left Hand Artery with Intraluminal Device, Open Approach | ICD-10-PCS Procedure |
| 037F0E6 | Dilation of Left Hand Artery, Bifurcation, with Two Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 037F0EZ | Dilation of Left Hand Artery with Two Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 037F0F6 | Dilation of Left Hand Artery, Bifurcation, with Three Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 037F0FZ | Dilation of Left Hand Artery with Three Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 037F0G6 | Dilation of Left Hand Artery, Bifurcation, with Four or More Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |



List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|---|----------------------|
| 037F0GZ | Dilation of Left Hand Artery with Four or More Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 037F0Z6 | Dilation of Left Hand Artery, Bifurcation, Open Approach | ICD-10-PCS Procedure |
| 037F0ZZ | Dilation of Left Hand Artery, Open Approach | ICD-10-PCS Procedure |
| 037F346 | Dilation of Left Hand Artery, Bifurcation, with Drug-eluting Intraluminal Device, Percutaneous Approach | ICD-10-PCS Procedure |
| 037F34Z | Dilation of Left Hand Artery with Drug-eluting Intraluminal Device, Percutaneous Approach | ICD-10-PCS Procedure |
| 037F356 | Dilation of Left Hand Artery, Bifurcation, with Two Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 037F35Z | Dilation of Left Hand Artery with Two Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 037F366 | Dilation of Left Hand Artery, Bifurcation, with Three Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 037F36Z | Dilation of Left Hand Artery with Three Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 037F376 | Dilation of Left Hand Artery, Bifurcation, with Four or More Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 037F37Z | Dilation of Left Hand Artery with Four or More Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 037F3D6 | Dilation of Left Hand Artery, Bifurcation, with Intraluminal Device, Percutaneous Approach | ICD-10-PCS Procedure |
| 037F3DZ | Dilation of Left Hand Artery with Intraluminal Device, Percutaneous Approach | ICD-10-PCS Procedure |
| 037F3E6 | Dilation of Left Hand Artery, Bifurcation, with Two Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 037F3EZ | Dilation of Left Hand Artery with Two Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 037F3F6 | Dilation of Left Hand Artery, Bifurcation, with Three Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 037F3FZ | Dilation of Left Hand Artery with Three Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 037F3G6 | Dilation of Left Hand Artery, Bifurcation, with Four or More Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 037F3GZ | Dilation of Left Hand Artery with Four or More Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 037F3Z6 | Dilation of Left Hand Artery, Bifurcation, Percutaneous Approach | ICD-10-PCS Procedure |
| 037F3ZZ | Dilation of Left Hand Artery, Percutaneous Approach | ICD-10-PCS Procedure |
| 037F446 | Dilation of Left Hand Artery, Bifurcation, with Drug-eluting Intraluminal Device, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 037F44Z | Dilation of Left Hand Artery with Drug-eluting Intraluminal Device, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |

List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|--|----------------------|
| 037F456 | Dilation of Left Hand Artery, Bifurcation, with Two Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 037F45Z | Dilation of Left Hand Artery with Two Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 037F466 | Dilation of Left Hand Artery, Bifurcation, with Three Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 037F46Z | Dilation of Left Hand Artery with Three Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 037F476 | Dilation of Left Hand Artery, Bifurcation, with Four or More Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 037F47Z | Dilation of Left Hand Artery with Four or More Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 037F4D6 | Dilation of Left Hand Artery, Bifurcation, with Intraluminal Device, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 037F4DZ | Dilation of Left Hand Artery with Intraluminal Device, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 037F4E6 | Dilation of Left Hand Artery, Bifurcation, with Two Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 037F4EZ | Dilation of Left Hand Artery with Two Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 037F4F6 | Dilation of Left Hand Artery, Bifurcation, with Three Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 037F4FZ | Dilation of Left Hand Artery with Three Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 037F4G6 | Dilation of Left Hand Artery, Bifurcation, with Four or More Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 037F4GZ | Dilation of Left Hand Artery with Four or More Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 037F4Z6 | Dilation of Left Hand Artery, Bifurcation, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 037F4ZZ | Dilation of Left Hand Artery, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 037G046 | Dilation of Intracranial Artery, Bifurcation, with Drug-eluting Intraluminal Device, Open Approach | ICD-10-PCS Procedure |
| 037G04Z | Dilation of Intracranial Artery with Drug-eluting Intraluminal Device, Open Approach | ICD-10-PCS Procedure |
| 037G056 | Dilation of Intracranial Artery, Bifurcation, with Two Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 037G05Z | Dilation of Intracranial Artery with Two Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 037G066 | Dilation of Intracranial Artery, Bifurcation, with Three Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 037G06Z | Dilation of Intracranial Artery with Three Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |



List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|--|----------------------|
| 037G076 | Dilation of Intracranial Artery, Bifurcation, with Four or More Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 037G07Z | Dilation of Intracranial Artery with Four or More Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 037G0D6 | Dilation of Intracranial Artery, Bifurcation, with Intraluminal Device, Open Approach | ICD-10-PCS Procedure |
| 037G0DZ | Dilation of Intracranial Artery with Intraluminal Device, Open Approach | ICD-10-PCS Procedure |
| 037G0E6 | Dilation of Intracranial Artery, Bifurcation, with Two Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 037G0EZ | Dilation of Intracranial Artery with Two Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 037G0F6 | Dilation of Intracranial Artery, Bifurcation, with Three Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 037G0FZ | Dilation of Intracranial Artery with Three Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 037G0G6 | Dilation of Intracranial Artery, Bifurcation, with Four or More Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 037G0GZ | Dilation of Intracranial Artery with Four or More Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 037G0Z6 | Dilation of Intracranial Artery, Bifurcation, Open Approach | ICD-10-PCS Procedure |
| 037G0ZZ | Dilation of Intracranial Artery, Open Approach | ICD-10-PCS Procedure |
| 037H046 | Dilation of Right Common Carotid Artery, Bifurcation, with Drug-eluting Intraluminal Device, Open Approach | ICD-10-PCS Procedure |
| 037H04Z | Dilation of Right Common Carotid Artery with Drug-eluting Intraluminal Device, Open Approach | ICD-10-PCS Procedure |
| 037H056 | Dilation of Right Common Carotid Artery, Bifurcation, with Two Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 037H05Z | Dilation of Right Common Carotid Artery with Two Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 037H066 | Dilation of Right Common Carotid Artery, Bifurcation, with Three Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 037H06Z | Dilation of Right Common Carotid Artery with Three Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 037H076 | Dilation of Right Common Carotid Artery, Bifurcation, with Four or More Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 037H07Z | Dilation of Right Common Carotid Artery with Four or More Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 037H0D6 | Dilation of Right Common Carotid Artery, Bifurcation, with Intraluminal Device, Open Approach | ICD-10-PCS Procedure |
| 037H0DZ | Dilation of Right Common Carotid Artery with Intraluminal Device, Open Approach | ICD-10-PCS Procedure |
| 037H0E6 | Dilation of Right Common Carotid Artery, Bifurcation, with Two Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |

List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|---|----------------------|
| 037H0EZ | Dilation of Right Common Carotid Artery with Two Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 037H0F6 | Dilation of Right Common Carotid Artery, Bifurcation, with Three Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 037H0FZ | Dilation of Right Common Carotid Artery with Three Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 037H0G6 | Dilation of Right Common Carotid Artery, Bifurcation, with Four or More Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 037H0GZ | Dilation of Right Common Carotid Artery with Four or More Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 037H0Z6 | Dilation of Right Common Carotid Artery, Bifurcation, Open Approach | ICD-10-PCS Procedure |
| 037H0ZZ | Dilation of Right Common Carotid Artery, Open Approach | ICD-10-PCS Procedure |
| 037J046 | Dilation of Left Common Carotid Artery, Bifurcation, with Drug-eluting Intraluminal Device, Open Approach | ICD-10-PCS Procedure |
| 037J04Z | Dilation of Left Common Carotid Artery with Drug-eluting Intraluminal Device, Open Approach | ICD-10-PCS Procedure |
| 037J056 | Dilation of Left Common Carotid Artery, Bifurcation, with Two Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 037J05Z | Dilation of Left Common Carotid Artery with Two Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 037J066 | Dilation of Left Common Carotid Artery, Bifurcation, with Three Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 037J06Z | Dilation of Left Common Carotid Artery with Three Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 037J076 | Dilation of Left Common Carotid Artery, Bifurcation, with Four or More Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 037J07Z | Dilation of Left Common Carotid Artery with Four or More Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 037J0D6 | Dilation of Left Common Carotid Artery, Bifurcation, with Intraluminal Device, Open Approach | ICD-10-PCS Procedure |
| 037J0DZ | Dilation of Left Common Carotid Artery with Intraluminal Device, Open Approach | ICD-10-PCS Procedure |
| 037J0E6 | Dilation of Left Common Carotid Artery, Bifurcation, with Two Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 037J0EZ | Dilation of Left Common Carotid Artery with Two Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 037J0F6 | Dilation of Left Common Carotid Artery, Bifurcation, with Three Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 037J0FZ | Dilation of Left Common Carotid Artery with Three Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 037J0G6 | Dilation of Left Common Carotid Artery, Bifurcation, with Four or More Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |



List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|--|----------------------|
| 037J0GZ | Dilation of Left Common Carotid Artery with Four or More Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 037J0Z6 | Dilation of Left Common Carotid Artery, Bifurcation, Open Approach | ICD-10-PCS Procedure |
| 037J0ZZ | Dilation of Left Common Carotid Artery, Open Approach | ICD-10-PCS Procedure |
| 037K046 | Dilation of Right Internal Carotid Artery, Bifurcation, with Drug-eluting Intraluminal Device, Open Approach | ICD-10-PCS Procedure |
| 037K04Z | Dilation of Right Internal Carotid Artery with Drug-eluting Intraluminal Device, Open Approach | ICD-10-PCS Procedure |
| 037K056 | Dilation of Right Internal Carotid Artery, Bifurcation, with Two Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 037K05Z | Dilation of Right Internal Carotid Artery with Two Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 037K066 | Dilation of Right Internal Carotid Artery, Bifurcation, with Three Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 037K06Z | Dilation of Right Internal Carotid Artery with Three Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 037K076 | Dilation of Right Internal Carotid Artery, Bifurcation, with Four or More Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 037K07Z | Dilation of Right Internal Carotid Artery with Four or More Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 037K0D6 | Dilation of Right Internal Carotid Artery, Bifurcation, with Intraluminal Device, Open Approach | ICD-10-PCS Procedure |
| 037K0DZ | Dilation of Right Internal Carotid Artery with Intraluminal Device, Open Approach | ICD-10-PCS Procedure |
| 037K0E6 | Dilation of Right Internal Carotid Artery, Bifurcation, with Two Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 037K0EZ | Dilation of Right Internal Carotid Artery with Two Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 037K0F6 | Dilation of Right Internal Carotid Artery, Bifurcation, with Three Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 037K0FZ | Dilation of Right Internal Carotid Artery with Three Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 037K0G6 | Dilation of Right Internal Carotid Artery, Bifurcation, with Four or More Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 037K0GZ | Dilation of Right Internal Carotid Artery with Four or More Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 037K0Z6 | Dilation of Right Internal Carotid Artery, Bifurcation, Open Approach | ICD-10-PCS Procedure |
| 037K0ZZ | Dilation of Right Internal Carotid Artery, Open Approach | ICD-10-PCS Procedure |
| 037L046 | Dilation of Left Internal Carotid Artery, Bifurcation, with Drug-eluting Intraluminal Device, Open Approach | ICD-10-PCS Procedure |
| 037L04Z | Dilation of Left Internal Carotid Artery with Drug-eluting Intraluminal Device, Open Approach | ICD-10-PCS Procedure |

List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|---|----------------------|
| 037L056 | Dilation of Left Internal Carotid Artery, Bifurcation, with Two Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 037L05Z | Dilation of Left Internal Carotid Artery with Two Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 037L066 | Dilation of Left Internal Carotid Artery, Bifurcation, with Three Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 037L06Z | Dilation of Left Internal Carotid Artery with Three Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 037L076 | Dilation of Left Internal Carotid Artery, Bifurcation, with Four or More Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 037L07Z | Dilation of Left Internal Carotid Artery with Four or More Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 037L0D6 | Dilation of Left Internal Carotid Artery, Bifurcation, with Intraluminal Device, Open Approach | ICD-10-PCS Procedure |
| 037L0DZ | Dilation of Left Internal Carotid Artery with Intraluminal Device, Open Approach | ICD-10-PCS Procedure |
| 037L0E6 | Dilation of Left Internal Carotid Artery, Bifurcation, with Two Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 037L0EZ | Dilation of Left Internal Carotid Artery with Two Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 037L0F6 | Dilation of Left Internal Carotid Artery, Bifurcation, with Three Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 037L0FZ | Dilation of Left Internal Carotid Artery with Three Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 037L0G6 | Dilation of Left Internal Carotid Artery, Bifurcation, with Four or More Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 037L0GZ | Dilation of Left Internal Carotid Artery with Four or More Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 037L0Z6 | Dilation of Left Internal Carotid Artery, Bifurcation, Open Approach | ICD-10-PCS Procedure |
| 037L0ZZ | Dilation of Left Internal Carotid Artery, Open Approach | ICD-10-PCS Procedure |
| 037M046 | Dilation of Right External Carotid Artery, Bifurcation, with Drug-eluting Intraluminal Device, Open Approach | ICD-10-PCS Procedure |
| 037M04Z | Dilation of Right External Carotid Artery with Drug-eluting Intraluminal Device, Open Approach | ICD-10-PCS Procedure |
| 037M056 | Dilation of Right External Carotid Artery, Bifurcation, with Two Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 037M05Z | Dilation of Right External Carotid Artery with Two Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 037M066 | Dilation of Right External Carotid Artery, Bifurcation, with Three Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 037M06Z | Dilation of Right External Carotid Artery with Three Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |

List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|--|----------------------|
| 037M076 | Dilation of Right External Carotid Artery, Bifurcation, with Four or More Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 037M07Z | Dilation of Right External Carotid Artery with Four or More Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 037M0D6 | Dilation of Right External Carotid Artery, Bifurcation, with Intraluminal Device, Open Approach | ICD-10-PCS Procedure |
| 037M0DZ | Dilation of Right External Carotid Artery with Intraluminal Device, Open Approach | ICD-10-PCS Procedure |
| 037M0E6 | Dilation of Right External Carotid Artery, Bifurcation, with Two Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 037M0EZ | Dilation of Right External Carotid Artery with Two Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 037M0F6 | Dilation of Right External Carotid Artery, Bifurcation, with Three Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 037M0FZ | Dilation of Right External Carotid Artery with Three Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 037M0G6 | Dilation of Right External Carotid Artery, Bifurcation, with Four or More Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 037M0GZ | Dilation of Right External Carotid Artery with Four or More Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 037M0Z6 | Dilation of Right External Carotid Artery, Bifurcation, Open Approach | ICD-10-PCS Procedure |
| 037M0ZZ | Dilation of Right External Carotid Artery, Open Approach | ICD-10-PCS Procedure |
| 037N046 | Dilation of Left External Carotid Artery, Bifurcation, with Drug-eluting Intraluminal Device, Open Approach | ICD-10-PCS Procedure |
| 037N04Z | Dilation of Left External Carotid Artery with Drug-eluting Intraluminal Device, Open Approach | ICD-10-PCS Procedure |
| 037N056 | Dilation of Left External Carotid Artery, Bifurcation, with Two Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 037N05Z | Dilation of Left External Carotid Artery with Two Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 037N066 | Dilation of Left External Carotid Artery, Bifurcation, with Three Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 037N06Z | Dilation of Left External Carotid Artery with Three Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 037N076 | Dilation of Left External Carotid Artery, Bifurcation, with Four or More Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 037N07Z | Dilation of Left External Carotid Artery with Four or More Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 037N0D6 | Dilation of Left External Carotid Artery, Bifurcation, with Intraluminal Device, Open Approach | ICD-10-PCS Procedure |
| 037N0DZ | Dilation of Left External Carotid Artery with Intraluminal Device, Open Approach | ICD-10-PCS Procedure |



List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|---|----------------------|
| 037N0E6 | Dilation of Left External Carotid Artery, Bifurcation, with Two Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 037N0EZ | Dilation of Left External Carotid Artery with Two Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 037N0F6 | Dilation of Left External Carotid Artery, Bifurcation, with Three Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 037N0FZ | Dilation of Left External Carotid Artery with Three Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 037N0G6 | Dilation of Left External Carotid Artery, Bifurcation, with Four or More Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 037N0GZ | Dilation of Left External Carotid Artery with Four or More Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 037N0Z6 | Dilation of Left External Carotid Artery, Bifurcation, Open Approach | ICD-10-PCS Procedure |
| 037N0ZZ | Dilation of Left External Carotid Artery, Open Approach | ICD-10-PCS Procedure |
| 037P046 | Dilation of Right Vertebral Artery, Bifurcation, with Drug-eluting Intraluminal Device, Open Approach | ICD-10-PCS Procedure |
| 037P04Z | Dilation of Right Vertebral Artery with Drug-eluting Intraluminal Device, Open Approach | ICD-10-PCS Procedure |
| 037P056 | Dilation of Right Vertebral Artery, Bifurcation, with Two Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 037P05Z | Dilation of Right Vertebral Artery with Two Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 037P066 | Dilation of Right Vertebral Artery, Bifurcation, with Three Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 037P06Z | Dilation of Right Vertebral Artery with Three Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 037P076 | Dilation of Right Vertebral Artery, Bifurcation, with Four or More Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 037P07Z | Dilation of Right Vertebral Artery with Four or More Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 037P0D6 | Dilation of Right Vertebral Artery, Bifurcation, with Intraluminal Device, Open Approach | ICD-10-PCS Procedure |
| 037P0DZ | Dilation of Right Vertebral Artery with Intraluminal Device, Open Approach | ICD-10-PCS Procedure |
| 037P0E6 | Dilation of Right Vertebral Artery, Bifurcation, with Two Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 037P0EZ | Dilation of Right Vertebral Artery with Two Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 037P0F6 | Dilation of Right Vertebral Artery, Bifurcation, with Three Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 037P0FZ | Dilation of Right Vertebral Artery with Three Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |



List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|--|----------------------|
| 037P0G6 | Dilation of Right Vertebral Artery, Bifurcation, with Four or More Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 037P0GZ | Dilation of Right Vertebral Artery with Four or More Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 037P0Z6 | Dilation of Right Vertebral Artery, Bifurcation, Open Approach | ICD-10-PCS Procedure |
| 037P0ZZ | Dilation of Right Vertebral Artery, Open Approach | ICD-10-PCS Procedure |
| 037Q046 | Dilation of Left Vertebral Artery, Bifurcation, with Drug-eluting Intraluminal Device, Open Approach | ICD-10-PCS Procedure |
| 037Q04Z | Dilation of Left Vertebral Artery with Drug-eluting Intraluminal Device, Open Approach | ICD-10-PCS Procedure |
| 037Q056 | Dilation of Left Vertebral Artery, Bifurcation, with Two Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 037Q05Z | Dilation of Left Vertebral Artery with Two Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 037Q066 | Dilation of Left Vertebral Artery, Bifurcation, with Three Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 037Q06Z | Dilation of Left Vertebral Artery with Three Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 037Q076 | Dilation of Left Vertebral Artery, Bifurcation, with Four or More Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 037Q07Z | Dilation of Left Vertebral Artery with Four or More Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 037Q0D6 | Dilation of Left Vertebral Artery, Bifurcation, with Intraluminal Device, Open Approach | ICD-10-PCS Procedure |
| 037Q0DZ | Dilation of Left Vertebral Artery with Intraluminal Device, Open Approach | ICD-10-PCS Procedure |
| 037Q0E6 | Dilation of Left Vertebral Artery, Bifurcation, with Two Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 037Q0EZ | Dilation of Left Vertebral Artery with Two Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 037Q0F6 | Dilation of Left Vertebral Artery, Bifurcation, with Three Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 037Q0FZ | Dilation of Left Vertebral Artery with Three Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 037Q0G6 | Dilation of Left Vertebral Artery, Bifurcation, with Four or More Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 037Q0GZ | Dilation of Left Vertebral Artery with Four or More Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 037Q0Z6 | Dilation of Left Vertebral Artery, Bifurcation, Open Approach | ICD-10-PCS Procedure |
| 037Q0ZZ | Dilation of Left Vertebral Artery, Open Approach | ICD-10-PCS Procedure |
| 037R046 | Dilation of Face Artery, Bifurcation, with Drug-eluting Intraluminal Device, Open Approach | ICD-10-PCS Procedure |
| 037R04Z | Dilation of Face Artery with Drug-eluting Intraluminal Device, Open Approach | ICD-10-PCS Procedure |



List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|--|----------------------|
| 037R056 | Dilation of Face Artery, Bifurcation, with Two Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 037R05Z | Dilation of Face Artery with Two Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 037R066 | Dilation of Face Artery, Bifurcation, with Three Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 037R06Z | Dilation of Face Artery with Three Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 037R076 | Dilation of Face Artery, Bifurcation, with Four or More Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 037R07Z | Dilation of Face Artery with Four or More Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 037R0D6 | Dilation of Face Artery, Bifurcation, with Intraluminal Device, Open Approach | ICD-10-PCS Procedure |
| 037R0DZ | Dilation of Face Artery with Intraluminal Device, Open Approach | ICD-10-PCS Procedure |
| 037R0E6 | Dilation of Face Artery, Bifurcation, with Two Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 037R0EZ | Dilation of Face Artery with Two Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 037R0F6 | Dilation of Face Artery, Bifurcation, with Three Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 037R0FZ | Dilation of Face Artery with Three Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 037R0G6 | Dilation of Face Artery, Bifurcation, with Four or More Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 037R0GZ | Dilation of Face Artery with Four or More Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 037R0Z6 | Dilation of Face Artery, Bifurcation, Open Approach | ICD-10-PCS Procedure |
| 037R0ZZ | Dilation of Face Artery, Open Approach | ICD-10-PCS Procedure |
| 037R346 | Dilation of Face Artery, Bifurcation, with Drug-eluting Intraluminal Device, Percutaneous Approach | ICD-10-PCS Procedure |
| 037R34Z | Dilation of Face Artery with Drug-eluting Intraluminal Device, Percutaneous Approach | ICD-10-PCS Procedure |
| 037R356 | Dilation of Face Artery, Bifurcation, with Two Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 037R35Z | Dilation of Face Artery with Two Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 037R366 | Dilation of Face Artery, Bifurcation, with Three Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 037R36Z | Dilation of Face Artery with Three Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 037R376 | Dilation of Face Artery, Bifurcation, with Four or More Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 037R37Z | Dilation of Face Artery with Four or More Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |



List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|---|----------------------|
| 037R3D6 | Dilation of Face Artery, Bifurcation, with Intraluminal Device, Percutaneous Approach | ICD-10-PCS Procedure |
| 037R3DZ | Dilation of Face Artery with Intraluminal Device, Percutaneous Approach | ICD-10-PCS Procedure |
| 037R3E6 | Dilation of Face Artery, Bifurcation, with Two Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 037R3EZ | Dilation of Face Artery with Two Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 037R3F6 | Dilation of Face Artery, Bifurcation, with Three Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 037R3FZ | Dilation of Face Artery with Three Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 037R3G6 | Dilation of Face Artery, Bifurcation, with Four or More Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 037R3GZ | Dilation of Face Artery with Four or More Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 037R3Z6 | Dilation of Face Artery, Bifurcation, Percutaneous Approach | ICD-10-PCS Procedure |
| 037R3ZZ | Dilation of Face Artery, Percutaneous Approach | ICD-10-PCS Procedure |
| 037R446 | Dilation of Face Artery, Bifurcation, with Drug-eluting Intraluminal Device, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 037R44Z | Dilation of Face Artery with Drug-eluting Intraluminal Device, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 037R456 | Dilation of Face Artery, Bifurcation, with Two Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 037R45Z | Dilation of Face Artery with Two Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 037R466 | Dilation of Face Artery, Bifurcation, with Three Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 037R46Z | Dilation of Face Artery with Three Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 037R476 | Dilation of Face Artery, Bifurcation, with Four or More Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 037R47Z | Dilation of Face Artery with Four or More Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 037R4D6 | Dilation of Face Artery, Bifurcation, with Intraluminal Device, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 037R4DZ | Dilation of Face Artery with Intraluminal Device, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 037R4E6 | Dilation of Face Artery, Bifurcation, with Two Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 037R4EZ | Dilation of Face Artery with Two Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 037R4F6 | Dilation of Face Artery, Bifurcation, with Three Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |

List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|--|----------------------|
| 037R4FZ | Dilation of Face Artery with Three Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 037R4G6 | Dilation of Face Artery, Bifurcation, with Four or More Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 037R4GZ | Dilation of Face Artery with Four or More Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 037R4Z6 | Dilation of Face Artery, Bifurcation, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 037R4ZZ | Dilation of Face Artery, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 037S046 | Dilation of Right Temporal Artery, Bifurcation, with Drug-eluting Intraluminal Device, Open Approach | ICD-10-PCS Procedure |
| 037S04Z | Dilation of Right Temporal Artery with Drug-eluting Intraluminal Device, Open Approach | ICD-10-PCS Procedure |
| 037S056 | Dilation of Right Temporal Artery, Bifurcation, with Two Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 037S05Z | Dilation of Right Temporal Artery with Two Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 037S066 | Dilation of Right Temporal Artery, Bifurcation, with Three Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 037S06Z | Dilation of Right Temporal Artery with Three Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 037S076 | Dilation of Right Temporal Artery, Bifurcation, with Four or More Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 037S07Z | Dilation of Right Temporal Artery with Four or More Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 037S0D6 | Dilation of Right Temporal Artery, Bifurcation, with Intraluminal Device, Open Approach | ICD-10-PCS Procedure |
| 037S0DZ | Dilation of Right Temporal Artery with Intraluminal Device, Open Approach | ICD-10-PCS Procedure |
| 037S0E6 | Dilation of Right Temporal Artery, Bifurcation, with Two Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 037S0EZ | Dilation of Right Temporal Artery with Two Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 037S0F6 | Dilation of Right Temporal Artery, Bifurcation, with Three Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 037S0FZ | Dilation of Right Temporal Artery with Three Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 037S0G6 | Dilation of Right Temporal Artery, Bifurcation, with Four or More Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 037S0GZ | Dilation of Right Temporal Artery with Four or More Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 037S0Z6 | Dilation of Right Temporal Artery, Bifurcation, Open Approach | ICD-10-PCS Procedure |
| 037S0ZZ | Dilation of Right Temporal Artery, Open Approach | ICD-10-PCS Procedure |

List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|--|----------------------|
| 037S346 | Dilation of Right Temporal Artery, Bifurcation, with Drug-eluting Intraluminal Device, Percutaneous Approach | ICD-10-PCS Procedure |
| 037S34Z | Dilation of Right Temporal Artery with Drug-eluting Intraluminal Device, Percutaneous Approach | ICD-10-PCS Procedure |
| 037S356 | Dilation of Right Temporal Artery, Bifurcation, with Two Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 037S35Z | Dilation of Right Temporal Artery with Two Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 037S366 | Dilation of Right Temporal Artery, Bifurcation, with Three Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 037S36Z | Dilation of Right Temporal Artery with Three Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 037S376 | Dilation of Right Temporal Artery, Bifurcation, with Four or More Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 037S37Z | Dilation of Right Temporal Artery with Four or More Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 037S3D6 | Dilation of Right Temporal Artery, Bifurcation, with Intraluminal Device, Percutaneous Approach | ICD-10-PCS Procedure |
| 037S3DZ | Dilation of Right Temporal Artery with Intraluminal Device, Percutaneous Approach | ICD-10-PCS Procedure |
| 037S3E6 | Dilation of Right Temporal Artery, Bifurcation, with Two Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 037S3EZ | Dilation of Right Temporal Artery with Two Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 037S3F6 | Dilation of Right Temporal Artery, Bifurcation, with Three Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 037S3FZ | Dilation of Right Temporal Artery with Three Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 037S3G6 | Dilation of Right Temporal Artery, Bifurcation, with Four or More Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 037S3GZ | Dilation of Right Temporal Artery with Four or More Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 037S3Z6 | Dilation of Right Temporal Artery, Bifurcation, Percutaneous Approach | ICD-10-PCS Procedure |
| 037S3ZZ | Dilation of Right Temporal Artery, Percutaneous Approach | ICD-10-PCS Procedure |
| 037S446 | Dilation of Right Temporal Artery, Bifurcation, with Drug-eluting Intraluminal Device, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 037S44Z | Dilation of Right Temporal Artery with Drug-eluting Intraluminal Device, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 037S456 | Dilation of Right Temporal Artery, Bifurcation, with Two Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 037S45Z | Dilation of Right Temporal Artery with Two Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |

List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|---|----------------------|
| 037S466 | Dilation of Right Temporal Artery, Bifurcation, with Three Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 037S46Z | Dilation of Right Temporal Artery with Three Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 037S476 | Dilation of Right Temporal Artery, Bifurcation, with Four or More Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 037S47Z | Dilation of Right Temporal Artery with Four or More Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 037S4D6 | Dilation of Right Temporal Artery, Bifurcation, with Intraluminal Device, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 037S4DZ | Dilation of Right Temporal Artery with Intraluminal Device, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 037S4E6 | Dilation of Right Temporal Artery, Bifurcation, with Two Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 037S4EZ | Dilation of Right Temporal Artery with Two Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 037S4F6 | Dilation of Right Temporal Artery, Bifurcation, with Three Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 037S4FZ | Dilation of Right Temporal Artery with Three Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 037S4G6 | Dilation of Right Temporal Artery, Bifurcation, with Four or More Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 037S4GZ | Dilation of Right Temporal Artery with Four or More Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 037S4Z6 | Dilation of Right Temporal Artery, Bifurcation, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 037S4ZZ | Dilation of Right Temporal Artery, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 037T046 | Dilation of Left Temporal Artery, Bifurcation, with Drug-eluting Intraluminal Device, Open Approach | ICD-10-PCS Procedure |
| 037T04Z | Dilation of Left Temporal Artery with Drug-eluting Intraluminal Device, Open Approach | ICD-10-PCS Procedure |
| 037T056 | Dilation of Left Temporal Artery, Bifurcation, with Two Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 037T05Z | Dilation of Left Temporal Artery with Two Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 037T066 | Dilation of Left Temporal Artery, Bifurcation, with Three Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 037T06Z | Dilation of Left Temporal Artery with Three Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 037T076 | Dilation of Left Temporal Artery, Bifurcation, with Four or More Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |



List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|---|----------------------|
| 037T07Z | Dilation of Left Temporal Artery with Four or More Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 037T0D6 | Dilation of Left Temporal Artery, Bifurcation, with Intraluminal Device, Open Approach | ICD-10-PCS Procedure |
| 037T0DZ | Dilation of Left Temporal Artery with Intraluminal Device, Open Approach | ICD-10-PCS Procedure |
| 037T0E6 | Dilation of Left Temporal Artery, Bifurcation, with Two Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 037T0EZ | Dilation of Left Temporal Artery with Two Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 037T0F6 | Dilation of Left Temporal Artery, Bifurcation, with Three Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 037T0FZ | Dilation of Left Temporal Artery with Three Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 037T0G6 | Dilation of Left Temporal Artery, Bifurcation, with Four or More Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 037T0GZ | Dilation of Left Temporal Artery with Four or More Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 037T0Z6 | Dilation of Left Temporal Artery, Bifurcation, Open Approach | ICD-10-PCS Procedure |
| 037T0ZZ | Dilation of Left Temporal Artery, Open Approach | ICD-10-PCS Procedure |
| 037T346 | Dilation of Left Temporal Artery, Bifurcation, with Drug-eluting Intraluminal Device, Percutaneous Approach | ICD-10-PCS Procedure |
| 037T34Z | Dilation of Left Temporal Artery with Drug-eluting Intraluminal Device, Percutaneous Approach | ICD-10-PCS Procedure |
| 037T356 | Dilation of Left Temporal Artery, Bifurcation, with Two Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 037T35Z | Dilation of Left Temporal Artery with Two Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 037T366 | Dilation of Left Temporal Artery, Bifurcation, with Three Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 037T36Z | Dilation of Left Temporal Artery with Three Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 037T376 | Dilation of Left Temporal Artery, Bifurcation, with Four or More Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 037T37Z | Dilation of Left Temporal Artery with Four or More Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 037T3D6 | Dilation of Left Temporal Artery, Bifurcation, with Intraluminal Device, Percutaneous Approach | ICD-10-PCS Procedure |
| 037T3DZ | Dilation of Left Temporal Artery with Intraluminal Device, Percutaneous Approach | ICD-10-PCS Procedure |
| 037T3E6 | Dilation of Left Temporal Artery, Bifurcation, with Two Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |

List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|--|----------------------|
| 037T3EZ | Dilation of Left Temporal Artery with Two Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 037T3F6 | Dilation of Left Temporal Artery, Bifurcation, with Three Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 037T3FZ | Dilation of Left Temporal Artery with Three Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 037T3G6 | Dilation of Left Temporal Artery, Bifurcation, with Four or More Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 037T3GZ | Dilation of Left Temporal Artery with Four or More Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 037T3Z6 | Dilation of Left Temporal Artery, Bifurcation, Percutaneous Approach | ICD-10-PCS Procedure |
| 037T3ZZ | Dilation of Left Temporal Artery, Percutaneous Approach | ICD-10-PCS Procedure |
| 037T446 | Dilation of Left Temporal Artery, Bifurcation, with Drug-eluting Intraluminal Device, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 037T44Z | Dilation of Left Temporal Artery with Drug-eluting Intraluminal Device, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 037T456 | Dilation of Left Temporal Artery, Bifurcation, with Two Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 037T45Z | Dilation of Left Temporal Artery with Two Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 037T466 | Dilation of Left Temporal Artery, Bifurcation, with Three Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 037T46Z | Dilation of Left Temporal Artery with Three Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 037T476 | Dilation of Left Temporal Artery, Bifurcation, with Four or More Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 037T47Z | Dilation of Left Temporal Artery with Four or More Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 037T4D6 | Dilation of Left Temporal Artery, Bifurcation, with Intraluminal Device, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 037T4DZ | Dilation of Left Temporal Artery with Intraluminal Device, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 037T4E6 | Dilation of Left Temporal Artery, Bifurcation, with Two Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 037T4EZ | Dilation of Left Temporal Artery with Two Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 037T4F6 | Dilation of Left Temporal Artery, Bifurcation, with Three Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 037T4FZ | Dilation of Left Temporal Artery with Three Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 037T4G6 | Dilation of Left Temporal Artery, Bifurcation, with Four or More Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |

List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|---|----------------------|
| 037T4GZ | Dilation of Left Temporal Artery with Four or More Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 037T4Z6 | Dilation of Left Temporal Artery, Bifurcation, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 037T4ZZ | Dilation of Left Temporal Artery, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 037U046 | Dilation of Right Thyroid Artery, Bifurcation, with Drug-eluting Intraluminal Device, Open Approach | ICD-10-PCS Procedure |
| 037U04Z | Dilation of Right Thyroid Artery with Drug-eluting Intraluminal Device, Open Approach | ICD-10-PCS Procedure |
| 037U056 | Dilation of Right Thyroid Artery, Bifurcation, with Two Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 037U05Z | Dilation of Right Thyroid Artery with Two Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 037U066 | Dilation of Right Thyroid Artery, Bifurcation, with Three Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 037U06Z | Dilation of Right Thyroid Artery with Three Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 037U076 | Dilation of Right Thyroid Artery, Bifurcation, with Four or More Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 037U07Z | Dilation of Right Thyroid Artery with Four or More Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 037U0D6 | Dilation of Right Thyroid Artery, Bifurcation, with Intraluminal Device, Open Approach | ICD-10-PCS Procedure |
| 037U0DZ | Dilation of Right Thyroid Artery with Intraluminal Device, Open Approach | ICD-10-PCS Procedure |
| 037U0E6 | Dilation of Right Thyroid Artery, Bifurcation, with Two Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 037U0EZ | Dilation of Right Thyroid Artery with Two Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 037U0F6 | Dilation of Right Thyroid Artery, Bifurcation, with Three Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 037U0FZ | Dilation of Right Thyroid Artery with Three Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 037U0G6 | Dilation of Right Thyroid Artery, Bifurcation, with Four or More Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 037U0GZ | Dilation of Right Thyroid Artery with Four or More Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 037U0Z6 | Dilation of Right Thyroid Artery, Bifurcation, Open Approach | ICD-10-PCS Procedure |
| 037U0ZZ | Dilation of Right Thyroid Artery, Open Approach | ICD-10-PCS Procedure |
| 037U346 | Dilation of Right Thyroid Artery, Bifurcation, with Drug-eluting Intraluminal Device, Percutaneous Approach | ICD-10-PCS Procedure |
| 037U34Z | Dilation of Right Thyroid Artery with Drug-eluting Intraluminal Device, Percutaneous Approach | ICD-10-PCS Procedure |



List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|---|----------------------|
| 037U356 | Dilation of Right Thyroid Artery, Bifurcation, with Two Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 037U35Z | Dilation of Right Thyroid Artery with Two Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 037U366 | Dilation of Right Thyroid Artery, Bifurcation, with Three Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 037U36Z | Dilation of Right Thyroid Artery with Three Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 037U376 | Dilation of Right Thyroid Artery, Bifurcation, with Four or More Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 037U37Z | Dilation of Right Thyroid Artery with Four or More Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 037U3D6 | Dilation of Right Thyroid Artery, Bifurcation, with Intraluminal Device, Percutaneous Approach | ICD-10-PCS Procedure |
| 037U3DZ | Dilation of Right Thyroid Artery with Intraluminal Device, Percutaneous Approach | ICD-10-PCS Procedure |
| 037U3E6 | Dilation of Right Thyroid Artery, Bifurcation, with Two Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 037U3EZ | Dilation of Right Thyroid Artery with Two Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 037U3F6 | Dilation of Right Thyroid Artery, Bifurcation, with Three Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 037U3FZ | Dilation of Right Thyroid Artery with Three Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 037U3G6 | Dilation of Right Thyroid Artery, Bifurcation, with Four or More Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 037U3GZ | Dilation of Right Thyroid Artery with Four or More Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 037U3Z6 | Dilation of Right Thyroid Artery, Bifurcation, Percutaneous Approach | ICD-10-PCS Procedure |
| 037U3ZZ | Dilation of Right Thyroid Artery, Percutaneous Approach | ICD-10-PCS Procedure |
| 037U446 | Dilation of Right Thyroid Artery, Bifurcation, with Drug-eluting Intraluminal Device, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 037U44Z | Dilation of Right Thyroid Artery with Drug-eluting Intraluminal Device, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 037U456 | Dilation of Right Thyroid Artery, Bifurcation, with Two Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 037U45Z | Dilation of Right Thyroid Artery with Two Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 037U466 | Dilation of Right Thyroid Artery, Bifurcation, with Three Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 037U46Z | Dilation of Right Thyroid Artery with Three Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |



List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|--|----------------------|
| 037U476 | Dilation of Right Thyroid Artery, Bifurcation, with Four or More Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 037U47Z | Dilation of Right Thyroid Artery with Four or More Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 037U4D6 | Dilation of Right Thyroid Artery, Bifurcation, with Intraluminal Device, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 037U4DZ | Dilation of Right Thyroid Artery with Intraluminal Device, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 037U4E6 | Dilation of Right Thyroid Artery, Bifurcation, with Two Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 037U4EZ | Dilation of Right Thyroid Artery with Two Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 037U4F6 | Dilation of Right Thyroid Artery, Bifurcation, with Three Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 037U4FZ | Dilation of Right Thyroid Artery with Three Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 037U4G6 | Dilation of Right Thyroid Artery, Bifurcation, with Four or More Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 037U4GZ | Dilation of Right Thyroid Artery with Four or More Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 037U4Z6 | Dilation of Right Thyroid Artery, Bifurcation, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 037U4ZZ | Dilation of Right Thyroid Artery, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 037V046 | Dilation of Left Thyroid Artery, Bifurcation, with Drug-eluting Intraluminal Device, Open Approach | ICD-10-PCS Procedure |
| 037V04Z | Dilation of Left Thyroid Artery with Drug-eluting Intraluminal Device, Open Approach | ICD-10-PCS Procedure |
| 037V056 | Dilation of Left Thyroid Artery, Bifurcation, with Two Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 037V05Z | Dilation of Left Thyroid Artery with Two Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 037V066 | Dilation of Left Thyroid Artery, Bifurcation, with Three Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 037V06Z | Dilation of Left Thyroid Artery with Three Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 037V076 | Dilation of Left Thyroid Artery, Bifurcation, with Four or More Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 037V07Z | Dilation of Left Thyroid Artery with Four or More Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 037V0D6 | Dilation of Left Thyroid Artery, Bifurcation, with Intraluminal Device, Open Approach | ICD-10-PCS Procedure |
| 037V0DZ | Dilation of Left Thyroid Artery with Intraluminal Device, Open Approach | ICD-10-PCS Procedure |



List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|--|----------------------|
| 037V0E6 | Dilation of Left Thyroid Artery, Bifurcation, with Two Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 037V0EZ | Dilation of Left Thyroid Artery with Two Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 037V0F6 | Dilation of Left Thyroid Artery, Bifurcation, with Three Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 037V0FZ | Dilation of Left Thyroid Artery with Three Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 037V0G6 | Dilation of Left Thyroid Artery, Bifurcation, with Four or More Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 037V0GZ | Dilation of Left Thyroid Artery with Four or More Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 037V0Z6 | Dilation of Left Thyroid Artery, Bifurcation, Open Approach | ICD-10-PCS Procedure |
| 037V0ZZ | Dilation of Left Thyroid Artery, Open Approach | ICD-10-PCS Procedure |
| 037V346 | Dilation of Left Thyroid Artery, Bifurcation, with Drug-eluting Intraluminal Device, Percutaneous Approach | ICD-10-PCS Procedure |
| 037V34Z | Dilation of Left Thyroid Artery with Drug-eluting Intraluminal Device, Percutaneous Approach | ICD-10-PCS Procedure |
| 037V356 | Dilation of Left Thyroid Artery, Bifurcation, with Two Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 037V35Z | Dilation of Left Thyroid Artery with Two Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 037V366 | Dilation of Left Thyroid Artery, Bifurcation, with Three Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 037V36Z | Dilation of Left Thyroid Artery with Three Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 037V376 | Dilation of Left Thyroid Artery, Bifurcation, with Four or More Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 037V37Z | Dilation of Left Thyroid Artery with Four or More Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 037V3D6 | Dilation of Left Thyroid Artery, Bifurcation, with Intraluminal Device, Percutaneous Approach | ICD-10-PCS Procedure |
| 037V3DZ | Dilation of Left Thyroid Artery with Intraluminal Device, Percutaneous Approach | ICD-10-PCS Procedure |
| 037V3E6 | Dilation of Left Thyroid Artery, Bifurcation, with Two Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 037V3EZ | Dilation of Left Thyroid Artery with Two Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 037V3F6 | Dilation of Left Thyroid Artery, Bifurcation, with Three Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 037V3FZ | Dilation of Left Thyroid Artery with Three Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 037V3G6 | Dilation of Left Thyroid Artery, Bifurcation, with Four or More Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |

List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|---|----------------------|
| 037V3GZ | Dilation of Left Thyroid Artery with Four or More Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 037V3Z6 | Dilation of Left Thyroid Artery, Bifurcation, Percutaneous Approach | ICD-10-PCS Procedure |
| 037V3ZZ | Dilation of Left Thyroid Artery, Percutaneous Approach | ICD-10-PCS Procedure |
| 037V446 | Dilation of Left Thyroid Artery, Bifurcation, with Drug-eluting Intraluminal Device, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 037V44Z | Dilation of Left Thyroid Artery with Drug-eluting Intraluminal Device, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 037V456 | Dilation of Left Thyroid Artery, Bifurcation, with Two Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 037V45Z | Dilation of Left Thyroid Artery with Two Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 037V466 | Dilation of Left Thyroid Artery, Bifurcation, with Three Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 037V46Z | Dilation of Left Thyroid Artery with Three Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 037V476 | Dilation of Left Thyroid Artery, Bifurcation, with Four or More Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 037V47Z | Dilation of Left Thyroid Artery with Four or More Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 037V4D6 | Dilation of Left Thyroid Artery, Bifurcation, with Intraluminal Device, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 037V4DZ | Dilation of Left Thyroid Artery with Intraluminal Device, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 037V4E6 | Dilation of Left Thyroid Artery, Bifurcation, with Two Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 037V4EZ | Dilation of Left Thyroid Artery with Two Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 037V4F6 | Dilation of Left Thyroid Artery, Bifurcation, with Three Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 037V4FZ | Dilation of Left Thyroid Artery with Three Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 037V4G6 | Dilation of Left Thyroid Artery, Bifurcation, with Four or More Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 037V4GZ | Dilation of Left Thyroid Artery with Four or More Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 037V4Z6 | Dilation of Left Thyroid Artery, Bifurcation, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 037V4ZZ | Dilation of Left Thyroid Artery, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 037Y046 | Dilation of Upper Artery, Bifurcation, with Drug-eluting Intraluminal Device, Open Approach | ICD-10-PCS Procedure |
| 037Y04Z | Dilation of Upper Artery with Drug-eluting Intraluminal Device, Open Approach | ICD-10-PCS Procedure |



List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|---|----------------------|
| 037Y056 | Dilation of Upper Artery, Bifurcation, with Two Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 037Y05Z | Dilation of Upper Artery with Two Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 037Y066 | Dilation of Upper Artery, Bifurcation, with Three Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 037Y06Z | Dilation of Upper Artery with Three Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 037Y076 | Dilation of Upper Artery, Bifurcation, with Four or More Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 037Y07Z | Dilation of Upper Artery with Four or More Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 037Y0D6 | Dilation of Upper Artery, Bifurcation, with Intraluminal Device, Open Approach | ICD-10-PCS Procedure |
| 037Y0DZ | Dilation of Upper Artery with Intraluminal Device, Open Approach | ICD-10-PCS Procedure |
| 037Y0E6 | Dilation of Upper Artery, Bifurcation, with Two Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 037Y0EZ | Dilation of Upper Artery with Two Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 037Y0F6 | Dilation of Upper Artery, Bifurcation, with Three Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 037Y0FZ | Dilation of Upper Artery with Three Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 037Y0G6 | Dilation of Upper Artery, Bifurcation, with Four or More Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 037Y0GZ | Dilation of Upper Artery with Four or More Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 037Y0Z6 | Dilation of Upper Artery, Bifurcation, Open Approach | ICD-10-PCS Procedure |
| 037Y0ZZ | Dilation of Upper Artery, Open Approach | ICD-10-PCS Procedure |
| 037Y346 | Dilation of Upper Artery, Bifurcation, with Drug-eluting Intraluminal Device, Percutaneous Approach | ICD-10-PCS Procedure |
| 037Y34Z | Dilation of Upper Artery with Drug-eluting Intraluminal Device, Percutaneous Approach | ICD-10-PCS Procedure |
| 037Y356 | Dilation of Upper Artery, Bifurcation, with Two Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 037Y35Z | Dilation of Upper Artery with Two Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 037Y366 | Dilation of Upper Artery, Bifurcation, with Three Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 037Y36Z | Dilation of Upper Artery with Three Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 037Y376 | Dilation of Upper Artery, Bifurcation, with Four or More Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 037Y37Z | Dilation of Upper Artery with Four or More Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |



List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|--|----------------------|
| 037Y3D6 | Dilation of Upper Artery, Bifurcation, with Intraluminal Device, Percutaneous Approach | ICD-10-PCS Procedure |
| 037Y3DZ | Dilation of Upper Artery with Intraluminal Device, Percutaneous Approach | ICD-10-PCS Procedure |
| 037Y3E6 | Dilation of Upper Artery, Bifurcation, with Two Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 037Y3EZ | Dilation of Upper Artery with Two Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 037Y3F6 | Dilation of Upper Artery, Bifurcation, with Three Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 037Y3FZ | Dilation of Upper Artery with Three Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 037Y3G6 | Dilation of Upper Artery, Bifurcation, with Four or More Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 037Y3GZ | Dilation of Upper Artery with Four or More Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 037Y3Z6 | Dilation of Upper Artery, Bifurcation, Percutaneous Approach | ICD-10-PCS Procedure |
| 037Y3ZZ | Dilation of Upper Artery, Percutaneous Approach | ICD-10-PCS Procedure |
| 037Y446 | Dilation of Upper Artery, Bifurcation, with Drug-eluting Intraluminal Device, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 037Y44Z | Dilation of Upper Artery with Drug-eluting Intraluminal Device, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 037Y456 | Dilation of Upper Artery, Bifurcation, with Two Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 037Y45Z | Dilation of Upper Artery with Two Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 037Y466 | Dilation of Upper Artery, Bifurcation, with Three Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 037Y46Z | Dilation of Upper Artery with Three Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 037Y476 | Dilation of Upper Artery, Bifurcation, with Four or More Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 037Y47Z | Dilation of Upper Artery with Four or More Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 037Y4D6 | Dilation of Upper Artery, Bifurcation, with Intraluminal Device, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 037Y4DZ | Dilation of Upper Artery with Intraluminal Device, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 037Y4E6 | Dilation of Upper Artery, Bifurcation, with Two Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 037Y4EZ | Dilation of Upper Artery with Two Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |

List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|---|----------------------|
| 037Y4F6 | Dilation of Upper Artery, Bifurcation, with Three Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 037Y4FZ | Dilation of Upper Artery with Three Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 037Y4G6 | Dilation of Upper Artery, Bifurcation, with Four or More Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 037Y4GZ | Dilation of Upper Artery with Four or More Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 037Y4Z6 | Dilation of Upper Artery, Bifurcation, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 037Y4ZZ | Dilation of Upper Artery, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 03C50Z6 | Extirpation of Matter from Right Axillary Artery, Bifurcation, Open Approach | ICD-10-PCS Procedure |
| 03C50ZZ | Extirpation of Matter from Right Axillary Artery, Open Approach | ICD-10-PCS Procedure |
| 03C53Z6 | Extirpation of Matter from Right Axillary Artery, Bifurcation, Percutaneous Approach | ICD-10-PCS Procedure |
| 03C53ZZ | Extirpation of Matter from Right Axillary Artery, Percutaneous Approach | ICD-10-PCS Procedure |
| 03C54Z6 | Extirpation of Matter from Right Axillary Artery, Bifurcation, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 03C54ZZ | Extirpation of Matter from Right Axillary Artery, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 03C60Z6 | Extirpation of Matter from Left Axillary Artery, Bifurcation, Open Approach | ICD-10-PCS Procedure |
| 03C60ZZ | Extirpation of Matter from Left Axillary Artery, Open Approach | ICD-10-PCS Procedure |
| 03C63Z6 | Extirpation of Matter from Left Axillary Artery, Bifurcation, Percutaneous Approach | ICD-10-PCS Procedure |
| 03C63ZZ | Extirpation of Matter from Left Axillary Artery, Percutaneous Approach | ICD-10-PCS Procedure |
| 03C64Z6 | Extirpation of Matter from Left Axillary Artery, Bifurcation, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 03C64ZZ | Extirpation of Matter from Left Axillary Artery, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 03C70Z6 | Extirpation of Matter from Right Brachial Artery, Bifurcation, Open Approach | ICD-10-PCS Procedure |
| 03C70ZZ | Extirpation of Matter from Right Brachial Artery, Open Approach | ICD-10-PCS Procedure |
| 03C73Z6 | Extirpation of Matter from Right Brachial Artery, Bifurcation, Percutaneous Approach | ICD-10-PCS Procedure |
| 03C73ZZ | Extirpation of Matter from Right Brachial Artery, Percutaneous Approach | ICD-10-PCS Procedure |
| 03C74Z6 | Extirpation of Matter from Right Brachial Artery, Bifurcation, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 03C74ZZ | Extirpation of Matter from Right Brachial Artery, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 03C80Z6 | Extirpation of Matter from Left Brachial Artery, Bifurcation, Open Approach | ICD-10-PCS Procedure |
| 03C80ZZ | Extirpation of Matter from Left Brachial Artery, Open Approach | ICD-10-PCS Procedure |
| 03C83Z6 | Extirpation of Matter from Left Brachial Artery, Bifurcation, Percutaneous Approach | ICD-10-PCS Procedure |
| 03C83ZZ | Extirpation of Matter from Left Brachial Artery, Percutaneous Approach | ICD-10-PCS Procedure |

List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|--|----------------------|
| 03C84Z6 | Extirpation of Matter from Left Brachial Artery, Bifurcation, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 03C84ZZ | Extirpation of Matter from Left Brachial Artery, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 03C90Z6 | Extirpation of Matter from Right Ulnar Artery, Bifurcation, Open Approach | ICD-10-PCS Procedure |
| 03C90ZZ | Extirpation of Matter from Right Ulnar Artery, Open Approach | ICD-10-PCS Procedure |
| 03C93Z6 | Extirpation of Matter from Right Ulnar Artery, Bifurcation, Percutaneous Approach | ICD-10-PCS Procedure |
| 03C93ZZ | Extirpation of Matter from Right Ulnar Artery, Percutaneous Approach | ICD-10-PCS Procedure |
| 03C94Z6 | Extirpation of Matter from Right Ulnar Artery, Bifurcation, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 03C94ZZ | Extirpation of Matter from Right Ulnar Artery, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 03CA0Z6 | Extirpation of Matter from Left Ulnar Artery, Bifurcation, Open Approach | ICD-10-PCS Procedure |
| 03CA0ZZ | Extirpation of Matter from Left Ulnar Artery, Open Approach | ICD-10-PCS Procedure |
| 03CA3Z6 | Extirpation of Matter from Left Ulnar Artery, Bifurcation, Percutaneous Approach | ICD-10-PCS Procedure |
| 03CA3ZZ | Extirpation of Matter from Left Ulnar Artery, Percutaneous Approach | ICD-10-PCS Procedure |
| 03CA4Z6 | Extirpation of Matter from Left Ulnar Artery, Bifurcation, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 03CA4ZZ | Extirpation of Matter from Left Ulnar Artery, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 03CB0Z6 | Extirpation of Matter from Right Radial Artery, Bifurcation, Open Approach | ICD-10-PCS Procedure |
| 03CB0ZZ | Extirpation of Matter from Right Radial Artery, Open Approach | ICD-10-PCS Procedure |
| 03CB3Z6 | Extirpation of Matter from Right Radial Artery, Bifurcation, Percutaneous Approach | ICD-10-PCS Procedure |
| 03CB3ZZ | Extirpation of Matter from Right Radial Artery, Percutaneous Approach | ICD-10-PCS Procedure |
| 03CB4Z6 | Extirpation of Matter from Right Radial Artery, Bifurcation, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 03CB4ZZ | Extirpation of Matter from Right Radial Artery, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 03CC0Z6 | Extirpation of Matter from Left Radial Artery, Bifurcation, Open Approach | ICD-10-PCS Procedure |
| 03CC0ZZ | Extirpation of Matter from Left Radial Artery, Open Approach | ICD-10-PCS Procedure |
| 03CC3Z6 | Extirpation of Matter from Left Radial Artery, Bifurcation, Percutaneous Approach | ICD-10-PCS Procedure |
| 03CC3ZZ | Extirpation of Matter from Left Radial Artery, Percutaneous Approach | ICD-10-PCS Procedure |
| 03CC4Z6 | Extirpation of Matter from Left Radial Artery, Bifurcation, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 03CC4ZZ | Extirpation of Matter from Left Radial Artery, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 03CD0Z6 | Extirpation of Matter from Right Hand Artery, Bifurcation, Open Approach | ICD-10-PCS Procedure |
| 03CD0ZZ | Extirpation of Matter from Right Hand Artery, Open Approach | ICD-10-PCS Procedure |

List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|---|----------------------|
| 03CD3Z6 | Extirpation of Matter from Right Hand Artery, Bifurcation, Percutaneous Approach | ICD-10-PCS Procedure |
| 03CD3ZZ | Extirpation of Matter from Right Hand Artery, Percutaneous Approach | ICD-10-PCS Procedure |
| 03CD4Z6 | Extirpation of Matter from Right Hand Artery, Bifurcation, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 03CD4ZZ | Extirpation of Matter from Right Hand Artery, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 03CF0Z6 | Extirpation of Matter from Left Hand Artery, Bifurcation, Open Approach | ICD-10-PCS Procedure |
| 03CF0ZZ | Extirpation of Matter from Left Hand Artery, Open Approach | ICD-10-PCS Procedure |
| 03CF3Z6 | Extirpation of Matter from Left Hand Artery, Bifurcation, Percutaneous Approach | ICD-10-PCS Procedure |
| 03CF3ZZ | Extirpation of Matter from Left Hand Artery, Percutaneous Approach | ICD-10-PCS Procedure |
| 03CF4Z6 | Extirpation of Matter from Left Hand Artery, Bifurcation, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 03CF4ZZ | Extirpation of Matter from Left Hand Artery, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 03CY0Z6 | Extirpation of Matter from Upper Artery, Bifurcation, Open Approach | ICD-10-PCS Procedure |
| 03CY0ZZ | Extirpation of Matter from Upper Artery, Open Approach | ICD-10-PCS Procedure |
| 03CY3Z6 | Extirpation of Matter from Upper Artery, Bifurcation, Percutaneous Approach | ICD-10-PCS Procedure |
| 03CY3ZZ | Extirpation of Matter from Upper Artery, Percutaneous Approach | ICD-10-PCS Procedure |
| 03CY4Z6 | Extirpation of Matter from Upper Artery, Bifurcation, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 03CY4ZZ | Extirpation of Matter from Upper Artery, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 04100A0 | Bypass Abdominal Aorta to Abdominal Aorta with Autologous Arterial Tissue, Open Approach | ICD-10-PCS Procedure |
| 04100A1 | Bypass Abdominal Aorta to Celiac Artery with Autologous Arterial Tissue, Open Approach | ICD-10-PCS Procedure |
| 04100A2 | Bypass Abdominal Aorta to Mesenteric Artery with Autologous Arterial Tissue, Open Approach | ICD-10-PCS Procedure |
| 04100J0 | Bypass Abdominal Aorta to Abdominal Aorta with Synthetic Substitute, Open Approach | ICD-10-PCS Procedure |
| 04100J1 | Bypass Abdominal Aorta to Celiac Artery with Synthetic Substitute, Open Approach | ICD-10-PCS Procedure |
| 04100J2 | Bypass Abdominal Aorta to Mesenteric Artery with Synthetic Substitute, Open Approach | ICD-10-PCS Procedure |
| 04100K0 | Bypass Abdominal Aorta to Abdominal Aorta with Nonautologous Tissue Substitute, Open Approach | ICD-10-PCS Procedure |
| 04100K1 | Bypass Abdominal Aorta to Celiac Artery with Nonautologous Tissue Substitute, Open Approach | ICD-10-PCS Procedure |
| 04100K2 | Bypass Abdominal Aorta to Mesenteric Artery with Nonautologous Tissue Substitute, Open Approach | ICD-10-PCS Procedure |

List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|--|----------------------|
| 04100Z0 | Bypass Abdominal Aorta to Abdominal Aorta, Open Approach | ICD-10-PCS Procedure |
| 04100Z1 | Bypass Abdominal Aorta to Celiac Artery, Open Approach | ICD-10-PCS Procedure |
| 04100Z2 | Bypass Abdominal Aorta to Mesenteric Artery, Open Approach | ICD-10-PCS Procedure |
| 04104A0 | Bypass Abdominal Aorta to Abdominal Aorta with Autologous Arterial Tissue, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 04104A1 | Bypass Abdominal Aorta to Celiac Artery with Autologous Arterial Tissue, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 04104A2 | Bypass Abdominal Aorta to Mesenteric Artery with Autologous Arterial Tissue, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 04104J0 | Bypass Abdominal Aorta to Abdominal Aorta with Synthetic Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 04104J1 | Bypass Abdominal Aorta to Celiac Artery with Synthetic Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 04104J2 | Bypass Abdominal Aorta to Mesenteric Artery with Synthetic Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 04104K0 | Bypass Abdominal Aorta to Abdominal Aorta with Nonautologous Tissue Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 04104K1 | Bypass Abdominal Aorta to Celiac Artery with Nonautologous Tissue Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 04104K2 | Bypass Abdominal Aorta to Mesenteric Artery with Nonautologous Tissue Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 04104Z0 | Bypass Abdominal Aorta to Abdominal Aorta, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 04104Z1 | Bypass Abdominal Aorta to Celiac Artery, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 04104Z2 | Bypass Abdominal Aorta to Mesenteric Artery, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 04140A3 | Bypass Splenic Artery to Right Renal Artery with Autologous Arterial Tissue, Open Approach | ICD-10-PCS Procedure |
| 04140A4 | Bypass Splenic Artery to Left Renal Artery with Autologous Arterial Tissue, Open Approach | ICD-10-PCS Procedure |
| 04140A5 | Bypass Splenic Artery to Bilateral Renal Artery with Autologous Arterial Tissue, Open Approach | ICD-10-PCS Procedure |
| 04140J3 | Bypass Splenic Artery to Right Renal Artery with Synthetic Substitute, Open Approach | ICD-10-PCS Procedure |
| 04140J4 | Bypass Splenic Artery to Left Renal Artery with Synthetic Substitute, Open Approach | ICD-10-PCS Procedure |
| 04140J5 | Bypass Splenic Artery to Bilateral Renal Artery with Synthetic Substitute, Open Approach | ICD-10-PCS Procedure |
| 04140K3 | Bypass Splenic Artery to Right Renal Artery with Nonautologous Tissue Substitute, Open Approach | ICD-10-PCS Procedure |
| 04140K4 | Bypass Splenic Artery to Left Renal Artery with Nonautologous Tissue Substitute, Open Approach | ICD-10-PCS Procedure |

List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|--|----------------------|
| 04140K5 | Bypass Splenic Artery to Bilateral Renal Artery with Nonautologous Tissue Substitute, Open Approach | ICD-10-PCS Procedure |
| 04140Z3 | Bypass Splenic Artery to Right Renal Artery, Open Approach | ICD-10-PCS Procedure |
| 04140Z4 | Bypass Splenic Artery to Left Renal Artery, Open Approach | ICD-10-PCS Procedure |
| 04140Z5 | Bypass Splenic Artery to Bilateral Renal Artery, Open Approach | ICD-10-PCS Procedure |
| 04144A3 | Bypass Splenic Artery to Right Renal Artery with Autologous Arterial Tissue, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 04144A4 | Bypass Splenic Artery to Left Renal Artery with Autologous Arterial Tissue, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 04144A5 | Bypass Splenic Artery to Bilateral Renal Artery with Autologous Arterial Tissue, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 04144J3 | Bypass Splenic Artery to Right Renal Artery with Synthetic Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 04144J4 | Bypass Splenic Artery to Left Renal Artery with Synthetic Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 04144J5 | Bypass Splenic Artery to Bilateral Renal Artery with Synthetic Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 04144K3 | Bypass Splenic Artery to Right Renal Artery with Nonautologous Tissue Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 04144K4 | Bypass Splenic Artery to Left Renal Artery with Nonautologous Tissue Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 04144K5 | Bypass Splenic Artery to Bilateral Renal Artery with Nonautologous Tissue Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 04144Z3 | Bypass Splenic Artery to Right Renal Artery, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 04144Z4 | Bypass Splenic Artery to Left Renal Artery, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 04144Z5 | Bypass Splenic Artery to Bilateral Renal Artery, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041C090 | Bypass Right Common Iliac Artery to Abdominal Aorta with Autologous Venous Tissue, Open Approach | ICD-10-PCS Procedure |
| 041C091 | Bypass Right Common Iliac Artery to Celiac Artery with Autologous Venous Tissue, Open Approach | ICD-10-PCS Procedure |
| 041C092 | Bypass Right Common Iliac Artery to Mesenteric Artery with Autologous Venous Tissue, Open Approach | ICD-10-PCS Procedure |
| 041C093 | Bypass Right Common Iliac Artery to Right Renal Artery with Autologous Venous Tissue, Open Approach | ICD-10-PCS Procedure |
| 041C094 | Bypass Right Common Iliac Artery to Left Renal Artery with Autologous Venous Tissue, Open Approach | ICD-10-PCS Procedure |
| 041C095 | Bypass Right Common Iliac Artery to Bilateral Renal Artery with Autologous Venous Tissue, Open Approach | ICD-10-PCS Procedure |
| 041C096 | Bypass Right Common Iliac Artery to Right Common Iliac Artery with Autologous Venous Tissue, Open Approach | ICD-10-PCS Procedure |

List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|--|----------------------|
| 041C097 | Bypass Right Common Iliac Artery to Left Common Iliac Artery with Autologous Venous Tissue, Open Approach | ICD-10-PCS Procedure |
| 041C098 | Bypass Right Common Iliac Artery to Bilateral Common Iliac Arteries with Autologous Venous Tissue, Open Approach | ICD-10-PCS Procedure |
| 041C099 | Bypass Right Common Iliac Artery to Right Internal Iliac Artery with Autologous Venous Tissue, Open Approach | ICD-10-PCS Procedure |
| 041C09B | Bypass Right Common Iliac Artery to Left Internal Iliac Artery with Autologous Venous Tissue, Open Approach | ICD-10-PCS Procedure |
| 041C09C | Bypass Right Common Iliac Artery to Bilateral Internal Iliac Arteries with Autologous Venous Tissue, Open Approach | ICD-10-PCS Procedure |
| 041C09D | Bypass Right Common Iliac Artery to Right External Iliac Artery with Autologous Venous Tissue, Open Approach | ICD-10-PCS Procedure |
| 041C09F | Bypass Right Common Iliac Artery to Left External Iliac Artery with Autologous Venous Tissue, Open Approach | ICD-10-PCS Procedure |
| 041C09G | Bypass Right Common Iliac Artery to Bilateral External Iliac Arteries with Autologous Venous Tissue, Open Approach | ICD-10-PCS Procedure |
| 041C09Q | Bypass Right Common Iliac Artery to Lower Extremity Artery with Autologous Venous Tissue, Open Approach | ICD-10-PCS Procedure |
| 041C09R | Bypass Right Common Iliac Artery to Lower Artery with Autologous Venous Tissue, Open Approach | ICD-10-PCS Procedure |
| 041C0A0 | Bypass Right Common Iliac Artery to Abdominal Aorta with Autologous Arterial Tissue, Open Approach | ICD-10-PCS Procedure |
| 041C0A1 | Bypass Right Common Iliac Artery to Celiac Artery with Autologous Arterial Tissue, Open Approach | ICD-10-PCS Procedure |
| 041C0A2 | Bypass Right Common Iliac Artery to Mesenteric Artery with Autologous Arterial Tissue, Open Approach | ICD-10-PCS Procedure |
| 041C0A3 | Bypass Right Common Iliac Artery to Right Renal Artery with Autologous Arterial Tissue, Open Approach | ICD-10-PCS Procedure |
| 041C0A4 | Bypass Right Common Iliac Artery to Left Renal Artery with Autologous Arterial Tissue, Open Approach | ICD-10-PCS Procedure |
| 041C0A5 | Bypass Right Common Iliac Artery to Bilateral Renal Artery with Autologous Arterial Tissue, Open Approach | ICD-10-PCS Procedure |
| 041C0A6 | Bypass Right Common Iliac Artery to Right Common Iliac Artery with Autologous Arterial Tissue, Open Approach | ICD-10-PCS Procedure |
| 041C0A7 | Bypass Right Common Iliac Artery to Left Common Iliac Artery with Autologous Arterial Tissue, Open Approach | ICD-10-PCS Procedure |
| 041C0A8 | Bypass Right Common Iliac Artery to Bilateral Common Iliac Arteries with Autologous Arterial Tissue, Open Approach | ICD-10-PCS Procedure |
| 041C0A9 | Bypass Right Common Iliac Artery to Right Internal Iliac Artery with Autologous Arterial Tissue, Open Approach | ICD-10-PCS Procedure |
| 041C0AB | Bypass Right Common Iliac Artery to Left Internal Iliac Artery with Autologous Arterial Tissue, Open Approach | ICD-10-PCS Procedure |

List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|--|----------------------|
| 041C0AC | Bypass Right Common Iliac Artery to Bilateral Internal Iliac Arteries with Autologous Arterial Tissue, Open Approach | ICD-10-PCS Procedure |
| 041C0AD | Bypass Right Common Iliac Artery to Right External Iliac Artery with Autologous Arterial Tissue, Open Approach | ICD-10-PCS Procedure |
| 041C0AF | Bypass Right Common Iliac Artery to Left External Iliac Artery with Autologous Arterial Tissue, Open Approach | ICD-10-PCS Procedure |
| 041C0AG | Bypass Right Common Iliac Artery to Bilateral External Iliac Arteries with Autologous Arterial Tissue, Open Approach | ICD-10-PCS Procedure |
| 041C0AQ | Bypass Right Common Iliac Artery to Lower Extremity Artery with Autologous Arterial Tissue, Open Approach | ICD-10-PCS Procedure |
| 041C0AR | Bypass Right Common Iliac Artery to Lower Artery with Autologous Arterial Tissue, Open Approach | ICD-10-PCS Procedure |
| 041C0J0 | Bypass Right Common Iliac Artery to Abdominal Aorta with Synthetic Substitute, Open Approach | ICD-10-PCS Procedure |
| 041C0J1 | Bypass Right Common Iliac Artery to Celiac Artery with Synthetic Substitute, Open Approach | ICD-10-PCS Procedure |
| 041C0J2 | Bypass Right Common Iliac Artery to Mesenteric Artery with Synthetic Substitute, Open Approach | ICD-10-PCS Procedure |
| 041C0J3 | Bypass Right Common Iliac Artery to Right Renal Artery with Synthetic Substitute, Open Approach | ICD-10-PCS Procedure |
| 041C0J4 | Bypass Right Common Iliac Artery to Left Renal Artery with Synthetic Substitute, Open Approach | ICD-10-PCS Procedure |
| 041C0J5 | Bypass Right Common Iliac Artery to Bilateral Renal Artery with Synthetic Substitute, Open Approach | ICD-10-PCS Procedure |
| 041C0J6 | Bypass Right Common Iliac Artery to Right Common Iliac Artery with Synthetic Substitute, Open Approach | ICD-10-PCS Procedure |
| 041C0J7 | Bypass Right Common Iliac Artery to Left Common Iliac Artery with Synthetic Substitute, Open Approach | ICD-10-PCS Procedure |
| 041C0J8 | Bypass Right Common Iliac Artery to Bilateral Common Iliac Arteries with Synthetic Substitute, Open Approach | ICD-10-PCS Procedure |
| 041C0J9 | Bypass Right Common Iliac Artery to Right Internal Iliac Artery with Synthetic Substitute, Open Approach | ICD-10-PCS Procedure |
| 041C0JB | Bypass Right Common Iliac Artery to Left Internal Iliac Artery with Synthetic Substitute, Open Approach | ICD-10-PCS Procedure |
| 041C0JC | Bypass Right Common Iliac Artery to Bilateral Internal Iliac Arteries with Synthetic Substitute, Open Approach | ICD-10-PCS Procedure |
| 041C0JD | Bypass Right Common Iliac Artery to Right External Iliac Artery with Synthetic Substitute, Open Approach | ICD-10-PCS Procedure |
| 041C0JF | Bypass Right Common Iliac Artery to Left External Iliac Artery with Synthetic Substitute, Open Approach | ICD-10-PCS Procedure |
| 041C0JG | Bypass Right Common Iliac Artery to Bilateral External Iliac Arteries with Synthetic Substitute, Open Approach | ICD-10-PCS Procedure |

List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|---|----------------------|
| 041C0JQ | Bypass Right Common Iliac Artery to Lower Extremity Artery with Synthetic Substitute, Open Approach | ICD-10-PCS Procedure |
| 041C0JR | Bypass Right Common Iliac Artery to Lower Artery with Synthetic Substitute, Open Approach | ICD-10-PCS Procedure |
| 041C0K0 | Bypass Right Common Iliac Artery to Abdominal Aorta with Nonautologous Tissue Substitute, Open Approach | ICD-10-PCS Procedure |
| 041C0K1 | Bypass Right Common Iliac Artery to Celiac Artery with Nonautologous Tissue Substitute, Open Approach | ICD-10-PCS Procedure |
| 041C0K2 | Bypass Right Common Iliac Artery to Mesenteric Artery with Nonautologous Tissue Substitute, Open Approach | ICD-10-PCS Procedure |
| 041C0K3 | Bypass Right Common Iliac Artery to Right Renal Artery with Nonautologous Tissue Substitute, Open Approach | ICD-10-PCS Procedure |
| 041C0K4 | Bypass Right Common Iliac Artery to Left Renal Artery with Nonautologous Tissue Substitute, Open Approach | ICD-10-PCS Procedure |
| 041C0K5 | Bypass Right Common Iliac Artery to Bilateral Renal Artery with Nonautologous Tissue Substitute, Open Approach | ICD-10-PCS Procedure |
| 041C0K6 | Bypass Right Common Iliac Artery to Right Common Iliac Artery with Nonautologous Tissue Substitute, Open Approach | ICD-10-PCS Procedure |
| 041C0K7 | Bypass Right Common Iliac Artery to Left Common Iliac Artery with Nonautologous Tissue Substitute, Open Approach | ICD-10-PCS Procedure |
| 041C0K8 | Bypass Right Common Iliac Artery to Bilateral Common Iliac Arteries with Nonautologous Tissue Substitute, Open Approach | ICD-10-PCS Procedure |
| 041C0K9 | Bypass Right Common Iliac Artery to Right Internal Iliac Artery with Nonautologous Tissue Substitute, Open Approach | ICD-10-PCS Procedure |
| 041C0KB | Bypass Right Common Iliac Artery to Left Internal Iliac Artery with Nonautologous Tissue Substitute, Open Approach | ICD-10-PCS Procedure |
| 041C0KC | Bypass Right Common Iliac Artery to Bilateral Internal Iliac Arteries with Nonautologous Tissue Substitute, Open Approach | ICD-10-PCS Procedure |
| 041C0KD | Bypass Right Common Iliac Artery to Right External Iliac Artery with Nonautologous Tissue Substitute, Open Approach | ICD-10-PCS Procedure |
| 041C0KF | Bypass Right Common Iliac Artery to Left External Iliac Artery with Nonautologous Tissue Substitute, Open Approach | ICD-10-PCS Procedure |
| 041C0KG | Bypass Right Common Iliac Artery to Bilateral External Iliac Arteries with Nonautologous Tissue Substitute, Open Approach | ICD-10-PCS Procedure |
| 041C0KQ | Bypass Right Common Iliac Artery to Lower Extremity Artery with Nonautologous Tissue Substitute, Open Approach | ICD-10-PCS Procedure |
| 041C0KR | Bypass Right Common Iliac Artery to Lower Artery with Nonautologous Tissue Substitute, Open Approach | ICD-10-PCS Procedure |
| 041C0Z0 | Bypass Right Common Iliac Artery to Abdominal Aorta, Open Approach | ICD-10-PCS Procedure |
| 041C0Z1 | Bypass Right Common Iliac Artery to Celiac Artery, Open Approach | ICD-10-PCS Procedure |
| 041C0Z2 | Bypass Right Common Iliac Artery to Mesenteric Artery, Open Approach | ICD-10-PCS Procedure |
| 041C0Z3 | Bypass Right Common Iliac Artery to Right Renal Artery, Open Approach | ICD-10-PCS Procedure |

List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|---|----------------------|
| 041C0Z4 | Bypass Right Common Iliac Artery to Left Renal Artery, Open Approach | ICD-10-PCS Procedure |
| 041C0Z5 | Bypass Right Common Iliac Artery to Bilateral Renal Artery, Open Approach | ICD-10-PCS Procedure |
| 041C0Z6 | Bypass Right Common Iliac Artery to Right Common Iliac Artery, Open Approach | ICD-10-PCS Procedure |
| 041C0Z7 | Bypass Right Common Iliac Artery to Left Common Iliac Artery, Open Approach | ICD-10-PCS Procedure |
| 041C0Z8 | Bypass Right Common Iliac Artery to Bilateral Common Iliac Arteries, Open Approach | ICD-10-PCS Procedure |
| 041C0Z9 | Bypass Right Common Iliac Artery to Right Internal Iliac Artery, Open Approach | ICD-10-PCS Procedure |
| 041C0ZB | Bypass Right Common Iliac Artery to Left Internal Iliac Artery, Open Approach | ICD-10-PCS Procedure |
| 041C0ZC | Bypass Right Common Iliac Artery to Bilateral Internal Iliac Arteries, Open Approach | ICD-10-PCS Procedure |
| 041C0ZD | Bypass Right Common Iliac Artery to Right External Iliac Artery, Open Approach | ICD-10-PCS Procedure |
| 041C0ZF | Bypass Right Common Iliac Artery to Left External Iliac Artery, Open Approach | ICD-10-PCS Procedure |
| 041C0ZG | Bypass Right Common Iliac Artery to Bilateral External Iliac Arteries, Open Approach | ICD-10-PCS Procedure |
| 041C0ZQ | Bypass Right Common Iliac Artery to Lower Extremity Artery, Open Approach | ICD-10-PCS Procedure |
| 041C0ZR | Bypass Right Common Iliac Artery to Lower Artery, Open Approach | ICD-10-PCS Procedure |
| 041C490 | Bypass Right Common Iliac Artery to Abdominal Aorta with Autologous Venous Tissue, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041C491 | Bypass Right Common Iliac Artery to Celiac Artery with Autologous Venous Tissue, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041C492 | Bypass Right Common Iliac Artery to Mesenteric Artery with Autologous Venous Tissue, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041C493 | Bypass Right Common Iliac Artery to Right Renal Artery with Autologous Venous Tissue, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041C494 | Bypass Right Common Iliac Artery to Left Renal Artery with Autologous Venous Tissue, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041C495 | Bypass Right Common Iliac Artery to Bilateral Renal Artery with Autologous Venous Tissue, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041C496 | Bypass Right Common Iliac Artery to Right Common Iliac Artery with Autologous Venous Tissue, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041C497 | Bypass Right Common Iliac Artery to Left Common Iliac Artery with Autologous Venous Tissue, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041C498 | Bypass Right Common Iliac Artery to Bilateral Common Iliac Arteries with Autologous Venous Tissue, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041C499 | Bypass Right Common Iliac Artery to Right Internal Iliac Artery with Autologous Venous Tissue, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041C49B | Bypass Right Common Iliac Artery to Left Internal Iliac Artery with Autologous Venous Tissue, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041C49C | Bypass Right Common Iliac Artery to Bilateral Internal Iliac Arteries with Autologous Venous Tissue, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |

List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|---|----------------------|
| 041C49D | Bypass Right Common Iliac Artery to Right External Iliac Artery with Autologous Venous Tissue, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041C49F | Bypass Right Common Iliac Artery to Left External Iliac Artery with Autologous Venous Tissue, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041C49G | Bypass Right Common Iliac Artery to Bilateral External Iliac Arteries with Autologous Venous Tissue, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041C49Q | Bypass Right Common Iliac Artery to Lower Extremity Artery with Autologous Venous Tissue, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041C49R | Bypass Right Common Iliac Artery to Lower Artery with Autologous Venous Tissue, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041C4A0 | Bypass Right Common Iliac Artery to Abdominal Aorta with Autologous Arterial Tissue, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041C4A1 | Bypass Right Common Iliac Artery to Celiac Artery with Autologous Arterial Tissue, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041C4A2 | Bypass Right Common Iliac Artery to Mesenteric Artery with Autologous Arterial Tissue, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041C4A3 | Bypass Right Common Iliac Artery to Right Renal Artery with Autologous Arterial Tissue, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041C4A4 | Bypass Right Common Iliac Artery to Left Renal Artery with Autologous Arterial Tissue, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041C4A5 | Bypass Right Common Iliac Artery to Bilateral Renal Artery with Autologous Arterial Tissue, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041C4A6 | Bypass Right Common Iliac Artery to Right Common Iliac Artery with Autologous Arterial Tissue, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041C4A7 | Bypass Right Common Iliac Artery to Left Common Iliac Artery with Autologous Arterial Tissue, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041C4A8 | Bypass Right Common Iliac Artery to Bilateral Common Iliac Arteries with Autologous Arterial Tissue, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041C4A9 | Bypass Right Common Iliac Artery to Right Internal Iliac Artery with Autologous Arterial Tissue, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041C4AB | Bypass Right Common Iliac Artery to Left Internal Iliac Artery with Autologous Arterial Tissue, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041C4AC | Bypass Right Common Iliac Artery to Bilateral Internal Iliac Arteries with Autologous Arterial Tissue, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041C4AD | Bypass Right Common Iliac Artery to Right External Iliac Artery with Autologous Arterial Tissue, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041C4AF | Bypass Right Common Iliac Artery to Left External Iliac Artery with Autologous Arterial Tissue, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041C4AG | Bypass Right Common Iliac Artery to Bilateral External Iliac Arteries with Autologous Arterial Tissue, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041C4AQ | Bypass Right Common Iliac Artery to Lower Extremity Artery with Autologous Arterial Tissue, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |

List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|---|----------------------|
| 041C4AR | Bypass Right Common Iliac Artery to Lower Artery with Autologous Arterial Tissue, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041C4J0 | Bypass Right Common Iliac Artery to Abdominal Aorta with Synthetic Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041C4J1 | Bypass Right Common Iliac Artery to Celiac Artery with Synthetic Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041C4J2 | Bypass Right Common Iliac Artery to Mesenteric Artery with Synthetic Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041C4J3 | Bypass Right Common Iliac Artery to Right Renal Artery with Synthetic Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041C4J4 | Bypass Right Common Iliac Artery to Left Renal Artery with Synthetic Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041C4J5 | Bypass Right Common Iliac Artery to Bilateral Renal Artery with Synthetic Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041C4J6 | Bypass Right Common Iliac Artery to Right Common Iliac Artery with Synthetic Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041C4J7 | Bypass Right Common Iliac Artery to Left Common Iliac Artery with Synthetic Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041C4J8 | Bypass Right Common Iliac Artery to Bilateral Common Iliac Arteries with Synthetic Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041C4J9 | Bypass Right Common Iliac Artery to Right Internal Iliac Artery with Synthetic Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041C4JB | Bypass Right Common Iliac Artery to Left Internal Iliac Artery with Synthetic Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041C4JC | Bypass Right Common Iliac Artery to Bilateral Internal Iliac Arteries with Synthetic Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041C4JD | Bypass Right Common Iliac Artery to Right External Iliac Artery with Synthetic Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041C4JF | Bypass Right Common Iliac Artery to Left External Iliac Artery with Synthetic Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041C4JG | Bypass Right Common Iliac Artery to Bilateral External Iliac Arteries with Synthetic Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041C4JQ | Bypass Right Common Iliac Artery to Lower Extremity Artery with Synthetic Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041C4JR | Bypass Right Common Iliac Artery to Lower Artery with Synthetic Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041C4K0 | Bypass Right Common Iliac Artery to Abdominal Aorta with Nonautologous Tissue Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041C4K1 | Bypass Right Common Iliac Artery to Celiac Artery with Nonautologous Tissue Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041C4K2 | Bypass Right Common Iliac Artery to Mesenteric Artery with Nonautologous Tissue Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |

List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|--|----------------------|
| 041C4K3 | Bypass Right Common Iliac Artery to Right Renal Artery with Nonautologous Tissue Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041C4K4 | Bypass Right Common Iliac Artery to Left Renal Artery with Nonautologous Tissue Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041C4K5 | Bypass Right Common Iliac Artery to Bilateral Renal Artery with Nonautologous Tissue Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041C4K6 | Bypass Right Common Iliac Artery to Right Common Iliac Artery with Nonautologous Tissue Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041C4K7 | Bypass Right Common Iliac Artery to Left Common Iliac Artery with Nonautologous Tissue Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041C4K8 | Bypass Right Common Iliac Artery to Bilateral Common Iliac Arteries with Nonautologous Tissue Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041C4K9 | Bypass Right Common Iliac Artery to Right Internal Iliac Artery with Nonautologous Tissue Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041C4KB | Bypass Right Common Iliac Artery to Left Internal Iliac Artery with Nonautologous Tissue Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041C4KC | Bypass Right Common Iliac Artery to Bilateral Internal Iliac Arteries with Nonautologous Tissue Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041C4KD | Bypass Right Common Iliac Artery to Right External Iliac Artery with Nonautologous Tissue Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041C4KF | Bypass Right Common Iliac Artery to Left External Iliac Artery with Nonautologous Tissue Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041C4KG | Bypass Right Common Iliac Artery to Bilateral External Iliac Arteries with Nonautologous Tissue Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041C4KQ | Bypass Right Common Iliac Artery to Lower Extremity Artery with Nonautologous Tissue Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041C4KR | Bypass Right Common Iliac Artery to Lower Artery with Nonautologous Tissue Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041C4Z0 | Bypass Right Common Iliac Artery to Abdominal Aorta, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041C4Z1 | Bypass Right Common Iliac Artery to Celiac Artery, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041C4Z2 | Bypass Right Common Iliac Artery to Mesenteric Artery, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041C4Z3 | Bypass Right Common Iliac Artery to Right Renal Artery, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041C4Z4 | Bypass Right Common Iliac Artery to Left Renal Artery, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041C4Z5 | Bypass Right Common Iliac Artery to Bilateral Renal Artery, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041C4Z6 | Bypass Right Common Iliac Artery to Right Common Iliac Artery, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |

List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|---|----------------------|
| 041C4Z7 | Bypass Right Common Iliac Artery to Left Common Iliac Artery, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041C4Z8 | Bypass Right Common Iliac Artery to Bilateral Common Iliac Arteries, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041C4Z9 | Bypass Right Common Iliac Artery to Right Internal Iliac Artery, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041C4ZB | Bypass Right Common Iliac Artery to Left Internal Iliac Artery, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041C4ZC | Bypass Right Common Iliac Artery to Bilateral Internal Iliac Arteries, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041C4ZD | Bypass Right Common Iliac Artery to Right External Iliac Artery, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041C4ZF | Bypass Right Common Iliac Artery to Left External Iliac Artery, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041C4ZG | Bypass Right Common Iliac Artery to Bilateral External Iliac Arteries, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041C4ZQ | Bypass Right Common Iliac Artery to Lower Extremity Artery, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041C4ZR | Bypass Right Common Iliac Artery to Lower Artery, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041D090 | Bypass Left Common Iliac Artery to Abdominal Aorta with Autologous Venous Tissue, Open Approach | ICD-10-PCS Procedure |
| 041D091 | Bypass Left Common Iliac Artery to Celiac Artery with Autologous Venous Tissue, Open Approach | ICD-10-PCS Procedure |
| 041D092 | Bypass Left Common Iliac Artery to Mesenteric Artery with Autologous Venous Tissue, Open Approach | ICD-10-PCS Procedure |
| 041D093 | Bypass Left Common Iliac Artery to Right Renal Artery with Autologous Venous Tissue, Open Approach | ICD-10-PCS Procedure |
| 041D094 | Bypass Left Common Iliac Artery to Left Renal Artery with Autologous Venous Tissue, Open Approach | ICD-10-PCS Procedure |
| 041D095 | Bypass Left Common Iliac Artery to Bilateral Renal Artery with Autologous Venous Tissue, Open Approach | ICD-10-PCS Procedure |
| 041D096 | Bypass Left Common Iliac Artery to Right Common Iliac Artery with Autologous Venous Tissue, Open Approach | ICD-10-PCS Procedure |
| 041D097 | Bypass Left Common Iliac Artery to Left Common Iliac Artery with Autologous Venous Tissue, Open Approach | ICD-10-PCS Procedure |
| 041D098 | Bypass Left Common Iliac Artery to Bilateral Common Iliac Arteries with Autologous Venous Tissue, Open Approach | ICD-10-PCS Procedure |
| 041D099 | Bypass Left Common Iliac Artery to Right Internal Iliac Artery with Autologous Venous Tissue, Open Approach | ICD-10-PCS Procedure |
| 041D09B | Bypass Left Common Iliac Artery to Left Internal Iliac Artery with Autologous Venous Tissue, Open Approach | ICD-10-PCS Procedure |

List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|---|----------------------|
| 041D09C | Bypass Left Common Iliac Artery to Bilateral Internal Iliac Arteries with Autologous Venous Tissue, Open Approach | ICD-10-PCS Procedure |
| 041D09D | Bypass Left Common Iliac Artery to Right External Iliac Artery with Autologous Venous Tissue, Open Approach | ICD-10-PCS Procedure |
| 041D09F | Bypass Left Common Iliac Artery to Left External Iliac Artery with Autologous Venous Tissue, Open Approach | ICD-10-PCS Procedure |
| 041D09G | Bypass Left Common Iliac Artery to Bilateral External Iliac Arteries with Autologous Venous Tissue, Open Approach | ICD-10-PCS Procedure |
| 041D09Q | Bypass Left Common Iliac Artery to Lower Extremity Artery with Autologous Venous Tissue, Open Approach | ICD-10-PCS Procedure |
| 041D09R | Bypass Left Common Iliac Artery to Lower Artery with Autologous Venous Tissue, Open Approach | ICD-10-PCS Procedure |
| 041D0A0 | Bypass Left Common Iliac Artery to Abdominal Aorta with Autologous Arterial Tissue, Open Approach | ICD-10-PCS Procedure |
| 041D0A1 | Bypass Left Common Iliac Artery to Celiac Artery with Autologous Arterial Tissue, Open Approach | ICD-10-PCS Procedure |
| 041D0A2 | Bypass Left Common Iliac Artery to Mesenteric Artery with Autologous Arterial Tissue, Open Approach | ICD-10-PCS Procedure |
| 041D0A3 | Bypass Left Common Iliac Artery to Right Renal Artery with Autologous Arterial Tissue, Open Approach | ICD-10-PCS Procedure |
| 041D0A4 | Bypass Left Common Iliac Artery to Left Renal Artery with Autologous Arterial Tissue, Open Approach | ICD-10-PCS Procedure |
| 041D0A5 | Bypass Left Common Iliac Artery to Bilateral Renal Artery with Autologous Arterial Tissue, Open Approach | ICD-10-PCS Procedure |
| 041D0A6 | Bypass Left Common Iliac Artery to Right Common Iliac Artery with Autologous Arterial Tissue, Open Approach | ICD-10-PCS Procedure |
| 041D0A7 | Bypass Left Common Iliac Artery to Left Common Iliac Artery with Autologous Arterial Tissue, Open Approach | ICD-10-PCS Procedure |
| 041D0A8 | Bypass Left Common Iliac Artery to Bilateral Common Iliac Arteries with Autologous Arterial Tissue, Open Approach | ICD-10-PCS Procedure |
| 041D0A9 | Bypass Left Common Iliac Artery to Right Internal Iliac Artery with Autologous Arterial Tissue, Open Approach | ICD-10-PCS Procedure |
| 041D0AB | Bypass Left Common Iliac Artery to Left Internal Iliac Artery with Autologous Arterial Tissue, Open Approach | ICD-10-PCS Procedure |
| 041D0AC | Bypass Left Common Iliac Artery to Bilateral Internal Iliac Arteries with Autologous Arterial Tissue, Open Approach | ICD-10-PCS Procedure |
| 041D0AD | Bypass Left Common Iliac Artery to Right External Iliac Artery with Autologous Arterial Tissue, Open Approach | ICD-10-PCS Procedure |
| 041D0AF | Bypass Left Common Iliac Artery to Left External Iliac Artery with Autologous Arterial Tissue, Open Approach | ICD-10-PCS Procedure |
| 041D0AG | Bypass Left Common Iliac Artery to Bilateral External Iliac Arteries with Autologous Arterial Tissue, Open Approach | ICD-10-PCS Procedure |

List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|---|----------------------|
| 041D0AQ | Bypass Left Common Iliac Artery to Lower Extremity Artery with Autologous Arterial Tissue, Open Approach | ICD-10-PCS Procedure |
| 041D0AR | Bypass Left Common Iliac Artery to Lower Artery with Autologous Arterial Tissue, Open Approach | ICD-10-PCS Procedure |
| 041D0J0 | Bypass Left Common Iliac Artery to Abdominal Aorta with Synthetic Substitute, Open Approach | ICD-10-PCS Procedure |
| 041D0J1 | Bypass Left Common Iliac Artery to Celiac Artery with Synthetic Substitute, Open Approach | ICD-10-PCS Procedure |
| 041D0J2 | Bypass Left Common Iliac Artery to Mesenteric Artery with Synthetic Substitute, Open Approach | ICD-10-PCS Procedure |
| 041D0J3 | Bypass Left Common Iliac Artery to Right Renal Artery with Synthetic Substitute, Open Approach | ICD-10-PCS Procedure |
| 041D0J4 | Bypass Left Common Iliac Artery to Left Renal Artery with Synthetic Substitute, Open Approach | ICD-10-PCS Procedure |
| 041D0J5 | Bypass Left Common Iliac Artery to Bilateral Renal Artery with Synthetic Substitute, Open Approach | ICD-10-PCS Procedure |
| 041D0J6 | Bypass Left Common Iliac Artery to Right Common Iliac Artery with Synthetic Substitute, Open Approach | ICD-10-PCS Procedure |
| 041D0J7 | Bypass Left Common Iliac Artery to Left Common Iliac Artery with Synthetic Substitute, Open Approach | ICD-10-PCS Procedure |
| 041D0J8 | Bypass Left Common Iliac Artery to Bilateral Common Iliac Arteries with Synthetic Substitute, Open Approach | ICD-10-PCS Procedure |
| 041D0J9 | Bypass Left Common Iliac Artery to Right Internal Iliac Artery with Synthetic Substitute, Open Approach | ICD-10-PCS Procedure |
| 041D0JB | Bypass Left Common Iliac Artery to Left Internal Iliac Artery with Synthetic Substitute, Open Approach | ICD-10-PCS Procedure |
| 041D0JC | Bypass Left Common Iliac Artery to Bilateral Internal Iliac Arteries with Synthetic Substitute, Open Approach | ICD-10-PCS Procedure |
| 041D0JD | Bypass Left Common Iliac Artery to Right External Iliac Artery with Synthetic Substitute, Open Approach | ICD-10-PCS Procedure |
| 041D0JF | Bypass Left Common Iliac Artery to Left External Iliac Artery with Synthetic Substitute, Open Approach | ICD-10-PCS Procedure |
| 041D0JG | Bypass Left Common Iliac Artery to Bilateral External Iliac Arteries with Synthetic Substitute, Open Approach | ICD-10-PCS Procedure |
| 041D0JQ | Bypass Left Common Iliac Artery to Lower Extremity Artery with Synthetic Substitute, Open Approach | ICD-10-PCS Procedure |
| 041D0JR | Bypass Left Common Iliac Artery to Lower Artery with Synthetic Substitute, Open Approach | ICD-10-PCS Procedure |
| 041D0K0 | Bypass Left Common Iliac Artery to Abdominal Aorta with Nonautologous Tissue Substitute, Open Approach | ICD-10-PCS Procedure |
| 041D0K1 | Bypass Left Common Iliac Artery to Celiac Artery with Nonautologous Tissue Substitute, Open Approach | ICD-10-PCS Procedure |

List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|--|----------------------|
| 041D0K2 | Bypass Left Common Iliac Artery to Mesenteric Artery with Nonautologous Tissue Substitute, Open Approach | ICD-10-PCS Procedure |
| 041D0K3 | Bypass Left Common Iliac Artery to Right Renal Artery with Nonautologous Tissue Substitute, Open Approach | ICD-10-PCS Procedure |
| 041D0K4 | Bypass Left Common Iliac Artery to Left Renal Artery with Nonautologous Tissue Substitute, Open Approach | ICD-10-PCS Procedure |
| 041D0K5 | Bypass Left Common Iliac Artery to Bilateral Renal Artery with Nonautologous Tissue Substitute, Open Approach | ICD-10-PCS Procedure |
| 041D0K6 | Bypass Left Common Iliac Artery to Right Common Iliac Artery with Nonautologous Tissue Substitute, Open Approach | ICD-10-PCS Procedure |
| 041D0K7 | Bypass Left Common Iliac Artery to Left Common Iliac Artery with Nonautologous Tissue Substitute, Open Approach | ICD-10-PCS Procedure |
| 041D0K8 | Bypass Left Common Iliac Artery to Bilateral Common Iliac Arteries with Nonautologous Tissue Substitute, Open Approach | ICD-10-PCS Procedure |
| 041D0K9 | Bypass Left Common Iliac Artery to Right Internal Iliac Artery with Nonautologous Tissue Substitute, Open Approach | ICD-10-PCS Procedure |
| 041D0KB | Bypass Left Common Iliac Artery to Left Internal Iliac Artery with Nonautologous Tissue Substitute, Open Approach | ICD-10-PCS Procedure |
| 041D0KC | Bypass Left Common Iliac Artery to Bilateral Internal Iliac Arteries with Nonautologous Tissue Substitute, Open Approach | ICD-10-PCS Procedure |
| 041D0KD | Bypass Left Common Iliac Artery to Right External Iliac Artery with Nonautologous Tissue Substitute, Open Approach | ICD-10-PCS Procedure |
| 041D0KF | Bypass Left Common Iliac Artery to Left External Iliac Artery with Nonautologous Tissue Substitute, Open Approach | ICD-10-PCS Procedure |
| 041D0KG | Bypass Left Common Iliac Artery to Bilateral External Iliac Arteries with Nonautologous Tissue Substitute, Open Approach | ICD-10-PCS Procedure |
| 041D0KQ | Bypass Left Common Iliac Artery to Lower Extremity Artery with Nonautologous Tissue Substitute, Open Approach | ICD-10-PCS Procedure |
| 041D0KR | Bypass Left Common Iliac Artery to Lower Artery with Nonautologous Tissue Substitute, Open Approach | ICD-10-PCS Procedure |
| 041D0Z0 | Bypass Left Common Iliac Artery to Abdominal Aorta, Open Approach | ICD-10-PCS Procedure |
| 041D0Z1 | Bypass Left Common Iliac Artery to Celiac Artery, Open Approach | ICD-10-PCS Procedure |
| 041D0Z2 | Bypass Left Common Iliac Artery to Mesenteric Artery, Open Approach | ICD-10-PCS Procedure |
| 041D0Z3 | Bypass Left Common Iliac Artery to Right Renal Artery, Open Approach | ICD-10-PCS Procedure |
| 041D0Z4 | Bypass Left Common Iliac Artery to Left Renal Artery, Open Approach | ICD-10-PCS Procedure |
| 041D0Z5 | Bypass Left Common Iliac Artery to Bilateral Renal Artery, Open Approach | ICD-10-PCS Procedure |
| 041D0Z6 | Bypass Left Common Iliac Artery to Right Common Iliac Artery, Open Approach | ICD-10-PCS Procedure |
| 041D0Z7 | Bypass Left Common Iliac Artery to Left Common Iliac Artery, Open Approach | ICD-10-PCS Procedure |
| 041D0Z8 | Bypass Left Common Iliac Artery to Bilateral Common Iliac Arteries, Open Approach | ICD-10-PCS Procedure |
| 041D0Z9 | Bypass Left Common Iliac Artery to Right Internal Iliac Artery, Open Approach | ICD-10-PCS Procedure |
| 041D0ZB | Bypass Left Common Iliac Artery to Left Internal Iliac Artery, Open Approach | ICD-10-PCS Procedure |

List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|--|----------------------|
| 041D0ZC | Bypass Left Common Iliac Artery to Bilateral Internal Iliac Arteries, Open Approach | ICD-10-PCS Procedure |
| 041D0ZD | Bypass Left Common Iliac Artery to Right External Iliac Artery, Open Approach | ICD-10-PCS Procedure |
| 041D0ZF | Bypass Left Common Iliac Artery to Left External Iliac Artery, Open Approach | ICD-10-PCS Procedure |
| 041D0ZG | Bypass Left Common Iliac Artery to Bilateral External Iliac Arteries, Open Approach | ICD-10-PCS Procedure |
| 041D0ZQ | Bypass Left Common Iliac Artery to Lower Extremity Artery, Open Approach | ICD-10-PCS Procedure |
| 041D0ZR | Bypass Left Common Iliac Artery to Lower Artery, Open Approach | ICD-10-PCS Procedure |
| 041D490 | Bypass Left Common Iliac Artery to Abdominal Aorta with Autologous Venous Tissue, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041D491 | Bypass Left Common Iliac Artery to Celiac Artery with Autologous Venous Tissue, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041D492 | Bypass Left Common Iliac Artery to Mesenteric Artery with Autologous Venous Tissue, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041D493 | Bypass Left Common Iliac Artery to Right Renal Artery with Autologous Venous Tissue, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041D494 | Bypass Left Common Iliac Artery to Left Renal Artery with Autologous Venous Tissue, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041D495 | Bypass Left Common Iliac Artery to Bilateral Renal Artery with Autologous Venous Tissue, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041D496 | Bypass Left Common Iliac Artery to Right Common Iliac Artery with Autologous Venous Tissue, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041D497 | Bypass Left Common Iliac Artery to Left Common Iliac Artery with Autologous Venous Tissue, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041D498 | Bypass Left Common Iliac Artery to Bilateral Common Iliac Arteries with Autologous Venous Tissue, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041D499 | Bypass Left Common Iliac Artery to Right Internal Iliac Artery with Autologous Venous Tissue, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041D49B | Bypass Left Common Iliac Artery to Left Internal Iliac Artery with Autologous Venous Tissue, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041D49C | Bypass Left Common Iliac Artery to Bilateral Internal Iliac Arteries with Autologous Venous Tissue, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041D49D | Bypass Left Common Iliac Artery to Right External Iliac Artery with Autologous Venous Tissue, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041D49F | Bypass Left Common Iliac Artery to Left External Iliac Artery with Autologous Venous Tissue, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041D49G | Bypass Left Common Iliac Artery to Bilateral External Iliac Arteries with Autologous Venous Tissue, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041D49Q | Bypass Left Common Iliac Artery to Lower Extremity Artery with Autologous Venous Tissue, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041D49R | Bypass Left Common Iliac Artery to Lower Artery with Autologous Venous Tissue, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |

List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|--|----------------------|
| 041D4A0 | Bypass Left Common Iliac Artery to Abdominal Aorta with Autologous Arterial Tissue, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041D4A1 | Bypass Left Common Iliac Artery to Celiac Artery with Autologous Arterial Tissue, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041D4A2 | Bypass Left Common Iliac Artery to Mesenteric Artery with Autologous Arterial Tissue, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041D4A3 | Bypass Left Common Iliac Artery to Right Renal Artery with Autologous Arterial Tissue, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041D4A4 | Bypass Left Common Iliac Artery to Left Renal Artery with Autologous Arterial Tissue, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041D4A5 | Bypass Left Common Iliac Artery to Bilateral Renal Artery with Autologous Arterial Tissue, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041D4A6 | Bypass Left Common Iliac Artery to Right Common Iliac Artery with Autologous Arterial Tissue, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041D4A7 | Bypass Left Common Iliac Artery to Left Common Iliac Artery with Autologous Arterial Tissue, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041D4A8 | Bypass Left Common Iliac Artery to Bilateral Common Iliac Arteries with Autologous Arterial Tissue, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041D4A9 | Bypass Left Common Iliac Artery to Right Internal Iliac Artery with Autologous Arterial Tissue, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041D4AB | Bypass Left Common Iliac Artery to Left Internal Iliac Artery with Autologous Arterial Tissue, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041D4AC | Bypass Left Common Iliac Artery to Bilateral Internal Iliac Arteries with Autologous Arterial Tissue, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041D4AD | Bypass Left Common Iliac Artery to Right External Iliac Artery with Autologous Arterial Tissue, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041D4AF | Bypass Left Common Iliac Artery to Left External Iliac Artery with Autologous Arterial Tissue, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041D4AG | Bypass Left Common Iliac Artery to Bilateral External Iliac Arteries with Autologous Arterial Tissue, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041D4AQ | Bypass Left Common Iliac Artery to Lower Extremity Artery with Autologous Arterial Tissue, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041D4AR | Bypass Left Common Iliac Artery to Lower Artery with Autologous Arterial Tissue, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041D4J0 | Bypass Left Common Iliac Artery to Abdominal Aorta with Synthetic Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041D4J1 | Bypass Left Common Iliac Artery to Celiac Artery with Synthetic Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041D4J2 | Bypass Left Common Iliac Artery to Mesenteric Artery with Synthetic Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041D4J3 | Bypass Left Common Iliac Artery to Right Renal Artery with Synthetic Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |

List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|---|----------------------|
| 041D4J4 | Bypass Left Common Iliac Artery to Left Renal Artery with Synthetic Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041D4J5 | Bypass Left Common Iliac Artery to Bilateral Renal Artery with Synthetic Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041D4J6 | Bypass Left Common Iliac Artery to Right Common Iliac Artery with Synthetic Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041D4J7 | Bypass Left Common Iliac Artery to Left Common Iliac Artery with Synthetic Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041D4J8 | Bypass Left Common Iliac Artery to Bilateral Common Iliac Arteries with Synthetic Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041D4J9 | Bypass Left Common Iliac Artery to Right Internal Iliac Artery with Synthetic Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041D4JB | Bypass Left Common Iliac Artery to Left Internal Iliac Artery with Synthetic Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041D4JC | Bypass Left Common Iliac Artery to Bilateral Internal Iliac Arteries with Synthetic Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041D4JD | Bypass Left Common Iliac Artery to Right External Iliac Artery with Synthetic Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041D4JF | Bypass Left Common Iliac Artery to Left External Iliac Artery with Synthetic Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041D4JG | Bypass Left Common Iliac Artery to Bilateral External Iliac Arteries with Synthetic Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041D4JQ | Bypass Left Common Iliac Artery to Lower Extremity Artery with Synthetic Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041D4JR | Bypass Left Common Iliac Artery to Lower Artery with Synthetic Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041D4K0 | Bypass Left Common Iliac Artery to Abdominal Aorta with Nonautologous Tissue Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041D4K1 | Bypass Left Common Iliac Artery to Celiac Artery with Nonautologous Tissue Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041D4K2 | Bypass Left Common Iliac Artery to Mesenteric Artery with Nonautologous Tissue Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041D4K3 | Bypass Left Common Iliac Artery to Right Renal Artery with Nonautologous Tissue Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041D4K4 | Bypass Left Common Iliac Artery to Left Renal Artery with Nonautologous Tissue Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041D4K5 | Bypass Left Common Iliac Artery to Bilateral Renal Artery with Nonautologous Tissue Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041D4K6 | Bypass Left Common Iliac Artery to Right Common Iliac Artery with Nonautologous Tissue Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041D4K7 | Bypass Left Common Iliac Artery to Left Common Iliac Artery with Nonautologous Tissue Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |

List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|---|----------------------|
| 041D4K8 | Bypass Left Common Iliac Artery to Bilateral Common Iliac Arteries with Nonautologous Tissue Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041D4K9 | Bypass Left Common Iliac Artery to Right Internal Iliac Artery with Nonautologous Tissue Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041D4KB | Bypass Left Common Iliac Artery to Left Internal Iliac Artery with Nonautologous Tissue Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041D4KC | Bypass Left Common Iliac Artery to Bilateral Internal Iliac Arteries with Nonautologous Tissue Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041D4KD | Bypass Left Common Iliac Artery to Right External Iliac Artery with Nonautologous Tissue Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041D4KF | Bypass Left Common Iliac Artery to Left External Iliac Artery with Nonautologous Tissue Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041D4KG | Bypass Left Common Iliac Artery to Bilateral External Iliac Arteries with Nonautologous Tissue Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041D4KQ | Bypass Left Common Iliac Artery to Lower Extremity Artery with Nonautologous Tissue Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041D4KR | Bypass Left Common Iliac Artery to Lower Artery with Nonautologous Tissue Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041D4Z0 | Bypass Left Common Iliac Artery to Abdominal Aorta, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041D4Z1 | Bypass Left Common Iliac Artery to Celiac Artery, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041D4Z2 | Bypass Left Common Iliac Artery to Mesenteric Artery, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041D4Z3 | Bypass Left Common Iliac Artery to Right Renal Artery, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041D4Z4 | Bypass Left Common Iliac Artery to Left Renal Artery, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041D4Z5 | Bypass Left Common Iliac Artery to Bilateral Renal Artery, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041D4Z6 | Bypass Left Common Iliac Artery to Right Common Iliac Artery, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041D4Z7 | Bypass Left Common Iliac Artery to Left Common Iliac Artery, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041D4Z8 | Bypass Left Common Iliac Artery to Bilateral Common Iliac Arteries, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041D4Z9 | Bypass Left Common Iliac Artery to Right Internal Iliac Artery, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041D4ZB | Bypass Left Common Iliac Artery to Left Internal Iliac Artery, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041D4ZC | Bypass Left Common Iliac Artery to Bilateral Internal Iliac Arteries, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |

List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|--|----------------------|
| 041D4ZD | Bypass Left Common Iliac Artery to Right External Iliac Artery, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041D4ZF | Bypass Left Common Iliac Artery to Left External Iliac Artery, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041D4ZG | Bypass Left Common Iliac Artery to Bilateral External Iliac Arteries, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041D4ZQ | Bypass Left Common Iliac Artery to Lower Extremity Artery, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041D4ZR | Bypass Left Common Iliac Artery to Lower Artery, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041E09B | Bypass Right Internal Iliac Artery to Left Internal Iliac Artery with Autologous Venous Tissue, Open Approach | ICD-10-PCS Procedure |
| 041E09C | Bypass Right Internal Iliac Artery to Bilateral Internal Iliac Arteries with Autologous Venous Tissue, Open Approach | ICD-10-PCS Procedure |
| 041E09D | Bypass Right Internal Iliac Artery to Right External Iliac Artery with Autologous Venous Tissue, Open Approach | ICD-10-PCS Procedure |
| 041E09F | Bypass Right Internal Iliac Artery to Left External Iliac Artery with Autologous Venous Tissue, Open Approach | ICD-10-PCS Procedure |
| 041E09G | Bypass Right Internal Iliac Artery to Bilateral External Iliac Arteries with Autologous Venous Tissue, Open Approach | ICD-10-PCS Procedure |
| 041E09P | Bypass Right Internal Iliac Artery to Foot Artery with Autologous Venous Tissue, Open Approach | ICD-10-PCS Procedure |
| 041E09Q | Bypass Right Internal Iliac Artery to Lower Extremity Artery with Autologous Venous Tissue, Open Approach | ICD-10-PCS Procedure |
| 041E0A9 | Bypass Right Internal Iliac Artery to Right Internal Iliac Artery with Autologous Arterial Tissue, Open Approach | ICD-10-PCS Procedure |
| 041E0AB | Bypass Right Internal Iliac Artery to Left Internal Iliac Artery with Autologous Arterial Tissue, Open Approach | ICD-10-PCS Procedure |
| 041E0AC | Bypass Right Internal Iliac Artery to Bilateral Internal Iliac Arteries with Autologous Arterial Tissue, Open Approach | ICD-10-PCS Procedure |
| 041E0AD | Bypass Right Internal Iliac Artery to Right External Iliac Artery with Autologous Arterial Tissue, Open Approach | ICD-10-PCS Procedure |
| 041E0AF | Bypass Right Internal Iliac Artery to Left External Iliac Artery with Autologous Arterial Tissue, Open Approach | ICD-10-PCS Procedure |
| 041E0AG | Bypass Right Internal Iliac Artery to Bilateral External Iliac Arteries with Autologous Arterial Tissue, Open Approach | ICD-10-PCS Procedure |
| 041E0AP | Bypass Right Internal Iliac Artery to Foot Artery with Autologous Arterial Tissue, Open Approach | ICD-10-PCS Procedure |
| 041E0AQ | Bypass Right Internal Iliac Artery to Lower Extremity Artery with Autologous Arterial Tissue, Open Approach | ICD-10-PCS Procedure |
| 041E0J9 | Bypass Right Internal Iliac Artery to Right Internal Iliac Artery with Synthetic Substitute, Open Approach | ICD-10-PCS Procedure |

List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|---|----------------------|
| 041E0JB | Bypass Right Internal Iliac Artery to Left Internal Iliac Artery with Synthetic Substitute, Open Approach | ICD-10-PCS Procedure |
| 041E0JC | Bypass Right Internal Iliac Artery to Bilateral Internal Iliac Arteries with Synthetic Substitute, Open Approach | ICD-10-PCS Procedure |
| 041E0JD | Bypass Right Internal Iliac Artery to Right External Iliac Artery with Synthetic Substitute, Open Approach | ICD-10-PCS Procedure |
| 041E0JF | Bypass Right Internal Iliac Artery to Left External Iliac Artery with Synthetic Substitute, Open Approach | ICD-10-PCS Procedure |
| 041E0JG | Bypass Right Internal Iliac Artery to Bilateral External Iliac Arteries with Synthetic Substitute, Open Approach | ICD-10-PCS Procedure |
| 041E0JP | Bypass Right Internal Iliac Artery to Foot Artery with Synthetic Substitute, Open Approach | ICD-10-PCS Procedure |
| 041E0JQ | Bypass Right Internal Iliac Artery to Lower Extremity Artery with Synthetic Substitute, Open Approach | ICD-10-PCS Procedure |
| 041E0K9 | Bypass Right Internal Iliac Artery to Right Internal Iliac Artery with Nonautologous Tissue Substitute, Open Approach | ICD-10-PCS Procedure |
| 041E0KB | Bypass Right Internal Iliac Artery to Left Internal Iliac Artery with Nonautologous Tissue Substitute, Open Approach | ICD-10-PCS Procedure |
| 041E0KC | Bypass Right Internal Iliac Artery to Bilateral Internal Iliac Arteries with Nonautologous Tissue Substitute, Open Approach | ICD-10-PCS Procedure |
| 041E0KD | Bypass Right Internal Iliac Artery to Right External Iliac Artery with Nonautologous Tissue Substitute, Open Approach | ICD-10-PCS Procedure |
| 041E0KF | Bypass Right Internal Iliac Artery to Left External Iliac Artery with Nonautologous Tissue Substitute, Open Approach | ICD-10-PCS Procedure |
| 041E0KG | Bypass Right Internal Iliac Artery to Bilateral External Iliac Arteries with Nonautologous Tissue Substitute, Open Approach | ICD-10-PCS Procedure |
| 041E0KP | Bypass Right Internal Iliac Artery to Foot Artery with Nonautologous Tissue Substitute, Open Approach | ICD-10-PCS Procedure |
| 041E0KQ | Bypass Right Internal Iliac Artery to Lower Extremity Artery with Nonautologous Tissue Substitute, Open Approach | ICD-10-PCS Procedure |
| 041E0Z9 | Bypass Right Internal Iliac Artery to Right Internal Iliac Artery, Open Approach | ICD-10-PCS Procedure |
| 041E0ZB | Bypass Right Internal Iliac Artery to Left Internal Iliac Artery, Open Approach | ICD-10-PCS Procedure |
| 041E0ZC | Bypass Right Internal Iliac Artery to Bilateral Internal Iliac Arteries, Open Approach | ICD-10-PCS Procedure |
| 041E0ZD | Bypass Right Internal Iliac Artery to Right External Iliac Artery, Open Approach | ICD-10-PCS Procedure |
| 041E0ZF | Bypass Right Internal Iliac Artery to Left External Iliac Artery, Open Approach | ICD-10-PCS Procedure |
| 041E0ZG | Bypass Right Internal Iliac Artery to Bilateral External Iliac Arteries, Open Approach | ICD-10-PCS Procedure |
| 041E0ZP | Bypass Right Internal Iliac Artery to Foot Artery, Open Approach | ICD-10-PCS Procedure |
| 041E0ZQ | Bypass Right Internal Iliac Artery to Lower Extremity Artery, Open Approach | ICD-10-PCS Procedure |
| 041E499 | Bypass Right Internal Iliac Artery to Right Internal Iliac Artery with Autologous Venous Tissue, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |

List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|---|----------------------|
| 041E49B | Bypass Right Internal Iliac Artery to Left Internal Iliac Artery with Autologous Venous Tissue, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041E49C | Bypass Right Internal Iliac Artery to Bilateral Internal Iliac Arteries with Autologous Venous Tissue, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041E49D | Bypass Right Internal Iliac Artery to Right External Iliac Artery with Autologous Venous Tissue, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041E49F | Bypass Right Internal Iliac Artery to Left External Iliac Artery with Autologous Venous Tissue, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041E49G | Bypass Right Internal Iliac Artery to Bilateral External Iliac Arteries with Autologous Venous Tissue, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041E49P | Bypass Right Internal Iliac Artery to Foot Artery with Autologous Venous Tissue, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041E49Q | Bypass Right Internal Iliac Artery to Lower Extremity Artery with Autologous Venous Tissue, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041E4A9 | Bypass Right Internal Iliac Artery to Right Internal Iliac Artery with Autologous Arterial Tissue, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041E4AB | Bypass Right Internal Iliac Artery to Left Internal Iliac Artery with Autologous Arterial Tissue, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041E4AC | Bypass Right Internal Iliac Artery to Bilateral Internal Iliac Arteries with Autologous Arterial Tissue, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041E4AD | Bypass Right Internal Iliac Artery to Right External Iliac Artery with Autologous Arterial Tissue, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041E4AF | Bypass Right Internal Iliac Artery to Left External Iliac Artery with Autologous Arterial Tissue, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041E4AG | Bypass Right Internal Iliac Artery to Bilateral External Iliac Arteries with Autologous Arterial Tissue, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041E4AP | Bypass Right Internal Iliac Artery to Foot Artery with Autologous Arterial Tissue, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041E4AQ | Bypass Right Internal Iliac Artery to Lower Extremity Artery with Autologous Arterial Tissue, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041E4J9 | Bypass Right Internal Iliac Artery to Right Internal Iliac Artery with Synthetic Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041E4JB | Bypass Right Internal Iliac Artery to Left Internal Iliac Artery with Synthetic Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041E4JC | Bypass Right Internal Iliac Artery to Bilateral Internal Iliac Arteries with Synthetic Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041E4JD | Bypass Right Internal Iliac Artery to Right External Iliac Artery with Synthetic Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041E4JF | Bypass Right Internal Iliac Artery to Left External Iliac Artery with Synthetic Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041E4JG | Bypass Right Internal Iliac Artery to Bilateral External Iliac Arteries with Synthetic Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |

List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|--|----------------------|
| 041E4JP | Bypass Right Internal Iliac Artery to Foot Artery with Synthetic Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041E4JQ | Bypass Right Internal Iliac Artery to Lower Extremity Artery with Synthetic Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041E4K9 | Bypass Right Internal Iliac Artery to Right Internal Iliac Artery with Nonautologous Tissue Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041E4KB | Bypass Right Internal Iliac Artery to Left Internal Iliac Artery with Nonautologous Tissue Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041E4KC | Bypass Right Internal Iliac Artery to Bilateral Internal Iliac Arteries with Nonautologous Tissue Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041E4KD | Bypass Right Internal Iliac Artery to Right External Iliac Artery with Nonautologous Tissue Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041E4KF | Bypass Right Internal Iliac Artery to Left External Iliac Artery with Nonautologous Tissue Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041E4KG | Bypass Right Internal Iliac Artery to Bilateral External Iliac Arteries with Nonautologous Tissue Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041E4KP | Bypass Right Internal Iliac Artery to Foot Artery with Nonautologous Tissue Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041E4KQ | Bypass Right Internal Iliac Artery to Lower Extremity Artery with Nonautologous Tissue Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041E4Z9 | Bypass Right Internal Iliac Artery to Right Internal Iliac Artery, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041E4ZB | Bypass Right Internal Iliac Artery to Left Internal Iliac Artery, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041E4ZC | Bypass Right Internal Iliac Artery to Bilateral Internal Iliac Arteries, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041E4ZD | Bypass Right Internal Iliac Artery to Right External Iliac Artery, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041E4ZF | Bypass Right Internal Iliac Artery to Left External Iliac Artery, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041E4ZG | Bypass Right Internal Iliac Artery to Bilateral External Iliac Arteries, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041E4ZP | Bypass Right Internal Iliac Artery to Foot Artery, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041E4ZQ | Bypass Right Internal Iliac Artery to Lower Extremity Artery, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041F099 | Bypass Left Internal Iliac Artery to Right Internal Iliac Artery with Autologous Venous Tissue, Open Approach | ICD-10-PCS Procedure |
| 041F09B | Bypass Left Internal Iliac Artery to Left Internal Iliac Artery with Autologous Venous Tissue, Open Approach | ICD-10-PCS Procedure |
| 041F09C | Bypass Left Internal Iliac Artery to Bilateral Internal Iliac Arteries with Autologous Venous Tissue, Open Approach | ICD-10-PCS Procedure |

List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|---|----------------------|
| 041F09D | Bypass Left Internal Iliac Artery to Right External Iliac Artery with Autologous Venous Tissue, Open Approach | ICD-10-PCS Procedure |
| 041F09F | Bypass Left Internal Iliac Artery to Left External Iliac Artery with Autologous Venous Tissue, Open Approach | ICD-10-PCS Procedure |
| 041F09G | Bypass Left Internal Iliac Artery to Bilateral External Iliac Arteries with Autologous Venous Tissue, Open Approach | ICD-10-PCS Procedure |
| 041F09P | Bypass Left Internal Iliac Artery to Foot Artery with Autologous Venous Tissue, Open Approach | ICD-10-PCS Procedure |
| 041F09Q | Bypass Left Internal Iliac Artery to Lower Extremity Artery with Autologous Venous Tissue, Open Approach | ICD-10-PCS Procedure |
| 041F0A9 | Bypass Left Internal Iliac Artery to Right Internal Iliac Artery with Autologous Arterial Tissue, Open Approach | ICD-10-PCS Procedure |
| 041F0AB | Bypass Left Internal Iliac Artery to Left Internal Iliac Artery with Autologous Arterial Tissue, Open Approach | ICD-10-PCS Procedure |
| 041F0AC | Bypass Left Internal Iliac Artery to Bilateral Internal Iliac Arteries with Autologous Arterial Tissue, Open Approach | ICD-10-PCS Procedure |
| 041F0AD | Bypass Left Internal Iliac Artery to Right External Iliac Artery with Autologous Arterial Tissue, Open Approach | ICD-10-PCS Procedure |
| 041F0AF | Bypass Left Internal Iliac Artery to Left External Iliac Artery with Autologous Arterial Tissue, Open Approach | ICD-10-PCS Procedure |
| 041F0AG | Bypass Left Internal Iliac Artery to Bilateral External Iliac Arteries with Autologous Arterial Tissue, Open Approach | ICD-10-PCS Procedure |
| 041F0AP | Bypass Left Internal Iliac Artery to Foot Artery with Autologous Arterial Tissue, Open Approach | ICD-10-PCS Procedure |
| 041F0AQ | Bypass Left Internal Iliac Artery to Lower Extremity Artery with Autologous Arterial Tissue, Open Approach | ICD-10-PCS Procedure |
| 041F0J9 | Bypass Left Internal Iliac Artery to Right Internal Iliac Artery with Synthetic Substitute, Open Approach | ICD-10-PCS Procedure |
| 041F0JB | Bypass Left Internal Iliac Artery to Left Internal Iliac Artery with Synthetic Substitute, Open Approach | ICD-10-PCS Procedure |
| 041F0JC | Bypass Left Internal Iliac Artery to Bilateral Internal Iliac Arteries with Synthetic Substitute, Open Approach | ICD-10-PCS Procedure |
| 041F0JD | Bypass Left Internal Iliac Artery to Right External Iliac Artery with Synthetic Substitute, Open Approach | ICD-10-PCS Procedure |
| 041F0JF | Bypass Left Internal Iliac Artery to Left External Iliac Artery with Synthetic Substitute, Open Approach | ICD-10-PCS Procedure |
| 041F0JG | Bypass Left Internal Iliac Artery to Bilateral External Iliac Arteries with Synthetic Substitute, Open Approach | ICD-10-PCS Procedure |
| 041F0JP | Bypass Left Internal Iliac Artery to Foot Artery with Synthetic Substitute, Open Approach | ICD-10-PCS Procedure |
| 041F0JQ | Bypass Left Internal Iliac Artery to Lower Extremity Artery with Synthetic Substitute, Open Approach | ICD-10-PCS Procedure |

List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|--|----------------------|
| 041F0K9 | Bypass Left Internal Iliac Artery to Right Internal Iliac Artery with Nonautologous Tissue Substitute, Open Approach | ICD-10-PCS Procedure |
| 041F0KB | Bypass Left Internal Iliac Artery to Left Internal Iliac Artery with Nonautologous Tissue Substitute, Open Approach | ICD-10-PCS Procedure |
| 041F0KC | Bypass Left Internal Iliac Artery to Bilateral Internal Iliac Arteries with Nonautologous Tissue Substitute, Open Approach | ICD-10-PCS Procedure |
| 041F0KD | Bypass Left Internal Iliac Artery to Right External Iliac Artery with Nonautologous Tissue Substitute, Open Approach | ICD-10-PCS Procedure |
| 041F0KF | Bypass Left Internal Iliac Artery to Left External Iliac Artery with Nonautologous Tissue Substitute, Open Approach | ICD-10-PCS Procedure |
| 041F0KG | Bypass Left Internal Iliac Artery to Bilateral External Iliac Arteries with Nonautologous Tissue Substitute, Open Approach | ICD-10-PCS Procedure |
| 041F0KP | Bypass Left Internal Iliac Artery to Foot Artery with Nonautologous Tissue Substitute, Open Approach | ICD-10-PCS Procedure |
| 041F0KQ | Bypass Left Internal Iliac Artery to Lower Extremity Artery with Nonautologous Tissue Substitute, Open Approach | ICD-10-PCS Procedure |
| 041F0Z9 | Bypass Left Internal Iliac Artery to Right Internal Iliac Artery, Open Approach | ICD-10-PCS Procedure |
| 041F0ZB | Bypass Left Internal Iliac Artery to Left Internal Iliac Artery, Open Approach | ICD-10-PCS Procedure |
| 041F0ZC | Bypass Left Internal Iliac Artery to Bilateral Internal Iliac Arteries, Open Approach | ICD-10-PCS Procedure |
| 041F0ZD | Bypass Left Internal Iliac Artery to Right External Iliac Artery, Open Approach | ICD-10-PCS Procedure |
| 041F0ZF | Bypass Left Internal Iliac Artery to Left External Iliac Artery, Open Approach | ICD-10-PCS Procedure |
| 041F0ZG | Bypass Left Internal Iliac Artery to Bilateral External Iliac Arteries, Open Approach | ICD-10-PCS Procedure |
| 041F0ZP | Bypass Left Internal Iliac Artery to Foot Artery, Open Approach | ICD-10-PCS Procedure |
| 041F0ZQ | Bypass Left Internal Iliac Artery to Lower Extremity Artery, Open Approach | ICD-10-PCS Procedure |
| 041F499 | Bypass Left Internal Iliac Artery to Right Internal Iliac Artery with Autologous Venous Tissue, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041F49B | Bypass Left Internal Iliac Artery to Left Internal Iliac Artery with Autologous Venous Tissue, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041F49C | Bypass Left Internal Iliac Artery to Bilateral Internal Iliac Arteries with Autologous Venous Tissue, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041F49D | Bypass Left Internal Iliac Artery to Right External Iliac Artery with Autologous Venous Tissue, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041F49F | Bypass Left Internal Iliac Artery to Left External Iliac Artery with Autologous Venous Tissue, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041F49G | Bypass Left Internal Iliac Artery to Bilateral External Iliac Arteries with Autologous Venous Tissue, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041F49P | Bypass Left Internal Iliac Artery to Foot Artery with Autologous Venous Tissue, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041F49Q | Bypass Left Internal Iliac Artery to Lower Extremity Artery with Autologous Venous Tissue, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |

List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|---|----------------------|
| 041F4A9 | Bypass Left Internal Iliac Artery to Right Internal Iliac Artery with Autologous Arterial Tissue, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041F4AB | Bypass Left Internal Iliac Artery to Left Internal Iliac Artery with Autologous Arterial Tissue, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041F4AC | Bypass Left Internal Iliac Artery to Bilateral Internal Iliac Arteries with Autologous Arterial Tissue, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041F4AD | Bypass Left Internal Iliac Artery to Right External Iliac Artery with Autologous Arterial Tissue, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041F4AF | Bypass Left Internal Iliac Artery to Left External Iliac Artery with Autologous Arterial Tissue, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041F4AG | Bypass Left Internal Iliac Artery to Bilateral External Iliac Arteries with Autologous Arterial Tissue, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041F4AP | Bypass Left Internal Iliac Artery to Foot Artery with Autologous Arterial Tissue, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041F4AQ | Bypass Left Internal Iliac Artery to Lower Extremity Artery with Autologous Arterial Tissue, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041F4J9 | Bypass Left Internal Iliac Artery to Right Internal Iliac Artery with Synthetic Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041F4JB | Bypass Left Internal Iliac Artery to Left Internal Iliac Artery with Synthetic Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041F4JC | Bypass Left Internal Iliac Artery to Bilateral Internal Iliac Arteries with Synthetic Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041F4JD | Bypass Left Internal Iliac Artery to Right External Iliac Artery with Synthetic Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041F4JF | Bypass Left Internal Iliac Artery to Left External Iliac Artery with Synthetic Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041F4JG | Bypass Left Internal Iliac Artery to Bilateral External Iliac Arteries with Synthetic Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041F4JP | Bypass Left Internal Iliac Artery to Foot Artery with Synthetic Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041F4JQ | Bypass Left Internal Iliac Artery to Lower Extremity Artery with Synthetic Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041F4K9 | Bypass Left Internal Iliac Artery to Right Internal Iliac Artery with Nonautologous Tissue Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041F4KB | Bypass Left Internal Iliac Artery to Left Internal Iliac Artery with Nonautologous Tissue Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041F4KC | Bypass Left Internal Iliac Artery to Bilateral Internal Iliac Arteries with Nonautologous Tissue Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041F4KD | Bypass Left Internal Iliac Artery to Right External Iliac Artery with Nonautologous Tissue Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041F4KF | Bypass Left Internal Iliac Artery to Left External Iliac Artery with Nonautologous Tissue Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |

List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|---|----------------------|
| 041F4KG | Bypass Left Internal Iliac Artery to Bilateral External Iliac Arteries with Nonautologous Tissue Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041F4KP | Bypass Left Internal Iliac Artery to Foot Artery with Nonautologous Tissue Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041F4KQ | Bypass Left Internal Iliac Artery to Lower Extremity Artery with Nonautologous Tissue Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041F4Z9 | Bypass Left Internal Iliac Artery to Right Internal Iliac Artery, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041F4ZB | Bypass Left Internal Iliac Artery to Left Internal Iliac Artery, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041F4ZC | Bypass Left Internal Iliac Artery to Bilateral Internal Iliac Arteries, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041F4ZD | Bypass Left Internal Iliac Artery to Right External Iliac Artery, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041F4ZF | Bypass Left Internal Iliac Artery to Left External Iliac Artery, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041F4ZG | Bypass Left Internal Iliac Artery to Bilateral External Iliac Arteries, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041F4ZP | Bypass Left Internal Iliac Artery to Foot Artery, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041F4ZQ | Bypass Left Internal Iliac Artery to Lower Extremity Artery, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041H099 | Bypass Right External Iliac Artery to Right Internal Iliac Artery with Autologous Venous Tissue, Open Approach | ICD-10-PCS Procedure |
| 041H09B | Bypass Right External Iliac Artery to Left Internal Iliac Artery with Autologous Venous Tissue, Open Approach | ICD-10-PCS Procedure |
| 041H09C | Bypass Right External Iliac Artery to Bilateral Internal Iliac Arteries with Autologous Venous Tissue, Open Approach | ICD-10-PCS Procedure |
| 041H09D | Bypass Right External Iliac Artery to Right External Iliac Artery with Autologous Venous Tissue, Open Approach | ICD-10-PCS Procedure |
| 041H09F | Bypass Right External Iliac Artery to Left External Iliac Artery with Autologous Venous Tissue, Open Approach | ICD-10-PCS Procedure |
| 041H09G | Bypass Right External Iliac Artery to Bilateral External Iliac Arteries with Autologous Venous Tissue, Open Approach | ICD-10-PCS Procedure |
| 041H09P | Bypass Right External Iliac Artery to Foot Artery with Autologous Venous Tissue, Open Approach | ICD-10-PCS Procedure |
| 041H09Q | Bypass Right External Iliac Artery to Lower Extremity Artery with Autologous Venous Tissue, Open Approach | ICD-10-PCS Procedure |
| 041H0A9 | Bypass Right External Iliac Artery to Right Internal Iliac Artery with Autologous Arterial Tissue, Open Approach | ICD-10-PCS Procedure |
| 041H0AB | Bypass Right External Iliac Artery to Left Internal Iliac Artery with Autologous Arterial Tissue, Open Approach | ICD-10-PCS Procedure |

List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|---|----------------------|
| 041H0AC | Bypass Right External Iliac Artery to Bilateral Internal Iliac Arteries with Autologous Arterial Tissue, Open Approach | ICD-10-PCS Procedure |
| 041H0AD | Bypass Right External Iliac Artery to Right External Iliac Artery with Autologous Arterial Tissue, Open Approach | ICD-10-PCS Procedure |
| 041H0AF | Bypass Right External Iliac Artery to Left External Iliac Artery with Autologous Arterial Tissue, Open Approach | ICD-10-PCS Procedure |
| 041H0AG | Bypass Right External Iliac Artery to Bilateral External Iliac Arteries with Autologous Arterial Tissue, Open Approach | ICD-10-PCS Procedure |
| 041H0AP | Bypass Right External Iliac Artery to Foot Artery with Autologous Arterial Tissue, Open Approach | ICD-10-PCS Procedure |
| 041H0AQ | Bypass Right External Iliac Artery to Lower Extremity Artery with Autologous Arterial Tissue, Open Approach | ICD-10-PCS Procedure |
| 041H0J9 | Bypass Right External Iliac Artery to Right Internal Iliac Artery with Synthetic Substitute, Open Approach | ICD-10-PCS Procedure |
| 041H0JB | Bypass Right External Iliac Artery to Left Internal Iliac Artery with Synthetic Substitute, Open Approach | ICD-10-PCS Procedure |
| 041H0JC | Bypass Right External Iliac Artery to Bilateral Internal Iliac Arteries with Synthetic Substitute, Open Approach | ICD-10-PCS Procedure |
| 041H0JD | Bypass Right External Iliac Artery to Right External Iliac Artery with Synthetic Substitute, Open Approach | ICD-10-PCS Procedure |
| 041H0JF | Bypass Right External Iliac Artery to Left External Iliac Artery with Synthetic Substitute, Open Approach | ICD-10-PCS Procedure |
| 041H0JG | Bypass Right External Iliac Artery to Bilateral External Iliac Arteries with Synthetic Substitute, Open Approach | ICD-10-PCS Procedure |
| 041H0JP | Bypass Right External Iliac Artery to Foot Artery with Synthetic Substitute, Open Approach | ICD-10-PCS Procedure |
| 041H0JQ | Bypass Right External Iliac Artery to Lower Extremity Artery with Synthetic Substitute, Open Approach | ICD-10-PCS Procedure |
| 041H0K9 | Bypass Right External Iliac Artery to Right Internal Iliac Artery with Nonautologous Tissue Substitute, Open Approach | ICD-10-PCS Procedure |
| 041H0KB | Bypass Right External Iliac Artery to Left Internal Iliac Artery with Nonautologous Tissue Substitute, Open Approach | ICD-10-PCS Procedure |
| 041H0KC | Bypass Right External Iliac Artery to Bilateral Internal Iliac Arteries with Nonautologous Tissue Substitute, Open Approach | ICD-10-PCS Procedure |
| 041H0KD | Bypass Right External Iliac Artery to Right External Iliac Artery with Nonautologous Tissue Substitute, Open Approach | ICD-10-PCS Procedure |
| 041H0KF | Bypass Right External Iliac Artery to Left External Iliac Artery with Nonautologous Tissue Substitute, Open Approach | ICD-10-PCS Procedure |
| 041H0KG | Bypass Right External Iliac Artery to Bilateral External Iliac Arteries with Nonautologous Tissue Substitute, Open Approach | ICD-10-PCS Procedure |
| 041H0KP | Bypass Right External Iliac Artery to Foot Artery with Nonautologous Tissue Substitute, Open Approach | ICD-10-PCS Procedure |

List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|---|----------------------|
| 041H0KQ | Bypass Right External Iliac Artery to Lower Extremity Artery with Nonautologous Tissue Substitute, Open Approach | ICD-10-PCS Procedure |
| 041H0Z9 | Bypass Right External Iliac Artery to Right Internal Iliac Artery, Open Approach | ICD-10-PCS Procedure |
| 041H0ZB | Bypass Right External Iliac Artery to Left Internal Iliac Artery, Open Approach | ICD-10-PCS Procedure |
| 041H0ZC | Bypass Right External Iliac Artery to Bilateral Internal Iliac Arteries, Open Approach | ICD-10-PCS Procedure |
| 041H0ZD | Bypass Right External Iliac Artery to Right External Iliac Artery, Open Approach | ICD-10-PCS Procedure |
| 041H0ZF | Bypass Right External Iliac Artery to Left External Iliac Artery, Open Approach | ICD-10-PCS Procedure |
| 041H0ZG | Bypass Right External Iliac Artery to Bilateral External Iliac Arteries, Open Approach | ICD-10-PCS Procedure |
| 041H0ZP | Bypass Right External Iliac Artery to Foot Artery, Open Approach | ICD-10-PCS Procedure |
| 041H0ZQ | Bypass Right External Iliac Artery to Lower Extremity Artery, Open Approach | ICD-10-PCS Procedure |
| 041H499 | Bypass Right External Iliac Artery to Right Internal Iliac Artery with Autologous Venous Tissue, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041H49B | Bypass Right External Iliac Artery to Left Internal Iliac Artery with Autologous Venous Tissue, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041H49C | Bypass Right External Iliac Artery to Bilateral Internal Iliac Arteries with Autologous Venous Tissue, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041H49D | Bypass Right External Iliac Artery to Right External Iliac Artery with Autologous Venous Tissue, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041H49F | Bypass Right External Iliac Artery to Left External Iliac Artery with Autologous Venous Tissue, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041H49G | Bypass Right External Iliac Artery to Bilateral External Iliac Arteries with Autologous Venous Tissue, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041H49P | Bypass Right External Iliac Artery to Foot Artery with Autologous Venous Tissue, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041H49Q | Bypass Right External Iliac Artery to Lower Extremity Artery with Autologous Venous Tissue, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041H4A9 | Bypass Right External Iliac Artery to Right Internal Iliac Artery with Autologous Arterial Tissue, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041H4AB | Bypass Right External Iliac Artery to Left Internal Iliac Artery with Autologous Arterial Tissue, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041H4AC | Bypass Right External Iliac Artery to Bilateral Internal Iliac Arteries with Autologous Arterial Tissue, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041H4AD | Bypass Right External Iliac Artery to Right External Iliac Artery with Autologous Arterial Tissue, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041H4AF | Bypass Right External Iliac Artery to Left External Iliac Artery with Autologous Arterial Tissue, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041H4AG | Bypass Right External Iliac Artery to Bilateral External Iliac Arteries with Autologous Arterial Tissue, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041H4AP | Bypass Right External Iliac Artery to Foot Artery with Autologous Arterial Tissue, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |

List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|--|----------------------|
| 041H4AQ | Bypass Right External Iliac Artery to Lower Extremity Artery with Autologous Arterial Tissue, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041H4J9 | Bypass Right External Iliac Artery to Right Internal Iliac Artery with Synthetic Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041H4JB | Bypass Right External Iliac Artery to Left Internal Iliac Artery with Synthetic Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041H4JC | Bypass Right External Iliac Artery to Bilateral Internal Iliac Arteries with Synthetic Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041H4JD | Bypass Right External Iliac Artery to Right External Iliac Artery with Synthetic Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041H4JF | Bypass Right External Iliac Artery to Left External Iliac Artery with Synthetic Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041H4JG | Bypass Right External Iliac Artery to Bilateral External Iliac Arteries with Synthetic Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041H4JP | Bypass Right External Iliac Artery to Foot Artery with Synthetic Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041H4JQ | Bypass Right External Iliac Artery to Lower Extremity Artery with Synthetic Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041H4K9 | Bypass Right External Iliac Artery to Right Internal Iliac Artery with Nonautologous Tissue Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041H4KB | Bypass Right External Iliac Artery to Left Internal Iliac Artery with Nonautologous Tissue Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041H4KC | Bypass Right External Iliac Artery to Bilateral Internal Iliac Arteries with Nonautologous Tissue Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041H4KD | Bypass Right External Iliac Artery to Right External Iliac Artery with Nonautologous Tissue Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041H4KF | Bypass Right External Iliac Artery to Left External Iliac Artery with Nonautologous Tissue Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041H4KG | Bypass Right External Iliac Artery to Bilateral External Iliac Arteries with Nonautologous Tissue Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041H4KP | Bypass Right External Iliac Artery to Foot Artery with Nonautologous Tissue Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041H4KQ | Bypass Right External Iliac Artery to Lower Extremity Artery with Nonautologous Tissue Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041H4Z9 | Bypass Right External Iliac Artery to Right Internal Iliac Artery, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041H4ZB | Bypass Right External Iliac Artery to Left Internal Iliac Artery, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041H4ZC | Bypass Right External Iliac Artery to Bilateral Internal Iliac Arteries, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041H4ZD | Bypass Right External Iliac Artery to Right External Iliac Artery, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |

List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|---|----------------------|
| 041H4ZF | Bypass Right External Iliac Artery to Left External Iliac Artery, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041H4ZG | Bypass Right External Iliac Artery to Bilateral External Iliac Arteries, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041H4ZP | Bypass Right External Iliac Artery to Foot Artery, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041H4ZQ | Bypass Right External Iliac Artery to Lower Extremity Artery, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041J099 | Bypass Left External Iliac Artery to Right Internal Iliac Artery with Autologous Venous Tissue, Open Approach | ICD-10-PCS Procedure |
| 041J09B | Bypass Left External Iliac Artery to Left Internal Iliac Artery with Autologous Venous Tissue, Open Approach | ICD-10-PCS Procedure |
| 041J09C | Bypass Left External Iliac Artery to Bilateral Internal Iliac Arteries with Autologous Venous Tissue, Open Approach | ICD-10-PCS Procedure |
| 041J09D | Bypass Left External Iliac Artery to Right External Iliac Artery with Autologous Venous Tissue, Open Approach | ICD-10-PCS Procedure |
| 041J09F | Bypass Left External Iliac Artery to Left External Iliac Artery with Autologous Venous Tissue, Open Approach | ICD-10-PCS Procedure |
| 041J09G | Bypass Left External Iliac Artery to Bilateral External Iliac Arteries with Autologous Venous Tissue, Open Approach | ICD-10-PCS Procedure |
| 041J09P | Bypass Left External Iliac Artery to Foot Artery with Autologous Venous Tissue, Open Approach | ICD-10-PCS Procedure |
| 041J09Q | Bypass Left External Iliac Artery to Lower Extremity Artery with Autologous Venous Tissue, Open Approach | ICD-10-PCS Procedure |
| 041J0A9 | Bypass Left External Iliac Artery to Right Internal Iliac Artery with Autologous Arterial Tissue, Open Approach | ICD-10-PCS Procedure |
| 041J0AB | Bypass Left External Iliac Artery to Left Internal Iliac Artery with Autologous Arterial Tissue, Open Approach | ICD-10-PCS Procedure |
| 041J0AC | Bypass Left External Iliac Artery to Bilateral Internal Iliac Arteries with Autologous Arterial Tissue, Open Approach | ICD-10-PCS Procedure |
| 041J0AD | Bypass Left External Iliac Artery to Right External Iliac Artery with Autologous Arterial Tissue, Open Approach | ICD-10-PCS Procedure |
| 041J0AF | Bypass Left External Iliac Artery to Left External Iliac Artery with Autologous Arterial Tissue, Open Approach | ICD-10-PCS Procedure |
| 041J0AG | Bypass Left External Iliac Artery to Bilateral External Iliac Arteries with Autologous Arterial Tissue, Open Approach | ICD-10-PCS Procedure |
| 041J0AP | Bypass Left External Iliac Artery to Foot Artery with Autologous Arterial Tissue, Open Approach | ICD-10-PCS Procedure |
| 041J0AQ | Bypass Left External Iliac Artery to Lower Extremity Artery with Autologous Arterial Tissue, Open Approach | ICD-10-PCS Procedure |
| 041J0J9 | Bypass Left External Iliac Artery to Right Internal Iliac Artery with Synthetic Substitute, Open Approach | ICD-10-PCS Procedure |

List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|--|----------------------|
| 041J0JB | Bypass Left External Iliac Artery to Left Internal Iliac Artery with Synthetic Substitute, Open Approach | ICD-10-PCS Procedure |
| 041J0JC | Bypass Left External Iliac Artery to Bilateral Internal Iliac Arteries with Synthetic Substitute, Open Approach | ICD-10-PCS Procedure |
| 041J0JD | Bypass Left External Iliac Artery to Right External Iliac Artery with Synthetic Substitute, Open Approach | ICD-10-PCS Procedure |
| 041J0JF | Bypass Left External Iliac Artery to Left External Iliac Artery with Synthetic Substitute, Open Approach | ICD-10-PCS Procedure |
| 041J0JG | Bypass Left External Iliac Artery to Bilateral External Iliac Arteries with Synthetic Substitute, Open Approach | ICD-10-PCS Procedure |
| 041J0JP | Bypass Left External Iliac Artery to Foot Artery with Synthetic Substitute, Open Approach | ICD-10-PCS Procedure |
| 041J0JQ | Bypass Left External Iliac Artery to Lower Extremity Artery with Synthetic Substitute, Open Approach | ICD-10-PCS Procedure |
| 041J0K9 | Bypass Left External Iliac Artery to Right Internal Iliac Artery with Nonautologous Tissue Substitute, Open Approach | ICD-10-PCS Procedure |
| 041J0KB | Bypass Left External Iliac Artery to Left Internal Iliac Artery with Nonautologous Tissue Substitute, Open Approach | ICD-10-PCS Procedure |
| 041J0KC | Bypass Left External Iliac Artery to Bilateral Internal Iliac Arteries with Nonautologous Tissue Substitute, Open Approach | ICD-10-PCS Procedure |
| 041J0KD | Bypass Left External Iliac Artery to Right External Iliac Artery with Nonautologous Tissue Substitute, Open Approach | ICD-10-PCS Procedure |
| 041J0KF | Bypass Left External Iliac Artery to Left External Iliac Artery with Nonautologous Tissue Substitute, Open Approach | ICD-10-PCS Procedure |
| 041J0KG | Bypass Left External Iliac Artery to Bilateral External Iliac Arteries with Nonautologous Tissue Substitute, Open Approach | ICD-10-PCS Procedure |
| 041J0KP | Bypass Left External Iliac Artery to Foot Artery with Nonautologous Tissue Substitute, Open Approach | ICD-10-PCS Procedure |
| 041J0KQ | Bypass Left External Iliac Artery to Lower Extremity Artery with Nonautologous Tissue Substitute, Open Approach | ICD-10-PCS Procedure |
| 041J0Z9 | Bypass Left External Iliac Artery to Right Internal Iliac Artery, Open Approach | ICD-10-PCS Procedure |
| 041J0ZB | Bypass Left External Iliac Artery to Left Internal Iliac Artery, Open Approach | ICD-10-PCS Procedure |
| 041J0ZC | Bypass Left External Iliac Artery to Bilateral Internal Iliac Arteries, Open Approach | ICD-10-PCS Procedure |
| 041J0ZD | Bypass Left External Iliac Artery to Right External Iliac Artery, Open Approach | ICD-10-PCS Procedure |
| 041J0ZF | Bypass Left External Iliac Artery to Left External Iliac Artery, Open Approach | ICD-10-PCS Procedure |
| 041J0ZG | Bypass Left External Iliac Artery to Bilateral External Iliac Arteries, Open Approach | ICD-10-PCS Procedure |
| 041J0ZP | Bypass Left External Iliac Artery to Foot Artery, Open Approach | ICD-10-PCS Procedure |
| 041J0ZQ | Bypass Left External Iliac Artery to Lower Extremity Artery, Open Approach | ICD-10-PCS Procedure |
| 041J499 | Bypass Left External Iliac Artery to Right Internal Iliac Artery with Autologous Venous Tissue, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |

List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|--|----------------------|
| 041J49B | Bypass Left External Iliac Artery to Left Internal Iliac Artery with Autologous Venous Tissue, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041J49C | Bypass Left External Iliac Artery to Bilateral Internal Iliac Arteries with Autologous Venous Tissue, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041J49D | Bypass Left External Iliac Artery to Right External Iliac Artery with Autologous Venous Tissue, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041J49F | Bypass Left External Iliac Artery to Left External Iliac Artery with Autologous Venous Tissue, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041J49G | Bypass Left External Iliac Artery to Bilateral External Iliac Arteries with Autologous Venous Tissue, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041J49P | Bypass Left External Iliac Artery to Foot Artery with Autologous Venous Tissue, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041J49Q | Bypass Left External Iliac Artery to Lower Extremity Artery with Autologous Venous Tissue, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041J4A9 | Bypass Left External Iliac Artery to Right Internal Iliac Artery with Autologous Arterial Tissue, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041J4AB | Bypass Left External Iliac Artery to Left Internal Iliac Artery with Autologous Arterial Tissue, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041J4AC | Bypass Left External Iliac Artery to Bilateral Internal Iliac Arteries with Autologous Arterial Tissue, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041J4AD | Bypass Left External Iliac Artery to Right External Iliac Artery with Autologous Arterial Tissue, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041J4AF | Bypass Left External Iliac Artery to Left External Iliac Artery with Autologous Arterial Tissue, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041J4AG | Bypass Left External Iliac Artery to Bilateral External Iliac Arteries with Autologous Arterial Tissue, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041J4AP | Bypass Left External Iliac Artery to Foot Artery with Autologous Arterial Tissue, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041J4AQ | Bypass Left External Iliac Artery to Lower Extremity Artery with Autologous Arterial Tissue, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041J4J9 | Bypass Left External Iliac Artery to Right Internal Iliac Artery with Synthetic Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041J4JB | Bypass Left External Iliac Artery to Left Internal Iliac Artery with Synthetic Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041J4JC | Bypass Left External Iliac Artery to Bilateral Internal Iliac Arteries with Synthetic Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041J4JD | Bypass Left External Iliac Artery to Right External Iliac Artery with Synthetic Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041J4JF | Bypass Left External Iliac Artery to Left External Iliac Artery with Synthetic Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041J4JG | Bypass Left External Iliac Artery to Bilateral External Iliac Arteries with Synthetic Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |

List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|---|----------------------|
| 041J4JP | Bypass Left External Iliac Artery to Foot Artery with Synthetic Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041J4JQ | Bypass Left External Iliac Artery to Lower Extremity Artery with Synthetic Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041J4K9 | Bypass Left External Iliac Artery to Right Internal Iliac Artery with Nonautologous Tissue Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041J4KB | Bypass Left External Iliac Artery to Left Internal Iliac Artery with Nonautologous Tissue Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041J4KC | Bypass Left External Iliac Artery to Bilateral Internal Iliac Arteries with Nonautologous Tissue Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041J4KD | Bypass Left External Iliac Artery to Right External Iliac Artery with Nonautologous Tissue Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041J4KF | Bypass Left External Iliac Artery to Left External Iliac Artery with Nonautologous Tissue Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041J4KG | Bypass Left External Iliac Artery to Bilateral External Iliac Arteries with Nonautologous Tissue Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041J4KP | Bypass Left External Iliac Artery to Foot Artery with Nonautologous Tissue Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041J4KQ | Bypass Left External Iliac Artery to Lower Extremity Artery with Nonautologous Tissue Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041J4Z9 | Bypass Left External Iliac Artery to Right Internal Iliac Artery, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041J4ZB | Bypass Left External Iliac Artery to Left Internal Iliac Artery, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041J4ZC | Bypass Left External Iliac Artery to Bilateral Internal Iliac Arteries, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041J4ZD | Bypass Left External Iliac Artery to Right External Iliac Artery, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041J4ZF | Bypass Left External Iliac Artery to Left External Iliac Artery, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041J4ZG | Bypass Left External Iliac Artery to Bilateral External Iliac Arteries, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041J4ZP | Bypass Left External Iliac Artery to Foot Artery, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041J4ZQ | Bypass Left External Iliac Artery to Lower Extremity Artery, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047004Z | Dilation of Abdominal Aorta with Drug-eluting Intraluminal Device, Open Approach | ICD-10-PCS Procedure |
| 047005Z | Dilation of Abdominal Aorta with Two Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 047006Z | Dilation of Abdominal Aorta with Three Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |

List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|--|----------------------|
| 047007Z | Dilation of Abdominal Aorta with Four or More Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 04700D6 | Dilation of Abdominal Aorta, Bifurcation, with Intraluminal Device, Open Approach | ICD-10-PCS Procedure |
| 04700DZ | Dilation of Abdominal Aorta with Intraluminal Device, Open Approach | ICD-10-PCS Procedure |
| 04700EZ | Dilation of Abdominal Aorta with Two Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 04700F6 | Dilation of Abdominal Aorta, Bifurcation, with Three Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 04700FZ | Dilation of Abdominal Aorta with Three Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 04700G6 | Dilation of Abdominal Aorta, Bifurcation, with Four or More Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 04700GZ | Dilation of Abdominal Aorta with Four or More Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 04700Z6 | Dilation of Abdominal Aorta, Bifurcation, Open Approach | ICD-10-PCS Procedure |
| 04700ZZ | Dilation of Abdominal Aorta, Open Approach | ICD-10-PCS Procedure |
| 047034Z | Dilation of Abdominal Aorta with Drug-eluting Intraluminal Device, Percutaneous Approach | ICD-10-PCS Procedure |
| 047035Z | Dilation of Abdominal Aorta with Two Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 047036Z | Dilation of Abdominal Aorta with Three Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 047037Z | Dilation of Abdominal Aorta with Four or More Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 04703D6 | Dilation of Abdominal Aorta, Bifurcation, with Intraluminal Device, Percutaneous Approach | ICD-10-PCS Procedure |
| 04703DZ | Dilation of Abdominal Aorta with Intraluminal Device, Percutaneous Approach | ICD-10-PCS Procedure |
| 04703EZ | Dilation of Abdominal Aorta with Two Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 04703F6 | Dilation of Abdominal Aorta, Bifurcation, with Three Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 04703FZ | Dilation of Abdominal Aorta with Three Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 04703G6 | Dilation of Abdominal Aorta, Bifurcation, with Four or More Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 04703GZ | Dilation of Abdominal Aorta with Four or More Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 04703Z6 | Dilation of Abdominal Aorta, Bifurcation, Percutaneous Approach | ICD-10-PCS Procedure |
| 04703ZZ | Dilation of Abdominal Aorta, Percutaneous Approach | ICD-10-PCS Procedure |
| 047044Z | Dilation of Abdominal Aorta with Drug-eluting Intraluminal Device, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047045Z | Dilation of Abdominal Aorta with Two Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |



List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|--|----------------------|
| 047046Z | Dilation of Abdominal Aorta with Three Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047047Z | Dilation of Abdominal Aorta with Four or More Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 04704D6 | Dilation of Abdominal Aorta, Bifurcation, with Intraluminal Device, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 04704DZ | Dilation of Abdominal Aorta with Intraluminal Device, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 04704EZ | Dilation of Abdominal Aorta with Two Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 04704F6 | Dilation of Abdominal Aorta, Bifurcation, with Three Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 04704FZ | Dilation of Abdominal Aorta with Three Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 04704G6 | Dilation of Abdominal Aorta, Bifurcation, with Four or More Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 04704GZ | Dilation of Abdominal Aorta with Four or More Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 04704Z6 | Dilation of Abdominal Aorta, Bifurcation, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 04704ZZ | Dilation of Abdominal Aorta, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047104Z | Dilation of Celiac Artery with Drug-eluting Intraluminal Device, Open Approach | ICD-10-PCS Procedure |
| 047105Z | Dilation of Celiac Artery with Two Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 047106Z | Dilation of Celiac Artery with Three Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 047107Z | Dilation of Celiac Artery with Four or More Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 04710D6 | Dilation of Celiac Artery, Bifurcation, with Intraluminal Device, Open Approach | ICD-10-PCS Procedure |
| 04710DZ | Dilation of Celiac Artery with Intraluminal Device, Open Approach | ICD-10-PCS Procedure |
| 04710EZ | Dilation of Celiac Artery with Two Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 04710F6 | Dilation of Celiac Artery, Bifurcation, with Three Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 04710FZ | Dilation of Celiac Artery with Three Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 04710G6 | Dilation of Celiac Artery, Bifurcation, with Four or More Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 04710GZ | Dilation of Celiac Artery with Four or More Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 04710Z6 | Dilation of Celiac Artery, Bifurcation, Open Approach | ICD-10-PCS Procedure |
| 04710ZZ | Dilation of Celiac Artery, Open Approach | ICD-10-PCS Procedure |



List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|---|----------------------|
| 047134Z | Dilation of Celiac Artery with Drug-eluting Intraluminal Device, Percutaneous Approach | ICD-10-PCS Procedure |
| 047135Z | Dilation of Celiac Artery with Two Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 047136Z | Dilation of Celiac Artery with Three Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 047137Z | Dilation of Celiac Artery with Four or More Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 04713D6 | Dilation of Celiac Artery, Bifurcation, with Intraluminal Device, Percutaneous Approach | ICD-10-PCS Procedure |
| 04713DZ | Dilation of Celiac Artery with Intraluminal Device, Percutaneous Approach | ICD-10-PCS Procedure |
| 04713EZ | Dilation of Celiac Artery with Two Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 04713F6 | Dilation of Celiac Artery, Bifurcation, with Three Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 04713FZ | Dilation of Celiac Artery with Three Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 04713G6 | Dilation of Celiac Artery, Bifurcation, with Four or More Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 04713GZ | Dilation of Celiac Artery with Four or More Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 04713Z6 | Dilation of Celiac Artery, Bifurcation, Percutaneous Approach | ICD-10-PCS Procedure |
| 04713ZZ | Dilation of Celiac Artery, Percutaneous Approach | ICD-10-PCS Procedure |
| 047144Z | Dilation of Celiac Artery with Drug-eluting Intraluminal Device, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047145Z | Dilation of Celiac Artery with Two Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047146Z | Dilation of Celiac Artery with Three Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047147Z | Dilation of Celiac Artery with Four or More Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 04714D6 | Dilation of Celiac Artery, Bifurcation, with Intraluminal Device, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 04714DZ | Dilation of Celiac Artery with Intraluminal Device, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 04714EZ | Dilation of Celiac Artery with Two Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 04714F6 | Dilation of Celiac Artery, Bifurcation, with Three Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 04714FZ | Dilation of Celiac Artery with Three Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |



List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|--|----------------------|
| 04714G6 | Dilation of Celiac Artery, Bifurcation, with Four or More Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 04714GZ | Dilation of Celiac Artery with Four or More Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 04714Z6 | Dilation of Celiac Artery, Bifurcation, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 04714ZZ | Dilation of Celiac Artery, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047204Z | Dilation of Gastric Artery with Drug-eluting Intraluminal Device, Open Approach | ICD-10-PCS Procedure |
| 047205Z | Dilation of Gastric Artery with Two Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 047206Z | Dilation of Gastric Artery with Three Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 047207Z | Dilation of Gastric Artery with Four or More Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 04720D6 | Dilation of Gastric Artery, Bifurcation, with Intraluminal Device, Open Approach | ICD-10-PCS Procedure |
| 04720DZ | Dilation of Gastric Artery with Intraluminal Device, Open Approach | ICD-10-PCS Procedure |
| 04720EZ | Dilation of Gastric Artery with Two Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 04720F6 | Dilation of Gastric Artery, Bifurcation, with Three Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 04720FZ | Dilation of Gastric Artery with Three Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 04720G6 | Dilation of Gastric Artery, Bifurcation, with Four or More Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 04720GZ | Dilation of Gastric Artery with Four or More Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 04720Z6 | Dilation of Gastric Artery, Bifurcation, Open Approach | ICD-10-PCS Procedure |
| 04720ZZ | Dilation of Gastric Artery, Open Approach | ICD-10-PCS Procedure |
| 047234Z | Dilation of Gastric Artery with Drug-eluting Intraluminal Device, Percutaneous Approach | ICD-10-PCS Procedure |
| 047235Z | Dilation of Gastric Artery with Two Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 047236Z | Dilation of Gastric Artery with Three Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 047237Z | Dilation of Gastric Artery with Four or More Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 04723D6 | Dilation of Gastric Artery, Bifurcation, with Intraluminal Device, Percutaneous Approach | ICD-10-PCS Procedure |
| 04723DZ | Dilation of Gastric Artery with Intraluminal Device, Percutaneous Approach | ICD-10-PCS Procedure |
| 04723EZ | Dilation of Gastric Artery with Two Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 04723F6 | Dilation of Gastric Artery, Bifurcation, with Three Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |



List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|---|----------------------|
| 04723FZ | Dilation of Gastric Artery with Three Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 04723G6 | Dilation of Gastric Artery, Bifurcation, with Four or More Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 04723GZ | Dilation of Gastric Artery with Four or More Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 04723Z6 | Dilation of Gastric Artery, Bifurcation, Percutaneous Approach | ICD-10-PCS Procedure |
| 04723ZZ | Dilation of Gastric Artery, Percutaneous Approach | ICD-10-PCS Procedure |
| 047244Z | Dilation of Gastric Artery with Drug-eluting Intraluminal Device, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047245Z | Dilation of Gastric Artery with Two Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047246Z | Dilation of Gastric Artery with Three Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047247Z | Dilation of Gastric Artery with Four or More Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 04724D6 | Dilation of Gastric Artery, Bifurcation, with Intraluminal Device, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 04724DZ | Dilation of Gastric Artery with Intraluminal Device, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 04724EZ | Dilation of Gastric Artery with Two Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 04724F6 | Dilation of Gastric Artery, Bifurcation, with Three Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 04724FZ | Dilation of Gastric Artery with Three Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 04724G6 | Dilation of Gastric Artery, Bifurcation, with Four or More Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 04724GZ | Dilation of Gastric Artery with Four or More Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 04724Z6 | Dilation of Gastric Artery, Bifurcation, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 04724ZZ | Dilation of Gastric Artery, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047304Z | Dilation of Hepatic Artery with Drug-eluting Intraluminal Device, Open Approach | ICD-10-PCS Procedure |
| 047305Z | Dilation of Hepatic Artery with Two Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 047306Z | Dilation of Hepatic Artery with Three Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 047307Z | Dilation of Hepatic Artery with Four or More Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 04730D6 | Dilation of Hepatic Artery, Bifurcation, with Intraluminal Device, Open Approach | ICD-10-PCS Procedure |



List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|--|----------------------|
| 04730DZ | Dilation of Hepatic Artery with Intraluminal Device, Open Approach | ICD-10-PCS Procedure |
| 04730EZ | Dilation of Hepatic Artery with Two Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 04730F6 | Dilation of Hepatic Artery, Bifurcation, with Three Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 04730FZ | Dilation of Hepatic Artery with Three Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 04730G6 | Dilation of Hepatic Artery, Bifurcation, with Four or More Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 04730GZ | Dilation of Hepatic Artery with Four or More Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 04730Z6 | Dilation of Hepatic Artery, Bifurcation, Open Approach | ICD-10-PCS Procedure |
| 04730ZZ | Dilation of Hepatic Artery, Open Approach | ICD-10-PCS Procedure |
| 047334Z | Dilation of Hepatic Artery with Drug-eluting Intraluminal Device, Percutaneous Approach | ICD-10-PCS Procedure |
| 047335Z | Dilation of Hepatic Artery with Two Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 047336Z | Dilation of Hepatic Artery with Three Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 047337Z | Dilation of Hepatic Artery with Four or More Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 04733D6 | Dilation of Hepatic Artery, Bifurcation, with Intraluminal Device, Percutaneous Approach | ICD-10-PCS Procedure |
| 04733DZ | Dilation of Hepatic Artery with Intraluminal Device, Percutaneous Approach | ICD-10-PCS Procedure |
| 04733EZ | Dilation of Hepatic Artery with Two Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 04733F6 | Dilation of Hepatic Artery, Bifurcation, with Three Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 04733FZ | Dilation of Hepatic Artery with Three Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 04733G6 | Dilation of Hepatic Artery, Bifurcation, with Four or More Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 04733GZ | Dilation of Hepatic Artery with Four or More Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 04733Z6 | Dilation of Hepatic Artery, Bifurcation, Percutaneous Approach | ICD-10-PCS Procedure |
| 04733ZZ | Dilation of Hepatic Artery, Percutaneous Approach | ICD-10-PCS Procedure |
| 047344Z | Dilation of Hepatic Artery with Drug-eluting Intraluminal Device, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047345Z | Dilation of Hepatic Artery with Two Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047346Z | Dilation of Hepatic Artery with Three Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047347Z | Dilation of Hepatic Artery with Four or More Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |



List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|---|----------------------|
| 04734D6 | Dilation of Hepatic Artery, Bifurcation, with Intraluminal Device, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 04734DZ | Dilation of Hepatic Artery with Intraluminal Device, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 04734EZ | Dilation of Hepatic Artery with Two Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 04734F6 | Dilation of Hepatic Artery, Bifurcation, with Three Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 04734FZ | Dilation of Hepatic Artery with Three Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 04734G6 | Dilation of Hepatic Artery, Bifurcation, with Four or More Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 04734GZ | Dilation of Hepatic Artery with Four or More Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 04734Z6 | Dilation of Hepatic Artery, Bifurcation, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 04734ZZ | Dilation of Hepatic Artery, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047404Z | Dilation of Splenic Artery with Drug-eluting Intraluminal Device, Open Approach | ICD-10-PCS Procedure |
| 047405Z | Dilation of Splenic Artery with Two Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 047406Z | Dilation of Splenic Artery with Three Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 047407Z | Dilation of Splenic Artery with Four or More Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 04740D6 | Dilation of Splenic Artery, Bifurcation, with Intraluminal Device, Open Approach | ICD-10-PCS Procedure |
| 04740DZ | Dilation of Splenic Artery with Intraluminal Device, Open Approach | ICD-10-PCS Procedure |
| 04740EZ | Dilation of Splenic Artery with Two Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 04740F6 | Dilation of Splenic Artery, Bifurcation, with Three Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 04740FZ | Dilation of Splenic Artery with Three Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 04740G6 | Dilation of Splenic Artery, Bifurcation, with Four or More Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 04740GZ | Dilation of Splenic Artery with Four or More Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 04740Z6 | Dilation of Splenic Artery, Bifurcation, Open Approach | ICD-10-PCS Procedure |
| 04740ZZ | Dilation of Splenic Artery, Open Approach | ICD-10-PCS Procedure |
| 047434Z | Dilation of Splenic Artery with Drug-eluting Intraluminal Device, Percutaneous Approach | ICD-10-PCS Procedure |
| 047435Z | Dilation of Splenic Artery with Two Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |

List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|---|----------------------|
| 047436Z | Dilation of Splenic Artery with Three Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 047437Z | Dilation of Splenic Artery with Four or More Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 04743D6 | Dilation of Splenic Artery, Bifurcation, with Intraluminal Device, Percutaneous Approach | ICD-10-PCS Procedure |
| 04743DZ | Dilation of Splenic Artery with Intraluminal Device, Percutaneous Approach | ICD-10-PCS Procedure |
| 04743EZ | Dilation of Splenic Artery with Two Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 04743F6 | Dilation of Splenic Artery, Bifurcation, with Three Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 04743FZ | Dilation of Splenic Artery with Three Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 04743G6 | Dilation of Splenic Artery, Bifurcation, with Four or More Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 04743GZ | Dilation of Splenic Artery with Four or More Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 04743Z6 | Dilation of Splenic Artery, Bifurcation, Percutaneous Approach | ICD-10-PCS Procedure |
| 04743ZZ | Dilation of Splenic Artery, Percutaneous Approach | ICD-10-PCS Procedure |
| 047444Z | Dilation of Splenic Artery with Drug-eluting Intraluminal Device, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047445Z | Dilation of Splenic Artery with Two Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047446Z | Dilation of Splenic Artery with Three Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047447Z | Dilation of Splenic Artery with Four or More Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 04744D6 | Dilation of Splenic Artery, Bifurcation, with Intraluminal Device, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 04744DZ | Dilation of Splenic Artery with Intraluminal Device, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 04744EZ | Dilation of Splenic Artery with Two Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 04744F6 | Dilation of Splenic Artery, Bifurcation, with Three Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 04744FZ | Dilation of Splenic Artery with Three Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 04744G6 | Dilation of Splenic Artery, Bifurcation, with Four or More Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 04744GZ | Dilation of Splenic Artery with Four or More Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 04744Z6 | Dilation of Splenic Artery, Bifurcation, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |



List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|---|----------------------|
| 04744ZZ | Dilation of Splenic Artery, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047504Z | Dilation of Superior Mesenteric Artery with Drug-eluting Intraluminal Device, Open Approach | ICD-10-PCS Procedure |
| 047505Z | Dilation of Superior Mesenteric Artery with Two Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 047506Z | Dilation of Superior Mesenteric Artery with Three Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 047507Z | Dilation of Superior Mesenteric Artery with Four or More Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 04750D6 | Dilation of Superior Mesenteric Artery, Bifurcation, with Intraluminal Device, Open Approach | ICD-10-PCS Procedure |
| 04750DZ | Dilation of Superior Mesenteric Artery with Intraluminal Device, Open Approach | ICD-10-PCS Procedure |
| 04750EZ | Dilation of Superior Mesenteric Artery with Two Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 04750F6 | Dilation of Superior Mesenteric Artery, Bifurcation, with Three Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 04750FZ | Dilation of Superior Mesenteric Artery with Three Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 04750G6 | Dilation of Superior Mesenteric Artery, Bifurcation, with Four or More Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 04750GZ | Dilation of Superior Mesenteric Artery with Four or More Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 04750Z6 | Dilation of Superior Mesenteric Artery, Bifurcation, Open Approach | ICD-10-PCS Procedure |
| 04750ZZ | Dilation of Superior Mesenteric Artery, Open Approach | ICD-10-PCS Procedure |
| 047534Z | Dilation of Superior Mesenteric Artery with Drug-eluting Intraluminal Device, Percutaneous Approach | ICD-10-PCS Procedure |
| 047535Z | Dilation of Superior Mesenteric Artery with Two Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 047536Z | Dilation of Superior Mesenteric Artery with Three Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 047537Z | Dilation of Superior Mesenteric Artery with Four or More Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 04753D6 | Dilation of Superior Mesenteric Artery, Bifurcation, with Intraluminal Device, Percutaneous Approach | ICD-10-PCS Procedure |
| 04753DZ | Dilation of Superior Mesenteric Artery with Intraluminal Device, Percutaneous Approach | ICD-10-PCS Procedure |
| 04753EZ | Dilation of Superior Mesenteric Artery with Two Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 04753F6 | Dilation of Superior Mesenteric Artery, Bifurcation, with Three Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |

List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|---|----------------------|
| 04753FZ | Dilation of Superior Mesenteric Artery with Three Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 04753G6 | Dilation of Superior Mesenteric Artery, Bifurcation, with Four or More Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 04753GZ | Dilation of Superior Mesenteric Artery with Four or More Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 04753Z6 | Dilation of Superior Mesenteric Artery, Bifurcation, Percutaneous Approach | ICD-10-PCS Procedure |
| 04753ZZ | Dilation of Superior Mesenteric Artery, Percutaneous Approach | ICD-10-PCS Procedure |
| 047544Z | Dilation of Superior Mesenteric Artery with Drug-eluting Intraluminal Device, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047545Z | Dilation of Superior Mesenteric Artery with Two Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047546Z | Dilation of Superior Mesenteric Artery with Three Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047547Z | Dilation of Superior Mesenteric Artery with Four or More Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 04754D6 | Dilation of Superior Mesenteric Artery, Bifurcation, with Intraluminal Device, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 04754DZ | Dilation of Superior Mesenteric Artery with Intraluminal Device, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 04754EZ | Dilation of Superior Mesenteric Artery with Two Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 04754F6 | Dilation of Superior Mesenteric Artery, Bifurcation, with Three Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 04754FZ | Dilation of Superior Mesenteric Artery with Three Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 04754G6 | Dilation of Superior Mesenteric Artery, Bifurcation, with Four or More Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 04754GZ | Dilation of Superior Mesenteric Artery with Four or More Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 04754Z6 | Dilation of Superior Mesenteric Artery, Bifurcation, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 04754ZZ | Dilation of Superior Mesenteric Artery, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047604Z | Dilation of Right Colic Artery with Drug-eluting Intraluminal Device, Open Approach | ICD-10-PCS Procedure |
| 047605Z | Dilation of Right Colic Artery with Two Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 047606Z | Dilation of Right Colic Artery with Three Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 047607Z | Dilation of Right Colic Artery with Four or More Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |



List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|---|----------------------|
| 04760D6 | Dilation of Right Colic Artery, Bifurcation, with Intraluminal Device, Open Approach | ICD-10-PCS Procedure |
| 04760DZ | Dilation of Right Colic Artery with Intraluminal Device, Open Approach | ICD-10-PCS Procedure |
| 04760EZ | Dilation of Right Colic Artery with Two Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 04760F6 | Dilation of Right Colic Artery, Bifurcation, with Three Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 04760FZ | Dilation of Right Colic Artery with Three Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 04760G6 | Dilation of Right Colic Artery, Bifurcation, with Four or More Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 04760GZ | Dilation of Right Colic Artery with Four or More Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 04760Z6 | Dilation of Right Colic Artery, Bifurcation, Open Approach | ICD-10-PCS Procedure |
| 04760ZZ | Dilation of Right Colic Artery, Open Approach | ICD-10-PCS Procedure |
| 047634Z | Dilation of Right Colic Artery with Drug-eluting Intraluminal Device, Percutaneous Approach | ICD-10-PCS Procedure |
| 047635Z | Dilation of Right Colic Artery with Two Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 047636Z | Dilation of Right Colic Artery with Three Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 047637Z | Dilation of Right Colic Artery with Four or More Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 04763D6 | Dilation of Right Colic Artery, Bifurcation, with Intraluminal Device, Percutaneous Approach | ICD-10-PCS Procedure |
| 04763DZ | Dilation of Right Colic Artery with Intraluminal Device, Percutaneous Approach | ICD-10-PCS Procedure |
| 04763EZ | Dilation of Right Colic Artery with Two Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 04763F6 | Dilation of Right Colic Artery, Bifurcation, with Three Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 04763FZ | Dilation of Right Colic Artery with Three Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 04763G6 | Dilation of Right Colic Artery, Bifurcation, with Four or More Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 04763GZ | Dilation of Right Colic Artery with Four or More Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 04763Z6 | Dilation of Right Colic Artery, Bifurcation, Percutaneous Approach | ICD-10-PCS Procedure |
| 04763ZZ | Dilation of Right Colic Artery, Percutaneous Approach | ICD-10-PCS Procedure |
| 047644Z | Dilation of Right Colic Artery with Drug-eluting Intraluminal Device, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047645Z | Dilation of Right Colic Artery with Two Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047646Z | Dilation of Right Colic Artery with Three Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |



List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|---|----------------------|
| 047647Z | Dilation of Right Colic Artery with Four or More Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 04764D6 | Dilation of Right Colic Artery, Bifurcation, with Intraluminal Device, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 04764DZ | Dilation of Right Colic Artery with Intraluminal Device, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 04764EZ | Dilation of Right Colic Artery with Two Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 04764F6 | Dilation of Right Colic Artery, Bifurcation, with Three Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 04764FZ | Dilation of Right Colic Artery with Three Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 04764G6 | Dilation of Right Colic Artery, Bifurcation, with Four or More Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 04764GZ | Dilation of Right Colic Artery with Four or More Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 04764Z6 | Dilation of Right Colic Artery, Bifurcation, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 04764ZZ | Dilation of Right Colic Artery, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047704Z | Dilation of Left Colic Artery with Drug-eluting Intraluminal Device, Open Approach | ICD-10-PCS Procedure |
| 047705Z | Dilation of Left Colic Artery with Two Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 047706Z | Dilation of Left Colic Artery with Three Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 047707Z | Dilation of Left Colic Artery with Four or More Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 04770D6 | Dilation of Left Colic Artery, Bifurcation, with Intraluminal Device, Open Approach | ICD-10-PCS Procedure |
| 04770DZ | Dilation of Left Colic Artery with Intraluminal Device, Open Approach | ICD-10-PCS Procedure |
| 04770EZ | Dilation of Left Colic Artery with Two Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 04770F6 | Dilation of Left Colic Artery, Bifurcation, with Three Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 04770FZ | Dilation of Left Colic Artery with Three Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 04770G6 | Dilation of Left Colic Artery, Bifurcation, with Four or More Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 04770GZ | Dilation of Left Colic Artery with Four or More Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 04770Z6 | Dilation of Left Colic Artery, Bifurcation, Open Approach | ICD-10-PCS Procedure |
| 04770ZZ | Dilation of Left Colic Artery, Open Approach | ICD-10-PCS Procedure |
| 047734Z | Dilation of Left Colic Artery with Drug-eluting Intraluminal Device, Percutaneous Approach | ICD-10-PCS Procedure |



List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|--|----------------------|
| 047735Z | Dilation of Left Colic Artery with Two Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 047736Z | Dilation of Left Colic Artery with Three Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 047737Z | Dilation of Left Colic Artery with Four or More Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 04773D6 | Dilation of Left Colic Artery, Bifurcation, with Intraluminal Device, Percutaneous Approach | ICD-10-PCS Procedure |
| 04773DZ | Dilation of Left Colic Artery with Intraluminal Device, Percutaneous Approach | ICD-10-PCS Procedure |
| 04773EZ | Dilation of Left Colic Artery with Two Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 04773F6 | Dilation of Left Colic Artery, Bifurcation, with Three Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 04773FZ | Dilation of Left Colic Artery with Three Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 04773G6 | Dilation of Left Colic Artery, Bifurcation, with Four or More Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 04773GZ | Dilation of Left Colic Artery with Four or More Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 04773Z6 | Dilation of Left Colic Artery, Bifurcation, Percutaneous Approach | ICD-10-PCS Procedure |
| 04773ZZ | Dilation of Left Colic Artery, Percutaneous Approach | ICD-10-PCS Procedure |
| 047744Z | Dilation of Left Colic Artery with Drug-eluting Intraluminal Device, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047745Z | Dilation of Left Colic Artery with Two Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047746Z | Dilation of Left Colic Artery with Three Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047747Z | Dilation of Left Colic Artery with Four or More Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 04774D6 | Dilation of Left Colic Artery, Bifurcation, with Intraluminal Device, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 04774DZ | Dilation of Left Colic Artery with Intraluminal Device, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 04774EZ | Dilation of Left Colic Artery with Two Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 04774F6 | Dilation of Left Colic Artery, Bifurcation, with Three Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 04774FZ | Dilation of Left Colic Artery with Three Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 04774G6 | Dilation of Left Colic Artery, Bifurcation, with Four or More Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |



List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|--|----------------------|
| 04774GZ | Dilation of Left Colic Artery with Four or More Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 04774Z6 | Dilation of Left Colic Artery, Bifurcation, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 04774ZZ | Dilation of Left Colic Artery, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047804Z | Dilation of Middle Colic Artery with Drug-eluting Intraluminal Device, Open Approach | ICD-10-PCS Procedure |
| 047805Z | Dilation of Middle Colic Artery with Two Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 047806Z | Dilation of Middle Colic Artery with Three Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 047807Z | Dilation of Middle Colic Artery with Four or More Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 04780D6 | Dilation of Middle Colic Artery, Bifurcation, with Intraluminal Device, Open Approach | ICD-10-PCS Procedure |
| 04780DZ | Dilation of Middle Colic Artery with Intraluminal Device, Open Approach | ICD-10-PCS Procedure |
| 04780EZ | Dilation of Middle Colic Artery with Two Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 04780F6 | Dilation of Middle Colic Artery, Bifurcation, with Three Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 04780FZ | Dilation of Middle Colic Artery with Three Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 04780G6 | Dilation of Middle Colic Artery, Bifurcation, with Four or More Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 04780GZ | Dilation of Middle Colic Artery with Four or More Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 04780Z6 | Dilation of Middle Colic Artery, Bifurcation, Open Approach | ICD-10-PCS Procedure |
| 04780ZZ | Dilation of Middle Colic Artery, Open Approach | ICD-10-PCS Procedure |
| 047834Z | Dilation of Middle Colic Artery with Drug-eluting Intraluminal Device, Percutaneous Approach | ICD-10-PCS Procedure |
| 047835Z | Dilation of Middle Colic Artery with Two Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 047836Z | Dilation of Middle Colic Artery with Three Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 047837Z | Dilation of Middle Colic Artery with Four or More Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 04783D6 | Dilation of Middle Colic Artery, Bifurcation, with Intraluminal Device, Percutaneous Approach | ICD-10-PCS Procedure |
| 04783DZ | Dilation of Middle Colic Artery with Intraluminal Device, Percutaneous Approach | ICD-10-PCS Procedure |
| 04783EZ | Dilation of Middle Colic Artery with Two Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 04783F6 | Dilation of Middle Colic Artery, Bifurcation, with Three Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |



List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|--|----------------------|
| 04783FZ | Dilation of Middle Colic Artery with Three Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 04783G6 | Dilation of Middle Colic Artery, Bifurcation, with Four or More Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 04783GZ | Dilation of Middle Colic Artery with Four or More Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 04783Z6 | Dilation of Middle Colic Artery, Bifurcation, Percutaneous Approach | ICD-10-PCS Procedure |
| 04783ZZ | Dilation of Middle Colic Artery, Percutaneous Approach | ICD-10-PCS Procedure |
| 047844Z | Dilation of Middle Colic Artery with Drug-eluting Intraluminal Device, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047845Z | Dilation of Middle Colic Artery with Two Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047846Z | Dilation of Middle Colic Artery with Three Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047847Z | Dilation of Middle Colic Artery with Four or More Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 04784D6 | Dilation of Middle Colic Artery, Bifurcation, with Intraluminal Device, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 04784DZ | Dilation of Middle Colic Artery with Intraluminal Device, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 04784EZ | Dilation of Middle Colic Artery with Two Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 04784F6 | Dilation of Middle Colic Artery, Bifurcation, with Three Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 04784FZ | Dilation of Middle Colic Artery with Three Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 04784G6 | Dilation of Middle Colic Artery, Bifurcation, with Four or More Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 04784GZ | Dilation of Middle Colic Artery with Four or More Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 04784Z6 | Dilation of Middle Colic Artery, Bifurcation, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 04784ZZ | Dilation of Middle Colic Artery, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047904Z | Dilation of Right Renal Artery with Drug-eluting Intraluminal Device, Open Approach | ICD-10-PCS Procedure |
| 047905Z | Dilation of Right Renal Artery with Two Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 047906Z | Dilation of Right Renal Artery with Three Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 047907Z | Dilation of Right Renal Artery with Four or More Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |



List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|---|----------------------|
| 04790D6 | Dilation of Right Renal Artery, Bifurcation, with Intraluminal Device, Open Approach | ICD-10-PCS Procedure |
| 04790DZ | Dilation of Right Renal Artery with Intraluminal Device, Open Approach | ICD-10-PCS Procedure |
| 04790EZ | Dilation of Right Renal Artery with Two Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 04790F6 | Dilation of Right Renal Artery, Bifurcation, with Three Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 04790FZ | Dilation of Right Renal Artery with Three Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 04790G6 | Dilation of Right Renal Artery, Bifurcation, with Four or More Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 04790GZ | Dilation of Right Renal Artery with Four or More Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 04790Z6 | Dilation of Right Renal Artery, Bifurcation, Open Approach | ICD-10-PCS Procedure |
| 04790ZZ | Dilation of Right Renal Artery, Open Approach | ICD-10-PCS Procedure |
| 047934Z | Dilation of Right Renal Artery with Drug-eluting Intraluminal Device, Percutaneous Approach | ICD-10-PCS Procedure |
| 047935Z | Dilation of Right Renal Artery with Two Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 047936Z | Dilation of Right Renal Artery with Three Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 047937Z | Dilation of Right Renal Artery with Four or More Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 04793D6 | Dilation of Right Renal Artery, Bifurcation, with Intraluminal Device, Percutaneous Approach | ICD-10-PCS Procedure |
| 04793DZ | Dilation of Right Renal Artery with Intraluminal Device, Percutaneous Approach | ICD-10-PCS Procedure |
| 04793EZ | Dilation of Right Renal Artery with Two Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 04793F6 | Dilation of Right Renal Artery, Bifurcation, with Three Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 04793FZ | Dilation of Right Renal Artery with Three Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 04793G6 | Dilation of Right Renal Artery, Bifurcation, with Four or More Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 04793GZ | Dilation of Right Renal Artery with Four or More Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 04793Z6 | Dilation of Right Renal Artery, Bifurcation, Percutaneous Approach | ICD-10-PCS Procedure |
| 04793ZZ | Dilation of Right Renal Artery, Percutaneous Approach | ICD-10-PCS Procedure |
| 047944Z | Dilation of Right Renal Artery with Drug-eluting Intraluminal Device, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047945Z | Dilation of Right Renal Artery with Two Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |

List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|---|----------------------|
| 047946Z | Dilation of Right Renal Artery with Three Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047947Z | Dilation of Right Renal Artery with Four or More Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 04794D6 | Dilation of Right Renal Artery, Bifurcation, with Intraluminal Device, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 04794DZ | Dilation of Right Renal Artery with Intraluminal Device, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 04794EZ | Dilation of Right Renal Artery with Two Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 04794F6 | Dilation of Right Renal Artery, Bifurcation, with Three Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 04794FZ | Dilation of Right Renal Artery with Three Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 04794G6 | Dilation of Right Renal Artery, Bifurcation, with Four or More Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 04794GZ | Dilation of Right Renal Artery with Four or More Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 04794Z6 | Dilation of Right Renal Artery, Bifurcation, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 04794ZZ | Dilation of Right Renal Artery, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047A046 | Dilation of Left Renal Artery, Bifurcation, with Drug-eluting Intraluminal Device, Open Approach | ICD-10-PCS Procedure |
| 047A04Z | Dilation of Left Renal Artery with Drug-eluting Intraluminal Device, Open Approach | ICD-10-PCS Procedure |
| 047A056 | Dilation of Left Renal Artery, Bifurcation, with Two Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 047A05Z | Dilation of Left Renal Artery with Two Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 047A066 | Dilation of Left Renal Artery, Bifurcation, with Three Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 047A06Z | Dilation of Left Renal Artery with Three Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 047A076 | Dilation of Left Renal Artery, Bifurcation, with Four or More Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 047A07Z | Dilation of Left Renal Artery with Four or More Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 047A0D6 | Dilation of Left Renal Artery, Bifurcation, with Intraluminal Device, Open Approach | ICD-10-PCS Procedure |
| 047A0DZ | Dilation of Left Renal Artery with Intraluminal Device, Open Approach | ICD-10-PCS Procedure |
| 047A0E6 | Dilation of Left Renal Artery, Bifurcation, with Two Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 047A0EZ | Dilation of Left Renal Artery with Two Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |



List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|--|----------------------|
| 047A0F6 | Dilation of Left Renal Artery, Bifurcation, with Three Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 047A0FZ | Dilation of Left Renal Artery with Three Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 047A0G6 | Dilation of Left Renal Artery, Bifurcation, with Four or More Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 047A0GZ | Dilation of Left Renal Artery with Four or More Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 047A0Z6 | Dilation of Left Renal Artery, Bifurcation, Open Approach | ICD-10-PCS Procedure |
| 047A0ZZ | Dilation of Left Renal Artery, Open Approach | ICD-10-PCS Procedure |
| 047A346 | Dilation of Left Renal Artery, Bifurcation, with Drug-eluting Intraluminal Device, Percutaneous Approach | ICD-10-PCS Procedure |
| 047A34Z | Dilation of Left Renal Artery with Drug-eluting Intraluminal Device, Percutaneous Approach | ICD-10-PCS Procedure |
| 047A356 | Dilation of Left Renal Artery, Bifurcation, with Two Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 047A35Z | Dilation of Left Renal Artery with Two Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 047A366 | Dilation of Left Renal Artery, Bifurcation, with Three Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 047A36Z | Dilation of Left Renal Artery with Three Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 047A376 | Dilation of Left Renal Artery, Bifurcation, with Four or More Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 047A37Z | Dilation of Left Renal Artery with Four or More Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 047A3D6 | Dilation of Left Renal Artery, Bifurcation, with Intraluminal Device, Percutaneous Approach | ICD-10-PCS Procedure |
| 047A3DZ | Dilation of Left Renal Artery with Intraluminal Device, Percutaneous Approach | ICD-10-PCS Procedure |
| 047A3E6 | Dilation of Left Renal Artery, Bifurcation, with Two Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 047A3EZ | Dilation of Left Renal Artery with Two Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 047A3F6 | Dilation of Left Renal Artery, Bifurcation, with Three Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 047A3FZ | Dilation of Left Renal Artery with Three Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 047A3G6 | Dilation of Left Renal Artery, Bifurcation, with Four or More Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 047A3GZ | Dilation of Left Renal Artery with Four or More Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 047A3Z6 | Dilation of Left Renal Artery, Bifurcation, Percutaneous Approach | ICD-10-PCS Procedure |



List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|---|----------------------|
| 047A3ZZ | Dilation of Left Renal Artery, Percutaneous Approach | ICD-10-PCS Procedure |
| 047A446 | Dilation of Left Renal Artery, Bifurcation, with Drug-eluting Intraluminal Device, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047A44Z | Dilation of Left Renal Artery with Drug-eluting Intraluminal Device, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047A456 | Dilation of Left Renal Artery, Bifurcation, with Two Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047A45Z | Dilation of Left Renal Artery with Two Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047A466 | Dilation of Left Renal Artery, Bifurcation, with Three Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047A46Z | Dilation of Left Renal Artery with Three Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047A476 | Dilation of Left Renal Artery, Bifurcation, with Four or More Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047A47Z | Dilation of Left Renal Artery with Four or More Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047A4D6 | Dilation of Left Renal Artery, Bifurcation, with Intraluminal Device, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047A4DZ | Dilation of Left Renal Artery with Intraluminal Device, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047A4E6 | Dilation of Left Renal Artery, Bifurcation, with Two Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047A4EZ | Dilation of Left Renal Artery with Two Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047A4F6 | Dilation of Left Renal Artery, Bifurcation, with Three Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047A4FZ | Dilation of Left Renal Artery with Three Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047A4G6 | Dilation of Left Renal Artery, Bifurcation, with Four or More Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047A4GZ | Dilation of Left Renal Artery with Four or More Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047A4Z6 | Dilation of Left Renal Artery, Bifurcation, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047A4ZZ | Dilation of Left Renal Artery, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047B046 | Dilation of Inferior Mesenteric Artery, Bifurcation, with Drug-eluting Intraluminal Device, Open Approach | ICD-10-PCS Procedure |
| 047B04Z | Dilation of Inferior Mesenteric Artery with Drug-eluting Intraluminal Device, Open Approach | ICD-10-PCS Procedure |
| 047B056 | Dilation of Inferior Mesenteric Artery, Bifurcation, with Two Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |

List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|---|----------------------|
| 047B05Z | Dilation of Inferior Mesenteric Artery with Two Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 047B066 | Dilation of Inferior Mesenteric Artery, Bifurcation, with Three Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 047B06Z | Dilation of Inferior Mesenteric Artery with Three Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 047B076 | Dilation of Inferior Mesenteric Artery, Bifurcation, with Four or More Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 047B07Z | Dilation of Inferior Mesenteric Artery with Four or More Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 047B0D6 | Dilation of Inferior Mesenteric Artery, Bifurcation, with Intraluminal Device, Open Approach | ICD-10-PCS Procedure |
| 047B0DZ | Dilation of Inferior Mesenteric Artery with Intraluminal Device, Open Approach | ICD-10-PCS Procedure |
| 047B0E6 | Dilation of Inferior Mesenteric Artery, Bifurcation, with Two Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 047B0EZ | Dilation of Inferior Mesenteric Artery with Two Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 047B0F6 | Dilation of Inferior Mesenteric Artery, Bifurcation, with Three Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 047B0FZ | Dilation of Inferior Mesenteric Artery with Three Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 047B0G6 | Dilation of Inferior Mesenteric Artery, Bifurcation, with Four or More Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 047B0GZ | Dilation of Inferior Mesenteric Artery with Four or More Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 047B0Z6 | Dilation of Inferior Mesenteric Artery, Bifurcation, Open Approach | ICD-10-PCS Procedure |
| 047B0ZZ | Dilation of Inferior Mesenteric Artery, Open Approach | ICD-10-PCS Procedure |
| 047B346 | Dilation of Inferior Mesenteric Artery, Bifurcation, with Drug-eluting Intraluminal Device, Percutaneous Approach | ICD-10-PCS Procedure |
| 047B34Z | Dilation of Inferior Mesenteric Artery with Drug-eluting Intraluminal Device, Percutaneous Approach | ICD-10-PCS Procedure |
| 047B356 | Dilation of Inferior Mesenteric Artery, Bifurcation, with Two Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 047B35Z | Dilation of Inferior Mesenteric Artery with Two Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 047B366 | Dilation of Inferior Mesenteric Artery, Bifurcation, with Three Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 047B36Z | Dilation of Inferior Mesenteric Artery with Three Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 047B376 | Dilation of Inferior Mesenteric Artery, Bifurcation, with Four or More Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |

List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|--|----------------------|
| 047B37Z | Dilation of Inferior Mesenteric Artery with Four or More Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 047B3D6 | Dilation of Inferior Mesenteric Artery, Bifurcation, with Intraluminal Device, Percutaneous Approach | ICD-10-PCS Procedure |
| 047B3DZ | Dilation of Inferior Mesenteric Artery with Intraluminal Device, Percutaneous Approach | ICD-10-PCS Procedure |
| 047B3E6 | Dilation of Inferior Mesenteric Artery, Bifurcation, with Two Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 047B3EZ | Dilation of Inferior Mesenteric Artery with Two Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 047B3F6 | Dilation of Inferior Mesenteric Artery, Bifurcation, with Three Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 047B3FZ | Dilation of Inferior Mesenteric Artery with Three Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 047B3G6 | Dilation of Inferior Mesenteric Artery, Bifurcation, with Four or More Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 047B3GZ | Dilation of Inferior Mesenteric Artery with Four or More Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 047B3Z6 | Dilation of Inferior Mesenteric Artery, Bifurcation, Percutaneous Approach | ICD-10-PCS Procedure |
| 047B3ZZ | Dilation of Inferior Mesenteric Artery, Percutaneous Approach | ICD-10-PCS Procedure |
| 047B446 | Dilation of Inferior Mesenteric Artery, Bifurcation, with Drug-eluting Intraluminal Device, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047B44Z | Dilation of Inferior Mesenteric Artery with Drug-eluting Intraluminal Device, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047B456 | Dilation of Inferior Mesenteric Artery, Bifurcation, with Two Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047B45Z | Dilation of Inferior Mesenteric Artery with Two Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047B466 | Dilation of Inferior Mesenteric Artery, Bifurcation, with Three Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047B46Z | Dilation of Inferior Mesenteric Artery with Three Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047B476 | Dilation of Inferior Mesenteric Artery, Bifurcation, with Four or More Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047B47Z | Dilation of Inferior Mesenteric Artery with Four or More Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047B4D6 | Dilation of Inferior Mesenteric Artery, Bifurcation, with Intraluminal Device, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047B4DZ | Dilation of Inferior Mesenteric Artery with Intraluminal Device, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047B4E6 | Dilation of Inferior Mesenteric Artery, Bifurcation, with Two Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |

List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|---|----------------------|
| 047B4EZ | Dilation of Inferior Mesenteric Artery with Two Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047B4F6 | Dilation of Inferior Mesenteric Artery, Bifurcation, with Three Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047B4FZ | Dilation of Inferior Mesenteric Artery with Three Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047B4G6 | Dilation of Inferior Mesenteric Artery, Bifurcation, with Four or More Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047B4GZ | Dilation of Inferior Mesenteric Artery with Four or More Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047B4Z6 | Dilation of Inferior Mesenteric Artery, Bifurcation, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047B4ZZ | Dilation of Inferior Mesenteric Artery, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047C046 | Dilation of Right Common Iliac Artery, Bifurcation, with Drug-eluting Intraluminal Device, Open Approach | ICD-10-PCS Procedure |
| 047C04Z | Dilation of Right Common Iliac Artery with Drug-eluting Intraluminal Device, Open Approach | ICD-10-PCS Procedure |
| 047C056 | Dilation of Right Common Iliac Artery, Bifurcation, with Two Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 047C05Z | Dilation of Right Common Iliac Artery with Two Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 047C066 | Dilation of Right Common Iliac Artery, Bifurcation, with Three Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 047C06Z | Dilation of Right Common Iliac Artery with Three Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 047C076 | Dilation of Right Common Iliac Artery, Bifurcation, with Four or More Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 047C07Z | Dilation of Right Common Iliac Artery with Four or More Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 047C0D6 | Dilation of Right Common Iliac Artery, Bifurcation, with Intraluminal Device, Open Approach | ICD-10-PCS Procedure |
| 047C0DZ | Dilation of Right Common Iliac Artery with Intraluminal Device, Open Approach | ICD-10-PCS Procedure |
| 047C0E6 | Dilation of Right Common Iliac Artery, Bifurcation, with Two Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 047C0EZ | Dilation of Right Common Iliac Artery with Two Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 047C0F6 | Dilation of Right Common Iliac Artery, Bifurcation, with Three Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 047C0FZ | Dilation of Right Common Iliac Artery with Three Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |



List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|--|----------------------|
| 047C0G6 | Dilation of Right Common Iliac Artery, Bifurcation, with Four or More Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 047C0GZ | Dilation of Right Common Iliac Artery with Four or More Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 047C0Z6 | Dilation of Right Common Iliac Artery, Bifurcation, Open Approach | ICD-10-PCS Procedure |
| 047C0ZZ | Dilation of Right Common Iliac Artery, Open Approach | ICD-10-PCS Procedure |
| 047C346 | Dilation of Right Common Iliac Artery, Bifurcation, with Drug-eluting Intraluminal Device, Percutaneous Approach | ICD-10-PCS Procedure |
| 047C34Z | Dilation of Right Common Iliac Artery with Drug-eluting Intraluminal Device, Percutaneous Approach | ICD-10-PCS Procedure |
| 047C356 | Dilation of Right Common Iliac Artery, Bifurcation, with Two Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 047C35Z | Dilation of Right Common Iliac Artery with Two Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 047C366 | Dilation of Right Common Iliac Artery, Bifurcation, with Three Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 047C36Z | Dilation of Right Common Iliac Artery with Three Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 047C376 | Dilation of Right Common Iliac Artery, Bifurcation, with Four or More Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 047C37Z | Dilation of Right Common Iliac Artery with Four or More Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 047C3D6 | Dilation of Right Common Iliac Artery, Bifurcation, with Intraluminal Device, Percutaneous Approach | ICD-10-PCS Procedure |
| 047C3DZ | Dilation of Right Common Iliac Artery with Intraluminal Device, Percutaneous Approach | ICD-10-PCS Procedure |
| 047C3E6 | Dilation of Right Common Iliac Artery, Bifurcation, with Two Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 047C3EZ | Dilation of Right Common Iliac Artery with Two Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 047C3F6 | Dilation of Right Common Iliac Artery, Bifurcation, with Three Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 047C3FZ | Dilation of Right Common Iliac Artery with Three Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 047C3G6 | Dilation of Right Common Iliac Artery, Bifurcation, with Four or More Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 047C3GZ | Dilation of Right Common Iliac Artery with Four or More Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 047C3Z6 | Dilation of Right Common Iliac Artery, Bifurcation, Percutaneous Approach | ICD-10-PCS Procedure |
| 047C3ZZ | Dilation of Right Common Iliac Artery, Percutaneous Approach | ICD-10-PCS Procedure |
| 047C446 | Dilation of Right Common Iliac Artery, Bifurcation, with Drug-eluting Intraluminal Device, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |

List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|---|----------------------|
| 047C44Z | Dilation of Right Common Iliac Artery with Drug-eluting Intraluminal Device, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047C456 | Dilation of Right Common Iliac Artery, Bifurcation, with Two Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047C45Z | Dilation of Right Common Iliac Artery with Two Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047C466 | Dilation of Right Common Iliac Artery, Bifurcation, with Three Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047C46Z | Dilation of Right Common Iliac Artery with Three Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047C476 | Dilation of Right Common Iliac Artery, Bifurcation, with Four or More Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047C47Z | Dilation of Right Common Iliac Artery with Four or More Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047C4D6 | Dilation of Right Common Iliac Artery, Bifurcation, with Intraluminal Device, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047C4DZ | Dilation of Right Common Iliac Artery with Intraluminal Device, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047C4E6 | Dilation of Right Common Iliac Artery, Bifurcation, with Two Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047C4EZ | Dilation of Right Common Iliac Artery with Two Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047C4F6 | Dilation of Right Common Iliac Artery, Bifurcation, with Three Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047C4FZ | Dilation of Right Common Iliac Artery with Three Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047C4G6 | Dilation of Right Common Iliac Artery, Bifurcation, with Four or More Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047C4GZ | Dilation of Right Common Iliac Artery with Four or More Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047C4Z6 | Dilation of Right Common Iliac Artery, Bifurcation, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047C4ZZ | Dilation of Right Common Iliac Artery, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047D046 | Dilation of Left Common Iliac Artery, Bifurcation, with Drug-eluting Intraluminal Device, Open Approach | ICD-10-PCS Procedure |
| 047D04Z | Dilation of Left Common Iliac Artery with Drug-eluting Intraluminal Device, Open Approach | ICD-10-PCS Procedure |
| 047D056 | Dilation of Left Common Iliac Artery, Bifurcation, with Two Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 047D05Z | Dilation of Left Common Iliac Artery with Two Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |



List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|---|----------------------|
| 047D066 | Dilation of Left Common Iliac Artery, Bifurcation, with Three Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 047D06Z | Dilation of Left Common Iliac Artery with Three Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 047D076 | Dilation of Left Common Iliac Artery, Bifurcation, with Four or More Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 047D07Z | Dilation of Left Common Iliac Artery with Four or More Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 047D0D6 | Dilation of Left Common Iliac Artery, Bifurcation, with Intraluminal Device, Open Approach | ICD-10-PCS Procedure |
| 047D0DZ | Dilation of Left Common Iliac Artery with Intraluminal Device, Open Approach | ICD-10-PCS Procedure |
| 047D0E6 | Dilation of Left Common Iliac Artery, Bifurcation, with Two Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 047D0EZ | Dilation of Left Common Iliac Artery with Two Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 047D0F6 | Dilation of Left Common Iliac Artery, Bifurcation, with Three Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 047D0FZ | Dilation of Left Common Iliac Artery with Three Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 047D0G6 | Dilation of Left Common Iliac Artery, Bifurcation, with Four or More Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 047D0GZ | Dilation of Left Common Iliac Artery with Four or More Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 047D0Z6 | Dilation of Left Common Iliac Artery, Bifurcation, Open Approach | ICD-10-PCS Procedure |
| 047D0ZZ | Dilation of Left Common Iliac Artery, Open Approach | ICD-10-PCS Procedure |
| 047D346 | Dilation of Left Common Iliac Artery, Bifurcation, with Drug-eluting Intraluminal Device, Percutaneous Approach | ICD-10-PCS Procedure |
| 047D34Z | Dilation of Left Common Iliac Artery with Drug-eluting Intraluminal Device, Percutaneous Approach | ICD-10-PCS Procedure |
| 047D356 | Dilation of Left Common Iliac Artery, Bifurcation, with Two Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 047D35Z | Dilation of Left Common Iliac Artery with Two Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 047D366 | Dilation of Left Common Iliac Artery, Bifurcation, with Three Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 047D36Z | Dilation of Left Common Iliac Artery with Three Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 047D376 | Dilation of Left Common Iliac Artery, Bifurcation, with Four or More Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 047D37Z | Dilation of Left Common Iliac Artery with Four or More Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |



List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|--|----------------------|
| 047D3D6 | Dilation of Left Common Iliac Artery, Bifurcation, with Intraluminal Device, Percutaneous Approach | ICD-10-PCS Procedure |
| 047D3DZ | Dilation of Left Common Iliac Artery with Intraluminal Device, Percutaneous Approach | ICD-10-PCS Procedure |
| 047D3E6 | Dilation of Left Common Iliac Artery, Bifurcation, with Two Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 047D3EZ | Dilation of Left Common Iliac Artery with Two Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 047D3F6 | Dilation of Left Common Iliac Artery, Bifurcation, with Three Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 047D3FZ | Dilation of Left Common Iliac Artery with Three Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 047D3G6 | Dilation of Left Common Iliac Artery, Bifurcation, with Four or More Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 047D3GZ | Dilation of Left Common Iliac Artery with Four or More Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 047D3Z6 | Dilation of Left Common Iliac Artery, Bifurcation, Percutaneous Approach | ICD-10-PCS Procedure |
| 047D3ZZ | Dilation of Left Common Iliac Artery, Percutaneous Approach | ICD-10-PCS Procedure |
| 047D446 | Dilation of Left Common Iliac Artery, Bifurcation, with Drug-eluting Intraluminal Device, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047D44Z | Dilation of Left Common Iliac Artery with Drug-eluting Intraluminal Device, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047D456 | Dilation of Left Common Iliac Artery, Bifurcation, with Two Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047D45Z | Dilation of Left Common Iliac Artery with Two Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047D466 | Dilation of Left Common Iliac Artery, Bifurcation, with Three Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047D46Z | Dilation of Left Common Iliac Artery with Three Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047D476 | Dilation of Left Common Iliac Artery, Bifurcation, with Four or More Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047D47Z | Dilation of Left Common Iliac Artery with Four or More Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047D4D6 | Dilation of Left Common Iliac Artery, Bifurcation, with Intraluminal Device, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047D4DZ | Dilation of Left Common Iliac Artery with Intraluminal Device, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047D4E6 | Dilation of Left Common Iliac Artery, Bifurcation, with Two Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047D4EZ | Dilation of Left Common Iliac Artery with Two Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |



List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|---|----------------------|
| 047D4F6 | Dilation of Left Common Iliac Artery, Bifurcation, with Three Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047D4FZ | Dilation of Left Common Iliac Artery with Three Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047D4G6 | Dilation of Left Common Iliac Artery, Bifurcation, with Four or More Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047D4GZ | Dilation of Left Common Iliac Artery with Four or More Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047D4Z6 | Dilation of Left Common Iliac Artery, Bifurcation, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047D4ZZ | Dilation of Left Common Iliac Artery, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047E04Z | Dilation of Right Internal Iliac Artery with Drug-eluting Intraluminal Device, Open Approach | ICD-10-PCS Procedure |
| 047E05Z | Dilation of Right Internal Iliac Artery with Two Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 047E06Z | Dilation of Right Internal Iliac Artery with Three Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 047E07Z | Dilation of Right Internal Iliac Artery with Four or More Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 047E0D6 | Dilation of Right Internal Iliac Artery, Bifurcation, with Intraluminal Device, Open Approach | ICD-10-PCS Procedure |
| 047E0DZ | Dilation of Right Internal Iliac Artery with Intraluminal Device, Open Approach | ICD-10-PCS Procedure |
| 047E0E6 | Dilation of Right Internal Iliac Artery, Bifurcation, with Two Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 047E0EZ | Dilation of Right Internal Iliac Artery with Two Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 047E0F6 | Dilation of Right Internal Iliac Artery, Bifurcation, with Three Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 047E0FZ | Dilation of Right Internal Iliac Artery with Three Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 047E0G6 | Dilation of Right Internal Iliac Artery, Bifurcation, with Four or More Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 047E0GZ | Dilation of Right Internal Iliac Artery with Four or More Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 047E0Z6 | Dilation of Right Internal Iliac Artery, Bifurcation, Open Approach | ICD-10-PCS Procedure |
| 047E0ZZ | Dilation of Right Internal Iliac Artery, Open Approach | ICD-10-PCS Procedure |
| 047E346 | Dilation of Right Internal Iliac Artery, Bifurcation, with Drug-eluting Intraluminal Device, Percutaneous Approach | ICD-10-PCS Procedure |
| 047E34Z | Dilation of Right Internal Iliac Artery with Drug-eluting Intraluminal Device, Percutaneous Approach | ICD-10-PCS Procedure |
| 047E356 | Dilation of Right Internal Iliac Artery, Bifurcation, with Two Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |

List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|---|----------------------|
| 047E35Z | Dilation of Right Internal Iliac Artery with Two Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 047E366 | Dilation of Right Internal Iliac Artery, Bifurcation, with Three Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 047E36Z | Dilation of Right Internal Iliac Artery with Three Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 047E376 | Dilation of Right Internal Iliac Artery, Bifurcation, with Four or More Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 047E37Z | Dilation of Right Internal Iliac Artery with Four or More Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 047E3D6 | Dilation of Right Internal Iliac Artery, Bifurcation, with Intraluminal Device, Percutaneous Approach | ICD-10-PCS Procedure |
| 047E3DZ | Dilation of Right Internal Iliac Artery with Intraluminal Device, Percutaneous Approach | ICD-10-PCS Procedure |
| 047E3E6 | Dilation of Right Internal Iliac Artery, Bifurcation, with Two Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 047E3EZ | Dilation of Right Internal Iliac Artery with Two Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 047E3F6 | Dilation of Right Internal Iliac Artery, Bifurcation, with Three Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 047E3FZ | Dilation of Right Internal Iliac Artery with Three Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 047E3G6 | Dilation of Right Internal Iliac Artery, Bifurcation, with Four or More Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 047E3GZ | Dilation of Right Internal Iliac Artery with Four or More Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 047E3Z6 | Dilation of Right Internal Iliac Artery, Bifurcation, Percutaneous Approach | ICD-10-PCS Procedure |
| 047E3ZZ | Dilation of Right Internal Iliac Artery, Percutaneous Approach | ICD-10-PCS Procedure |
| 047E446 | Dilation of Right Internal Iliac Artery, Bifurcation, with Drug-eluting Intraluminal Device, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047E44Z | Dilation of Right Internal Iliac Artery with Drug-eluting Intraluminal Device, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047E456 | Dilation of Right Internal Iliac Artery, Bifurcation, with Two Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047E45Z | Dilation of Right Internal Iliac Artery with Two Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047E466 | Dilation of Right Internal Iliac Artery, Bifurcation, with Three Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047E46Z | Dilation of Right Internal Iliac Artery with Three Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047E476 | Dilation of Right Internal Iliac Artery, Bifurcation, with Four or More Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |

List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|--|----------------------|
| 047E47Z | Dilation of Right Internal Iliac Artery with Four or More Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047E4D6 | Dilation of Right Internal Iliac Artery, Bifurcation, with Intraluminal Device, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047E4DZ | Dilation of Right Internal Iliac Artery with Intraluminal Device, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047E4E6 | Dilation of Right Internal Iliac Artery, Bifurcation, with Two Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047E4EZ | Dilation of Right Internal Iliac Artery with Two Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047E4F6 | Dilation of Right Internal Iliac Artery, Bifurcation, with Three Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047E4FZ | Dilation of Right Internal Iliac Artery with Three Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047E4G6 | Dilation of Right Internal Iliac Artery, Bifurcation, with Four or More Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047E4GZ | Dilation of Right Internal Iliac Artery with Four or More Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047E4Z6 | Dilation of Right Internal Iliac Artery, Bifurcation, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047E4ZZ | Dilation of Right Internal Iliac Artery, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047F046 | Dilation of Left Internal Iliac Artery, Bifurcation, with Drug-eluting Intraluminal Device, Open Approach | ICD-10-PCS Procedure |
| 047F04Z | Dilation of Left Internal Iliac Artery with Drug-eluting Intraluminal Device, Open Approach | ICD-10-PCS Procedure |
| 047F056 | Dilation of Left Internal Iliac Artery, Bifurcation, with Two Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 047F05Z | Dilation of Left Internal Iliac Artery with Two Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 047F066 | Dilation of Left Internal Iliac Artery, Bifurcation, with Three Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 047F06Z | Dilation of Left Internal Iliac Artery with Three Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 047F076 | Dilation of Left Internal Iliac Artery, Bifurcation, with Four or More Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 047F07Z | Dilation of Left Internal Iliac Artery with Four or More Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 047F0D6 | Dilation of Left Internal Iliac Artery, Bifurcation, with Intraluminal Device, Open Approach | ICD-10-PCS Procedure |
| 047F0DZ | Dilation of Left Internal Iliac Artery with Intraluminal Device, Open Approach | ICD-10-PCS Procedure |
| 047F0E6 | Dilation of Left Internal Iliac Artery, Bifurcation, with Two Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |



List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|---|----------------------|
| 047F0EZ | Dilation of Left Internal Iliac Artery with Two Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 047F0F6 | Dilation of Left Internal Iliac Artery, Bifurcation, with Three Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 047F0FZ | Dilation of Left Internal Iliac Artery with Three Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 047F0G6 | Dilation of Left Internal Iliac Artery, Bifurcation, with Four or More Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 047F0GZ | Dilation of Left Internal Iliac Artery with Four or More Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 047F0Z6 | Dilation of Left Internal Iliac Artery, Bifurcation, Open Approach | ICD-10-PCS Procedure |
| 047F0ZZ | Dilation of Left Internal Iliac Artery, Open Approach | ICD-10-PCS Procedure |
| 047F346 | Dilation of Left Internal Iliac Artery, Bifurcation, with Drug-eluting Intraluminal Device, Percutaneous Approach | ICD-10-PCS Procedure |
| 047F34Z | Dilation of Left Internal Iliac Artery with Drug-eluting Intraluminal Device, Percutaneous Approach | ICD-10-PCS Procedure |
| 047F356 | Dilation of Left Internal Iliac Artery, Bifurcation, with Two Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 047F35Z | Dilation of Left Internal Iliac Artery with Two Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 047F366 | Dilation of Left Internal Iliac Artery, Bifurcation, with Three Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 047F36Z | Dilation of Left Internal Iliac Artery with Three Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 047F376 | Dilation of Left Internal Iliac Artery, Bifurcation, with Four or More Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 047F37Z | Dilation of Left Internal Iliac Artery with Four or More Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 047F3D6 | Dilation of Left Internal Iliac Artery, Bifurcation, with Intraluminal Device, Percutaneous Approach | ICD-10-PCS Procedure |
| 047F3DZ | Dilation of Left Internal Iliac Artery with Intraluminal Device, Percutaneous Approach | ICD-10-PCS Procedure |
| 047F3E6 | Dilation of Left Internal Iliac Artery, Bifurcation, with Two Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 047F3EZ | Dilation of Left Internal Iliac Artery with Two Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 047F3F6 | Dilation of Left Internal Iliac Artery, Bifurcation, with Three Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 047F3FZ | Dilation of Left Internal Iliac Artery with Three Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 047F3G6 | Dilation of Left Internal Iliac Artery, Bifurcation, with Four or More Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |

List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|--|----------------------|
| 047F3GZ | Dilation of Left Internal Iliac Artery with Four or More Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 047F3Z6 | Dilation of Left Internal Iliac Artery, Bifurcation, Percutaneous Approach | ICD-10-PCS Procedure |
| 047F3ZZ | Dilation of Left Internal Iliac Artery, Percutaneous Approach | ICD-10-PCS Procedure |
| 047F446 | Dilation of Left Internal Iliac Artery, Bifurcation, with Drug-eluting Intraluminal Device, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047F44Z | Dilation of Left Internal Iliac Artery with Drug-eluting Intraluminal Device, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047F456 | Dilation of Left Internal Iliac Artery, Bifurcation, with Two Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047F45Z | Dilation of Left Internal Iliac Artery with Two Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047F466 | Dilation of Left Internal Iliac Artery, Bifurcation, with Three Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047F46Z | Dilation of Left Internal Iliac Artery with Three Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047F476 | Dilation of Left Internal Iliac Artery, Bifurcation, with Four or More Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047F47Z | Dilation of Left Internal Iliac Artery with Four or More Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047F4D6 | Dilation of Left Internal Iliac Artery, Bifurcation, with Intraluminal Device, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047F4DZ | Dilation of Left Internal Iliac Artery with Intraluminal Device, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047F4E6 | Dilation of Left Internal Iliac Artery, Bifurcation, with Two Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047F4EZ | Dilation of Left Internal Iliac Artery with Two Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047F4F6 | Dilation of Left Internal Iliac Artery, Bifurcation, with Three Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047F4FZ | Dilation of Left Internal Iliac Artery with Three Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047F4G6 | Dilation of Left Internal Iliac Artery, Bifurcation, with Four or More Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047F4GZ | Dilation of Left Internal Iliac Artery with Four or More Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047F4Z6 | Dilation of Left Internal Iliac Artery, Bifurcation, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047F4ZZ | Dilation of Left Internal Iliac Artery, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047H046 | Dilation of Right External Iliac Artery, Bifurcation, with Drug-eluting Intraluminal Device, Open Approach | ICD-10-PCS Procedure |



List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|---|----------------------|
| 047H04Z | Dilation of Right External Iliac Artery with Drug-eluting Intraluminal Device, Open Approach | ICD-10-PCS Procedure |
| 047H056 | Dilation of Right External Iliac Artery, Bifurcation, with Two Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 047H05Z | Dilation of Right External Iliac Artery with Two Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 047H066 | Dilation of Right External Iliac Artery, Bifurcation, with Three Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 047H06Z | Dilation of Right External Iliac Artery with Three Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 047H076 | Dilation of Right External Iliac Artery, Bifurcation, with Four or More Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 047H07Z | Dilation of Right External Iliac Artery with Four or More Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 047H0D6 | Dilation of Right External Iliac Artery, Bifurcation, with Intraluminal Device, Open Approach | ICD-10-PCS Procedure |
| 047H0DZ | Dilation of Right External Iliac Artery with Intraluminal Device, Open Approach | ICD-10-PCS Procedure |
| 047H0E6 | Dilation of Right External Iliac Artery, Bifurcation, with Two Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 047H0EZ | Dilation of Right External Iliac Artery with Two Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 047H0F6 | Dilation of Right External Iliac Artery, Bifurcation, with Three Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 047H0FZ | Dilation of Right External Iliac Artery with Three Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 047H0G6 | Dilation of Right External Iliac Artery, Bifurcation, with Four or More Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 047H0GZ | Dilation of Right External Iliac Artery with Four or More Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 047H0Z6 | Dilation of Right External Iliac Artery, Bifurcation, Open Approach | ICD-10-PCS Procedure |
| 047H0ZZ | Dilation of Right External Iliac Artery, Open Approach | ICD-10-PCS Procedure |
| 047H346 | Dilation of Right External Iliac Artery, Bifurcation, with Drug-eluting Intraluminal Device, Percutaneous Approach | ICD-10-PCS Procedure |
| 047H34Z | Dilation of Right External Iliac Artery with Drug-eluting Intraluminal Device, Percutaneous Approach | ICD-10-PCS Procedure |
| 047H356 | Dilation of Right External Iliac Artery, Bifurcation, with Two Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 047H35Z | Dilation of Right External Iliac Artery with Two Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 047H366 | Dilation of Right External Iliac Artery, Bifurcation, with Three Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |

List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|---|----------------------|
| 047H36Z | Dilation of Right External Iliac Artery with Three Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 047H376 | Dilation of Right External Iliac Artery, Bifurcation, with Four or More Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 047H37Z | Dilation of Right External Iliac Artery with Four or More Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 047H3D6 | Dilation of Right External Iliac Artery, Bifurcation, with Intraluminal Device, Percutaneous Approach | ICD-10-PCS Procedure |
| 047H3DZ | Dilation of Right External Iliac Artery with Intraluminal Device, Percutaneous Approach | ICD-10-PCS Procedure |
| 047H3E6 | Dilation of Right External Iliac Artery, Bifurcation, with Two Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 047H3EZ | Dilation of Right External Iliac Artery with Two Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 047H3F6 | Dilation of Right External Iliac Artery, Bifurcation, with Three Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 047H3FZ | Dilation of Right External Iliac Artery with Three Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 047H3G6 | Dilation of Right External Iliac Artery, Bifurcation, with Four or More Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 047H3GZ | Dilation of Right External Iliac Artery with Four or More Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 047H3Z6 | Dilation of Right External Iliac Artery, Bifurcation, Percutaneous Approach | ICD-10-PCS Procedure |
| 047H3ZZ | Dilation of Right External Iliac Artery, Percutaneous Approach | ICD-10-PCS Procedure |
| 047H446 | Dilation of Right External Iliac Artery, Bifurcation, with Drug-eluting Intraluminal Device, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047H44Z | Dilation of Right External Iliac Artery with Drug-eluting Intraluminal Device, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047H456 | Dilation of Right External Iliac Artery, Bifurcation, with Two Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047H45Z | Dilation of Right External Iliac Artery with Two Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047H466 | Dilation of Right External Iliac Artery, Bifurcation, with Three Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047H46Z | Dilation of Right External Iliac Artery with Three Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047H476 | Dilation of Right External Iliac Artery, Bifurcation, with Four or More Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047H47Z | Dilation of Right External Iliac Artery with Four or More Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047H4D6 | Dilation of Right External Iliac Artery, Bifurcation, with Intraluminal Device, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |

List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|--|----------------------|
| 047H4DZ | Dilation of Right External Iliac Artery with Intraluminal Device, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047H4E6 | Dilation of Right External Iliac Artery, Bifurcation, with Two Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047H4EZ | Dilation of Right External Iliac Artery with Two Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047H4F6 | Dilation of Right External Iliac Artery, Bifurcation, with Three Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047H4FZ | Dilation of Right External Iliac Artery with Three Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047H4G6 | Dilation of Right External Iliac Artery, Bifurcation, with Four or More Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047H4GZ | Dilation of Right External Iliac Artery with Four or More Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047H4Z6 | Dilation of Right External Iliac Artery, Bifurcation, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047H4ZZ | Dilation of Right External Iliac Artery, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047J046 | Dilation of Left External Iliac Artery, Bifurcation, with Drug-eluting Intraluminal Device, Open Approach | ICD-10-PCS Procedure |
| 047J04Z | Dilation of Left External Iliac Artery with Drug-eluting Intraluminal Device, Open Approach | ICD-10-PCS Procedure |
| 047J056 | Dilation of Left External Iliac Artery, Bifurcation, with Two Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 047J05Z | Dilation of Left External Iliac Artery with Two Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 047J066 | Dilation of Left External Iliac Artery, Bifurcation, with Three Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 047J06Z | Dilation of Left External Iliac Artery with Three Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 047J076 | Dilation of Left External Iliac Artery, Bifurcation, with Four or More Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 047J07Z | Dilation of Left External Iliac Artery with Four or More Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 047J0D6 | Dilation of Left External Iliac Artery, Bifurcation, with Intraluminal Device, Open Approach | ICD-10-PCS Procedure |
| 047J0DZ | Dilation of Left External Iliac Artery with Intraluminal Device, Open Approach | ICD-10-PCS Procedure |
| 047J0E6 | Dilation of Left External Iliac Artery, Bifurcation, with Two Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 047J0EZ | Dilation of Left External Iliac Artery with Two Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 047J0F6 | Dilation of Left External Iliac Artery, Bifurcation, with Three Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |

List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|---|----------------------|
| 047J0FZ | Dilation of Left External Iliac Artery with Three Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 047J0G6 | Dilation of Left External Iliac Artery, Bifurcation, with Four or More Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 047J0GZ | Dilation of Left External Iliac Artery with Four or More Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 047J0Z6 | Dilation of Left External Iliac Artery, Bifurcation, Open Approach | ICD-10-PCS Procedure |
| 047J0ZZ | Dilation of Left External Iliac Artery, Open Approach | ICD-10-PCS Procedure |
| 047J346 | Dilation of Left External Iliac Artery, Bifurcation, with Drug-eluting Intraluminal Device, Percutaneous Approach | ICD-10-PCS Procedure |
| 047J34Z | Dilation of Left External Iliac Artery with Drug-eluting Intraluminal Device, Percutaneous Approach | ICD-10-PCS Procedure |
| 047J356 | Dilation of Left External Iliac Artery, Bifurcation, with Two Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 047J35Z | Dilation of Left External Iliac Artery with Two Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 047J366 | Dilation of Left External Iliac Artery, Bifurcation, with Three Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 047J36Z | Dilation of Left External Iliac Artery with Three Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 047J376 | Dilation of Left External Iliac Artery, Bifurcation, with Four or More Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 047J37Z | Dilation of Left External Iliac Artery with Four or More Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 047J3D6 | Dilation of Left External Iliac Artery, Bifurcation, with Intraluminal Device, Percutaneous Approach | ICD-10-PCS Procedure |
| 047J3DZ | Dilation of Left External Iliac Artery with Intraluminal Device, Percutaneous Approach | ICD-10-PCS Procedure |
| 047J3E6 | Dilation of Left External Iliac Artery, Bifurcation, with Two Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 047J3EZ | Dilation of Left External Iliac Artery with Two Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 047J3F6 | Dilation of Left External Iliac Artery, Bifurcation, with Three Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 047J3FZ | Dilation of Left External Iliac Artery with Three Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 047J3G6 | Dilation of Left External Iliac Artery, Bifurcation, with Four or More Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 047J3GZ | Dilation of Left External Iliac Artery with Four or More Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 047J3Z6 | Dilation of Left External Iliac Artery, Bifurcation, Percutaneous Approach | ICD-10-PCS Procedure |
| 047J3ZZ | Dilation of Left External Iliac Artery, Percutaneous Approach | ICD-10-PCS Procedure |

List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|--|----------------------|
| 047J446 | Dilation of Left External Iliac Artery, Bifurcation, with Drug-eluting Intraluminal Device, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047J44Z | Dilation of Left External Iliac Artery with Drug-eluting Intraluminal Device, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047J456 | Dilation of Left External Iliac Artery, Bifurcation, with Two Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047J45Z | Dilation of Left External Iliac Artery with Two Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047J466 | Dilation of Left External Iliac Artery, Bifurcation, with Three Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047J46Z | Dilation of Left External Iliac Artery with Three Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047J476 | Dilation of Left External Iliac Artery, Bifurcation, with Four or More Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047J47Z | Dilation of Left External Iliac Artery with Four or More Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047J4D6 | Dilation of Left External Iliac Artery, Bifurcation, with Intraluminal Device, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047J4DZ | Dilation of Left External Iliac Artery with Intraluminal Device, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047J4E6 | Dilation of Left External Iliac Artery, Bifurcation, with Two Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047J4EZ | Dilation of Left External Iliac Artery with Two Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047J4F6 | Dilation of Left External Iliac Artery, Bifurcation, with Three Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047J4FZ | Dilation of Left External Iliac Artery with Three Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047J4G6 | Dilation of Left External Iliac Artery, Bifurcation, with Four or More Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047J4GZ | Dilation of Left External Iliac Artery with Four or More Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047J4Z6 | Dilation of Left External Iliac Artery, Bifurcation, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047J4ZZ | Dilation of Left External Iliac Artery, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047K041 | Dilation of Right Femoral Artery with Drug-eluting Intraluminal Device, using Drug-Coated Balloon, Open Approach | ICD-10-PCS Procedure |
| 047K046 | Dilation of Right Femoral Artery, Bifurcation, with Drug-eluting Intraluminal Device, Open Approach | ICD-10-PCS Procedure |
| 047K04Z | Dilation of Right Femoral Artery with Drug-eluting Intraluminal Device, Open Approach | ICD-10-PCS Procedure |



List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|--|----------------------|
| 047K056 | Dilation of Right Femoral Artery, Bifurcation, with Two Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 047K05Z | Dilation of Right Femoral Artery with Two Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 047K066 | Dilation of Right Femoral Artery, Bifurcation, with Three Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 047K06Z | Dilation of Right Femoral Artery with Three Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 047K076 | Dilation of Right Femoral Artery, Bifurcation, with Four or More Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 047K07Z | Dilation of Right Femoral Artery with Four or More Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 047K0D1 | Dilation of Right Femoral Artery with Intraluminal Device, using Drug-Coated Balloon, Open Approach | ICD-10-PCS Procedure |
| 047K0D6 | Dilation of Right Femoral Artery, Bifurcation, with Intraluminal Device, Open Approach | ICD-10-PCS Procedure |
| 047K0DZ | Dilation of Right Femoral Artery with Intraluminal Device, Open Approach | ICD-10-PCS Procedure |
| 047K0E6 | Dilation of Right Femoral Artery, Bifurcation, with Two Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 047K0EZ | Dilation of Right Femoral Artery with Two Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 047K0F6 | Dilation of Right Femoral Artery, Bifurcation, with Three Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 047K0FZ | Dilation of Right Femoral Artery with Three Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 047K0G6 | Dilation of Right Femoral Artery, Bifurcation, with Four or More Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 047K0GZ | Dilation of Right Femoral Artery with Four or More Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 047K0Z1 | Dilation of Right Femoral Artery using Drug-Coated Balloon, Open Approach | ICD-10-PCS Procedure |
| 047K0Z6 | Dilation of Right Femoral Artery, Bifurcation, Open Approach | ICD-10-PCS Procedure |
| 047K0ZZ | Dilation of Right Femoral Artery, Open Approach | ICD-10-PCS Procedure |
| 047K341 | Dilation of Right Femoral Artery with Drug-eluting Intraluminal Device, using Drug-Coated Balloon, Percutaneous Approach | ICD-10-PCS Procedure |
| 047K346 | Dilation of Right Femoral Artery, Bifurcation, with Drug-eluting Intraluminal Device, Percutaneous Approach | ICD-10-PCS Procedure |
| 047K34Z | Dilation of Right Femoral Artery with Drug-eluting Intraluminal Device, Percutaneous Approach | ICD-10-PCS Procedure |
| 047K356 | Dilation of Right Femoral Artery, Bifurcation, with Two Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 047K35Z | Dilation of Right Femoral Artery with Two Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |



List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|---|----------------------|
| 047K366 | Dilation of Right Femoral Artery, Bifurcation, with Three Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 047K36Z | Dilation of Right Femoral Artery with Three Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 047K376 | Dilation of Right Femoral Artery, Bifurcation, with Four or More Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 047K37Z | Dilation of Right Femoral Artery with Four or More Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 047K3D1 | Dilation of Right Femoral Artery with Intraluminal Device, using Drug-Coated Balloon, Percutaneous Approach | ICD-10-PCS Procedure |
| 047K3D6 | Dilation of Right Femoral Artery, Bifurcation, with Intraluminal Device, Percutaneous Approach | ICD-10-PCS Procedure |
| 047K3DZ | Dilation of Right Femoral Artery with Intraluminal Device, Percutaneous Approach | ICD-10-PCS Procedure |
| 047K3E6 | Dilation of Right Femoral Artery, Bifurcation, with Two Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 047K3EZ | Dilation of Right Femoral Artery with Two Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 047K3F6 | Dilation of Right Femoral Artery, Bifurcation, with Three Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 047K3FZ | Dilation of Right Femoral Artery with Three Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 047K3G6 | Dilation of Right Femoral Artery, Bifurcation, with Four or More Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 047K3GZ | Dilation of Right Femoral Artery with Four or More Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 047K3Z1 | Dilation of Right Femoral Artery using Drug-Coated Balloon, Percutaneous Approach | ICD-10-PCS Procedure |
| 047K3Z6 | Dilation of Right Femoral Artery, Bifurcation, Percutaneous Approach | ICD-10-PCS Procedure |
| 047K3ZZ | Dilation of Right Femoral Artery, Percutaneous Approach | ICD-10-PCS Procedure |
| 047K441 | Dilation of Right Femoral Artery with Drug-eluting Intraluminal Device, using Drug-Coated Balloon, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047K446 | Dilation of Right Femoral Artery, Bifurcation, with Drug-eluting Intraluminal Device, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047K44Z | Dilation of Right Femoral Artery with Drug-eluting Intraluminal Device, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047K456 | Dilation of Right Femoral Artery, Bifurcation, with Two Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047K45Z | Dilation of Right Femoral Artery with Two Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047K466 | Dilation of Right Femoral Artery, Bifurcation, with Three Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |

List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|--|----------------------|
| 047K46Z | Dilation of Right Femoral Artery with Three Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047K476 | Dilation of Right Femoral Artery, Bifurcation, with Four or More Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047K47Z | Dilation of Right Femoral Artery with Four or More Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047K4D1 | Dilation of Right Femoral Artery with Intraluminal Device, using Drug-Coated Balloon, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047K4D6 | Dilation of Right Femoral Artery, Bifurcation, with Intraluminal Device, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047K4DZ | Dilation of Right Femoral Artery with Intraluminal Device, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047K4E6 | Dilation of Right Femoral Artery, Bifurcation, with Two Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047K4EZ | Dilation of Right Femoral Artery with Two Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047K4F6 | Dilation of Right Femoral Artery, Bifurcation, with Three Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047K4FZ | Dilation of Right Femoral Artery with Three Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047K4G6 | Dilation of Right Femoral Artery, Bifurcation, with Four or More Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047K4GZ | Dilation of Right Femoral Artery with Four or More Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047K4Z1 | Dilation of Right Femoral Artery using Drug-Coated Balloon, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047K4Z6 | Dilation of Right Femoral Artery, Bifurcation, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047K4ZZ | Dilation of Right Femoral Artery, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047L041 | Dilation of Left Femoral Artery with Drug-eluting Intraluminal Device, using Drug-Coated Balloon, Open Approach | ICD-10-PCS Procedure |
| 047L046 | Dilation of Left Femoral Artery, Bifurcation, with Drug-eluting Intraluminal Device, Open Approach | ICD-10-PCS Procedure |
| 047L04Z | Dilation of Left Femoral Artery with Drug-eluting Intraluminal Device, Open Approach | ICD-10-PCS Procedure |
| 047L056 | Dilation of Left Femoral Artery, Bifurcation, with Two Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 047L05Z | Dilation of Left Femoral Artery with Two Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 047L066 | Dilation of Left Femoral Artery, Bifurcation, with Three Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |



List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|--|----------------------|
| 047L06Z | Dilation of Left Femoral Artery with Three Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 047L076 | Dilation of Left Femoral Artery, Bifurcation, with Four or More Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 047L07Z | Dilation of Left Femoral Artery with Four or More Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 047L0D1 | Dilation of Left Femoral Artery with Intraluminal Device, using Drug-Coated Balloon, Open Approach | ICD-10-PCS Procedure |
| 047L0D6 | Dilation of Left Femoral Artery, Bifurcation, with Intraluminal Device, Open Approach | ICD-10-PCS Procedure |
| 047L0DZ | Dilation of Left Femoral Artery with Intraluminal Device, Open Approach | ICD-10-PCS Procedure |
| 047L0E6 | Dilation of Left Femoral Artery, Bifurcation, with Two Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 047L0EZ | Dilation of Left Femoral Artery with Two Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 047L0F6 | Dilation of Left Femoral Artery, Bifurcation, with Three Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 047L0FZ | Dilation of Left Femoral Artery with Three Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 047L0G6 | Dilation of Left Femoral Artery, Bifurcation, with Four or More Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 047L0GZ | Dilation of Left Femoral Artery with Four or More Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 047L0Z1 | Dilation of Left Femoral Artery using Drug-Coated Balloon, Open Approach | ICD-10-PCS Procedure |
| 047L0Z6 | Dilation of Left Femoral Artery, Bifurcation, Open Approach | ICD-10-PCS Procedure |
| 047L0ZZ | Dilation of Left Femoral Artery, Open Approach | ICD-10-PCS Procedure |
| 047L341 | Dilation of Left Femoral Artery with Drug-eluting Intraluminal Device, using Drug-Coated Balloon, Percutaneous Approach | ICD-10-PCS Procedure |
| 047L346 | Dilation of Left Femoral Artery, Bifurcation, with Drug-eluting Intraluminal Device, Percutaneous Approach | ICD-10-PCS Procedure |
| 047L34Z | Dilation of Left Femoral Artery with Drug-eluting Intraluminal Device, Percutaneous Approach | ICD-10-PCS Procedure |
| 047L356 | Dilation of Left Femoral Artery, Bifurcation, with Two Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 047L35Z | Dilation of Left Femoral Artery with Two Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 047L366 | Dilation of Left Femoral Artery, Bifurcation, with Three Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 047L36Z | Dilation of Left Femoral Artery with Three Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 047L376 | Dilation of Left Femoral Artery, Bifurcation, with Four or More Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |

List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|---|----------------------|
| 047L37Z | Dilation of Left Femoral Artery with Four or More Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 047L3D1 | Dilation of Left Femoral Artery with Intraluminal Device, using Drug-Coated Balloon, Percutaneous Approach | ICD-10-PCS Procedure |
| 047L3D6 | Dilation of Left Femoral Artery, Bifurcation, with Intraluminal Device, Percutaneous Approach | ICD-10-PCS Procedure |
| 047L3DZ | Dilation of Left Femoral Artery with Intraluminal Device, Percutaneous Approach | ICD-10-PCS Procedure |
| 047L3E6 | Dilation of Left Femoral Artery, Bifurcation, with Two Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 047L3EZ | Dilation of Left Femoral Artery with Two Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 047L3F6 | Dilation of Left Femoral Artery, Bifurcation, with Three Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 047L3FZ | Dilation of Left Femoral Artery with Three Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 047L3G6 | Dilation of Left Femoral Artery, Bifurcation, with Four or More Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 047L3GZ | Dilation of Left Femoral Artery with Four or More Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 047L3Z1 | Dilation of Left Femoral Artery using Drug-Coated Balloon, Percutaneous Approach | ICD-10-PCS Procedure |
| 047L3Z6 | Dilation of Left Femoral Artery, Bifurcation, Percutaneous Approach | ICD-10-PCS Procedure |
| 047L3ZZ | Dilation of Left Femoral Artery, Percutaneous Approach | ICD-10-PCS Procedure |
| 047L441 | Dilation of Left Femoral Artery with Drug-eluting Intraluminal Device, using Drug-Coated Balloon, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047L446 | Dilation of Left Femoral Artery, Bifurcation, with Drug-eluting Intraluminal Device, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047L44Z | Dilation of Left Femoral Artery with Drug-eluting Intraluminal Device, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047L456 | Dilation of Left Femoral Artery, Bifurcation, with Two Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047L45Z | Dilation of Left Femoral Artery with Two Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047L466 | Dilation of Left Femoral Artery, Bifurcation, with Three Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047L46Z | Dilation of Left Femoral Artery with Three Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047L476 | Dilation of Left Femoral Artery, Bifurcation, with Four or More Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047L47Z | Dilation of Left Femoral Artery with Four or More Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |

List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|--|----------------------|
| 047L4D1 | Dilation of Left Femoral Artery with Intraluminal Device, using Drug-Coated Balloon, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047L4D6 | Dilation of Left Femoral Artery, Bifurcation, with Intraluminal Device, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047L4DZ | Dilation of Left Femoral Artery with Intraluminal Device, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047L4E6 | Dilation of Left Femoral Artery, Bifurcation, with Two Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047L4EZ | Dilation of Left Femoral Artery with Two Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047L4F6 | Dilation of Left Femoral Artery, Bifurcation, with Three Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047L4FZ | Dilation of Left Femoral Artery with Three Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047L4G6 | Dilation of Left Femoral Artery, Bifurcation, with Four or More Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047L4GZ | Dilation of Left Femoral Artery with Four or More Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047L4Z1 | Dilation of Left Femoral Artery using Drug-Coated Balloon, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047L4Z6 | Dilation of Left Femoral Artery, Bifurcation, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047L4ZZ | Dilation of Left Femoral Artery, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047M041 | Dilation of Right Popliteal Artery with Drug-eluting Intraluminal Device, using Drug-Coated Balloon, Open Approach | ICD-10-PCS Procedure |
| 047M046 | Dilation of Right Popliteal Artery, Bifurcation, with Drug-eluting Intraluminal Device, Open Approach | ICD-10-PCS Procedure |
| 047M04Z | Dilation of Right Popliteal Artery with Drug-eluting Intraluminal Device, Open Approach | ICD-10-PCS Procedure |
| 047M056 | Dilation of Right Popliteal Artery, Bifurcation, with Two Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 047M05Z | Dilation of Right Popliteal Artery with Two Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 047M066 | Dilation of Right Popliteal Artery, Bifurcation, with Three Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 047M06Z | Dilation of Right Popliteal Artery with Three Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 047M076 | Dilation of Right Popliteal Artery, Bifurcation, with Four or More Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 047M07Z | Dilation of Right Popliteal Artery with Four or More Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |



List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|---|----------------------|
| 047M0D1 | Dilation of Right Popliteal Artery with Intraluminal Device, using Drug-Coated Balloon, Open Approach | ICD-10-PCS Procedure |
| 047M0D6 | Dilation of Right Popliteal Artery, Bifurcation, with Intraluminal Device, Open Approach | ICD-10-PCS Procedure |
| 047M0DZ | Dilation of Right Popliteal Artery with Intraluminal Device, Open Approach | ICD-10-PCS Procedure |
| 047M0E6 | Dilation of Right Popliteal Artery, Bifurcation, with Two Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 047M0EZ | Dilation of Right Popliteal Artery with Two Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 047M0F6 | Dilation of Right Popliteal Artery, Bifurcation, with Three Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 047M0FZ | Dilation of Right Popliteal Artery with Three Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 047M0G6 | Dilation of Right Popliteal Artery, Bifurcation, with Four or More Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 047M0GZ | Dilation of Right Popliteal Artery with Four or More Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 047M0Z1 | Dilation of Right Popliteal Artery using Drug-Coated Balloon, Open Approach | ICD-10-PCS Procedure |
| 047M0Z6 | Dilation of Right Popliteal Artery, Bifurcation, Open Approach | ICD-10-PCS Procedure |
| 047M0ZZ | Dilation of Right Popliteal Artery, Open Approach | ICD-10-PCS Procedure |
| 047M341 | Dilation of Right Popliteal Artery with Drug-eluting Intraluminal Device, using Drug-Coated Balloon, Percutaneous Approach | ICD-10-PCS Procedure |
| 047M346 | Dilation of Right Popliteal Artery, Bifurcation, with Drug-eluting Intraluminal Device, Percutaneous Approach | ICD-10-PCS Procedure |
| 047M34Z | Dilation of Right Popliteal Artery with Drug-eluting Intraluminal Device, Percutaneous Approach | ICD-10-PCS Procedure |
| 047M356 | Dilation of Right Popliteal Artery, Bifurcation, with Two Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 047M35Z | Dilation of Right Popliteal Artery with Two Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 047M366 | Dilation of Right Popliteal Artery, Bifurcation, with Three Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 047M36Z | Dilation of Right Popliteal Artery with Three Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 047M376 | Dilation of Right Popliteal Artery, Bifurcation, with Four or More Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 047M37Z | Dilation of Right Popliteal Artery with Four or More Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 047M3D1 | Dilation of Right Popliteal Artery with Intraluminal Device, using Drug-Coated Balloon, Percutaneous Approach | ICD-10-PCS Procedure |
| 047M3D6 | Dilation of Right Popliteal Artery, Bifurcation, with Intraluminal Device, Percutaneous Approach | ICD-10-PCS Procedure |



List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|--|----------------------|
| 047M3DZ | Dilation of Right Popliteal Artery with Intraluminal Device, Percutaneous Approach | ICD-10-PCS Procedure |
| 047M3E6 | Dilation of Right Popliteal Artery, Bifurcation, with Two Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 047M3EZ | Dilation of Right Popliteal Artery with Two Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 047M3F6 | Dilation of Right Popliteal Artery, Bifurcation, with Three Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 047M3FZ | Dilation of Right Popliteal Artery with Three Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 047M3G6 | Dilation of Right Popliteal Artery, Bifurcation, with Four or More Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 047M3GZ | Dilation of Right Popliteal Artery with Four or More Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 047M3Z1 | Dilation of Right Popliteal Artery using Drug-Coated Balloon, Percutaneous Approach | ICD-10-PCS Procedure |
| 047M3Z6 | Dilation of Right Popliteal Artery, Bifurcation, Percutaneous Approach | ICD-10-PCS Procedure |
| 047M3ZZ | Dilation of Right Popliteal Artery, Percutaneous Approach | ICD-10-PCS Procedure |
| 047M441 | Dilation of Right Popliteal Artery with Drug-eluting Intraluminal Device, using Drug-Coated Balloon, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047M446 | Dilation of Right Popliteal Artery, Bifurcation, with Drug-eluting Intraluminal Device, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047M44Z | Dilation of Right Popliteal Artery with Drug-eluting Intraluminal Device, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047M456 | Dilation of Right Popliteal Artery, Bifurcation, with Two Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047M45Z | Dilation of Right Popliteal Artery with Two Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047M466 | Dilation of Right Popliteal Artery, Bifurcation, with Three Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047M46Z | Dilation of Right Popliteal Artery with Three Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047M476 | Dilation of Right Popliteal Artery, Bifurcation, with Four or More Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047M47Z | Dilation of Right Popliteal Artery with Four or More Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047M4D1 | Dilation of Right Popliteal Artery with Intraluminal Device, using Drug-Coated Balloon, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047M4D6 | Dilation of Right Popliteal Artery, Bifurcation, with Intraluminal Device, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047M4DZ | Dilation of Right Popliteal Artery with Intraluminal Device, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |



List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|---|----------------------|
| 047M4E6 | Dilation of Right Popliteal Artery, Bifurcation, with Two Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047M4EZ | Dilation of Right Popliteal Artery with Two Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047M4F6 | Dilation of Right Popliteal Artery, Bifurcation, with Three Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047M4FZ | Dilation of Right Popliteal Artery with Three Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047M4G6 | Dilation of Right Popliteal Artery, Bifurcation, with Four or More Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047M4GZ | Dilation of Right Popliteal Artery with Four or More Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047M4Z1 | Dilation of Right Popliteal Artery using Drug-Coated Balloon, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047M4Z6 | Dilation of Right Popliteal Artery, Bifurcation, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047M4ZZ | Dilation of Right Popliteal Artery, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047N041 | Dilation of Left Popliteal Artery with Drug-eluting Intraluminal Device, using Drug-Coated Balloon, Open Approach | ICD-10-PCS Procedure |
| 047N046 | Dilation of Left Popliteal Artery, Bifurcation, with Drug-eluting Intraluminal Device, Open Approach | ICD-10-PCS Procedure |
| 047N04Z | Dilation of Left Popliteal Artery with Drug-eluting Intraluminal Device, Open Approach | ICD-10-PCS Procedure |
| 047N056 | Dilation of Left Popliteal Artery, Bifurcation, with Two Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 047N05Z | Dilation of Left Popliteal Artery with Two Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 047N066 | Dilation of Left Popliteal Artery, Bifurcation, with Three Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 047N06Z | Dilation of Left Popliteal Artery with Three Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 047N076 | Dilation of Left Popliteal Artery, Bifurcation, with Four or More Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 047N07Z | Dilation of Left Popliteal Artery with Four or More Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 047N0D1 | Dilation of Left Popliteal Artery with Intraluminal Device, using Drug-Coated Balloon, Open Approach | ICD-10-PCS Procedure |
| 047N0D6 | Dilation of Left Popliteal Artery, Bifurcation, with Intraluminal Device, Open Approach | ICD-10-PCS Procedure |
| 047N0DZ | Dilation of Left Popliteal Artery with Intraluminal Device, Open Approach | ICD-10-PCS Procedure |
| 047N0E6 | Dilation of Left Popliteal Artery, Bifurcation, with Two Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |



List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|--|----------------------|
| 047N0EZ | Dilation of Left Popliteal Artery with Two Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 047N0F6 | Dilation of Left Popliteal Artery, Bifurcation, with Three Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 047N0FZ | Dilation of Left Popliteal Artery with Three Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 047N0G6 | Dilation of Left Popliteal Artery, Bifurcation, with Four or More Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 047N0GZ | Dilation of Left Popliteal Artery with Four or More Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 047N0Z1 | Dilation of Left Popliteal Artery using Drug-Coated Balloon, Open Approach | ICD-10-PCS Procedure |
| 047N0Z6 | Dilation of Left Popliteal Artery, Bifurcation, Open Approach | ICD-10-PCS Procedure |
| 047N0ZZ | Dilation of Left Popliteal Artery, Open Approach | ICD-10-PCS Procedure |
| 047N341 | Dilation of Left Popliteal Artery with Drug-eluting Intraluminal Device, using Drug-Coated Balloon, Percutaneous Approach | ICD-10-PCS Procedure |
| 047N346 | Dilation of Left Popliteal Artery, Bifurcation, with Drug-eluting Intraluminal Device, Percutaneous Approach | ICD-10-PCS Procedure |
| 047N34Z | Dilation of Left Popliteal Artery with Drug-eluting Intraluminal Device, Percutaneous Approach | ICD-10-PCS Procedure |
| 047N356 | Dilation of Left Popliteal Artery, Bifurcation, with Two Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 047N35Z | Dilation of Left Popliteal Artery with Two Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 047N366 | Dilation of Left Popliteal Artery, Bifurcation, with Three Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 047N36Z | Dilation of Left Popliteal Artery with Three Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 047N376 | Dilation of Left Popliteal Artery, Bifurcation, with Four or More Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 047N37Z | Dilation of Left Popliteal Artery with Four or More Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 047N3D1 | Dilation of Left Popliteal Artery with Intraluminal Device, using Drug-Coated Balloon, Percutaneous Approach | ICD-10-PCS Procedure |
| 047N3D6 | Dilation of Left Popliteal Artery, Bifurcation, with Intraluminal Device, Percutaneous Approach | ICD-10-PCS Procedure |
| 047N3DZ | Dilation of Left Popliteal Artery with Intraluminal Device, Percutaneous Approach | ICD-10-PCS Procedure |
| 047N3E6 | Dilation of Left Popliteal Artery, Bifurcation, with Two Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 047N3EZ | Dilation of Left Popliteal Artery with Two Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 047N3F6 | Dilation of Left Popliteal Artery, Bifurcation, with Three Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |

List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|---|----------------------|
| 047N3FZ | Dilation of Left Popliteal Artery with Three Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 047N3G6 | Dilation of Left Popliteal Artery, Bifurcation, with Four or More Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 047N3GZ | Dilation of Left Popliteal Artery with Four or More Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 047N3Z1 | Dilation of Left Popliteal Artery using Drug-Coated Balloon, Percutaneous Approach | ICD-10-PCS Procedure |
| 047N3Z6 | Dilation of Left Popliteal Artery, Bifurcation, Percutaneous Approach | ICD-10-PCS Procedure |
| 047N3ZZ | Dilation of Left Popliteal Artery, Percutaneous Approach | ICD-10-PCS Procedure |
| 047N441 | Dilation of Left Popliteal Artery with Drug-eluting Intraluminal Device, using Drug-Coated Balloon, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047N446 | Dilation of Left Popliteal Artery, Bifurcation, with Drug-eluting Intraluminal Device, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047N44Z | Dilation of Left Popliteal Artery with Drug-eluting Intraluminal Device, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047N456 | Dilation of Left Popliteal Artery, Bifurcation, with Two Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047N45Z | Dilation of Left Popliteal Artery with Two Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047N466 | Dilation of Left Popliteal Artery, Bifurcation, with Three Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047N46Z | Dilation of Left Popliteal Artery with Three Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047N476 | Dilation of Left Popliteal Artery, Bifurcation, with Four or More Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047N47Z | Dilation of Left Popliteal Artery with Four or More Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047N4D1 | Dilation of Left Popliteal Artery with Intraluminal Device, using Drug-Coated Balloon, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047N4D6 | Dilation of Left Popliteal Artery, Bifurcation, with Intraluminal Device, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047N4DZ | Dilation of Left Popliteal Artery with Intraluminal Device, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047N4E6 | Dilation of Left Popliteal Artery, Bifurcation, with Two Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047N4EZ | Dilation of Left Popliteal Artery with Two Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047N4F6 | Dilation of Left Popliteal Artery, Bifurcation, with Three Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047N4FZ | Dilation of Left Popliteal Artery with Three Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |



List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|---|----------------------|
| 047N4G6 | Dilation of Left Popliteal Artery, Bifurcation, with Four or More Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047N4GZ | Dilation of Left Popliteal Artery with Four or More Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047N4Z1 | Dilation of Left Popliteal Artery using Drug-Coated Balloon, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047N4Z6 | Dilation of Left Popliteal Artery, Bifurcation, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047N4ZZ | Dilation of Left Popliteal Artery, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047P046 | Dilation of Right Anterior Tibial Artery, Bifurcation, with Drug-eluting Intraluminal Device, Open Approach | ICD-10-PCS Procedure |
| 047P04Z | Dilation of Right Anterior Tibial Artery with Drug-eluting Intraluminal Device, Open Approach | ICD-10-PCS Procedure |
| 047P056 | Dilation of Right Anterior Tibial Artery, Bifurcation, with Two Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 047P05Z | Dilation of Right Anterior Tibial Artery with Two Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 047P066 | Dilation of Right Anterior Tibial Artery, Bifurcation, with Three Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 047P06Z | Dilation of Right Anterior Tibial Artery with Three Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 047P076 | Dilation of Right Anterior Tibial Artery, Bifurcation, with Four or More Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 047P07Z | Dilation of Right Anterior Tibial Artery with Four or More Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 047P0D6 | Dilation of Right Anterior Tibial Artery, Bifurcation, with Intraluminal Device, Open Approach | ICD-10-PCS Procedure |
| 047P0DZ | Dilation of Right Anterior Tibial Artery with Intraluminal Device, Open Approach | ICD-10-PCS Procedure |
| 047P0E6 | Dilation of Right Anterior Tibial Artery, Bifurcation, with Two Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 047P0EZ | Dilation of Right Anterior Tibial Artery with Two Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 047P0F6 | Dilation of Right Anterior Tibial Artery, Bifurcation, with Three Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 047P0FZ | Dilation of Right Anterior Tibial Artery with Three Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 047P0G6 | Dilation of Right Anterior Tibial Artery, Bifurcation, with Four or More Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 047P0GZ | Dilation of Right Anterior Tibial Artery with Four or More Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 047P0Z6 | Dilation of Right Anterior Tibial Artery, Bifurcation, Open Approach | ICD-10-PCS Procedure |



List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|---|----------------------|
| 047P0ZZ | Dilation of Right Anterior Tibial Artery, Open Approach | ICD-10-PCS Procedure |
| 047P346 | Dilation of Right Anterior Tibial Artery, Bifurcation, with Drug-eluting Intraluminal Device, Percutaneous Approach | ICD-10-PCS Procedure |
| 047P34Z | Dilation of Right Anterior Tibial Artery with Drug-eluting Intraluminal Device, Percutaneous Approach | ICD-10-PCS Procedure |
| 047P356 | Dilation of Right Anterior Tibial Artery, Bifurcation, with Two Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 047P35Z | Dilation of Right Anterior Tibial Artery with Two Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 047P366 | Dilation of Right Anterior Tibial Artery, Bifurcation, with Three Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 047P36Z | Dilation of Right Anterior Tibial Artery with Three Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 047P376 | Dilation of Right Anterior Tibial Artery, Bifurcation, with Four or More Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 047P37Z | Dilation of Right Anterior Tibial Artery with Four or More Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 047P3D6 | Dilation of Right Anterior Tibial Artery, Bifurcation, with Intraluminal Device, Percutaneous Approach | ICD-10-PCS Procedure |
| 047P3DZ | Dilation of Right Anterior Tibial Artery with Intraluminal Device, Percutaneous Approach | ICD-10-PCS Procedure |
| 047P3E6 | Dilation of Right Anterior Tibial Artery, Bifurcation, with Two Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 047P3EZ | Dilation of Right Anterior Tibial Artery with Two Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 047P3F6 | Dilation of Right Anterior Tibial Artery, Bifurcation, with Three Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 047P3FZ | Dilation of Right Anterior Tibial Artery with Three Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 047P3G6 | Dilation of Right Anterior Tibial Artery, Bifurcation, with Four or More Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 047P3GZ | Dilation of Right Anterior Tibial Artery with Four or More Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 047P3Z6 | Dilation of Right Anterior Tibial Artery, Bifurcation, Percutaneous Approach | ICD-10-PCS Procedure |
| 047P3ZZ | Dilation of Right Anterior Tibial Artery, Percutaneous Approach | ICD-10-PCS Procedure |
| 047P446 | Dilation of Right Anterior Tibial Artery, Bifurcation, with Drug-eluting Intraluminal Device, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047P44Z | Dilation of Right Anterior Tibial Artery with Drug-eluting Intraluminal Device, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047P456 | Dilation of Right Anterior Tibial Artery, Bifurcation, with Two Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |

List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|--|----------------------|
| 047P45Z | Dilation of Right Anterior Tibial Artery with Two Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047P466 | Dilation of Right Anterior Tibial Artery, Bifurcation, with Three Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047P46Z | Dilation of Right Anterior Tibial Artery with Three Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047P476 | Dilation of Right Anterior Tibial Artery, Bifurcation, with Four or More Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047P47Z | Dilation of Right Anterior Tibial Artery with Four or More Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047P4D6 | Dilation of Right Anterior Tibial Artery, Bifurcation, with Intraluminal Device, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047P4DZ | Dilation of Right Anterior Tibial Artery with Intraluminal Device, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047P4E6 | Dilation of Right Anterior Tibial Artery, Bifurcation, with Two Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047P4EZ | Dilation of Right Anterior Tibial Artery with Two Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047P4F6 | Dilation of Right Anterior Tibial Artery, Bifurcation, with Three Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047P4FZ | Dilation of Right Anterior Tibial Artery with Three Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047P4G6 | Dilation of Right Anterior Tibial Artery, Bifurcation, with Four or More Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047P4GZ | Dilation of Right Anterior Tibial Artery with Four or More Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047P4Z6 | Dilation of Right Anterior Tibial Artery, Bifurcation, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047P4ZZ | Dilation of Right Anterior Tibial Artery, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047Q046 | Dilation of Left Anterior Tibial Artery, Bifurcation, with Drug-eluting Intraluminal Device, Open Approach | ICD-10-PCS Procedure |
| 047Q04Z | Dilation of Left Anterior Tibial Artery with Drug-eluting Intraluminal Device, Open Approach | ICD-10-PCS Procedure |
| 047Q056 | Dilation of Left Anterior Tibial Artery, Bifurcation, with Two Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 047Q05Z | Dilation of Left Anterior Tibial Artery with Two Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 047Q066 | Dilation of Left Anterior Tibial Artery, Bifurcation, with Three Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 047Q06Z | Dilation of Left Anterior Tibial Artery with Three Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |

List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|--|----------------------|
| 047Q076 | Dilation of Left Anterior Tibial Artery, Bifurcation, with Four or More Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 047Q07Z | Dilation of Left Anterior Tibial Artery with Four or More Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 047Q0D6 | Dilation of Left Anterior Tibial Artery, Bifurcation, with Intraluminal Device, Open Approach | ICD-10-PCS Procedure |
| 047Q0DZ | Dilation of Left Anterior Tibial Artery with Intraluminal Device, Open Approach | ICD-10-PCS Procedure |
| 047Q0E6 | Dilation of Left Anterior Tibial Artery, Bifurcation, with Two Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 047Q0EZ | Dilation of Left Anterior Tibial Artery with Two Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 047Q0F6 | Dilation of Left Anterior Tibial Artery, Bifurcation, with Three Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 047Q0FZ | Dilation of Left Anterior Tibial Artery with Three Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 047Q0G6 | Dilation of Left Anterior Tibial Artery, Bifurcation, with Four or More Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 047Q0GZ | Dilation of Left Anterior Tibial Artery with Four or More Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 047Q0Z6 | Dilation of Left Anterior Tibial Artery, Bifurcation, Open Approach | ICD-10-PCS Procedure |
| 047Q0ZZ | Dilation of Left Anterior Tibial Artery, Open Approach | ICD-10-PCS Procedure |
| 047Q346 | Dilation of Left Anterior Tibial Artery, Bifurcation, with Drug-eluting Intraluminal Device, Percutaneous Approach | ICD-10-PCS Procedure |
| 047Q34Z | Dilation of Left Anterior Tibial Artery with Drug-eluting Intraluminal Device, Percutaneous Approach | ICD-10-PCS Procedure |
| 047Q356 | Dilation of Left Anterior Tibial Artery, Bifurcation, with Two Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 047Q35Z | Dilation of Left Anterior Tibial Artery with Two Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 047Q366 | Dilation of Left Anterior Tibial Artery, Bifurcation, with Three Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 047Q36Z | Dilation of Left Anterior Tibial Artery with Three Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 047Q376 | Dilation of Left Anterior Tibial Artery, Bifurcation, with Four or More Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 047Q37Z | Dilation of Left Anterior Tibial Artery with Four or More Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 047Q3D6 | Dilation of Left Anterior Tibial Artery, Bifurcation, with Intraluminal Device, Percutaneous Approach | ICD-10-PCS Procedure |
| 047Q3DZ | Dilation of Left Anterior Tibial Artery with Intraluminal Device, Percutaneous Approach | ICD-10-PCS Procedure |

List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|---|----------------------|
| 047Q3E6 | Dilation of Left Anterior Tibial Artery, Bifurcation, with Two Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 047Q3EZ | Dilation of Left Anterior Tibial Artery with Two Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 047Q3F6 | Dilation of Left Anterior Tibial Artery, Bifurcation, with Three Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 047Q3FZ | Dilation of Left Anterior Tibial Artery with Three Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 047Q3G6 | Dilation of Left Anterior Tibial Artery, Bifurcation, with Four or More Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 047Q3GZ | Dilation of Left Anterior Tibial Artery with Four or More Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 047Q3Z6 | Dilation of Left Anterior Tibial Artery, Bifurcation, Percutaneous Approach | ICD-10-PCS Procedure |
| 047Q3ZZ | Dilation of Left Anterior Tibial Artery, Percutaneous Approach | ICD-10-PCS Procedure |
| 047Q446 | Dilation of Left Anterior Tibial Artery, Bifurcation, with Drug-eluting Intraluminal Device, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047Q44Z | Dilation of Left Anterior Tibial Artery with Drug-eluting Intraluminal Device, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047Q456 | Dilation of Left Anterior Tibial Artery, Bifurcation, with Two Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047Q45Z | Dilation of Left Anterior Tibial Artery with Two Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047Q466 | Dilation of Left Anterior Tibial Artery, Bifurcation, with Three Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047Q46Z | Dilation of Left Anterior Tibial Artery with Three Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047Q476 | Dilation of Left Anterior Tibial Artery, Bifurcation, with Four or More Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047Q47Z | Dilation of Left Anterior Tibial Artery with Four or More Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047Q4D6 | Dilation of Left Anterior Tibial Artery, Bifurcation, with Intraluminal Device, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047Q4DZ | Dilation of Left Anterior Tibial Artery with Intraluminal Device, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047Q4E6 | Dilation of Left Anterior Tibial Artery, Bifurcation, with Two Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047Q4EZ | Dilation of Left Anterior Tibial Artery with Two Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047Q4F6 | Dilation of Left Anterior Tibial Artery, Bifurcation, with Three Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047Q4FZ | Dilation of Left Anterior Tibial Artery with Three Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |



List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|--|----------------------|
| 047Q4G6 | Dilation of Left Anterior Tibial Artery, Bifurcation, with Four or More Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047Q4GZ | Dilation of Left Anterior Tibial Artery with Four or More Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047Q4Z6 | Dilation of Left Anterior Tibial Artery, Bifurcation, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047Q4ZZ | Dilation of Left Anterior Tibial Artery, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047R046 | Dilation of Right Posterior Tibial Artery, Bifurcation, with Drug-eluting Intraluminal Device, Open Approach | ICD-10-PCS Procedure |
| 047R04Z | Dilation of Right Posterior Tibial Artery with Drug-eluting Intraluminal Device, Open Approach | ICD-10-PCS Procedure |
| 047R056 | Dilation of Right Posterior Tibial Artery, Bifurcation, with Two Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 047R05Z | Dilation of Right Posterior Tibial Artery with Two Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 047R066 | Dilation of Right Posterior Tibial Artery, Bifurcation, with Three Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 047R06Z | Dilation of Right Posterior Tibial Artery with Three Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 047R076 | Dilation of Right Posterior Tibial Artery, Bifurcation, with Four or More Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 047R07Z | Dilation of Right Posterior Tibial Artery with Four or More Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 047R0D6 | Dilation of Right Posterior Tibial Artery, Bifurcation, with Intraluminal Device, Open Approach | ICD-10-PCS Procedure |
| 047R0DZ | Dilation of Right Posterior Tibial Artery with Intraluminal Device, Open Approach | ICD-10-PCS Procedure |
| 047R0E6 | Dilation of Right Posterior Tibial Artery, Bifurcation, with Two Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 047R0EZ | Dilation of Right Posterior Tibial Artery with Two Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 047R0F6 | Dilation of Right Posterior Tibial Artery, Bifurcation, with Three Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 047R0FZ | Dilation of Right Posterior Tibial Artery with Three Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 047R0G6 | Dilation of Right Posterior Tibial Artery, Bifurcation, with Four or More Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 047R0GZ | Dilation of Right Posterior Tibial Artery with Four or More Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 047R0Z6 | Dilation of Right Posterior Tibial Artery, Bifurcation, Open Approach | ICD-10-PCS Procedure |
| 047R0ZZ | Dilation of Right Posterior Tibial Artery, Open Approach | ICD-10-PCS Procedure |

List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|--|----------------------|
| 047R346 | Dilation of Right Posterior Tibial Artery, Bifurcation, with Drug-eluting Intraluminal Device, Percutaneous Approach | ICD-10-PCS Procedure |
| 047R34Z | Dilation of Right Posterior Tibial Artery with Drug-eluting Intraluminal Device, Percutaneous Approach | ICD-10-PCS Procedure |
| 047R356 | Dilation of Right Posterior Tibial Artery, Bifurcation, with Two Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 047R35Z | Dilation of Right Posterior Tibial Artery with Two Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 047R366 | Dilation of Right Posterior Tibial Artery, Bifurcation, with Three Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 047R36Z | Dilation of Right Posterior Tibial Artery with Three Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 047R376 | Dilation of Right Posterior Tibial Artery, Bifurcation, with Four or More Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 047R37Z | Dilation of Right Posterior Tibial Artery with Four or More Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 047R3D6 | Dilation of Right Posterior Tibial Artery, Bifurcation, with Intraluminal Device, Percutaneous Approach | ICD-10-PCS Procedure |
| 047R3DZ | Dilation of Right Posterior Tibial Artery with Intraluminal Device, Percutaneous Approach | ICD-10-PCS Procedure |
| 047R3E6 | Dilation of Right Posterior Tibial Artery, Bifurcation, with Two Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 047R3EZ | Dilation of Right Posterior Tibial Artery with Two Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 047R3F6 | Dilation of Right Posterior Tibial Artery, Bifurcation, with Three Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 047R3FZ | Dilation of Right Posterior Tibial Artery with Three Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 047R3G6 | Dilation of Right Posterior Tibial Artery, Bifurcation, with Four or More Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 047R3GZ | Dilation of Right Posterior Tibial Artery with Four or More Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 047R3Z6 | Dilation of Right Posterior Tibial Artery, Bifurcation, Percutaneous Approach | ICD-10-PCS Procedure |
| 047R3ZZ | Dilation of Right Posterior Tibial Artery, Percutaneous Approach | ICD-10-PCS Procedure |
| 047R446 | Dilation of Right Posterior Tibial Artery, Bifurcation, with Drug-eluting Intraluminal Device, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047R44Z | Dilation of Right Posterior Tibial Artery with Drug-eluting Intraluminal Device, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047R456 | Dilation of Right Posterior Tibial Artery, Bifurcation, with Two Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047R45Z | Dilation of Right Posterior Tibial Artery with Two Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |

List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|---|----------------------|
| 047R466 | Dilation of Right Posterior Tibial Artery, Bifurcation, with Three Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047R46Z | Dilation of Right Posterior Tibial Artery with Three Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047R476 | Dilation of Right Posterior Tibial Artery, Bifurcation, with Four or More Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047R47Z | Dilation of Right Posterior Tibial Artery with Four or More Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047R4D6 | Dilation of Right Posterior Tibial Artery, Bifurcation, with Intraluminal Device, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047R4DZ | Dilation of Right Posterior Tibial Artery with Intraluminal Device, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047R4E6 | Dilation of Right Posterior Tibial Artery, Bifurcation, with Two Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047R4EZ | Dilation of Right Posterior Tibial Artery with Two Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047R4F6 | Dilation of Right Posterior Tibial Artery, Bifurcation, with Three Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047R4FZ | Dilation of Right Posterior Tibial Artery with Three Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047R4G6 | Dilation of Right Posterior Tibial Artery, Bifurcation, with Four or More Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047R4GZ | Dilation of Right Posterior Tibial Artery with Four or More Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047R4Z6 | Dilation of Right Posterior Tibial Artery, Bifurcation, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047R4ZZ | Dilation of Right Posterior Tibial Artery, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047S046 | Dilation of Left Posterior Tibial Artery, Bifurcation, with Drug-eluting Intraluminal Device, Open Approach | ICD-10-PCS Procedure |
| 047S04Z | Dilation of Left Posterior Tibial Artery with Drug-eluting Intraluminal Device, Open Approach | ICD-10-PCS Procedure |
| 047S056 | Dilation of Left Posterior Tibial Artery, Bifurcation, with Two Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 047S05Z | Dilation of Left Posterior Tibial Artery with Two Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 047S066 | Dilation of Left Posterior Tibial Artery, Bifurcation, with Three Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 047S06Z | Dilation of Left Posterior Tibial Artery with Three Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 047S076 | Dilation of Left Posterior Tibial Artery, Bifurcation, with Four or More Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |



List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|---|----------------------|
| 047S07Z | Dilation of Left Posterior Tibial Artery with Four or More Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 047S0D6 | Dilation of Left Posterior Tibial Artery, Bifurcation, with Intraluminal Device, Open Approach | ICD-10-PCS Procedure |
| 047S0DZ | Dilation of Left Posterior Tibial Artery with Intraluminal Device, Open Approach | ICD-10-PCS Procedure |
| 047S0E6 | Dilation of Left Posterior Tibial Artery, Bifurcation, with Two Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 047S0EZ | Dilation of Left Posterior Tibial Artery with Two Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 047S0F6 | Dilation of Left Posterior Tibial Artery, Bifurcation, with Three Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 047S0FZ | Dilation of Left Posterior Tibial Artery with Three Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 047S0G6 | Dilation of Left Posterior Tibial Artery, Bifurcation, with Four or More Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 047S0GZ | Dilation of Left Posterior Tibial Artery with Four or More Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 047S0Z6 | Dilation of Left Posterior Tibial Artery, Bifurcation, Open Approach | ICD-10-PCS Procedure |
| 047S0ZZ | Dilation of Left Posterior Tibial Artery, Open Approach | ICD-10-PCS Procedure |
| 047S346 | Dilation of Left Posterior Tibial Artery, Bifurcation, with Drug-eluting Intraluminal Device, Percutaneous Approach | ICD-10-PCS Procedure |
| 047S34Z | Dilation of Left Posterior Tibial Artery with Drug-eluting Intraluminal Device, Percutaneous Approach | ICD-10-PCS Procedure |
| 047S356 | Dilation of Left Posterior Tibial Artery, Bifurcation, with Two Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 047S35Z | Dilation of Left Posterior Tibial Artery with Two Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 047S366 | Dilation of Left Posterior Tibial Artery, Bifurcation, with Three Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 047S36Z | Dilation of Left Posterior Tibial Artery with Three Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 047S376 | Dilation of Left Posterior Tibial Artery, Bifurcation, with Four or More Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 047S37Z | Dilation of Left Posterior Tibial Artery with Four or More Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 047S3D6 | Dilation of Left Posterior Tibial Artery, Bifurcation, with Intraluminal Device, Percutaneous Approach | ICD-10-PCS Procedure |
| 047S3DZ | Dilation of Left Posterior Tibial Artery with Intraluminal Device, Percutaneous Approach | ICD-10-PCS Procedure |
| 047S3E6 | Dilation of Left Posterior Tibial Artery, Bifurcation, with Two Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |

List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|--|----------------------|
| 047S3EZ | Dilation of Left Posterior Tibial Artery with Two Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 047S3F6 | Dilation of Left Posterior Tibial Artery, Bifurcation, with Three Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 047S3FZ | Dilation of Left Posterior Tibial Artery with Three Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 047S3G6 | Dilation of Left Posterior Tibial Artery, Bifurcation, with Four or More Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 047S3GZ | Dilation of Left Posterior Tibial Artery with Four or More Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 047S3Z6 | Dilation of Left Posterior Tibial Artery, Bifurcation, Percutaneous Approach | ICD-10-PCS Procedure |
| 047S3ZZ | Dilation of Left Posterior Tibial Artery, Percutaneous Approach | ICD-10-PCS Procedure |
| 047S446 | Dilation of Left Posterior Tibial Artery, Bifurcation, with Drug-eluting Intraluminal Device, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047S44Z | Dilation of Left Posterior Tibial Artery with Drug-eluting Intraluminal Device, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047S456 | Dilation of Left Posterior Tibial Artery, Bifurcation, with Two Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047S45Z | Dilation of Left Posterior Tibial Artery with Two Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047S466 | Dilation of Left Posterior Tibial Artery, Bifurcation, with Three Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047S46Z | Dilation of Left Posterior Tibial Artery with Three Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047S476 | Dilation of Left Posterior Tibial Artery, Bifurcation, with Four or More Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047S47Z | Dilation of Left Posterior Tibial Artery with Four or More Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047S4D6 | Dilation of Left Posterior Tibial Artery, Bifurcation, with Intraluminal Device, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047S4DZ | Dilation of Left Posterior Tibial Artery with Intraluminal Device, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047S4E6 | Dilation of Left Posterior Tibial Artery, Bifurcation, with Two Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047S4EZ | Dilation of Left Posterior Tibial Artery with Two Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047S4F6 | Dilation of Left Posterior Tibial Artery, Bifurcation, with Three Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047S4FZ | Dilation of Left Posterior Tibial Artery with Three Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047S4G6 | Dilation of Left Posterior Tibial Artery, Bifurcation, with Four or More Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |



List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|--|----------------------|
| 047S4GZ | Dilation of Left Posterior Tibial Artery with Four or More Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047S4Z6 | Dilation of Left Posterior Tibial Artery, Bifurcation, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047S4ZZ | Dilation of Left Posterior Tibial Artery, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047T046 | Dilation of Right Peroneal Artery, Bifurcation, with Drug-eluting Intraluminal Device, Open Approach | ICD-10-PCS Procedure |
| 047T04Z | Dilation of Right Peroneal Artery with Drug-eluting Intraluminal Device, Open Approach | ICD-10-PCS Procedure |
| 047T056 | Dilation of Right Peroneal Artery, Bifurcation, with Two Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 047T05Z | Dilation of Right Peroneal Artery with Two Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 047T066 | Dilation of Right Peroneal Artery, Bifurcation, with Three Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 047T06Z | Dilation of Right Peroneal Artery with Three Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 047T076 | Dilation of Right Peroneal Artery, Bifurcation, with Four or More Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 047T07Z | Dilation of Right Peroneal Artery with Four or More Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 047T0D6 | Dilation of Right Peroneal Artery, Bifurcation, with Intraluminal Device, Open Approach | ICD-10-PCS Procedure |
| 047T0DZ | Dilation of Right Peroneal Artery with Intraluminal Device, Open Approach | ICD-10-PCS Procedure |
| 047T0E6 | Dilation of Right Peroneal Artery, Bifurcation, with Two Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 047T0EZ | Dilation of Right Peroneal Artery with Two Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 047T0F6 | Dilation of Right Peroneal Artery, Bifurcation, with Three Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 047T0FZ | Dilation of Right Peroneal Artery with Three Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 047T0G6 | Dilation of Right Peroneal Artery, Bifurcation, with Four or More Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 047T0GZ | Dilation of Right Peroneal Artery with Four or More Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 047T0Z6 | Dilation of Right Peroneal Artery, Bifurcation, Open Approach | ICD-10-PCS Procedure |
| 047T0ZZ | Dilation of Right Peroneal Artery, Open Approach | ICD-10-PCS Procedure |
| 047T346 | Dilation of Right Peroneal Artery, Bifurcation, with Drug-eluting Intraluminal Device, Percutaneous Approach | ICD-10-PCS Procedure |
| 047T34Z | Dilation of Right Peroneal Artery with Drug-eluting Intraluminal Device, Percutaneous Approach | ICD-10-PCS Procedure |



List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|--|----------------------|
| 047T356 | Dilation of Right Peroneal Artery, Bifurcation, with Two Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 047T35Z | Dilation of Right Peroneal Artery with Two Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 047T366 | Dilation of Right Peroneal Artery, Bifurcation, with Three Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 047T36Z | Dilation of Right Peroneal Artery with Three Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 047T376 | Dilation of Right Peroneal Artery, Bifurcation, with Four or More Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 047T37Z | Dilation of Right Peroneal Artery with Four or More Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 047T3D6 | Dilation of Right Peroneal Artery, Bifurcation, with Intraluminal Device, Percutaneous Approach | ICD-10-PCS Procedure |
| 047T3DZ | Dilation of Right Peroneal Artery with Intraluminal Device, Percutaneous Approach | ICD-10-PCS Procedure |
| 047T3E6 | Dilation of Right Peroneal Artery, Bifurcation, with Two Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 047T3EZ | Dilation of Right Peroneal Artery with Two Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 047T3F6 | Dilation of Right Peroneal Artery, Bifurcation, with Three Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 047T3FZ | Dilation of Right Peroneal Artery with Three Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 047T3G6 | Dilation of Right Peroneal Artery, Bifurcation, with Four or More Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 047T3GZ | Dilation of Right Peroneal Artery with Four or More Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 047T3Z6 | Dilation of Right Peroneal Artery, Bifurcation, Percutaneous Approach | ICD-10-PCS Procedure |
| 047T3ZZ | Dilation of Right Peroneal Artery, Percutaneous Approach | ICD-10-PCS Procedure |
| 047T446 | Dilation of Right Peroneal Artery, Bifurcation, with Drug-eluting Intraluminal Device, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047T44Z | Dilation of Right Peroneal Artery with Drug-eluting Intraluminal Device, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047T456 | Dilation of Right Peroneal Artery, Bifurcation, with Two Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047T45Z | Dilation of Right Peroneal Artery with Two Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047T466 | Dilation of Right Peroneal Artery, Bifurcation, with Three Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047T46Z | Dilation of Right Peroneal Artery with Three Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |



List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|---|----------------------|
| 047T476 | Dilation of Right Peroneal Artery, Bifurcation, with Four or More Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047T47Z | Dilation of Right Peroneal Artery with Four or More Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047T4D6 | Dilation of Right Peroneal Artery, Bifurcation, with Intraluminal Device, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047T4DZ | Dilation of Right Peroneal Artery with Intraluminal Device, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047T4E6 | Dilation of Right Peroneal Artery, Bifurcation, with Two Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047T4EZ | Dilation of Right Peroneal Artery with Two Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047T4F6 | Dilation of Right Peroneal Artery, Bifurcation, with Three Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047T4FZ | Dilation of Right Peroneal Artery with Three Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047T4G6 | Dilation of Right Peroneal Artery, Bifurcation, with Four or More Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047T4GZ | Dilation of Right Peroneal Artery with Four or More Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047T4Z6 | Dilation of Right Peroneal Artery, Bifurcation, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047T4ZZ | Dilation of Right Peroneal Artery, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047U046 | Dilation of Left Peroneal Artery, Bifurcation, with Drug-eluting Intraluminal Device, Open Approach | ICD-10-PCS Procedure |
| 047U04Z | Dilation of Left Peroneal Artery with Drug-eluting Intraluminal Device, Open Approach | ICD-10-PCS Procedure |
| 047U056 | Dilation of Left Peroneal Artery, Bifurcation, with Two Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 047U05Z | Dilation of Left Peroneal Artery with Two Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 047U066 | Dilation of Left Peroneal Artery, Bifurcation, with Three Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 047U06Z | Dilation of Left Peroneal Artery with Three Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 047U076 | Dilation of Left Peroneal Artery, Bifurcation, with Four or More Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 047U07Z | Dilation of Left Peroneal Artery with Four or More Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 047U0D6 | Dilation of Left Peroneal Artery, Bifurcation, with Intraluminal Device, Open Approach | ICD-10-PCS Procedure |
| 047U0DZ | Dilation of Left Peroneal Artery with Intraluminal Device, Open Approach | ICD-10-PCS Procedure |

List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|---|----------------------|
| 047U0E6 | Dilation of Left Peroneal Artery, Bifurcation, with Two Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 047U0EZ | Dilation of Left Peroneal Artery with Two Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 047U0F6 | Dilation of Left Peroneal Artery, Bifurcation, with Three Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 047U0FZ | Dilation of Left Peroneal Artery with Three Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 047U0G6 | Dilation of Left Peroneal Artery, Bifurcation, with Four or More Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 047U0GZ | Dilation of Left Peroneal Artery with Four or More Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 047U0Z6 | Dilation of Left Peroneal Artery, Bifurcation, Open Approach | ICD-10-PCS Procedure |
| 047U0ZZ | Dilation of Left Peroneal Artery, Open Approach | ICD-10-PCS Procedure |
| 047U346 | Dilation of Left Peroneal Artery, Bifurcation, with Drug-eluting Intraluminal Device, Percutaneous Approach | ICD-10-PCS Procedure |
| 047U34Z | Dilation of Left Peroneal Artery with Drug-eluting Intraluminal Device, Percutaneous Approach | ICD-10-PCS Procedure |
| 047U356 | Dilation of Left Peroneal Artery, Bifurcation, with Two Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 047U35Z | Dilation of Left Peroneal Artery with Two Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 047U366 | Dilation of Left Peroneal Artery, Bifurcation, with Three Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 047U36Z | Dilation of Left Peroneal Artery with Three Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 047U376 | Dilation of Left Peroneal Artery, Bifurcation, with Four or More Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 047U37Z | Dilation of Left Peroneal Artery with Four or More Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 047U3D6 | Dilation of Left Peroneal Artery, Bifurcation, with Intraluminal Device, Percutaneous Approach | ICD-10-PCS Procedure |
| 047U3DZ | Dilation of Left Peroneal Artery with Intraluminal Device, Percutaneous Approach | ICD-10-PCS Procedure |
| 047U3E6 | Dilation of Left Peroneal Artery, Bifurcation, with Two Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 047U3EZ | Dilation of Left Peroneal Artery with Two Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 047U3F6 | Dilation of Left Peroneal Artery, Bifurcation, with Three Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 047U3FZ | Dilation of Left Peroneal Artery with Three Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |

List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|--|----------------------|
| 047U3G6 | Dilation of Left Peroneal Artery, Bifurcation, with Four or More Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 047U3GZ | Dilation of Left Peroneal Artery with Four or More Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 047U3Z6 | Dilation of Left Peroneal Artery, Bifurcation, Percutaneous Approach | ICD-10-PCS Procedure |
| 047U3ZZ | Dilation of Left Peroneal Artery, Percutaneous Approach | ICD-10-PCS Procedure |
| 047U446 | Dilation of Left Peroneal Artery, Bifurcation, with Drug-eluting Intraluminal Device, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047U44Z | Dilation of Left Peroneal Artery with Drug-eluting Intraluminal Device, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047U456 | Dilation of Left Peroneal Artery, Bifurcation, with Two Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047U45Z | Dilation of Left Peroneal Artery with Two Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047U466 | Dilation of Left Peroneal Artery, Bifurcation, with Three Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047U46Z | Dilation of Left Peroneal Artery with Three Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047U476 | Dilation of Left Peroneal Artery, Bifurcation, with Four or More Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047U47Z | Dilation of Left Peroneal Artery with Four or More Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047U4D6 | Dilation of Left Peroneal Artery, Bifurcation, with Intraluminal Device, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047U4DZ | Dilation of Left Peroneal Artery with Intraluminal Device, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047U4E6 | Dilation of Left Peroneal Artery, Bifurcation, with Two Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047U4EZ | Dilation of Left Peroneal Artery with Two Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047U4F6 | Dilation of Left Peroneal Artery, Bifurcation, with Three Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047U4FZ | Dilation of Left Peroneal Artery with Three Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047U4G6 | Dilation of Left Peroneal Artery, Bifurcation, with Four or More Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047U4GZ | Dilation of Left Peroneal Artery with Four or More Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047U4Z6 | Dilation of Left Peroneal Artery, Bifurcation, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047U4ZZ | Dilation of Left Peroneal Artery, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |



List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|---|----------------------|
| 047V046 | Dilation of Right Foot Artery, Bifurcation, with Drug-eluting Intraluminal Device, Open Approach | ICD-10-PCS Procedure |
| 047V04Z | Dilation of Right Foot Artery with Drug-eluting Intraluminal Device, Open Approach | ICD-10-PCS Procedure |
| 047V056 | Dilation of Right Foot Artery, Bifurcation, with Two Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 047V05Z | Dilation of Right Foot Artery with Two Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 047V066 | Dilation of Right Foot Artery, Bifurcation, with Three Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 047V06Z | Dilation of Right Foot Artery with Three Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 047V076 | Dilation of Right Foot Artery, Bifurcation, with Four or More Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 047V07Z | Dilation of Right Foot Artery with Four or More Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 047V0D6 | Dilation of Right Foot Artery, Bifurcation, with Intraluminal Device, Open Approach | ICD-10-PCS Procedure |
| 047V0DZ | Dilation of Right Foot Artery with Intraluminal Device, Open Approach | ICD-10-PCS Procedure |
| 047V0E6 | Dilation of Right Foot Artery, Bifurcation, with Two Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 047V0EZ | Dilation of Right Foot Artery with Two Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 047V0F6 | Dilation of Right Foot Artery, Bifurcation, with Three Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 047V0FZ | Dilation of Right Foot Artery with Three Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 047V0G6 | Dilation of Right Foot Artery, Bifurcation, with Four or More Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 047V0GZ | Dilation of Right Foot Artery with Four or More Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 047V0Z6 | Dilation of Right Foot Artery, Bifurcation, Open Approach | ICD-10-PCS Procedure |
| 047V0ZZ | Dilation of Right Foot Artery, Open Approach | ICD-10-PCS Procedure |
| 047V346 | Dilation of Right Foot Artery, Bifurcation, with Drug-eluting Intraluminal Device, Percutaneous Approach | ICD-10-PCS Procedure |
| 047V34Z | Dilation of Right Foot Artery with Drug-eluting Intraluminal Device, Percutaneous Approach | ICD-10-PCS Procedure |
| 047V356 | Dilation of Right Foot Artery, Bifurcation, with Two Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 047V35Z | Dilation of Right Foot Artery with Two Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 047V366 | Dilation of Right Foot Artery, Bifurcation, with Three Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |

List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|---|----------------------|
| 047V36Z | Dilation of Right Foot Artery with Three Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 047V376 | Dilation of Right Foot Artery, Bifurcation, with Four or More Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 047V37Z | Dilation of Right Foot Artery with Four or More Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 047V3D6 | Dilation of Right Foot Artery, Bifurcation, with Intraluminal Device, Percutaneous Approach | ICD-10-PCS Procedure |
| 047V3DZ | Dilation of Right Foot Artery with Intraluminal Device, Percutaneous Approach | ICD-10-PCS Procedure |
| 047V3E6 | Dilation of Right Foot Artery, Bifurcation, with Two Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 047V3EZ | Dilation of Right Foot Artery with Two Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 047V3F6 | Dilation of Right Foot Artery, Bifurcation, with Three Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 047V3FZ | Dilation of Right Foot Artery with Three Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 047V3G6 | Dilation of Right Foot Artery, Bifurcation, with Four or More Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 047V3GZ | Dilation of Right Foot Artery with Four or More Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 047V3Z6 | Dilation of Right Foot Artery, Bifurcation, Percutaneous Approach | ICD-10-PCS Procedure |
| 047V3ZZ | Dilation of Right Foot Artery, Percutaneous Approach | ICD-10-PCS Procedure |
| 047V446 | Dilation of Right Foot Artery, Bifurcation, with Drug-eluting Intraluminal Device, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047V44Z | Dilation of Right Foot Artery with Drug-eluting Intraluminal Device, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047V456 | Dilation of Right Foot Artery, Bifurcation, with Two Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047V45Z | Dilation of Right Foot Artery with Two Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047V466 | Dilation of Right Foot Artery, Bifurcation, with Three Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047V46Z | Dilation of Right Foot Artery with Three Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047V476 | Dilation of Right Foot Artery, Bifurcation, with Four or More Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047V47Z | Dilation of Right Foot Artery with Four or More Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047V4D6 | Dilation of Right Foot Artery, Bifurcation, with Intraluminal Device, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |



List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|--|----------------------|
| 047V4DZ | Dilation of Right Foot Artery with Intraluminal Device, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047V4E6 | Dilation of Right Foot Artery, Bifurcation, with Two Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047V4EZ | Dilation of Right Foot Artery with Two Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047V4F6 | Dilation of Right Foot Artery, Bifurcation, with Three Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047V4FZ | Dilation of Right Foot Artery with Three Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047V4G6 | Dilation of Right Foot Artery, Bifurcation, with Four or More Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047V4GZ | Dilation of Right Foot Artery with Four or More Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047V4Z6 | Dilation of Right Foot Artery, Bifurcation, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047V4ZZ | Dilation of Right Foot Artery, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047W046 | Dilation of Left Foot Artery, Bifurcation, with Drug-eluting Intraluminal Device, Open Approach | ICD-10-PCS Procedure |
| 047W04Z | Dilation of Left Foot Artery with Drug-eluting Intraluminal Device, Open Approach | ICD-10-PCS Procedure |
| 047W056 | Dilation of Left Foot Artery, Bifurcation, with Two Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 047W05Z | Dilation of Left Foot Artery with Two Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 047W066 | Dilation of Left Foot Artery, Bifurcation, with Three Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 047W06Z | Dilation of Left Foot Artery with Three Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 047W076 | Dilation of Left Foot Artery, Bifurcation, with Four or More Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 047W07Z | Dilation of Left Foot Artery with Four or More Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 047W0D6 | Dilation of Left Foot Artery, Bifurcation, with Intraluminal Device, Open Approach | ICD-10-PCS Procedure |
| 047W0DZ | Dilation of Left Foot Artery with Intraluminal Device, Open Approach | ICD-10-PCS Procedure |
| 047W0E6 | Dilation of Left Foot Artery, Bifurcation, with Two Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 047W0EZ | Dilation of Left Foot Artery with Two Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 047W0F6 | Dilation of Left Foot Artery, Bifurcation, with Three Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 047W0FZ | Dilation of Left Foot Artery with Three Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |



List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|---|----------------------|
| 047W0G6 | Dilation of Left Foot Artery, Bifurcation, with Four or More Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 047W0GZ | Dilation of Left Foot Artery with Four or More Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 047W0Z6 | Dilation of Left Foot Artery, Bifurcation, Open Approach | ICD-10-PCS Procedure |
| 047W0ZZ | Dilation of Left Foot Artery, Open Approach | ICD-10-PCS Procedure |
| 047W346 | Dilation of Left Foot Artery, Bifurcation, with Drug-eluting Intraluminal Device, Percutaneous Approach | ICD-10-PCS Procedure |
| 047W34Z | Dilation of Left Foot Artery with Drug-eluting Intraluminal Device, Percutaneous Approach | ICD-10-PCS Procedure |
| 047W356 | Dilation of Left Foot Artery, Bifurcation, with Two Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 047W35Z | Dilation of Left Foot Artery with Two Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 047W366 | Dilation of Left Foot Artery, Bifurcation, with Three Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 047W36Z | Dilation of Left Foot Artery with Three Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 047W376 | Dilation of Left Foot Artery, Bifurcation, with Four or More Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 047W37Z | Dilation of Left Foot Artery with Four or More Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 047W3D6 | Dilation of Left Foot Artery, Bifurcation, with Intraluminal Device, Percutaneous Approach | ICD-10-PCS Procedure |
| 047W3DZ | Dilation of Left Foot Artery with Intraluminal Device, Percutaneous Approach | ICD-10-PCS Procedure |
| 047W3E6 | Dilation of Left Foot Artery, Bifurcation, with Two Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 047W3EZ | Dilation of Left Foot Artery with Two Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 047W3F6 | Dilation of Left Foot Artery, Bifurcation, with Three Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 047W3FZ | Dilation of Left Foot Artery with Three Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 047W3G6 | Dilation of Left Foot Artery, Bifurcation, with Four or More Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 047W3GZ | Dilation of Left Foot Artery with Four or More Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 047W3Z6 | Dilation of Left Foot Artery, Bifurcation, Percutaneous Approach | ICD-10-PCS Procedure |
| 047W3ZZ | Dilation of Left Foot Artery, Percutaneous Approach | ICD-10-PCS Procedure |
| 047W446 | Dilation of Left Foot Artery, Bifurcation, with Drug-eluting Intraluminal Device, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |



List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|--|----------------------|
| 047W44Z | Dilation of Left Foot Artery with Drug-eluting Intraluminal Device, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047W456 | Dilation of Left Foot Artery, Bifurcation, with Two Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047W45Z | Dilation of Left Foot Artery with Two Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047W466 | Dilation of Left Foot Artery, Bifurcation, with Three Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047W46Z | Dilation of Left Foot Artery with Three Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047W476 | Dilation of Left Foot Artery, Bifurcation, with Four or More Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047W47Z | Dilation of Left Foot Artery with Four or More Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047W4D6 | Dilation of Left Foot Artery, Bifurcation, with Intraluminal Device, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047W4DZ | Dilation of Left Foot Artery with Intraluminal Device, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047W4E6 | Dilation of Left Foot Artery, Bifurcation, with Two Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047W4EZ | Dilation of Left Foot Artery with Two Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047W4F6 | Dilation of Left Foot Artery, Bifurcation, with Three Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047W4FZ | Dilation of Left Foot Artery with Three Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047W4G6 | Dilation of Left Foot Artery, Bifurcation, with Four or More Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047W4GZ | Dilation of Left Foot Artery with Four or More Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047W4Z6 | Dilation of Left Foot Artery, Bifurcation, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047W4ZZ | Dilation of Left Foot Artery, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047Y046 | Dilation of Lower Artery, Bifurcation, with Drug-eluting Intraluminal Device, Open Approach | ICD-10-PCS Procedure |
| 047Y04Z | Dilation of Lower Artery with Drug-eluting Intraluminal Device, Open Approach | ICD-10-PCS Procedure |
| 047Y056 | Dilation of Lower Artery, Bifurcation, with Two Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 047Y05Z | Dilation of Lower Artery with Two Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 047Y066 | Dilation of Lower Artery, Bifurcation, with Three Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |



List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|---|----------------------|
| 047Y06Z | Dilation of Lower Artery with Three Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 047Y076 | Dilation of Lower Artery, Bifurcation, with Four or More Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 047Y07Z | Dilation of Lower Artery with Four or More Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 047Y0D6 | Dilation of Lower Artery, Bifurcation, with Intraluminal Device, Open Approach | ICD-10-PCS Procedure |
| 047Y0DZ | Dilation of Lower Artery with Intraluminal Device, Open Approach | ICD-10-PCS Procedure |
| 047Y0E6 | Dilation of Lower Artery, Bifurcation, with Two Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 047Y0EZ | Dilation of Lower Artery with Two Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 047Y0F6 | Dilation of Lower Artery, Bifurcation, with Three Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 047Y0FZ | Dilation of Lower Artery with Three Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 047Y0G6 | Dilation of Lower Artery, Bifurcation, with Four or More Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 047Y0GZ | Dilation of Lower Artery with Four or More Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 047Y0Z6 | Dilation of Lower Artery, Bifurcation, Open Approach | ICD-10-PCS Procedure |
| 047Y0ZZ | Dilation of Lower Artery, Open Approach | ICD-10-PCS Procedure |
| 047Y346 | Dilation of Lower Artery, Bifurcation, with Drug-eluting Intraluminal Device, Percutaneous Approach | ICD-10-PCS Procedure |
| 047Y34Z | Dilation of Lower Artery with Drug-eluting Intraluminal Device, Percutaneous Approach | ICD-10-PCS Procedure |
| 047Y356 | Dilation of Lower Artery, Bifurcation, with Two Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 047Y35Z | Dilation of Lower Artery with Two Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 047Y366 | Dilation of Lower Artery, Bifurcation, with Three Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 047Y36Z | Dilation of Lower Artery with Three Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 047Y376 | Dilation of Lower Artery, Bifurcation, with Four or More Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 047Y37Z | Dilation of Lower Artery with Four or More Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 047Y3D6 | Dilation of Lower Artery, Bifurcation, with Intraluminal Device, Percutaneous Approach | ICD-10-PCS Procedure |
| 047Y3DZ | Dilation of Lower Artery with Intraluminal Device, Percutaneous Approach | ICD-10-PCS Procedure |
| 047Y3E6 | Dilation of Lower Artery, Bifurcation, with Two Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |

List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|--|----------------------|
| 047Y3EZ | Dilation of Lower Artery with Two Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 047Y3F6 | Dilation of Lower Artery, Bifurcation, with Three Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 047Y3FZ | Dilation of Lower Artery with Three Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 047Y3G6 | Dilation of Lower Artery, Bifurcation, with Four or More Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 047Y3GZ | Dilation of Lower Artery with Four or More Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 047Y3Z6 | Dilation of Lower Artery, Bifurcation, Percutaneous Approach | ICD-10-PCS Procedure |
| 047Y3ZZ | Dilation of Lower Artery, Percutaneous Approach | ICD-10-PCS Procedure |
| 047Y446 | Dilation of Lower Artery, Bifurcation, with Drug-eluting Intraluminal Device, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047Y44Z | Dilation of Lower Artery with Drug-eluting Intraluminal Device, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047Y456 | Dilation of Lower Artery, Bifurcation, with Two Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047Y45Z | Dilation of Lower Artery with Two Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047Y466 | Dilation of Lower Artery, Bifurcation, with Three Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047Y46Z | Dilation of Lower Artery with Three Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047Y476 | Dilation of Lower Artery, Bifurcation, with Four or More Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047Y47Z | Dilation of Lower Artery with Four or More Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047Y4D6 | Dilation of Lower Artery, Bifurcation, with Intraluminal Device, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047Y4DZ | Dilation of Lower Artery with Intraluminal Device, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047Y4E6 | Dilation of Lower Artery, Bifurcation, with Two Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047Y4EZ | Dilation of Lower Artery with Two Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047Y4F6 | Dilation of Lower Artery, Bifurcation, with Three Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047Y4FZ | Dilation of Lower Artery with Three Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047Y4G6 | Dilation of Lower Artery, Bifurcation, with Four or More Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |

List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|------------------|---|----------------------|
| 047Y4GZ | Dilation of Lower Artery with Four or More Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047Y4Z6 | Dilation of Lower Artery, Bifurcation, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047Y4ZZ | Dilation of Lower Artery, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 443.8 | Other specified peripheral vascular diseases | ICD-9-CM Diagnosis |
| 443.9 | Unspecified peripheral vascular disease | ICD-9-CM Diagnosis |
| 447.1 | Stricture of artery | ICD-9-CM Diagnosis |
| 557.1 | Chronic vascular insufficiency of intestine | ICD-9-CM Diagnosis |
| 557.9 | Unspecified vascular insufficiency of intestine | ICD-9-CM Diagnosis |
| 443.89 | Other peripheral vascular disease | ICD-9-CM Diagnosis |
| 38.13 | Endarterectomy of upper limb vessels | ICD-9-CM Procedure |
| 38.18 | Endarterectomy of lower limb arteries | ICD-9-CM Procedure |
| 39.25 | Aorta-iliac-femoral bypass | ICD-9-CM Procedure |
| 39.26 | Other intra-abdominal vascular shunt or bypass | ICD-9-CM Procedure |
| 39.29 | Other (peripheral) vascular shunt or bypass | ICD-9-CM Procedure |
| 39.50 | Angioplasty of other non-coronary vessel(s) | ICD-9-CM Procedure |
| 39.90 | Insertion of non-drug-eluting peripheral (non-coronary) vessel stents(s) | ICD-9-CM Procedure |
| 84.10 | Lower limb amputation, not otherwise specified | ICD-9-CM Procedure |
| 84.11 | Amputation of toe | ICD-9-CM Procedure |
| 84.12 | Amputation through foot | ICD-9-CM Procedure |
| 84.13 | Disarticulation of ankle | ICD-9-CM Procedure |
| 84.14 | Amputation of ankle through malleoli of tibia and fibula | ICD-9-CM Procedure |
| 84.15 | Other amputation below knee | ICD-9-CM Procedure |
| 84.16 | Disarticulation of knee | ICD-9-CM Procedure |
| 84.17 | Amputation above knee | ICD-9-CM Procedure |
| Pregnancy | | |
| 000.0 | Abdominal pregnancy | ICD-10-CM Diagnosis |
| 000.1 | Tubal pregnancy | ICD-10-CM Diagnosis |
| 000.2 | Ovarian pregnancy | ICD-10-CM Diagnosis |
| 000.8 | Other ectopic pregnancy | ICD-10-CM Diagnosis |
| 000.9 | Ectopic pregnancy, unspecified | ICD-10-CM Diagnosis |
| 001.0 | Classical hydatidiform mole | ICD-10-CM Diagnosis |
| 001.1 | Incomplete and partial hydatidiform mole | ICD-10-CM Diagnosis |
| 001.9 | Hydatidiform mole, unspecified | ICD-10-CM Diagnosis |
| 002 | Other abnormal products of conception | ICD-10-CM Diagnosis |
| 002.0 | Blighted ovum and nonhydatidiform mole | ICD-10-CM Diagnosis |
| 002.1 | Missed abortion | ICD-10-CM Diagnosis |
| 002.8 | Other specified abnormal products of conception | ICD-10-CM Diagnosis |
| 002.9 | Abnormal product of conception, unspecified | ICD-10-CM Diagnosis |
| 003.0 | Genital tract and pelvic infection following incomplete spontaneous abortion | ICD-10-CM Diagnosis |

List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|---|---------------------|
| O03.1 | Delayed or excessive hemorrhage following incomplete spontaneous abortion | ICD-10-CM Diagnosis |
| O03.2 | Embolism following incomplete spontaneous abortion | ICD-10-CM Diagnosis |
| O03.30 | Unspecified complication following incomplete spontaneous abortion | ICD-10-CM Diagnosis |
| O03.31 | Shock following incomplete spontaneous abortion | ICD-10-CM Diagnosis |
| O03.32 | Renal failure following incomplete spontaneous abortion | ICD-10-CM Diagnosis |
| O03.33 | Metabolic disorder following incomplete spontaneous abortion | ICD-10-CM Diagnosis |
| O03.34 | Damage to pelvic organs following incomplete spontaneous abortion | ICD-10-CM Diagnosis |
| O03.35 | Other venous complications following incomplete spontaneous abortion | ICD-10-CM Diagnosis |
| O03.36 | Cardiac arrest following incomplete spontaneous abortion | ICD-10-CM Diagnosis |
| O03.37 | Sepsis following incomplete spontaneous abortion | ICD-10-CM Diagnosis |
| O03.38 | Urinary tract infection following incomplete spontaneous abortion | ICD-10-CM Diagnosis |
| O03.39 | Incomplete spontaneous abortion with other complications | ICD-10-CM Diagnosis |
| O03.4 | Incomplete spontaneous abortion without complication | ICD-10-CM Diagnosis |
| O03.5 | Genital tract and pelvic infection following complete or unspecified spontaneous abortion | ICD-10-CM Diagnosis |
| O03.6 | Delayed or excessive hemorrhage following complete or unspecified spontaneous abortion | ICD-10-CM Diagnosis |
| O03.7 | Embolism following complete or unspecified spontaneous abortion | ICD-10-CM Diagnosis |
| O03.80 | Unspecified complication following complete or unspecified spontaneous abortion | ICD-10-CM Diagnosis |
| O03.81 | Shock following complete or unspecified spontaneous abortion | ICD-10-CM Diagnosis |
| O03.82 | Renal failure following complete or unspecified spontaneous abortion | ICD-10-CM Diagnosis |
| O03.83 | Metabolic disorder following complete or unspecified spontaneous abortion | ICD-10-CM Diagnosis |
| O03.84 | Damage to pelvic organs following complete or unspecified spontaneous abortion | ICD-10-CM Diagnosis |
| O03.85 | Other venous complications following complete or unspecified spontaneous abortion | ICD-10-CM Diagnosis |
| O03.86 | Cardiac arrest following complete or unspecified spontaneous abortion | ICD-10-CM Diagnosis |
| O03.87 | Sepsis following complete or unspecified spontaneous abortion | ICD-10-CM Diagnosis |
| O03.88 | Urinary tract infection following complete or unspecified spontaneous abortion | ICD-10-CM Diagnosis |
| O03.89 | Complete or unspecified spontaneous abortion with other complications | ICD-10-CM Diagnosis |
| O03.9 | Complete or unspecified spontaneous abortion without complication | ICD-10-CM Diagnosis |
| O04.5 | Genital tract and pelvic infection following (induced) termination of pregnancy | ICD-10-CM Diagnosis |
| O04.6 | Delayed or excessive hemorrhage following (induced) termination of pregnancy | ICD-10-CM Diagnosis |
| O04.7 | Embolism following (induced) termination of pregnancy | ICD-10-CM Diagnosis |
| O04.80 | (Induced) termination of pregnancy with unspecified complications | ICD-10-CM Diagnosis |
| O04.81 | Shock following (induced) termination of pregnancy | ICD-10-CM Diagnosis |
| O04.82 | Renal failure following (induced) termination of pregnancy | ICD-10-CM Diagnosis |
| O04.83 | Metabolic disorder following (induced) termination of pregnancy | ICD-10-CM Diagnosis |



List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|---|---------------------|
| O04.84 | Damage to pelvic organs following (induced) termination of pregnancy | ICD-10-CM Diagnosis |
| O04.85 | Other venous complications following (induced) termination of pregnancy | ICD-10-CM Diagnosis |
| O04.86 | Cardiac arrest following (induced) termination of pregnancy | ICD-10-CM Diagnosis |
| O04.87 | Sepsis following (induced) termination of pregnancy | ICD-10-CM Diagnosis |
| O04.88 | Urinary tract infection following (induced) termination of pregnancy | ICD-10-CM Diagnosis |
| O04.89 | (Induced) termination of pregnancy with other complications | ICD-10-CM Diagnosis |
| O09.00 | Supervision of pregnancy with history of infertility, unspecified trimester | ICD-10-CM Diagnosis |
| O09.01 | Supervision of pregnancy with history of infertility, first trimester | ICD-10-CM Diagnosis |
| O09.02 | Supervision of pregnancy with history of infertility, second trimester | ICD-10-CM Diagnosis |
| O09.03 | Supervision of pregnancy with history of infertility, third trimester | ICD-10-CM Diagnosis |
| O09.10 | Supervision of pregnancy with history of ectopic or molar pregnancy, unspecified trimester | ICD-10-CM Diagnosis |
| O09.11 | Supervision of pregnancy with history of ectopic or molar pregnancy, first trimester | ICD-10-CM Diagnosis |
| O09.12 | Supervision of pregnancy with history of ectopic or molar pregnancy, second trimester | ICD-10-CM Diagnosis |
| O09.13 | Supervision of pregnancy with history of ectopic or molar pregnancy, third trimester | ICD-10-CM Diagnosis |
| O09.2 | Supervision of pregnancy with other poor reproductive or obstetric history | ICD-10-CM Diagnosis |
| O09.21 | Supervision of pregnancy with history of pre-term labor | ICD-10-CM Diagnosis |
| O09.211 | Supervision of pregnancy with history of pre-term labor, first trimester | ICD-10-CM Diagnosis |
| O09.212 | Supervision of pregnancy with history of pre-term labor, second trimester | ICD-10-CM Diagnosis |
| O09.213 | Supervision of pregnancy with history of pre-term labor, third trimester | ICD-10-CM Diagnosis |
| O09.219 | Supervision of pregnancy with history of pre-term labor, unspecified trimester | ICD-10-CM Diagnosis |
| O09.291 | Supervision of pregnancy with other poor reproductive or obstetric history, first trimester | ICD-10-CM Diagnosis |
| O09.292 | Supervision of pregnancy with other poor reproductive or obstetric history, second trimester | ICD-10-CM Diagnosis |
| O09.293 | Supervision of pregnancy with other poor reproductive or obstetric history, third trimester | ICD-10-CM Diagnosis |
| O09.299 | Supervision of pregnancy with other poor reproductive or obstetric history, unspecified trimester | ICD-10-CM Diagnosis |
| O09.30 | Supervision of pregnancy with insufficient antenatal care, unspecified trimester | ICD-10-CM Diagnosis |
| O09.31 | Supervision of pregnancy with insufficient antenatal care, first trimester | ICD-10-CM Diagnosis |
| O09.32 | Supervision of pregnancy with insufficient antenatal care, second trimester | ICD-10-CM Diagnosis |
| O09.33 | Supervision of pregnancy with insufficient antenatal care, third trimester | ICD-10-CM Diagnosis |
| O09.40 | Supervision of pregnancy with grand multiparity, unspecified trimester | ICD-10-CM Diagnosis |
| O09.41 | Supervision of pregnancy with grand multiparity, first trimester | ICD-10-CM Diagnosis |
| O09.42 | Supervision of pregnancy with grand multiparity, second trimester | ICD-10-CM Diagnosis |
| O09.43 | Supervision of pregnancy with grand multiparity, third trimester | ICD-10-CM Diagnosis |

List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|---|---------------------|
| O09.51 | Supervision of elderly primigravida | ICD-10-CM Diagnosis |
| O09.511 | Supervision of elderly primigravida, first trimester | ICD-10-CM Diagnosis |
| O09.512 | Supervision of elderly primigravida, second trimester | ICD-10-CM Diagnosis |
| O09.513 | Supervision of elderly primigravida, third trimester | ICD-10-CM Diagnosis |
| O09.519 | Supervision of elderly primigravida, unspecified trimester | ICD-10-CM Diagnosis |
| O09.52 | Supervision of elderly multigravida | ICD-10-CM Diagnosis |
| O09.521 | Supervision of elderly multigravida, first trimester | ICD-10-CM Diagnosis |
| O09.522 | Supervision of elderly multigravida, second trimester | ICD-10-CM Diagnosis |
| O09.523 | Supervision of elderly multigravida, third trimester | ICD-10-CM Diagnosis |
| O09.529 | Supervision of elderly multigravida, unspecified trimester | ICD-10-CM Diagnosis |
| O09.61 | Supervision of young primigravida | ICD-10-CM Diagnosis |
| O09.611 | Supervision of young primigravida, first trimester | ICD-10-CM Diagnosis |
| O09.612 | Supervision of young primigravida, second trimester | ICD-10-CM Diagnosis |
| O09.613 | Supervision of young primigravida, third trimester | ICD-10-CM Diagnosis |
| O09.619 | Supervision of young primigravida, unspecified trimester | ICD-10-CM Diagnosis |
| O09.62 | Supervision of young multigravida | ICD-10-CM Diagnosis |
| O09.621 | Supervision of young multigravida, first trimester | ICD-10-CM Diagnosis |
| O09.622 | Supervision of young multigravida, second trimester | ICD-10-CM Diagnosis |
| O09.623 | Supervision of young multigravida, third trimester | ICD-10-CM Diagnosis |
| O09.629 | Supervision of young multigravida, unspecified trimester | ICD-10-CM Diagnosis |
| O09.70 | Supervision of high risk pregnancy due to social problems, unspecified trimester | ICD-10-CM Diagnosis |
| O09.71 | Supervision of high risk pregnancy due to social problems, first trimester | ICD-10-CM Diagnosis |
| O09.72 | Supervision of high risk pregnancy due to social problems, second trimester | ICD-10-CM Diagnosis |
| O09.73 | Supervision of high risk pregnancy due to social problems, third trimester | ICD-10-CM Diagnosis |
| O09.8 | Supervision of other high risk pregnancies | ICD-10-CM Diagnosis |
| O09.81 | Supervision of pregnancy resulting from assisted reproductive technology | ICD-10-CM Diagnosis |
| O09.811 | Supervision of pregnancy resulting from assisted reproductive technology, first trimester | ICD-10-CM Diagnosis |
| O09.812 | Supervision of pregnancy resulting from assisted reproductive technology, second trimester | ICD-10-CM Diagnosis |
| O09.813 | Supervision of pregnancy resulting from assisted reproductive technology, third trimester | ICD-10-CM Diagnosis |
| O09.819 | Supervision of pregnancy resulting from assisted reproductive technology, unspecified trimester | ICD-10-CM Diagnosis |
| O09.82 | Supervision of pregnancy with history of in utero procedure during previous pregnancy | ICD-10-CM Diagnosis |
| O09.821 | Supervision of pregnancy with history of in utero procedure during previous pregnancy, first trimester | ICD-10-CM Diagnosis |
| O09.822 | Supervision of pregnancy with history of in utero procedure during previous pregnancy, second trimester | ICD-10-CM Diagnosis |

List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|--|---------------------|
| O09.823 | Supervision of pregnancy with history of in utero procedure during previous pregnancy, third trimester | ICD-10-CM Diagnosis |
| O09.829 | Supervision of pregnancy with history of in utero procedure during previous pregnancy, unspecified trimester | ICD-10-CM Diagnosis |
| O09.891 | Supervision of other high risk pregnancies, first trimester | ICD-10-CM Diagnosis |
| O09.892 | Supervision of other high risk pregnancies, second trimester | ICD-10-CM Diagnosis |
| O09.893 | Supervision of other high risk pregnancies, third trimester | ICD-10-CM Diagnosis |
| O09.899 | Supervision of other high risk pregnancies, unspecified trimester | ICD-10-CM Diagnosis |
| O09.90 | Supervision of high risk pregnancy, unspecified, unspecified trimester | ICD-10-CM Diagnosis |
| O09.91 | Supervision of high risk pregnancy, unspecified, first trimester | ICD-10-CM Diagnosis |
| O09.92 | Supervision of high risk pregnancy, unspecified, second trimester | ICD-10-CM Diagnosis |
| O09.93 | Supervision of high risk pregnancy, unspecified, third trimester | ICD-10-CM Diagnosis |
| O10.01 | Pre-existing essential hypertension complicating pregnancy, | ICD-10-CM Diagnosis |
| O10.011 | Pre-existing essential hypertension complicating pregnancy, first trimester | ICD-10-CM Diagnosis |
| O10.012 | Pre-existing essential hypertension complicating pregnancy, second trimester | ICD-10-CM Diagnosis |
| O10.013 | Pre-existing essential hypertension complicating pregnancy, third trimester | ICD-10-CM Diagnosis |
| O10.02 | Pre-existing essential hypertension complicating childbirth | ICD-10-CM Diagnosis |
| O10.03 | Pre-existing essential hypertension complicating the puerperium | ICD-10-CM Diagnosis |
| O10.11 | Pre-existing hypertensive heart disease complicating pregnancy | ICD-10-CM Diagnosis |
| O10.111 | Pre-existing hypertensive heart disease complicating pregnancy, first trimester | ICD-10-CM Diagnosis |
| O10.112 | Pre-existing hypertensive heart disease complicating pregnancy, second trimester | ICD-10-CM Diagnosis |
| O10.113 | Pre-existing hypertensive heart disease complicating pregnancy, third trimester | ICD-10-CM Diagnosis |
| O10.12 | Pre-existing hypertensive heart disease complicating childbirth | ICD-10-CM Diagnosis |
| O10.13 | Pre-existing hypertensive heart disease complicating the puerperium | ICD-10-CM Diagnosis |
| O10.21 | Pre-existing hypertensive chronic kidney disease complicating pregnancy | ICD-10-CM Diagnosis |
| O10.211 | Pre-existing hypertensive chronic kidney disease complicating pregnancy, first trimester | ICD-10-CM Diagnosis |
| O10.212 | Pre-existing hypertensive chronic kidney disease complicating pregnancy, second trimester | ICD-10-CM Diagnosis |
| O10.213 | Pre-existing hypertensive chronic kidney disease complicating pregnancy, third trimester | ICD-10-CM Diagnosis |
| O10.22 | Pre-existing hypertensive chronic kidney disease complicating childbirth | ICD-10-CM Diagnosis |
| O10.31 | Pre-existing hypertensive heart and chronic kidney disease complicating pregnancy | ICD-10-CM Diagnosis |
| O10.311 | Pre-existing hypertensive heart and chronic kidney disease complicating pregnancy, first trimester | ICD-10-CM Diagnosis |
| O10.312 | Pre-existing hypertensive heart and chronic kidney disease complicating pregnancy, second trimester | ICD-10-CM Diagnosis |

List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|--|---------------------|
| O10.313 | Pre-existing hypertensive heart and chronic kidney disease complicating pregnancy, third trimester | ICD-10-CM Diagnosis |
| O10.32 | Pre-existing hypertensive heart and chronic kidney disease complicating childbirth | ICD-10-CM Diagnosis |
| O10.41 | Pre-existing secondary hypertension complicating pregnancy | ICD-10-CM Diagnosis |
| O10.411 | Pre-existing secondary hypertension complicating pregnancy, first trimester | ICD-10-CM Diagnosis |
| O10.412 | Pre-existing secondary hypertension complicating pregnancy, second trimester | ICD-10-CM Diagnosis |
| O10.413 | Pre-existing secondary hypertension complicating pregnancy, third trimester | ICD-10-CM Diagnosis |
| O10.42 | Pre-existing secondary hypertension complicating childbirth | ICD-10-CM Diagnosis |
| O10.43 | Pre-existing secondary hypertension complicating the puerperium | ICD-10-CM Diagnosis |
| O10.91 | Unspecified pre-existing hypertension complicating pregnancy | ICD-10-CM Diagnosis |
| O10.911 | Unspecified pre-existing hypertension complicating pregnancy, first trimester | ICD-10-CM Diagnosis |
| O10.912 | Unspecified pre-existing hypertension complicating pregnancy, second trimester | ICD-10-CM Diagnosis |
| O10.913 | Unspecified pre-existing hypertension complicating pregnancy, third trimester | ICD-10-CM Diagnosis |
| O10.92 | Unspecified pre-existing hypertension complicating childbirth | ICD-10-CM Diagnosis |
| O11.1 | Pre-existing hypertension with pre-eclampsia, first trimester | ICD-10-CM Diagnosis |
| O11.2 | Pre-existing hypertension with pre-eclampsia, second trimester | ICD-10-CM Diagnosis |
| O11.3 | Pre-existing hypertension with pre-eclampsia, third trimester | ICD-10-CM Diagnosis |
| O12.01 | Gestational edema, first trimester | ICD-10-CM Diagnosis |
| O12.02 | Gestational edema, second trimester | ICD-10-CM Diagnosis |
| O12.03 | Gestational edema, third trimester | ICD-10-CM Diagnosis |
| O12.11 | Gestational proteinuria, first trimester | ICD-10-CM Diagnosis |
| O12.12 | Gestational proteinuria, second trimester | ICD-10-CM Diagnosis |
| O12.13 | Gestational proteinuria, third trimester | ICD-10-CM Diagnosis |
| O12.21 | Gestational edema with proteinuria, first trimester | ICD-10-CM Diagnosis |
| O12.22 | Gestational edema with proteinuria, second trimester | ICD-10-CM Diagnosis |
| O12.23 | Gestational edema with proteinuria, third trimester | ICD-10-CM Diagnosis |
| O13.1 | Gestational [pregnancy-induced] hypertension without significant proteinuria, first trimester | ICD-10-CM Diagnosis |
| O13.2 | Gestational [pregnancy-induced] hypertension without significant proteinuria, second trimester | ICD-10-CM Diagnosis |
| O13.3 | Gestational [pregnancy-induced] hypertension without significant proteinuria, third trimester | ICD-10-CM Diagnosis |
| O14.02 | Mild to moderate pre-eclampsia, second trimester | ICD-10-CM Diagnosis |
| O14.03 | Mild to moderate pre-eclampsia, third trimester | ICD-10-CM Diagnosis |
| O14.12 | Severe pre-eclampsia, second trimester | ICD-10-CM Diagnosis |
| O14.13 | Severe pre-eclampsia, third trimester | ICD-10-CM Diagnosis |
| O14.22 | HELLP syndrome (HELLP), second trimester | ICD-10-CM Diagnosis |
| O14.23 | HELLP syndrome (HELLP), third trimester | ICD-10-CM Diagnosis |
| O14.92 | Unspecified pre-eclampsia, second trimester | ICD-10-CM Diagnosis |

List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|--|---------------------|
| O14.93 | Unspecified pre-eclampsia, third trimester | ICD-10-CM Diagnosis |
| O15.02 | Eclampsia in pregnancy, second trimester | ICD-10-CM Diagnosis |
| O15.03 | Eclampsia in pregnancy, third trimester | ICD-10-CM Diagnosis |
| O15.1 | Eclampsia in labor | ICD-10-CM Diagnosis |
| O15.2 | Eclampsia in the puerperium | ICD-10-CM Diagnosis |
| O16.1 | Unspecified maternal hypertension, first trimester | ICD-10-CM Diagnosis |
| O16.2 | Unspecified maternal hypertension, second trimester | ICD-10-CM Diagnosis |
| O16.3 | Unspecified maternal hypertension, third trimester | ICD-10-CM Diagnosis |
| O16.9 | Unspecified maternal hypertension, unspecified trimester | ICD-10-CM Diagnosis |
| O20.0 | Threatened abortion | ICD-10-CM Diagnosis |
| O20.8 | Other hemorrhage in early pregnancy | ICD-10-CM Diagnosis |
| O20.9 | Hemorrhage in early pregnancy, unspecified | ICD-10-CM Diagnosis |
| O21.0 | Mild hyperemesis gravidarum | ICD-10-CM Diagnosis |
| O21.1 | Hyperemesis gravidarum with metabolic disturbance | ICD-10-CM Diagnosis |
| O21.2 | Late vomiting of pregnancy | ICD-10-CM Diagnosis |
| O21.8 | Other vomiting complicating pregnancy | ICD-10-CM Diagnosis |
| O21.9 | Vomiting of pregnancy, unspecified | ICD-10-CM Diagnosis |
| O22.01 | Varicose veins of lower extremity in pregnancy, first trimester | ICD-10-CM Diagnosis |
| O22.02 | Varicose veins of lower extremity in pregnancy, second trimester | ICD-10-CM Diagnosis |
| O22.03 | Varicose veins of lower extremity in pregnancy, third trimester | ICD-10-CM Diagnosis |
| O22.11 | Genital varices in pregnancy, first trimester | ICD-10-CM Diagnosis |
| O22.12 | Genital varices in pregnancy, second trimester | ICD-10-CM Diagnosis |
| O22.13 | Genital varices in pregnancy, third trimester | ICD-10-CM Diagnosis |
| O22.21 | Superficial thrombophlebitis in pregnancy, first trimester | ICD-10-CM Diagnosis |
| O22.22 | Superficial thrombophlebitis in pregnancy, second trimester | ICD-10-CM Diagnosis |
| O22.23 | Superficial thrombophlebitis in pregnancy, third trimester | ICD-10-CM Diagnosis |
| O22.31 | Deep phlebothrombosis in pregnancy, first trimester | ICD-10-CM Diagnosis |
| O22.32 | Deep phlebothrombosis in pregnancy, second trimester | ICD-10-CM Diagnosis |
| O22.33 | Deep phlebothrombosis in pregnancy, third trimester | ICD-10-CM Diagnosis |
| O22.41 | Hemorrhoids in pregnancy, first trimester | ICD-10-CM Diagnosis |
| O22.42 | Hemorrhoids in pregnancy, second trimester | ICD-10-CM Diagnosis |
| O22.43 | Hemorrhoids in pregnancy, third trimester | ICD-10-CM Diagnosis |
| O22.51 | Cerebral venous thrombosis in pregnancy, first trimester | ICD-10-CM Diagnosis |
| O22.52 | Cerebral venous thrombosis in pregnancy, second trimester | ICD-10-CM Diagnosis |
| O22.53 | Cerebral venous thrombosis in pregnancy, third trimester | ICD-10-CM Diagnosis |
| O22.8 | Other venous complications in pregnancy | ICD-10-CM Diagnosis |
| O22.8X1 | Other venous complications in pregnancy, first trimester | ICD-10-CM Diagnosis |
| O22.8X2 | Other venous complications in pregnancy, second trimester | ICD-10-CM Diagnosis |
| O22.8X3 | Other venous complications in pregnancy, third trimester | ICD-10-CM Diagnosis |
| O22.91 | Venous complication in pregnancy, unspecified, first trimester | ICD-10-CM Diagnosis |

List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|---|---------------------|
| O22.92 | Venous complication in pregnancy, unspecified, second trimester | ICD-10-CM Diagnosis |
| O22.93 | Venous complication in pregnancy, unspecified, third trimester | ICD-10-CM Diagnosis |
| O23.01 | Infections of kidney in pregnancy, first trimester | ICD-10-CM Diagnosis |
| O23.02 | Infections of kidney in pregnancy, second trimester | ICD-10-CM Diagnosis |
| O23.03 | Infections of kidney in pregnancy, third trimester | ICD-10-CM Diagnosis |
| O23.11 | Infections of bladder in pregnancy, first trimester | ICD-10-CM Diagnosis |
| O23.12 | Infections of bladder in pregnancy, second trimester | ICD-10-CM Diagnosis |
| O23.13 | Infections of bladder in pregnancy, third trimester | ICD-10-CM Diagnosis |
| O23.21 | Infections of urethra in pregnancy, first trimester | ICD-10-CM Diagnosis |
| O23.22 | Infections of urethra in pregnancy, second trimester | ICD-10-CM Diagnosis |
| O23.23 | Infections of urethra in pregnancy, third trimester | ICD-10-CM Diagnosis |
| O23.31 | Infections of other parts of urinary tract in pregnancy, first trimester | ICD-10-CM Diagnosis |
| O23.32 | Infections of other parts of urinary tract in pregnancy, second trimester | ICD-10-CM Diagnosis |
| O23.33 | Infections of other parts of urinary tract in pregnancy, third trimester | ICD-10-CM Diagnosis |
| O23.41 | Unspecified infection of urinary tract in pregnancy, first trimester | ICD-10-CM Diagnosis |
| O23.42 | Unspecified infection of urinary tract in pregnancy, second trimester | ICD-10-CM Diagnosis |
| O23.43 | Unspecified infection of urinary tract in pregnancy, third trimester | ICD-10-CM Diagnosis |
| O23.51 | Infection of cervix in pregnancy | ICD-10-CM Diagnosis |
| O23.511 | Infections of cervix in pregnancy, first trimester | ICD-10-CM Diagnosis |
| O23.512 | Infections of cervix in pregnancy, second trimester | ICD-10-CM Diagnosis |
| O23.513 | Infections of cervix in pregnancy, third trimester | ICD-10-CM Diagnosis |
| O23.52 | Salpingo-oophoritis in pregnancy | ICD-10-CM Diagnosis |
| O23.521 | Salpingo-oophoritis in pregnancy, first trimester | ICD-10-CM Diagnosis |
| O23.522 | Salpingo-oophoritis in pregnancy, second trimester | ICD-10-CM Diagnosis |
| O23.523 | Salpingo-oophoritis in pregnancy, third trimester | ICD-10-CM Diagnosis |
| O23.59 | Infection of other part of genital tract in pregnancy | ICD-10-CM Diagnosis |
| O23.591 | Infection of other part of genital tract in pregnancy, first trimester | ICD-10-CM Diagnosis |
| O23.592 | Infection of other part of genital tract in pregnancy, second trimester | ICD-10-CM Diagnosis |
| O23.593 | Infection of other part of genital tract in pregnancy, third trimester | ICD-10-CM Diagnosis |
| O23.91 | Unspecified genitourinary tract infection in pregnancy, first trimester | ICD-10-CM Diagnosis |
| O23.92 | Unspecified genitourinary tract infection in pregnancy, second trimester | ICD-10-CM Diagnosis |
| O23.93 | Unspecified genitourinary tract infection in pregnancy, third trimester | ICD-10-CM Diagnosis |
| O24.01 | Pre-existing type 1 diabetes mellitus, in pregnancy | ICD-10-CM Diagnosis |
| O24.011 | Pre-existing diabetes mellitus, type 1, in pregnancy, first trimester | ICD-10-CM Diagnosis |
| O24.012 | Pre-existing diabetes mellitus, type 1, in pregnancy, second trimester | ICD-10-CM Diagnosis |
| O24.013 | Pre-existing diabetes mellitus, type 1, in pregnancy, third trimester | ICD-10-CM Diagnosis |
| O24.02 | Pre-existing diabetes mellitus, type 1, in childbirth | ICD-10-CM Diagnosis |
| O24.11 | Pre-existing type 2 diabetes mellitus, in pregnancy | ICD-10-CM Diagnosis |
| O24.111 | Pre-existing diabetes mellitus, type 2, in pregnancy, first trimester | ICD-10-CM Diagnosis |
| O24.112 | Pre-existing diabetes mellitus, type 2, in pregnancy, second trimester | ICD-10-CM Diagnosis |

List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|--|---------------------|
| O24.113 | Pre-existing diabetes mellitus, type 2, in pregnancy, third trimester | ICD-10-CM Diagnosis |
| O24.12 | Pre-existing diabetes mellitus, type 2, in childbirth | ICD-10-CM Diagnosis |
| O24.31 | Unspecified pre-existing diabetes mellitus in pregnancy | ICD-10-CM Diagnosis |
| O24.311 | Unspecified pre-existing diabetes mellitus in pregnancy, first trimester | ICD-10-CM Diagnosis |
| O24.312 | Unspecified pre-existing diabetes mellitus in pregnancy, second trimester | ICD-10-CM Diagnosis |
| O24.313 | Unspecified pre-existing diabetes mellitus in pregnancy, third trimester | ICD-10-CM Diagnosis |
| O24.32 | Unspecified pre-existing diabetes mellitus in childbirth | ICD-10-CM Diagnosis |
| O24.41 | Gestational diabetes mellitus in pregnancy | ICD-10-CM Diagnosis |
| O24.410 | Gestational diabetes mellitus in pregnancy, diet controlled | ICD-10-CM Diagnosis |
| O24.414 | Gestational diabetes mellitus in pregnancy, insulin controlled | ICD-10-CM Diagnosis |
| O24.419 | Gestational diabetes mellitus in pregnancy, unspecified control | ICD-10-CM Diagnosis |
| O24.42 | Gestational diabetes mellitus in childbirth | ICD-10-CM Diagnosis |
| O24.420 | Gestational diabetes mellitus in childbirth, diet controlled | ICD-10-CM Diagnosis |
| O24.424 | Gestational diabetes mellitus in childbirth, insulin controlled | ICD-10-CM Diagnosis |
| O24.429 | Gestational diabetes mellitus in childbirth, unspecified control | ICD-10-CM Diagnosis |
| O24.81 | Other pre-existing diabetes mellitus in pregnancy | ICD-10-CM Diagnosis |
| O24.811 | Other pre-existing diabetes mellitus in pregnancy, first trimester | ICD-10-CM Diagnosis |
| O24.812 | Other pre-existing diabetes mellitus in pregnancy, second trimester | ICD-10-CM Diagnosis |
| O24.813 | Other pre-existing diabetes mellitus in pregnancy, third trimester | ICD-10-CM Diagnosis |
| O24.82 | Other pre-existing diabetes mellitus in childbirth | ICD-10-CM Diagnosis |
| O24.91 | Unspecified diabetes mellitus in pregnancy | ICD-10-CM Diagnosis |
| O24.911 | Unspecified diabetes mellitus in pregnancy, first trimester | ICD-10-CM Diagnosis |
| O24.912 | Unspecified diabetes mellitus in pregnancy, second trimester | ICD-10-CM Diagnosis |
| O24.913 | Unspecified diabetes mellitus in pregnancy, third trimester | ICD-10-CM Diagnosis |
| O24.92 | Unspecified diabetes mellitus in childbirth | ICD-10-CM Diagnosis |
| O24.93 | Unspecified diabetes mellitus in the puerperium | ICD-10-CM Diagnosis |
| O25.11 | Malnutrition in pregnancy, first trimester | ICD-10-CM Diagnosis |
| O25.12 | Malnutrition in pregnancy, second trimester | ICD-10-CM Diagnosis |
| O25.13 | Malnutrition in pregnancy, third trimester | ICD-10-CM Diagnosis |
| O25.2 | Malnutrition in childbirth | ICD-10-CM Diagnosis |
| O26.01 | Excessive weight gain in pregnancy, first trimester | ICD-10-CM Diagnosis |
| O26.02 | Excessive weight gain in pregnancy, second trimester | ICD-10-CM Diagnosis |
| O26.03 | Excessive weight gain in pregnancy, third trimester | ICD-10-CM Diagnosis |
| O26.11 | Low weight gain in pregnancy, first trimester | ICD-10-CM Diagnosis |
| O26.12 | Low weight gain in pregnancy, second trimester | ICD-10-CM Diagnosis |
| O26.13 | Low weight gain in pregnancy, third trimester | ICD-10-CM Diagnosis |
| O26.21 | Pregnancy care for patient with recurrent pregnancy loss, first trimester | ICD-10-CM Diagnosis |
| O26.22 | Pregnancy care for patient with recurrent pregnancy loss, second trimester | ICD-10-CM Diagnosis |
| O26.23 | Pregnancy care for patient with recurrent pregnancy loss, third trimester | ICD-10-CM Diagnosis |
| O26.31 | Retained intrauterine contraceptive device in pregnancy, first trimester | ICD-10-CM Diagnosis |

List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|---|---------------------|
| O26.32 | Retained intrauterine contraceptive device in pregnancy, second trimester | ICD-10-CM Diagnosis |
| O26.33 | Retained intrauterine contraceptive device in pregnancy, third trimester | ICD-10-CM Diagnosis |
| O26.41 | Herpes gestationis, first trimester | ICD-10-CM Diagnosis |
| O26.42 | Herpes gestationis, second trimester | ICD-10-CM Diagnosis |
| O26.43 | Herpes gestationis, third trimester | ICD-10-CM Diagnosis |
| O26.51 | Maternal hypotension syndrome, first trimester | ICD-10-CM Diagnosis |
| O26.52 | Maternal hypotension syndrome, second trimester | ICD-10-CM Diagnosis |
| O26.53 | Maternal hypotension syndrome, third trimester | ICD-10-CM Diagnosis |
| O26.61 | Liver and biliary tract disorders in pregnancy | ICD-10-CM Diagnosis |
| O26.611 | Liver and biliary tract disorders in pregnancy, first trimester | ICD-10-CM Diagnosis |
| O26.612 | Liver and biliary tract disorders in pregnancy, second trimester | ICD-10-CM Diagnosis |
| O26.613 | Liver and biliary tract disorders in pregnancy, third trimester | ICD-10-CM Diagnosis |
| O26.62 | Liver and biliary tract disorders in childbirth | ICD-10-CM Diagnosis |
| O26.71 | Subluxation of symphysis (pubis) in pregnancy | ICD-10-CM Diagnosis |
| O26.711 | Subluxation of symphysis (pubis) in pregnancy, first trimester | ICD-10-CM Diagnosis |
| O26.712 | Subluxation of symphysis (pubis) in pregnancy, second trimester | ICD-10-CM Diagnosis |
| O26.713 | Subluxation of symphysis (pubis) in pregnancy, third trimester | ICD-10-CM Diagnosis |
| O26.72 | Subluxation of symphysis (pubis) in childbirth | ICD-10-CM Diagnosis |
| O26.8 | Other specified pregnancy related conditions | ICD-10-CM Diagnosis |
| O26.81 | Pregnancy related exhaustion and fatigue | ICD-10-CM Diagnosis |
| O26.811 | Pregnancy related exhaustion and fatigue, first trimester | ICD-10-CM Diagnosis |
| O26.812 | Pregnancy related exhaustion and fatigue, second trimester | ICD-10-CM Diagnosis |
| O26.813 | Pregnancy related exhaustion and fatigue, third trimester | ICD-10-CM Diagnosis |
| O26.82 | Pregnancy related peripheral neuritis | ICD-10-CM Diagnosis |
| O26.821 | Pregnancy related peripheral neuritis, first trimester | ICD-10-CM Diagnosis |
| O26.822 | Pregnancy related peripheral neuritis, second trimester | ICD-10-CM Diagnosis |
| O26.823 | Pregnancy related peripheral neuritis, third trimester | ICD-10-CM Diagnosis |
| O26.83 | Pregnancy related renal disease | ICD-10-CM Diagnosis |
| O26.831 | Pregnancy related renal disease, first trimester | ICD-10-CM Diagnosis |
| O26.832 | Pregnancy related renal disease, second trimester | ICD-10-CM Diagnosis |
| O26.833 | Pregnancy related renal disease, third trimester | ICD-10-CM Diagnosis |
| O26.84 | Uterine size-date discrepancy complicating pregnancy | ICD-10-CM Diagnosis |
| O26.841 | Uterine size-date discrepancy, first trimester | ICD-10-CM Diagnosis |
| O26.842 | Uterine size-date discrepancy, second trimester | ICD-10-CM Diagnosis |
| O26.843 | Uterine size-date discrepancy, third trimester | ICD-10-CM Diagnosis |
| O26.85 | Spotting complicating pregnancy | ICD-10-CM Diagnosis |
| O26.851 | Spotting complicating pregnancy, first trimester | ICD-10-CM Diagnosis |
| O26.852 | Spotting complicating pregnancy, second trimester | ICD-10-CM Diagnosis |
| O26.853 | Spotting complicating pregnancy, third trimester | ICD-10-CM Diagnosis |
| O26.86 | Pruritic urticarial papules and plaques of pregnancy (PUPPP) | ICD-10-CM Diagnosis |

List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|--|---------------------|
| O26.87 | Cervical shortening | ICD-10-CM Diagnosis |
| O26.872 | Cervical shortening, second trimester | ICD-10-CM Diagnosis |
| O26.873 | Cervical shortening, third trimester | ICD-10-CM Diagnosis |
| O26.891 | Other specified pregnancy related conditions, first trimester | ICD-10-CM Diagnosis |
| O26.892 | Other specified pregnancy related conditions, second trimester | ICD-10-CM Diagnosis |
| O26.893 | Other specified pregnancy related conditions, third trimester | ICD-10-CM Diagnosis |
| O26.91 | Pregnancy related conditions, unspecified, first trimester | ICD-10-CM Diagnosis |
| O26.92 | Pregnancy related conditions, unspecified, second trimester | ICD-10-CM Diagnosis |
| O26.93 | Pregnancy related conditions, unspecified, third trimester | ICD-10-CM Diagnosis |
| O29.01 | Aspiration pneumonitis due to anesthesia during pregnancy | ICD-10-CM Diagnosis |
| O29.011 | Aspiration pneumonitis due to anesthesia during pregnancy, first trimester | ICD-10-CM Diagnosis |
| O29.012 | Aspiration pneumonitis due to anesthesia during pregnancy, second trimester | ICD-10-CM Diagnosis |
| O29.013 | Aspiration pneumonitis due to anesthesia during pregnancy, third trimester | ICD-10-CM Diagnosis |
| O29.02 | Pressure collapse of lung due to anesthesia during pregnancy | ICD-10-CM Diagnosis |
| O29.021 | Pressure collapse of lung due to anesthesia during pregnancy, first trimester | ICD-10-CM Diagnosis |
| O29.022 | Pressure collapse of lung due to anesthesia during pregnancy, second trimester | ICD-10-CM Diagnosis |
| O29.023 | Pressure collapse of lung due to anesthesia during pregnancy, third trimester | ICD-10-CM Diagnosis |
| O29.09 | Other pulmonary complications of anesthesia during pregnancy | ICD-10-CM Diagnosis |
| O29.091 | Other pulmonary complications of anesthesia during pregnancy, first trimester | ICD-10-CM Diagnosis |
| O29.092 | Other pulmonary complications of anesthesia during pregnancy, second trimester | ICD-10-CM Diagnosis |
| O29.093 | Other pulmonary complications of anesthesia during pregnancy, third trimester | ICD-10-CM Diagnosis |
| O29.11 | Cardiac arrest due to anesthesia during pregnancy | ICD-10-CM Diagnosis |
| O29.111 | Cardiac arrest due to anesthesia during pregnancy, first trimester | ICD-10-CM Diagnosis |
| O29.112 | Cardiac arrest due to anesthesia during pregnancy, second trimester | ICD-10-CM Diagnosis |
| O29.113 | Cardiac arrest due to anesthesia during pregnancy, third trimester | ICD-10-CM Diagnosis |
| O29.12 | Cardiac failure due to anesthesia during pregnancy | ICD-10-CM Diagnosis |
| O29.121 | Cardiac failure due to anesthesia during pregnancy, first trimester | ICD-10-CM Diagnosis |
| O29.122 | Cardiac failure due to anesthesia during pregnancy, second trimester | ICD-10-CM Diagnosis |
| O29.123 | Cardiac failure due to anesthesia during pregnancy, third trimester | ICD-10-CM Diagnosis |
| O29.19 | Other cardiac complications of anesthesia during pregnancy | ICD-10-CM Diagnosis |
| O29.191 | Other cardiac complications of anesthesia during pregnancy, first trimester | ICD-10-CM Diagnosis |
| O29.192 | Other cardiac complications of anesthesia during pregnancy, second trimester | ICD-10-CM Diagnosis |
| O29.193 | Other cardiac complications of anesthesia during pregnancy, third trimester | ICD-10-CM Diagnosis |
| O29.21 | Cerebral anoxia due to anesthesia during pregnancy | ICD-10-CM Diagnosis |
| O29.211 | Cerebral anoxia due to anesthesia during pregnancy, first trimester | ICD-10-CM Diagnosis |
| O29.212 | Cerebral anoxia due to anesthesia during pregnancy, second trimester | ICD-10-CM Diagnosis |
| O29.213 | Cerebral anoxia due to anesthesia during pregnancy, third trimester | ICD-10-CM Diagnosis |

List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|--|---------------------|
| O29.29 | Other central nervous system complications of anesthesia during pregnancy | ICD-10-CM Diagnosis |
| O29.291 | Other central nervous system complications of anesthesia during pregnancy, first trimester | ICD-10-CM Diagnosis |
| O29.292 | Other central nervous system complications of anesthesia during pregnancy, second trimester | ICD-10-CM Diagnosis |
| O29.293 | Other central nervous system complications of anesthesia during pregnancy, third trimester | ICD-10-CM Diagnosis |
| O29.3 | Toxic reaction to local anesthesia during pregnancy | ICD-10-CM Diagnosis |
| O29.3X1 | Toxic reaction to local anesthesia during pregnancy, first trimester | ICD-10-CM Diagnosis |
| O29.3X2 | Toxic reaction to local anesthesia during pregnancy, second trimester | ICD-10-CM Diagnosis |
| O29.3X3 | Toxic reaction to local anesthesia during pregnancy, third trimester | ICD-10-CM Diagnosis |
| O29.41 | Spinal and epidural anesthesia induced headache during pregnancy, first trimester | ICD-10-CM Diagnosis |
| O29.42 | Spinal and epidural anesthesia induced headache during pregnancy, second trimester | ICD-10-CM Diagnosis |
| O29.43 | Spinal and epidural anesthesia induced headache during pregnancy, third trimester | ICD-10-CM Diagnosis |
| O29.5 | Other complications of spinal and epidural anesthesia during pregnancy | ICD-10-CM Diagnosis |
| O29.5X1 | Other complications of spinal and epidural anesthesia during pregnancy, first trimester | ICD-10-CM Diagnosis |
| O29.5X2 | Other complications of spinal and epidural anesthesia during pregnancy, second trimester | ICD-10-CM Diagnosis |
| O29.5X3 | Other complications of spinal and epidural anesthesia during pregnancy, third trimester | ICD-10-CM Diagnosis |
| O29.61 | Failed or difficult intubation for anesthesia during pregnancy, first trimester | ICD-10-CM Diagnosis |
| O29.62 | Failed or difficult intubation for anesthesia during pregnancy, second trimester | ICD-10-CM Diagnosis |
| O29.63 | Failed or difficult intubation for anesthesia during pregnancy, third trimester | ICD-10-CM Diagnosis |
| O29.8 | Other complications of anesthesia during pregnancy | ICD-10-CM Diagnosis |
| O29.8X1 | Other complications of anesthesia during pregnancy, first trimester | ICD-10-CM Diagnosis |
| O29.8X2 | Other complications of anesthesia during pregnancy, second trimester | ICD-10-CM Diagnosis |
| O29.8X3 | Other complications of anesthesia during pregnancy, third trimester | ICD-10-CM Diagnosis |
| O29.91 | Unspecified complication of anesthesia during pregnancy, first trimester | ICD-10-CM Diagnosis |
| O29.92 | Unspecified complication of anesthesia during pregnancy, second trimester | ICD-10-CM Diagnosis |
| O29.93 | Unspecified complication of anesthesia during pregnancy, third trimester | ICD-10-CM Diagnosis |
| O30.00 | Twin pregnancy, unspecified number of placenta and unspecified number of amniotic sacs | ICD-10-CM Diagnosis |
| O30.001 | Twin pregnancy, unspecified number of placenta and unspecified number of amniotic sacs, first trimester | ICD-10-CM Diagnosis |
| O30.002 | Twin pregnancy, unspecified number of placenta and unspecified number of amniotic sacs, second trimester | ICD-10-CM Diagnosis |

List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|---|---------------------|
| O30.003 | Twin pregnancy, unspecified number of placenta and unspecified number of amniotic sacs, third trimester | ICD-10-CM Diagnosis |
| O30.01 | Twin pregnancy, monochorionic/monoamniotic | ICD-10-CM Diagnosis |
| O30.011 | Twin pregnancy, monochorionic/monoamniotic, first trimester | ICD-10-CM Diagnosis |
| O30.012 | Twin pregnancy, monochorionic/monoamniotic, second trimester | ICD-10-CM Diagnosis |
| O30.013 | Twin pregnancy, monochorionic/monoamniotic, third trimester | ICD-10-CM Diagnosis |
| O30.02 | Conjoined twin pregnancy | ICD-10-CM Diagnosis |
| O30.021 | Conjoined twin pregnancy, first trimester | ICD-10-CM Diagnosis |
| O30.022 | Conjoined twin pregnancy, second trimester | ICD-10-CM Diagnosis |
| O30.023 | Conjoined twin pregnancy, third trimester | ICD-10-CM Diagnosis |
| O30.03 | Twin pregnancy, monochorionic/diamniotic | ICD-10-CM Diagnosis |
| O30.031 | Twin pregnancy, monochorionic/diamniotic, first trimester | ICD-10-CM Diagnosis |
| O30.032 | Twin pregnancy, monochorionic/diamniotic, second trimester | ICD-10-CM Diagnosis |
| O30.033 | Twin pregnancy, monochorionic/diamniotic, third trimester | ICD-10-CM Diagnosis |
| O30.04 | Twin pregnancy, dichorionic/diamniotic | ICD-10-CM Diagnosis |
| O30.041 | Twin pregnancy, dichorionic/diamniotic, first trimester | ICD-10-CM Diagnosis |
| O30.042 | Twin pregnancy, dichorionic/diamniotic, second trimester | ICD-10-CM Diagnosis |
| O30.043 | Twin pregnancy, dichorionic/diamniotic, third trimester | ICD-10-CM Diagnosis |
| O30.09 | Twin pregnancy, unable to determine number of placenta and number of amniotic sacs | ICD-10-CM Diagnosis |
| O30.091 | Twin pregnancy, unable to determine number of placenta and number of amniotic sacs, first trimester | ICD-10-CM Diagnosis |
| O30.092 | Twin pregnancy, unable to determine number of placenta and number of amniotic sacs, second trimester | ICD-10-CM Diagnosis |
| O30.093 | Twin pregnancy, unable to determine number of placenta and number of amniotic sacs, third trimester | ICD-10-CM Diagnosis |
| O30.10 | Triplet pregnancy, unspecified number of placenta and unspecified number of amniotic sacs | ICD-10-CM Diagnosis |
| O30.101 | Triplet pregnancy, unspecified number of placenta and unspecified number of amniotic sacs, first trimester | ICD-10-CM Diagnosis |
| O30.102 | Triplet pregnancy, unspecified number of placenta and unspecified number of amniotic sacs, second trimester | ICD-10-CM Diagnosis |
| O30.103 | Triplet pregnancy, unspecified number of placenta and unspecified number of amniotic sacs, third trimester | ICD-10-CM Diagnosis |
| O30.11 | Triplet pregnancy with two or more monochorionic fetuses | ICD-10-CM Diagnosis |
| O30.111 | Triplet pregnancy with two or more monochorionic fetuses, first trimester | ICD-10-CM Diagnosis |
| O30.112 | Triplet pregnancy with two or more monochorionic fetuses, second trimester | ICD-10-CM Diagnosis |
| O30.113 | Triplet pregnancy with two or more monochorionic fetuses, third trimester | ICD-10-CM Diagnosis |
| O30.12 | Triplet pregnancy with two or more monoamniotic fetuses | ICD-10-CM Diagnosis |
| O30.121 | Triplet pregnancy with two or more monoamniotic fetuses, first trimester | ICD-10-CM Diagnosis |
| O30.122 | Triplet pregnancy with two or more monoamniotic fetuses, second trimester | ICD-10-CM Diagnosis |

List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|---|---------------------|
| O30.123 | Triplet pregnancy with two or more monoamniotic fetuses, third trimester | ICD-10-CM Diagnosis |
| O30.19 | Triplet pregnancy, unable to determine number of placenta and number of amniotic sacs | ICD-10-CM Diagnosis |
| O30.191 | Triplet pregnancy, unable to determine number of placenta and number of amniotic sacs, first trimester | ICD-10-CM Diagnosis |
| O30.192 | Triplet pregnancy, unable to determine number of placenta and number of amniotic sacs, second trimester | ICD-10-CM Diagnosis |
| O30.193 | Triplet pregnancy, unable to determine number of placenta and number of amniotic sacs, third trimester | ICD-10-CM Diagnosis |
| O30.20 | Quadruplet pregnancy, unspecified number of placenta and unspecified number of amniotic sacs | ICD-10-CM Diagnosis |
| O30.201 | Quadruplet pregnancy, unspecified number of placenta and unspecified number of amniotic sacs, first trimester | ICD-10-CM Diagnosis |
| O30.202 | Quadruplet pregnancy, unspecified number of placenta and unspecified number of amniotic sacs, second trimester | ICD-10-CM Diagnosis |
| O30.203 | Quadruplet pregnancy, unspecified number of placenta and unspecified number of amniotic sacs, third trimester | ICD-10-CM Diagnosis |
| O30.21 | Quadruplet pregnancy with two or more monochorionic fetuses | ICD-10-CM Diagnosis |
| O30.211 | Quadruplet pregnancy with two or more monochorionic fetuses, first trimester | ICD-10-CM Diagnosis |
| O30.212 | Quadruplet pregnancy with two or more monochorionic fetuses, second trimester | ICD-10-CM Diagnosis |
| O30.213 | Quadruplet pregnancy with two or more monochorionic fetuses, third trimester | ICD-10-CM Diagnosis |
| O30.22 | Quadruplet pregnancy with two or more monoamniotic fetuses | ICD-10-CM Diagnosis |
| O30.221 | Quadruplet pregnancy with two or more monoamniotic fetuses, first trimester | ICD-10-CM Diagnosis |
| O30.222 | Quadruplet pregnancy with two or more monoamniotic fetuses, second trimester | ICD-10-CM Diagnosis |
| O30.223 | Quadruplet pregnancy with two or more monoamniotic fetuses, third trimester | ICD-10-CM Diagnosis |
| O30.29 | Quadruplet pregnancy, unable to determine number of placenta and number of amniotic sacs | ICD-10-CM Diagnosis |
| O30.291 | Quadruplet pregnancy, unable to determine number of placenta and number of amniotic sacs, first trimester | ICD-10-CM Diagnosis |
| O30.292 | Quadruplet pregnancy, unable to determine number of placenta and number of amniotic sacs, second trimester | ICD-10-CM Diagnosis |
| O30.293 | Quadruplet pregnancy, unable to determine number of placenta and number of amniotic sacs, third trimester | ICD-10-CM Diagnosis |
| O30.80 | Other specified multiple gestation, unspecified number of placenta and unspecified number of amniotic sacs | ICD-10-CM Diagnosis |
| O30.801 | Other specified multiple gestation, unspecified number of placenta and unspecified number of amniotic sacs, first trimester | ICD-10-CM Diagnosis |



List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|--|---------------------|
| O30.802 | Other specified multiple gestation, unspecified number of placenta and unspecified number of amniotic sacs, second trimester | ICD-10-CM Diagnosis |
| O30.803 | Other specified multiple gestation, unspecified number of placenta and unspecified number of amniotic sacs, third trimester | ICD-10-CM Diagnosis |
| O30.81 | Other specified multiple gestation with two or more monochorionic fetuses | ICD-10-CM Diagnosis |
| O30.811 | Other specified multiple gestation with two or more monochorionic fetuses, first trimester | ICD-10-CM Diagnosis |
| O30.812 | Other specified multiple gestation with two or more monochorionic fetuses, second trimester | ICD-10-CM Diagnosis |
| O30.813 | Other specified multiple gestation with two or more monochorionic fetuses, third trimester | ICD-10-CM Diagnosis |
| O30.82 | Other specified multiple gestation with two or more monoamniotic fetuses | ICD-10-CM Diagnosis |
| O30.821 | Other specified multiple gestation with two or more monoamniotic fetuses, first trimester | ICD-10-CM Diagnosis |
| O30.822 | Other specified multiple gestation with two or more monoamniotic fetuses, second trimester | ICD-10-CM Diagnosis |
| O30.823 | Other specified multiple gestation with two or more monoamniotic fetuses, third trimester | ICD-10-CM Diagnosis |
| O30.89 | Other specified multiple gestation, unable to determine number of placenta and number of amniotic sacs | ICD-10-CM Diagnosis |
| O30.891 | Other specified multiple gestation, unable to determine number of placenta and number of amniotic sacs, first trimester | ICD-10-CM Diagnosis |
| O30.892 | Other specified multiple gestation, unable to determine number of placenta and number of amniotic sacs, second trimester | ICD-10-CM Diagnosis |
| O30.893 | Other specified multiple gestation, unable to determine number of placenta and number of amniotic sacs, third trimester | ICD-10-CM Diagnosis |
| O30.91 | Multiple gestation, unspecified, first trimester | ICD-10-CM Diagnosis |
| O30.92 | Multiple gestation, unspecified, second trimester | ICD-10-CM Diagnosis |
| O30.93 | Multiple gestation, unspecified, third trimester | ICD-10-CM Diagnosis |
| O31.01 | Papyraceous fetus, first trimester | ICD-10-CM Diagnosis |
| O31.01X0 | Papyraceous fetus, first trimester, not applicable or unspecified | ICD-10-CM Diagnosis |
| O31.01X1 | Papyraceous fetus, first trimester, fetus 1 | ICD-10-CM Diagnosis |
| O31.01X2 | Papyraceous fetus, first trimester, fetus 2 | ICD-10-CM Diagnosis |
| O31.01X3 | Papyraceous fetus, first trimester, fetus 3 | ICD-10-CM Diagnosis |
| O31.01X4 | Papyraceous fetus, first trimester, fetus 4 | ICD-10-CM Diagnosis |
| O31.01X5 | Papyraceous fetus, first trimester, fetus 5 | ICD-10-CM Diagnosis |
| O31.01X9 | Papyraceous fetus, first trimester, other fetus | ICD-10-CM Diagnosis |
| O31.02 | Papyraceous fetus, second trimester | ICD-10-CM Diagnosis |
| O31.02X0 | Papyraceous fetus, second trimester, not applicable or unspecified | ICD-10-CM Diagnosis |
| O31.02X1 | Papyraceous fetus, second trimester, fetus 1 | ICD-10-CM Diagnosis |
| O31.02X2 | Papyraceous fetus, second trimester, fetus 2 | ICD-10-CM Diagnosis |

List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|---|---------------------|
| O31.02X3 | Papyraceous fetus, second trimester, fetus 3 | ICD-10-CM Diagnosis |
| O31.02X4 | Papyraceous fetus, second trimester, fetus 4 | ICD-10-CM Diagnosis |
| O31.02X5 | Papyraceous fetus, second trimester, fetus 5 | ICD-10-CM Diagnosis |
| O31.02X9 | Papyraceous fetus, second trimester, other fetus | ICD-10-CM Diagnosis |
| O31.03 | Papyraceous fetus, third trimester | ICD-10-CM Diagnosis |
| O31.03X0 | Papyraceous fetus, third trimester, not applicable or unspecified | ICD-10-CM Diagnosis |
| O31.03X1 | Papyraceous fetus, third trimester, fetus 1 | ICD-10-CM Diagnosis |
| O31.03X2 | Papyraceous fetus, third trimester, fetus 2 | ICD-10-CM Diagnosis |
| O31.03X3 | Papyraceous fetus, third trimester, fetus 3 | ICD-10-CM Diagnosis |
| O31.03X4 | Papyraceous fetus, third trimester, fetus 4 | ICD-10-CM Diagnosis |
| O31.03X5 | Papyraceous fetus, third trimester, fetus 5 | ICD-10-CM Diagnosis |
| O31.03X9 | Papyraceous fetus, third trimester, other fetus | ICD-10-CM Diagnosis |
| O31.11 | Continuing pregnancy after spontaneous abortion of one fetus or more, first trimester | ICD-10-CM Diagnosis |
| O31.11X0 | Continuing pregnancy after spontaneous abortion of one fetus or more, first trimester, not applicable or unspecified | ICD-10-CM Diagnosis |
| O31.11X1 | Continuing pregnancy after spontaneous abortion of one fetus or more, first trimester, fetus 1 | ICD-10-CM Diagnosis |
| O31.11X2 | Continuing pregnancy after spontaneous abortion of one fetus or more, first trimester, fetus 2 | ICD-10-CM Diagnosis |
| O31.11X3 | Continuing pregnancy after spontaneous abortion of one fetus or more, first trimester, fetus 3 | ICD-10-CM Diagnosis |
| O31.11X4 | Continuing pregnancy after spontaneous abortion of one fetus or more, first trimester, fetus 4 | ICD-10-CM Diagnosis |
| O31.11X5 | Continuing pregnancy after spontaneous abortion of one fetus or more, first trimester, fetus 5 | ICD-10-CM Diagnosis |
| O31.11X9 | Continuing pregnancy after spontaneous abortion of one fetus or more, first trimester, other fetus | ICD-10-CM Diagnosis |
| O31.12 | Continuing pregnancy after spontaneous abortion of one fetus or more, second trimester | ICD-10-CM Diagnosis |
| O31.12X0 | Continuing pregnancy after spontaneous abortion of one fetus or more, second trimester, not applicable or unspecified | ICD-10-CM Diagnosis |
| O31.12X1 | Continuing pregnancy after spontaneous abortion of one fetus or more, second trimester, fetus 1 | ICD-10-CM Diagnosis |
| O31.12X2 | Continuing pregnancy after spontaneous abortion of one fetus or more, second trimester, fetus 2 | ICD-10-CM Diagnosis |
| O31.12X3 | Continuing pregnancy after spontaneous abortion of one fetus or more, second trimester, fetus 3 | ICD-10-CM Diagnosis |
| O31.12X4 | Continuing pregnancy after spontaneous abortion of one fetus or more, second trimester, fetus 4 | ICD-10-CM Diagnosis |
| O31.12X5 | Continuing pregnancy after spontaneous abortion of one fetus or more, second trimester, fetus 5 | ICD-10-CM Diagnosis |

List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|--|---------------------|
| O31.12X9 | Continuing pregnancy after spontaneous abortion of one fetus or more, second trimester, other fetus | ICD-10-CM Diagnosis |
| O31.13 | Continuing pregnancy after spontaneous abortion of one fetus or more, third trimester | ICD-10-CM Diagnosis |
| O31.13X0 | Continuing pregnancy after spontaneous abortion of one fetus or more, third trimester, not applicable or unspecified | ICD-10-CM Diagnosis |
| O31.13X1 | Continuing pregnancy after spontaneous abortion of one fetus or more, third trimester, fetus 1 | ICD-10-CM Diagnosis |
| O31.13X2 | Continuing pregnancy after spontaneous abortion of one fetus or more, third trimester, fetus 2 | ICD-10-CM Diagnosis |
| O31.13X3 | Continuing pregnancy after spontaneous abortion of one fetus or more, third trimester, fetus 3 | ICD-10-CM Diagnosis |
| O31.13X4 | Continuing pregnancy after spontaneous abortion of one fetus or more, third trimester, fetus 4 | ICD-10-CM Diagnosis |
| O31.13X5 | Continuing pregnancy after spontaneous abortion of one fetus or more, third trimester, fetus 5 | ICD-10-CM Diagnosis |
| O31.13X9 | Continuing pregnancy after spontaneous abortion of one fetus or more, third trimester, other fetus | ICD-10-CM Diagnosis |
| O31.21 | Continuing pregnancy after intrauterine death of one fetus or more, first trimester | ICD-10-CM Diagnosis |
| O31.21X0 | Continuing pregnancy after intrauterine death of one fetus or more, first trimester, not applicable or unspecified | ICD-10-CM Diagnosis |
| O31.21X1 | Continuing pregnancy after intrauterine death of one fetus or more, first trimester, fetus 1 | ICD-10-CM Diagnosis |
| O31.21X2 | Continuing pregnancy after intrauterine death of one fetus or more, first trimester, fetus 2 | ICD-10-CM Diagnosis |
| O31.21X3 | Continuing pregnancy after intrauterine death of one fetus or more, first trimester, fetus 3 | ICD-10-CM Diagnosis |
| O31.21X4 | Continuing pregnancy after intrauterine death of one fetus or more, first trimester, fetus 4 | ICD-10-CM Diagnosis |
| O31.21X5 | Continuing pregnancy after intrauterine death of one fetus or more, first trimester, fetus 5 | ICD-10-CM Diagnosis |
| O31.21X9 | Continuing pregnancy after intrauterine death of one fetus or more, first trimester, other fetus | ICD-10-CM Diagnosis |
| O31.22 | Continuing pregnancy after intrauterine death of one fetus or more, second trimester | ICD-10-CM Diagnosis |
| O31.22X0 | Continuing pregnancy after intrauterine death of one fetus or more, second trimester, not applicable or unspecified | ICD-10-CM Diagnosis |
| O31.22X1 | Continuing pregnancy after intrauterine death of one fetus or more, second trimester, fetus 1 | ICD-10-CM Diagnosis |
| O31.22X2 | Continuing pregnancy after intrauterine death of one fetus or more, second trimester, fetus 2 | ICD-10-CM Diagnosis |

List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|--|---------------------|
| O31.22X3 | Continuing pregnancy after intrauterine death of one fetus or more, second trimester, fetus 3 | ICD-10-CM Diagnosis |
| O31.22X4 | Continuing pregnancy after intrauterine death of one fetus or more, second trimester, fetus 4 | ICD-10-CM Diagnosis |
| O31.22X5 | Continuing pregnancy after intrauterine death of one fetus or more, second trimester, fetus 5 | ICD-10-CM Diagnosis |
| O31.22X9 | Continuing pregnancy after intrauterine death of one fetus or more, second trimester, other fetus | ICD-10-CM Diagnosis |
| O31.23 | Continuing pregnancy after intrauterine death of one fetus or more, third trimester | ICD-10-CM Diagnosis |
| O31.23X0 | Continuing pregnancy after intrauterine death of one fetus or more, third trimester, not applicable or unspecified | ICD-10-CM Diagnosis |
| O31.23X1 | Continuing pregnancy after intrauterine death of one fetus or more, third trimester, fetus 1 | ICD-10-CM Diagnosis |
| O31.23X2 | Continuing pregnancy after intrauterine death of one fetus or more, third trimester, fetus 2 | ICD-10-CM Diagnosis |
| O31.23X3 | Continuing pregnancy after intrauterine death of one fetus or more, third trimester, fetus 3 | ICD-10-CM Diagnosis |
| O31.23X4 | Continuing pregnancy after intrauterine death of one fetus or more, third trimester, fetus 4 | ICD-10-CM Diagnosis |
| O31.23X5 | Continuing pregnancy after intrauterine death of one fetus or more, third trimester, fetus 5 | ICD-10-CM Diagnosis |
| O31.23X9 | Continuing pregnancy after intrauterine death of one fetus or more, third trimester, other fetus | ICD-10-CM Diagnosis |
| O31.31 | Continuing pregnancy after elective fetal reduction of one fetus or more, first trimester | ICD-10-CM Diagnosis |
| O31.31X0 | Continuing pregnancy after elective fetal reduction of one fetus or more, first trimester, not applicable or unspecified | ICD-10-CM Diagnosis |
| O31.31X1 | Continuing pregnancy after elective fetal reduction of one fetus or more, first trimester, fetus 1 | ICD-10-CM Diagnosis |
| O31.31X2 | Continuing pregnancy after elective fetal reduction of one fetus or more, first trimester, fetus 2 | ICD-10-CM Diagnosis |
| O31.31X3 | Continuing pregnancy after elective fetal reduction of one fetus or more, first trimester, fetus 3 | ICD-10-CM Diagnosis |
| O31.31X4 | Continuing pregnancy after elective fetal reduction of one fetus or more, first trimester, fetus 4 | ICD-10-CM Diagnosis |
| O31.31X5 | Continuing pregnancy after elective fetal reduction of one fetus or more, first trimester, fetus 5 | ICD-10-CM Diagnosis |
| O31.31X9 | Continuing pregnancy after elective fetal reduction of one fetus or more, first trimester, other fetus | ICD-10-CM Diagnosis |
| O31.32 | Continuing pregnancy after elective fetal reduction of one fetus or more, second trimester | ICD-10-CM Diagnosis |

List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|---|---------------------|
| O31.32X0 | Continuing pregnancy after elective fetal reduction of one fetus or more, second trimester, not applicable or unspecified | ICD-10-CM Diagnosis |
| O31.32X1 | Continuing pregnancy after elective fetal reduction of one fetus or more, second trimester, fetus 1 | ICD-10-CM Diagnosis |
| O31.32X2 | Continuing pregnancy after elective fetal reduction of one fetus or more, second trimester, fetus 2 | ICD-10-CM Diagnosis |
| O31.32X3 | Continuing pregnancy after elective fetal reduction of one fetus or more, second trimester, fetus 3 | ICD-10-CM Diagnosis |
| O31.32X4 | Continuing pregnancy after elective fetal reduction of one fetus or more, second trimester, fetus 4 | ICD-10-CM Diagnosis |
| O31.32X5 | Continuing pregnancy after elective fetal reduction of one fetus or more, second trimester, fetus 5 | ICD-10-CM Diagnosis |
| O31.32X9 | Continuing pregnancy after elective fetal reduction of one fetus or more, second trimester, other fetus | ICD-10-CM Diagnosis |
| O31.33 | Continuing pregnancy after elective fetal reduction of one fetus or more, third trimester | ICD-10-CM Diagnosis |
| O31.33X0 | Continuing pregnancy after elective fetal reduction of one fetus or more, third trimester, not applicable or unspecified | ICD-10-CM Diagnosis |
| O31.33X1 | Continuing pregnancy after elective fetal reduction of one fetus or more, third trimester, fetus 1 | ICD-10-CM Diagnosis |
| O31.33X2 | Continuing pregnancy after elective fetal reduction of one fetus or more, third trimester, fetus 2 | ICD-10-CM Diagnosis |
| O31.33X3 | Continuing pregnancy after elective fetal reduction of one fetus or more, third trimester, fetus 3 | ICD-10-CM Diagnosis |
| O31.33X4 | Continuing pregnancy after elective fetal reduction of one fetus or more, third trimester, fetus 4 | ICD-10-CM Diagnosis |
| O31.33X5 | Continuing pregnancy after elective fetal reduction of one fetus or more, third trimester, fetus 5 | ICD-10-CM Diagnosis |
| O31.33X9 | Continuing pregnancy after elective fetal reduction of one fetus or more, third trimester, other fetus | ICD-10-CM Diagnosis |
| O31.8 | Other complications specific to multiple gestation | ICD-10-CM Diagnosis |
| O31.8X10 | Other complications specific to multiple gestation, first trimester, not applicable or unspecified | ICD-10-CM Diagnosis |
| O31.8X11 | Other complications specific to multiple gestation, first trimester, fetus 1 | ICD-10-CM Diagnosis |
| O31.8X12 | Other complications specific to multiple gestation, first trimester, fetus 2 | ICD-10-CM Diagnosis |
| O31.8X13 | Other complications specific to multiple gestation, first trimester, fetus 3 | ICD-10-CM Diagnosis |
| O31.8X14 | Other complications specific to multiple gestation, first trimester, fetus 4 | ICD-10-CM Diagnosis |
| O31.8X15 | Other complications specific to multiple gestation, first trimester, fetus 5 | ICD-10-CM Diagnosis |
| O31.8X19 | Other complications specific to multiple gestation, first trimester, other fetus | ICD-10-CM Diagnosis |
| O31.8X20 | Other complications specific to multiple gestation, second trimester, not applicable or unspecified | ICD-10-CM Diagnosis |
| O31.8X21 | Other complications specific to multiple gestation, second trimester, fetus 1 | ICD-10-CM Diagnosis |

List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|--|---------------------|
| O31.8X22 | Other complications specific to multiple gestation, second trimester, fetus 2 | ICD-10-CM Diagnosis |
| O31.8X23 | Other complications specific to multiple gestation, second trimester, fetus 3 | ICD-10-CM Diagnosis |
| O31.8X24 | Other complications specific to multiple gestation, second trimester, fetus 4 | ICD-10-CM Diagnosis |
| O31.8X25 | Other complications specific to multiple gestation, second trimester, fetus 5 | ICD-10-CM Diagnosis |
| O31.8X29 | Other complications specific to multiple gestation, second trimester, other fetus | ICD-10-CM Diagnosis |
| O31.8X30 | Other complications specific to multiple gestation, third trimester, not applicable or unspecified | ICD-10-CM Diagnosis |
| O31.8X31 | Other complications specific to multiple gestation, third trimester, fetus 1 | ICD-10-CM Diagnosis |
| O31.8X32 | Other complications specific to multiple gestation, third trimester, fetus 2 | ICD-10-CM Diagnosis |
| O31.8X33 | Other complications specific to multiple gestation, third trimester, fetus 3 | ICD-10-CM Diagnosis |
| O31.8X34 | Other complications specific to multiple gestation, third trimester, fetus 4 | ICD-10-CM Diagnosis |
| O31.8X35 | Other complications specific to multiple gestation, third trimester, fetus 5 | ICD-10-CM Diagnosis |
| O31.8X39 | Other complications specific to multiple gestation, third trimester, other fetus | ICD-10-CM Diagnosis |
| O32.0XX0 | Maternal care for unstable lie, not applicable or unspecified | ICD-10-CM Diagnosis |
| O32.0XX1 | Maternal care for unstable lie, fetus 1 | ICD-10-CM Diagnosis |
| O32.0XX2 | Maternal care for unstable lie, fetus 2 | ICD-10-CM Diagnosis |
| O32.0XX3 | Maternal care for unstable lie, fetus 3 | ICD-10-CM Diagnosis |
| O32.0XX4 | Maternal care for unstable lie, fetus 4 | ICD-10-CM Diagnosis |
| O32.0XX5 | Maternal care for unstable lie, fetus 5 | ICD-10-CM Diagnosis |
| O32.0XX9 | Maternal care for unstable lie, other fetus | ICD-10-CM Diagnosis |
| O32.1XX0 | Maternal care for breech presentation, not applicable or unspecified | ICD-10-CM Diagnosis |
| O32.1XX1 | Maternal care for breech presentation, fetus 1 | ICD-10-CM Diagnosis |
| O32.1XX2 | Maternal care for breech presentation, fetus 2 | ICD-10-CM Diagnosis |
| O32.1XX3 | Maternal care for breech presentation, fetus 3 | ICD-10-CM Diagnosis |
| O32.1XX4 | Maternal care for breech presentation, fetus 4 | ICD-10-CM Diagnosis |
| O32.1XX5 | Maternal care for breech presentation, fetus 5 | ICD-10-CM Diagnosis |
| O32.1XX9 | Maternal care for breech presentation, other fetus | ICD-10-CM Diagnosis |
| O32.2XX0 | Maternal care for transverse and oblique lie, not applicable or unspecified | ICD-10-CM Diagnosis |
| O32.2XX1 | Maternal care for transverse and oblique lie, fetus 1 | ICD-10-CM Diagnosis |
| O32.2XX2 | Maternal care for transverse and oblique lie, fetus 2 | ICD-10-CM Diagnosis |
| O32.2XX3 | Maternal care for transverse and oblique lie, fetus 3 | ICD-10-CM Diagnosis |
| O32.2XX4 | Maternal care for transverse and oblique lie, fetus 4 | ICD-10-CM Diagnosis |
| O32.2XX5 | Maternal care for transverse and oblique lie, fetus 5 | ICD-10-CM Diagnosis |
| O32.2XX9 | Maternal care for transverse and oblique lie, other fetus | ICD-10-CM Diagnosis |
| O32.3XX0 | Maternal care for face, brow and chin presentation, not applicable or unspecified | ICD-10-CM Diagnosis |
| O32.3XX1 | Maternal care for face, brow and chin presentation, fetus 1 | ICD-10-CM Diagnosis |
| O32.3XX2 | Maternal care for face, brow and chin presentation, fetus 2 | ICD-10-CM Diagnosis |
| O32.3XX3 | Maternal care for face, brow and chin presentation, fetus 3 | ICD-10-CM Diagnosis |

List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|--|---------------------|
| O32.3XX4 | Maternal care for face, brow and chin presentation, fetus 4 | ICD-10-CM Diagnosis |
| O32.3XX5 | Maternal care for face, brow and chin presentation, fetus 5 | ICD-10-CM Diagnosis |
| O32.3XX9 | Maternal care for face, brow and chin presentation, other fetus | ICD-10-CM Diagnosis |
| O32.4XX0 | Maternal care for high head at term, not applicable or unspecified | ICD-10-CM Diagnosis |
| O32.4XX1 | Maternal care for high head at term, fetus 1 | ICD-10-CM Diagnosis |
| O32.4XX2 | Maternal care for high head at term, fetus 2 | ICD-10-CM Diagnosis |
| O32.4XX3 | Maternal care for high head at term, fetus 3 | ICD-10-CM Diagnosis |
| O32.4XX4 | Maternal care for high head at term, fetus 4 | ICD-10-CM Diagnosis |
| O32.4XX5 | Maternal care for high head at term, fetus 5 | ICD-10-CM Diagnosis |
| O32.4XX9 | Maternal care for high head at term, other fetus | ICD-10-CM Diagnosis |
| O32.6XX0 | Maternal care for compound presentation, not applicable or unspecified | ICD-10-CM Diagnosis |
| O32.6XX1 | Maternal care for compound presentation, fetus 1 | ICD-10-CM Diagnosis |
| O32.6XX2 | Maternal care for compound presentation, fetus 2 | ICD-10-CM Diagnosis |
| O32.6XX3 | Maternal care for compound presentation, fetus 3 | ICD-10-CM Diagnosis |
| O32.6XX4 | Maternal care for compound presentation, fetus 4 | ICD-10-CM Diagnosis |
| O32.6XX5 | Maternal care for compound presentation, fetus 5 | ICD-10-CM Diagnosis |
| O32.6XX9 | Maternal care for compound presentation, other fetus | ICD-10-CM Diagnosis |
| O32.8XX0 | Maternal care for other malpresentation of fetus, not applicable or unspecified | ICD-10-CM Diagnosis |
| O32.8XX1 | Maternal care for other malpresentation of fetus, fetus 1 | ICD-10-CM Diagnosis |
| O32.8XX2 | Maternal care for other malpresentation of fetus, fetus 2 | ICD-10-CM Diagnosis |
| O32.8XX3 | Maternal care for other malpresentation of fetus, fetus 3 | ICD-10-CM Diagnosis |
| O32.8XX4 | Maternal care for other malpresentation of fetus, fetus 4 | ICD-10-CM Diagnosis |
| O32.8XX5 | Maternal care for other malpresentation of fetus, fetus 5 | ICD-10-CM Diagnosis |
| O32.8XX9 | Maternal care for other malpresentation of fetus, other fetus | ICD-10-CM Diagnosis |
| O32.9XX0 | Maternal care for malpresentation of fetus, unspecified, not applicable or unspecified | ICD-10-CM Diagnosis |
| O32.9XX1 | Maternal care for malpresentation of fetus, unspecified, fetus 1 | ICD-10-CM Diagnosis |
| O32.9XX2 | Maternal care for malpresentation of fetus, unspecified, fetus 2 | ICD-10-CM Diagnosis |
| O32.9XX3 | Maternal care for malpresentation of fetus, unspecified, fetus 3 | ICD-10-CM Diagnosis |
| O32.9XX4 | Maternal care for malpresentation of fetus, unspecified, fetus 4 | ICD-10-CM Diagnosis |
| O32.9XX5 | Maternal care for malpresentation of fetus, unspecified, fetus 5 | ICD-10-CM Diagnosis |
| O32.9XX9 | Maternal care for malpresentation of fetus, unspecified, other fetus | ICD-10-CM Diagnosis |
| O33.0 | Maternal care for disproportion due to deformity of maternal pelvic bones | ICD-10-CM Diagnosis |
| O33.1 | Maternal care for disproportion due to generally contracted pelvis | ICD-10-CM Diagnosis |
| O33.2 | Maternal care for disproportion due to inlet contraction of pelvis | ICD-10-CM Diagnosis |
| O33.3XX0 | Maternal care for disproportion due to outlet contraction of pelvis, not applicable or unspecified | ICD-10-CM Diagnosis |
| O33.3XX1 | Maternal care for disproportion due to outlet contraction of pelvis, fetus 1 | ICD-10-CM Diagnosis |
| O33.3XX2 | Maternal care for disproportion due to outlet contraction of pelvis, fetus 2 | ICD-10-CM Diagnosis |
| O33.3XX3 | Maternal care for disproportion due to outlet contraction of pelvis, fetus 3 | ICD-10-CM Diagnosis |
| O33.3XX4 | Maternal care for disproportion due to outlet contraction of pelvis, fetus 4 | ICD-10-CM Diagnosis |

List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|---|---------------------|
| O33.3XX5 | Maternal care for disproportion due to outlet contraction of pelvis, fetus 5 | ICD-10-CM Diagnosis |
| O33.3XX9 | Maternal care for disproportion due to outlet contraction of pelvis, other fetus | ICD-10-CM Diagnosis |
| O33.4XX0 | Maternal care for disproportion of mixed maternal and fetal origin, not applicable or unspecified | ICD-10-CM Diagnosis |
| O33.4XX1 | Maternal care for disproportion of mixed maternal and fetal origin, fetus 1 | ICD-10-CM Diagnosis |
| O33.4XX2 | Maternal care for disproportion of mixed maternal and fetal origin, fetus 2 | ICD-10-CM Diagnosis |
| O33.4XX3 | Maternal care for disproportion of mixed maternal and fetal origin, fetus 3 | ICD-10-CM Diagnosis |
| O33.4XX4 | Maternal care for disproportion of mixed maternal and fetal origin, fetus 4 | ICD-10-CM Diagnosis |
| O33.4XX5 | Maternal care for disproportion of mixed maternal and fetal origin, fetus 5 | ICD-10-CM Diagnosis |
| O33.4XX9 | Maternal care for disproportion of mixed maternal and fetal origin, other fetus | ICD-10-CM Diagnosis |
| O33.5XX0 | Maternal care for disproportion due to unusually large fetus, not applicable or unspecified | ICD-10-CM Diagnosis |
| O33.5XX1 | Maternal care for disproportion due to unusually large fetus, fetus 1 | ICD-10-CM Diagnosis |
| O33.5XX2 | Maternal care for disproportion due to unusually large fetus, fetus 2 | ICD-10-CM Diagnosis |
| O33.5XX3 | Maternal care for disproportion due to unusually large fetus, fetus 3 | ICD-10-CM Diagnosis |
| O33.5XX4 | Maternal care for disproportion due to unusually large fetus, fetus 4 | ICD-10-CM Diagnosis |
| O33.5XX5 | Maternal care for disproportion due to unusually large fetus, fetus 5 | ICD-10-CM Diagnosis |
| O33.5XX9 | Maternal care for disproportion due to unusually large fetus, other fetus | ICD-10-CM Diagnosis |
| O33.6XX0 | Maternal care for disproportion due to hydrocephalic fetus, not applicable or unspecified | ICD-10-CM Diagnosis |
| O33.6XX1 | Maternal care for disproportion due to hydrocephalic fetus, fetus 1 | ICD-10-CM Diagnosis |
| O33.6XX2 | Maternal care for disproportion due to hydrocephalic fetus, fetus 2 | ICD-10-CM Diagnosis |
| O33.6XX3 | Maternal care for disproportion due to hydrocephalic fetus, fetus 3 | ICD-10-CM Diagnosis |
| O33.6XX4 | Maternal care for disproportion due to hydrocephalic fetus, fetus 4 | ICD-10-CM Diagnosis |
| O33.6XX5 | Maternal care for disproportion due to hydrocephalic fetus, fetus 5 | ICD-10-CM Diagnosis |
| O33.6XX9 | Maternal care for disproportion due to hydrocephalic fetus, other fetus | ICD-10-CM Diagnosis |
| O33.7 | Maternal care for disproportion due to other fetal deformities | ICD-10-CM Diagnosis |
| O33.8 | Maternal care for disproportion of other origin | ICD-10-CM Diagnosis |
| O33.9 | Maternal care for disproportion, unspecified | ICD-10-CM Diagnosis |
| O34.01 | Maternal care for unspecified congenital malformation of uterus, first trimester | ICD-10-CM Diagnosis |
| O34.02 | Maternal care for unspecified congenital malformation of uterus, second trimester | ICD-10-CM Diagnosis |
| O34.03 | Maternal care for unspecified congenital malformation of uterus, third trimester | ICD-10-CM Diagnosis |
| O34.11 | Maternal care for benign tumor of corpus uteri, first trimester | ICD-10-CM Diagnosis |
| O34.12 | Maternal care for benign tumor of corpus uteri, second trimester | ICD-10-CM Diagnosis |
| O34.13 | Maternal care for benign tumor of corpus uteri, third trimester | ICD-10-CM Diagnosis |
| O34.21 | Maternal care for scar from previous cesarean delivery | ICD-10-CM Diagnosis |
| O34.29 | Maternal care due to uterine scar from other previous surgery | ICD-10-CM Diagnosis |
| O34.31 | Maternal care for cervical incompetence, first trimester | ICD-10-CM Diagnosis |

List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|---|---------------------|
| O34.32 | Maternal care for cervical incompetence, second trimester | ICD-10-CM Diagnosis |
| O34.33 | Maternal care for cervical incompetence, third trimester | ICD-10-CM Diagnosis |
| O34.41 | Maternal care for other abnormalities of cervix, first trimester | ICD-10-CM Diagnosis |
| O34.42 | Maternal care for other abnormalities of cervix, second trimester | ICD-10-CM Diagnosis |
| O34.43 | Maternal care for other abnormalities of cervix, third trimester | ICD-10-CM Diagnosis |
| O34.5 | Maternal care for other abnormalities of gravid uterus | ICD-10-CM Diagnosis |
| O34.51 | Maternal care for incarceration of gravid uterus | ICD-10-CM Diagnosis |
| O34.511 | Maternal care for incarceration of gravid uterus, first trimester | ICD-10-CM Diagnosis |
| O34.512 | Maternal care for incarceration of gravid uterus, second trimester | ICD-10-CM Diagnosis |
| O34.513 | Maternal care for incarceration of gravid uterus, third trimester | ICD-10-CM Diagnosis |
| O34.52 | Maternal care for prolapse of gravid uterus | ICD-10-CM Diagnosis |
| O34.521 | Maternal care for prolapse of gravid uterus, first trimester | ICD-10-CM Diagnosis |
| O34.522 | Maternal care for prolapse of gravid uterus, second trimester | ICD-10-CM Diagnosis |
| O34.523 | Maternal care for prolapse of gravid uterus, third trimester | ICD-10-CM Diagnosis |
| O34.53 | Maternal care for retroversion of gravid uterus | ICD-10-CM Diagnosis |
| O34.531 | Maternal care for retroversion of gravid uterus, first trimester | ICD-10-CM Diagnosis |
| O34.532 | Maternal care for retroversion of gravid uterus, second trimester | ICD-10-CM Diagnosis |
| O34.533 | Maternal care for retroversion of gravid uterus, third trimester | ICD-10-CM Diagnosis |
| O34.591 | Maternal care for other abnormalities of gravid uterus, first trimester | ICD-10-CM Diagnosis |
| O34.592 | Maternal care for other abnormalities of gravid uterus, second trimester | ICD-10-CM Diagnosis |
| O34.593 | Maternal care for other abnormalities of gravid uterus, third trimester | ICD-10-CM Diagnosis |
| O34.61 | Maternal care for abnormality of vagina, first trimester | ICD-10-CM Diagnosis |
| O34.62 | Maternal care for abnormality of vagina, second trimester | ICD-10-CM Diagnosis |
| O34.63 | Maternal care for abnormality of vagina, third trimester | ICD-10-CM Diagnosis |
| O34.71 | Maternal care for abnormality of vulva and perineum, first trimester | ICD-10-CM Diagnosis |
| O34.72 | Maternal care for abnormality of vulva and perineum, second trimester | ICD-10-CM Diagnosis |
| O34.73 | Maternal care for abnormality of vulva and perineum, third trimester | ICD-10-CM Diagnosis |
| O34.81 | Maternal care for other abnormalities of pelvic organs, first trimester | ICD-10-CM Diagnosis |
| O34.82 | Maternal care for other abnormalities of pelvic organs, second trimester | ICD-10-CM Diagnosis |
| O34.83 | Maternal care for other abnormalities of pelvic organs, third trimester | ICD-10-CM Diagnosis |
| O34.91 | Maternal care for abnormality of pelvic organ, unspecified, first trimester | ICD-10-CM Diagnosis |
| O34.92 | Maternal care for abnormality of pelvic organ, unspecified, second trimester | ICD-10-CM Diagnosis |
| O34.93 | Maternal care for abnormality of pelvic organ, unspecified, third trimester | ICD-10-CM Diagnosis |
| O35.OXX0 | Maternal care for (suspected) central nervous system malformation in fetus, not applicable or unspecified | ICD-10-CM Diagnosis |
| O35.OXX1 | Maternal care for (suspected) central nervous system malformation in fetus, fetus 1 | ICD-10-CM Diagnosis |
| O35.OXX2 | Maternal care for (suspected) central nervous system malformation in fetus, fetus 2 | ICD-10-CM Diagnosis |
| O35.OXX3 | Maternal care for (suspected) central nervous system malformation in fetus, fetus 3 | ICD-10-CM Diagnosis |

List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|---|---------------------|
| O35.0XX4 | Maternal care for (suspected) central nervous system malformation in fetus, fetus 4 | ICD-10-CM Diagnosis |
| O35.0XX5 | Maternal care for (suspected) central nervous system malformation in fetus, fetus 5 | ICD-10-CM Diagnosis |
| O35.0XX9 | Maternal care for (suspected) central nervous system malformation in fetus, other fetus | ICD-10-CM Diagnosis |
| O35.1XX0 | Maternal care for (suspected) chromosomal abnormality in fetus, not applicable or unspecified | ICD-10-CM Diagnosis |
| O35.1XX1 | Maternal care for (suspected) chromosomal abnormality in fetus, fetus 1 | ICD-10-CM Diagnosis |
| O35.1XX2 | Maternal care for (suspected) chromosomal abnormality in fetus, fetus 2 | ICD-10-CM Diagnosis |
| O35.1XX3 | Maternal care for (suspected) chromosomal abnormality in fetus, fetus 3 | ICD-10-CM Diagnosis |
| O35.1XX4 | Maternal care for (suspected) chromosomal abnormality in fetus, fetus 4 | ICD-10-CM Diagnosis |
| O35.1XX5 | Maternal care for (suspected) chromosomal abnormality in fetus, fetus 5 | ICD-10-CM Diagnosis |
| O35.1XX9 | Maternal care for (suspected) chromosomal abnormality in fetus, other fetus | ICD-10-CM Diagnosis |
| O35.2XX0 | Maternal care for (suspected) hereditary disease in fetus, not applicable or unspecified | ICD-10-CM Diagnosis |
| O35.2XX1 | Maternal care for (suspected) hereditary disease in fetus, fetus 1 | ICD-10-CM Diagnosis |
| O35.2XX2 | Maternal care for (suspected) hereditary disease in fetus, fetus 2 | ICD-10-CM Diagnosis |
| O35.2XX3 | Maternal care for (suspected) hereditary disease in fetus, fetus 3 | ICD-10-CM Diagnosis |
| O35.2XX4 | Maternal care for (suspected) hereditary disease in fetus, fetus 4 | ICD-10-CM Diagnosis |
| O35.2XX5 | Maternal care for (suspected) hereditary disease in fetus, fetus 5 | ICD-10-CM Diagnosis |
| O35.2XX9 | Maternal care for (suspected) hereditary disease in fetus, other fetus | ICD-10-CM Diagnosis |
| O35.3XX0 | Maternal care for (suspected) damage to fetus from viral disease in mother, not applicable or unspecified | ICD-10-CM Diagnosis |
| O35.3XX1 | Maternal care for (suspected) damage to fetus from viral disease in mother, fetus 1 | ICD-10-CM Diagnosis |
| O35.3XX2 | Maternal care for (suspected) damage to fetus from viral disease in mother, fetus 2 | ICD-10-CM Diagnosis |
| O35.3XX3 | Maternal care for (suspected) damage to fetus from viral disease in mother, fetus 3 | ICD-10-CM Diagnosis |
| O35.3XX4 | Maternal care for (suspected) damage to fetus from viral disease in mother, fetus 4 | ICD-10-CM Diagnosis |
| O35.3XX5 | Maternal care for (suspected) damage to fetus from viral disease in mother, fetus 5 | ICD-10-CM Diagnosis |
| O35.3XX9 | Maternal care for (suspected) damage to fetus from viral disease in mother, other fetus | ICD-10-CM Diagnosis |
| O35.4XX0 | Maternal care for (suspected) damage to fetus from alcohol, not applicable or unspecified | ICD-10-CM Diagnosis |
| O35.4XX1 | Maternal care for (suspected) damage to fetus from alcohol, fetus 1 | ICD-10-CM Diagnosis |
| O35.4XX2 | Maternal care for (suspected) damage to fetus from alcohol, fetus 2 | ICD-10-CM Diagnosis |
| O35.4XX3 | Maternal care for (suspected) damage to fetus from alcohol, fetus 3 | ICD-10-CM Diagnosis |

List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|--|---------------------|
| O35.4XX4 | Maternal care for (suspected) damage to fetus from alcohol, fetus 4 | ICD-10-CM Diagnosis |
| O35.4XX5 | Maternal care for (suspected) damage to fetus from alcohol, fetus 5 | ICD-10-CM Diagnosis |
| O35.4XX9 | Maternal care for (suspected) damage to fetus from alcohol, other fetus | ICD-10-CM Diagnosis |
| O35.5XX0 | Maternal care for (suspected) damage to fetus by drugs, not applicable or unspecified | ICD-10-CM Diagnosis |
| O35.5XX1 | Maternal care for (suspected) damage to fetus by drugs, fetus 1 | ICD-10-CM Diagnosis |
| O35.5XX2 | Maternal care for (suspected) damage to fetus by drugs, fetus 2 | ICD-10-CM Diagnosis |
| O35.5XX3 | Maternal care for (suspected) damage to fetus by drugs, fetus 3 | ICD-10-CM Diagnosis |
| O35.5XX4 | Maternal care for (suspected) damage to fetus by drugs, fetus 4 | ICD-10-CM Diagnosis |
| O35.5XX5 | Maternal care for (suspected) damage to fetus by drugs, fetus 5 | ICD-10-CM Diagnosis |
| O35.5XX9 | Maternal care for (suspected) damage to fetus by drugs, other fetus | ICD-10-CM Diagnosis |
| O35.6XX0 | Maternal care for (suspected) damage to fetus by radiation, not applicable or unspecified | ICD-10-CM Diagnosis |
| O35.6XX1 | Maternal care for (suspected) damage to fetus by radiation, fetus 1 | ICD-10-CM Diagnosis |
| O35.6XX2 | Maternal care for (suspected) damage to fetus by radiation, fetus 2 | ICD-10-CM Diagnosis |
| O35.6XX3 | Maternal care for (suspected) damage to fetus by radiation, fetus 3 | ICD-10-CM Diagnosis |
| O35.6XX4 | Maternal care for (suspected) damage to fetus by radiation, fetus 4 | ICD-10-CM Diagnosis |
| O35.6XX5 | Maternal care for (suspected) damage to fetus by radiation, fetus 5 | ICD-10-CM Diagnosis |
| O35.6XX9 | Maternal care for (suspected) damage to fetus by radiation, other fetus | ICD-10-CM Diagnosis |
| O35.7XX0 | Maternal care for (suspected) damage to fetus by other medical procedures, not applicable or unspecified | ICD-10-CM Diagnosis |
| O35.7XX1 | Maternal care for (suspected) damage to fetus by other medical procedures, fetus 1 | ICD-10-CM Diagnosis |
| O35.7XX2 | Maternal care for (suspected) damage to fetus by other medical procedures, fetus 2 | ICD-10-CM Diagnosis |
| O35.7XX3 | Maternal care for (suspected) damage to fetus by other medical procedures, fetus 3 | ICD-10-CM Diagnosis |
| O35.7XX4 | Maternal care for (suspected) damage to fetus by other medical procedures, fetus 4 | ICD-10-CM Diagnosis |
| O35.7XX5 | Maternal care for (suspected) damage to fetus by other medical procedures, fetus 5 | ICD-10-CM Diagnosis |
| O35.7XX9 | Maternal care for (suspected) damage to fetus by other medical procedures, other fetus | ICD-10-CM Diagnosis |
| O35.8XX0 | Maternal care for other (suspected) fetal abnormality and damage, not applicable or unspecified | ICD-10-CM Diagnosis |
| O35.8XX1 | Maternal care for other (suspected) fetal abnormality and damage, fetus 1 | ICD-10-CM Diagnosis |
| O35.8XX2 | Maternal care for other (suspected) fetal abnormality and damage, fetus 2 | ICD-10-CM Diagnosis |
| O35.8XX3 | Maternal care for other (suspected) fetal abnormality and damage, fetus 3 | ICD-10-CM Diagnosis |
| O35.8XX4 | Maternal care for other (suspected) fetal abnormality and damage, fetus 4 | ICD-10-CM Diagnosis |
| O35.8XX5 | Maternal care for other (suspected) fetal abnormality and damage, fetus 5 | ICD-10-CM Diagnosis |
| O35.8XX9 | Maternal care for other (suspected) fetal abnormality and damage, other fetus | ICD-10-CM Diagnosis |

List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|--|---------------------|
| O35.9XX0 | Maternal care for (suspected) fetal abnormality and damage, unspecified, not applicable or unspecified | ICD-10-CM Diagnosis |
| O35.9XX1 | Maternal care for (suspected) fetal abnormality and damage, unspecified, fetus 1 | ICD-10-CM Diagnosis |
| O35.9XX2 | Maternal care for (suspected) fetal abnormality and damage, unspecified, fetus 2 | ICD-10-CM Diagnosis |
| O35.9XX3 | Maternal care for (suspected) fetal abnormality and damage, unspecified, fetus 3 | ICD-10-CM Diagnosis |
| O35.9XX4 | Maternal care for (suspected) fetal abnormality and damage, unspecified, fetus 4 | ICD-10-CM Diagnosis |
| O35.9XX5 | Maternal care for (suspected) fetal abnormality and damage, unspecified, fetus 5 | ICD-10-CM Diagnosis |
| O35.9XX9 | Maternal care for (suspected) fetal abnormality and damage, unspecified, other fetus | ICD-10-CM Diagnosis |
| O36.01 | Maternal care for anti-D [Rh] antibodies | ICD-10-CM Diagnosis |
| O36.0110 | Maternal care for anti-D [Rh] antibodies, first trimester, not applicable or unspecified | ICD-10-CM Diagnosis |
| O36.0111 | Maternal care for anti-D [Rh] antibodies, first trimester, fetus 1 | ICD-10-CM Diagnosis |
| O36.0112 | Maternal care for anti-D [Rh] antibodies, first trimester, fetus 2 | ICD-10-CM Diagnosis |
| O36.0113 | Maternal care for anti-D [Rh] antibodies, first trimester, fetus 3 | ICD-10-CM Diagnosis |
| O36.0114 | Maternal care for anti-D [Rh] antibodies, first trimester, fetus 4 | ICD-10-CM Diagnosis |
| O36.0115 | Maternal care for anti-D [Rh] antibodies, first trimester, fetus 5 | ICD-10-CM Diagnosis |
| O36.0119 | Maternal care for anti-D [Rh] antibodies, first trimester, other fetus | ICD-10-CM Diagnosis |
| O36.0120 | Maternal care for anti-D [Rh] antibodies, second trimester, not applicable or unspecified | ICD-10-CM Diagnosis |
| O36.0121 | Maternal care for anti-D [Rh] antibodies, second trimester, fetus 1 | ICD-10-CM Diagnosis |
| O36.0122 | Maternal care for anti-D [Rh] antibodies, second trimester, fetus 2 | ICD-10-CM Diagnosis |
| O36.0123 | Maternal care for anti-D [Rh] antibodies, second trimester, fetus 3 | ICD-10-CM Diagnosis |
| O36.0124 | Maternal care for anti-D [Rh] antibodies, second trimester, fetus 4 | ICD-10-CM Diagnosis |
| O36.0125 | Maternal care for anti-D [Rh] antibodies, second trimester, fetus 5 | ICD-10-CM Diagnosis |
| O36.0129 | Maternal care for anti-D [Rh] antibodies, second trimester, other fetus | ICD-10-CM Diagnosis |
| O36.0130 | Maternal care for anti-D [Rh] antibodies, third trimester, not applicable or unspecified | ICD-10-CM Diagnosis |
| O36.0131 | Maternal care for anti-D [Rh] antibodies, third trimester, fetus 1 | ICD-10-CM Diagnosis |
| O36.0132 | Maternal care for anti-D [Rh] antibodies, third trimester, fetus 2 | ICD-10-CM Diagnosis |
| O36.0133 | Maternal care for anti-D [Rh] antibodies, third trimester, fetus 3 | ICD-10-CM Diagnosis |
| O36.0134 | Maternal care for anti-D [Rh] antibodies, third trimester, fetus 4 | ICD-10-CM Diagnosis |
| O36.0135 | Maternal care for anti-D [Rh] antibodies, third trimester, fetus 5 | ICD-10-CM Diagnosis |
| O36.0139 | Maternal care for anti-D [Rh] antibodies, third trimester, other fetus | ICD-10-CM Diagnosis |
| O36.09 | Maternal care for other rhesus isoimmunization | ICD-10-CM Diagnosis |

List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|---|---------------------|
| O36.0910 | Maternal care for other rhesus isoimmunization, first trimester, not applicable or unspecified | ICD-10-CM Diagnosis |
| O36.0911 | Maternal care for other rhesus isoimmunization, first trimester, fetus 1 | ICD-10-CM Diagnosis |
| O36.0912 | Maternal care for other rhesus isoimmunization, first trimester, fetus 2 | ICD-10-CM Diagnosis |
| O36.0913 | Maternal care for other rhesus isoimmunization, first trimester, fetus 3 | ICD-10-CM Diagnosis |
| O36.0914 | Maternal care for other rhesus isoimmunization, first trimester, fetus 4 | ICD-10-CM Diagnosis |
| O36.0915 | Maternal care for other rhesus isoimmunization, first trimester, fetus 5 | ICD-10-CM Diagnosis |
| O36.0919 | Maternal care for other rhesus isoimmunization, first trimester, other fetus | ICD-10-CM Diagnosis |
| O36.0920 | Maternal care for other rhesus isoimmunization, second trimester, not applicable or unspecified | ICD-10-CM Diagnosis |
| O36.0921 | Maternal care for other rhesus isoimmunization, second trimester, fetus 1 | ICD-10-CM Diagnosis |
| O36.0922 | Maternal care for other rhesus isoimmunization, second trimester, fetus 2 | ICD-10-CM Diagnosis |
| O36.0923 | Maternal care for other rhesus isoimmunization, second trimester, fetus 3 | ICD-10-CM Diagnosis |
| O36.0924 | Maternal care for other rhesus isoimmunization, second trimester, fetus 4 | ICD-10-CM Diagnosis |
| O36.0925 | Maternal care for other rhesus isoimmunization, second trimester, fetus 5 | ICD-10-CM Diagnosis |
| O36.0929 | Maternal care for other rhesus isoimmunization, second trimester, other fetus | ICD-10-CM Diagnosis |
| O36.0930 | Maternal care for other rhesus isoimmunization, third trimester, not applicable or unspecified | ICD-10-CM Diagnosis |
| O36.0931 | Maternal care for other rhesus isoimmunization, third trimester, fetus 1 | ICD-10-CM Diagnosis |
| O36.0932 | Maternal care for other rhesus isoimmunization, third trimester, fetus 2 | ICD-10-CM Diagnosis |
| O36.0933 | Maternal care for other rhesus isoimmunization, third trimester, fetus 3 | ICD-10-CM Diagnosis |
| O36.0934 | Maternal care for other rhesus isoimmunization, third trimester, fetus 4 | ICD-10-CM Diagnosis |
| O36.0935 | Maternal care for other rhesus isoimmunization, third trimester, fetus 5 | ICD-10-CM Diagnosis |
| O36.0939 | Maternal care for other rhesus isoimmunization, third trimester, other fetus | ICD-10-CM Diagnosis |
| O36.1 | Maternal care for other isoimmunization | ICD-10-CM Diagnosis |
| O36.11 | Maternal care for Anti-A sensitization | ICD-10-CM Diagnosis |
| O36.1110 | Maternal care for Anti-A sensitization, first trimester, not applicable or unspecified | ICD-10-CM Diagnosis |
| O36.1111 | Maternal care for Anti-A sensitization, first trimester, fetus 1 | ICD-10-CM Diagnosis |
| O36.1112 | Maternal care for Anti-A sensitization, first trimester, fetus 2 | ICD-10-CM Diagnosis |
| O36.1113 | Maternal care for Anti-A sensitization, first trimester, fetus 3 | ICD-10-CM Diagnosis |
| O36.1114 | Maternal care for Anti-A sensitization, first trimester, fetus 4 | ICD-10-CM Diagnosis |
| O36.1115 | Maternal care for Anti-A sensitization, first trimester, fetus 5 | ICD-10-CM Diagnosis |
| O36.1119 | Maternal care for Anti-A sensitization, first trimester, other fetus | ICD-10-CM Diagnosis |
| O36.1120 | Maternal care for Anti-A sensitization, second trimester, not applicable or unspecified | ICD-10-CM Diagnosis |
| O36.1121 | Maternal care for Anti-A sensitization, second trimester, fetus 1 | ICD-10-CM Diagnosis |
| O36.1122 | Maternal care for Anti-A sensitization, second trimester, fetus 2 | ICD-10-CM Diagnosis |
| O36.1123 | Maternal care for Anti-A sensitization, second trimester, fetus 3 | ICD-10-CM Diagnosis |
| O36.1124 | Maternal care for Anti-A sensitization, second trimester, fetus 4 | ICD-10-CM Diagnosis |
| O36.1125 | Maternal care for Anti-A sensitization, second trimester, fetus 5 | ICD-10-CM Diagnosis |

List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|--|---------------------|
| O36.1129 | Maternal care for Anti-A sensitization, second trimester, other fetus | ICD-10-CM Diagnosis |
| O36.1130 | Maternal care for Anti-A sensitization, third trimester, not applicable or unspecified | ICD-10-CM Diagnosis |
| O36.1131 | Maternal care for Anti-A sensitization, third trimester, fetus 1 | ICD-10-CM Diagnosis |
| O36.1132 | Maternal care for Anti-A sensitization, third trimester, fetus 2 | ICD-10-CM Diagnosis |
| O36.1133 | Maternal care for Anti-A sensitization, third trimester, fetus 3 | ICD-10-CM Diagnosis |
| O36.1134 | Maternal care for Anti-A sensitization, third trimester, fetus 4 | ICD-10-CM Diagnosis |
| O36.1135 | Maternal care for Anti-A sensitization, third trimester, fetus 5 | ICD-10-CM Diagnosis |
| O36.1139 | Maternal care for Anti-A sensitization, third trimester, other fetus | ICD-10-CM Diagnosis |
| O36.1910 | Maternal care for other isoimmunization, first trimester, not applicable or unspecified | ICD-10-CM Diagnosis |
| O36.1911 | Maternal care for other isoimmunization, first trimester, fetus 1 | ICD-10-CM Diagnosis |
| O36.1912 | Maternal care for other isoimmunization, first trimester, fetus 2 | ICD-10-CM Diagnosis |
| O36.1913 | Maternal care for other isoimmunization, first trimester, fetus 3 | ICD-10-CM Diagnosis |
| O36.1914 | Maternal care for other isoimmunization, first trimester, fetus 4 | ICD-10-CM Diagnosis |
| O36.1915 | Maternal care for other isoimmunization, first trimester, fetus 5 | ICD-10-CM Diagnosis |
| O36.1919 | Maternal care for other isoimmunization, first trimester, other fetus | ICD-10-CM Diagnosis |
| O36.1920 | Maternal care for other isoimmunization, second trimester, not applicable or unspecified | ICD-10-CM Diagnosis |
| O36.1921 | Maternal care for other isoimmunization, second trimester, fetus 1 | ICD-10-CM Diagnosis |
| O36.1922 | Maternal care for other isoimmunization, second trimester, fetus 2 | ICD-10-CM Diagnosis |
| O36.1923 | Maternal care for other isoimmunization, second trimester, fetus 3 | ICD-10-CM Diagnosis |
| O36.1924 | Maternal care for other isoimmunization, second trimester, fetus 4 | ICD-10-CM Diagnosis |
| O36.1925 | Maternal care for other isoimmunization, second trimester, fetus 5 | ICD-10-CM Diagnosis |
| O36.1929 | Maternal care for other isoimmunization, second trimester, other fetus | ICD-10-CM Diagnosis |
| O36.1930 | Maternal care for other isoimmunization, third trimester, not applicable or unspecified | ICD-10-CM Diagnosis |
| O36.1931 | Maternal care for other isoimmunization, third trimester, fetus 1 | ICD-10-CM Diagnosis |
| O36.1932 | Maternal care for other isoimmunization, third trimester, fetus 2 | ICD-10-CM Diagnosis |
| O36.1933 | Maternal care for other isoimmunization, third trimester, fetus 3 | ICD-10-CM Diagnosis |
| O36.1934 | Maternal care for other isoimmunization, third trimester, fetus 4 | ICD-10-CM Diagnosis |
| O36.1935 | Maternal care for other isoimmunization, third trimester, fetus 5 | ICD-10-CM Diagnosis |
| O36.1939 | Maternal care for other isoimmunization, third trimester, other fetus | ICD-10-CM Diagnosis |
| O36.21 | Maternal care for hydrops fetalis, first trimester | ICD-10-CM Diagnosis |
| O36.21X0 | Maternal care for hydrops fetalis, first trimester, not applicable or unspecified | ICD-10-CM Diagnosis |
| O36.21X1 | Maternal care for hydrops fetalis, first trimester, fetus 1 | ICD-10-CM Diagnosis |
| O36.21X2 | Maternal care for hydrops fetalis, first trimester, fetus 2 | ICD-10-CM Diagnosis |
| O36.21X3 | Maternal care for hydrops fetalis, first trimester, fetus 3 | ICD-10-CM Diagnosis |
| O36.21X4 | Maternal care for hydrops fetalis, first trimester, fetus 4 | ICD-10-CM Diagnosis |
| O36.21X5 | Maternal care for hydrops fetalis, first trimester, fetus 5 | ICD-10-CM Diagnosis |
| O36.21X9 | Maternal care for hydrops fetalis, first trimester, other fetus | ICD-10-CM Diagnosis |

List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|---|---------------------|
| O36.22 | Maternal care for hydrops fetalis, second trimester | ICD-10-CM Diagnosis |
| O36.22X0 | Maternal care for hydrops fetalis, second trimester, not applicable or unspecified | ICD-10-CM Diagnosis |
| O36.22X1 | Maternal care for hydrops fetalis, second trimester, fetus 1 | ICD-10-CM Diagnosis |
| O36.22X2 | Maternal care for hydrops fetalis, second trimester, fetus 2 | ICD-10-CM Diagnosis |
| O36.22X3 | Maternal care for hydrops fetalis, second trimester, fetus 3 | ICD-10-CM Diagnosis |
| O36.22X4 | Maternal care for hydrops fetalis, second trimester, fetus 4 | ICD-10-CM Diagnosis |
| O36.22X5 | Maternal care for hydrops fetalis, second trimester, fetus 5 | ICD-10-CM Diagnosis |
| O36.22X9 | Maternal care for hydrops fetalis, second trimester, other fetus | ICD-10-CM Diagnosis |
| O36.23 | Maternal care for hydrops fetalis, third trimester | ICD-10-CM Diagnosis |
| O36.23X0 | Maternal care for hydrops fetalis, third trimester, not applicable or unspecified | ICD-10-CM Diagnosis |
| O36.23X1 | Maternal care for hydrops fetalis, third trimester, fetus 1 | ICD-10-CM Diagnosis |
| O36.23X2 | Maternal care for hydrops fetalis, third trimester, fetus 2 | ICD-10-CM Diagnosis |
| O36.23X3 | Maternal care for hydrops fetalis, third trimester, fetus 3 | ICD-10-CM Diagnosis |
| O36.23X4 | Maternal care for hydrops fetalis, third trimester, fetus 4 | ICD-10-CM Diagnosis |
| O36.23X5 | Maternal care for hydrops fetalis, third trimester, fetus 5 | ICD-10-CM Diagnosis |
| O36.23X9 | Maternal care for hydrops fetalis, third trimester, other fetus | ICD-10-CM Diagnosis |
| O36.4XX0 | Maternal care for intrauterine death, not applicable or unspecified | ICD-10-CM Diagnosis |
| O36.4XX1 | Maternal care for intrauterine death, fetus 1 | ICD-10-CM Diagnosis |
| O36.4XX2 | Maternal care for intrauterine death, fetus 2 | ICD-10-CM Diagnosis |
| O36.4XX3 | Maternal care for intrauterine death, fetus 3 | ICD-10-CM Diagnosis |
| O36.4XX4 | Maternal care for intrauterine death, fetus 4 | ICD-10-CM Diagnosis |
| O36.4XX5 | Maternal care for intrauterine death, fetus 5 | ICD-10-CM Diagnosis |
| O36.4XX9 | Maternal care for intrauterine death, other fetus | ICD-10-CM Diagnosis |
| O36.51 | Maternal care for known or suspected placental insufficiency | ICD-10-CM Diagnosis |
| O36.5110 | Maternal care for known or suspected placental insufficiency, first trimester, not applicable or unspecified | ICD-10-CM Diagnosis |
| O36.5111 | Maternal care for known or suspected placental insufficiency, first trimester, fetus 1 | ICD-10-CM Diagnosis |
| O36.5112 | Maternal care for known or suspected placental insufficiency, first trimester, fetus 2 | ICD-10-CM Diagnosis |
| O36.5113 | Maternal care for known or suspected placental insufficiency, first trimester, fetus 3 | ICD-10-CM Diagnosis |
| O36.5114 | Maternal care for known or suspected placental insufficiency, first trimester, fetus 4 | ICD-10-CM Diagnosis |
| O36.5115 | Maternal care for known or suspected placental insufficiency, first trimester, fetus 5 | ICD-10-CM Diagnosis |
| O36.5119 | Maternal care for known or suspected placental insufficiency, first trimester, other fetus | ICD-10-CM Diagnosis |
| O36.5120 | Maternal care for known or suspected placental insufficiency, second trimester, not applicable or unspecified | ICD-10-CM Diagnosis |

List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|--|---------------------|
| O36.5121 | Maternal care for known or suspected placental insufficiency, second trimester, fetus 1 | ICD-10-CM Diagnosis |
| O36.5122 | Maternal care for known or suspected placental insufficiency, second trimester, fetus 2 | ICD-10-CM Diagnosis |
| O36.5123 | Maternal care for known or suspected placental insufficiency, second trimester, fetus 3 | ICD-10-CM Diagnosis |
| O36.5124 | Maternal care for known or suspected placental insufficiency, second trimester, fetus 4 | ICD-10-CM Diagnosis |
| O36.5125 | Maternal care for known or suspected placental insufficiency, second trimester, fetus 5 | ICD-10-CM Diagnosis |
| O36.5129 | Maternal care for known or suspected placental insufficiency, second trimester, other fetus | ICD-10-CM Diagnosis |
| O36.5130 | Maternal care for known or suspected placental insufficiency, third trimester, not applicable or unspecified | ICD-10-CM Diagnosis |
| O36.5131 | Maternal care for known or suspected placental insufficiency, third trimester, fetus 1 | ICD-10-CM Diagnosis |
| O36.5132 | Maternal care for known or suspected placental insufficiency, third trimester, fetus 2 | ICD-10-CM Diagnosis |
| O36.5133 | Maternal care for known or suspected placental insufficiency, third trimester, fetus 3 | ICD-10-CM Diagnosis |
| O36.5134 | Maternal care for known or suspected placental insufficiency, third trimester, fetus 4 | ICD-10-CM Diagnosis |
| O36.5135 | Maternal care for known or suspected placental insufficiency, third trimester, fetus 5 | ICD-10-CM Diagnosis |
| O36.5139 | Maternal care for known or suspected placental insufficiency, third trimester, other fetus | ICD-10-CM Diagnosis |
| O36.59 | Maternal care for other known or suspected poor fetal growth | ICD-10-CM Diagnosis |
| O36.5910 | Maternal care for other known or suspected poor fetal growth, first trimester, not applicable or unspecified | ICD-10-CM Diagnosis |
| O36.5911 | Maternal care for other known or suspected poor fetal growth, first trimester, fetus 1 | ICD-10-CM Diagnosis |
| O36.5912 | Maternal care for other known or suspected poor fetal growth, first trimester, fetus 2 | ICD-10-CM Diagnosis |
| O36.5913 | Maternal care for other known or suspected poor fetal growth, first trimester, fetus 3 | ICD-10-CM Diagnosis |
| O36.5914 | Maternal care for other known or suspected poor fetal growth, first trimester, fetus 4 | ICD-10-CM Diagnosis |
| O36.5915 | Maternal care for other known or suspected poor fetal growth, first trimester, fetus 5 | ICD-10-CM Diagnosis |
| O36.5919 | Maternal care for other known or suspected poor fetal growth, first trimester, other fetus | ICD-10-CM Diagnosis |

List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|---|---------------------|
| O36.5920 | Maternal care for other known or suspected poor fetal growth, second trimester, not applicable or unspecified | ICD-10-CM Diagnosis |
| O36.5921 | Maternal care for other known or suspected poor fetal growth, second trimester, fetus 1 | ICD-10-CM Diagnosis |
| O36.5922 | Maternal care for other known or suspected poor fetal growth, second trimester, fetus 2 | ICD-10-CM Diagnosis |
| O36.5923 | Maternal care for other known or suspected poor fetal growth, second trimester, fetus 3 | ICD-10-CM Diagnosis |
| O36.5924 | Maternal care for other known or suspected poor fetal growth, second trimester, fetus 4 | ICD-10-CM Diagnosis |
| O36.5925 | Maternal care for other known or suspected poor fetal growth, second trimester, fetus 5 | ICD-10-CM Diagnosis |
| O36.5929 | Maternal care for other known or suspected poor fetal growth, second trimester, other fetus | ICD-10-CM Diagnosis |
| O36.5930 | Maternal care for other known or suspected poor fetal growth, third trimester, not applicable or unspecified | ICD-10-CM Diagnosis |
| O36.5931 | Maternal care for other known or suspected poor fetal growth, third trimester, fetus 1 | ICD-10-CM Diagnosis |
| O36.5932 | Maternal care for other known or suspected poor fetal growth, third trimester, fetus 2 | ICD-10-CM Diagnosis |
| O36.5933 | Maternal care for other known or suspected poor fetal growth, third trimester, fetus 3 | ICD-10-CM Diagnosis |
| O36.5934 | Maternal care for other known or suspected poor fetal growth, third trimester, fetus 4 | ICD-10-CM Diagnosis |
| O36.5935 | Maternal care for other known or suspected poor fetal growth, third trimester, fetus 5 | ICD-10-CM Diagnosis |
| O36.5939 | Maternal care for other known or suspected poor fetal growth, third trimester, other fetus | ICD-10-CM Diagnosis |
| O36.61 | Maternal care for excessive fetal growth, first trimester | ICD-10-CM Diagnosis |
| O36.61X0 | Maternal care for excessive fetal growth, first trimester, not applicable or unspecified | ICD-10-CM Diagnosis |
| O36.61X1 | Maternal care for excessive fetal growth, first trimester, fetus 1 | ICD-10-CM Diagnosis |
| O36.61X2 | Maternal care for excessive fetal growth, first trimester, fetus 2 | ICD-10-CM Diagnosis |
| O36.61X3 | Maternal care for excessive fetal growth, first trimester, fetus 3 | ICD-10-CM Diagnosis |
| O36.61X4 | Maternal care for excessive fetal growth, first trimester, fetus 4 | ICD-10-CM Diagnosis |
| O36.61X5 | Maternal care for excessive fetal growth, first trimester, fetus 5 | ICD-10-CM Diagnosis |
| O36.61X9 | Maternal care for excessive fetal growth, first trimester, other fetus | ICD-10-CM Diagnosis |
| O36.62 | Maternal care for excessive fetal growth, second trimester | ICD-10-CM Diagnosis |
| O36.62X0 | Maternal care for excessive fetal growth, second trimester, not applicable or unspecified | ICD-10-CM Diagnosis |
| O36.62X1 | Maternal care for excessive fetal growth, second trimester, fetus 1 | ICD-10-CM Diagnosis |
| O36.62X2 | Maternal care for excessive fetal growth, second trimester, fetus 2 | ICD-10-CM Diagnosis |

List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|--|---------------------|
| O36.62X3 | Maternal care for excessive fetal growth, second trimester, fetus 3 | ICD-10-CM Diagnosis |
| O36.62X4 | Maternal care for excessive fetal growth, second trimester, fetus 4 | ICD-10-CM Diagnosis |
| O36.62X5 | Maternal care for excessive fetal growth, second trimester, fetus 5 | ICD-10-CM Diagnosis |
| O36.62X9 | Maternal care for excessive fetal growth, second trimester, other fetus | ICD-10-CM Diagnosis |
| O36.63 | Maternal care for excessive fetal growth, third trimester | ICD-10-CM Diagnosis |
| O36.63X0 | Maternal care for excessive fetal growth, third trimester, not applicable or unspecified | ICD-10-CM Diagnosis |
| O36.63X1 | Maternal care for excessive fetal growth, third trimester, fetus 1 | ICD-10-CM Diagnosis |
| O36.63X2 | Maternal care for excessive fetal growth, third trimester, fetus 2 | ICD-10-CM Diagnosis |
| O36.63X3 | Maternal care for excessive fetal growth, third trimester, fetus 3 | ICD-10-CM Diagnosis |
| O36.63X4 | Maternal care for excessive fetal growth, third trimester, fetus 4 | ICD-10-CM Diagnosis |
| O36.63X5 | Maternal care for excessive fetal growth, third trimester, fetus 5 | ICD-10-CM Diagnosis |
| O36.63X9 | Maternal care for excessive fetal growth, third trimester, other fetus | ICD-10-CM Diagnosis |
| O36.71 | Maternal care for viable fetus in abdominal pregnancy, first trimester | ICD-10-CM Diagnosis |
| O36.71X0 | Maternal care for viable fetus in abdominal pregnancy, first trimester, not applicable or unspecified | ICD-10-CM Diagnosis |
| O36.71X1 | Maternal care for viable fetus in abdominal pregnancy, first trimester, fetus 1 | ICD-10-CM Diagnosis |
| O36.71X2 | Maternal care for viable fetus in abdominal pregnancy, first trimester, fetus 2 | ICD-10-CM Diagnosis |
| O36.71X3 | Maternal care for viable fetus in abdominal pregnancy, first trimester, fetus 3 | ICD-10-CM Diagnosis |
| O36.71X4 | Maternal care for viable fetus in abdominal pregnancy, first trimester, fetus 4 | ICD-10-CM Diagnosis |
| O36.71X5 | Maternal care for viable fetus in abdominal pregnancy, first trimester, fetus 5 | ICD-10-CM Diagnosis |
| O36.71X9 | Maternal care for viable fetus in abdominal pregnancy, first trimester, other fetus | ICD-10-CM Diagnosis |
| O36.72 | Maternal care for viable fetus in abdominal pregnancy, second trimester | ICD-10-CM Diagnosis |
| O36.72X0 | Maternal care for viable fetus in abdominal pregnancy, second trimester, not applicable or unspecified | ICD-10-CM Diagnosis |
| O36.72X1 | Maternal care for viable fetus in abdominal pregnancy, second trimester, fetus 1 | ICD-10-CM Diagnosis |
| O36.72X2 | Maternal care for viable fetus in abdominal pregnancy, second trimester, fetus 2 | ICD-10-CM Diagnosis |
| O36.72X3 | Maternal care for viable fetus in abdominal pregnancy, second trimester, fetus 3 | ICD-10-CM Diagnosis |
| O36.72X4 | Maternal care for viable fetus in abdominal pregnancy, second trimester, fetus 4 | ICD-10-CM Diagnosis |
| O36.72X5 | Maternal care for viable fetus in abdominal pregnancy, second trimester, fetus 5 | ICD-10-CM Diagnosis |
| O36.72X9 | Maternal care for viable fetus in abdominal pregnancy, second trimester, other fetus | ICD-10-CM Diagnosis |
| O36.73 | Maternal care for viable fetus in abdominal pregnancy, third trimester | ICD-10-CM Diagnosis |
| O36.73X0 | Maternal care for viable fetus in abdominal pregnancy, third trimester, not applicable or unspecified | ICD-10-CM Diagnosis |
| O36.73X1 | Maternal care for viable fetus in abdominal pregnancy, third trimester, fetus 1 | ICD-10-CM Diagnosis |
| O36.73X2 | Maternal care for viable fetus in abdominal pregnancy, third trimester, fetus 2 | ICD-10-CM Diagnosis |
| O36.73X3 | Maternal care for viable fetus in abdominal pregnancy, third trimester, fetus 3 | ICD-10-CM Diagnosis |



List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|---|---------------------|
| O36.73X4 | Maternal care for viable fetus in abdominal pregnancy, third trimester, fetus 4 | ICD-10-CM Diagnosis |
| O36.73X5 | Maternal care for viable fetus in abdominal pregnancy, third trimester, fetus 5 | ICD-10-CM Diagnosis |
| O36.73X9 | Maternal care for viable fetus in abdominal pregnancy, third trimester, other fetus | ICD-10-CM Diagnosis |
| O36.8 | Maternal care for other specified fetal problems | ICD-10-CM Diagnosis |
| O36.80 | Pregnancy with inconclusive fetal viability | ICD-10-CM Diagnosis |
| O36.80X0 | Pregnancy with inconclusive fetal viability, not applicable or unspecified | ICD-10-CM Diagnosis |
| O36.80X1 | Pregnancy with inconclusive fetal viability, fetus 1 | ICD-10-CM Diagnosis |
| O36.80X2 | Pregnancy with inconclusive fetal viability, fetus 2 | ICD-10-CM Diagnosis |
| O36.80X3 | Pregnancy with inconclusive fetal viability, fetus 3 | ICD-10-CM Diagnosis |
| O36.80X4 | Pregnancy with inconclusive fetal viability, fetus 4 | ICD-10-CM Diagnosis |
| O36.80X5 | Pregnancy with inconclusive fetal viability, fetus 5 | ICD-10-CM Diagnosis |
| O36.80X9 | Pregnancy with inconclusive fetal viability, other fetus | ICD-10-CM Diagnosis |
| O36.81 | Decreased fetal movements | ICD-10-CM Diagnosis |
| O36.8120 | Decreased fetal movements, second trimester, not applicable or unspecified | ICD-10-CM Diagnosis |
| O36.8121 | Decreased fetal movements, second trimester, fetus 1 | ICD-10-CM Diagnosis |
| O36.8122 | Decreased fetal movements, second trimester, fetus 2 | ICD-10-CM Diagnosis |
| O36.8123 | Decreased fetal movements, second trimester, fetus 3 | ICD-10-CM Diagnosis |
| O36.8124 | Decreased fetal movements, second trimester, fetus 4 | ICD-10-CM Diagnosis |
| O36.8125 | Decreased fetal movements, second trimester, fetus 5 | ICD-10-CM Diagnosis |
| O36.8129 | Decreased fetal movements, second trimester, other fetus | ICD-10-CM Diagnosis |
| O36.8130 | Decreased fetal movements, third trimester, not applicable or unspecified | ICD-10-CM Diagnosis |
| O36.8131 | Decreased fetal movements, third trimester, fetus 1 | ICD-10-CM Diagnosis |
| O36.8132 | Decreased fetal movements, third trimester, fetus 2 | ICD-10-CM Diagnosis |
| O36.8133 | Decreased fetal movements, third trimester, fetus 3 | ICD-10-CM Diagnosis |
| O36.8134 | Decreased fetal movements, third trimester, fetus 4 | ICD-10-CM Diagnosis |
| O36.8135 | Decreased fetal movements, third trimester, fetus 5 | ICD-10-CM Diagnosis |
| O36.8139 | Decreased fetal movements, third trimester, other fetus | ICD-10-CM Diagnosis |
| O36.8190 | Decreased fetal movements, unspecified trimester, not applicable or unspecified | ICD-10-CM Diagnosis |
| O36.8191 | Decreased fetal movements, unspecified trimester, fetus 1 | ICD-10-CM Diagnosis |
| O36.8192 | Decreased fetal movements, unspecified trimester, fetus 2 | ICD-10-CM Diagnosis |
| O36.8193 | Decreased fetal movements, unspecified trimester, fetus 3 | ICD-10-CM Diagnosis |
| O36.8194 | Decreased fetal movements, unspecified trimester, fetus 4 | ICD-10-CM Diagnosis |
| O36.8195 | Decreased fetal movements, unspecified trimester, fetus 5 | ICD-10-CM Diagnosis |
| O36.8199 | Decreased fetal movements, unspecified trimester, other fetus | ICD-10-CM Diagnosis |
| O36.82 | Fetal anemia and thrombocytopenia | ICD-10-CM Diagnosis |
| O36.8210 | Fetal anemia and thrombocytopenia, first trimester, not applicable or unspecified | ICD-10-CM Diagnosis |
| O36.8211 | Fetal anemia and thrombocytopenia, first trimester, fetus 1 | ICD-10-CM Diagnosis |

List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|---|---------------------|
| O36.8212 | Fetal anemia and thrombocytopenia, first trimester, fetus 2 | ICD-10-CM Diagnosis |
| O36.8213 | Fetal anemia and thrombocytopenia, first trimester, fetus 3 | ICD-10-CM Diagnosis |
| O36.8214 | Fetal anemia and thrombocytopenia, first trimester, fetus 4 | ICD-10-CM Diagnosis |
| O36.8215 | Fetal anemia and thrombocytopenia, first trimester, fetus 5 | ICD-10-CM Diagnosis |
| O36.8219 | Fetal anemia and thrombocytopenia, first trimester, other fetus | ICD-10-CM Diagnosis |
| O36.8220 | Fetal anemia and thrombocytopenia, second trimester, not applicable or unspecified | ICD-10-CM Diagnosis |
| O36.8221 | Fetal anemia and thrombocytopenia, second trimester, fetus 1 | ICD-10-CM Diagnosis |
| O36.8222 | Fetal anemia and thrombocytopenia, second trimester, fetus 2 | ICD-10-CM Diagnosis |
| O36.8223 | Fetal anemia and thrombocytopenia, second trimester, fetus 3 | ICD-10-CM Diagnosis |
| O36.8224 | Fetal anemia and thrombocytopenia, second trimester, fetus 4 | ICD-10-CM Diagnosis |
| O36.8225 | Fetal anemia and thrombocytopenia, second trimester, fetus 5 | ICD-10-CM Diagnosis |
| O36.8229 | Fetal anemia and thrombocytopenia, second trimester, other fetus | ICD-10-CM Diagnosis |
| O36.8230 | Fetal anemia and thrombocytopenia, third trimester, not applicable or unspecified | ICD-10-CM Diagnosis |
| O36.8231 | Fetal anemia and thrombocytopenia, third trimester, fetus 1 | ICD-10-CM Diagnosis |
| O36.8232 | Fetal anemia and thrombocytopenia, third trimester, fetus 2 | ICD-10-CM Diagnosis |
| O36.8233 | Fetal anemia and thrombocytopenia, third trimester, fetus 3 | ICD-10-CM Diagnosis |
| O36.8234 | Fetal anemia and thrombocytopenia, third trimester, fetus 4 | ICD-10-CM Diagnosis |
| O36.8235 | Fetal anemia and thrombocytopenia, third trimester, fetus 5 | ICD-10-CM Diagnosis |
| O36.8239 | Fetal anemia and thrombocytopenia, third trimester, other fetus | ICD-10-CM Diagnosis |
| O36.8910 | Maternal care for other specified fetal problems, first trimester, not applicable or unspecified | ICD-10-CM Diagnosis |
| O36.8911 | Maternal care for other specified fetal problems, first trimester, fetus 1 | ICD-10-CM Diagnosis |
| O36.8912 | Maternal care for other specified fetal problems, first trimester, fetus 2 | ICD-10-CM Diagnosis |
| O36.8913 | Maternal care for other specified fetal problems, first trimester, fetus 3 | ICD-10-CM Diagnosis |
| O36.8914 | Maternal care for other specified fetal problems, first trimester, fetus 4 | ICD-10-CM Diagnosis |
| O36.8915 | Maternal care for other specified fetal problems, first trimester, fetus 5 | ICD-10-CM Diagnosis |
| O36.8919 | Maternal care for other specified fetal problems, first trimester, other fetus | ICD-10-CM Diagnosis |
| O36.8920 | Maternal care for other specified fetal problems, second trimester, not applicable or unspecified | ICD-10-CM Diagnosis |
| O36.8921 | Maternal care for other specified fetal problems, second trimester, fetus 1 | ICD-10-CM Diagnosis |
| O36.8922 | Maternal care for other specified fetal problems, second trimester, fetus 2 | ICD-10-CM Diagnosis |
| O36.8923 | Maternal care for other specified fetal problems, second trimester, fetus 3 | ICD-10-CM Diagnosis |
| O36.8924 | Maternal care for other specified fetal problems, second trimester, fetus 4 | ICD-10-CM Diagnosis |
| O36.8925 | Maternal care for other specified fetal problems, second trimester, fetus 5 | ICD-10-CM Diagnosis |
| O36.8929 | Maternal care for other specified fetal problems, second trimester, other fetus | ICD-10-CM Diagnosis |
| O36.8930 | Maternal care for other specified fetal problems, third trimester, not applicable or unspecified | ICD-10-CM Diagnosis |
| O36.8931 | Maternal care for other specified fetal problems, third trimester, fetus 1 | ICD-10-CM Diagnosis |
| O36.8932 | Maternal care for other specified fetal problems, third trimester, fetus 2 | ICD-10-CM Diagnosis |

List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|---|---------------------|
| O36.8933 | Maternal care for other specified fetal problems, third trimester, fetus 3 | ICD-10-CM Diagnosis |
| O36.8934 | Maternal care for other specified fetal problems, third trimester, fetus 4 | ICD-10-CM Diagnosis |
| O36.8935 | Maternal care for other specified fetal problems, third trimester, fetus 5 | ICD-10-CM Diagnosis |
| O36.8939 | Maternal care for other specified fetal problems, third trimester, other fetus | ICD-10-CM Diagnosis |
| O36.91 | Maternal care for fetal problem, unspecified, first trimester | ICD-10-CM Diagnosis |
| O36.91X0 | Maternal care for fetal problem, unspecified, first trimester, not applicable or unspecified | ICD-10-CM Diagnosis |
| O36.91X1 | Maternal care for fetal problem, unspecified, first trimester, fetus 1 | ICD-10-CM Diagnosis |
| O36.91X2 | Maternal care for fetal problem, unspecified, first trimester, fetus 2 | ICD-10-CM Diagnosis |
| O36.91X3 | Maternal care for fetal problem, unspecified, first trimester, fetus 3 | ICD-10-CM Diagnosis |
| O36.91X4 | Maternal care for fetal problem, unspecified, first trimester, fetus 4 | ICD-10-CM Diagnosis |
| O36.91X5 | Maternal care for fetal problem, unspecified, first trimester, fetus 5 | ICD-10-CM Diagnosis |
| O36.91X9 | Maternal care for fetal problem, unspecified, first trimester, other fetus | ICD-10-CM Diagnosis |
| O36.92 | Maternal care for fetal problem, unspecified, second trimester | ICD-10-CM Diagnosis |
| O36.92X0 | Maternal care for fetal problem, unspecified, second trimester, not applicable or unspecified | ICD-10-CM Diagnosis |
| O36.92X1 | Maternal care for fetal problem, unspecified, second trimester, fetus 1 | ICD-10-CM Diagnosis |
| O36.92X2 | Maternal care for fetal problem, unspecified, second trimester, fetus 2 | ICD-10-CM Diagnosis |
| O36.92X3 | Maternal care for fetal problem, unspecified, second trimester, fetus 3 | ICD-10-CM Diagnosis |
| O36.92X4 | Maternal care for fetal problem, unspecified, second trimester, fetus 4 | ICD-10-CM Diagnosis |
| O36.92X5 | Maternal care for fetal problem, unspecified, second trimester, fetus 5 | ICD-10-CM Diagnosis |
| O36.92X9 | Maternal care for fetal problem, unspecified, second trimester, other fetus | ICD-10-CM Diagnosis |
| O36.93 | Maternal care for fetal problem, unspecified, third trimester | ICD-10-CM Diagnosis |
| O36.93X0 | Maternal care for fetal problem, unspecified, third trimester, not applicable or unspecified | ICD-10-CM Diagnosis |
| O36.93X1 | Maternal care for fetal problem, unspecified, third trimester, fetus 1 | ICD-10-CM Diagnosis |
| O36.93X2 | Maternal care for fetal problem, unspecified, third trimester, fetus 2 | ICD-10-CM Diagnosis |
| O36.93X3 | Maternal care for fetal problem, unspecified, third trimester, fetus 3 | ICD-10-CM Diagnosis |
| O36.93X4 | Maternal care for fetal problem, unspecified, third trimester, fetus 4 | ICD-10-CM Diagnosis |
| O36.93X5 | Maternal care for fetal problem, unspecified, third trimester, fetus 5 | ICD-10-CM Diagnosis |
| O36.93X9 | Maternal care for fetal problem, unspecified, third trimester, other fetus | ICD-10-CM Diagnosis |
| O40.1XX0 | Polyhydramnios, first trimester, not applicable or unspecified | ICD-10-CM Diagnosis |
| O40.1XX1 | Polyhydramnios, first trimester, fetus 1 | ICD-10-CM Diagnosis |
| O40.1XX2 | Polyhydramnios, first trimester, fetus 2 | ICD-10-CM Diagnosis |
| O40.1XX3 | Polyhydramnios, first trimester, fetus 3 | ICD-10-CM Diagnosis |
| O40.1XX4 | Polyhydramnios, first trimester, fetus 4 | ICD-10-CM Diagnosis |
| O40.1XX5 | Polyhydramnios, first trimester, fetus 5 | ICD-10-CM Diagnosis |
| O40.1XX9 | Polyhydramnios, first trimester, other fetus | ICD-10-CM Diagnosis |
| O40.2XX0 | Polyhydramnios, second trimester, not applicable or unspecified | ICD-10-CM Diagnosis |
| O40.2XX1 | Polyhydramnios, second trimester, fetus 1 | ICD-10-CM Diagnosis |
| O40.2XX2 | Polyhydramnios, second trimester, fetus 2 | ICD-10-CM Diagnosis |



List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|--|---------------------|
| O40.2XX3 | Polyhydramnios, second trimester, fetus 3 | ICD-10-CM Diagnosis |
| O40.2XX4 | Polyhydramnios, second trimester, fetus 4 | ICD-10-CM Diagnosis |
| O40.2XX5 | Polyhydramnios, second trimester, fetus 5 | ICD-10-CM Diagnosis |
| O40.2XX9 | Polyhydramnios, second trimester, other fetus | ICD-10-CM Diagnosis |
| O40.3XX0 | Polyhydramnios, third trimester, not applicable or unspecified | ICD-10-CM Diagnosis |
| O40.3XX1 | Polyhydramnios, third trimester, fetus 1 | ICD-10-CM Diagnosis |
| O40.3XX2 | Polyhydramnios, third trimester, fetus 2 | ICD-10-CM Diagnosis |
| O40.3XX3 | Polyhydramnios, third trimester, fetus 3 | ICD-10-CM Diagnosis |
| O40.3XX4 | Polyhydramnios, third trimester, fetus 4 | ICD-10-CM Diagnosis |
| O40.3XX5 | Polyhydramnios, third trimester, fetus 5 | ICD-10-CM Diagnosis |
| O40.3XX9 | Polyhydramnios, third trimester, other fetus | ICD-10-CM Diagnosis |
| O41.01 | Oligohydramnios, first trimester | ICD-10-CM Diagnosis |
| O41.01X0 | Oligohydramnios, first trimester, not applicable or unspecified | ICD-10-CM Diagnosis |
| O41.01X1 | Oligohydramnios, first trimester, fetus 1 | ICD-10-CM Diagnosis |
| O41.01X2 | Oligohydramnios, first trimester, fetus 2 | ICD-10-CM Diagnosis |
| O41.01X3 | Oligohydramnios, first trimester, fetus 3 | ICD-10-CM Diagnosis |
| O41.01X4 | Oligohydramnios, first trimester, fetus 4 | ICD-10-CM Diagnosis |
| O41.01X5 | Oligohydramnios, first trimester, fetus 5 | ICD-10-CM Diagnosis |
| O41.01X9 | Oligohydramnios, first trimester, other fetus | ICD-10-CM Diagnosis |
| O41.02 | Oligohydramnios, second trimester | ICD-10-CM Diagnosis |
| O41.02X0 | Oligohydramnios, second trimester, not applicable or unspecified | ICD-10-CM Diagnosis |
| O41.02X1 | Oligohydramnios, second trimester, fetus 1 | ICD-10-CM Diagnosis |
| O41.02X2 | Oligohydramnios, second trimester, fetus 2 | ICD-10-CM Diagnosis |
| O41.02X3 | Oligohydramnios, second trimester, fetus 3 | ICD-10-CM Diagnosis |
| O41.02X4 | Oligohydramnios, second trimester, fetus 4 | ICD-10-CM Diagnosis |
| O41.02X5 | Oligohydramnios, second trimester, fetus 5 | ICD-10-CM Diagnosis |
| O41.02X9 | Oligohydramnios, second trimester, other fetus | ICD-10-CM Diagnosis |
| O41.03 | Oligohydramnios, third trimester | ICD-10-CM Diagnosis |
| O41.03X0 | Oligohydramnios, third trimester, not applicable or unspecified | ICD-10-CM Diagnosis |
| O41.03X1 | Oligohydramnios, third trimester, fetus 1 | ICD-10-CM Diagnosis |
| O41.03X2 | Oligohydramnios, third trimester, fetus 2 | ICD-10-CM Diagnosis |
| O41.03X3 | Oligohydramnios, third trimester, fetus 3 | ICD-10-CM Diagnosis |
| O41.03X4 | Oligohydramnios, third trimester, fetus 4 | ICD-10-CM Diagnosis |
| O41.03X5 | Oligohydramnios, third trimester, fetus 5 | ICD-10-CM Diagnosis |
| O41.03X9 | Oligohydramnios, third trimester, other fetus | ICD-10-CM Diagnosis |
| O41.10 | Infection of amniotic sac and membranes, unspecified | ICD-10-CM Diagnosis |
| O41.1010 | Infection of amniotic sac and membranes, unspecified, first trimester, not applicable or unspecified | ICD-10-CM Diagnosis |
| O41.1011 | Infection of amniotic sac and membranes, unspecified, first trimester, fetus 1 | ICD-10-CM Diagnosis |
| O41.1012 | Infection of amniotic sac and membranes, unspecified, first trimester, fetus 2 | ICD-10-CM Diagnosis |

List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|---|---------------------|
| O41.1013 | Infection of amniotic sac and membranes, unspecified, first trimester, fetus 3 | ICD-10-CM Diagnosis |
| O41.1014 | Infection of amniotic sac and membranes, unspecified, first trimester, fetus 4 | ICD-10-CM Diagnosis |
| O41.1015 | Infection of amniotic sac and membranes, unspecified, first trimester, fetus 5 | ICD-10-CM Diagnosis |
| O41.1019 | Infection of amniotic sac and membranes, unspecified, first trimester, other fetus | ICD-10-CM Diagnosis |
| O41.1020 | Infection of amniotic sac and membranes, unspecified, second trimester, not applicable or unspecified | ICD-10-CM Diagnosis |
| O41.1021 | Infection of amniotic sac and membranes, unspecified, second trimester, fetus 1 | ICD-10-CM Diagnosis |
| O41.1022 | Infection of amniotic sac and membranes, unspecified, second trimester, fetus 2 | ICD-10-CM Diagnosis |
| O41.1023 | Infection of amniotic sac and membranes, unspecified, second trimester, fetus 3 | ICD-10-CM Diagnosis |
| O41.1024 | Infection of amniotic sac and membranes, unspecified, second trimester, fetus 4 | ICD-10-CM Diagnosis |
| O41.1025 | Infection of amniotic sac and membranes, unspecified, second trimester, fetus 5 | ICD-10-CM Diagnosis |
| O41.1029 | Infection of amniotic sac and membranes, unspecified, second trimester, other fetus | ICD-10-CM Diagnosis |
| O41.1030 | Infection of amniotic sac and membranes, unspecified, third trimester, not applicable or unspecified | ICD-10-CM Diagnosis |
| O41.1031 | Infection of amniotic sac and membranes, unspecified, third trimester, fetus 1 | ICD-10-CM Diagnosis |
| O41.1032 | Infection of amniotic sac and membranes, unspecified, third trimester, fetus 2 | ICD-10-CM Diagnosis |
| O41.1033 | Infection of amniotic sac and membranes, unspecified, third trimester, fetus 3 | ICD-10-CM Diagnosis |
| O41.1034 | Infection of amniotic sac and membranes, unspecified, third trimester, fetus 4 | ICD-10-CM Diagnosis |
| O41.1035 | Infection of amniotic sac and membranes, unspecified, third trimester, fetus 5 | ICD-10-CM Diagnosis |
| O41.1039 | Infection of amniotic sac and membranes, unspecified, third trimester, other fetus | ICD-10-CM Diagnosis |
| O41.12 | Chorioamnionitis | ICD-10-CM Diagnosis |
| O41.1210 | Chorioamnionitis, first trimester, not applicable or unspecified | ICD-10-CM Diagnosis |
| O41.1211 | Chorioamnionitis, first trimester, fetus 1 | ICD-10-CM Diagnosis |
| O41.1212 | Chorioamnionitis, first trimester, fetus 2 | ICD-10-CM Diagnosis |
| O41.1213 | Chorioamnionitis, first trimester, fetus 3 | ICD-10-CM Diagnosis |
| O41.1214 | Chorioamnionitis, first trimester, fetus 4 | ICD-10-CM Diagnosis |
| O41.1215 | Chorioamnionitis, first trimester, fetus 5 | ICD-10-CM Diagnosis |
| O41.1219 | Chorioamnionitis, first trimester, other fetus | ICD-10-CM Diagnosis |
| O41.1220 | Chorioamnionitis, second trimester, not applicable or unspecified | ICD-10-CM Diagnosis |
| O41.1221 | Chorioamnionitis, second trimester, fetus 1 | ICD-10-CM Diagnosis |
| O41.1222 | Chorioamnionitis, second trimester, fetus 2 | ICD-10-CM Diagnosis |
| O41.1223 | Chorioamnionitis, second trimester, fetus 3 | ICD-10-CM Diagnosis |
| O41.1224 | Chorioamnionitis, second trimester, fetus 4 | ICD-10-CM Diagnosis |
| O41.1225 | Chorioamnionitis, second trimester, fetus 5 | ICD-10-CM Diagnosis |
| O41.1229 | Chorioamnionitis, second trimester, other fetus | ICD-10-CM Diagnosis |
| O41.1230 | Chorioamnionitis, third trimester, not applicable or unspecified | ICD-10-CM Diagnosis |
| O41.1231 | Chorioamnionitis, third trimester, fetus 1 | ICD-10-CM Diagnosis |
| O41.1232 | Chorioamnionitis, third trimester, fetus 2 | ICD-10-CM Diagnosis |

List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|---|---------------------|
| O41.1233 | Chorioamnionitis, third trimester, fetus 3 | ICD-10-CM Diagnosis |
| O41.1234 | Chorioamnionitis, third trimester, fetus 4 | ICD-10-CM Diagnosis |
| O41.1235 | Chorioamnionitis, third trimester, fetus 5 | ICD-10-CM Diagnosis |
| O41.1239 | Chorioamnionitis, third trimester, other fetus | ICD-10-CM Diagnosis |
| O41.14 | Placentitis | ICD-10-CM Diagnosis |
| O41.1410 | Placentitis, first trimester, not applicable or unspecified | ICD-10-CM Diagnosis |
| O41.1411 | Placentitis, first trimester, fetus 1 | ICD-10-CM Diagnosis |
| O41.1412 | Placentitis, first trimester, fetus 2 | ICD-10-CM Diagnosis |
| O41.1413 | Placentitis, first trimester, fetus 3 | ICD-10-CM Diagnosis |
| O41.1414 | Placentitis, first trimester, fetus 4 | ICD-10-CM Diagnosis |
| O41.1415 | Placentitis, first trimester, fetus 5 | ICD-10-CM Diagnosis |
| O41.1419 | Placentitis, first trimester, other fetus | ICD-10-CM Diagnosis |
| O41.1420 | Placentitis, second trimester, not applicable or unspecified | ICD-10-CM Diagnosis |
| O41.1421 | Placentitis, second trimester, fetus 1 | ICD-10-CM Diagnosis |
| O41.1422 | Placentitis, second trimester, fetus 2 | ICD-10-CM Diagnosis |
| O41.1423 | Placentitis, second trimester, fetus 3 | ICD-10-CM Diagnosis |
| O41.1424 | Placentitis, second trimester, fetus 4 | ICD-10-CM Diagnosis |
| O41.1425 | Placentitis, second trimester, fetus 5 | ICD-10-CM Diagnosis |
| O41.1429 | Placentitis, second trimester, other fetus | ICD-10-CM Diagnosis |
| O41.1430 | Placentitis, third trimester, not applicable or unspecified | ICD-10-CM Diagnosis |
| O41.1431 | Placentitis, third trimester, fetus 1 | ICD-10-CM Diagnosis |
| O41.1432 | Placentitis, third trimester, fetus 2 | ICD-10-CM Diagnosis |
| O41.1433 | Placentitis, third trimester, fetus 3 | ICD-10-CM Diagnosis |
| O41.1434 | Placentitis, third trimester, fetus 4 | ICD-10-CM Diagnosis |
| O41.1435 | Placentitis, third trimester, fetus 5 | ICD-10-CM Diagnosis |
| O41.1439 | Placentitis, third trimester, other fetus | ICD-10-CM Diagnosis |
| O41.8 | Other specified disorders of amniotic fluid and membranes | ICD-10-CM Diagnosis |
| O41.8X10 | Other specified disorders of amniotic fluid and membranes, first trimester, not applicable or unspecified | ICD-10-CM Diagnosis |
| O41.8X11 | Other specified disorders of amniotic fluid and membranes, first trimester, fetus 1 | ICD-10-CM Diagnosis |
| O41.8X12 | Other specified disorders of amniotic fluid and membranes, first trimester, fetus 2 | ICD-10-CM Diagnosis |
| O41.8X13 | Other specified disorders of amniotic fluid and membranes, first trimester, fetus 3 | ICD-10-CM Diagnosis |
| O41.8X14 | Other specified disorders of amniotic fluid and membranes, first trimester, fetus 4 | ICD-10-CM Diagnosis |
| O41.8X15 | Other specified disorders of amniotic fluid and membranes, first trimester, fetus 5 | ICD-10-CM Diagnosis |
| O41.8X19 | Other specified disorders of amniotic fluid and membranes, first trimester, other fetus | ICD-10-CM Diagnosis |

List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|--|---------------------|
| O41.8X20 | Other specified disorders of amniotic fluid and membranes, second trimester, not applicable or unspecified | ICD-10-CM Diagnosis |
| O41.8X21 | Other specified disorders of amniotic fluid and membranes, second trimester, fetus 1 | ICD-10-CM Diagnosis |
| O41.8X22 | Other specified disorders of amniotic fluid and membranes, second trimester, fetus 2 | ICD-10-CM Diagnosis |
| O41.8X23 | Other specified disorders of amniotic fluid and membranes, second trimester, fetus 3 | ICD-10-CM Diagnosis |
| O41.8X24 | Other specified disorders of amniotic fluid and membranes, second trimester, fetus 4 | ICD-10-CM Diagnosis |
| O41.8X25 | Other specified disorders of amniotic fluid and membranes, second trimester, fetus 5 | ICD-10-CM Diagnosis |
| O41.8X29 | Other specified disorders of amniotic fluid and membranes, second trimester, other fetus | ICD-10-CM Diagnosis |
| O41.8X30 | Other specified disorders of amniotic fluid and membranes, third trimester, not applicable or unspecified | ICD-10-CM Diagnosis |
| O41.8X31 | Other specified disorders of amniotic fluid and membranes, third trimester, fetus 1 | ICD-10-CM Diagnosis |
| O41.8X32 | Other specified disorders of amniotic fluid and membranes, third trimester, fetus 2 | ICD-10-CM Diagnosis |
| O41.8X33 | Other specified disorders of amniotic fluid and membranes, third trimester, fetus 3 | ICD-10-CM Diagnosis |
| O41.8X34 | Other specified disorders of amniotic fluid and membranes, third trimester, fetus 4 | ICD-10-CM Diagnosis |
| O41.8X35 | Other specified disorders of amniotic fluid and membranes, third trimester, fetus 5 | ICD-10-CM Diagnosis |
| O41.8X39 | Other specified disorders of amniotic fluid and membranes, third trimester, other fetus | ICD-10-CM Diagnosis |
| O41.91 | Disorder of amniotic fluid and membranes, unspecified, first trimester | ICD-10-CM Diagnosis |
| O41.91X0 | Disorder of amniotic fluid and membranes, unspecified, first trimester, not applicable or unspecified | ICD-10-CM Diagnosis |
| O41.91X1 | Disorder of amniotic fluid and membranes, unspecified, first trimester, fetus 1 | ICD-10-CM Diagnosis |
| O41.91X2 | Disorder of amniotic fluid and membranes, unspecified, first trimester, fetus 2 | ICD-10-CM Diagnosis |
| O41.91X3 | Disorder of amniotic fluid and membranes, unspecified, first trimester, fetus 3 | ICD-10-CM Diagnosis |
| O41.91X4 | Disorder of amniotic fluid and membranes, unspecified, first trimester, fetus 4 | ICD-10-CM Diagnosis |
| O41.91X5 | Disorder of amniotic fluid and membranes, unspecified, first trimester, fetus 5 | ICD-10-CM Diagnosis |
| O41.91X9 | Disorder of amniotic fluid and membranes, unspecified, first trimester, other fetus | ICD-10-CM Diagnosis |
| O41.92 | Disorder of amniotic fluid and membranes, unspecified, second trimester | ICD-10-CM Diagnosis |
| O41.92X0 | Disorder of amniotic fluid and membranes, unspecified, second trimester, not applicable or unspecified | ICD-10-CM Diagnosis |

List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|---|---------------------|
| O41.92X1 | Disorder of amniotic fluid and membranes, unspecified, second trimester, fetus 1 | ICD-10-CM Diagnosis |
| O41.92X2 | Disorder of amniotic fluid and membranes, unspecified, second trimester, fetus 2 | ICD-10-CM Diagnosis |
| O41.92X3 | Disorder of amniotic fluid and membranes, unspecified, second trimester, fetus 3 | ICD-10-CM Diagnosis |
| O41.92X4 | Disorder of amniotic fluid and membranes, unspecified, second trimester, fetus 4 | ICD-10-CM Diagnosis |
| O41.92X5 | Disorder of amniotic fluid and membranes, unspecified, second trimester, fetus 5 | ICD-10-CM Diagnosis |
| O41.92X9 | Disorder of amniotic fluid and membranes, unspecified, second trimester, other fetus | ICD-10-CM Diagnosis |
| O41.93 | Disorder of amniotic fluid and membranes, unspecified, third trimester | ICD-10-CM Diagnosis |
| O41.93X0 | Disorder of amniotic fluid and membranes, unspecified, third trimester, not applicable or unspecified | ICD-10-CM Diagnosis |
| O41.93X1 | Disorder of amniotic fluid and membranes, unspecified, third trimester, fetus 1 | ICD-10-CM Diagnosis |
| O41.93X2 | Disorder of amniotic fluid and membranes, unspecified, third trimester, fetus 2 | ICD-10-CM Diagnosis |
| O41.93X3 | Disorder of amniotic fluid and membranes, unspecified, third trimester, fetus 3 | ICD-10-CM Diagnosis |
| O41.93X4 | Disorder of amniotic fluid and membranes, unspecified, third trimester, fetus 4 | ICD-10-CM Diagnosis |
| O41.93X5 | Disorder of amniotic fluid and membranes, unspecified, third trimester, fetus 5 | ICD-10-CM Diagnosis |
| O41.93X9 | Disorder of amniotic fluid and membranes, unspecified, third trimester, other fetus | ICD-10-CM Diagnosis |
| O42.00 | Premature rupture of membranes, onset of labor within 24 hours of rupture, unspecified weeks of gestation | ICD-10-CM Diagnosis |
| O42.01 | Preterm premature rupture of membranes, onset of labor within 24 hours of rupture | ICD-10-CM Diagnosis |
| O42.011 | Preterm premature rupture of membranes, onset of labor within 24 hours of rupture, first trimester | ICD-10-CM Diagnosis |
| O42.012 | Preterm premature rupture of membranes, onset of labor within 24 hours of rupture, second trimester | ICD-10-CM Diagnosis |
| O42.013 | Preterm premature rupture of membranes, onset of labor within 24 hours of rupture, third trimester | ICD-10-CM Diagnosis |
| O42.02 | Full-term premature rupture of membranes, onset of labor within 24 hours of rupture | ICD-10-CM Diagnosis |
| O42.10 | Premature rupture of membranes, onset of labor more than 24 hours following rupture, unspecified weeks of gestation | ICD-10-CM Diagnosis |

List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|---|---------------------|
| O42.11 | Preterm premature rupture of membranes, onset of labor more than 24 hours following rupture | ICD-10-CM Diagnosis |
| O42.111 | Preterm premature rupture of membranes, onset of labor more than 24 hours following rupture, first trimester | ICD-10-CM Diagnosis |
| O42.112 | Preterm premature rupture of membranes, onset of labor more than 24 hours following rupture, second trimester | ICD-10-CM Diagnosis |
| O42.113 | Preterm premature rupture of membranes, onset of labor more than 24 hours following rupture, third trimester | ICD-10-CM Diagnosis |
| O42.12 | Full-term premature rupture of membranes, onset of labor more than 24 hours following rupture | ICD-10-CM Diagnosis |
| O42.91 | Preterm premature rupture of membranes, unspecified as to length of time between rupture and onset of labor | ICD-10-CM Diagnosis |
| O42.911 | Preterm premature rupture of membranes, unspecified as to length of time between rupture and onset of labor, first trimester | ICD-10-CM Diagnosis |
| O42.912 | Preterm premature rupture of membranes, unspecified as to length of time between rupture and onset of labor, second trimester | ICD-10-CM Diagnosis |
| O42.913 | Preterm premature rupture of membranes, unspecified as to length of time between rupture and onset of labor, third trimester | ICD-10-CM Diagnosis |
| O42.92 | Full-term premature rupture of membranes, unspecified as to length of time between rupture and onset of labor | ICD-10-CM Diagnosis |
| O43.01 | Fetomaternal placental transfusion syndrome | ICD-10-CM Diagnosis |
| O43.011 | Fetomaternal placental transfusion syndrome, first trimester | ICD-10-CM Diagnosis |
| O43.012 | Fetomaternal placental transfusion syndrome, second trimester | ICD-10-CM Diagnosis |
| O43.013 | Fetomaternal placental transfusion syndrome, third trimester | ICD-10-CM Diagnosis |
| O43.02 | Fetus-to-fetus placental transfusion syndrome | ICD-10-CM Diagnosis |
| O43.021 | Fetus-to-fetus placental transfusion syndrome, first trimester | ICD-10-CM Diagnosis |
| O43.022 | Fetus-to-fetus placental transfusion syndrome, second trimester | ICD-10-CM Diagnosis |
| O43.023 | Fetus-to-fetus placental transfusion syndrome, third trimester | ICD-10-CM Diagnosis |
| O43.10 | Malformation of placenta, unspecified | ICD-10-CM Diagnosis |
| O43.101 | Malformation of placenta, unspecified, first trimester | ICD-10-CM Diagnosis |
| O43.102 | Malformation of placenta, unspecified, second trimester | ICD-10-CM Diagnosis |
| O43.103 | Malformation of placenta, unspecified, third trimester | ICD-10-CM Diagnosis |
| O43.11 | Circumvallate placenta | ICD-10-CM Diagnosis |
| O43.111 | Circumvallate placenta, first trimester | ICD-10-CM Diagnosis |
| O43.112 | Circumvallate placenta, second trimester | ICD-10-CM Diagnosis |
| O43.113 | Circumvallate placenta, third trimester | ICD-10-CM Diagnosis |
| O43.12 | Velamentous insertion of umbilical cord | ICD-10-CM Diagnosis |
| O43.121 | Velamentous insertion of umbilical cord, first trimester | ICD-10-CM Diagnosis |
| O43.122 | Velamentous insertion of umbilical cord, second trimester | ICD-10-CM Diagnosis |
| O43.123 | Velamentous insertion of umbilical cord, third trimester | ICD-10-CM Diagnosis |
| O43.19 | Other malformation of placenta | ICD-10-CM Diagnosis |

List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|---|---------------------|
| O43.191 | Other malformation of placenta, first trimester | ICD-10-CM Diagnosis |
| O43.192 | Other malformation of placenta, second trimester | ICD-10-CM Diagnosis |
| O43.193 | Other malformation of placenta, third trimester | ICD-10-CM Diagnosis |
| O43.21 | Placenta accreta | ICD-10-CM Diagnosis |
| O43.211 | Placenta accreta, first trimester | ICD-10-CM Diagnosis |
| O43.212 | Placenta accreta, second trimester | ICD-10-CM Diagnosis |
| O43.213 | Placenta accreta, third trimester | ICD-10-CM Diagnosis |
| O43.22 | Placenta increta | ICD-10-CM Diagnosis |
| O43.221 | Placenta increta, first trimester | ICD-10-CM Diagnosis |
| O43.222 | Placenta increta, second trimester | ICD-10-CM Diagnosis |
| O43.223 | Placenta increta, third trimester | ICD-10-CM Diagnosis |
| O43.23 | Placenta percreta | ICD-10-CM Diagnosis |
| O43.231 | Placenta percreta, first trimester | ICD-10-CM Diagnosis |
| O43.232 | Placenta percreta, second trimester | ICD-10-CM Diagnosis |
| O43.233 | Placenta percreta, third trimester | ICD-10-CM Diagnosis |
| O43.8 | Other placental disorders | ICD-10-CM Diagnosis |
| O43.81 | Placental infarction | ICD-10-CM Diagnosis |
| O43.811 | Placental infarction, first trimester | ICD-10-CM Diagnosis |
| O43.812 | Placental infarction, second trimester | ICD-10-CM Diagnosis |
| O43.813 | Placental infarction, third trimester | ICD-10-CM Diagnosis |
| O43.891 | Other placental disorders, first trimester | ICD-10-CM Diagnosis |
| O43.892 | Other placental disorders, second trimester | ICD-10-CM Diagnosis |
| O43.893 | Other placental disorders, third trimester | ICD-10-CM Diagnosis |
| O43.91 | Unspecified placental disorder, first trimester | ICD-10-CM Diagnosis |
| O43.92 | Unspecified placental disorder, second trimester | ICD-10-CM Diagnosis |
| O43.93 | Unspecified placental disorder, third trimester | ICD-10-CM Diagnosis |
| O44.01 | Placenta previa specified as without hemorrhage, first trimester | ICD-10-CM Diagnosis |
| O44.02 | Placenta previa specified as without hemorrhage, second trimester | ICD-10-CM Diagnosis |
| O44.03 | Placenta previa specified as without hemorrhage, third trimester | ICD-10-CM Diagnosis |
| O44.11 | Placenta previa with hemorrhage, first trimester | ICD-10-CM Diagnosis |
| O44.12 | Placenta previa with hemorrhage, second trimester | ICD-10-CM Diagnosis |
| O44.13 | Placenta previa with hemorrhage, third trimester | ICD-10-CM Diagnosis |
| O45.00 | Premature separation of placenta with coagulation defect, unspecified | ICD-10-CM Diagnosis |
| O45.001 | Premature separation of placenta with coagulation defect, unspecified, first trimester | ICD-10-CM Diagnosis |
| O45.002 | Premature separation of placenta with coagulation defect, unspecified, second trimester | ICD-10-CM Diagnosis |
| O45.003 | Premature separation of placenta with coagulation defect, unspecified, third trimester | ICD-10-CM Diagnosis |
| O45.01 | Premature separation of placenta with afibrinogenemia | ICD-10-CM Diagnosis |
| O45.011 | Premature separation of placenta with afibrinogenemia, first trimester | ICD-10-CM Diagnosis |



List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|--|---------------------|
| O45.012 | Premature separation of placenta with afibrinogenemia, second trimester | ICD-10-CM Diagnosis |
| O45.013 | Premature separation of placenta with afibrinogenemia, third trimester | ICD-10-CM Diagnosis |
| O45.02 | Premature separation of placenta with disseminated intravascular coagulation | ICD-10-CM Diagnosis |
| O45.021 | Premature separation of placenta with disseminated intravascular coagulation, first trimester | ICD-10-CM Diagnosis |
| O45.022 | Premature separation of placenta with disseminated intravascular coagulation, second trimester | ICD-10-CM Diagnosis |
| O45.023 | Premature separation of placenta with disseminated intravascular coagulation, third trimester | ICD-10-CM Diagnosis |
| O45.09 | Premature separation of placenta with other coagulation defect | ICD-10-CM Diagnosis |
| O45.091 | Premature separation of placenta with other coagulation defect, first trimester | ICD-10-CM Diagnosis |
| O45.092 | Premature separation of placenta with other coagulation defect, second trimester | ICD-10-CM Diagnosis |
| O45.093 | Premature separation of placenta with other coagulation defect, third trimester | ICD-10-CM Diagnosis |
| O45.8 | Other premature separation of placenta | ICD-10-CM Diagnosis |
| O45.8X1 | Other premature separation of placenta, first trimester | ICD-10-CM Diagnosis |
| O45.8X2 | Other premature separation of placenta, second trimester | ICD-10-CM Diagnosis |
| O45.8X3 | Other premature separation of placenta, third trimester | ICD-10-CM Diagnosis |
| O45.91 | Premature separation of placenta, unspecified, first trimester | ICD-10-CM Diagnosis |
| O45.92 | Premature separation of placenta, unspecified, second trimester | ICD-10-CM Diagnosis |
| O45.93 | Premature separation of placenta, unspecified, third trimester | ICD-10-CM Diagnosis |
| O46.00 | Antepartum hemorrhage with coagulation defect, unspecified | ICD-10-CM Diagnosis |
| O46.001 | Antepartum hemorrhage with coagulation defect, unspecified, first trimester | ICD-10-CM Diagnosis |
| O46.002 | Antepartum hemorrhage with coagulation defect, unspecified, second trimester | ICD-10-CM Diagnosis |
| O46.003 | Antepartum hemorrhage with coagulation defect, unspecified, third trimester | ICD-10-CM Diagnosis |
| O46.01 | Antepartum hemorrhage with afibrinogenemia | ICD-10-CM Diagnosis |
| O46.011 | Antepartum hemorrhage with afibrinogenemia, first trimester | ICD-10-CM Diagnosis |
| O46.012 | Antepartum hemorrhage with afibrinogenemia, second trimester | ICD-10-CM Diagnosis |
| O46.013 | Antepartum hemorrhage with afibrinogenemia, third trimester | ICD-10-CM Diagnosis |
| O46.02 | Antepartum hemorrhage with disseminated intravascular coagulation | ICD-10-CM Diagnosis |
| O46.021 | Antepartum hemorrhage with disseminated intravascular coagulation, first trimester | ICD-10-CM Diagnosis |
| O46.022 | Antepartum hemorrhage with disseminated intravascular coagulation, second trimester | ICD-10-CM Diagnosis |
| O46.023 | Antepartum hemorrhage with disseminated intravascular coagulation, third trimester | ICD-10-CM Diagnosis |
| O46.09 | Antepartum hemorrhage with other coagulation defect | ICD-10-CM Diagnosis |
| O46.091 | Antepartum hemorrhage with other coagulation defect, first trimester | ICD-10-CM Diagnosis |
| O46.092 | Antepartum hemorrhage with other coagulation defect, second trimester | ICD-10-CM Diagnosis |



List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|--|---------------------|
| O46.093 | Antepartum hemorrhage with other coagulation defect, third trimester | ICD-10-CM Diagnosis |
| O46.8 | Other antepartum hemorrhage | ICD-10-CM Diagnosis |
| O46.8X1 | Other antepartum hemorrhage, first trimester | ICD-10-CM Diagnosis |
| O46.8X2 | Other antepartum hemorrhage, second trimester | ICD-10-CM Diagnosis |
| O46.8X3 | Other antepartum hemorrhage, third trimester | ICD-10-CM Diagnosis |
| O46.91 | Antepartum hemorrhage, unspecified, first trimester | ICD-10-CM Diagnosis |
| O46.92 | Antepartum hemorrhage, unspecified, second trimester | ICD-10-CM Diagnosis |
| O46.93 | Antepartum hemorrhage, unspecified, third trimester | ICD-10-CM Diagnosis |
| O47.02 | False labor before 37 completed weeks of gestation, second trimester | ICD-10-CM Diagnosis |
| O47.03 | False labor before 37 completed weeks of gestation, third trimester | ICD-10-CM Diagnosis |
| O47.1 | False labor at or after 37 completed weeks of gestation | ICD-10-CM Diagnosis |
| O48.0 | Post-term pregnancy | ICD-10-CM Diagnosis |
| O48.1 | Prolonged pregnancy | ICD-10-CM Diagnosis |
| O60.02 | Preterm labor without delivery, second trimester | ICD-10-CM Diagnosis |
| O60.03 | Preterm labor without delivery, third trimester | ICD-10-CM Diagnosis |
| O60.12 | Preterm labor second trimester with preterm delivery second trimester | ICD-10-CM Diagnosis |
| O60.12X0 | Preterm labor second trimester with preterm delivery second trimester, not applicable or unspecified | ICD-10-CM Diagnosis |
| O60.12X1 | Preterm labor second trimester with preterm delivery second trimester, fetus 1 | ICD-10-CM Diagnosis |
| O60.12X2 | Preterm labor second trimester with preterm delivery second trimester, fetus 2 | ICD-10-CM Diagnosis |
| O60.12X3 | Preterm labor second trimester with preterm delivery second trimester, fetus 3 | ICD-10-CM Diagnosis |
| O60.12X4 | Preterm labor second trimester with preterm delivery second trimester, fetus 4 | ICD-10-CM Diagnosis |
| O60.12X5 | Preterm labor second trimester with preterm delivery second trimester, fetus 5 | ICD-10-CM Diagnosis |
| O60.12X9 | Preterm labor second trimester with preterm delivery second trimester, other fetus | ICD-10-CM Diagnosis |
| O60.13 | Preterm labor second trimester with preterm delivery third trimester | ICD-10-CM Diagnosis |
| O60.13X0 | Preterm labor second trimester with preterm delivery third trimester, not applicable or unspecified | ICD-10-CM Diagnosis |
| O60.13X1 | Preterm labor second trimester with preterm delivery third trimester, fetus 1 | ICD-10-CM Diagnosis |
| O60.13X2 | Preterm labor second trimester with preterm delivery third trimester, fetus 2 | ICD-10-CM Diagnosis |
| O60.13X3 | Preterm labor second trimester with preterm delivery third trimester, fetus 3 | ICD-10-CM Diagnosis |
| O60.13X4 | Preterm labor second trimester with preterm delivery third trimester, fetus 4 | ICD-10-CM Diagnosis |



List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|--|---------------------|
| O60.13X5 | Preterm labor second trimester with preterm delivery third trimester, fetus 5 | ICD-10-CM Diagnosis |
| O60.13X9 | Preterm labor second trimester with preterm delivery third trimester, other fetus | ICD-10-CM Diagnosis |
| O60.14 | Preterm labor third trimester with preterm delivery third trimester | ICD-10-CM Diagnosis |
| O60.14X0 | Preterm labor third trimester with preterm delivery third trimester, not applicable or unspecified | ICD-10-CM Diagnosis |
| O60.14X1 | Preterm labor third trimester with preterm delivery third trimester, fetus 1 | ICD-10-CM Diagnosis |
| O60.14X2 | Preterm labor third trimester with preterm delivery third trimester, fetus 2 | ICD-10-CM Diagnosis |
| O60.14X3 | Preterm labor third trimester with preterm delivery third trimester, fetus 3 | ICD-10-CM Diagnosis |
| O60.14X4 | Preterm labor third trimester with preterm delivery third trimester, fetus 4 | ICD-10-CM Diagnosis |
| O60.14X5 | Preterm labor third trimester with preterm delivery third trimester, fetus 5 | ICD-10-CM Diagnosis |
| O60.14X9 | Preterm labor third trimester with preterm delivery third trimester, other fetus | ICD-10-CM Diagnosis |
| O60.22 | Term delivery with preterm labor, second trimester | ICD-10-CM Diagnosis |
| O60.22X0 | Term delivery with preterm labor, second trimester, not applicable or unspecified | ICD-10-CM Diagnosis |
| O60.22X1 | Term delivery with preterm labor, second trimester, fetus 1 | ICD-10-CM Diagnosis |
| O60.22X2 | Term delivery with preterm labor, second trimester, fetus 2 | ICD-10-CM Diagnosis |
| O60.22X3 | Term delivery with preterm labor, second trimester, fetus 3 | ICD-10-CM Diagnosis |
| O60.22X4 | Term delivery with preterm labor, second trimester, fetus 4 | ICD-10-CM Diagnosis |
| O60.22X5 | Term delivery with preterm labor, second trimester, fetus 5 | ICD-10-CM Diagnosis |
| O60.22X9 | Term delivery with preterm labor, second trimester, other fetus | ICD-10-CM Diagnosis |
| O60.23 | Term delivery with preterm labor, third trimester | ICD-10-CM Diagnosis |
| O60.23X0 | Term delivery with preterm labor, third trimester, not applicable or unspecified | ICD-10-CM Diagnosis |
| O60.23X1 | Term delivery with preterm labor, third trimester, fetus 1 | ICD-10-CM Diagnosis |
| O60.23X2 | Term delivery with preterm labor, third trimester, fetus 2 | ICD-10-CM Diagnosis |
| O60.23X3 | Term delivery with preterm labor, third trimester, fetus 3 | ICD-10-CM Diagnosis |
| O60.23X4 | Term delivery with preterm labor, third trimester, fetus 4 | ICD-10-CM Diagnosis |
| O60.23X5 | Term delivery with preterm labor, third trimester, fetus 5 | ICD-10-CM Diagnosis |
| O60.23X9 | Term delivery with preterm labor, third trimester, other fetus | ICD-10-CM Diagnosis |
| O61.0 | Failed medical induction of labor | ICD-10-CM Diagnosis |
| O61.1 | Failed instrumental induction of labor | ICD-10-CM Diagnosis |
| O61.8 | Other failed induction of labor | ICD-10-CM Diagnosis |
| O61.9 | Failed induction of labor, unspecified | ICD-10-CM Diagnosis |
| O62.0 | Primary inadequate contractions | ICD-10-CM Diagnosis |
| O62.1 | Secondary uterine inertia | ICD-10-CM Diagnosis |
| O62.2 | Other uterine inertia | ICD-10-CM Diagnosis |
| O62.3 | Precipitate labor | ICD-10-CM Diagnosis |
| O62.4 | Hypertonic, incoordinate, and prolonged uterine contractions | ICD-10-CM Diagnosis |

List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|--|---------------------|
| O62.8 | Other abnormalities of forces of labor | ICD-10-CM Diagnosis |
| O62.9 | Abnormality of forces of labor, unspecified | ICD-10-CM Diagnosis |
| O63.0 | Prolonged first stage (of labor) | ICD-10-CM Diagnosis |
| O63.1 | Prolonged second stage (of labor) | ICD-10-CM Diagnosis |
| O63.2 | Delayed delivery of second twin, triplet, etc. | ICD-10-CM Diagnosis |
| O63.9 | Long labor, unspecified | ICD-10-CM Diagnosis |
| O64.OXX0 | Obstructed labor due to incomplete rotation of fetal head, not applicable or unspecified | ICD-10-CM Diagnosis |
| O64.OXX1 | Obstructed labor due to incomplete rotation of fetal head, fetus 1 | ICD-10-CM Diagnosis |
| O64.OXX2 | Obstructed labor due to incomplete rotation of fetal head, fetus 2 | ICD-10-CM Diagnosis |
| O64.OXX3 | Obstructed labor due to incomplete rotation of fetal head, fetus 3 | ICD-10-CM Diagnosis |
| O64.OXX4 | Obstructed labor due to incomplete rotation of fetal head, fetus 4 | ICD-10-CM Diagnosis |
| O64.OXX5 | Obstructed labor due to incomplete rotation of fetal head, fetus 5 | ICD-10-CM Diagnosis |
| O64.OXX9 | Obstructed labor due to incomplete rotation of fetal head, other fetus | ICD-10-CM Diagnosis |
| O64.1XX0 | Obstructed labor due to breech presentation, not applicable or unspecified | ICD-10-CM Diagnosis |
| O64.1XX1 | Obstructed labor due to breech presentation, fetus 1 | ICD-10-CM Diagnosis |
| O64.1XX2 | Obstructed labor due to breech presentation, fetus 2 | ICD-10-CM Diagnosis |
| O64.1XX3 | Obstructed labor due to breech presentation, fetus 3 | ICD-10-CM Diagnosis |
| O64.1XX4 | Obstructed labor due to breech presentation, fetus 4 | ICD-10-CM Diagnosis |
| O64.1XX5 | Obstructed labor due to breech presentation, fetus 5 | ICD-10-CM Diagnosis |
| O64.1XX9 | Obstructed labor due to breech presentation, other fetus | ICD-10-CM Diagnosis |
| O64.2XX0 | Obstructed labor due to face presentation, not applicable or unspecified | ICD-10-CM Diagnosis |
| O64.2XX1 | Obstructed labor due to face presentation, fetus 1 | ICD-10-CM Diagnosis |
| O64.2XX2 | Obstructed labor due to face presentation, fetus 2 | ICD-10-CM Diagnosis |
| O64.2XX3 | Obstructed labor due to face presentation, fetus 3 | ICD-10-CM Diagnosis |
| O64.2XX4 | Obstructed labor due to face presentation, fetus 4 | ICD-10-CM Diagnosis |
| O64.2XX5 | Obstructed labor due to face presentation, fetus 5 | ICD-10-CM Diagnosis |
| O64.2XX9 | Obstructed labor due to face presentation, other fetus | ICD-10-CM Diagnosis |
| O64.3XX0 | Obstructed labor due to brow presentation, not applicable or unspecified | ICD-10-CM Diagnosis |
| O64.3XX1 | Obstructed labor due to brow presentation, fetus 1 | ICD-10-CM Diagnosis |
| O64.3XX2 | Obstructed labor due to brow presentation, fetus 2 | ICD-10-CM Diagnosis |
| O64.3XX3 | Obstructed labor due to brow presentation, fetus 3 | ICD-10-CM Diagnosis |
| O64.3XX4 | Obstructed labor due to brow presentation, fetus 4 | ICD-10-CM Diagnosis |
| O64.3XX5 | Obstructed labor due to brow presentation, fetus 5 | ICD-10-CM Diagnosis |
| O64.3XX9 | Obstructed labor due to brow presentation, other fetus | ICD-10-CM Diagnosis |
| O64.4XX0 | Obstructed labor due to shoulder presentation, not applicable or unspecified | ICD-10-CM Diagnosis |
| O64.4XX1 | Obstructed labor due to shoulder presentation, fetus 1 | ICD-10-CM Diagnosis |
| O64.4XX2 | Obstructed labor due to shoulder presentation, fetus 2 | ICD-10-CM Diagnosis |
| O64.4XX3 | Obstructed labor due to shoulder presentation, fetus 3 | ICD-10-CM Diagnosis |
| O64.4XX4 | Obstructed labor due to shoulder presentation, fetus 4 | ICD-10-CM Diagnosis |



List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|---|---------------------|
| O64.4XX5 | Obstructed labor due to shoulder presentation, fetus 5 | ICD-10-CM Diagnosis |
| O64.4XX9 | Obstructed labor due to shoulder presentation, other fetus | ICD-10-CM Diagnosis |
| O64.5XX0 | Obstructed labor due to compound presentation, not applicable or unspecified | ICD-10-CM Diagnosis |
| O64.5XX1 | Obstructed labor due to compound presentation, fetus 1 | ICD-10-CM Diagnosis |
| O64.5XX2 | Obstructed labor due to compound presentation, fetus 2 | ICD-10-CM Diagnosis |
| O64.5XX3 | Obstructed labor due to compound presentation, fetus 3 | ICD-10-CM Diagnosis |
| O64.5XX4 | Obstructed labor due to compound presentation, fetus 4 | ICD-10-CM Diagnosis |
| O64.5XX5 | Obstructed labor due to compound presentation, fetus 5 | ICD-10-CM Diagnosis |
| O64.5XX9 | Obstructed labor due to compound presentation, other fetus | ICD-10-CM Diagnosis |
| O64.8XX0 | Obstructed labor due to other malposition and malpresentation, not applicable or unspecified | ICD-10-CM Diagnosis |
| O64.8XX1 | Obstructed labor due to other malposition and malpresentation, fetus 1 | ICD-10-CM Diagnosis |
| O64.8XX2 | Obstructed labor due to other malposition and malpresentation, fetus 2 | ICD-10-CM Diagnosis |
| O64.8XX3 | Obstructed labor due to other malposition and malpresentation, fetus 3 | ICD-10-CM Diagnosis |
| O64.8XX4 | Obstructed labor due to other malposition and malpresentation, fetus 4 | ICD-10-CM Diagnosis |
| O64.8XX5 | Obstructed labor due to other malposition and malpresentation, fetus 5 | ICD-10-CM Diagnosis |
| O64.8XX9 | Obstructed labor due to other malposition and malpresentation, other fetus | ICD-10-CM Diagnosis |
| O64.9XX0 | Obstructed labor due to malposition and malpresentation, unspecified, not applicable or unspecified | ICD-10-CM Diagnosis |
| O64.9XX1 | Obstructed labor due to malposition and malpresentation, unspecified, fetus 1 | ICD-10-CM Diagnosis |
| O64.9XX2 | Obstructed labor due to malposition and malpresentation, unspecified, fetus 2 | ICD-10-CM Diagnosis |
| O64.9XX3 | Obstructed labor due to malposition and malpresentation, unspecified, fetus 3 | ICD-10-CM Diagnosis |
| O64.9XX4 | Obstructed labor due to malposition and malpresentation, unspecified, fetus 4 | ICD-10-CM Diagnosis |
| O64.9XX5 | Obstructed labor due to malposition and malpresentation, unspecified, fetus 5 | ICD-10-CM Diagnosis |
| O64.9XX9 | Obstructed labor due to malposition and malpresentation, unspecified, other fetus | ICD-10-CM Diagnosis |
| O65.0 | Obstructed labor due to deformed pelvis | ICD-10-CM Diagnosis |
| O65.1 | Obstructed labor due to generally contracted pelvis | ICD-10-CM Diagnosis |
| O65.2 | Obstructed labor due to pelvic inlet contraction | ICD-10-CM Diagnosis |
| O65.3 | Obstructed labor due to pelvic outlet and mid-cavity contraction | ICD-10-CM Diagnosis |
| O65.4 | Obstructed labor due to fetopelvic disproportion, unspecified | ICD-10-CM Diagnosis |
| O65.5 | Obstructed labor due to abnormality of maternal pelvic organs | ICD-10-CM Diagnosis |
| O65.8 | Obstructed labor due to other maternal pelvic abnormalities | ICD-10-CM Diagnosis |
| O65.9 | Obstructed labor due to maternal pelvic abnormality, unspecified | ICD-10-CM Diagnosis |
| O66.0 | Obstructed labor due to shoulder dystocia | ICD-10-CM Diagnosis |
| O66.1 | Obstructed labor due to locked twins | ICD-10-CM Diagnosis |
| O66.2 | Obstructed labor due to unusually large fetus | ICD-10-CM Diagnosis |
| O66.3 | Obstructed labor due to other abnormalities of fetus | ICD-10-CM Diagnosis |
| O66.40 | Failed trial of labor, unspecified | ICD-10-CM Diagnosis |
| O66.41 | Failed attempted vaginal birth after previous cesarean delivery | ICD-10-CM Diagnosis |

List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|--|---------------------|
| O66.5 | Attempted application of vacuum extractor and forceps | ICD-10-CM Diagnosis |
| O66.6 | Obstructed labor due to other multiple fetuses | ICD-10-CM Diagnosis |
| O66.8 | Other specified obstructed labor | ICD-10-CM Diagnosis |
| O66.9 | Obstructed labor, unspecified | ICD-10-CM Diagnosis |
| O67.0 | Intrapartum hemorrhage with coagulation defect | ICD-10-CM Diagnosis |
| O67.8 | Other intrapartum hemorrhage | ICD-10-CM Diagnosis |
| O67.9 | Intrapartum hemorrhage, unspecified | ICD-10-CM Diagnosis |
| O68 | Labor and delivery complicated by abnormality of fetal acid-base balance | ICD-10-CM Diagnosis |
| O69.OXX0 | Labor and delivery complicated by prolapse of cord, not applicable or unspecified | ICD-10-CM Diagnosis |
| O69.OXX1 | Labor and delivery complicated by prolapse of cord, fetus 1 | ICD-10-CM Diagnosis |
| O69.OXX2 | Labor and delivery complicated by prolapse of cord, fetus 2 | ICD-10-CM Diagnosis |
| O69.OXX3 | Labor and delivery complicated by prolapse of cord, fetus 3 | ICD-10-CM Diagnosis |
| O69.OXX4 | Labor and delivery complicated by prolapse of cord, fetus 4 | ICD-10-CM Diagnosis |
| O69.OXX5 | Labor and delivery complicated by prolapse of cord, fetus 5 | ICD-10-CM Diagnosis |
| O69.OXX9 | Labor and delivery complicated by prolapse of cord, other fetus | ICD-10-CM Diagnosis |
| O69.1XX0 | Labor and delivery complicated by cord around neck, with compression, not applicable or unspecified | ICD-10-CM Diagnosis |
| O69.1XX1 | Labor and delivery complicated by cord around neck, with compression, fetus 1 | ICD-10-CM Diagnosis |
| O69.1XX2 | Labor and delivery complicated by cord around neck, with compression, fetus 2 | ICD-10-CM Diagnosis |
| O69.1XX3 | Labor and delivery complicated by cord around neck, with compression, fetus 3 | ICD-10-CM Diagnosis |
| O69.1XX4 | Labor and delivery complicated by cord around neck, with compression, fetus 4 | ICD-10-CM Diagnosis |
| O69.1XX5 | Labor and delivery complicated by cord around neck, with compression, fetus 5 | ICD-10-CM Diagnosis |
| O69.1XX9 | Labor and delivery complicated by cord around neck, with compression, other fetus | ICD-10-CM Diagnosis |
| O69.2XX0 | Labor and delivery complicated by other cord entanglement, with compression, not applicable or unspecified | ICD-10-CM Diagnosis |
| O69.2XX1 | Labor and delivery complicated by other cord entanglement, with compression, fetus 1 | ICD-10-CM Diagnosis |
| O69.2XX2 | Labor and delivery complicated by other cord entanglement, with compression, fetus 2 | ICD-10-CM Diagnosis |
| O69.2XX3 | Labor and delivery complicated by other cord entanglement, with compression, fetus 3 | ICD-10-CM Diagnosis |
| O69.2XX4 | Labor and delivery complicated by other cord entanglement, with compression, fetus 4 | ICD-10-CM Diagnosis |
| O69.2XX5 | Labor and delivery complicated by other cord entanglement, with compression, fetus 5 | ICD-10-CM Diagnosis |

List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|--|---------------------|
| O69.2XX9 | Labor and delivery complicated by other cord entanglement, with compression, other fetus | ICD-10-CM Diagnosis |
| O69.3XX0 | Labor and delivery complicated by short cord, not applicable or unspecified | ICD-10-CM Diagnosis |
| O69.3XX1 | Labor and delivery complicated by short cord, fetus 1 | ICD-10-CM Diagnosis |
| O69.3XX2 | Labor and delivery complicated by short cord, fetus 2 | ICD-10-CM Diagnosis |
| O69.3XX3 | Labor and delivery complicated by short cord, fetus 3 | ICD-10-CM Diagnosis |
| O69.3XX4 | Labor and delivery complicated by short cord, fetus 4 | ICD-10-CM Diagnosis |
| O69.3XX5 | Labor and delivery complicated by short cord, fetus 5 | ICD-10-CM Diagnosis |
| O69.3XX9 | Labor and delivery complicated by short cord, other fetus | ICD-10-CM Diagnosis |
| O69.4XX0 | Labor and delivery complicated by vasa previa, not applicable or unspecified | ICD-10-CM Diagnosis |
| O69.4XX1 | Labor and delivery complicated by vasa previa, fetus 1 | ICD-10-CM Diagnosis |
| O69.4XX2 | Labor and delivery complicated by vasa previa, fetus 2 | ICD-10-CM Diagnosis |
| O69.4XX3 | Labor and delivery complicated by vasa previa, fetus 3 | ICD-10-CM Diagnosis |
| O69.4XX4 | Labor and delivery complicated by vasa previa, fetus 4 | ICD-10-CM Diagnosis |
| O69.4XX5 | Labor and delivery complicated by vasa previa, fetus 5 | ICD-10-CM Diagnosis |
| O69.4XX9 | Labor and delivery complicated by vasa previa, other fetus | ICD-10-CM Diagnosis |
| O69.5XX0 | Labor and delivery complicated by vascular lesion of cord, not applicable or unspecified | ICD-10-CM Diagnosis |
| O69.5XX1 | Labor and delivery complicated by vascular lesion of cord, fetus 1 | ICD-10-CM Diagnosis |
| O69.5XX2 | Labor and delivery complicated by vascular lesion of cord, fetus 2 | ICD-10-CM Diagnosis |
| O69.5XX3 | Labor and delivery complicated by vascular lesion of cord, fetus 3 | ICD-10-CM Diagnosis |
| O69.5XX4 | Labor and delivery complicated by vascular lesion of cord, fetus 4 | ICD-10-CM Diagnosis |
| O69.5XX5 | Labor and delivery complicated by vascular lesion of cord, fetus 5 | ICD-10-CM Diagnosis |
| O69.5XX9 | Labor and delivery complicated by vascular lesion of cord, other fetus | ICD-10-CM Diagnosis |
| O69.8 | Labor and delivery complicated by other cord complications | ICD-10-CM Diagnosis |
| O69.81 | Labor and delivery complicated by cord around neck, without compression | ICD-10-CM Diagnosis |
| O69.81X0 | Labor and delivery complicated by cord around neck, without compression, not applicable or unspecified | ICD-10-CM Diagnosis |
| O69.81X1 | Labor and delivery complicated by cord around neck, without compression, fetus 1 | ICD-10-CM Diagnosis |
| O69.81X2 | Labor and delivery complicated by cord around neck, without compression, fetus 2 | ICD-10-CM Diagnosis |
| O69.81X3 | Labor and delivery complicated by cord around neck, without compression, fetus 3 | ICD-10-CM Diagnosis |
| O69.81X4 | Labor and delivery complicated by cord around neck, without compression, fetus 4 | ICD-10-CM Diagnosis |
| O69.81X5 | Labor and delivery complicated by cord around neck, without compression, fetus 5 | ICD-10-CM Diagnosis |
| O69.81X9 | Labor and delivery complicated by cord around neck, without compression, other fetus | ICD-10-CM Diagnosis |

List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|---|---------------------|
| O69.82 | Labor and delivery complicated by other cord entanglement, without compression | ICD-10-CM Diagnosis |
| O69.82X0 | Labor and delivery complicated by other cord entanglement, without compression, not applicable or unspecified | ICD-10-CM Diagnosis |
| O69.82X1 | Labor and delivery complicated by other cord entanglement, without compression, fetus 1 | ICD-10-CM Diagnosis |
| O69.82X2 | Labor and delivery complicated by other cord entanglement, without compression, fetus 2 | ICD-10-CM Diagnosis |
| O69.82X3 | Labor and delivery complicated by other cord entanglement, without compression, fetus 3 | ICD-10-CM Diagnosis |
| O69.82X4 | Labor and delivery complicated by other cord entanglement, without compression, fetus 4 | ICD-10-CM Diagnosis |
| O69.82X5 | Labor and delivery complicated by other cord entanglement, without compression, fetus 5 | ICD-10-CM Diagnosis |
| O69.82X9 | Labor and delivery complicated by other cord entanglement, without compression, other fetus | ICD-10-CM Diagnosis |
| O69.89X0 | Labor and delivery complicated by other cord complications, not applicable or unspecified | ICD-10-CM Diagnosis |
| O69.89X1 | Labor and delivery complicated by other cord complications, fetus 1 | ICD-10-CM Diagnosis |
| O69.89X2 | Labor and delivery complicated by other cord complications, fetus 2 | ICD-10-CM Diagnosis |
| O69.89X3 | Labor and delivery complicated by other cord complications, fetus 3 | ICD-10-CM Diagnosis |
| O69.89X4 | Labor and delivery complicated by other cord complications, fetus 4 | ICD-10-CM Diagnosis |
| O69.89X5 | Labor and delivery complicated by other cord complications, fetus 5 | ICD-10-CM Diagnosis |
| O69.89X9 | Labor and delivery complicated by other cord complications, other fetus | ICD-10-CM Diagnosis |
| O69.9XX0 | Labor and delivery complicated by cord complication, unspecified, not applicable or unspecified | ICD-10-CM Diagnosis |
| O69.9XX1 | Labor and delivery complicated by cord complication, unspecified, fetus 1 | ICD-10-CM Diagnosis |
| O69.9XX2 | Labor and delivery complicated by cord complication, unspecified, fetus 2 | ICD-10-CM Diagnosis |
| O69.9XX3 | Labor and delivery complicated by cord complication, unspecified, fetus 3 | ICD-10-CM Diagnosis |
| O69.9XX4 | Labor and delivery complicated by cord complication, unspecified, fetus 4 | ICD-10-CM Diagnosis |
| O69.9XX5 | Labor and delivery complicated by cord complication, unspecified, fetus 5 | ICD-10-CM Diagnosis |
| O69.9XX9 | Labor and delivery complicated by cord complication, unspecified, other fetus | ICD-10-CM Diagnosis |
| O70.0 | First degree perineal laceration during delivery | ICD-10-CM Diagnosis |
| O70.1 | Second degree perineal laceration during delivery | ICD-10-CM Diagnosis |
| O70.2 | Third degree perineal laceration during delivery | ICD-10-CM Diagnosis |
| O70.3 | Fourth degree perineal laceration during delivery | ICD-10-CM Diagnosis |
| O70.4 | Anal sphincter tear complicating delivery, not associated with third degree laceration | ICD-10-CM Diagnosis |
| O70.9 | Perineal laceration during delivery, unspecified | ICD-10-CM Diagnosis |
| O71.02 | Rupture of uterus before onset of labor, second trimester | ICD-10-CM Diagnosis |

List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|---|---------------------|
| O71.03 | Rupture of uterus before onset of labor, third trimester | ICD-10-CM Diagnosis |
| O71.1 | Rupture of uterus during labor | ICD-10-CM Diagnosis |
| O71.2 | Postpartum inversion of uterus | ICD-10-CM Diagnosis |
| O71.3 | Obstetric laceration of cervix | ICD-10-CM Diagnosis |
| O71.4 | Obstetric high vaginal laceration alone | ICD-10-CM Diagnosis |
| O71.5 | Other obstetric injury to pelvic organs | ICD-10-CM Diagnosis |
| O71.6 | Obstetric damage to pelvic joints and ligaments | ICD-10-CM Diagnosis |
| O71.7 | Obstetric hematoma of pelvis | ICD-10-CM Diagnosis |
| O71.8 | Other specified obstetric trauma | ICD-10-CM Diagnosis |
| O71.81 | Laceration of uterus, not elsewhere classified | ICD-10-CM Diagnosis |
| O71.82 | Other specified trauma to perineum and vulva | ICD-10-CM Diagnosis |
| O71.9 | Obstetric trauma, unspecified | ICD-10-CM Diagnosis |
| O72.0 | Third-stage hemorrhage | ICD-10-CM Diagnosis |
| O72.1 | Other immediate postpartum hemorrhage | ICD-10-CM Diagnosis |
| O72.2 | Delayed and secondary postpartum hemorrhage | ICD-10-CM Diagnosis |
| O72.3 | Postpartum coagulation defects | ICD-10-CM Diagnosis |
| O73.0 | Retained placenta without hemorrhage | ICD-10-CM Diagnosis |
| O73.1 | Retained portions of placenta and membranes, without hemorrhage | ICD-10-CM Diagnosis |
| O74.0 | Aspiration pneumonitis due to anesthesia during labor and delivery | ICD-10-CM Diagnosis |
| O74.1 | Other pulmonary complications of anesthesia during labor and delivery | ICD-10-CM Diagnosis |
| O74.2 | Cardiac complications of anesthesia during labor and delivery | ICD-10-CM Diagnosis |
| O74.3 | Central nervous system complications of anesthesia during labor and delivery | ICD-10-CM Diagnosis |
| O74.4 | Toxic reaction to local anesthesia during labor and delivery | ICD-10-CM Diagnosis |
| O74.5 | Spinal and epidural anesthesia-induced headache during labor and delivery | ICD-10-CM Diagnosis |
| O74.6 | Other complications of spinal and epidural anesthesia during labor and delivery | ICD-10-CM Diagnosis |
| O74.7 | Failed or difficult intubation for anesthesia during labor and delivery | ICD-10-CM Diagnosis |
| O74.8 | Other complications of anesthesia during labor and delivery | ICD-10-CM Diagnosis |
| O74.9 | Complication of anesthesia during labor and delivery, unspecified | ICD-10-CM Diagnosis |
| O75.0 | Maternal distress during labor and delivery | ICD-10-CM Diagnosis |
| O75.1 | Shock during or following labor and delivery | ICD-10-CM Diagnosis |
| O75.2 | Pyrexia during labor, not elsewhere classified | ICD-10-CM Diagnosis |
| O75.3 | Other infection during labor | ICD-10-CM Diagnosis |
| O75.4 | Other complications of obstetric surgery and procedures | ICD-10-CM Diagnosis |
| O75.5 | Delayed delivery after artificial rupture of membranes | ICD-10-CM Diagnosis |
| O75.8 | Other specified complications of labor and delivery | ICD-10-CM Diagnosis |
| O75.81 | Maternal exhaustion complicating labor and delivery | ICD-10-CM Diagnosis |
| O75.82 | Onset (spontaneous) of labor after 37 completed weeks of gestation but before 39 completed weeks gestation, with delivery by (planned | ICD-10-CM Diagnosis |
| O75.9 | Complication of labor and delivery, unspecified | ICD-10-CM Diagnosis |

List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|--|---------------------|
| O76 | Abnormality in fetal heart rate and rhythm complicating labor and delivery | ICD-10-CM Diagnosis |
| O77.0 | Labor and delivery complicated by meconium in amniotic fluid | ICD-10-CM Diagnosis |
| O77.1 | Fetal stress in labor or delivery due to drug administration | ICD-10-CM Diagnosis |
| O77.8 | Labor and delivery complicated by other evidence of fetal stress | ICD-10-CM Diagnosis |
| O77.9 | Labor and delivery complicated by fetal stress, unspecified | ICD-10-CM Diagnosis |
| O80 | Encounter for full-term uncomplicated delivery | ICD-10-CM Diagnosis |
| O82 | Encounter for cesarean delivery without indication | ICD-10-CM Diagnosis |
| O85 | Puerperal sepsis | ICD-10-CM Diagnosis |
| O86.0 | Infection of obstetric surgical wound | ICD-10-CM Diagnosis |
| O86.12 | Endometritis following delivery | ICD-10-CM Diagnosis |
| O86.4 | Pyrexia of unknown origin following delivery | ICD-10-CM Diagnosis |
| O86.8 | Other specified puerperal infections | ICD-10-CM Diagnosis |
| O86.81 | Puerperal septic thrombophlebitis | ICD-10-CM Diagnosis |
| O87.0 | Superficial thrombophlebitis in the puerperium | ICD-10-CM Diagnosis |
| O87.1 | Deep phlebothrombosis in the puerperium | ICD-10-CM Diagnosis |
| O87.2 | Hemorrhoids in the puerperium | ICD-10-CM Diagnosis |
| O87.3 | Cerebral venous thrombosis in the puerperium | ICD-10-CM Diagnosis |
| O87.4 | Varicose veins of lower extremity in the puerperium | ICD-10-CM Diagnosis |
| O87.8 | Other venous complications in the puerperium | ICD-10-CM Diagnosis |
| O87.9 | Venous complication in the puerperium, unspecified | ICD-10-CM Diagnosis |
| O88.01 | Obstetric air embolism in pregnancy | ICD-10-CM Diagnosis |
| O88.011 | Air embolism in pregnancy, first trimester | ICD-10-CM Diagnosis |
| O88.012 | Air embolism in pregnancy, second trimester | ICD-10-CM Diagnosis |
| O88.013 | Air embolism in pregnancy, third trimester | ICD-10-CM Diagnosis |
| O88.02 | Air embolism in childbirth | ICD-10-CM Diagnosis |
| O88.03 | Air embolism in the puerperium | ICD-10-CM Diagnosis |
| O88.11 | Amniotic fluid embolism in pregnancy | ICD-10-CM Diagnosis |
| O88.111 | Amniotic fluid embolism in pregnancy, first trimester | ICD-10-CM Diagnosis |
| O88.112 | Amniotic fluid embolism in pregnancy, second trimester | ICD-10-CM Diagnosis |
| O88.113 | Amniotic fluid embolism in pregnancy, third trimester | ICD-10-CM Diagnosis |
| O88.12 | Amniotic fluid embolism in childbirth | ICD-10-CM Diagnosis |
| O88.13 | Amniotic fluid embolism in the puerperium | ICD-10-CM Diagnosis |
| O88.21 | Thromboembolism in pregnancy | ICD-10-CM Diagnosis |
| O88.211 | Thromboembolism in pregnancy, first trimester | ICD-10-CM Diagnosis |
| O88.212 | Thromboembolism in pregnancy, second trimester | ICD-10-CM Diagnosis |
| O88.213 | Thromboembolism in pregnancy, third trimester | ICD-10-CM Diagnosis |
| O88.22 | Thromboembolism in childbirth | ICD-10-CM Diagnosis |
| O88.23 | Thromboembolism in the puerperium | ICD-10-CM Diagnosis |
| O88.31 | Pyemic and septic embolism in pregnancy | ICD-10-CM Diagnosis |
| O88.311 | Pyemic and septic embolism in pregnancy, first trimester | ICD-10-CM Diagnosis |

List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|---|---------------------|
| O88.312 | Pyemic and septic embolism in pregnancy, second trimester | ICD-10-CM Diagnosis |
| O88.313 | Pyemic and septic embolism in pregnancy, third trimester | ICD-10-CM Diagnosis |
| O88.32 | Pyemic and septic embolism in childbirth | ICD-10-CM Diagnosis |
| O88.33 | Pyemic and septic embolism in the puerperium | ICD-10-CM Diagnosis |
| O88.81 | Other embolism in pregnancy | ICD-10-CM Diagnosis |
| O88.811 | Other embolism in pregnancy, first trimester | ICD-10-CM Diagnosis |
| O88.812 | Other embolism in pregnancy, second trimester | ICD-10-CM Diagnosis |
| O88.813 | Other embolism in pregnancy, third trimester | ICD-10-CM Diagnosis |
| O88.82 | Other embolism in childbirth | ICD-10-CM Diagnosis |
| O88.83 | Other embolism in the puerperium | ICD-10-CM Diagnosis |
| O89.09 | Other pulmonary complications of anesthesia during the puerperium | ICD-10-CM Diagnosis |
| O89.8 | Other complications of anesthesia during the puerperium | ICD-10-CM Diagnosis |
| O89.9 | Complication of anesthesia during the puerperium, unspecified | ICD-10-CM Diagnosis |
| O90.0 | Disruption of cesarean delivery wound | ICD-10-CM Diagnosis |
| O90.1 | Disruption of perineal obstetric wound | ICD-10-CM Diagnosis |
| O90.2 | Hematoma of obstetric wound | ICD-10-CM Diagnosis |
| O90.3 | Peripartum cardiomyopathy | ICD-10-CM Diagnosis |
| O90.4 | Postpartum acute kidney failure | ICD-10-CM Diagnosis |
| O90.5 | Postpartum thyroiditis | ICD-10-CM Diagnosis |
| O90.6 | Postpartum mood disturbance | ICD-10-CM Diagnosis |
| O90.8 | Other complications of the puerperium, not elsewhere classified | ICD-10-CM Diagnosis |
| O90.9 | Complication of the puerperium, unspecified | ICD-10-CM Diagnosis |
| O91.01 | Infection of nipple associated with pregnancy | ICD-10-CM Diagnosis |
| O91.011 | Infection of nipple associated with pregnancy, first trimester | ICD-10-CM Diagnosis |
| O91.012 | Infection of nipple associated with pregnancy, second trimester | ICD-10-CM Diagnosis |
| O91.013 | Infection of nipple associated with pregnancy, third trimester | ICD-10-CM Diagnosis |
| O91.02 | Infection of nipple associated with the puerperium | ICD-10-CM Diagnosis |
| O91.11 | Abscess of breast associated with pregnancy | ICD-10-CM Diagnosis |
| O91.111 | Abscess of breast associated with pregnancy, first trimester | ICD-10-CM Diagnosis |
| O91.112 | Abscess of breast associated with pregnancy, second trimester | ICD-10-CM Diagnosis |
| O91.113 | Abscess of breast associated with pregnancy, third trimester | ICD-10-CM Diagnosis |
| O91.12 | Abscess of breast associated with the puerperium | ICD-10-CM Diagnosis |
| O91.21 | Nonpurulent mastitis associated with pregnancy | ICD-10-CM Diagnosis |
| O91.211 | Nonpurulent mastitis associated with pregnancy, first trimester | ICD-10-CM Diagnosis |
| O91.212 | Nonpurulent mastitis associated with pregnancy, second trimester | ICD-10-CM Diagnosis |
| O91.213 | Nonpurulent mastitis associated with pregnancy, third trimester | ICD-10-CM Diagnosis |
| O91.22 | Nonpurulent mastitis associated with the puerperium | ICD-10-CM Diagnosis |
| O91.23 | Nonpurulent mastitis associated with lactation | ICD-10-CM Diagnosis |
| O92.01 | Retracted nipple associated with pregnancy | ICD-10-CM Diagnosis |
| O92.011 | Retracted nipple associated with pregnancy, first trimester | ICD-10-CM Diagnosis |

List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|--|---------------------|
| O92.012 | Retracted nipple associated with pregnancy, second trimester | ICD-10-CM Diagnosis |
| O92.013 | Retracted nipple associated with pregnancy, third trimester | ICD-10-CM Diagnosis |
| O92.03 | Retracted nipple associated with lactation | ICD-10-CM Diagnosis |
| O92.11 | Cracked nipple associated with pregnancy | ICD-10-CM Diagnosis |
| O92.111 | Cracked nipple associated with pregnancy, first trimester | ICD-10-CM Diagnosis |
| O92.112 | Cracked nipple associated with pregnancy, second trimester | ICD-10-CM Diagnosis |
| O92.113 | Cracked nipple associated with pregnancy, third trimester | ICD-10-CM Diagnosis |
| O92.13 | Cracked nipple associated with lactation | ICD-10-CM Diagnosis |
| O92.20 | Unspecified disorder of breast associated with pregnancy and the puerperium | ICD-10-CM Diagnosis |
| O92.29 | Other disorders of breast associated with pregnancy and the puerperium | ICD-10-CM Diagnosis |
| O92.3 | Agalactia | ICD-10-CM Diagnosis |
| O92.5 | Suppressed lactation | ICD-10-CM Diagnosis |
| O92.6 | Galactorrhea | ICD-10-CM Diagnosis |
| O92.70 | Unspecified disorders of lactation | ICD-10-CM Diagnosis |
| O92.79 | Other disorders of lactation | ICD-10-CM Diagnosis |
| O98.01 | Tuberculosis complicating pregnancy | ICD-10-CM Diagnosis |
| O98.011 | Tuberculosis complicating pregnancy, first trimester | ICD-10-CM Diagnosis |
| O98.012 | Tuberculosis complicating pregnancy, second trimester | ICD-10-CM Diagnosis |
| O98.013 | Tuberculosis complicating pregnancy, third trimester | ICD-10-CM Diagnosis |
| O98.02 | Tuberculosis complicating childbirth | ICD-10-CM Diagnosis |
| O98.03 | Tuberculosis complicating the puerperium | ICD-10-CM Diagnosis |
| O98.11 | Syphilis complicating pregnancy | ICD-10-CM Diagnosis |
| O98.111 | Syphilis complicating pregnancy, first trimester | ICD-10-CM Diagnosis |
| O98.112 | Syphilis complicating pregnancy, second trimester | ICD-10-CM Diagnosis |
| O98.113 | Syphilis complicating pregnancy, third trimester | ICD-10-CM Diagnosis |
| O98.12 | Syphilis complicating childbirth | ICD-10-CM Diagnosis |
| O98.13 | Syphilis complicating the puerperium | ICD-10-CM Diagnosis |
| O98.21 | Gonorrhea complicating pregnancy | ICD-10-CM Diagnosis |
| O98.211 | Gonorrhea complicating pregnancy, first trimester | ICD-10-CM Diagnosis |
| O98.212 | Gonorrhea complicating pregnancy, second trimester | ICD-10-CM Diagnosis |
| O98.213 | Gonorrhea complicating pregnancy, third trimester | ICD-10-CM Diagnosis |
| O98.22 | Gonorrhea complicating childbirth | ICD-10-CM Diagnosis |
| O98.23 | Gonorrhea complicating the puerperium | ICD-10-CM Diagnosis |
| O98.31 | Other infections with a predominantly sexual mode of transmission complicating pregnancy | ICD-10-CM Diagnosis |
| O98.311 | Other infections with a predominantly sexual mode of transmission complicating pregnancy, first trimester | ICD-10-CM Diagnosis |
| O98.312 | Other infections with a predominantly sexual mode of transmission complicating pregnancy, second trimester | ICD-10-CM Diagnosis |
| O98.313 | Other infections with a predominantly sexual mode of transmission complicating pregnancy, third trimester | ICD-10-CM Diagnosis |

List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|---|---------------------|
| O98.32 | Other infections with a predominantly sexual mode of transmission complicating childbirth | ICD-10-CM Diagnosis |
| O98.33 | Other infections with a predominantly sexual mode of transmission complicating the puerperium | ICD-10-CM Diagnosis |
| O98.41 | Viral hepatitis complicating pregnancy | ICD-10-CM Diagnosis |
| O98.411 | Viral hepatitis complicating pregnancy, first trimester | ICD-10-CM Diagnosis |
| O98.412 | Viral hepatitis complicating pregnancy, second trimester | ICD-10-CM Diagnosis |
| O98.413 | Viral hepatitis complicating pregnancy, third trimester | ICD-10-CM Diagnosis |
| O98.42 | Viral hepatitis complicating childbirth | ICD-10-CM Diagnosis |
| O98.43 | Viral hepatitis complicating the puerperium | ICD-10-CM Diagnosis |
| O98.51 | Other viral diseases complicating pregnancy | ICD-10-CM Diagnosis |
| O98.511 | Other viral diseases complicating pregnancy, first trimester | ICD-10-CM Diagnosis |
| O98.512 | Other viral diseases complicating pregnancy, second trimester | ICD-10-CM Diagnosis |
| O98.513 | Other viral diseases complicating pregnancy, third trimester | ICD-10-CM Diagnosis |
| O98.52 | Other viral diseases complicating childbirth | ICD-10-CM Diagnosis |
| O98.53 | Other viral diseases complicating the puerperium | ICD-10-CM Diagnosis |
| O98.61 | Protozoal diseases complicating pregnancy | ICD-10-CM Diagnosis |
| O98.611 | Protozoal diseases complicating pregnancy, first trimester | ICD-10-CM Diagnosis |
| O98.612 | Protozoal diseases complicating pregnancy, second trimester | ICD-10-CM Diagnosis |
| O98.613 | Protozoal diseases complicating pregnancy, third trimester | ICD-10-CM Diagnosis |
| O98.62 | Protozoal diseases complicating childbirth | ICD-10-CM Diagnosis |
| O98.63 | Protozoal diseases complicating the puerperium | ICD-10-CM Diagnosis |
| O98.71 | Human immunodeficiency virus [HIV] disease complicating pregnancy | ICD-10-CM Diagnosis |
| O98.711 | Human immunodeficiency virus [HIV] disease complicating pregnancy, first trimester | ICD-10-CM Diagnosis |
| O98.712 | Human immunodeficiency virus [HIV] disease complicating pregnancy, second trimester | ICD-10-CM Diagnosis |
| O98.713 | Human immunodeficiency virus [HIV] disease complicating pregnancy, third trimester | ICD-10-CM Diagnosis |
| O98.72 | Human immunodeficiency virus [HIV] disease complicating childbirth | ICD-10-CM Diagnosis |
| O98.81 | Other maternal infectious and parasitic diseases complicating pregnancy | ICD-10-CM Diagnosis |
| O98.811 | Other maternal infectious and parasitic diseases complicating pregnancy, first trimester | ICD-10-CM Diagnosis |
| O98.812 | Other maternal infectious and parasitic diseases complicating pregnancy, second trimester | ICD-10-CM Diagnosis |
| O98.813 | Other maternal infectious and parasitic diseases complicating pregnancy, third trimester | ICD-10-CM Diagnosis |
| O98.82 | Other maternal infectious and parasitic diseases complicating childbirth | ICD-10-CM Diagnosis |
| O98.83 | Other maternal infectious and parasitic diseases complicating the puerperium | ICD-10-CM Diagnosis |
| O98.91 | Unspecified maternal infectious and parasitic disease complicating pregnancy | ICD-10-CM Diagnosis |

List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|---|---------------------|
| 098.911 | Unspecified maternal infectious and parasitic disease complicating pregnancy, first trimester | ICD-10-CM Diagnosis |
| 098.912 | Unspecified maternal infectious and parasitic disease complicating pregnancy, second trimester | ICD-10-CM Diagnosis |
| 098.913 | Unspecified maternal infectious and parasitic disease complicating pregnancy, third trimester | ICD-10-CM Diagnosis |
| 098.92 | Unspecified maternal infectious and parasitic disease complicating childbirth | ICD-10-CM Diagnosis |
| 098.93 | Unspecified maternal infectious and parasitic disease complicating the puerperium | ICD-10-CM Diagnosis |
| 099.01 | Anemia complicating pregnancy | ICD-10-CM Diagnosis |
| 099.011 | Anemia complicating pregnancy, first trimester | ICD-10-CM Diagnosis |
| 099.012 | Anemia complicating pregnancy, second trimester | ICD-10-CM Diagnosis |
| 099.013 | Anemia complicating pregnancy, third trimester | ICD-10-CM Diagnosis |
| 099.02 | Anemia complicating childbirth | ICD-10-CM Diagnosis |
| 099.03 | Anemia complicating the puerperium | ICD-10-CM Diagnosis |
| 099.11 | Other diseases of the blood and blood-forming organs and certain disorders involving the immune mechanism complicating pregnancy | ICD-10-CM Diagnosis |
| 099.111 | Other diseases of the blood and blood-forming organs and certain disorders involving the immune mechanism complicating pregnancy, fir | ICD-10-CM Diagnosis |
| 099.112 | Other diseases of the blood and blood-forming organs and certain disorders involving the immune mechanism complicating pregnancy, sec | ICD-10-CM Diagnosis |
| 099.113 | Other diseases of the blood and blood-forming organs and certain disorders involving the immune mechanism complicating pregnancy, thi | ICD-10-CM Diagnosis |
| 099.12 | Other diseases of the blood and blood-forming organs and certain disorders involving the immune mechanism complicating childbirth | ICD-10-CM Diagnosis |
| 099.13 | Other diseases of the blood and blood-forming organs and certain disorders involving the immune mechanism complicating the puerperium | ICD-10-CM Diagnosis |
| 099.21 | Obesity complicating pregnancy, childbirth, and the puerperium | ICD-10-CM Diagnosis |
| 099.211 | Obesity complicating pregnancy, first trimester | ICD-10-CM Diagnosis |
| 099.212 | Obesity complicating pregnancy, second trimester | ICD-10-CM Diagnosis |
| 099.213 | Obesity complicating pregnancy, third trimester | ICD-10-CM Diagnosis |
| 099.214 | Obesity complicating childbirth | ICD-10-CM Diagnosis |
| 099.215 | Obesity complicating the puerperium | ICD-10-CM Diagnosis |
| 099.28 | Other endocrine, nutritional and metabolic diseases complicating pregnancy, childbirth and the puerperium | ICD-10-CM Diagnosis |
| 099.281 | Endocrine, nutritional and metabolic diseases complicating pregnancy, first trimester | ICD-10-CM Diagnosis |
| 099.282 | Endocrine, nutritional and metabolic diseases complicating pregnancy, second trimester | ICD-10-CM Diagnosis |
| 099.283 | Endocrine, nutritional and metabolic diseases complicating pregnancy, third trimester | ICD-10-CM Diagnosis |
| 099.284 | Endocrine, nutritional and metabolic diseases complicating childbirth | ICD-10-CM Diagnosis |



List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|---|---------------------|
| O99.285 | Endocrine, nutritional and metabolic diseases complicating the puerperium | ICD-10-CM Diagnosis |
| O99.31 | Alcohol use complicating pregnancy, childbirth, and the puerperium | ICD-10-CM Diagnosis |
| O99.311 | Alcohol use complicating pregnancy, first trimester | ICD-10-CM Diagnosis |
| O99.312 | Alcohol use complicating pregnancy, second trimester | ICD-10-CM Diagnosis |
| O99.313 | Alcohol use complicating pregnancy, third trimester | ICD-10-CM Diagnosis |
| O99.314 | Alcohol use complicating childbirth | ICD-10-CM Diagnosis |
| O99.32 | Drug use complicating pregnancy, childbirth, and the puerperium | ICD-10-CM Diagnosis |
| O99.321 | Drug use complicating pregnancy, first trimester | ICD-10-CM Diagnosis |
| O99.322 | Drug use complicating pregnancy, second trimester | ICD-10-CM Diagnosis |
| O99.323 | Drug use complicating pregnancy, third trimester | ICD-10-CM Diagnosis |
| O99.324 | Drug use complicating childbirth | ICD-10-CM Diagnosis |
| O99.325 | Drug use complicating the puerperium | ICD-10-CM Diagnosis |
| O99.33 | Tobacco use disorder complicating pregnancy, childbirth, and the puerperium | ICD-10-CM Diagnosis |
| O99.331 | Smoking (tobacco) complicating pregnancy, first trimester | ICD-10-CM Diagnosis |
| O99.332 | Smoking (tobacco) complicating pregnancy, second trimester | ICD-10-CM Diagnosis |
| O99.333 | Smoking (tobacco) complicating pregnancy, third trimester | ICD-10-CM Diagnosis |
| O99.334 | Smoking (tobacco) complicating childbirth | ICD-10-CM Diagnosis |
| O99.335 | Smoking (tobacco) complicating the puerperium | ICD-10-CM Diagnosis |
| O99.34 | Other mental disorders complicating pregnancy, childbirth, and the puerperium | ICD-10-CM Diagnosis |
| O99.341 | Other mental disorders complicating pregnancy, first trimester | ICD-10-CM Diagnosis |
| O99.342 | Other mental disorders complicating pregnancy, second trimester | ICD-10-CM Diagnosis |
| O99.343 | Other mental disorders complicating pregnancy, third trimester | ICD-10-CM Diagnosis |
| O99.344 | Other mental disorders complicating childbirth | ICD-10-CM Diagnosis |
| O99.345 | Other mental disorders complicating the puerperium | ICD-10-CM Diagnosis |
| O99.35 | Diseases of the nervous system complicating pregnancy, childbirth, and the puerperium | ICD-10-CM Diagnosis |
| O99.351 | Diseases of the nervous system complicating pregnancy, first trimester | ICD-10-CM Diagnosis |
| O99.352 | Diseases of the nervous system complicating pregnancy, second trimester | ICD-10-CM Diagnosis |
| O99.353 | Diseases of the nervous system complicating pregnancy, third trimester | ICD-10-CM Diagnosis |
| O99.354 | Diseases of the nervous system complicating childbirth | ICD-10-CM Diagnosis |
| O99.355 | Diseases of the nervous system complicating the puerperium | ICD-10-CM Diagnosis |
| O99.41 | Diseases of the circulatory system complicating pregnancy | ICD-10-CM Diagnosis |
| O99.411 | Diseases of the circulatory system complicating pregnancy, first trimester | ICD-10-CM Diagnosis |
| O99.412 | Diseases of the circulatory system complicating pregnancy, second trimester | ICD-10-CM Diagnosis |
| O99.413 | Diseases of the circulatory system complicating pregnancy, third trimester | ICD-10-CM Diagnosis |
| O99.42 | Diseases of the circulatory system complicating childbirth | ICD-10-CM Diagnosis |
| O99.43 | Diseases of the circulatory system complicating the puerperium | ICD-10-CM Diagnosis |
| O99.51 | Diseases of the respiratory system complicating pregnancy | ICD-10-CM Diagnosis |
| O99.511 | Diseases of the respiratory system complicating pregnancy, first trimester | ICD-10-CM Diagnosis |

List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|---|---------------------|
| O99.512 | Diseases of the respiratory system complicating pregnancy, second trimester | ICD-10-CM Diagnosis |
| O99.513 | Diseases of the respiratory system complicating pregnancy, third trimester | ICD-10-CM Diagnosis |
| O99.52 | Diseases of the respiratory system complicating childbirth | ICD-10-CM Diagnosis |
| O99.61 | Diseases of the digestive system complicating pregnancy | ICD-10-CM Diagnosis |
| O99.611 | Diseases of the digestive system complicating pregnancy, first trimester | ICD-10-CM Diagnosis |
| O99.612 | Diseases of the digestive system complicating pregnancy, second trimester | ICD-10-CM Diagnosis |
| O99.613 | Diseases of the digestive system complicating pregnancy, third trimester | ICD-10-CM Diagnosis |
| O99.62 | Diseases of the digestive system complicating childbirth | ICD-10-CM Diagnosis |
| O99.71 | Diseases of the skin and subcutaneous tissue complicating pregnancy | ICD-10-CM Diagnosis |
| O99.711 | Diseases of the skin and subcutaneous tissue complicating pregnancy, first trimester | ICD-10-CM Diagnosis |
| O99.712 | Diseases of the skin and subcutaneous tissue complicating pregnancy, second trimester | ICD-10-CM Diagnosis |
| O99.713 | Diseases of the skin and subcutaneous tissue complicating pregnancy, third trimester | ICD-10-CM Diagnosis |
| O99.72 | Diseases of the skin and subcutaneous tissue complicating childbirth | ICD-10-CM Diagnosis |
| O99.8 | Other specified diseases and conditions complicating pregnancy, childbirth and the puerperium | ICD-10-CM Diagnosis |
| O99.81 | Abnormal glucose complicating pregnancy, childbirth and the puerperium | ICD-10-CM Diagnosis |
| O99.810 | Abnormal glucose complicating pregnancy | ICD-10-CM Diagnosis |
| O99.814 | Abnormal glucose complicating childbirth | ICD-10-CM Diagnosis |
| O99.815 | Abnormal glucose complicating the puerperium | ICD-10-CM Diagnosis |
| O99.82 | Streptococcus B carrier state complicating pregnancy, childbirth and the puerperium | ICD-10-CM Diagnosis |
| O99.820 | Streptococcus B carrier state complicating pregnancy | ICD-10-CM Diagnosis |
| O99.824 | Streptococcus B carrier state complicating childbirth | ICD-10-CM Diagnosis |
| O99.83 | Other infection carrier state complicating pregnancy, childbirth and the puerperium | ICD-10-CM Diagnosis |
| O99.830 | Other infection carrier state complicating pregnancy | ICD-10-CM Diagnosis |
| O99.834 | Other infection carrier state complicating childbirth | ICD-10-CM Diagnosis |
| O99.835 | Other infection carrier state complicating the puerperium | ICD-10-CM Diagnosis |
| O99.84 | Bariatric surgery status complicating pregnancy, childbirth and the puerperium | ICD-10-CM Diagnosis |
| O99.841 | Bariatric surgery status complicating pregnancy, first trimester | ICD-10-CM Diagnosis |
| O99.842 | Bariatric surgery status complicating pregnancy, second trimester | ICD-10-CM Diagnosis |
| O99.843 | Bariatric surgery status complicating pregnancy, third trimester | ICD-10-CM Diagnosis |
| O99.844 | Bariatric surgery status complicating childbirth | ICD-10-CM Diagnosis |
| O99.845 | Bariatric surgery status complicating the puerperium | ICD-10-CM Diagnosis |
| O9A.11 | Malignant neoplasm complicating pregnancy | ICD-10-CM Diagnosis |
| O9A.111 | Malignant neoplasm complicating pregnancy, first trimester | ICD-10-CM Diagnosis |
| O9A.112 | Malignant neoplasm complicating pregnancy, second trimester | ICD-10-CM Diagnosis |

List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|--|---------------------|
| O9A.113 | Malignant neoplasm complicating pregnancy, third trimester | ICD-10-CM Diagnosis |
| O9A.12 | Malignant neoplasm complicating childbirth | ICD-10-CM Diagnosis |
| O9A.21 | Injury, poisoning and certain other consequences of external causes complicating pregnancy | ICD-10-CM Diagnosis |
| O9A.211 | Injury, poisoning and certain other consequences of external causes complicating pregnancy, first trimester | ICD-10-CM Diagnosis |
| O9A.212 | Injury, poisoning and certain other consequences of external causes complicating pregnancy, second trimester | ICD-10-CM Diagnosis |
| O9A.213 | Injury, poisoning and certain other consequences of external causes complicating pregnancy, third trimester | ICD-10-CM Diagnosis |
| O9A.22 | Injury, poisoning and certain other consequences of external causes complicating childbirth | ICD-10-CM Diagnosis |
| O9A.31 | Physical abuse complicating pregnancy | ICD-10-CM Diagnosis |
| O9A.311 | Physical abuse complicating pregnancy, first trimester | ICD-10-CM Diagnosis |
| O9A.312 | Physical abuse complicating pregnancy, second trimester | ICD-10-CM Diagnosis |
| O9A.313 | Physical abuse complicating pregnancy, third trimester | ICD-10-CM Diagnosis |
| O9A.32 | Physical abuse complicating childbirth | ICD-10-CM Diagnosis |
| O9A.41 | Sexual abuse complicating pregnancy | ICD-10-CM Diagnosis |
| O9A.411 | Sexual abuse complicating pregnancy, first trimester | ICD-10-CM Diagnosis |
| O9A.412 | Sexual abuse complicating pregnancy, second trimester | ICD-10-CM Diagnosis |
| O9A.413 | Sexual abuse complicating pregnancy, third trimester | ICD-10-CM Diagnosis |
| O9A.42 | Sexual abuse complicating childbirth | ICD-10-CM Diagnosis |
| O9A.51 | Psychological abuse complicating pregnancy | ICD-10-CM Diagnosis |
| O9A.511 | Psychological abuse complicating pregnancy, first trimester | ICD-10-CM Diagnosis |
| O9A.512 | Psychological abuse complicating pregnancy, second trimester | ICD-10-CM Diagnosis |
| O9A.513 | Psychological abuse complicating pregnancy, third trimester | ICD-10-CM Diagnosis |
| O9A.52 | Psychological abuse complicating childbirth | ICD-10-CM Diagnosis |
| P03.0 | Newborn (suspected to be) affected by breech delivery and extraction | ICD-10-CM Diagnosis |
| P03.2 | Newborn (suspected to be) affected by forceps delivery | ICD-10-CM Diagnosis |
| P03.3 | Newborn (suspected to be) affected by delivery by vacuum extractor [ventouse] | ICD-10-CM Diagnosis |
| P03.4 | Newborn (suspected to be) affected by Cesarean delivery | ICD-10-CM Diagnosis |
| P03.5 | Newborn (suspected to be) affected by precipitate delivery | ICD-10-CM Diagnosis |
| P84 | Other problems with newborn | ICD-10-CM Diagnosis |
| Z33.1 | Pregnant state, incidental | ICD-10-CM Diagnosis |
| Z33.2 | Encounter for elective termination of pregnancy | ICD-10-CM Diagnosis |
| Z34.00 | Encounter for supervision of normal first pregnancy, unspecified trimester | ICD-10-CM Diagnosis |
| Z34.01 | Encounter for supervision of normal first pregnancy, first trimester | ICD-10-CM Diagnosis |
| Z34.02 | Encounter for supervision of normal first pregnancy, second trimester | ICD-10-CM Diagnosis |
| Z34.03 | Encounter for supervision of normal first pregnancy, third trimester | ICD-10-CM Diagnosis |
| Z34.80 | Encounter for supervision of other normal pregnancy, unspecified trimester | ICD-10-CM Diagnosis |

List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|---|---------------------|
| Z34.81 | Encounter for supervision of other normal pregnancy, first trimester | ICD-10-CM Diagnosis |
| Z34.82 | Encounter for supervision of other normal pregnancy, second trimester | ICD-10-CM Diagnosis |
| Z34.83 | Encounter for supervision of other normal pregnancy, third trimester | ICD-10-CM Diagnosis |
| Z34.90 | Encounter for supervision of normal pregnancy, unspecified, unspecified trimester | ICD-10-CM Diagnosis |
| Z34.91 | Encounter for supervision of normal pregnancy, unspecified, first trimester | ICD-10-CM Diagnosis |
| Z34.92 | Encounter for supervision of normal pregnancy, unspecified, second trimester | ICD-10-CM Diagnosis |
| Z34.93 | Encounter for supervision of normal pregnancy, unspecified, third trimester | ICD-10-CM Diagnosis |
| Z36 | Encounter for antenatal screening of mother | ICD-10-CM Diagnosis |
| Z37.0 | Single live birth | ICD-10-CM Diagnosis |
| Z37.1 | Single stillbirth | ICD-10-CM Diagnosis |
| Z37.2 | Twins, both liveborn | ICD-10-CM Diagnosis |
| Z37.3 | Twins, one liveborn and one stillborn | ICD-10-CM Diagnosis |
| Z37.4 | Twins, both stillborn | ICD-10-CM Diagnosis |
| Z37.5 | Other multiple births, all liveborn | ICD-10-CM Diagnosis |
| Z37.50 | Multiple births, unspecified, all liveborn | ICD-10-CM Diagnosis |
| Z37.51 | Triples, all liveborn | ICD-10-CM Diagnosis |
| Z37.52 | Quadruplets, all liveborn | ICD-10-CM Diagnosis |
| Z37.53 | Quintuplets, all liveborn | ICD-10-CM Diagnosis |
| Z37.54 | Sextuplets, all liveborn | ICD-10-CM Diagnosis |
| Z37.6 | Other multiple births, some liveborn | ICD-10-CM Diagnosis |
| Z37.60 | Multiple births, unspecified, some liveborn | ICD-10-CM Diagnosis |
| Z37.61 | Triples, some liveborn | ICD-10-CM Diagnosis |
| Z37.62 | Quadruplets, some liveborn | ICD-10-CM Diagnosis |
| Z37.63 | Quintuplets, some liveborn | ICD-10-CM Diagnosis |
| Z37.64 | Sextuplets, some liveborn | ICD-10-CM Diagnosis |
| Z37.7 | Other multiple births, all stillborn | ICD-10-CM Diagnosis |
| Z37.9 | Outcome of delivery, unspecified | ICD-10-CM Diagnosis |
| Z38.00 | Single liveborn infant, delivered vaginally | ICD-10-CM Diagnosis |
| Z38.01 | Single liveborn infant, delivered by cesarean | ICD-10-CM Diagnosis |
| Z38.1 | Single liveborn infant, born outside hospital | ICD-10-CM Diagnosis |
| Z38.2 | Single liveborn infant, unspecified as to place of birth | ICD-10-CM Diagnosis |
| Z38.30 | Twin liveborn infant, delivered vaginally | ICD-10-CM Diagnosis |
| Z38.31 | Twin liveborn infant, delivered by cesarean | ICD-10-CM Diagnosis |
| Z38.4 | Twin liveborn infant, born outside hospital | ICD-10-CM Diagnosis |
| Z38.5 | Twin liveborn infant, unspecified as to place of birth | ICD-10-CM Diagnosis |
| Z38.61 | Triplet liveborn infant, delivered vaginally | ICD-10-CM Diagnosis |
| Z38.62 | Triplet liveborn infant, delivered by cesarean | ICD-10-CM Diagnosis |
| Z38.63 | Quadruplet liveborn infant, delivered vaginally | ICD-10-CM Diagnosis |
| Z38.64 | Quadruplet liveborn infant, delivered by cesarean | ICD-10-CM Diagnosis |

List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|--|---------------------|
| Z38.65 | Quintuplet liveborn infant, delivered vaginally | ICD-10-CM Diagnosis |
| Z38.66 | Quintuplet liveborn infant, delivered by cesarean | ICD-10-CM Diagnosis |
| Z38.68 | Other multiple liveborn infant, delivered vaginally | ICD-10-CM Diagnosis |
| Z38.69 | Other multiple liveborn infant, delivered by cesarean | ICD-10-CM Diagnosis |
| Z38.7 | Other multiple liveborn infant, born outside hospital | ICD-10-CM Diagnosis |
| Z38.8 | Other multiple liveborn infant, unspecified as to place of birth | ICD-10-CM Diagnosis |
| O32.0 | Maternal care for unstable lie | ICD-10-CM Diagnosis |
| O32.1 | Maternal care for breech presentation | ICD-10-CM Diagnosis |
| O32.2 | Maternal care for transverse and oblique lie | ICD-10-CM Diagnosis |
| O32.3 | Maternal care for face, brow and chin presentation | ICD-10-CM Diagnosis |
| O32.4 | Maternal care for high head at term | ICD-10-CM Diagnosis |
| O32.6 | Maternal care for compound presentation | ICD-10-CM Diagnosis |
| O32.8 | Maternal care for other malpresentation of fetus | ICD-10-CM Diagnosis |
| O32.9 | Maternal care for malpresentation of fetus, unspecified | ICD-10-CM Diagnosis |
| O33.3 | Maternal care for disproportion due to outlet contraction of pelvis | ICD-10-CM Diagnosis |
| O33.4 | Maternal care for disproportion of mixed maternal and fetal origin | ICD-10-CM Diagnosis |
| O33.5 | Maternal care for disproportion due to unusually large fetus | ICD-10-CM Diagnosis |
| O33.6 | Maternal care for disproportion due to hydrocephalic fetus | ICD-10-CM Diagnosis |
| O35.0 | Maternal care for (suspected) central nervous system malformation in fetus | ICD-10-CM Diagnosis |
| O35.1 | Maternal care for (suspected) chromosomal abnormality in fetus | ICD-10-CM Diagnosis |
| O35.2 | Maternal care for (suspected) hereditary disease in fetus | ICD-10-CM Diagnosis |
| O35.3 | Maternal care for (suspected) damage to fetus from viral disease in mother | ICD-10-CM Diagnosis |
| O35.4 | Maternal care for (suspected) damage to fetus from alcohol | ICD-10-CM Diagnosis |
| O35.5 | Maternal care for (suspected) damage to fetus by drugs | ICD-10-CM Diagnosis |
| O35.6 | Maternal care for (suspected) damage to fetus by radiation | ICD-10-CM Diagnosis |
| O35.7 | Maternal care for (suspected) damage to fetus by other medical procedures | ICD-10-CM Diagnosis |
| O35.8 | Maternal care for other (suspected) fetal abnormality and damage | ICD-10-CM Diagnosis |
| O35.9 | Maternal care for (suspected) fetal abnormality and damage, unspecified | ICD-10-CM Diagnosis |
| O36.4 | Maternal care for intrauterine death | ICD-10-CM Diagnosis |
| O40.1 | Polyhydramnios, first trimester | ICD-10-CM Diagnosis |
| O40.2 | Polyhydramnios, second trimester | ICD-10-CM Diagnosis |
| O40.3 | Polyhydramnios, third trimester | ICD-10-CM Diagnosis |
| O64.0 | Obstructed labor due to incomplete rotation of fetal head | ICD-10-CM Diagnosis |
| O64.1 | Obstructed labor due to breech presentation | ICD-10-CM Diagnosis |
| O64.2 | Obstructed labor due to face presentation | ICD-10-CM Diagnosis |
| O64.3 | Obstructed labor due to brow presentation | ICD-10-CM Diagnosis |
| O64.4 | Obstructed labor due to shoulder presentation | ICD-10-CM Diagnosis |
| O64.5 | Obstructed labor due to compound presentation | ICD-10-CM Diagnosis |
| O64.8 | Obstructed labor due to other malposition and malpresentation | ICD-10-CM Diagnosis |
| O64.9 | Obstructed labor due to malposition and malpresentation, unspecified | ICD-10-CM Diagnosis |

List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|---------------|--|---------------------|
| O69.0 | Labor and delivery complicated by prolapse of cord | ICD-10-CM Diagnosis |
| O69.1 | Labor and delivery complicated by cord around neck, with compression | ICD-10-CM Diagnosis |
| O69.2 | Labor and delivery complicated by other cord entanglement, with compression | ICD-10-CM Diagnosis |
| O69.3 | Labor and delivery complicated by short cord | ICD-10-CM Diagnosis |
| O69.4 | Labor and delivery complicated by vasa previa | ICD-10-CM Diagnosis |
| O69.5 | Labor and delivery complicated by vascular lesion of cord | ICD-10-CM Diagnosis |
| O69.9 | Labor and delivery complicated by cord complication, unspecified | ICD-10-CM Diagnosis |
| Stroke | | |
| I60.00 | Nontraumatic subarachnoid hemorrhage from unspecified carotid siphon and bifurcation | ICD-10-CM Diagnosis |
| I60.01 | Nontraumatic subarachnoid hemorrhage from right carotid siphon and bifurcation | ICD-10-CM Diagnosis |
| I60.02 | Nontraumatic subarachnoid hemorrhage from left carotid siphon and bifurcation | ICD-10-CM Diagnosis |
| I60.10 | Nontraumatic subarachnoid hemorrhage from unspecified middle cerebral artery | ICD-10-CM Diagnosis |
| I60.11 | Nontraumatic subarachnoid hemorrhage from right middle cerebral artery | ICD-10-CM Diagnosis |
| I60.12 | Nontraumatic subarachnoid hemorrhage from left middle cerebral artery | ICD-10-CM Diagnosis |
| I60.2 | Nontraumatic subarachnoid hemorrhage from anterior communicating artery | ICD-10-CM Diagnosis |
| I60.20 | Nontraumatic subarachnoid hemorrhage from unspecified anterior communicating artery | ICD-10-CM Diagnosis |
| I60.21 | Nontraumatic subarachnoid hemorrhage from right anterior communicating artery | ICD-10-CM Diagnosis |
| I60.22 | Nontraumatic subarachnoid hemorrhage from left anterior communicating artery | ICD-10-CM Diagnosis |
| I60.30 | Nontraumatic subarachnoid hemorrhage from unspecified posterior communicating artery | ICD-10-CM Diagnosis |
| I60.31 | Nontraumatic subarachnoid hemorrhage from right posterior communicating artery | ICD-10-CM Diagnosis |
| I60.32 | Nontraumatic subarachnoid hemorrhage from left posterior communicating artery | ICD-10-CM Diagnosis |
| I60.4 | Nontraumatic subarachnoid hemorrhage from basilar artery | ICD-10-CM Diagnosis |
| I60.50 | Nontraumatic subarachnoid hemorrhage from unspecified vertebral artery | ICD-10-CM Diagnosis |
| I60.51 | Nontraumatic subarachnoid hemorrhage from right vertebral artery | ICD-10-CM Diagnosis |
| I60.52 | Nontraumatic subarachnoid hemorrhage from left vertebral artery | ICD-10-CM Diagnosis |
| I60.6 | Nontraumatic subarachnoid hemorrhage from other intracranial arteries | ICD-10-CM Diagnosis |
| I60.7 | Nontraumatic subarachnoid hemorrhage from unspecified intracranial artery | ICD-10-CM Diagnosis |
| I60.8 | Other nontraumatic subarachnoid hemorrhage | ICD-10-CM Diagnosis |
| I60.9 | Nontraumatic subarachnoid hemorrhage, unspecified | ICD-10-CM Diagnosis |
| I61.0 | Nontraumatic intracerebral hemorrhage in hemisphere, subcortical | ICD-10-CM Diagnosis |
| I61.1 | Nontraumatic intracerebral hemorrhage in hemisphere, cortical | ICD-10-CM Diagnosis |
| I61.2 | Nontraumatic intracerebral hemorrhage in hemisphere, unspecified | ICD-10-CM Diagnosis |

List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|--|---------------------|
| I61.3 | Nontraumatic intracerebral hemorrhage in brain stem | ICD-10-CM Diagnosis |
| I61.4 | Nontraumatic intracerebral hemorrhage in cerebellum | ICD-10-CM Diagnosis |
| I61.5 | Nontraumatic intracerebral hemorrhage, intraventricular | ICD-10-CM Diagnosis |
| I61.6 | Nontraumatic intracerebral hemorrhage, multiple localized | ICD-10-CM Diagnosis |
| I61.8 | Other nontraumatic intracerebral hemorrhage | ICD-10-CM Diagnosis |
| I61.9 | Nontraumatic intracerebral hemorrhage, unspecified | ICD-10-CM Diagnosis |
| I62.9 | Nontraumatic intracranial hemorrhage, unspecified | ICD-10-CM Diagnosis |
| I63.00 | Cerebral infarction due to thrombosis of unspecified precerebral artery | ICD-10-CM Diagnosis |
| I63.01 | Cerebral infarction due to thrombosis of vertebral artery | ICD-10-CM Diagnosis |
| I63.011 | Cerebral infarction due to thrombosis of right vertebral artery | ICD-10-CM Diagnosis |
| I63.012 | Cerebral infarction due to thrombosis of left vertebral artery | ICD-10-CM Diagnosis |
| I63.013 | Cerebral infarction due to thrombosis of bilateral vertebral arteries | ICD-10-CM Diagnosis |
| I63.019 | Cerebral infarction due to thrombosis of unspecified vertebral artery | ICD-10-CM Diagnosis |
| I63.02 | Cerebral infarction due to thrombosis of basilar artery | ICD-10-CM Diagnosis |
| I63.03 | Cerebral infarction due to thrombosis of carotid artery | ICD-10-CM Diagnosis |
| I63.031 | Cerebral infarction due to thrombosis of right carotid artery | ICD-10-CM Diagnosis |
| I63.032 | Cerebral infarction due to thrombosis of left carotid artery | ICD-10-CM Diagnosis |
| I63.033 | Cerebral infarction due to thrombosis of bilateral carotid arteries | ICD-10-CM Diagnosis |
| I63.039 | Cerebral infarction due to thrombosis of unspecified carotid artery | ICD-10-CM Diagnosis |
| I63.09 | Cerebral infarction due to thrombosis of other precerebral artery | ICD-10-CM Diagnosis |
| I63.10 | Cerebral infarction due to embolism of unspecified precerebral artery | ICD-10-CM Diagnosis |
| I63.11 | Cerebral infarction due to embolism of vertebral artery | ICD-10-CM Diagnosis |
| I63.111 | Cerebral infarction due to embolism of right vertebral artery | ICD-10-CM Diagnosis |
| I63.112 | Cerebral infarction due to embolism of left vertebral artery | ICD-10-CM Diagnosis |
| I63.113 | Cerebral infarction due to embolism of bilateral vertebral arteries | ICD-10-CM Diagnosis |
| I63.119 | Cerebral infarction due to embolism of unspecified vertebral artery | ICD-10-CM Diagnosis |
| I63.12 | Cerebral infarction due to embolism of basilar artery | ICD-10-CM Diagnosis |
| I63.13 | Cerebral infarction due to embolism of carotid artery | ICD-10-CM Diagnosis |
| I63.131 | Cerebral infarction due to embolism of right carotid artery | ICD-10-CM Diagnosis |
| I63.132 | Cerebral infarction due to embolism of left carotid artery | ICD-10-CM Diagnosis |
| I63.133 | Cerebral infarction due to embolism of bilateral carotid arteries | ICD-10-CM Diagnosis |
| I63.139 | Cerebral infarction due to embolism of unspecified carotid artery | ICD-10-CM Diagnosis |
| I63.19 | Cerebral infarction due to embolism of other precerebral artery | ICD-10-CM Diagnosis |
| I63.20 | Cerebral infarction due to unspecified occlusion or stenosis of unspecified precerebral arteries | ICD-10-CM Diagnosis |
| I63.21 | Cerebral infarction due to unspecified occlusion or stenosis of vertebral arteries | ICD-10-CM Diagnosis |
| I63.211 | Cerebral infarction due to unspecified occlusion or stenosis of right vertebral arteries | ICD-10-CM Diagnosis |
| I63.212 | Cerebral infarction due to unspecified occlusion or stenosis of left vertebral arteries | ICD-10-CM Diagnosis |

List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|--|---------------------|
| 163.213 | Cerebral infarction due to unspecified occlusion or stenosis of bilateral vertebral arteries | ICD-10-CM Diagnosis |
| 163.219 | Cerebral infarction due to unspecified occlusion or stenosis of unspecified vertebral arteries | ICD-10-CM Diagnosis |
| 163.22 | Cerebral infarction due to unspecified occlusion or stenosis of basilar arteries | ICD-10-CM Diagnosis |
| 163.23 | Cerebral infarction due to unspecified occlusion or stenosis of carotid arteries | ICD-10-CM Diagnosis |
| 163.231 | Cerebral infarction due to unspecified occlusion or stenosis of right carotid arteries | ICD-10-CM Diagnosis |
| 163.232 | Cerebral infarction due to unspecified occlusion or stenosis of left carotid arteries | ICD-10-CM Diagnosis |
| 163.233 | Cerebral infarction due to unspecified occlusion or stenosis of bilateral carotid arteries | ICD-10-CM Diagnosis |
| 163.239 | Cerebral infarction due to unspecified occlusion or stenosis of unspecified carotid arteries | ICD-10-CM Diagnosis |
| 163.29 | Cerebral infarction due to unspecified occlusion or stenosis of other precerebral arteries | ICD-10-CM Diagnosis |
| 163.30 | Cerebral infarction due to thrombosis of unspecified cerebral artery | ICD-10-CM Diagnosis |
| 163.31 | Cerebral infarction due to thrombosis of middle cerebral artery | ICD-10-CM Diagnosis |
| 163.311 | Cerebral infarction due to thrombosis of right middle cerebral artery | ICD-10-CM Diagnosis |
| 163.312 | Cerebral infarction due to thrombosis of left middle cerebral artery | ICD-10-CM Diagnosis |
| 163.313 | Cerebral infarction due to thrombosis of bilateral middle cerebral arteries | ICD-10-CM Diagnosis |
| 163.319 | Cerebral infarction due to thrombosis of unspecified middle cerebral artery | ICD-10-CM Diagnosis |
| 163.32 | Cerebral infarction due to thrombosis of anterior cerebral artery | ICD-10-CM Diagnosis |
| 163.321 | Cerebral infarction due to thrombosis of right anterior cerebral artery | ICD-10-CM Diagnosis |
| 163.322 | Cerebral infarction due to thrombosis of left anterior cerebral artery | ICD-10-CM Diagnosis |
| 163.323 | Cerebral infarction due to thrombosis of bilateral anterior arteries | ICD-10-CM Diagnosis |
| 163.329 | Cerebral infarction due to thrombosis of unspecified anterior cerebral artery | ICD-10-CM Diagnosis |
| 163.33 | Cerebral infarction due to thrombosis of posterior cerebral artery | ICD-10-CM Diagnosis |
| 163.331 | Cerebral infarction due to thrombosis of right posterior cerebral artery | ICD-10-CM Diagnosis |
| 163.332 | Cerebral infarction due to thrombosis of left posterior cerebral artery | ICD-10-CM Diagnosis |
| 163.333 | Cerebral infarction to thrombosis of bilateral posterior arteries | ICD-10-CM Diagnosis |
| 163.339 | Cerebral infarction due to thrombosis of unspecified posterior cerebral artery | ICD-10-CM Diagnosis |
| 163.34 | Cerebral infarction due to thrombosis of cerebellar artery | ICD-10-CM Diagnosis |
| 163.341 | Cerebral infarction due to thrombosis of right cerebellar artery | ICD-10-CM Diagnosis |
| 163.342 | Cerebral infarction due to thrombosis of left cerebellar artery | ICD-10-CM Diagnosis |
| 163.343 | Cerebral infarction to thrombosis of bilateral cerebellar arteries | ICD-10-CM Diagnosis |
| 163.349 | Cerebral infarction due to thrombosis of unspecified cerebellar artery | ICD-10-CM Diagnosis |
| 163.39 | Cerebral infarction due to thrombosis of other cerebral artery | ICD-10-CM Diagnosis |
| 163.40 | Cerebral infarction due to embolism of unspecified cerebral artery | ICD-10-CM Diagnosis |
| 163.41 | Cerebral infarction due to embolism of middle cerebral artery | ICD-10-CM Diagnosis |
| 163.411 | Cerebral infarction due to embolism of right middle cerebral artery | ICD-10-CM Diagnosis |

List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|---|---------------------|
| 163.412 | Cerebral infarction due to embolism of left middle cerebral artery | ICD-10-CM Diagnosis |
| 163.413 | Cerebral infarction due to embolism of bilateral middle cerebral arteries | ICD-10-CM Diagnosis |
| 163.419 | Cerebral infarction due to embolism of unspecified middle cerebral artery | ICD-10-CM Diagnosis |
| 163.42 | Cerebral infarction due to embolism of anterior cerebral artery | ICD-10-CM Diagnosis |
| 163.421 | Cerebral infarction due to embolism of right anterior cerebral artery | ICD-10-CM Diagnosis |
| 163.422 | Cerebral infarction due to embolism of left anterior cerebral artery | ICD-10-CM Diagnosis |
| 163.423 | Cerebral infarction due to embolism of bilateral anterior cerebral arteries | ICD-10-CM Diagnosis |
| 163.429 | Cerebral infarction due to embolism of unspecified anterior cerebral artery | ICD-10-CM Diagnosis |
| 163.43 | Cerebral infarction due to embolism of posterior cerebral artery | ICD-10-CM Diagnosis |
| 163.431 | Cerebral infarction due to embolism of right posterior cerebral artery | ICD-10-CM Diagnosis |
| 163.432 | Cerebral infarction due to embolism of left posterior cerebral artery | ICD-10-CM Diagnosis |
| 163.433 | Cerebral infarction due to embolism of bilateral posterior cerebral arteries | ICD-10-CM Diagnosis |
| 163.439 | Cerebral infarction due to embolism of unspecified posterior cerebral artery | ICD-10-CM Diagnosis |
| 163.44 | Cerebral infarction due to embolism of cerebellar artery | ICD-10-CM Diagnosis |
| 163.441 | Cerebral infarction due to embolism of right cerebellar artery | ICD-10-CM Diagnosis |
| 163.442 | Cerebral infarction due to embolism of left cerebellar artery | ICD-10-CM Diagnosis |
| 163.443 | Cerebral infarction due to embolism of bilateral cerebellar arteries | ICD-10-CM Diagnosis |
| 163.449 | Cerebral infarction due to embolism of unspecified cerebellar artery | ICD-10-CM Diagnosis |
| 163.49 | Cerebral infarction due to embolism of other cerebral artery | ICD-10-CM Diagnosis |
| 163.50 | Cerebral infarction due to unspecified occlusion or stenosis of unspecified cerebral | ICD-10-CM Diagnosis |
| 163.51 | Cerebral infarction due to unspecified occlusion or stenosis of middle cerebral artery | ICD-10-CM Diagnosis |
| 163.511 | Cerebral infarction due to unspecified occlusion or stenosis of right middle cerebral | ICD-10-CM Diagnosis |
| 163.512 | Cerebral infarction due to unspecified occlusion or stenosis of left middle cerebral | ICD-10-CM Diagnosis |
| 163.513 | Cerebral infarction due to unspecified occlusion or stenosis of bilateral middle | ICD-10-CM Diagnosis |
| 163.519 | Cerebral infarction due to unspecified occlusion or stenosis of unspecified middle | ICD-10-CM Diagnosis |
| 163.52 | Cerebral infarction due to unspecified occlusion or stenosis of anterior cerebral | ICD-10-CM Diagnosis |
| 163.521 | Cerebral infarction due to unspecified occlusion or stenosis of right anterior cerebral | ICD-10-CM Diagnosis |
| 163.522 | Cerebral infarction due to unspecified occlusion or stenosis of left anterior cerebral | ICD-10-CM Diagnosis |
| 163.523 | Cerebral infarction due to unspecified occlusion or stenosis of bilateral anterior | ICD-10-CM Diagnosis |
| 163.529 | Cerebral infarction due to unspecified occlusion or stenosis of unspecified anterior | ICD-10-CM Diagnosis |
| 163.53 | Cerebral infarction due to unspecified occlusion or stenosis of posterior cerebral | ICD-10-CM Diagnosis |
| 163.531 | Cerebral infarction due to unspecified occlusion or stenosis of right posterior | ICD-10-CM Diagnosis |
| 163.532 | Cerebral infarction due to unspecified occlusion or stenosis of left posterior cerebral | ICD-10-CM Diagnosis |
| 163.533 | Cerebral infarction due to unspecified occlusion or stenosis of bilateral posterior | ICD-10-CM Diagnosis |
| 163.539 | Cerebral infarction due to unspecified occlusion or stenosis of unspecified posterior | ICD-10-CM Diagnosis |
| 163.54 | Cerebral infarction due to unspecified occlusion or stenosis of cerebellar artery | ICD-10-CM Diagnosis |
| 163.541 | Cerebral infarction due to unspecified occlusion or stenosis of right cerebellar artery | ICD-10-CM Diagnosis |
| 163.542 | Cerebral infarction due to unspecified occlusion or stenosis of left cerebellar artery | ICD-10-CM Diagnosis |
| 163.543 | Cerebral infarction due to unspecified occlusion or stenosis of bilateral cerebellar arteries | ICD-10-CM Diagnosis |

List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|--|---------------------|
| I63.549 | Cerebral infarction due to unspecified occlusion or stenosis of unspecified cerebellar artery | ICD-10-CM Diagnosis |
| I63.59 | Cerebral infarction due to unspecified occlusion or stenosis of other cerebral artery | ICD-10-CM Diagnosis |
| I63.6 | Cerebral infarction due to cerebral venous thrombosis, nonpyogenic | ICD-10-CM Diagnosis |
| I63.8 | Other cerebral infarction | ICD-10-CM Diagnosis |
| I63.9 | Cerebral infarction, unspecified | ICD-10-CM Diagnosis |
| S06.34 | Traumatic hemorrhage of right cerebrum | ICD-10-CM Diagnosis |
| S06.340A | Traumatic hemorrhage of right cerebrum without loss of consciousness, initial encounter | ICD-10-CM Diagnosis |
| S06.340D | Traumatic hemorrhage of right cerebrum without loss of consciousness, subsequent encounter | ICD-10-CM Diagnosis |
| S06.341A | Traumatic hemorrhage of right cerebrum with loss of consciousness of 30 minutes or less, initial encounter | ICD-10-CM Diagnosis |
| S06.341D | Traumatic hemorrhage of right cerebrum with loss of consciousness of 30 minutes or less, subsequent encounter | ICD-10-CM Diagnosis |
| S06.342A | Traumatic hemorrhage of right cerebrum with loss of consciousness of 31 minutes to 59 minutes, initial encounter | ICD-10-CM Diagnosis |
| S06.342D | Traumatic hemorrhage of right cerebrum with loss of consciousness of 31 minutes to 59 minutes, subsequent encounter | ICD-10-CM Diagnosis |
| S06.343A | Traumatic hemorrhage of right cerebrum with loss of consciousness of 1 hours to 5 hours 59 minutes, initial encounter | ICD-10-CM Diagnosis |
| S06.343D | Traumatic hemorrhage of right cerebrum with loss of consciousness of 1 hours to 5 hours 59 minutes, subsequent encounter | ICD-10-CM Diagnosis |
| S06.344A | Traumatic hemorrhage of right cerebrum with loss of consciousness of 6 hours to 24 hours, initial encounter | ICD-10-CM Diagnosis |
| S06.344D | Traumatic hemorrhage of right cerebrum with loss of consciousness of 6 hours to 24 hours, subsequent encounter | ICD-10-CM Diagnosis |
| S06.345A | Traumatic hemorrhage of right cerebrum with loss of consciousness greater than 24 hours with return to pre-existing conscious level, initial encounter | ICD-10-CM Diagnosis |
| S06.345D | Traumatic hemorrhage of right cerebrum with loss of consciousness greater than 24 hours with return to pre-existing conscious level, subsequent encounter | ICD-10-CM Diagnosis |
| S06.346A | Traumatic hemorrhage of right cerebrum with loss of consciousness greater than 24 hours without return to pre-existing conscious level with patient surviving, initial | ICD-10-CM Diagnosis |
| S06.346D | Traumatic hemorrhage of right cerebrum with loss of consciousness greater than 24 hours without return to pre-existing conscious level with patient surviving, | ICD-10-CM Diagnosis |
| S06.347A | Traumatic hemorrhage of right cerebrum with loss of consciousness of any duration | ICD-10-CM Diagnosis |
| S06.347D | Traumatic hemorrhage of right cerebrum with loss of consciousness of any duration | ICD-10-CM Diagnosis |
| S06.348A | Traumatic hemorrhage of right cerebrum with loss of consciousness of any duration | ICD-10-CM Diagnosis |
| S06.348D | Traumatic hemorrhage of right cerebrum with loss of consciousness of any duration | ICD-10-CM Diagnosis |
| S06.349A | Traumatic hemorrhage of right cerebrum with loss of consciousness of unspecified | ICD-10-CM Diagnosis |

List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|--|---------------------|
| S06.349D | Traumatic hemorrhage of right cerebrum with loss of consciousness of unspecified duration, subsequent encounter | ICD-10-CM Diagnosis |
| S06.35 | Traumatic hemorrhage of left cerebrum | ICD-10-CM Diagnosis |
| S06.350A | Traumatic hemorrhage of left cerebrum without loss of consciousness, initial encounter | ICD-10-CM Diagnosis |
| S06.350D | Traumatic hemorrhage of left cerebrum without loss of consciousness, subsequent encounter | ICD-10-CM Diagnosis |
| S06.351A | Traumatic hemorrhage of left cerebrum with loss of consciousness of 30 minutes or less, initial encounter | ICD-10-CM Diagnosis |
| S06.351D | Traumatic hemorrhage of left cerebrum with loss of consciousness of 30 minutes or less, subsequent encounter | ICD-10-CM Diagnosis |
| S06.352A | Traumatic hemorrhage of left cerebrum with loss of consciousness of 31 minutes to 59 minutes, initial encounter | ICD-10-CM Diagnosis |
| S06.352D | Traumatic hemorrhage of left cerebrum with loss of consciousness of 31 minutes to 59 minutes, subsequent encounter | ICD-10-CM Diagnosis |
| S06.353A | Traumatic hemorrhage of left cerebrum with loss of consciousness of 1 hours to 5 hours 59 minutes, initial encounter | ICD-10-CM Diagnosis |
| S06.353D | Traumatic hemorrhage of left cerebrum with loss of consciousness of 1 hours to 5 hours 59 minutes, subsequent encounter | ICD-10-CM Diagnosis |
| S06.354A | Traumatic hemorrhage of left cerebrum with loss of consciousness of 6 hours to 24 hours, initial encounter | ICD-10-CM Diagnosis |
| S06.354D | Traumatic hemorrhage of left cerebrum with loss of consciousness of 6 hours to 24 hours, subsequent encounter | ICD-10-CM Diagnosis |
| S06.355A | Traumatic hemorrhage of left cerebrum with loss of consciousness greater than 24 hours with return to pre-existing conscious level, initial encounter | ICD-10-CM Diagnosis |
| S06.355D | Traumatic hemorrhage of left cerebrum with loss of consciousness greater than 24 hours with return to pre-existing conscious level, subsequent encounter | ICD-10-CM Diagnosis |
| S06.356A | Traumatic hemorrhage of left cerebrum with loss of consciousness greater than 24 hours without return to pre-existing conscious level with patient surviving, initial encounter | ICD-10-CM Diagnosis |
| S06.356D | Traumatic hemorrhage of left cerebrum with loss of consciousness greater than 24 hours without return to pre-existing conscious level with patient surviving, subsequent encounter | ICD-10-CM Diagnosis |
| S06.357A | Traumatic hemorrhage of left cerebrum with loss of consciousness of any duration with death due to brain injury prior to regaining consciousness, initial encounter | ICD-10-CM Diagnosis |
| S06.357D | Traumatic hemorrhage of left cerebrum with loss of consciousness of any duration with death due to brain injury prior to regaining consciousness, subsequent encounter | ICD-10-CM Diagnosis |
| S06.358A | Traumatic hemorrhage of left cerebrum with loss of consciousness of any duration with death due to other cause prior to regaining consciousness, initial encounter | ICD-10-CM Diagnosis |

List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|---|---------------------|
| S06.358D | Traumatic hemorrhage of left cerebrum with loss of consciousness of any duration with death due to other cause prior to regaining consciousness, subsequent | ICD-10-CM Diagnosis |
| S06.359A | Traumatic hemorrhage of left cerebrum with loss of consciousness of unspecified | ICD-10-CM Diagnosis |
| S06.359D | Traumatic hemorrhage of left cerebrum with loss of consciousness of unspecified duration, subsequent encounter | ICD-10-CM Diagnosis |
| S06.36 | Traumatic hemorrhage of cerebrum, unspecified | ICD-10-CM Diagnosis |
| S06.360A | Traumatic hemorrhage of cerebrum, unspecified, without loss of consciousness, initial encounter | ICD-10-CM Diagnosis |
| S06.360D | Traumatic hemorrhage of cerebrum, unspecified, without loss of consciousness, subsequent encounter | ICD-10-CM Diagnosis |
| S06.361A | Traumatic hemorrhage of cerebrum, unspecified, with loss of consciousness of 30 minutes or less, initial encounter | ICD-10-CM Diagnosis |
| S06.361D | Traumatic hemorrhage of cerebrum, unspecified, with loss of consciousness of 30 minutes or less, subsequent encounter | ICD-10-CM Diagnosis |
| S06.362A | Traumatic hemorrhage of cerebrum, unspecified, with loss of consciousness of 31 minutes to 59 minutes, initial encounter | ICD-10-CM Diagnosis |
| S06.362D | Traumatic hemorrhage of cerebrum, unspecified, with loss of consciousness of 31 minutes to 59 minutes, subsequent encounter | ICD-10-CM Diagnosis |
| S06.363A | Traumatic hemorrhage of cerebrum, unspecified, with loss of consciousness of 1 hours to 5 hours 59 minutes, initial encounter | ICD-10-CM Diagnosis |
| S06.363D | Traumatic hemorrhage of cerebrum, unspecified, with loss of consciousness of 1 hours to 5 hours 59 minutes, subsequent encounter | ICD-10-CM Diagnosis |
| S06.364A | Traumatic hemorrhage of cerebrum, unspecified, with loss of consciousness of 6 hours to 24 hours, initial encounter | ICD-10-CM Diagnosis |
| S06.364D | Traumatic hemorrhage of cerebrum, unspecified, with loss of consciousness of 6 hours to 24 hours, subsequent encounter | ICD-10-CM Diagnosis |
| S06.365A | Traumatic hemorrhage of cerebrum, unspecified, with loss of consciousness greater than 24 hours with return to pre-existing conscious level, initial encounter | ICD-10-CM Diagnosis |
| S06.365D | Traumatic hemorrhage of cerebrum, unspecified, with loss of consciousness greater than 24 hours with return to pre-existing conscious level, subsequent encounter | ICD-10-CM Diagnosis |
| S06.366A | Traumatic hemorrhage of cerebrum, unspecified, with loss of consciousness greater than 24 hours without return to pre-existing conscious level with patient surviving, initial encounter | ICD-10-CM Diagnosis |
| S06.366D | Traumatic hemorrhage of cerebrum, unspecified, with loss of consciousness greater than 24 hours without return to pre-existing conscious level with patient surviving, subsequent encounter | ICD-10-CM Diagnosis |
| S06.367A | Traumatic hemorrhage of cerebrum, unspecified, with loss of consciousness of any duration with death due to brain injury prior to regaining consciousness, initial encounter | ICD-10-CM Diagnosis |

List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|---|---------------------|
| S06.367D | Traumatic hemorrhage of cerebrum, unspecified, with loss of consciousness of any duration with death due to brain injury prior to regaining consciousness, subsequent encounter | ICD-10-CM Diagnosis |
| S06.368A | Traumatic hemorrhage of cerebrum, unspecified, with loss of consciousness of any duration with death due to other cause prior to regaining consciousness, initial | ICD-10-CM Diagnosis |
| S06.368D | Traumatic hemorrhage of cerebrum, unspecified, with loss of consciousness of any duration with death due to other cause prior to regaining consciousness, | ICD-10-CM Diagnosis |
| S06.369A | Traumatic hemorrhage of cerebrum, unspecified, with loss of consciousness of | ICD-10-CM Diagnosis |
| S06.369D | Traumatic hemorrhage of cerebrum, unspecified, with loss of consciousness of unspecified duration, subsequent encounter | ICD-10-CM Diagnosis |
| S06.6 | Traumatic subarachnoid hemorrhage | ICD-10-CM Diagnosis |
| S06.6X0A | Traumatic subarachnoid hemorrhage without loss of consciousness, initial encounter | ICD-10-CM Diagnosis |
| S06.6X0D | Traumatic subarachnoid hemorrhage without loss of consciousness, subsequent encounter | ICD-10-CM Diagnosis |
| S06.6X1A | Traumatic subarachnoid hemorrhage with loss of consciousness of 30 minutes or less, initial encounter | ICD-10-CM Diagnosis |
| S06.6X1D | Traumatic subarachnoid hemorrhage with loss of consciousness of 30 minutes or less, subsequent encounter | ICD-10-CM Diagnosis |
| S06.6X2A | Traumatic subarachnoid hemorrhage with loss of consciousness of 31 minutes to 59 minutes, initial encounter | ICD-10-CM Diagnosis |
| S06.6X2D | Traumatic subarachnoid hemorrhage with loss of consciousness of 31 minutes to 59 minutes, subsequent encounter | ICD-10-CM Diagnosis |
| S06.6X3A | Traumatic subarachnoid hemorrhage with loss of consciousness of 1 hour to 5 hours 59 minutes, initial encounter | ICD-10-CM Diagnosis |
| S06.6X3D | Traumatic subarachnoid hemorrhage with loss of consciousness of 1 hour to 5 hours 59 minutes, subsequent encounter | ICD-10-CM Diagnosis |
| S06.6X4A | Traumatic subarachnoid hemorrhage with loss of consciousness of 6 hours to 24 hours, initial encounter | ICD-10-CM Diagnosis |
| S06.6X4D | Traumatic subarachnoid hemorrhage with loss of consciousness of 6 hours to 24 hours, subsequent encounter | ICD-10-CM Diagnosis |
| S06.6X5A | Traumatic subarachnoid hemorrhage with loss of consciousness greater than 24 hours with return to pre-existing conscious level, initial encounter | ICD-10-CM Diagnosis |
| S06.6X5D | Traumatic subarachnoid hemorrhage with loss of consciousness greater than 24 hours with return to pre-existing conscious level, subsequent encounter | ICD-10-CM Diagnosis |
| S06.6X6A | Traumatic subarachnoid hemorrhage with loss of consciousness greater than 24 hours without return to pre-existing conscious level with patient surviving, initial encounter | ICD-10-CM Diagnosis |
| S06.6X6D | Traumatic subarachnoid hemorrhage with loss of consciousness greater than 24 hours without return to pre-existing conscious level with patient surviving, subsequent encounter | ICD-10-CM Diagnosis |

List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|--|---------------------|
| S06.6X7A | Traumatic subarachnoid hemorrhage with loss of consciousness of any duration with death due to brain injury prior to regaining consciousness, initial encounter | ICD-10-CM Diagnosis |
| S06.6X7D | Traumatic subarachnoid hemorrhage with loss of consciousness of any duration with death due to brain injury prior to regaining consciousness, subsequent encounter | ICD-10-CM Diagnosis |
| S06.6X8A | Traumatic subarachnoid hemorrhage with loss of consciousness of any duration with death due to other cause prior to regaining consciousness, initial encounter | ICD-10-CM Diagnosis |
| S06.6X8D | Traumatic subarachnoid hemorrhage with loss of consciousness of any duration with death due to other cause prior to regaining consciousness, subsequent encounter | ICD-10-CM Diagnosis |
| S06.6X9A | Traumatic subarachnoid hemorrhage with loss of consciousness of unspecified duration, subsequent encounter | ICD-10-CM Diagnosis |
| S06.6X9D | Traumatic subarachnoid hemorrhage with loss of consciousness of unspecified duration, subsequent encounter | ICD-10-CM Diagnosis |
| Z86.73 | Personal history of transient ischemic attack (TIA), and cerebral infarction without residual deficits | ICD-10-CM Diagnosis |
| I69.00 | Unspecified sequelae of nontraumatic subarachnoid hemorrhage | ICD-10-CM Diagnosis |
| I69.010 | Attention and concentration deficit following nontraumatic subarachnoid hemorrhage | ICD-10-CM Diagnosis |
| I69.011 | Memory deficit following nontraumatic subarachnoid hemorrhage | ICD-10-CM Diagnosis |
| I69.012 | Visuospatial deficit and spatial neglect following nontraumatic subarachnoid hemorrhage | ICD-10-CM Diagnosis |
| I69.013 | Psychomotor deficit following nontraumatic subarachnoid hemorrhage | ICD-10-CM Diagnosis |
| I69.014 | Frontal lobe and executive function deficit following nontraumatic subarachnoid hemorrhage | ICD-10-CM Diagnosis |
| I69.015 | Cognitive social or emotional deficit following nontraumatic subarachnoid hemorrhage | ICD-10-CM Diagnosis |
| I69.018 | Other symptoms and signs involving cognitive functions following nontraumatic subarachnoid hemorrhage | ICD-10-CM Diagnosis |
| I69.019 | Unspecified symptoms and signs involving cognitive functions following nontraumatic subarachnoid hemorrhage | ICD-10-CM Diagnosis |
| I69.020 | Aphasia following nontraumatic subarachnoid hemorrhage | ICD-10-CM Diagnosis |
| I69.021 | Dysphasia following nontraumatic subarachnoid hemorrhage | ICD-10-CM Diagnosis |
| I69.022 | Dysarthria following nontraumatic subarachnoid hemorrhage | ICD-10-CM Diagnosis |
| I69.023 | Fluency disorder following nontraumatic subarachnoid hemorrhage | ICD-10-CM Diagnosis |
| I69.028 | Other speech and language deficits following nontraumatic subarachnoid hemorrhage | ICD-10-CM Diagnosis |
| I69.031 | Monoplegia of upper limb following nontraumatic subarachnoid hemorrhage affecting right dominant side | ICD-10-CM Diagnosis |
| I69.032 | Monoplegia of upper limb following nontraumatic subarachnoid hemorrhage affecting left dominant side | ICD-10-CM Diagnosis |

List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|---|---------------------|
| 169.033 | Monoplegia of upper limb following nontraumatic subarachnoid hemorrhage affecting right non-dominant side | ICD-10-CM Diagnosis |
| 169.034 | Monoplegia of upper limb following nontraumatic subarachnoid hemorrhage affecting left non-dominant side | ICD-10-CM Diagnosis |
| 169.039 | Monoplegia of upper limb following nontraumatic subarachnoid hemorrhage affecting unspecified side | ICD-10-CM Diagnosis |
| 169.041 | Monoplegia of lower limb following nontraumatic subarachnoid hemorrhage | ICD-10-CM Diagnosis |
| 169.042 | Monoplegia of lower limb following nontraumatic subarachnoid hemorrhage affecting left dominant side | ICD-10-CM Diagnosis |
| 169.043 | Monoplegia of lower limb following nontraumatic subarachnoid hemorrhage | ICD-10-CM Diagnosis |
| 169.044 | Monoplegia of lower limb following nontraumatic subarachnoid hemorrhage affecting left non-dominant side | ICD-10-CM Diagnosis |
| 169.049 | Monoplegia of lower limb following nontraumatic subarachnoid hemorrhage | ICD-10-CM Diagnosis |
| 169.051 | Hemiplegia and hemiparesis following nontraumatic subarachnoid hemorrhage affecting right dominant side | ICD-10-CM Diagnosis |
| 169.052 | Hemiplegia and hemiparesis following nontraumatic subarachnoid hemorrhage affecting left dominant side | ICD-10-CM Diagnosis |
| 169.053 | Hemiplegia and hemiparesis following nontraumatic subarachnoid hemorrhage affecting right non-dominant side | ICD-10-CM Diagnosis |
| 169.054 | Hemiplegia and hemiparesis following nontraumatic subarachnoid hemorrhage affecting left non-dominant side | ICD-10-CM Diagnosis |
| 169.059 | Hemiplegia and hemiparesis following nontraumatic subarachnoid hemorrhage | ICD-10-CM Diagnosis |
| 169.061 | Other paralytic syndrome following nontraumatic subarachnoid hemorrhage | ICD-10-CM Diagnosis |
| 169.062 | Other paralytic syndrome following nontraumatic subarachnoid hemorrhage | ICD-10-CM Diagnosis |
| 169.063 | Other paralytic syndrome following nontraumatic subarachnoid hemorrhage | ICD-10-CM Diagnosis |
| 169.064 | Other paralytic syndrome following nontraumatic subarachnoid hemorrhage affecting left non-dominant side | ICD-10-CM Diagnosis |
| 169.065 | Other paralytic syndrome following nontraumatic subarachnoid hemorrhage, bilateral | ICD-10-CM Diagnosis |
| 169.069 | Other paralytic syndrome following nontraumatic subarachnoid hemorrhage affecting unspecified side | ICD-10-CM Diagnosis |
| 169.090 | Apraxia following nontraumatic subarachnoid hemorrhage | ICD-10-CM Diagnosis |
| 169.091 | Dysphagia following nontraumatic subarachnoid hemorrhage | ICD-10-CM Diagnosis |
| 169.092 | Facial weakness following nontraumatic subarachnoid hemorrhage | ICD-10-CM Diagnosis |
| 169.093 | Ataxia following nontraumatic subarachnoid hemorrhage | ICD-10-CM Diagnosis |
| 169.098 | Other sequelae following nontraumatic subarachnoid hemorrhage | ICD-10-CM Diagnosis |
| 169.10 | Unspecified sequelae of nontraumatic intracerebral hemorrhage | ICD-10-CM Diagnosis |
| 169.110 | Attention and concentration deficit following nontraumatic intracerebral hemorrhage | ICD-10-CM Diagnosis |
| 169.111 | Memory deficit following nontraumatic intracerebral hemorrhage | ICD-10-CM Diagnosis |

List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|--|---------------------|
| 169.112 | Visuospatial deficit and spatial neglect following nontraumatic intracerebral hemorrhage | ICD-10-CM Diagnosis |
| 169.113 | Psychomotor deficit following nontraumatic intracerebral hemorrhage | ICD-10-CM Diagnosis |
| 169.114 | Frontal lobe and executive function deficit following nontraumatic intracerebral hemorrhage | ICD-10-CM Diagnosis |
| 169.115 | Cognitive social or emotional deficit following nontraumatic intracerebral hemorrhage | ICD-10-CM Diagnosis |
| 169.118 | Other symptoms and signs involving cognitive functions following nontraumatic intracerebral hemorrhage | ICD-10-CM Diagnosis |
| 169.119 | Unspecified symptoms and signs involving cognitive functions following nontraumatic intracerebral hemorrhage | ICD-10-CM Diagnosis |
| 169.120 | Aphasia following nontraumatic intracerebral hemorrhage | ICD-10-CM Diagnosis |
| 169.121 | Dysphasia following nontraumatic intracerebral hemorrhage | ICD-10-CM Diagnosis |
| 169.122 | Dysarthria following nontraumatic intracerebral hemorrhage | ICD-10-CM Diagnosis |
| 169.123 | Fluency disorder following nontraumatic intracerebral hemorrhage | ICD-10-CM Diagnosis |
| 169.128 | Other speech and language deficits following nontraumatic intracerebral hemorrhage | ICD-10-CM Diagnosis |
| 169.131 | Monoplegia of upper limb following nontraumatic intracerebral hemorrhage | ICD-10-CM Diagnosis |
| 169.132 | Monoplegia of upper limb following nontraumatic intracerebral hemorrhage | ICD-10-CM Diagnosis |
| 169.133 | Monoplegia of upper limb following nontraumatic intracerebral hemorrhage | ICD-10-CM Diagnosis |
| 169.134 | Monoplegia of upper limb following nontraumatic intracerebral hemorrhage | ICD-10-CM Diagnosis |
| 169.139 | Monoplegia of upper limb following nontraumatic intracerebral hemorrhage | ICD-10-CM Diagnosis |
| 169.141 | Monoplegia of lower limb following nontraumatic intracerebral hemorrhage | ICD-10-CM Diagnosis |
| 169.142 | Monoplegia of lower limb following nontraumatic intracerebral hemorrhage affecting left dominant side | ICD-10-CM Diagnosis |
| 169.143 | Monoplegia of lower limb following nontraumatic intracerebral hemorrhage | ICD-10-CM Diagnosis |
| 169.144 | Monoplegia of lower limb following nontraumatic intracerebral hemorrhage affecting left non-dominant side | ICD-10-CM Diagnosis |
| 169.149 | Monoplegia of lower limb following nontraumatic intracerebral hemorrhage | ICD-10-CM Diagnosis |
| 169.151 | Hemiplegia and hemiparesis following nontraumatic intracerebral hemorrhage affecting right dominant side | ICD-10-CM Diagnosis |
| 169.152 | Hemiplegia and hemiparesis following nontraumatic intracerebral hemorrhage affecting left dominant side | ICD-10-CM Diagnosis |
| 169.153 | Hemiplegia and hemiparesis following nontraumatic intracerebral hemorrhage affecting right non-dominant side | ICD-10-CM Diagnosis |
| 169.154 | Hemiplegia and hemiparesis following nontraumatic intracerebral hemorrhage affecting left non-dominant side | ICD-10-CM Diagnosis |
| 169.159 | Hemiplegia and hemiparesis following nontraumatic intracerebral hemorrhage | ICD-10-CM Diagnosis |
| 169.161 | Other paralytic syndrome following nontraumatic intracerebral hemorrhage | ICD-10-CM Diagnosis |
| 169.162 | Other paralytic syndrome following nontraumatic intracerebral hemorrhage | ICD-10-CM Diagnosis |
| 169.163 | Other paralytic syndrome following nontraumatic intracerebral hemorrhage | ICD-10-CM Diagnosis |

List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|---|---------------------|
| 169.164 | Other paralytic syndrome following nontraumatic intracerebral hemorrhage affecting left non-dominant side | ICD-10-CM Diagnosis |
| 169.165 | Other paralytic syndrome following nontraumatic intracerebral hemorrhage, bilateral | ICD-10-CM Diagnosis |
| 169.169 | Other paralytic syndrome following nontraumatic intracerebral hemorrhage affecting unspecified side | ICD-10-CM Diagnosis |
| 169.190 | Apraxia following nontraumatic intracerebral hemorrhage | ICD-10-CM Diagnosis |
| 169.191 | Dysphagia following nontraumatic intracerebral hemorrhage | ICD-10-CM Diagnosis |
| 169.192 | Facial weakness following nontraumatic intracerebral hemorrhage | ICD-10-CM Diagnosis |
| 169.193 | Ataxia following nontraumatic intracerebral hemorrhage | ICD-10-CM Diagnosis |
| 169.198 | Other sequelae of nontraumatic intracerebral hemorrhage | ICD-10-CM Diagnosis |
| 169.30 | Unspecified sequelae of cerebral infarction | ICD-10-CM Diagnosis |
| 169.310 | Attention and concentration deficit following cerebral infarction | ICD-10-CM Diagnosis |
| 169.311 | Memory deficit following cerebral infarction | ICD-10-CM Diagnosis |
| 169.312 | Visuospatial deficit and spatial neglect following cerebral infarction | ICD-10-CM Diagnosis |
| 169.313 | Psychomotor deficit following cerebral infarction | ICD-10-CM Diagnosis |
| 169.314 | Frontal lobe and executive function deficit following cerebral infarction | ICD-10-CM Diagnosis |
| 169.315 | Cognitive social or emotional deficit following cerebral infarction | ICD-10-CM Diagnosis |
| 169.318 | Other symptoms and signs involving cognitive functions following cerebral infarction | ICD-10-CM Diagnosis |
| 169.319 | Unspecified symptoms and signs involving cognitive functions following cerebral infarction | ICD-10-CM Diagnosis |
| 169.320 | Aphasia following cerebral infarction | ICD-10-CM Diagnosis |
| 169.321 | Dysphasia following cerebral infarction | ICD-10-CM Diagnosis |
| 169.322 | Dysarthria following cerebral infarction | ICD-10-CM Diagnosis |
| 169.323 | Fluency disorder following cerebral infarction | ICD-10-CM Diagnosis |
| 169.328 | Other speech and language deficits following cerebral infarction | ICD-10-CM Diagnosis |
| 169.331 | Monoplegia of upper limb following cerebral infarction affecting right dominant side | ICD-10-CM Diagnosis |
| 169.332 | Monoplegia of upper limb following cerebral infarction affecting left dominant side | ICD-10-CM Diagnosis |
| 169.333 | Monoplegia of upper limb following cerebral infarction affecting right non-dominant | ICD-10-CM Diagnosis |
| 169.334 | Monoplegia of upper limb following cerebral infarction affecting left non-dominant | ICD-10-CM Diagnosis |
| 169.339 | Monoplegia of upper limb following cerebral infarction affecting unspecified side | ICD-10-CM Diagnosis |
| 169.341 | Monoplegia of lower limb following cerebral infarction affecting right dominant side | ICD-10-CM Diagnosis |
| 169.342 | Monoplegia of lower limb following cerebral infarction affecting left dominant side | ICD-10-CM Diagnosis |
| 169.343 | Monoplegia of lower limb following cerebral infarction affecting right non-dominant | ICD-10-CM Diagnosis |
| 169.344 | Monoplegia of lower limb following cerebral infarction affecting left non-dominant | ICD-10-CM Diagnosis |
| 169.349 | Monoplegia of lower limb following cerebral infarction affecting unspecified side | ICD-10-CM Diagnosis |
| 169.351 | Hemiplegia and hemiparesis following cerebral infarction affecting right dominant | ICD-10-CM Diagnosis |
| 169.352 | Hemiplegia and hemiparesis following cerebral infarction affecting left dominant | ICD-10-CM Diagnosis |
| 169.353 | Hemiplegia and hemiparesis following cerebral infarction affecting right non-dominant side | ICD-10-CM Diagnosis |

List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|--|---------------------|
| 169.354 | Hemiplegia and hemiparesis following cerebral infarction affecting left non-dominant side | ICD-10-CM Diagnosis |
| 169.359 | Hemiplegia and hemiparesis following cerebral infarction affecting unspecified side | ICD-10-CM Diagnosis |
| 169.361 | Other paralytic syndrome following cerebral infarction affecting right dominant side | ICD-10-CM Diagnosis |
| 169.362 | Other paralytic syndrome following cerebral infarction affecting left dominant side | ICD-10-CM Diagnosis |
| 169.363 | Other paralytic syndrome following cerebral infarction affecting right non-dominant | ICD-10-CM Diagnosis |
| 169.364 | Other paralytic syndrome following cerebral infarction affecting left non-dominant | ICD-10-CM Diagnosis |
| 169.365 | Other paralytic syndrome following cerebral infarction, bilateral | ICD-10-CM Diagnosis |
| 169.369 | Other paralytic syndrome following cerebral infarction affecting unspecified side | ICD-10-CM Diagnosis |
| 169.390 | Apraxia following cerebral infarction | ICD-10-CM Diagnosis |
| 169.391 | Dysphagia following cerebral infarction | ICD-10-CM Diagnosis |
| 169.392 | Facial weakness following cerebral infarction | ICD-10-CM Diagnosis |
| 169.393 | Ataxia following cerebral infarction | ICD-10-CM Diagnosis |
| 169.398 | Other sequelae of cerebral infarction | ICD-10-CM Diagnosis |
| 169.810 | Attention and concentration deficit following other cerebrovascular disease | ICD-10-CM Diagnosis |
| 169.811 | Memory deficit following other cerebrovascular disease | ICD-10-CM Diagnosis |
| 169.812 | Visuospatial deficit and spatial neglect following other cerebrovascular disease | ICD-10-CM Diagnosis |
| 169.813 | Psychomotor deficit following other cerebrovascular disease | ICD-10-CM Diagnosis |
| 169.814 | Frontal lobe and executive function deficit following other cerebrovascular disease | ICD-10-CM Diagnosis |
| 169.815 | Cognitive social or emotional deficit following other cerebrovascular disease | ICD-10-CM Diagnosis |
| 169.818 | Other symptoms and signs involving cognitive functions following other cerebrovascular disease | ICD-10-CM Diagnosis |
| 169.819 | Unspecified symptoms and signs involving cognitive functions following other cerebrovascular disease | ICD-10-CM Diagnosis |
| 169.820 | Aphasia following other cerebrovascular disease | ICD-10-CM Diagnosis |
| 169.821 | Dysphasia following other cerebrovascular disease | ICD-10-CM Diagnosis |
| 169.822 | Dysarthria following other cerebrovascular disease | ICD-10-CM Diagnosis |
| 169.823 | Fluency disorder following other cerebrovascular disease | ICD-10-CM Diagnosis |
| 169.828 | Other speech and language deficits following other cerebrovascular disease | ICD-10-CM Diagnosis |
| 169.831 | Monoplegia of upper limb following other cerebrovascular disease affecting right dominant side | ICD-10-CM Diagnosis |
| 169.832 | Monoplegia of upper limb following other cerebrovascular disease affecting left | ICD-10-CM Diagnosis |
| 169.833 | Monoplegia of upper limb following other cerebrovascular disease affecting right | ICD-10-CM Diagnosis |
| 169.834 | Monoplegia of upper limb following other cerebrovascular disease affecting left non- | ICD-10-CM Diagnosis |
| 169.839 | Monoplegia of upper limb following other cerebrovascular disease affecting | ICD-10-CM Diagnosis |
| 169.841 | Monoplegia of lower limb following other cerebrovascular disease affecting right | ICD-10-CM Diagnosis |
| 169.842 | Monoplegia of lower limb following other cerebrovascular disease affecting left | ICD-10-CM Diagnosis |
| 169.843 | Monoplegia of lower limb following other cerebrovascular disease affecting right | ICD-10-CM Diagnosis |

List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|--|---------------------|
| 169.844 | Monoplegia of lower limb following other cerebrovascular disease affecting left non-dominant side | ICD-10-CM Diagnosis |
| 169.849 | Monoplegia of lower limb following other cerebrovascular disease affecting | ICD-10-CM Diagnosis |
| 169.851 | Hemiplegia and hemiparesis following other cerebrovascular disease affecting right dominant side | ICD-10-CM Diagnosis |
| 169.852 | Hemiplegia and hemiparesis following other cerebrovascular disease affecting left | ICD-10-CM Diagnosis |
| 169.853 | Hemiplegia and hemiparesis following other cerebrovascular disease affecting right non-dominant side | ICD-10-CM Diagnosis |
| 169.854 | Hemiplegia and hemiparesis following other cerebrovascular disease affecting left non-dominant side | ICD-10-CM Diagnosis |
| 169.859 | Hemiplegia and hemiparesis following other cerebrovascular disease affecting | ICD-10-CM Diagnosis |
| 169.861 | Other paralytic syndrome following other cerebrovascular disease affecting right | ICD-10-CM Diagnosis |
| 169.862 | Other paralytic syndrome following other cerebrovascular disease affecting left | ICD-10-CM Diagnosis |
| 169.863 | Other paralytic syndrome following other cerebrovascular disease affecting right | ICD-10-CM Diagnosis |
| 169.864 | Other paralytic syndrome following other cerebrovascular disease affecting left non- | ICD-10-CM Diagnosis |
| 169.865 | Other paralytic syndrome following other cerebrovascular disease, bilateral | ICD-10-CM Diagnosis |
| 169.869 | Other paralytic syndrome following other cerebrovascular disease affecting unspecified side | ICD-10-CM Diagnosis |
| 169.890 | Apraxia following other cerebrovascular disease | ICD-10-CM Diagnosis |
| 169.891 | Dysphagia following other cerebrovascular disease | ICD-10-CM Diagnosis |
| 169.892 | Facial weakness following other cerebrovascular disease | ICD-10-CM Diagnosis |
| 169.893 | Ataxia following other cerebrovascular disease | ICD-10-CM Diagnosis |
| 169.910 | Attention and concentration deficit following unspecified cerebrovascular disease | ICD-10-CM Diagnosis |
| 169.911 | Memory deficit following unspecified cerebrovascular disease | ICD-10-CM Diagnosis |
| 169.912 | Visuospatial deficit and spatial neglect following unspecified cerebrovascular disease | ICD-10-CM Diagnosis |
| 169.913 | Psychomotor deficit following unspecified cerebrovascular disease | ICD-10-CM Diagnosis |
| 169.914 | Frontal lobe and executive function deficit following unspecified cerebrovascular disease | ICD-10-CM Diagnosis |
| 169.915 | Cognitive social or emotional deficit following unspecified cerebrovascular disease | ICD-10-CM Diagnosis |
| 169.918 | Other symptoms and signs involving cognitive functions following unspecified cerebrovascular disease | ICD-10-CM Diagnosis |
| 169.919 | Unspecified symptoms and signs involving cognitive functions following unspecified cerebrovascular disease | ICD-10-CM Diagnosis |
| 169.920 | Aphasia following unspecified cerebrovascular disease | ICD-10-CM Diagnosis |
| 169.921 | Dysphasia following unspecified cerebrovascular disease | ICD-10-CM Diagnosis |
| 169.922 | Dysarthria following unspecified cerebrovascular disease | ICD-10-CM Diagnosis |
| 169.923 | Fluency disorder following unspecified cerebrovascular disease | ICD-10-CM Diagnosis |

List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|--|---------------------|
| 169.928 | Other speech and language deficits following unspecified cerebrovascular disease | ICD-10-CM Diagnosis |
| 169.931 | Monoplegia of upper limb following unspecified cerebrovascular disease affecting | ICD-10-CM Diagnosis |
| 169.932 | Monoplegia of upper limb following unspecified cerebrovascular disease affecting left dominant side | ICD-10-CM Diagnosis |
| 169.933 | Monoplegia of upper limb following unspecified cerebrovascular disease affecting | ICD-10-CM Diagnosis |
| 169.934 | Monoplegia of upper limb following unspecified cerebrovascular disease affecting | ICD-10-CM Diagnosis |
| 169.939 | Monoplegia of upper limb following unspecified cerebrovascular disease affecting | ICD-10-CM Diagnosis |
| 169.941 | Monoplegia of lower limb following unspecified cerebrovascular disease affecting | ICD-10-CM Diagnosis |
| 169.942 | Monoplegia of lower limb following unspecified cerebrovascular disease affecting left dominant side | ICD-10-CM Diagnosis |
| 169.943 | Monoplegia of lower limb following unspecified cerebrovascular disease affecting | ICD-10-CM Diagnosis |
| 169.944 | Monoplegia of lower limb following unspecified cerebrovascular disease affecting left non-dominant side | ICD-10-CM Diagnosis |
| 169.949 | Monoplegia of lower limb following unspecified cerebrovascular disease affecting | ICD-10-CM Diagnosis |
| 169.951 | Hemiplegia and hemiparesis following unspecified cerebrovascular disease affecting right dominant side | ICD-10-CM Diagnosis |
| 169.952 | Hemiplegia and hemiparesis following unspecified cerebrovascular disease affecting left dominant side | ICD-10-CM Diagnosis |
| 169.953 | Hemiplegia and hemiparesis following unspecified cerebrovascular disease affecting right non-dominant side | ICD-10-CM Diagnosis |
| 169.954 | Hemiplegia and hemiparesis following unspecified cerebrovascular disease affecting left non-dominant side | ICD-10-CM Diagnosis |
| 169.959 | Hemiplegia and hemiparesis following unspecified cerebrovascular disease affecting | ICD-10-CM Diagnosis |
| 169.961 | Other paralytic syndrome following unspecified cerebrovascular disease affecting | ICD-10-CM Diagnosis |
| 169.962 | Other paralytic syndrome following unspecified cerebrovascular disease affecting | ICD-10-CM Diagnosis |
| 169.963 | Other paralytic syndrome following unspecified cerebrovascular disease affecting | ICD-10-CM Diagnosis |
| 169.964 | Other paralytic syndrome following unspecified cerebrovascular disease affecting left non-dominant side | ICD-10-CM Diagnosis |
| 169.965 | Other paralytic syndrome following unspecified cerebrovascular disease, bilateral | ICD-10-CM Diagnosis |
| 169.969 | Other paralytic syndrome following unspecified cerebrovascular disease affecting unspecified side | ICD-10-CM Diagnosis |
| 169.990 | Apraxia following unspecified cerebrovascular disease | ICD-10-CM Diagnosis |
| 169.991 | Dysphagia following unspecified cerebrovascular disease | ICD-10-CM Diagnosis |
| 169.992 | Facial weakness following unspecified cerebrovascular disease | ICD-10-CM Diagnosis |
| 169.993 | Ataxia following unspecified cerebrovascular disease | ICD-10-CM Diagnosis |
| 438.0 | Cognitive deficits due to cerebrovascular disease | ICD-9-CM Diagnosis |
| 438.1 | Speech and language deficits due to cerebrovascular disease | ICD-9-CM Diagnosis |
| 438.2 | Hemiplegia/hemiparesis due to cerebrovascular disease | ICD-9-CM Diagnosis |
| 438.3 | Monoplegia of upper limb due to cerebrovascular disease | ICD-9-CM Diagnosis |

List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|--|--------------------|
| 438.4 | Monoplegia of lower limb due to cerebrovascular disease | ICD-9-CM Diagnosis |
| 438.5 | Other paralytic syndrome due to cerebrovascular disease | ICD-9-CM Diagnosis |
| 438.6 | Alteration of sensations as late effect of cerebrovascular disease | ICD-9-CM Diagnosis |
| 438.7 | Disturbance of vision as late effect of cerebrovascular disease | ICD-9-CM Diagnosis |
| 438.8 | Other late effects of cerebrovascular disease due to cerebrovascular disease | ICD-9-CM Diagnosis |
| 852.0 | Subarachnoid hemorrhage following injury without mention of open intracranial wound | ICD-9-CM Diagnosis |
| 853.0 | Other and unspecified intracranial hemorrhage following injury, without mention of open intracranial wound | ICD-9-CM Diagnosis |
| 433.01 | Occlusion and stenosis of basilar artery with cerebral infarction | ICD-9-CM Diagnosis |
| 433.11 | Occlusion and stenosis of carotid artery with cerebral infarction | ICD-9-CM Diagnosis |
| 433.21 | Occlusion and stenosis of vertebral artery with cerebral infarction | ICD-9-CM Diagnosis |
| 433.31 | Occlusion and stenosis of multiple and bilateral precerebral arteries with cerebral infarction | ICD-9-CM Diagnosis |
| 433.81 | Occlusion and stenosis of other specified precerebral artery with cerebral infarction | ICD-9-CM Diagnosis |
| 433.91 | Occlusion and stenosis of unspecified precerebral artery with cerebral infarction | ICD-9-CM Diagnosis |
| 434.01 | Cerebral thrombosis with cerebral infarction | ICD-9-CM Diagnosis |
| 434.11 | Cerebral embolism with cerebral infarction | ICD-9-CM Diagnosis |
| 434.91 | Unspecified cerebral artery occlusion with cerebral infarction | ICD-9-CM Diagnosis |
| 438.10 | Unspecified speech and language deficit due to cerebrovascular disease | ICD-9-CM Diagnosis |
| 438.11 | Aphasia due to cerebrovascular disease | ICD-9-CM Diagnosis |
| 438.12 | Dysphasia due to cerebrovascular disease | ICD-9-CM Diagnosis |
| 438.13 | Late effects of cerebrovascular disease, speech and language deficits, dysarthria | ICD-9-CM Diagnosis |
| 438.14 | Late effects of cerebrovascular disease, speech and language deficits, fluency | ICD-9-CM Diagnosis |
| 438.19 | Other speech and language deficits due to cerebrovascular disease | ICD-9-CM Diagnosis |
| 438.20 | Hemiplegia affecting unspecified side due to cerebrovascular disease | ICD-9-CM Diagnosis |
| 438.21 | Hemiplegia affecting dominant side due to cerebrovascular disease | ICD-9-CM Diagnosis |
| 438.22 | Hemiplegia affecting nondominant side due to cerebrovascular disease | ICD-9-CM Diagnosis |
| 438.30 | Monoplegia of upper limb affecting unspecified side due to cerebrovascular disease | ICD-9-CM Diagnosis |
| 438.31 | Monoplegia of upper limb affecting dominant side due to cerebrovascular disease | ICD-9-CM Diagnosis |
| 438.32 | Monoplegia of upper limb affecting nondominant side due to cerebrovascular | ICD-9-CM Diagnosis |
| 438.40 | Monoplegia of lower limb affecting unspecified side due to cerebrovascular disease | ICD-9-CM Diagnosis |
| 438.41 | Monoplegia of lower limb affecting dominant side due to cerebrovascular disease | ICD-9-CM Diagnosis |
| 438.42 | Monoplegia of lower limb affecting nondominant side due to cerebrovascular disease | ICD-9-CM Diagnosis |
| 438.50 | Other paralytic syndrome affecting unspecified side due to cerebrovascular disease | ICD-9-CM Diagnosis |
| 438.51 | Other paralytic syndrome affecting dominant side due to cerebrovascular disease | ICD-9-CM Diagnosis |
| 438.52 | Other paralytic syndrome affecting nondominant side due to cerebrovascular | ICD-9-CM Diagnosis |

List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------------|--|--------------------|
| 438.53 | Other paralytic syndrome, bilateral | ICD-9-CM Diagnosis |
| 438.81 | Apraxia due to cerebrovascular disease | ICD-9-CM Diagnosis |
| 438.82 | Dysphagia due to cerebrovascular disease | ICD-9-CM Diagnosis |
| 438.83 | Facial weakness as late effect of cerebrovascular disease | ICD-9-CM Diagnosis |
| 438.84 | Ataxia as late effect of cerebrovascular disease | ICD-9-CM Diagnosis |
| 438.85 | Vertigo as late effect of cerebrovascular disease | ICD-9-CM Diagnosis |
| 852.00 | Subarachnoid hemorrhage following injury, without mention of open intracranial wound, unspecified state of consciousness | ICD-9-CM Diagnosis |
| 852.01 | Subarachnoid hemorrhage following injury, without mention of open intracranial | ICD-9-CM Diagnosis |
| 852.02 | Subarachnoid hemorrhage following injury, without mention of open intracranial | ICD-9-CM Diagnosis |
| 852.03 | Subarachnoid hemorrhage following injury, without mention of open intracranial | ICD-9-CM Diagnosis |
| 852.04 | Subarachnoid hemorrhage following injury, without mention of open intracranial | ICD-9-CM Diagnosis |
| 852.05 | Subarachnoid hemorrhage following injury, without mention of open intracranial wound, prolonged (more than 24 hours) loss of consciousness, without return to pre- | ICD-9-CM Diagnosis |
| 852.06 | Subarachnoid hemorrhage following injury, without mention of open intracranial wound, loss of consciousness of unspecified duration | ICD-9-CM Diagnosis |
| 852.09 | Subarachnoid hemorrhage following injury, without mention of open intracranial wound, unspecified concussion | ICD-9-CM Diagnosis |
| 853.00 | Other and unspecified intracranial hemorrhage following injury, without mention of open intracranial wound, unspecified state of consciousness | ICD-9-CM Diagnosis |
| 853.01 | Other and unspecified intracranial hemorrhage following injury, without mention of open intracranial wound, no loss of consciousness | ICD-9-CM Diagnosis |
| 853.02 | Other and unspecified intracranial hemorrhage following injury, without mention of open intracranial wound, brief (less than 1 hour) loss of consciousness | ICD-9-CM Diagnosis |
| 853.03 | Other and unspecified intracranial hemorrhage following injury, without mention of open intracranial wound, moderate (1-24 hours) loss of consciousness | ICD-9-CM Diagnosis |
| 853.04 | Other and unspecified intracranial hemorrhage following injury, without mention of open intracranial wound, prolonged (more than 24 hours) loss of consciousness and | ICD-9-CM Diagnosis |
| 853.05 | Other and unspecified intracranial hemorrhage following injury. Without mention of open intracranial wound, prolonged (more than 24 hours) loss of consciousness, | ICD-9-CM Diagnosis |
| 853.06 | Other and unspecified intracranial hemorrhage following injury, without mention of | ICD-9-CM Diagnosis |
| 853.09 | Other and unspecified intracranial hemorrhage following injury, without mention of | ICD-9-CM Diagnosis |
| V12.54 | Personal history of transient ischemic attack [TIA], and cerebral infarction without | ICD-9-CM Diagnosis |
| Thrombosis | | |
| 34101 | Embolectomy or thrombectomy, with or without catheter; axillary, brachial, innominate, subclavian artery, by arm incision | CPT-4 Procedure |
| 34111 | Embolectomy or thrombectomy, with or without catheter; radial or ulnar artery, by arm incision | CPT-4 Procedure |
| 34201 | Embolectomy or thrombectomy, with or without catheter; femoropopliteal, aortoiliac artery, by leg incision | CPT-4 Procedure |
| 34203 | Embolectomy or thrombectomy, with or without catheter; popliteal-tibio-peroneal artery, by leg incision | CPT-4 Procedure |

List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|---|---------------------|
| H34.00 | Transient retinal artery occlusion, unspecified eye | ICD-10-CM Diagnosis |
| H34.219 | Partial retinal artery occlusion, unspecified eye | ICD-10-CM Diagnosis |
| H34.239 | Retinal artery branch occlusion, unspecified eye | ICD-10-CM Diagnosis |
| H34.9 | Unspecified retinal vascular occlusion | ICD-10-CM Diagnosis |
| I74.01 | Saddle embolus of abdominal aorta | ICD-10-CM Diagnosis |
| I74.09 | Other arterial embolism and thrombosis of abdominal aorta | ICD-10-CM Diagnosis |
| I74.10 | Embolism and thrombosis of unspecified parts of aorta | ICD-10-CM Diagnosis |
| I74.11 | Embolism and thrombosis of thoracic aorta | ICD-10-CM Diagnosis |
| I74.19 | Embolism and thrombosis of other parts of aorta | ICD-10-CM Diagnosis |
| I74.2 | Embolism and thrombosis of arteries of the upper extremities | ICD-10-CM Diagnosis |
| I74.3 | Embolism and thrombosis of arteries of the lower extremities | ICD-10-CM Diagnosis |
| I74.4 | Embolism and thrombosis of arteries of extremities, unspecified | ICD-10-CM Diagnosis |
| I74.5 | Embolism and thrombosis of iliac artery | ICD-10-CM Diagnosis |
| I74.8 | Embolism and thrombosis of other arteries | ICD-10-CM Diagnosis |
| I74.9 | Embolism and thrombosis of unspecified artery | ICD-10-CM Diagnosis |
| K76.3 | Infarction of liver | ICD-10-CM Diagnosis |
| N28.0 | Ischemia and infarction of kidney | ICD-10-CM Diagnosis |
| T81.718A | Complication of other artery following a procedure, not elsewhere classified, initial | ICD-10-CM Diagnosis |
| 444 | Arterial embolism and thrombosis | ICD-9-CM Diagnosis |
| 362.3 | Retinal vascular occlusion | ICD-9-CM Diagnosis |
| 434.0 | Cerebral thrombosis | ICD-9-CM Diagnosis |
| 444.0 | Arterial embolism and thrombosis of abdominal aorta | ICD-9-CM Diagnosis |
| 444.1 | Embolism and thrombosis of thoracic aorta | ICD-9-CM Diagnosis |
| 444.2 | Embolism and thrombosis of arteries of the extremities | ICD-9-CM Diagnosis |
| 444.8 | Embolism and thrombosis of other specified artery | ICD-9-CM Diagnosis |
| 444.9 | Embolism and thrombosis of unspecified artery | ICD-9-CM Diagnosis |
| 453.9 | Embolism and thrombosis of unspecified site | ICD-9-CM Diagnosis |
| 573.4 | Hepatic infarction | ICD-9-CM Diagnosis |
| 362.30 | Unspecified retinal vascular occlusion | ICD-9-CM Diagnosis |
| 362.31 | Central artery occlusion of retina | ICD-9-CM Diagnosis |
| 362.32 | Arterial branch occlusion of retina | ICD-9-CM Diagnosis |
| 362.33 | Partial arterial occlusion of retina | ICD-9-CM Diagnosis |
| 362.34 | Transient arterial occlusion of retina | ICD-9-CM Diagnosis |
| 434.00 | Cerebral thrombosis without mention of cerebral infarction | ICD-9-CM Diagnosis |
| 444.01 | Saddle embolus of abdominal aorta | ICD-9-CM Diagnosis |
| 444.09 | Other arterial embolism and thrombosis of abdominal aorta | ICD-9-CM Diagnosis |
| 444.21 | Embolism and thrombosis of arteries of upper extremity | ICD-9-CM Diagnosis |
| 444.22 | Embolism and thrombosis of arteries of lower extremity | ICD-9-CM Diagnosis |
| 444.81 | Embolism and thrombosis of iliac artery | ICD-9-CM Diagnosis |
| 444.89 | Embolism and thrombosis of other specified artery | ICD-9-CM Diagnosis |

List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|----------------------------------|--|---------------------|
| Transient Ischemic Attack | | |
| G45.8 | Other transient cerebral ischemic attacks and related syndromes | ICD-10-CM Diagnosis |
| G45.9 | Transient cerebral ischemic attack, unspecified | ICD-10-CM Diagnosis |
| I67.82 | Cerebral ischemia | ICD-10-CM Diagnosis |
| 435 | Transient cerebral ischemia | ICD-9-CM Diagnosis |
| 435.8 | Other specified transient cerebral ischemias | ICD-9-CM Diagnosis |
| 435.9 | Unspecified transient cerebral ischemia | ICD-9-CM Diagnosis |
| Vascular Disease | | |
| 4110F | Internal mammary artery graft performed for primary, isolated coronary artery bypass graft procedure (CABG) | CPT-2 Procedure |
| 00566 | Anesthesia for direct coronary artery bypass grafting; without pump oxygenator | CPT-4 Procedure |
| 00567 | Anesthesia for direct coronary artery bypass grafting; with pump oxygenator | CPT-4 Procedure |
| 27295 | Disarticulation of hip | CPT-4 Procedure |
| 27590 | Amputation, thigh, through femur, any level; | CPT-4 Procedure |
| 27591 | Amputation, thigh, through femur, any level; immediate fitting technique including first cast | CPT-4 Procedure |
| 27592 | Amputation, thigh, through femur, any level; open, circular (guillotine) | CPT-4 Procedure |
| 27598 | Disarticulation at knee | CPT-4 Procedure |
| 27880 | Amputation, leg, through tibia and fibula; | CPT-4 Procedure |
| 27881 | Amputation, leg, through tibia and fibula; with immediate fitting technique including application of first cast | CPT-4 Procedure |
| 27882 | Amputation, leg, through tibia and fibula; open, circular (guillotine) | CPT-4 Procedure |
| 27888 | Amputation, ankle, through malleoli of tibia and fibula (eg, Syme, Pirogoff type procedures), with plastic closure and resection of nerves | CPT-4 Procedure |
| 27889 | Ankle disarticulation | CPT-4 Procedure |
| 28800 | Amputation, foot; midtarsal (eg, Chopart type procedure) | CPT-4 Procedure |
| 28805 | Amputation, foot; transmetatarsal | CPT-4 Procedure |
| 28810 | Amputation, metatarsal, with toe, single | CPT-4 Procedure |
| 28820 | Amputation, toe; metatarsophalangeal joint | CPT-4 Procedure |
| 28825 | Amputation, toe; interphalangeal joint | CPT-4 Procedure |
| 33510 | Coronary artery bypass, vein only; single coronary venous graft | CPT-4 Procedure |
| 33511 | Coronary artery bypass, vein only; 2 coronary venous grafts | CPT-4 Procedure |
| 33512 | Coronary artery bypass, vein only; 3 coronary venous grafts | CPT-4 Procedure |
| 33513 | Coronary artery bypass, vein only; 4 coronary venous grafts | CPT-4 Procedure |
| 33514 | Coronary artery bypass, vein only; 5 coronary venous grafts | CPT-4 Procedure |
| 33516 | Coronary artery bypass, vein only; 6 or more coronary venous grafts | CPT-4 Procedure |
| 33517 | Coronary artery bypass, using venous graft(s) and arterial graft(s); single vein graft (List separately in addition to code for primary procedure) | CPT-4 Procedure |
| 33518 | Coronary artery bypass, using venous graft(s) and arterial graft(s); 2 venous grafts (List separately in addition to code for primary procedure) | CPT-4 Procedure |

List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|---|------------------|
| 33519 | Coronary artery bypass, using venous graft(s) and arterial graft(s); 3 venous grafts (List separately in addition to code for primary procedure) | CPT-4 Procedure |
| 33520 | Coronary Artery Bypass, Nonautogenous Graft (eg, Synthetic Or Cadaver); Single Graft | CPT-4 Procedure |
| 33521 | Coronary artery bypass, using venous graft(s) and arterial graft(s); 4 venous grafts (List separately in addition to code for primary procedure) | CPT-4 Procedure |
| 33522 | Coronary artery bypass, using venous graft(s) and arterial graft(s); 5 venous grafts (List separately in addition to code for primary procedure) | CPT-4 Procedure |
| 33523 | Coronary artery bypass, using venous graft(s) and arterial graft(s); 6 or more venous grafts (List separately in addition to code for primary procedure) | CPT-4 Procedure |
| 33525 | Coronary Artery Bypass, Nonautogenous Graft (eg, Synthetic Or Cadaver); Two Coronary Grafts | CPT-4 Procedure |
| 33530 | Reoperation, coronary artery bypass procedure or valve procedure, more than 1 month after original operation (List separately in addition to code for primary procedure) | CPT-4 Procedure |
| 33572 | Coronary endarterectomy, open, any method, of left anterior descending, circumflex, or right coronary artery performed in conjunction with coronary artery bypass graft procedure, each vessel (List separately in addition to primary procedure) | CPT-4 Procedure |
| 35311 | Thromboendarterectomy, including patch graft, if performed; subclavian, innominate, by thoracic incision | CPT-4 Procedure |
| 35321 | Thromboendarterectomy, including patch graft, if performed; axillary-brachial | CPT-4 Procedure |
| 35331 | Thromboendarterectomy, including patch graft, if performed; abdominal aorta | CPT-4 Procedure |
| 35341 | Thromboendarterectomy, including patch graft, if performed; mesenteric, celiac, or renal | CPT-4 Procedure |
| 35351 | Thromboendarterectomy, including patch graft, if performed; iliac | CPT-4 Procedure |
| 35355 | Thromboendarterectomy, including patch graft, if performed; iliofemoral | CPT-4 Procedure |
| 35361 | Thromboendarterectomy, including patch graft, if performed; combined aortoiliac | CPT-4 Procedure |
| 35363 | Thromboendarterectomy, including patch graft, if performed; combined aortoiliofemoral | CPT-4 Procedure |
| 35371 | Thromboendarterectomy, including patch graft, if performed; common femoral | CPT-4 Procedure |
| 35372 | Thromboendarterectomy, including patch graft, if performed; deep (profunda) femoral | CPT-4 Procedure |
| 35381 | Thromboendarterectomy, with or without patch graft; femoral and/or popliteal, and/or tibioperoneal | CPT-4 Procedure |
| 35454 | Transluminal balloon angioplasty, open; iliac | CPT-4 Procedure |
| 35456 | Transluminal balloon angioplasty, open; femoral-popliteal | CPT-4 Procedure |
| 35459 | Transluminal balloon angioplasty, open; tibioperoneal trunk and branches | CPT-4 Procedure |
| 35470 | Transluminal balloon angioplasty, percutaneous; tibioperoneal trunk or branches, each vessel | CPT-4 Procedure |

List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|--|------------------|
| 35473 | Transluminal balloon angioplasty, percutaneous; iliac | CPT-4 Procedure |
| 35474 | Transluminal balloon angioplasty, percutaneous; femoral-popliteal | CPT-4 Procedure |
| 35482 | Transluminal peripheral atherectomy, open; iliac | CPT-4 Procedure |
| 35483 | Transluminal peripheral atherectomy, open; femoral-popliteal | CPT-4 Procedure |
| 35484 | Transluminal peripheral atherectomy, open; brachiocephalic trunk or branches, each vessel | CPT-4 Procedure |
| 35485 | Transluminal peripheral atherectomy, open; tibioperoneal trunk and branches | CPT-4 Procedure |
| 35492 | Transluminal peripheral atherectomy, percutaneous; iliac | CPT-4 Procedure |
| 35493 | Transluminal peripheral atherectomy, percutaneous; femoral-popliteal | CPT-4 Procedure |
| 35495 | Transluminal peripheral atherectomy, percutaneous; tibioperoneal trunk and branches | CPT-4 Procedure |
| 35521 | Bypass graft, with vein; axillary-femoral | CPT-4 Procedure |
| 35533 | Bypass graft, with vein; axillary-femoral-femoral | CPT-4 Procedure |
| 35541 | Bypass graft, with vein; aortoiliac or bi-iliac | CPT-4 Procedure |
| 35546 | Bypass graft, with vein; aortofemoral or bifemoral | CPT-4 Procedure |
| 35548 | Bypass graft, with vein; aortoiliofemoral, unilateral | CPT-4 Procedure |
| 35549 | Bypass graft, with vein; aortoiliofemoral, bilateral | CPT-4 Procedure |
| 35551 | Bypass graft, with vein; aortofemoral-popliteal | CPT-4 Procedure |
| 35556 | Bypass graft, with vein; femoral-popliteal | CPT-4 Procedure |
| 35558 | Bypass graft, with vein; femoral-femoral | CPT-4 Procedure |
| 35563 | Bypass graft, with vein; ilioliac | CPT-4 Procedure |
| 35565 | Bypass graft, with vein; iliofemoral | CPT-4 Procedure |
| 35566 | Bypass graft, with vein; femoral-anterior tibial, posterior tibial, peroneal artery or other distal vessels | CPT-4 Procedure |
| 35570 | Bypass graft, with vein; tibial-tibial, peroneal-tibial, or tibial/peroneal trunk-tibial | CPT-4 Procedure |
| 35571 | Bypass graft, with vein; popliteal-tibial, -peroneal artery or other distal vessels | CPT-4 Procedure |
| 35641 | Bypass graft, with other than vein; aortoiliac or bi-iliac | CPT-4 Procedure |
| 35646 | Bypass graft, with other than vein; aortobifemoral | CPT-4 Procedure |
| 35654 | Bypass graft, with other than vein; axillary-femoral-femoral | CPT-4 Procedure |
| 35681 | Bypass graft; composite, prosthetic and vein (List separately in addition to code for primary procedure) | CPT-4 Procedure |
| 35682 | Bypass graft; autogenous composite, 2 segments of veins from 2 locations (List separately in addition to code for primary procedure) | CPT-4 Procedure |
| 35683 | Bypass graft; autogenous composite, 3 or more segments of vein from 2 or more locations (List separately in addition to code for primary procedure) | CPT-4 Procedure |
| 35879 | Revision, lower extremity arterial bypass, without thrombectomy, open; with vein patch angioplasty | CPT-4 Procedure |
| 37207 | Transcatheter placement of an intravascular stent(s) (except coronary, carotid, vertebral, iliac and lower extremity arteries), open; initial vessel | CPT-4 Procedure |

List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|---|------------------|
| 37208 | Transcatheter placement of an intravascular stent(s) (except coronary, carotid, vertebral, iliac and lower extremity arteries), open; each additional vessel (List separately in addition to code for primary procedure) | CPT-4 Procedure |
| 37220 | Revascularization, endovascular, open or percutaneous, iliac artery, unilateral, initial vessel; with transluminal angioplasty | CPT-4 Procedure |
| 37221 | Revascularization, endovascular, open or percutaneous, iliac artery, unilateral, initial vessel; with transluminal stent placement(s), includes angioplasty within the same vessel, when performed | CPT-4 Procedure |
| 37222 | Revascularization, endovascular, open or percutaneous, iliac artery, each additional ipsilateral iliac vessel; with transluminal angioplasty (List separately in addition to code for primary procedure) | CPT-4 Procedure |
| 37223 | Revascularization, endovascular, open or percutaneous, iliac artery, each additional ipsilateral iliac vessel; with transluminal stent placement(s), includes angioplasty within the same vessel, when performed (List separately in addition to code for prima | CPT-4 Procedure |
| 37224 | Revascularization, endovascular, open or percutaneous, femoral, popliteal artery(s), unilateral; with transluminal angioplasty | CPT-4 Procedure |
| 37225 | Revascularization, endovascular, open or percutaneous, femoral, popliteal artery(s), unilateral; with atherectomy, includes angioplasty within the same vessel, when performed | CPT-4 Procedure |
| 37226 | Revascularization, endovascular, open or percutaneous, femoral, popliteal artery(s), unilateral; with transluminal stent placement(s), includes angioplasty within the same vessel, when performed | CPT-4 Procedure |
| 37227 | Revascularization, endovascular, open or percutaneous, femoral, popliteal artery(s), unilateral; with transluminal stent placement(s) and atherectomy, includes angioplasty within the same vessel, when performed | CPT-4 Procedure |
| 37228 | Revascularization, endovascular, open or percutaneous, tibial, peroneal artery, unilateral, initial vessel; with transluminal angioplasty | CPT-4 Procedure |
| 37229 | Revascularization, endovascular, open or percutaneous, tibial, peroneal artery, unilateral, initial vessel; with atherectomy, includes angioplasty within the same vessel, when performed | CPT-4 Procedure |
| 37230 | Revascularization, endovascular, open or percutaneous, tibial, peroneal artery, unilateral, initial vessel; with transluminal stent placement(s), includes angioplasty within the same vessel, when performed | CPT-4 Procedure |
| 37231 | Revascularization, endovascular, open or percutaneous, tibial, peroneal artery, unilateral, initial vessel; with transluminal stent placement(s) and atherectomy, includes angioplasty within the same vessel, when performed | CPT-4 Procedure |
| 37232 | Revascularization, endovascular, open or percutaneous, tibial/peroneal artery, unilateral, each additional vessel; with transluminal angioplasty (List separately in addition to code for primary procedure) | CPT-4 Procedure |

List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|---|------------------|
| 37233 | Revascularization, endovascular, open or percutaneous, tibial/peroneal artery, unilateral, each additional vessel; with atherectomy, includes angioplasty within the same vessel, when performed (List separately in addition to code for primary procedure) | CPT-4 Procedure |
| 37234 | Revascularization, endovascular, open or percutaneous, tibial/peroneal artery, unilateral, each additional vessel; with transluminal stent placement(s), includes angioplasty within the same vessel, when performed (List separately in addition to code for p | CPT-4 Procedure |
| 37235 | Revascularization, endovascular, open or percutaneous, tibial/peroneal artery, unilateral, each additional vessel; with transluminal stent placement(s) and atherectomy, includes angioplasty within the same vessel, when performed (List separately in additi | CPT-4 Procedure |
| 75962 | Transluminal balloon angioplasty, peripheral artery other than renal, or other visceral artery, iliac or lower extremity, radiological supervision and interpretation | CPT-4 Procedure |
| 75963 | Percutaneous Transluminal Angioplasty, Any Method, Peripheral Artery; Complete Procedure | CPT-4 Procedure |
| 75964 | Transluminal balloon angioplasty, each additional peripheral artery other than renal or other visceral artery, iliac or lower extremity, radiological supervision and interpretation (List separately in addition to code for primary procedure) | CPT-4 Procedure |
| 75992 | Transluminal atherectomy, peripheral artery, radiological supervision and interpretation | CPT-4 Procedure |
| 75993 | Transluminal atherectomy, each additional peripheral artery, radiological supervision and interpretation (List separately in addition to code for primary procedure) | CPT-4 Procedure |
| 92937 | Percutaneous transluminal revascularization of or through coronary artery bypass graft (internal mammary, free arterial, venous), any combination of intracoronary stent, atherectomy and angioplasty, including distal protection when performed; single vessel | CPT-4 Procedure |
| 92938 | Percutaneous transluminal revascularization of or through coronary artery bypass graft (internal mammary, free arterial, venous), any combination of intracoronary stent, atherectomy and angioplasty, including distal protection when performed; each additional branch subtended by the bypass graft (List separately in addition to code for primary procedure) | CPT-4 Procedure |
| 92941 | Percutaneous transluminal revascularization of acute total/subtotal occlusion during acute myocardial infarction, coronary artery or coronary artery bypass graft, any combination of intracoronary stent, atherectomy and angioplasty, including aspiration thrombectomy when performed, single vessel | CPT-4 Procedure |

List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|--|------------------|
| 92943 | Percutaneous transluminal revascularization of chronic total occlusion, coronary artery, coronary artery branch, or coronary artery bypass graft, any combination of intracoronary stent, atherectomy and angioplasty; single vessel | CPT-4 Procedure |
| 92944 | Percutaneous transluminal revascularization of chronic total occlusion, coronary artery, coronary artery branch, or coronary artery bypass graft, any combination of intracoronary stent, atherectomy and angioplasty; each additional coronary artery, coronary artery branch, or bypass graft (List separately in addition to code for primary procedure) | CPT-4 Procedure |
| 93668 | Peripheral arterial disease (PAD) rehabilitation, per session | CPT-4 Procedure |
| C9604 | Percutaneous transluminal revascularization of or through coronary artery bypass graft (internal mammary, free arterial, venous), any combination of drug-eluting intracoronary stent, atherectomy and angioplasty, including distal protection when performed; single vessel | HCPCS Procedure |
| C9605 | Percutaneous transluminal revascularization of or through coronary artery bypass graft (internal mammary, free arterial, venous), any combination of drug-eluting intracoronary stent, atherectomy and angioplasty, including distal protection when performed; each additional branch subtended by the bypass graft (list separately in addition to code for primary procedure) | HCPCS Procedure |
| C9606 | Percutaneous transluminal revascularization of acute total/subtotal occlusion during acute myocardial infarction, coronary artery or coronary artery bypass graft, any combination of drug-eluting intracoronary stent, atherectomy and angioplasty, including aspiration thrombectomy when performed, single vessel | HCPCS Procedure |
| C9607 | Percutaneous transluminal revascularization of chronic total occlusion, coronary artery, coronary artery branch, or coronary artery bypass graft, any combination of drug-eluting intracoronary stent, atherectomy and angioplasty; single vessel | HCPCS Procedure |
| C9608 | Percutaneous transluminal revascularization of chronic total occlusion, coronary artery, coronary artery branch, or coronary artery bypass graft, any combination of drug-eluting intracoronary stent, atherectomy and angioplasty; each additional coronary artery, coronary artery branch, or bypass graft (list separately in addition to code for primary procedure) | HCPCS Procedure |
| G8158 | Patient documented to have received coronary artery bypass graft with use of internal mammary artery | HCPCS Procedure |
| G8159 | Patient documented to have received coronary artery bypass graft without use of internal mammary artery | HCPCS Procedure |
| G8160 | Clinician documented that patient was not an eligible candidate for coronary artery bypass graft with use of internal mammary artery measure | HCPCS Procedure |
| G8161 | Patient with isolated coronary artery bypass graft documented to have received pre-operative beta-blockade | HCPCS Procedure |

List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|--|---------------------|
| G8162 | Patient with isolated coronary artery bypass graft not documented to have received preoperative beta-blockade | HCPCS Procedure |
| G8163 | Clinician documented that patient with isolated coronary artery bypass graft was not an eligible candidate for pre-operative beta-blockade measure | HCPCS Procedure |
| G8164 | Patient with isolated coronary artery bypass graft documented to have prolonged intubation | HCPCS Procedure |
| G8165 | Patient with isolated coronary artery bypass graft not documented to have prolonged intubation | HCPCS Procedure |
| G8166 | Patient with isolated coronary artery bypass graft documented to have required surgical re-exploration | HCPCS Procedure |
| G8167 | Patient with isolated coronary artery bypass graft did not require surgical re-exploration | HCPCS Procedure |
| G8170 | Patient with isolated coronary artery bypass graft documented to have been discharged on aspirin or clopidogrel | HCPCS Procedure |
| G8171 | Patient with isolated coronary artery bypass graft not documented to have been discharged on aspirin or clopidogrel | HCPCS Procedure |
| G8172 | Clinician documented that patient with isolated coronary artery bypass graft was not an eligible candidate for antiplatelet therapy at discharge measure | HCPCS Procedure |
| G8497 | All quality actions for the applicable measures in the coronary artery bypass graft (CABG) measures group have been performed for this patient | HCPCS Procedure |
| G8544 | I intend to report the coronary artery bypass graft (CABG) measures group | HCPCS Procedure |
| S2205 | Minimally invasive direct coronary artery bypass surgery involving mini-thoracotomy or mini-sternotomy surgery, performed under direct vision; using arterial graft(s), single coronary arterial graft | HCPCS Procedure |
| E08.51 | Diabetes mellitus due to underlying condition with diabetic peripheral angiopathy without gangrene | ICD-10-CM Diagnosis |
| E08.52 | Diabetes mellitus due to underlying condition with diabetic peripheral angiopathy with gangrene | ICD-10-CM Diagnosis |
| E09.51 | Drug or chemical induced diabetes mellitus with diabetic peripheral angiopathy without gangrene | ICD-10-CM Diagnosis |
| E09.52 | Drug or chemical induced diabetes mellitus with diabetic peripheral angiopathy with gangrene | ICD-10-CM Diagnosis |
| E10.51 | Type 1 diabetes mellitus with diabetic peripheral angiopathy without gangrene | ICD-10-CM Diagnosis |
| E10.52 | Type 1 diabetes mellitus with diabetic peripheral angiopathy with gangrene | ICD-10-CM Diagnosis |
| E11.51 | Type 2 diabetes mellitus with diabetic peripheral angiopathy without gangrene | ICD-10-CM Diagnosis |
| E11.52 | Type 2 diabetes mellitus with diabetic peripheral angiopathy with gangrene | ICD-10-CM Diagnosis |
| E13.51 | Other specified diabetes mellitus with diabetic peripheral angiopathy without gangrene | ICD-10-CM Diagnosis |
| E13.52 | Other specified diabetes mellitus with diabetic peripheral angiopathy with gangrene | ICD-10-CM Diagnosis |
| I21.01 | ST elevation (STEMI) myocardial infarction involving left main coronary artery | ICD-10-CM Diagnosis |
| I21.02 | ST elevation (STEMI) myocardial infarction involving left anterior descending | ICD-10-CM Diagnosis |

List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|---|---------------------|
| I21.09 | ST elevation (STEMI) myocardial infarction involving other coronary artery of anterior w | ICD-10-CM Diagnosis |
| I21.11 | ST elevation (STEMI) myocardial infarction involving right coronary artery | ICD-10-CM Diagnosis |
| I21.19 | ST elevation (STEMI) myocardial infarction involving other coronary artery of inferior w | ICD-10-CM Diagnosis |
| I21.21 | ST elevation (STEMI) myocardial infarction involving left circumflex coronary artery | ICD-10-CM Diagnosis |
| I21.29 | ST elevation (STEMI) myocardial infarction involving other sites | ICD-10-CM Diagnosis |
| I21.3 | ST elevation (STEMI) myocardial infarction of unspecified site | ICD-10-CM Diagnosis |
| I21.4 | Non-ST elevation (NSTEMI) myocardial infarction | ICD-10-CM Diagnosis |
| I22.0 | Subsequent ST elevation (STEMI) myocardial infarction of anterior wall | ICD-10-CM Diagnosis |
| I22.1 | Subsequent ST elevation (STEMI) myocardial infarction of inferior wall | ICD-10-CM Diagnosis |
| I22.2 | Subsequent non-ST elevation (NSTEMI) myocardial infarction | ICD-10-CM Diagnosis |
| I22.8 | Subsequent ST elevation (STEMI) myocardial infarction of other sites | ICD-10-CM Diagnosis |
| I22.9 | Subsequent ST elevation (STEMI) myocardial infarction of unspecified site | ICD-10-CM Diagnosis |
| I25.7 | Atherosclerosis of coronary artery bypass graft(s) and coronary artery of | ICD-10-CM Diagnosis |
| I25.70 | Atherosclerosis of coronary artery bypass graft(s), unspecified, with angina pectoris | ICD-10-CM Diagnosis |
| I25.700 | Atherosclerosis of coronary artery bypass graft(s), unspecified, with unstable angina | ICD-10-CM Diagnosis |
| I25.701 | Atherosclerosis of coronary artery bypass graft(s), unspecified, with angina pectoris | ICD-10-CM Diagnosis |
| I25.708 | Atherosclerosis of coronary artery bypass graft(s), unspecified, with other forms of angina pectoris | ICD-10-CM Diagnosis |
| I25.709 | Atherosclerosis of coronary artery bypass graft(s), unspecified, with unspecified angina pectoris | ICD-10-CM Diagnosis |
| I25.71 | Atherosclerosis of autologous vein coronary artery bypass graft(s) with angina pectoris | ICD-10-CM Diagnosis |
| I25.710 | Atherosclerosis of autologous vein coronary artery bypass graft(s) with unstable angina pectoris | ICD-10-CM Diagnosis |
| I25.711 | Atherosclerosis of autologous vein coronary artery bypass graft(s) with angina pectoris with documented spasm | ICD-10-CM Diagnosis |
| I25.718 | Atherosclerosis of autologous vein coronary artery bypass graft(s) with other forms of angina pectoris | ICD-10-CM Diagnosis |
| I25.719 | Atherosclerosis of autologous vein coronary artery bypass graft(s) with unspecified angina pectoris | ICD-10-CM Diagnosis |
| I25.72 | Atherosclerosis of autologous artery coronary artery bypass graft(s) with angina pectoris | ICD-10-CM Diagnosis |
| I25.720 | Atherosclerosis of autologous artery coronary artery bypass graft(s) with unstable angina pectoris | ICD-10-CM Diagnosis |
| I25.721 | Atherosclerosis of autologous artery coronary artery bypass graft(s) with angina pectoris with documented spasm | ICD-10-CM Diagnosis |
| I25.728 | Atherosclerosis of autologous artery coronary artery bypass graft(s) with other forms of angina pectoris | ICD-10-CM Diagnosis |

List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|--|---------------------|
| I25.729 | Atherosclerosis of autologous artery coronary artery bypass graft(s) with unspecified angina pectoris | ICD-10-CM Diagnosis |
| I25.73 | Atherosclerosis of nonautologous biological coronary artery bypass graft(s) with angina pectoris | ICD-10-CM Diagnosis |
| I25.730 | Atherosclerosis of nonautologous biological coronary artery bypass graft(s) with unstable angina pectoris | ICD-10-CM Diagnosis |
| I25.731 | Atherosclerosis of nonautologous biological coronary artery bypass graft(s) with angina pectoris with documented spasm | ICD-10-CM Diagnosis |
| I25.738 | Atherosclerosis of nonautologous biological coronary artery bypass graft(s) with other forms of angina pectoris | ICD-10-CM Diagnosis |
| I25.739 | Atherosclerosis of nonautologous biological coronary artery bypass graft(s) with unspecified angina pectoris | ICD-10-CM Diagnosis |
| I25.79 | Atherosclerosis of other coronary artery bypass graft(s) with angina pectoris | ICD-10-CM Diagnosis |
| I25.790 | Atherosclerosis of other coronary artery bypass graft(s) with unstable angina pectoris | ICD-10-CM Diagnosis |
| I25.791 | Atherosclerosis of other coronary artery bypass graft(s) with angina pectoris with documented spasm | ICD-10-CM Diagnosis |
| I25.798 | Atherosclerosis of other coronary artery bypass graft(s) with other forms of angina pectoris | ICD-10-CM Diagnosis |
| I25.799 | Atherosclerosis of other coronary artery bypass graft(s) with unspecified angina | ICD-10-CM Diagnosis |
| I25.810 | Atherosclerosis of coronary artery bypass graft(s) without angina pectoris | ICD-10-CM Diagnosis |
| I73.8 | Other specified peripheral vascular diseases | ICD-10-CM Diagnosis |
| I73.9 | Peripheral vascular disease, unspecified | ICD-10-CM Diagnosis |
| I77.1 | Stricture of artery | ICD-10-CM Diagnosis |
| T82.2 | Mechanical complication of coronary artery bypass graft and biological heart valve | ICD-10-CM Diagnosis |
| T82.21 | Mechanical complication of coronary artery bypass graft | ICD-10-CM Diagnosis |
| T82.211 | Breakdown (mechanical) of coronary artery bypass graft | ICD-10-CM Diagnosis |
| T82.211A | Breakdown (mechanical) of coronary artery bypass graft, initial encounter | ICD-10-CM Diagnosis |
| T82.211D | Breakdown (mechanical) of coronary artery bypass graft, subsequent encounter | ICD-10-CM Diagnosis |
| T82.211S | Breakdown (mechanical) of coronary artery bypass graft, sequela | ICD-10-CM Diagnosis |
| T82.212 | Displacement of coronary artery bypass graft | ICD-10-CM Diagnosis |
| T82.212A | Displacement of coronary artery bypass graft, initial encounter | ICD-10-CM Diagnosis |
| T82.212D | Displacement of coronary artery bypass graft, subsequent encounter | ICD-10-CM Diagnosis |
| T82.212S | Displacement of coronary artery bypass graft, sequela | ICD-10-CM Diagnosis |
| T82.213 | Leakage of coronary artery bypass graft | ICD-10-CM Diagnosis |
| T82.213A | Leakage of coronary artery bypass graft, initial encounter | ICD-10-CM Diagnosis |
| T82.213D | Leakage of coronary artery bypass graft, subsequent encounter | ICD-10-CM Diagnosis |
| T82.213S | Leakage of coronary artery bypass graft, sequela | ICD-10-CM Diagnosis |
| T82.218 | Other mechanical complication of coronary artery bypass graft | ICD-10-CM Diagnosis |
| T82.218A | Other mechanical complication of coronary artery bypass graft, initial encounter | ICD-10-CM Diagnosis |



List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|---|----------------------|
| T82.218D | Other mechanical complication of coronary artery bypass graft, subsequent | ICD-10-CM Diagnosis |
| T82.218S | Other mechanical complication of coronary artery bypass graft, sequela | ICD-10-CM Diagnosis |
| Z95.82 | Presence of other vascular implants and grafts | ICD-10-CM Diagnosis |
| Z95.820 | Peripheral vascular angioplasty status with implants and grafts | ICD-10-CM Diagnosis |
| 0312090 | Bypass Innominate Artery to Right Upper Arm Artery with Autologous Venous Tissue, Open Approach | ICD-10-PCS Procedure |
| 0312091 | Bypass Innominate Artery to Left Upper Arm Artery with Autologous Venous Tissue, | ICD-10-PCS Procedure |
| 0312092 | Bypass Innominate Artery to Bilateral Upper Arm Artery with Autologous Venous | ICD-10-PCS Procedure |
| 0312093 | Bypass Innominate Artery to Right Lower Arm Artery with Autologous Venous | ICD-10-PCS Procedure |
| 0312094 | Bypass Innominate Artery to Left Lower Arm Artery with Autologous Venous Tissue, Open Approach | ICD-10-PCS Procedure |
| 0312095 | Bypass Innominate Artery to Bilateral Lower Arm Artery with Autologous Venous Tissue, Open Approach | ICD-10-PCS Procedure |
| 0312096 | Bypass Innominate Artery to Right Upper Leg Artery with Autologous Venous Tissue, Open Approach | ICD-10-PCS Procedure |
| 0312097 | Bypass Innominate Artery to Left Upper Leg Artery with Autologous Venous Tissue, Open Approach | ICD-10-PCS Procedure |
| 0312098 | Bypass Innominate Artery to Bilateral Upper Leg Artery with Autologous Venous Tissue, Open Approach | ICD-10-PCS Procedure |
| 0312099 | Bypass Innominate Artery to Right Lower Leg Artery with Autologous Venous Tissue, Open Approach | ICD-10-PCS Procedure |
| 031209B | Bypass Innominate Artery to Left Lower Leg Artery with Autologous Venous Tissue, Open Approach | ICD-10-PCS Procedure |
| 031209C | Bypass Innominate Artery to Bilateral Lower Leg Artery with Autologous Venous Tissue, Open Approach | ICD-10-PCS Procedure |
| 031209D | Bypass Innominate Artery to Upper Arm Vein with Autologous Venous Tissue, Open Approach | ICD-10-PCS Procedure |
| 031209F | Bypass Innominate Artery to Lower Arm Vein with Autologous Venous Tissue, Open Approach | ICD-10-PCS Procedure |
| 031209J | Bypass Innominate Artery to Right Extracranial Artery with Autologous Venous Tissue, Open Approach | ICD-10-PCS Procedure |
| 031209K | Bypass Innominate Artery to Left Extracranial Artery with Autologous Venous Tissue, Open Approach | ICD-10-PCS Procedure |
| 03120A0 | Bypass Innominate Artery to Right Upper Arm Artery with Autologous Arterial Tissue, Open Approach | ICD-10-PCS Procedure |
| 03120A1 | Bypass Innominate Artery to Left Upper Arm Artery with Autologous Arterial Tissue, Open Approach | ICD-10-PCS Procedure |
| 03120A2 | Bypass Innominate Artery to Bilateral Upper Arm Artery with Autologous Arterial Tissue, Open Approach | ICD-10-PCS Procedure |
| 03120A3 | Bypass Innominate Artery to Right Lower Arm Artery with Autologous Arterial Tissue, Open Approach | ICD-10-PCS Procedure |



List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|---|----------------------|
| 03120A4 | Bypass Innominate Artery to Left Lower Arm Artery with Autologous Arterial Tissue, Open Approach | ICD-10-PCS Procedure |
| 03120A5 | Bypass Innominate Artery to Bilateral Lower Arm Artery with Autologous Arterial Tissue, Open Approach | ICD-10-PCS Procedure |
| 03120A6 | Bypass Innominate Artery to Right Upper Leg Artery with Autologous Arterial Tissue, Open Approach | ICD-10-PCS Procedure |
| 03120A7 | Bypass Innominate Artery to Left Upper Leg Artery with Autologous Arterial Tissue, Open Approach | ICD-10-PCS Procedure |
| 03120A8 | Bypass Innominate Artery to Bilateral Upper Leg Artery with Autologous Arterial Tissue, Open Approach | ICD-10-PCS Procedure |
| 03120A9 | Bypass Innominate Artery to Right Lower Leg Artery with Autologous Arterial Tissue, Open Approach | ICD-10-PCS Procedure |
| 03120AB | Bypass Innominate Artery to Left Lower Leg Artery with Autologous Arterial Tissue, Open Approach | ICD-10-PCS Procedure |
| 03120AC | Bypass Innominate Artery to Bilateral Lower Leg Artery with Autologous Arterial Tissue, Open Approach | ICD-10-PCS Procedure |
| 03120AD | Bypass Innominate Artery to Upper Arm Vein with Autologous Arterial Tissue, Open Approach | ICD-10-PCS Procedure |
| 03120AF | Bypass Innominate Artery to Lower Arm Vein with Autologous Arterial Tissue, Open Approach | ICD-10-PCS Procedure |
| 03120AJ | Bypass Innominate Artery to Right Extracranial Artery with Autologous Arterial Tissue, Open Approach | ICD-10-PCS Procedure |
| 03120AK | Bypass Innominate Artery to Left Extracranial Artery with Autologous Arterial Tissue, Open Approach | ICD-10-PCS Procedure |
| 03120J0 | Bypass Innominate Artery to Right Upper Arm Artery with Synthetic Substitute, Open Approach | ICD-10-PCS Procedure |
| 03120J1 | Bypass Innominate Artery to Left Upper Arm Artery with Synthetic Substitute, Open Approach | ICD-10-PCS Procedure |
| 03120J2 | Bypass Innominate Artery to Bilateral Upper Arm Artery with Synthetic Substitute, Open Approach | ICD-10-PCS Procedure |
| 03120J3 | Bypass Innominate Artery to Right Lower Arm Artery with Synthetic Substitute, Open Approach | ICD-10-PCS Procedure |
| 03120J4 | Bypass Innominate Artery to Left Lower Arm Artery with Synthetic Substitute, Open Approach | ICD-10-PCS Procedure |
| 03120J5 | Bypass Innominate Artery to Bilateral Lower Arm Artery with Synthetic Substitute, Open Approach | ICD-10-PCS Procedure |
| 03120J6 | Bypass Innominate Artery to Right Upper Leg Artery with Synthetic Substitute, Open Approach | ICD-10-PCS Procedure |
| 03120J7 | Bypass Innominate Artery to Left Upper Leg Artery with Synthetic Substitute, Open Approach | ICD-10-PCS Procedure |
| 03120J8 | Bypass Innominate Artery to Bilateral Upper Leg Artery with Synthetic Substitute, Open Approach | ICD-10-PCS Procedure |



List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|--|----------------------|
| 03120J9 | Bypass Innominate Artery to Right Lower Leg Artery with Synthetic Substitute, Open Approach | ICD-10-PCS Procedure |
| 03120JB | Bypass Innominate Artery to Left Lower Leg Artery with Synthetic Substitute, Open Approach | ICD-10-PCS Procedure |
| 03120JC | Bypass Innominate Artery to Bilateral Lower Leg Artery with Synthetic Substitute, Open Approach | ICD-10-PCS Procedure |
| 03120JD | Bypass Innominate Artery to Upper Arm Vein with Synthetic Substitute, Open Approach | ICD-10-PCS Procedure |
| 03120JF | Bypass Innominate Artery to Lower Arm Vein with Synthetic Substitute, Open Approach | ICD-10-PCS Procedure |
| 03120JJ | Bypass Innominate Artery to Right Extracranial Artery with Synthetic Substitute, Open Approach | ICD-10-PCS Procedure |
| 03120JK | Bypass Innominate Artery to Left Extracranial Artery with Synthetic Substitute, Open Approach | ICD-10-PCS Procedure |
| 03120K0 | Bypass Innominate Artery to Right Upper Arm Artery with Nonautologous Tissue Substitute, Open Approach | ICD-10-PCS Procedure |
| 03120K1 | Bypass Innominate Artery to Left Upper Arm Artery with Nonautologous Tissue Substitute, Open Approach | ICD-10-PCS Procedure |
| 03120K2 | Bypass Innominate Artery to Bilateral Upper Arm Artery with Nonautologous Tissue Substitute, Open Approach | ICD-10-PCS Procedure |
| 03120K3 | Bypass Innominate Artery to Right Lower Arm Artery with Nonautologous Tissue Substitute, Open Approach | ICD-10-PCS Procedure |
| 03120K4 | Bypass Innominate Artery to Left Lower Arm Artery with Nonautologous Tissue Substitute, Open Approach | ICD-10-PCS Procedure |
| 03120K5 | Bypass Innominate Artery to Bilateral Lower Arm Artery with Nonautologous Tissue Substitute, Open Approach | ICD-10-PCS Procedure |
| 03120K6 | Bypass Innominate Artery to Right Upper Leg Artery with Nonautologous Tissue Substitute, Open Approach | ICD-10-PCS Procedure |
| 03120K7 | Bypass Innominate Artery to Left Upper Leg Artery with Nonautologous Tissue Substitute, Open Approach | ICD-10-PCS Procedure |
| 03120K8 | Bypass Innominate Artery to Bilateral Upper Leg Artery with Nonautologous Tissue Substitute, Open Approach | ICD-10-PCS Procedure |
| 03120K9 | Bypass Innominate Artery to Right Lower Leg Artery with Nonautologous Tissue Substitute, Open Approach | ICD-10-PCS Procedure |
| 03120KB | Bypass Innominate Artery to Left Lower Leg Artery with Nonautologous Tissue Substitute, Open Approach | ICD-10-PCS Procedure |
| 03120KC | Bypass Innominate Artery to Bilateral Lower Leg Artery with Nonautologous Tissue Substitute, Open Approach | ICD-10-PCS Procedure |
| 03120KD | Bypass Innominate Artery to Upper Arm Vein with Nonautologous Tissue Substitute, Open Approach | ICD-10-PCS Procedure |
| 03120KF | Bypass Innominate Artery to Lower Arm Vein with Nonautologous Tissue Substitute, Open Approach | ICD-10-PCS Procedure |

List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|---|----------------------|
| 03120KJ | Bypass Innominate Artery to Right Extracranial Artery with Nonautologous Tissue Substitute, Open Approach | ICD-10-PCS Procedure |
| 03120KK | Bypass Innominate Artery to Left Extracranial Artery with Nonautologous Tissue Substitute, Open Approach | ICD-10-PCS Procedure |
| 03120Z0 | Bypass Innominate Artery to Right Upper Arm Artery, Open Approach | ICD-10-PCS Procedure |
| 03120Z1 | Bypass Innominate Artery to Left Upper Arm Artery, Open Approach | ICD-10-PCS Procedure |
| 03120Z2 | Bypass Innominate Artery to Bilateral Upper Arm Artery, Open Approach | ICD-10-PCS Procedure |
| 03120Z3 | Bypass Innominate Artery to Right Lower Arm Artery, Open Approach | ICD-10-PCS Procedure |
| 03120Z4 | Bypass Innominate Artery to Left Lower Arm Artery, Open Approach | ICD-10-PCS Procedure |
| 03120Z5 | Bypass Innominate Artery to Bilateral Lower Arm Artery, Open Approach | ICD-10-PCS Procedure |
| 03120Z6 | Bypass Innominate Artery to Right Upper Leg Artery, Open Approach | ICD-10-PCS Procedure |
| 03120Z7 | Bypass Innominate Artery to Left Upper Leg Artery, Open Approach | ICD-10-PCS Procedure |
| 03120Z8 | Bypass Innominate Artery to Bilateral Upper Leg Artery, Open Approach | ICD-10-PCS Procedure |
| 03120Z9 | Bypass Innominate Artery to Right Lower Leg Artery, Open Approach | ICD-10-PCS Procedure |
| 03120ZB | Bypass Innominate Artery to Left Lower Leg Artery, Open Approach | ICD-10-PCS Procedure |
| 03120ZC | Bypass Innominate Artery to Bilateral Lower Leg Artery, Open Approach | ICD-10-PCS Procedure |
| 03120ZD | Bypass Innominate Artery to Upper Arm Vein, Open Approach | ICD-10-PCS Procedure |
| 03120ZF | Bypass Innominate Artery to Lower Arm Vein, Open Approach | ICD-10-PCS Procedure |
| 03120ZJ | Bypass Innominate Artery to Right Extracranial Artery, Open Approach | ICD-10-PCS Procedure |
| 03120ZK | Bypass Innominate Artery to Left Extracranial Artery, Open Approach | ICD-10-PCS Procedure |
| 0313090 | Bypass Right Subclavian Artery to Right Upper Arm Artery with Autologous Venous | ICD-10-PCS Procedure |
| 0313091 | Bypass Right Subclavian Artery to Left Upper Arm Artery with Autologous Venous | ICD-10-PCS Procedure |
| 0313092 | Bypass Right Subclavian Artery to Bilateral Upper Arm Artery with Autologous | ICD-10-PCS Procedure |
| 0313093 | Bypass Right Subclavian Artery to Right Lower Arm Artery with Autologous Venous | ICD-10-PCS Procedure |
| 0313094 | Bypass Right Subclavian Artery to Left Lower Arm Artery with Autologous Venous Tissue, Open Approach | ICD-10-PCS Procedure |
| 0313095 | Bypass Right Subclavian Artery to Bilateral Lower Arm Artery with Autologous Venous Tissue, Open Approach | ICD-10-PCS Procedure |
| 0313096 | Bypass Right Subclavian Artery to Right Upper Leg Artery with Autologous Venous Tissue, Open Approach | ICD-10-PCS Procedure |
| 0313097 | Bypass Right Subclavian Artery to Left Upper Leg Artery with Autologous Venous Tissue, Open Approach | ICD-10-PCS Procedure |
| 0313098 | Bypass Right Subclavian Artery to Bilateral Upper Leg Artery with Autologous Venous Tissue, Open Approach | ICD-10-PCS Procedure |
| 0313099 | Bypass Right Subclavian Artery to Right Lower Leg Artery with Autologous Venous Tissue, Open Approach | ICD-10-PCS Procedure |
| 031309B | Bypass Right Subclavian Artery to Left Lower Leg Artery with Autologous Venous Tissue, Open Approach | ICD-10-PCS Procedure |
| 031309C | Bypass Right Subclavian Artery to Bilateral Lower Leg Artery with Autologous Venous Tissue, Open Approach | ICD-10-PCS Procedure |

List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|---|----------------------|
| 031309D | Bypass Right Subclavian Artery to Upper Arm Vein with Autologous Venous Tissue, Open Approach | ICD-10-PCS Procedure |
| 031309F | Bypass Right Subclavian Artery to Lower Arm Vein with Autologous Venous Tissue, Open Approach | ICD-10-PCS Procedure |
| 031309J | Bypass Right Subclavian Artery to Right Extracranial Artery with Autologous Venous Tissue, Open Approach | ICD-10-PCS Procedure |
| 031309K | Bypass Right Subclavian Artery to Left Extracranial Artery with Autologous Venous Tissue, Open Approach | ICD-10-PCS Procedure |
| 03130A0 | Bypass Right Subclavian Artery to Right Upper Arm Artery with Autologous Arterial Tissue, Open Approach | ICD-10-PCS Procedure |
| 03130A1 | Bypass Right Subclavian Artery to Left Upper Arm Artery with Autologous Arterial Tissue, Open Approach | ICD-10-PCS Procedure |
| 03130A2 | Bypass Right Subclavian Artery to Bilateral Upper Arm Artery with Autologous Arterial Tissue, Open Approach | ICD-10-PCS Procedure |
| 03130A3 | Bypass Right Subclavian Artery to Right Lower Arm Artery with Autologous Arterial Tissue, Open Approach | ICD-10-PCS Procedure |
| 03130A4 | Bypass Right Subclavian Artery to Left Lower Arm Artery with Autologous Arterial Tissue, Open Approach | ICD-10-PCS Procedure |
| 03130A5 | Bypass Right Subclavian Artery to Bilateral Lower Arm Artery with Autologous Arterial Tissue, Open Approach | ICD-10-PCS Procedure |
| 03130A6 | Bypass Right Subclavian Artery to Right Upper Leg Artery with Autologous Arterial Tissue, Open Approach | ICD-10-PCS Procedure |
| 03130A7 | Bypass Right Subclavian Artery to Left Upper Leg Artery with Autologous Arterial Tissue, Open Approach | ICD-10-PCS Procedure |
| 03130A8 | Bypass Right Subclavian Artery to Bilateral Upper Leg Artery with Autologous Arterial Tissue, Open Approach | ICD-10-PCS Procedure |
| 03130A9 | Bypass Right Subclavian Artery to Right Lower Leg Artery with Autologous Arterial Tissue, Open Approach | ICD-10-PCS Procedure |
| 03130AB | Bypass Right Subclavian Artery to Left Lower Leg Artery with Autologous Arterial Tissue, Open Approach | ICD-10-PCS Procedure |
| 03130AC | Bypass Right Subclavian Artery to Bilateral Lower Leg Artery with Autologous Arterial Tissue, Open Approach | ICD-10-PCS Procedure |
| 03130AD | Bypass Right Subclavian Artery to Upper Arm Vein with Autologous Arterial Tissue, Open Approach | ICD-10-PCS Procedure |
| 03130AF | Bypass Right Subclavian Artery to Lower Arm Vein with Autologous Arterial Tissue, Open Approach | ICD-10-PCS Procedure |
| 03130AJ | Bypass Right Subclavian Artery to Right Extracranial Artery with Autologous Arterial Tissue, Open Approach | ICD-10-PCS Procedure |
| 03130AK | Bypass Right Subclavian Artery to Left Extracranial Artery with Autologous Arterial Tissue, Open Approach | ICD-10-PCS Procedure |
| 03130J0 | Bypass Right Subclavian Artery to Right Upper Arm Artery with Synthetic Substitute, Open Approach | ICD-10-PCS Procedure |

List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|--|----------------------|
| 03130J1 | Bypass Right Subclavian Artery to Left Upper Arm Artery with Synthetic Substitute, Open Approach | ICD-10-PCS Procedure |
| 03130J2 | Bypass Right Subclavian Artery to Bilateral Upper Arm Artery with Synthetic Substitute, Open Approach | ICD-10-PCS Procedure |
| 03130J3 | Bypass Right Subclavian Artery to Right Lower Arm Artery with Synthetic Substitute, Open Approach | ICD-10-PCS Procedure |
| 03130J4 | Bypass Right Subclavian Artery to Left Lower Arm Artery with Synthetic Substitute, Open Approach | ICD-10-PCS Procedure |
| 03130J5 | Bypass Right Subclavian Artery to Bilateral Lower Arm Artery with Synthetic Substitute, Open Approach | ICD-10-PCS Procedure |
| 03130J6 | Bypass Right Subclavian Artery to Right Upper Leg Artery with Synthetic Substitute, Open Approach | ICD-10-PCS Procedure |
| 03130J7 | Bypass Right Subclavian Artery to Left Upper Leg Artery with Synthetic Substitute, Open Approach | ICD-10-PCS Procedure |
| 03130J8 | Bypass Right Subclavian Artery to Bilateral Upper Leg Artery with Synthetic Substitute, Open Approach | ICD-10-PCS Procedure |
| 03130J9 | Bypass Right Subclavian Artery to Right Lower Leg Artery with Synthetic Substitute, Open Approach | ICD-10-PCS Procedure |
| 03130JB | Bypass Right Subclavian Artery to Left Lower Leg Artery with Synthetic Substitute, Open Approach | ICD-10-PCS Procedure |
| 03130JC | Bypass Right Subclavian Artery to Bilateral Lower Leg Artery with Synthetic Substitute, Open Approach | ICD-10-PCS Procedure |
| 03130JD | Bypass Right Subclavian Artery to Upper Arm Vein with Synthetic Substitute, Open Approach | ICD-10-PCS Procedure |
| 03130JF | Bypass Right Subclavian Artery to Lower Arm Vein with Synthetic Substitute, Open Approach | ICD-10-PCS Procedure |
| 03130JJ | Bypass Right Subclavian Artery to Right Extracranial Artery with Synthetic Substitute, Open Approach | ICD-10-PCS Procedure |
| 03130JK | Bypass Right Subclavian Artery to Left Extracranial Artery with Synthetic Substitute, Open Approach | ICD-10-PCS Procedure |
| 03130K0 | Bypass Right Subclavian Artery to Right Upper Arm Artery with Nonautologous Tissue Substitute, Open Approach | ICD-10-PCS Procedure |
| 03130K1 | Bypass Right Subclavian Artery to Left Upper Arm Artery with Nonautologous Tissue Substitute, Open Approach | ICD-10-PCS Procedure |
| 03130K2 | Bypass Right Subclavian Artery to Bilateral Upper Arm Artery with Nonautologous Tissue Substitute, Open Approach | ICD-10-PCS Procedure |
| 03130K3 | Bypass Right Subclavian Artery to Right Lower Arm Artery with Nonautologous Tissue Substitute, Open Approach | ICD-10-PCS Procedure |
| 03130K4 | Bypass Right Subclavian Artery to Left Lower Arm Artery with Nonautologous Tissue Substitute, Open Approach | ICD-10-PCS Procedure |
| 03130K5 | Bypass Right Subclavian Artery to Bilateral Lower Arm Artery with Nonautologous Tissue Substitute, Open Approach | ICD-10-PCS Procedure |

List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|--|----------------------|
| 03130K6 | Bypass Right Subclavian Artery to Right Upper Leg Artery with Nonautologous Tissue Substitute, Open Approach | ICD-10-PCS Procedure |
| 03130K7 | Bypass Right Subclavian Artery to Left Upper Leg Artery with Nonautologous Tissue Substitute, Open Approach | ICD-10-PCS Procedure |
| 03130K8 | Bypass Right Subclavian Artery to Bilateral Upper Leg Artery with Nonautologous Tissue Substitute, Open Approach | ICD-10-PCS Procedure |
| 03130K9 | Bypass Right Subclavian Artery to Right Lower Leg Artery with Nonautologous Tissue Substitute, Open Approach | ICD-10-PCS Procedure |
| 03130KB | Bypass Right Subclavian Artery to Left Lower Leg Artery with Nonautologous Tissue Substitute, Open Approach | ICD-10-PCS Procedure |
| 03130KC | Bypass Right Subclavian Artery to Bilateral Lower Leg Artery with Nonautologous Tissue Substitute, Open Approach | ICD-10-PCS Procedure |
| 03130KD | Bypass Right Subclavian Artery to Upper Arm Vein with Nonautologous Tissue Substitute, Open Approach | ICD-10-PCS Procedure |
| 03130KF | Bypass Right Subclavian Artery to Lower Arm Vein with Nonautologous Tissue Substitute, Open Approach | ICD-10-PCS Procedure |
| 03130KJ | Bypass Right Subclavian Artery to Right Extracranial Artery with Nonautologous Tissue Substitute, Open Approach | ICD-10-PCS Procedure |
| 03130KK | Bypass Right Subclavian Artery to Left Extracranial Artery with Nonautologous Tissue Substitute, Open Approach | ICD-10-PCS Procedure |
| 03130Z0 | Bypass Right Subclavian Artery to Right Upper Arm Artery, Open Approach | ICD-10-PCS Procedure |
| 03130Z1 | Bypass Right Subclavian Artery to Left Upper Arm Artery, Open Approach | ICD-10-PCS Procedure |
| 03130Z2 | Bypass Right Subclavian Artery to Bilateral Upper Arm Artery, Open Approach | ICD-10-PCS Procedure |
| 03130Z3 | Bypass Right Subclavian Artery to Right Lower Arm Artery, Open Approach | ICD-10-PCS Procedure |
| 03130Z4 | Bypass Right Subclavian Artery to Left Lower Arm Artery, Open Approach | ICD-10-PCS Procedure |
| 03130Z5 | Bypass Right Subclavian Artery to Bilateral Lower Arm Artery, Open Approach | ICD-10-PCS Procedure |
| 03130Z6 | Bypass Right Subclavian Artery to Right Upper Leg Artery, Open Approach | ICD-10-PCS Procedure |
| 03130Z7 | Bypass Right Subclavian Artery to Left Upper Leg Artery, Open Approach | ICD-10-PCS Procedure |
| 03130Z8 | Bypass Right Subclavian Artery to Bilateral Upper Leg Artery, Open Approach | ICD-10-PCS Procedure |
| 03130Z9 | Bypass Right Subclavian Artery to Right Lower Leg Artery, Open Approach | ICD-10-PCS Procedure |
| 03130ZB | Bypass Right Subclavian Artery to Left Lower Leg Artery, Open Approach | ICD-10-PCS Procedure |
| 03130ZC | Bypass Right Subclavian Artery to Bilateral Lower Leg Artery, Open Approach | ICD-10-PCS Procedure |
| 03130ZD | Bypass Right Subclavian Artery to Upper Arm Vein, Open Approach | ICD-10-PCS Procedure |
| 03130ZF | Bypass Right Subclavian Artery to Lower Arm Vein, Open Approach | ICD-10-PCS Procedure |
| 03130ZJ | Bypass Right Subclavian Artery to Right Extracranial Artery, Open Approach | ICD-10-PCS Procedure |
| 03130ZK | Bypass Right Subclavian Artery to Left Extracranial Artery, Open Approach | ICD-10-PCS Procedure |
| 0314090 | Bypass Left Subclavian Artery to Right Upper Arm Artery with Autologous Venous | ICD-10-PCS Procedure |
| 0314091 | Bypass Left Subclavian Artery to Left Upper Arm Artery with Autologous Venous | ICD-10-PCS Procedure |
| 0314092 | Bypass Left Subclavian Artery to Bilateral Upper Arm Artery with Autologous Venous | ICD-10-PCS Procedure |
| 0314093 | Bypass Left Subclavian Artery to Right Lower Arm Artery with Autologous Venous | ICD-10-PCS Procedure |

List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|--|----------------------|
| 0314094 | Bypass Left Subclavian Artery to Left Lower Arm Artery with Autologous Venous Tissue, Open Approach | ICD-10-PCS Procedure |
| 0314095 | Bypass Left Subclavian Artery to Bilateral Lower Arm Artery with Autologous Venous Tissue, Open Approach | ICD-10-PCS Procedure |
| 0314096 | Bypass Left Subclavian Artery to Right Upper Leg Artery with Autologous Venous Tissue, Open Approach | ICD-10-PCS Procedure |
| 0314097 | Bypass Left Subclavian Artery to Left Upper Leg Artery with Autologous Venous Tissue, Open Approach | ICD-10-PCS Procedure |
| 0314098 | Bypass Left Subclavian Artery to Bilateral Upper Leg Artery with Autologous Venous Tissue, Open Approach | ICD-10-PCS Procedure |
| 0314099 | Bypass Left Subclavian Artery to Right Lower Leg Artery with Autologous Venous Tissue, Open Approach | ICD-10-PCS Procedure |
| 031409B | Bypass Left Subclavian Artery to Left Lower Leg Artery with Autologous Venous Tissue, Open Approach | ICD-10-PCS Procedure |
| 031409C | Bypass Left Subclavian Artery to Bilateral Lower Leg Artery with Autologous Venous Tissue, Open Approach | ICD-10-PCS Procedure |
| 031409D | Bypass Left Subclavian Artery to Upper Arm Vein with Autologous Venous Tissue, Open Approach | ICD-10-PCS Procedure |
| 031409F | Bypass Left Subclavian Artery to Lower Arm Vein with Autologous Venous Tissue, Open Approach | ICD-10-PCS Procedure |
| 031409J | Bypass Left Subclavian Artery to Right Extracranial Artery with Autologous Venous Tissue, Open Approach | ICD-10-PCS Procedure |
| 031409K | Bypass Left Subclavian Artery to Left Extracranial Artery with Autologous Venous Tissue, Open Approach | ICD-10-PCS Procedure |
| 03140A0 | Bypass Left Subclavian Artery to Right Upper Arm Artery with Autologous Arterial Tissue, Open Approach | ICD-10-PCS Procedure |
| 03140A1 | Bypass Left Subclavian Artery to Left Upper Arm Artery with Autologous Arterial Tissue, Open Approach | ICD-10-PCS Procedure |
| 03140A2 | Bypass Left Subclavian Artery to Bilateral Upper Arm Artery with Autologous Arterial Tissue, Open Approach | ICD-10-PCS Procedure |
| 03140A3 | Bypass Left Subclavian Artery to Right Lower Arm Artery with Autologous Arterial Tissue, Open Approach | ICD-10-PCS Procedure |
| 03140A4 | Bypass Left Subclavian Artery to Left Lower Arm Artery with Autologous Arterial Tissue, Open Approach | ICD-10-PCS Procedure |
| 03140A5 | Bypass Left Subclavian Artery to Bilateral Lower Arm Artery with Autologous Arterial Tissue, Open Approach | ICD-10-PCS Procedure |
| 03140A6 | Bypass Left Subclavian Artery to Right Upper Leg Artery with Autologous Arterial Tissue, Open Approach | ICD-10-PCS Procedure |
| 03140A7 | Bypass Left Subclavian Artery to Left Upper Leg Artery with Autologous Arterial Tissue, Open Approach | ICD-10-PCS Procedure |
| 03140A8 | Bypass Left Subclavian Artery to Bilateral Upper Leg Artery with Autologous Arterial Tissue, Open Approach | ICD-10-PCS Procedure |

List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|--|----------------------|
| 03140A9 | Bypass Left Subclavian Artery to Right Lower Leg Artery with Autologous Arterial Tissue, Open Approach | ICD-10-PCS Procedure |
| 03140AB | Bypass Left Subclavian Artery to Left Lower Leg Artery with Autologous Arterial Tissue, Open Approach | ICD-10-PCS Procedure |
| 03140AC | Bypass Left Subclavian Artery to Bilateral Lower Leg Artery with Autologous Arterial Tissue, Open Approach | ICD-10-PCS Procedure |
| 03140AD | Bypass Left Subclavian Artery to Upper Arm Vein with Autologous Arterial Tissue, Open Approach | ICD-10-PCS Procedure |
| 03140AF | Bypass Left Subclavian Artery to Lower Arm Vein with Autologous Arterial Tissue, Open Approach | ICD-10-PCS Procedure |
| 03140AJ | Bypass Left Subclavian Artery to Right Extracranial Artery with Autologous Arterial Tissue, Open Approach | ICD-10-PCS Procedure |
| 03140AK | Bypass Left Subclavian Artery to Left Extracranial Artery with Autologous Arterial Tissue, Open Approach | ICD-10-PCS Procedure |
| 03140J0 | Bypass Left Subclavian Artery to Right Upper Arm Artery with Synthetic Substitute, Open Approach | ICD-10-PCS Procedure |
| 03140J1 | Bypass Left Subclavian Artery to Left Upper Arm Artery with Synthetic Substitute, Open Approach | ICD-10-PCS Procedure |
| 03140J2 | Bypass Left Subclavian Artery to Bilateral Upper Arm Artery with Synthetic Substitute, Open Approach | ICD-10-PCS Procedure |
| 03140J3 | Bypass Left Subclavian Artery to Right Lower Arm Artery with Synthetic Substitute, Open Approach | ICD-10-PCS Procedure |
| 03140J4 | Bypass Left Subclavian Artery to Left Lower Arm Artery with Synthetic Substitute, Open Approach | ICD-10-PCS Procedure |
| 03140J5 | Bypass Left Subclavian Artery to Bilateral Lower Arm Artery with Synthetic Substitute, Open Approach | ICD-10-PCS Procedure |
| 03140J6 | Bypass Left Subclavian Artery to Right Upper Leg Artery with Synthetic Substitute, Open Approach | ICD-10-PCS Procedure |
| 03140J7 | Bypass Left Subclavian Artery to Left Upper Leg Artery with Synthetic Substitute, Open Approach | ICD-10-PCS Procedure |
| 03140J8 | Bypass Left Subclavian Artery to Bilateral Upper Leg Artery with Synthetic Substitute, Open Approach | ICD-10-PCS Procedure |
| 03140J9 | Bypass Left Subclavian Artery to Right Lower Leg Artery with Synthetic Substitute, Open Approach | ICD-10-PCS Procedure |
| 03140JB | Bypass Left Subclavian Artery to Left Lower Leg Artery with Synthetic Substitute, Open Approach | ICD-10-PCS Procedure |
| 03140JC | Bypass Left Subclavian Artery to Bilateral Lower Leg Artery with Synthetic Substitute, Open Approach | ICD-10-PCS Procedure |
| 03140JD | Bypass Left Subclavian Artery to Upper Arm Vein with Synthetic Substitute, Open Approach | ICD-10-PCS Procedure |
| 03140JF | Bypass Left Subclavian Artery to Lower Arm Vein with Synthetic Substitute, Open Approach | ICD-10-PCS Procedure |

List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|---|----------------------|
| 03140JJ | Bypass Left Subclavian Artery to Right Extracranial Artery with Synthetic Substitute, Open Approach | ICD-10-PCS Procedure |
| 03140JK | Bypass Left Subclavian Artery to Left Extracranial Artery with Synthetic Substitute, Open Approach | ICD-10-PCS Procedure |
| 03140K0 | Bypass Left Subclavian Artery to Right Upper Arm Artery with Nonautologous Tissue Substitute, Open Approach | ICD-10-PCS Procedure |
| 03140K1 | Bypass Left Subclavian Artery to Left Upper Arm Artery with Nonautologous Tissue Substitute, Open Approach | ICD-10-PCS Procedure |
| 03140K2 | Bypass Left Subclavian Artery to Bilateral Upper Arm Artery with Nonautologous Tissue Substitute, Open Approach | ICD-10-PCS Procedure |
| 03140K3 | Bypass Left Subclavian Artery to Right Lower Arm Artery with Nonautologous Tissue Substitute, Open Approach | ICD-10-PCS Procedure |
| 03140K4 | Bypass Left Subclavian Artery to Left Lower Arm Artery with Nonautologous Tissue Substitute, Open Approach | ICD-10-PCS Procedure |
| 03140K5 | Bypass Left Subclavian Artery to Bilateral Lower Arm Artery with Nonautologous Tissue Substitute, Open Approach | ICD-10-PCS Procedure |
| 03140K6 | Bypass Left Subclavian Artery to Right Upper Leg Artery with Nonautologous Tissue Substitute, Open Approach | ICD-10-PCS Procedure |
| 03140K7 | Bypass Left Subclavian Artery to Left Upper Leg Artery with Nonautologous Tissue Substitute, Open Approach | ICD-10-PCS Procedure |
| 03140K8 | Bypass Left Subclavian Artery to Bilateral Upper Leg Artery with Nonautologous Tissue Substitute, Open Approach | ICD-10-PCS Procedure |
| 03140K9 | Bypass Left Subclavian Artery to Right Lower Leg Artery with Nonautologous Tissue Substitute, Open Approach | ICD-10-PCS Procedure |
| 03140KB | Bypass Left Subclavian Artery to Left Lower Leg Artery with Nonautologous Tissue Substitute, Open Approach | ICD-10-PCS Procedure |
| 03140KC | Bypass Left Subclavian Artery to Bilateral Lower Leg Artery with Nonautologous Tissue Substitute, Open Approach | ICD-10-PCS Procedure |
| 03140KD | Bypass Left Subclavian Artery to Upper Arm Vein with Nonautologous Tissue Substitute, Open Approach | ICD-10-PCS Procedure |
| 03140KF | Bypass Left Subclavian Artery to Lower Arm Vein with Nonautologous Tissue Substitute, Open Approach | ICD-10-PCS Procedure |
| 03140KJ | Bypass Left Subclavian Artery to Right Extracranial Artery with Nonautologous Tissue Substitute, Open Approach | ICD-10-PCS Procedure |
| 03140KK | Bypass Left Subclavian Artery to Left Extracranial Artery with Nonautologous Tissue Substitute, Open Approach | ICD-10-PCS Procedure |
| 03140Z0 | Bypass Left Subclavian Artery to Right Upper Arm Artery, Open Approach | ICD-10-PCS Procedure |
| 03140Z1 | Bypass Left Subclavian Artery to Left Upper Arm Artery, Open Approach | ICD-10-PCS Procedure |
| 03140Z2 | Bypass Left Subclavian Artery to Bilateral Upper Arm Artery, Open Approach | ICD-10-PCS Procedure |
| 03140Z3 | Bypass Left Subclavian Artery to Right Lower Arm Artery, Open Approach | ICD-10-PCS Procedure |
| 03140Z4 | Bypass Left Subclavian Artery to Left Lower Arm Artery, Open Approach | ICD-10-PCS Procedure |
| 03140Z5 | Bypass Left Subclavian Artery to Bilateral Lower Arm Artery, Open Approach | ICD-10-PCS Procedure |



List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|---|----------------------|
| 03140Z6 | Bypass Left Subclavian Artery to Right Upper Leg Artery, Open Approach | ICD-10-PCS Procedure |
| 03140Z7 | Bypass Left Subclavian Artery to Left Upper Leg Artery, Open Approach | ICD-10-PCS Procedure |
| 03140Z8 | Bypass Left Subclavian Artery to Bilateral Upper Leg Artery, Open Approach | ICD-10-PCS Procedure |
| 03140Z9 | Bypass Left Subclavian Artery to Right Lower Leg Artery, Open Approach | ICD-10-PCS Procedure |
| 03140ZB | Bypass Left Subclavian Artery to Left Lower Leg Artery, Open Approach | ICD-10-PCS Procedure |
| 03140ZC | Bypass Left Subclavian Artery to Bilateral Lower Leg Artery, Open Approach | ICD-10-PCS Procedure |
| 03140ZD | Bypass Left Subclavian Artery to Upper Arm Vein, Open Approach | ICD-10-PCS Procedure |
| 03140ZF | Bypass Left Subclavian Artery to Lower Arm Vein, Open Approach | ICD-10-PCS Procedure |
| 03140ZJ | Bypass Left Subclavian Artery to Right Extracranial Artery, Open Approach | ICD-10-PCS Procedure |
| 03140ZK | Bypass Left Subclavian Artery to Left Extracranial Artery, Open Approach | ICD-10-PCS Procedure |
| 0315090 | Bypass Right Axillary Artery to Right Upper Arm Artery with Autologous Venous | ICD-10-PCS Procedure |
| 0315091 | Bypass Right Axillary Artery to Left Upper Arm Artery with Autologous Venous | ICD-10-PCS Procedure |
| 0315092 | Bypass Right Axillary Artery to Bilateral Upper Arm Artery with Autologous Venous | ICD-10-PCS Procedure |
| 0315093 | Bypass Right Axillary Artery to Right Lower Arm Artery with Autologous Venous | ICD-10-PCS Procedure |
| 0315094 | Bypass Right Axillary Artery to Left Lower Arm Artery with Autologous Venous Tissue, Open Approach | ICD-10-PCS Procedure |
| 0315095 | Bypass Right Axillary Artery to Bilateral Lower Arm Artery with Autologous Venous Tissue, Open Approach | ICD-10-PCS Procedure |
| 0315096 | Bypass Right Axillary Artery to Right Upper Leg Artery with Autologous Venous Tissue, Open Approach | ICD-10-PCS Procedure |
| 0315097 | Bypass Right Axillary Artery to Left Upper Leg Artery with Autologous Venous Tissue, Open Approach | ICD-10-PCS Procedure |
| 0315098 | Bypass Right Axillary Artery to Bilateral Upper Leg Artery with Autologous Venous Tissue, Open Approach | ICD-10-PCS Procedure |
| 0315099 | Bypass Right Axillary Artery to Right Lower Leg Artery with Autologous Venous Tissue, Open Approach | ICD-10-PCS Procedure |
| 031509B | Bypass Right Axillary Artery to Left Lower Leg Artery with Autologous Venous Tissue, Open Approach | ICD-10-PCS Procedure |
| 031509C | Bypass Right Axillary Artery to Bilateral Lower Leg Artery with Autologous Venous Tissue, Open Approach | ICD-10-PCS Procedure |
| 031509D | Bypass Right Axillary Artery to Upper Arm Vein with Autologous Venous Tissue, Open Approach | ICD-10-PCS Procedure |
| 031509F | Bypass Right Axillary Artery to Lower Arm Vein with Autologous Venous Tissue, Open Approach | ICD-10-PCS Procedure |
| 031509J | Bypass Right Axillary Artery to Right Extracranial Artery with Autologous Venous Tissue, Open Approach | ICD-10-PCS Procedure |
| 031509K | Bypass Right Axillary Artery to Left Extracranial Artery with Autologous Venous Tissue, Open Approach | ICD-10-PCS Procedure |
| 03150A0 | Bypass Right Axillary Artery to Right Upper Arm Artery with Autologous Arterial Tissue, Open Approach | ICD-10-PCS Procedure |
| 03150A1 | Bypass Right Axillary Artery to Left Upper Arm Artery with Autologous Arterial Tissue, Open Approach | ICD-10-PCS Procedure |

List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|---|----------------------|
| 03150A2 | Bypass Right Axillary Artery to Bilateral Upper Arm Artery with Autologous Arterial Tissue, Open Approach | ICD-10-PCS Procedure |
| 03150A3 | Bypass Right Axillary Artery to Right Lower Arm Artery with Autologous Arterial Tissue, Open Approach | ICD-10-PCS Procedure |
| 03150A4 | Bypass Right Axillary Artery to Left Lower Arm Artery with Autologous Arterial Tissue, Open Approach | ICD-10-PCS Procedure |
| 03150A5 | Bypass Right Axillary Artery to Bilateral Lower Arm Artery with Autologous Arterial Tissue, Open Approach | ICD-10-PCS Procedure |
| 03150A6 | Bypass Right Axillary Artery to Right Upper Leg Artery with Autologous Arterial Tissue, Open Approach | ICD-10-PCS Procedure |
| 03150A7 | Bypass Right Axillary Artery to Left Upper Leg Artery with Autologous Arterial Tissue, Open Approach | ICD-10-PCS Procedure |
| 03150A8 | Bypass Right Axillary Artery to Bilateral Upper Leg Artery with Autologous Arterial Tissue, Open Approach | ICD-10-PCS Procedure |
| 03150A9 | Bypass Right Axillary Artery to Right Lower Leg Artery with Autologous Arterial Tissue, Open Approach | ICD-10-PCS Procedure |
| 03150AB | Bypass Right Axillary Artery to Left Lower Leg Artery with Autologous Arterial Tissue, Open Approach | ICD-10-PCS Procedure |
| 03150AC | Bypass Right Axillary Artery to Bilateral Lower Leg Artery with Autologous Arterial Tissue, Open Approach | ICD-10-PCS Procedure |
| 03150AD | Bypass Right Axillary Artery to Upper Arm Vein with Autologous Arterial Tissue, Open Approach | ICD-10-PCS Procedure |
| 03150AF | Bypass Right Axillary Artery to Lower Arm Vein with Autologous Arterial Tissue, Open Approach | ICD-10-PCS Procedure |
| 03150AJ | Bypass Right Axillary Artery to Right Extracranial Artery with Autologous Arterial Tissue, Open Approach | ICD-10-PCS Procedure |
| 03150AK | Bypass Right Axillary Artery to Left Extracranial Artery with Autologous Arterial Tissue, Open Approach | ICD-10-PCS Procedure |
| 03150J0 | Bypass Right Axillary Artery to Right Upper Arm Artery with Synthetic Substitute, Open Approach | ICD-10-PCS Procedure |
| 03150J1 | Bypass Right Axillary Artery to Left Upper Arm Artery with Synthetic Substitute, Open Approach | ICD-10-PCS Procedure |
| 03150J2 | Bypass Right Axillary Artery to Bilateral Upper Arm Artery with Synthetic Substitute, Open Approach | ICD-10-PCS Procedure |
| 03150J3 | Bypass Right Axillary Artery to Right Lower Arm Artery with Synthetic Substitute, Open Approach | ICD-10-PCS Procedure |
| 03150J4 | Bypass Right Axillary Artery to Left Lower Arm Artery with Synthetic Substitute, Open Approach | ICD-10-PCS Procedure |
| 03150J5 | Bypass Right Axillary Artery to Bilateral Lower Arm Artery with Synthetic Substitute, Open Approach | ICD-10-PCS Procedure |
| 03150J6 | Bypass Right Axillary Artery to Right Upper Leg Artery with Synthetic Substitute, Open Approach | ICD-10-PCS Procedure |

List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|--|----------------------|
| 03150J7 | Bypass Right Axillary Artery to Left Upper Leg Artery with Synthetic Substitute, Open Approach | ICD-10-PCS Procedure |
| 03150J8 | Bypass Right Axillary Artery to Bilateral Upper Leg Artery with Synthetic Substitute, Open Approach | ICD-10-PCS Procedure |
| 03150J9 | Bypass Right Axillary Artery to Right Lower Leg Artery with Synthetic Substitute, Open Approach | ICD-10-PCS Procedure |
| 03150JB | Bypass Right Axillary Artery to Left Lower Leg Artery with Synthetic Substitute, Open Approach | ICD-10-PCS Procedure |
| 03150JC | Bypass Right Axillary Artery to Bilateral Lower Leg Artery with Synthetic Substitute, Open Approach | ICD-10-PCS Procedure |
| 03150JD | Bypass Right Axillary Artery to Upper Arm Vein with Synthetic Substitute, Open Approach | ICD-10-PCS Procedure |
| 03150JF | Bypass Right Axillary Artery to Lower Arm Vein with Synthetic Substitute, Open Approach | ICD-10-PCS Procedure |
| 03150JJ | Bypass Right Axillary Artery to Right Extracranial Artery with Synthetic Substitute, Open Approach | ICD-10-PCS Procedure |
| 03150JK | Bypass Right Axillary Artery to Left Extracranial Artery with Synthetic Substitute, Open Approach | ICD-10-PCS Procedure |
| 03150K0 | Bypass Right Axillary Artery to Right Upper Arm Artery with Nonautologous Tissue Substitute, Open Approach | ICD-10-PCS Procedure |
| 03150K1 | Bypass Right Axillary Artery to Left Upper Arm Artery with Nonautologous Tissue Substitute, Open Approach | ICD-10-PCS Procedure |
| 03150K2 | Bypass Right Axillary Artery to Bilateral Upper Arm Artery with Nonautologous Tissue Substitute, Open Approach | ICD-10-PCS Procedure |
| 03150K3 | Bypass Right Axillary Artery to Right Lower Arm Artery with Nonautologous Tissue Substitute, Open Approach | ICD-10-PCS Procedure |
| 03150K4 | Bypass Right Axillary Artery to Left Lower Arm Artery with Nonautologous Tissue Substitute, Open Approach | ICD-10-PCS Procedure |
| 03150K5 | Bypass Right Axillary Artery to Bilateral Lower Arm Artery with Nonautologous Tissue Substitute, Open Approach | ICD-10-PCS Procedure |
| 03150K6 | Bypass Right Axillary Artery to Right Upper Leg Artery with Nonautologous Tissue Substitute, Open Approach | ICD-10-PCS Procedure |
| 03150K7 | Bypass Right Axillary Artery to Left Upper Leg Artery with Nonautologous Tissue Substitute, Open Approach | ICD-10-PCS Procedure |
| 03150K8 | Bypass Right Axillary Artery to Bilateral Upper Leg Artery with Nonautologous Tissue Substitute, Open Approach | ICD-10-PCS Procedure |
| 03150K9 | Bypass Right Axillary Artery to Right Lower Leg Artery with Nonautologous Tissue Substitute, Open Approach | ICD-10-PCS Procedure |
| 03150KB | Bypass Right Axillary Artery to Left Lower Leg Artery with Nonautologous Tissue Substitute, Open Approach | ICD-10-PCS Procedure |
| 03150KC | Bypass Right Axillary Artery to Bilateral Lower Leg Artery with Nonautologous Tissue Substitute, Open Approach | ICD-10-PCS Procedure |

List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|---|----------------------|
| 03150KD | Bypass Right Axillary Artery to Upper Arm Vein with Nonautologous Tissue Substitute, Open Approach | ICD-10-PCS Procedure |
| 03150KF | Bypass Right Axillary Artery to Lower Arm Vein with Nonautologous Tissue Substitute, Open Approach | ICD-10-PCS Procedure |
| 03150KJ | Bypass Right Axillary Artery to Right Extracranial Artery with Nonautologous Tissue Substitute, Open Approach | ICD-10-PCS Procedure |
| 03150KK | Bypass Right Axillary Artery to Left Extracranial Artery with Nonautologous Tissue Substitute, Open Approach | ICD-10-PCS Procedure |
| 03150Z0 | Bypass Right Axillary Artery to Right Upper Arm Artery, Open Approach | ICD-10-PCS Procedure |
| 03150Z1 | Bypass Right Axillary Artery to Left Upper Arm Artery, Open Approach | ICD-10-PCS Procedure |
| 03150Z2 | Bypass Right Axillary Artery to Bilateral Upper Arm Artery, Open Approach | ICD-10-PCS Procedure |
| 03150Z3 | Bypass Right Axillary Artery to Right Lower Arm Artery, Open Approach | ICD-10-PCS Procedure |
| 03150Z4 | Bypass Right Axillary Artery to Left Lower Arm Artery, Open Approach | ICD-10-PCS Procedure |
| 03150Z5 | Bypass Right Axillary Artery to Bilateral Lower Arm Artery, Open Approach | ICD-10-PCS Procedure |
| 03150Z6 | Bypass Right Axillary Artery to Right Upper Leg Artery, Open Approach | ICD-10-PCS Procedure |
| 03150Z7 | Bypass Right Axillary Artery to Left Upper Leg Artery, Open Approach | ICD-10-PCS Procedure |
| 03150Z8 | Bypass Right Axillary Artery to Bilateral Upper Leg Artery, Open Approach | ICD-10-PCS Procedure |
| 03150Z9 | Bypass Right Axillary Artery to Right Lower Leg Artery, Open Approach | ICD-10-PCS Procedure |
| 03150ZB | Bypass Right Axillary Artery to Left Lower Leg Artery, Open Approach | ICD-10-PCS Procedure |
| 03150ZC | Bypass Right Axillary Artery to Bilateral Lower Leg Artery, Open Approach | ICD-10-PCS Procedure |
| 03150ZD | Bypass Right Axillary Artery to Upper Arm Vein, Open Approach | ICD-10-PCS Procedure |
| 03150ZF | Bypass Right Axillary Artery to Lower Arm Vein, Open Approach | ICD-10-PCS Procedure |
| 03150ZJ | Bypass Right Axillary Artery to Right Extracranial Artery, Open Approach | ICD-10-PCS Procedure |
| 03150ZK | Bypass Right Axillary Artery to Left Extracranial Artery, Open Approach | ICD-10-PCS Procedure |
| 0316090 | Bypass Left Axillary Artery to Right Upper Arm Artery with Autologous Venous | ICD-10-PCS Procedure |
| 0316091 | Bypass Left Axillary Artery to Left Upper Arm Artery with Autologous Venous Tissue, | ICD-10-PCS Procedure |
| 0316092 | Bypass Left Axillary Artery to Bilateral Upper Arm Artery with Autologous Venous | ICD-10-PCS Procedure |
| 0316093 | Bypass Left Axillary Artery to Right Lower Arm Artery with Autologous Venous | ICD-10-PCS Procedure |
| 0316094 | Bypass Left Axillary Artery to Left Lower Arm Artery with Autologous Venous Tissue, Open Approach | ICD-10-PCS Procedure |
| 0316095 | Bypass Left Axillary Artery to Bilateral Lower Arm Artery with Autologous Venous Tissue, Open Approach | ICD-10-PCS Procedure |
| 0316096 | Bypass Left Axillary Artery to Right Upper Leg Artery with Autologous Venous Tissue, Open Approach | ICD-10-PCS Procedure |
| 0316097 | Bypass Left Axillary Artery to Left Upper Leg Artery with Autologous Venous Tissue, Open Approach | ICD-10-PCS Procedure |
| 0316098 | Bypass Left Axillary Artery to Bilateral Upper Leg Artery with Autologous Venous Tissue, Open Approach | ICD-10-PCS Procedure |
| 0316099 | Bypass Left Axillary Artery to Right Lower Leg Artery with Autologous Venous Tissue, Open Approach | ICD-10-PCS Procedure |

List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|--|----------------------|
| 031609B | Bypass Left Axillary Artery to Left Lower Leg Artery with Autologous Venous Tissue, Open Approach | ICD-10-PCS Procedure |
| 031609C | Bypass Left Axillary Artery to Bilateral Lower Leg Artery with Autologous Venous Tissue, Open Approach | ICD-10-PCS Procedure |
| 031609D | Bypass Left Axillary Artery to Upper Arm Vein with Autologous Venous Tissue, Open Approach | ICD-10-PCS Procedure |
| 031609F | Bypass Left Axillary Artery to Lower Arm Vein with Autologous Venous Tissue, Open Approach | ICD-10-PCS Procedure |
| 031609J | Bypass Left Axillary Artery to Right Extracranial Artery with Autologous Venous Tissue, Open Approach | ICD-10-PCS Procedure |
| 031609K | Bypass Left Axillary Artery to Left Extracranial Artery with Autologous Venous Tissue, Open Approach | ICD-10-PCS Procedure |
| 03160A0 | Bypass Left Axillary Artery to Right Upper Arm Artery with Autologous Arterial Tissue, Open Approach | ICD-10-PCS Procedure |
| 03160A1 | Bypass Left Axillary Artery to Left Upper Arm Artery with Autologous Arterial Tissue, Open Approach | ICD-10-PCS Procedure |
| 03160A2 | Bypass Left Axillary Artery to Bilateral Upper Arm Artery with Autologous Arterial Tissue, Open Approach | ICD-10-PCS Procedure |
| 03160A3 | Bypass Left Axillary Artery to Right Lower Arm Artery with Autologous Arterial Tissue, Open Approach | ICD-10-PCS Procedure |
| 03160A4 | Bypass Left Axillary Artery to Left Lower Arm Artery with Autologous Arterial Tissue, Open Approach | ICD-10-PCS Procedure |
| 03160A5 | Bypass Left Axillary Artery to Bilateral Lower Arm Artery with Autologous Arterial Tissue, Open Approach | ICD-10-PCS Procedure |
| 03160A6 | Bypass Left Axillary Artery to Right Upper Leg Artery with Autologous Arterial Tissue, Open Approach | ICD-10-PCS Procedure |
| 03160A7 | Bypass Left Axillary Artery to Left Upper Leg Artery with Autologous Arterial Tissue, Open Approach | ICD-10-PCS Procedure |
| 03160A8 | Bypass Left Axillary Artery to Bilateral Upper Leg Artery with Autologous Arterial Tissue, Open Approach | ICD-10-PCS Procedure |
| 03160A9 | Bypass Left Axillary Artery to Right Lower Leg Artery with Autologous Arterial Tissue, Open Approach | ICD-10-PCS Procedure |
| 03160AB | Bypass Left Axillary Artery to Left Lower Leg Artery with Autologous Arterial Tissue, Open Approach | ICD-10-PCS Procedure |
| 03160AC | Bypass Left Axillary Artery to Bilateral Lower Leg Artery with Autologous Arterial Tissue, Open Approach | ICD-10-PCS Procedure |
| 03160AD | Bypass Left Axillary Artery to Upper Arm Vein with Autologous Arterial Tissue, Open Approach | ICD-10-PCS Procedure |
| 03160AF | Bypass Left Axillary Artery to Lower Arm Vein with Autologous Arterial Tissue, Open Approach | ICD-10-PCS Procedure |
| 03160AJ | Bypass Left Axillary Artery to Right Extracranial Artery with Autologous Arterial Tissue, Open Approach | ICD-10-PCS Procedure |

List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|---|----------------------|
| 03160AK | Bypass Left Axillary Artery to Left Extracranial Artery with Autologous Arterial Tissue, Open Approach | ICD-10-PCS Procedure |
| 03160J0 | Bypass Left Axillary Artery to Right Upper Arm Artery with Synthetic Substitute, Open Approach | ICD-10-PCS Procedure |
| 03160J1 | Bypass Left Axillary Artery to Left Upper Arm Artery with Synthetic Substitute, Open Approach | ICD-10-PCS Procedure |
| 03160J2 | Bypass Left Axillary Artery to Bilateral Upper Arm Artery with Synthetic Substitute, Open Approach | ICD-10-PCS Procedure |
| 03160J3 | Bypass Left Axillary Artery to Right Lower Arm Artery with Synthetic Substitute, Open Approach | ICD-10-PCS Procedure |
| 03160J4 | Bypass Left Axillary Artery to Left Lower Arm Artery with Synthetic Substitute, Open Approach | ICD-10-PCS Procedure |
| 03160J5 | Bypass Left Axillary Artery to Bilateral Lower Arm Artery with Synthetic Substitute, Open Approach | ICD-10-PCS Procedure |
| 03160J6 | Bypass Left Axillary Artery to Right Upper Leg Artery with Synthetic Substitute, Open Approach | ICD-10-PCS Procedure |
| 03160J7 | Bypass Left Axillary Artery to Left Upper Leg Artery with Synthetic Substitute, Open Approach | ICD-10-PCS Procedure |
| 03160J8 | Bypass Left Axillary Artery to Bilateral Upper Leg Artery with Synthetic Substitute, Open Approach | ICD-10-PCS Procedure |
| 03160J9 | Bypass Left Axillary Artery to Right Lower Leg Artery with Synthetic Substitute, Open Approach | ICD-10-PCS Procedure |
| 03160JB | Bypass Left Axillary Artery to Left Lower Leg Artery with Synthetic Substitute, Open Approach | ICD-10-PCS Procedure |
| 03160JC | Bypass Left Axillary Artery to Bilateral Lower Leg Artery with Synthetic Substitute, Open Approach | ICD-10-PCS Procedure |
| 03160JD | Bypass Left Axillary Artery to Upper Arm Vein with Synthetic Substitute, Open Approach | ICD-10-PCS Procedure |
| 03160JF | Bypass Left Axillary Artery to Lower Arm Vein with Synthetic Substitute, Open Approach | ICD-10-PCS Procedure |
| 03160JJ | Bypass Left Axillary Artery to Right Extracranial Artery with Synthetic Substitute, Open Approach | ICD-10-PCS Procedure |
| 03160JK | Bypass Left Axillary Artery to Left Extracranial Artery with Synthetic Substitute, Open Approach | ICD-10-PCS Procedure |
| 03160K0 | Bypass Left Axillary Artery to Right Upper Arm Artery with Nonautologous Tissue Substitute, Open Approach | ICD-10-PCS Procedure |
| 03160K1 | Bypass Left Axillary Artery to Left Upper Arm Artery with Nonautologous Tissue Substitute, Open Approach | ICD-10-PCS Procedure |
| 03160K2 | Bypass Left Axillary Artery to Bilateral Upper Arm Artery with Nonautologous Tissue Substitute, Open Approach | ICD-10-PCS Procedure |
| 03160K3 | Bypass Left Axillary Artery to Right Lower Arm Artery with Nonautologous Tissue Substitute, Open Approach | ICD-10-PCS Procedure |

List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|---|----------------------|
| 03160K4 | Bypass Left Axillary Artery to Left Lower Arm Artery with Nonautologous Tissue Substitute, Open Approach | ICD-10-PCS Procedure |
| 03160K5 | Bypass Left Axillary Artery to Bilateral Lower Arm Artery with Nonautologous Tissue Substitute, Open Approach | ICD-10-PCS Procedure |
| 03160K6 | Bypass Left Axillary Artery to Right Upper Leg Artery with Nonautologous Tissue Substitute, Open Approach | ICD-10-PCS Procedure |
| 03160K7 | Bypass Left Axillary Artery to Left Upper Leg Artery with Nonautologous Tissue Substitute, Open Approach | ICD-10-PCS Procedure |
| 03160K8 | Bypass Left Axillary Artery to Bilateral Upper Leg Artery with Nonautologous Tissue Substitute, Open Approach | ICD-10-PCS Procedure |
| 03160K9 | Bypass Left Axillary Artery to Right Lower Leg Artery with Nonautologous Tissue Substitute, Open Approach | ICD-10-PCS Procedure |
| 03160KB | Bypass Left Axillary Artery to Left Lower Leg Artery with Nonautologous Tissue Substitute, Open Approach | ICD-10-PCS Procedure |
| 03160KC | Bypass Left Axillary Artery to Bilateral Lower Leg Artery with Nonautologous Tissue Substitute, Open Approach | ICD-10-PCS Procedure |
| 03160KD | Bypass Left Axillary Artery to Upper Arm Vein with Nonautologous Tissue Substitute, Open Approach | ICD-10-PCS Procedure |
| 03160KF | Bypass Left Axillary Artery to Lower Arm Vein with Nonautologous Tissue Substitute, Open Approach | ICD-10-PCS Procedure |
| 03160KJ | Bypass Left Axillary Artery to Right Extracranial Artery with Nonautologous Tissue Substitute, Open Approach | ICD-10-PCS Procedure |
| 03160KK | Bypass Left Axillary Artery to Left Extracranial Artery with Nonautologous Tissue Substitute, Open Approach | ICD-10-PCS Procedure |
| 03160Z0 | Bypass Left Axillary Artery to Right Upper Arm Artery, Open Approach | ICD-10-PCS Procedure |
| 03160Z1 | Bypass Left Axillary Artery to Left Upper Arm Artery, Open Approach | ICD-10-PCS Procedure |
| 03160Z2 | Bypass Left Axillary Artery to Bilateral Upper Arm Artery, Open Approach | ICD-10-PCS Procedure |
| 03160Z3 | Bypass Left Axillary Artery to Right Lower Arm Artery, Open Approach | ICD-10-PCS Procedure |
| 03160Z4 | Bypass Left Axillary Artery to Left Lower Arm Artery, Open Approach | ICD-10-PCS Procedure |
| 03160Z5 | Bypass Left Axillary Artery to Bilateral Lower Arm Artery, Open Approach | ICD-10-PCS Procedure |
| 03160Z6 | Bypass Left Axillary Artery to Right Upper Leg Artery, Open Approach | ICD-10-PCS Procedure |
| 03160Z7 | Bypass Left Axillary Artery to Left Upper Leg Artery, Open Approach | ICD-10-PCS Procedure |
| 03160Z8 | Bypass Left Axillary Artery to Bilateral Upper Leg Artery, Open Approach | ICD-10-PCS Procedure |
| 03160Z9 | Bypass Left Axillary Artery to Right Lower Leg Artery, Open Approach | ICD-10-PCS Procedure |
| 03160ZB | Bypass Left Axillary Artery to Left Lower Leg Artery, Open Approach | ICD-10-PCS Procedure |
| 03160ZC | Bypass Left Axillary Artery to Bilateral Lower Leg Artery, Open Approach | ICD-10-PCS Procedure |
| 03160ZD | Bypass Left Axillary Artery to Upper Arm Vein, Open Approach | ICD-10-PCS Procedure |
| 03160ZF | Bypass Left Axillary Artery to Lower Arm Vein, Open Approach | ICD-10-PCS Procedure |
| 03160ZJ | Bypass Left Axillary Artery to Right Extracranial Artery, Open Approach | ICD-10-PCS Procedure |
| 03160ZK | Bypass Left Axillary Artery to Left Extracranial Artery, Open Approach | ICD-10-PCS Procedure |
| 0317090 | Bypass Right Brachial Artery to Right Upper Arm Artery with Autologous Venous | ICD-10-PCS Procedure |



List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|--|----------------------|
| 0317093 | Bypass Right Brachial Artery to Right Lower Arm Artery with Autologous Venous | ICD-10-PCS Procedure |
| 031709D | Bypass Right Brachial Artery to Upper Arm Vein with Autologous Venous Tissue, | ICD-10-PCS Procedure |
| 031709F | Bypass Right Brachial Artery to Lower Arm Vein with Autologous Venous Tissue, | ICD-10-PCS Procedure |
| 03170A0 | Bypass Right Brachial Artery to Right Upper Arm Artery with Autologous Arterial Tissue, Open Approach | ICD-10-PCS Procedure |
| 03170A3 | Bypass Right Brachial Artery to Right Lower Arm Artery with Autologous Arterial Tissue, Open Approach | ICD-10-PCS Procedure |
| 03170AD | Bypass Right Brachial Artery to Upper Arm Vein with Autologous Arterial Tissue, Open Approach | ICD-10-PCS Procedure |
| 03170AF | Bypass Right Brachial Artery to Lower Arm Vein with Autologous Arterial Tissue, Open Approach | ICD-10-PCS Procedure |
| 03170J0 | Bypass Right Brachial Artery to Right Upper Arm Artery with Synthetic Substitute, Open Approach | ICD-10-PCS Procedure |
| 03170J3 | Bypass Right Brachial Artery to Right Lower Arm Artery with Synthetic Substitute, Open Approach | ICD-10-PCS Procedure |
| 03170JD | Bypass Right Brachial Artery to Upper Arm Vein with Synthetic Substitute, Open Approach | ICD-10-PCS Procedure |
| 03170JF | Bypass Right Brachial Artery to Lower Arm Vein with Synthetic Substitute, Open Approach | ICD-10-PCS Procedure |
| 03170K0 | Bypass Right Brachial Artery to Right Upper Arm Artery with Nonautologous Tissue Substitute, Open Approach | ICD-10-PCS Procedure |
| 03170K3 | Bypass Right Brachial Artery to Right Lower Arm Artery with Nonautologous Tissue Substitute, Open Approach | ICD-10-PCS Procedure |
| 03170KD | Bypass Right Brachial Artery to Upper Arm Vein with Nonautologous Tissue Substitute, Open Approach | ICD-10-PCS Procedure |
| 03170KF | Bypass Right Brachial Artery to Lower Arm Vein with Nonautologous Tissue Substitute, Open Approach | ICD-10-PCS Procedure |
| 03170Z0 | Bypass Right Brachial Artery to Right Upper Arm Artery, Open Approach | ICD-10-PCS Procedure |
| 03170Z3 | Bypass Right Brachial Artery to Right Lower Arm Artery, Open Approach | ICD-10-PCS Procedure |
| 03170ZD | Bypass Right Brachial Artery to Upper Arm Vein, Open Approach | ICD-10-PCS Procedure |
| 03170ZF | Bypass Right Brachial Artery to Lower Arm Vein, Open Approach | ICD-10-PCS Procedure |
| 0318091 | Bypass Left Brachial Artery to Left Upper Arm Artery with Autologous Venous Tissue, | ICD-10-PCS Procedure |
| 0318094 | Bypass Left Brachial Artery to Left Lower Arm Artery with Autologous Venous Tissue, | ICD-10-PCS Procedure |
| 031809D | Bypass Left Brachial Artery to Upper Arm Vein with Autologous Venous Tissue, Open | ICD-10-PCS Procedure |
| 031809F | Bypass Left Brachial Artery to Lower Arm Vein with Autologous Venous Tissue, Open | ICD-10-PCS Procedure |
| 03180A1 | Bypass Left Brachial Artery to Left Upper Arm Artery with Autologous Arterial Tissue, Open Approach | ICD-10-PCS Procedure |
| 03180A4 | Bypass Left Brachial Artery to Left Lower Arm Artery with Autologous Arterial Tissue, Open Approach | ICD-10-PCS Procedure |
| 03180AD | Bypass Left Brachial Artery to Upper Arm Vein with Autologous Arterial Tissue, Open Approach | ICD-10-PCS Procedure |

List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|--|----------------------|
| 03180AF | Bypass Left Brachial Artery to Lower Arm Vein with Autologous Arterial Tissue, Open Approach | ICD-10-PCS Procedure |
| 03180J1 | Bypass Left Brachial Artery to Left Upper Arm Artery with Synthetic Substitute, Open Approach | ICD-10-PCS Procedure |
| 03180J4 | Bypass Left Brachial Artery to Left Lower Arm Artery with Synthetic Substitute, Open Approach | ICD-10-PCS Procedure |
| 03180JD | Bypass Left Brachial Artery to Upper Arm Vein with Synthetic Substitute, Open Approach | ICD-10-PCS Procedure |
| 03180JF | Bypass Left Brachial Artery to Lower Arm Vein with Synthetic Substitute, Open Approach | ICD-10-PCS Procedure |
| 03180K1 | Bypass Left Brachial Artery to Left Upper Arm Artery with Nonautologous Tissue Substitute, Open Approach | ICD-10-PCS Procedure |
| 03180K4 | Bypass Left Brachial Artery to Left Lower Arm Artery with Nonautologous Tissue Substitute, Open Approach | ICD-10-PCS Procedure |
| 03180KD | Bypass Left Brachial Artery to Upper Arm Vein with Nonautologous Tissue Substitute, Open Approach | ICD-10-PCS Procedure |
| 03180KF | Bypass Left Brachial Artery to Lower Arm Vein with Nonautologous Tissue Substitute, Open Approach | ICD-10-PCS Procedure |
| 03180Z1 | Bypass Left Brachial Artery to Left Upper Arm Artery, Open Approach | ICD-10-PCS Procedure |
| 03180Z4 | Bypass Left Brachial Artery to Left Lower Arm Artery, Open Approach | ICD-10-PCS Procedure |
| 03180ZD | Bypass Left Brachial Artery to Upper Arm Vein, Open Approach | ICD-10-PCS Procedure |
| 03180ZF | Bypass Left Brachial Artery to Lower Arm Vein, Open Approach | ICD-10-PCS Procedure |
| 0319093 | Bypass Right Ulnar Artery to Right Lower Arm Artery with Autologous Venous Tissue, Open Approach | ICD-10-PCS Procedure |
| 031909F | Bypass Right Ulnar Artery to Lower Arm Vein with Autologous Venous Tissue, Open Approach | ICD-10-PCS Procedure |
| 03190A3 | Bypass Right Ulnar Artery to Right Lower Arm Artery with Autologous Arterial Tissue, Open Approach | ICD-10-PCS Procedure |
| 03190AF | Bypass Right Ulnar Artery to Lower Arm Vein with Autologous Arterial Tissue, Open Approach | ICD-10-PCS Procedure |
| 03190J3 | Bypass Right Ulnar Artery to Right Lower Arm Artery with Synthetic Substitute, Open Approach | ICD-10-PCS Procedure |
| 03190JF | Bypass Right Ulnar Artery to Lower Arm Vein with Synthetic Substitute, Open Approach | ICD-10-PCS Procedure |
| 03190K3 | Bypass Right Ulnar Artery to Right Lower Arm Artery with Nonautologous Tissue Substitute, Open Approach | ICD-10-PCS Procedure |
| 03190KF | Bypass Right Ulnar Artery to Lower Arm Vein with Nonautologous Tissue Substitute, Open Approach | ICD-10-PCS Procedure |
| 03190Z3 | Bypass Right Ulnar Artery to Right Lower Arm Artery, Open Approach | ICD-10-PCS Procedure |
| 03190ZF | Bypass Right Ulnar Artery to Lower Arm Vein, Open Approach | ICD-10-PCS Procedure |
| 031A094 | Bypass Left Ulnar Artery to Left Lower Arm Artery with Autologous Venous Tissue, Open Approach | ICD-10-PCS Procedure |
| 031A09F | Bypass Left Ulnar Artery to Lower Arm Vein with Autologous Venous Tissue, Open Approach | ICD-10-PCS Procedure |
| 031A0A4 | Bypass Left Ulnar Artery to Left Lower Arm Artery with Autologous Arterial Tissue, Open Approach | ICD-10-PCS Procedure |
| 031A0AF | Bypass Left Ulnar Artery to Lower Arm Vein with Autologous Arterial Tissue, Open Approach | ICD-10-PCS Procedure |

List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|--|----------------------|
| 031A0J4 | Bypass Left Ulnar Artery to Left Lower Arm Artery with Synthetic Substitute, Open Approach | ICD-10-PCS Procedure |
| 031A0JF | Bypass Left Ulnar Artery to Lower Arm Vein with Synthetic Substitute, Open Approach | ICD-10-PCS Procedure |
| 031A0K4 | Bypass Left Ulnar Artery to Left Lower Arm Artery with Nonautologous Tissue Substitute, Open Approach | ICD-10-PCS Procedure |
| 031A0KF | Bypass Left Ulnar Artery to Lower Arm Vein with Nonautologous Tissue Substitute, Open Approach | ICD-10-PCS Procedure |
| 031A0Z4 | Bypass Left Ulnar Artery to Left Lower Arm Artery, Open Approach | ICD-10-PCS Procedure |
| 031A0ZF | Bypass Left Ulnar Artery to Lower Arm Vein, Open Approach | ICD-10-PCS Procedure |
| 031B093 | Bypass Right Radial Artery to Right Lower Arm Artery with Autologous Venous Tissue, Open Approach | ICD-10-PCS Procedure |
| 031B09F | Bypass Right Radial Artery to Lower Arm Vein with Autologous Venous Tissue, Open Approach | ICD-10-PCS Procedure |
| 031B0A3 | Bypass Right Radial Artery to Right Lower Arm Artery with Autologous Arterial Tissue, Open Approach | ICD-10-PCS Procedure |
| 031B0AF | Bypass Right Radial Artery to Lower Arm Vein with Autologous Arterial Tissue, Open Approach | ICD-10-PCS Procedure |
| 031B0J3 | Bypass Right Radial Artery to Right Lower Arm Artery with Synthetic Substitute, Open Approach | ICD-10-PCS Procedure |
| 031B0JF | Bypass Right Radial Artery to Lower Arm Vein with Synthetic Substitute, Open Approach | ICD-10-PCS Procedure |
| 031B0K3 | Bypass Right Radial Artery to Right Lower Arm Artery with Nonautologous Tissue Substitute, Open Approach | ICD-10-PCS Procedure |
| 031B0KF | Bypass Right Radial Artery to Lower Arm Vein with Nonautologous Tissue Substitute, Open Approach | ICD-10-PCS Procedure |
| 031B0Z3 | Bypass Right Radial Artery to Right Lower Arm Artery, Open Approach | ICD-10-PCS Procedure |
| 031B0ZF | Bypass Right Radial Artery to Lower Arm Vein, Open Approach | ICD-10-PCS Procedure |
| 031C094 | Bypass Left Radial Artery to Left Lower Arm Artery with Autologous Venous Tissue, Open Approach | ICD-10-PCS Procedure |
| 031C09F | Bypass Left Radial Artery to Lower Arm Vein with Autologous Venous Tissue, Open Approach | ICD-10-PCS Procedure |
| 031C0A4 | Bypass Left Radial Artery to Left Lower Arm Artery with Autologous Arterial Tissue, Open Approach | ICD-10-PCS Procedure |
| 031C0AF | Bypass Left Radial Artery to Lower Arm Vein with Autologous Arterial Tissue, Open Approach | ICD-10-PCS Procedure |
| 031C0J4 | Bypass Left Radial Artery to Left Lower Arm Artery with Synthetic Substitute, Open Approach | ICD-10-PCS Procedure |
| 031C0JF | Bypass Left Radial Artery to Lower Arm Vein with Synthetic Substitute, Open Approach | ICD-10-PCS Procedure |
| 031C0K4 | Bypass Left Radial Artery to Left Lower Arm Artery with Nonautologous Tissue Substitute, Open Approach | ICD-10-PCS Procedure |
| 031C0KF | Bypass Left Radial Artery to Lower Arm Vein with Nonautologous Tissue Substitute, Open Approach | ICD-10-PCS Procedure |
| 031C0Z4 | Bypass Left Radial Artery to Left Lower Arm Artery, Open Approach | ICD-10-PCS Procedure |
| 031C0ZF | Bypass Left Radial Artery to Lower Arm Vein, Open Approach | ICD-10-PCS Procedure |

List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|---|----------------------|
| 031G09G | Bypass Intracranial Artery to Intracranial Artery with Autologous Venous Tissue, Open Approach | ICD-10-PCS Procedure |
| 031G0AG | Bypass Intracranial Artery to Intracranial Artery with Autologous Arterial Tissue, Open Approach | ICD-10-PCS Procedure |
| 031G0JG | Bypass Intracranial Artery to Intracranial Artery with Synthetic Substitute, Open | ICD-10-PCS Procedure |
| 031G0KG | Bypass Intracranial Artery to Intracranial Artery with Nonautologous Tissue | ICD-10-PCS Procedure |
| 031G0ZG | Bypass Intracranial Artery to Intracranial Artery, Open Approach | ICD-10-PCS Procedure |
| 031H09J | Bypass Right Common Carotid Artery to Right Extracranial Artery with Autologous Venous Tissue, Open Approach | ICD-10-PCS Procedure |
| 031H0AJ | Bypass Right Common Carotid Artery to Right Extracranial Artery with Autologous Arterial Tissue, Open Approach | ICD-10-PCS Procedure |
| 031H0JJ | Bypass Right Common Carotid Artery to Right Extracranial Artery with Synthetic Substitute, Open Approach | ICD-10-PCS Procedure |
| 031H0KJ | Bypass Right Common Carotid Artery to Right Extracranial Artery with | ICD-10-PCS Procedure |
| 031H0ZJ | Bypass Right Common Carotid Artery to Right Extracranial Artery, Open Approach | ICD-10-PCS Procedure |
| 031J09K | Bypass Left Common Carotid Artery to Left Extracranial Artery with Autologous Venous Tissue, Open Approach | ICD-10-PCS Procedure |
| 031J0AK | Bypass Left Common Carotid Artery to Left Extracranial Artery with Autologous Arterial Tissue, Open Approach | ICD-10-PCS Procedure |
| 031J0JK | Bypass Left Common Carotid Artery to Left Extracranial Artery with Synthetic Substitute, Open Approach | ICD-10-PCS Procedure |
| 031J0KK | Bypass Left Common Carotid Artery to Left Extracranial Artery with Nonautologous Tissue Substitute, Open Approach | ICD-10-PCS Procedure |
| 031J0ZK | Bypass Left Common Carotid Artery to Left Extracranial Artery, Open Approach | ICD-10-PCS Procedure |
| 031K09J | Bypass Right Internal Carotid Artery to Right Extracranial Artery with Autologous Venous Tissue, Open Approach | ICD-10-PCS Procedure |
| 031K0AJ | Bypass Right Internal Carotid Artery to Right Extracranial Artery with Autologous Arterial Tissue, Open Approach | ICD-10-PCS Procedure |
| 031K0JJ | Bypass Right Internal Carotid Artery to Right Extracranial Artery with Synthetic Substitute, Open Approach | ICD-10-PCS Procedure |
| 031K0KJ | Bypass Right Internal Carotid Artery to Right Extracranial Artery with Nonautologous Tissue Substitute, Open Approach | ICD-10-PCS Procedure |
| 031K0ZJ | Bypass Right Internal Carotid Artery to Right Extracranial Artery, Open Approach | ICD-10-PCS Procedure |
| 031L09K | Bypass Left Internal Carotid Artery to Left Extracranial Artery with Autologous Venous Tissue, Open Approach | ICD-10-PCS Procedure |
| 031L0AK | Bypass Left Internal Carotid Artery to Left Extracranial Artery with Autologous Arterial Tissue, Open Approach | ICD-10-PCS Procedure |
| 031L0JK | Bypass Left Internal Carotid Artery to Left Extracranial Artery with Synthetic Substitute, Open Approach | ICD-10-PCS Procedure |



List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|---|----------------------|
| 031L0KK | Bypass Left Internal Carotid Artery to Left Extracranial Artery with Nonautologous Tissue Substitute, Open Approach | ICD-10-PCS Procedure |
| 031L0ZK | Bypass Left Internal Carotid Artery to Left Extracranial Artery, Open Approach | ICD-10-PCS Procedure |
| 031M09J | Bypass Right External Carotid Artery to Right Extracranial Artery with Autologous Venous Tissue, Open Approach | ICD-10-PCS Procedure |
| 031M0AJ | Bypass Right External Carotid Artery to Right Extracranial Artery with Autologous Arterial Tissue, Open Approach | ICD-10-PCS Procedure |
| 031M0JJ | Bypass Right External Carotid Artery to Right Extracranial Artery with Synthetic Substitute, Open Approach | ICD-10-PCS Procedure |
| 031M0KJ | Bypass Right External Carotid Artery to Right Extracranial Artery with Nonautologous Tissue Substitute, Open Approach | ICD-10-PCS Procedure |
| 031M0ZJ | Bypass Right External Carotid Artery to Right Extracranial Artery, Open Approach | ICD-10-PCS Procedure |
| 031N09K | Bypass Left External Carotid Artery to Left Extracranial Artery with Autologous Venous Tissue, Open Approach | ICD-10-PCS Procedure |
| 031N0AK | Bypass Left External Carotid Artery to Left Extracranial Artery with Autologous Arterial Tissue, Open Approach | ICD-10-PCS Procedure |
| 031N0JK | Bypass Left External Carotid Artery to Left Extracranial Artery with Synthetic Substitute, Open Approach | ICD-10-PCS Procedure |
| 031N0KK | Bypass Left External Carotid Artery to Left Extracranial Artery with Nonautologous Tissue Substitute, Open Approach | ICD-10-PCS Procedure |
| 031N0ZK | Bypass Left External Carotid Artery to Left Extracranial Artery, Open Approach | ICD-10-PCS Procedure |
| 0410096 | Bypass Abdominal Aorta to Right Common Iliac Artery with Autologous Venous Tissue, Open Approach | ICD-10-PCS Procedure |
| 0410097 | Bypass Abdominal Aorta to Left Common Iliac Artery with Autologous Venous Tissue, Open Approach | ICD-10-PCS Procedure |
| 0410098 | Bypass Abdominal Aorta to Bilateral Common Iliac Arteries with Autologous Venous Tissue, Open Approach | ICD-10-PCS Procedure |
| 0410099 | Bypass Abdominal Aorta to Right Internal Iliac Artery with Autologous Venous Tissue, Open Approach | ICD-10-PCS Procedure |
| 041009B | Bypass Abdominal Aorta to Left Internal Iliac Artery with Autologous Venous Tissue, Open Approach | ICD-10-PCS Procedure |
| 041009C | Bypass Abdominal Aorta to Bilateral Internal Iliac Arteries with Autologous Venous Tissue, Open Approach | ICD-10-PCS Procedure |
| 041009D | Bypass Abdominal Aorta to Right External Iliac Artery with Autologous Venous Tissue, Open Approach | ICD-10-PCS Procedure |
| 041009F | Bypass Abdominal Aorta to Left External Iliac Artery with Autologous Venous Tissue, Open Approach | ICD-10-PCS Procedure |
| 041009G | Bypass Abdominal Aorta to Bilateral External Iliac Arteries with Autologous Venous Tissue, Open Approach | ICD-10-PCS Procedure |
| 041009H | Bypass Abdominal Aorta to Right Femoral Artery with Autologous Venous Tissue, Open Approach | ICD-10-PCS Procedure |

List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|--|----------------------|
| 041009J | Bypass Abdominal Aorta to Left Femoral Artery with Autologous Venous Tissue, Open Approach | ICD-10-PCS Procedure |
| 041009K | Bypass Abdominal Aorta to Bilateral Femoral Arteries with Autologous Venous Tissue, Open Approach | ICD-10-PCS Procedure |
| 041009Q | Bypass Abdominal Aorta to Lower Extremity Artery with Autologous Venous Tissue, Open Approach | ICD-10-PCS Procedure |
| 041009R | Bypass Abdominal Aorta to Lower Artery with Autologous Venous Tissue, Open Approach | ICD-10-PCS Procedure |
| 04100A6 | Bypass Abdominal Aorta to Right Common Iliac Artery with Autologous Arterial Tissue, Open Approach | ICD-10-PCS Procedure |
| 04100A7 | Bypass Abdominal Aorta to Left Common Iliac Artery with Autologous Arterial Tissue, Open Approach | ICD-10-PCS Procedure |
| 04100A8 | Bypass Abdominal Aorta to Bilateral Common Iliac Arteries with Autologous Arterial Tissue, Open Approach | ICD-10-PCS Procedure |
| 04100A9 | Bypass Abdominal Aorta to Right Internal Iliac Artery with Autologous Arterial Tissue, Open Approach | ICD-10-PCS Procedure |
| 04100AB | Bypass Abdominal Aorta to Left Internal Iliac Artery with Autologous Arterial Tissue, Open Approach | ICD-10-PCS Procedure |
| 04100AC | Bypass Abdominal Aorta to Bilateral Internal Iliac Arteries with Autologous Arterial Tissue, Open Approach | ICD-10-PCS Procedure |
| 04100AD | Bypass Abdominal Aorta to Right External Iliac Artery with Autologous Arterial Tissue, Open Approach | ICD-10-PCS Procedure |
| 04100AF | Bypass Abdominal Aorta to Left External Iliac Artery with Autologous Arterial Tissue, Open Approach | ICD-10-PCS Procedure |
| 04100AG | Bypass Abdominal Aorta to Bilateral External Iliac Arteries with Autologous Arterial Tissue, Open Approach | ICD-10-PCS Procedure |
| 04100AH | Bypass Abdominal Aorta to Right Femoral Artery with Autologous Arterial Tissue, Open Approach | ICD-10-PCS Procedure |
| 04100AJ | Bypass Abdominal Aorta to Left Femoral Artery with Autologous Arterial Tissue, Open Approach | ICD-10-PCS Procedure |
| 04100AK | Bypass Abdominal Aorta to Bilateral Femoral Arteries with Autologous Arterial Tissue, Open Approach | ICD-10-PCS Procedure |
| 04100AQ | Bypass Abdominal Aorta to Lower Extremity Artery with Autologous Arterial Tissue, Open Approach | ICD-10-PCS Procedure |
| 04100AR | Bypass Abdominal Aorta to Lower Artery with Autologous Arterial Tissue, Open Approach | ICD-10-PCS Procedure |
| 04100J6 | Bypass Abdominal Aorta to Right Common Iliac Artery with Synthetic Substitute, Open Approach | ICD-10-PCS Procedure |
| 04100J7 | Bypass Abdominal Aorta to Left Common Iliac Artery with Synthetic Substitute, Open Approach | ICD-10-PCS Procedure |
| 04100J8 | Bypass Abdominal Aorta to Bilateral Common Iliac Arteries with Synthetic Substitute, Open Approach | ICD-10-PCS Procedure |

List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|---|----------------------|
| 04100J9 | Bypass Abdominal Aorta to Right Internal Iliac Artery with Synthetic Substitute, Open Approach | ICD-10-PCS Procedure |
| 04100JB | Bypass Abdominal Aorta to Left Internal Iliac Artery with Synthetic Substitute, Open Approach | ICD-10-PCS Procedure |
| 04100JC | Bypass Abdominal Aorta to Bilateral Internal Iliac Arteries with Synthetic Substitute, Open Approach | ICD-10-PCS Procedure |
| 04100JD | Bypass Abdominal Aorta to Right External Iliac Artery with Synthetic Substitute, Open Approach | ICD-10-PCS Procedure |
| 04100JF | Bypass Abdominal Aorta to Left External Iliac Artery with Synthetic Substitute, Open Approach | ICD-10-PCS Procedure |
| 04100JG | Bypass Abdominal Aorta to Bilateral External Iliac Arteries with Synthetic Substitute, Open Approach | ICD-10-PCS Procedure |
| 04100JH | Bypass Abdominal Aorta to Right Femoral Artery with Synthetic Substitute, Open Approach | ICD-10-PCS Procedure |
| 04100JJ | Bypass Abdominal Aorta to Left Femoral Artery with Synthetic Substitute, Open Approach | ICD-10-PCS Procedure |
| 04100JK | Bypass Abdominal Aorta to Bilateral Femoral Arteries with Synthetic Substitute, Open Approach | ICD-10-PCS Procedure |
| 04100JQ | Bypass Abdominal Aorta to Lower Extremity Artery with Synthetic Substitute, Open Approach | ICD-10-PCS Procedure |
| 04100JR | Bypass Abdominal Aorta to Lower Artery with Synthetic Substitute, Open Approach | ICD-10-PCS Procedure |
| 04100K6 | Bypass Abdominal Aorta to Right Common Iliac Artery with Nonautologous Tissue Substitute, Open Approach | ICD-10-PCS Procedure |
| 04100K7 | Bypass Abdominal Aorta to Left Common Iliac Artery with Nonautologous Tissue Substitute, Open Approach | ICD-10-PCS Procedure |
| 04100K8 | Bypass Abdominal Aorta to Bilateral Common Iliac Arteries with Nonautologous Tissue Substitute, Open Approach | ICD-10-PCS Procedure |
| 04100K9 | Bypass Abdominal Aorta to Right Internal Iliac Artery with Nonautologous Tissue Substitute, Open Approach | ICD-10-PCS Procedure |
| 04100KB | Bypass Abdominal Aorta to Left Internal Iliac Artery with Nonautologous Tissue Substitute, Open Approach | ICD-10-PCS Procedure |
| 04100KC | Bypass Abdominal Aorta to Bilateral Internal Iliac Arteries with Nonautologous Tissue Substitute, Open Approach | ICD-10-PCS Procedure |
| 04100KD | Bypass Abdominal Aorta to Right External Iliac Artery with Nonautologous Tissue Substitute, Open Approach | ICD-10-PCS Procedure |
| 04100KF | Bypass Abdominal Aorta to Left External Iliac Artery with Nonautologous Tissue Substitute, Open Approach | ICD-10-PCS Procedure |
| 04100KG | Bypass Abdominal Aorta to Bilateral External Iliac Arteries with Nonautologous Tissue Substitute, Open Approach | ICD-10-PCS Procedure |
| 04100KH | Bypass Abdominal Aorta to Right Femoral Artery with Nonautologous Tissue Substitute, Open Approach | ICD-10-PCS Procedure |

List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|---|----------------------|
| 04100KJ | Bypass Abdominal Aorta to Left Femoral Artery with Nonautologous Tissue Substitute, Open Approach | ICD-10-PCS Procedure |
| 04100KK | Bypass Abdominal Aorta to Bilateral Femoral Arteries with Nonautologous Tissue Substitute, Open Approach | ICD-10-PCS Procedure |
| 04100KQ | Bypass Abdominal Aorta to Lower Extremity Artery with Nonautologous Tissue Substitute, Open Approach | ICD-10-PCS Procedure |
| 04100KR | Bypass Abdominal Aorta to Lower Artery with Nonautologous Tissue Substitute, Open Approach | ICD-10-PCS Procedure |
| 04100Z6 | Bypass Abdominal Aorta to Right Common Iliac Artery, Open Approach | ICD-10-PCS Procedure |
| 04100Z7 | Bypass Abdominal Aorta to Left Common Iliac Artery, Open Approach | ICD-10-PCS Procedure |
| 04100Z8 | Bypass Abdominal Aorta to Bilateral Common Iliac Arteries, Open Approach | ICD-10-PCS Procedure |
| 04100Z9 | Bypass Abdominal Aorta to Right Internal Iliac Artery, Open Approach | ICD-10-PCS Procedure |
| 04100ZB | Bypass Abdominal Aorta to Left Internal Iliac Artery, Open Approach | ICD-10-PCS Procedure |
| 04100ZC | Bypass Abdominal Aorta to Bilateral Internal Iliac Arteries, Open Approach | ICD-10-PCS Procedure |
| 04100ZD | Bypass Abdominal Aorta to Right External Iliac Artery, Open Approach | ICD-10-PCS Procedure |
| 04100ZF | Bypass Abdominal Aorta to Left External Iliac Artery, Open Approach | ICD-10-PCS Procedure |
| 04100ZG | Bypass Abdominal Aorta to Bilateral External Iliac Arteries, Open Approach | ICD-10-PCS Procedure |
| 04100ZH | Bypass Abdominal Aorta to Right Femoral Artery, Open Approach | ICD-10-PCS Procedure |
| 04100ZJ | Bypass Abdominal Aorta to Left Femoral Artery, Open Approach | ICD-10-PCS Procedure |
| 04100ZK | Bypass Abdominal Aorta to Bilateral Femoral Arteries, Open Approach | ICD-10-PCS Procedure |
| 04100ZQ | Bypass Abdominal Aorta to Lower Extremity Artery, Open Approach | ICD-10-PCS Procedure |
| 04100ZR | Bypass Abdominal Aorta to Lower Artery, Open Approach | ICD-10-PCS Procedure |
| 0410496 | Bypass Abdominal Aorta to Right Common Iliac Artery with Autologous Venous | ICD-10-PCS Procedure |
| 0410497 | Bypass Abdominal Aorta to Left Common Iliac Artery with Autologous Venous | ICD-10-PCS Procedure |
| 0410498 | Bypass Abdominal Aorta to Bilateral Common Iliac Arteries with Autologous Venous | ICD-10-PCS Procedure |
| 0410499 | Bypass Abdominal Aorta to Right Internal Iliac Artery with Autologous Venous | ICD-10-PCS Procedure |
| 041049B | Bypass Abdominal Aorta to Left Internal Iliac Artery with Autologous Venous Tissue, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041049C | Bypass Abdominal Aorta to Bilateral Internal Iliac Arteries with Autologous Venous Tissue, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041049D | Bypass Abdominal Aorta to Right External Iliac Artery with Autologous Venous Tissue, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041049F | Bypass Abdominal Aorta to Left External Iliac Artery with Autologous Venous Tissue, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041049G | Bypass Abdominal Aorta to Bilateral External Iliac Arteries with Autologous Venous Tissue, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041049H | Bypass Abdominal Aorta to Right Femoral Artery with Autologous Venous Tissue, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041049J | Bypass Abdominal Aorta to Left Femoral Artery with Autologous Venous Tissue, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |

List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|---|----------------------|
| 041049K | Bypass Abdominal Aorta to Bilateral Femoral Arteries with Autologous Venous Tissue, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041049Q | Bypass Abdominal Aorta to Lower Extremity Artery with Autologous Venous Tissue, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041049R | Bypass Abdominal Aorta to Lower Artery with Autologous Venous Tissue, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 04104A6 | Bypass Abdominal Aorta to Right Common Iliac Artery with Autologous Arterial Tissue, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 04104A7 | Bypass Abdominal Aorta to Left Common Iliac Artery with Autologous Arterial Tissue, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 04104A8 | Bypass Abdominal Aorta to Bilateral Common Iliac Arteries with Autologous Arterial Tissue, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 04104A9 | Bypass Abdominal Aorta to Right Internal Iliac Artery with Autologous Arterial Tissue, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 04104AB | Bypass Abdominal Aorta to Left Internal Iliac Artery with Autologous Arterial Tissue, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 04104AC | Bypass Abdominal Aorta to Bilateral Internal Iliac Arteries with Autologous Arterial Tissue, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 04104AD | Bypass Abdominal Aorta to Right External Iliac Artery with Autologous Arterial Tissue, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 04104AF | Bypass Abdominal Aorta to Left External Iliac Artery with Autologous Arterial Tissue, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 04104AG | Bypass Abdominal Aorta to Bilateral External Iliac Arteries with Autologous Arterial Tissue, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 04104AH | Bypass Abdominal Aorta to Right Femoral Artery with Autologous Arterial Tissue, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 04104AJ | Bypass Abdominal Aorta to Left Femoral Artery with Autologous Arterial Tissue, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 04104AK | Bypass Abdominal Aorta to Bilateral Femoral Arteries with Autologous Arterial Tissue, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 04104AQ | Bypass Abdominal Aorta to Lower Extremity Artery with Autologous Arterial Tissue, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 04104AR | Bypass Abdominal Aorta to Lower Artery with Autologous Arterial Tissue, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 04104J6 | Bypass Abdominal Aorta to Right Common Iliac Artery with Synthetic Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 04104J7 | Bypass Abdominal Aorta to Left Common Iliac Artery with Synthetic Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 04104J8 | Bypass Abdominal Aorta to Bilateral Common Iliac Arteries with Synthetic Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 04104J9 | Bypass Abdominal Aorta to Right Internal Iliac Artery with Synthetic Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |

List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|--|----------------------|
| 04104JB | Bypass Abdominal Aorta to Left Internal Iliac Artery with Synthetic Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 04104JC | Bypass Abdominal Aorta to Bilateral Internal Iliac Arteries with Synthetic Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 04104JD | Bypass Abdominal Aorta to Right External Iliac Artery with Synthetic Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 04104JF | Bypass Abdominal Aorta to Left External Iliac Artery with Synthetic Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 04104JG | Bypass Abdominal Aorta to Bilateral External Iliac Arteries with Synthetic Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 04104JH | Bypass Abdominal Aorta to Right Femoral Artery with Synthetic Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 04104JJ | Bypass Abdominal Aorta to Left Femoral Artery with Synthetic Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 04104JK | Bypass Abdominal Aorta to Bilateral Femoral Arteries with Synthetic Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 04104JQ | Bypass Abdominal Aorta to Lower Extremity Artery with Synthetic Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 04104JR | Bypass Abdominal Aorta to Lower Artery with Synthetic Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 04104K6 | Bypass Abdominal Aorta to Right Common Iliac Artery with Nonautologous Tissue Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 04104K7 | Bypass Abdominal Aorta to Left Common Iliac Artery with Nonautologous Tissue Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 04104K8 | Bypass Abdominal Aorta to Bilateral Common Iliac Arteries with Nonautologous Tissue Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 04104K9 | Bypass Abdominal Aorta to Right Internal Iliac Artery with Nonautologous Tissue Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 04104KB | Bypass Abdominal Aorta to Left Internal Iliac Artery with Nonautologous Tissue Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 04104KC | Bypass Abdominal Aorta to Bilateral Internal Iliac Arteries with Nonautologous Tissue Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 04104KD | Bypass Abdominal Aorta to Right External Iliac Artery with Nonautologous Tissue Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 04104KF | Bypass Abdominal Aorta to Left External Iliac Artery with Nonautologous Tissue Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 04104KG | Bypass Abdominal Aorta to Bilateral External Iliac Arteries with Nonautologous Tissue Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 04104KH | Bypass Abdominal Aorta to Right Femoral Artery with Nonautologous Tissue Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 04104KJ | Bypass Abdominal Aorta to Left Femoral Artery with Nonautologous Tissue Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |

List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|---|----------------------|
| 04104KK | Bypass Abdominal Aorta to Bilateral Femoral Arteries with Nonautologous Tissue Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 04104KQ | Bypass Abdominal Aorta to Lower Extremity Artery with Nonautologous Tissue Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 04104KR | Bypass Abdominal Aorta to Lower Artery with Nonautologous Tissue Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 04104Z6 | Bypass Abdominal Aorta to Right Common Iliac Artery, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 04104Z7 | Bypass Abdominal Aorta to Left Common Iliac Artery, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 04104Z8 | Bypass Abdominal Aorta to Bilateral Common Iliac Arteries, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 04104Z9 | Bypass Abdominal Aorta to Right Internal Iliac Artery, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 04104ZB | Bypass Abdominal Aorta to Left Internal Iliac Artery, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 04104ZC | Bypass Abdominal Aorta to Bilateral Internal Iliac Arteries, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 04104ZD | Bypass Abdominal Aorta to Right External Iliac Artery, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 04104ZF | Bypass Abdominal Aorta to Left External Iliac Artery, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 04104ZG | Bypass Abdominal Aorta to Bilateral External Iliac Arteries, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 04104ZH | Bypass Abdominal Aorta to Right Femoral Artery, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 04104ZJ | Bypass Abdominal Aorta to Left Femoral Artery, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 04104ZK | Bypass Abdominal Aorta to Bilateral Femoral Arteries, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 04104ZQ | Bypass Abdominal Aorta to Lower Extremity Artery, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 04104ZR | Bypass Abdominal Aorta to Lower Artery, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041C09H | Bypass Right Common Iliac Artery to Right Femoral Artery with Autologous Venous Tissue, Open Approach | ICD-10-PCS Procedure |
| 041C09J | Bypass Right Common Iliac Artery to Left Femoral Artery with Autologous Venous Tissue, Open Approach | ICD-10-PCS Procedure |
| 041C09K | Bypass Right Common Iliac Artery to Bilateral Femoral Arteries with Autologous Venous Tissue, Open Approach | ICD-10-PCS Procedure |
| 041C0AH | Bypass Right Common Iliac Artery to Right Femoral Artery with Autologous Arterial Tissue, Open Approach | ICD-10-PCS Procedure |

List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|---|----------------------|
| 041C0AJ | Bypass Right Common Iliac Artery to Left Femoral Artery with Autologous Arterial Tissue, Open Approach | ICD-10-PCS Procedure |
| 041C0AK | Bypass Right Common Iliac Artery to Bilateral Femoral Arteries with Autologous Arterial Tissue, Open Approach | ICD-10-PCS Procedure |
| 041C0JH | Bypass Right Common Iliac Artery to Right Femoral Artery with Synthetic Substitute, Open Approach | ICD-10-PCS Procedure |
| 041C0JJ | Bypass Right Common Iliac Artery to Left Femoral Artery with Synthetic Substitute, Open Approach | ICD-10-PCS Procedure |
| 041C0JK | Bypass Right Common Iliac Artery to Bilateral Femoral Arteries with Synthetic Substitute, Open Approach | ICD-10-PCS Procedure |
| 041C0KH | Bypass Right Common Iliac Artery to Right Femoral Artery with Nonautologous Tissue Substitute, Open Approach | ICD-10-PCS Procedure |
| 041C0KJ | Bypass Right Common Iliac Artery to Left Femoral Artery with Nonautologous Tissue Substitute, Open Approach | ICD-10-PCS Procedure |
| 041C0KK | Bypass Right Common Iliac Artery to Bilateral Femoral Arteries with Nonautologous Tissue Substitute, Open Approach | ICD-10-PCS Procedure |
| 041C0ZH | Bypass Right Common Iliac Artery to Right Femoral Artery, Open Approach | ICD-10-PCS Procedure |
| 041C0ZJ | Bypass Right Common Iliac Artery to Left Femoral Artery, Open Approach | ICD-10-PCS Procedure |
| 041C0ZK | Bypass Right Common Iliac Artery to Bilateral Femoral Arteries, Open Approach | ICD-10-PCS Procedure |
| 041C49H | Bypass Right Common Iliac Artery to Right Femoral Artery with Autologous Venous Tissue, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041C49J | Bypass Right Common Iliac Artery to Left Femoral Artery with Autologous Venous Tissue, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041C49K | Bypass Right Common Iliac Artery to Bilateral Femoral Arteries with Autologous Venous Tissue, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041C4AH | Bypass Right Common Iliac Artery to Right Femoral Artery with Autologous Arterial Tissue, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041C4AJ | Bypass Right Common Iliac Artery to Left Femoral Artery with Autologous Arterial Tissue, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041C4AK | Bypass Right Common Iliac Artery to Bilateral Femoral Arteries with Autologous Arterial Tissue, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041C4JH | Bypass Right Common Iliac Artery to Right Femoral Artery with Synthetic Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041C4JJ | Bypass Right Common Iliac Artery to Left Femoral Artery with Synthetic Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041C4JK | Bypass Right Common Iliac Artery to Bilateral Femoral Arteries with Synthetic Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041C4KH | Bypass Right Common Iliac Artery to Right Femoral Artery with Nonautologous Tissue Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041C4KJ | Bypass Right Common Iliac Artery to Left Femoral Artery with Nonautologous Tissue Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041C4KK | Bypass Right Common Iliac Artery to Bilateral Femoral Arteries with Nonautologous Tissue Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |

List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|---|----------------------|
| 041C4ZH | Bypass Right Common Iliac Artery to Right Femoral Artery, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041C4ZJ | Bypass Right Common Iliac Artery to Left Femoral Artery, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041C4ZK | Bypass Right Common Iliac Artery to Bilateral Femoral Arteries, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041D09H | Bypass Left Common Iliac Artery to Right Femoral Artery with Autologous Venous Tissue, Open Approach | ICD-10-PCS Procedure |
| 041D09J | Bypass Left Common Iliac Artery to Left Femoral Artery with Autologous Venous Tissue, Open Approach | ICD-10-PCS Procedure |
| 041D09K | Bypass Left Common Iliac Artery to Bilateral Femoral Arteries with Autologous Venous Tissue, Open Approach | ICD-10-PCS Procedure |
| 041D0AH | Bypass Left Common Iliac Artery to Right Femoral Artery with Autologous Arterial Tissue, Open Approach | ICD-10-PCS Procedure |
| 041D0AJ | Bypass Left Common Iliac Artery to Left Femoral Artery with Autologous Arterial Tissue, Open Approach | ICD-10-PCS Procedure |
| 041D0AK | Bypass Left Common Iliac Artery to Bilateral Femoral Arteries with Autologous Arterial Tissue, Open Approach | ICD-10-PCS Procedure |
| 041D0JH | Bypass Left Common Iliac Artery to Right Femoral Artery with Synthetic Substitute, Open Approach | ICD-10-PCS Procedure |
| 041D0JJ | Bypass Left Common Iliac Artery to Left Femoral Artery with Synthetic Substitute, Open Approach | ICD-10-PCS Procedure |
| 041D0JK | Bypass Left Common Iliac Artery to Bilateral Femoral Arteries with Synthetic Substitute, Open Approach | ICD-10-PCS Procedure |
| 041D0KH | Bypass Left Common Iliac Artery to Right Femoral Artery with Nonautologous Tissue Substitute, Open Approach | ICD-10-PCS Procedure |
| 041D0KJ | Bypass Left Common Iliac Artery to Left Femoral Artery with Nonautologous Tissue Substitute, Open Approach | ICD-10-PCS Procedure |
| 041D0KK | Bypass Left Common Iliac Artery to Bilateral Femoral Arteries with Nonautologous Tissue Substitute, Open Approach | ICD-10-PCS Procedure |
| 041D0ZH | Bypass Left Common Iliac Artery to Right Femoral Artery, Open Approach | ICD-10-PCS Procedure |
| 041D0ZJ | Bypass Left Common Iliac Artery to Left Femoral Artery, Open Approach | ICD-10-PCS Procedure |
| 041D0ZK | Bypass Left Common Iliac Artery to Bilateral Femoral Arteries, Open Approach | ICD-10-PCS Procedure |
| 041D49H | Bypass Left Common Iliac Artery to Right Femoral Artery with Autologous Venous Tissue, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041D49J | Bypass Left Common Iliac Artery to Left Femoral Artery with Autologous Venous Tissue, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041D49K | Bypass Left Common Iliac Artery to Bilateral Femoral Arteries with Autologous Venous Tissue, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041D4AH | Bypass Left Common Iliac Artery to Right Femoral Artery with Autologous Arterial Tissue, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041D4AJ | Bypass Left Common Iliac Artery to Left Femoral Artery with Autologous Arterial Tissue, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |

List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|--|----------------------|
| 041D4AK | Bypass Left Common Iliac Artery to Bilateral Femoral Arteries with Autologous Arterial Tissue, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041D4JH | Bypass Left Common Iliac Artery to Right Femoral Artery with Synthetic Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041D4JJ | Bypass Left Common Iliac Artery to Left Femoral Artery with Synthetic Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041D4JK | Bypass Left Common Iliac Artery to Bilateral Femoral Arteries with Synthetic Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041D4KH | Bypass Left Common Iliac Artery to Right Femoral Artery with Nonautologous Tissue Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041D4KJ | Bypass Left Common Iliac Artery to Left Femoral Artery with Nonautologous Tissue Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041D4KK | Bypass Left Common Iliac Artery to Bilateral Femoral Arteries with Nonautologous Tissue Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041D4ZH | Bypass Left Common Iliac Artery to Right Femoral Artery, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041D4ZJ | Bypass Left Common Iliac Artery to Left Femoral Artery, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041D4ZK | Bypass Left Common Iliac Artery to Bilateral Femoral Arteries, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041E09H | Bypass Right Internal Iliac Artery to Right Femoral Artery with Autologous Venous Tissue, Open Approach | ICD-10-PCS Procedure |
| 041E09J | Bypass Right Internal Iliac Artery to Left Femoral Artery with Autologous Venous Tissue, Open Approach | ICD-10-PCS Procedure |
| 041E09K | Bypass Right Internal Iliac Artery to Bilateral Femoral Arteries with Autologous Venous Tissue, Open Approach | ICD-10-PCS Procedure |
| 041E0AH | Bypass Right Internal Iliac Artery to Right Femoral Artery with Autologous Arterial Tissue, Open Approach | ICD-10-PCS Procedure |
| 041E0AJ | Bypass Right Internal Iliac Artery to Left Femoral Artery with Autologous Arterial Tissue, Open Approach | ICD-10-PCS Procedure |
| 041E0AK | Bypass Right Internal Iliac Artery to Bilateral Femoral Arteries with Autologous Arterial Tissue, Open Approach | ICD-10-PCS Procedure |
| 041E0JH | Bypass Right Internal Iliac Artery to Right Femoral Artery with Synthetic Substitute, Open Approach | ICD-10-PCS Procedure |
| 041E0JJ | Bypass Right Internal Iliac Artery to Left Femoral Artery with Synthetic Substitute, Open Approach | ICD-10-PCS Procedure |
| 041E0JK | Bypass Right Internal Iliac Artery to Bilateral Femoral Arteries with Synthetic Substitute, Open Approach | ICD-10-PCS Procedure |
| 041E0KH | Bypass Right Internal Iliac Artery to Right Femoral Artery with Nonautologous Tissue Substitute, Open Approach | ICD-10-PCS Procedure |
| 041E0KJ | Bypass Right Internal Iliac Artery to Left Femoral Artery with Nonautologous Tissue Substitute, Open Approach | ICD-10-PCS Procedure |

List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|---|----------------------|
| 041E0KK | Bypass Right Internal Iliac Artery to Bilateral Femoral Arteries with Nonautologous Tissue Substitute, Open Approach | ICD-10-PCS Procedure |
| 041E0ZH | Bypass Right Internal Iliac Artery to Right Femoral Artery, Open Approach | ICD-10-PCS Procedure |
| 041E0ZJ | Bypass Right Internal Iliac Artery to Left Femoral Artery, Open Approach | ICD-10-PCS Procedure |
| 041E0ZK | Bypass Right Internal Iliac Artery to Bilateral Femoral Arteries, Open Approach | ICD-10-PCS Procedure |
| 041E49H | Bypass Right Internal Iliac Artery to Right Femoral Artery with Autologous Venous Tissue, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041E49J | Bypass Right Internal Iliac Artery to Left Femoral Artery with Autologous Venous | ICD-10-PCS Procedure |
| 041E49K | Bypass Right Internal Iliac Artery to Bilateral Femoral Arteries with Autologous | ICD-10-PCS Procedure |
| 041E4AH | Bypass Right Internal Iliac Artery to Right Femoral Artery with Autologous Arterial Tissue, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041E4AJ | Bypass Right Internal Iliac Artery to Left Femoral Artery with Autologous Arterial Tissue, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041E4AK | Bypass Right Internal Iliac Artery to Bilateral Femoral Arteries with Autologous Arterial Tissue, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041E4JH | Bypass Right Internal Iliac Artery to Right Femoral Artery with Synthetic Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041E4JJ | Bypass Right Internal Iliac Artery to Left Femoral Artery with Synthetic Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041E4JK | Bypass Right Internal Iliac Artery to Bilateral Femoral Arteries with Synthetic Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041E4KH | Bypass Right Internal Iliac Artery to Right Femoral Artery with Nonautologous Tissue Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041E4KJ | Bypass Right Internal Iliac Artery to Left Femoral Artery with Nonautologous Tissue Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041E4KK | Bypass Right Internal Iliac Artery to Bilateral Femoral Arteries with Nonautologous Tissue Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041E4ZH | Bypass Right Internal Iliac Artery to Right Femoral Artery, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041E4ZJ | Bypass Right Internal Iliac Artery to Left Femoral Artery, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041E4ZK | Bypass Right Internal Iliac Artery to Bilateral Femoral Arteries, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041F09H | Bypass Left Internal Iliac Artery to Right Femoral Artery with Autologous Venous Tissue, Open Approach | ICD-10-PCS Procedure |
| 041F09J | Bypass Left Internal Iliac Artery to Left Femoral Artery with Autologous Venous Tissue, Open Approach | ICD-10-PCS Procedure |
| 041F09K | Bypass Left Internal Iliac Artery to Bilateral Femoral Arteries with Autologous Venous Tissue, Open Approach | ICD-10-PCS Procedure |
| 041F0AH | Bypass Left Internal Iliac Artery to Right Femoral Artery with Autologous Arterial Tissue, Open Approach | ICD-10-PCS Procedure |

List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|--|----------------------|
| 041F0AJ | Bypass Left Internal Iliac Artery to Left Femoral Artery with Autologous Arterial Tissue, Open Approach | ICD-10-PCS Procedure |
| 041F0AK | Bypass Left Internal Iliac Artery to Bilateral Femoral Arteries with Autologous Arterial Tissue, Open Approach | ICD-10-PCS Procedure |
| 041F0JH | Bypass Left Internal Iliac Artery to Right Femoral Artery with Synthetic Substitute, Open Approach | ICD-10-PCS Procedure |
| 041F0JJ | Bypass Left Internal Iliac Artery to Left Femoral Artery with Synthetic Substitute, Open Approach | ICD-10-PCS Procedure |
| 041F0JK | Bypass Left Internal Iliac Artery to Bilateral Femoral Arteries with Synthetic Substitute, Open Approach | ICD-10-PCS Procedure |
| 041F0KH | Bypass Left Internal Iliac Artery to Right Femoral Artery with Nonautologous Tissue Substitute, Open Approach | ICD-10-PCS Procedure |
| 041F0KJ | Bypass Left Internal Iliac Artery to Left Femoral Artery with Nonautologous Tissue Substitute, Open Approach | ICD-10-PCS Procedure |
| 041F0KK | Bypass Left Internal Iliac Artery to Bilateral Femoral Arteries with Nonautologous Tissue Substitute, Open Approach | ICD-10-PCS Procedure |
| 041F0ZH | Bypass Left Internal Iliac Artery to Right Femoral Artery, Open Approach | ICD-10-PCS Procedure |
| 041F0ZJ | Bypass Left Internal Iliac Artery to Left Femoral Artery, Open Approach | ICD-10-PCS Procedure |
| 041F0ZK | Bypass Left Internal Iliac Artery to Bilateral Femoral Arteries, Open Approach | ICD-10-PCS Procedure |
| 041F49H | Bypass Left Internal Iliac Artery to Right Femoral Artery with Autologous Venous Tissue, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041F49J | Bypass Left Internal Iliac Artery to Left Femoral Artery with Autologous Venous | ICD-10-PCS Procedure |
| 041F49K | Bypass Left Internal Iliac Artery to Bilateral Femoral Arteries with Autologous Venous | ICD-10-PCS Procedure |
| 041F4AH | Bypass Left Internal Iliac Artery to Right Femoral Artery with Autologous Arterial | ICD-10-PCS Procedure |
| 041F4AJ | Bypass Left Internal Iliac Artery to Left Femoral Artery with Autologous Arterial Tissue, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041F4AK | Bypass Left Internal Iliac Artery to Bilateral Femoral Arteries with Autologous Arterial Tissue, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041F4JH | Bypass Left Internal Iliac Artery to Right Femoral Artery with Synthetic Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041F4JJ | Bypass Left Internal Iliac Artery to Left Femoral Artery with Synthetic Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041F4JK | Bypass Left Internal Iliac Artery to Bilateral Femoral Arteries with Synthetic Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041F4KH | Bypass Left Internal Iliac Artery to Right Femoral Artery with Nonautologous Tissue Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041F4KJ | Bypass Left Internal Iliac Artery to Left Femoral Artery with Nonautologous Tissue Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041F4KK | Bypass Left Internal Iliac Artery to Bilateral Femoral Arteries with Nonautologous Tissue Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041F4ZH | Bypass Left Internal Iliac Artery to Right Femoral Artery, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |



List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|--|----------------------|
| 041F4ZJ | Bypass Left Internal Iliac Artery to Left Femoral Artery, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041F4ZK | Bypass Left Internal Iliac Artery to Bilateral Femoral Arteries, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041H09H | Bypass Right External Iliac Artery to Right Femoral Artery with Autologous Venous Tissue, Open Approach | ICD-10-PCS Procedure |
| 041H09J | Bypass Right External Iliac Artery to Left Femoral Artery with Autologous Venous Tissue, Open Approach | ICD-10-PCS Procedure |
| 041H09K | Bypass Right External Iliac Artery to Bilateral Femoral Arteries with Autologous Venous Tissue, Open Approach | ICD-10-PCS Procedure |
| 041H0AH | Bypass Right External Iliac Artery to Right Femoral Artery with Autologous Arterial Tissue, Open Approach | ICD-10-PCS Procedure |
| 041H0AJ | Bypass Right External Iliac Artery to Left Femoral Artery with Autologous Arterial Tissue, Open Approach | ICD-10-PCS Procedure |
| 041H0AK | Bypass Right External Iliac Artery to Bilateral Femoral Arteries with Autologous Arterial Tissue, Open Approach | ICD-10-PCS Procedure |
| 041H0JH | Bypass Right External Iliac Artery to Right Femoral Artery with Synthetic Substitute, Open Approach | ICD-10-PCS Procedure |
| 041H0JJ | Bypass Right External Iliac Artery to Left Femoral Artery with Synthetic Substitute, Open Approach | ICD-10-PCS Procedure |
| 041H0JK | Bypass Right External Iliac Artery to Bilateral Femoral Arteries with Synthetic Substitute, Open Approach | ICD-10-PCS Procedure |
| 041H0KH | Bypass Right External Iliac Artery to Right Femoral Artery with Nonautologous Tissue Substitute, Open Approach | ICD-10-PCS Procedure |
| 041H0KJ | Bypass Right External Iliac Artery to Left Femoral Artery with Nonautologous Tissue Substitute, Open Approach | ICD-10-PCS Procedure |
| 041H0KK | Bypass Right External Iliac Artery to Bilateral Femoral Arteries with Nonautologous Tissue Substitute, Open Approach | ICD-10-PCS Procedure |
| 041H0ZH | Bypass Right External Iliac Artery to Right Femoral Artery, Open Approach | ICD-10-PCS Procedure |
| 041H0ZJ | Bypass Right External Iliac Artery to Left Femoral Artery, Open Approach | ICD-10-PCS Procedure |
| 041H0ZK | Bypass Right External Iliac Artery to Bilateral Femoral Arteries, Open Approach | ICD-10-PCS Procedure |
| 041H49H | Bypass Right External Iliac Artery to Right Femoral Artery with Autologous Venous Tissue, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041H49J | Bypass Right External Iliac Artery to Left Femoral Artery with Autologous Venous Tissue, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041H49K | Bypass Right External Iliac Artery to Bilateral Femoral Arteries with Autologous Venous Tissue, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041H4AH | Bypass Right External Iliac Artery to Right Femoral Artery with Autologous Arterial Tissue, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041H4AJ | Bypass Right External Iliac Artery to Left Femoral Artery with Autologous Arterial Tissue, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041H4AK | Bypass Right External Iliac Artery to Bilateral Femoral Arteries with Autologous Arterial Tissue, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |

List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|---|----------------------|
| 041H4JH | Bypass Right External Iliac Artery to Right Femoral Artery with Synthetic Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041H4JJ | Bypass Right External Iliac Artery to Left Femoral Artery with Synthetic Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041H4JK | Bypass Right External Iliac Artery to Bilateral Femoral Arteries with Synthetic Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041H4KH | Bypass Right External Iliac Artery to Right Femoral Artery with Nonautologous Tissue Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041H4KJ | Bypass Right External Iliac Artery to Left Femoral Artery with Nonautologous Tissue Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041H4KK | Bypass Right External Iliac Artery to Bilateral Femoral Arteries with Nonautologous Tissue Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041H4ZH | Bypass Right External Iliac Artery to Right Femoral Artery, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041H4ZJ | Bypass Right External Iliac Artery to Left Femoral Artery, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041H4ZK | Bypass Right External Iliac Artery to Bilateral Femoral Arteries, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041J09H | Bypass Left External Iliac Artery to Right Femoral Artery with Autologous Venous Tissue, Open Approach | ICD-10-PCS Procedure |
| 041J09J | Bypass Left External Iliac Artery to Left Femoral Artery with Autologous Venous Tissue, Open Approach | ICD-10-PCS Procedure |
| 041J09K | Bypass Left External Iliac Artery to Bilateral Femoral Arteries with Autologous Venous Tissue, Open Approach | ICD-10-PCS Procedure |
| 041J0AH | Bypass Left External Iliac Artery to Right Femoral Artery with Autologous Arterial Tissue, Open Approach | ICD-10-PCS Procedure |
| 041J0AJ | Bypass Left External Iliac Artery to Left Femoral Artery with Autologous Arterial Tissue, Open Approach | ICD-10-PCS Procedure |
| 041J0AK | Bypass Left External Iliac Artery to Bilateral Femoral Arteries with Autologous Arterial Tissue, Open Approach | ICD-10-PCS Procedure |
| 041J0JH | Bypass Left External Iliac Artery to Right Femoral Artery with Synthetic Substitute, Open Approach | ICD-10-PCS Procedure |
| 041J0JJ | Bypass Left External Iliac Artery to Left Femoral Artery with Synthetic Substitute, Open Approach | ICD-10-PCS Procedure |
| 041J0JK | Bypass Left External Iliac Artery to Bilateral Femoral Arteries with Synthetic Substitute, Open Approach | ICD-10-PCS Procedure |
| 041J0KH | Bypass Left External Iliac Artery to Right Femoral Artery with Nonautologous Tissue Substitute, Open Approach | ICD-10-PCS Procedure |
| 041J0KJ | Bypass Left External Iliac Artery to Left Femoral Artery with Nonautologous Tissue Substitute, Open Approach | ICD-10-PCS Procedure |
| 041J0KK | Bypass Left External Iliac Artery to Bilateral Femoral Arteries with Nonautologous Tissue Substitute, Open Approach | ICD-10-PCS Procedure |

List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|--|----------------------|
| 041J0ZH | Bypass Left External Iliac Artery to Right Femoral Artery, Open Approach | ICD-10-PCS Procedure |
| 041J0ZJ | Bypass Left External Iliac Artery to Left Femoral Artery, Open Approach | ICD-10-PCS Procedure |
| 041J0ZK | Bypass Left External Iliac Artery to Bilateral Femoral Arteries, Open Approach | ICD-10-PCS Procedure |
| 041J49H | Bypass Left External Iliac Artery to Right Femoral Artery with Autologous Venous Tissue, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041J49J | Bypass Left External Iliac Artery to Left Femoral Artery with Autologous Venous | ICD-10-PCS Procedure |
| 041J49K | Bypass Left External Iliac Artery to Bilateral Femoral Arteries with Autologous | ICD-10-PCS Procedure |
| 041J4AH | Bypass Left External Iliac Artery to Right Femoral Artery with Autologous Arterial Tissue, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041J4AJ | Bypass Left External Iliac Artery to Left Femoral Artery with Autologous Arterial Tissue, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041J4AK | Bypass Left External Iliac Artery to Bilateral Femoral Arteries with Autologous Arterial Tissue, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041J4JH | Bypass Left External Iliac Artery to Right Femoral Artery with Synthetic Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041J4JJ | Bypass Left External Iliac Artery to Left Femoral Artery with Synthetic Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041J4JK | Bypass Left External Iliac Artery to Bilateral Femoral Arteries with Synthetic Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041J4KH | Bypass Left External Iliac Artery to Right Femoral Artery with Nonautologous Tissue Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041J4KJ | Bypass Left External Iliac Artery to Left Femoral Artery with Nonautologous Tissue Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041J4KK | Bypass Left External Iliac Artery to Bilateral Femoral Arteries with Nonautologous Tissue Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041J4ZH | Bypass Left External Iliac Artery to Right Femoral Artery, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041J4ZJ | Bypass Left External Iliac Artery to Left Femoral Artery, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041J4ZK | Bypass Left External Iliac Artery to Bilateral Femoral Arteries, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041K09H | Bypass Right Femoral Artery to Right Femoral Artery with Autologous Venous Tissue, Open Approach | ICD-10-PCS Procedure |
| 041K09J | Bypass Right Femoral Artery to Left Femoral Artery with Autologous Venous Tissue, Open Approach | ICD-10-PCS Procedure |
| 041K09K | Bypass Right Femoral Artery to Bilateral Femoral Arteries with Autologous Venous Tissue, Open Approach | ICD-10-PCS Procedure |
| 041K09L | Bypass Right Femoral Artery to Popliteal Artery with Autologous Venous Tissue, Open Approach | ICD-10-PCS Procedure |
| 041K09M | Bypass Right Femoral Artery to Peroneal Artery with Autologous Venous Tissue, Open Approach | ICD-10-PCS Procedure |

List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|--|----------------------|
| 041K09N | Bypass Right Femoral Artery to Posterior Tibial Artery with Autologous Venous Tissue, Open Approach | ICD-10-PCS Procedure |
| 041K09P | Bypass Right Femoral Artery to Foot Artery with Autologous Venous Tissue, Open Approach | ICD-10-PCS Procedure |
| 041K09Q | Bypass Right Femoral Artery to Lower Extremity Artery with Autologous Venous Tissue, Open Approach | ICD-10-PCS Procedure |
| 041K09S | Bypass Right Femoral Artery to Lower Extremity Vein with Autologous Venous Tissue, Open Approach | ICD-10-PCS Procedure |
| 041K0AH | Bypass Right Femoral Artery to Right Femoral Artery with Autologous Arterial Tissue, Open Approach | ICD-10-PCS Procedure |
| 041K0AJ | Bypass Right Femoral Artery to Left Femoral Artery with Autologous Arterial Tissue, Open Approach | ICD-10-PCS Procedure |
| 041K0AK | Bypass Right Femoral Artery to Bilateral Femoral Arteries with Autologous Arterial Tissue, Open Approach | ICD-10-PCS Procedure |
| 041K0AL | Bypass Right Femoral Artery to Popliteal Artery with Autologous Arterial Tissue, Open Approach | ICD-10-PCS Procedure |
| 041K0AM | Bypass Right Femoral Artery to Peroneal Artery with Autologous Arterial Tissue, Open Approach | ICD-10-PCS Procedure |
| 041K0AN | Bypass Right Femoral Artery to Posterior Tibial Artery with Autologous Arterial Tissue, Open Approach | ICD-10-PCS Procedure |
| 041K0AP | Bypass Right Femoral Artery to Foot Artery with Autologous Arterial Tissue, Open Approach | ICD-10-PCS Procedure |
| 041K0AQ | Bypass Right Femoral Artery to Lower Extremity Artery with Autologous Arterial Tissue, Open Approach | ICD-10-PCS Procedure |
| 041K0AS | Bypass Right Femoral Artery to Lower Extremity Vein with Autologous Arterial Tissue, Open Approach | ICD-10-PCS Procedure |
| 041K0JH | Bypass Right Femoral Artery to Right Femoral Artery with Synthetic Substitute, Open Approach | ICD-10-PCS Procedure |
| 041K0JJ | Bypass Right Femoral Artery to Left Femoral Artery with Synthetic Substitute, Open Approach | ICD-10-PCS Procedure |
| 041K0JK | Bypass Right Femoral Artery to Bilateral Femoral Arteries with Synthetic Substitute, Open Approach | ICD-10-PCS Procedure |
| 041K0JL | Bypass Right Femoral Artery to Popliteal Artery with Synthetic Substitute, Open Approach | ICD-10-PCS Procedure |
| 041K0JM | Bypass Right Femoral Artery to Peroneal Artery with Synthetic Substitute, Open Approach | ICD-10-PCS Procedure |
| 041K0JN | Bypass Right Femoral Artery to Posterior Tibial Artery with Synthetic Substitute, Open Approach | ICD-10-PCS Procedure |
| 041K0JP | Bypass Right Femoral Artery to Foot Artery with Synthetic Substitute, Open Approach | ICD-10-PCS Procedure |
| 041K0JQ | Bypass Right Femoral Artery to Lower Extremity Artery with Synthetic Substitute, Open Approach | ICD-10-PCS Procedure |

List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|--|----------------------|
| 041K0JS | Bypass Right Femoral Artery to Lower Extremity Vein with Synthetic Substitute, Open Approach | ICD-10-PCS Procedure |
| 041K0KH | Bypass Right Femoral Artery to Right Femoral Artery with Nonautologous Tissue Substitute, Open Approach | ICD-10-PCS Procedure |
| 041K0KJ | Bypass Right Femoral Artery to Left Femoral Artery with Nonautologous Tissue Substitute, Open Approach | ICD-10-PCS Procedure |
| 041K0KK | Bypass Right Femoral Artery to Bilateral Femoral Arteries with Nonautologous Tissue Substitute, Open Approach | ICD-10-PCS Procedure |
| 041K0KL | Bypass Right Femoral Artery to Popliteal Artery with Nonautologous Tissue Substitute, Open Approach | ICD-10-PCS Procedure |
| 041K0KM | Bypass Right Femoral Artery to Peroneal Artery with Nonautologous Tissue Substitute, Open Approach | ICD-10-PCS Procedure |
| 041K0KN | Bypass Right Femoral Artery to Posterior Tibial Artery with Nonautologous Tissue Substitute, Open Approach | ICD-10-PCS Procedure |
| 041K0KP | Bypass Right Femoral Artery to Foot Artery with Nonautologous Tissue Substitute, Open Approach | ICD-10-PCS Procedure |
| 041K0KQ | Bypass Right Femoral Artery to Lower Extremity Artery with Nonautologous Tissue Substitute, Open Approach | ICD-10-PCS Procedure |
| 041K0KS | Bypass Right Femoral Artery to Lower Extremity Vein with Nonautologous Tissue Substitute, Open Approach | ICD-10-PCS Procedure |
| 041K0ZH | Bypass Right Femoral Artery to Right Femoral Artery, Open Approach | ICD-10-PCS Procedure |
| 041K0ZJ | Bypass Right Femoral Artery to Left Femoral Artery, Open Approach | ICD-10-PCS Procedure |
| 041K0ZK | Bypass Right Femoral Artery to Bilateral Femoral Arteries, Open Approach | ICD-10-PCS Procedure |
| 041K0ZL | Bypass Right Femoral Artery to Popliteal Artery, Open Approach | ICD-10-PCS Procedure |
| 041K0ZM | Bypass Right Femoral Artery to Peroneal Artery, Open Approach | ICD-10-PCS Procedure |
| 041K0ZN | Bypass Right Femoral Artery to Posterior Tibial Artery, Open Approach | ICD-10-PCS Procedure |
| 041K0ZP | Bypass Right Femoral Artery to Foot Artery, Open Approach | ICD-10-PCS Procedure |
| 041K0ZQ | Bypass Right Femoral Artery to Lower Extremity Artery, Open Approach | ICD-10-PCS Procedure |
| 041K0ZS | Bypass Right Femoral Artery to Lower Extremity Vein, Open Approach | ICD-10-PCS Procedure |
| 041K49H | Bypass Right Femoral Artery to Right Femoral Artery with Autologous Venous Tissue, Open Approach | ICD-10-PCS Procedure |
| 041K49J | Bypass Right Femoral Artery to Left Femoral Artery with Autologous Venous Tissue, Open Approach | ICD-10-PCS Procedure |
| 041K49K | Bypass Right Femoral Artery to Bilateral Femoral Arteries with Autologous Venous Tissue, Open Approach | ICD-10-PCS Procedure |
| 041K49L | Bypass Right Femoral Artery to Popliteal Artery with Autologous Venous Tissue, Open Approach | ICD-10-PCS Procedure |
| 041K49M | Bypass Right Femoral Artery to Peroneal Artery with Autologous Venous Tissue, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041K49N | Bypass Right Femoral Artery to Posterior Tibial Artery with Autologous Venous Tissue, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041K49P | Bypass Right Femoral Artery to Foot Artery with Autologous Venous Tissue, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041K49Q | Bypass Right Femoral Artery to Lower Extremity Artery with Autologous Venous Tissue, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |

List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|---|----------------------|
| 041K49S | Bypass Right Femoral Artery to Lower Extremity Vein with Autologous Venous Tissue, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041K4AH | Bypass Right Femoral Artery to Right Femoral Artery with Autologous Arterial Tissue, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041K4AJ | Bypass Right Femoral Artery to Left Femoral Artery with Autologous Arterial Tissue, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041K4AK | Bypass Right Femoral Artery to Bilateral Femoral Arteries with Autologous Arterial Tissue, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041K4AL | Bypass Right Femoral Artery to Popliteal Artery with Autologous Arterial Tissue, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041K4AM | Bypass Right Femoral Artery to Peroneal Artery with Autologous Arterial Tissue, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041K4AN | Bypass Right Femoral Artery to Posterior Tibial Artery with Autologous Arterial Tissue, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041K4AP | Bypass Right Femoral Artery to Foot Artery with Autologous Arterial Tissue, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041K4AQ | Bypass Right Femoral Artery to Lower Extremity Artery with Autologous Arterial Tissue, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041K4AS | Bypass Right Femoral Artery to Lower Extremity Vein with Autologous Arterial Tissue, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041K4JH | Bypass Right Femoral Artery to Right Femoral Artery with Synthetic Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041K4JJ | Bypass Right Femoral Artery to Left Femoral Artery with Synthetic Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041K4JK | Bypass Right Femoral Artery to Bilateral Femoral Arteries with Synthetic Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041K4JL | Bypass Right Femoral Artery to Popliteal Artery with Synthetic Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041K4JM | Bypass Right Femoral Artery to Peroneal Artery with Synthetic Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041K4JN | Bypass Right Femoral Artery to Posterior Tibial Artery with Synthetic Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041K4JP | Bypass Right Femoral Artery to Foot Artery with Synthetic Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041K4JQ | Bypass Right Femoral Artery to Lower Extremity Artery with Synthetic Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041K4JS | Bypass Right Femoral Artery to Lower Extremity Vein with Synthetic Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041K4KH | Bypass Right Femoral Artery to Right Femoral Artery with Nonautologous Tissue Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041K4KJ | Bypass Right Femoral Artery to Left Femoral Artery with Nonautologous Tissue Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |

List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|--|----------------------|
| 041K4KK | Bypass Right Femoral Artery to Bilateral Femoral Arteries with Nonautologous Tissue Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041K4KL | Bypass Right Femoral Artery to Popliteal Artery with Nonautologous Tissue Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041K4KM | Bypass Right Femoral Artery to Peroneal Artery with Nonautologous Tissue Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041K4KN | Bypass Right Femoral Artery to Posterior Tibial Artery with Nonautologous Tissue Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041K4KP | Bypass Right Femoral Artery to Foot Artery with Nonautologous Tissue Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041K4KQ | Bypass Right Femoral Artery to Lower Extremity Artery with Nonautologous Tissue Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041K4KS | Bypass Right Femoral Artery to Lower Extremity Vein with Nonautologous Tissue Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041K4ZH | Bypass Right Femoral Artery to Right Femoral Artery, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041K4ZJ | Bypass Right Femoral Artery to Left Femoral Artery, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041K4ZK | Bypass Right Femoral Artery to Bilateral Femoral Arteries, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041K4ZL | Bypass Right Femoral Artery to Popliteal Artery, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041K4ZM | Bypass Right Femoral Artery to Peroneal Artery, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041K4ZN | Bypass Right Femoral Artery to Posterior Tibial Artery, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041K4ZP | Bypass Right Femoral Artery to Foot Artery, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041K4ZQ | Bypass Right Femoral Artery to Lower Extremity Artery, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041K4ZS | Bypass Right Femoral Artery to Lower Extremity Vein, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041L09H | Bypass Left Femoral Artery to Right Femoral Artery with Autologous Venous Tissue, Open Approach | ICD-10-PCS Procedure |
| 041L09J | Bypass Left Femoral Artery to Left Femoral Artery with Autologous Venous Tissue, Open Approach | ICD-10-PCS Procedure |
| 041L09K | Bypass Left Femoral Artery to Bilateral Femoral Arteries with Autologous Venous Tissue, Open Approach | ICD-10-PCS Procedure |
| 041L09L | Bypass Left Femoral Artery to Popliteal Artery with Autologous Venous Tissue, Open Approach | ICD-10-PCS Procedure |
| 041L09M | Bypass Left Femoral Artery to Peroneal Artery with Autologous Venous Tissue, Open Approach | ICD-10-PCS Procedure |

List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|---|----------------------|
| 041L09N | Bypass Left Femoral Artery to Posterior Tibial Artery with Autologous Venous Tissue, Open Approach | ICD-10-PCS Procedure |
| 041L09P | Bypass Left Femoral Artery to Foot Artery with Autologous Venous Tissue, Open Approach | ICD-10-PCS Procedure |
| 041L09Q | Bypass Left Femoral Artery to Lower Extremity Artery with Autologous Venous Tissue, Open Approach | ICD-10-PCS Procedure |
| 041L09S | Bypass Left Femoral Artery to Lower Extremity Vein with Autologous Venous Tissue, Open Approach | ICD-10-PCS Procedure |
| 041L0AH | Bypass Left Femoral Artery to Right Femoral Artery with Autologous Arterial Tissue, Open Approach | ICD-10-PCS Procedure |
| 041L0AJ | Bypass Left Femoral Artery to Left Femoral Artery with Autologous Arterial Tissue, Open Approach | ICD-10-PCS Procedure |
| 041L0AK | Bypass Left Femoral Artery to Bilateral Femoral Arteries with Autologous Arterial Tissue, Open Approach | ICD-10-PCS Procedure |
| 041L0AL | Bypass Left Femoral Artery to Popliteal Artery with Autologous Arterial Tissue, Open Approach | ICD-10-PCS Procedure |
| 041L0AM | Bypass Left Femoral Artery to Peroneal Artery with Autologous Arterial Tissue, Open Approach | ICD-10-PCS Procedure |
| 041L0AN | Bypass Left Femoral Artery to Posterior Tibial Artery with Autologous Arterial Tissue, Open Approach | ICD-10-PCS Procedure |
| 041L0AP | Bypass Left Femoral Artery to Foot Artery with Autologous Arterial Tissue, Open Approach | ICD-10-PCS Procedure |
| 041L0AQ | Bypass Left Femoral Artery to Lower Extremity Artery with Autologous Arterial Tissue, Open Approach | ICD-10-PCS Procedure |
| 041L0AS | Bypass Left Femoral Artery to Lower Extremity Vein with Autologous Arterial Tissue, Open Approach | ICD-10-PCS Procedure |
| 041L0JH | Bypass Left Femoral Artery to Right Femoral Artery with Synthetic Substitute, Open Approach | ICD-10-PCS Procedure |
| 041L0JJ | Bypass Left Femoral Artery to Left Femoral Artery with Synthetic Substitute, Open Approach | ICD-10-PCS Procedure |
| 041L0JK | Bypass Left Femoral Artery to Bilateral Femoral Arteries with Synthetic Substitute, Open Approach | ICD-10-PCS Procedure |
| 041L0JL | Bypass Left Femoral Artery to Popliteal Artery with Synthetic Substitute, Open Approach | ICD-10-PCS Procedure |
| 041L0JM | Bypass Left Femoral Artery to Peroneal Artery with Synthetic Substitute, Open Approach | ICD-10-PCS Procedure |
| 041L0JN | Bypass Left Femoral Artery to Posterior Tibial Artery with Synthetic Substitute, Open Approach | ICD-10-PCS Procedure |
| 041L0JP | Bypass Left Femoral Artery to Foot Artery with Synthetic Substitute, Open Approach | ICD-10-PCS Procedure |
| 041L0JQ | Bypass Left Femoral Artery to Lower Extremity Artery with Synthetic Substitute, Open Approach | ICD-10-PCS Procedure |

List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|---|----------------------|
| 041L0JS | Bypass Left Femoral Artery to Lower Extremity Vein with Synthetic Substitute, Open Approach | ICD-10-PCS Procedure |
| 041L0KH | Bypass Left Femoral Artery to Right Femoral Artery with Nonautologous Tissue Substitute, Open Approach | ICD-10-PCS Procedure |
| 041L0KJ | Bypass Left Femoral Artery to Left Femoral Artery with Nonautologous Tissue Substitute, Open Approach | ICD-10-PCS Procedure |
| 041L0KK | Bypass Left Femoral Artery to Bilateral Femoral Arteries with Nonautologous Tissue Substitute, Open Approach | ICD-10-PCS Procedure |
| 041L0KL | Bypass Left Femoral Artery to Popliteal Artery with Nonautologous Tissue Substitute, Open Approach | ICD-10-PCS Procedure |
| 041L0KM | Bypass Left Femoral Artery to Peroneal Artery with Nonautologous Tissue Substitute, Open Approach | ICD-10-PCS Procedure |
| 041L0KN | Bypass Left Femoral Artery to Posterior Tibial Artery with Nonautologous Tissue Substitute, Open Approach | ICD-10-PCS Procedure |
| 041L0KP | Bypass Left Femoral Artery to Foot Artery with Nonautologous Tissue Substitute, Open Approach | ICD-10-PCS Procedure |
| 041L0KQ | Bypass Left Femoral Artery to Lower Extremity Artery with Nonautologous Tissue Substitute, Open Approach | ICD-10-PCS Procedure |
| 041L0KS | Bypass Left Femoral Artery to Lower Extremity Vein with Nonautologous Tissue Substitute, Open Approach | ICD-10-PCS Procedure |
| 041L0ZH | Bypass Left Femoral Artery to Right Femoral Artery, Open Approach | ICD-10-PCS Procedure |
| 041L0ZJ | Bypass Left Femoral Artery to Left Femoral Artery, Open Approach | ICD-10-PCS Procedure |
| 041L0ZK | Bypass Left Femoral Artery to Bilateral Femoral Arteries, Open Approach | ICD-10-PCS Procedure |
| 041L0ZL | Bypass Left Femoral Artery to Popliteal Artery, Open Approach | ICD-10-PCS Procedure |
| 041L0ZM | Bypass Left Femoral Artery to Peroneal Artery, Open Approach | ICD-10-PCS Procedure |
| 041L0ZN | Bypass Left Femoral Artery to Posterior Tibial Artery, Open Approach | ICD-10-PCS Procedure |
| 041L0ZP | Bypass Left Femoral Artery to Foot Artery, Open Approach | ICD-10-PCS Procedure |
| 041L0ZQ | Bypass Left Femoral Artery to Lower Extremity Artery, Open Approach | ICD-10-PCS Procedure |
| 041L0ZS | Bypass Left Femoral Artery to Lower Extremity Vein, Open Approach | ICD-10-PCS Procedure |
| 041L49H | Bypass Left Femoral Artery to Right Femoral Artery with Autologous Venous Tissue, | ICD-10-PCS Procedure |
| 041L49J | Bypass Left Femoral Artery to Left Femoral Artery with Autologous Venous Tissue, | ICD-10-PCS Procedure |
| 041L49K | Bypass Left Femoral Artery to Bilateral Femoral Arteries with Autologous Venous | ICD-10-PCS Procedure |
| 041L49L | Bypass Left Femoral Artery to Popliteal Artery with Autologous Venous Tissue, | ICD-10-PCS Procedure |
| 041L49M | Bypass Left Femoral Artery to Peroneal Artery with Autologous Venous Tissue, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041L49N | Bypass Left Femoral Artery to Posterior Tibial Artery with Autologous Venous Tissue, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041L49P | Bypass Left Femoral Artery to Foot Artery with Autologous Venous Tissue, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041L49Q | Bypass Left Femoral Artery to Lower Extremity Artery with Autologous Venous Tissue, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |

List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|--|----------------------|
| 041L49S | Bypass Left Femoral Artery to Lower Extremity Vein with Autologous Venous Tissue, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041L4AH | Bypass Left Femoral Artery to Right Femoral Artery with Autologous Arterial Tissue, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041L4AJ | Bypass Left Femoral Artery to Left Femoral Artery with Autologous Arterial Tissue, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041L4AK | Bypass Left Femoral Artery to Bilateral Femoral Arteries with Autologous Arterial Tissue, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041L4AL | Bypass Left Femoral Artery to Popliteal Artery with Autologous Arterial Tissue, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041L4AM | Bypass Left Femoral Artery to Peroneal Artery with Autologous Arterial Tissue, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041L4AN | Bypass Left Femoral Artery to Posterior Tibial Artery with Autologous Arterial Tissue, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041L4AP | Bypass Left Femoral Artery to Foot Artery with Autologous Arterial Tissue, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041L4AQ | Bypass Left Femoral Artery to Lower Extremity Artery with Autologous Arterial Tissue, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041L4AS | Bypass Left Femoral Artery to Lower Extremity Vein with Autologous Arterial Tissue, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041L4JH | Bypass Left Femoral Artery to Right Femoral Artery with Synthetic Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041L4JJ | Bypass Left Femoral Artery to Left Femoral Artery with Synthetic Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041L4JK | Bypass Left Femoral Artery to Bilateral Femoral Arteries with Synthetic Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041L4JL | Bypass Left Femoral Artery to Popliteal Artery with Synthetic Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041L4JM | Bypass Left Femoral Artery to Peroneal Artery with Synthetic Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041L4JN | Bypass Left Femoral Artery to Posterior Tibial Artery with Synthetic Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041L4JP | Bypass Left Femoral Artery to Foot Artery with Synthetic Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041L4JQ | Bypass Left Femoral Artery to Lower Extremity Artery with Synthetic Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041L4JS | Bypass Left Femoral Artery to Lower Extremity Vein with Synthetic Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041L4KH | Bypass Left Femoral Artery to Right Femoral Artery with Nonautologous Tissue Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041L4KJ | Bypass Left Femoral Artery to Left Femoral Artery with Nonautologous Tissue Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |

List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|---|----------------------|
| 041L4KK | Bypass Left Femoral Artery to Bilateral Femoral Arteries with Nonautologous Tissue Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041L4KL | Bypass Left Femoral Artery to Popliteal Artery with Nonautologous Tissue Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041L4KM | Bypass Left Femoral Artery to Peroneal Artery with Nonautologous Tissue Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041L4KN | Bypass Left Femoral Artery to Posterior Tibial Artery with Nonautologous Tissue Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041L4KP | Bypass Left Femoral Artery to Foot Artery with Nonautologous Tissue Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041L4KQ | Bypass Left Femoral Artery to Lower Extremity Artery with Nonautologous Tissue Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041L4KS | Bypass Left Femoral Artery to Lower Extremity Vein with Nonautologous Tissue Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041L4ZH | Bypass Left Femoral Artery to Right Femoral Artery, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041L4ZJ | Bypass Left Femoral Artery to Left Femoral Artery, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041L4ZK | Bypass Left Femoral Artery to Bilateral Femoral Arteries, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041L4ZL | Bypass Left Femoral Artery to Popliteal Artery, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041L4ZM | Bypass Left Femoral Artery to Peroneal Artery, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041L4ZN | Bypass Left Femoral Artery to Posterior Tibial Artery, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041L4ZP | Bypass Left Femoral Artery to Foot Artery, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041L4ZQ | Bypass Left Femoral Artery to Lower Extremity Artery, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041L4ZS | Bypass Left Femoral Artery to Lower Extremity Vein, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041M09L | Bypass Right Popliteal Artery to Popliteal Artery with Autologous Venous Tissue, Open Approach | ICD-10-PCS Procedure |
| 041M09M | Bypass Right Popliteal Artery to Peroneal Artery with Autologous Venous Tissue, Open Approach | ICD-10-PCS Procedure |
| 041M09P | Bypass Right Popliteal Artery to Foot Artery with Autologous Venous Tissue, Open Approach | ICD-10-PCS Procedure |
| 041M09Q | Bypass Right Popliteal Artery to Lower Extremity Artery with Autologous Venous Tissue, Open Approach | ICD-10-PCS Procedure |
| 041M09S | Bypass Right Popliteal Artery to Lower Extremity Vein with Autologous Venous Tissue, Open Approach | ICD-10-PCS Procedure |

List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|---|----------------------|
| 041M0AL | Bypass Right Popliteal Artery to Popliteal Artery with Autologous Arterial Tissue, Open Approach | ICD-10-PCS Procedure |
| 041M0AM | Bypass Right Popliteal Artery to Peroneal Artery with Autologous Arterial Tissue, Open Approach | ICD-10-PCS Procedure |
| 041M0AP | Bypass Right Popliteal Artery to Foot Artery with Autologous Arterial Tissue, Open Approach | ICD-10-PCS Procedure |
| 041M0AQ | Bypass Right Popliteal Artery to Lower Extremity Artery with Autologous Arterial Tissue, Open Approach | ICD-10-PCS Procedure |
| 041M0AS | Bypass Right Popliteal Artery to Lower Extremity Vein with Autologous Arterial Tissue, Open Approach | ICD-10-PCS Procedure |
| 041M0JL | Bypass Right Popliteal Artery to Popliteal Artery with Synthetic Substitute, Open Approach | ICD-10-PCS Procedure |
| 041M0JM | Bypass Right Popliteal Artery to Peroneal Artery with Synthetic Substitute, Open Approach | ICD-10-PCS Procedure |
| 041M0JP | Bypass Right Popliteal Artery to Foot Artery with Synthetic Substitute, Open Approach | ICD-10-PCS Procedure |
| 041M0JQ | Bypass Right Popliteal Artery to Lower Extremity Artery with Synthetic Substitute, Open Approach | ICD-10-PCS Procedure |
| 041M0JS | Bypass Right Popliteal Artery to Lower Extremity Vein with Synthetic Substitute, Open Approach | ICD-10-PCS Procedure |
| 041M0KL | Bypass Right Popliteal Artery to Popliteal Artery with Nonautologous Tissue Substitute, Open Approach | ICD-10-PCS Procedure |
| 041M0KM | Bypass Right Popliteal Artery to Peroneal Artery with Nonautologous Tissue Substitute, Open Approach | ICD-10-PCS Procedure |
| 041M0KP | Bypass Right Popliteal Artery to Foot Artery with Nonautologous Tissue Substitute, Open Approach | ICD-10-PCS Procedure |
| 041M0KQ | Bypass Right Popliteal Artery to Lower Extremity Artery with Nonautologous Tissue Substitute, Open Approach | ICD-10-PCS Procedure |
| 041M0KS | Bypass Right Popliteal Artery to Lower Extremity Vein with Nonautologous Tissue Substitute, Open Approach | ICD-10-PCS Procedure |
| 041M0ZL | Bypass Right Popliteal Artery to Popliteal Artery, Open Approach | ICD-10-PCS Procedure |
| 041M0ZM | Bypass Right Popliteal Artery to Peroneal Artery, Open Approach | ICD-10-PCS Procedure |
| 041M0ZP | Bypass Right Popliteal Artery to Foot Artery, Open Approach | ICD-10-PCS Procedure |
| 041M0ZQ | Bypass Right Popliteal Artery to Lower Extremity Artery, Open Approach | ICD-10-PCS Procedure |
| 041M0ZS | Bypass Right Popliteal Artery to Lower Extremity Vein, Open Approach | ICD-10-PCS Procedure |
| 041M49L | Bypass Right Popliteal Artery to Popliteal Artery with Autologous Venous Tissue, Open Approach | ICD-10-PCS Procedure |
| 041M49M | Bypass Right Popliteal Artery to Peroneal Artery with Autologous Venous Tissue, Open Approach | ICD-10-PCS Procedure |
| 041M49P | Bypass Right Popliteal Artery to Foot Artery with Autologous Venous Tissue, Open Approach | ICD-10-PCS Procedure |
| 041M49Q | Bypass Right Popliteal Artery to Lower Extremity Artery with Autologous Venous Tissue, Open Approach | ICD-10-PCS Procedure |
| 041M49S | Bypass Right Popliteal Artery to Lower Extremity Vein with Autologous Venous Tissue, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |

List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|--|----------------------|
| 041M4AL | Bypass Right Popliteal Artery to Popliteal Artery with Autologous Arterial Tissue, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041M4AM | Bypass Right Popliteal Artery to Peroneal Artery with Autologous Arterial Tissue, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041M4AP | Bypass Right Popliteal Artery to Foot Artery with Autologous Arterial Tissue, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041M4AQ | Bypass Right Popliteal Artery to Lower Extremity Artery with Autologous Arterial Tissue, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041M4AS | Bypass Right Popliteal Artery to Lower Extremity Vein with Autologous Arterial Tissue, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041M4JL | Bypass Right Popliteal Artery to Popliteal Artery with Synthetic Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041M4JM | Bypass Right Popliteal Artery to Peroneal Artery with Synthetic Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041M4JP | Bypass Right Popliteal Artery to Foot Artery with Synthetic Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041M4JQ | Bypass Right Popliteal Artery to Lower Extremity Artery with Synthetic Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041M4JS | Bypass Right Popliteal Artery to Lower Extremity Vein with Synthetic Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041M4KL | Bypass Right Popliteal Artery to Popliteal Artery with Nonautologous Tissue Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041M4KM | Bypass Right Popliteal Artery to Peroneal Artery with Nonautologous Tissue Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041M4KP | Bypass Right Popliteal Artery to Foot Artery with Nonautologous Tissue Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041M4KQ | Bypass Right Popliteal Artery to Lower Extremity Artery with Nonautologous Tissue Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041M4KS | Bypass Right Popliteal Artery to Lower Extremity Vein with Nonautologous Tissue Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041M4ZL | Bypass Right Popliteal Artery to Popliteal Artery, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041M4ZM | Bypass Right Popliteal Artery to Peroneal Artery, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041M4ZP | Bypass Right Popliteal Artery to Foot Artery, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041M4ZQ | Bypass Right Popliteal Artery to Lower Extremity Artery, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041M4ZS | Bypass Right Popliteal Artery to Lower Extremity Vein, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041N09L | Bypass Left Popliteal Artery to Popliteal Artery with Autologous Venous Tissue, Open Approach | ICD-10-PCS Procedure |

List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|--|----------------------|
| 041N09M | Bypass Left Popliteal Artery to Peroneal Artery with Autologous Venous Tissue, Open Approach | ICD-10-PCS Procedure |
| 041N09P | Bypass Left Popliteal Artery to Foot Artery with Autologous Venous Tissue, Open Approach | ICD-10-PCS Procedure |
| 041N09Q | Bypass Left Popliteal Artery to Lower Extremity Artery with Autologous Venous Tissue, Open Approach | ICD-10-PCS Procedure |
| 041N09S | Bypass Left Popliteal Artery to Lower Extremity Vein with Autologous Venous Tissue, Open Approach | ICD-10-PCS Procedure |
| 041N0AL | Bypass Left Popliteal Artery to Popliteal Artery with Autologous Arterial Tissue, Open Approach | ICD-10-PCS Procedure |
| 041N0AM | Bypass Left Popliteal Artery to Peroneal Artery with Autologous Arterial Tissue, Open Approach | ICD-10-PCS Procedure |
| 041N0AP | Bypass Left Popliteal Artery to Foot Artery with Autologous Arterial Tissue, Open Approach | ICD-10-PCS Procedure |
| 041N0AQ | Bypass Left Popliteal Artery to Lower Extremity Artery with Autologous Arterial Tissue, Open Approach | ICD-10-PCS Procedure |
| 041N0AS | Bypass Left Popliteal Artery to Lower Extremity Vein with Autologous Arterial Tissue, Open Approach | ICD-10-PCS Procedure |
| 041N0JL | Bypass Left Popliteal Artery to Popliteal Artery with Synthetic Substitute, Open Approach | ICD-10-PCS Procedure |
| 041N0JM | Bypass Left Popliteal Artery to Peroneal Artery with Synthetic Substitute, Open Approach | ICD-10-PCS Procedure |
| 041N0JP | Bypass Left Popliteal Artery to Foot Artery with Synthetic Substitute, Open Approach | ICD-10-PCS Procedure |
| 041N0JQ | Bypass Left Popliteal Artery to Lower Extremity Artery with Synthetic Substitute, Open Approach | ICD-10-PCS Procedure |
| 041N0JS | Bypass Left Popliteal Artery to Lower Extremity Vein with Synthetic Substitute, Open Approach | ICD-10-PCS Procedure |
| 041N0KL | Bypass Left Popliteal Artery to Popliteal Artery with Nonautologous Tissue Substitute, Open Approach | ICD-10-PCS Procedure |
| 041N0KM | Bypass Left Popliteal Artery to Peroneal Artery with Nonautologous Tissue Substitute, Open Approach | ICD-10-PCS Procedure |
| 041N0KP | Bypass Left Popliteal Artery to Foot Artery with Nonautologous Tissue Substitute, Open Approach | ICD-10-PCS Procedure |
| 041N0KQ | Bypass Left Popliteal Artery to Lower Extremity Artery with Nonautologous Tissue Substitute, Open Approach | ICD-10-PCS Procedure |
| 041N0KS | Bypass Left Popliteal Artery to Lower Extremity Vein with Nonautologous Tissue Substitute, Open Approach | ICD-10-PCS Procedure |
| 041N0ZL | Bypass Left Popliteal Artery to Popliteal Artery, Open Approach | ICD-10-PCS Procedure |
| 041N0ZM | Bypass Left Popliteal Artery to Peroneal Artery, Open Approach | ICD-10-PCS Procedure |
| 041N0ZP | Bypass Left Popliteal Artery to Foot Artery, Open Approach | ICD-10-PCS Procedure |
| 041N0ZQ | Bypass Left Popliteal Artery to Lower Extremity Artery, Open Approach | ICD-10-PCS Procedure |

List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|---|----------------------|
| 041N0ZS | Bypass Left Popliteal Artery to Lower Extremity Vein, Open Approach | ICD-10-PCS Procedure |
| 041N49L | Bypass Left Popliteal Artery to Popliteal Artery with Autologous Venous Tissue, | ICD-10-PCS Procedure |
| 041N49M | Bypass Left Popliteal Artery to Peroneal Artery with Autologous Venous Tissue, | ICD-10-PCS Procedure |
| 041N49P | Bypass Left Popliteal Artery to Foot Artery with Autologous Venous Tissue, | ICD-10-PCS Procedure |
| 041N49Q | Bypass Left Popliteal Artery to Lower Extremity Artery with Autologous Venous | ICD-10-PCS Procedure |
| 041N49S | Bypass Left Popliteal Artery to Lower Extremity Vein with Autologous Venous Tissue, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041N4AL | Bypass Left Popliteal Artery to Popliteal Artery with Autologous Arterial Tissue, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041N4AM | Bypass Left Popliteal Artery to Peroneal Artery with Autologous Arterial Tissue, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041N4AP | Bypass Left Popliteal Artery to Foot Artery with Autologous Arterial Tissue, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041N4AQ | Bypass Left Popliteal Artery to Lower Extremity Artery with Autologous Arterial Tissue, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041N4AS | Bypass Left Popliteal Artery to Lower Extremity Vein with Autologous Arterial Tissue, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041N4JL | Bypass Left Popliteal Artery to Popliteal Artery with Synthetic Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041N4JM | Bypass Left Popliteal Artery to Peroneal Artery with Synthetic Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041N4JP | Bypass Left Popliteal Artery to Foot Artery with Synthetic Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041N4JQ | Bypass Left Popliteal Artery to Lower Extremity Artery with Synthetic Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041N4JS | Bypass Left Popliteal Artery to Lower Extremity Vein with Synthetic Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041N4KL | Bypass Left Popliteal Artery to Popliteal Artery with Nonautologous Tissue Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041N4KM | Bypass Left Popliteal Artery to Peroneal Artery with Nonautologous Tissue Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041N4KP | Bypass Left Popliteal Artery to Foot Artery with Nonautologous Tissue Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041N4KQ | Bypass Left Popliteal Artery to Lower Extremity Artery with Nonautologous Tissue Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041N4KS | Bypass Left Popliteal Artery to Lower Extremity Vein with Nonautologous Tissue Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041N4ZL | Bypass Left Popliteal Artery to Popliteal Artery, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041N4ZM | Bypass Left Popliteal Artery to Peroneal Artery, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |

List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|--|----------------------|
| 041N4ZP | Bypass Left Popliteal Artery to Foot Artery, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041N4ZQ | Bypass Left Popliteal Artery to Lower Extremity Artery, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041N4ZS | Bypass Left Popliteal Artery to Lower Extremity Vein, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 04CK0ZZ | Extirpation of Matter from Right Femoral Artery, Open Approach | ICD-10-PCS Procedure |
| 04CK3ZZ | Extirpation of Matter from Right Femoral Artery, Percutaneous Approach | ICD-10-PCS Procedure |
| 04CK4ZZ | Extirpation of Matter from Right Femoral Artery, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 04CLOZZ | Extirpation of Matter from Left Femoral Artery, Open Approach | ICD-10-PCS Procedure |
| 04CL3ZZ | Extirpation of Matter from Left Femoral Artery, Percutaneous Approach | ICD-10-PCS Procedure |
| 04CL4ZZ | Extirpation of Matter from Left Femoral Artery, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 04CM0ZZ | Extirpation of Matter from Right Popliteal Artery, Open Approach | ICD-10-PCS Procedure |
| 04CM3ZZ | Extirpation of Matter from Right Popliteal Artery, Percutaneous Approach | ICD-10-PCS Procedure |
| 04CM4ZZ | Extirpation of Matter from Right Popliteal Artery, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 04CN0ZZ | Extirpation of Matter from Left Popliteal Artery, Open Approach | ICD-10-PCS Procedure |
| 04CN3ZZ | Extirpation of Matter from Left Popliteal Artery, Percutaneous Approach | ICD-10-PCS Procedure |
| 04CN4ZZ | Extirpation of Matter from Left Popliteal Artery, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 04CP0ZZ | Extirpation of Matter from Right Anterior Tibial Artery, Open Approach | ICD-10-PCS Procedure |
| 04CP3ZZ | Extirpation of Matter from Right Anterior Tibial Artery, Percutaneous Approach | ICD-10-PCS Procedure |
| 04CP4ZZ | Extirpation of Matter from Right Anterior Tibial Artery, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 04CQ0ZZ | Extirpation of Matter from Left Anterior Tibial Artery, Open Approach | ICD-10-PCS Procedure |
| 04CQ3ZZ | Extirpation of Matter from Left Anterior Tibial Artery, Percutaneous Approach | ICD-10-PCS Procedure |
| 04CQ4ZZ | Extirpation of Matter from Left Anterior Tibial Artery, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 04CR0ZZ | Extirpation of Matter from Right Posterior Tibial Artery, Open Approach | ICD-10-PCS Procedure |
| 04CR3ZZ | Extirpation of Matter from Right Posterior Tibial Artery, Percutaneous Approach | ICD-10-PCS Procedure |
| 04CR4ZZ | Extirpation of Matter from Right Posterior Tibial Artery, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 04CS0ZZ | Extirpation of Matter from Left Posterior Tibial Artery, Open Approach | ICD-10-PCS Procedure |
| 04CS3ZZ | Extirpation of Matter from Left Posterior Tibial Artery, Percutaneous Approach | ICD-10-PCS Procedure |
| 04CS4ZZ | Extirpation of Matter from Left Posterior Tibial Artery, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 04CT0ZZ | Extirpation of Matter from Right Peroneal Artery, Open Approach | ICD-10-PCS Procedure |
| 04CT3ZZ | Extirpation of Matter from Right Peroneal Artery, Percutaneous Approach | ICD-10-PCS Procedure |
| 04CT4ZZ | Extirpation of Matter from Right Peroneal Artery, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 04CU0ZZ | Extirpation of Matter from Left Peroneal Artery, Open Approach | ICD-10-PCS Procedure |
| 04CU3ZZ | Extirpation of Matter from Left Peroneal Artery, Percutaneous Approach | ICD-10-PCS Procedure |

List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|---|----------------------|
| 04CU4ZZ | Extirpation of Matter from Left Peroneal Artery, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 04CV0ZZ | Extirpation of Matter from Right Foot Artery, Open Approach | ICD-10-PCS Procedure |
| 04CV3ZZ | Extirpation of Matter from Right Foot Artery, Percutaneous Approach | ICD-10-PCS Procedure |
| 04CV4ZZ | Extirpation of Matter from Right Foot Artery, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 04CW0ZZ | Extirpation of Matter from Left Foot Artery, Open Approach | ICD-10-PCS Procedure |
| 04CW3ZZ | Extirpation of Matter from Left Foot Artery, Percutaneous Approach | ICD-10-PCS Procedure |
| 04CW4ZZ | Extirpation of Matter from Left Foot Artery, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 04CY0ZZ | Extirpation of Matter from Lower Artery, Open Approach | ICD-10-PCS Procedure |
| 04CY3ZZ | Extirpation of Matter from Lower Artery, Percutaneous Approach | ICD-10-PCS Procedure |
| 04CY4ZZ | Extirpation of Matter from Lower Artery, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 0Y6C0Z1 | Detachment at Right Upper Leg, High, Open Approach | ICD-10-PCS Procedure |
| 0Y6C0Z2 | Detachment at Right Upper Leg, Mid, Open Approach | ICD-10-PCS Procedure |
| 0Y6C0Z3 | Detachment at Right Upper Leg, Low, Open Approach | ICD-10-PCS Procedure |
| 0Y6D0Z1 | Detachment at Left Upper Leg, High, Open Approach | ICD-10-PCS Procedure |
| 0Y6D0Z2 | Detachment at Left Upper Leg, Mid, Open Approach | ICD-10-PCS Procedure |
| 0Y6D0Z3 | Detachment at Left Upper Leg, Low, Open Approach | ICD-10-PCS Procedure |
| 0Y6F0ZZ | Detachment at Right Knee Region, Open Approach | ICD-10-PCS Procedure |
| 0Y6G0ZZ | Detachment at Left Knee Region, Open Approach | ICD-10-PCS Procedure |
| 0Y6H0Z1 | Detachment at Right Lower Leg, High, Open Approach | ICD-10-PCS Procedure |
| 0Y6H0Z2 | Detachment at Right Lower Leg, Mid, Open Approach | ICD-10-PCS Procedure |
| 0Y6H0Z3 | Detachment at Right Lower Leg, Low, Open Approach | ICD-10-PCS Procedure |
| 0Y6J0Z1 | Detachment at Left Lower Leg, High, Open Approach | ICD-10-PCS Procedure |
| 0Y6J0Z2 | Detachment at Left Lower Leg, Mid, Open Approach | ICD-10-PCS Procedure |
| 0Y6J0Z3 | Detachment at Left Lower Leg, Low, Open Approach | ICD-10-PCS Procedure |
| 0Y6M0Z0 | Detachment at Right Foot, Complete, Open Approach | ICD-10-PCS Procedure |
| 0Y6M0Z4 | Detachment at Right Foot, Complete 1st Ray, Open Approach | ICD-10-PCS Procedure |
| 0Y6M0Z5 | Detachment at Right Foot, Complete 2nd Ray, Open Approach | ICD-10-PCS Procedure |
| 0Y6M0Z6 | Detachment at Right Foot, Complete 3rd Ray, Open Approach | ICD-10-PCS Procedure |
| 0Y6M0Z7 | Detachment at Right Foot, Complete 4th Ray, Open Approach | ICD-10-PCS Procedure |
| 0Y6M0Z8 | Detachment at Right Foot, Complete 5th Ray, Open Approach | ICD-10-PCS Procedure |
| 0Y6M0Z9 | Detachment at Right Foot, Partial 1st Ray, Open Approach | ICD-10-PCS Procedure |
| 0Y6M0ZB | Detachment at Right Foot, Partial 2nd Ray, Open Approach | ICD-10-PCS Procedure |
| 0Y6M0ZC | Detachment at Right Foot, Partial 3rd Ray, Open Approach | ICD-10-PCS Procedure |
| 0Y6M0ZD | Detachment at Right Foot, Partial 4th Ray, Open Approach | ICD-10-PCS Procedure |
| 0Y6M0ZF | Detachment at Right Foot, Partial 5th Ray, Open Approach | ICD-10-PCS Procedure |
| 0Y6N0Z0 | Detachment at Left Foot, Complete, Open Approach | ICD-10-PCS Procedure |
| 0Y6N0Z4 | Detachment at Left Foot, Complete 1st Ray, Open Approach | ICD-10-PCS Procedure |
| 0Y6N0Z5 | Detachment at Left Foot, Complete 2nd Ray, Open Approach | ICD-10-PCS Procedure |
| 0Y6N0Z6 | Detachment at Left Foot, Complete 3rd Ray, Open Approach | ICD-10-PCS Procedure |
| 0Y6N0Z7 | Detachment at Left Foot, Complete 4th Ray, Open Approach | ICD-10-PCS Procedure |



List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|--|----------------------|
| 0Y6N0Z8 | Detachment at Left Foot, Complete 5th Ray, Open Approach | ICD-10-PCS Procedure |
| 0Y6N0Z9 | Detachment at Left Foot, Partial 1st Ray, Open Approach | ICD-10-PCS Procedure |
| 0Y6N0ZB | Detachment at Left Foot, Partial 2nd Ray, Open Approach | ICD-10-PCS Procedure |
| 0Y6N0ZC | Detachment at Left Foot, Partial 3rd Ray, Open Approach | ICD-10-PCS Procedure |
| 0Y6N0ZD | Detachment at Left Foot, Partial 4th Ray, Open Approach | ICD-10-PCS Procedure |
| 0Y6N0ZF | Detachment at Left Foot, Partial 5th Ray, Open Approach | ICD-10-PCS Procedure |
| 0Y6P0Z0 | Detachment at Right 1st Toe, Complete, Open Approach | ICD-10-PCS Procedure |
| 0Y6P0Z1 | Detachment at Right 1st Toe, High, Open Approach | ICD-10-PCS Procedure |
| 0Y6P0Z2 | Detachment at Right 1st Toe, Mid, Open Approach | ICD-10-PCS Procedure |
| 0Y6P0Z3 | Detachment at Right 1st Toe, Low, Open Approach | ICD-10-PCS Procedure |
| 0Y6Q0Z0 | Detachment at Left 1st Toe, Complete, Open Approach | ICD-10-PCS Procedure |
| 0Y6Q0Z1 | Detachment at Left 1st Toe, High, Open Approach | ICD-10-PCS Procedure |
| 0Y6Q0Z2 | Detachment at Left 1st Toe, Mid, Open Approach | ICD-10-PCS Procedure |
| 0Y6Q0Z3 | Detachment at Left 1st Toe, Low, Open Approach | ICD-10-PCS Procedure |
| 0Y6R0Z0 | Detachment at Right 2nd Toe, Complete, Open Approach | ICD-10-PCS Procedure |
| 0Y6R0Z1 | Detachment at Right 2nd Toe, High, Open Approach | ICD-10-PCS Procedure |
| 0Y6R0Z2 | Detachment at Right 2nd Toe, Mid, Open Approach | ICD-10-PCS Procedure |
| 0Y6R0Z3 | Detachment at Right 2nd Toe, Low, Open Approach | ICD-10-PCS Procedure |
| 0Y6S0Z0 | Detachment at Left 2nd Toe, Complete, Open Approach | ICD-10-PCS Procedure |
| 0Y6S0Z1 | Detachment at Left 2nd Toe, High, Open Approach | ICD-10-PCS Procedure |
| 0Y6S0Z2 | Detachment at Left 2nd Toe, Mid, Open Approach | ICD-10-PCS Procedure |
| 0Y6S0Z3 | Detachment at Left 2nd Toe, Low, Open Approach | ICD-10-PCS Procedure |
| 0Y6T0Z0 | Detachment at Right 3rd Toe, Complete, Open Approach | ICD-10-PCS Procedure |
| 0Y6T0Z1 | Detachment at Right 3rd Toe, High, Open Approach | ICD-10-PCS Procedure |
| 0Y6T0Z2 | Detachment at Right 3rd Toe, Mid, Open Approach | ICD-10-PCS Procedure |
| 0Y6T0Z3 | Detachment at Right 3rd Toe, Low, Open Approach | ICD-10-PCS Procedure |
| 0Y6U0Z0 | Detachment at Left 3rd Toe, Complete, Open Approach | ICD-10-PCS Procedure |
| 0Y6U0Z1 | Detachment at Left 3rd Toe, High, Open Approach | ICD-10-PCS Procedure |
| 0Y6U0Z2 | Detachment at Left 3rd Toe, Mid, Open Approach | ICD-10-PCS Procedure |
| 0Y6U0Z3 | Detachment at Left 3rd Toe, Low, Open Approach | ICD-10-PCS Procedure |
| 0Y6V0Z0 | Detachment at Right 4th Toe, Complete, Open Approach | ICD-10-PCS Procedure |
| 0Y6V0Z1 | Detachment at Right 4th Toe, High, Open Approach | ICD-10-PCS Procedure |
| 0Y6V0Z2 | Detachment at Right 4th Toe, Mid, Open Approach | ICD-10-PCS Procedure |
| 0Y6V0Z3 | Detachment at Right 4th Toe, Low, Open Approach | ICD-10-PCS Procedure |
| 0Y6W0Z0 | Detachment at Left 4th Toe, Complete, Open Approach | ICD-10-PCS Procedure |
| 0Y6W0Z1 | Detachment at Left 4th Toe, High, Open Approach | ICD-10-PCS Procedure |
| 0Y6W0Z2 | Detachment at Left 4th Toe, Mid, Open Approach | ICD-10-PCS Procedure |
| 0Y6W0Z3 | Detachment at Left 4th Toe, Low, Open Approach | ICD-10-PCS Procedure |
| 0Y6X0Z0 | Detachment at Right 5th Toe, Complete, Open Approach | ICD-10-PCS Procedure |
| 0Y6X0Z1 | Detachment at Right 5th Toe, High, Open Approach | ICD-10-PCS Procedure |

List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|---|----------------------|
| 0Y6X0Z2 | Detachment at Right 5th Toe, Mid, Open Approach | ICD-10-PCS Procedure |
| 0Y6X0Z3 | Detachment at Right 5th Toe, Low, Open Approach | ICD-10-PCS Procedure |
| 0Y6Y0Z0 | Detachment at Left 5th Toe, Complete, Open Approach | ICD-10-PCS Procedure |
| 0Y6Y0Z1 | Detachment at Left 5th Toe, High, Open Approach | ICD-10-PCS Procedure |
| 0Y6Y0Z2 | Detachment at Left 5th Toe, Mid, Open Approach | ICD-10-PCS Procedure |
| 0Y6Y0Z3 | Detachment at Left 5th Toe, Low, Open Approach | ICD-10-PCS Procedure |
| B202 | Plain Radiography / Coronary Artery Bypass Graft, Single | ICD-10-PCS Procedure |
| B2020ZZ | Plain Radiography of Single Coronary Artery Bypass Graft using High Osmolar | ICD-10-PCS Procedure |
| B2021ZZ | Plain Radiography of Single Coronary Artery Bypass Graft using Low Osmolar | ICD-10-PCS Procedure |
| B202YZZ | Plain Radiography of Single Coronary Artery Bypass Graft using Other Contrast | ICD-10-PCS Procedure |
| B203 | Plain Radiography / Coronary Artery Bypass Grafts, Multiple | ICD-10-PCS Procedure |
| B2030ZZ | Plain Radiography of Multiple Coronary Artery Bypass Grafts using High Osmolar Contrast | ICD-10-PCS Procedure |
| B2031ZZ | Plain Radiography of Multiple Coronary Artery Bypass Grafts using Low Osmolar Contrast | ICD-10-PCS Procedure |
| B203YZZ | Plain Radiography of Multiple Coronary Artery Bypass Grafts using Other Contrast | ICD-10-PCS Procedure |
| B212 | Fluoroscopy / Coronary Artery Bypass Graft, Single | ICD-10-PCS Procedure |
| B212010 | Fluoroscopy of Single Coronary Artery Bypass Graft using High Osmolar Contrast, Laser Intraoperative | ICD-10-PCS Procedure |
| B2120ZZ | Fluoroscopy of Single Coronary Artery Bypass Graft using High Osmolar Contrast | ICD-10-PCS Procedure |
| B212110 | Fluoroscopy of Single Coronary Artery Bypass Graft using Low Osmolar Contrast, Laser Intraoperative | ICD-10-PCS Procedure |
| B2121ZZ | Fluoroscopy of Single Coronary Artery Bypass Graft using Low Osmolar Contrast | ICD-10-PCS Procedure |
| B212Y10 | Fluoroscopy of Single Coronary Artery Bypass Graft using Other Contrast, Laser Intraoperative | ICD-10-PCS Procedure |
| B212YZZ | Fluoroscopy of Single Coronary Artery Bypass Graft using Other Contrast | ICD-10-PCS Procedure |
| B213 | Fluoroscopy / Coronary Artery Bypass Grafts, Multiple | ICD-10-PCS Procedure |
| B213010 | Fluoroscopy of Multiple Coronary Artery Bypass Grafts using High Osmolar Contrast, Laser Intraoperative | ICD-10-PCS Procedure |
| B2130ZZ | Fluoroscopy of Multiple Coronary Artery Bypass Grafts using High Osmolar Contrast | ICD-10-PCS Procedure |
| B213110 | Fluoroscopy of Multiple Coronary Artery Bypass Grafts using Low Osmolar Contrast, Laser Intraoperative | ICD-10-PCS Procedure |
| B2131ZZ | Fluoroscopy of Multiple Coronary Artery Bypass Grafts using Low Osmolar Contrast | ICD-10-PCS Procedure |
| B213Y10 | Fluoroscopy of Multiple Coronary Artery Bypass Grafts using Other Contrast, Laser Intraoperative | ICD-10-PCS Procedure |
| B213YZZ | Fluoroscopy of Multiple Coronary Artery Bypass Grafts using Other Contrast | ICD-10-PCS Procedure |
| B223 | Computerized Tomography (CT Scan) / Coronary Artery Bypass Grafts, Multiple | ICD-10-PCS Procedure |



List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|--|----------------------|
| B22300Z | Computerized Tomography (CT Scan) of Multiple Coronary Artery Bypass Grafts using High Osmolar Contrast, Unenhanced and Enhanced | ICD-10-PCS Procedure |
| B2230ZZ | Computerized Tomography (CT Scan) of Multiple Coronary Artery Bypass Grafts using High Osmolar Contrast | ICD-10-PCS Procedure |
| B22310Z | Computerized Tomography (CT Scan) of Multiple Coronary Artery Bypass Grafts | ICD-10-PCS Procedure |
| B2231ZZ | Computerized Tomography (CT Scan) of Multiple Coronary Artery Bypass Grafts using Low Osmolar Contrast | ICD-10-PCS Procedure |
| B223Y0Z | Computerized Tomography (CT Scan) of Multiple Coronary Artery Bypass Grafts using Other Contrast, Unenhanced and Enhanced | ICD-10-PCS Procedure |
| B223YZZ | Computerized Tomography (CT Scan) of Multiple Coronary Artery Bypass Grafts using Other Contrast | ICD-10-PCS Procedure |
| B223ZZZ | Computerized Tomography (CT Scan) of Multiple Coronary Artery Bypass Grafts using Intravascular Optical Coherence | ICD-10-PCS Procedure |
| B223ZZZ | Computerized Tomography (CT Scan) of Multiple Coronary Artery Bypass Grafts | ICD-10-PCS Procedure |
| B233 | Magnetic Resonance Imaging (MRI) / Coronary Artery Bypass Grafts, Multiple | ICD-10-PCS Procedure |
| B233Y0Z | Magnetic Resonance Imaging (MRI) of Multiple Coronary Artery Bypass Grafts using Other Contrast, Unenhanced and Enhanced | ICD-10-PCS Procedure |
| B233YZZ | Magnetic Resonance Imaging (MRI) of Multiple Coronary Artery Bypass Grafts using Other Contrast | ICD-10-PCS Procedure |
| B233ZZZ | Magnetic Resonance Imaging (MRI) of Multiple Coronary Artery Bypass Grafts | ICD-10-PCS Procedure |
| 0370046 | Dilation of Right Internal Mammary Artery, Bifurcation, with Drug-eluting Intraluminal Device, Open Approach | ICD-10-PCS Procedure |
| 0370056 | Dilation of Right Internal Mammary Artery, Bifurcation, with Two Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 0370066 | Dilation of Right Internal Mammary Artery, Bifurcation, with Three Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 0370076 | Dilation of Right Internal Mammary Artery, Bifurcation, with Four or More Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 0370346 | Dilation of Right Internal Mammary Artery, Bifurcation, with Drug-eluting Intraluminal Device, Percutaneous Approach | ICD-10-PCS Procedure |
| 0370356 | Dilation of Right Internal Mammary Artery, Bifurcation, with Two Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 0370366 | Dilation of Right Internal Mammary Artery, Bifurcation, with Three Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 0370376 | Dilation of Right Internal Mammary Artery, Bifurcation, with Four or More Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 0370446 | Dilation of Right Internal Mammary Artery, Bifurcation, with Drug-eluting Intraluminal Device, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 0370456 | Dilation of Right Internal Mammary Artery, Bifurcation, with Two Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |

List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|---|----------------------|
| 0370466 | Dilation of Right Internal Mammary Artery, Bifurcation, with Three Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 0370476 | Dilation of Right Internal Mammary Artery, Bifurcation, with Four or More Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 0371046 | Dilation of Left Internal Mammary Artery, Bifurcation, with Drug-eluting Intraluminal Device, Open Approach | ICD-10-PCS Procedure |
| 0371056 | Dilation of Left Internal Mammary Artery, Bifurcation, with Two Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 0371066 | Dilation of Left Internal Mammary Artery, Bifurcation, with Three Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 0371076 | Dilation of Left Internal Mammary Artery, Bifurcation, with Four or More Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 0371346 | Dilation of Left Internal Mammary Artery, Bifurcation, with Drug-eluting Intraluminal Device, Percutaneous Approach | ICD-10-PCS Procedure |
| 0371356 | Dilation of Left Internal Mammary Artery, Bifurcation, with Two Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 0371366 | Dilation of Left Internal Mammary Artery, Bifurcation, with Three Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 0371376 | Dilation of Left Internal Mammary Artery, Bifurcation, with Four or More Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 0371446 | Dilation of Left Internal Mammary Artery, Bifurcation, with Drug-eluting Intraluminal Device, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 0371456 | Dilation of Left Internal Mammary Artery, Bifurcation, with Two Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 0371466 | Dilation of Left Internal Mammary Artery, Bifurcation, with Three Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 0371476 | Dilation of Left Internal Mammary Artery, Bifurcation, with Four or More Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 0372046 | Dilation of Innominate Artery, Bifurcation, with Drug-eluting Intraluminal Device, Open Approach | ICD-10-PCS Procedure |
| 0372056 | Dilation of Innominate Artery, Bifurcation, with Two Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 0372066 | Dilation of Innominate Artery, Bifurcation, with Three Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 0372076 | Dilation of Innominate Artery, Bifurcation, with Four or More Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 0372346 | Dilation of Innominate Artery, Bifurcation, with Drug-eluting Intraluminal Device, Percutaneous Approach | ICD-10-PCS Procedure |
| 0372356 | Dilation of Innominate Artery, Bifurcation, with Two Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 0372366 | Dilation of Innominate Artery, Bifurcation, with Three Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |



List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|---|----------------------|
| 0372376 | Dilation of Innominate Artery, Bifurcation, with Four or More Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 0372446 | Dilation of Innominate Artery, Bifurcation, with Drug-eluting Intraluminal Device, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 0372456 | Dilation of Innominate Artery, Bifurcation, with Two Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 0372466 | Dilation of Innominate Artery, Bifurcation, with Three Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 0372476 | Dilation of Innominate Artery, Bifurcation, with Four or More Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 0373046 | Dilation of Right Subclavian Artery, Bifurcation, with Drug-eluting Intraluminal Device, Open Approach | ICD-10-PCS Procedure |
| 0373056 | Dilation of Right Subclavian Artery, Bifurcation, with Two Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 0373066 | Dilation of Right Subclavian Artery, Bifurcation, with Three Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 0373076 | Dilation of Right Subclavian Artery, Bifurcation, with Four or More Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 0373346 | Dilation of Right Subclavian Artery, Bifurcation, with Drug-eluting Intraluminal Device, Percutaneous Approach | ICD-10-PCS Procedure |
| 0373356 | Dilation of Right Subclavian Artery, Bifurcation, with Two Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 0373366 | Dilation of Right Subclavian Artery, Bifurcation, with Three Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 0373376 | Dilation of Right Subclavian Artery, Bifurcation, with Four or More Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 0373446 | Dilation of Right Subclavian Artery, Bifurcation, with Drug-eluting Intraluminal Device, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 0373456 | Dilation of Right Subclavian Artery, Bifurcation, with Two Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 0373466 | Dilation of Right Subclavian Artery, Bifurcation, with Three Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 0373476 | Dilation of Right Subclavian Artery, Bifurcation, with Four or More Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 0374046 | Dilation of Left Subclavian Artery, Bifurcation, with Drug-eluting Intraluminal Device, Open Approach | ICD-10-PCS Procedure |
| 0374056 | Dilation of Left Subclavian Artery, Bifurcation, with Two Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 0374066 | Dilation of Left Subclavian Artery, Bifurcation, with Three Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 0374076 | Dilation of Left Subclavian Artery, Bifurcation, with Four or More Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |



List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|--|----------------------|
| 0374346 | Dilation of Left Subclavian Artery, Bifurcation, with Drug-eluting Intraluminal Device, Percutaneous Approach | ICD-10-PCS Procedure |
| 0374356 | Dilation of Left Subclavian Artery, Bifurcation, with Two Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 0374366 | Dilation of Left Subclavian Artery, Bifurcation, with Three Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 0374376 | Dilation of Left Subclavian Artery, Bifurcation, with Four or More Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 0374446 | Dilation of Left Subclavian Artery, Bifurcation, with Drug-eluting Intraluminal Device, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 0374456 | Dilation of Left Subclavian Artery, Bifurcation, with Two Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 0374466 | Dilation of Left Subclavian Artery, Bifurcation, with Three Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 0374476 | Dilation of Left Subclavian Artery, Bifurcation, with Four or More Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 0375046 | Dilation of Right Axillary Artery, Bifurcation, with Drug-eluting Intraluminal Device, Open Approach | ICD-10-PCS Procedure |
| 0375056 | Dilation of Right Axillary Artery, Bifurcation, with Two Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 0375066 | Dilation of Right Axillary Artery, Bifurcation, with Three Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 0375076 | Dilation of Right Axillary Artery, Bifurcation, with Four or More Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 0375346 | Dilation of Right Axillary Artery, Bifurcation, with Drug-eluting Intraluminal Device, Percutaneous Approach | ICD-10-PCS Procedure |
| 0375356 | Dilation of Right Axillary Artery, Bifurcation, with Two Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 0375366 | Dilation of Right Axillary Artery, Bifurcation, with Three Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 0375376 | Dilation of Right Axillary Artery, Bifurcation, with Four or More Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 0375446 | Dilation of Right Axillary Artery, Bifurcation, with Drug-eluting Intraluminal Device, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 0375456 | Dilation of Right Axillary Artery, Bifurcation, with Two Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 0375466 | Dilation of Right Axillary Artery, Bifurcation, with Three Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 0375476 | Dilation of Right Axillary Artery, Bifurcation, with Four or More Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 0376046 | Dilation of Left Axillary Artery, Bifurcation, with Drug-eluting Intraluminal Device, Open Approach | ICD-10-PCS Procedure |

List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|--|----------------------|
| 0376056 | Dilation of Left Axillary Artery, Bifurcation, with Two Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 0376066 | Dilation of Left Axillary Artery, Bifurcation, with Three Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 0376076 | Dilation of Left Axillary Artery, Bifurcation, with Four or More Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 0376346 | Dilation of Left Axillary Artery, Bifurcation, with Drug-eluting Intraluminal Device, Percutaneous Approach | ICD-10-PCS Procedure |
| 0376356 | Dilation of Left Axillary Artery, Bifurcation, with Two Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 0376366 | Dilation of Left Axillary Artery, Bifurcation, with Three Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 0376376 | Dilation of Left Axillary Artery, Bifurcation, with Four or More Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 0376446 | Dilation of Left Axillary Artery, Bifurcation, with Drug-eluting Intraluminal Device, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 0376456 | Dilation of Left Axillary Artery, Bifurcation, with Two Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 0376466 | Dilation of Left Axillary Artery, Bifurcation, with Three Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 0376476 | Dilation of Left Axillary Artery, Bifurcation, with Four or More Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 0377046 | Dilation of Right Brachial Artery, Bifurcation, with Drug-eluting Intraluminal Device, Open Approach | ICD-10-PCS Procedure |
| 0377056 | Dilation of Right Brachial Artery, Bifurcation, with Two Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 0377066 | Dilation of Right Brachial Artery, Bifurcation, with Three Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 0377076 | Dilation of Right Brachial Artery, Bifurcation, with Four or More Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 0377346 | Dilation of Right Brachial Artery, Bifurcation, with Drug-eluting Intraluminal Device, Percutaneous Approach | ICD-10-PCS Procedure |
| 0377356 | Dilation of Right Brachial Artery, Bifurcation, with Two Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 0377366 | Dilation of Right Brachial Artery, Bifurcation, with Three Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 0377376 | Dilation of Right Brachial Artery, Bifurcation, with Four or More Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 0377446 | Dilation of Right Brachial Artery, Bifurcation, with Drug-eluting Intraluminal Device, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 0377456 | Dilation of Right Brachial Artery, Bifurcation, with Two Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |

List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|---|----------------------|
| 0377466 | Dilation of Right Brachial Artery, Bifurcation, with Three Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 0377476 | Dilation of Right Brachial Artery, Bifurcation, with Four or More Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 0378046 | Dilation of Left Brachial Artery, Bifurcation, with Drug-eluting Intraluminal Device, Open Approach | ICD-10-PCS Procedure |
| 0378056 | Dilation of Left Brachial Artery, Bifurcation, with Two Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 0378066 | Dilation of Left Brachial Artery, Bifurcation, with Three Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 0378076 | Dilation of Left Brachial Artery, Bifurcation, with Four or More Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 0378346 | Dilation of Left Brachial Artery, Bifurcation, with Drug-eluting Intraluminal Device, Percutaneous Approach | ICD-10-PCS Procedure |
| 0378356 | Dilation of Left Brachial Artery, Bifurcation, with Two Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 0378366 | Dilation of Left Brachial Artery, Bifurcation, with Three Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 0378376 | Dilation of Left Brachial Artery, Bifurcation, with Four or More Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 0378446 | Dilation of Left Brachial Artery, Bifurcation, with Drug-eluting Intraluminal Device, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 0378456 | Dilation of Left Brachial Artery, Bifurcation, with Two Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 0378466 | Dilation of Left Brachial Artery, Bifurcation, with Three Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 0378476 | Dilation of Left Brachial Artery, Bifurcation, with Four or More Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 0379046 | Dilation of Right Ulnar Artery, Bifurcation, with Drug-eluting Intraluminal Device, Open Approach | ICD-10-PCS Procedure |
| 0379056 | Dilation of Right Ulnar Artery, Bifurcation, with Two Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 0379066 | Dilation of Right Ulnar Artery, Bifurcation, with Three Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 0379076 | Dilation of Right Ulnar Artery, Bifurcation, with Four or More Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 0379346 | Dilation of Right Ulnar Artery, Bifurcation, with Drug-eluting Intraluminal Device, Percutaneous Approach | ICD-10-PCS Procedure |
| 0379356 | Dilation of Right Ulnar Artery, Bifurcation, with Two Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 0379366 | Dilation of Right Ulnar Artery, Bifurcation, with Three Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |

List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|--|----------------------|
| 0379376 | Dilation of Right Ulnar Artery, Bifurcation, with Four or More Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 0379446 | Dilation of Right Ulnar Artery, Bifurcation, with Drug-eluting Intraluminal Device, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 0379456 | Dilation of Right Ulnar Artery, Bifurcation, with Two Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 0379466 | Dilation of Right Ulnar Artery, Bifurcation, with Three Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 0379476 | Dilation of Right Ulnar Artery, Bifurcation, with Four or More Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 0410090 | Bypass Abdominal Aorta to Abdominal Aorta with Autologous Venous Tissue, Open Approach | ICD-10-PCS Procedure |
| 0410091 | Bypass Abdominal Aorta to Celiac Artery with Autologous Venous Tissue, Open Approach | ICD-10-PCS Procedure |
| 0410092 | Bypass Abdominal Aorta to Mesenteric Artery with Autologous Venous Tissue, Open Approach | ICD-10-PCS Procedure |
| 0410490 | Bypass Abdominal Aorta to Abdominal Aorta with Autologous Venous Tissue, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 0410491 | Bypass Abdominal Aorta to Celiac Artery with Autologous Venous Tissue, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 0410492 | Bypass Abdominal Aorta to Mesenteric Artery with Autologous Venous Tissue, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 0414093 | Bypass Splenic Artery to Right Renal Artery with Autologous Venous Tissue, Open Approach | ICD-10-PCS Procedure |
| 0414094 | Bypass Splenic Artery to Left Renal Artery with Autologous Venous Tissue, Open Approach | ICD-10-PCS Procedure |
| 0414095 | Bypass Splenic Artery to Bilateral Renal Artery with Autologous Venous Tissue, Open Approach | ICD-10-PCS Procedure |
| 0414493 | Bypass Splenic Artery to Right Renal Artery with Autologous Venous Tissue, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 0414494 | Bypass Splenic Artery to Left Renal Artery with Autologous Venous Tissue, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 0414495 | Bypass Splenic Artery to Bilateral Renal Artery with Autologous Venous Tissue, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 0470046 | Dilation of Abdominal Aorta, Bifurcation, with Drug-eluting Intraluminal Device, Open Approach | ICD-10-PCS Procedure |
| 0470056 | Dilation of Abdominal Aorta, Bifurcation, with Two Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 0470066 | Dilation of Abdominal Aorta, Bifurcation, with Three Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 0470076 | Dilation of Abdominal Aorta, Bifurcation, with Four or More Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |

List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|---|----------------------|
| 0470346 | Dilation of Abdominal Aorta, Bifurcation, with Drug-eluting Intraluminal Device, Percutaneous Approach | ICD-10-PCS Procedure |
| 0470356 | Dilation of Abdominal Aorta, Bifurcation, with Two Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 0470366 | Dilation of Abdominal Aorta, Bifurcation, with Three Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 0470376 | Dilation of Abdominal Aorta, Bifurcation, with Four or More Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 0470446 | Dilation of Abdominal Aorta, Bifurcation, with Drug-eluting Intraluminal Device, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 0470456 | Dilation of Abdominal Aorta, Bifurcation, with Two Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 0470466 | Dilation of Abdominal Aorta, Bifurcation, with Three Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 0470476 | Dilation of Abdominal Aorta, Bifurcation, with Four or More Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 0471046 | Dilation of Celiac Artery, Bifurcation, with Drug-eluting Intraluminal Device, Open Approach | ICD-10-PCS Procedure |
| 0471056 | Dilation of Celiac Artery, Bifurcation, with Two Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 0471066 | Dilation of Celiac Artery, Bifurcation, with Three Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 0471076 | Dilation of Celiac Artery, Bifurcation, with Four or More Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 0471346 | Dilation of Celiac Artery, Bifurcation, with Drug-eluting Intraluminal Device, Percutaneous Approach | ICD-10-PCS Procedure |
| 0471356 | Dilation of Celiac Artery, Bifurcation, with Two Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 0471366 | Dilation of Celiac Artery, Bifurcation, with Three Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 0471376 | Dilation of Celiac Artery, Bifurcation, with Four or More Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 0471446 | Dilation of Celiac Artery, Bifurcation, with Drug-eluting Intraluminal Device, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 0471456 | Dilation of Celiac Artery, Bifurcation, with Two Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 0471466 | Dilation of Celiac Artery, Bifurcation, with Three Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 0471476 | Dilation of Celiac Artery, Bifurcation, with Four or More Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 0472046 | Dilation of Gastric Artery, Bifurcation, with Drug-eluting Intraluminal Device, Open Approach | ICD-10-PCS Procedure |



List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|--|----------------------|
| 0472056 | Dilation of Gastric Artery, Bifurcation, with Two Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 0472066 | Dilation of Gastric Artery, Bifurcation, with Three Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 0472076 | Dilation of Gastric Artery, Bifurcation, with Four or More Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 0472346 | Dilation of Gastric Artery, Bifurcation, with Drug-eluting Intraluminal Device, Percutaneous Approach | ICD-10-PCS Procedure |
| 0472356 | Dilation of Gastric Artery, Bifurcation, with Two Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 0472366 | Dilation of Gastric Artery, Bifurcation, with Three Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 0472376 | Dilation of Gastric Artery, Bifurcation, with Four or More Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 0472446 | Dilation of Gastric Artery, Bifurcation, with Drug-eluting Intraluminal Device, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 0472456 | Dilation of Gastric Artery, Bifurcation, with Two Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 0472466 | Dilation of Gastric Artery, Bifurcation, with Three Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 0472476 | Dilation of Gastric Artery, Bifurcation, with Four or More Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 0473046 | Dilation of Hepatic Artery, Bifurcation, with Drug-eluting Intraluminal Device, Open Approach | ICD-10-PCS Procedure |
| 0473056 | Dilation of Hepatic Artery, Bifurcation, with Two Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 0473066 | Dilation of Hepatic Artery, Bifurcation, with Three Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 0473076 | Dilation of Hepatic Artery, Bifurcation, with Four or More Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 0473346 | Dilation of Hepatic Artery, Bifurcation, with Drug-eluting Intraluminal Device, Percutaneous Approach | ICD-10-PCS Procedure |
| 0473356 | Dilation of Hepatic Artery, Bifurcation, with Two Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 0473366 | Dilation of Hepatic Artery, Bifurcation, with Three Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 0473376 | Dilation of Hepatic Artery, Bifurcation, with Four or More Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 0473446 | Dilation of Hepatic Artery, Bifurcation, with Drug-eluting Intraluminal Device, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 0473456 | Dilation of Hepatic Artery, Bifurcation, with Two Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |



List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|--|----------------------|
| 0473466 | Dilation of Hepatic Artery, Bifurcation, with Three Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 0473476 | Dilation of Hepatic Artery, Bifurcation, with Four or More Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 0474046 | Dilation of Splenic Artery, Bifurcation, with Drug-eluting Intraluminal Device, Open Approach | ICD-10-PCS Procedure |
| 0474056 | Dilation of Splenic Artery, Bifurcation, with Two Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 0474066 | Dilation of Splenic Artery, Bifurcation, with Three Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 0474076 | Dilation of Splenic Artery, Bifurcation, with Four or More Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 0474346 | Dilation of Splenic Artery, Bifurcation, with Drug-eluting Intraluminal Device, Percutaneous Approach | ICD-10-PCS Procedure |
| 0474356 | Dilation of Splenic Artery, Bifurcation, with Two Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 0474366 | Dilation of Splenic Artery, Bifurcation, with Three Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 0474376 | Dilation of Splenic Artery, Bifurcation, with Four or More Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 0474446 | Dilation of Splenic Artery, Bifurcation, with Drug-eluting Intraluminal Device, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 0474456 | Dilation of Splenic Artery, Bifurcation, with Two Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 0474466 | Dilation of Splenic Artery, Bifurcation, with Three Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 0474476 | Dilation of Splenic Artery, Bifurcation, with Four or More Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 0475046 | Dilation of Superior Mesenteric Artery, Bifurcation, with Drug-eluting Intraluminal Device, Open Approach | ICD-10-PCS Procedure |
| 0475056 | Dilation of Superior Mesenteric Artery, Bifurcation, with Two Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 0475066 | Dilation of Superior Mesenteric Artery, Bifurcation, with Three Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 0475076 | Dilation of Superior Mesenteric Artery, Bifurcation, with Four or More Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 0475346 | Dilation of Superior Mesenteric Artery, Bifurcation, with Drug-eluting Intraluminal Device, Percutaneous Approach | ICD-10-PCS Procedure |
| 0475356 | Dilation of Superior Mesenteric Artery, Bifurcation, with Two Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 0475366 | Dilation of Superior Mesenteric Artery, Bifurcation, with Three Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |

List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|--|----------------------|
| 0475376 | Dilation of Superior Mesenteric Artery, Bifurcation, with Four or More Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 0475446 | Dilation of Superior Mesenteric Artery, Bifurcation, with Drug-eluting Intraluminal Device, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 0475456 | Dilation of Superior Mesenteric Artery, Bifurcation, with Two Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 0475466 | Dilation of Superior Mesenteric Artery, Bifurcation, with Three Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 0475476 | Dilation of Superior Mesenteric Artery, Bifurcation, with Four or More Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 0476046 | Dilation of Right Colic Artery, Bifurcation, with Drug-eluting Intraluminal Device, Open Approach | ICD-10-PCS Procedure |
| 0476056 | Dilation of Right Colic Artery, Bifurcation, with Two Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 0476066 | Dilation of Right Colic Artery, Bifurcation, with Three Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 0476076 | Dilation of Right Colic Artery, Bifurcation, with Four or More Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 0476346 | Dilation of Right Colic Artery, Bifurcation, with Drug-eluting Intraluminal Device, Percutaneous Approach | ICD-10-PCS Procedure |
| 0476356 | Dilation of Right Colic Artery, Bifurcation, with Two Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 0476366 | Dilation of Right Colic Artery, Bifurcation, with Three Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 0476376 | Dilation of Right Colic Artery, Bifurcation, with Four or More Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 0476446 | Dilation of Right Colic Artery, Bifurcation, with Drug-eluting Intraluminal Device, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 0476456 | Dilation of Right Colic Artery, Bifurcation, with Two Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 0476466 | Dilation of Right Colic Artery, Bifurcation, with Three Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 0476476 | Dilation of Right Colic Artery, Bifurcation, with Four or More Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 0477046 | Dilation of Left Colic Artery, Bifurcation, with Drug-eluting Intraluminal Device, Open Approach | ICD-10-PCS Procedure |
| 0477056 | Dilation of Left Colic Artery, Bifurcation, with Two Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 0477066 | Dilation of Left Colic Artery, Bifurcation, with Three Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 0477076 | Dilation of Left Colic Artery, Bifurcation, with Four or More Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |



List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|---|----------------------|
| 0477346 | Dilation of Left Colic Artery, Bifurcation, with Drug-eluting Intraluminal Device, Percutaneous Approach | ICD-10-PCS Procedure |
| 0477356 | Dilation of Left Colic Artery, Bifurcation, with Two Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 0477366 | Dilation of Left Colic Artery, Bifurcation, with Three Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 0477376 | Dilation of Left Colic Artery, Bifurcation, with Four or More Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 0477446 | Dilation of Left Colic Artery, Bifurcation, with Drug-eluting Intraluminal Device, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 0477456 | Dilation of Left Colic Artery, Bifurcation, with Two Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 0477466 | Dilation of Left Colic Artery, Bifurcation, with Three Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 0477476 | Dilation of Left Colic Artery, Bifurcation, with Four or More Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 0478046 | Dilation of Middle Colic Artery, Bifurcation, with Drug-eluting Intraluminal Device, Open Approach | ICD-10-PCS Procedure |
| 0478056 | Dilation of Middle Colic Artery, Bifurcation, with Two Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 0478066 | Dilation of Middle Colic Artery, Bifurcation, with Three Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 0478076 | Dilation of Middle Colic Artery, Bifurcation, with Four or More Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 0478346 | Dilation of Middle Colic Artery, Bifurcation, with Drug-eluting Intraluminal Device, Percutaneous Approach | ICD-10-PCS Procedure |
| 0478356 | Dilation of Middle Colic Artery, Bifurcation, with Two Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 0478366 | Dilation of Middle Colic Artery, Bifurcation, with Three Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 0478376 | Dilation of Middle Colic Artery, Bifurcation, with Four or More Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 0478446 | Dilation of Middle Colic Artery, Bifurcation, with Drug-eluting Intraluminal Device, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 0478456 | Dilation of Middle Colic Artery, Bifurcation, with Two Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 0478466 | Dilation of Middle Colic Artery, Bifurcation, with Three Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 0478476 | Dilation of Middle Colic Artery, Bifurcation, with Four or More Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 0479046 | Dilation of Right Renal Artery, Bifurcation, with Drug-eluting Intraluminal Device, Open Approach | ICD-10-PCS Procedure |

List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|--|----------------------|
| 0479056 | Dilation of Right Renal Artery, Bifurcation, with Two Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 0479066 | Dilation of Right Renal Artery, Bifurcation, with Three Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 0479076 | Dilation of Right Renal Artery, Bifurcation, with Four or More Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 0479346 | Dilation of Right Renal Artery, Bifurcation, with Drug-eluting Intraluminal Device, Percutaneous Approach | ICD-10-PCS Procedure |
| 0479356 | Dilation of Right Renal Artery, Bifurcation, with Two Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 0479366 | Dilation of Right Renal Artery, Bifurcation, with Three Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 0479376 | Dilation of Right Renal Artery, Bifurcation, with Four or More Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 0479446 | Dilation of Right Renal Artery, Bifurcation, with Drug-eluting Intraluminal Device, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 0479456 | Dilation of Right Renal Artery, Bifurcation, with Two Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 0479466 | Dilation of Right Renal Artery, Bifurcation, with Three Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 0479476 | Dilation of Right Renal Artery, Bifurcation, with Four or More Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 03700E6 | Dilation of Right Internal Mammary Artery, Bifurcation, with Two Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 03703E6 | Dilation of Right Internal Mammary Artery, Bifurcation, with Two Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 03704E6 | Dilation of Right Internal Mammary Artery, Bifurcation, with Two Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 03710E6 | Dilation of Left Internal Mammary Artery, Bifurcation, with Two Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 03713E6 | Dilation of Left Internal Mammary Artery, Bifurcation, with Two Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 03714E6 | Dilation of Left Internal Mammary Artery, Bifurcation, with Two Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 03720E6 | Dilation of Innominate Artery, Bifurcation, with Two Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 03723E6 | Dilation of Innominate Artery, Bifurcation, with Two Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 03724E6 | Dilation of Innominate Artery, Bifurcation, with Two Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 03730E6 | Dilation of Right Subclavian Artery, Bifurcation, with Two Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |



List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|---|----------------------|
| 03733E6 | Dilation of Right Subclavian Artery, Bifurcation, with Two Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 03734E6 | Dilation of Right Subclavian Artery, Bifurcation, with Two Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 03740E6 | Dilation of Left Subclavian Artery, Bifurcation, with Two Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 03743E6 | Dilation of Left Subclavian Artery, Bifurcation, with Two Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 03744E6 | Dilation of Left Subclavian Artery, Bifurcation, with Two Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 03750E6 | Dilation of Right Axillary Artery, Bifurcation, with Two Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 03753E6 | Dilation of Right Axillary Artery, Bifurcation, with Two Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 03754E6 | Dilation of Right Axillary Artery, Bifurcation, with Two Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 03760E6 | Dilation of Left Axillary Artery, Bifurcation, with Two Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 03763E6 | Dilation of Left Axillary Artery, Bifurcation, with Two Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 03764E6 | Dilation of Left Axillary Artery, Bifurcation, with Two Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 03770E6 | Dilation of Right Brachial Artery, Bifurcation, with Two Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 03773E6 | Dilation of Right Brachial Artery, Bifurcation, with Two Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 03774E6 | Dilation of Right Brachial Artery, Bifurcation, with Two Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 03780E6 | Dilation of Left Brachial Artery, Bifurcation, with Two Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 03783E6 | Dilation of Left Brachial Artery, Bifurcation, with Two Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 03784E6 | Dilation of Left Brachial Artery, Bifurcation, with Two Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 03790E6 | Dilation of Right Ulnar Artery, Bifurcation, with Two Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 03793E6 | Dilation of Right Ulnar Artery, Bifurcation, with Two Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 03794E6 | Dilation of Right Ulnar Artery, Bifurcation, with Two Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 04700E6 | Dilation of Abdominal Aorta, Bifurcation, with Two Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |

List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|--|----------------------|
| 04703E6 | Dilation of Abdominal Aorta, Bifurcation, with Two Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 04704E6 | Dilation of Abdominal Aorta, Bifurcation, with Two Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 04710E6 | Dilation of Celiac Artery, Bifurcation, with Two Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 04713E6 | Dilation of Celiac Artery, Bifurcation, with Two Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 04714E6 | Dilation of Celiac Artery, Bifurcation, with Two Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 04720E6 | Dilation of Gastric Artery, Bifurcation, with Two Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 04723E6 | Dilation of Gastric Artery, Bifurcation, with Two Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 04724E6 | Dilation of Gastric Artery, Bifurcation, with Two Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 04730E6 | Dilation of Hepatic Artery, Bifurcation, with Two Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 04733E6 | Dilation of Hepatic Artery, Bifurcation, with Two Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 04734E6 | Dilation of Hepatic Artery, Bifurcation, with Two Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 04740E6 | Dilation of Splenic Artery, Bifurcation, with Two Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 04743E6 | Dilation of Splenic Artery, Bifurcation, with Two Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 04744E6 | Dilation of Splenic Artery, Bifurcation, with Two Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 04750E6 | Dilation of Superior Mesenteric Artery, Bifurcation, with Two Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 04753E6 | Dilation of Superior Mesenteric Artery, Bifurcation, with Two Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 04754E6 | Dilation of Superior Mesenteric Artery, Bifurcation, with Two Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 04760E6 | Dilation of Right Colic Artery, Bifurcation, with Two Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 04763E6 | Dilation of Right Colic Artery, Bifurcation, with Two Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 04764E6 | Dilation of Right Colic Artery, Bifurcation, with Two Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 04770E6 | Dilation of Left Colic Artery, Bifurcation, with Two Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |

List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|--|----------------------|
| 04773E6 | Dilation of Left Colic Artery, Bifurcation, with Two Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 04774E6 | Dilation of Left Colic Artery, Bifurcation, with Two Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 04780E6 | Dilation of Middle Colic Artery, Bifurcation, with Two Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 04783E6 | Dilation of Middle Colic Artery, Bifurcation, with Two Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 04784E6 | Dilation of Middle Colic Artery, Bifurcation, with Two Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 04790E6 | Dilation of Right Renal Artery, Bifurcation, with Two Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 04793E6 | Dilation of Right Renal Artery, Bifurcation, with Two Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 04794E6 | Dilation of Right Renal Artery, Bifurcation, with Two Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047E046 | Dilation of Right Internal Iliac Artery, Bifurcation, with Drug-eluting Intraluminal Device, Open Approach | ICD-10-PCS Procedure |
| 047E056 | Dilation of Right Internal Iliac Artery, Bifurcation, with Two Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 047E066 | Dilation of Right Internal Iliac Artery, Bifurcation, with Three Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 047E076 | Dilation of Right Internal Iliac Artery, Bifurcation, with Four or More Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 041E099 | Bypass Right Internal Iliac Artery to Right Internal Iliac Artery with Autologous Venous Tissue, Open Approach | ICD-10-PCS Procedure |
| 027W04Z | Dilation of Thoracic Aorta, Descending with Drug-eluting Intraluminal Device, Open Approach | ICD-10-PCS Procedure |
| 027W0DZ | Dilation of Thoracic Aorta, Descending with Intraluminal Device, Open Approach | ICD-10-PCS Procedure |
| 027W0ZZ | Dilation of Thoracic Aorta, Descending, Open Approach | ICD-10-PCS Procedure |
| 027W34Z | Dilation of Thoracic Aorta, Descending with Drug-eluting Intraluminal Device, Percutaneous Approach | ICD-10-PCS Procedure |
| 027W3DZ | Dilation of Thoracic Aorta, Descending with Intraluminal Device, Percutaneous Approach | ICD-10-PCS Procedure |
| 027W3ZZ | Dilation of Thoracic Aorta, Descending, Percutaneous Approach | ICD-10-PCS Procedure |
| 027W44Z | Dilation of Thoracic Aorta, Descending with Drug-eluting Intraluminal Device, Percutaneous Approach | ICD-10-PCS Procedure |
| 027W4DZ | Dilation of Thoracic Aorta, Descending with Intraluminal Device, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 027W4ZZ | Dilation of Thoracic Aorta, Descending, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 027X04Z | Dilation of Thoracic Aorta, Ascending/Arch with Drug-eluting Intraluminal Device, Percutaneous Approach | ICD-10-PCS Procedure |



List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|---|----------------------|
| 027X0DZ | Dilation of Thoracic Aorta, Ascending/Arch with Intraluminal Device, Open Approach | ICD-10-PCS Procedure |
| 027X0ZZ | Dilation of Thoracic Aorta, Ascending/Arch, Open Approach | ICD-10-PCS Procedure |
| 027X34Z | Dilation of Thoracic Aorta, Ascending/Arch with Drug-eluting Intraluminal Device, | ICD-10-PCS Procedure |
| 027X3DZ | Dilation of Thoracic Aorta, Ascending/Arch with Intraluminal Device, Percutaneous Approach | ICD-10-PCS Procedure |
| 027X3ZZ | Dilation of Thoracic Aorta, Ascending/Arch, Percutaneous Approach | ICD-10-PCS Procedure |
| 027X44Z | Dilation of Thoracic Aorta, Ascending/Arch with Drug-eluting Intraluminal Device, | ICD-10-PCS Procedure |
| 027X4DZ | Dilation of Thoracic Aorta, Ascending/Arch with Intraluminal Device, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 027X4ZZ | Dilation of Thoracic Aorta, Ascending/Arch, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 037004Z | Dilation of Right Internal Mammary Artery with Drug-eluting Intraluminal Device, | ICD-10-PCS Procedure |
| 037005Z | Dilation of Right Internal Mammary Artery with Two Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 037006Z | Dilation of Right Internal Mammary Artery with Three Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 037007Z | Dilation of Right Internal Mammary Artery with Four or More Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 03700D6 | Dilation of Right Internal Mammary Artery, Bifurcation, with Intraluminal Device, Open Approach | ICD-10-PCS Procedure |
| 03700DZ | Dilation of Right Internal Mammary Artery with Intraluminal Device, Open Approach | ICD-10-PCS Procedure |
| 03700EZ | Dilation of Right Internal Mammary Artery with Two Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 03700F6 | Dilation of Right Internal Mammary Artery, Bifurcation, with Three Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 03700FZ | Dilation of Right Internal Mammary Artery with Three Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 03700G6 | Dilation of Right Internal Mammary Artery, Bifurcation, with Four or More Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 03700GZ | Dilation of Right Internal Mammary Artery with Four or More Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 03700Z6 | Dilation of Right Internal Mammary Artery, Bifurcation, Open Approach | ICD-10-PCS Procedure |
| 03700ZZ | Dilation of Right Internal Mammary Artery, Open Approach | ICD-10-PCS Procedure |
| 037034Z | Dilation of Right Internal Mammary Artery with Drug-eluting Intraluminal Device, Percutaneous Approach | ICD-10-PCS Procedure |
| 037035Z | Dilation of Right Internal Mammary Artery with Two Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 037036Z | Dilation of Right Internal Mammary Artery with Three Drug-eluting Intraluminal | ICD-10-PCS Procedure |

List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|--|----------------------|
| 037037Z | Dilation of Right Internal Mammary Artery with Four or More Drug-eluting | ICD-10-PCS Procedure |
| 03703D6 | Dilation of Right Internal Mammary Artery, Bifurcation, with Intraluminal Device, Percutaneous Approach | ICD-10-PCS Procedure |
| 03703DZ | Dilation of Right Internal Mammary Artery with Intraluminal Device, Percutaneous Approach | ICD-10-PCS Procedure |
| 03703EZ | Dilation of Right Internal Mammary Artery with Two Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 03703F6 | Dilation of Right Internal Mammary Artery, Bifurcation, with Three Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 03703FZ | Dilation of Right Internal Mammary Artery with Three Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 03703G6 | Dilation of Right Internal Mammary Artery, Bifurcation, with Four or More Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 03703GZ | Dilation of Right Internal Mammary Artery with Four or More Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 03703Z6 | Dilation of Right Internal Mammary Artery, Bifurcation, Percutaneous Approach | ICD-10-PCS Procedure |
| 03703ZZ | Dilation of Right Internal Mammary Artery, Percutaneous Approach | ICD-10-PCS Procedure |
| 037044Z | Dilation of Right Internal Mammary Artery with Drug-eluting Intraluminal Device, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 037045Z | Dilation of Right Internal Mammary Artery with Two Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 037046Z | Dilation of Right Internal Mammary Artery with Three Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 037047Z | Dilation of Right Internal Mammary Artery with Four or More Drug-eluting | ICD-10-PCS Procedure |
| 03704D6 | Dilation of Right Internal Mammary Artery, Bifurcation, with Intraluminal Device, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 03704DZ | Dilation of Right Internal Mammary Artery with Intraluminal Device, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 03704EZ | Dilation of Right Internal Mammary Artery with Two Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 03704F6 | Dilation of Right Internal Mammary Artery, Bifurcation, with Three Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 03704FZ | Dilation of Right Internal Mammary Artery with Three Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 03704G6 | Dilation of Right Internal Mammary Artery, Bifurcation, with Four or More Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 03704GZ | Dilation of Right Internal Mammary Artery with Four or More Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 03704Z6 | Dilation of Right Internal Mammary Artery, Bifurcation, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |



List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|---|----------------------|
| 03704ZZ | Dilation of Right Internal Mammary Artery, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 037104Z | Dilation of Left Internal Mammary Artery with Drug-eluting Intraluminal Device, Open Approach | ICD-10-PCS Procedure |
| 037105Z | Dilation of Left Internal Mammary Artery with Two Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 037106Z | Dilation of Left Internal Mammary Artery with Three Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 037107Z | Dilation of Left Internal Mammary Artery with Four or More Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 03710D6 | Dilation of Left Internal Mammary Artery, Bifurcation, with Intraluminal Device, Open Approach | ICD-10-PCS Procedure |
| 03710DZ | Dilation of Left Internal Mammary Artery with Intraluminal Device, Open Approach | ICD-10-PCS Procedure |
| 03710EZ | Dilation of Left Internal Mammary Artery with Two Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 03710F6 | Dilation of Left Internal Mammary Artery, Bifurcation, with Three Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 03710FZ | Dilation of Left Internal Mammary Artery with Three Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 03710G6 | Dilation of Left Internal Mammary Artery, Bifurcation, with Four or More Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 03710GZ | Dilation of Left Internal Mammary Artery with Four or More Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 03710Z6 | Dilation of Left Internal Mammary Artery, Bifurcation, Open Approach | ICD-10-PCS Procedure |
| 03710ZZ | Dilation of Left Internal Mammary Artery, Open Approach | ICD-10-PCS Procedure |
| 037134Z | Dilation of Left Internal Mammary Artery with Drug-eluting Intraluminal Device, Percutaneous Approach | ICD-10-PCS Procedure |
| 037135Z | Dilation of Left Internal Mammary Artery with Two Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 037136Z | Dilation of Left Internal Mammary Artery with Three Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 037137Z | Dilation of Left Internal Mammary Artery with Four or More Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 03713D6 | Dilation of Left Internal Mammary Artery, Bifurcation, with Intraluminal Device, Percutaneous Approach | ICD-10-PCS Procedure |
| 03713DZ | Dilation of Left Internal Mammary Artery with Intraluminal Device, Percutaneous Approach | ICD-10-PCS Procedure |
| 03713EZ | Dilation of Left Internal Mammary Artery with Two Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 03713F6 | Dilation of Left Internal Mammary Artery, Bifurcation, with Three Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 03713FZ | Dilation of Left Internal Mammary Artery with Three Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |

List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|---|----------------------|
| 03713G6 | Dilation of Left Internal Mammary Artery, Bifurcation, with Four or More Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 03713GZ | Dilation of Left Internal Mammary Artery with Four or More Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 03713Z6 | Dilation of Left Internal Mammary Artery, Bifurcation, Percutaneous Approach | ICD-10-PCS Procedure |
| 03713ZZ | Dilation of Left Internal Mammary Artery, Percutaneous Approach | ICD-10-PCS Procedure |
| 037144Z | Dilation of Left Internal Mammary Artery with Drug-eluting Intraluminal Device, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 037145Z | Dilation of Left Internal Mammary Artery with Two Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 037146Z | Dilation of Left Internal Mammary Artery with Three Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 037147Z | Dilation of Left Internal Mammary Artery with Four or More Drug-eluting | ICD-10-PCS Procedure |
| 03714D6 | Dilation of Left Internal Mammary Artery, Bifurcation, with Intraluminal Device, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 03714DZ | Dilation of Left Internal Mammary Artery with Intraluminal Device, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 03714EZ | Dilation of Left Internal Mammary Artery with Two Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 03714F6 | Dilation of Left Internal Mammary Artery, Bifurcation, with Three Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 03714FZ | Dilation of Left Internal Mammary Artery with Three Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 03714G6 | Dilation of Left Internal Mammary Artery, Bifurcation, with Four or More Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 03714GZ | Dilation of Left Internal Mammary Artery with Four or More Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 03714Z6 | Dilation of Left Internal Mammary Artery, Bifurcation, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 03714ZZ | Dilation of Left Internal Mammary Artery, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 037204Z | Dilation of Innominate Artery with Drug-eluting Intraluminal Device, Open Approach | ICD-10-PCS Procedure |
| 037205Z | Dilation of Innominate Artery with Two Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 037206Z | Dilation of Innominate Artery with Three Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 037207Z | Dilation of Innominate Artery with Four or More Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 03720D6 | Dilation of Innominate Artery, Bifurcation, with Intraluminal Device, Open Approach | ICD-10-PCS Procedure |
| 03720DZ | Dilation of Innominate Artery with Intraluminal Device, Open Approach | ICD-10-PCS Procedure |
| 03720EZ | Dilation of Innominate Artery with Two Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |



List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|--|----------------------|
| 03720F6 | Dilation of Innominate Artery, Bifurcation, with Three Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 03720FZ | Dilation of Innominate Artery with Three Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 03720G6 | Dilation of Innominate Artery, Bifurcation, with Four or More Intraluminal Devices, | ICD-10-PCS Procedure |
| 03720GZ | Dilation of Innominate Artery with Four or More Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 03720Z6 | Dilation of Innominate Artery, Bifurcation, Open Approach | ICD-10-PCS Procedure |
| 03720ZZ | Dilation of Innominate Artery, Open Approach | ICD-10-PCS Procedure |
| 037234Z | Dilation of Innominate Artery with Drug-eluting Intraluminal Device, Percutaneous Approach | ICD-10-PCS Procedure |
| 037235Z | Dilation of Innominate Artery with Two Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 037236Z | Dilation of Innominate Artery with Three Drug-eluting Intraluminal Devices, | ICD-10-PCS Procedure |
| 037237Z | Dilation of Innominate Artery with Four or More Drug-eluting Intraluminal Devices, | ICD-10-PCS Procedure |
| 03723D6 | Dilation of Innominate Artery, Bifurcation, with Intraluminal Device, Percutaneous Approach | ICD-10-PCS Procedure |
| 03723DZ | Dilation of Innominate Artery with Intraluminal Device, Percutaneous Approach | ICD-10-PCS Procedure |
| 03723EZ | Dilation of Innominate Artery with Two Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 03723F6 | Dilation of Innominate Artery, Bifurcation, with Three Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 03723FZ | Dilation of Innominate Artery with Three Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 03723G6 | Dilation of Innominate Artery, Bifurcation, with Four or More Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 03723GZ | Dilation of Innominate Artery with Four or More Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 03723Z6 | Dilation of Innominate Artery, Bifurcation, Percutaneous Approach | ICD-10-PCS Procedure |
| 03723ZZ | Dilation of Innominate Artery, Percutaneous Approach | ICD-10-PCS Procedure |
| 037244Z | Dilation of Innominate Artery with Drug-eluting Intraluminal Device, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 037245Z | Dilation of Innominate Artery with Two Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 037246Z | Dilation of Innominate Artery with Three Drug-eluting Intraluminal Devices, | ICD-10-PCS Procedure |
| 037247Z | Dilation of Innominate Artery with Four or More Drug-eluting Intraluminal Devices, | ICD-10-PCS Procedure |
| 03724D6 | Dilation of Innominate Artery, Bifurcation, with Intraluminal Device, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 03724DZ | Dilation of Innominate Artery with Intraluminal Device, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 03724EZ | Dilation of Innominate Artery with Two Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |



List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|--|----------------------|
| 03724F6 | Dilation of Innominate Artery, Bifurcation, with Three Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 03724FZ | Dilation of Innominate Artery with Three Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 03724G6 | Dilation of Innominate Artery, Bifurcation, with Four or More Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 03724GZ | Dilation of Innominate Artery with Four or More Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 03724Z6 | Dilation of Innominate Artery, Bifurcation, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 03724ZZ | Dilation of Innominate Artery, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 037304Z | Dilation of Right Subclavian Artery with Drug-eluting Intraluminal Device, Open Approach | ICD-10-PCS Procedure |
| 037305Z | Dilation of Right Subclavian Artery with Two Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 037306Z | Dilation of Right Subclavian Artery with Three Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 037307Z | Dilation of Right Subclavian Artery with Four or More Drug-eluting Intraluminal | ICD-10-PCS Procedure |
| 03730D6 | Dilation of Right Subclavian Artery, Bifurcation, with Intraluminal Device, Open Approach | ICD-10-PCS Procedure |
| 03730DZ | Dilation of Right Subclavian Artery with Intraluminal Device, Open Approach | ICD-10-PCS Procedure |
| 03730EZ | Dilation of Right Subclavian Artery with Two Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 03730F6 | Dilation of Right Subclavian Artery, Bifurcation, with Three Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 03730FZ | Dilation of Right Subclavian Artery with Three Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 03730G6 | Dilation of Right Subclavian Artery, Bifurcation, with Four or More Intraluminal | ICD-10-PCS Procedure |
| 03730GZ | Dilation of Right Subclavian Artery with Four or More Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 03730Z6 | Dilation of Right Subclavian Artery, Bifurcation, Open Approach | ICD-10-PCS Procedure |
| 03730ZZ | Dilation of Right Subclavian Artery, Open Approach | ICD-10-PCS Procedure |
| 037334Z | Dilation of Right Subclavian Artery with Drug-eluting Intraluminal Device, Percutaneous Approach | ICD-10-PCS Procedure |
| 037335Z | Dilation of Right Subclavian Artery with Two Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 037336Z | Dilation of Right Subclavian Artery with Three Drug-eluting Intraluminal Devices, | ICD-10-PCS Procedure |
| 037337Z | Dilation of Right Subclavian Artery with Four or More Drug-eluting Intraluminal | ICD-10-PCS Procedure |
| 03733D6 | Dilation of Right Subclavian Artery, Bifurcation, with Intraluminal Device, Percutaneous Approach | ICD-10-PCS Procedure |
| 03733DZ | Dilation of Right Subclavian Artery with Intraluminal Device, Percutaneous Approach | ICD-10-PCS Procedure |



List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|--|----------------------|
| 03733EZ | Dilation of Right Subclavian Artery with Two Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 03733F6 | Dilation of Right Subclavian Artery, Bifurcation, with Three Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 03733FZ | Dilation of Right Subclavian Artery with Three Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 03733G6 | Dilation of Right Subclavian Artery, Bifurcation, with Four or More Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 03733GZ | Dilation of Right Subclavian Artery with Four or More Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 03733Z6 | Dilation of Right Subclavian Artery, Bifurcation, Percutaneous Approach | ICD-10-PCS Procedure |
| 03733ZZ | Dilation of Right Subclavian Artery, Percutaneous Approach | ICD-10-PCS Procedure |
| 037344Z | Dilation of Right Subclavian Artery with Drug-eluting Intraluminal Device, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 037345Z | Dilation of Right Subclavian Artery with Two Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 037346Z | Dilation of Right Subclavian Artery with Three Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 037347Z | Dilation of Right Subclavian Artery with Four or More Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 03734D6 | Dilation of Right Subclavian Artery, Bifurcation, with Intraluminal Device, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 03734DZ | Dilation of Right Subclavian Artery with Intraluminal Device, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 03734EZ | Dilation of Right Subclavian Artery with Two Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 03734F6 | Dilation of Right Subclavian Artery, Bifurcation, with Three Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 03734FZ | Dilation of Right Subclavian Artery with Three Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 03734G6 | Dilation of Right Subclavian Artery, Bifurcation, with Four or More Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 03734GZ | Dilation of Right Subclavian Artery with Four or More Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 03734Z6 | Dilation of Right Subclavian Artery, Bifurcation, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 03734ZZ | Dilation of Right Subclavian Artery, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 037404Z | Dilation of Left Subclavian Artery with Drug-eluting Intraluminal Device, Open Approach | ICD-10-PCS Procedure |
| 037405Z | Dilation of Left Subclavian Artery with Two Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 037406Z | Dilation of Left Subclavian Artery with Three Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 037407Z | Dilation of Left Subclavian Artery with Four or More Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |



List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|---|----------------------|
| 03740D6 | Dilation of Left Subclavian Artery, Bifurcation, with Intraluminal Device, Open Approach | ICD-10-PCS Procedure |
| 03740DZ | Dilation of Left Subclavian Artery with Intraluminal Device, Open Approach | ICD-10-PCS Procedure |
| 03740EZ | Dilation of Left Subclavian Artery with Two Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 03740F6 | Dilation of Left Subclavian Artery, Bifurcation, with Three Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 03740FZ | Dilation of Left Subclavian Artery with Three Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 03740G6 | Dilation of Left Subclavian Artery, Bifurcation, with Four or More Intraluminal | ICD-10-PCS Procedure |
| 03740GZ | Dilation of Left Subclavian Artery with Four or More Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 03740Z6 | Dilation of Left Subclavian Artery, Bifurcation, Open Approach | ICD-10-PCS Procedure |
| 03740ZZ | Dilation of Left Subclavian Artery, Open Approach | ICD-10-PCS Procedure |
| 037434Z | Dilation of Left Subclavian Artery with Drug-eluting Intraluminal Device, Percutaneous Approach | ICD-10-PCS Procedure |
| 037435Z | Dilation of Left Subclavian Artery with Two Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 037436Z | Dilation of Left Subclavian Artery with Three Drug-eluting Intraluminal Devices, | ICD-10-PCS Procedure |
| 037437Z | Dilation of Left Subclavian Artery with Four or More Drug-eluting Intraluminal | ICD-10-PCS Procedure |
| 03743D6 | Dilation of Left Subclavian Artery, Bifurcation, with Intraluminal Device, Percutaneous Approach | ICD-10-PCS Procedure |
| 03743DZ | Dilation of Left Subclavian Artery with Intraluminal Device, Percutaneous Approach | ICD-10-PCS Procedure |
| 03743EZ | Dilation of Left Subclavian Artery with Two Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 03743F6 | Dilation of Left Subclavian Artery, Bifurcation, with Three Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 03743FZ | Dilation of Left Subclavian Artery with Three Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 03743G6 | Dilation of Left Subclavian Artery, Bifurcation, with Four or More Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 03743GZ | Dilation of Left Subclavian Artery with Four or More Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 03743Z6 | Dilation of Left Subclavian Artery, Bifurcation, Percutaneous Approach | ICD-10-PCS Procedure |
| 03743ZZ | Dilation of Left Subclavian Artery, Percutaneous Approach | ICD-10-PCS Procedure |
| 037444Z | Dilation of Left Subclavian Artery with Drug-eluting Intraluminal Device, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 037445Z | Dilation of Left Subclavian Artery with Two Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 037446Z | Dilation of Left Subclavian Artery with Three Drug-eluting Intraluminal Devices, | ICD-10-PCS Procedure |
| 037447Z | Dilation of Left Subclavian Artery with Four or More Drug-eluting Intraluminal | ICD-10-PCS Procedure |

List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|---|----------------------|
| 03744D6 | Dilation of Left Subclavian Artery, Bifurcation, with Intraluminal Device, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 03744DZ | Dilation of Left Subclavian Artery with Intraluminal Device, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 03744EZ | Dilation of Left Subclavian Artery with Two Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 03744F6 | Dilation of Left Subclavian Artery, Bifurcation, with Three Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 03744FZ | Dilation of Left Subclavian Artery with Three Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 03744G6 | Dilation of Left Subclavian Artery, Bifurcation, with Four or More Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 03744GZ | Dilation of Left Subclavian Artery with Four or More Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 03744Z6 | Dilation of Left Subclavian Artery, Bifurcation, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 03744ZZ | Dilation of Left Subclavian Artery, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 037504Z | Dilation of Right Axillary Artery with Drug-eluting Intraluminal Device, Open Approach | ICD-10-PCS Procedure |
| 037505Z | Dilation of Right Axillary Artery with Two Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 037506Z | Dilation of Right Axillary Artery with Three Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 037507Z | Dilation of Right Axillary Artery with Four or More Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 03750D6 | Dilation of Right Axillary Artery, Bifurcation, with Intraluminal Device, Open Approach | ICD-10-PCS Procedure |
| 03750DZ | Dilation of Right Axillary Artery with Intraluminal Device, Open Approach | ICD-10-PCS Procedure |
| 03750EZ | Dilation of Right Axillary Artery with Two Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 03750F6 | Dilation of Right Axillary Artery, Bifurcation, with Three Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 03750FZ | Dilation of Right Axillary Artery with Three Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 03750G6 | Dilation of Right Axillary Artery, Bifurcation, with Four or More Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 03750GZ | Dilation of Right Axillary Artery with Four or More Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 03750Z6 | Dilation of Right Axillary Artery, Bifurcation, Open Approach | ICD-10-PCS Procedure |
| 03750ZZ | Dilation of Right Axillary Artery, Open Approach | ICD-10-PCS Procedure |
| 037534Z | Dilation of Right Axillary Artery with Drug-eluting Intraluminal Device, Percutaneous Approach | ICD-10-PCS Procedure |
| 037535Z | Dilation of Right Axillary Artery with Two Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 037536Z | Dilation of Right Axillary Artery with Three Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |



List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|--|----------------------|
| 037537Z | Dilation of Right Axillary Artery with Four or More Drug-eluting Intraluminal Devices, | ICD-10-PCS Procedure |
| 03753D6 | Dilation of Right Axillary Artery, Bifurcation, with Intraluminal Device, Percutaneous Approach | ICD-10-PCS Procedure |
| 03753DZ | Dilation of Right Axillary Artery with Intraluminal Device, Percutaneous Approach | ICD-10-PCS Procedure |
| 03753EZ | Dilation of Right Axillary Artery with Two Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 03753F6 | Dilation of Right Axillary Artery, Bifurcation, with Three Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 03753FZ | Dilation of Right Axillary Artery with Three Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 03753G6 | Dilation of Right Axillary Artery, Bifurcation, with Four or More Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 03753GZ | Dilation of Right Axillary Artery with Four or More Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 03753Z6 | Dilation of Right Axillary Artery, Bifurcation, Percutaneous Approach | ICD-10-PCS Procedure |
| 03753ZZ | Dilation of Right Axillary Artery, Percutaneous Approach | ICD-10-PCS Procedure |
| 037544Z | Dilation of Right Axillary Artery with Drug-eluting Intraluminal Device, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 037545Z | Dilation of Right Axillary Artery with Two Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 037546Z | Dilation of Right Axillary Artery with Three Drug-eluting Intraluminal Devices, | ICD-10-PCS Procedure |
| 037547Z | Dilation of Right Axillary Artery with Four or More Drug-eluting Intraluminal Devices, | ICD-10-PCS Procedure |
| 03754D6 | Dilation of Right Axillary Artery, Bifurcation, with Intraluminal Device, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 03754DZ | Dilation of Right Axillary Artery with Intraluminal Device, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 03754EZ | Dilation of Right Axillary Artery with Two Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 03754F6 | Dilation of Right Axillary Artery, Bifurcation, with Three Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 03754FZ | Dilation of Right Axillary Artery with Three Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 03754G6 | Dilation of Right Axillary Artery, Bifurcation, with Four or More Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 03754GZ | Dilation of Right Axillary Artery with Four or More Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 03754Z6 | Dilation of Right Axillary Artery, Bifurcation, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 03754ZZ | Dilation of Right Axillary Artery, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |



List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|--|----------------------|
| 037604Z | Dilation of Left Axillary Artery with Drug-eluting Intraluminal Device, Open Approach | ICD-10-PCS Procedure |
| 037605Z | Dilation of Left Axillary Artery with Two Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 037606Z | Dilation of Left Axillary Artery with Three Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 037607Z | Dilation of Left Axillary Artery with Four or More Drug-eluting Intraluminal Devices, | ICD-10-PCS Procedure |
| 03760D6 | Dilation of Left Axillary Artery, Bifurcation, with Intraluminal Device, Open Approach | ICD-10-PCS Procedure |
| 03760DZ | Dilation of Left Axillary Artery with Intraluminal Device, Open Approach | ICD-10-PCS Procedure |
| 03760EZ | Dilation of Left Axillary Artery with Two Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 03760F6 | Dilation of Left Axillary Artery, Bifurcation, with Three Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 03760FZ | Dilation of Left Axillary Artery with Three Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 03760G6 | Dilation of Left Axillary Artery, Bifurcation, with Four or More Intraluminal Devices, | ICD-10-PCS Procedure |
| 03760GZ | Dilation of Left Axillary Artery with Four or More Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 03760Z6 | Dilation of Left Axillary Artery, Bifurcation, Open Approach | ICD-10-PCS Procedure |
| 03760ZZ | Dilation of Left Axillary Artery, Open Approach | ICD-10-PCS Procedure |
| 037634Z | Dilation of Left Axillary Artery with Drug-eluting Intraluminal Device, Percutaneous Approach | ICD-10-PCS Procedure |
| 037635Z | Dilation of Left Axillary Artery with Two Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 037636Z | Dilation of Left Axillary Artery with Three Drug-eluting Intraluminal Devices, | ICD-10-PCS Procedure |
| 037637Z | Dilation of Left Axillary Artery with Four or More Drug-eluting Intraluminal Devices, | ICD-10-PCS Procedure |
| 03763D6 | Dilation of Left Axillary Artery, Bifurcation, with Intraluminal Device, Percutaneous Approach | ICD-10-PCS Procedure |
| 03763DZ | Dilation of Left Axillary Artery with Intraluminal Device, Percutaneous Approach | ICD-10-PCS Procedure |
| 03763EZ | Dilation of Left Axillary Artery with Two Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 03763F6 | Dilation of Left Axillary Artery, Bifurcation, with Three Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 03763FZ | Dilation of Left Axillary Artery with Three Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 03763G6 | Dilation of Left Axillary Artery, Bifurcation, with Four or More Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 03763GZ | Dilation of Left Axillary Artery with Four or More Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 03763Z6 | Dilation of Left Axillary Artery, Bifurcation, Percutaneous Approach | ICD-10-PCS Procedure |
| 03763ZZ | Dilation of Left Axillary Artery, Percutaneous Approach | ICD-10-PCS Procedure |



List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|---|----------------------|
| 037644Z | Dilation of Left Axillary Artery with Drug-eluting Intraluminal Device, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 037645Z | Dilation of Left Axillary Artery with Two Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 037646Z | Dilation of Left Axillary Artery with Three Drug-eluting Intraluminal Devices, | ICD-10-PCS Procedure |
| 037647Z | Dilation of Left Axillary Artery with Four or More Drug-eluting Intraluminal Devices, | ICD-10-PCS Procedure |
| 03764D6 | Dilation of Left Axillary Artery, Bifurcation, with Intraluminal Device, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 03764DZ | Dilation of Left Axillary Artery with Intraluminal Device, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 03764EZ | Dilation of Left Axillary Artery with Two Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 03764F6 | Dilation of Left Axillary Artery, Bifurcation, with Three Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 03764FZ | Dilation of Left Axillary Artery with Three Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 03764G6 | Dilation of Left Axillary Artery, Bifurcation, with Four or More Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 03764GZ | Dilation of Left Axillary Artery with Four or More Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 03764Z6 | Dilation of Left Axillary Artery, Bifurcation, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 03764ZZ | Dilation of Left Axillary Artery, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 037704Z | Dilation of Right Brachial Artery with Drug-eluting Intraluminal Device, Open Approach | ICD-10-PCS Procedure |
| 037705Z | Dilation of Right Brachial Artery with Two Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 037706Z | Dilation of Right Brachial Artery with Three Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 037707Z | Dilation of Right Brachial Artery with Four or More Drug-eluting Intraluminal | ICD-10-PCS Procedure |
| 03770D6 | Dilation of Right Brachial Artery, Bifurcation, with Intraluminal Device, Open Approach | ICD-10-PCS Procedure |
| 03770DZ | Dilation of Right Brachial Artery with Intraluminal Device, Open Approach | ICD-10-PCS Procedure |
| 03770EZ | Dilation of Right Brachial Artery with Two Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 03770F6 | Dilation of Right Brachial Artery, Bifurcation, with Three Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 03770FZ | Dilation of Right Brachial Artery with Three Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 03770G6 | Dilation of Right Brachial Artery, Bifurcation, with Four or More Intraluminal | ICD-10-PCS Procedure |
| 03770GZ | Dilation of Right Brachial Artery with Four or More Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 03770Z6 | Dilation of Right Brachial Artery, Bifurcation, Open Approach | ICD-10-PCS Procedure |



List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|--|----------------------|
| 03770ZZ | Dilation of Right Brachial Artery, Open Approach | ICD-10-PCS Procedure |
| 037734Z | Dilation of Right Brachial Artery with Drug-eluting Intraluminal Device, Percutaneous Approach | ICD-10-PCS Procedure |
| 037735Z | Dilation of Right Brachial Artery with Two Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 037736Z | Dilation of Right Brachial Artery with Three Drug-eluting Intraluminal Devices, | ICD-10-PCS Procedure |
| 037737Z | Dilation of Right Brachial Artery with Four or More Drug-eluting Intraluminal | ICD-10-PCS Procedure |
| 03773D6 | Dilation of Right Brachial Artery, Bifurcation, with Intraluminal Device, Percutaneous Approach | ICD-10-PCS Procedure |
| 03773DZ | Dilation of Right Brachial Artery with Intraluminal Device, Percutaneous Approach | ICD-10-PCS Procedure |
| 03773EZ | Dilation of Right Brachial Artery with Two Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 03773F6 | Dilation of Right Brachial Artery, Bifurcation, with Three Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 03773FZ | Dilation of Right Brachial Artery with Three Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 03773G6 | Dilation of Right Brachial Artery, Bifurcation, with Four or More Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 03773GZ | Dilation of Right Brachial Artery with Four or More Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 03773Z6 | Dilation of Right Brachial Artery, Bifurcation, Percutaneous Approach | ICD-10-PCS Procedure |
| 03773ZZ | Dilation of Right Brachial Artery, Percutaneous Approach | ICD-10-PCS Procedure |
| 037744Z | Dilation of Right Brachial Artery with Drug-eluting Intraluminal Device, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 037745Z | Dilation of Right Brachial Artery with Two Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 037746Z | Dilation of Right Brachial Artery with Three Drug-eluting Intraluminal Devices, | ICD-10-PCS Procedure |
| 037747Z | Dilation of Right Brachial Artery with Four or More Drug-eluting Intraluminal | ICD-10-PCS Procedure |
| 03774D6 | Dilation of Right Brachial Artery, Bifurcation, with Intraluminal Device, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 03774DZ | Dilation of Right Brachial Artery with Intraluminal Device, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 03774EZ | Dilation of Right Brachial Artery with Two Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 03774F6 | Dilation of Right Brachial Artery, Bifurcation, with Three Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 03774FZ | Dilation of Right Brachial Artery with Three Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 03774G6 | Dilation of Right Brachial Artery, Bifurcation, with Four or More Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |



List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|--|----------------------|
| 03774GZ | Dilation of Right Brachial Artery with Four or More Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 03774Z6 | Dilation of Right Brachial Artery, Bifurcation, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 03774ZZ | Dilation of Right Brachial Artery, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 037804Z | Dilation of Left Brachial Artery with Drug-eluting Intraluminal Device, Open Approach | ICD-10-PCS Procedure |
| 037805Z | Dilation of Left Brachial Artery with Two Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 037806Z | Dilation of Left Brachial Artery with Three Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 037807Z | Dilation of Left Brachial Artery with Four or More Drug-eluting Intraluminal Devices, | ICD-10-PCS Procedure |
| 03780D6 | Dilation of Left Brachial Artery, Bifurcation, with Intraluminal Device, Open Approach | ICD-10-PCS Procedure |
| 03780DZ | Dilation of Left Brachial Artery with Intraluminal Device, Open Approach | ICD-10-PCS Procedure |
| 03780EZ | Dilation of Left Brachial Artery with Two Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 03780F6 | Dilation of Left Brachial Artery, Bifurcation, with Three Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 03780FZ | Dilation of Left Brachial Artery with Three Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 03780G6 | Dilation of Left Brachial Artery, Bifurcation, with Four or More Intraluminal Devices, | ICD-10-PCS Procedure |
| 03780GZ | Dilation of Left Brachial Artery with Four or More Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 03780Z6 | Dilation of Left Brachial Artery, Bifurcation, Open Approach | ICD-10-PCS Procedure |
| 03780ZZ | Dilation of Left Brachial Artery, Open Approach | ICD-10-PCS Procedure |
| 037834Z | Dilation of Left Brachial Artery with Drug-eluting Intraluminal Device, Percutaneous Approach | ICD-10-PCS Procedure |
| 037835Z | Dilation of Left Brachial Artery with Two Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 037836Z | Dilation of Left Brachial Artery with Three Drug-eluting Intraluminal Devices, | ICD-10-PCS Procedure |
| 037837Z | Dilation of Left Brachial Artery with Four or More Drug-eluting Intraluminal Devices, | ICD-10-PCS Procedure |
| 03783D6 | Dilation of Left Brachial Artery, Bifurcation, with Intraluminal Device, Percutaneous Approach | ICD-10-PCS Procedure |
| 03783DZ | Dilation of Left Brachial Artery with Intraluminal Device, Percutaneous Approach | ICD-10-PCS Procedure |
| 03783EZ | Dilation of Left Brachial Artery with Two Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 03783F6 | Dilation of Left Brachial Artery, Bifurcation, with Three Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 03783FZ | Dilation of Left Brachial Artery with Three Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |

List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|---|----------------------|
| 03783G6 | Dilation of Left Brachial Artery, Bifurcation, with Four or More Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 03783GZ | Dilation of Left Brachial Artery with Four or More Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 03783Z6 | Dilation of Left Brachial Artery, Bifurcation, Percutaneous Approach | ICD-10-PCS Procedure |
| 03783ZZ | Dilation of Left Brachial Artery, Percutaneous Approach | ICD-10-PCS Procedure |
| 037844Z | Dilation of Left Brachial Artery with Drug-eluting Intraluminal Device, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 037845Z | Dilation of Left Brachial Artery with Two Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 037846Z | Dilation of Left Brachial Artery with Three Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 037847Z | Dilation of Left Brachial Artery with Four or More Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 03784D6 | Dilation of Left Brachial Artery, Bifurcation, with Intraluminal Device, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 03784DZ | Dilation of Left Brachial Artery with Intraluminal Device, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 03784EZ | Dilation of Left Brachial Artery with Two Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 03784F6 | Dilation of Left Brachial Artery, Bifurcation, with Three Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 03784FZ | Dilation of Left Brachial Artery with Three Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 03784G6 | Dilation of Left Brachial Artery, Bifurcation, with Four or More Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 03784GZ | Dilation of Left Brachial Artery with Four or More Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 03784Z6 | Dilation of Left Brachial Artery, Bifurcation, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 03784ZZ | Dilation of Left Brachial Artery, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 037904Z | Dilation of Right Ulnar Artery with Drug-eluting Intraluminal Device, Open Approach | ICD-10-PCS Procedure |
| 037905Z | Dilation of Right Ulnar Artery with Two Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 037906Z | Dilation of Right Ulnar Artery with Three Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 037907Z | Dilation of Right Ulnar Artery with Four or More Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 03790D6 | Dilation of Right Ulnar Artery, Bifurcation, with Intraluminal Device, Open Approach | ICD-10-PCS Procedure |
| 03790DZ | Dilation of Right Ulnar Artery with Intraluminal Device, Open Approach | ICD-10-PCS Procedure |
| 03790EZ | Dilation of Right Ulnar Artery with Two Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 03790F6 | Dilation of Right Ulnar Artery, Bifurcation, with Three Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |



List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|---|----------------------|
| 03790FZ | Dilation of Right Ulnar Artery with Three Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 03790G6 | Dilation of Right Ulnar Artery, Bifurcation, with Four or More Intraluminal Devices, | ICD-10-PCS Procedure |
| 03790GZ | Dilation of Right Ulnar Artery with Four or More Intraluminal Devices, Open | ICD-10-PCS Procedure |
| 03790Z6 | Dilation of Right Ulnar Artery, Bifurcation, Open Approach | ICD-10-PCS Procedure |
| 03790ZZ | Dilation of Right Ulnar Artery, Open Approach | ICD-10-PCS Procedure |
| 037934Z | Dilation of Right Ulnar Artery with Drug-eluting Intraluminal Device, Percutaneous Approach | ICD-10-PCS Procedure |
| 037935Z | Dilation of Right Ulnar Artery with Two Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 037936Z | Dilation of Right Ulnar Artery with Three Drug-eluting Intraluminal Devices, | ICD-10-PCS Procedure |
| 037937Z | Dilation of Right Ulnar Artery with Four or More Drug-eluting Intraluminal Devices, | ICD-10-PCS Procedure |
| 03793D6 | Dilation of Right Ulnar Artery, Bifurcation, with Intraluminal Device, Percutaneous Approach | ICD-10-PCS Procedure |
| 03793DZ | Dilation of Right Ulnar Artery with Intraluminal Device, Percutaneous Approach | ICD-10-PCS Procedure |
| 03793EZ | Dilation of Right Ulnar Artery with Two Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 03793F6 | Dilation of Right Ulnar Artery, Bifurcation, with Three Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 03793FZ | Dilation of Right Ulnar Artery with Three Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 03793G6 | Dilation of Right Ulnar Artery, Bifurcation, with Four or More Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 03793GZ | Dilation of Right Ulnar Artery with Four or More Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 03793Z6 | Dilation of Right Ulnar Artery, Bifurcation, Percutaneous Approach | ICD-10-PCS Procedure |
| 03793ZZ | Dilation of Right Ulnar Artery, Percutaneous Approach | ICD-10-PCS Procedure |
| 037944Z | Dilation of Right Ulnar Artery with Drug-eluting Intraluminal Device, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 037945Z | Dilation of Right Ulnar Artery with Two Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 037946Z | Dilation of Right Ulnar Artery with Three Drug-eluting Intraluminal Devices, | ICD-10-PCS Procedure |
| 037947Z | Dilation of Right Ulnar Artery with Four or More Drug-eluting Intraluminal Devices, | ICD-10-PCS Procedure |
| 03794D6 | Dilation of Right Ulnar Artery, Bifurcation, with Intraluminal Device, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 03794DZ | Dilation of Right Ulnar Artery with Intraluminal Device, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 03794EZ | Dilation of Right Ulnar Artery with Two Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |

List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|---|----------------------|
| 03794F6 | Dilation of Right Ulnar Artery, Bifurcation, with Three Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 03794FZ | Dilation of Right Ulnar Artery with Three Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 03794G6 | Dilation of Right Ulnar Artery, Bifurcation, with Four or More Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 03794GZ | Dilation of Right Ulnar Artery with Four or More Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 03794Z6 | Dilation of Right Ulnar Artery, Bifurcation, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 03794ZZ | Dilation of Right Ulnar Artery, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 037A046 | Dilation of Left Ulnar Artery, Bifurcation, with Drug-eluting Intraluminal Device, Open Approach | ICD-10-PCS Procedure |
| 037A04Z | Dilation of Left Ulnar Artery with Drug-eluting Intraluminal Device, Open Approach | ICD-10-PCS Procedure |
| 037A056 | Dilation of Left Ulnar Artery, Bifurcation, with Two Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 037A05Z | Dilation of Left Ulnar Artery with Two Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 037A066 | Dilation of Left Ulnar Artery, Bifurcation, with Three Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 037A06Z | Dilation of Left Ulnar Artery with Three Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 037A076 | Dilation of Left Ulnar Artery, Bifurcation, with Four or More Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 037A07Z | Dilation of Left Ulnar Artery with Four or More Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 037A0D6 | Dilation of Left Ulnar Artery, Bifurcation, with Intraluminal Device, Open Approach | ICD-10-PCS Procedure |
| 037A0DZ | Dilation of Left Ulnar Artery with Intraluminal Device, Open Approach | ICD-10-PCS Procedure |
| 037A0E6 | Dilation of Left Ulnar Artery, Bifurcation, with Two Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 037A0EZ | Dilation of Left Ulnar Artery with Two Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 037A0F6 | Dilation of Left Ulnar Artery, Bifurcation, with Three Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 037A0FZ | Dilation of Left Ulnar Artery with Three Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 037A0G6 | Dilation of Left Ulnar Artery, Bifurcation, with Four or More Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 037A0GZ | Dilation of Left Ulnar Artery with Four or More Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 037A0Z6 | Dilation of Left Ulnar Artery, Bifurcation, Open Approach | ICD-10-PCS Procedure |
| 037A0ZZ | Dilation of Left Ulnar Artery, Open Approach | ICD-10-PCS Procedure |
| 037A346 | Dilation of Left Ulnar Artery, Bifurcation, with Drug-eluting Intraluminal Device, Percutaneous Approach | ICD-10-PCS Procedure |

List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|---|----------------------|
| 037A34Z | Dilation of Left Ulnar Artery with Drug-eluting Intraluminal Device, Percutaneous Approach | ICD-10-PCS Procedure |
| 037A356 | Dilation of Left Ulnar Artery, Bifurcation, with Two Drug-eluting Intraluminal | ICD-10-PCS Procedure |
| 037A35Z | Dilation of Left Ulnar Artery with Two Drug-eluting Intraluminal Devices, | ICD-10-PCS Procedure |
| 037A366 | Dilation of Left Ulnar Artery, Bifurcation, with Three Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 037A36Z | Dilation of Left Ulnar Artery with Three Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 037A376 | Dilation of Left Ulnar Artery, Bifurcation, with Four or More Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 037A37Z | Dilation of Left Ulnar Artery with Four or More Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 037A3D6 | Dilation of Left Ulnar Artery, Bifurcation, with Intraluminal Device, Percutaneous Approach | ICD-10-PCS Procedure |
| 037A3DZ | Dilation of Left Ulnar Artery with Intraluminal Device, Percutaneous Approach | ICD-10-PCS Procedure |
| 037A3E6 | Dilation of Left Ulnar Artery, Bifurcation, with Two Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 037A3EZ | Dilation of Left Ulnar Artery with Two Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 037A3F6 | Dilation of Left Ulnar Artery, Bifurcation, with Three Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 037A3FZ | Dilation of Left Ulnar Artery with Three Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 037A3G6 | Dilation of Left Ulnar Artery, Bifurcation, with Four or More Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 037A3GZ | Dilation of Left Ulnar Artery with Four or More Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 037A3Z6 | Dilation of Left Ulnar Artery, Bifurcation, Percutaneous Approach | ICD-10-PCS Procedure |
| 037A3ZZ | Dilation of Left Ulnar Artery, Percutaneous Approach | ICD-10-PCS Procedure |
| 037A446 | Dilation of Left Ulnar Artery, Bifurcation, with Drug-eluting Intraluminal Device, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 037A44Z | Dilation of Left Ulnar Artery with Drug-eluting Intraluminal Device, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 037A456 | Dilation of Left Ulnar Artery, Bifurcation, with Two Drug-eluting Intraluminal | ICD-10-PCS Procedure |
| 037A45Z | Dilation of Left Ulnar Artery with Two Drug-eluting Intraluminal Devices, | ICD-10-PCS Procedure |
| 037A466 | Dilation of Left Ulnar Artery, Bifurcation, with Three Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 037A46Z | Dilation of Left Ulnar Artery with Three Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 037A476 | Dilation of Left Ulnar Artery, Bifurcation, with Four or More Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |

List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|--|----------------------|
| 037A47Z | Dilation of Left Ulnar Artery with Four or More Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 037A4D6 | Dilation of Left Ulnar Artery, Bifurcation, with Intraluminal Device, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 037A4DZ | Dilation of Left Ulnar Artery with Intraluminal Device, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 037A4E6 | Dilation of Left Ulnar Artery, Bifurcation, with Two Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 037A4EZ | Dilation of Left Ulnar Artery with Two Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 037A4F6 | Dilation of Left Ulnar Artery, Bifurcation, with Three Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 037A4FZ | Dilation of Left Ulnar Artery with Three Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 037A4G6 | Dilation of Left Ulnar Artery, Bifurcation, with Four or More Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 037A4GZ | Dilation of Left Ulnar Artery with Four or More Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 037A4Z6 | Dilation of Left Ulnar Artery, Bifurcation, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 037A4ZZ | Dilation of Left Ulnar Artery, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 037B046 | Dilation of Right Radial Artery, Bifurcation, with Drug-eluting Intraluminal Device, Open Approach | ICD-10-PCS Procedure |
| 037B04Z | Dilation of Right Radial Artery with Drug-eluting Intraluminal Device, Open Approach | ICD-10-PCS Procedure |
| 037B056 | Dilation of Right Radial Artery, Bifurcation, with Two Drug-eluting Intraluminal | ICD-10-PCS Procedure |
| 037B05Z | Dilation of Right Radial Artery with Two Drug-eluting Intraluminal Devices, Open | ICD-10-PCS Procedure |
| 037B066 | Dilation of Right Radial Artery, Bifurcation, with Three Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 037B06Z | Dilation of Right Radial Artery with Three Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 037B076 | Dilation of Right Radial Artery, Bifurcation, with Four or More Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 037B07Z | Dilation of Right Radial Artery with Four or More Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 037B0D6 | Dilation of Right Radial Artery, Bifurcation, with Intraluminal Device, Open Approach | ICD-10-PCS Procedure |
| 037B0DZ | Dilation of Right Radial Artery with Intraluminal Device, Open Approach | ICD-10-PCS Procedure |
| 037B0E6 | Dilation of Right Radial Artery, Bifurcation, with Two Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 037B0EZ | Dilation of Right Radial Artery with Two Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 037B0F6 | Dilation of Right Radial Artery, Bifurcation, with Three Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |



List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|--|----------------------|
| 037B0FZ | Dilation of Right Radial Artery with Three Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 037B0G6 | Dilation of Right Radial Artery, Bifurcation, with Four or More Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 037B0GZ | Dilation of Right Radial Artery with Four or More Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 037B0Z6 | Dilation of Right Radial Artery, Bifurcation, Open Approach | ICD-10-PCS Procedure |
| 037B0ZZ | Dilation of Right Radial Artery, Open Approach | ICD-10-PCS Procedure |
| 037B346 | Dilation of Right Radial Artery, Bifurcation, with Drug-eluting Intraluminal Device, Percutaneous Approach | ICD-10-PCS Procedure |
| 037B34Z | Dilation of Right Radial Artery with Drug-eluting Intraluminal Device, Percutaneous Approach | ICD-10-PCS Procedure |
| 037B356 | Dilation of Right Radial Artery, Bifurcation, with Two Drug-eluting Intraluminal | ICD-10-PCS Procedure |
| 037B35Z | Dilation of Right Radial Artery with Two Drug-eluting Intraluminal Devices, | ICD-10-PCS Procedure |
| 037B366 | Dilation of Right Radial Artery, Bifurcation, with Three Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 037B36Z | Dilation of Right Radial Artery with Three Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 037B376 | Dilation of Right Radial Artery, Bifurcation, with Four or More Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 037B37Z | Dilation of Right Radial Artery with Four or More Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 037B3D6 | Dilation of Right Radial Artery, Bifurcation, with Intraluminal Device, Percutaneous Approach | ICD-10-PCS Procedure |
| 037B3DZ | Dilation of Right Radial Artery with Intraluminal Device, Percutaneous Approach | ICD-10-PCS Procedure |
| 037B3E6 | Dilation of Right Radial Artery, Bifurcation, with Two Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 037B3EZ | Dilation of Right Radial Artery with Two Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 037B3F6 | Dilation of Right Radial Artery, Bifurcation, with Three Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 037B3FZ | Dilation of Right Radial Artery with Three Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 037B3G6 | Dilation of Right Radial Artery, Bifurcation, with Four or More Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 037B3GZ | Dilation of Right Radial Artery with Four or More Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 037B3Z6 | Dilation of Right Radial Artery, Bifurcation, Percutaneous Approach | ICD-10-PCS Procedure |
| 037B3ZZ | Dilation of Right Radial Artery, Percutaneous Approach | ICD-10-PCS Procedure |
| 037B446 | Dilation of Right Radial Artery, Bifurcation, with Drug-eluting Intraluminal Device, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |



List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|---|----------------------|
| 037B44Z | Dilation of Right Radial Artery with Drug-eluting Intraluminal Device, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 037B456 | Dilation of Right Radial Artery, Bifurcation, with Two Drug-eluting Intraluminal | ICD-10-PCS Procedure |
| 037B45Z | Dilation of Right Radial Artery with Two Drug-eluting Intraluminal Devices, | ICD-10-PCS Procedure |
| 037B466 | Dilation of Right Radial Artery, Bifurcation, with Three Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 037B46Z | Dilation of Right Radial Artery with Three Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 037B476 | Dilation of Right Radial Artery, Bifurcation, with Four or More Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 037B47Z | Dilation of Right Radial Artery with Four or More Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 037B4D6 | Dilation of Right Radial Artery, Bifurcation, with Intraluminal Device, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 037B4DZ | Dilation of Right Radial Artery with Intraluminal Device, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 037B4E6 | Dilation of Right Radial Artery, Bifurcation, with Two Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 037B4EZ | Dilation of Right Radial Artery with Two Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 037B4F6 | Dilation of Right Radial Artery, Bifurcation, with Three Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 037B4FZ | Dilation of Right Radial Artery with Three Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 037B4G6 | Dilation of Right Radial Artery, Bifurcation, with Four or More Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 037B4GZ | Dilation of Right Radial Artery with Four or More Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 037B4Z6 | Dilation of Right Radial Artery, Bifurcation, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 037B4ZZ | Dilation of Right Radial Artery, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 037C046 | Dilation of Left Radial Artery, Bifurcation, with Drug-eluting Intraluminal Device, Open Approach | ICD-10-PCS Procedure |
| 037C04Z | Dilation of Left Radial Artery with Drug-eluting Intraluminal Device, Open Approach | ICD-10-PCS Procedure |
| 037C056 | Dilation of Left Radial Artery, Bifurcation, with Two Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 037C05Z | Dilation of Left Radial Artery with Two Drug-eluting Intraluminal Devices, Open | ICD-10-PCS Procedure |
| 037C066 | Dilation of Left Radial Artery, Bifurcation, with Three Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 037C06Z | Dilation of Left Radial Artery with Three Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |

List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|---|----------------------|
| 037C076 | Dilation of Left Radial Artery, Bifurcation, with Four or More Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 037C07Z | Dilation of Left Radial Artery with Four or More Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 037C0D6 | Dilation of Left Radial Artery, Bifurcation, with Intraluminal Device, Open Approach | ICD-10-PCS Procedure |
| 037C0DZ | Dilation of Left Radial Artery with Intraluminal Device, Open Approach | ICD-10-PCS Procedure |
| 037C0E6 | Dilation of Left Radial Artery, Bifurcation, with Two Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 037C0EZ | Dilation of Left Radial Artery with Two Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 037C0F6 | Dilation of Left Radial Artery, Bifurcation, with Three Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 037C0FZ | Dilation of Left Radial Artery with Three Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 037C0G6 | Dilation of Left Radial Artery, Bifurcation, with Four or More Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 037C0GZ | Dilation of Left Radial Artery with Four or More Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 037C0Z6 | Dilation of Left Radial Artery, Bifurcation, Open Approach | ICD-10-PCS Procedure |
| 037C0ZZ | Dilation of Left Radial Artery, Open Approach | ICD-10-PCS Procedure |
| 037C346 | Dilation of Left Radial Artery, Bifurcation, with Drug-eluting Intraluminal Device, Percutaneous Approach | ICD-10-PCS Procedure |
| 037C34Z | Dilation of Left Radial Artery with Drug-eluting Intraluminal Device, Percutaneous Approach | ICD-10-PCS Procedure |
| 037C356 | Dilation of Left Radial Artery, Bifurcation, with Two Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 037C35Z | Dilation of Left Radial Artery with Two Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 037C366 | Dilation of Left Radial Artery, Bifurcation, with Three Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 037C36Z | Dilation of Left Radial Artery with Three Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 037C376 | Dilation of Left Radial Artery, Bifurcation, with Four or More Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 037C37Z | Dilation of Left Radial Artery with Four or More Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 037C3D6 | Dilation of Left Radial Artery, Bifurcation, with Intraluminal Device, Percutaneous Approach | ICD-10-PCS Procedure |
| 037C3DZ | Dilation of Left Radial Artery with Intraluminal Device, Percutaneous Approach | ICD-10-PCS Procedure |
| 037C3E6 | Dilation of Left Radial Artery, Bifurcation, with Two Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 037C3EZ | Dilation of Left Radial Artery with Two Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 037C3F6 | Dilation of Left Radial Artery, Bifurcation, with Three Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |

List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|--|----------------------|
| 037C3FZ | Dilation of Left Radial Artery with Three Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 037C3G6 | Dilation of Left Radial Artery, Bifurcation, with Four or More Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 037C3GZ | Dilation of Left Radial Artery with Four or More Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 037C3Z6 | Dilation of Left Radial Artery, Bifurcation, Percutaneous Approach | ICD-10-PCS Procedure |
| 037C3ZZ | Dilation of Left Radial Artery, Percutaneous Approach | ICD-10-PCS Procedure |
| 037C446 | Dilation of Left Radial Artery, Bifurcation, with Drug-eluting Intraluminal Device, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 037C44Z | Dilation of Left Radial Artery with Drug-eluting Intraluminal Device, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 037C456 | Dilation of Left Radial Artery, Bifurcation, with Two Drug-eluting Intraluminal | ICD-10-PCS Procedure |
| 037C45Z | Dilation of Left Radial Artery with Two Drug-eluting Intraluminal Devices, | ICD-10-PCS Procedure |
| 037C466 | Dilation of Left Radial Artery, Bifurcation, with Three Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 037C46Z | Dilation of Left Radial Artery with Three Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 037C476 | Dilation of Left Radial Artery, Bifurcation, with Four or More Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 037C47Z | Dilation of Left Radial Artery with Four or More Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 037C4D6 | Dilation of Left Radial Artery, Bifurcation, with Intraluminal Device, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 037C4DZ | Dilation of Left Radial Artery with Intraluminal Device, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 037C4E6 | Dilation of Left Radial Artery, Bifurcation, with Two Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 037C4EZ | Dilation of Left Radial Artery with Two Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 037C4F6 | Dilation of Left Radial Artery, Bifurcation, with Three Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 037C4FZ | Dilation of Left Radial Artery with Three Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 037C4G6 | Dilation of Left Radial Artery, Bifurcation, with Four or More Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 037C4GZ | Dilation of Left Radial Artery with Four or More Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 037C4Z6 | Dilation of Left Radial Artery, Bifurcation, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 037C4ZZ | Dilation of Left Radial Artery, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 037D046 | Dilation of Right Hand Artery, Bifurcation, with Drug-eluting Intraluminal Device, Open Approach | ICD-10-PCS Procedure |



List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|--|----------------------|
| 037D04Z | Dilation of Right Hand Artery with Drug-eluting Intraluminal Device, Open Approach | ICD-10-PCS Procedure |
| 037D056 | Dilation of Right Hand Artery, Bifurcation, with Two Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 037D05Z | Dilation of Right Hand Artery with Two Drug-eluting Intraluminal Devices, Open | ICD-10-PCS Procedure |
| 037D066 | Dilation of Right Hand Artery, Bifurcation, with Three Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 037D06Z | Dilation of Right Hand Artery with Three Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 037D076 | Dilation of Right Hand Artery, Bifurcation, with Four or More Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 037D07Z | Dilation of Right Hand Artery with Four or More Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 037D0D6 | Dilation of Right Hand Artery, Bifurcation, with Intraluminal Device, Open Approach | ICD-10-PCS Procedure |
| 037D0DZ | Dilation of Right Hand Artery with Intraluminal Device, Open Approach | ICD-10-PCS Procedure |
| 037D0E6 | Dilation of Right Hand Artery, Bifurcation, with Two Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 037D0EZ | Dilation of Right Hand Artery with Two Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 037D0F6 | Dilation of Right Hand Artery, Bifurcation, with Three Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 037D0FZ | Dilation of Right Hand Artery with Three Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 037D0G6 | Dilation of Right Hand Artery, Bifurcation, with Four or More Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 037D0GZ | Dilation of Right Hand Artery with Four or More Intraluminal Devices, Open | ICD-10-PCS Procedure |
| 037D0Z6 | Dilation of Right Hand Artery, Bifurcation, Open Approach | ICD-10-PCS Procedure |
| 037D0ZZ | Dilation of Right Hand Artery, Open Approach | ICD-10-PCS Procedure |
| 037D346 | Dilation of Right Hand Artery, Bifurcation, with Drug-eluting Intraluminal Device, Percutaneous Approach | ICD-10-PCS Procedure |
| 037D34Z | Dilation of Right Hand Artery with Drug-eluting Intraluminal Device, Percutaneous Approach | ICD-10-PCS Procedure |
| 037D356 | Dilation of Right Hand Artery, Bifurcation, with Two Drug-eluting Intraluminal | ICD-10-PCS Procedure |
| 037D35Z | Dilation of Right Hand Artery with Two Drug-eluting Intraluminal Devices, | ICD-10-PCS Procedure |
| 037D366 | Dilation of Right Hand Artery, Bifurcation, with Three Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 037D36Z | Dilation of Right Hand Artery with Three Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 037D376 | Dilation of Right Hand Artery, Bifurcation, with Four or More Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 037D37Z | Dilation of Right Hand Artery with Four or More Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |



List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|---|----------------------|
| 037D3D6 | Dilation of Right Hand Artery, Bifurcation, with Intraluminal Device, Percutaneous Approach | ICD-10-PCS Procedure |
| 037D3DZ | Dilation of Right Hand Artery with Intraluminal Device, Percutaneous Approach | ICD-10-PCS Procedure |
| 037D3E6 | Dilation of Right Hand Artery, Bifurcation, with Two Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 037D3EZ | Dilation of Right Hand Artery with Two Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 037D3F6 | Dilation of Right Hand Artery, Bifurcation, with Three Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 037D3FZ | Dilation of Right Hand Artery with Three Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 037D3G6 | Dilation of Right Hand Artery, Bifurcation, with Four or More Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 037D3GZ | Dilation of Right Hand Artery with Four or More Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 037D3Z6 | Dilation of Right Hand Artery, Bifurcation, Percutaneous Approach | ICD-10-PCS Procedure |
| 037D3ZZ | Dilation of Right Hand Artery, Percutaneous Approach | ICD-10-PCS Procedure |
| 037D446 | Dilation of Right Hand Artery, Bifurcation, with Drug-eluting Intraluminal Device, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 037D44Z | Dilation of Right Hand Artery with Drug-eluting Intraluminal Device, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 037D456 | Dilation of Right Hand Artery, Bifurcation, with Two Drug-eluting Intraluminal | ICD-10-PCS Procedure |
| 037D45Z | Dilation of Right Hand Artery with Two Drug-eluting Intraluminal Devices, | ICD-10-PCS Procedure |
| 037D466 | Dilation of Right Hand Artery, Bifurcation, with Three Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 037D46Z | Dilation of Right Hand Artery with Three Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 037D476 | Dilation of Right Hand Artery, Bifurcation, with Four or More Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 037D47Z | Dilation of Right Hand Artery with Four or More Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 037D4D6 | Dilation of Right Hand Artery, Bifurcation, with Intraluminal Device, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 037D4DZ | Dilation of Right Hand Artery with Intraluminal Device, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 037D4E6 | Dilation of Right Hand Artery, Bifurcation, with Two Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 037D4EZ | Dilation of Right Hand Artery with Two Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |



List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|--|----------------------|
| 037D4F6 | Dilation of Right Hand Artery, Bifurcation, with Three Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 037D4FZ | Dilation of Right Hand Artery with Three Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 037D4G6 | Dilation of Right Hand Artery, Bifurcation, with Four or More Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 037D4GZ | Dilation of Right Hand Artery with Four or More Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 037D4Z6 | Dilation of Right Hand Artery, Bifurcation, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 037D4ZZ | Dilation of Right Hand Artery, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 037F046 | Dilation of Left Hand Artery, Bifurcation, with Drug-eluting Intraluminal Device, Open Approach | ICD-10-PCS Procedure |
| 037F04Z | Dilation of Left Hand Artery with Drug-eluting Intraluminal Device, Open Approach | ICD-10-PCS Procedure |
| 037F056 | Dilation of Left Hand Artery, Bifurcation, with Two Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 037F05Z | Dilation of Left Hand Artery with Two Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 037F066 | Dilation of Left Hand Artery, Bifurcation, with Three Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 037F06Z | Dilation of Left Hand Artery with Three Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 037F076 | Dilation of Left Hand Artery, Bifurcation, with Four or More Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 037F07Z | Dilation of Left Hand Artery with Four or More Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 037F0D6 | Dilation of Left Hand Artery, Bifurcation, with Intraluminal Device, Open Approach | ICD-10-PCS Procedure |
| 037F0DZ | Dilation of Left Hand Artery with Intraluminal Device, Open Approach | ICD-10-PCS Procedure |
| 037F0E6 | Dilation of Left Hand Artery, Bifurcation, with Two Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 037F0EZ | Dilation of Left Hand Artery with Two Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 037F0F6 | Dilation of Left Hand Artery, Bifurcation, with Three Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 037F0FZ | Dilation of Left Hand Artery with Three Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 037F0G6 | Dilation of Left Hand Artery, Bifurcation, with Four or More Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 037F0GZ | Dilation of Left Hand Artery with Four or More Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 037F0Z6 | Dilation of Left Hand Artery, Bifurcation, Open Approach | ICD-10-PCS Procedure |
| 037F0ZZ | Dilation of Left Hand Artery, Open Approach | ICD-10-PCS Procedure |
| 037F346 | Dilation of Left Hand Artery, Bifurcation, with Drug-eluting Intraluminal Device, Percutaneous Approach | ICD-10-PCS Procedure |

List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|--|----------------------|
| 037F34Z | Dilation of Left Hand Artery with Drug-eluting Intraluminal Device, Percutaneous Approach | ICD-10-PCS Procedure |
| 037F356 | Dilation of Left Hand Artery, Bifurcation, with Two Drug-eluting Intraluminal Devices, | ICD-10-PCS Procedure |
| 037F35Z | Dilation of Left Hand Artery with Two Drug-eluting Intraluminal Devices, | ICD-10-PCS Procedure |
| 037F366 | Dilation of Left Hand Artery, Bifurcation, with Three Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 037F36Z | Dilation of Left Hand Artery with Three Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 037F376 | Dilation of Left Hand Artery, Bifurcation, with Four or More Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 037F37Z | Dilation of Left Hand Artery with Four or More Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 037F3D6 | Dilation of Left Hand Artery, Bifurcation, with Intraluminal Device, Percutaneous Approach | ICD-10-PCS Procedure |
| 037F3DZ | Dilation of Left Hand Artery with Intraluminal Device, Percutaneous Approach | ICD-10-PCS Procedure |
| 037F3E6 | Dilation of Left Hand Artery, Bifurcation, with Two Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 037F3EZ | Dilation of Left Hand Artery with Two Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 037F3F6 | Dilation of Left Hand Artery, Bifurcation, with Three Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 037F3FZ | Dilation of Left Hand Artery with Three Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 037F3G6 | Dilation of Left Hand Artery, Bifurcation, with Four or More Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 037F3GZ | Dilation of Left Hand Artery with Four or More Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 037F3Z6 | Dilation of Left Hand Artery, Bifurcation, Percutaneous Approach | ICD-10-PCS Procedure |
| 037F3ZZ | Dilation of Left Hand Artery, Percutaneous Approach | ICD-10-PCS Procedure |
| 037F446 | Dilation of Left Hand Artery, Bifurcation, with Drug-eluting Intraluminal Device, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 037F44Z | Dilation of Left Hand Artery with Drug-eluting Intraluminal Device, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 037F456 | Dilation of Left Hand Artery, Bifurcation, with Two Drug-eluting Intraluminal Devices, | ICD-10-PCS Procedure |
| 037F45Z | Dilation of Left Hand Artery with Two Drug-eluting Intraluminal Devices, | ICD-10-PCS Procedure |
| 037F466 | Dilation of Left Hand Artery, Bifurcation, with Three Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 037F46Z | Dilation of Left Hand Artery with Three Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 037F476 | Dilation of Left Hand Artery, Bifurcation, with Four or More Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |



List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|---|----------------------|
| 037F47Z | Dilation of Left Hand Artery with Four or More Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 037F4D6 | Dilation of Left Hand Artery, Bifurcation, with Intraluminal Device, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 037F4DZ | Dilation of Left Hand Artery with Intraluminal Device, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 037F4E6 | Dilation of Left Hand Artery, Bifurcation, with Two Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 037F4EZ | Dilation of Left Hand Artery with Two Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 037F4F6 | Dilation of Left Hand Artery, Bifurcation, with Three Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 037F4FZ | Dilation of Left Hand Artery with Three Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 037F4G6 | Dilation of Left Hand Artery, Bifurcation, with Four or More Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 037F4GZ | Dilation of Left Hand Artery with Four or More Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 037F4Z6 | Dilation of Left Hand Artery, Bifurcation, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 037F4ZZ | Dilation of Left Hand Artery, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 037G046 | Dilation of Intracranial Artery, Bifurcation, with Drug-eluting Intraluminal Device, Open Approach | ICD-10-PCS Procedure |
| 037G04Z | Dilation of Intracranial Artery with Drug-eluting Intraluminal Device, Open Approach | ICD-10-PCS Procedure |
| 037G056 | Dilation of Intracranial Artery, Bifurcation, with Two Drug-eluting Intraluminal | ICD-10-PCS Procedure |
| 037G05Z | Dilation of Intracranial Artery with Two Drug-eluting Intraluminal Devices, Open | ICD-10-PCS Procedure |
| 037G066 | Dilation of Intracranial Artery, Bifurcation, with Three Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 037G06Z | Dilation of Intracranial Artery with Three Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 037G076 | Dilation of Intracranial Artery, Bifurcation, with Four or More Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 037G07Z | Dilation of Intracranial Artery with Four or More Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 037G0D6 | Dilation of Intracranial Artery, Bifurcation, with Intraluminal Device, Open Approach | ICD-10-PCS Procedure |
| 037G0DZ | Dilation of Intracranial Artery with Intraluminal Device, Open Approach | ICD-10-PCS Procedure |
| 037G0E6 | Dilation of Intracranial Artery, Bifurcation, with Two Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 037G0EZ | Dilation of Intracranial Artery with Two Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |



List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|--|----------------------|
| 037G0F6 | Dilation of Intracranial Artery, Bifurcation, with Three Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 037G0FZ | Dilation of Intracranial Artery with Three Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 037G0G6 | Dilation of Intracranial Artery, Bifurcation, with Four or More Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 037G0GZ | Dilation of Intracranial Artery with Four or More Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 037G0Z6 | Dilation of Intracranial Artery, Bifurcation, Open Approach | ICD-10-PCS Procedure |
| 037G0ZZ | Dilation of Intracranial Artery, Open Approach | ICD-10-PCS Procedure |
| 037H046 | Dilation of Right Common Carotid Artery, Bifurcation, with Drug-eluting Intraluminal Device, Open Approach | ICD-10-PCS Procedure |
| 037H04Z | Dilation of Right Common Carotid Artery with Drug-eluting Intraluminal Device, Open Approach | ICD-10-PCS Procedure |
| 037H056 | Dilation of Right Common Carotid Artery, Bifurcation, with Two Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 037H05Z | Dilation of Right Common Carotid Artery with Two Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 037H066 | Dilation of Right Common Carotid Artery, Bifurcation, with Three Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 037H06Z | Dilation of Right Common Carotid Artery with Three Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 037H076 | Dilation of Right Common Carotid Artery, Bifurcation, with Four or More Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 037H07Z | Dilation of Right Common Carotid Artery with Four or More Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 037H0D6 | Dilation of Right Common Carotid Artery, Bifurcation, with Intraluminal Device, Open Approach | ICD-10-PCS Procedure |
| 037H0DZ | Dilation of Right Common Carotid Artery with Intraluminal Device, Open Approach | ICD-10-PCS Procedure |
| 037H0E6 | Dilation of Right Common Carotid Artery, Bifurcation, with Two Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 037H0EZ | Dilation of Right Common Carotid Artery with Two Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 037H0F6 | Dilation of Right Common Carotid Artery, Bifurcation, with Three Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 037H0FZ | Dilation of Right Common Carotid Artery with Three Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 037H0G6 | Dilation of Right Common Carotid Artery, Bifurcation, with Four or More Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 037H0GZ | Dilation of Right Common Carotid Artery with Four or More Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 037H0Z6 | Dilation of Right Common Carotid Artery, Bifurcation, Open Approach | ICD-10-PCS Procedure |
| 037H0ZZ | Dilation of Right Common Carotid Artery, Open Approach | ICD-10-PCS Procedure |
| 037J046 | Dilation of Left Common Carotid Artery, Bifurcation, with Drug-eluting Intraluminal Device, Open Approach | ICD-10-PCS Procedure |



List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|--|----------------------|
| 037J04Z | Dilation of Left Common Carotid Artery with Drug-eluting Intraluminal Device, Open Approach | ICD-10-PCS Procedure |
| 037J056 | Dilation of Left Common Carotid Artery, Bifurcation, with Two Drug-eluting | ICD-10-PCS Procedure |
| 037J05Z | Dilation of Left Common Carotid Artery with Two Drug-eluting Intraluminal Devices, | ICD-10-PCS Procedure |
| 037J066 | Dilation of Left Common Carotid Artery, Bifurcation, with Three Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 037J06Z | Dilation of Left Common Carotid Artery with Three Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 037J076 | Dilation of Left Common Carotid Artery, Bifurcation, with Four or More Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 037J07Z | Dilation of Left Common Carotid Artery with Four or More Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 037J0D6 | Dilation of Left Common Carotid Artery, Bifurcation, with Intraluminal Device, Open Approach | ICD-10-PCS Procedure |
| 037J0DZ | Dilation of Left Common Carotid Artery with Intraluminal Device, Open Approach | ICD-10-PCS Procedure |
| 037J0E6 | Dilation of Left Common Carotid Artery, Bifurcation, with Two Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 037J0EZ | Dilation of Left Common Carotid Artery with Two Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 037J0F6 | Dilation of Left Common Carotid Artery, Bifurcation, with Three Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 037J0FZ | Dilation of Left Common Carotid Artery with Three Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 037J0G6 | Dilation of Left Common Carotid Artery, Bifurcation, with Four or More Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 037J0GZ | Dilation of Left Common Carotid Artery with Four or More Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 037J0Z6 | Dilation of Left Common Carotid Artery, Bifurcation, Open Approach | ICD-10-PCS Procedure |
| 037J0ZZ | Dilation of Left Common Carotid Artery, Open Approach | ICD-10-PCS Procedure |
| 037K046 | Dilation of Right Internal Carotid Artery, Bifurcation, with Drug-eluting Intraluminal Device, Open Approach | ICD-10-PCS Procedure |
| 037K04Z | Dilation of Right Internal Carotid Artery with Drug-eluting Intraluminal Device, Open Approach | ICD-10-PCS Procedure |
| 037K056 | Dilation of Right Internal Carotid Artery, Bifurcation, with Two Drug-eluting | ICD-10-PCS Procedure |
| 037K05Z | Dilation of Right Internal Carotid Artery with Two Drug-eluting Intraluminal Devices, | ICD-10-PCS Procedure |
| 037K066 | Dilation of Right Internal Carotid Artery, Bifurcation, with Three Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 037K06Z | Dilation of Right Internal Carotid Artery with Three Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 037K076 | Dilation of Right Internal Carotid Artery, Bifurcation, with Four or More Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |



List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|---|----------------------|
| 037K07Z | Dilation of Right Internal Carotid Artery with Four or More Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 037K0D6 | Dilation of Right Internal Carotid Artery, Bifurcation, with Intraluminal Device, Open Approach | ICD-10-PCS Procedure |
| 037K0DZ | Dilation of Right Internal Carotid Artery with Intraluminal Device, Open Approach | ICD-10-PCS Procedure |
| 037K0E6 | Dilation of Right Internal Carotid Artery, Bifurcation, with Two Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 037K0EZ | Dilation of Right Internal Carotid Artery with Two Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 037K0F6 | Dilation of Right Internal Carotid Artery, Bifurcation, with Three Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 037K0FZ | Dilation of Right Internal Carotid Artery with Three Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 037K0G6 | Dilation of Right Internal Carotid Artery, Bifurcation, with Four or More Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 037K0GZ | Dilation of Right Internal Carotid Artery with Four or More Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 037K0Z6 | Dilation of Right Internal Carotid Artery, Bifurcation, Open Approach | ICD-10-PCS Procedure |
| 037K0ZZ | Dilation of Right Internal Carotid Artery, Open Approach | ICD-10-PCS Procedure |
| 037L046 | Dilation of Left Internal Carotid Artery, Bifurcation, with Drug-eluting Intraluminal Device, Open Approach | ICD-10-PCS Procedure |
| 037L04Z | Dilation of Left Internal Carotid Artery with Drug-eluting Intraluminal Device, Open Approach | ICD-10-PCS Procedure |
| 037L056 | Dilation of Left Internal Carotid Artery, Bifurcation, with Two Drug-eluting | ICD-10-PCS Procedure |
| 037L05Z | Dilation of Left Internal Carotid Artery with Two Drug-eluting Intraluminal Devices, | ICD-10-PCS Procedure |
| 037L066 | Dilation of Left Internal Carotid Artery, Bifurcation, with Three Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 037L06Z | Dilation of Left Internal Carotid Artery with Three Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 037L076 | Dilation of Left Internal Carotid Artery, Bifurcation, with Four or More Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 037L07Z | Dilation of Left Internal Carotid Artery with Four or More Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 037L0D6 | Dilation of Left Internal Carotid Artery, Bifurcation, with Intraluminal Device, Open Approach | ICD-10-PCS Procedure |
| 037L0DZ | Dilation of Left Internal Carotid Artery with Intraluminal Device, Open Approach | ICD-10-PCS Procedure |
| 037L0E6 | Dilation of Left Internal Carotid Artery, Bifurcation, with Two Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |

List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|--|----------------------|
| 037L0EZ | Dilation of Left Internal Carotid Artery with Two Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 037L0F6 | Dilation of Left Internal Carotid Artery, Bifurcation, with Three Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 037L0FZ | Dilation of Left Internal Carotid Artery with Three Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 037L0G6 | Dilation of Left Internal Carotid Artery, Bifurcation, with Four or More Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 037L0GZ | Dilation of Left Internal Carotid Artery with Four or More Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 037L0Z6 | Dilation of Left Internal Carotid Artery, Bifurcation, Open Approach | ICD-10-PCS Procedure |
| 037L0ZZ | Dilation of Left Internal Carotid Artery, Open Approach | ICD-10-PCS Procedure |
| 037M046 | Dilation of Right External Carotid Artery, Bifurcation, with Drug-eluting Intraluminal Device, Open Approach | ICD-10-PCS Procedure |
| 037M04Z | Dilation of Right External Carotid Artery with Drug-eluting Intraluminal Device, Open Approach | ICD-10-PCS Procedure |
| 037M056 | Dilation of Right External Carotid Artery, Bifurcation, with Two Drug-eluting | ICD-10-PCS Procedure |
| 037M05Z | Dilation of Right External Carotid Artery with Two Drug-eluting Intraluminal Devices, | ICD-10-PCS Procedure |
| 037M066 | Dilation of Right External Carotid Artery, Bifurcation, with Three Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 037M06Z | Dilation of Right External Carotid Artery with Three Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 037M076 | Dilation of Right External Carotid Artery, Bifurcation, with Four or More Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 037M07Z | Dilation of Right External Carotid Artery with Four or More Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 037M0D6 | Dilation of Right External Carotid Artery, Bifurcation, with Intraluminal Device, Open Approach | ICD-10-PCS Procedure |
| 037M0DZ | Dilation of Right External Carotid Artery with Intraluminal Device, Open Approach | ICD-10-PCS Procedure |
| 037M0E6 | Dilation of Right External Carotid Artery, Bifurcation, with Two Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 037M0EZ | Dilation of Right External Carotid Artery with Two Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 037M0F6 | Dilation of Right External Carotid Artery, Bifurcation, with Three Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 037M0FZ | Dilation of Right External Carotid Artery with Three Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 037M0G6 | Dilation of Right External Carotid Artery, Bifurcation, with Four or More Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 037M0GZ | Dilation of Right External Carotid Artery with Four or More Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |



List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|---|----------------------|
| 037M0Z6 | Dilation of Right External Carotid Artery, Bifurcation, Open Approach | ICD-10-PCS Procedure |
| 037M0ZZ | Dilation of Right External Carotid Artery, Open Approach | ICD-10-PCS Procedure |
| 037N046 | Dilation of Left External Carotid Artery, Bifurcation, with Drug-eluting Intraluminal Device, Open Approach | ICD-10-PCS Procedure |
| 037N04Z | Dilation of Left External Carotid Artery with Drug-eluting Intraluminal Device, Open Approach | ICD-10-PCS Procedure |
| 037N056 | Dilation of Left External Carotid Artery, Bifurcation, with Two Drug-eluting | ICD-10-PCS Procedure |
| 037N05Z | Dilation of Left External Carotid Artery with Two Drug-eluting Intraluminal Devices, | ICD-10-PCS Procedure |
| 037N066 | Dilation of Left External Carotid Artery, Bifurcation, with Three Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 037N06Z | Dilation of Left External Carotid Artery with Three Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 037N076 | Dilation of Left External Carotid Artery, Bifurcation, with Four or More Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 037N07Z | Dilation of Left External Carotid Artery with Four or More Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 037N0D6 | Dilation of Left External Carotid Artery, Bifurcation, with Intraluminal Device, Open Approach | ICD-10-PCS Procedure |
| 037N0DZ | Dilation of Left External Carotid Artery with Intraluminal Device, Open Approach | ICD-10-PCS Procedure |
| 037N0E6 | Dilation of Left External Carotid Artery, Bifurcation, with Two Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 037N0EZ | Dilation of Left External Carotid Artery with Two Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 037N0F6 | Dilation of Left External Carotid Artery, Bifurcation, with Three Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 037N0FZ | Dilation of Left External Carotid Artery with Three Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 037N0G6 | Dilation of Left External Carotid Artery, Bifurcation, with Four or More Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 037N0GZ | Dilation of Left External Carotid Artery with Four or More Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 037N0Z6 | Dilation of Left External Carotid Artery, Bifurcation, Open Approach | ICD-10-PCS Procedure |
| 037N0ZZ | Dilation of Left External Carotid Artery, Open Approach | ICD-10-PCS Procedure |
| 037P046 | Dilation of Right Vertebral Artery, Bifurcation, with Drug-eluting Intraluminal Device, Open Approach | ICD-10-PCS Procedure |
| 037P04Z | Dilation of Right Vertebral Artery with Drug-eluting Intraluminal Device, Open Approach | ICD-10-PCS Procedure |
| 037P056 | Dilation of Right Vertebral Artery, Bifurcation, with Two Drug-eluting Intraluminal | ICD-10-PCS Procedure |
| 037P05Z | Dilation of Right Vertebral Artery with Two Drug-eluting Intraluminal Devices, Open | ICD-10-PCS Procedure |
| 037P066 | Dilation of Right Vertebral Artery, Bifurcation, with Three Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |

List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|---|----------------------|
| 037P06Z | Dilation of Right Vertebral Artery with Three Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 037P076 | Dilation of Right Vertebral Artery, Bifurcation, with Four or More Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 037P07Z | Dilation of Right Vertebral Artery with Four or More Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 037P0D6 | Dilation of Right Vertebral Artery, Bifurcation, with Intraluminal Device, Open Approach | ICD-10-PCS Procedure |
| 037P0DZ | Dilation of Right Vertebral Artery with Intraluminal Device, Open Approach | ICD-10-PCS Procedure |
| 037P0E6 | Dilation of Right Vertebral Artery, Bifurcation, with Two Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 037P0EZ | Dilation of Right Vertebral Artery with Two Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 037P0F6 | Dilation of Right Vertebral Artery, Bifurcation, with Three Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 037P0FZ | Dilation of Right Vertebral Artery with Three Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 037P0G6 | Dilation of Right Vertebral Artery, Bifurcation, with Four or More Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 037P0GZ | Dilation of Right Vertebral Artery with Four or More Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 037P0Z6 | Dilation of Right Vertebral Artery, Bifurcation, Open Approach | ICD-10-PCS Procedure |
| 037P0ZZ | Dilation of Right Vertebral Artery, Open Approach | ICD-10-PCS Procedure |
| 037Q046 | Dilation of Left Vertebral Artery, Bifurcation, with Drug-eluting Intraluminal Device, Open Approach | ICD-10-PCS Procedure |
| 037Q04Z | Dilation of Left Vertebral Artery with Drug-eluting Intraluminal Device, Open Approach | ICD-10-PCS Procedure |
| 037Q056 | Dilation of Left Vertebral Artery, Bifurcation, with Two Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 037Q05Z | Dilation of Left Vertebral Artery with Two Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 037Q066 | Dilation of Left Vertebral Artery, Bifurcation, with Three Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 037Q06Z | Dilation of Left Vertebral Artery with Three Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 037Q076 | Dilation of Left Vertebral Artery, Bifurcation, with Four or More Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 037Q07Z | Dilation of Left Vertebral Artery with Four or More Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 037Q0D6 | Dilation of Left Vertebral Artery, Bifurcation, with Intraluminal Device, Open Approach | ICD-10-PCS Procedure |
| 037Q0DZ | Dilation of Left Vertebral Artery with Intraluminal Device, Open Approach | ICD-10-PCS Procedure |
| 037Q0E6 | Dilation of Left Vertebral Artery, Bifurcation, with Two Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |



List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|--|----------------------|
| 037Q0EZ | Dilation of Left Vertebral Artery with Two Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 037Q0F6 | Dilation of Left Vertebral Artery, Bifurcation, with Three Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 037Q0FZ | Dilation of Left Vertebral Artery with Three Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 037Q0G6 | Dilation of Left Vertebral Artery, Bifurcation, with Four or More Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 037Q0GZ | Dilation of Left Vertebral Artery with Four or More Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 037Q0Z6 | Dilation of Left Vertebral Artery, Bifurcation, Open Approach | ICD-10-PCS Procedure |
| 037Q0ZZ | Dilation of Left Vertebral Artery, Open Approach | ICD-10-PCS Procedure |
| 037R046 | Dilation of Face Artery, Bifurcation, with Drug-eluting Intraluminal Device, Open Approach | ICD-10-PCS Procedure |
| 037R04Z | Dilation of Face Artery with Drug-eluting Intraluminal Device, Open Approach | ICD-10-PCS Procedure |
| 037R056 | Dilation of Face Artery, Bifurcation, with Two Drug-eluting Intraluminal Devices, | ICD-10-PCS Procedure |
| 037R05Z | Dilation of Face Artery with Two Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 037R066 | Dilation of Face Artery, Bifurcation, with Three Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 037R06Z | Dilation of Face Artery with Three Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 037R076 | Dilation of Face Artery, Bifurcation, with Four or More Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 037R07Z | Dilation of Face Artery with Four or More Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 037R0D6 | Dilation of Face Artery, Bifurcation, with Intraluminal Device, Open Approach | ICD-10-PCS Procedure |
| 037R0DZ | Dilation of Face Artery with Intraluminal Device, Open Approach | ICD-10-PCS Procedure |
| 037R0E6 | Dilation of Face Artery, Bifurcation, with Two Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 037R0EZ | Dilation of Face Artery with Two Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 037R0F6 | Dilation of Face Artery, Bifurcation, with Three Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 037R0FZ | Dilation of Face Artery with Three Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 037R0G6 | Dilation of Face Artery, Bifurcation, with Four or More Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 037R0GZ | Dilation of Face Artery with Four or More Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 037R0Z6 | Dilation of Face Artery, Bifurcation, Open Approach | ICD-10-PCS Procedure |
| 037R0ZZ | Dilation of Face Artery, Open Approach | ICD-10-PCS Procedure |
| 037R346 | Dilation of Face Artery, Bifurcation, with Drug-eluting Intraluminal Device, Percutaneous Approach | ICD-10-PCS Procedure |
| 037R34Z | Dilation of Face Artery with Drug-eluting Intraluminal Device, Percutaneous Approach | ICD-10-PCS Procedure |
| 037R356 | Dilation of Face Artery, Bifurcation, with Two Drug-eluting Intraluminal Devices, | ICD-10-PCS Procedure |



List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|---|----------------------|
| 037R35Z | Dilation of Face Artery with Two Drug-eluting Intraluminal Devices, Percutaneous | ICD-10-PCS Procedure |
| 037R366 | Dilation of Face Artery, Bifurcation, with Three Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 037R36Z | Dilation of Face Artery with Three Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 037R376 | Dilation of Face Artery, Bifurcation, with Four or More Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 037R37Z | Dilation of Face Artery with Four or More Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 037R3D6 | Dilation of Face Artery, Bifurcation, with Intraluminal Device, Percutaneous Approach | ICD-10-PCS Procedure |
| 037R3DZ | Dilation of Face Artery with Intraluminal Device, Percutaneous Approach | ICD-10-PCS Procedure |
| 037R3E6 | Dilation of Face Artery, Bifurcation, with Two Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 037R3EZ | Dilation of Face Artery with Two Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 037R3F6 | Dilation of Face Artery, Bifurcation, with Three Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 037R3FZ | Dilation of Face Artery with Three Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 037R3G6 | Dilation of Face Artery, Bifurcation, with Four or More Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 037R3GZ | Dilation of Face Artery with Four or More Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 037R3Z6 | Dilation of Face Artery, Bifurcation, Percutaneous Approach | ICD-10-PCS Procedure |
| 037R3ZZ | Dilation of Face Artery, Percutaneous Approach | ICD-10-PCS Procedure |
| 037R446 | Dilation of Face Artery, Bifurcation, with Drug-eluting Intraluminal Device, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 037R44Z | Dilation of Face Artery with Drug-eluting Intraluminal Device, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 037R456 | Dilation of Face Artery, Bifurcation, with Two Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 037R45Z | Dilation of Face Artery with Two Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 037R466 | Dilation of Face Artery, Bifurcation, with Three Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 037R46Z | Dilation of Face Artery with Three Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 037R476 | Dilation of Face Artery, Bifurcation, with Four or More Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 037R47Z | Dilation of Face Artery with Four or More Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 037R4D6 | Dilation of Face Artery, Bifurcation, with Intraluminal Device, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 037R4DZ | Dilation of Face Artery with Intraluminal Device, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |

List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|--|----------------------|
| 037R4E6 | Dilation of Face Artery, Bifurcation, with Two Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 037R4EZ | Dilation of Face Artery with Two Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 037R4F6 | Dilation of Face Artery, Bifurcation, with Three Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 037R4FZ | Dilation of Face Artery with Three Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 037R4G6 | Dilation of Face Artery, Bifurcation, with Four or More Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 037R4GZ | Dilation of Face Artery with Four or More Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 037R4Z6 | Dilation of Face Artery, Bifurcation, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 037R4ZZ | Dilation of Face Artery, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 037S046 | Dilation of Right Temporal Artery, Bifurcation, with Drug-eluting Intraluminal Device, Open Approach | ICD-10-PCS Procedure |
| 037S04Z | Dilation of Right Temporal Artery with Drug-eluting Intraluminal Device, Open Approach | ICD-10-PCS Procedure |
| 037S056 | Dilation of Right Temporal Artery, Bifurcation, with Two Drug-eluting Intraluminal | ICD-10-PCS Procedure |
| 037S05Z | Dilation of Right Temporal Artery with Two Drug-eluting Intraluminal Devices, Open | ICD-10-PCS Procedure |
| 037S066 | Dilation of Right Temporal Artery, Bifurcation, with Three Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 037S06Z | Dilation of Right Temporal Artery with Three Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 037S076 | Dilation of Right Temporal Artery, Bifurcation, with Four or More Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 037S07Z | Dilation of Right Temporal Artery with Four or More Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 037S0D6 | Dilation of Right Temporal Artery, Bifurcation, with Intraluminal Device, Open Approach | ICD-10-PCS Procedure |
| 037S0DZ | Dilation of Right Temporal Artery with Intraluminal Device, Open Approach | ICD-10-PCS Procedure |
| 037S0E6 | Dilation of Right Temporal Artery, Bifurcation, with Two Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 037S0EZ | Dilation of Right Temporal Artery with Two Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 037S0F6 | Dilation of Right Temporal Artery, Bifurcation, with Three Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 037S0FZ | Dilation of Right Temporal Artery with Three Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 037S0G6 | Dilation of Right Temporal Artery, Bifurcation, with Four or More Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |

List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|--|----------------------|
| 037S0GZ | Dilation of Right Temporal Artery with Four or More Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 037S0Z6 | Dilation of Right Temporal Artery, Bifurcation, Open Approach | ICD-10-PCS Procedure |
| 037S0ZZ | Dilation of Right Temporal Artery, Open Approach | ICD-10-PCS Procedure |
| 037S346 | Dilation of Right Temporal Artery, Bifurcation, with Drug-eluting Intraluminal Device, Percutaneous Approach | ICD-10-PCS Procedure |
| 037S34Z | Dilation of Right Temporal Artery with Drug-eluting Intraluminal Device, Percutaneous Approach | ICD-10-PCS Procedure |
| 037S356 | Dilation of Right Temporal Artery, Bifurcation, with Two Drug-eluting Intraluminal | ICD-10-PCS Procedure |
| 037S35Z | Dilation of Right Temporal Artery with Two Drug-eluting Intraluminal Devices, | ICD-10-PCS Procedure |
| 037S366 | Dilation of Right Temporal Artery, Bifurcation, with Three Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 037S36Z | Dilation of Right Temporal Artery with Three Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 037S376 | Dilation of Right Temporal Artery, Bifurcation, with Four or More Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 037S37Z | Dilation of Right Temporal Artery with Four or More Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 037S3D6 | Dilation of Right Temporal Artery, Bifurcation, with Intraluminal Device, Percutaneous Approach | ICD-10-PCS Procedure |
| 037S3DZ | Dilation of Right Temporal Artery with Intraluminal Device, Percutaneous Approach | ICD-10-PCS Procedure |
| 037S3E6 | Dilation of Right Temporal Artery, Bifurcation, with Two Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 037S3EZ | Dilation of Right Temporal Artery with Two Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 037S3F6 | Dilation of Right Temporal Artery, Bifurcation, with Three Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 037S3FZ | Dilation of Right Temporal Artery with Three Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 037S3G6 | Dilation of Right Temporal Artery, Bifurcation, with Four or More Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 037S3GZ | Dilation of Right Temporal Artery with Four or More Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 037S3Z6 | Dilation of Right Temporal Artery, Bifurcation, Percutaneous Approach | ICD-10-PCS Procedure |
| 037S3ZZ | Dilation of Right Temporal Artery, Percutaneous Approach | ICD-10-PCS Procedure |
| 037S446 | Dilation of Right Temporal Artery, Bifurcation, with Drug-eluting Intraluminal Device, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 037S44Z | Dilation of Right Temporal Artery with Drug-eluting Intraluminal Device, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 037S456 | Dilation of Right Temporal Artery, Bifurcation, with Two Drug-eluting Intraluminal | ICD-10-PCS Procedure |
| 037S45Z | Dilation of Right Temporal Artery with Two Drug-eluting Intraluminal Devices, | ICD-10-PCS Procedure |



List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|---|----------------------|
| 037S466 | Dilation of Right Temporal Artery, Bifurcation, with Three Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 037S46Z | Dilation of Right Temporal Artery with Three Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 037S476 | Dilation of Right Temporal Artery, Bifurcation, with Four or More Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 037S47Z | Dilation of Right Temporal Artery with Four or More Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 037S4D6 | Dilation of Right Temporal Artery, Bifurcation, with Intraluminal Device, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 037S4DZ | Dilation of Right Temporal Artery with Intraluminal Device, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 037S4E6 | Dilation of Right Temporal Artery, Bifurcation, with Two Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 037S4EZ | Dilation of Right Temporal Artery with Two Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 037S4F6 | Dilation of Right Temporal Artery, Bifurcation, with Three Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 037S4FZ | Dilation of Right Temporal Artery with Three Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 037S4G6 | Dilation of Right Temporal Artery, Bifurcation, with Four or More Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 037S4GZ | Dilation of Right Temporal Artery with Four or More Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 037S4Z6 | Dilation of Right Temporal Artery, Bifurcation, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 037S4ZZ | Dilation of Right Temporal Artery, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 037T046 | Dilation of Left Temporal Artery, Bifurcation, with Drug-eluting Intraluminal Device, Open Approach | ICD-10-PCS Procedure |
| 037T04Z | Dilation of Left Temporal Artery with Drug-eluting Intraluminal Device, Open Approach | ICD-10-PCS Procedure |
| 037T056 | Dilation of Left Temporal Artery, Bifurcation, with Two Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 037T05Z | Dilation of Left Temporal Artery with Two Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 037T066 | Dilation of Left Temporal Artery, Bifurcation, with Three Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 037T06Z | Dilation of Left Temporal Artery with Three Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 037T076 | Dilation of Left Temporal Artery, Bifurcation, with Four or More Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 037T07Z | Dilation of Left Temporal Artery with Four or More Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |



List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|---|----------------------|
| 037T0D6 | Dilation of Left Temporal Artery, Bifurcation, with Intraluminal Device, Open Approach | ICD-10-PCS Procedure |
| 037T0DZ | Dilation of Left Temporal Artery with Intraluminal Device, Open Approach | ICD-10-PCS Procedure |
| 037T0E6 | Dilation of Left Temporal Artery, Bifurcation, with Two Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 037T0EZ | Dilation of Left Temporal Artery with Two Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 037T0F6 | Dilation of Left Temporal Artery, Bifurcation, with Three Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 037T0FZ | Dilation of Left Temporal Artery with Three Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 037T0G6 | Dilation of Left Temporal Artery, Bifurcation, with Four or More Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 037T0GZ | Dilation of Left Temporal Artery with Four or More Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 037T0Z6 | Dilation of Left Temporal Artery, Bifurcation, Open Approach | ICD-10-PCS Procedure |
| 037T0ZZ | Dilation of Left Temporal Artery, Open Approach | ICD-10-PCS Procedure |
| 037T346 | Dilation of Left Temporal Artery, Bifurcation, with Drug-eluting Intraluminal Device, Percutaneous Approach | ICD-10-PCS Procedure |
| 037T34Z | Dilation of Left Temporal Artery with Drug-eluting Intraluminal Device, Percutaneous Approach | ICD-10-PCS Procedure |
| 037T356 | Dilation of Left Temporal Artery, Bifurcation, with Two Drug-eluting Intraluminal | ICD-10-PCS Procedure |
| 037T35Z | Dilation of Left Temporal Artery with Two Drug-eluting Intraluminal Devices, | ICD-10-PCS Procedure |
| 037T366 | Dilation of Left Temporal Artery, Bifurcation, with Three Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 037T36Z | Dilation of Left Temporal Artery with Three Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 037T376 | Dilation of Left Temporal Artery, Bifurcation, with Four or More Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 037T37Z | Dilation of Left Temporal Artery with Four or More Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 037T3D6 | Dilation of Left Temporal Artery, Bifurcation, with Intraluminal Device, Percutaneous Approach | ICD-10-PCS Procedure |
| 037T3DZ | Dilation of Left Temporal Artery with Intraluminal Device, Percutaneous Approach | ICD-10-PCS Procedure |
| 037T3E6 | Dilation of Left Temporal Artery, Bifurcation, with Two Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 037T3EZ | Dilation of Left Temporal Artery with Two Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 037T3F6 | Dilation of Left Temporal Artery, Bifurcation, with Three Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 037T3FZ | Dilation of Left Temporal Artery with Three Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |

List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|--|----------------------|
| 037T3G6 | Dilation of Left Temporal Artery, Bifurcation, with Four or More Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 037T3GZ | Dilation of Left Temporal Artery with Four or More Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 037T3Z6 | Dilation of Left Temporal Artery, Bifurcation, Percutaneous Approach | ICD-10-PCS Procedure |
| 037T3ZZ | Dilation of Left Temporal Artery, Percutaneous Approach | ICD-10-PCS Procedure |
| 037T446 | Dilation of Left Temporal Artery, Bifurcation, with Drug-eluting Intraluminal Device, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 037T44Z | Dilation of Left Temporal Artery with Drug-eluting Intraluminal Device, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 037T456 | Dilation of Left Temporal Artery, Bifurcation, with Two Drug-eluting Intraluminal | ICD-10-PCS Procedure |
| 037T45Z | Dilation of Left Temporal Artery with Two Drug-eluting Intraluminal Devices, | ICD-10-PCS Procedure |
| 037T466 | Dilation of Left Temporal Artery, Bifurcation, with Three Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 037T46Z | Dilation of Left Temporal Artery with Three Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 037T476 | Dilation of Left Temporal Artery, Bifurcation, with Four or More Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 037T47Z | Dilation of Left Temporal Artery with Four or More Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 037T4D6 | Dilation of Left Temporal Artery, Bifurcation, with Intraluminal Device, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 037T4DZ | Dilation of Left Temporal Artery with Intraluminal Device, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 037T4E6 | Dilation of Left Temporal Artery, Bifurcation, with Two Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 037T4EZ | Dilation of Left Temporal Artery with Two Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 037T4F6 | Dilation of Left Temporal Artery, Bifurcation, with Three Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 037T4FZ | Dilation of Left Temporal Artery with Three Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 037T4G6 | Dilation of Left Temporal Artery, Bifurcation, with Four or More Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 037T4GZ | Dilation of Left Temporal Artery with Four or More Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 037T4Z6 | Dilation of Left Temporal Artery, Bifurcation, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 037T4ZZ | Dilation of Left Temporal Artery, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 037U046 | Dilation of Right Thyroid Artery, Bifurcation, with Drug-eluting Intraluminal Device, Open Approach | ICD-10-PCS Procedure |



List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|---|----------------------|
| 037U04Z | Dilation of Right Thyroid Artery with Drug-eluting Intraluminal Device, Open Approach | ICD-10-PCS Procedure |
| 037U056 | Dilation of Right Thyroid Artery, Bifurcation, with Two Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 037U05Z | Dilation of Right Thyroid Artery with Two Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 037U066 | Dilation of Right Thyroid Artery, Bifurcation, with Three Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 037U06Z | Dilation of Right Thyroid Artery with Three Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 037U076 | Dilation of Right Thyroid Artery, Bifurcation, with Four or More Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 037U07Z | Dilation of Right Thyroid Artery with Four or More Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 037U0D6 | Dilation of Right Thyroid Artery, Bifurcation, with Intraluminal Device, Open Approach | ICD-10-PCS Procedure |
| 037U0DZ | Dilation of Right Thyroid Artery with Intraluminal Device, Open Approach | ICD-10-PCS Procedure |
| 037U0E6 | Dilation of Right Thyroid Artery, Bifurcation, with Two Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 037U0EZ | Dilation of Right Thyroid Artery with Two Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 037U0F6 | Dilation of Right Thyroid Artery, Bifurcation, with Three Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 037U0FZ | Dilation of Right Thyroid Artery with Three Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 037U0G6 | Dilation of Right Thyroid Artery, Bifurcation, with Four or More Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 037U0GZ | Dilation of Right Thyroid Artery with Four or More Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 037U0Z6 | Dilation of Right Thyroid Artery, Bifurcation, Open Approach | ICD-10-PCS Procedure |
| 037U0ZZ | Dilation of Right Thyroid Artery, Open Approach | ICD-10-PCS Procedure |
| 037U346 | Dilation of Right Thyroid Artery, Bifurcation, with Drug-eluting Intraluminal Device, Percutaneous Approach | ICD-10-PCS Procedure |
| 037U34Z | Dilation of Right Thyroid Artery with Drug-eluting Intraluminal Device, Percutaneous Approach | ICD-10-PCS Procedure |
| 037U356 | Dilation of Right Thyroid Artery, Bifurcation, with Two Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 037U35Z | Dilation of Right Thyroid Artery with Two Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 037U366 | Dilation of Right Thyroid Artery, Bifurcation, with Three Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 037U36Z | Dilation of Right Thyroid Artery with Three Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 037U376 | Dilation of Right Thyroid Artery, Bifurcation, with Four or More Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 037U37Z | Dilation of Right Thyroid Artery with Four or More Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |

List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|--|----------------------|
| 037U3D6 | Dilation of Right Thyroid Artery, Bifurcation, with Intraluminal Device, Percutaneous Approach | ICD-10-PCS Procedure |
| 037U3DZ | Dilation of Right Thyroid Artery with Intraluminal Device, Percutaneous Approach | ICD-10-PCS Procedure |
| 037U3E6 | Dilation of Right Thyroid Artery, Bifurcation, with Two Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 037U3EZ | Dilation of Right Thyroid Artery with Two Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 037U3F6 | Dilation of Right Thyroid Artery, Bifurcation, with Three Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 037U3FZ | Dilation of Right Thyroid Artery with Three Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 037U3G6 | Dilation of Right Thyroid Artery, Bifurcation, with Four or More Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 037U3GZ | Dilation of Right Thyroid Artery with Four or More Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 037U3Z6 | Dilation of Right Thyroid Artery, Bifurcation, Percutaneous Approach | ICD-10-PCS Procedure |
| 037U3ZZ | Dilation of Right Thyroid Artery, Percutaneous Approach | ICD-10-PCS Procedure |
| 037U446 | Dilation of Right Thyroid Artery, Bifurcation, with Drug-eluting Intraluminal Device, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 037U44Z | Dilation of Right Thyroid Artery with Drug-eluting Intraluminal Device, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 037U456 | Dilation of Right Thyroid Artery, Bifurcation, with Two Drug-eluting Intraluminal | ICD-10-PCS Procedure |
| 037U45Z | Dilation of Right Thyroid Artery with Two Drug-eluting Intraluminal Devices, | ICD-10-PCS Procedure |
| 037U466 | Dilation of Right Thyroid Artery, Bifurcation, with Three Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 037U46Z | Dilation of Right Thyroid Artery with Three Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 037U476 | Dilation of Right Thyroid Artery, Bifurcation, with Four or More Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 037U47Z | Dilation of Right Thyroid Artery with Four or More Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 037U4D6 | Dilation of Right Thyroid Artery, Bifurcation, with Intraluminal Device, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 037U4DZ | Dilation of Right Thyroid Artery with Intraluminal Device, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 037U4E6 | Dilation of Right Thyroid Artery, Bifurcation, with Two Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 037U4EZ | Dilation of Right Thyroid Artery with Two Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 037U4F6 | Dilation of Right Thyroid Artery, Bifurcation, with Three Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |



List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|---|----------------------|
| 037U4FZ | Dilation of Right Thyroid Artery with Three Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 037U4G6 | Dilation of Right Thyroid Artery, Bifurcation, with Four or More Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 037U4GZ | Dilation of Right Thyroid Artery with Four or More Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 037U4Z6 | Dilation of Right Thyroid Artery, Bifurcation, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 037U4ZZ | Dilation of Right Thyroid Artery, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 037V046 | Dilation of Left Thyroid Artery, Bifurcation, with Drug-eluting Intraluminal Device, Open Approach | ICD-10-PCS Procedure |
| 037V04Z | Dilation of Left Thyroid Artery with Drug-eluting Intraluminal Device, Open Approach | ICD-10-PCS Procedure |
| 037V056 | Dilation of Left Thyroid Artery, Bifurcation, with Two Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 037V05Z | Dilation of Left Thyroid Artery with Two Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 037V066 | Dilation of Left Thyroid Artery, Bifurcation, with Three Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 037V06Z | Dilation of Left Thyroid Artery with Three Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 037V076 | Dilation of Left Thyroid Artery, Bifurcation, with Four or More Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 037V07Z | Dilation of Left Thyroid Artery with Four or More Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 037V0D6 | Dilation of Left Thyroid Artery, Bifurcation, with Intraluminal Device, Open Approach | ICD-10-PCS Procedure |
| 037V0DZ | Dilation of Left Thyroid Artery with Intraluminal Device, Open Approach | ICD-10-PCS Procedure |
| 037V0E6 | Dilation of Left Thyroid Artery, Bifurcation, with Two Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 037V0EZ | Dilation of Left Thyroid Artery with Two Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 037V0F6 | Dilation of Left Thyroid Artery, Bifurcation, with Three Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 037V0FZ | Dilation of Left Thyroid Artery with Three Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 037V0G6 | Dilation of Left Thyroid Artery, Bifurcation, with Four or More Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 037V0GZ | Dilation of Left Thyroid Artery with Four or More Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 037V0Z6 | Dilation of Left Thyroid Artery, Bifurcation, Open Approach | ICD-10-PCS Procedure |
| 037V0ZZ | Dilation of Left Thyroid Artery, Open Approach | ICD-10-PCS Procedure |
| 037V346 | Dilation of Left Thyroid Artery, Bifurcation, with Drug-eluting Intraluminal Device, Percutaneous Approach | ICD-10-PCS Procedure |



List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|---|----------------------|
| 037V34Z | Dilation of Left Thyroid Artery with Drug-eluting Intraluminal Device, Percutaneous Approach | ICD-10-PCS Procedure |
| 037V356 | Dilation of Left Thyroid Artery, Bifurcation, with Two Drug-eluting Intraluminal | ICD-10-PCS Procedure |
| 037V35Z | Dilation of Left Thyroid Artery with Two Drug-eluting Intraluminal Devices, | ICD-10-PCS Procedure |
| 037V366 | Dilation of Left Thyroid Artery, Bifurcation, with Three Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 037V36Z | Dilation of Left Thyroid Artery with Three Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 037V376 | Dilation of Left Thyroid Artery, Bifurcation, with Four or More Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 037V37Z | Dilation of Left Thyroid Artery with Four or More Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 037V3D6 | Dilation of Left Thyroid Artery, Bifurcation, with Intraluminal Device, Percutaneous Approach | ICD-10-PCS Procedure |
| 037V3DZ | Dilation of Left Thyroid Artery with Intraluminal Device, Percutaneous Approach | ICD-10-PCS Procedure |
| 037V3E6 | Dilation of Left Thyroid Artery, Bifurcation, with Two Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 037V3EZ | Dilation of Left Thyroid Artery with Two Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 037V3F6 | Dilation of Left Thyroid Artery, Bifurcation, with Three Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 037V3FZ | Dilation of Left Thyroid Artery with Three Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 037V3G6 | Dilation of Left Thyroid Artery, Bifurcation, with Four or More Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 037V3GZ | Dilation of Left Thyroid Artery with Four or More Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 037V3Z6 | Dilation of Left Thyroid Artery, Bifurcation, Percutaneous Approach | ICD-10-PCS Procedure |
| 037V3ZZ | Dilation of Left Thyroid Artery, Percutaneous Approach | ICD-10-PCS Procedure |
| 037V446 | Dilation of Left Thyroid Artery, Bifurcation, with Drug-eluting Intraluminal Device, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 037V44Z | Dilation of Left Thyroid Artery with Drug-eluting Intraluminal Device, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 037V456 | Dilation of Left Thyroid Artery, Bifurcation, with Two Drug-eluting Intraluminal | ICD-10-PCS Procedure |
| 037V45Z | Dilation of Left Thyroid Artery with Two Drug-eluting Intraluminal Devices, | ICD-10-PCS Procedure |
| 037V466 | Dilation of Left Thyroid Artery, Bifurcation, with Three Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 037V46Z | Dilation of Left Thyroid Artery with Three Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 037V476 | Dilation of Left Thyroid Artery, Bifurcation, with Four or More Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |

List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|--|----------------------|
| 037V47Z | Dilation of Left Thyroid Artery with Four or More Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 037V4D6 | Dilation of Left Thyroid Artery, Bifurcation, with Intraluminal Device, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 037V4DZ | Dilation of Left Thyroid Artery with Intraluminal Device, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 037V4E6 | Dilation of Left Thyroid Artery, Bifurcation, with Two Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 037V4EZ | Dilation of Left Thyroid Artery with Two Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 037V4F6 | Dilation of Left Thyroid Artery, Bifurcation, with Three Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 037V4FZ | Dilation of Left Thyroid Artery with Three Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 037V4G6 | Dilation of Left Thyroid Artery, Bifurcation, with Four or More Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 037V4GZ | Dilation of Left Thyroid Artery with Four or More Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 037V4Z6 | Dilation of Left Thyroid Artery, Bifurcation, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 037V4ZZ | Dilation of Left Thyroid Artery, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 037Y046 | Dilation of Upper Artery, Bifurcation, with Drug-eluting Intraluminal Device, Open Approach | ICD-10-PCS Procedure |
| 037Y04Z | Dilation of Upper Artery with Drug-eluting Intraluminal Device, Open Approach | ICD-10-PCS Procedure |
| 037Y056 | Dilation of Upper Artery, Bifurcation, with Two Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 037Y05Z | Dilation of Upper Artery with Two Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 037Y066 | Dilation of Upper Artery, Bifurcation, with Three Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 037Y06Z | Dilation of Upper Artery with Three Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 037Y076 | Dilation of Upper Artery, Bifurcation, with Four or More Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 037Y07Z | Dilation of Upper Artery with Four or More Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 037Y0D6 | Dilation of Upper Artery, Bifurcation, with Intraluminal Device, Open Approach | ICD-10-PCS Procedure |
| 037Y0DZ | Dilation of Upper Artery with Intraluminal Device, Open Approach | ICD-10-PCS Procedure |
| 037Y0E6 | Dilation of Upper Artery, Bifurcation, with Two Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 037Y0EZ | Dilation of Upper Artery with Two Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 037Y0F6 | Dilation of Upper Artery, Bifurcation, with Three Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |



List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|---|----------------------|
| 037Y0FZ | Dilation of Upper Artery with Three Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 037Y0G6 | Dilation of Upper Artery, Bifurcation, with Four or More Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 037Y0GZ | Dilation of Upper Artery with Four or More Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 037Y0Z6 | Dilation of Upper Artery, Bifurcation, Open Approach | ICD-10-PCS Procedure |
| 037Y0ZZ | Dilation of Upper Artery, Open Approach | ICD-10-PCS Procedure |
| 037Y346 | Dilation of Upper Artery, Bifurcation, with Drug-eluting Intraluminal Device, Percutaneous Approach | ICD-10-PCS Procedure |
| 037Y34Z | Dilation of Upper Artery with Drug-eluting Intraluminal Device, Percutaneous Approach | ICD-10-PCS Procedure |
| 037Y356 | Dilation of Upper Artery, Bifurcation, with Two Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 037Y35Z | Dilation of Upper Artery with Two Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 037Y366 | Dilation of Upper Artery, Bifurcation, with Three Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 037Y36Z | Dilation of Upper Artery with Three Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 037Y376 | Dilation of Upper Artery, Bifurcation, with Four or More Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 037Y37Z | Dilation of Upper Artery with Four or More Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 037Y3D6 | Dilation of Upper Artery, Bifurcation, with Intraluminal Device, Percutaneous Approach | ICD-10-PCS Procedure |
| 037Y3DZ | Dilation of Upper Artery with Intraluminal Device, Percutaneous Approach | ICD-10-PCS Procedure |
| 037Y3E6 | Dilation of Upper Artery, Bifurcation, with Two Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 037Y3EZ | Dilation of Upper Artery with Two Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 037Y3F6 | Dilation of Upper Artery, Bifurcation, with Three Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 037Y3FZ | Dilation of Upper Artery with Three Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 037Y3G6 | Dilation of Upper Artery, Bifurcation, with Four or More Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 037Y3GZ | Dilation of Upper Artery with Four or More Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 037Y3Z6 | Dilation of Upper Artery, Bifurcation, Percutaneous Approach | ICD-10-PCS Procedure |
| 037Y3ZZ | Dilation of Upper Artery, Percutaneous Approach | ICD-10-PCS Procedure |
| 037Y446 | Dilation of Upper Artery, Bifurcation, with Drug-eluting Intraluminal Device, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 037Y44Z | Dilation of Upper Artery with Drug-eluting Intraluminal Device, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 037Y456 | Dilation of Upper Artery, Bifurcation, with Two Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 037Y45Z | Dilation of Upper Artery with Two Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |

List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|--|----------------------|
| 037Y466 | Dilation of Upper Artery, Bifurcation, with Three Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 037Y46Z | Dilation of Upper Artery with Three Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 037Y476 | Dilation of Upper Artery, Bifurcation, with Four or More Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 037Y47Z | Dilation of Upper Artery with Four or More Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 037Y4D6 | Dilation of Upper Artery, Bifurcation, with Intraluminal Device, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 037Y4DZ | Dilation of Upper Artery with Intraluminal Device, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 037Y4E6 | Dilation of Upper Artery, Bifurcation, with Two Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 037Y4EZ | Dilation of Upper Artery with Two Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 037Y4F6 | Dilation of Upper Artery, Bifurcation, with Three Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 037Y4FZ | Dilation of Upper Artery with Three Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 037Y4G6 | Dilation of Upper Artery, Bifurcation, with Four or More Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 037Y4GZ | Dilation of Upper Artery with Four or More Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 037Y4Z6 | Dilation of Upper Artery, Bifurcation, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 037Y4ZZ | Dilation of Upper Artery, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 03C50Z6 | Extirpation of Matter from Right Axillary Artery, Bifurcation, Open Approach | ICD-10-PCS Procedure |
| 03C50ZZ | Extirpation of Matter from Right Axillary Artery, Open Approach | ICD-10-PCS Procedure |
| 03C53Z6 | Extirpation of Matter from Right Axillary Artery, Bifurcation, Percutaneous Approach | ICD-10-PCS Procedure |
| 03C53ZZ | Extirpation of Matter from Right Axillary Artery, Percutaneous Approach | ICD-10-PCS Procedure |
| 03C54Z6 | Extirpation of Matter from Right Axillary Artery, Bifurcation, Percutaneous | ICD-10-PCS Procedure |
| 03C54ZZ | Extirpation of Matter from Right Axillary Artery, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 03C60Z6 | Extirpation of Matter from Left Axillary Artery, Bifurcation, Open Approach | ICD-10-PCS Procedure |
| 03C60ZZ | Extirpation of Matter from Left Axillary Artery, Open Approach | ICD-10-PCS Procedure |
| 03C63Z6 | Extirpation of Matter from Left Axillary Artery, Bifurcation, Percutaneous Approach | ICD-10-PCS Procedure |
| 03C63ZZ | Extirpation of Matter from Left Axillary Artery, Percutaneous Approach | ICD-10-PCS Procedure |
| 03C64Z6 | Extirpation of Matter from Left Axillary Artery, Bifurcation, Percutaneous Endoscopic | ICD-10-PCS Procedure |
| 03C64ZZ | Extirpation of Matter from Left Axillary Artery, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 03C70Z6 | Extirpation of Matter from Right Brachial Artery, Bifurcation, Open Approach | ICD-10-PCS Procedure |
| 03C70ZZ | Extirpation of Matter from Right Brachial Artery, Open Approach | ICD-10-PCS Procedure |

List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|--|----------------------|
| 03C73Z6 | Extirpation of Matter from Right Brachial Artery, Bifurcation, Percutaneous Approach | ICD-10-PCS Procedure |
| 03C73ZZ | Extirpation of Matter from Right Brachial Artery, Percutaneous Approach | ICD-10-PCS Procedure |
| 03C74Z6 | Extirpation of Matter from Right Brachial Artery, Bifurcation, Percutaneous | ICD-10-PCS Procedure |
| 03C74ZZ | Extirpation of Matter from Right Brachial Artery, Percutaneous Endoscopic | ICD-10-PCS Procedure |
| 03C80Z6 | Extirpation of Matter from Left Brachial Artery, Bifurcation, Open Approach | ICD-10-PCS Procedure |
| 03C80ZZ | Extirpation of Matter from Left Brachial Artery, Open Approach | ICD-10-PCS Procedure |
| 03C83Z6 | Extirpation of Matter from Left Brachial Artery, Bifurcation, Percutaneous Approach | ICD-10-PCS Procedure |
| 03C83ZZ | Extirpation of Matter from Left Brachial Artery, Percutaneous Approach | ICD-10-PCS Procedure |
| 03C84Z6 | Extirpation of Matter from Left Brachial Artery, Bifurcation, Percutaneous | ICD-10-PCS Procedure |
| 03C84ZZ | Extirpation of Matter from Left Brachial Artery, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 03C90Z6 | Extirpation of Matter from Right Ulnar Artery, Bifurcation, Open Approach | ICD-10-PCS Procedure |
| 03C90ZZ | Extirpation of Matter from Right Ulnar Artery, Open Approach | ICD-10-PCS Procedure |
| 03C93Z6 | Extirpation of Matter from Right Ulnar Artery, Bifurcation, Percutaneous Approach | ICD-10-PCS Procedure |
| 03C93ZZ | Extirpation of Matter from Right Ulnar Artery, Percutaneous Approach | ICD-10-PCS Procedure |
| 03C94Z6 | Extirpation of Matter from Right Ulnar Artery, Bifurcation, Percutaneous Endoscopic | ICD-10-PCS Procedure |
| 03C94ZZ | Extirpation of Matter from Right Ulnar Artery, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 03CA0Z6 | Extirpation of Matter from Left Ulnar Artery, Bifurcation, Open Approach | ICD-10-PCS Procedure |
| 03CA0ZZ | Extirpation of Matter from Left Ulnar Artery, Open Approach | ICD-10-PCS Procedure |
| 03CA3Z6 | Extirpation of Matter from Left Ulnar Artery, Bifurcation, Percutaneous Approach | ICD-10-PCS Procedure |
| 03CA3ZZ | Extirpation of Matter from Left Ulnar Artery, Percutaneous Approach | ICD-10-PCS Procedure |
| 03CA4Z6 | Extirpation of Matter from Left Ulnar Artery, Bifurcation, Percutaneous Endoscopic | ICD-10-PCS Procedure |
| 03CA4ZZ | Extirpation of Matter from Left Ulnar Artery, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 03CB0Z6 | Extirpation of Matter from Right Radial Artery, Bifurcation, Open Approach | ICD-10-PCS Procedure |
| 03CB0ZZ | Extirpation of Matter from Right Radial Artery, Open Approach | ICD-10-PCS Procedure |
| 03CB3Z6 | Extirpation of Matter from Right Radial Artery, Bifurcation, Percutaneous Approach | ICD-10-PCS Procedure |
| 03CB3ZZ | Extirpation of Matter from Right Radial Artery, Percutaneous Approach | ICD-10-PCS Procedure |
| 03CB4Z6 | Extirpation of Matter from Right Radial Artery, Bifurcation, Percutaneous | ICD-10-PCS Procedure |
| 03CB4ZZ | Extirpation of Matter from Right Radial Artery, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 03CC0Z6 | Extirpation of Matter from Left Radial Artery, Bifurcation, Open Approach | ICD-10-PCS Procedure |
| 03CC0ZZ | Extirpation of Matter from Left Radial Artery, Open Approach | ICD-10-PCS Procedure |
| 03CC3Z6 | Extirpation of Matter from Left Radial Artery, Bifurcation, Percutaneous Approach | ICD-10-PCS Procedure |
| 03CC3ZZ | Extirpation of Matter from Left Radial Artery, Percutaneous Approach | ICD-10-PCS Procedure |
| 03CC4Z6 | Extirpation of Matter from Left Radial Artery, Bifurcation, Percutaneous Endoscopic | ICD-10-PCS Procedure |
| 03CC4ZZ | Extirpation of Matter from Left Radial Artery, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 03CD0Z6 | Extirpation of Matter from Right Hand Artery, Bifurcation, Open Approach | ICD-10-PCS Procedure |

List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|---|----------------------|
| 03CD0ZZ | Extirpation of Matter from Right Hand Artery, Open Approach | ICD-10-PCS Procedure |
| 03CD3Z6 | Extirpation of Matter from Right Hand Artery, Bifurcation, Percutaneous Approach | ICD-10-PCS Procedure |
| 03CD3ZZ | Extirpation of Matter from Right Hand Artery, Percutaneous Approach | ICD-10-PCS Procedure |
| 03CD4Z6 | Extirpation of Matter from Right Hand Artery, Bifurcation, Percutaneous Endoscopic | ICD-10-PCS Procedure |
| 03CD4ZZ | Extirpation of Matter from Right Hand Artery, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 03CF0Z6 | Extirpation of Matter from Left Hand Artery, Bifurcation, Open Approach | ICD-10-PCS Procedure |
| 03CF0ZZ | Extirpation of Matter from Left Hand Artery, Open Approach | ICD-10-PCS Procedure |
| 03CF3Z6 | Extirpation of Matter from Left Hand Artery, Bifurcation, Percutaneous Approach | ICD-10-PCS Procedure |
| 03CF3ZZ | Extirpation of Matter from Left Hand Artery, Percutaneous Approach | ICD-10-PCS Procedure |
| 03CF4Z6 | Extirpation of Matter from Left Hand Artery, Bifurcation, Percutaneous Endoscopic | ICD-10-PCS Procedure |
| 03CF4ZZ | Extirpation of Matter from Left Hand Artery, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 03CY0Z6 | Extirpation of Matter from Upper Artery, Bifurcation, Open Approach | ICD-10-PCS Procedure |
| 03CY0ZZ | Extirpation of Matter from Upper Artery, Open Approach | ICD-10-PCS Procedure |
| 03CY3Z6 | Extirpation of Matter from Upper Artery, Bifurcation, Percutaneous Approach | ICD-10-PCS Procedure |
| 03CY3ZZ | Extirpation of Matter from Upper Artery, Percutaneous Approach | ICD-10-PCS Procedure |
| 03CY4Z6 | Extirpation of Matter from Upper Artery, Bifurcation, Percutaneous Endoscopic | ICD-10-PCS Procedure |
| 03CY4ZZ | Extirpation of Matter from Upper Artery, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 04100A0 | Bypass Abdominal Aorta to Abdominal Aorta with Autologous Arterial Tissue, Open Approach | ICD-10-PCS Procedure |
| 04100A1 | Bypass Abdominal Aorta to Celiac Artery with Autologous Arterial Tissue, Open | ICD-10-PCS Procedure |
| 04100A2 | Bypass Abdominal Aorta to Mesenteric Artery with Autologous Arterial Tissue, Open Approach | ICD-10-PCS Procedure |
| 04100J0 | Bypass Abdominal Aorta to Abdominal Aorta with Synthetic Substitute, Open Approach | ICD-10-PCS Procedure |
| 04100J1 | Bypass Abdominal Aorta to Celiac Artery with Synthetic Substitute, Open Approach | ICD-10-PCS Procedure |
| 04100J2 | Bypass Abdominal Aorta to Mesenteric Artery with Synthetic Substitute, Open Approach | ICD-10-PCS Procedure |
| 04100K0 | Bypass Abdominal Aorta to Abdominal Aorta with Nonautologous Tissue Substitute, Open Approach | ICD-10-PCS Procedure |
| 04100K1 | Bypass Abdominal Aorta to Celiac Artery with Nonautologous Tissue Substitute, Open Approach | ICD-10-PCS Procedure |
| 04100K2 | Bypass Abdominal Aorta to Mesenteric Artery with Nonautologous Tissue Substitute, Open Approach | ICD-10-PCS Procedure |
| 04100Z0 | Bypass Abdominal Aorta to Abdominal Aorta, Open Approach | ICD-10-PCS Procedure |
| 04100Z1 | Bypass Abdominal Aorta to Celiac Artery, Open Approach | ICD-10-PCS Procedure |
| 04100Z2 | Bypass Abdominal Aorta to Mesenteric Artery, Open Approach | ICD-10-PCS Procedure |
| 04104A0 | Bypass Abdominal Aorta to Abdominal Aorta with Autologous Arterial Tissue, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |

List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|--|----------------------|
| 04104A1 | Bypass Abdominal Aorta to Celiac Artery with Autologous Arterial Tissue, | ICD-10-PCS Procedure |
| 04104A2 | Bypass Abdominal Aorta to Mesenteric Artery with Autologous Arterial Tissue, | ICD-10-PCS Procedure |
| 04104J0 | Bypass Abdominal Aorta to Abdominal Aorta with Synthetic Substitute, | ICD-10-PCS Procedure |
| 04104J1 | Bypass Abdominal Aorta to Celiac Artery with Synthetic Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 04104J2 | Bypass Abdominal Aorta to Mesenteric Artery with Synthetic Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 04104K0 | Bypass Abdominal Aorta to Abdominal Aorta with Nonautologous Tissue Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 04104K1 | Bypass Abdominal Aorta to Celiac Artery with Nonautologous Tissue Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 04104K2 | Bypass Abdominal Aorta to Mesenteric Artery with Nonautologous Tissue Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 04104Z0 | Bypass Abdominal Aorta to Abdominal Aorta, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 04104Z1 | Bypass Abdominal Aorta to Celiac Artery, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 04104Z2 | Bypass Abdominal Aorta to Mesenteric Artery, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 04140A3 | Bypass Splenic Artery to Right Renal Artery with Autologous Arterial Tissue, Open Approach | ICD-10-PCS Procedure |
| 04140A4 | Bypass Splenic Artery to Left Renal Artery with Autologous Arterial Tissue, Open Approach | ICD-10-PCS Procedure |
| 04140A5 | Bypass Splenic Artery to Bilateral Renal Artery with Autologous Arterial Tissue, Open Approach | ICD-10-PCS Procedure |
| 04140J3 | Bypass Splenic Artery to Right Renal Artery with Synthetic Substitute, Open Approach | ICD-10-PCS Procedure |
| 04140J4 | Bypass Splenic Artery to Left Renal Artery with Synthetic Substitute, Open Approach | ICD-10-PCS Procedure |
| 04140J5 | Bypass Splenic Artery to Bilateral Renal Artery with Synthetic Substitute, Open Approach | ICD-10-PCS Procedure |
| 04140K3 | Bypass Splenic Artery to Right Renal Artery with Nonautologous Tissue Substitute, Open Approach | ICD-10-PCS Procedure |
| 04140K4 | Bypass Splenic Artery to Left Renal Artery with Nonautologous Tissue Substitute, Open Approach | ICD-10-PCS Procedure |
| 04140K5 | Bypass Splenic Artery to Bilateral Renal Artery with Nonautologous Tissue Substitute, Open Approach | ICD-10-PCS Procedure |
| 04140Z3 | Bypass Splenic Artery to Right Renal Artery, Open Approach | ICD-10-PCS Procedure |
| 04140Z4 | Bypass Splenic Artery to Left Renal Artery, Open Approach | ICD-10-PCS Procedure |
| 04140Z5 | Bypass Splenic Artery to Bilateral Renal Artery, Open Approach | ICD-10-PCS Procedure |
| 04144A3 | Bypass Splenic Artery to Right Renal Artery with Autologous Arterial Tissue, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 04144A4 | Bypass Splenic Artery to Left Renal Artery with Autologous Arterial Tissue, | ICD-10-PCS Procedure |

List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|--|----------------------|
| 04144A5 | Bypass Splenic Artery to Bilateral Renal Artery with Autologous Arterial Tissue, | ICD-10-PCS Procedure |
| 04144J3 | Bypass Splenic Artery to Right Renal Artery with Synthetic Substitute, Percutaneous | ICD-10-PCS Procedure |
| 04144J4 | Bypass Splenic Artery to Left Renal Artery with Synthetic Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 04144J5 | Bypass Splenic Artery to Bilateral Renal Artery with Synthetic Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 04144K3 | Bypass Splenic Artery to Right Renal Artery with Nonautologous Tissue Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 04144K4 | Bypass Splenic Artery to Left Renal Artery with Nonautologous Tissue Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 04144K5 | Bypass Splenic Artery to Bilateral Renal Artery with Nonautologous Tissue Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 04144Z3 | Bypass Splenic Artery to Right Renal Artery, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 04144Z4 | Bypass Splenic Artery to Left Renal Artery, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 04144Z5 | Bypass Splenic Artery to Bilateral Renal Artery, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041C090 | Bypass Right Common Iliac Artery to Abdominal Aorta with Autologous Venous Tissue, Open Approach | ICD-10-PCS Procedure |
| 041C091 | Bypass Right Common Iliac Artery to Celiac Artery with Autologous Venous Tissue, Open Approach | ICD-10-PCS Procedure |
| 041C092 | Bypass Right Common Iliac Artery to Mesenteric Artery with Autologous Venous Tissue, Open Approach | ICD-10-PCS Procedure |
| 041C093 | Bypass Right Common Iliac Artery to Right Renal Artery with Autologous Venous Tissue, Open Approach | ICD-10-PCS Procedure |
| 041C094 | Bypass Right Common Iliac Artery to Left Renal Artery with Autologous Venous Tissue, Open Approach | ICD-10-PCS Procedure |
| 041C095 | Bypass Right Common Iliac Artery to Bilateral Renal Artery with Autologous Venous Tissue, Open Approach | ICD-10-PCS Procedure |
| 041C096 | Bypass Right Common Iliac Artery to Right Common Iliac Artery with Autologous Venous Tissue, Open Approach | ICD-10-PCS Procedure |
| 041C097 | Bypass Right Common Iliac Artery to Left Common Iliac Artery with Autologous Venous Tissue, Open Approach | ICD-10-PCS Procedure |
| 041C098 | Bypass Right Common Iliac Artery to Bilateral Common Iliac Arteries with Autologous Venous Tissue, Open Approach | ICD-10-PCS Procedure |
| 041C099 | Bypass Right Common Iliac Artery to Right Internal Iliac Artery with Autologous Venous Tissue, Open Approach | ICD-10-PCS Procedure |
| 041C09B | Bypass Right Common Iliac Artery to Left Internal Iliac Artery with Autologous Venous Tissue, Open Approach | ICD-10-PCS Procedure |
| 041C09C | Bypass Right Common Iliac Artery to Bilateral Internal Iliac Arteries with Autologous Venous Tissue, Open Approach | ICD-10-PCS Procedure |

List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|--|----------------------|
| 041C09D | Bypass Right Common Iliac Artery to Right External Iliac Artery with Autologous Venous Tissue, Open Approach | ICD-10-PCS Procedure |
| 041C09F | Bypass Right Common Iliac Artery to Left External Iliac Artery with Autologous Venous Tissue, Open Approach | ICD-10-PCS Procedure |
| 041C09G | Bypass Right Common Iliac Artery to Bilateral External Iliac Arteries with Autologous Venous Tissue, Open Approach | ICD-10-PCS Procedure |
| 041C09Q | Bypass Right Common Iliac Artery to Lower Extremity Artery with Autologous Venous Tissue, Open Approach | ICD-10-PCS Procedure |
| 041C09R | Bypass Right Common Iliac Artery to Lower Artery with Autologous Venous Tissue, Open Approach | ICD-10-PCS Procedure |
| 041C0A0 | Bypass Right Common Iliac Artery to Abdominal Aorta with Autologous Arterial Tissue, Open Approach | ICD-10-PCS Procedure |
| 041C0A1 | Bypass Right Common Iliac Artery to Celiac Artery with Autologous Arterial Tissue, Open Approach | ICD-10-PCS Procedure |
| 041C0A2 | Bypass Right Common Iliac Artery to Mesenteric Artery with Autologous Arterial Tissue, Open Approach | ICD-10-PCS Procedure |
| 041C0A3 | Bypass Right Common Iliac Artery to Right Renal Artery with Autologous Arterial Tissue, Open Approach | ICD-10-PCS Procedure |
| 041C0A4 | Bypass Right Common Iliac Artery to Left Renal Artery with Autologous Arterial Tissue, Open Approach | ICD-10-PCS Procedure |
| 041C0A5 | Bypass Right Common Iliac Artery to Bilateral Renal Artery with Autologous Arterial Tissue, Open Approach | ICD-10-PCS Procedure |
| 041C0A6 | Bypass Right Common Iliac Artery to Right Common Iliac Artery with Autologous Arterial Tissue, Open Approach | ICD-10-PCS Procedure |
| 041C0A7 | Bypass Right Common Iliac Artery to Left Common Iliac Artery with Autologous Arterial Tissue, Open Approach | ICD-10-PCS Procedure |
| 041C0A8 | Bypass Right Common Iliac Artery to Bilateral Common Iliac Arteries with Autologous Arterial Tissue, Open Approach | ICD-10-PCS Procedure |
| 041C0A9 | Bypass Right Common Iliac Artery to Right Internal Iliac Artery with Autologous Arterial Tissue, Open Approach | ICD-10-PCS Procedure |
| 041C0AB | Bypass Right Common Iliac Artery to Left Internal Iliac Artery with Autologous Arterial Tissue, Open Approach | ICD-10-PCS Procedure |
| 041C0AC | Bypass Right Common Iliac Artery to Bilateral Internal Iliac Arteries with Autologous Arterial Tissue, Open Approach | ICD-10-PCS Procedure |
| 041C0AD | Bypass Right Common Iliac Artery to Right External Iliac Artery with Autologous Arterial Tissue, Open Approach | ICD-10-PCS Procedure |
| 041C0AF | Bypass Right Common Iliac Artery to Left External Iliac Artery with Autologous Arterial Tissue, Open Approach | ICD-10-PCS Procedure |
| 041C0AG | Bypass Right Common Iliac Artery to Bilateral External Iliac Arteries with Autologous Arterial Tissue, Open Approach | ICD-10-PCS Procedure |
| 041C0AQ | Bypass Right Common Iliac Artery to Lower Extremity Artery with Autologous Arterial Tissue, Open Approach | ICD-10-PCS Procedure |

List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|--|----------------------|
| 041C0AR | Bypass Right Common Iliac Artery to Lower Artery with Autologous Arterial Tissue, Open Approach | ICD-10-PCS Procedure |
| 041C0J0 | Bypass Right Common Iliac Artery to Abdominal Aorta with Synthetic Substitute, Open Approach | ICD-10-PCS Procedure |
| 041C0J1 | Bypass Right Common Iliac Artery to Celiac Artery with Synthetic Substitute, Open Approach | ICD-10-PCS Procedure |
| 041C0J2 | Bypass Right Common Iliac Artery to Mesenteric Artery with Synthetic Substitute, Open Approach | ICD-10-PCS Procedure |
| 041C0J3 | Bypass Right Common Iliac Artery to Right Renal Artery with Synthetic Substitute, Open Approach | ICD-10-PCS Procedure |
| 041C0J4 | Bypass Right Common Iliac Artery to Left Renal Artery with Synthetic Substitute, Open Approach | ICD-10-PCS Procedure |
| 041C0J5 | Bypass Right Common Iliac Artery to Bilateral Renal Artery with Synthetic Substitute, Open Approach | ICD-10-PCS Procedure |
| 041C0J6 | Bypass Right Common Iliac Artery to Right Common Iliac Artery with Synthetic Substitute, Open Approach | ICD-10-PCS Procedure |
| 041C0J7 | Bypass Right Common Iliac Artery to Left Common Iliac Artery with Synthetic Substitute, Open Approach | ICD-10-PCS Procedure |
| 041C0J8 | Bypass Right Common Iliac Artery to Bilateral Common Iliac Arteries with Synthetic Substitute, Open Approach | ICD-10-PCS Procedure |
| 041C0J9 | Bypass Right Common Iliac Artery to Right Internal Iliac Artery with Synthetic Substitute, Open Approach | ICD-10-PCS Procedure |
| 041C0JB | Bypass Right Common Iliac Artery to Left Internal Iliac Artery with Synthetic Substitute, Open Approach | ICD-10-PCS Procedure |
| 041C0JC | Bypass Right Common Iliac Artery to Bilateral Internal Iliac Arteries with Synthetic Substitute, Open Approach | ICD-10-PCS Procedure |
| 041C0JD | Bypass Right Common Iliac Artery to Right External Iliac Artery with Synthetic Substitute, Open Approach | ICD-10-PCS Procedure |
| 041C0JF | Bypass Right Common Iliac Artery to Left External Iliac Artery with Synthetic Substitute, Open Approach | ICD-10-PCS Procedure |
| 041C0JG | Bypass Right Common Iliac Artery to Bilateral External Iliac Arteries with Synthetic Substitute, Open Approach | ICD-10-PCS Procedure |
| 041C0JQ | Bypass Right Common Iliac Artery to Lower Extremity Artery with Synthetic Substitute, Open Approach | ICD-10-PCS Procedure |
| 041C0JR | Bypass Right Common Iliac Artery to Lower Artery with Synthetic Substitute, Open Approach | ICD-10-PCS Procedure |
| 041C0K0 | Bypass Right Common Iliac Artery to Abdominal Aorta with Nonautologous Tissue Substitute, Open Approach | ICD-10-PCS Procedure |
| 041C0K1 | Bypass Right Common Iliac Artery to Celiac Artery with Nonautologous Tissue Substitute, Open Approach | ICD-10-PCS Procedure |
| 041C0K2 | Bypass Right Common Iliac Artery to Mesenteric Artery with Nonautologous Tissue Substitute, Open Approach | ICD-10-PCS Procedure |

List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|---|----------------------|
| 041C0K3 | Bypass Right Common Iliac Artery to Right Renal Artery with Nonautologous Tissue Substitute, Open Approach | ICD-10-PCS Procedure |
| 041C0K4 | Bypass Right Common Iliac Artery to Left Renal Artery with Nonautologous Tissue Substitute, Open Approach | ICD-10-PCS Procedure |
| 041C0K5 | Bypass Right Common Iliac Artery to Bilateral Renal Artery with Nonautologous Tissue Substitute, Open Approach | ICD-10-PCS Procedure |
| 041C0K6 | Bypass Right Common Iliac Artery to Right Common Iliac Artery with Nonautologous Tissue Substitute, Open Approach | ICD-10-PCS Procedure |
| 041C0K7 | Bypass Right Common Iliac Artery to Left Common Iliac Artery with Nonautologous Tissue Substitute, Open Approach | ICD-10-PCS Procedure |
| 041C0K8 | Bypass Right Common Iliac Artery to Bilateral Common Iliac Arteries with Nonautologous Tissue Substitute, Open Approach | ICD-10-PCS Procedure |
| 041C0K9 | Bypass Right Common Iliac Artery to Right Internal Iliac Artery with Nonautologous Tissue Substitute, Open Approach | ICD-10-PCS Procedure |
| 041C0KB | Bypass Right Common Iliac Artery to Left Internal Iliac Artery with Nonautologous Tissue Substitute, Open Approach | ICD-10-PCS Procedure |
| 041C0KC | Bypass Right Common Iliac Artery to Bilateral Internal Iliac Arteries with Nonautologous Tissue Substitute, Open Approach | ICD-10-PCS Procedure |
| 041C0KD | Bypass Right Common Iliac Artery to Right External Iliac Artery with Nonautologous Tissue Substitute, Open Approach | ICD-10-PCS Procedure |
| 041C0KF | Bypass Right Common Iliac Artery to Left External Iliac Artery with Nonautologous Tissue Substitute, Open Approach | ICD-10-PCS Procedure |
| 041C0KG | Bypass Right Common Iliac Artery to Bilateral External Iliac Arteries with Nonautologous Tissue Substitute, Open Approach | ICD-10-PCS Procedure |
| 041C0KQ | Bypass Right Common Iliac Artery to Lower Extremity Artery with Nonautologous Tissue Substitute, Open Approach | ICD-10-PCS Procedure |
| 041C0KR | Bypass Right Common Iliac Artery to Lower Artery with Nonautologous Tissue Substitute, Open Approach | ICD-10-PCS Procedure |
| 041C0Z0 | Bypass Right Common Iliac Artery to Abdominal Aorta, Open Approach | ICD-10-PCS Procedure |
| 041C0Z1 | Bypass Right Common Iliac Artery to Celiac Artery, Open Approach | ICD-10-PCS Procedure |
| 041C0Z2 | Bypass Right Common Iliac Artery to Mesenteric Artery, Open Approach | ICD-10-PCS Procedure |
| 041C0Z3 | Bypass Right Common Iliac Artery to Right Renal Artery, Open Approach | ICD-10-PCS Procedure |
| 041C0Z4 | Bypass Right Common Iliac Artery to Left Renal Artery, Open Approach | ICD-10-PCS Procedure |
| 041C0Z5 | Bypass Right Common Iliac Artery to Bilateral Renal Artery, Open Approach | ICD-10-PCS Procedure |
| 041C0Z6 | Bypass Right Common Iliac Artery to Right Common Iliac Artery, Open Approach | ICD-10-PCS Procedure |
| 041C0Z7 | Bypass Right Common Iliac Artery to Left Common Iliac Artery, Open Approach | ICD-10-PCS Procedure |
| 041C0Z8 | Bypass Right Common Iliac Artery to Bilateral Common Iliac Arteries, Open Approach | ICD-10-PCS Procedure |
| 041C0Z9 | Bypass Right Common Iliac Artery to Right Internal Iliac Artery, Open Approach | ICD-10-PCS Procedure |
| 041C0ZB | Bypass Right Common Iliac Artery to Left Internal Iliac Artery, Open Approach | ICD-10-PCS Procedure |
| 041C0ZC | Bypass Right Common Iliac Artery to Bilateral Internal Iliac Arteries, Open Approach | ICD-10-PCS Procedure |

List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|---|----------------------|
| 041C0ZD | Bypass Right Common Iliac Artery to Right External Iliac Artery, Open Approach | ICD-10-PCS Procedure |
| 041C0ZF | Bypass Right Common Iliac Artery to Left External Iliac Artery, Open Approach | ICD-10-PCS Procedure |
| 041C0ZG | Bypass Right Common Iliac Artery to Bilateral External Iliac Arteries, Open Approach | ICD-10-PCS Procedure |
| 041C0ZQ | Bypass Right Common Iliac Artery to Lower Extremity Artery, Open Approach | ICD-10-PCS Procedure |
| 041C0ZR | Bypass Right Common Iliac Artery to Lower Artery, Open Approach | ICD-10-PCS Procedure |
| 041C490 | Bypass Right Common Iliac Artery to Abdominal Aorta with Autologous Venous Tissue, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041C491 | Bypass Right Common Iliac Artery to Celiac Artery with Autologous Venous Tissue, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041C492 | Bypass Right Common Iliac Artery to Mesenteric Artery with Autologous Venous Tissue, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041C493 | Bypass Right Common Iliac Artery to Right Renal Artery with Autologous Venous Tissue, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041C494 | Bypass Right Common Iliac Artery to Left Renal Artery with Autologous Venous Tissue, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041C495 | Bypass Right Common Iliac Artery to Bilateral Renal Artery with Autologous Venous Tissue, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041C496 | Bypass Right Common Iliac Artery to Right Common Iliac Artery with Autologous Venous Tissue, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041C497 | Bypass Right Common Iliac Artery to Left Common Iliac Artery with Autologous Venous Tissue, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041C498 | Bypass Right Common Iliac Artery to Bilateral Common Iliac Arteries with Autologous Venous Tissue, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041C499 | Bypass Right Common Iliac Artery to Right Internal Iliac Artery with Autologous Venous Tissue, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041C49B | Bypass Right Common Iliac Artery to Left Internal Iliac Artery with Autologous Venous Tissue, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041C49C | Bypass Right Common Iliac Artery to Bilateral Internal Iliac Arteries with Autologous Venous Tissue, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041C49D | Bypass Right Common Iliac Artery to Right External Iliac Artery with Autologous Venous Tissue, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041C49F | Bypass Right Common Iliac Artery to Left External Iliac Artery with Autologous Venous Tissue, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041C49G | Bypass Right Common Iliac Artery to Bilateral External Iliac Arteries with Autologous Venous Tissue, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041C49Q | Bypass Right Common Iliac Artery to Lower Extremity Artery with Autologous Venous Tissue, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041C49R | Bypass Right Common Iliac Artery to Lower Artery with Autologous Venous Tissue, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041C4A0 | Bypass Right Common Iliac Artery to Abdominal Aorta with Autologous Arterial Tissue, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |

List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|---|----------------------|
| 041C4A1 | Bypass Right Common Iliac Artery to Celiac Artery with Autologous Arterial Tissue, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041C4A2 | Bypass Right Common Iliac Artery to Mesenteric Artery with Autologous Arterial Tissue, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041C4A3 | Bypass Right Common Iliac Artery to Right Renal Artery with Autologous Arterial Tissue, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041C4A4 | Bypass Right Common Iliac Artery to Left Renal Artery with Autologous Arterial Tissue, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041C4A5 | Bypass Right Common Iliac Artery to Bilateral Renal Artery with Autologous Arterial Tissue, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041C4A6 | Bypass Right Common Iliac Artery to Right Common Iliac Artery with Autologous Arterial Tissue, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041C4A7 | Bypass Right Common Iliac Artery to Left Common Iliac Artery with Autologous Arterial Tissue, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041C4A8 | Bypass Right Common Iliac Artery to Bilateral Common Iliac Arteries with Autologous Arterial Tissue, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041C4A9 | Bypass Right Common Iliac Artery to Right Internal Iliac Artery with Autologous Arterial Tissue, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041C4AB | Bypass Right Common Iliac Artery to Left Internal Iliac Artery with Autologous Arterial Tissue, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041C4AC | Bypass Right Common Iliac Artery to Bilateral Internal Iliac Arteries with Autologous Arterial Tissue, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041C4AD | Bypass Right Common Iliac Artery to Right External Iliac Artery with Autologous Arterial Tissue, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041C4AF | Bypass Right Common Iliac Artery to Left External Iliac Artery with Autologous Arterial Tissue, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041C4AG | Bypass Right Common Iliac Artery to Bilateral External Iliac Arteries with Autologous Arterial Tissue, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041C4AQ | Bypass Right Common Iliac Artery to Lower Extremity Artery with Autologous Arterial Tissue, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041C4AR | Bypass Right Common Iliac Artery to Lower Artery with Autologous Arterial Tissue, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041C4J0 | Bypass Right Common Iliac Artery to Abdominal Aorta with Synthetic Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041C4J1 | Bypass Right Common Iliac Artery to Celiac Artery with Synthetic Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041C4J2 | Bypass Right Common Iliac Artery to Mesenteric Artery with Synthetic Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041C4J3 | Bypass Right Common Iliac Artery to Right Renal Artery with Synthetic Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041C4J4 | Bypass Right Common Iliac Artery to Left Renal Artery with Synthetic Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |

List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|--|----------------------|
| 041C4J5 | Bypass Right Common Iliac Artery to Bilateral Renal Artery with Synthetic Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041C4J6 | Bypass Right Common Iliac Artery to Right Common Iliac Artery with Synthetic Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041C4J7 | Bypass Right Common Iliac Artery to Left Common Iliac Artery with Synthetic Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041C4J8 | Bypass Right Common Iliac Artery to Bilateral Common Iliac Arteries with Synthetic Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041C4J9 | Bypass Right Common Iliac Artery to Right Internal Iliac Artery with Synthetic Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041C4JB | Bypass Right Common Iliac Artery to Left Internal Iliac Artery with Synthetic Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041C4JC | Bypass Right Common Iliac Artery to Bilateral Internal Iliac Arteries with Synthetic Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041C4JD | Bypass Right Common Iliac Artery to Right External Iliac Artery with Synthetic Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041C4JF | Bypass Right Common Iliac Artery to Left External Iliac Artery with Synthetic Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041C4JG | Bypass Right Common Iliac Artery to Bilateral External Iliac Arteries with Synthetic Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041C4JQ | Bypass Right Common Iliac Artery to Lower Extremity Artery with Synthetic Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041C4JR | Bypass Right Common Iliac Artery to Lower Artery with Synthetic Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041C4K0 | Bypass Right Common Iliac Artery to Abdominal Aorta with Nonautologous Tissue Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041C4K1 | Bypass Right Common Iliac Artery to Celiac Artery with Nonautologous Tissue Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041C4K2 | Bypass Right Common Iliac Artery to Mesenteric Artery with Nonautologous Tissue Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041C4K3 | Bypass Right Common Iliac Artery to Right Renal Artery with Nonautologous Tissue Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041C4K4 | Bypass Right Common Iliac Artery to Left Renal Artery with Nonautologous Tissue Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041C4K5 | Bypass Right Common Iliac Artery to Bilateral Renal Artery with Nonautologous Tissue Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041C4K6 | Bypass Right Common Iliac Artery to Right Common Iliac Artery with Nonautologous Tissue Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041C4K7 | Bypass Right Common Iliac Artery to Left Common Iliac Artery with Nonautologous Tissue Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041C4K8 | Bypass Right Common Iliac Artery to Bilateral Common Iliac Arteries with Nonautologous Tissue Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |

List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|--|----------------------|
| 041C4K9 | Bypass Right Common Iliac Artery to Right Internal Iliac Artery with Nonautologous Tissue Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041C4KB | Bypass Right Common Iliac Artery to Left Internal Iliac Artery with Nonautologous Tissue Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041C4KC | Bypass Right Common Iliac Artery to Bilateral Internal Iliac Arteries with Nonautologous Tissue Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041C4KD | Bypass Right Common Iliac Artery to Right External Iliac Artery with Nonautologous Tissue Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041C4KF | Bypass Right Common Iliac Artery to Left External Iliac Artery with Nonautologous Tissue Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041C4KG | Bypass Right Common Iliac Artery to Bilateral External Iliac Arteries with Nonautologous Tissue Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041C4KQ | Bypass Right Common Iliac Artery to Lower Extremity Artery with Nonautologous Tissue Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041C4KR | Bypass Right Common Iliac Artery to Lower Artery with Nonautologous Tissue Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041C4Z0 | Bypass Right Common Iliac Artery to Abdominal Aorta, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041C4Z1 | Bypass Right Common Iliac Artery to Celiac Artery, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041C4Z2 | Bypass Right Common Iliac Artery to Mesenteric Artery, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041C4Z3 | Bypass Right Common Iliac Artery to Right Renal Artery, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041C4Z4 | Bypass Right Common Iliac Artery to Left Renal Artery, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041C4Z5 | Bypass Right Common Iliac Artery to Bilateral Renal Artery, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041C4Z6 | Bypass Right Common Iliac Artery to Right Common Iliac Artery, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041C4Z7 | Bypass Right Common Iliac Artery to Left Common Iliac Artery, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041C4Z8 | Bypass Right Common Iliac Artery to Bilateral Common Iliac Arteries, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041C4Z9 | Bypass Right Common Iliac Artery to Right Internal Iliac Artery, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041C4ZB | Bypass Right Common Iliac Artery to Left Internal Iliac Artery, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041C4ZC | Bypass Right Common Iliac Artery to Bilateral Internal Iliac Arteries, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041C4ZD | Bypass Right Common Iliac Artery to Right External Iliac Artery, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |

List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|---|----------------------|
| 041C4ZF | Bypass Right Common Iliac Artery to Left External Iliac Artery, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041C4ZG | Bypass Right Common Iliac Artery to Bilateral External Iliac Arteries, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041C4ZQ | Bypass Right Common Iliac Artery to Lower Extremity Artery, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041C4ZR | Bypass Right Common Iliac Artery to Lower Artery, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041D090 | Bypass Left Common Iliac Artery to Abdominal Aorta with Autologous Venous Tissue, Open Approach | ICD-10-PCS Procedure |
| 041D091 | Bypass Left Common Iliac Artery to Celiac Artery with Autologous Venous Tissue, Open Approach | ICD-10-PCS Procedure |
| 041D092 | Bypass Left Common Iliac Artery to Mesenteric Artery with Autologous Venous Tissue, Open Approach | ICD-10-PCS Procedure |
| 041D093 | Bypass Left Common Iliac Artery to Right Renal Artery with Autologous Venous Tissue, Open Approach | ICD-10-PCS Procedure |
| 041D094 | Bypass Left Common Iliac Artery to Left Renal Artery with Autologous Venous Tissue, Open Approach | ICD-10-PCS Procedure |
| 041D095 | Bypass Left Common Iliac Artery to Bilateral Renal Artery with Autologous Venous Tissue, Open Approach | ICD-10-PCS Procedure |
| 041D096 | Bypass Left Common Iliac Artery to Right Common Iliac Artery with Autologous Venous Tissue, Open Approach | ICD-10-PCS Procedure |
| 041D097 | Bypass Left Common Iliac Artery to Left Common Iliac Artery with Autologous Venous Tissue, Open Approach | ICD-10-PCS Procedure |
| 041D098 | Bypass Left Common Iliac Artery to Bilateral Common Iliac Arteries with Autologous Venous Tissue, Open Approach | ICD-10-PCS Procedure |
| 041D099 | Bypass Left Common Iliac Artery to Right Internal Iliac Artery with Autologous Venous Tissue, Open Approach | ICD-10-PCS Procedure |
| 041D09B | Bypass Left Common Iliac Artery to Left Internal Iliac Artery with Autologous Venous Tissue, Open Approach | ICD-10-PCS Procedure |
| 041D09C | Bypass Left Common Iliac Artery to Bilateral Internal Iliac Arteries with Autologous Venous Tissue, Open Approach | ICD-10-PCS Procedure |
| 041D09D | Bypass Left Common Iliac Artery to Right External Iliac Artery with Autologous Venous Tissue, Open Approach | ICD-10-PCS Procedure |
| 041D09F | Bypass Left Common Iliac Artery to Left External Iliac Artery with Autologous Venous Tissue, Open Approach | ICD-10-PCS Procedure |
| 041D09G | Bypass Left Common Iliac Artery to Bilateral External Iliac Arteries with Autologous Venous Tissue, Open Approach | ICD-10-PCS Procedure |
| 041D09Q | Bypass Left Common Iliac Artery to Lower Extremity Artery with Autologous Venous Tissue, Open Approach | ICD-10-PCS Procedure |
| 041D09R | Bypass Left Common Iliac Artery to Lower Artery with Autologous Venous Tissue, Open Approach | ICD-10-PCS Procedure |

List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|---|----------------------|
| 041D0A0 | Bypass Left Common Iliac Artery to Abdominal Aorta with Autologous Arterial Tissue, Open Approach | ICD-10-PCS Procedure |
| 041D0A1 | Bypass Left Common Iliac Artery to Celiac Artery with Autologous Arterial Tissue, Open Approach | ICD-10-PCS Procedure |
| 041D0A2 | Bypass Left Common Iliac Artery to Mesenteric Artery with Autologous Arterial Tissue, Open Approach | ICD-10-PCS Procedure |
| 041D0A3 | Bypass Left Common Iliac Artery to Right Renal Artery with Autologous Arterial Tissue, Open Approach | ICD-10-PCS Procedure |
| 041D0A4 | Bypass Left Common Iliac Artery to Left Renal Artery with Autologous Arterial Tissue, Open Approach | ICD-10-PCS Procedure |
| 041D0A5 | Bypass Left Common Iliac Artery to Bilateral Renal Artery with Autologous Arterial Tissue, Open Approach | ICD-10-PCS Procedure |
| 041D0A6 | Bypass Left Common Iliac Artery to Right Common Iliac Artery with Autologous Arterial Tissue, Open Approach | ICD-10-PCS Procedure |
| 041D0A7 | Bypass Left Common Iliac Artery to Left Common Iliac Artery with Autologous Arterial Tissue, Open Approach | ICD-10-PCS Procedure |
| 041D0A8 | Bypass Left Common Iliac Artery to Bilateral Common Iliac Arteries with Autologous Arterial Tissue, Open Approach | ICD-10-PCS Procedure |
| 041D0A9 | Bypass Left Common Iliac Artery to Right Internal Iliac Artery with Autologous Arterial Tissue, Open Approach | ICD-10-PCS Procedure |
| 041D0AB | Bypass Left Common Iliac Artery to Left Internal Iliac Artery with Autologous Arterial Tissue, Open Approach | ICD-10-PCS Procedure |
| 041D0AC | Bypass Left Common Iliac Artery to Bilateral Internal Iliac Arteries with Autologous Arterial Tissue, Open Approach | ICD-10-PCS Procedure |
| 041D0AD | Bypass Left Common Iliac Artery to Right External Iliac Artery with Autologous Arterial Tissue, Open Approach | ICD-10-PCS Procedure |
| 041D0AF | Bypass Left Common Iliac Artery to Left External Iliac Artery with Autologous Arterial Tissue, Open Approach | ICD-10-PCS Procedure |
| 041D0AG | Bypass Left Common Iliac Artery to Bilateral External Iliac Arteries with Autologous Arterial Tissue, Open Approach | ICD-10-PCS Procedure |
| 041D0AQ | Bypass Left Common Iliac Artery to Lower Extremity Artery with Autologous Arterial Tissue, Open Approach | ICD-10-PCS Procedure |
| 041D0AR | Bypass Left Common Iliac Artery to Lower Artery with Autologous Arterial Tissue, Open Approach | ICD-10-PCS Procedure |
| 041D0J0 | Bypass Left Common Iliac Artery to Abdominal Aorta with Synthetic Substitute, Open Approach | ICD-10-PCS Procedure |
| 041D0J1 | Bypass Left Common Iliac Artery to Celiac Artery with Synthetic Substitute, Open Approach | ICD-10-PCS Procedure |
| 041D0J2 | Bypass Left Common Iliac Artery to Mesenteric Artery with Synthetic Substitute, Open Approach | ICD-10-PCS Procedure |
| 041D0J3 | Bypass Left Common Iliac Artery to Right Renal Artery with Synthetic Substitute, Open Approach | ICD-10-PCS Procedure |

List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|--|----------------------|
| 041D0J4 | Bypass Left Common Iliac Artery to Left Renal Artery with Synthetic Substitute, Open Approach | ICD-10-PCS Procedure |
| 041D0J5 | Bypass Left Common Iliac Artery to Bilateral Renal Artery with Synthetic Substitute, Open Approach | ICD-10-PCS Procedure |
| 041D0J6 | Bypass Left Common Iliac Artery to Right Common Iliac Artery with Synthetic Substitute, Open Approach | ICD-10-PCS Procedure |
| 041D0J7 | Bypass Left Common Iliac Artery to Left Common Iliac Artery with Synthetic Substitute, Open Approach | ICD-10-PCS Procedure |
| 041D0J8 | Bypass Left Common Iliac Artery to Bilateral Common Iliac Arteries with Synthetic Substitute, Open Approach | ICD-10-PCS Procedure |
| 041D0J9 | Bypass Left Common Iliac Artery to Right Internal Iliac Artery with Synthetic Substitute, Open Approach | ICD-10-PCS Procedure |
| 041D0JB | Bypass Left Common Iliac Artery to Left Internal Iliac Artery with Synthetic Substitute, Open Approach | ICD-10-PCS Procedure |
| 041D0JC | Bypass Left Common Iliac Artery to Bilateral Internal Iliac Arteries with Synthetic Substitute, Open Approach | ICD-10-PCS Procedure |
| 041D0JD | Bypass Left Common Iliac Artery to Right External Iliac Artery with Synthetic Substitute, Open Approach | ICD-10-PCS Procedure |
| 041D0JF | Bypass Left Common Iliac Artery to Left External Iliac Artery with Synthetic Substitute, Open Approach | ICD-10-PCS Procedure |
| 041D0JG | Bypass Left Common Iliac Artery to Bilateral External Iliac Arteries with Synthetic Substitute, Open Approach | ICD-10-PCS Procedure |
| 041D0JQ | Bypass Left Common Iliac Artery to Lower Extremity Artery with Synthetic Substitute, Open Approach | ICD-10-PCS Procedure |
| 041D0JR | Bypass Left Common Iliac Artery to Lower Artery with Synthetic Substitute, Open Approach | ICD-10-PCS Procedure |
| 041D0K0 | Bypass Left Common Iliac Artery to Abdominal Aorta with Nonautologous Tissue Substitute, Open Approach | ICD-10-PCS Procedure |
| 041D0K1 | Bypass Left Common Iliac Artery to Celiac Artery with Nonautologous Tissue Substitute, Open Approach | ICD-10-PCS Procedure |
| 041D0K2 | Bypass Left Common Iliac Artery to Mesenteric Artery with Nonautologous Tissue Substitute, Open Approach | ICD-10-PCS Procedure |
| 041D0K3 | Bypass Left Common Iliac Artery to Right Renal Artery with Nonautologous Tissue Substitute, Open Approach | ICD-10-PCS Procedure |
| 041D0K4 | Bypass Left Common Iliac Artery to Left Renal Artery with Nonautologous Tissue Substitute, Open Approach | ICD-10-PCS Procedure |
| 041D0K5 | Bypass Left Common Iliac Artery to Bilateral Renal Artery with Nonautologous Tissue Substitute, Open Approach | ICD-10-PCS Procedure |
| 041D0K6 | Bypass Left Common Iliac Artery to Right Common Iliac Artery with Nonautologous Tissue Substitute, Open Approach | ICD-10-PCS Procedure |
| 041D0K7 | Bypass Left Common Iliac Artery to Left Common Iliac Artery with Nonautologous Tissue Substitute, Open Approach | ICD-10-PCS Procedure |

List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|--|----------------------|
| 041D0K8 | Bypass Left Common Iliac Artery to Bilateral Common Iliac Arteries with Nonautologous Tissue Substitute, Open Approach | ICD-10-PCS Procedure |
| 041D0K9 | Bypass Left Common Iliac Artery to Right Internal Iliac Artery with Nonautologous Tissue Substitute, Open Approach | ICD-10-PCS Procedure |
| 041D0KB | Bypass Left Common Iliac Artery to Left Internal Iliac Artery with Nonautologous Tissue Substitute, Open Approach | ICD-10-PCS Procedure |
| 041D0KC | Bypass Left Common Iliac Artery to Bilateral Internal Iliac Arteries with Nonautologous Tissue Substitute, Open Approach | ICD-10-PCS Procedure |
| 041D0KD | Bypass Left Common Iliac Artery to Right External Iliac Artery with Nonautologous Tissue Substitute, Open Approach | ICD-10-PCS Procedure |
| 041D0KF | Bypass Left Common Iliac Artery to Left External Iliac Artery with Nonautologous Tissue Substitute, Open Approach | ICD-10-PCS Procedure |
| 041D0KG | Bypass Left Common Iliac Artery to Bilateral External Iliac Arteries with Nonautologous Tissue Substitute, Open Approach | ICD-10-PCS Procedure |
| 041D0KQ | Bypass Left Common Iliac Artery to Lower Extremity Artery with Nonautologous Tissue Substitute, Open Approach | ICD-10-PCS Procedure |
| 041D0KR | Bypass Left Common Iliac Artery to Lower Artery with Nonautologous Tissue Substitute, Open Approach | ICD-10-PCS Procedure |
| 041D0Z0 | Bypass Left Common Iliac Artery to Abdominal Aorta, Open Approach | ICD-10-PCS Procedure |
| 041D0Z1 | Bypass Left Common Iliac Artery to Celiac Artery, Open Approach | ICD-10-PCS Procedure |
| 041D0Z2 | Bypass Left Common Iliac Artery to Mesenteric Artery, Open Approach | ICD-10-PCS Procedure |
| 041D0Z3 | Bypass Left Common Iliac Artery to Right Renal Artery, Open Approach | ICD-10-PCS Procedure |
| 041D0Z4 | Bypass Left Common Iliac Artery to Left Renal Artery, Open Approach | ICD-10-PCS Procedure |
| 041D0Z5 | Bypass Left Common Iliac Artery to Bilateral Renal Artery, Open Approach | ICD-10-PCS Procedure |
| 041D0Z6 | Bypass Left Common Iliac Artery to Right Common Iliac Artery, Open Approach | ICD-10-PCS Procedure |
| 041D0Z7 | Bypass Left Common Iliac Artery to Left Common Iliac Artery, Open Approach | ICD-10-PCS Procedure |
| 041D0Z8 | Bypass Left Common Iliac Artery to Bilateral Common Iliac Arteries, Open Approach | ICD-10-PCS Procedure |
| 041D0Z9 | Bypass Left Common Iliac Artery to Right Internal Iliac Artery, Open Approach | ICD-10-PCS Procedure |
| 041D0ZB | Bypass Left Common Iliac Artery to Left Internal Iliac Artery, Open Approach | ICD-10-PCS Procedure |
| 041D0ZC | Bypass Left Common Iliac Artery to Bilateral Internal Iliac Arteries, Open Approach | ICD-10-PCS Procedure |
| 041D0ZD | Bypass Left Common Iliac Artery to Right External Iliac Artery, Open Approach | ICD-10-PCS Procedure |
| 041D0ZF | Bypass Left Common Iliac Artery to Left External Iliac Artery, Open Approach | ICD-10-PCS Procedure |
| 041D0ZG | Bypass Left Common Iliac Artery to Bilateral External Iliac Arteries, Open Approach | ICD-10-PCS Procedure |
| 041D0ZQ | Bypass Left Common Iliac Artery to Lower Extremity Artery, Open Approach | ICD-10-PCS Procedure |
| 041D0ZR | Bypass Left Common Iliac Artery to Lower Artery, Open Approach | ICD-10-PCS Procedure |
| 041D490 | Bypass Left Common Iliac Artery to Abdominal Aorta with Autologous Venous | ICD-10-PCS Procedure |
| 041D491 | Bypass Left Common Iliac Artery to Celiac Artery with Autologous Venous Tissue, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041D492 | Bypass Left Common Iliac Artery to Mesenteric Artery with Autologous Venous | ICD-10-PCS Procedure |

List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|--|----------------------|
| 041D493 | Bypass Left Common Iliac Artery to Right Renal Artery with Autologous Venous | ICD-10-PCS Procedure |
| 041D494 | Bypass Left Common Iliac Artery to Left Renal Artery with Autologous Venous Tissue, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041D495 | Bypass Left Common Iliac Artery to Bilateral Renal Artery with Autologous Venous Tissue, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041D496 | Bypass Left Common Iliac Artery to Right Common Iliac Artery with Autologous Venous Tissue, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041D497 | Bypass Left Common Iliac Artery to Left Common Iliac Artery with Autologous Venous Tissue, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041D498 | Bypass Left Common Iliac Artery to Bilateral Common Iliac Arteries with Autologous Venous Tissue, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041D499 | Bypass Left Common Iliac Artery to Right Internal Iliac Artery with Autologous Venous Tissue, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041D49B | Bypass Left Common Iliac Artery to Left Internal Iliac Artery with Autologous Venous Tissue, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041D49C | Bypass Left Common Iliac Artery to Bilateral Internal Iliac Arteries with Autologous Venous Tissue, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041D49D | Bypass Left Common Iliac Artery to Right External Iliac Artery with Autologous Venous Tissue, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041D49F | Bypass Left Common Iliac Artery to Left External Iliac Artery with Autologous Venous Tissue, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041D49G | Bypass Left Common Iliac Artery to Bilateral External Iliac Arteries with Autologous Venous Tissue, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041D49Q | Bypass Left Common Iliac Artery to Lower Extremity Artery with Autologous Venous Tissue, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041D49R | Bypass Left Common Iliac Artery to Lower Artery with Autologous Venous Tissue, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041D4A0 | Bypass Left Common Iliac Artery to Abdominal Aorta with Autologous Arterial Tissue, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041D4A1 | Bypass Left Common Iliac Artery to Celiac Artery with Autologous Arterial Tissue, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041D4A2 | Bypass Left Common Iliac Artery to Mesenteric Artery with Autologous Arterial Tissue, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041D4A3 | Bypass Left Common Iliac Artery to Right Renal Artery with Autologous Arterial Tissue, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041D4A4 | Bypass Left Common Iliac Artery to Left Renal Artery with Autologous Arterial Tissue, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041D4A5 | Bypass Left Common Iliac Artery to Bilateral Renal Artery with Autologous Arterial Tissue, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041D4A6 | Bypass Left Common Iliac Artery to Right Common Iliac Artery with Autologous Arterial Tissue, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |

List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|--|----------------------|
| 041D4A7 | Bypass Left Common Iliac Artery to Left Common Iliac Artery with Autologous Arterial Tissue, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041D4A8 | Bypass Left Common Iliac Artery to Bilateral Common Iliac Arteries with Autologous Arterial Tissue, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041D4A9 | Bypass Left Common Iliac Artery to Right Internal Iliac Artery with Autologous Arterial Tissue, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041D4AB | Bypass Left Common Iliac Artery to Left Internal Iliac Artery with Autologous Arterial Tissue, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041D4AC | Bypass Left Common Iliac Artery to Bilateral Internal Iliac Arteries with Autologous Arterial Tissue, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041D4AD | Bypass Left Common Iliac Artery to Right External Iliac Artery with Autologous Arterial Tissue, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041D4AF | Bypass Left Common Iliac Artery to Left External Iliac Artery with Autologous Arterial Tissue, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041D4AG | Bypass Left Common Iliac Artery to Bilateral External Iliac Arteries with Autologous Arterial Tissue, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041D4AQ | Bypass Left Common Iliac Artery to Lower Extremity Artery with Autologous Arterial Tissue, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041D4AR | Bypass Left Common Iliac Artery to Lower Artery with Autologous Arterial Tissue, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041D4J0 | Bypass Left Common Iliac Artery to Abdominal Aorta with Synthetic Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041D4J1 | Bypass Left Common Iliac Artery to Celiac Artery with Synthetic Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041D4J2 | Bypass Left Common Iliac Artery to Mesenteric Artery with Synthetic Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041D4J3 | Bypass Left Common Iliac Artery to Right Renal Artery with Synthetic Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041D4J4 | Bypass Left Common Iliac Artery to Left Renal Artery with Synthetic Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041D4J5 | Bypass Left Common Iliac Artery to Bilateral Renal Artery with Synthetic Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041D4J6 | Bypass Left Common Iliac Artery to Right Common Iliac Artery with Synthetic Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041D4J7 | Bypass Left Common Iliac Artery to Left Common Iliac Artery with Synthetic Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041D4J8 | Bypass Left Common Iliac Artery to Bilateral Common Iliac Arteries with Synthetic Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041D4J9 | Bypass Left Common Iliac Artery to Right Internal Iliac Artery with Synthetic Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041D4JB | Bypass Left Common Iliac Artery to Left Internal Iliac Artery with Synthetic Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |

List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|---|----------------------|
| 041D4JC | Bypass Left Common Iliac Artery to Bilateral Internal Iliac Arteries with Synthetic Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041D4JD | Bypass Left Common Iliac Artery to Right External Iliac Artery with Synthetic Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041D4JF | Bypass Left Common Iliac Artery to Left External Iliac Artery with Synthetic Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041D4JG | Bypass Left Common Iliac Artery to Bilateral External Iliac Arteries with Synthetic Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041D4JQ | Bypass Left Common Iliac Artery to Lower Extremity Artery with Synthetic Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041D4JR | Bypass Left Common Iliac Artery to Lower Artery with Synthetic Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041D4K0 | Bypass Left Common Iliac Artery to Abdominal Aorta with Nonautologous Tissue Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041D4K1 | Bypass Left Common Iliac Artery to Celiac Artery with Nonautologous Tissue Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041D4K2 | Bypass Left Common Iliac Artery to Mesenteric Artery with Nonautologous Tissue Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041D4K3 | Bypass Left Common Iliac Artery to Right Renal Artery with Nonautologous Tissue Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041D4K4 | Bypass Left Common Iliac Artery to Left Renal Artery with Nonautologous Tissue Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041D4K5 | Bypass Left Common Iliac Artery to Bilateral Renal Artery with Nonautologous Tissue Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041D4K6 | Bypass Left Common Iliac Artery to Right Common Iliac Artery with Nonautologous Tissue Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041D4K7 | Bypass Left Common Iliac Artery to Left Common Iliac Artery with Nonautologous Tissue Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041D4K8 | Bypass Left Common Iliac Artery to Bilateral Common Iliac Arteries with Nonautologous Tissue Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041D4K9 | Bypass Left Common Iliac Artery to Right Internal Iliac Artery with Nonautologous Tissue Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041D4KB | Bypass Left Common Iliac Artery to Left Internal Iliac Artery with Nonautologous Tissue Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041D4KC | Bypass Left Common Iliac Artery to Bilateral Internal Iliac Arteries with Nonautologous Tissue Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041D4KD | Bypass Left Common Iliac Artery to Right External Iliac Artery with Nonautologous Tissue Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041D4KF | Bypass Left Common Iliac Artery to Left External Iliac Artery with Nonautologous Tissue Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041D4KG | Bypass Left Common Iliac Artery to Bilateral External Iliac Arteries with Nonautologous Tissue Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |

List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|--|----------------------|
| 041D4KQ | Bypass Left Common Iliac Artery to Lower Extremity Artery with Nonautologous Tissue Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041D4KR | Bypass Left Common Iliac Artery to Lower Artery with Nonautologous Tissue Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041D4Z0 | Bypass Left Common Iliac Artery to Abdominal Aorta, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041D4Z1 | Bypass Left Common Iliac Artery to Celiac Artery, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041D4Z2 | Bypass Left Common Iliac Artery to Mesenteric Artery, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041D4Z3 | Bypass Left Common Iliac Artery to Right Renal Artery, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041D4Z4 | Bypass Left Common Iliac Artery to Left Renal Artery, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041D4Z5 | Bypass Left Common Iliac Artery to Bilateral Renal Artery, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041D4Z6 | Bypass Left Common Iliac Artery to Right Common Iliac Artery, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041D4Z7 | Bypass Left Common Iliac Artery to Left Common Iliac Artery, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041D4Z8 | Bypass Left Common Iliac Artery to Bilateral Common Iliac Arteries, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041D4Z9 | Bypass Left Common Iliac Artery to Right Internal Iliac Artery, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041D4ZB | Bypass Left Common Iliac Artery to Left Internal Iliac Artery, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041D4ZC | Bypass Left Common Iliac Artery to Bilateral Internal Iliac Arteries, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041D4ZD | Bypass Left Common Iliac Artery to Right External Iliac Artery, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041D4ZF | Bypass Left Common Iliac Artery to Left External Iliac Artery, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041D4ZG | Bypass Left Common Iliac Artery to Bilateral External Iliac Arteries, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041D4ZQ | Bypass Left Common Iliac Artery to Lower Extremity Artery, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041D4ZR | Bypass Left Common Iliac Artery to Lower Artery, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041E09B | Bypass Right Internal Iliac Artery to Left Internal Iliac Artery with Autologous Venous Tissue, Open Approach | ICD-10-PCS Procedure |
| 041E09C | Bypass Right Internal Iliac Artery to Bilateral Internal Iliac Arteries with Autologous Venous Tissue, Open Approach | ICD-10-PCS Procedure |

List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|--|----------------------|
| 041E09D | Bypass Right Internal Iliac Artery to Right External Iliac Artery with Autologous Venous Tissue, Open Approach | ICD-10-PCS Procedure |
| 041E09F | Bypass Right Internal Iliac Artery to Left External Iliac Artery with Autologous Venous Tissue, Open Approach | ICD-10-PCS Procedure |
| 041E09G | Bypass Right Internal Iliac Artery to Bilateral External Iliac Arteries with Autologous Venous Tissue, Open Approach | ICD-10-PCS Procedure |
| 041E09P | Bypass Right Internal Iliac Artery to Foot Artery with Autologous Venous Tissue, Open Approach | ICD-10-PCS Procedure |
| 041E09Q | Bypass Right Internal Iliac Artery to Lower Extremity Artery with Autologous Venous Tissue, Open Approach | ICD-10-PCS Procedure |
| 041E0A9 | Bypass Right Internal Iliac Artery to Right Internal Iliac Artery with Autologous Arterial Tissue, Open Approach | ICD-10-PCS Procedure |
| 041E0AB | Bypass Right Internal Iliac Artery to Left Internal Iliac Artery with Autologous Arterial Tissue, Open Approach | ICD-10-PCS Procedure |
| 041E0AC | Bypass Right Internal Iliac Artery to Bilateral Internal Iliac Arteries with Autologous Arterial Tissue, Open Approach | ICD-10-PCS Procedure |
| 041E0AD | Bypass Right Internal Iliac Artery to Right External Iliac Artery with Autologous Arterial Tissue, Open Approach | ICD-10-PCS Procedure |
| 041E0AF | Bypass Right Internal Iliac Artery to Left External Iliac Artery with Autologous Arterial Tissue, Open Approach | ICD-10-PCS Procedure |
| 041E0AG | Bypass Right Internal Iliac Artery to Bilateral External Iliac Arteries with Autologous Arterial Tissue, Open Approach | ICD-10-PCS Procedure |
| 041E0AP | Bypass Right Internal Iliac Artery to Foot Artery with Autologous Arterial Tissue, Open Approach | ICD-10-PCS Procedure |
| 041E0AQ | Bypass Right Internal Iliac Artery to Lower Extremity Artery with Autologous Arterial Tissue, Open Approach | ICD-10-PCS Procedure |
| 041E0J9 | Bypass Right Internal Iliac Artery to Right Internal Iliac Artery with Synthetic Substitute, Open Approach | ICD-10-PCS Procedure |
| 041E0JB | Bypass Right Internal Iliac Artery to Left Internal Iliac Artery with Synthetic Substitute, Open Approach | ICD-10-PCS Procedure |
| 041E0JC | Bypass Right Internal Iliac Artery to Bilateral Internal Iliac Arteries with Synthetic Substitute, Open Approach | ICD-10-PCS Procedure |
| 041E0JD | Bypass Right Internal Iliac Artery to Right External Iliac Artery with Synthetic Substitute, Open Approach | ICD-10-PCS Procedure |
| 041E0JF | Bypass Right Internal Iliac Artery to Left External Iliac Artery with Synthetic Substitute, Open Approach | ICD-10-PCS Procedure |
| 041E0JG | Bypass Right Internal Iliac Artery to Bilateral External Iliac Arteries with Synthetic Substitute, Open Approach | ICD-10-PCS Procedure |
| 041E0JP | Bypass Right Internal Iliac Artery to Foot Artery with Synthetic Substitute, Open Approach | ICD-10-PCS Procedure |
| 041E0JQ | Bypass Right Internal Iliac Artery to Lower Extremity Artery with Synthetic Substitute, Open Approach | ICD-10-PCS Procedure |

List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|---|----------------------|
| 041E0K9 | Bypass Right Internal Iliac Artery to Right Internal Iliac Artery with Nonautologous Tissue Substitute, Open Approach | ICD-10-PCS Procedure |
| 041E0KB | Bypass Right Internal Iliac Artery to Left Internal Iliac Artery with Nonautologous Tissue Substitute, Open Approach | ICD-10-PCS Procedure |
| 041E0KC | Bypass Right Internal Iliac Artery to Bilateral Internal Iliac Arteries with Nonautologous Tissue Substitute, Open Approach | ICD-10-PCS Procedure |
| 041E0KD | Bypass Right Internal Iliac Artery to Right External Iliac Artery with Nonautologous Tissue Substitute, Open Approach | ICD-10-PCS Procedure |
| 041E0KF | Bypass Right Internal Iliac Artery to Left External Iliac Artery with Nonautologous Tissue Substitute, Open Approach | ICD-10-PCS Procedure |
| 041E0KG | Bypass Right Internal Iliac Artery to Bilateral External Iliac Arteries with Nonautologous Tissue Substitute, Open Approach | ICD-10-PCS Procedure |
| 041E0KP | Bypass Right Internal Iliac Artery to Foot Artery with Nonautologous Tissue Substitute, Open Approach | ICD-10-PCS Procedure |
| 041E0KQ | Bypass Right Internal Iliac Artery to Lower Extremity Artery with Nonautologous Tissue Substitute, Open Approach | ICD-10-PCS Procedure |
| 041E0Z9 | Bypass Right Internal Iliac Artery to Right Internal Iliac Artery, Open Approach | ICD-10-PCS Procedure |
| 041E0ZB | Bypass Right Internal Iliac Artery to Left Internal Iliac Artery, Open Approach | ICD-10-PCS Procedure |
| 041E0ZC | Bypass Right Internal Iliac Artery to Bilateral Internal Iliac Arteries, Open Approach | ICD-10-PCS Procedure |
| 041E0ZD | Bypass Right Internal Iliac Artery to Right External Iliac Artery, Open Approach | ICD-10-PCS Procedure |
| 041E0ZF | Bypass Right Internal Iliac Artery to Left External Iliac Artery, Open Approach | ICD-10-PCS Procedure |
| 041E0ZG | Bypass Right Internal Iliac Artery to Bilateral External Iliac Arteries, Open Approach | ICD-10-PCS Procedure |
| 041E0ZP | Bypass Right Internal Iliac Artery to Foot Artery, Open Approach | ICD-10-PCS Procedure |
| 041E0ZQ | Bypass Right Internal Iliac Artery to Lower Extremity Artery, Open Approach | ICD-10-PCS Procedure |
| 041E499 | Bypass Right Internal Iliac Artery to Right Internal Iliac Artery with Autologous | ICD-10-PCS Procedure |
| 041E49B | Bypass Right Internal Iliac Artery to Left Internal Iliac Artery with Autologous Venous Tissue, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041E49C | Bypass Right Internal Iliac Artery to Bilateral Internal Iliac Arteries with Autologous | ICD-10-PCS Procedure |
| 041E49D | Bypass Right Internal Iliac Artery to Right External Iliac Artery with Autologous | ICD-10-PCS Procedure |
| 041E49F | Bypass Right Internal Iliac Artery to Left External Iliac Artery with Autologous Venous Tissue, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041E49G | Bypass Right Internal Iliac Artery to Bilateral External Iliac Arteries with Autologous Venous Tissue, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041E49P | Bypass Right Internal Iliac Artery to Foot Artery with Autologous Venous Tissue, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041E49Q | Bypass Right Internal Iliac Artery to Lower Extremity Artery with Autologous Venous Tissue, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041E4A9 | Bypass Right Internal Iliac Artery to Right Internal Iliac Artery with Autologous Arterial Tissue, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |

List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|--|----------------------|
| 041E4AB | Bypass Right Internal Iliac Artery to Left Internal Iliac Artery with Autologous Arterial Tissue, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041E4AC | Bypass Right Internal Iliac Artery to Bilateral Internal Iliac Arteries with Autologous Arterial Tissue, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041E4AD | Bypass Right Internal Iliac Artery to Right External Iliac Artery with Autologous Arterial Tissue, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041E4AF | Bypass Right Internal Iliac Artery to Left External Iliac Artery with Autologous Arterial Tissue, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041E4AG | Bypass Right Internal Iliac Artery to Bilateral External Iliac Arteries with Autologous Arterial Tissue, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041E4AP | Bypass Right Internal Iliac Artery to Foot Artery with Autologous Arterial Tissue, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041E4AQ | Bypass Right Internal Iliac Artery to Lower Extremity Artery with Autologous Arterial Tissue, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041E4J9 | Bypass Right Internal Iliac Artery to Right Internal Iliac Artery with Synthetic Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041E4JB | Bypass Right Internal Iliac Artery to Left Internal Iliac Artery with Synthetic Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041E4JC | Bypass Right Internal Iliac Artery to Bilateral Internal Iliac Arteries with Synthetic Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041E4JD | Bypass Right Internal Iliac Artery to Right External Iliac Artery with Synthetic Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041E4JF | Bypass Right Internal Iliac Artery to Left External Iliac Artery with Synthetic Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041E4JG | Bypass Right Internal Iliac Artery to Bilateral External Iliac Arteries with Synthetic Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041E4JP | Bypass Right Internal Iliac Artery to Foot Artery with Synthetic Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041E4JQ | Bypass Right Internal Iliac Artery to Lower Extremity Artery with Synthetic Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041E4K9 | Bypass Right Internal Iliac Artery to Right Internal Iliac Artery with Nonautologous Tissue Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041E4KB | Bypass Right Internal Iliac Artery to Left Internal Iliac Artery with Nonautologous Tissue Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041E4KC | Bypass Right Internal Iliac Artery to Bilateral Internal Iliac Arteries with Nonautologous Tissue Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041E4KD | Bypass Right Internal Iliac Artery to Right External Iliac Artery with Nonautologous Tissue Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041E4KF | Bypass Right Internal Iliac Artery to Left External Iliac Artery with Nonautologous Tissue Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041E4KG | Bypass Right Internal Iliac Artery to Bilateral External Iliac Arteries with Nonautologous Tissue Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |

List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|---|----------------------|
| 041E4KP | Bypass Right Internal Iliac Artery to Foot Artery with Nonautologous Tissue Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041E4KQ | Bypass Right Internal Iliac Artery to Lower Extremity Artery with Nonautologous Tissue Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041E4Z9 | Bypass Right Internal Iliac Artery to Right Internal Iliac Artery, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041E4ZB | Bypass Right Internal Iliac Artery to Left Internal Iliac Artery, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041E4ZC | Bypass Right Internal Iliac Artery to Bilateral Internal Iliac Arteries, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041E4ZD | Bypass Right Internal Iliac Artery to Right External Iliac Artery, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041E4ZF | Bypass Right Internal Iliac Artery to Left External Iliac Artery, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041E4ZG | Bypass Right Internal Iliac Artery to Bilateral External Iliac Arteries, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041E4ZP | Bypass Right Internal Iliac Artery to Foot Artery, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041E4ZQ | Bypass Right Internal Iliac Artery to Lower Extremity Artery, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041F099 | Bypass Left Internal Iliac Artery to Right Internal Iliac Artery with Autologous Venous Tissue, Open Approach | ICD-10-PCS Procedure |
| 041F09B | Bypass Left Internal Iliac Artery to Left Internal Iliac Artery with Autologous Venous Tissue, Open Approach | ICD-10-PCS Procedure |
| 041F09C | Bypass Left Internal Iliac Artery to Bilateral Internal Iliac Arteries with Autologous Venous Tissue, Open Approach | ICD-10-PCS Procedure |
| 041F09D | Bypass Left Internal Iliac Artery to Right External Iliac Artery with Autologous Venous Tissue, Open Approach | ICD-10-PCS Procedure |
| 041F09F | Bypass Left Internal Iliac Artery to Left External Iliac Artery with Autologous Venous Tissue, Open Approach | ICD-10-PCS Procedure |
| 041F09G | Bypass Left Internal Iliac Artery to Bilateral External Iliac Arteries with Autologous Venous Tissue, Open Approach | ICD-10-PCS Procedure |
| 041F09P | Bypass Left Internal Iliac Artery to Foot Artery with Autologous Venous Tissue, Open Approach | ICD-10-PCS Procedure |
| 041F09Q | Bypass Left Internal Iliac Artery to Lower Extremity Artery with Autologous Venous Tissue, Open Approach | ICD-10-PCS Procedure |
| 041F0A9 | Bypass Left Internal Iliac Artery to Right Internal Iliac Artery with Autologous Arterial Tissue, Open Approach | ICD-10-PCS Procedure |
| 041F0AB | Bypass Left Internal Iliac Artery to Left Internal Iliac Artery with Autologous Arterial Tissue, Open Approach | ICD-10-PCS Procedure |
| 041F0AC | Bypass Left Internal Iliac Artery to Bilateral Internal Iliac Arteries with Autologous Arterial Tissue, Open Approach | ICD-10-PCS Procedure |

List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|--|----------------------|
| 041F0AD | Bypass Left Internal Iliac Artery to Right External Iliac Artery with Autologous Arterial Tissue, Open Approach | ICD-10-PCS Procedure |
| 041F0AF | Bypass Left Internal Iliac Artery to Left External Iliac Artery with Autologous Arterial Tissue, Open Approach | ICD-10-PCS Procedure |
| 041F0AG | Bypass Left Internal Iliac Artery to Bilateral External Iliac Arteries with Autologous Arterial Tissue, Open Approach | ICD-10-PCS Procedure |
| 041F0AP | Bypass Left Internal Iliac Artery to Foot Artery with Autologous Arterial Tissue, Open Approach | ICD-10-PCS Procedure |
| 041F0AQ | Bypass Left Internal Iliac Artery to Lower Extremity Artery with Autologous Arterial Tissue, Open Approach | ICD-10-PCS Procedure |
| 041F0J9 | Bypass Left Internal Iliac Artery to Right Internal Iliac Artery with Synthetic Substitute, Open Approach | ICD-10-PCS Procedure |
| 041F0JB | Bypass Left Internal Iliac Artery to Left Internal Iliac Artery with Synthetic Substitute, Open Approach | ICD-10-PCS Procedure |
| 041F0JC | Bypass Left Internal Iliac Artery to Bilateral Internal Iliac Arteries with Synthetic Substitute, Open Approach | ICD-10-PCS Procedure |
| 041F0JD | Bypass Left Internal Iliac Artery to Right External Iliac Artery with Synthetic Substitute, Open Approach | ICD-10-PCS Procedure |
| 041F0JF | Bypass Left Internal Iliac Artery to Left External Iliac Artery with Synthetic Substitute, Open Approach | ICD-10-PCS Procedure |
| 041F0JG | Bypass Left Internal Iliac Artery to Bilateral External Iliac Arteries with Synthetic Substitute, Open Approach | ICD-10-PCS Procedure |
| 041F0JP | Bypass Left Internal Iliac Artery to Foot Artery with Synthetic Substitute, Open Approach | ICD-10-PCS Procedure |
| 041F0JQ | Bypass Left Internal Iliac Artery to Lower Extremity Artery with Synthetic Substitute, Open Approach | ICD-10-PCS Procedure |
| 041F0K9 | Bypass Left Internal Iliac Artery to Right Internal Iliac Artery with Nonautologous Tissue Substitute, Open Approach | ICD-10-PCS Procedure |
| 041F0KB | Bypass Left Internal Iliac Artery to Left Internal Iliac Artery with Nonautologous Tissue Substitute, Open Approach | ICD-10-PCS Procedure |
| 041F0KC | Bypass Left Internal Iliac Artery to Bilateral Internal Iliac Arteries with Nonautologous Tissue Substitute, Open Approach | ICD-10-PCS Procedure |
| 041F0KD | Bypass Left Internal Iliac Artery to Right External Iliac Artery with Nonautologous Tissue Substitute, Open Approach | ICD-10-PCS Procedure |
| 041F0KF | Bypass Left Internal Iliac Artery to Left External Iliac Artery with Nonautologous Tissue Substitute, Open Approach | ICD-10-PCS Procedure |
| 041F0KG | Bypass Left Internal Iliac Artery to Bilateral External Iliac Arteries with Nonautologous Tissue Substitute, Open Approach | ICD-10-PCS Procedure |
| 041F0KP | Bypass Left Internal Iliac Artery to Foot Artery with Nonautologous Tissue Substitute, Open Approach | ICD-10-PCS Procedure |
| 041F0KQ | Bypass Left Internal Iliac Artery to Lower Extremity Artery with Nonautologous Tissue Substitute, Open Approach | ICD-10-PCS Procedure |

List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|--|----------------------|
| 041F0Z9 | Bypass Left Internal Iliac Artery to Right Internal Iliac Artery, Open Approach | ICD-10-PCS Procedure |
| 041F0ZB | Bypass Left Internal Iliac Artery to Left Internal Iliac Artery, Open Approach | ICD-10-PCS Procedure |
| 041F0ZC | Bypass Left Internal Iliac Artery to Bilateral Internal Iliac Arteries, Open Approach | ICD-10-PCS Procedure |
| 041F0ZD | Bypass Left Internal Iliac Artery to Right External Iliac Artery, Open Approach | ICD-10-PCS Procedure |
| 041F0ZF | Bypass Left Internal Iliac Artery to Left External Iliac Artery, Open Approach | ICD-10-PCS Procedure |
| 041F0ZG | Bypass Left Internal Iliac Artery to Bilateral External Iliac Arteries, Open Approach | ICD-10-PCS Procedure |
| 041F0ZP | Bypass Left Internal Iliac Artery to Foot Artery, Open Approach | ICD-10-PCS Procedure |
| 041F0ZQ | Bypass Left Internal Iliac Artery to Lower Extremity Artery, Open Approach | ICD-10-PCS Procedure |
| 041F499 | Bypass Left Internal Iliac Artery to Right Internal Iliac Artery with Autologous Venous | ICD-10-PCS Procedure |
| 041F49B | Bypass Left Internal Iliac Artery to Left Internal Iliac Artery with Autologous Venous Tissue, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041F49C | Bypass Left Internal Iliac Artery to Bilateral Internal Iliac Arteries with Autologous | ICD-10-PCS Procedure |
| 041F49D | Bypass Left Internal Iliac Artery to Right External Iliac Artery with Autologous Venous | ICD-10-PCS Procedure |
| 041F49F | Bypass Left Internal Iliac Artery to Left External Iliac Artery with Autologous Venous Tissue, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041F49G | Bypass Left Internal Iliac Artery to Bilateral External Iliac Arteries with Autologous Venous Tissue, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041F49P | Bypass Left Internal Iliac Artery to Foot Artery with Autologous Venous Tissue, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041F49Q | Bypass Left Internal Iliac Artery to Lower Extremity Artery with Autologous Venous Tissue, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041F4A9 | Bypass Left Internal Iliac Artery to Right Internal Iliac Artery with Autologous Arterial Tissue, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041F4AB | Bypass Left Internal Iliac Artery to Left Internal Iliac Artery with Autologous Arterial Tissue, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041F4AC | Bypass Left Internal Iliac Artery to Bilateral Internal Iliac Arteries with Autologous Arterial Tissue, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041F4AD | Bypass Left Internal Iliac Artery to Right External Iliac Artery with Autologous Arterial Tissue, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041F4AF | Bypass Left Internal Iliac Artery to Left External Iliac Artery with Autologous Arterial Tissue, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041F4AG | Bypass Left Internal Iliac Artery to Bilateral External Iliac Arteries with Autologous Arterial Tissue, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041F4AP | Bypass Left Internal Iliac Artery to Foot Artery with Autologous Arterial Tissue, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041F4AQ | Bypass Left Internal Iliac Artery to Lower Extremity Artery with Autologous Arterial Tissue, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041F4J9 | Bypass Left Internal Iliac Artery to Right Internal Iliac Artery with Synthetic Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041F4JB | Bypass Left Internal Iliac Artery to Left Internal Iliac Artery with Synthetic Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |

List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|---|----------------------|
| 041F4JC | Bypass Left Internal Iliac Artery to Bilateral Internal Iliac Arteries with Synthetic Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041F4JD | Bypass Left Internal Iliac Artery to Right External Iliac Artery with Synthetic Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041F4JF | Bypass Left Internal Iliac Artery to Left External Iliac Artery with Synthetic Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041F4JG | Bypass Left Internal Iliac Artery to Bilateral External Iliac Arteries with Synthetic Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041F4JP | Bypass Left Internal Iliac Artery to Foot Artery with Synthetic Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041F4JQ | Bypass Left Internal Iliac Artery to Lower Extremity Artery with Synthetic Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041F4K9 | Bypass Left Internal Iliac Artery to Right Internal Iliac Artery with Nonautologous Tissue Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041F4KB | Bypass Left Internal Iliac Artery to Left Internal Iliac Artery with Nonautologous Tissue Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041F4KC | Bypass Left Internal Iliac Artery to Bilateral Internal Iliac Arteries with Nonautologous Tissue Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041F4KD | Bypass Left Internal Iliac Artery to Right External Iliac Artery with Nonautologous Tissue Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041F4KF | Bypass Left Internal Iliac Artery to Left External Iliac Artery with Nonautologous Tissue Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041F4KG | Bypass Left Internal Iliac Artery to Bilateral External Iliac Arteries with Nonautologous Tissue Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041F4KP | Bypass Left Internal Iliac Artery to Foot Artery with Nonautologous Tissue Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041F4KQ | Bypass Left Internal Iliac Artery to Lower Extremity Artery with Nonautologous Tissue Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041F4Z9 | Bypass Left Internal Iliac Artery to Right Internal Iliac Artery, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041F4ZB | Bypass Left Internal Iliac Artery to Left Internal Iliac Artery, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041F4ZC | Bypass Left Internal Iliac Artery to Bilateral Internal Iliac Arteries, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041F4ZD | Bypass Left Internal Iliac Artery to Right External Iliac Artery, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041F4ZF | Bypass Left Internal Iliac Artery to Left External Iliac Artery, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041F4ZG | Bypass Left Internal Iliac Artery to Bilateral External Iliac Arteries, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041F4ZP | Bypass Left Internal Iliac Artery to Foot Artery, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |

List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|--|----------------------|
| 041F4ZQ | Bypass Left Internal Iliac Artery to Lower Extremity Artery, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041H099 | Bypass Right External Iliac Artery to Right Internal Iliac Artery with Autologous Venous Tissue, Open Approach | ICD-10-PCS Procedure |
| 041H09B | Bypass Right External Iliac Artery to Left Internal Iliac Artery with Autologous Venous Tissue, Open Approach | ICD-10-PCS Procedure |
| 041H09C | Bypass Right External Iliac Artery to Bilateral Internal Iliac Arteries with Autologous Venous Tissue, Open Approach | ICD-10-PCS Procedure |
| 041H09D | Bypass Right External Iliac Artery to Right External Iliac Artery with Autologous Venous Tissue, Open Approach | ICD-10-PCS Procedure |
| 041H09F | Bypass Right External Iliac Artery to Left External Iliac Artery with Autologous Venous Tissue, Open Approach | ICD-10-PCS Procedure |
| 041H09G | Bypass Right External Iliac Artery to Bilateral External Iliac Arteries with Autologous Venous Tissue, Open Approach | ICD-10-PCS Procedure |
| 041H09P | Bypass Right External Iliac Artery to Foot Artery with Autologous Venous Tissue, Open Approach | ICD-10-PCS Procedure |
| 041H09Q | Bypass Right External Iliac Artery to Lower Extremity Artery with Autologous Venous Tissue, Open Approach | ICD-10-PCS Procedure |
| 041H0A9 | Bypass Right External Iliac Artery to Right Internal Iliac Artery with Autologous Arterial Tissue, Open Approach | ICD-10-PCS Procedure |
| 041H0AB | Bypass Right External Iliac Artery to Left Internal Iliac Artery with Autologous Arterial Tissue, Open Approach | ICD-10-PCS Procedure |
| 041H0AC | Bypass Right External Iliac Artery to Bilateral Internal Iliac Arteries with Autologous Arterial Tissue, Open Approach | ICD-10-PCS Procedure |
| 041H0AD | Bypass Right External Iliac Artery to Right External Iliac Artery with Autologous Arterial Tissue, Open Approach | ICD-10-PCS Procedure |
| 041H0AF | Bypass Right External Iliac Artery to Left External Iliac Artery with Autologous Arterial Tissue, Open Approach | ICD-10-PCS Procedure |
| 041H0AG | Bypass Right External Iliac Artery to Bilateral External Iliac Arteries with Autologous Arterial Tissue, Open Approach | ICD-10-PCS Procedure |
| 041H0AP | Bypass Right External Iliac Artery to Foot Artery with Autologous Arterial Tissue, Open Approach | ICD-10-PCS Procedure |
| 041H0AQ | Bypass Right External Iliac Artery to Lower Extremity Artery with Autologous Arterial Tissue, Open Approach | ICD-10-PCS Procedure |
| 041H0J9 | Bypass Right External Iliac Artery to Right Internal Iliac Artery with Synthetic Substitute, Open Approach | ICD-10-PCS Procedure |
| 041H0JB | Bypass Right External Iliac Artery to Left Internal Iliac Artery with Synthetic Substitute, Open Approach | ICD-10-PCS Procedure |
| 041H0JC | Bypass Right External Iliac Artery to Bilateral Internal Iliac Arteries with Synthetic Substitute, Open Approach | ICD-10-PCS Procedure |
| 041H0JD | Bypass Right External Iliac Artery to Right External Iliac Artery with Synthetic Substitute, Open Approach | ICD-10-PCS Procedure |

List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|--|----------------------|
| 041H0JF | Bypass Right External Iliac Artery to Left External Iliac Artery with Synthetic Substitute, Open Approach | ICD-10-PCS Procedure |
| 041H0JG | Bypass Right External Iliac Artery to Bilateral External Iliac Arteries with Synthetic Substitute, Open Approach | ICD-10-PCS Procedure |
| 041H0JP | Bypass Right External Iliac Artery to Foot Artery with Synthetic Substitute, Open Approach | ICD-10-PCS Procedure |
| 041H0JQ | Bypass Right External Iliac Artery to Lower Extremity Artery with Synthetic Substitute, Open Approach | ICD-10-PCS Procedure |
| 041H0K9 | Bypass Right External Iliac Artery to Right Internal Iliac Artery with Nonautologous Tissue Substitute, Open Approach | ICD-10-PCS Procedure |
| 041H0KB | Bypass Right External Iliac Artery to Left Internal Iliac Artery with Nonautologous Tissue Substitute, Open Approach | ICD-10-PCS Procedure |
| 041H0KC | Bypass Right External Iliac Artery to Bilateral Internal Iliac Arteries with Nonautologous Tissue Substitute, Open Approach | ICD-10-PCS Procedure |
| 041H0KD | Bypass Right External Iliac Artery to Right External Iliac Artery with Nonautologous Tissue Substitute, Open Approach | ICD-10-PCS Procedure |
| 041H0KF | Bypass Right External Iliac Artery to Left External Iliac Artery with Nonautologous Tissue Substitute, Open Approach | ICD-10-PCS Procedure |
| 041H0KG | Bypass Right External Iliac Artery to Bilateral External Iliac Arteries with Nonautologous Tissue Substitute, Open Approach | ICD-10-PCS Procedure |
| 041H0KP | Bypass Right External Iliac Artery to Foot Artery with Nonautologous Tissue Substitute, Open Approach | ICD-10-PCS Procedure |
| 041H0KQ | Bypass Right External Iliac Artery to Lower Extremity Artery with Nonautologous Tissue Substitute, Open Approach | ICD-10-PCS Procedure |
| 041H0Z9 | Bypass Right External Iliac Artery to Right Internal Iliac Artery, Open Approach | ICD-10-PCS Procedure |
| 041H0ZB | Bypass Right External Iliac Artery to Left Internal Iliac Artery, Open Approach | ICD-10-PCS Procedure |
| 041H0ZC | Bypass Right External Iliac Artery to Bilateral Internal Iliac Arteries, Open Approach | ICD-10-PCS Procedure |
| 041H0ZD | Bypass Right External Iliac Artery to Right External Iliac Artery, Open Approach | ICD-10-PCS Procedure |
| 041H0ZF | Bypass Right External Iliac Artery to Left External Iliac Artery, Open Approach | ICD-10-PCS Procedure |
| 041H0ZG | Bypass Right External Iliac Artery to Bilateral External Iliac Arteries, Open Approach | ICD-10-PCS Procedure |
| 041H0ZP | Bypass Right External Iliac Artery to Foot Artery, Open Approach | ICD-10-PCS Procedure |
| 041H0ZQ | Bypass Right External Iliac Artery to Lower Extremity Artery, Open Approach | ICD-10-PCS Procedure |
| 041H499 | Bypass Right External Iliac Artery to Right Internal Iliac Artery with Autologous | ICD-10-PCS Procedure |
| 041H49B | Bypass Right External Iliac Artery to Left Internal Iliac Artery with Autologous Venous Tissue, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041H49C | Bypass Right External Iliac Artery to Bilateral Internal Iliac Arteries with Autologous | ICD-10-PCS Procedure |
| 041H49D | Bypass Right External Iliac Artery to Right External Iliac Artery with Autologous | ICD-10-PCS Procedure |
| 041H49F | Bypass Right External Iliac Artery to Left External Iliac Artery with Autologous Venous Tissue, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |

List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|---|----------------------|
| 041H49G | Bypass Right External Iliac Artery to Bilateral External Iliac Arteries with Autologous Venous Tissue, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041H49P | Bypass Right External Iliac Artery to Foot Artery with Autologous Venous Tissue, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041H49Q | Bypass Right External Iliac Artery to Lower Extremity Artery with Autologous Venous Tissue, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041H4A9 | Bypass Right External Iliac Artery to Right Internal Iliac Artery with Autologous Arterial Tissue, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041H4AB | Bypass Right External Iliac Artery to Left Internal Iliac Artery with Autologous Arterial Tissue, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041H4AC | Bypass Right External Iliac Artery to Bilateral Internal Iliac Arteries with Autologous Arterial Tissue, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041H4AD | Bypass Right External Iliac Artery to Right External Iliac Artery with Autologous Arterial Tissue, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041H4AF | Bypass Right External Iliac Artery to Left External Iliac Artery with Autologous Arterial Tissue, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041H4AG | Bypass Right External Iliac Artery to Bilateral External Iliac Arteries with Autologous Arterial Tissue, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041H4AP | Bypass Right External Iliac Artery to Foot Artery with Autologous Arterial Tissue, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041H4AQ | Bypass Right External Iliac Artery to Lower Extremity Artery with Autologous Arterial Tissue, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041H4J9 | Bypass Right External Iliac Artery to Right Internal Iliac Artery with Synthetic Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041H4JB | Bypass Right External Iliac Artery to Left Internal Iliac Artery with Synthetic Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041H4JC | Bypass Right External Iliac Artery to Bilateral Internal Iliac Arteries with Synthetic Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041H4JD | Bypass Right External Iliac Artery to Right External Iliac Artery with Synthetic Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041H4JF | Bypass Right External Iliac Artery to Left External Iliac Artery with Synthetic Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041H4JG | Bypass Right External Iliac Artery to Bilateral External Iliac Arteries with Synthetic Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041H4JP | Bypass Right External Iliac Artery to Foot Artery with Synthetic Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041H4JQ | Bypass Right External Iliac Artery to Lower Extremity Artery with Synthetic Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041H4K9 | Bypass Right External Iliac Artery to Right Internal Iliac Artery with Nonautologous Tissue Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041H4KB | Bypass Right External Iliac Artery to Left Internal Iliac Artery with Nonautologous Tissue Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |

List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|--|----------------------|
| 041H4KC | Bypass Right External Iliac Artery to Bilateral Internal Iliac Arteries with Nonautologous Tissue Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041H4KD | Bypass Right External Iliac Artery to Right External Iliac Artery with Nonautologous Tissue Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041H4KF | Bypass Right External Iliac Artery to Left External Iliac Artery with Nonautologous Tissue Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041H4KG | Bypass Right External Iliac Artery to Bilateral External Iliac Arteries with Nonautologous Tissue Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041H4KP | Bypass Right External Iliac Artery to Foot Artery with Nonautologous Tissue Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041H4KQ | Bypass Right External Iliac Artery to Lower Extremity Artery with Nonautologous Tissue Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041H4Z9 | Bypass Right External Iliac Artery to Right Internal Iliac Artery, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041H4ZB | Bypass Right External Iliac Artery to Left Internal Iliac Artery, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041H4ZC | Bypass Right External Iliac Artery to Bilateral Internal Iliac Arteries, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041H4ZD | Bypass Right External Iliac Artery to Right External Iliac Artery, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041H4ZF | Bypass Right External Iliac Artery to Left External Iliac Artery, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041H4ZG | Bypass Right External Iliac Artery to Bilateral External Iliac Arteries, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041H4ZP | Bypass Right External Iliac Artery to Foot Artery, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041H4ZQ | Bypass Right External Iliac Artery to Lower Extremity Artery, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041J099 | Bypass Left External Iliac Artery to Right Internal Iliac Artery with Autologous Venous Tissue, Open Approach | ICD-10-PCS Procedure |
| 041J09B | Bypass Left External Iliac Artery to Left Internal Iliac Artery with Autologous Venous Tissue, Open Approach | ICD-10-PCS Procedure |
| 041J09C | Bypass Left External Iliac Artery to Bilateral Internal Iliac Arteries with Autologous Venous Tissue, Open Approach | ICD-10-PCS Procedure |
| 041J09D | Bypass Left External Iliac Artery to Right External Iliac Artery with Autologous Venous Tissue, Open Approach | ICD-10-PCS Procedure |
| 041J09F | Bypass Left External Iliac Artery to Left External Iliac Artery with Autologous Venous Tissue, Open Approach | ICD-10-PCS Procedure |
| 041J09G | Bypass Left External Iliac Artery to Bilateral External Iliac Arteries with Autologous Venous Tissue, Open Approach | ICD-10-PCS Procedure |
| 041J09P | Bypass Left External Iliac Artery to Foot Artery with Autologous Venous Tissue, Open Approach | ICD-10-PCS Procedure |

List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|--|----------------------|
| 041J09Q | Bypass Left External Iliac Artery to Lower Extremity Artery with Autologous Venous Tissue, Open Approach | ICD-10-PCS Procedure |
| 041J0A9 | Bypass Left External Iliac Artery to Right Internal Iliac Artery with Autologous Arterial Tissue, Open Approach | ICD-10-PCS Procedure |
| 041J0AB | Bypass Left External Iliac Artery to Left Internal Iliac Artery with Autologous Arterial Tissue, Open Approach | ICD-10-PCS Procedure |
| 041J0AC | Bypass Left External Iliac Artery to Bilateral Internal Iliac Arteries with Autologous Arterial Tissue, Open Approach | ICD-10-PCS Procedure |
| 041J0AD | Bypass Left External Iliac Artery to Right External Iliac Artery with Autologous Arterial Tissue, Open Approach | ICD-10-PCS Procedure |
| 041J0AF | Bypass Left External Iliac Artery to Left External Iliac Artery with Autologous Arterial Tissue, Open Approach | ICD-10-PCS Procedure |
| 041J0AG | Bypass Left External Iliac Artery to Bilateral External Iliac Arteries with Autologous Arterial Tissue, Open Approach | ICD-10-PCS Procedure |
| 041J0AP | Bypass Left External Iliac Artery to Foot Artery with Autologous Arterial Tissue, Open Approach | ICD-10-PCS Procedure |
| 041J0AQ | Bypass Left External Iliac Artery to Lower Extremity Artery with Autologous Arterial Tissue, Open Approach | ICD-10-PCS Procedure |
| 041J0J9 | Bypass Left External Iliac Artery to Right Internal Iliac Artery with Synthetic Substitute, Open Approach | ICD-10-PCS Procedure |
| 041J0JB | Bypass Left External Iliac Artery to Left Internal Iliac Artery with Synthetic Substitute, Open Approach | ICD-10-PCS Procedure |
| 041J0JC | Bypass Left External Iliac Artery to Bilateral Internal Iliac Arteries with Synthetic Substitute, Open Approach | ICD-10-PCS Procedure |
| 041J0JD | Bypass Left External Iliac Artery to Right External Iliac Artery with Synthetic Substitute, Open Approach | ICD-10-PCS Procedure |
| 041J0JF | Bypass Left External Iliac Artery to Left External Iliac Artery with Synthetic Substitute, Open Approach | ICD-10-PCS Procedure |
| 041J0JG | Bypass Left External Iliac Artery to Bilateral External Iliac Arteries with Synthetic Substitute, Open Approach | ICD-10-PCS Procedure |
| 041J0JP | Bypass Left External Iliac Artery to Foot Artery with Synthetic Substitute, Open Approach | ICD-10-PCS Procedure |
| 041J0JQ | Bypass Left External Iliac Artery to Lower Extremity Artery with Synthetic Substitute, Open Approach | ICD-10-PCS Procedure |
| 041J0K9 | Bypass Left External Iliac Artery to Right Internal Iliac Artery with Nonautologous Tissue Substitute, Open Approach | ICD-10-PCS Procedure |
| 041J0KB | Bypass Left External Iliac Artery to Left Internal Iliac Artery with Nonautologous Tissue Substitute, Open Approach | ICD-10-PCS Procedure |
| 041J0KC | Bypass Left External Iliac Artery to Bilateral Internal Iliac Arteries with Nonautologous Tissue Substitute, Open Approach | ICD-10-PCS Procedure |
| 041J0KD | Bypass Left External Iliac Artery to Right External Iliac Artery with Nonautologous Tissue Substitute, Open Approach | ICD-10-PCS Procedure |

List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|--|----------------------|
| 041J0KF | Bypass Left External Iliac Artery to Left External Iliac Artery with Nonautologous Tissue Substitute, Open Approach | ICD-10-PCS Procedure |
| 041J0KG | Bypass Left External Iliac Artery to Bilateral External Iliac Arteries with Nonautologous Tissue Substitute, Open Approach | ICD-10-PCS Procedure |
| 041J0KP | Bypass Left External Iliac Artery to Foot Artery with Nonautologous Tissue Substitute, Open Approach | ICD-10-PCS Procedure |
| 041J0KQ | Bypass Left External Iliac Artery to Lower Extremity Artery with Nonautologous Tissue Substitute, Open Approach | ICD-10-PCS Procedure |
| 041J0Z9 | Bypass Left External Iliac Artery to Right Internal Iliac Artery, Open Approach | ICD-10-PCS Procedure |
| 041J0ZB | Bypass Left External Iliac Artery to Left Internal Iliac Artery, Open Approach | ICD-10-PCS Procedure |
| 041J0ZC | Bypass Left External Iliac Artery to Bilateral Internal Iliac Arteries, Open Approach | ICD-10-PCS Procedure |
| 041J0ZD | Bypass Left External Iliac Artery to Right External Iliac Artery, Open Approach | ICD-10-PCS Procedure |
| 041J0ZF | Bypass Left External Iliac Artery to Left External Iliac Artery, Open Approach | ICD-10-PCS Procedure |
| 041J0ZG | Bypass Left External Iliac Artery to Bilateral External Iliac Arteries, Open Approach | ICD-10-PCS Procedure |
| 041J0ZP | Bypass Left External Iliac Artery to Foot Artery, Open Approach | ICD-10-PCS Procedure |
| 041J0ZQ | Bypass Left External Iliac Artery to Lower Extremity Artery, Open Approach | ICD-10-PCS Procedure |
| 041J499 | Bypass Left External Iliac Artery to Right Internal Iliac Artery with Autologous Venous Tissue, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041J49B | Bypass Left External Iliac Artery to Left Internal Iliac Artery with Autologous Venous Tissue, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041J49C | Bypass Left External Iliac Artery to Bilateral Internal Iliac Arteries with Autologous Venous Tissue, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041J49D | Bypass Left External Iliac Artery to Right External Iliac Artery with Autologous Venous Tissue, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041J49F | Bypass Left External Iliac Artery to Left External Iliac Artery with Autologous Venous Tissue, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041J49G | Bypass Left External Iliac Artery to Bilateral External Iliac Arteries with Autologous Venous Tissue, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041J49P | Bypass Left External Iliac Artery to Foot Artery with Autologous Venous Tissue, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041J49Q | Bypass Left External Iliac Artery to Lower Extremity Artery with Autologous Venous Tissue, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041J4A9 | Bypass Left External Iliac Artery to Right Internal Iliac Artery with Autologous Arterial Tissue, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041J4AB | Bypass Left External Iliac Artery to Left Internal Iliac Artery with Autologous Arterial Tissue, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041J4AC | Bypass Left External Iliac Artery to Bilateral Internal Iliac Arteries with Autologous Arterial Tissue, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041J4AD | Bypass Left External Iliac Artery to Right External Iliac Artery with Autologous Arterial Tissue, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041J4AF | Bypass Left External Iliac Artery to Left External Iliac Artery with Autologous Arterial Tissue, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041J4AG | Bypass Left External Iliac Artery to Bilateral External Iliac Arteries with Autologous Arterial Tissue, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |

List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|---|----------------------|
| 041J4AP | Bypass Left External Iliac Artery to Foot Artery with Autologous Arterial Tissue, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041J4AQ | Bypass Left External Iliac Artery to Lower Extremity Artery with Autologous Arterial Tissue, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041J4J9 | Bypass Left External Iliac Artery to Right Internal Iliac Artery with Synthetic Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041J4JB | Bypass Left External Iliac Artery to Left Internal Iliac Artery with Synthetic Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041J4JC | Bypass Left External Iliac Artery to Bilateral Internal Iliac Arteries with Synthetic Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041J4JD | Bypass Left External Iliac Artery to Right External Iliac Artery with Synthetic Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041J4JF | Bypass Left External Iliac Artery to Left External Iliac Artery with Synthetic Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041J4JG | Bypass Left External Iliac Artery to Bilateral External Iliac Arteries with Synthetic Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041J4JP | Bypass Left External Iliac Artery to Foot Artery with Synthetic Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041J4JQ | Bypass Left External Iliac Artery to Lower Extremity Artery with Synthetic Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041J4K9 | Bypass Left External Iliac Artery to Right Internal Iliac Artery with Nonautologous Tissue Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041J4KB | Bypass Left External Iliac Artery to Left Internal Iliac Artery with Nonautologous Tissue Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041J4KC | Bypass Left External Iliac Artery to Bilateral Internal Iliac Arteries with Nonautologous Tissue Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041J4KD | Bypass Left External Iliac Artery to Right External Iliac Artery with Nonautologous Tissue Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041J4KF | Bypass Left External Iliac Artery to Left External Iliac Artery with Nonautologous Tissue Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041J4KG | Bypass Left External Iliac Artery to Bilateral External Iliac Arteries with Nonautologous Tissue Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041J4KP | Bypass Left External Iliac Artery to Foot Artery with Nonautologous Tissue Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041J4KQ | Bypass Left External Iliac Artery to Lower Extremity Artery with Nonautologous Tissue Substitute, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041J4Z9 | Bypass Left External Iliac Artery to Right Internal Iliac Artery, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041J4ZB | Bypass Left External Iliac Artery to Left Internal Iliac Artery, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041J4ZC | Bypass Left External Iliac Artery to Bilateral Internal Iliac Arteries, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |

List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|--|----------------------|
| 041J4ZD | Bypass Left External Iliac Artery to Right External Iliac Artery, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041J4ZF | Bypass Left External Iliac Artery to Left External Iliac Artery, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041J4ZG | Bypass Left External Iliac Artery to Bilateral External Iliac Arteries, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041J4ZP | Bypass Left External Iliac Artery to Foot Artery, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 041J4ZQ | Bypass Left External Iliac Artery to Lower Extremity Artery, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047004Z | Dilation of Abdominal Aorta with Drug-eluting Intraluminal Device, Open Approach | ICD-10-PCS Procedure |
| 047005Z | Dilation of Abdominal Aorta with Two Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 047006Z | Dilation of Abdominal Aorta with Three Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 047007Z | Dilation of Abdominal Aorta with Four or More Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 04700D6 | Dilation of Abdominal Aorta, Bifurcation, with Intraluminal Device, Open Approach | ICD-10-PCS Procedure |
| 04700DZ | Dilation of Abdominal Aorta with Intraluminal Device, Open Approach | ICD-10-PCS Procedure |
| 04700EZ | Dilation of Abdominal Aorta with Two Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 04700F6 | Dilation of Abdominal Aorta, Bifurcation, with Three Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 04700FZ | Dilation of Abdominal Aorta with Three Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 04700G6 | Dilation of Abdominal Aorta, Bifurcation, with Four or More Intraluminal Devices, | ICD-10-PCS Procedure |
| 04700GZ | Dilation of Abdominal Aorta with Four or More Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 04700Z6 | Dilation of Abdominal Aorta, Bifurcation, Open Approach | ICD-10-PCS Procedure |
| 04700ZZ | Dilation of Abdominal Aorta, Open Approach | ICD-10-PCS Procedure |
| 047034Z | Dilation of Abdominal Aorta with Drug-eluting Intraluminal Device, Percutaneous Approach | ICD-10-PCS Procedure |
| 047035Z | Dilation of Abdominal Aorta with Two Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 047036Z | Dilation of Abdominal Aorta with Three Drug-eluting Intraluminal Devices, | ICD-10-PCS Procedure |
| 047037Z | Dilation of Abdominal Aorta with Four or More Drug-eluting Intraluminal Devices, | ICD-10-PCS Procedure |
| 04703D6 | Dilation of Abdominal Aorta, Bifurcation, with Intraluminal Device, Percutaneous Approach | ICD-10-PCS Procedure |
| 04703DZ | Dilation of Abdominal Aorta with Intraluminal Device, Percutaneous Approach | ICD-10-PCS Procedure |
| 04703EZ | Dilation of Abdominal Aorta with Two Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 04703F6 | Dilation of Abdominal Aorta, Bifurcation, with Three Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |

List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|--|----------------------|
| 04703FZ | Dilation of Abdominal Aorta with Three Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 04703G6 | Dilation of Abdominal Aorta, Bifurcation, with Four or More Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 04703GZ | Dilation of Abdominal Aorta with Four or More Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 04703Z6 | Dilation of Abdominal Aorta, Bifurcation, Percutaneous Approach | ICD-10-PCS Procedure |
| 04703ZZ | Dilation of Abdominal Aorta, Percutaneous Approach | ICD-10-PCS Procedure |
| 047044Z | Dilation of Abdominal Aorta with Drug-eluting Intraluminal Device, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047045Z | Dilation of Abdominal Aorta with Two Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047046Z | Dilation of Abdominal Aorta with Three Drug-eluting Intraluminal Devices, | ICD-10-PCS Procedure |
| 047047Z | Dilation of Abdominal Aorta with Four or More Drug-eluting Intraluminal Devices, | ICD-10-PCS Procedure |
| 04704D6 | Dilation of Abdominal Aorta, Bifurcation, with Intraluminal Device, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 04704DZ | Dilation of Abdominal Aorta with Intraluminal Device, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 04704EZ | Dilation of Abdominal Aorta with Two Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 04704F6 | Dilation of Abdominal Aorta, Bifurcation, with Three Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 04704FZ | Dilation of Abdominal Aorta with Three Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 04704G6 | Dilation of Abdominal Aorta, Bifurcation, with Four or More Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 04704GZ | Dilation of Abdominal Aorta with Four or More Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 04704Z6 | Dilation of Abdominal Aorta, Bifurcation, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 04704ZZ | Dilation of Abdominal Aorta, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047104Z | Dilation of Celiac Artery with Drug-eluting Intraluminal Device, Open Approach | ICD-10-PCS Procedure |
| 047105Z | Dilation of Celiac Artery with Two Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 047106Z | Dilation of Celiac Artery with Three Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 047107Z | Dilation of Celiac Artery with Four or More Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 04710D6 | Dilation of Celiac Artery, Bifurcation, with Intraluminal Device, Open Approach | ICD-10-PCS Procedure |
| 04710DZ | Dilation of Celiac Artery with Intraluminal Device, Open Approach | ICD-10-PCS Procedure |
| 04710EZ | Dilation of Celiac Artery with Two Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 04710F6 | Dilation of Celiac Artery, Bifurcation, with Three Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |



List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|---|----------------------|
| 04710FZ | Dilation of Celiac Artery with Three Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 04710G6 | Dilation of Celiac Artery, Bifurcation, with Four or More Intraluminal Devices, Open | ICD-10-PCS Procedure |
| 04710GZ | Dilation of Celiac Artery with Four or More Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 04710Z6 | Dilation of Celiac Artery, Bifurcation, Open Approach | ICD-10-PCS Procedure |
| 04710ZZ | Dilation of Celiac Artery, Open Approach | ICD-10-PCS Procedure |
| 047134Z | Dilation of Celiac Artery with Drug-eluting Intraluminal Device, Percutaneous Approach | ICD-10-PCS Procedure |
| 047135Z | Dilation of Celiac Artery with Two Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 047136Z | Dilation of Celiac Artery with Three Drug-eluting Intraluminal Devices, Percutaneous | ICD-10-PCS Procedure |
| 047137Z | Dilation of Celiac Artery with Four or More Drug-eluting Intraluminal Devices, | ICD-10-PCS Procedure |
| 04713D6 | Dilation of Celiac Artery, Bifurcation, with Intraluminal Device, Percutaneous Approach | ICD-10-PCS Procedure |
| 04713DZ | Dilation of Celiac Artery with Intraluminal Device, Percutaneous Approach | ICD-10-PCS Procedure |
| 04713EZ | Dilation of Celiac Artery with Two Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 04713F6 | Dilation of Celiac Artery, Bifurcation, with Three Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 04713FZ | Dilation of Celiac Artery with Three Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 04713G6 | Dilation of Celiac Artery, Bifurcation, with Four or More Intraluminal Devices, | ICD-10-PCS Procedure |
| 04713GZ | Dilation of Celiac Artery with Four or More Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 04713Z6 | Dilation of Celiac Artery, Bifurcation, Percutaneous Approach | ICD-10-PCS Procedure |
| 04713ZZ | Dilation of Celiac Artery, Percutaneous Approach | ICD-10-PCS Procedure |
| 047144Z | Dilation of Celiac Artery with Drug-eluting Intraluminal Device, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047145Z | Dilation of Celiac Artery with Two Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047146Z | Dilation of Celiac Artery with Three Drug-eluting Intraluminal Devices, Percutaneous | ICD-10-PCS Procedure |
| 047147Z | Dilation of Celiac Artery with Four or More Drug-eluting Intraluminal Devices, | ICD-10-PCS Procedure |
| 04714D6 | Dilation of Celiac Artery, Bifurcation, with Intraluminal Device, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 04714DZ | Dilation of Celiac Artery with Intraluminal Device, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 04714EZ | Dilation of Celiac Artery with Two Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 04714F6 | Dilation of Celiac Artery, Bifurcation, with Three Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 04714FZ | Dilation of Celiac Artery with Three Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |



List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|--|----------------------|
| 04714G6 | Dilation of Celiac Artery, Bifurcation, with Four or More Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 04714GZ | Dilation of Celiac Artery with Four or More Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 04714Z6 | Dilation of Celiac Artery, Bifurcation, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 04714ZZ | Dilation of Celiac Artery, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047204Z | Dilation of Gastric Artery with Drug-eluting Intraluminal Device, Open Approach | ICD-10-PCS Procedure |
| 047205Z | Dilation of Gastric Artery with Two Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 047206Z | Dilation of Gastric Artery with Three Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 047207Z | Dilation of Gastric Artery with Four or More Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 04720D6 | Dilation of Gastric Artery, Bifurcation, with Intraluminal Device, Open Approach | ICD-10-PCS Procedure |
| 04720DZ | Dilation of Gastric Artery with Intraluminal Device, Open Approach | ICD-10-PCS Procedure |
| 04720EZ | Dilation of Gastric Artery with Two Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 04720F6 | Dilation of Gastric Artery, Bifurcation, with Three Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 04720FZ | Dilation of Gastric Artery with Three Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 04720G6 | Dilation of Gastric Artery, Bifurcation, with Four or More Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 04720GZ | Dilation of Gastric Artery with Four or More Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 04720Z6 | Dilation of Gastric Artery, Bifurcation, Open Approach | ICD-10-PCS Procedure |
| 04720ZZ | Dilation of Gastric Artery, Open Approach | ICD-10-PCS Procedure |
| 047234Z | Dilation of Gastric Artery with Drug-eluting Intraluminal Device, Percutaneous Approach | ICD-10-PCS Procedure |
| 047235Z | Dilation of Gastric Artery with Two Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 047236Z | Dilation of Gastric Artery with Three Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 047237Z | Dilation of Gastric Artery with Four or More Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 04723D6 | Dilation of Gastric Artery, Bifurcation, with Intraluminal Device, Percutaneous Approach | ICD-10-PCS Procedure |
| 04723DZ | Dilation of Gastric Artery with Intraluminal Device, Percutaneous Approach | ICD-10-PCS Procedure |
| 04723EZ | Dilation of Gastric Artery with Two Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 04723F6 | Dilation of Gastric Artery, Bifurcation, with Three Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 04723FZ | Dilation of Gastric Artery with Three Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 04723G6 | Dilation of Gastric Artery, Bifurcation, with Four or More Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 04723GZ | Dilation of Gastric Artery with Four or More Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |

List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|---|----------------------|
| 04723Z6 | Dilation of Gastric Artery, Bifurcation, Percutaneous Approach | ICD-10-PCS Procedure |
| 04723ZZ | Dilation of Gastric Artery, Percutaneous Approach | ICD-10-PCS Procedure |
| 047244Z | Dilation of Gastric Artery with Drug-eluting Intraluminal Device, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047245Z | Dilation of Gastric Artery with Two Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047246Z | Dilation of Gastric Artery with Three Drug-eluting Intraluminal Devices, | ICD-10-PCS Procedure |
| 047247Z | Dilation of Gastric Artery with Four or More Drug-eluting Intraluminal Devices, | ICD-10-PCS Procedure |
| 04724D6 | Dilation of Gastric Artery, Bifurcation, with Intraluminal Device, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 04724DZ | Dilation of Gastric Artery with Intraluminal Device, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 04724EZ | Dilation of Gastric Artery with Two Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 04724F6 | Dilation of Gastric Artery, Bifurcation, with Three Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 04724FZ | Dilation of Gastric Artery with Three Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 04724G6 | Dilation of Gastric Artery, Bifurcation, with Four or More Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 04724GZ | Dilation of Gastric Artery with Four or More Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 04724Z6 | Dilation of Gastric Artery, Bifurcation, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 04724ZZ | Dilation of Gastric Artery, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047304Z | Dilation of Hepatic Artery with Drug-eluting Intraluminal Device, Open Approach | ICD-10-PCS Procedure |
| 047305Z | Dilation of Hepatic Artery with Two Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 047306Z | Dilation of Hepatic Artery with Three Drug-eluting Intraluminal Devices, Open | ICD-10-PCS Procedure |
| 047307Z | Dilation of Hepatic Artery with Four or More Drug-eluting Intraluminal Devices, | ICD-10-PCS Procedure |
| 04730D6 | Dilation of Hepatic Artery, Bifurcation, with Intraluminal Device, Open Approach | ICD-10-PCS Procedure |
| 04730DZ | Dilation of Hepatic Artery with Intraluminal Device, Open Approach | ICD-10-PCS Procedure |
| 04730EZ | Dilation of Hepatic Artery with Two Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 04730F6 | Dilation of Hepatic Artery, Bifurcation, with Three Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 04730FZ | Dilation of Hepatic Artery with Three Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 04730G6 | Dilation of Hepatic Artery, Bifurcation, with Four or More Intraluminal Devices, Open | ICD-10-PCS Procedure |
| 04730GZ | Dilation of Hepatic Artery with Four or More Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 04730Z6 | Dilation of Hepatic Artery, Bifurcation, Open Approach | ICD-10-PCS Procedure |
| 04730ZZ | Dilation of Hepatic Artery, Open Approach | ICD-10-PCS Procedure |



List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|---|----------------------|
| 047334Z | Dilation of Hepatic Artery with Drug-eluting Intraluminal Device, Percutaneous Approach | ICD-10-PCS Procedure |
| 047335Z | Dilation of Hepatic Artery with Two Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 047336Z | Dilation of Hepatic Artery with Three Drug-eluting Intraluminal Devices, | ICD-10-PCS Procedure |
| 047337Z | Dilation of Hepatic Artery with Four or More Drug-eluting Intraluminal Devices, | ICD-10-PCS Procedure |
| 04733D6 | Dilation of Hepatic Artery, Bifurcation, with Intraluminal Device, Percutaneous Approach | ICD-10-PCS Procedure |
| 04733DZ | Dilation of Hepatic Artery with Intraluminal Device, Percutaneous Approach | ICD-10-PCS Procedure |
| 04733EZ | Dilation of Hepatic Artery with Two Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 04733F6 | Dilation of Hepatic Artery, Bifurcation, with Three Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 04733FZ | Dilation of Hepatic Artery with Three Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 04733G6 | Dilation of Hepatic Artery, Bifurcation, with Four or More Intraluminal Devices, | ICD-10-PCS Procedure |
| 04733GZ | Dilation of Hepatic Artery with Four or More Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 04733Z6 | Dilation of Hepatic Artery, Bifurcation, Percutaneous Approach | ICD-10-PCS Procedure |
| 04733ZZ | Dilation of Hepatic Artery, Percutaneous Approach | ICD-10-PCS Procedure |
| 047344Z | Dilation of Hepatic Artery with Drug-eluting Intraluminal Device, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047345Z | Dilation of Hepatic Artery with Two Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047346Z | Dilation of Hepatic Artery with Three Drug-eluting Intraluminal Devices, | ICD-10-PCS Procedure |
| 047347Z | Dilation of Hepatic Artery with Four or More Drug-eluting Intraluminal Devices, | ICD-10-PCS Procedure |
| 04734D6 | Dilation of Hepatic Artery, Bifurcation, with Intraluminal Device, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 04734DZ | Dilation of Hepatic Artery with Intraluminal Device, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 04734EZ | Dilation of Hepatic Artery with Two Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 04734F6 | Dilation of Hepatic Artery, Bifurcation, with Three Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 04734FZ | Dilation of Hepatic Artery with Three Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 04734G6 | Dilation of Hepatic Artery, Bifurcation, with Four or More Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 04734GZ | Dilation of Hepatic Artery with Four or More Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 04734Z6 | Dilation of Hepatic Artery, Bifurcation, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 04734ZZ | Dilation of Hepatic Artery, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |

List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|---|----------------------|
| 047404Z | Dilation of Splenic Artery with Drug-eluting Intraluminal Device, Open Approach | ICD-10-PCS Procedure |
| 047405Z | Dilation of Splenic Artery with Two Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 047406Z | Dilation of Splenic Artery with Three Drug-eluting Intraluminal Devices, Open | ICD-10-PCS Procedure |
| 047407Z | Dilation of Splenic Artery with Four or More Drug-eluting Intraluminal Devices, Open | ICD-10-PCS Procedure |
| 04740D6 | Dilation of Splenic Artery, Bifurcation, with Intraluminal Device, Open Approach | ICD-10-PCS Procedure |
| 04740DZ | Dilation of Splenic Artery with Intraluminal Device, Open Approach | ICD-10-PCS Procedure |
| 04740EZ | Dilation of Splenic Artery with Two Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 04740F6 | Dilation of Splenic Artery, Bifurcation, with Three Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 04740FZ | Dilation of Splenic Artery with Three Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 04740G6 | Dilation of Splenic Artery, Bifurcation, with Four or More Intraluminal Devices, Open | ICD-10-PCS Procedure |
| 04740GZ | Dilation of Splenic Artery with Four or More Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 04740Z6 | Dilation of Splenic Artery, Bifurcation, Open Approach | ICD-10-PCS Procedure |
| 04740ZZ | Dilation of Splenic Artery, Open Approach | ICD-10-PCS Procedure |
| 047434Z | Dilation of Splenic Artery with Drug-eluting Intraluminal Device, Percutaneous Approach | ICD-10-PCS Procedure |
| 047435Z | Dilation of Splenic Artery with Two Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 047436Z | Dilation of Splenic Artery with Three Drug-eluting Intraluminal Devices, | ICD-10-PCS Procedure |
| 047437Z | Dilation of Splenic Artery with Four or More Drug-eluting Intraluminal Devices, | ICD-10-PCS Procedure |
| 04743D6 | Dilation of Splenic Artery, Bifurcation, with Intraluminal Device, Percutaneous Approach | ICD-10-PCS Procedure |
| 04743DZ | Dilation of Splenic Artery with Intraluminal Device, Percutaneous Approach | ICD-10-PCS Procedure |
| 04743EZ | Dilation of Splenic Artery with Two Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 04743F6 | Dilation of Splenic Artery, Bifurcation, with Three Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 04743FZ | Dilation of Splenic Artery with Three Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 04743G6 | Dilation of Splenic Artery, Bifurcation, with Four or More Intraluminal Devices, | ICD-10-PCS Procedure |
| 04743GZ | Dilation of Splenic Artery with Four or More Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 04743Z6 | Dilation of Splenic Artery, Bifurcation, Percutaneous Approach | ICD-10-PCS Procedure |
| 04743ZZ | Dilation of Splenic Artery, Percutaneous Approach | ICD-10-PCS Procedure |
| 047444Z | Dilation of Splenic Artery with Drug-eluting Intraluminal Device, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047445Z | Dilation of Splenic Artery with Two Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |

List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|---|----------------------|
| 047446Z | Dilation of Splenic Artery with Three Drug-eluting Intraluminal Devices, | ICD-10-PCS Procedure |
| 047447Z | Dilation of Splenic Artery with Four or More Drug-eluting Intraluminal Devices, | ICD-10-PCS Procedure |
| 04744D6 | Dilation of Splenic Artery, Bifurcation, with Intraluminal Device, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 04744DZ | Dilation of Splenic Artery with Intraluminal Device, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 04744EZ | Dilation of Splenic Artery with Two Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 04744F6 | Dilation of Splenic Artery, Bifurcation, with Three Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 04744FZ | Dilation of Splenic Artery with Three Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 04744G6 | Dilation of Splenic Artery, Bifurcation, with Four or More Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 04744GZ | Dilation of Splenic Artery with Four or More Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 04744Z6 | Dilation of Splenic Artery, Bifurcation, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 04744ZZ | Dilation of Splenic Artery, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047504Z | Dilation of Superior Mesenteric Artery with Drug-eluting Intraluminal Device, Open Approach | ICD-10-PCS Procedure |
| 047505Z | Dilation of Superior Mesenteric Artery with Two Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 047506Z | Dilation of Superior Mesenteric Artery with Three Drug-eluting Intraluminal Devices, | ICD-10-PCS Procedure |
| 047507Z | Dilation of Superior Mesenteric Artery with Four or More Drug-eluting Intraluminal | ICD-10-PCS Procedure |
| 04750D6 | Dilation of Superior Mesenteric Artery, Bifurcation, with Intraluminal Device, Open Approach | ICD-10-PCS Procedure |
| 04750DZ | Dilation of Superior Mesenteric Artery with Intraluminal Device, Open Approach | ICD-10-PCS Procedure |
| 04750EZ | Dilation of Superior Mesenteric Artery with Two Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 04750F6 | Dilation of Superior Mesenteric Artery, Bifurcation, with Three Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 04750FZ | Dilation of Superior Mesenteric Artery with Three Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 04750G6 | Dilation of Superior Mesenteric Artery, Bifurcation, with Four or More Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 04750GZ | Dilation of Superior Mesenteric Artery with Four or More Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 04750Z6 | Dilation of Superior Mesenteric Artery, Bifurcation, Open Approach | ICD-10-PCS Procedure |
| 04750ZZ | Dilation of Superior Mesenteric Artery, Open Approach | ICD-10-PCS Procedure |
| 047534Z | Dilation of Superior Mesenteric Artery with Drug-eluting Intraluminal Device, Percutaneous Approach | ICD-10-PCS Procedure |

List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|---|----------------------|
| 047535Z | Dilation of Superior Mesenteric Artery with Two Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 047536Z | Dilation of Superior Mesenteric Artery with Three Drug-eluting Intraluminal Devices, | ICD-10-PCS Procedure |
| 047537Z | Dilation of Superior Mesenteric Artery with Four or More Drug-eluting Intraluminal | ICD-10-PCS Procedure |
| 04753D6 | Dilation of Superior Mesenteric Artery, Bifurcation, with Intraluminal Device, Percutaneous Approach | ICD-10-PCS Procedure |
| 04753DZ | Dilation of Superior Mesenteric Artery with Intraluminal Device, Percutaneous Approach | ICD-10-PCS Procedure |
| 04753EZ | Dilation of Superior Mesenteric Artery with Two Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 04753F6 | Dilation of Superior Mesenteric Artery, Bifurcation, with Three Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 04753FZ | Dilation of Superior Mesenteric Artery with Three Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 04753G6 | Dilation of Superior Mesenteric Artery, Bifurcation, with Four or More Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 04753GZ | Dilation of Superior Mesenteric Artery with Four or More Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 04753Z6 | Dilation of Superior Mesenteric Artery, Bifurcation, Percutaneous Approach | ICD-10-PCS Procedure |
| 04753ZZ | Dilation of Superior Mesenteric Artery, Percutaneous Approach | ICD-10-PCS Procedure |
| 047544Z | Dilation of Superior Mesenteric Artery with Drug-eluting Intraluminal Device, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047545Z | Dilation of Superior Mesenteric Artery with Two Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047546Z | Dilation of Superior Mesenteric Artery with Three Drug-eluting Intraluminal Devices, | ICD-10-PCS Procedure |
| 047547Z | Dilation of Superior Mesenteric Artery with Four or More Drug-eluting Intraluminal | ICD-10-PCS Procedure |
| 04754D6 | Dilation of Superior Mesenteric Artery, Bifurcation, with Intraluminal Device, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 04754DZ | Dilation of Superior Mesenteric Artery with Intraluminal Device, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 04754EZ | Dilation of Superior Mesenteric Artery with Two Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 04754F6 | Dilation of Superior Mesenteric Artery, Bifurcation, with Three Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 04754FZ | Dilation of Superior Mesenteric Artery with Three Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 04754G6 | Dilation of Superior Mesenteric Artery, Bifurcation, with Four or More Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 04754GZ | Dilation of Superior Mesenteric Artery with Four or More Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 04754Z6 | Dilation of Superior Mesenteric Artery, Bifurcation, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |



List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|--|----------------------|
| 04754ZZ | Dilation of Superior Mesenteric Artery, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047604Z | Dilation of Right Colic Artery with Drug-eluting Intraluminal Device, Open Approach | ICD-10-PCS Procedure |
| 047605Z | Dilation of Right Colic Artery with Two Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 047606Z | Dilation of Right Colic Artery with Three Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 047607Z | Dilation of Right Colic Artery with Four or More Drug-eluting Intraluminal Devices, | ICD-10-PCS Procedure |
| 04760D6 | Dilation of Right Colic Artery, Bifurcation, with Intraluminal Device, Open Approach | ICD-10-PCS Procedure |
| 04760DZ | Dilation of Right Colic Artery with Intraluminal Device, Open Approach | ICD-10-PCS Procedure |
| 04760EZ | Dilation of Right Colic Artery with Two Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 04760F6 | Dilation of Right Colic Artery, Bifurcation, with Three Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 04760FZ | Dilation of Right Colic Artery with Three Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 04760G6 | Dilation of Right Colic Artery, Bifurcation, with Four or More Intraluminal Devices, | ICD-10-PCS Procedure |
| 04760GZ | Dilation of Right Colic Artery with Four or More Intraluminal Devices, Open | ICD-10-PCS Procedure |
| 04760Z6 | Dilation of Right Colic Artery, Bifurcation, Open Approach | ICD-10-PCS Procedure |
| 04760ZZ | Dilation of Right Colic Artery, Open Approach | ICD-10-PCS Procedure |
| 047634Z | Dilation of Right Colic Artery with Drug-eluting Intraluminal Device, Percutaneous Approach | ICD-10-PCS Procedure |
| 047635Z | Dilation of Right Colic Artery with Two Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 047636Z | Dilation of Right Colic Artery with Three Drug-eluting Intraluminal Devices, | ICD-10-PCS Procedure |
| 047637Z | Dilation of Right Colic Artery with Four or More Drug-eluting Intraluminal Devices, | ICD-10-PCS Procedure |
| 04763D6 | Dilation of Right Colic Artery, Bifurcation, with Intraluminal Device, Percutaneous Approach | ICD-10-PCS Procedure |
| 04763DZ | Dilation of Right Colic Artery with Intraluminal Device, Percutaneous Approach | ICD-10-PCS Procedure |
| 04763EZ | Dilation of Right Colic Artery with Two Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 04763F6 | Dilation of Right Colic Artery, Bifurcation, with Three Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 04763FZ | Dilation of Right Colic Artery with Three Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 04763G6 | Dilation of Right Colic Artery, Bifurcation, with Four or More Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 04763GZ | Dilation of Right Colic Artery with Four or More Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 04763Z6 | Dilation of Right Colic Artery, Bifurcation, Percutaneous Approach | ICD-10-PCS Procedure |
| 04763ZZ | Dilation of Right Colic Artery, Percutaneous Approach | ICD-10-PCS Procedure |



List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|---|----------------------|
| 047644Z | Dilation of Right Colic Artery with Drug-eluting Intraluminal Device, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047645Z | Dilation of Right Colic Artery with Two Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047646Z | Dilation of Right Colic Artery with Three Drug-eluting Intraluminal Devices, | ICD-10-PCS Procedure |
| 047647Z | Dilation of Right Colic Artery with Four or More Drug-eluting Intraluminal Devices, | ICD-10-PCS Procedure |
| 04764D6 | Dilation of Right Colic Artery, Bifurcation, with Intraluminal Device, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 04764DZ | Dilation of Right Colic Artery with Intraluminal Device, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 04764EZ | Dilation of Right Colic Artery with Two Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 04764F6 | Dilation of Right Colic Artery, Bifurcation, with Three Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 04764FZ | Dilation of Right Colic Artery with Three Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 04764G6 | Dilation of Right Colic Artery, Bifurcation, with Four or More Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 04764GZ | Dilation of Right Colic Artery with Four or More Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 04764Z6 | Dilation of Right Colic Artery, Bifurcation, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 04764ZZ | Dilation of Right Colic Artery, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047704Z | Dilation of Left Colic Artery with Drug-eluting Intraluminal Device, Open Approach | ICD-10-PCS Procedure |
| 047705Z | Dilation of Left Colic Artery with Two Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 047706Z | Dilation of Left Colic Artery with Three Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 047707Z | Dilation of Left Colic Artery with Four or More Drug-eluting Intraluminal Devices, | ICD-10-PCS Procedure |
| 04770D6 | Dilation of Left Colic Artery, Bifurcation, with Intraluminal Device, Open Approach | ICD-10-PCS Procedure |
| 04770DZ | Dilation of Left Colic Artery with Intraluminal Device, Open Approach | ICD-10-PCS Procedure |
| 04770EZ | Dilation of Left Colic Artery with Two Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 04770F6 | Dilation of Left Colic Artery, Bifurcation, with Three Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 04770FZ | Dilation of Left Colic Artery with Three Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 04770G6 | Dilation of Left Colic Artery, Bifurcation, with Four or More Intraluminal Devices, | ICD-10-PCS Procedure |
| 04770GZ | Dilation of Left Colic Artery with Four or More Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 04770Z6 | Dilation of Left Colic Artery, Bifurcation, Open Approach | ICD-10-PCS Procedure |
| 04770ZZ | Dilation of Left Colic Artery, Open Approach | ICD-10-PCS Procedure |

List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|--|----------------------|
| 047734Z | Dilation of Left Colic Artery with Drug-eluting Intraluminal Device, Percutaneous Approach | ICD-10-PCS Procedure |
| 047735Z | Dilation of Left Colic Artery with Two Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 047736Z | Dilation of Left Colic Artery with Three Drug-eluting Intraluminal Devices, | ICD-10-PCS Procedure |
| 047737Z | Dilation of Left Colic Artery with Four or More Drug-eluting Intraluminal Devices, | ICD-10-PCS Procedure |
| 04773D6 | Dilation of Left Colic Artery, Bifurcation, with Intraluminal Device, Percutaneous Approach | ICD-10-PCS Procedure |
| 04773DZ | Dilation of Left Colic Artery with Intraluminal Device, Percutaneous Approach | ICD-10-PCS Procedure |
| 04773EZ | Dilation of Left Colic Artery with Two Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 04773F6 | Dilation of Left Colic Artery, Bifurcation, with Three Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 04773FZ | Dilation of Left Colic Artery with Three Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 04773G6 | Dilation of Left Colic Artery, Bifurcation, with Four or More Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 04773GZ | Dilation of Left Colic Artery with Four or More Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 04773Z6 | Dilation of Left Colic Artery, Bifurcation, Percutaneous Approach | ICD-10-PCS Procedure |
| 04773ZZ | Dilation of Left Colic Artery, Percutaneous Approach | ICD-10-PCS Procedure |
| 047744Z | Dilation of Left Colic Artery with Drug-eluting Intraluminal Device, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047745Z | Dilation of Left Colic Artery with Two Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047746Z | Dilation of Left Colic Artery with Three Drug-eluting Intraluminal Devices, | ICD-10-PCS Procedure |
| 047747Z | Dilation of Left Colic Artery with Four or More Drug-eluting Intraluminal Devices, | ICD-10-PCS Procedure |
| 04774D6 | Dilation of Left Colic Artery, Bifurcation, with Intraluminal Device, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 04774DZ | Dilation of Left Colic Artery with Intraluminal Device, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 04774EZ | Dilation of Left Colic Artery with Two Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 04774F6 | Dilation of Left Colic Artery, Bifurcation, with Three Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 04774FZ | Dilation of Left Colic Artery with Three Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 04774G6 | Dilation of Left Colic Artery, Bifurcation, with Four or More Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 04774GZ | Dilation of Left Colic Artery with Four or More Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 04774Z6 | Dilation of Left Colic Artery, Bifurcation, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |



List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|---|----------------------|
| 04774ZZ | Dilation of Left Colic Artery, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047804Z | Dilation of Middle Colic Artery with Drug-eluting Intraluminal Device, Open Approach | ICD-10-PCS Procedure |
| 047805Z | Dilation of Middle Colic Artery with Two Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 047806Z | Dilation of Middle Colic Artery with Three Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 047807Z | Dilation of Middle Colic Artery with Four or More Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 04780D6 | Dilation of Middle Colic Artery, Bifurcation, with Intraluminal Device, Open Approach | ICD-10-PCS Procedure |
| 04780DZ | Dilation of Middle Colic Artery with Intraluminal Device, Open Approach | ICD-10-PCS Procedure |
| 04780EZ | Dilation of Middle Colic Artery with Two Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 04780F6 | Dilation of Middle Colic Artery, Bifurcation, with Three Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 04780FZ | Dilation of Middle Colic Artery with Three Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 04780G6 | Dilation of Middle Colic Artery, Bifurcation, with Four or More Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 04780GZ | Dilation of Middle Colic Artery with Four or More Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 04780Z6 | Dilation of Middle Colic Artery, Bifurcation, Open Approach | ICD-10-PCS Procedure |
| 04780ZZ | Dilation of Middle Colic Artery, Open Approach | ICD-10-PCS Procedure |
| 047834Z | Dilation of Middle Colic Artery with Drug-eluting Intraluminal Device, Percutaneous Approach | ICD-10-PCS Procedure |
| 047835Z | Dilation of Middle Colic Artery with Two Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 047836Z | Dilation of Middle Colic Artery with Three Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 047837Z | Dilation of Middle Colic Artery with Four or More Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 04783D6 | Dilation of Middle Colic Artery, Bifurcation, with Intraluminal Device, Percutaneous Approach | ICD-10-PCS Procedure |
| 04783DZ | Dilation of Middle Colic Artery with Intraluminal Device, Percutaneous Approach | ICD-10-PCS Procedure |
| 04783EZ | Dilation of Middle Colic Artery with Two Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 04783F6 | Dilation of Middle Colic Artery, Bifurcation, with Three Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 04783FZ | Dilation of Middle Colic Artery with Three Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 04783G6 | Dilation of Middle Colic Artery, Bifurcation, with Four or More Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 04783GZ | Dilation of Middle Colic Artery with Four or More Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 04783Z6 | Dilation of Middle Colic Artery, Bifurcation, Percutaneous Approach | ICD-10-PCS Procedure |
| 04783ZZ | Dilation of Middle Colic Artery, Percutaneous Approach | ICD-10-PCS Procedure |

List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|--|----------------------|
| 047844Z | Dilation of Middle Colic Artery with Drug-eluting Intraluminal Device, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047845Z | Dilation of Middle Colic Artery with Two Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047846Z | Dilation of Middle Colic Artery with Three Drug-eluting Intraluminal Devices, | ICD-10-PCS Procedure |
| 047847Z | Dilation of Middle Colic Artery with Four or More Drug-eluting Intraluminal Devices, | ICD-10-PCS Procedure |
| 04784D6 | Dilation of Middle Colic Artery, Bifurcation, with Intraluminal Device, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 04784DZ | Dilation of Middle Colic Artery with Intraluminal Device, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 04784EZ | Dilation of Middle Colic Artery with Two Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 04784F6 | Dilation of Middle Colic Artery, Bifurcation, with Three Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 04784FZ | Dilation of Middle Colic Artery with Three Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 04784G6 | Dilation of Middle Colic Artery, Bifurcation, with Four or More Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 04784GZ | Dilation of Middle Colic Artery with Four or More Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 04784Z6 | Dilation of Middle Colic Artery, Bifurcation, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 04784ZZ | Dilation of Middle Colic Artery, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047904Z | Dilation of Right Renal Artery with Drug-eluting Intraluminal Device, Open Approach | ICD-10-PCS Procedure |
| 047905Z | Dilation of Right Renal Artery with Two Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 047906Z | Dilation of Right Renal Artery with Three Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 047907Z | Dilation of Right Renal Artery with Four or More Drug-eluting Intraluminal Devices, | ICD-10-PCS Procedure |
| 04790D6 | Dilation of Right Renal Artery, Bifurcation, with Intraluminal Device, Open Approach | ICD-10-PCS Procedure |
| 04790DZ | Dilation of Right Renal Artery with Intraluminal Device, Open Approach | ICD-10-PCS Procedure |
| 04790EZ | Dilation of Right Renal Artery with Two Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 04790F6 | Dilation of Right Renal Artery, Bifurcation, with Three Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 04790FZ | Dilation of Right Renal Artery with Three Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 04790G6 | Dilation of Right Renal Artery, Bifurcation, with Four or More Intraluminal Devices, | ICD-10-PCS Procedure |
| 04790GZ | Dilation of Right Renal Artery with Four or More Intraluminal Devices, Open | ICD-10-PCS Procedure |
| 04790Z6 | Dilation of Right Renal Artery, Bifurcation, Open Approach | ICD-10-PCS Procedure |
| 04790ZZ | Dilation of Right Renal Artery, Open Approach | ICD-10-PCS Procedure |



List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|---|----------------------|
| 047934Z | Dilation of Right Renal Artery with Drug-eluting Intraluminal Device, Percutaneous Approach | ICD-10-PCS Procedure |
| 047935Z | Dilation of Right Renal Artery with Two Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 047936Z | Dilation of Right Renal Artery with Three Drug-eluting Intraluminal Devices, | ICD-10-PCS Procedure |
| 047937Z | Dilation of Right Renal Artery with Four or More Drug-eluting Intraluminal Devices, | ICD-10-PCS Procedure |
| 04793D6 | Dilation of Right Renal Artery, Bifurcation, with Intraluminal Device, Percutaneous Approach | ICD-10-PCS Procedure |
| 04793DZ | Dilation of Right Renal Artery with Intraluminal Device, Percutaneous Approach | ICD-10-PCS Procedure |
| 04793EZ | Dilation of Right Renal Artery with Two Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 04793F6 | Dilation of Right Renal Artery, Bifurcation, with Three Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 04793FZ | Dilation of Right Renal Artery with Three Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 04793G6 | Dilation of Right Renal Artery, Bifurcation, with Four or More Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 04793GZ | Dilation of Right Renal Artery with Four or More Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 04793Z6 | Dilation of Right Renal Artery, Bifurcation, Percutaneous Approach | ICD-10-PCS Procedure |
| 04793ZZ | Dilation of Right Renal Artery, Percutaneous Approach | ICD-10-PCS Procedure |
| 047944Z | Dilation of Right Renal Artery with Drug-eluting Intraluminal Device, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047945Z | Dilation of Right Renal Artery with Two Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047946Z | Dilation of Right Renal Artery with Three Drug-eluting Intraluminal Devices, | ICD-10-PCS Procedure |
| 047947Z | Dilation of Right Renal Artery with Four or More Drug-eluting Intraluminal Devices, | ICD-10-PCS Procedure |
| 04794D6 | Dilation of Right Renal Artery, Bifurcation, with Intraluminal Device, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 04794DZ | Dilation of Right Renal Artery with Intraluminal Device, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 04794EZ | Dilation of Right Renal Artery with Two Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 04794F6 | Dilation of Right Renal Artery, Bifurcation, with Three Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 04794FZ | Dilation of Right Renal Artery with Three Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 04794G6 | Dilation of Right Renal Artery, Bifurcation, with Four or More Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 04794GZ | Dilation of Right Renal Artery with Four or More Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |



List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|---|----------------------|
| 04794Z6 | Dilation of Right Renal Artery, Bifurcation, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 04794ZZ | Dilation of Right Renal Artery, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047A046 | Dilation of Left Renal Artery, Bifurcation, with Drug-eluting Intraluminal Device, Open Approach | ICD-10-PCS Procedure |
| 047A04Z | Dilation of Left Renal Artery with Drug-eluting Intraluminal Device, Open Approach | ICD-10-PCS Procedure |
| 047A056 | Dilation of Left Renal Artery, Bifurcation, with Two Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 047A05Z | Dilation of Left Renal Artery with Two Drug-eluting Intraluminal Devices, Open | ICD-10-PCS Procedure |
| 047A066 | Dilation of Left Renal Artery, Bifurcation, with Three Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 047A06Z | Dilation of Left Renal Artery with Three Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 047A076 | Dilation of Left Renal Artery, Bifurcation, with Four or More Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 047A07Z | Dilation of Left Renal Artery with Four or More Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 047A0D6 | Dilation of Left Renal Artery, Bifurcation, with Intraluminal Device, Open Approach | ICD-10-PCS Procedure |
| 047A0DZ | Dilation of Left Renal Artery with Intraluminal Device, Open Approach | ICD-10-PCS Procedure |
| 047A0E6 | Dilation of Left Renal Artery, Bifurcation, with Two Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 047A0EZ | Dilation of Left Renal Artery with Two Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 047A0F6 | Dilation of Left Renal Artery, Bifurcation, with Three Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 047A0FZ | Dilation of Left Renal Artery with Three Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 047A0G6 | Dilation of Left Renal Artery, Bifurcation, with Four or More Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 047A0GZ | Dilation of Left Renal Artery with Four or More Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 047A0Z6 | Dilation of Left Renal Artery, Bifurcation, Open Approach | ICD-10-PCS Procedure |
| 047A0ZZ | Dilation of Left Renal Artery, Open Approach | ICD-10-PCS Procedure |
| 047A346 | Dilation of Left Renal Artery, Bifurcation, with Drug-eluting Intraluminal Device, Percutaneous Approach | ICD-10-PCS Procedure |
| 047A34Z | Dilation of Left Renal Artery with Drug-eluting Intraluminal Device, Percutaneous Approach | ICD-10-PCS Procedure |
| 047A356 | Dilation of Left Renal Artery, Bifurcation, with Two Drug-eluting Intraluminal | ICD-10-PCS Procedure |
| 047A35Z | Dilation of Left Renal Artery with Two Drug-eluting Intraluminal Devices, | ICD-10-PCS Procedure |
| 047A366 | Dilation of Left Renal Artery, Bifurcation, with Three Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 047A36Z | Dilation of Left Renal Artery with Three Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |

List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|---|----------------------|
| 047A376 | Dilation of Left Renal Artery, Bifurcation, with Four or More Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 047A37Z | Dilation of Left Renal Artery with Four or More Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 047A3D6 | Dilation of Left Renal Artery, Bifurcation, with Intraluminal Device, Percutaneous Approach | ICD-10-PCS Procedure |
| 047A3DZ | Dilation of Left Renal Artery with Intraluminal Device, Percutaneous Approach | ICD-10-PCS Procedure |
| 047A3E6 | Dilation of Left Renal Artery, Bifurcation, with Two Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 047A3EZ | Dilation of Left Renal Artery with Two Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 047A3F6 | Dilation of Left Renal Artery, Bifurcation, with Three Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 047A3FZ | Dilation of Left Renal Artery with Three Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 047A3G6 | Dilation of Left Renal Artery, Bifurcation, with Four or More Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 047A3GZ | Dilation of Left Renal Artery with Four or More Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 047A3Z6 | Dilation of Left Renal Artery, Bifurcation, Percutaneous Approach | ICD-10-PCS Procedure |
| 047A3ZZ | Dilation of Left Renal Artery, Percutaneous Approach | ICD-10-PCS Procedure |
| 047A446 | Dilation of Left Renal Artery, Bifurcation, with Drug-eluting Intraluminal Device, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047A44Z | Dilation of Left Renal Artery with Drug-eluting Intraluminal Device, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047A456 | Dilation of Left Renal Artery, Bifurcation, with Two Drug-eluting Intraluminal | ICD-10-PCS Procedure |
| 047A45Z | Dilation of Left Renal Artery with Two Drug-eluting Intraluminal Devices, | ICD-10-PCS Procedure |
| 047A466 | Dilation of Left Renal Artery, Bifurcation, with Three Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047A46Z | Dilation of Left Renal Artery with Three Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047A476 | Dilation of Left Renal Artery, Bifurcation, with Four or More Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047A47Z | Dilation of Left Renal Artery with Four or More Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047A4D6 | Dilation of Left Renal Artery, Bifurcation, with Intraluminal Device, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047A4DZ | Dilation of Left Renal Artery with Intraluminal Device, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047A4E6 | Dilation of Left Renal Artery, Bifurcation, with Two Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |

List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|---|----------------------|
| 047A4EZ | Dilation of Left Renal Artery with Two Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047A4F6 | Dilation of Left Renal Artery, Bifurcation, with Three Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047A4FZ | Dilation of Left Renal Artery with Three Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047A4G6 | Dilation of Left Renal Artery, Bifurcation, with Four or More Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047A4GZ | Dilation of Left Renal Artery with Four or More Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047A4Z6 | Dilation of Left Renal Artery, Bifurcation, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047A4ZZ | Dilation of Left Renal Artery, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047B046 | Dilation of Inferior Mesenteric Artery, Bifurcation, with Drug-eluting Intraluminal Device, Open Approach | ICD-10-PCS Procedure |
| 047B04Z | Dilation of Inferior Mesenteric Artery with Drug-eluting Intraluminal Device, Open Approach | ICD-10-PCS Procedure |
| 047B056 | Dilation of Inferior Mesenteric Artery, Bifurcation, with Two Drug-eluting | ICD-10-PCS Procedure |
| 047B05Z | Dilation of Inferior Mesenteric Artery with Two Drug-eluting Intraluminal Devices, | ICD-10-PCS Procedure |
| 047B066 | Dilation of Inferior Mesenteric Artery, Bifurcation, with Three Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 047B06Z | Dilation of Inferior Mesenteric Artery with Three Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 047B076 | Dilation of Inferior Mesenteric Artery, Bifurcation, with Four or More Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 047B07Z | Dilation of Inferior Mesenteric Artery with Four or More Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 047B0D6 | Dilation of Inferior Mesenteric Artery, Bifurcation, with Intraluminal Device, Open Approach | ICD-10-PCS Procedure |
| 047B0DZ | Dilation of Inferior Mesenteric Artery with Intraluminal Device, Open Approach | ICD-10-PCS Procedure |
| 047B0E6 | Dilation of Inferior Mesenteric Artery, Bifurcation, with Two Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 047B0EZ | Dilation of Inferior Mesenteric Artery with Two Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 047B0F6 | Dilation of Inferior Mesenteric Artery, Bifurcation, with Three Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 047B0FZ | Dilation of Inferior Mesenteric Artery with Three Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 047B0G6 | Dilation of Inferior Mesenteric Artery, Bifurcation, with Four or More Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 047B0GZ | Dilation of Inferior Mesenteric Artery with Four or More Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 047B0Z6 | Dilation of Inferior Mesenteric Artery, Bifurcation, Open Approach | ICD-10-PCS Procedure |



List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|---|----------------------|
| 047B0ZZ | Dilation of Inferior Mesenteric Artery, Open Approach | ICD-10-PCS Procedure |
| 047B346 | Dilation of Inferior Mesenteric Artery, Bifurcation, with Drug-eluting Intraluminal Device, Percutaneous Approach | ICD-10-PCS Procedure |
| 047B34Z | Dilation of Inferior Mesenteric Artery with Drug-eluting Intraluminal Device, Percutaneous Approach | ICD-10-PCS Procedure |
| 047B356 | Dilation of Inferior Mesenteric Artery, Bifurcation, with Two Drug-eluting | ICD-10-PCS Procedure |
| 047B35Z | Dilation of Inferior Mesenteric Artery with Two Drug-eluting Intraluminal Devices, | ICD-10-PCS Procedure |
| 047B366 | Dilation of Inferior Mesenteric Artery, Bifurcation, with Three Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 047B36Z | Dilation of Inferior Mesenteric Artery with Three Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 047B376 | Dilation of Inferior Mesenteric Artery, Bifurcation, with Four or More Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 047B37Z | Dilation of Inferior Mesenteric Artery with Four or More Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 047B3D6 | Dilation of Inferior Mesenteric Artery, Bifurcation, with Intraluminal Device, Percutaneous Approach | ICD-10-PCS Procedure |
| 047B3DZ | Dilation of Inferior Mesenteric Artery with Intraluminal Device, Percutaneous Approach | ICD-10-PCS Procedure |
| 047B3E6 | Dilation of Inferior Mesenteric Artery, Bifurcation, with Two Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 047B3EZ | Dilation of Inferior Mesenteric Artery with Two Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 047B3F6 | Dilation of Inferior Mesenteric Artery, Bifurcation, with Three Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 047B3FZ | Dilation of Inferior Mesenteric Artery with Three Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 047B3G6 | Dilation of Inferior Mesenteric Artery, Bifurcation, with Four or More Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 047B3GZ | Dilation of Inferior Mesenteric Artery with Four or More Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 047B3Z6 | Dilation of Inferior Mesenteric Artery, Bifurcation, Percutaneous Approach | ICD-10-PCS Procedure |
| 047B3ZZ | Dilation of Inferior Mesenteric Artery, Percutaneous Approach | ICD-10-PCS Procedure |
| 047B446 | Dilation of Inferior Mesenteric Artery, Bifurcation, with Drug-eluting Intraluminal Device, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047B44Z | Dilation of Inferior Mesenteric Artery with Drug-eluting Intraluminal Device, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047B456 | Dilation of Inferior Mesenteric Artery, Bifurcation, with Two Drug-eluting | ICD-10-PCS Procedure |
| 047B45Z | Dilation of Inferior Mesenteric Artery with Two Drug-eluting Intraluminal Devices, | ICD-10-PCS Procedure |
| 047B466 | Dilation of Inferior Mesenteric Artery, Bifurcation, with Three Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |



List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|--|----------------------|
| 047B46Z | Dilation of Inferior Mesenteric Artery with Three Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047B476 | Dilation of Inferior Mesenteric Artery, Bifurcation, with Four or More Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047B47Z | Dilation of Inferior Mesenteric Artery with Four or More Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047B4D6 | Dilation of Inferior Mesenteric Artery, Bifurcation, with Intraluminal Device, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047B4DZ | Dilation of Inferior Mesenteric Artery with Intraluminal Device, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047B4E6 | Dilation of Inferior Mesenteric Artery, Bifurcation, with Two Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047B4EZ | Dilation of Inferior Mesenteric Artery with Two Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047B4F6 | Dilation of Inferior Mesenteric Artery, Bifurcation, with Three Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047B4FZ | Dilation of Inferior Mesenteric Artery with Three Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047B4G6 | Dilation of Inferior Mesenteric Artery, Bifurcation, with Four or More Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047B4GZ | Dilation of Inferior Mesenteric Artery with Four or More Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047B4Z6 | Dilation of Inferior Mesenteric Artery, Bifurcation, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047B4ZZ | Dilation of Inferior Mesenteric Artery, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047C046 | Dilation of Right Common Iliac Artery, Bifurcation, with Drug-eluting Intraluminal Device, Open Approach | ICD-10-PCS Procedure |
| 047C04Z | Dilation of Right Common Iliac Artery with Drug-eluting Intraluminal Device, Open Approach | ICD-10-PCS Procedure |
| 047C056 | Dilation of Right Common Iliac Artery, Bifurcation, with Two Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 047C05Z | Dilation of Right Common Iliac Artery with Two Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 047C066 | Dilation of Right Common Iliac Artery, Bifurcation, with Three Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 047C06Z | Dilation of Right Common Iliac Artery with Three Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 047C076 | Dilation of Right Common Iliac Artery, Bifurcation, with Four or More Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 047C07Z | Dilation of Right Common Iliac Artery with Four or More Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 047C0D6 | Dilation of Right Common Iliac Artery, Bifurcation, with Intraluminal Device, Open Approach | ICD-10-PCS Procedure |



List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|--|----------------------|
| 047C0DZ | Dilation of Right Common Iliac Artery with Intraluminal Device, Open Approach | ICD-10-PCS Procedure |
| 047C0E6 | Dilation of Right Common Iliac Artery, Bifurcation, with Two Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 047C0EZ | Dilation of Right Common Iliac Artery with Two Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 047C0F6 | Dilation of Right Common Iliac Artery, Bifurcation, with Three Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 047C0FZ | Dilation of Right Common Iliac Artery with Three Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 047C0G6 | Dilation of Right Common Iliac Artery, Bifurcation, with Four or More Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 047C0GZ | Dilation of Right Common Iliac Artery with Four or More Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 047C0Z6 | Dilation of Right Common Iliac Artery, Bifurcation, Open Approach | ICD-10-PCS Procedure |
| 047C0ZZ | Dilation of Right Common Iliac Artery, Open Approach | ICD-10-PCS Procedure |
| 047C346 | Dilation of Right Common Iliac Artery, Bifurcation, with Drug-eluting Intraluminal Device, Percutaneous Approach | ICD-10-PCS Procedure |
| 047C34Z | Dilation of Right Common Iliac Artery with Drug-eluting Intraluminal Device, Percutaneous Approach | ICD-10-PCS Procedure |
| 047C356 | Dilation of Right Common Iliac Artery, Bifurcation, with Two Drug-eluting | ICD-10-PCS Procedure |
| 047C35Z | Dilation of Right Common Iliac Artery with Two Drug-eluting Intraluminal Devices, | ICD-10-PCS Procedure |
| 047C366 | Dilation of Right Common Iliac Artery, Bifurcation, with Three Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 047C36Z | Dilation of Right Common Iliac Artery with Three Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 047C376 | Dilation of Right Common Iliac Artery, Bifurcation, with Four or More Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 047C37Z | Dilation of Right Common Iliac Artery with Four or More Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 047C3D6 | Dilation of Right Common Iliac Artery, Bifurcation, with Intraluminal Device, Percutaneous Approach | ICD-10-PCS Procedure |
| 047C3DZ | Dilation of Right Common Iliac Artery with Intraluminal Device, Percutaneous Approach | ICD-10-PCS Procedure |
| 047C3E6 | Dilation of Right Common Iliac Artery, Bifurcation, with Two Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 047C3EZ | Dilation of Right Common Iliac Artery with Two Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 047C3F6 | Dilation of Right Common Iliac Artery, Bifurcation, with Three Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 047C3FZ | Dilation of Right Common Iliac Artery with Three Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |

List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|---|----------------------|
| 047C3G6 | Dilation of Right Common Iliac Artery, Bifurcation, with Four or More Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 047C3GZ | Dilation of Right Common Iliac Artery with Four or More Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 047C3Z6 | Dilation of Right Common Iliac Artery, Bifurcation, Percutaneous Approach | ICD-10-PCS Procedure |
| 047C3ZZ | Dilation of Right Common Iliac Artery, Percutaneous Approach | ICD-10-PCS Procedure |
| 047C446 | Dilation of Right Common Iliac Artery, Bifurcation, with Drug-eluting Intraluminal Device, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047C44Z | Dilation of Right Common Iliac Artery with Drug-eluting Intraluminal Device, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047C456 | Dilation of Right Common Iliac Artery, Bifurcation, with Two Drug-eluting | ICD-10-PCS Procedure |
| 047C45Z | Dilation of Right Common Iliac Artery with Two Drug-eluting Intraluminal Devices, | ICD-10-PCS Procedure |
| 047C466 | Dilation of Right Common Iliac Artery, Bifurcation, with Three Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047C46Z | Dilation of Right Common Iliac Artery with Three Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047C476 | Dilation of Right Common Iliac Artery, Bifurcation, with Four or More Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047C47Z | Dilation of Right Common Iliac Artery with Four or More Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047C4D6 | Dilation of Right Common Iliac Artery, Bifurcation, with Intraluminal Device, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047C4DZ | Dilation of Right Common Iliac Artery with Intraluminal Device, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047C4E6 | Dilation of Right Common Iliac Artery, Bifurcation, with Two Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047C4EZ | Dilation of Right Common Iliac Artery with Two Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047C4F6 | Dilation of Right Common Iliac Artery, Bifurcation, with Three Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047C4FZ | Dilation of Right Common Iliac Artery with Three Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047C4G6 | Dilation of Right Common Iliac Artery, Bifurcation, with Four or More Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047C4GZ | Dilation of Right Common Iliac Artery with Four or More Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047C4Z6 | Dilation of Right Common Iliac Artery, Bifurcation, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047C4ZZ | Dilation of Right Common Iliac Artery, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047D046 | Dilation of Left Common Iliac Artery, Bifurcation, with Drug-eluting Intraluminal Device, Open Approach | ICD-10-PCS Procedure |

List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|---|----------------------|
| 047D04Z | Dilation of Left Common Iliac Artery with Drug-eluting Intraluminal Device, Open Approach | ICD-10-PCS Procedure |
| 047D056 | Dilation of Left Common Iliac Artery, Bifurcation, with Two Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 047D05Z | Dilation of Left Common Iliac Artery with Two Drug-eluting Intraluminal Devices, | ICD-10-PCS Procedure |
| 047D066 | Dilation of Left Common Iliac Artery, Bifurcation, with Three Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 047D06Z | Dilation of Left Common Iliac Artery with Three Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 047D076 | Dilation of Left Common Iliac Artery, Bifurcation, with Four or More Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 047D07Z | Dilation of Left Common Iliac Artery with Four or More Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 047D0D6 | Dilation of Left Common Iliac Artery, Bifurcation, with Intraluminal Device, Open Approach | ICD-10-PCS Procedure |
| 047D0DZ | Dilation of Left Common Iliac Artery with Intraluminal Device, Open Approach | ICD-10-PCS Procedure |
| 047D0E6 | Dilation of Left Common Iliac Artery, Bifurcation, with Two Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 047D0EZ | Dilation of Left Common Iliac Artery with Two Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 047D0F6 | Dilation of Left Common Iliac Artery, Bifurcation, with Three Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 047D0FZ | Dilation of Left Common Iliac Artery with Three Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 047D0G6 | Dilation of Left Common Iliac Artery, Bifurcation, with Four or More Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 047D0GZ | Dilation of Left Common Iliac Artery with Four or More Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 047D0Z6 | Dilation of Left Common Iliac Artery, Bifurcation, Open Approach | ICD-10-PCS Procedure |
| 047D0ZZ | Dilation of Left Common Iliac Artery, Open Approach | ICD-10-PCS Procedure |
| 047D346 | Dilation of Left Common Iliac Artery, Bifurcation, with Drug-eluting Intraluminal Device, Percutaneous Approach | ICD-10-PCS Procedure |
| 047D34Z | Dilation of Left Common Iliac Artery with Drug-eluting Intraluminal Device, Percutaneous Approach | ICD-10-PCS Procedure |
| 047D356 | Dilation of Left Common Iliac Artery, Bifurcation, with Two Drug-eluting Intraluminal | ICD-10-PCS Procedure |
| 047D35Z | Dilation of Left Common Iliac Artery with Two Drug-eluting Intraluminal Devices, | ICD-10-PCS Procedure |
| 047D366 | Dilation of Left Common Iliac Artery, Bifurcation, with Three Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 047D36Z | Dilation of Left Common Iliac Artery with Three Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 047D376 | Dilation of Left Common Iliac Artery, Bifurcation, with Four or More Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |



List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|--|----------------------|
| 047D37Z | Dilation of Left Common Iliac Artery with Four or More Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 047D3D6 | Dilation of Left Common Iliac Artery, Bifurcation, with Intraluminal Device, Percutaneous Approach | ICD-10-PCS Procedure |
| 047D3DZ | Dilation of Left Common Iliac Artery with Intraluminal Device, Percutaneous Approach | ICD-10-PCS Procedure |
| 047D3E6 | Dilation of Left Common Iliac Artery, Bifurcation, with Two Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 047D3EZ | Dilation of Left Common Iliac Artery with Two Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 047D3F6 | Dilation of Left Common Iliac Artery, Bifurcation, with Three Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 047D3FZ | Dilation of Left Common Iliac Artery with Three Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 047D3G6 | Dilation of Left Common Iliac Artery, Bifurcation, with Four or More Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 047D3GZ | Dilation of Left Common Iliac Artery with Four or More Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 047D3Z6 | Dilation of Left Common Iliac Artery, Bifurcation, Percutaneous Approach | ICD-10-PCS Procedure |
| 047D3ZZ | Dilation of Left Common Iliac Artery, Percutaneous Approach | ICD-10-PCS Procedure |
| 047D446 | Dilation of Left Common Iliac Artery, Bifurcation, with Drug-eluting Intraluminal Device, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047D44Z | Dilation of Left Common Iliac Artery with Drug-eluting Intraluminal Device, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047D456 | Dilation of Left Common Iliac Artery, Bifurcation, with Two Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047D45Z | Dilation of Left Common Iliac Artery with Two Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047D466 | Dilation of Left Common Iliac Artery, Bifurcation, with Three Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047D46Z | Dilation of Left Common Iliac Artery with Three Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047D476 | Dilation of Left Common Iliac Artery, Bifurcation, with Four or More Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047D47Z | Dilation of Left Common Iliac Artery with Four or More Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047D4D6 | Dilation of Left Common Iliac Artery, Bifurcation, with Intraluminal Device, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047D4DZ | Dilation of Left Common Iliac Artery with Intraluminal Device, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047D4E6 | Dilation of Left Common Iliac Artery, Bifurcation, with Two Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047D4EZ | Dilation of Left Common Iliac Artery with Two Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |



List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|---|----------------------|
| 047D4F6 | Dilation of Left Common Iliac Artery, Bifurcation, with Three Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047D4FZ | Dilation of Left Common Iliac Artery with Three Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047D4G6 | Dilation of Left Common Iliac Artery, Bifurcation, with Four or More Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047D4GZ | Dilation of Left Common Iliac Artery with Four or More Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047D4Z6 | Dilation of Left Common Iliac Artery, Bifurcation, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047D4ZZ | Dilation of Left Common Iliac Artery, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047E04Z | Dilation of Right Internal Iliac Artery with Drug-eluting Intraluminal Device, Open Approach | ICD-10-PCS Procedure |
| 047E05Z | Dilation of Right Internal Iliac Artery with Two Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 047E06Z | Dilation of Right Internal Iliac Artery with Three Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 047E07Z | Dilation of Right Internal Iliac Artery with Four or More Drug-eluting Intraluminal | ICD-10-PCS Procedure |
| 047E0D6 | Dilation of Right Internal Iliac Artery, Bifurcation, with Intraluminal Device, Open Approach | ICD-10-PCS Procedure |
| 047E0DZ | Dilation of Right Internal Iliac Artery with Intraluminal Device, Open Approach | ICD-10-PCS Procedure |
| 047E0E6 | Dilation of Right Internal Iliac Artery, Bifurcation, with Two Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 047E0EZ | Dilation of Right Internal Iliac Artery with Two Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 047E0F6 | Dilation of Right Internal Iliac Artery, Bifurcation, with Three Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 047E0FZ | Dilation of Right Internal Iliac Artery with Three Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 047E0G6 | Dilation of Right Internal Iliac Artery, Bifurcation, with Four or More Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 047E0GZ | Dilation of Right Internal Iliac Artery with Four or More Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 047E0Z6 | Dilation of Right Internal Iliac Artery, Bifurcation, Open Approach | ICD-10-PCS Procedure |
| 047E0ZZ | Dilation of Right Internal Iliac Artery, Open Approach | ICD-10-PCS Procedure |
| 047E346 | Dilation of Right Internal Iliac Artery, Bifurcation, with Drug-eluting Intraluminal Device, Percutaneous Approach | ICD-10-PCS Procedure |
| 047E34Z | Dilation of Right Internal Iliac Artery with Drug-eluting Intraluminal Device, Percutaneous Approach | ICD-10-PCS Procedure |
| 047E356 | Dilation of Right Internal Iliac Artery, Bifurcation, with Two Drug-eluting Intraluminal | ICD-10-PCS Procedure |
| 047E35Z | Dilation of Right Internal Iliac Artery with Two Drug-eluting Intraluminal Devices, | ICD-10-PCS Procedure |



List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|---|----------------------|
| 047E366 | Dilation of Right Internal Iliac Artery, Bifurcation, with Three Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 047E36Z | Dilation of Right Internal Iliac Artery with Three Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 047E376 | Dilation of Right Internal Iliac Artery, Bifurcation, with Four or More Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 047E37Z | Dilation of Right Internal Iliac Artery with Four or More Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 047E3D6 | Dilation of Right Internal Iliac Artery, Bifurcation, with Intraluminal Device, Percutaneous Approach | ICD-10-PCS Procedure |
| 047E3DZ | Dilation of Right Internal Iliac Artery with Intraluminal Device, Percutaneous Approach | ICD-10-PCS Procedure |
| 047E3E6 | Dilation of Right Internal Iliac Artery, Bifurcation, with Two Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 047E3EZ | Dilation of Right Internal Iliac Artery with Two Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 047E3F6 | Dilation of Right Internal Iliac Artery, Bifurcation, with Three Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 047E3FZ | Dilation of Right Internal Iliac Artery with Three Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 047E3G6 | Dilation of Right Internal Iliac Artery, Bifurcation, with Four or More Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 047E3GZ | Dilation of Right Internal Iliac Artery with Four or More Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 047E3Z6 | Dilation of Right Internal Iliac Artery, Bifurcation, Percutaneous Approach | ICD-10-PCS Procedure |
| 047E3ZZ | Dilation of Right Internal Iliac Artery, Percutaneous Approach | ICD-10-PCS Procedure |
| 047E446 | Dilation of Right Internal Iliac Artery, Bifurcation, with Drug-eluting Intraluminal Device, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047E44Z | Dilation of Right Internal Iliac Artery with Drug-eluting Intraluminal Device, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047E456 | Dilation of Right Internal Iliac Artery, Bifurcation, with Two Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047E45Z | Dilation of Right Internal Iliac Artery with Two Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047E466 | Dilation of Right Internal Iliac Artery, Bifurcation, with Three Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047E46Z | Dilation of Right Internal Iliac Artery with Three Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047E476 | Dilation of Right Internal Iliac Artery, Bifurcation, with Four or More Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047E47Z | Dilation of Right Internal Iliac Artery with Four or More Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047E4D6 | Dilation of Right Internal Iliac Artery, Bifurcation, with Intraluminal Device, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |

List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|--|----------------------|
| 047E4DZ | Dilation of Right Internal Iliac Artery with Intraluminal Device, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047E4E6 | Dilation of Right Internal Iliac Artery, Bifurcation, with Two Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047E4EZ | Dilation of Right Internal Iliac Artery with Two Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047E4F6 | Dilation of Right Internal Iliac Artery, Bifurcation, with Three Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047E4FZ | Dilation of Right Internal Iliac Artery with Three Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047E4G6 | Dilation of Right Internal Iliac Artery, Bifurcation, with Four or More Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047E4GZ | Dilation of Right Internal Iliac Artery with Four or More Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047E4Z6 | Dilation of Right Internal Iliac Artery, Bifurcation, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047E4ZZ | Dilation of Right Internal Iliac Artery, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047F046 | Dilation of Left Internal Iliac Artery, Bifurcation, with Drug-eluting Intraluminal Device, Open Approach | ICD-10-PCS Procedure |
| 047F04Z | Dilation of Left Internal Iliac Artery with Drug-eluting Intraluminal Device, Open Approach | ICD-10-PCS Procedure |
| 047F056 | Dilation of Left Internal Iliac Artery, Bifurcation, with Two Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 047F05Z | Dilation of Left Internal Iliac Artery with Two Drug-eluting Intraluminal Devices, | ICD-10-PCS Procedure |
| 047F066 | Dilation of Left Internal Iliac Artery, Bifurcation, with Three Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 047F06Z | Dilation of Left Internal Iliac Artery with Three Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 047F076 | Dilation of Left Internal Iliac Artery, Bifurcation, with Four or More Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 047F07Z | Dilation of Left Internal Iliac Artery with Four or More Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 047F0D6 | Dilation of Left Internal Iliac Artery, Bifurcation, with Intraluminal Device, Open Approach | ICD-10-PCS Procedure |
| 047F0DZ | Dilation of Left Internal Iliac Artery with Intraluminal Device, Open Approach | ICD-10-PCS Procedure |
| 047F0E6 | Dilation of Left Internal Iliac Artery, Bifurcation, with Two Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 047F0EZ | Dilation of Left Internal Iliac Artery with Two Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 047F0F6 | Dilation of Left Internal Iliac Artery, Bifurcation, with Three Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 047F0FZ | Dilation of Left Internal Iliac Artery with Three Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |



List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|---|----------------------|
| 047F0G6 | Dilation of Left Internal Iliac Artery, Bifurcation, with Four or More Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 047F0GZ | Dilation of Left Internal Iliac Artery with Four or More Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 047F0Z6 | Dilation of Left Internal Iliac Artery, Bifurcation, Open Approach | ICD-10-PCS Procedure |
| 047F0ZZ | Dilation of Left Internal Iliac Artery, Open Approach | ICD-10-PCS Procedure |
| 047F346 | Dilation of Left Internal Iliac Artery, Bifurcation, with Drug-eluting Intraluminal Device, Percutaneous Approach | ICD-10-PCS Procedure |
| 047F34Z | Dilation of Left Internal Iliac Artery with Drug-eluting Intraluminal Device, Percutaneous Approach | ICD-10-PCS Procedure |
| 047F356 | Dilation of Left Internal Iliac Artery, Bifurcation, with Two Drug-eluting Intraluminal | ICD-10-PCS Procedure |
| 047F35Z | Dilation of Left Internal Iliac Artery with Two Drug-eluting Intraluminal Devices, | ICD-10-PCS Procedure |
| 047F366 | Dilation of Left Internal Iliac Artery, Bifurcation, with Three Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 047F36Z | Dilation of Left Internal Iliac Artery with Three Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 047F376 | Dilation of Left Internal Iliac Artery, Bifurcation, with Four or More Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 047F37Z | Dilation of Left Internal Iliac Artery with Four or More Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 047F3D6 | Dilation of Left Internal Iliac Artery, Bifurcation, with Intraluminal Device, Percutaneous Approach | ICD-10-PCS Procedure |
| 047F3DZ | Dilation of Left Internal Iliac Artery with Intraluminal Device, Percutaneous Approach | ICD-10-PCS Procedure |
| 047F3E6 | Dilation of Left Internal Iliac Artery, Bifurcation, with Two Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 047F3EZ | Dilation of Left Internal Iliac Artery with Two Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 047F3F6 | Dilation of Left Internal Iliac Artery, Bifurcation, with Three Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 047F3FZ | Dilation of Left Internal Iliac Artery with Three Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 047F3G6 | Dilation of Left Internal Iliac Artery, Bifurcation, with Four or More Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 047F3GZ | Dilation of Left Internal Iliac Artery with Four or More Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 047F3Z6 | Dilation of Left Internal Iliac Artery, Bifurcation, Percutaneous Approach | ICD-10-PCS Procedure |
| 047F3ZZ | Dilation of Left Internal Iliac Artery, Percutaneous Approach | ICD-10-PCS Procedure |
| 047F446 | Dilation of Left Internal Iliac Artery, Bifurcation, with Drug-eluting Intraluminal Device, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047F44Z | Dilation of Left Internal Iliac Artery with Drug-eluting Intraluminal Device, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |



List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|--|----------------------|
| 047F456 | Dilation of Left Internal Iliac Artery, Bifurcation, with Two Drug-eluting Intraluminal | ICD-10-PCS Procedure |
| 047F45Z | Dilation of Left Internal Iliac Artery with Two Drug-eluting Intraluminal Devices, | ICD-10-PCS Procedure |
| 047F466 | Dilation of Left Internal Iliac Artery, Bifurcation, with Three Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047F46Z | Dilation of Left Internal Iliac Artery with Three Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047F476 | Dilation of Left Internal Iliac Artery, Bifurcation, with Four or More Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047F47Z | Dilation of Left Internal Iliac Artery with Four or More Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047F4D6 | Dilation of Left Internal Iliac Artery, Bifurcation, with Intraluminal Device, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047F4DZ | Dilation of Left Internal Iliac Artery with Intraluminal Device, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047F4E6 | Dilation of Left Internal Iliac Artery, Bifurcation, with Two Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047F4EZ | Dilation of Left Internal Iliac Artery with Two Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047F4F6 | Dilation of Left Internal Iliac Artery, Bifurcation, with Three Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047F4FZ | Dilation of Left Internal Iliac Artery with Three Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047F4G6 | Dilation of Left Internal Iliac Artery, Bifurcation, with Four or More Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047F4GZ | Dilation of Left Internal Iliac Artery with Four or More Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047F4Z6 | Dilation of Left Internal Iliac Artery, Bifurcation, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047F4ZZ | Dilation of Left Internal Iliac Artery, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047H046 | Dilation of Right External Iliac Artery, Bifurcation, with Drug-eluting Intraluminal Device, Open Approach | ICD-10-PCS Procedure |
| 047H04Z | Dilation of Right External Iliac Artery with Drug-eluting Intraluminal Device, Open Approach | ICD-10-PCS Procedure |
| 047H056 | Dilation of Right External Iliac Artery, Bifurcation, with Two Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 047H05Z | Dilation of Right External Iliac Artery with Two Drug-eluting Intraluminal Devices, | ICD-10-PCS Procedure |
| 047H066 | Dilation of Right External Iliac Artery, Bifurcation, with Three Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 047H06Z | Dilation of Right External Iliac Artery with Three Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 047H076 | Dilation of Right External Iliac Artery, Bifurcation, with Four or More Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |



List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|--|----------------------|
| 047H07Z | Dilation of Right External Iliac Artery with Four or More Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 047H0D6 | Dilation of Right External Iliac Artery, Bifurcation, with Intraluminal Device, Open Approach | ICD-10-PCS Procedure |
| 047H0DZ | Dilation of Right External Iliac Artery with Intraluminal Device, Open Approach | ICD-10-PCS Procedure |
| 047H0E6 | Dilation of Right External Iliac Artery, Bifurcation, with Two Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 047H0EZ | Dilation of Right External Iliac Artery with Two Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 047H0F6 | Dilation of Right External Iliac Artery, Bifurcation, with Three Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 047H0FZ | Dilation of Right External Iliac Artery with Three Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 047H0G6 | Dilation of Right External Iliac Artery, Bifurcation, with Four or More Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 047H0GZ | Dilation of Right External Iliac Artery with Four or More Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 047H0Z6 | Dilation of Right External Iliac Artery, Bifurcation, Open Approach | ICD-10-PCS Procedure |
| 047H0ZZ | Dilation of Right External Iliac Artery, Open Approach | ICD-10-PCS Procedure |
| 047H346 | Dilation of Right External Iliac Artery, Bifurcation, with Drug-eluting Intraluminal Device, Percutaneous Approach | ICD-10-PCS Procedure |
| 047H34Z | Dilation of Right External Iliac Artery with Drug-eluting Intraluminal Device, Percutaneous Approach | ICD-10-PCS Procedure |
| 047H356 | Dilation of Right External Iliac Artery, Bifurcation, with Two Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 047H35Z | Dilation of Right External Iliac Artery with Two Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 047H366 | Dilation of Right External Iliac Artery, Bifurcation, with Three Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 047H36Z | Dilation of Right External Iliac Artery with Three Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 047H376 | Dilation of Right External Iliac Artery, Bifurcation, with Four or More Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 047H37Z | Dilation of Right External Iliac Artery with Four or More Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 047H3D6 | Dilation of Right External Iliac Artery, Bifurcation, with Intraluminal Device, Percutaneous Approach | ICD-10-PCS Procedure |
| 047H3DZ | Dilation of Right External Iliac Artery with Intraluminal Device, Percutaneous Approach | ICD-10-PCS Procedure |
| 047H3E6 | Dilation of Right External Iliac Artery, Bifurcation, with Two Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 047H3EZ | Dilation of Right External Iliac Artery with Two Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |

List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|---|----------------------|
| 047H3F6 | Dilation of Right External Iliac Artery, Bifurcation, with Three Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 047H3FZ | Dilation of Right External Iliac Artery with Three Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 047H3G6 | Dilation of Right External Iliac Artery, Bifurcation, with Four or More Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 047H3GZ | Dilation of Right External Iliac Artery with Four or More Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 047H3Z6 | Dilation of Right External Iliac Artery, Bifurcation, Percutaneous Approach | ICD-10-PCS Procedure |
| 047H3ZZ | Dilation of Right External Iliac Artery, Percutaneous Approach | ICD-10-PCS Procedure |
| 047H446 | Dilation of Right External Iliac Artery, Bifurcation, with Drug-eluting Intraluminal Device, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047H44Z | Dilation of Right External Iliac Artery with Drug-eluting Intraluminal Device, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047H456 | Dilation of Right External Iliac Artery, Bifurcation, with Two Drug-eluting Intraluminal | ICD-10-PCS Procedure |
| 047H45Z | Dilation of Right External Iliac Artery with Two Drug-eluting Intraluminal Devices, | ICD-10-PCS Procedure |
| 047H466 | Dilation of Right External Iliac Artery, Bifurcation, with Three Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047H46Z | Dilation of Right External Iliac Artery with Three Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047H476 | Dilation of Right External Iliac Artery, Bifurcation, with Four or More Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047H47Z | Dilation of Right External Iliac Artery with Four or More Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047H4D6 | Dilation of Right External Iliac Artery, Bifurcation, with Intraluminal Device, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047H4DZ | Dilation of Right External Iliac Artery with Intraluminal Device, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047H4E6 | Dilation of Right External Iliac Artery, Bifurcation, with Two Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047H4EZ | Dilation of Right External Iliac Artery with Two Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047H4F6 | Dilation of Right External Iliac Artery, Bifurcation, with Three Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047H4FZ | Dilation of Right External Iliac Artery with Three Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047H4G6 | Dilation of Right External Iliac Artery, Bifurcation, with Four or More Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047H4GZ | Dilation of Right External Iliac Artery with Four or More Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047H4Z6 | Dilation of Right External Iliac Artery, Bifurcation, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |



List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|--|----------------------|
| 047H4ZZ | Dilation of Right External Iliac Artery, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047J046 | Dilation of Left External Iliac Artery, Bifurcation, with Drug-eluting Intraluminal Device, Open Approach | ICD-10-PCS Procedure |
| 047J04Z | Dilation of Left External Iliac Artery with Drug-eluting Intraluminal Device, Open Approach | ICD-10-PCS Procedure |
| 047J056 | Dilation of Left External Iliac Artery, Bifurcation, with Two Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 047J05Z | Dilation of Left External Iliac Artery with Two Drug-eluting Intraluminal Devices, | ICD-10-PCS Procedure |
| 047J066 | Dilation of Left External Iliac Artery, Bifurcation, with Three Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 047J06Z | Dilation of Left External Iliac Artery with Three Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 047J076 | Dilation of Left External Iliac Artery, Bifurcation, with Four or More Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 047J07Z | Dilation of Left External Iliac Artery with Four or More Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 047J0D6 | Dilation of Left External Iliac Artery, Bifurcation, with Intraluminal Device, Open Approach | ICD-10-PCS Procedure |
| 047J0DZ | Dilation of Left External Iliac Artery with Intraluminal Device, Open Approach | ICD-10-PCS Procedure |
| 047J0E6 | Dilation of Left External Iliac Artery, Bifurcation, with Two Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 047J0EZ | Dilation of Left External Iliac Artery with Two Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 047J0F6 | Dilation of Left External Iliac Artery, Bifurcation, with Three Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 047J0FZ | Dilation of Left External Iliac Artery with Three Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 047J0G6 | Dilation of Left External Iliac Artery, Bifurcation, with Four or More Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 047J0GZ | Dilation of Left External Iliac Artery with Four or More Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 047J0Z6 | Dilation of Left External Iliac Artery, Bifurcation, Open Approach | ICD-10-PCS Procedure |
| 047J0ZZ | Dilation of Left External Iliac Artery, Open Approach | ICD-10-PCS Procedure |
| 047J346 | Dilation of Left External Iliac Artery, Bifurcation, with Drug-eluting Intraluminal Device, Percutaneous Approach | ICD-10-PCS Procedure |
| 047J34Z | Dilation of Left External Iliac Artery with Drug-eluting Intraluminal Device, Percutaneous Approach | ICD-10-PCS Procedure |
| 047J356 | Dilation of Left External Iliac Artery, Bifurcation, with Two Drug-eluting Intraluminal Devices, | ICD-10-PCS Procedure |
| 047J35Z | Dilation of Left External Iliac Artery with Two Drug-eluting Intraluminal Devices, | ICD-10-PCS Procedure |
| 047J366 | Dilation of Left External Iliac Artery, Bifurcation, with Three Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |

List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|--|----------------------|
| 047J36Z | Dilation of Left External Iliac Artery with Three Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 047J376 | Dilation of Left External Iliac Artery, Bifurcation, with Four or More Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 047J37Z | Dilation of Left External Iliac Artery with Four or More Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 047J3D6 | Dilation of Left External Iliac Artery, Bifurcation, with Intraluminal Device, Percutaneous Approach | ICD-10-PCS Procedure |
| 047J3DZ | Dilation of Left External Iliac Artery with Intraluminal Device, Percutaneous Approach | ICD-10-PCS Procedure |
| 047J3E6 | Dilation of Left External Iliac Artery, Bifurcation, with Two Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 047J3EZ | Dilation of Left External Iliac Artery with Two Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 047J3F6 | Dilation of Left External Iliac Artery, Bifurcation, with Three Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 047J3FZ | Dilation of Left External Iliac Artery with Three Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 047J3G6 | Dilation of Left External Iliac Artery, Bifurcation, with Four or More Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 047J3GZ | Dilation of Left External Iliac Artery with Four or More Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 047J3Z6 | Dilation of Left External Iliac Artery, Bifurcation, Percutaneous Approach | ICD-10-PCS Procedure |
| 047J3ZZ | Dilation of Left External Iliac Artery, Percutaneous Approach | ICD-10-PCS Procedure |
| 047J446 | Dilation of Left External Iliac Artery, Bifurcation, with Drug-eluting Intraluminal Device, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047J44Z | Dilation of Left External Iliac Artery with Drug-eluting Intraluminal Device, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047J456 | Dilation of Left External Iliac Artery, Bifurcation, with Two Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047J45Z | Dilation of Left External Iliac Artery with Two Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047J466 | Dilation of Left External Iliac Artery, Bifurcation, with Three Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047J46Z | Dilation of Left External Iliac Artery with Three Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047J476 | Dilation of Left External Iliac Artery, Bifurcation, with Four or More Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047J47Z | Dilation of Left External Iliac Artery with Four or More Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047J4D6 | Dilation of Left External Iliac Artery, Bifurcation, with Intraluminal Device, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047J4DZ | Dilation of Left External Iliac Artery with Intraluminal Device, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |

List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|---|----------------------|
| 047J4E6 | Dilation of Left External Iliac Artery, Bifurcation, with Two Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047J4EZ | Dilation of Left External Iliac Artery with Two Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047J4F6 | Dilation of Left External Iliac Artery, Bifurcation, with Three Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047J4FZ | Dilation of Left External Iliac Artery with Three Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047J4G6 | Dilation of Left External Iliac Artery, Bifurcation, with Four or More Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047J4GZ | Dilation of Left External Iliac Artery with Four or More Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047J4Z6 | Dilation of Left External Iliac Artery, Bifurcation, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047J4ZZ | Dilation of Left External Iliac Artery, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047K041 | Dilation of Right Femoral Artery with Drug-eluting Intraluminal Device, using Drug-Coated Balloon, Open Approach | ICD-10-PCS Procedure |
| 047K046 | Dilation of Right Femoral Artery, Bifurcation, with Drug-eluting Intraluminal Device, Open Approach | ICD-10-PCS Procedure |
| 047K04Z | Dilation of Right Femoral Artery with Drug-eluting Intraluminal Device, Open Approach | ICD-10-PCS Procedure |
| 047K056 | Dilation of Right Femoral Artery, Bifurcation, with Two Drug-eluting Intraluminal | ICD-10-PCS Procedure |
| 047K05Z | Dilation of Right Femoral Artery with Two Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 047K066 | Dilation of Right Femoral Artery, Bifurcation, with Three Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 047K06Z | Dilation of Right Femoral Artery with Three Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 047K076 | Dilation of Right Femoral Artery, Bifurcation, with Four or More Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 047K07Z | Dilation of Right Femoral Artery with Four or More Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 047K0D1 | Dilation of Right Femoral Artery with Intraluminal Device, using Drug-Coated Balloon, Open Approach | ICD-10-PCS Procedure |
| 047K0D6 | Dilation of Right Femoral Artery, Bifurcation, with Intraluminal Device, Open Approach | ICD-10-PCS Procedure |
| 047K0DZ | Dilation of Right Femoral Artery with Intraluminal Device, Open Approach | ICD-10-PCS Procedure |
| 047K0E6 | Dilation of Right Femoral Artery, Bifurcation, with Two Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 047K0EZ | Dilation of Right Femoral Artery with Two Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |

List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|---|----------------------|
| 047K0F6 | Dilation of Right Femoral Artery, Bifurcation, with Three Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 047K0FZ | Dilation of Right Femoral Artery with Three Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 047K0G6 | Dilation of Right Femoral Artery, Bifurcation, with Four or More Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 047K0GZ | Dilation of Right Femoral Artery with Four or More Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 047K0Z1 | Dilation of Right Femoral Artery using Drug-Coated Balloon, Open Approach | ICD-10-PCS Procedure |
| 047K0Z6 | Dilation of Right Femoral Artery, Bifurcation, Open Approach | ICD-10-PCS Procedure |
| 047K0ZZ | Dilation of Right Femoral Artery, Open Approach | ICD-10-PCS Procedure |
| 047K341 | Dilation of Right Femoral Artery with Drug-eluting Intraluminal Device, using Drug-Coated Balloon, Percutaneous Approach | ICD-10-PCS Procedure |
| 047K346 | Dilation of Right Femoral Artery, Bifurcation, with Drug-eluting Intraluminal Device, | ICD-10-PCS Procedure |
| 047K34Z | Dilation of Right Femoral Artery with Drug-eluting Intraluminal Device, Percutaneous | ICD-10-PCS Procedure |
| 047K356 | Dilation of Right Femoral Artery, Bifurcation, with Two Drug-eluting Intraluminal | ICD-10-PCS Procedure |
| 047K35Z | Dilation of Right Femoral Artery with Two Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 047K366 | Dilation of Right Femoral Artery, Bifurcation, with Three Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 047K36Z | Dilation of Right Femoral Artery with Three Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 047K376 | Dilation of Right Femoral Artery, Bifurcation, with Four or More Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 047K37Z | Dilation of Right Femoral Artery with Four or More Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 047K3D1 | Dilation of Right Femoral Artery with Intraluminal Device, using Drug-Coated Balloon, Percutaneous Approach | ICD-10-PCS Procedure |
| 047K3D6 | Dilation of Right Femoral Artery, Bifurcation, with Intraluminal Device, Percutaneous Approach | ICD-10-PCS Procedure |
| 047K3DZ | Dilation of Right Femoral Artery with Intraluminal Device, Percutaneous Approach | ICD-10-PCS Procedure |
| 047K3E6 | Dilation of Right Femoral Artery, Bifurcation, with Two Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 047K3EZ | Dilation of Right Femoral Artery with Two Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 047K3F6 | Dilation of Right Femoral Artery, Bifurcation, with Three Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 047K3FZ | Dilation of Right Femoral Artery with Three Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 047K3G6 | Dilation of Right Femoral Artery, Bifurcation, with Four or More Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |

List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|--|----------------------|
| 047K3GZ | Dilation of Right Femoral Artery with Four or More Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 047K3Z1 | Dilation of Right Femoral Artery using Drug-Coated Balloon, Percutaneous Approach | ICD-10-PCS Procedure |
| 047K3Z6 | Dilation of Right Femoral Artery, Bifurcation, Percutaneous Approach | ICD-10-PCS Procedure |
| 047K3ZZ | Dilation of Right Femoral Artery, Percutaneous Approach | ICD-10-PCS Procedure |
| 047K441 | Dilation of Right Femoral Artery with Drug-eluting Intraluminal Device, using Drug-Coated Balloon, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047K446 | Dilation of Right Femoral Artery, Bifurcation, with Drug-eluting Intraluminal Device, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047K44Z | Dilation of Right Femoral Artery with Drug-eluting Intraluminal Device, Percutaneous | ICD-10-PCS Procedure |
| 047K456 | Dilation of Right Femoral Artery, Bifurcation, with Two Drug-eluting Intraluminal | ICD-10-PCS Procedure |
| 047K45Z | Dilation of Right Femoral Artery with Two Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047K466 | Dilation of Right Femoral Artery, Bifurcation, with Three Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047K46Z | Dilation of Right Femoral Artery with Three Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047K476 | Dilation of Right Femoral Artery, Bifurcation, with Four or More Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047K47Z | Dilation of Right Femoral Artery with Four or More Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047K4D1 | Dilation of Right Femoral Artery with Intraluminal Device, using Drug-Coated Balloon, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047K4D6 | Dilation of Right Femoral Artery, Bifurcation, with Intraluminal Device, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047K4DZ | Dilation of Right Femoral Artery with Intraluminal Device, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047K4E6 | Dilation of Right Femoral Artery, Bifurcation, with Two Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047K4EZ | Dilation of Right Femoral Artery with Two Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047K4F6 | Dilation of Right Femoral Artery, Bifurcation, with Three Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047K4FZ | Dilation of Right Femoral Artery with Three Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047K4G6 | Dilation of Right Femoral Artery, Bifurcation, with Four or More Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047K4GZ | Dilation of Right Femoral Artery with Four or More Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047K4Z1 | Dilation of Right Femoral Artery using Drug-Coated Balloon, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |

List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|---|----------------------|
| 047K4Z6 | Dilation of Right Femoral Artery, Bifurcation, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047K4ZZ | Dilation of Right Femoral Artery, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047L041 | Dilation of Left Femoral Artery with Drug-eluting Intraluminal Device, using Drug-Coated Balloon, Open Approach | ICD-10-PCS Procedure |
| 047L046 | Dilation of Left Femoral Artery, Bifurcation, with Drug-eluting Intraluminal Device, Open Approach | ICD-10-PCS Procedure |
| 047L04Z | Dilation of Left Femoral Artery with Drug-eluting Intraluminal Device, Open Approach | ICD-10-PCS Procedure |
| 047L056 | Dilation of Left Femoral Artery, Bifurcation, with Two Drug-eluting Intraluminal | ICD-10-PCS Procedure |
| 047L05Z | Dilation of Left Femoral Artery with Two Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 047L066 | Dilation of Left Femoral Artery, Bifurcation, with Three Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 047L06Z | Dilation of Left Femoral Artery with Three Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 047L076 | Dilation of Left Femoral Artery, Bifurcation, with Four or More Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 047L07Z | Dilation of Left Femoral Artery with Four or More Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 047L0D1 | Dilation of Left Femoral Artery with Intraluminal Device, using Drug-Coated Balloon, Open Approach | ICD-10-PCS Procedure |
| 047L0D6 | Dilation of Left Femoral Artery, Bifurcation, with Intraluminal Device, Open Approach | ICD-10-PCS Procedure |
| 047L0DZ | Dilation of Left Femoral Artery with Intraluminal Device, Open Approach | ICD-10-PCS Procedure |
| 047L0E6 | Dilation of Left Femoral Artery, Bifurcation, with Two Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 047L0EZ | Dilation of Left Femoral Artery with Two Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 047L0F6 | Dilation of Left Femoral Artery, Bifurcation, with Three Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 047L0FZ | Dilation of Left Femoral Artery with Three Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 047L0G6 | Dilation of Left Femoral Artery, Bifurcation, with Four or More Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 047L0GZ | Dilation of Left Femoral Artery with Four or More Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 047L0Z1 | Dilation of Left Femoral Artery using Drug-Coated Balloon, Open Approach | ICD-10-PCS Procedure |
| 047L0Z6 | Dilation of Left Femoral Artery, Bifurcation, Open Approach | ICD-10-PCS Procedure |
| 047L0ZZ | Dilation of Left Femoral Artery, Open Approach | ICD-10-PCS Procedure |
| 047L341 | Dilation of Left Femoral Artery with Drug-eluting Intraluminal Device, using Drug-Coated Balloon, Percutaneous Approach | ICD-10-PCS Procedure |
| 047L346 | Dilation of Left Femoral Artery, Bifurcation, with Drug-eluting Intraluminal Device, | ICD-10-PCS Procedure |
| 047L34Z | Dilation of Left Femoral Artery with Drug-eluting Intraluminal Device, Percutaneous | ICD-10-PCS Procedure |



List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|--|----------------------|
| 047L356 | Dilation of Left Femoral Artery, Bifurcation, with Two Drug-eluting Intraluminal | ICD-10-PCS Procedure |
| 047L35Z | Dilation of Left Femoral Artery with Two Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 047L366 | Dilation of Left Femoral Artery, Bifurcation, with Three Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 047L36Z | Dilation of Left Femoral Artery with Three Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 047L376 | Dilation of Left Femoral Artery, Bifurcation, with Four or More Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 047L37Z | Dilation of Left Femoral Artery with Four or More Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 047L3D1 | Dilation of Left Femoral Artery with Intraluminal Device, using Drug-Coated Balloon, Percutaneous Approach | ICD-10-PCS Procedure |
| 047L3D6 | Dilation of Left Femoral Artery, Bifurcation, with Intraluminal Device, Percutaneous Approach | ICD-10-PCS Procedure |
| 047L3DZ | Dilation of Left Femoral Artery with Intraluminal Device, Percutaneous Approach | ICD-10-PCS Procedure |
| 047L3E6 | Dilation of Left Femoral Artery, Bifurcation, with Two Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 047L3EZ | Dilation of Left Femoral Artery with Two Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 047L3F6 | Dilation of Left Femoral Artery, Bifurcation, with Three Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 047L3FZ | Dilation of Left Femoral Artery with Three Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 047L3G6 | Dilation of Left Femoral Artery, Bifurcation, with Four or More Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 047L3GZ | Dilation of Left Femoral Artery with Four or More Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 047L3Z1 | Dilation of Left Femoral Artery using Drug-Coated Balloon, Percutaneous Approach | ICD-10-PCS Procedure |
| 047L3Z6 | Dilation of Left Femoral Artery, Bifurcation, Percutaneous Approach | ICD-10-PCS Procedure |
| 047L3ZZ | Dilation of Left Femoral Artery, Percutaneous Approach | ICD-10-PCS Procedure |
| 047L441 | Dilation of Left Femoral Artery with Drug-eluting Intraluminal Device, using Drug-Coated Balloon, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047L446 | Dilation of Left Femoral Artery, Bifurcation, with Drug-eluting Intraluminal Device, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047L44Z | Dilation of Left Femoral Artery with Drug-eluting Intraluminal Device, Percutaneous | ICD-10-PCS Procedure |
| 047L456 | Dilation of Left Femoral Artery, Bifurcation, with Two Drug-eluting Intraluminal | ICD-10-PCS Procedure |
| 047L45Z | Dilation of Left Femoral Artery with Two Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |

List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|---|----------------------|
| 047L466 | Dilation of Left Femoral Artery, Bifurcation, with Three Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047L46Z | Dilation of Left Femoral Artery with Three Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047L476 | Dilation of Left Femoral Artery, Bifurcation, with Four or More Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047L47Z | Dilation of Left Femoral Artery with Four or More Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047L4D1 | Dilation of Left Femoral Artery with Intraluminal Device, using Drug-Coated Balloon, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047L4D6 | Dilation of Left Femoral Artery, Bifurcation, with Intraluminal Device, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047L4DZ | Dilation of Left Femoral Artery with Intraluminal Device, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047L4E6 | Dilation of Left Femoral Artery, Bifurcation, with Two Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047L4EZ | Dilation of Left Femoral Artery with Two Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047L4F6 | Dilation of Left Femoral Artery, Bifurcation, with Three Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047L4FZ | Dilation of Left Femoral Artery with Three Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047L4G6 | Dilation of Left Femoral Artery, Bifurcation, with Four or More Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047L4GZ | Dilation of Left Femoral Artery with Four or More Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047L4Z1 | Dilation of Left Femoral Artery using Drug-Coated Balloon, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047L4Z6 | Dilation of Left Femoral Artery, Bifurcation, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047L4ZZ | Dilation of Left Femoral Artery, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047M041 | Dilation of Right Popliteal Artery with Drug-eluting Intraluminal Device, using Drug-Coated Balloon, Open Approach | ICD-10-PCS Procedure |
| 047M046 | Dilation of Right Popliteal Artery, Bifurcation, with Drug-eluting Intraluminal Device, Open Approach | ICD-10-PCS Procedure |
| 047M04Z | Dilation of Right Popliteal Artery with Drug-eluting Intraluminal Device, Open Approach | ICD-10-PCS Procedure |
| 047M056 | Dilation of Right Popliteal Artery, Bifurcation, with Two Drug-eluting Intraluminal | ICD-10-PCS Procedure |
| 047M05Z | Dilation of Right Popliteal Artery with Two Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 047M066 | Dilation of Right Popliteal Artery, Bifurcation, with Three Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |

List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|---|----------------------|
| 047M06Z | Dilation of Right Popliteal Artery with Three Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 047M076 | Dilation of Right Popliteal Artery, Bifurcation, with Four or More Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 047M07Z | Dilation of Right Popliteal Artery with Four or More Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 047M0D1 | Dilation of Right Popliteal Artery with Intraluminal Device, using Drug-Coated Balloon, Open Approach | ICD-10-PCS Procedure |
| 047M0D6 | Dilation of Right Popliteal Artery, Bifurcation, with Intraluminal Device, Open Approach | ICD-10-PCS Procedure |
| 047M0DZ | Dilation of Right Popliteal Artery with Intraluminal Device, Open Approach | ICD-10-PCS Procedure |
| 047M0E6 | Dilation of Right Popliteal Artery, Bifurcation, with Two Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 047M0EZ | Dilation of Right Popliteal Artery with Two Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 047M0F6 | Dilation of Right Popliteal Artery, Bifurcation, with Three Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 047M0FZ | Dilation of Right Popliteal Artery with Three Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 047M0G6 | Dilation of Right Popliteal Artery, Bifurcation, with Four or More Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 047M0GZ | Dilation of Right Popliteal Artery with Four or More Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 047M0Z1 | Dilation of Right Popliteal Artery using Drug-Coated Balloon, Open Approach | ICD-10-PCS Procedure |
| 047M0Z6 | Dilation of Right Popliteal Artery, Bifurcation, Open Approach | ICD-10-PCS Procedure |
| 047M0ZZ | Dilation of Right Popliteal Artery, Open Approach | ICD-10-PCS Procedure |
| 047M341 | Dilation of Right Popliteal Artery with Drug-eluting Intraluminal Device, using Drug-Coated Balloon, Percutaneous Approach | ICD-10-PCS Procedure |
| 047M346 | Dilation of Right Popliteal Artery, Bifurcation, with Drug-eluting Intraluminal Device, | ICD-10-PCS Procedure |
| 047M34Z | Dilation of Right Popliteal Artery with Drug-eluting Intraluminal Device, | ICD-10-PCS Procedure |
| 047M356 | Dilation of Right Popliteal Artery, Bifurcation, with Two Drug-eluting Intraluminal | ICD-10-PCS Procedure |
| 047M35Z | Dilation of Right Popliteal Artery with Two Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 047M366 | Dilation of Right Popliteal Artery, Bifurcation, with Three Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 047M36Z | Dilation of Right Popliteal Artery with Three Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 047M376 | Dilation of Right Popliteal Artery, Bifurcation, with Four or More Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 047M37Z | Dilation of Right Popliteal Artery with Four or More Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 047M3D1 | Dilation of Right Popliteal Artery with Intraluminal Device, using Drug-Coated Balloon, Percutaneous Approach | ICD-10-PCS Procedure |

List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|--|----------------------|
| 047M3D6 | Dilation of Right Popliteal Artery, Bifurcation, with Intraluminal Device, Percutaneous Approach | ICD-10-PCS Procedure |
| 047M3DZ | Dilation of Right Popliteal Artery with Intraluminal Device, Percutaneous Approach | ICD-10-PCS Procedure |
| 047M3E6 | Dilation of Right Popliteal Artery, Bifurcation, with Two Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 047M3EZ | Dilation of Right Popliteal Artery with Two Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 047M3F6 | Dilation of Right Popliteal Artery, Bifurcation, with Three Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 047M3FZ | Dilation of Right Popliteal Artery with Three Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 047M3G6 | Dilation of Right Popliteal Artery, Bifurcation, with Four or More Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 047M3GZ | Dilation of Right Popliteal Artery with Four or More Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 047M3Z1 | Dilation of Right Popliteal Artery using Drug-Coated Balloon, Percutaneous Approach | ICD-10-PCS Procedure |
| 047M3Z6 | Dilation of Right Popliteal Artery, Bifurcation, Percutaneous Approach | ICD-10-PCS Procedure |
| 047M3ZZ | Dilation of Right Popliteal Artery, Percutaneous Approach | ICD-10-PCS Procedure |
| 047M441 | Dilation of Right Popliteal Artery with Drug-eluting Intraluminal Device, using Drug-Coated Balloon, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047M446 | Dilation of Right Popliteal Artery, Bifurcation, with Drug-eluting Intraluminal Device, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047M44Z | Dilation of Right Popliteal Artery with Drug-eluting Intraluminal Device, | ICD-10-PCS Procedure |
| 047M456 | Dilation of Right Popliteal Artery, Bifurcation, with Two Drug-eluting Intraluminal | ICD-10-PCS Procedure |
| 047M45Z | Dilation of Right Popliteal Artery with Two Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047M466 | Dilation of Right Popliteal Artery, Bifurcation, with Three Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047M46Z | Dilation of Right Popliteal Artery with Three Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047M476 | Dilation of Right Popliteal Artery, Bifurcation, with Four or More Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047M47Z | Dilation of Right Popliteal Artery with Four or More Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047M4D1 | Dilation of Right Popliteal Artery with Intraluminal Device, using Drug-Coated Balloon, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047M4D6 | Dilation of Right Popliteal Artery, Bifurcation, with Intraluminal Device, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047M4DZ | Dilation of Right Popliteal Artery with Intraluminal Device, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |

List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|---|----------------------|
| 047M4E6 | Dilation of Right Popliteal Artery, Bifurcation, with Two Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047M4EZ | Dilation of Right Popliteal Artery with Two Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047M4F6 | Dilation of Right Popliteal Artery, Bifurcation, with Three Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047M4FZ | Dilation of Right Popliteal Artery with Three Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047M4G6 | Dilation of Right Popliteal Artery, Bifurcation, with Four or More Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047M4GZ | Dilation of Right Popliteal Artery with Four or More Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047M4Z1 | Dilation of Right Popliteal Artery using Drug-Coated Balloon, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047M4Z6 | Dilation of Right Popliteal Artery, Bifurcation, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047M4ZZ | Dilation of Right Popliteal Artery, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047N041 | Dilation of Left Popliteal Artery with Drug-eluting Intraluminal Device, using Drug-Coated Balloon, Open Approach | ICD-10-PCS Procedure |
| 047N046 | Dilation of Left Popliteal Artery, Bifurcation, with Drug-eluting Intraluminal Device, Open Approach | ICD-10-PCS Procedure |
| 047N04Z | Dilation of Left Popliteal Artery with Drug-eluting Intraluminal Device, Open Approach | ICD-10-PCS Procedure |
| 047N056 | Dilation of Left Popliteal Artery, Bifurcation, with Two Drug-eluting Intraluminal | ICD-10-PCS Procedure |
| 047N05Z | Dilation of Left Popliteal Artery with Two Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 047N066 | Dilation of Left Popliteal Artery, Bifurcation, with Three Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 047N06Z | Dilation of Left Popliteal Artery with Three Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 047N076 | Dilation of Left Popliteal Artery, Bifurcation, with Four or More Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 047N07Z | Dilation of Left Popliteal Artery with Four or More Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 047N0D1 | Dilation of Left Popliteal Artery with Intraluminal Device, using Drug-Coated Balloon, Open Approach | ICD-10-PCS Procedure |
| 047N0D6 | Dilation of Left Popliteal Artery, Bifurcation, with Intraluminal Device, Open Approach | ICD-10-PCS Procedure |
| 047N0DZ | Dilation of Left Popliteal Artery with Intraluminal Device, Open Approach | ICD-10-PCS Procedure |
| 047N0E6 | Dilation of Left Popliteal Artery, Bifurcation, with Two Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |



List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|--|----------------------|
| 047N0EZ | Dilation of Left Popliteal Artery with Two Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 047N0F6 | Dilation of Left Popliteal Artery, Bifurcation, with Three Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 047N0FZ | Dilation of Left Popliteal Artery with Three Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 047N0G6 | Dilation of Left Popliteal Artery, Bifurcation, with Four or More Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 047N0GZ | Dilation of Left Popliteal Artery with Four or More Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 047N0Z1 | Dilation of Left Popliteal Artery using Drug-Coated Balloon, Open Approach | ICD-10-PCS Procedure |
| 047N0Z6 | Dilation of Left Popliteal Artery, Bifurcation, Open Approach | ICD-10-PCS Procedure |
| 047N0ZZ | Dilation of Left Popliteal Artery, Open Approach | ICD-10-PCS Procedure |
| 047N341 | Dilation of Left Popliteal Artery with Drug-eluting Intraluminal Device, using Drug-Coated Balloon, Percutaneous Approach | ICD-10-PCS Procedure |
| 047N346 | Dilation of Left Popliteal Artery, Bifurcation, with Drug-eluting Intraluminal Device, | ICD-10-PCS Procedure |
| 047N34Z | Dilation of Left Popliteal Artery with Drug-eluting Intraluminal Device, Percutaneous | ICD-10-PCS Procedure |
| 047N356 | Dilation of Left Popliteal Artery, Bifurcation, with Two Drug-eluting Intraluminal | ICD-10-PCS Procedure |
| 047N35Z | Dilation of Left Popliteal Artery with Two Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 047N366 | Dilation of Left Popliteal Artery, Bifurcation, with Three Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 047N36Z | Dilation of Left Popliteal Artery with Three Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 047N376 | Dilation of Left Popliteal Artery, Bifurcation, with Four or More Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 047N37Z | Dilation of Left Popliteal Artery with Four or More Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 047N3D1 | Dilation of Left Popliteal Artery with Intraluminal Device, using Drug-Coated Balloon, Percutaneous Approach | ICD-10-PCS Procedure |
| 047N3D6 | Dilation of Left Popliteal Artery, Bifurcation, with Intraluminal Device, Percutaneous Approach | ICD-10-PCS Procedure |
| 047N3DZ | Dilation of Left Popliteal Artery with Intraluminal Device, Percutaneous Approach | ICD-10-PCS Procedure |
| 047N3E6 | Dilation of Left Popliteal Artery, Bifurcation, with Two Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 047N3EZ | Dilation of Left Popliteal Artery with Two Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 047N3F6 | Dilation of Left Popliteal Artery, Bifurcation, with Three Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 047N3FZ | Dilation of Left Popliteal Artery with Three Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 047N3G6 | Dilation of Left Popliteal Artery, Bifurcation, with Four or More Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |

List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|---|----------------------|
| 047N3GZ | Dilation of Left Popliteal Artery with Four or More Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 047N3Z1 | Dilation of Left Popliteal Artery using Drug-Coated Balloon, Percutaneous Approach | ICD-10-PCS Procedure |
| 047N3Z6 | Dilation of Left Popliteal Artery, Bifurcation, Percutaneous Approach | ICD-10-PCS Procedure |
| 047N3ZZ | Dilation of Left Popliteal Artery, Percutaneous Approach | ICD-10-PCS Procedure |
| 047N441 | Dilation of Left Popliteal Artery with Drug-eluting Intraluminal Device, using Drug-Coated Balloon, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047N446 | Dilation of Left Popliteal Artery, Bifurcation, with Drug-eluting Intraluminal Device, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047N44Z | Dilation of Left Popliteal Artery with Drug-eluting Intraluminal Device, Percutaneous | ICD-10-PCS Procedure |
| 047N456 | Dilation of Left Popliteal Artery, Bifurcation, with Two Drug-eluting Intraluminal | ICD-10-PCS Procedure |
| 047N45Z | Dilation of Left Popliteal Artery with Two Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047N466 | Dilation of Left Popliteal Artery, Bifurcation, with Three Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047N46Z | Dilation of Left Popliteal Artery with Three Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047N476 | Dilation of Left Popliteal Artery, Bifurcation, with Four or More Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047N47Z | Dilation of Left Popliteal Artery with Four or More Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047N4D1 | Dilation of Left Popliteal Artery with Intraluminal Device, using Drug-Coated Balloon, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047N4D6 | Dilation of Left Popliteal Artery, Bifurcation, with Intraluminal Device, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047N4DZ | Dilation of Left Popliteal Artery with Intraluminal Device, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047N4E6 | Dilation of Left Popliteal Artery, Bifurcation, with Two Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047N4EZ | Dilation of Left Popliteal Artery with Two Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047N4F6 | Dilation of Left Popliteal Artery, Bifurcation, with Three Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047N4FZ | Dilation of Left Popliteal Artery with Three Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047N4G6 | Dilation of Left Popliteal Artery, Bifurcation, with Four or More Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047N4GZ | Dilation of Left Popliteal Artery with Four or More Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047N4Z1 | Dilation of Left Popliteal Artery using Drug-Coated Balloon, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |



List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|---|----------------------|
| 047N4Z6 | Dilation of Left Popliteal Artery, Bifurcation, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047N4ZZ | Dilation of Left Popliteal Artery, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047P046 | Dilation of Right Anterior Tibial Artery, Bifurcation, with Drug-eluting Intraluminal Device, Open Approach | ICD-10-PCS Procedure |
| 047P04Z | Dilation of Right Anterior Tibial Artery with Drug-eluting Intraluminal Device, Open Approach | ICD-10-PCS Procedure |
| 047P056 | Dilation of Right Anterior Tibial Artery, Bifurcation, with Two Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 047P05Z | Dilation of Right Anterior Tibial Artery with Two Drug-eluting Intraluminal Devices, | ICD-10-PCS Procedure |
| 047P066 | Dilation of Right Anterior Tibial Artery, Bifurcation, with Three Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 047P06Z | Dilation of Right Anterior Tibial Artery with Three Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 047P076 | Dilation of Right Anterior Tibial Artery, Bifurcation, with Four or More Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 047P07Z | Dilation of Right Anterior Tibial Artery with Four or More Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 047P0D6 | Dilation of Right Anterior Tibial Artery, Bifurcation, with Intraluminal Device, Open Approach | ICD-10-PCS Procedure |
| 047P0DZ | Dilation of Right Anterior Tibial Artery with Intraluminal Device, Open Approach | ICD-10-PCS Procedure |
| 047P0E6 | Dilation of Right Anterior Tibial Artery, Bifurcation, with Two Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 047P0EZ | Dilation of Right Anterior Tibial Artery with Two Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 047P0F6 | Dilation of Right Anterior Tibial Artery, Bifurcation, with Three Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 047P0FZ | Dilation of Right Anterior Tibial Artery with Three Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 047P0G6 | Dilation of Right Anterior Tibial Artery, Bifurcation, with Four or More Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 047P0GZ | Dilation of Right Anterior Tibial Artery with Four or More Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 047P0Z6 | Dilation of Right Anterior Tibial Artery, Bifurcation, Open Approach | ICD-10-PCS Procedure |
| 047P0ZZ | Dilation of Right Anterior Tibial Artery, Open Approach | ICD-10-PCS Procedure |
| 047P346 | Dilation of Right Anterior Tibial Artery, Bifurcation, with Drug-eluting Intraluminal Device, Percutaneous Approach | ICD-10-PCS Procedure |
| 047P34Z | Dilation of Right Anterior Tibial Artery with Drug-eluting Intraluminal Device, Percutaneous Approach | ICD-10-PCS Procedure |
| 047P356 | Dilation of Right Anterior Tibial Artery, Bifurcation, with Two Drug-eluting | ICD-10-PCS Procedure |
| 047P35Z | Dilation of Right Anterior Tibial Artery with Two Drug-eluting Intraluminal Devices, | ICD-10-PCS Procedure |

List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|--|----------------------|
| 047P366 | Dilation of Right Anterior Tibial Artery, Bifurcation, with Three Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 047P36Z | Dilation of Right Anterior Tibial Artery with Three Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 047P376 | Dilation of Right Anterior Tibial Artery, Bifurcation, with Four or More Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 047P37Z | Dilation of Right Anterior Tibial Artery with Four or More Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 047P3D6 | Dilation of Right Anterior Tibial Artery, Bifurcation, with Intraluminal Device, Percutaneous Approach | ICD-10-PCS Procedure |
| 047P3DZ | Dilation of Right Anterior Tibial Artery with Intraluminal Device, Percutaneous Approach | ICD-10-PCS Procedure |
| 047P3E6 | Dilation of Right Anterior Tibial Artery, Bifurcation, with Two Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 047P3EZ | Dilation of Right Anterior Tibial Artery with Two Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 047P3F6 | Dilation of Right Anterior Tibial Artery, Bifurcation, with Three Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 047P3FZ | Dilation of Right Anterior Tibial Artery with Three Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 047P3G6 | Dilation of Right Anterior Tibial Artery, Bifurcation, with Four or More Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 047P3GZ | Dilation of Right Anterior Tibial Artery with Four or More Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 047P3Z6 | Dilation of Right Anterior Tibial Artery, Bifurcation, Percutaneous Approach | ICD-10-PCS Procedure |
| 047P3ZZ | Dilation of Right Anterior Tibial Artery, Percutaneous Approach | ICD-10-PCS Procedure |
| 047P446 | Dilation of Right Anterior Tibial Artery, Bifurcation, with Drug-eluting Intraluminal Device, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047P44Z | Dilation of Right Anterior Tibial Artery with Drug-eluting Intraluminal Device, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047P456 | Dilation of Right Anterior Tibial Artery, Bifurcation, with Two Drug-eluting | ICD-10-PCS Procedure |
| 047P45Z | Dilation of Right Anterior Tibial Artery with Two Drug-eluting Intraluminal Devices, | ICD-10-PCS Procedure |
| 047P466 | Dilation of Right Anterior Tibial Artery, Bifurcation, with Three Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047P46Z | Dilation of Right Anterior Tibial Artery with Three Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047P476 | Dilation of Right Anterior Tibial Artery, Bifurcation, with Four or More Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047P47Z | Dilation of Right Anterior Tibial Artery with Four or More Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047P4D6 | Dilation of Right Anterior Tibial Artery, Bifurcation, with Intraluminal Device, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |



List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|---|----------------------|
| 047P4DZ | Dilation of Right Anterior Tibial Artery with Intraluminal Device, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047P4E6 | Dilation of Right Anterior Tibial Artery, Bifurcation, with Two Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047P4EZ | Dilation of Right Anterior Tibial Artery with Two Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047P4F6 | Dilation of Right Anterior Tibial Artery, Bifurcation, with Three Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047P4FZ | Dilation of Right Anterior Tibial Artery with Three Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047P4G6 | Dilation of Right Anterior Tibial Artery, Bifurcation, with Four or More Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047P4GZ | Dilation of Right Anterior Tibial Artery with Four or More Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047P4Z6 | Dilation of Right Anterior Tibial Artery, Bifurcation, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047P4ZZ | Dilation of Right Anterior Tibial Artery, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047Q046 | Dilation of Left Anterior Tibial Artery, Bifurcation, with Drug-eluting Intraluminal Device, Open Approach | ICD-10-PCS Procedure |
| 047Q04Z | Dilation of Left Anterior Tibial Artery with Drug-eluting Intraluminal Device, Open Approach | ICD-10-PCS Procedure |
| 047Q056 | Dilation of Left Anterior Tibial Artery, Bifurcation, with Two Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 047Q05Z | Dilation of Left Anterior Tibial Artery with Two Drug-eluting Intraluminal Devices, | ICD-10-PCS Procedure |
| 047Q066 | Dilation of Left Anterior Tibial Artery, Bifurcation, with Three Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 047Q06Z | Dilation of Left Anterior Tibial Artery with Three Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 047Q076 | Dilation of Left Anterior Tibial Artery, Bifurcation, with Four or More Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 047Q07Z | Dilation of Left Anterior Tibial Artery with Four or More Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 047Q0D6 | Dilation of Left Anterior Tibial Artery, Bifurcation, with Intraluminal Device, Open Approach | ICD-10-PCS Procedure |
| 047Q0DZ | Dilation of Left Anterior Tibial Artery with Intraluminal Device, Open Approach | ICD-10-PCS Procedure |
| 047Q0E6 | Dilation of Left Anterior Tibial Artery, Bifurcation, with Two Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 047Q0EZ | Dilation of Left Anterior Tibial Artery with Two Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 047Q0F6 | Dilation of Left Anterior Tibial Artery, Bifurcation, with Three Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |

List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|--|----------------------|
| 047Q0FZ | Dilation of Left Anterior Tibial Artery with Three Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 047Q0G6 | Dilation of Left Anterior Tibial Artery, Bifurcation, with Four or More Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 047Q0GZ | Dilation of Left Anterior Tibial Artery with Four or More Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 047Q0Z6 | Dilation of Left Anterior Tibial Artery, Bifurcation, Open Approach | ICD-10-PCS Procedure |
| 047Q0ZZ | Dilation of Left Anterior Tibial Artery, Open Approach | ICD-10-PCS Procedure |
| 047Q346 | Dilation of Left Anterior Tibial Artery, Bifurcation, with Drug-eluting Intraluminal Device, Percutaneous Approach | ICD-10-PCS Procedure |
| 047Q34Z | Dilation of Left Anterior Tibial Artery with Drug-eluting Intraluminal Device, Percutaneous Approach | ICD-10-PCS Procedure |
| 047Q356 | Dilation of Left Anterior Tibial Artery, Bifurcation, with Two Drug-eluting | ICD-10-PCS Procedure |
| 047Q35Z | Dilation of Left Anterior Tibial Artery with Two Drug-eluting Intraluminal Devices, | ICD-10-PCS Procedure |
| 047Q366 | Dilation of Left Anterior Tibial Artery, Bifurcation, with Three Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 047Q36Z | Dilation of Left Anterior Tibial Artery with Three Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 047Q376 | Dilation of Left Anterior Tibial Artery, Bifurcation, with Four or More Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 047Q37Z | Dilation of Left Anterior Tibial Artery with Four or More Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 047Q3D6 | Dilation of Left Anterior Tibial Artery, Bifurcation, with Intraluminal Device, Percutaneous Approach | ICD-10-PCS Procedure |
| 047Q3DZ | Dilation of Left Anterior Tibial Artery with Intraluminal Device, Percutaneous Approach | ICD-10-PCS Procedure |
| 047Q3E6 | Dilation of Left Anterior Tibial Artery, Bifurcation, with Two Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 047Q3EZ | Dilation of Left Anterior Tibial Artery with Two Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 047Q3F6 | Dilation of Left Anterior Tibial Artery, Bifurcation, with Three Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 047Q3FZ | Dilation of Left Anterior Tibial Artery with Three Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 047Q3G6 | Dilation of Left Anterior Tibial Artery, Bifurcation, with Four or More Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 047Q3GZ | Dilation of Left Anterior Tibial Artery with Four or More Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 047Q3Z6 | Dilation of Left Anterior Tibial Artery, Bifurcation, Percutaneous Approach | ICD-10-PCS Procedure |
| 047Q3ZZ | Dilation of Left Anterior Tibial Artery, Percutaneous Approach | ICD-10-PCS Procedure |
| 047Q446 | Dilation of Left Anterior Tibial Artery, Bifurcation, with Drug-eluting Intraluminal Device, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |

List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|---|----------------------|
| 047Q44Z | Dilation of Left Anterior Tibial Artery with Drug-eluting Intraluminal Device, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047Q456 | Dilation of Left Anterior Tibial Artery, Bifurcation, with Two Drug-eluting | ICD-10-PCS Procedure |
| 047Q45Z | Dilation of Left Anterior Tibial Artery with Two Drug-eluting Intraluminal Devices, | ICD-10-PCS Procedure |
| 047Q466 | Dilation of Left Anterior Tibial Artery, Bifurcation, with Three Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047Q46Z | Dilation of Left Anterior Tibial Artery with Three Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047Q476 | Dilation of Left Anterior Tibial Artery, Bifurcation, with Four or More Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047Q47Z | Dilation of Left Anterior Tibial Artery with Four or More Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047Q4D6 | Dilation of Left Anterior Tibial Artery, Bifurcation, with Intraluminal Device, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047Q4DZ | Dilation of Left Anterior Tibial Artery with Intraluminal Device, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047Q4E6 | Dilation of Left Anterior Tibial Artery, Bifurcation, with Two Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047Q4EZ | Dilation of Left Anterior Tibial Artery with Two Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047Q4F6 | Dilation of Left Anterior Tibial Artery, Bifurcation, with Three Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047Q4FZ | Dilation of Left Anterior Tibial Artery with Three Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047Q4G6 | Dilation of Left Anterior Tibial Artery, Bifurcation, with Four or More Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047Q4GZ | Dilation of Left Anterior Tibial Artery with Four or More Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047Q4Z6 | Dilation of Left Anterior Tibial Artery, Bifurcation, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047Q4ZZ | Dilation of Left Anterior Tibial Artery, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047R046 | Dilation of Right Posterior Tibial Artery, Bifurcation, with Drug-eluting Intraluminal Device, Open Approach | ICD-10-PCS Procedure |
| 047R04Z | Dilation of Right Posterior Tibial Artery with Drug-eluting Intraluminal Device, Open Approach | ICD-10-PCS Procedure |
| 047R056 | Dilation of Right Posterior Tibial Artery, Bifurcation, with Two Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 047R05Z | Dilation of Right Posterior Tibial Artery with Two Drug-eluting Intraluminal Devices, | ICD-10-PCS Procedure |
| 047R066 | Dilation of Right Posterior Tibial Artery, Bifurcation, with Three Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |



List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|--|----------------------|
| 047R06Z | Dilation of Right Posterior Tibial Artery with Three Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 047R076 | Dilation of Right Posterior Tibial Artery, Bifurcation, with Four or More Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 047R07Z | Dilation of Right Posterior Tibial Artery with Four or More Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 047R0D6 | Dilation of Right Posterior Tibial Artery, Bifurcation, with Intraluminal Device, Open Approach | ICD-10-PCS Procedure |
| 047R0DZ | Dilation of Right Posterior Tibial Artery with Intraluminal Device, Open Approach | ICD-10-PCS Procedure |
| 047R0E6 | Dilation of Right Posterior Tibial Artery, Bifurcation, with Two Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 047R0EZ | Dilation of Right Posterior Tibial Artery with Two Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 047R0F6 | Dilation of Right Posterior Tibial Artery, Bifurcation, with Three Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 047R0FZ | Dilation of Right Posterior Tibial Artery with Three Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 047R0G6 | Dilation of Right Posterior Tibial Artery, Bifurcation, with Four or More Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 047R0GZ | Dilation of Right Posterior Tibial Artery with Four or More Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 047R0Z6 | Dilation of Right Posterior Tibial Artery, Bifurcation, Open Approach | ICD-10-PCS Procedure |
| 047R0ZZ | Dilation of Right Posterior Tibial Artery, Open Approach | ICD-10-PCS Procedure |
| 047R346 | Dilation of Right Posterior Tibial Artery, Bifurcation, with Drug-eluting Intraluminal Device, Percutaneous Approach | ICD-10-PCS Procedure |
| 047R34Z | Dilation of Right Posterior Tibial Artery with Drug-eluting Intraluminal Device, Percutaneous Approach | ICD-10-PCS Procedure |
| 047R356 | Dilation of Right Posterior Tibial Artery, Bifurcation, with Two Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 047R35Z | Dilation of Right Posterior Tibial Artery with Two Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 047R366 | Dilation of Right Posterior Tibial Artery, Bifurcation, with Three Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 047R36Z | Dilation of Right Posterior Tibial Artery with Three Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 047R376 | Dilation of Right Posterior Tibial Artery, Bifurcation, with Four or More Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 047R37Z | Dilation of Right Posterior Tibial Artery with Four or More Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 047R3D6 | Dilation of Right Posterior Tibial Artery, Bifurcation, with Intraluminal Device, Percutaneous Approach | ICD-10-PCS Procedure |
| 047R3DZ | Dilation of Right Posterior Tibial Artery with Intraluminal Device, Percutaneous Approach | ICD-10-PCS Procedure |

List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|---|----------------------|
| 047R3E6 | Dilation of Right Posterior Tibial Artery, Bifurcation, with Two Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 047R3EZ | Dilation of Right Posterior Tibial Artery with Two Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 047R3F6 | Dilation of Right Posterior Tibial Artery, Bifurcation, with Three Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 047R3FZ | Dilation of Right Posterior Tibial Artery with Three Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 047R3G6 | Dilation of Right Posterior Tibial Artery, Bifurcation, with Four or More Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 047R3GZ | Dilation of Right Posterior Tibial Artery with Four or More Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 047R3Z6 | Dilation of Right Posterior Tibial Artery, Bifurcation, Percutaneous Approach | ICD-10-PCS Procedure |
| 047R3ZZ | Dilation of Right Posterior Tibial Artery, Percutaneous Approach | ICD-10-PCS Procedure |
| 047R446 | Dilation of Right Posterior Tibial Artery, Bifurcation, with Drug-eluting Intraluminal Device, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047R44Z | Dilation of Right Posterior Tibial Artery with Drug-eluting Intraluminal Device, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047R456 | Dilation of Right Posterior Tibial Artery, Bifurcation, with Two Drug-eluting | ICD-10-PCS Procedure |
| 047R45Z | Dilation of Right Posterior Tibial Artery with Two Drug-eluting Intraluminal Devices, | ICD-10-PCS Procedure |
| 047R466 | Dilation of Right Posterior Tibial Artery, Bifurcation, with Three Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047R46Z | Dilation of Right Posterior Tibial Artery with Three Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047R476 | Dilation of Right Posterior Tibial Artery, Bifurcation, with Four or More Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047R47Z | Dilation of Right Posterior Tibial Artery with Four or More Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047R4D6 | Dilation of Right Posterior Tibial Artery, Bifurcation, with Intraluminal Device, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047R4DZ | Dilation of Right Posterior Tibial Artery with Intraluminal Device, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047R4E6 | Dilation of Right Posterior Tibial Artery, Bifurcation, with Two Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047R4EZ | Dilation of Right Posterior Tibial Artery with Two Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047R4F6 | Dilation of Right Posterior Tibial Artery, Bifurcation, with Three Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047R4FZ | Dilation of Right Posterior Tibial Artery with Three Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047R4G6 | Dilation of Right Posterior Tibial Artery, Bifurcation, with Four or More Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |



List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|---|----------------------|
| 047R4GZ | Dilation of Right Posterior Tibial Artery with Four or More Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047R4Z6 | Dilation of Right Posterior Tibial Artery, Bifurcation, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047R4ZZ | Dilation of Right Posterior Tibial Artery, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047S046 | Dilation of Left Posterior Tibial Artery, Bifurcation, with Drug-eluting Intraluminal Device, Open Approach | ICD-10-PCS Procedure |
| 047S04Z | Dilation of Left Posterior Tibial Artery with Drug-eluting Intraluminal Device, Open Approach | ICD-10-PCS Procedure |
| 047S056 | Dilation of Left Posterior Tibial Artery, Bifurcation, with Two Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 047S05Z | Dilation of Left Posterior Tibial Artery with Two Drug-eluting Intraluminal Devices, | ICD-10-PCS Procedure |
| 047S066 | Dilation of Left Posterior Tibial Artery, Bifurcation, with Three Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 047S06Z | Dilation of Left Posterior Tibial Artery with Three Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 047S076 | Dilation of Left Posterior Tibial Artery, Bifurcation, with Four or More Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 047S07Z | Dilation of Left Posterior Tibial Artery with Four or More Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 047S0D6 | Dilation of Left Posterior Tibial Artery, Bifurcation, with Intraluminal Device, Open Approach | ICD-10-PCS Procedure |
| 047S0DZ | Dilation of Left Posterior Tibial Artery with Intraluminal Device, Open Approach | ICD-10-PCS Procedure |
| 047S0E6 | Dilation of Left Posterior Tibial Artery, Bifurcation, with Two Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 047S0EZ | Dilation of Left Posterior Tibial Artery with Two Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 047S0F6 | Dilation of Left Posterior Tibial Artery, Bifurcation, with Three Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 047S0FZ | Dilation of Left Posterior Tibial Artery with Three Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 047S0G6 | Dilation of Left Posterior Tibial Artery, Bifurcation, with Four or More Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 047S0GZ | Dilation of Left Posterior Tibial Artery with Four or More Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 047S0Z6 | Dilation of Left Posterior Tibial Artery, Bifurcation, Open Approach | ICD-10-PCS Procedure |
| 047S0ZZ | Dilation of Left Posterior Tibial Artery, Open Approach | ICD-10-PCS Procedure |
| 047S346 | Dilation of Left Posterior Tibial Artery, Bifurcation, with Drug-eluting Intraluminal Device, Percutaneous Approach | ICD-10-PCS Procedure |
| 047S34Z | Dilation of Left Posterior Tibial Artery with Drug-eluting Intraluminal Device, Percutaneous Approach | ICD-10-PCS Procedure |

List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|--|----------------------|
| 047S356 | Dilation of Left Posterior Tibial Artery, Bifurcation, with Two Drug-eluting | ICD-10-PCS Procedure |
| 047S35Z | Dilation of Left Posterior Tibial Artery with Two Drug-eluting Intraluminal Devices, | ICD-10-PCS Procedure |
| 047S366 | Dilation of Left Posterior Tibial Artery, Bifurcation, with Three Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 047S36Z | Dilation of Left Posterior Tibial Artery with Three Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 047S376 | Dilation of Left Posterior Tibial Artery, Bifurcation, with Four or More Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 047S37Z | Dilation of Left Posterior Tibial Artery with Four or More Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 047S3D6 | Dilation of Left Posterior Tibial Artery, Bifurcation, with Intraluminal Device, Percutaneous Approach | ICD-10-PCS Procedure |
| 047S3DZ | Dilation of Left Posterior Tibial Artery with Intraluminal Device, Percutaneous Approach | ICD-10-PCS Procedure |
| 047S3E6 | Dilation of Left Posterior Tibial Artery, Bifurcation, with Two Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 047S3EZ | Dilation of Left Posterior Tibial Artery with Two Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 047S3F6 | Dilation of Left Posterior Tibial Artery, Bifurcation, with Three Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 047S3FZ | Dilation of Left Posterior Tibial Artery with Three Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 047S3G6 | Dilation of Left Posterior Tibial Artery, Bifurcation, with Four or More Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 047S3GZ | Dilation of Left Posterior Tibial Artery with Four or More Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 047S3Z6 | Dilation of Left Posterior Tibial Artery, Bifurcation, Percutaneous Approach | ICD-10-PCS Procedure |
| 047S3ZZ | Dilation of Left Posterior Tibial Artery, Percutaneous Approach | ICD-10-PCS Procedure |
| 047S446 | Dilation of Left Posterior Tibial Artery, Bifurcation, with Drug-eluting Intraluminal Device, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047S44Z | Dilation of Left Posterior Tibial Artery with Drug-eluting Intraluminal Device, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047S456 | Dilation of Left Posterior Tibial Artery, Bifurcation, with Two Drug-eluting | ICD-10-PCS Procedure |
| 047S45Z | Dilation of Left Posterior Tibial Artery with Two Drug-eluting Intraluminal Devices, | ICD-10-PCS Procedure |
| 047S466 | Dilation of Left Posterior Tibial Artery, Bifurcation, with Three Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047S46Z | Dilation of Left Posterior Tibial Artery with Three Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047S476 | Dilation of Left Posterior Tibial Artery, Bifurcation, with Four or More Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047S47Z | Dilation of Left Posterior Tibial Artery with Four or More Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |

List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|---|----------------------|
| 047S4D6 | Dilation of Left Posterior Tibial Artery, Bifurcation, with Intraluminal Device, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047S4DZ | Dilation of Left Posterior Tibial Artery with Intraluminal Device, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047S4E6 | Dilation of Left Posterior Tibial Artery, Bifurcation, with Two Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047S4EZ | Dilation of Left Posterior Tibial Artery with Two Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047S4F6 | Dilation of Left Posterior Tibial Artery, Bifurcation, with Three Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047S4FZ | Dilation of Left Posterior Tibial Artery with Three Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047S4G6 | Dilation of Left Posterior Tibial Artery, Bifurcation, with Four or More Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047S4GZ | Dilation of Left Posterior Tibial Artery with Four or More Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047S4Z6 | Dilation of Left Posterior Tibial Artery, Bifurcation, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047S4ZZ | Dilation of Left Posterior Tibial Artery, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047T046 | Dilation of Right Peroneal Artery, Bifurcation, with Drug-eluting Intraluminal Device, Open Approach | ICD-10-PCS Procedure |
| 047T04Z | Dilation of Right Peroneal Artery with Drug-eluting Intraluminal Device, Open Approach | ICD-10-PCS Procedure |
| 047T056 | Dilation of Right Peroneal Artery, Bifurcation, with Two Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 047T05Z | Dilation of Right Peroneal Artery with Two Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 047T066 | Dilation of Right Peroneal Artery, Bifurcation, with Three Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 047T06Z | Dilation of Right Peroneal Artery with Three Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 047T076 | Dilation of Right Peroneal Artery, Bifurcation, with Four or More Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 047T07Z | Dilation of Right Peroneal Artery with Four or More Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 047T0D6 | Dilation of Right Peroneal Artery, Bifurcation, with Intraluminal Device, Open Approach | ICD-10-PCS Procedure |
| 047T0DZ | Dilation of Right Peroneal Artery with Intraluminal Device, Open Approach | ICD-10-PCS Procedure |
| 047T0E6 | Dilation of Right Peroneal Artery, Bifurcation, with Two Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 047T0EZ | Dilation of Right Peroneal Artery with Two Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |



List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|--|----------------------|
| 047T0F6 | Dilation of Right Peroneal Artery, Bifurcation, with Three Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 047T0FZ | Dilation of Right Peroneal Artery with Three Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 047T0G6 | Dilation of Right Peroneal Artery, Bifurcation, with Four or More Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 047T0GZ | Dilation of Right Peroneal Artery with Four or More Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 047T0Z6 | Dilation of Right Peroneal Artery, Bifurcation, Open Approach | ICD-10-PCS Procedure |
| 047T0ZZ | Dilation of Right Peroneal Artery, Open Approach | ICD-10-PCS Procedure |
| 047T346 | Dilation of Right Peroneal Artery, Bifurcation, with Drug-eluting Intraluminal Device, Percutaneous Approach | ICD-10-PCS Procedure |
| 047T34Z | Dilation of Right Peroneal Artery with Drug-eluting Intraluminal Device, Percutaneous Approach | ICD-10-PCS Procedure |
| 047T356 | Dilation of Right Peroneal Artery, Bifurcation, with Two Drug-eluting Intraluminal | ICD-10-PCS Procedure |
| 047T35Z | Dilation of Right Peroneal Artery with Two Drug-eluting Intraluminal Devices, | ICD-10-PCS Procedure |
| 047T366 | Dilation of Right Peroneal Artery, Bifurcation, with Three Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 047T36Z | Dilation of Right Peroneal Artery with Three Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 047T376 | Dilation of Right Peroneal Artery, Bifurcation, with Four or More Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 047T37Z | Dilation of Right Peroneal Artery with Four or More Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 047T3D6 | Dilation of Right Peroneal Artery, Bifurcation, with Intraluminal Device, Percutaneous Approach | ICD-10-PCS Procedure |
| 047T3DZ | Dilation of Right Peroneal Artery with Intraluminal Device, Percutaneous Approach | ICD-10-PCS Procedure |
| 047T3E6 | Dilation of Right Peroneal Artery, Bifurcation, with Two Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 047T3EZ | Dilation of Right Peroneal Artery with Two Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 047T3F6 | Dilation of Right Peroneal Artery, Bifurcation, with Three Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 047T3FZ | Dilation of Right Peroneal Artery with Three Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 047T3G6 | Dilation of Right Peroneal Artery, Bifurcation, with Four or More Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 047T3GZ | Dilation of Right Peroneal Artery with Four or More Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 047T3Z6 | Dilation of Right Peroneal Artery, Bifurcation, Percutaneous Approach | ICD-10-PCS Procedure |
| 047T3ZZ | Dilation of Right Peroneal Artery, Percutaneous Approach | ICD-10-PCS Procedure |

List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|---|----------------------|
| 047T446 | Dilation of Right Peroneal Artery, Bifurcation, with Drug-eluting Intraluminal Device, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047T44Z | Dilation of Right Peroneal Artery with Drug-eluting Intraluminal Device, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047T456 | Dilation of Right Peroneal Artery, Bifurcation, with Two Drug-eluting Intraluminal | ICD-10-PCS Procedure |
| 047T45Z | Dilation of Right Peroneal Artery with Two Drug-eluting Intraluminal Devices, | ICD-10-PCS Procedure |
| 047T466 | Dilation of Right Peroneal Artery, Bifurcation, with Three Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047T46Z | Dilation of Right Peroneal Artery with Three Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047T476 | Dilation of Right Peroneal Artery, Bifurcation, with Four or More Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047T47Z | Dilation of Right Peroneal Artery with Four or More Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047T4D6 | Dilation of Right Peroneal Artery, Bifurcation, with Intraluminal Device, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047T4DZ | Dilation of Right Peroneal Artery with Intraluminal Device, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047T4E6 | Dilation of Right Peroneal Artery, Bifurcation, with Two Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047T4EZ | Dilation of Right Peroneal Artery with Two Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047T4F6 | Dilation of Right Peroneal Artery, Bifurcation, with Three Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047T4FZ | Dilation of Right Peroneal Artery with Three Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047T4G6 | Dilation of Right Peroneal Artery, Bifurcation, with Four or More Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047T4GZ | Dilation of Right Peroneal Artery with Four or More Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047T4Z6 | Dilation of Right Peroneal Artery, Bifurcation, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047T4ZZ | Dilation of Right Peroneal Artery, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047U046 | Dilation of Left Peroneal Artery, Bifurcation, with Drug-eluting Intraluminal Device, Open Approach | ICD-10-PCS Procedure |
| 047U04Z | Dilation of Left Peroneal Artery with Drug-eluting Intraluminal Device, Open Approach | ICD-10-PCS Procedure |
| 047U056 | Dilation of Left Peroneal Artery, Bifurcation, with Two Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 047U05Z | Dilation of Left Peroneal Artery with Two Drug-eluting Intraluminal Devices, Open | ICD-10-PCS Procedure |



List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|---|----------------------|
| 047U066 | Dilation of Left Peroneal Artery, Bifurcation, with Three Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 047U06Z | Dilation of Left Peroneal Artery with Three Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 047U076 | Dilation of Left Peroneal Artery, Bifurcation, with Four or More Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 047U07Z | Dilation of Left Peroneal Artery with Four or More Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 047U0D6 | Dilation of Left Peroneal Artery, Bifurcation, with Intraluminal Device, Open Approach | ICD-10-PCS Procedure |
| 047U0DZ | Dilation of Left Peroneal Artery with Intraluminal Device, Open Approach | ICD-10-PCS Procedure |
| 047U0E6 | Dilation of Left Peroneal Artery, Bifurcation, with Two Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 047U0EZ | Dilation of Left Peroneal Artery with Two Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 047U0F6 | Dilation of Left Peroneal Artery, Bifurcation, with Three Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 047U0FZ | Dilation of Left Peroneal Artery with Three Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 047U0G6 | Dilation of Left Peroneal Artery, Bifurcation, with Four or More Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 047U0GZ | Dilation of Left Peroneal Artery with Four or More Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 047U0Z6 | Dilation of Left Peroneal Artery, Bifurcation, Open Approach | ICD-10-PCS Procedure |
| 047U0ZZ | Dilation of Left Peroneal Artery, Open Approach | ICD-10-PCS Procedure |
| 047U346 | Dilation of Left Peroneal Artery, Bifurcation, with Drug-eluting Intraluminal Device, Percutaneous Approach | ICD-10-PCS Procedure |
| 047U34Z | Dilation of Left Peroneal Artery with Drug-eluting Intraluminal Device, Percutaneous Approach | ICD-10-PCS Procedure |
| 047U356 | Dilation of Left Peroneal Artery, Bifurcation, with Two Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 047U35Z | Dilation of Left Peroneal Artery with Two Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 047U366 | Dilation of Left Peroneal Artery, Bifurcation, with Three Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 047U36Z | Dilation of Left Peroneal Artery with Three Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 047U376 | Dilation of Left Peroneal Artery, Bifurcation, with Four or More Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 047U37Z | Dilation of Left Peroneal Artery with Four or More Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 047U3D6 | Dilation of Left Peroneal Artery, Bifurcation, with Intraluminal Device, Percutaneous Approach | ICD-10-PCS Procedure |
| 047U3DZ | Dilation of Left Peroneal Artery with Intraluminal Device, Percutaneous Approach | ICD-10-PCS Procedure |



List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|--|----------------------|
| 047U3E6 | Dilation of Left Peroneal Artery, Bifurcation, with Two Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 047U3EZ | Dilation of Left Peroneal Artery with Two Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 047U3F6 | Dilation of Left Peroneal Artery, Bifurcation, with Three Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 047U3FZ | Dilation of Left Peroneal Artery with Three Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 047U3G6 | Dilation of Left Peroneal Artery, Bifurcation, with Four or More Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 047U3GZ | Dilation of Left Peroneal Artery with Four or More Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 047U3Z6 | Dilation of Left Peroneal Artery, Bifurcation, Percutaneous Approach | ICD-10-PCS Procedure |
| 047U3ZZ | Dilation of Left Peroneal Artery, Percutaneous Approach | ICD-10-PCS Procedure |
| 047U446 | Dilation of Left Peroneal Artery, Bifurcation, with Drug-eluting Intraluminal Device, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047U44Z | Dilation of Left Peroneal Artery with Drug-eluting Intraluminal Device, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047U456 | Dilation of Left Peroneal Artery, Bifurcation, with Two Drug-eluting Intraluminal | ICD-10-PCS Procedure |
| 047U45Z | Dilation of Left Peroneal Artery with Two Drug-eluting Intraluminal Devices, | ICD-10-PCS Procedure |
| 047U466 | Dilation of Left Peroneal Artery, Bifurcation, with Three Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047U46Z | Dilation of Left Peroneal Artery with Three Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047U476 | Dilation of Left Peroneal Artery, Bifurcation, with Four or More Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047U47Z | Dilation of Left Peroneal Artery with Four or More Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047U4D6 | Dilation of Left Peroneal Artery, Bifurcation, with Intraluminal Device, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047U4DZ | Dilation of Left Peroneal Artery with Intraluminal Device, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047U4E6 | Dilation of Left Peroneal Artery, Bifurcation, with Two Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047U4EZ | Dilation of Left Peroneal Artery with Two Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047U4F6 | Dilation of Left Peroneal Artery, Bifurcation, with Three Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047U4FZ | Dilation of Left Peroneal Artery with Three Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047U4G6 | Dilation of Left Peroneal Artery, Bifurcation, with Four or More Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |



List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|---|----------------------|
| 047U4GZ | Dilation of Left Peroneal Artery with Four or More Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047U4Z6 | Dilation of Left Peroneal Artery, Bifurcation, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047U4ZZ | Dilation of Left Peroneal Artery, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047V046 | Dilation of Right Foot Artery, Bifurcation, with Drug-eluting Intraluminal Device, Open Approach | ICD-10-PCS Procedure |
| 047V04Z | Dilation of Right Foot Artery with Drug-eluting Intraluminal Device, Open Approach | ICD-10-PCS Procedure |
| 047V056 | Dilation of Right Foot Artery, Bifurcation, with Two Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 047V05Z | Dilation of Right Foot Artery with Two Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 047V066 | Dilation of Right Foot Artery, Bifurcation, with Three Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 047V06Z | Dilation of Right Foot Artery with Three Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 047V076 | Dilation of Right Foot Artery, Bifurcation, with Four or More Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 047V07Z | Dilation of Right Foot Artery with Four or More Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 047V0D6 | Dilation of Right Foot Artery, Bifurcation, with Intraluminal Device, Open Approach | ICD-10-PCS Procedure |
| 047V0DZ | Dilation of Right Foot Artery with Intraluminal Device, Open Approach | ICD-10-PCS Procedure |
| 047V0E6 | Dilation of Right Foot Artery, Bifurcation, with Two Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 047V0EZ | Dilation of Right Foot Artery with Two Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 047V0F6 | Dilation of Right Foot Artery, Bifurcation, with Three Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 047V0FZ | Dilation of Right Foot Artery with Three Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 047V0G6 | Dilation of Right Foot Artery, Bifurcation, with Four or More Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 047V0GZ | Dilation of Right Foot Artery with Four or More Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 047V0Z6 | Dilation of Right Foot Artery, Bifurcation, Open Approach | ICD-10-PCS Procedure |
| 047V0ZZ | Dilation of Right Foot Artery, Open Approach | ICD-10-PCS Procedure |
| 047V346 | Dilation of Right Foot Artery, Bifurcation, with Drug-eluting Intraluminal Device, Percutaneous Approach | ICD-10-PCS Procedure |
| 047V34Z | Dilation of Right Foot Artery with Drug-eluting Intraluminal Device, Percutaneous Approach | ICD-10-PCS Procedure |
| 047V356 | Dilation of Right Foot Artery, Bifurcation, with Two Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 047V35Z | Dilation of Right Foot Artery with Two Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 047V366 | Dilation of Right Foot Artery, Bifurcation, with Three Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |



List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|---|----------------------|
| 047V36Z | Dilation of Right Foot Artery with Three Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 047V376 | Dilation of Right Foot Artery, Bifurcation, with Four or More Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 047V37Z | Dilation of Right Foot Artery with Four or More Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 047V3D6 | Dilation of Right Foot Artery, Bifurcation, with Intraluminal Device, Percutaneous Approach | ICD-10-PCS Procedure |
| 047V3DZ | Dilation of Right Foot Artery with Intraluminal Device, Percutaneous Approach | ICD-10-PCS Procedure |
| 047V3E6 | Dilation of Right Foot Artery, Bifurcation, with Two Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 047V3EZ | Dilation of Right Foot Artery with Two Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 047V3F6 | Dilation of Right Foot Artery, Bifurcation, with Three Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 047V3FZ | Dilation of Right Foot Artery with Three Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 047V3G6 | Dilation of Right Foot Artery, Bifurcation, with Four or More Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 047V3GZ | Dilation of Right Foot Artery with Four or More Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 047V3Z6 | Dilation of Right Foot Artery, Bifurcation, Percutaneous Approach | ICD-10-PCS Procedure |
| 047V3ZZ | Dilation of Right Foot Artery, Percutaneous Approach | ICD-10-PCS Procedure |
| 047V446 | Dilation of Right Foot Artery, Bifurcation, with Drug-eluting Intraluminal Device, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047V44Z | Dilation of Right Foot Artery with Drug-eluting Intraluminal Device, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047V456 | Dilation of Right Foot Artery, Bifurcation, with Two Drug-eluting Intraluminal | ICD-10-PCS Procedure |
| 047V45Z | Dilation of Right Foot Artery with Two Drug-eluting Intraluminal Devices, | ICD-10-PCS Procedure |
| 047V466 | Dilation of Right Foot Artery, Bifurcation, with Three Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047V46Z | Dilation of Right Foot Artery with Three Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047V476 | Dilation of Right Foot Artery, Bifurcation, with Four or More Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047V47Z | Dilation of Right Foot Artery with Four or More Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047V4D6 | Dilation of Right Foot Artery, Bifurcation, with Intraluminal Device, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047V4DZ | Dilation of Right Foot Artery with Intraluminal Device, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |

List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|--|----------------------|
| 047V4E6 | Dilation of Right Foot Artery, Bifurcation, with Two Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047V4EZ | Dilation of Right Foot Artery with Two Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047V4F6 | Dilation of Right Foot Artery, Bifurcation, with Three Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047V4FZ | Dilation of Right Foot Artery with Three Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047V4G6 | Dilation of Right Foot Artery, Bifurcation, with Four or More Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047V4GZ | Dilation of Right Foot Artery with Four or More Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047V4Z6 | Dilation of Right Foot Artery, Bifurcation, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047V4ZZ | Dilation of Right Foot Artery, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047W046 | Dilation of Left Foot Artery, Bifurcation, with Drug-eluting Intraluminal Device, Open Approach | ICD-10-PCS Procedure |
| 047W04Z | Dilation of Left Foot Artery with Drug-eluting Intraluminal Device, Open Approach | ICD-10-PCS Procedure |
| 047W056 | Dilation of Left Foot Artery, Bifurcation, with Two Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 047W05Z | Dilation of Left Foot Artery with Two Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 047W066 | Dilation of Left Foot Artery, Bifurcation, with Three Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 047W06Z | Dilation of Left Foot Artery with Three Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 047W076 | Dilation of Left Foot Artery, Bifurcation, with Four or More Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 047W07Z | Dilation of Left Foot Artery with Four or More Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 047W0D6 | Dilation of Left Foot Artery, Bifurcation, with Intraluminal Device, Open Approach | ICD-10-PCS Procedure |
| 047W0DZ | Dilation of Left Foot Artery with Intraluminal Device, Open Approach | ICD-10-PCS Procedure |
| 047W0E6 | Dilation of Left Foot Artery, Bifurcation, with Two Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 047W0EZ | Dilation of Left Foot Artery with Two Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 047W0F6 | Dilation of Left Foot Artery, Bifurcation, with Three Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 047W0FZ | Dilation of Left Foot Artery with Three Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 047W0G6 | Dilation of Left Foot Artery, Bifurcation, with Four or More Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 047W0GZ | Dilation of Left Foot Artery with Four or More Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 047W0Z6 | Dilation of Left Foot Artery, Bifurcation, Open Approach | ICD-10-PCS Procedure |



List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|---|----------------------|
| 047W0ZZ | Dilation of Left Foot Artery, Open Approach | ICD-10-PCS Procedure |
| 047W346 | Dilation of Left Foot Artery, Bifurcation, with Drug-eluting Intraluminal Device, Percutaneous Approach | ICD-10-PCS Procedure |
| 047W34Z | Dilation of Left Foot Artery with Drug-eluting Intraluminal Device, Percutaneous Approach | ICD-10-PCS Procedure |
| 047W356 | Dilation of Left Foot Artery, Bifurcation, with Two Drug-eluting Intraluminal Devices, | ICD-10-PCS Procedure |
| 047W35Z | Dilation of Left Foot Artery with Two Drug-eluting Intraluminal Devices, | ICD-10-PCS Procedure |
| 047W366 | Dilation of Left Foot Artery, Bifurcation, with Three Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 047W36Z | Dilation of Left Foot Artery with Three Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 047W376 | Dilation of Left Foot Artery, Bifurcation, with Four or More Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 047W37Z | Dilation of Left Foot Artery with Four or More Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 047W3D6 | Dilation of Left Foot Artery, Bifurcation, with Intraluminal Device, Percutaneous Approach | ICD-10-PCS Procedure |
| 047W3DZ | Dilation of Left Foot Artery with Intraluminal Device, Percutaneous Approach | ICD-10-PCS Procedure |
| 047W3E6 | Dilation of Left Foot Artery, Bifurcation, with Two Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 047W3EZ | Dilation of Left Foot Artery with Two Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 047W3F6 | Dilation of Left Foot Artery, Bifurcation, with Three Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 047W3FZ | Dilation of Left Foot Artery with Three Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 047W3G6 | Dilation of Left Foot Artery, Bifurcation, with Four or More Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 047W3GZ | Dilation of Left Foot Artery with Four or More Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 047W3Z6 | Dilation of Left Foot Artery, Bifurcation, Percutaneous Approach | ICD-10-PCS Procedure |
| 047W3ZZ | Dilation of Left Foot Artery, Percutaneous Approach | ICD-10-PCS Procedure |
| 047W446 | Dilation of Left Foot Artery, Bifurcation, with Drug-eluting Intraluminal Device, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047W44Z | Dilation of Left Foot Artery with Drug-eluting Intraluminal Device, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047W456 | Dilation of Left Foot Artery, Bifurcation, with Two Drug-eluting Intraluminal Devices, | ICD-10-PCS Procedure |
| 047W45Z | Dilation of Left Foot Artery with Two Drug-eluting Intraluminal Devices, | ICD-10-PCS Procedure |
| 047W466 | Dilation of Left Foot Artery, Bifurcation, with Three Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047W46Z | Dilation of Left Foot Artery with Three Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |

List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|--|----------------------|
| 047W476 | Dilation of Left Foot Artery, Bifurcation, with Four or More Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047W47Z | Dilation of Left Foot Artery with Four or More Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047W4D6 | Dilation of Left Foot Artery, Bifurcation, with Intraluminal Device, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047W4DZ | Dilation of Left Foot Artery with Intraluminal Device, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047W4E6 | Dilation of Left Foot Artery, Bifurcation, with Two Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047W4EZ | Dilation of Left Foot Artery with Two Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047W4F6 | Dilation of Left Foot Artery, Bifurcation, with Three Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047W4FZ | Dilation of Left Foot Artery with Three Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047W4G6 | Dilation of Left Foot Artery, Bifurcation, with Four or More Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047W4GZ | Dilation of Left Foot Artery with Four or More Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047W4Z6 | Dilation of Left Foot Artery, Bifurcation, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047W4ZZ | Dilation of Left Foot Artery, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047Y046 | Dilation of Lower Artery, Bifurcation, with Drug-eluting Intraluminal Device, Open Approach | ICD-10-PCS Procedure |
| 047Y04Z | Dilation of Lower Artery with Drug-eluting Intraluminal Device, Open Approach | ICD-10-PCS Procedure |
| 047Y056 | Dilation of Lower Artery, Bifurcation, with Two Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 047Y05Z | Dilation of Lower Artery with Two Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 047Y066 | Dilation of Lower Artery, Bifurcation, with Three Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 047Y06Z | Dilation of Lower Artery with Three Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 047Y076 | Dilation of Lower Artery, Bifurcation, with Four or More Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 047Y07Z | Dilation of Lower Artery with Four or More Drug-eluting Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 047Y0D6 | Dilation of Lower Artery, Bifurcation, with Intraluminal Device, Open Approach | ICD-10-PCS Procedure |
| 047Y0DZ | Dilation of Lower Artery with Intraluminal Device, Open Approach | ICD-10-PCS Procedure |
| 047Y0E6 | Dilation of Lower Artery, Bifurcation, with Two Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 047Y0EZ | Dilation of Lower Artery with Two Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 047Y0F6 | Dilation of Lower Artery, Bifurcation, with Three Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |



List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|---|----------------------|
| 047Y0FZ | Dilation of Lower Artery with Three Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 047Y0G6 | Dilation of Lower Artery, Bifurcation, with Four or More Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 047Y0GZ | Dilation of Lower Artery with Four or More Intraluminal Devices, Open Approach | ICD-10-PCS Procedure |
| 047Y0Z6 | Dilation of Lower Artery, Bifurcation, Open Approach | ICD-10-PCS Procedure |
| 047Y0ZZ | Dilation of Lower Artery, Open Approach | ICD-10-PCS Procedure |
| 047Y346 | Dilation of Lower Artery, Bifurcation, with Drug-eluting Intraluminal Device, Percutaneous Approach | ICD-10-PCS Procedure |
| 047Y34Z | Dilation of Lower Artery with Drug-eluting Intraluminal Device, Percutaneous Approach | ICD-10-PCS Procedure |
| 047Y356 | Dilation of Lower Artery, Bifurcation, with Two Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 047Y35Z | Dilation of Lower Artery with Two Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 047Y366 | Dilation of Lower Artery, Bifurcation, with Three Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 047Y36Z | Dilation of Lower Artery with Three Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 047Y376 | Dilation of Lower Artery, Bifurcation, with Four or More Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 047Y37Z | Dilation of Lower Artery with Four or More Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 047Y3D6 | Dilation of Lower Artery, Bifurcation, with Intraluminal Device, Percutaneous Approach | ICD-10-PCS Procedure |
| 047Y3DZ | Dilation of Lower Artery with Intraluminal Device, Percutaneous Approach | ICD-10-PCS Procedure |
| 047Y3E6 | Dilation of Lower Artery, Bifurcation, with Two Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 047Y3EZ | Dilation of Lower Artery with Two Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 047Y3F6 | Dilation of Lower Artery, Bifurcation, with Three Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 047Y3FZ | Dilation of Lower Artery with Three Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 047Y3G6 | Dilation of Lower Artery, Bifurcation, with Four or More Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 047Y3GZ | Dilation of Lower Artery with Four or More Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 047Y3Z6 | Dilation of Lower Artery, Bifurcation, Percutaneous Approach | ICD-10-PCS Procedure |
| 047Y3ZZ | Dilation of Lower Artery, Percutaneous Approach | ICD-10-PCS Procedure |
| 047Y446 | Dilation of Lower Artery, Bifurcation, with Drug-eluting Intraluminal Device, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047Y44Z | Dilation of Lower Artery with Drug-eluting Intraluminal Device, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047Y456 | Dilation of Lower Artery, Bifurcation, with Two Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |
| 047Y45Z | Dilation of Lower Artery with Two Drug-eluting Intraluminal Devices, Percutaneous Approach | ICD-10-PCS Procedure |

List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|--|----------------------|
| 047Y466 | Dilation of Lower Artery, Bifurcation, with Three Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047Y46Z | Dilation of Lower Artery with Three Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047Y476 | Dilation of Lower Artery, Bifurcation, with Four or More Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047Y47Z | Dilation of Lower Artery with Four or More Drug-eluting Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047Y4D6 | Dilation of Lower Artery, Bifurcation, with Intraluminal Device, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047Y4DZ | Dilation of Lower Artery with Intraluminal Device, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047Y4E6 | Dilation of Lower Artery, Bifurcation, with Two Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047Y4EZ | Dilation of Lower Artery with Two Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047Y4F6 | Dilation of Lower Artery, Bifurcation, with Three Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047Y4FZ | Dilation of Lower Artery with Three Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047Y4G6 | Dilation of Lower Artery, Bifurcation, with Four or More Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047Y4GZ | Dilation of Lower Artery with Four or More Intraluminal Devices, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047Y4Z6 | Dilation of Lower Artery, Bifurcation, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 047Y4ZZ | Dilation of Lower Artery, Percutaneous Endoscopic Approach | ICD-10-PCS Procedure |
| 443.8 | Other specified peripheral vascular diseases | ICD-9-CM Diagnosis |
| 443.9 | Unspecified peripheral vascular disease | ICD-9-CM Diagnosis |
| 447.1 | Stricture of artery | ICD-9-CM Diagnosis |
| 557.1 | Chronic vascular insufficiency of intestine | ICD-9-CM Diagnosis |
| 557.9 | Unspecified vascular insufficiency of intestine | ICD-9-CM Diagnosis |
| 410.00 | Acute myocardial infarction of anterolateral wall, episode of care unspecified | ICD-9-CM Diagnosis |
| 410.01 | Acute myocardial infarction of anterolateral wall, initial episode of care | ICD-9-CM Diagnosis |
| 410.10 | Acute myocardial infarction of other anterior wall, episode of care unspecified | ICD-9-CM Diagnosis |
| 410.11 | Acute myocardial infarction of other anterior wall, initial episode of care | ICD-9-CM Diagnosis |
| 410.20 | Acute myocardial infarction of inferolateral wall, episode of care unspecified | ICD-9-CM Diagnosis |
| 410.21 | Acute myocardial infarction of inferolateral wall, initial episode of care | ICD-9-CM Diagnosis |
| 410.30 | Acute myocardial infarction of inferoposterior wall, episode of care unspecified | ICD-9-CM Diagnosis |
| 410.31 | Acute myocardial infarction of inferoposterior wall, initial episode of care | ICD-9-CM Diagnosis |
| 410.40 | Acute myocardial infarction of other inferior wall, episode of care unspecified | ICD-9-CM Diagnosis |
| 410.41 | Acute myocardial infarction of other inferior wall, initial episode of care | ICD-9-CM Diagnosis |

List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM Diagnosis and Procedure), International Classification of Diseases, Tenth Revision, Clinical Modification and Procedure Coding System (ICD-10-CM and ICD-10-PCS), Current Procedural Terminology, Second and Fourth Edition (CPT-2 and CPT-4), and Healthcare Common Procedure Coding System (HCPCS) Codes Used in the Cohort Identification for IMPACT-AFib

| Code | Description | Code Type |
|-------------|--|--------------------|
| 410.50 | Acute myocardial infarction of other lateral wall, episode of care unspecified | ICD-9-CM Diagnosis |
| 410.51 | Acute myocardial infarction of other lateral wall, initial episode of care | ICD-9-CM Diagnosis |
| 410.60 | Acute myocardial infarction, true posterior wall infarction, episode of care unspecified | ICD-9-CM Diagnosis |
| 410.61 | Acute myocardial infarction, true posterior wall infarction, initial episode of care | ICD-9-CM Diagnosis |
| 410.70 | Acute myocardial infarction, subendocardial infarction, episode of care unspecified | ICD-9-CM Diagnosis |
| 410.71 | Acute myocardial infarction, subendocardial infarction, initial episode of care | ICD-9-CM Diagnosis |
| 410.80 | Acute myocardial infarction of other specified sites, episode of care unspecified | ICD-9-CM Diagnosis |
| 410.81 | Acute myocardial infarction of other specified sites, initial episode of care | ICD-9-CM Diagnosis |
| 410.90 | Acute myocardial infarction, unspecified site, episode of care unspecified | ICD-9-CM Diagnosis |
| 410.91 | Acute myocardial infarction, unspecified site, initial episode of care | ICD-9-CM Diagnosis |
| 443.89 | Other peripheral vascular disease | ICD-9-CM Diagnosis |
| 99603 | Mechanical complication due to coronary bypass graft | ICD-9-CM Diagnosis |
| V45.81 | Postprocedural aortocoronary bypass status | ICD-9-CM Diagnosis |
| 36.1 | Bypass anastomosis for heart revascularization | ICD-9-CM Procedure |
| 36.2 | Heart revascularization by arterial implant | ICD-9-CM Procedure |
| 36.10 | Aortocoronary bypass for heart revascularization, not otherwise specified | ICD-9-CM Procedure |
| 36.11 | (Aorto)coronary bypass of one coronary artery | ICD-9-CM Procedure |
| 36.12 | (Aorto)coronary bypass of two coronary arteries | ICD-9-CM Procedure |
| 36.13 | (Aorto)coronary bypass of three coronary arteries | ICD-9-CM Procedure |
| 36.14 | (Aorto)coronary bypass of four or more coronary arteries | ICD-9-CM Procedure |
| 36.15 | Single internal mammary-coronary artery bypass | ICD-9-CM Procedure |
| 36.16 | Double internal mammary-coronary artery bypass | ICD-9-CM Procedure |
| 36.17 | Abdominal-coronary artery bypass | ICD-9-CM Procedure |
| 36.19 | Other bypass anastomosis for heart revascularization | ICD-9-CM Procedure |
| 38.13 | Endarterectomy of upper limb vessels | ICD-9-CM Procedure |
| 38.18 | Endarterectomy of lower limb arteries | ICD-9-CM Procedure |
| 39.25 | Aorta-iliac-femoral bypass | ICD-9-CM Procedure |
| 39.26 | Other intra-abdominal vascular shunt or bypass | ICD-9-CM Procedure |
| 39.29 | Other (peripheral) vascular shunt or bypass | ICD-9-CM Procedure |
| 39.50 | Angioplasty of other non-coronary vessel(s) | ICD-9-CM Procedure |
| 39.90 | Insertion of non-drug-eluting peripheral (non-coronary) vessel stents(s) | ICD-9-CM Procedure |
| 84.10 | Lower limb amputation, not otherwise specified | ICD-9-CM Procedure |
| 84.11 | Amputation of toe | ICD-9-CM Procedure |
| 84.12 | Amputation through foot | ICD-9-CM Procedure |
| 84.13 | Disarticulation of ankle | ICD-9-CM Procedure |
| 84.14 | Amputation of ankle through malleoli of tibia and fibula | ICD-9-CM Procedure |
| 84.15 | Other amputation below knee | ICD-9-CM Procedure |
| 84.16 | Disarticulation of knee | ICD-9-CM Procedure |
| 84.17 | Amputation above knee | ICD-9-CM Procedure |

List of Generic and Brand Drug Names Used to Define Exclusion Criteria in IMPACT-AFib Cohort Identification

| Generic Name | Brand Name |
|-------------------------------|------------------------------|
| P2Y12 Antagonists | |
| CANGRELOR TETRASODIUM | Kengreal |
| CLOPIDOGREL BISULFATE | clopidogrel |
| CLOPIDOGREL BISULFATE | clopidogrel bisulfate (bulk) |
| CLOPIDOGREL BISULFATE | Plavix |
| PRASUGREL HCL | Effient |
| TICAGRELOR | Brilinta |
| TICLOPIDINE HCL | ticlopidine |
| Oral Anticoagulants | |
| APIXABAN | Eliquis |
| DABIGATRAN ETEXILATE MESYLATE | Pradaxa |
| EDOXABAN TOSYLATE | Savaysa |
| RIVAROXABAN | Xarelto |
| WARFARIN SODIUM | Coumadin |
| WARFARIN SODIUM | Jantoven |
| WARFARIN SODIUM | Panwarfin |
| WARFARIN SODIUM | Sofarin |
| WARFARIN SODIUM | warfarin |
| WARFARIN SODIUM | warfarin (bulk) |