

Disclaimer

The FDA chose a specific outcome algorithm that met its need for a given medical product-outcome assessment. The use of a specific outcome algorithm in a Sentinel assessment should not be interpreted as an endorsement from FDA to use the algorithm for all safety assessments. Investigators should always consider the objective, study design, analytic approach, and data source of a given medical product safety assessment when choosing the outcome algorithm. The suitability of an outcome algorithm may change when applied to different scenarios. For additional information, please refer to the

[Best Practices for Conducting and Reporting Pharmacoepidemiologic Safety Studies Using Electronic Healthcare Data](#) guidance document provided by the FDA.

Overview

| | |
|------------------------------------|---|
| Title | Major Extracranial Bleeding Algorithm Defined in "Thromboembolic Stroke, Major Extracranial Bleeding, Gastrointestinal Bleeding, and Intracranial Hemorrhage following Direct Oral Anticoagulant Use: An Inverse Probability of Treatment Weighting Analysis" |
| Request ID | cder_mpl2p_wp028 |
| Description | <p>This report lists International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM) diagnosis codes, Current Procedural Terminology, Fourth Edition (CPT-4) procedure codes, and algorithms used to define major extracranial bleeding in this request.</p> <p>For additional information about the algorithm and how it was defined relative to the cohort and exposures of interest in the inferential analysis, see the analysis page here: https://www.sentinelinitiative.org/assessments/drugs/individual-drug-queries/thromboembolic-stroke-major-extracranial-bleeding-0</p> |
| Outcome | Major extracranial bleeding |
| Algorithm to Define Outcome | The major extracranial bleeding (MEB) outcome is defined as either 1) one ICD-9-CM diagnosis code from MEB Code List 1 that is the primary diagnosis from an inpatient encounter AND no code from the Trauma Exclusion Code List on the same day OR 2) one ICD-9-CM diagnosis code from MEB Code List 2 that is the primary diagnosis from an inpatient encounter AND one code from MEB Code List 1 that is the secondary or unspecified diagnosis from an inpatient encounter on the same day AND no code from the Trauma Exclusion Code List on the same day. |
| Query Period | October 19, 2010 - September 30, 2015 |
| Request Send Date | September 27, 2021 |

Glossary

Care Setting - type of medical encounter or facility where the exposure, event, or condition code was recorded. Possible care settings include: Inpatient Hospital Stay (IP), Non-Acute Institutional Stay (IS), Emergency Department (ED), Ambulatory Visit (AV), and Other Ambulatory Visit (OA). For laboratory results, possible care settings include: Emergency department (E), Home (H), Inpatient (I), Outpatient (O), or Unknown or missing (U)

Outcome - outcome of interest (either primary or secondary)

Principal Diagnosis (PDX) - diagnosis or condition established to be chiefly responsible for admission of the patient to the hospital. 'P' = principal diagnosis, 'S' = secondary diagnosis, 'X' = unspecified diagnosis, '.' = blank. Along with the Care Setting values, forms the Caresetting/PDX parameter.

Query Period - period in which the modular program looks for exposures and outcomes of interest

Request Send Date - date the request was sent to Sentinel Data Partners

MEB Code List 1. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM) Diagnosis Codes Used to Define Major Extracranial Bleeding in this Request

| Code | Description | Code Type |
|-------------|--|------------------|
| 423.0 | Hemopericardium | ICD-9-CM |
| 455.2 | Internal hemorrhoids with other complication | ICD-9-CM |
| 455.5 | External hemorrhoids with other complication | ICD-9-CM |
| 455.8 | Unspecified hemorrhoids with other complication | ICD-9-CM |
| 456.0 | Esophageal varices with bleeding | ICD-9-CM |
| 456.20 | Esophageal varices with bleeding in diseases classified elsewhere | ICD-9-CM |
| 459.0 | Unspecified hemorrhage | ICD-9-CM |
| 530.7 | Gastroesophageal laceration-hemorrhage syndrome | ICD-9-CM |
| 530.82 | Esophageal hemorrhage | ICD-9-CM |
| 531.0 | Acute gastric ulcer with hemorrhage | ICD-9-CM |
| 531.00 | Acute gastric ulcer with hemorrhage, without mention of obstruction | ICD-9-CM |
| 531.01 | Acute gastric ulcer with hemorrhage and obstruction | ICD-9-CM |
| 531.2 | Acute gastric ulcer with hemorrhage and perforation | ICD-9-CM |
| 531.20 | Acute gastric ulcer with hemorrhage and perforation, without mention of obstruction | ICD-9-CM |
| 531.21 | Acute gastric ulcer with hemorrhage, perforation, and obstruction | ICD-9-CM |
| 531.4 | Chronic or unspecified gastric ulcer with hemorrhage | ICD-9-CM |
| 531.40 | Chronic or unspecified gastric ulcer with hemorrhage, without mention of obstruction | ICD-9-CM |
| 531.41 | Chronic or unspecified gastric ulcer with hemorrhage and obstruction | ICD-9-CM |
| 531.6 | Chronic or unspecified gastric ulcer with hemorrhage and perforation | ICD-9-CM |
| 531.60 | Chronic or unspecified gastric ulcer with hemorrhage and perforation, without mention of obstruction | ICD-9-CM |
| 531.61 | Chronic or unspecified gastric ulcer with hemorrhage, perforation, and obstruction | ICD-9-CM |
| 532.0 | Acute duodenal ulcer with hemorrhage | ICD-9-CM |
| 532.00 | Acute duodenal ulcer with hemorrhage, without mention of obstruction | ICD-9-CM |
| 532.01 | Acute duodenal ulcer with hemorrhage and obstruction | ICD-9-CM |
| 532.2 | Acute duodenal ulcer with hemorrhage and perforation | ICD-9-CM |
| 532.20 | Acute duodenal ulcer with hemorrhage and perforation, without mention of obstruction | ICD-9-CM |
| 532.21 | Acute duodenal ulcer with hemorrhage, perforation, and obstruction | ICD-9-CM |
| 532.4 | Chronic or unspecified duodenal ulcer with hemorrhage | ICD-9-CM |
| 532.40 | Duodenal ulcer, chronic or unspecified, with hemorrhage, without mention of obstruction | ICD-9-CM |
| 532.41 | Chronic or unspecified duodenal ulcer with hemorrhage and obstruction | ICD-9-CM |
| 532.6 | Chronic or unspecified duodenal ulcer with hemorrhage and perforation | ICD-9-CM |
| 532.60 | Chronic or unspecified duodenal ulcer with hemorrhage and perforation, without mention of obstruction | ICD-9-CM |
| 532.61 | Chronic or unspecified duodenal ulcer with hemorrhage, perforation, and obstruction | ICD-9-CM |
| 533.0 | Acute peptic ulcer, unspecified site, with hemorrhage | ICD-9-CM |
| 533.00 | Acute peptic ulcer, unspecified site, with hemorrhage, without mention of obstruction | ICD-9-CM |
| 533.01 | Acute peptic ulcer, unspecified site, with hemorrhage and obstruction | ICD-9-CM |
| 533.2 | Acute peptic ulcer, unspecified site, with hemorrhage and perforation | ICD-9-CM |
| 533.20 | Acute peptic ulcer, unspecified site, with hemorrhage and perforation, without mention of obstruction | ICD-9-CM |
| 533.21 | Acute peptic ulcer, unspecified site, with hemorrhage, perforation, and obstruction | ICD-9-CM |
| 533.4 | Chronic or unspecified peptic ulcer, unspecified site, with hemorrhage | ICD-9-CM |
| 533.40 | Chronic or unspecified peptic ulcer, unspecified site, with hemorrhage, without mention of obstruction | ICD-9-CM |
| 533.41 | Chronic or unspecified peptic ulcer, unspecified site, with hemorrhage and obstruction | ICD-9-CM |

MEB Code List 1. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM) Diagnosis Codes Used to Define Major Extracranial Bleeding in this Request

| Code | Description | Code Type |
|-------------|--|------------------|
| 533.6 | Chronic or unspecified peptic ulcer, unspecified site, with hemorrhage and perforation | ICD-9-CM |
| 533.60 | Chronic or unspecified peptic ulcer, unspecified site, with hemorrhage and perforation, without mention of obstruction | ICD-9-CM |
| 533.61 | Chronic or unspecified peptic ulcer, unspecified site, with hemorrhage, perforation, and obstruction | ICD-9-CM |
| 534.0 | Acute gastrojejunal ulcer with hemorrhage | ICD-9-CM |
| 534.00 | Acute gastrojejunal ulcer with hemorrhage, without mention of obstruction | ICD-9-CM |
| 534.01 | Acute gastrojejunal ulcer, with hemorrhage and obstruction | ICD-9-CM |
| 534.2 | Acute gastrojejunal ulcer with hemorrhage and perforation | ICD-9-CM |
| 534.20 | Acute gastrojejunal ulcer with hemorrhage and perforation, without mention of obstruction | ICD-9-CM |
| 534.21 | Acute gastrojejunal ulcer with hemorrhage, perforation, and obstruction | ICD-9-CM |
| 534.4 | Chronic or unspecified gastrojejunal ulcer with hemorrhage | ICD-9-CM |
| 534.40 | Chronic or unspecified gastrojejunal ulcer with hemorrhage, without mention of obstruction | ICD-9-CM |
| 534.41 | Chronic or unspecified gastrojejunal ulcer, with hemorrhage and obstruction | ICD-9-CM |
| 534.6 | Chronic or unspecified gastrojejunal ulcer with hemorrhage and perforation | ICD-9-CM |
| 534.60 | Chronic or unspecified gastrojejunal ulcer with hemorrhage and perforation, without mention of obstruction | ICD-9-CM |
| 534.61 | Chronic or unspecified gastrojejunal ulcer with hemorrhage, perforation, and obstruction | ICD-9-CM |
| 535.01 | Acute gastritis with hemorrhage | ICD-9-CM |
| 535.11 | Atrophic gastritis with hemorrhage | ICD-9-CM |
| 535.21 | Gastric mucosal hypertrophy with hemorrhage | ICD-9-CM |
| 535.31 | Alcoholic gastritis with hemorrhage | ICD-9-CM |
| 535.41 | Other specified gastritis with hemorrhage | ICD-9-CM |
| 535.51 | Unspecified gastritis and gastroduodenitis with hemorrhage | ICD-9-CM |
| 535.61 | Duodenitis with hemorrhage | ICD-9-CM |
| 537.83 | Angiodysplasia of stomach and duodenum with hemorrhage | ICD-9-CM |
| 562.02 | Diverticulosis of small intestine with hemorrhage | ICD-9-CM |
| 562.03 | Diverticulitis of small intestine with hemorrhage | ICD-9-CM |
| 562.12 | Diverticulosis of colon with hemorrhage | ICD-9-CM |
| 562.13 | Diverticulitis of colon with hemorrhage | ICD-9-CM |
| 568.81 | Hemoperitoneum (nontraumatic) | ICD-9-CM |
| 569.3 | Hemorrhage of rectum and anus | ICD-9-CM |
| 569.85 | Angiodysplasia of intestine with hemorrhage | ICD-9-CM |
| 578.0 | Hematemesis | ICD-9-CM |
| 578.1 | Blood in stool | ICD-9-CM |
| 578.9 | Hemorrhage of gastrointestinal tract, unspecified | ICD-9-CM |
| 593.81 | Vascular disorders of kidney | ICD-9-CM |
| 599.7 | Hematuria | ICD-9-CM |
| 623.8 | Other specified noninflammatory disorder of vagina | ICD-9-CM |
| 626.2 | Excessive or frequent menstruation | ICD-9-CM |
| 626.6 | Metrorrhagia | ICD-9-CM |
| 719.1 | Hemarthrosis | ICD-9-CM |
| 719.10 | Hemarthrosis, site unspecified | ICD-9-CM |

MEB Code List 1. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM) Diagnosis Codes Used to Define Major Extracranial Bleeding in this Request

| Code | Description | Code Type |
|-------------|--|------------------|
| 719.11 | Hemarthrosis, shoulder region | ICD-9-CM |
| 719.12 | Hemarthrosis, upper arm | ICD-9-CM |
| 719.13 | Hemarthrosis, forearm | ICD-9-CM |
| 719.14 | Hemarthrosis, hand | ICD-9-CM |
| 719.15 | Hemarthrosis, pelvic region and thigh | ICD-9-CM |
| 719.16 | Hemarthrosis, lower leg | ICD-9-CM |
| 719.17 | Hemarthrosis, ankle and foot | ICD-9-CM |
| 719.18 | Hemarthrosis, other specified site | ICD-9-CM |
| 719.19 | Hemarthrosis, multiple sites | ICD-9-CM |
| 784.7 | Epistaxis | ICD-9-CM |
| 784.8 | Hemorrhage from throat | ICD-9-CM |
| 786.3 | Hemoptysis | ICD-9-CM |
| 531.60 | Chronic or unspecified gastric ulcer with hemorrhage and perforation | ICD-9-CM |

MEB Code List 2. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM) Diagnosis Codes Used to Define Major Extracranial Bleeding in this Request

| Code | Description | Code Type |
|-------------|---|------------------|
| 280.0 | Iron deficiency anemia secondary to blood loss (chronic) | ICD-9-CM |
| 285.1 | Acute posthemorrhagic anemia | ICD-9-CM |
| 285.9 | Unspecified anemia | ICD-9-CM |
| 455.0 | Internal hemorrhoids without mention of complication | ICD-9-CM |
| 455.1 | Internal thrombosed hemorrhoids | ICD-9-CM |
| 455.2 | Internal hemorrhoids with other complication | ICD-9-CM |
| 455.3 | External hemorrhoids without mention of complication | ICD-9-CM |
| 455.4 | External thrombosed hemorrhoids | ICD-9-CM |
| 455.5 | External hemorrhoids with other complication | ICD-9-CM |
| 455.6 | Unspecified hemorrhoids without mention of complication | ICD-9-CM |
| 455.7 | Unspecified thrombosed hemorrhoids | ICD-9-CM |
| 455.8 | Unspecified hemorrhoids with other complication | ICD-9-CM |
| 455.9 | Residual hemorrhoidal skin tags | ICD-9-CM |
| 530.1 | Esophagitis | ICD-9-CM |
| 531.1 | Acute gastric ulcer with perforation | ICD-9-CM |
| 531.3 | Acute gastric ulcer without mention of hemorrhage or perforation | ICD-9-CM |
| 531.5 | Chronic or unspecified gastric ulcer with perforation | ICD-9-CM |
| 531.7 | Chronic gastric ulcer without mention of hemorrhage or perforation | ICD-9-CM |
| 531.9 | Gastric ulcer, unspecified as acute or chronic, without mention of hemorrhage or perforation | ICD-9-CM |
| 532.1 | Acute duodenal ulcer with perforation | ICD-9-CM |
| 532.3 | Acute duodenal ulcer without mention of hemorrhage or perforation | ICD-9-CM |
| 532.5 | Chronic or unspecified duodenal ulcer with perforation | ICD-9-CM |
| 532.7 | Chronic duodenal ulcer without mention of hemorrhage or perforation | ICD-9-CM |
| 532.9 | Duodenal ulcer, unspecified as acute or chronic, without mention of hemorrhage or perforation | ICD-9-CM |
| 533.1 | Acute peptic ulcer, unspecified site, with perforation | ICD-9-CM |
| 533.3 | Acute peptic ulcer, unspecified site, without mention of hemorrhage and perforation | ICD-9-CM |
| 533.5 | Chronic or unspecified peptic ulcer, unspecified site, with perforation | ICD-9-CM |
| 533.7 | Chronic peptic ulcer, unspecified site, without mention of hemorrhage or perforation | ICD-9-CM |
| 533.9 | Peptic ulcer, unspecified site, unspecified as acute or chronic, without mention of hemorrhage or perforation | ICD-9-CM |
| 534.1 | Acute gastrojejunal ulcer with perforation | ICD-9-CM |
| 534.3 | Acute gastrojejunal ulcer without mention of hemorrhage or perforation | ICD-9-CM |
| 534.5 | Chronic or unspecified gastrojejunal ulcer with perforation | ICD-9-CM |
| 534.7 | Chronic gastrojejunal ulcer without mention of hemorrhage or perforation | ICD-9-CM |
| 534.9 | Gastrojejunal ulcer, unspecified as acute or chronic, without mention of hemorrhage or perforation | ICD-9-CM |
| 535.00 | Acute gastritis without mention of hemorrhage | ICD-9-CM |
| 535.10 | Atrophic gastritis without mention of hemorrhage | ICD-9-CM |
| 535.20 | Gastric mucosal hypertrophy without mention of hemorrhage | ICD-9-CM |
| 535.30 | Alcoholic gastritis without mention of hemorrhage | ICD-9-CM |
| 535.40 | Other specified gastritis without mention of hemorrhage | ICD-9-CM |
| 535.50 | Unspecified gastritis and gastroduodenitis without mention of hemorrhage | ICD-9-CM |
| 535.60 | Duodenitis without mention of hemorrhage | ICD-9-CM |
| 562.00 | Diverticulosis of small intestine (without mention of hemorrhage) | ICD-9-CM |
| 562.01 | Diverticulitis of small intestine (without mention of hemorrhage) | ICD-9-CM |
| 562.10 | Diverticulosis of colon (without mention of hemorrhage) | ICD-9-CM |
| 562.11 | Diverticulitis of colon (without mention of hemorrhage) | ICD-9-CM |
| 790.92 | Abnormal coagulation profile | ICD-9-CM |

Trauma Exclusion. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM) Diagnosis Codes and Current Procedural Terminology, Fourth Edition (CPT-4) Procedure Codes Used to Define Trauma in this Request

| Code | Description | Code Type | Code Category |
|-------------|--|------------------|----------------------|
| 62000 | Elevation of depressed skull fracture; simple, extradural | CPT-4 | Procedure |
| 62005 | Elevation of depressed skull fracture; compound or comminuted, extradural | CPT-4 | Procedure |
| 62010 | Elevation of depressed skull fracture; with repair of dura and/or debridement of brain | CPT-4 | Procedure |
| 800 | Fracture of vault of skull | ICD-9-CM | Diagnosis |
| 800.0 | Closed fracture of vault of skull without mention of intracranial injury | ICD-9-CM | Diagnosis |
| 800.00 | Closed fracture of vault of skull without mention of intracranial injury, unspecified state of consciousness | ICD-9-CM | Diagnosis |
| 800.01 | Closed fracture of vault of skull without mention of intracranial injury, no loss of consciousness | ICD-9-CM | Diagnosis |
| 800.02 | Closed fracture of vault of skull without mention of intracranial injury, brief (less than one hour) loss of consciousness | ICD-9-CM | Diagnosis |
| 800.03 | Closed fracture of vault of skull without mention of intracranial injury, moderate (1-24 hours) loss of consciousness | ICD-9-CM | Diagnosis |
| 800.04 | Closed fracture of vault of skull without mention of intracranial injury, prolonged (more than 24 hours) loss of consciousness and return to pre-existing conscious level | ICD-9-CM | Diagnosis |
| 800.05 | Closed fracture of vault of skull without mention of intracranial injury, prolonged (more than 24 hours) loss of consciousness, without return to pre-existing conscious level | ICD-9-CM | Diagnosis |
| 800.06 | Closed fracture of vault of skull without mention of intracranial injury, loss of consciousness of unspecified duration | ICD-9-CM | Diagnosis |
| 800.09 | Closed fracture of vault of skull without mention of intracranial injury, unspecified concussion | ICD-9-CM | Diagnosis |
| 800.1 | Closed fracture of vault of skull with cerebral laceration and contusion | ICD-9-CM | Diagnosis |
| 800.10 | Closed fracture of vault of skull with cerebral laceration and contusion, unspecified state of consciousness | ICD-9-CM | Diagnosis |
| 800.11 | Closed fracture of vault of skull with cerebral laceration and contusion, no loss of consciousness | ICD-9-CM | Diagnosis |
| 800.12 | Closed fracture of vault of skull with cerebral laceration and contusion, brief (less than one hour) loss of consciousness | ICD-9-CM | Diagnosis |
| 800.13 | Closed fracture of vault of skull with cerebral laceration and contusion, moderate (1-24 hours) loss of consciousness | ICD-9-CM | Diagnosis |
| 800.14 | Closed fracture of vault of skull with cerebral laceration and contusion, prolonged (more than 24 hours) loss of consciousness and return to pre-existing conscious level | ICD-9-CM | Diagnosis |
| 800.15 | Closed fracture of vault of skull with cerebral laceration and contusion, prolonged (more than 24 hours) loss of consciousness, without return to pre-existing conscious level | ICD-9-CM | Diagnosis |
| 800.16 | Closed fracture of vault of skull with cerebral laceration and contusion, loss of consciousness of unspecified duration | ICD-9-CM | Diagnosis |
| 800.19 | Closed fracture of vault of skull with cerebral laceration and contusion, unspecified concussion | ICD-9-CM | Diagnosis |
| 800.2 | Closed fracture of vault of skull with subarachnoid, subdural, and extradural hemorrhage | ICD-9-CM | Diagnosis |
| 800.20 | Closed fracture of vault of skull with subarachnoid, subdural, and extradural hemorrhage, unspecified state of consciousness | ICD-9-CM | Diagnosis |
| 800.21 | Closed fracture of vault of skull with subarachnoid, subdural, and extradural hemorrhage, no loss of consciousness | ICD-9-CM | Diagnosis |
| 800.22 | Closed fracture of vault of skull with subarachnoid, subdural, and extradural hemorrhage, brief (less than one hour) loss of consciousness | ICD-9-CM | Diagnosis |

Trauma Exclusion. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM) Diagnosis Codes and Current Procedural Terminology, Fourth Edition (CPT-4) Procedure Codes Used to Define Trauma in this Request

| Code | Description | Code Type | Code Category |
|-------------|--|------------------|----------------------|
| 800.23 | Closed fracture of vault of skull with subarachnoid, subdural, and extradural hemorrhage, moderate (1-24 hours) loss of consciousness | ICD-9-CM | Diagnosis |
| 800.24 | Closed fracture of vault of skull with subarachnoid, subdural, and extradural hemorrhage, prolonged (more than 24 hours) loss of consciousness and return to pre-existing conscious level | ICD-9-CM | Diagnosis |
| 800.25 | Closed fracture of vault of skull with subarachnoid, subdural, and extradural hemorrhage, prolonged (more than 24 hours) loss of consciousness, without return to pre-existing conscious level | ICD-9-CM | Diagnosis |
| 800.26 | Closed fracture of vault of skull with subarachnoid, subdural, and extradural hemorrhage, loss of consciousness of unspecified duration | ICD-9-CM | Diagnosis |
| 800.29 | Closed fracture of vault of skull with subarachnoid, subdural, and extradural hemorrhage, unspecified concussion | ICD-9-CM | Diagnosis |
| 800.3 | Closed fracture of vault of skull with other and unspecified intracranial hemorrhage | ICD-9-CM | Diagnosis |
| 800.30 | Closed fracture of vault of skull with other and unspecified intracranial hemorrhage, unspecified state of consciousness | ICD-9-CM | Diagnosis |
| 800.31 | Closed fracture of vault of skull with other and unspecified intracranial hemorrhage, no loss of consciousness | ICD-9-CM | Diagnosis |
| 800.32 | Closed fracture of vault of skull with other and unspecified intracranial hemorrhage, brief (less than one hour) loss of consciousness | ICD-9-CM | Diagnosis |
| 800.33 | Closed fracture of vault of skull with other and unspecified intracranial hemorrhage, moderate (1-24 hours) loss of consciousness | ICD-9-CM | Diagnosis |
| 800.34 | Closed fracture of vault of skull with other and unspecified intracranial hemorrhage, prolonged (more than 24 hours) loss of consciousness and return to pre-existing conscious level | ICD-9-CM | Diagnosis |
| 800.35 | Closed fracture of vault of skull with other and unspecified intracranial hemorrhage, prolonged (more than 24 hours) loss of consciousness, without return to pre-existing conscious level | ICD-9-CM | Diagnosis |
| 800.36 | Closed fracture of vault of skull with other and unspecified intracranial hemorrhage, loss of consciousness of unspecified duration | ICD-9-CM | Diagnosis |
| 800.39 | Closed fracture of vault of skull with other and unspecified intracranial hemorrhage, unspecified concussion | ICD-9-CM | Diagnosis |
| 800.4 | Closed fracture of vault of skull with intracranial injury of other and unspecified nature | ICD-9-CM | Diagnosis |
| 800.40 | Closed fracture of vault of skull with intracranial injury of other and unspecified nature, unspecified state of consciousness | ICD-9-CM | Diagnosis |
| 800.41 | Closed fracture of vault of skull with intracranial injury of other and unspecified nature, no loss of consciousness | ICD-9-CM | Diagnosis |
| 800.42 | Closed fracture of vault of skull with intracranial injury of other and unspecified nature, brief (less than one hour) loss of consciousness | ICD-9-CM | Diagnosis |
| 800.43 | Closed fracture of vault of skull with intracranial injury of other and unspecified nature, moderate (1-24 hours) loss of consciousness | ICD-9-CM | Diagnosis |
| 800.44 | Closed fracture of vault of skull with intracranial injury of other and unspecified nature, prolonged (more than 24 hours) loss of consciousness and return to pre-existing conscious level | ICD-9-CM | Diagnosis |
| 800.45 | Closed fracture of vault of skull with intracranial injury of other and unspecified nature, prolonged (more than 24 hours) loss of consciousness, without return to pre-existing conscious level | ICD-9-CM | Diagnosis |

Trauma Exclusion. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM) Diagnosis Codes and Current Procedural Terminology, Fourth Edition (CPT-4) Procedure Codes Used to Define Trauma in this Request

| Code | Description | Code Type | Code Category |
|-------------|--|------------------|----------------------|
| 800.46 | Closed fracture of vault of skull with intracranial injury of other and unspecified nature, loss of consciousness of unspecified duration | ICD-9-CM | Diagnosis |
| 800.49 | Closed fracture of vault of skull with intracranial injury of other and unspecified nature, unspecified concussion | ICD-9-CM | Diagnosis |
| 800.5 | Open fracture of vault of skull without mention of intracranial injury | ICD-9-CM | Diagnosis |
| 800.50 | Open fracture of vault of skull without mention of intracranial injury, unspecified state of consciousness | ICD-9-CM | Diagnosis |
| 800.51 | Open fracture of vault of skull without mention of intracranial injury, no loss of consciousness | ICD-9-CM | Diagnosis |
| 800.52 | Open fracture of vault of skull without mention of intracranial injury, brief (less than one hour) loss of consciousness | ICD-9-CM | Diagnosis |
| 800.53 | Open fracture of vault of skull without mention of intracranial injury, moderate (1-24 hours) loss of consciousness | ICD-9-CM | Diagnosis |
| 800.54 | Open fracture of vault of skull without mention of intracranial injury, prolonged (more than 24 hours) loss of consciousness and return to pre-existing conscious level | ICD-9-CM | Diagnosis |
| 800.55 | Open fracture of vault of skull without mention of intracranial injury, prolonged (more than 24 hours) loss of consciousness, without return to pre-existing conscious level | ICD-9-CM | Diagnosis |
| 800.56 | Open fracture of vault of skull without mention of intracranial injury, loss of consciousness of unspecified duration | ICD-9-CM | Diagnosis |
| 800.59 | Open fracture of vault of skull without mention of intracranial injury, unspecified concussion | ICD-9-CM | Diagnosis |
| 800.6 | Open fracture of vault of skull with cerebral laceration and contusion | ICD-9-CM | Diagnosis |
| 800.60 | Open fracture of vault of skull with cerebral laceration and contusion, unspecified state of consciousness | ICD-9-CM | Diagnosis |
| 800.61 | Open fracture of vault of skull with cerebral laceration and contusion, no loss of consciousness | ICD-9-CM | Diagnosis |
| 800.62 | Open fracture of vault of skull with cerebral laceration and contusion, brief (less than one hour) loss of consciousness | ICD-9-CM | Diagnosis |
| 800.63 | Open fracture of vault of skull with cerebral laceration and contusion, moderate (1-24 hours) loss of consciousness | ICD-9-CM | Diagnosis |
| 800.64 | Open fracture of vault of skull with cerebral laceration and contusion, prolonged (more than 24 hours) loss of consciousness and return to pre-existing conscious level | ICD-9-CM | Diagnosis |
| 800.65 | Open fracture of vault of skull with cerebral laceration and contusion, prolonged (more than 24 hours) loss of consciousness, without return to pre-existing conscious level | ICD-9-CM | Diagnosis |
| 800.66 | Open fracture of vault of skull with cerebral laceration and contusion, loss of consciousness of unspecified duration | ICD-9-CM | Diagnosis |
| 800.69 | Open fracture of vault of skull with cerebral laceration and contusion, unspecified concussion | ICD-9-CM | Diagnosis |
| 800.7 | Open fracture of vault of skull with subarachnoid, subdural, and extradural hemorrhage | ICD-9-CM | Diagnosis |
| 800.70 | Open fracture of vault of skull with subarachnoid, subdural, and extradural hemorrhage, unspecified state of consciousness | ICD-9-CM | Diagnosis |
| 800.71 | Open fracture of vault of skull with subarachnoid, subdural, and extradural hemorrhage, no loss of consciousness | ICD-9-CM | Diagnosis |
| 800.72 | Open fracture of vault of skull with subarachnoid, subdural, and extradural hemorrhage, brief (less than one hour) loss of consciousness | ICD-9-CM | Diagnosis |
| 800.73 | Open fracture of vault of skull with subarachnoid, subdural, and extradural hemorrhage, moderate (1-24 hours) loss of consciousness | ICD-9-CM | Diagnosis |

Trauma Exclusion. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM) Diagnosis Codes and Current Procedural Terminology, Fourth Edition (CPT-4) Procedure Codes Used to Define Trauma in this Request

| Code | Description | Code Type | Code Category |
|-------------|--|------------------|----------------------|
| 800.74 | Open fracture of vault of skull with subarachnoid, subdural, and extradural hemorrhage, prolonged (more than 24 hours) loss of consciousness and return to pre-existing conscious level | ICD-9-CM | Diagnosis |
| 800.75 | Open fracture of vault of skull with subarachnoid, subdural, and extradural hemorrhage, prolonged (more than 24 hours) loss of consciousness, without return to pre-existing conscious level | ICD-9-CM | Diagnosis |
| 800.76 | Open fracture of vault of skull with subarachnoid, subdural, and extradural hemorrhage, loss of consciousness of unspecified duration | ICD-9-CM | Diagnosis |
| 800.79 | Open fracture of vault of skull with subarachnoid, subdural, and extradural hemorrhage, unspecified concussion | ICD-9-CM | Diagnosis |
| 800.8 | Open fracture of vault of skull with other and unspecified intracranial hemorrhage | ICD-9-CM | Diagnosis |
| 800.80 | Open fracture of vault of skull with other and unspecified intracranial hemorrhage, unspecified state of consciousness | ICD-9-CM | Diagnosis |
| 800.81 | Open fracture of vault of skull with other and unspecified intracranial hemorrhage, no loss of consciousness | ICD-9-CM | Diagnosis |
| 800.82 | Open fracture of vault of skull with other and unspecified intracranial hemorrhage, brief (less than one hour) loss of consciousness | ICD-9-CM | Diagnosis |
| 800.83 | Open fracture of vault of skull with other and unspecified intracranial hemorrhage, moderate (1-24 hours) loss of consciousness | ICD-9-CM | Diagnosis |
| 800.84 | Open fracture of vault of skull with other and unspecified intracranial hemorrhage, prolonged (more than 24 hours) loss of consciousness and return to pre-existing conscious level | ICD-9-CM | Diagnosis |
| 800.85 | Open fracture of vault of skull with other and unspecified intracranial hemorrhage, prolonged (more than 24 hours) loss of consciousness, without return to pre-existing conscious level | ICD-9-CM | Diagnosis |
| 800.86 | Open fracture of vault of skull with other and unspecified intracranial hemorrhage, loss of consciousness of unspecified duration | ICD-9-CM | Diagnosis |
| 800.89 | Open fracture of vault of skull with other and unspecified intracranial hemorrhage, unspecified concussion | ICD-9-CM | Diagnosis |
| 800.9 | Open fracture of vault of skull with intracranial injury of other and unspecified nature | ICD-9-CM | Diagnosis |
| 800.90 | Open fracture of vault of skull with intracranial injury of other and unspecified nature, unspecified state of consciousness | ICD-9-CM | Diagnosis |
| 800.91 | Open fracture of vault of skull with intracranial injury of other and unspecified nature, no loss of consciousness | ICD-9-CM | Diagnosis |
| 800.92 | Open fracture of vault of skull with intracranial injury of other and unspecified nature, brief (less than one hour) loss of consciousness | ICD-9-CM | Diagnosis |
| 800.93 | Open fracture of vault of skull with intracranial injury of other and unspecified nature, moderate (1-24 hours) loss of consciousness | ICD-9-CM | Diagnosis |
| 800.94 | Open fracture of vault of skull with intracranial injury of other and unspecified nature, prolonged (more than 24 hours) loss of consciousness and return to pre-existing conscious level | ICD-9-CM | Diagnosis |
| 800.95 | Open fracture of vault of skull with intracranial injury of other and unspecified nature, prolonged (more than 24 hours) loss of consciousness, without return to pre-existing conscious level | ICD-9-CM | Diagnosis |
| 800.96 | Open fracture of vault of skull with intracranial injury of other and unspecified nature, loss of consciousness of unspecified duration | ICD-9-CM | Diagnosis |
| 800.99 | Open fracture of vault of skull with intracranial injury of other and unspecified nature, unspecified concussion | ICD-9-CM | Diagnosis |
| 801 | Fracture of base of skull | ICD-9-CM | Diagnosis |

Trauma Exclusion. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM) Diagnosis Codes and Current Procedural Terminology, Fourth Edition (CPT-4) Procedure Codes Used to Define Trauma in this Request

| Code | Description | Code Type | Code Category |
|-------------|--|------------------|----------------------|
| 801.0 | Closed fracture of base of skull without mention of intracranial injury | ICD-9-CM | Diagnosis |
| 801.00 | Closed fracture of base of skull without mention of intracranial injury, unspecified state of consciousness | ICD-9-CM | Diagnosis |
| 801.01 | Closed fracture of base of skull without mention of intracranial injury, no loss of consciousness | ICD-9-CM | Diagnosis |
| 801.02 | Closed fracture of base of skull without mention of intracranial injury, brief (less than one hour) loss of consciousness | ICD-9-CM | Diagnosis |
| 801.03 | Closed fracture of base of skull without mention of intracranial injury, moderate (1-24 hours) loss of consciousness | ICD-9-CM | Diagnosis |
| 801.04 | Closed fracture of base of skull without mention of intracranial injury, prolonged (more than 24 hours) loss of consciousness and return to pre-existing conscious level | ICD-9-CM | Diagnosis |
| 801.05 | Closed fracture of base of skull without mention of intracranial injury, prolonged (more than 24 hours) loss of consciousness, without return to pre-existing conscious level | ICD-9-CM | Diagnosis |
| 801.06 | Closed fracture of base of skull without mention of intracranial injury, loss of consciousness of unspecified duration | ICD-9-CM | Diagnosis |
| 801.09 | Closed fracture of base of skull without mention of intracranial injury, unspecified concussion | ICD-9-CM | Diagnosis |
| 801.1 | Closed fracture of base of skull with cerebral laceration and contusion | ICD-9-CM | Diagnosis |
| 801.10 | Closed fracture of base of skull with cerebral laceration and contusion, unspecified state of consciousness | ICD-9-CM | Diagnosis |
| 801.11 | Closed fracture of base of skull with cerebral laceration and contusion, no loss of consciousness | ICD-9-CM | Diagnosis |
| 801.12 | Closed fracture of base of skull with cerebral laceration and contusion, brief (less than one hour) loss of consciousness | ICD-9-CM | Diagnosis |
| 801.13 | Closed fracture of base of skull with cerebral laceration and contusion, moderate (1-24 hours) loss of consciousness | ICD-9-CM | Diagnosis |
| 801.14 | Closed fracture of base of skull with cerebral laceration and contusion, prolonged (more than 24 hours) loss of consciousness and return to pre-existing conscious level | ICD-9-CM | Diagnosis |
| 801.15 | Closed fracture of base of skull with cerebral laceration and contusion, prolonged (more than 24 hours) loss of consciousness, without return to pre-existing conscious level | ICD-9-CM | Diagnosis |
| 801.16 | Closed fracture of base of skull with cerebral laceration and contusion, loss of consciousness of unspecified duration | ICD-9-CM | Diagnosis |
| 801.19 | Closed fracture of base of skull with cerebral laceration and contusion, unspecified concussion | ICD-9-CM | Diagnosis |
| 801.2 | Closed fracture of base of skull with subarachnoid, subdural, and extradural hemorrhage | ICD-9-CM | Diagnosis |
| 801.20 | Closed fracture of base of skull with subarachnoid, subdural, and extradural hemorrhage, unspecified state of consciousness | ICD-9-CM | Diagnosis |
| 801.21 | Closed fracture of base of skull with subarachnoid, subdural, and extradural hemorrhage, no loss of consciousness | ICD-9-CM | Diagnosis |
| 801.22 | Closed fracture of base of skull with subarachnoid, subdural, and extradural hemorrhage, brief (less than one hour) loss of consciousness | ICD-9-CM | Diagnosis |
| 801.23 | Closed fracture of base of skull with subarachnoid, subdural, and extradural hemorrhage, moderate (1-24 hours) loss of consciousness | ICD-9-CM | Diagnosis |
| 801.24 | Closed fracture of base of skull with subarachnoid, subdural, and extradural hemorrhage, prolonged (more than 24 hours) loss of consciousness and return to pre-existing conscious level | ICD-9-CM | Diagnosis |

Trauma Exclusion. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM) Diagnosis Codes and Current Procedural Terminology, Fourth Edition (CPT-4) Procedure Codes Used to Define Trauma in this Request

| Code | Description | Code Type | Code Category |
|-------------|---|------------------|----------------------|
| 801.25 | Closed fracture of base of skull with subarachnoid, subdural, and extradural hemorrhage, prolonged (more than 24 hours) loss of consciousness, without return to pre-existing conscious level | ICD-9-CM | Diagnosis |
| 801.26 | Closed fracture of base of skull with subarachnoid, subdural, and extradural hemorrhage, loss of consciousness of unspecified duration | ICD-9-CM | Diagnosis |
| 801.29 | Closed fracture of base of skull with subarachnoid, subdural, and extradural hemorrhage, unspecified concussion | ICD-9-CM | Diagnosis |
| 801.3 | Closed fracture of base of skull with other and unspecified intracranial hemorrhage | ICD-9-CM | Diagnosis |
| 801.30 | Closed fracture of base of skull with other and unspecified intracranial hemorrhage, unspecified state of consciousness | ICD-9-CM | Diagnosis |
| 801.31 | Closed fracture of base of skull with other and unspecified intracranial hemorrhage, no loss of consciousness | ICD-9-CM | Diagnosis |
| 801.32 | Closed fracture of base of skull with other and unspecified intracranial hemorrhage, brief (less than one hour) loss of consciousness | ICD-9-CM | Diagnosis |
| 801.33 | Closed fracture of base of skull with other and unspecified intracranial hemorrhage, moderate (1-24 hours) loss of consciousness | ICD-9-CM | Diagnosis |
| 801.34 | Closed fracture of base of skull with other and unspecified intracranial hemorrhage, prolonged (more than 24 hours) loss of consciousness and return to pre-existing conscious level | ICD-9-CM | Diagnosis |
| 801.35 | Closed fracture of base of skull with other and unspecified intracranial hemorrhage, prolonged (more than 24 hours) loss of consciousness, without return to pre-existing conscious level | ICD-9-CM | Diagnosis |
| 801.36 | Closed fracture of base of skull with other and unspecified intracranial hemorrhage, loss of consciousness of unspecified duration | ICD-9-CM | Diagnosis |
| 801.39 | Closed fracture of base of skull with other and unspecified intracranial hemorrhage, unspecified concussion | ICD-9-CM | Diagnosis |
| 801.4 | Closed fracture of base of skull with intracranial injury of other and unspecified nature | ICD-9-CM | Diagnosis |
| 801.40 | Closed fracture of base of skull with intracranial injury of other and unspecified nature, unspecified state of consciousness | ICD-9-CM | Diagnosis |
| 801.41 | Closed fracture of base of skull with intracranial injury of other and unspecified nature, no loss of consciousness | ICD-9-CM | Diagnosis |
| 801.42 | Closed fracture of base of skull with intracranial injury of other and unspecified nature, brief (less than one hour) loss of consciousness | ICD-9-CM | Diagnosis |
| 801.43 | Closed fracture of base of skull with intracranial injury of other and unspecified nature, moderate (1-24 hours) loss of consciousness | ICD-9-CM | Diagnosis |
| 801.44 | Closed fracture of base of skull with intracranial injury of other and unspecified nature, prolonged (more than 24 hours) loss of consciousness and return to pre-existing conscious level | ICD-9-CM | Diagnosis |
| 801.45 | Closed fracture of base of skull with intracranial injury of other and unspecified nature, prolonged (more than 24 hours) loss of consciousness, without return to pre-existing conscious level | ICD-9-CM | Diagnosis |
| 801.46 | Closed fracture of base of skull with intracranial injury of other and unspecified nature, loss of consciousness of unspecified duration | ICD-9-CM | Diagnosis |
| 801.49 | Closed fracture of base of skull with intracranial injury of other and unspecified nature, unspecified concussion | ICD-9-CM | Diagnosis |
| 801.5 | Open fracture of base of skull without mention of intracranial injury | ICD-9-CM | Diagnosis |

Trauma Exclusion. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM) Diagnosis Codes and Current Procedural Terminology, Fourth Edition (CPT-4) Procedure Codes Used to Define Trauma in this Request

| Code | Description | Code Type | Code Category |
|-------------|---|------------------|----------------------|
| 801.50 | Open fracture of base of skull without mention of intracranial injury, unspecified state of consciousness | ICD-9-CM | Diagnosis |
| 801.51 | Open fracture of base of skull without mention of intracranial injury, no loss of consciousness | ICD-9-CM | Diagnosis |
| 801.52 | Open fracture of base of skull without mention of intracranial injury, brief (less than one hour) loss of consciousness | ICD-9-CM | Diagnosis |
| 801.53 | Open fracture of base of skull without mention of intracranial injury, moderate (1-24 hours) loss of consciousness | ICD-9-CM | Diagnosis |
| 801.54 | Open fracture of base of skull without mention of intracranial injury, prolonged (more than 24 hours) loss of consciousness and return to pre-existing conscious level | ICD-9-CM | Diagnosis |
| 801.55 | Open fracture of base of skull without mention of intracranial injury, prolonged (more than 24 hours) loss of consciousness, without return to pre-existing conscious level | ICD-9-CM | Diagnosis |
| 801.56 | Open fracture of base of skull without mention of intracranial injury, loss of consciousness of unspecified duration | ICD-9-CM | Diagnosis |
| 801.59 | Open fracture of base of skull without mention of intracranial injury, unspecified concussion | ICD-9-CM | Diagnosis |
| 801.6 | Open fracture of base of skull with cerebral laceration and contusion | ICD-9-CM | Diagnosis |
| 801.60 | Open fracture of base of skull with cerebral laceration and contusion, unspecified state of consciousness | ICD-9-CM | Diagnosis |
| 801.61 | Open fracture of base of skull with cerebral laceration and contusion, no loss of consciousness | ICD-9-CM | Diagnosis |
| 801.62 | Open fracture of base of skull with cerebral laceration and contusion, brief (less than one hour) loss of consciousness | ICD-9-CM | Diagnosis |
| 801.63 | Open fracture of base of skull with cerebral laceration and contusion, moderate (1-24 hours) loss of consciousness | ICD-9-CM | Diagnosis |
| 801.64 | Open fracture of base of skull with cerebral laceration and contusion, prolonged (more than 24 hours) loss of consciousness and return to pre-existing conscious level | ICD-9-CM | Diagnosis |
| 801.65 | Open fracture of base of skull with cerebral laceration and contusion, prolonged (more than 24 hours) loss of consciousness, without return to pre-existing conscious level | ICD-9-CM | Diagnosis |
| 801.66 | Open fracture of base of skull with cerebral laceration and contusion, loss of consciousness of unspecified duration | ICD-9-CM | Diagnosis |
| 801.69 | Open fracture of base of skull with cerebral laceration and contusion, unspecified concussion | ICD-9-CM | Diagnosis |
| 801.7 | Open fracture of base of skull with subarachnoid, subdural, and extradural hemorrhage | ICD-9-CM | Diagnosis |
| 801.70 | Open fracture of base of skull with subarachnoid, subdural, and extradural hemorrhage, unspecified state of consciousness | ICD-9-CM | Diagnosis |
| 801.71 | Open fracture of base of skull with subarachnoid, subdural, and extradural hemorrhage, no loss of consciousness | ICD-9-CM | Diagnosis |
| 801.72 | Open fracture of base of skull with subarachnoid, subdural, and extradural hemorrhage, brief (less than one hour) loss of consciousness | ICD-9-CM | Diagnosis |
| 801.73 | Open fracture of base of skull with subarachnoid, subdural, and extradural hemorrhage, moderate (1-24 hours) loss of consciousness | ICD-9-CM | Diagnosis |
| 801.74 | Open fracture of base of skull with subarachnoid, subdural, and extradural hemorrhage, prolonged (more than 24 hours) loss of consciousness and return to pre-existing conscious level | ICD-9-CM | Diagnosis |
| 801.75 | Open fracture of base of skull with subarachnoid, subdural, and extradural hemorrhage, prolonged (more than 24 hours) loss of consciousness, without return to pre-existing conscious level | ICD-9-CM | Diagnosis |

Trauma Exclusion. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM) Diagnosis Codes and Current Procedural Terminology, Fourth Edition (CPT-4) Procedure Codes Used to Define Trauma in this Request

| Code | Description | Code Type | Code Category |
|-------------|---|------------------|----------------------|
| 801.76 | Open fracture of base of skull with subarachnoid, subdural, and extradural hemorrhage, loss of consciousness of unspecified duration | ICD-9-CM | Diagnosis |
| 801.79 | Open fracture of base of skull with subarachnoid, subdural, and extradural hemorrhage, unspecified concussion | ICD-9-CM | Diagnosis |
| 801.8 | Open fracture of base of skull with other and unspecified intracranial hemorrhage | ICD-9-CM | Diagnosis |
| 801.80 | Open fracture of base of skull with other and unspecified intracranial hemorrhage, unspecified state of consciousness | ICD-9-CM | Diagnosis |
| 801.81 | Open fracture of base of skull with other and unspecified intracranial hemorrhage, no loss of consciousness | ICD-9-CM | Diagnosis |
| 801.82 | Open fracture of base of skull with other and unspecified intracranial hemorrhage, brief (less than one hour) loss of consciousness | ICD-9-CM | Diagnosis |
| 801.83 | Open fracture of base of skull with other and unspecified intracranial hemorrhage, moderate (1-24 hours) loss of consciousness | ICD-9-CM | Diagnosis |
| 801.84 | Open fracture of base of skull with other and unspecified intracranial hemorrhage, prolonged (more than 24 hours) loss of consciousness and return to pre-existing conscious level | ICD-9-CM | Diagnosis |
| 801.85 | Open fracture of base of skull with other and unspecified intracranial hemorrhage, prolonged (more than 24 hours) loss of consciousness, without return to pre-existing conscious level | ICD-9-CM | Diagnosis |
| 801.86 | Open fracture of base of skull with other and unspecified intracranial hemorrhage, loss of consciousness of unspecified duration | ICD-9-CM | Diagnosis |
| 801.89 | Open fracture of base of skull with other and unspecified intracranial hemorrhage, unspecified concussion | ICD-9-CM | Diagnosis |
| 801.9 | Open fracture of base of skull with intracranial injury of other and unspecified nature | ICD-9-CM | Diagnosis |
| 801.90 | Open fracture of base of skull with intracranial injury of other and unspecified nature, unspecified state of consciousness | ICD-9-CM | Diagnosis |
| 801.91 | Open fracture of base of skull with intracranial injury of other and unspecified nature, no loss of consciousness | ICD-9-CM | Diagnosis |
| 801.92 | Open fracture of base of skull with intracranial injury of other and unspecified nature, brief (less than one hour) loss of consciousness | ICD-9-CM | Diagnosis |
| 801.93 | Open fracture of base of skull with intracranial injury of other and unspecified nature, moderate (1-24 hours) loss of consciousness | ICD-9-CM | Diagnosis |
| 801.94 | Open fracture of base of skull with intracranial injury of other and unspecified nature, prolonged (more than 24 hours) loss of consciousness and return to pre-existing conscious level | ICD-9-CM | Diagnosis |
| 801.95 | Open fracture of base of skull with intracranial injury of other and unspecified nature, prolonged (more than 24 hours) loss of consciousness, without return to pre-existing conscious level | ICD-9-CM | Diagnosis |
| 801.96 | Open fracture of base of skull with intracranial injury of other and unspecified nature, loss of consciousness of unspecified duration | ICD-9-CM | Diagnosis |
| 801.99 | Open fracture of base of skull with intracranial injury of other and unspecified nature, unspecified concussion | ICD-9-CM | Diagnosis |
| 802 | Fracture of face bones | ICD-9-CM | Diagnosis |
| 802.0 | Nasal bones, closed fracture | ICD-9-CM | Diagnosis |
| 802.1 | Nasal bones, open fracture | ICD-9-CM | Diagnosis |
| 802.2 | Mandible, closed fracture | ICD-9-CM | Diagnosis |
| 802.20 | Closed fracture of unspecified site of mandible | ICD-9-CM | Diagnosis |
| 802.21 | Closed fracture of condylar process of mandible | ICD-9-CM | Diagnosis |

Trauma Exclusion. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM) Diagnosis Codes and Current Procedural Terminology, Fourth Edition (CPT-4) Procedure Codes Used to Define Trauma in this Request

| Code | Description | Code Type | Code Category |
|-------------|--|------------------|----------------------|
| 802.22 | Closed fracture of subcondylar process of mandible | ICD-9-CM | Diagnosis |
| 802.23 | Closed fracture of coronoid process of mandible | ICD-9-CM | Diagnosis |
| 802.24 | Closed fracture of unspecified part of ramus of mandible | ICD-9-CM | Diagnosis |
| 802.25 | Closed fracture of angle of jaw | ICD-9-CM | Diagnosis |
| 802.26 | Closed fracture of symphysis of body of mandible | ICD-9-CM | Diagnosis |
| 802.27 | Closed fracture of alveolar border of body of mandible | ICD-9-CM | Diagnosis |
| 802.28 | Closed fracture of other and unspecified part of body of mandible | ICD-9-CM | Diagnosis |
| 802.29 | Closed fracture of multiple sites of mandible | ICD-9-CM | Diagnosis |
| 802.3 | Mandible, open fracture | ICD-9-CM | Diagnosis |
| 802.30 | Open fracture of unspecified site of mandible | ICD-9-CM | Diagnosis |
| 802.31 | Open fracture of condylar process of mandible | ICD-9-CM | Diagnosis |
| 802.32 | Open fracture of subcondylar process of mandible | ICD-9-CM | Diagnosis |
| 802.33 | Open fracture of coronoid process of mandible | ICD-9-CM | Diagnosis |
| 802.34 | Open fracture of unspecified part of ramus of mandible | ICD-9-CM | Diagnosis |
| 802.35 | Open fracture of angle of jaw | ICD-9-CM | Diagnosis |
| 802.36 | Open fracture of symphysis of body of mandible | ICD-9-CM | Diagnosis |
| 802.37 | Open fracture of alveolar border of body of mandible | ICD-9-CM | Diagnosis |
| 802.38 | Open fracture of other and unspecified part of body of mandible | ICD-9-CM | Diagnosis |
| 802.39 | Open fracture of multiple sites of mandible | ICD-9-CM | Diagnosis |
| 802.4 | Malar and maxillary bones, closed fracture | ICD-9-CM | Diagnosis |
| 802.5 | Malar and maxillary bones, open fracture | ICD-9-CM | Diagnosis |
| 802.6 | Orbital floor (blow-out), closed fracture | ICD-9-CM | Diagnosis |
| 802.7 | Orbital floor (blow-out), open fracture | ICD-9-CM | Diagnosis |
| 802.8 | Other facial bones, closed fracture | ICD-9-CM | Diagnosis |
| 802.9 | Other facial bones, open fracture | ICD-9-CM | Diagnosis |
| 803 | Other and unqualified skull fractures | ICD-9-CM | Diagnosis |
| 803.0 | Other closed skull fracture without mention of intracranial injury | ICD-9-CM | Diagnosis |
| 803.00 | Other closed skull fracture without mention of intracranial injury, unspecified state of consciousness | ICD-9-CM | Diagnosis |
| 803.01 | Other closed skull fracture without mention of intracranial injury, no loss of consciousness | ICD-9-CM | Diagnosis |
| 803.02 | Other closed skull fracture without mention of intracranial injury, brief (less than one hour) loss of consciousness | ICD-9-CM | Diagnosis |
| 803.03 | Other closed skull fracture without mention of intracranial injury, moderate (1-24 hours) loss of consciousness | ICD-9-CM | Diagnosis |
| 803.04 | Other closed skull fracture without mention of intracranial injury, prolonged (more than 24 hours) loss of consciousness and return to pre-existing conscious level | ICD-9-CM | Diagnosis |
| 803.05 | Other closed skull fracture without mention of intracranial injury, prolonged (more than 24 hours) loss of consciousness, without return to pre-existing conscious level | ICD-9-CM | Diagnosis |
| 803.06 | Other closed skull fracture without mention of intracranial injury, loss of consciousness of unspecified duration | ICD-9-CM | Diagnosis |
| 803.09 | Other closed skull fracture without mention of intracranial injury, unspecified concussion | ICD-9-CM | Diagnosis |
| 803.1 | Other closed skull fracture with cerebral laceration and contusion | ICD-9-CM | Diagnosis |
| 803.10 | Other closed skull fracture with cerebral laceration and contusion, unspecified state of consciousness | ICD-9-CM | Diagnosis |
| 803.11 | Other closed skull fracture with cerebral laceration and contusion, no loss of consciousness | ICD-9-CM | Diagnosis |
| 803.12 | Other closed skull fracture with cerebral laceration and contusion, brief (less than one hour) loss of consciousness | ICD-9-CM | Diagnosis |

Trauma Exclusion. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM) Diagnosis Codes and Current Procedural Terminology, Fourth Edition (CPT-4) Procedure Codes Used to Define Trauma in this Request

| Code | Description | Code Type | Code Category |
|-------------|--|------------------|----------------------|
| 803.13 | Other closed skull fracture with cerebral laceration and contusion, moderate (1-24 hours) loss of consciousness | ICD-9-CM | Diagnosis |
| 803.14 | Other closed skull fracture with cerebral laceration and contusion, prolonged (more than 24 hours) loss of consciousness and return to pre-existing conscious level | ICD-9-CM | Diagnosis |
| 803.15 | Other closed skull fracture with cerebral laceration and contusion, prolonged (more than 24 hours) loss of consciousness, without return to pre-existing conscious level | ICD-9-CM | Diagnosis |
| 803.16 | Other closed skull fracture with cerebral laceration and contusion, loss of consciousness of unspecified duration | ICD-9-CM | Diagnosis |
| 803.19 | Other closed skull fracture with cerebral laceration and contusion, unspecified concussion | ICD-9-CM | Diagnosis |
| 803.2 | Other closed skull fracture with subarachnoid, subdural, and extradural hemorrhage | ICD-9-CM | Diagnosis |
| 803.20 | Other closed skull fracture with subarachnoid, subdural, and extradural hemorrhage, unspecified state of consciousness | ICD-9-CM | Diagnosis |
| 803.21 | Other closed skull fracture with subarachnoid, subdural, and extradural hemorrhage, no loss of consciousness | ICD-9-CM | Diagnosis |
| 803.22 | Other closed skull fracture with subarachnoid, subdural, and extradural hemorrhage, brief (less than one hour) loss of consciousness | ICD-9-CM | Diagnosis |
| 803.23 | Other closed skull fracture with subarachnoid, subdural, and extradural hemorrhage, moderate (1-24 hours) loss of consciousness | ICD-9-CM | Diagnosis |
| 803.24 | Other closed skull fracture with subarachnoid, subdural, and extradural hemorrhage, prolonged (more than 24 hours) loss of consciousness and return to pre-existing conscious level | ICD-9-CM | Diagnosis |
| 803.25 | Other closed skull fracture with subarachnoid, subdural, and extradural hemorrhage, prolonged (more than 24 hours) loss of consciousness, without return to pre-existing conscious level | ICD-9-CM | Diagnosis |
| 803.26 | Other closed skull fracture with subarachnoid, subdural, and extradural hemorrhage, loss of consciousness of unspecified duration | ICD-9-CM | Diagnosis |
| 803.29 | Other closed skull fracture with subarachnoid, subdural, and extradural hemorrhage, unspecified concussion | ICD-9-CM | Diagnosis |
| 803.3 | Closed skull fracture with other and unspecified intracranial hemorrhage | ICD-9-CM | Diagnosis |
| 803.30 | Other closed skull fracture with other and unspecified intracranial hemorrhage, unspecified state of unconsciousness | ICD-9-CM | Diagnosis |
| 803.31 | Other closed skull fracture with other and unspecified intracranial hemorrhage, no loss of consciousness | ICD-9-CM | Diagnosis |
| 803.32 | Other closed skull fracture with other and unspecified intracranial hemorrhage, brief (less than one hour) loss of consciousness | ICD-9-CM | Diagnosis |
| 803.33 | Other closed skull fracture with other and unspecified intracranial hemorrhage, moderate (1-24 hours) loss of consciousness | ICD-9-CM | Diagnosis |
| 803.34 | Other closed skull fracture with other and unspecified intracranial hemorrhage, prolonged (more than 24 hours) loss of consciousness and return to pre-existing conscious level | ICD-9-CM | Diagnosis |
| 803.35 | Other closed skull fracture with other and unspecified intracranial hemorrhage, prolonged (more than 24 hours) loss of consciousness, without return to pre-existing conscious level | ICD-9-CM | Diagnosis |
| 803.36 | Other closed skull fracture with other and unspecified intracranial hemorrhage, loss of consciousness of unspecified duration | ICD-9-CM | Diagnosis |

Trauma Exclusion. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM) Diagnosis Codes and Current Procedural Terminology, Fourth Edition (CPT-4) Procedure Codes Used to Define Trauma in this Request

| Code | Description | Code Type | Code Category |
|-------------|--|------------------|----------------------|
| 803.39 | Other closed skull fracture with other and unspecified intracranial hemorrhage, unspecified concussion | ICD-9-CM | Diagnosis |
| 803.4 | Other closed skull fracture with intracranial injury of other and unspecified nature | ICD-9-CM | Diagnosis |
| 803.40 | Other closed skull fracture with intracranial injury of other and unspecified nature, unspecified state of consciousness | ICD-9-CM | Diagnosis |
| 803.41 | Other closed skull fracture with intracranial injury of other and unspecified nature, no loss of consciousness | ICD-9-CM | Diagnosis |
| 803.42 | Other closed skull fracture with intracranial injury of other and unspecified nature, brief (less than one hour) loss of consciousness | ICD-9-CM | Diagnosis |
| 803.43 | Other closed skull fracture with intracranial injury of other and unspecified nature, moderate (1-24 hours) loss of consciousness | ICD-9-CM | Diagnosis |
| 803.44 | Other closed skull fracture with intracranial injury of other and unspecified nature, prolonged (more than 24 hours) loss of consciousness and return to pre-existing conscious level | ICD-9-CM | Diagnosis |
| 803.45 | Other closed skull fracture with intracranial injury of other and unspecified nature, prolonged (more than 24 hours) loss of consciousness, without return to pre-existing conscious level | ICD-9-CM | Diagnosis |
| 803.46 | Other closed skull fracture with intracranial injury of other and unspecified nature, loss of consciousness of unspecified duration | ICD-9-CM | Diagnosis |
| 803.49 | Other closed skull fracture with intracranial injury of other and unspecified nature, unspecified concussion | ICD-9-CM | Diagnosis |
| 803.5 | Other open skull fracture without mention of intracranial injury | ICD-9-CM | Diagnosis |
| 803.50 | Other open skull fracture without mention of injury, state of consciousness unspecified | ICD-9-CM | Diagnosis |
| 803.51 | Other open skull fracture without mention of intracranial injury, no loss of consciousness | ICD-9-CM | Diagnosis |
| 803.52 | Other open skull fracture without mention of intracranial injury, brief (less than one hour) loss of consciousness | ICD-9-CM | Diagnosis |
| 803.53 | Other open skull fracture without mention of intracranial injury, moderate (1-24 hours) loss of consciousness | ICD-9-CM | Diagnosis |
| 803.54 | Other open skull fracture without mention of intracranial injury, prolonged (more than 24 hours) loss of consciousness and return to pre-existing conscious level | ICD-9-CM | Diagnosis |
| 803.55 | Other open skull fracture without mention of intracranial injury, prolonged (more than 24 hours) loss of consciousness, without return to pre-existing conscious level | ICD-9-CM | Diagnosis |
| 803.56 | Other open skull fracture without mention of intracranial injury, loss of consciousness of unspecified duration | ICD-9-CM | Diagnosis |
| 803.59 | Other open skull fracture without mention of intracranial injury, unspecified concussion | ICD-9-CM | Diagnosis |
| 803.6 | Other open skull fracture with cerebral laceration and contusion | ICD-9-CM | Diagnosis |
| 803.60 | Other open skull fracture with cerebral laceration and contusion, unspecified state of consciousness | ICD-9-CM | Diagnosis |
| 803.61 | Other open skull fracture with cerebral laceration and contusion, no loss of consciousness | ICD-9-CM | Diagnosis |
| 803.62 | Other open skull fracture with cerebral laceration and contusion, brief (less than one hour) loss of consciousness | ICD-9-CM | Diagnosis |
| 803.63 | Other open skull fracture with cerebral laceration and contusion, moderate (1-24 hours) loss of consciousness | ICD-9-CM | Diagnosis |

Trauma Exclusion. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM) Diagnosis Codes and Current Procedural Terminology, Fourth Edition (CPT-4) Procedure Codes Used to Define Trauma in this Request

| Code | Description | Code Type | Code Category |
|-------------|--|------------------|----------------------|
| 803.64 | Other open skull fracture with cerebral laceration and contusion, prolonged (more than 24 hours) loss of consciousness and return to pre-existing conscious level | ICD-9-CM | Diagnosis |
| 803.65 | Other open skull fracture with cerebral laceration and contusion, prolonged (more than 24 hours) loss of consciousness, without return to pre-existing conscious level | ICD-9-CM | Diagnosis |
| 803.66 | Other open skull fracture with cerebral laceration and contusion, loss of consciousness of unspecified duration | ICD-9-CM | Diagnosis |
| 803.69 | Other open skull fracture with cerebral laceration and contusion, unspecified concussion | ICD-9-CM | Diagnosis |
| 803.7 | Other open skull fracture with subarachnoid, subdural, and extradural hemorrhage | ICD-9-CM | Diagnosis |
| 803.70 | Other open skull fracture with subarachnoid, subdural, and extradural hemorrhage, unspecified state of consciousness | ICD-9-CM | Diagnosis |
| 803.71 | Other open skull fracture with subarachnoid, subdural, and extradural hemorrhage, no loss of consciousness | ICD-9-CM | Diagnosis |
| 803.72 | Other open skull fracture with subarachnoid, subdural, and extradural hemorrhage, brief (less than one hour) loss of consciousness | ICD-9-CM | Diagnosis |
| 803.73 | Other open skull fracture with subarachnoid, subdural, and extradural hemorrhage, moderate (1-24 hours) loss of consciousness | ICD-9-CM | Diagnosis |
| 803.74 | Other open skull fracture with subarachnoid, subdural, and extradural hemorrhage, prolonged (more than 24 hours) loss of consciousness and return to pre-existing conscious level | ICD-9-CM | Diagnosis |
| 803.75 | Other open skull fracture with subarachnoid, subdural, and extradural hemorrhage, prolonged (more than 24 hours) loss of consciousness, without return to pre-existing conscious level | ICD-9-CM | Diagnosis |
| 803.76 | Other open skull fracture with subarachnoid, subdural, and extradural hemorrhage, loss of consciousness of unspecified duration | ICD-9-CM | Diagnosis |
| 803.79 | Other open skull fracture with subarachnoid, subdural, and extradural hemorrhage, unspecified concussion | ICD-9-CM | Diagnosis |
| 803.8 | Other open skull fracture with other and unspecified intracranial hemorrhage | ICD-9-CM | Diagnosis |
| 803.80 | Other open skull fracture with other and unspecified intracranial hemorrhage, unspecified state of consciousness | ICD-9-CM | Diagnosis |
| 803.81 | Other open skull fracture with other and unspecified intracranial hemorrhage, no loss of consciousness | ICD-9-CM | Diagnosis |
| 803.82 | Other open skull fracture with other and unspecified intracranial hemorrhage, brief (less than one hour) loss of consciousness | ICD-9-CM | Diagnosis |
| 803.83 | Other open skull fracture with other and unspecified intracranial hemorrhage, moderate (1-24 hours) loss of consciousness | ICD-9-CM | Diagnosis |
| 803.84 | Other open skull fracture with other and unspecified intracranial hemorrhage, prolonged (more than 24 hours) loss of consciousness and return to pre-existing conscious level | ICD-9-CM | Diagnosis |
| 803.85 | Other open skull fracture with other and unspecified intracranial hemorrhage, prolonged (more than 24 hours) loss of consciousness, without return to pre-existing conscious level | ICD-9-CM | Diagnosis |
| 803.86 | Other open skull fracture with other and unspecified intracranial hemorrhage, loss of consciousness of unspecified duration | ICD-9-CM | Diagnosis |
| 803.89 | Other open skull fracture with other and unspecified intracranial hemorrhage, unspecified concussion | ICD-9-CM | Diagnosis |
| 803.9 | Other open skull fracture with intracranial injury of other and unspecified nature | ICD-9-CM | Diagnosis |

Trauma Exclusion. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM) Diagnosis Codes and Current Procedural Terminology, Fourth Edition (CPT-4) Procedure Codes Used to Define Trauma in this Request

| Code | Description | Code Type | Code Category |
|-------------|---|------------------|----------------------|
| 803.90 | Other open skull fracture with intracranial injury of other and unspecified nature, unspecified state of consciousness | ICD-9-CM | Diagnosis |
| 803.91 | Other open skull fracture with intracranial injury of other and unspecified nature, no loss of consciousness | ICD-9-CM | Diagnosis |
| 803.92 | Other open skull fracture with intracranial injury of other and unspecified nature, brief (less than one hour) loss of consciousness | ICD-9-CM | Diagnosis |
| 803.93 | Other open skull fracture with intracranial injury of other and unspecified nature, moderate (1-24 hours) loss of consciousness | ICD-9-CM | Diagnosis |
| 803.94 | Other open skull fracture with intracranial injury of other and unspecified nature, prolonged (more than 24 hours) loss of consciousness and return to pre-existing conscious level | ICD-9-CM | Diagnosis |
| 803.95 | Other open skull fracture with intracranial injury of other and unspecified nature, prolonged (more than 24 hours) loss of consciousness, without return to pre-existing conscious level | ICD-9-CM | Diagnosis |
| 803.96 | Other open skull fracture with intracranial injury of other and unspecified nature, loss of consciousness of unspecified duration | ICD-9-CM | Diagnosis |
| 803.99 | Other open skull fracture with intracranial injury of other and unspecified nature, unspecified concussion | ICD-9-CM | Diagnosis |
| 804 | Multiple fractures involving skull or face with other bones | ICD-9-CM | Diagnosis |
| 804.0 | Closed fractures involving skull or face with other bones, without mention of intracranial injury | ICD-9-CM | Diagnosis |
| 804.00 | Closed fractures involving skull or face with other bones, without mention of intracranial injury, unspecified state of consciousness | ICD-9-CM | Diagnosis |
| 804.01 | Closed fractures involving skull or face with other bones, without mention of intracranial injury, no loss of consciousness | ICD-9-CM | Diagnosis |
| 804.02 | Closed fractures involving skull or face with other bones, without mention of intracranial injury, brief (less than one hour) loss of consciousness | ICD-9-CM | Diagnosis |
| 804.03 | Closed fractures involving skull or face with other bones, without mention of intracranial injury, moderate (1-24 hours) loss of consciousness | ICD-9-CM | Diagnosis |
| 804.04 | Closed fractures involving skull or face with other bones, without mention or intracranial injury, prolonged (more than 24 hours) loss of consciousness and return to pre-existing conscious level | ICD-9-CM | Diagnosis |
| 804.05 | Closed fractures involving skull of face with other bones, without mention of intracranial injury, prolonged (more than 24 hours) loss of consciousness, without return to pre-existing conscious level | ICD-9-CM | Diagnosis |
| 804.06 | Closed fractures involving skull of face with other bones, without mention of intracranial injury, loss of consciousness of unspecified duration | ICD-9-CM | Diagnosis |
| 804.09 | Closed fractures involving skull of face with other bones, without mention of intracranial injury, unspecified concussion | ICD-9-CM | Diagnosis |
| 804.1 | Closed fractures involving skull or face with other bones, with cerebral laceration and contusion | ICD-9-CM | Diagnosis |
| 804.10 | Closed fractures involving skull or face with other bones, with cerebral laceration and contusion, unspecified state of consciousness | ICD-9-CM | Diagnosis |
| 804.11 | Closed fractures involving skull or face with other bones, with cerebral laceration and contusion, no loss of consciousness | ICD-9-CM | Diagnosis |
| 804.12 | Closed fractures involving skull or face with other bones, with cerebral laceration and contusion, brief (less than one hour) loss of consciousness | ICD-9-CM | Diagnosis |

Trauma Exclusion. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM) Diagnosis Codes and Current Procedural Terminology, Fourth Edition (CPT-4) Procedure Codes Used to Define Trauma in this Request

| Code | Description | Code Type | Code Category |
|-------------|--|------------------|----------------------|
| 804.13 | Closed fractures involving skull or face with other bones, with cerebral laceration and contusion, moderate (1-24 hours) loss of consciousness | ICD-9-CM | Diagnosis |
| 804.14 | Closed fractures involving skull or face with other bones, with cerebral laceration and contusion, prolonged (more than 24 hours) loss of consciousness and return to pre-existing conscious level | ICD-9-CM | Diagnosis |
| 804.15 | Closed fractures involving skull or face with other bones, with cerebral laceration and contusion, prolonged (more than 24 hours) loss of consciousness, without return to pre-existing conscious level | ICD-9-CM | Diagnosis |
| 804.16 | Closed fractures involving skull or face with other bones, with cerebral laceration and contusion, loss of consciousness of unspecified duration | ICD-9-CM | Diagnosis |
| 804.19 | Closed fractures involving skull or face with other bones, with cerebral laceration and contusion, unspecified concussion | ICD-9-CM | Diagnosis |
| 804.2 | Closed fractures involving skull or face with other bones with subarachnoid, subdural, and extradural hemorrhage | ICD-9-CM | Diagnosis |
| 804.20 | Closed fractures involving skull or face with other bones with subarachnoid, subdural, and extradural hemorrhage, unspecified state of consciousness | ICD-9-CM | Diagnosis |
| 804.21 | Closed fractures involving skull or face with other bones with subarachnoid, subdural, and extradural hemorrhage, no loss of consciousness | ICD-9-CM | Diagnosis |
| 804.22 | Closed fractures involving skull or face with other bones with subarachnoid, subdural, and extradural hemorrhage, brief (less than one hour) loss of consciousness | ICD-9-CM | Diagnosis |
| 804.23 | Closed fractures involving skull or face with other bones with subarachnoid, subdural, and extradural hemorrhage, moderate (1-24 hours) loss of consciousness | ICD-9-CM | Diagnosis |
| 804.24 | Closed fractures involving skull or face with other bones with subarachnoid, subdural, and extradural hemorrhage, prolonged (more than 24 hours) loss of consciousness and return to pre-existing conscious level | ICD-9-CM | Diagnosis |
| 804.25 | Closed fractures involving skull or face with other bones with subarachnoid, subdural, and extradural hemorrhage, prolonged (more than 24 hours) loss of consciousness, without return to pre-existing conscious level | ICD-9-CM | Diagnosis |
| 804.26 | Closed fractures involving skull or face with other bones with subarachnoid, subdural, and extradural hemorrhage, loss of consciousness of unspecified duration | ICD-9-CM | Diagnosis |
| 804.29 | Closed fractures involving skull or face with other bones with subarachnoid, subdural, and extradural hemorrhage, unspecified concussion | ICD-9-CM | Diagnosis |
| 804.3 | Closed fractures involving skull or face with other bones, with other and unspecified intracranial hemorrhage | ICD-9-CM | Diagnosis |
| 804.30 | Closed fractures involving skull or face with other bones, with other and unspecified intracranial hemorrhage, unspecified state of consciousness | ICD-9-CM | Diagnosis |
| 804.31 | Closed fractures involving skull or face with other bones, with other and unspecified intracranial hemorrhage, no loss of consciousness | ICD-9-CM | Diagnosis |
| 804.32 | Closed fractures involving skull or face with other bones, with other and unspecified intracranial hemorrhage, brief (less than one hour) loss of consciousness | ICD-9-CM | Diagnosis |
| 804.33 | Closed fractures involving skull or face with other bones, with other and unspecified intracranial hemorrhage, moderate (1-24 hours) loss of consciousness | ICD-9-CM | Diagnosis |

Trauma Exclusion. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM) Diagnosis Codes and Current Procedural Terminology, Fourth Edition (CPT-4) Procedure Codes Used to Define Trauma in this Request

| Code | Description | Code Type | Code Category |
|-------------|---|------------------|----------------------|
| 804.34 | Closed fractures involving skull or face with other bones, with other and unspecified intracranial hemorrhage, prolonged (more than 24 hours) loss of consciousness and return to preexisting conscious level | ICD-9-CM | Diagnosis |
| 804.35 | Closed fractures involving skull or face with other bones, with other and unspecified intracranial hemorrhage, prolonged (more than 24 hours) loss of consciousness, without return to pre-existing conscious level | ICD-9-CM | Diagnosis |
| 804.36 | Closed fractures involving skull or face with other bones, with other and unspecified intracranial hemorrhage, loss of consciousness of unspecified duration | ICD-9-CM | Diagnosis |
| 804.39 | Closed fractures involving skull or face with other bones, with other and unspecified intracranial hemorrhage, unspecified concussion | ICD-9-CM | Diagnosis |
| 804.4 | Closed fractures involving skull or face with other bones, with intracranial injury of other and unspecified nature | ICD-9-CM | Diagnosis |
| 804.40 | Closed fractures involving skull or face with other bones, with intracranial injury of other and unspecified nature, unspecified state of consciousness | ICD-9-CM | Diagnosis |
| 804.41 | Closed fractures involving skull or face with other bones, with intracranial injury of other and unspecified nature, no loss of consciousness | ICD-9-CM | Diagnosis |
| 804.42 | Closed fractures involving skull or face with other bones, with intracranial injury of other and unspecified nature, brief (less than one hour) loss of consciousness | ICD-9-CM | Diagnosis |
| 804.43 | Closed fractures involving skull or face with other bones, with intracranial injury of other and unspecified nature, moderate (1-24 hours) loss of consciousness | ICD-9-CM | Diagnosis |
| 804.44 | Closed fractures involving skull or face with other bones, with intracranial injury of other and unspecified nature, prolonged (more than 24 hours) loss of consciousness and return to pre-existing conscious level | ICD-9-CM | Diagnosis |
| 804.45 | Closed fractures involving skull or face with other bones, with intracranial injury of other and unspecified nature, prolonged (more than 24 hours) loss of consciousness, without return to pre-existing conscious level | ICD-9-CM | Diagnosis |
| 804.46 | Closed fractures involving skull or face with other bones, with intracranial injury of other and unspecified nature, loss of consciousness of unspecified duration | ICD-9-CM | Diagnosis |
| 804.49 | Closed fractures involving skull or face with other bones, with intracranial injury of other and unspecified nature, unspecified concussion | ICD-9-CM | Diagnosis |
| 804.5 | Open fractures involving skull or face with other bones, without mention of intracranial injury | ICD-9-CM | Diagnosis |
| 804.50 | Open fractures involving skull or face with other bones, without mention of intracranial injury, unspecified state of consciousness | ICD-9-CM | Diagnosis |
| 804.51 | Open fractures involving skull or face with other bones, without mention of intracranial injury, no loss of consciousness | ICD-9-CM | Diagnosis |
| 804.52 | Open fractures involving skull or face with other bones, without mention of intracranial injury, brief (less than one hour) loss of consciousness | ICD-9-CM | Diagnosis |
| 804.53 | Open fractures involving skull or face with other bones, without mention of intracranial injury, moderate (1-24 hours) loss of consciousness | ICD-9-CM | Diagnosis |
| 804.54 | Open fractures involving skull or face with other bones, without mention of intracranial injury, prolonged (more than 24 hours) loss of consciousness and return to pre-existing conscious level | ICD-9-CM | Diagnosis |
| 804.55 | Open fractures involving skull or face with other bones, without mention of intracranial injury, prolonged (more than 24 hours) loss of consciousness, without return to pre-existing conscious level | ICD-9-CM | Diagnosis |

Trauma Exclusion. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM) Diagnosis Codes and Current Procedural Terminology, Fourth Edition (CPT-4) Procedure Codes Used to Define Trauma in this Request

| Code | Description | Code Type | Code Category |
|-------------|--|------------------|----------------------|
| 804.56 | Open fractures involving skull or face with other bones, without mention of intracranial injury, loss of consciousness of unspecified duration | ICD-9-CM | Diagnosis |
| 804.59 | Open fractures involving skull or face with other bones, without mention of intracranial injury, unspecified concussion | ICD-9-CM | Diagnosis |
| 804.6 | Open fractures involving skull or face with other bones, with cerebral laceration and contusion | ICD-9-CM | Diagnosis |
| 804.60 | Open fractures involving skull or face with other bones, with cerebral laceration and contusion, unspecified state of consciousness | ICD-9-CM | Diagnosis |
| 804.61 | Open fractures involving skull or face with other bones, with cerebral laceration and contusion, no loss of consciousness | ICD-9-CM | Diagnosis |
| 804.62 | Open fractures involving skull or face with other bones, with cerebral laceration and contusion, brief (less than one hour) loss of consciousness | ICD-9-CM | Diagnosis |
| 804.63 | Open fractures involving skull or face with other bones, with cerebral laceration and contusion, moderate (1-24 hours) loss of consciousness | ICD-9-CM | Diagnosis |
| 804.64 | Open fractures involving skull or face with other bones, with cerebral laceration and contusion, prolonged (more than 24 hours) loss of consciousness and return to pre-existing conscious level | ICD-9-CM | Diagnosis |
| 804.65 | Open fractures involving skull or face with other bones, with cerebral laceration and contusion, prolonged (more than 24 hours) loss of consciousness, without return to pre-existing conscious level | ICD-9-CM | Diagnosis |
| 804.66 | Open fractures involving skull or face with other bones, with cerebral laceration and contusion, loss of consciousness of unspecified duration | ICD-9-CM | Diagnosis |
| 804.69 | Open fractures involving skull or face with other bones, with cerebral laceration and contusion, unspecified concussion | ICD-9-CM | Diagnosis |
| 804.7 | Open fractures involving skull or face with other bones with subarachnoid, subdural, and extradural hemorrhage | ICD-9-CM | Diagnosis |
| 804.70 | Open fractures involving skull or face with other bones with subarachnoid, subdural, and extradural hemorrhage, unspecified state of consciousness | ICD-9-CM | Diagnosis |
| 804.71 | Open fractures involving skull or face with other bones with subarachnoid, subdural, and extradural hemorrhage, no loss of consciousness | ICD-9-CM | Diagnosis |
| 804.72 | Open fractures involving skull or face with other bones with subarachnoid, subdural, and extradural hemorrhage, brief (less than one hour) loss of consciousness | ICD-9-CM | Diagnosis |
| 804.73 | Open fractures involving skull or face with other bones with subarachnoid, subdural, and extradural hemorrhage, moderate (1-24 hours) loss of consciousness | ICD-9-CM | Diagnosis |
| 804.74 | Open fractures involving skull or face with other bones with subarachnoid, subdural, and extradural hemorrhage, prolonged (more than 24 hours) loss of consciousness and return to pre-existing conscious level | ICD-9-CM | Diagnosis |
| 804.75 | Open fractures involving skull or face with other bones with subarachnoid, subdural, and extradural hemorrhage, prolonged (more than 24 hours) loss of consciousness, without return to pre-existing conscious level | ICD-9-CM | Diagnosis |
| 804.76 | Open fractures involving skull or face with other bones with subarachnoid, subdural, and extradural hemorrhage, loss of consciousness of unspecified duration | ICD-9-CM | Diagnosis |
| 804.79 | Open fractures involving skull or face with other bones with subarachnoid, subdural, and extradural hemorrhage, unspecified concussion | ICD-9-CM | Diagnosis |

Trauma Exclusion. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM) Diagnosis Codes and Current Procedural Terminology, Fourth Edition (CPT-4) Procedure Codes Used to Define Trauma in this Request

| Code | Description | Code Type | Code Category |
|-------------|--|------------------|----------------------|
| 804.8 | Open fractures involving skull or face with other bones, with other and unspecified intracranial hemorrhage | ICD-9-CM | Diagnosis |
| 804.80 | Open fractures involving skull or face with other bones, with other and unspecified intracranial hemorrhage, unspecified state of consciousness | ICD-9-CM | Diagnosis |
| 804.81 | Open fractures involving skull or face with other bones, with other and unspecified intracranial hemorrhage, no loss of consciousness | ICD-9-CM | Diagnosis |
| 804.82 | Open fractures involving skull or face with other bones, with other and unspecified intracranial hemorrhage, brief (less than one hour) loss of consciousness | ICD-9-CM | Diagnosis |
| 804.83 | Open fractures involving skull or face with other bones, with other and unspecified intracranial hemorrhage, moderate (1-24 hours) loss of consciousness | ICD-9-CM | Diagnosis |
| 804.84 | Open fractures involving skull or face with other bones, with other and unspecified intracranial hemorrhage, prolonged (more than 24 hours) loss of consciousness and return to pre-existing conscious level | ICD-9-CM | Diagnosis |
| 804.85 | Open fractures involving skull or face with other bones, with other and unspecified intracranial hemorrhage, prolonged (more than 24 hours) loss of consciousness, without return to pre-existing conscious level | ICD-9-CM | Diagnosis |
| 804.86 | Open fractures involving skull or face with other bones, with other and unspecified intracranial hemorrhage, loss of consciousness of unspecified duration | ICD-9-CM | Diagnosis |
| 804.89 | Open fractures involving skull or face with other bones, with other and unspecified intracranial hemorrhage, unspecified concussion | ICD-9-CM | Diagnosis |
| 804.9 | Open fractures involving skull or face with other bones, with intracranial injury of other and unspecified nature | ICD-9-CM | Diagnosis |
| 804.90 | Open fractures involving skull or face with other bones, with intracranial injury of other and unspecified nature, unspecified state of consciousness | ICD-9-CM | Diagnosis |
| 804.91 | Open fractures involving skull or face with other bones, with intracranial injury of other and unspecified nature, no loss of consciousness | ICD-9-CM | Diagnosis |
| 804.92 | Open fractures involving skull or face with other bones, with intracranial injury of other and unspecified nature, brief (less than one hour) loss of consciousness | ICD-9-CM | Diagnosis |
| 804.93 | Open fractures involving skull or face with other bones, with intracranial injury of other and unspecified nature, moderate (1-24 hours) loss of consciousness | ICD-9-CM | Diagnosis |
| 804.94 | Open fractures involving skull or face with other bones, with intracranial injury of other and unspecified nature, prolonged (more than 24 hours) loss of consciousness and return to pre-existing conscious level | ICD-9-CM | Diagnosis |
| 804.95 | Open fractures involving skull or face with other bones, with intracranial injury of other and unspecified nature, prolonged (more than 24 hours) loss of consciousness, without return to pre-existing level | ICD-9-CM | Diagnosis |
| 804.96 | Open fractures involving skull or face with other bones, with intracranial injury of other and unspecified nature, loss of consciousness of unspecified duration | ICD-9-CM | Diagnosis |
| 804.99 | Open fractures involving skull or face with other bones, with intracranial injury of other and unspecified nature, unspecified concussion | ICD-9-CM | Diagnosis |
| 805 | Fracture of vertebral column without mention of spinal cord injury | ICD-9-CM | Diagnosis |
| 805.0 | Closed fracture of cervical vertebra without mention of spinal cord injury | ICD-9-CM | Diagnosis |
| 805.00 | Closed fracture of cervical vertebra, unspecified level without mention of spinal cord injury | ICD-9-CM | Diagnosis |
| 805.01 | Closed fracture of first cervical vertebra without mention of spinal cord injury | ICD-9-CM | Diagnosis |
| 805.02 | Closed fracture of second cervical vertebra without mention of spinal cord injury | ICD-9-CM | Diagnosis |
| 805.03 | Closed fracture of third cervical vertebra without mention of spinal cord injury | ICD-9-CM | Diagnosis |
| 805.04 | Closed fracture of fourth cervical vertebra without mention of spinal cord injury | ICD-9-CM | Diagnosis |

Trauma Exclusion. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM) Diagnosis Codes and Current Procedural Terminology, Fourth Edition (CPT-4) Procedure Codes Used to Define Trauma in this Request

| Code | Description | Code Type | Code Category |
|-------------|---|------------------|----------------------|
| 805.05 | Closed fracture of fifth cervical vertebra without mention of spinal cord injury | ICD-9-CM | Diagnosis |
| 805.06 | Closed fracture of sixth cervical vertebra without mention of spinal cord injury | ICD-9-CM | Diagnosis |
| 805.07 | Closed fracture of seventh cervical vertebra without mention of spinal cord injury | ICD-9-CM | Diagnosis |
| 805.08 | Closed fracture of multiple cervical vertebrae without mention of spinal cord injury | ICD-9-CM | Diagnosis |
| 805.1 | Open fracture of cervical vertebra without mention of spinal cord injury | ICD-9-CM | Diagnosis |
| 805.10 | Open fracture of cervical vertebra, unspecified level without mention of spinal cord injury | ICD-9-CM | Diagnosis |
| 805.11 | Open fracture of first cervical vertebra without mention of spinal cord injury | ICD-9-CM | Diagnosis |
| 805.12 | Open fracture of second cervical vertebra without mention of spinal cord injury | ICD-9-CM | Diagnosis |
| 805.13 | Open fracture of third cervical vertebra without mention of spinal cord injury | ICD-9-CM | Diagnosis |
| 805.14 | Open fracture of fourth cervical vertebra without mention of spinal cord injury | ICD-9-CM | Diagnosis |
| 805.15 | Open fracture of fifth cervical vertebra without mention of spinal cord injury | ICD-9-CM | Diagnosis |
| 805.16 | Open fracture of sixth cervical vertebra without mention of spinal cord injury | ICD-9-CM | Diagnosis |
| 805.17 | Open fracture of seventh cervical vertebra without mention of spinal cord injury | ICD-9-CM | Diagnosis |
| 805.18 | Open fracture of multiple cervical vertebrae without mention of spinal cord injury | ICD-9-CM | Diagnosis |
| 805.2 | Closed fracture of dorsal (thoracic) vertebra without mention of spinal cord injury | ICD-9-CM | Diagnosis |
| 805.3 | Open fracture of dorsal (thoracic) vertebra without mention of spinal cord injury | ICD-9-CM | Diagnosis |
| 805.4 | Closed fracture of lumbar vertebra without mention of spinal cord injury | ICD-9-CM | Diagnosis |
| 805.5 | Open fracture of lumbar vertebra without mention of spinal cord injury | ICD-9-CM | Diagnosis |
| 805.6 | Closed fracture of sacrum and coccyx without mention of spinal cord injury | ICD-9-CM | Diagnosis |
| 805.7 | Open fracture of sacrum and coccyx without mention of spinal cord injury | ICD-9-CM | Diagnosis |
| 805.8 | Closed fracture of unspecified part of vertebral column without mention of spinal cord injury | ICD-9-CM | Diagnosis |
| 805.9 | Open fracture of unspecified part of vertebral column without mention of spinal cord injury | ICD-9-CM | Diagnosis |
| 806 | Fracture of vertebral column with spinal cord injury | ICD-9-CM | Diagnosis |
| 806.0 | Closed fracture of cervical vertebra with spinal cord injury | ICD-9-CM | Diagnosis |
| 806.0 | Closed fracture of cervical vertebra with spinal cord injury | ICD-9-CM | Diagnosis |
| 806.0 | Closed fracture of cervical vertebra with spinal cord injury | ICD-9-CM | Diagnosis |
| 806.00 | Closed fracture of C1-C4 level with unspecified spinal cord injury | ICD-9-CM | Diagnosis |
| 806.00 | Closed fracture of C1-C4 level with unspecified spinal cord injury | ICD-9-CM | Diagnosis |
| 806.00 | Closed fracture of C1-C4 level with unspecified spinal cord injury | ICD-9-CM | Diagnosis |
| 806.01 | Closed fracture of C1-C4 level with complete lesion of cord | ICD-9-CM | Diagnosis |
| 806.01 | Closed fracture of C1-C4 level with complete lesion of cord | ICD-9-CM | Diagnosis |
| 806.01 | Closed fracture of C1-C4 level with complete lesion of cord | ICD-9-CM | Diagnosis |
| 806.02 | Closed fracture of C1-C4 level with anterior cord syndrome | ICD-9-CM | Diagnosis |
| 806.02 | Closed fracture of C1-C4 level with anterior cord syndrome | ICD-9-CM | Diagnosis |
| 806.02 | Closed fracture of C1-C4 level with anterior cord syndrome | ICD-9-CM | Diagnosis |
| 806.03 | Closed fracture of C1-C4 level with central cord syndrome | ICD-9-CM | Diagnosis |
| 806.03 | Closed fracture of C1-C4 level with central cord syndrome | ICD-9-CM | Diagnosis |
| 806.03 | Closed fracture of C1-C4 level with central cord syndrome | ICD-9-CM | Diagnosis |
| 806.04 | Closed fracture of C1-C4 level with other specified spinal cord injury | ICD-9-CM | Diagnosis |
| 806.04 | Closed fracture of C1-C4 level with other specified spinal cord injury | ICD-9-CM | Diagnosis |
| 806.04 | Closed fracture of C1-C4 level with other specified spinal cord injury | ICD-9-CM | Diagnosis |
| 806.05 | Closed fracture of C5-C7 level with unspecified spinal cord injury | ICD-9-CM | Diagnosis |
| 806.05 | Closed fracture of C5-C7 level with unspecified spinal cord injury | ICD-9-CM | Diagnosis |
| 806.05 | Closed fracture of C5-C7 level with unspecified spinal cord injury | ICD-9-CM | Diagnosis |
| 806.06 | Closed fracture of C5-C7 level with complete lesion of cord | ICD-9-CM | Diagnosis |

Trauma Exclusion. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM) Diagnosis Codes and Current Procedural Terminology, Fourth Edition (CPT-4) Procedure Codes Used to Define Trauma in this Request

| Code | Description | Code Type | Code Category |
|-------------|--|------------------|----------------------|
| 806.06 | Closed fracture of C5-C7 level with complete lesion of cord | ICD-9-CM | Diagnosis |
| 806.06 | Closed fracture of C5-C7 level with complete lesion of cord | ICD-9-CM | Diagnosis |
| 806.07 | Closed fracture of C5-C7 level with anterior cord syndrome | ICD-9-CM | Diagnosis |
| 806.07 | Closed fracture of C5-C7 level with anterior cord syndrome | ICD-9-CM | Diagnosis |
| 806.07 | Closed fracture of C5-C7 level with anterior cord syndrome | ICD-9-CM | Diagnosis |
| 806.08 | Closed fracture of C5-C7 level with central cord syndrome | ICD-9-CM | Diagnosis |
| 806.08 | Closed fracture of C5-C7 level with central cord syndrome | ICD-9-CM | Diagnosis |
| 806.08 | Closed fracture of C5-C7 level with central cord syndrome | ICD-9-CM | Diagnosis |
| 806.09 | Closed fracture of C5-C7 level with other specified spinal cord injury | ICD-9-CM | Diagnosis |
| 806.09 | Closed fracture of C5-C7 level with other specified spinal cord injury | ICD-9-CM | Diagnosis |
| 806.09 | Closed fracture of C5-C7 level with other specified spinal cord injury | ICD-9-CM | Diagnosis |
| 806.1 | Open fracture of cervical vertebra with spinal cord injury | ICD-9-CM | Diagnosis |
| 806.1 | Open fracture of cervical vertebra with spinal cord injury | ICD-9-CM | Diagnosis |
| 806.10 | Open fracture of C1-C4 level with unspecified spinal cord injury | ICD-9-CM | Diagnosis |
| 806.10 | Open fracture of C1-C4 level with unspecified spinal cord injury | ICD-9-CM | Diagnosis |
| 806.11 | Open fracture of C1-C4 level with complete lesion of cord | ICD-9-CM | Diagnosis |
| 806.11 | Open fracture of C1-C4 level with complete lesion of cord | ICD-9-CM | Diagnosis |
| 806.12 | Open fracture of C1-C4 level with anterior cord syndrome | ICD-9-CM | Diagnosis |
| 806.12 | Open fracture of C1-C4 level with anterior cord syndrome | ICD-9-CM | Diagnosis |
| 806.13 | Open fracture of C1-C4 level with central cord syndrome | ICD-9-CM | Diagnosis |
| 806.13 | Open fracture of C1-C4 level with central cord syndrome | ICD-9-CM | Diagnosis |
| 806.14 | Open fracture of C1-C4 level with other specified spinal cord injury | ICD-9-CM | Diagnosis |
| 806.14 | Open fracture of C1-C4 level with other specified spinal cord injury | ICD-9-CM | Diagnosis |
| 806.15 | Open fracture of C5-C7 level with unspecified spinal cord injury | ICD-9-CM | Diagnosis |
| 806.15 | Open fracture of C5-C7 level with unspecified spinal cord injury | ICD-9-CM | Diagnosis |
| 806.16 | Open fracture of C5-C7 level with complete lesion of cord | ICD-9-CM | Diagnosis |
| 806.16 | Open fracture of C5-C7 level with complete lesion of cord | ICD-9-CM | Diagnosis |
| 806.17 | Open fracture of C5-C7 level with anterior cord syndrome | ICD-9-CM | Diagnosis |
| 806.17 | Open fracture of C5-C7 level with anterior cord syndrome | ICD-9-CM | Diagnosis |
| 806.18 | Open fracture of C5-C7 level with central cord syndrome | ICD-9-CM | Diagnosis |
| 806.18 | Open fracture of C5-C7 level with central cord syndrome | ICD-9-CM | Diagnosis |
| 806.19 | Open fracture of C5-C7 level with other specified spinal cord injury | ICD-9-CM | Diagnosis |
| 806.19 | Open fracture of C5-C7 level with other specified spinal cord injury | ICD-9-CM | Diagnosis |
| 806.2 | Closed fracture of dorsal (thoracic) vertebra with spinal cord injury | ICD-9-CM | Diagnosis |
| 806.2 | Closed fracture of dorsal (thoracic) vertebra with spinal cord injury | ICD-9-CM | Diagnosis |
| 806.2 | Closed fracture of dorsal (thoracic) vertebra with spinal cord injury | ICD-9-CM | Diagnosis |
| 806.20 | Closed fracture of T1-T6 level with unspecified spinal cord injury | ICD-9-CM | Diagnosis |
| 806.20 | Closed fracture of T1-T6 level with unspecified spinal cord injury | ICD-9-CM | Diagnosis |
| 806.20 | Closed fracture of T1-T6 level with unspecified spinal cord injury | ICD-9-CM | Diagnosis |
| 806.21 | Closed fracture of T1-T6 level with complete lesion of cord | ICD-9-CM | Diagnosis |
| 806.21 | Closed fracture of T1-T6 level with complete lesion of cord | ICD-9-CM | Diagnosis |
| 806.21 | Closed fracture of T1-T6 level with complete lesion of cord | ICD-9-CM | Diagnosis |
| 806.22 | Closed fracture of T1-T6 level with anterior cord syndrome | ICD-9-CM | Diagnosis |
| 806.22 | Closed fracture of T1-T6 level with anterior cord syndrome | ICD-9-CM | Diagnosis |
| 806.22 | Closed fracture of T1-T6 level with anterior cord syndrome | ICD-9-CM | Diagnosis |
| 806.23 | Closed fracture of T1-T6 level with central cord syndrome | ICD-9-CM | Diagnosis |
| 806.23 | Closed fracture of T1-T6 level with central cord syndrome | ICD-9-CM | Diagnosis |
| 806.23 | Closed fracture of T1-T6 level with central cord syndrome | ICD-9-CM | Diagnosis |

Trauma Exclusion. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM) Diagnosis Codes and Current Procedural Terminology, Fourth Edition (CPT-4) Procedure Codes Used to Define Trauma in this Request

| Code | Description | Code Type | Code Category |
|-------------|--|------------------|----------------------|
| 806.24 | Closed fracture of T1-T6 level with other specified spinal cord injury | ICD-9-CM | Diagnosis |
| 806.24 | Closed fracture of T1-T6 level with other specified spinal cord injury | ICD-9-CM | Diagnosis |
| 806.24 | Closed fracture of T1-T6 level with other specified spinal cord injury | ICD-9-CM | Diagnosis |
| 806.25 | Closed fracture of T7-T12 level with unspecified spinal cord injury | ICD-9-CM | Diagnosis |
| 806.25 | Closed fracture of T7-T12 level with unspecified spinal cord injury | ICD-9-CM | Diagnosis |
| 806.25 | Closed fracture of T7-T12 level with unspecified spinal cord injury | ICD-9-CM | Diagnosis |
| 806.26 | Closed fracture of T7-T12 level with complete lesion of cord | ICD-9-CM | Diagnosis |
| 806.26 | Closed fracture of T7-T12 level with complete lesion of cord | ICD-9-CM | Diagnosis |
| 806.26 | Closed fracture of T7-T12 level with complete lesion of cord | ICD-9-CM | Diagnosis |
| 806.27 | Closed fracture of T7-T12 level with anterior cord syndrome | ICD-9-CM | Diagnosis |
| 806.27 | Closed fracture of T7-T12 level with anterior cord syndrome | ICD-9-CM | Diagnosis |
| 806.27 | Closed fracture of T7-T12 level with anterior cord syndrome | ICD-9-CM | Diagnosis |
| 806.28 | Closed fracture of T7-T12 level with central cord syndrome | ICD-9-CM | Diagnosis |
| 806.28 | Closed fracture of T7-T12 level with central cord syndrome | ICD-9-CM | Diagnosis |
| 806.28 | Closed fracture of T7-T12 level with central cord syndrome | ICD-9-CM | Diagnosis |
| 806.29 | Closed fracture of T7-T12 level with other specified spinal cord injury | ICD-9-CM | Diagnosis |
| 806.29 | Closed fracture of T7-T12 level with other specified spinal cord injury | ICD-9-CM | Diagnosis |
| 806.29 | Closed fracture of T7-T12 level with other specified spinal cord injury | ICD-9-CM | Diagnosis |
| 806.3 | Open fracture of dorsal vertebra with spinal cord injury | ICD-9-CM | Diagnosis |
| 806.3 | Open fracture of dorsal vertebra with spinal cord injury | ICD-9-CM | Diagnosis |
| 806.30 | Open fracture of T1-T6 level with unspecified spinal cord injury | ICD-9-CM | Diagnosis |
| 806.30 | Open fracture of T1-T6 level with unspecified spinal cord injury | ICD-9-CM | Diagnosis |
| 806.31 | Open fracture of T1-T6 level with complete lesion of cord | ICD-9-CM | Diagnosis |
| 806.31 | Open fracture of T1-T6 level with complete lesion of cord | ICD-9-CM | Diagnosis |
| 806.32 | Open fracture of T1-T6 level with anterior cord syndrome | ICD-9-CM | Diagnosis |
| 806.32 | Open fracture of T1-T6 level with anterior cord syndrome | ICD-9-CM | Diagnosis |
| 806.33 | Open fracture of T1-T6 level with central cord syndrome | ICD-9-CM | Diagnosis |
| 806.33 | Open fracture of T1-T6 level with central cord syndrome | ICD-9-CM | Diagnosis |
| 806.34 | Open fracture of T1-T6 level with other specified spinal cord injury | ICD-9-CM | Diagnosis |
| 806.34 | Open fracture of T1-T6 level with other specified spinal cord injury | ICD-9-CM | Diagnosis |
| 806.35 | Open fracture of T7-T12 level with unspecified spinal cord injury | ICD-9-CM | Diagnosis |
| 806.35 | Open fracture of T7-T12 level with unspecified spinal cord injury | ICD-9-CM | Diagnosis |
| 806.36 | Open fracture of T7-T12 level with complete lesion of cord | ICD-9-CM | Diagnosis |
| 806.36 | Open fracture of T7-T12 level with complete lesion of cord | ICD-9-CM | Diagnosis |
| 806.37 | Open fracture of T7-T12 level with anterior cord syndrome | ICD-9-CM | Diagnosis |
| 806.37 | Open fracture of T7-T12 level with anterior cord syndrome | ICD-9-CM | Diagnosis |
| 806.38 | Open fracture of T7-T12 level with central cord syndrome | ICD-9-CM | Diagnosis |
| 806.38 | Open fracture of T7-T12 level with central cord syndrome | ICD-9-CM | Diagnosis |
| 806.39 | Open fracture of T7-T12 level with other specified spinal cord injury | ICD-9-CM | Diagnosis |
| 806.39 | Open fracture of T7-T12 level with other specified spinal cord injury | ICD-9-CM | Diagnosis |
| 806.4 | Closed fracture of lumbar spine with spinal cord injury | ICD-9-CM | Diagnosis |
| 806.4 | Closed fracture of lumbar spine with spinal cord injury | ICD-9-CM | Diagnosis |
| 806.5 | Open fracture of lumbar spine with spinal cord injury | ICD-9-CM | Diagnosis |
| 806.5 | Open fracture of lumbar spine with spinal cord injury | ICD-9-CM | Diagnosis |
| 806.6 | Closed fracture of sacrum and coccyx with spinal cord injury | ICD-9-CM | Diagnosis |
| 806.6 | Closed fracture of sacrum and coccyx with spinal cord injury | ICD-9-CM | Diagnosis |
| 806.60 | Closed fracture of sacrum and coccyx with unspecified spinal cord injury | ICD-9-CM | Diagnosis |
| 806.60 | Closed fracture of sacrum and coccyx with unspecified spinal cord injury | ICD-9-CM | Diagnosis |

Trauma Exclusion. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM) Diagnosis Codes and Current Procedural Terminology, Fourth Edition (CPT-4) Procedure Codes Used to Define Trauma in this Request

| Code | Description | Code Type | Code Category |
|-------------|--|------------------|----------------------|
| 806.61 | Closed fracture of sacrum and coccyx with complete cauda equina lesion | ICD-9-CM | Diagnosis |
| 806.61 | Closed fracture of sacrum and coccyx with complete cauda equina lesion | ICD-9-CM | Diagnosis |
| 806.62 | Closed fracture of sacrum and coccyx with other cauda equina injury | ICD-9-CM | Diagnosis |
| 806.62 | Closed fracture of sacrum and coccyx with other cauda equina injury | ICD-9-CM | Diagnosis |
| 806.69 | Closed fracture of sacrum and coccyx with other spinal cord injury | ICD-9-CM | Diagnosis |
| 806.69 | Closed fracture of sacrum and coccyx with other spinal cord injury | ICD-9-CM | Diagnosis |
| 806.7 | Open fracture of sacrum and coccyx with spinal cord injury | ICD-9-CM | Diagnosis |
| 806.7 | Open fracture of sacrum and coccyx with spinal cord injury | ICD-9-CM | Diagnosis |
| 806.70 | Open fracture of sacrum and coccyx with unspecified spinal cord injury | ICD-9-CM | Diagnosis |
| 806.70 | Open fracture of sacrum and coccyx with unspecified spinal cord injury | ICD-9-CM | Diagnosis |
| 806.71 | Open fracture of sacrum and coccyx with complete cauda equina lesion | ICD-9-CM | Diagnosis |
| 806.71 | Open fracture of sacrum and coccyx with complete cauda equina lesion | ICD-9-CM | Diagnosis |
| 806.72 | Open fracture of sacrum and coccyx with other cauda equina injury | ICD-9-CM | Diagnosis |
| 806.72 | Open fracture of sacrum and coccyx with other cauda equina injury | ICD-9-CM | Diagnosis |
| 806.79 | Open fracture of sacrum and coccyx with other spinal cord injury | ICD-9-CM | Diagnosis |
| 806.79 | Open fracture of sacrum and coccyx with other spinal cord injury | ICD-9-CM | Diagnosis |
| 806.8 | Closed fracture of unspecified vertebra with spinal cord injury | ICD-9-CM | Diagnosis |
| 806.8 | Closed fracture of unspecified vertebra with spinal cord injury | ICD-9-CM | Diagnosis |
| 806.9 | Open fracture of unspecified vertebra with spinal cord injury | ICD-9-CM | Diagnosis |
| 806.9 | Open fracture of unspecified vertebra with spinal cord injury | ICD-9-CM | Diagnosis |
| 807 | Fracture of rib(s), sternum, larynx, and trachea | ICD-9-CM | Diagnosis |
| 807.0 | Closed fracture of rib(s) | ICD-9-CM | Diagnosis |
| 807.00 | Closed fracture of rib(s), unspecified | ICD-9-CM | Diagnosis |
| 807.01 | Closed fracture of one rib | ICD-9-CM | Diagnosis |
| 807.02 | Closed fracture of two ribs | ICD-9-CM | Diagnosis |
| 807.03 | Closed fracture of three ribs | ICD-9-CM | Diagnosis |
| 807.04 | Closed fracture of four ribs | ICD-9-CM | Diagnosis |
| 807.05 | Closed fracture of five ribs | ICD-9-CM | Diagnosis |
| 807.06 | Closed fracture of six ribs | ICD-9-CM | Diagnosis |
| 807.07 | Closed fracture of seven ribs | ICD-9-CM | Diagnosis |
| 807.08 | Closed fracture of eight or more ribs | ICD-9-CM | Diagnosis |
| 807.09 | Closed fracture of multiple ribs, unspecified | ICD-9-CM | Diagnosis |
| 807.1 | Open fracture of rib(s) | ICD-9-CM | Diagnosis |
| 807.10 | Open fracture of rib(s), unspecified | ICD-9-CM | Diagnosis |
| 807.11 | Open fracture of one rib | ICD-9-CM | Diagnosis |
| 807.12 | Open fracture of two ribs | ICD-9-CM | Diagnosis |
| 807.13 | Open fracture of three ribs | ICD-9-CM | Diagnosis |
| 807.14 | Open fracture of four ribs | ICD-9-CM | Diagnosis |
| 807.15 | Open fracture of five ribs | ICD-9-CM | Diagnosis |
| 807.16 | Open fracture of six ribs | ICD-9-CM | Diagnosis |
| 807.17 | Open fracture of seven ribs | ICD-9-CM | Diagnosis |
| 807.18 | Open fracture of eight or more ribs | ICD-9-CM | Diagnosis |
| 807.19 | Open fracture of multiple ribs, unspecified | ICD-9-CM | Diagnosis |
| 807.2 | Closed fracture of sternum | ICD-9-CM | Diagnosis |
| 807.3 | Open fracture of sternum | ICD-9-CM | Diagnosis |
| 807.4 | Flail chest | ICD-9-CM | Diagnosis |
| 807.4 | Flail chest | ICD-9-CM | Diagnosis |
| 807.5 | Closed fracture of larynx and trachea | ICD-9-CM | Diagnosis |

Trauma Exclusion. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM) Diagnosis Codes and Current Procedural Terminology, Fourth Edition (CPT-4) Procedure Codes Used to Define Trauma in this Request

| Code | Description | Code Type | Code Category |
|-------------|--|------------------|----------------------|
| 807.6 | Open fracture of larynx and trachea | ICD-9-CM | Diagnosis |
| 808 | Fracture of pelvis | ICD-9-CM | Diagnosis |
| 808 | Fracture of pelvis | ICD-9-CM | Diagnosis |
| 808.0 | Closed fracture of acetabulum | ICD-9-CM | Diagnosis |
| 808.0 | Closed fracture of acetabulum | ICD-9-CM | Diagnosis |
| 808.1 | Open fracture of acetabulum | ICD-9-CM | Diagnosis |
| 808.1 | Open fracture of acetabulum | ICD-9-CM | Diagnosis |
| 808.2 | Closed fracture of pubis | ICD-9-CM | Diagnosis |
| 808.2 | Closed fracture of pubis | ICD-9-CM | Diagnosis |
| 808.3 | Open fracture of pubis | ICD-9-CM | Diagnosis |
| 808.3 | Open fracture of pubis | ICD-9-CM | Diagnosis |
| 808.4 | Closed fracture of other specified part of pelvis | ICD-9-CM | Diagnosis |
| 808.4 | Closed fracture of other specified part of pelvis | ICD-9-CM | Diagnosis |
| 808.41 | Closed fracture of ilium | ICD-9-CM | Diagnosis |
| 808.41 | Closed fracture of ilium | ICD-9-CM | Diagnosis |
| 808.42 | Closed fracture of ischium | ICD-9-CM | Diagnosis |
| 808.42 | Closed fracture of ischium | ICD-9-CM | Diagnosis |
| 808.43 | Multiple closed pelvic fractures with disruption of pelvic circle | ICD-9-CM | Diagnosis |
| 808.43 | Multiple closed pelvic fractures with disruption of pelvic circle | ICD-9-CM | Diagnosis |
| 808.44 | Multiple closed pelvic fractures without disruption of pelvic circle | ICD-9-CM | Diagnosis |
| 808.44 | Multiple closed pelvic fractures without disruption of pelvic circle | ICD-9-CM | Diagnosis |
| 808.49 | Closed fracture of other specified part of pelvis | ICD-9-CM | Diagnosis |
| 808.49 | Closed fracture of other specified part of pelvis | ICD-9-CM | Diagnosis |
| 808.5 | Open fracture of other specified part of pelvis | ICD-9-CM | Diagnosis |
| 808.5 | Open fracture of other specified part of pelvis | ICD-9-CM | Diagnosis |
| 808.51 | Open fracture of ilium | ICD-9-CM | Diagnosis |
| 808.51 | Open fracture of ilium | ICD-9-CM | Diagnosis |
| 808.52 | Open fracture of ischium | ICD-9-CM | Diagnosis |
| 808.52 | Open fracture of ischium | ICD-9-CM | Diagnosis |
| 808.53 | Multiple open pelvic fractures with disruption of pelvic circle | ICD-9-CM | Diagnosis |
| 808.53 | Multiple open pelvic fractures with disruption of pelvic circle | ICD-9-CM | Diagnosis |
| 808.54 | Multiple open pelvic fractures without disruption of pelvic circle | ICD-9-CM | Diagnosis |
| 808.54 | Multiple open pelvic fractures without disruption of pelvic circle | ICD-9-CM | Diagnosis |
| 808.59 | Open fracture of other specified part of pelvis | ICD-9-CM | Diagnosis |
| 808.59 | Open fracture of other specified part of pelvis | ICD-9-CM | Diagnosis |
| 808.8 | Unspecified closed fracture of pelvis | ICD-9-CM | Diagnosis |
| 808.8 | Unspecified closed fracture of pelvis | ICD-9-CM | Diagnosis |
| 808.9 | Unspecified open fracture of pelvis | ICD-9-CM | Diagnosis |
| 808.9 | Unspecified open fracture of pelvis | ICD-9-CM | Diagnosis |
| 809 | Ill-defined fractures of bones of trunk | ICD-9-CM | Diagnosis |
| 809.0 | Fracture of bones of trunk, closed | ICD-9-CM | Diagnosis |
| 809.1 | Fracture of bones of trunk, open | ICD-9-CM | Diagnosis |
| 810 | Fracture of clavicle | ICD-9-CM | Diagnosis |
| 810.0 | Closed fracture of clavicle | ICD-9-CM | Diagnosis |
| 810.00 | Unspecified part of closed fracture of clavicle | ICD-9-CM | Diagnosis |
| 810.01 | Closed fracture of sternal end of clavicle | ICD-9-CM | Diagnosis |
| 810.02 | Closed fracture of shaft of clavicle | ICD-9-CM | Diagnosis |
| 810.03 | Closed fracture of acromial end of clavicle | ICD-9-CM | Diagnosis |

Trauma Exclusion. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM) Diagnosis Codes and Current Procedural Terminology, Fourth Edition (CPT-4) Procedure Codes Used to Define Trauma in this Request

| Code | Description | Code Type | Code Category |
|-------------|---|------------------|----------------------|
| 810.1 | Open fracture of clavicle | ICD-9-CM | Diagnosis |
| 810.10 | Unspecified part of open fracture of clavicle | ICD-9-CM | Diagnosis |
| 810.11 | Open fracture of sternal end of clavicle | ICD-9-CM | Diagnosis |
| 810.12 | Open fracture of shaft of clavicle | ICD-9-CM | Diagnosis |
| 810.13 | Open fracture of acromial end of clavicle | ICD-9-CM | Diagnosis |
| 811 | Fracture of scapula | ICD-9-CM | Diagnosis |
| 811.0 | Closed fracture of scapula | ICD-9-CM | Diagnosis |
| 811.00 | Closed fracture of unspecified part of scapula | ICD-9-CM | Diagnosis |
| 811.01 | Closed fracture of acromial process of scapula | ICD-9-CM | Diagnosis |
| 811.02 | Closed fracture of coracoid process of scapula | ICD-9-CM | Diagnosis |
| 811.03 | Closed fracture of glenoid cavity and neck of scapula | ICD-9-CM | Diagnosis |
| 811.09 | Closed fracture of other part of scapula | ICD-9-CM | Diagnosis |
| 811.1 | Open fracture of scapula | ICD-9-CM | Diagnosis |
| 811.10 | Open fracture of unspecified part of scapula | ICD-9-CM | Diagnosis |
| 811.11 | Open fracture of acromial process of scapula | ICD-9-CM | Diagnosis |
| 811.12 | Open fracture of coracoid process | ICD-9-CM | Diagnosis |
| 811.13 | Open fracture of glenoid cavity and neck of scapula | ICD-9-CM | Diagnosis |
| 811.19 | Open fracture of other part of scapula | ICD-9-CM | Diagnosis |
| 812 | Fracture of humerus | ICD-9-CM | Diagnosis |
| 812 | Fracture of humerus | ICD-9-CM | Diagnosis |
| 812.0 | Closed fracture of upper end of humerus | ICD-9-CM | Diagnosis |
| 812.0 | Closed fracture of upper end of humerus | ICD-9-CM | Diagnosis |
| 812.00 | Closed fracture of unspecified part of upper end of humerus | ICD-9-CM | Diagnosis |
| 812.00 | Closed fracture of unspecified part of upper end of humerus | ICD-9-CM | Diagnosis |
| 812.01 | Closed fracture of surgical neck of humerus | ICD-9-CM | Diagnosis |
| 812.01 | Closed fracture of surgical neck of humerus | ICD-9-CM | Diagnosis |
| 812.02 | Closed fracture of anatomical neck of humerus | ICD-9-CM | Diagnosis |
| 812.02 | Closed fracture of anatomical neck of humerus | ICD-9-CM | Diagnosis |
| 812.03 | Closed fracture of greater tuberosity of humerus | ICD-9-CM | Diagnosis |
| 812.03 | Closed fracture of greater tuberosity of humerus | ICD-9-CM | Diagnosis |
| 812.09 | Other closed fractures of upper end of humerus | ICD-9-CM | Diagnosis |
| 812.09 | Other closed fractures of upper end of humerus | ICD-9-CM | Diagnosis |
| 812.1 | Open fracture of upper end of humerus | ICD-9-CM | Diagnosis |
| 812.1 | Open fracture of upper end of humerus | ICD-9-CM | Diagnosis |
| 812.10 | Open fracture of unspecified part of upper end of humerus | ICD-9-CM | Diagnosis |
| 812.10 | Open fracture of unspecified part of upper end of humerus | ICD-9-CM | Diagnosis |
| 812.11 | Open fracture of surgical neck of humerus | ICD-9-CM | Diagnosis |
| 812.11 | Open fracture of surgical neck of humerus | ICD-9-CM | Diagnosis |
| 812.12 | Open fracture of anatomical neck of humerus | ICD-9-CM | Diagnosis |
| 812.12 | Open fracture of anatomical neck of humerus | ICD-9-CM | Diagnosis |
| 812.13 | Open fracture of greater tuberosity of humerus | ICD-9-CM | Diagnosis |
| 812.13 | Open fracture of greater tuberosity of humerus | ICD-9-CM | Diagnosis |
| 812.19 | Other open fracture of upper end of humerus | ICD-9-CM | Diagnosis |
| 812.19 | Other open fracture of upper end of humerus | ICD-9-CM | Diagnosis |
| 812.2 | Closed fracture of shaft or unspecified part of humerus | ICD-9-CM | Diagnosis |
| 812.2 | Closed fracture of shaft or unspecified part of humerus | ICD-9-CM | Diagnosis |
| 812.20 | Closed fracture of unspecified part of humerus | ICD-9-CM | Diagnosis |
| 812.20 | Closed fracture of unspecified part of humerus | ICD-9-CM | Diagnosis |

Trauma Exclusion. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM) Diagnosis Codes and Current Procedural Terminology, Fourth Edition (CPT-4) Procedure Codes Used to Define Trauma in this Request

| Code | Description | Code Type | Code Category |
|-------------|--|------------------|----------------------|
| 812.21 | Closed fracture of shaft of humerus | ICD-9-CM | Diagnosis |
| 812.21 | Closed fracture of shaft of humerus | ICD-9-CM | Diagnosis |
| 812.3 | Open fracture of shaft or unspecified part of humerus | ICD-9-CM | Diagnosis |
| 812.3 | Open fracture of shaft or unspecified part of humerus | ICD-9-CM | Diagnosis |
| 812.30 | Open fracture of unspecified part of humerus | ICD-9-CM | Diagnosis |
| 812.30 | Open fracture of unspecified part of humerus | ICD-9-CM | Diagnosis |
| 812.31 | Open fracture of shaft of humerus | ICD-9-CM | Diagnosis |
| 812.31 | Open fracture of shaft of humerus | ICD-9-CM | Diagnosis |
| 812.4 | Closed fracture of lower end of humerus | ICD-9-CM | Diagnosis |
| 812.4 | Closed fracture of lower end of humerus | ICD-9-CM | Diagnosis |
| 812.40 | Closed fracture of unspecified part of lower end of humerus | ICD-9-CM | Diagnosis |
| 812.40 | Closed fracture of unspecified part of lower end of humerus | ICD-9-CM | Diagnosis |
| 812.41 | Closed fracture of supracondylar humerus | ICD-9-CM | Diagnosis |
| 812.41 | Closed fracture of supracondylar humerus | ICD-9-CM | Diagnosis |
| 812.42 | Closed fracture of lateral condyle of humerus | ICD-9-CM | Diagnosis |
| 812.42 | Closed fracture of lateral condyle of humerus | ICD-9-CM | Diagnosis |
| 812.43 | Closed fracture of medial condyle of humerus | ICD-9-CM | Diagnosis |
| 812.43 | Closed fracture of medial condyle of humerus | ICD-9-CM | Diagnosis |
| 812.44 | Closed fracture of unspecified condyle(s) of humerus | ICD-9-CM | Diagnosis |
| 812.44 | Closed fracture of unspecified condyle(s) of humerus | ICD-9-CM | Diagnosis |
| 812.49 | Other closed fracture of lower end of humerus | ICD-9-CM | Diagnosis |
| 812.49 | Other closed fracture of lower end of humerus | ICD-9-CM | Diagnosis |
| 812.5 | Open fracture of lower end of humerus | ICD-9-CM | Diagnosis |
| 812.5 | Open fracture of lower end of humerus | ICD-9-CM | Diagnosis |
| 812.50 | Open fracture of unspecified part of lower end of humerus | ICD-9-CM | Diagnosis |
| 812.50 | Open fracture of unspecified part of lower end of humerus | ICD-9-CM | Diagnosis |
| 812.51 | Open fracture of supracondylar humerus | ICD-9-CM | Diagnosis |
| 812.51 | Open fracture of supracondylar humerus | ICD-9-CM | Diagnosis |
| 812.52 | Open fracture of lateral condyle of humerus | ICD-9-CM | Diagnosis |
| 812.52 | Open fracture of lateral condyle of humerus | ICD-9-CM | Diagnosis |
| 812.53 | Open fracture of medial condyle of humerus | ICD-9-CM | Diagnosis |
| 812.53 | Open fracture of medial condyle of humerus | ICD-9-CM | Diagnosis |
| 812.54 | Open fracture of unspecified condyle(s) of humerus | ICD-9-CM | Diagnosis |
| 812.54 | Open fracture of unspecified condyle(s) of humerus | ICD-9-CM | Diagnosis |
| 812.59 | Other open fracture of lower end of humerus | ICD-9-CM | Diagnosis |
| 812.59 | Other open fracture of lower end of humerus | ICD-9-CM | Diagnosis |
| 813 | Fracture of radius and ulna | ICD-9-CM | Diagnosis |
| 813.0 | Closed fracture of upper end of radius and ulna | ICD-9-CM | Diagnosis |
| 813.00 | Unspecified fracture of radius and ulna, upper end of forearm, closed | ICD-9-CM | Diagnosis |
| 813.01 | Closed fracture of olecranon process of ulna | ICD-9-CM | Diagnosis |
| 813.02 | Closed fracture of coronoid process of ulna | ICD-9-CM | Diagnosis |
| 813.03 | Closed Monteggia's fracture | ICD-9-CM | Diagnosis |
| 813.04 | Other and unspecified closed fractures of proximal end of ulna (alone) | ICD-9-CM | Diagnosis |
| 813.05 | Closed fracture of head of radius | ICD-9-CM | Diagnosis |
| 813.06 | Closed fracture of neck of radius | ICD-9-CM | Diagnosis |
| 813.07 | Other and unspecified closed fractures of proximal end of radius (alone) | ICD-9-CM | Diagnosis |
| 813.08 | Closed fracture of radius with ulna, upper end (any part) | ICD-9-CM | Diagnosis |
| 813.1 | Open fracture of upper end of radius and ulna | ICD-9-CM | Diagnosis |

Trauma Exclusion. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM) Diagnosis Codes and Current Procedural Terminology, Fourth Edition (CPT-4) Procedure Codes Used to Define Trauma in this Request

| Code | Description | Code Type | Code Category |
|-------------|--|------------------|----------------------|
| 813.10 | Unspecified open fracture of upper end of forearm | ICD-9-CM | Diagnosis |
| 813.11 | Open fracture of olecranon process of ulna | ICD-9-CM | Diagnosis |
| 813.12 | Open fracture of coronoid process of ulna | ICD-9-CM | Diagnosis |
| 813.13 | Open Monteggia's fracture | ICD-9-CM | Diagnosis |
| 813.14 | Other and unspecified open fractures of proximal end of ulna (alone) | ICD-9-CM | Diagnosis |
| 813.15 | Open fracture of head of radius | ICD-9-CM | Diagnosis |
| 813.16 | Open fracture of neck of radius | ICD-9-CM | Diagnosis |
| 813.17 | Other and unspecified open fractures of proximal end of radius (alone) | ICD-9-CM | Diagnosis |
| 813.18 | Open fracture of radius with ulna, upper end (any part) | ICD-9-CM | Diagnosis |
| 813.2 | Closed fracture of shaft of radius and ulna | ICD-9-CM | Diagnosis |
| 813.20 | Unspecified closed fracture of shaft of radius or ulna | ICD-9-CM | Diagnosis |
| 813.21 | Closed fracture of shaft of radius (alone) | ICD-9-CM | Diagnosis |
| 813.22 | Closed fracture of shaft of ulna (alone) | ICD-9-CM | Diagnosis |
| 813.23 | Closed fracture of shaft of radius with ulna | ICD-9-CM | Diagnosis |
| 813.3 | Open fracture of shaft of radius and ulna | ICD-9-CM | Diagnosis |
| 813.30 | Unspecified open fracture of shaft of radius or ulna | ICD-9-CM | Diagnosis |
| 813.31 | Open fracture of shaft of radius (alone) | ICD-9-CM | Diagnosis |
| 813.32 | Open fracture of shaft of ulna (alone) | ICD-9-CM | Diagnosis |
| 813.33 | Open fracture of shaft of radius with ulna | ICD-9-CM | Diagnosis |
| 813.4 | Closed fracture of lower end of radius and ulna | ICD-9-CM | Diagnosis |
| 813.40 | Unspecified closed fracture of lower end of forearm | ICD-9-CM | Diagnosis |
| 813.41 | Closed Colles' fracture | ICD-9-CM | Diagnosis |
| 813.42 | Other closed fractures of distal end of radius (alone) | ICD-9-CM | Diagnosis |
| 813.43 | Closed fracture of distal end of ulna (alone) | ICD-9-CM | Diagnosis |
| 813.44 | Closed fracture of lower end of radius with ulna | ICD-9-CM | Diagnosis |
| 813.45 | Torus fracture of radius (alone) | ICD-9-CM | Diagnosis |
| 813.46 | Torus fracture of ulna (alone) | ICD-9-CM | Diagnosis |
| 813.47 | Torus fracture of radius and ulna | ICD-9-CM | Diagnosis |
| 813.5 | Open fracture of lower end of radius and ulna | ICD-9-CM | Diagnosis |
| 813.50 | Unspecified open fracture of lower end of forearm | ICD-9-CM | Diagnosis |
| 813.51 | Open Colles' fracture | ICD-9-CM | Diagnosis |
| 813.52 | Other open fractures of distal end of radius (alone) | ICD-9-CM | Diagnosis |
| 813.53 | Open fracture of distal end of ulna (alone) | ICD-9-CM | Diagnosis |
| 813.54 | Open fracture of lower end of radius with ulna | ICD-9-CM | Diagnosis |
| 813.8 | Closed fracture of unspecified part of radius with ulna | ICD-9-CM | Diagnosis |
| 813.80 | Closed fracture of unspecified part of forearm | ICD-9-CM | Diagnosis |
| 813.81 | Closed fracture of unspecified part of radius (alone) | ICD-9-CM | Diagnosis |
| 813.82 | Closed fracture of unspecified part of ulna (alone) | ICD-9-CM | Diagnosis |
| 813.83 | Closed fracture of unspecified part of radius with ulna | ICD-9-CM | Diagnosis |
| 813.9 | Open fracture of unspecified part of radius with ulna | ICD-9-CM | Diagnosis |
| 813.90 | Open fracture of unspecified part of forearm | ICD-9-CM | Diagnosis |
| 813.91 | Open fracture of unspecified part of radius (alone) | ICD-9-CM | Diagnosis |
| 813.92 | Open fracture of unspecified part of ulna (alone) | ICD-9-CM | Diagnosis |
| 813.93 | Open fracture of unspecified part of radius with ulna | ICD-9-CM | Diagnosis |
| 818 | Ill-defined fractures of upper limb | ICD-9-CM | Diagnosis |
| 818.0 | Ill-defined closed fractures of upper limb | ICD-9-CM | Diagnosis |
| 818.1 | Ill-defined open fractures of upper limb | ICD-9-CM | Diagnosis |

Trauma Exclusion. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM) Diagnosis Codes and Current Procedural Terminology, Fourth Edition (CPT-4) Procedure Codes Used to Define Trauma in this Request

| Code | Description | Code Type | Code Category |
|-------------|--|------------------|----------------------|
| 819 | Multiple fractures involving both upper limbs, and upper limb with rib(s) and sternum | ICD-9-CM | Diagnosis |
| 819.0 | Multiple closed fractures involving both upper limbs, and upper limb with rib(s) and sternum | ICD-9-CM | Diagnosis |
| 819.1 | Multiple open fractures involving both upper limbs, and upper limb with rib(s) and sternum | ICD-9-CM | Diagnosis |
| 820 | Fracture of neck of femur | ICD-9-CM | Diagnosis |
| 820 | Fracture of neck of femur | ICD-9-CM | Diagnosis |
| 820.0 | Closed transcervical fracture | ICD-9-CM | Diagnosis |
| 820.0 | Closed transcervical fracture | ICD-9-CM | Diagnosis |
| 820.00 | Closed fracture of unspecified intracapsular section of neck of femur | ICD-9-CM | Diagnosis |
| 820.00 | Closed fracture of unspecified intracapsular section of neck of femur | ICD-9-CM | Diagnosis |
| 820.01 | Closed fracture of epiphysis (separation) (upper) of neck of femur | ICD-9-CM | Diagnosis |
| 820.01 | Closed fracture of epiphysis (separation) (upper) of neck of femur | ICD-9-CM | Diagnosis |
| 820.02 | Closed fracture of midcervical section of femur | ICD-9-CM | Diagnosis |
| 820.02 | Closed fracture of midcervical section of femur | ICD-9-CM | Diagnosis |
| 820.03 | Closed fracture of base of neck of femur | ICD-9-CM | Diagnosis |
| 820.03 | Closed fracture of base of neck of femur | ICD-9-CM | Diagnosis |
| 820.09 | Other closed transcervical fracture of femur | ICD-9-CM | Diagnosis |
| 820.09 | Other closed transcervical fracture of femur | ICD-9-CM | Diagnosis |
| 820.1 | Open transcervical fracture | ICD-9-CM | Diagnosis |
| 820.1 | Open transcervical fracture | ICD-9-CM | Diagnosis |
| 820.10 | Open fracture of unspecified intracapsular section of neck of femur | ICD-9-CM | Diagnosis |
| 820.10 | Open fracture of unspecified intracapsular section of neck of femur | ICD-9-CM | Diagnosis |
| 820.11 | Open fracture of epiphysis (separation) (upper) of neck of femur | ICD-9-CM | Diagnosis |
| 820.11 | Open fracture of epiphysis (separation) (upper) of neck of femur | ICD-9-CM | Diagnosis |
| 820.12 | Open fracture of midcervical section of femur | ICD-9-CM | Diagnosis |
| 820.12 | Open fracture of midcervical section of femur | ICD-9-CM | Diagnosis |
| 820.13 | Open fracture of base of neck of femur | ICD-9-CM | Diagnosis |
| 820.13 | Open fracture of base of neck of femur | ICD-9-CM | Diagnosis |
| 820.19 | Other open transcervical fracture of femur | ICD-9-CM | Diagnosis |
| 820.19 | Other open transcervical fracture of femur | ICD-9-CM | Diagnosis |
| 820.2 | Closed pertrochanteric fracture of femur | ICD-9-CM | Diagnosis |
| 820.2 | Closed pertrochanteric fracture of femur | ICD-9-CM | Diagnosis |
| 820.20 | Closed fracture of unspecified trochanteric section of femur | ICD-9-CM | Diagnosis |
| 820.20 | Closed fracture of unspecified trochanteric section of femur | ICD-9-CM | Diagnosis |
| 820.21 | Closed fracture of intertrochanteric section of femur | ICD-9-CM | Diagnosis |
| 820.21 | Closed fracture of intertrochanteric section of femur | ICD-9-CM | Diagnosis |
| 820.22 | Closed fracture of subtrochanteric section of femur | ICD-9-CM | Diagnosis |
| 820.22 | Closed fracture of subtrochanteric section of femur | ICD-9-CM | Diagnosis |
| 820.3 | Open pertrochanteric fracture of femur | ICD-9-CM | Diagnosis |
| 820.3 | Open pertrochanteric fracture of femur | ICD-9-CM | Diagnosis |
| 820.30 | Open fracture of unspecified trochanteric section of femur | ICD-9-CM | Diagnosis |
| 820.30 | Open fracture of unspecified trochanteric section of femur | ICD-9-CM | Diagnosis |
| 820.31 | Open fracture of intertrochanteric section of femur | ICD-9-CM | Diagnosis |
| 820.31 | Open fracture of intertrochanteric section of femur | ICD-9-CM | Diagnosis |
| 820.32 | Open fracture of subtrochanteric section of femur | ICD-9-CM | Diagnosis |
| 820.32 | Open fracture of subtrochanteric section of femur | ICD-9-CM | Diagnosis |

Trauma Exclusion. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM) Diagnosis Codes and Current Procedural Terminology, Fourth Edition (CPT-4) Procedure Codes Used to Define Trauma in this Request

| Code | Description | Code Type | Code Category |
|-------------|---|------------------|----------------------|
| 820.8 | Closed fracture of unspecified part of neck of femur | ICD-9-CM | Diagnosis |
| 820.8 | Closed fracture of unspecified part of neck of femur | ICD-9-CM | Diagnosis |
| 820.9 | Open fracture of unspecified part of neck of femur | ICD-9-CM | Diagnosis |
| 820.9 | Open fracture of unspecified part of neck of femur | ICD-9-CM | Diagnosis |
| 821 | Fracture of other and unspecified parts of femur | ICD-9-CM | Diagnosis |
| 821 | Fracture of other and unspecified parts of femur | ICD-9-CM | Diagnosis |
| 821.0 | Closed fracture of shaft or unspecified part of femur | ICD-9-CM | Diagnosis |
| 821.0 | Closed fracture of shaft or unspecified part of femur | ICD-9-CM | Diagnosis |
| 821.00 | Closed fracture of unspecified part of femur | ICD-9-CM | Diagnosis |
| 821.00 | Closed fracture of unspecified part of femur | ICD-9-CM | Diagnosis |
| 821.01 | Closed fracture of shaft of femur | ICD-9-CM | Diagnosis |
| 821.01 | Closed fracture of shaft of femur | ICD-9-CM | Diagnosis |
| 821.1 | Open fracture of shaft or unspecified part of femur | ICD-9-CM | Diagnosis |
| 821.1 | Open fracture of shaft or unspecified part of femur | ICD-9-CM | Diagnosis |
| 821.10 | Open fracture of unspecified part of femur | ICD-9-CM | Diagnosis |
| 821.10 | Open fracture of unspecified part of femur | ICD-9-CM | Diagnosis |
| 821.11 | Open fracture of shaft of femur | ICD-9-CM | Diagnosis |
| 821.11 | Open fracture of shaft of femur | ICD-9-CM | Diagnosis |
| 821.2 | Closed fracture of lower end of femur | ICD-9-CM | Diagnosis |
| 821.2 | Closed fracture of lower end of femur | ICD-9-CM | Diagnosis |
| 821.20 | Closed fracture of unspecified part of lower end of femur | ICD-9-CM | Diagnosis |
| 821.20 | Closed fracture of unspecified part of lower end of femur | ICD-9-CM | Diagnosis |
| 821.21 | Closed fracture of femoral condyle | ICD-9-CM | Diagnosis |
| 821.21 | Closed fracture of femoral condyle | ICD-9-CM | Diagnosis |
| 821.22 | Closed fracture of lower epiphysis of femur | ICD-9-CM | Diagnosis |
| 821.22 | Closed fracture of lower epiphysis of femur | ICD-9-CM | Diagnosis |
| 821.23 | Closed supracondylar fracture of femur | ICD-9-CM | Diagnosis |
| 821.23 | Closed supracondylar fracture of femur | ICD-9-CM | Diagnosis |
| 821.29 | Other closed fracture of lower end of femur | ICD-9-CM | Diagnosis |
| 821.29 | Other closed fracture of lower end of femur | ICD-9-CM | Diagnosis |
| 821.3 | Open fracture of lower end of femur | ICD-9-CM | Diagnosis |
| 821.3 | Open fracture of lower end of femur | ICD-9-CM | Diagnosis |
| 821.30 | Open fracture of unspecified part of lower end of femur | ICD-9-CM | Diagnosis |
| 821.30 | Open fracture of unspecified part of lower end of femur | ICD-9-CM | Diagnosis |
| 821.31 | Open fracture of femoral condyle | ICD-9-CM | Diagnosis |
| 821.31 | Open fracture of femoral condyle | ICD-9-CM | Diagnosis |
| 821.32 | Open fracture of lower epiphysis of femur | ICD-9-CM | Diagnosis |
| 821.32 | Open fracture of lower epiphysis of femur | ICD-9-CM | Diagnosis |
| 821.33 | Open supracondylar fracture of femur | ICD-9-CM | Diagnosis |
| 821.33 | Open supracondylar fracture of femur | ICD-9-CM | Diagnosis |
| 821.39 | Other open fracture of lower end of femur | ICD-9-CM | Diagnosis |
| 821.39 | Other open fracture of lower end of femur | ICD-9-CM | Diagnosis |
| 822 | Fracture of patella | ICD-9-CM | Diagnosis |
| 822.0 | Closed fracture of patella | ICD-9-CM | Diagnosis |
| 822.1 | Open fracture of patella | ICD-9-CM | Diagnosis |
| 823 | Fracture of tibia and fibula | ICD-9-CM | Diagnosis |
| 823.0 | Closed fracture of upper end of tibia and fibula | ICD-9-CM | Diagnosis |
| 823.00 | Closed fracture of upper end of tibia | ICD-9-CM | Diagnosis |

Trauma Exclusion. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM) Diagnosis Codes and Current Procedural Terminology, Fourth Edition (CPT-4) Procedure Codes Used to Define Trauma in this Request

| Code | Description | Code Type | Code Category |
|-------------|--|------------------|----------------------|
| 823.01 | Closed fracture of upper end of fibula | ICD-9-CM | Diagnosis |
| 823.02 | Closed fracture of upper end of fibula with tibia | ICD-9-CM | Diagnosis |
| 823.1 | Open fracture of upper end of tibia and fibula | ICD-9-CM | Diagnosis |
| 823.10 | Open fracture of upper end of tibia | ICD-9-CM | Diagnosis |
| 823.11 | Open fracture of upper end of fibula | ICD-9-CM | Diagnosis |
| 823.12 | Open fracture of upper end of fibula with tibia | ICD-9-CM | Diagnosis |
| 823.2 | Closed fracture of shaft of tibia and fibula | ICD-9-CM | Diagnosis |
| 823.20 | Closed fracture of shaft of tibia | ICD-9-CM | Diagnosis |
| 823.21 | Closed fracture of shaft of fibula | ICD-9-CM | Diagnosis |
| 823.22 | Closed fracture of shaft of fibula with tibia | ICD-9-CM | Diagnosis |
| 823.3 | Open fracture of shaft of tibia and fibula | ICD-9-CM | Diagnosis |
| 823.30 | Open fracture of shaft of tibia | ICD-9-CM | Diagnosis |
| 823.31 | Open fracture of shaft of fibula | ICD-9-CM | Diagnosis |
| 823.32 | Open fracture of shaft of fibula with tibia | ICD-9-CM | Diagnosis |
| 823.4 | Torus fracture of tibia and fibula | ICD-9-CM | Diagnosis |
| 823.40 | Torus fracture of tibia alone | ICD-9-CM | Diagnosis |
| 823.41 | Torus fracture of fibula alone | ICD-9-CM | Diagnosis |
| 823.42 | Torus fracture of fibula with tibia | ICD-9-CM | Diagnosis |
| 823.8 | Closed fracture of unspecified part of tibia and fibula | ICD-9-CM | Diagnosis |
| 823.80 | Closed fracture of unspecified part of tibia | ICD-9-CM | Diagnosis |
| 823.81 | Closed fracture of unspecified part of fibula | ICD-9-CM | Diagnosis |
| 823.82 | Closed fracture of unspecified part of fibula with tibia | ICD-9-CM | Diagnosis |
| 823.9 | Open fracture of unspecified part of tibia and fibula | ICD-9-CM | Diagnosis |
| 823.90 | Open fracture of unspecified part of tibia | ICD-9-CM | Diagnosis |
| 823.91 | Open fracture of unspecified part of fibula | ICD-9-CM | Diagnosis |
| 823.92 | Open fracture of unspecified part of fibula with tibia | ICD-9-CM | Diagnosis |
| 824 | Fracture of ankle | ICD-9-CM | Diagnosis |
| 824.0 | Closed fracture of medial malleolus | ICD-9-CM | Diagnosis |
| 824.1 | Open fracture of medial malleolus | ICD-9-CM | Diagnosis |
| 824.2 | Closed fracture of lateral malleolus | ICD-9-CM | Diagnosis |
| 824.3 | Open fracture of lateral malleolus | ICD-9-CM | Diagnosis |
| 824.4 | Closed bimalleolar fracture | ICD-9-CM | Diagnosis |
| 824.5 | Open bimalleolar fracture | ICD-9-CM | Diagnosis |
| 824.6 | Closed trimalleolar fracture | ICD-9-CM | Diagnosis |
| 824.7 | Open trimalleolar fracture | ICD-9-CM | Diagnosis |
| 824.8 | Unspecified closed fracture of ankle | ICD-9-CM | Diagnosis |
| 824.9 | Unspecified open fracture of ankle | ICD-9-CM | Diagnosis |
| 827 | Other, multiple, and ill-defined fractures of lower limb | ICD-9-CM | Diagnosis |
| 827.0 | Other, multiple and ill-defined closed fractures of lower limb | ICD-9-CM | Diagnosis |
| 827.1 | Other, multiple and ill-defined open fractures of lower limb | ICD-9-CM | Diagnosis |
| 828 | Multiple fractures involving both lower limbs, lower with upper limb, and lower limb(s) with rib(s) and sternum | ICD-9-CM | Diagnosis |
| 828 | Multiple fractures involving both lower limbs, lower with upper limb, and lower limb(s) with rib(s) and sternum | ICD-9-CM | Diagnosis |
| 828.0 | Multiple closed fractures involving both lower limbs, lower with upper limb, and lower limb(s) with rib(s) and sternum | ICD-9-CM | Diagnosis |
| 828.0 | Multiple closed fractures involving both lower limbs, lower with upper limb, and lower limb(s) with rib(s) and sternum | ICD-9-CM | Diagnosis |

Trauma Exclusion. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM) Diagnosis Codes and Current Procedural Terminology, Fourth Edition (CPT-4) Procedure Codes Used to Define Trauma in this Request

| Code | Description | Code Type | Code Category |
|-------------|---|------------------|----------------------|
| 828.1 | Multiple fractures involving both lower limbs, lower with upper limb, and lower limb(s) with rib(s) and sternum, open | ICD-9-CM | Diagnosis |
| 828.1 | Multiple fractures involving both lower limbs, lower with upper limb, and lower limb(s) with rib(s) and sternum, open | ICD-9-CM | Diagnosis |
| 829 | Fracture of unspecified bones | ICD-9-CM | Diagnosis |
| 829.0 | Closed fracture of unspecified bone | ICD-9-CM | Diagnosis |
| 829.1 | Open fracture of unspecified bone | ICD-9-CM | Diagnosis |
| 860 | Traumatic pneumothorax and hemothorax | ICD-9-CM | Diagnosis |
| 860.0 | Traumatic pneumothorax without mention of open wound into thorax | ICD-9-CM | Diagnosis |
| 860.1 | Traumatic pneumothorax with open wound into thorax | ICD-9-CM | Diagnosis |
| 860.2 | Traumatic hemothorax without mention of open wound into thorax | ICD-9-CM | Diagnosis |
| 860.3 | Traumatic hemothorax with open wound into thorax | ICD-9-CM | Diagnosis |
| 860.4 | Traumatic pneumohemothorax without mention of open wound into thorax | ICD-9-CM | Diagnosis |
| 860.5 | Traumatic pneumohemothorax with open wound into thorax | ICD-9-CM | Diagnosis |
| 862.0 | Diaphragm injury without mention of open wound into cavity | ICD-9-CM | Diagnosis |
| 862.1 | Diaphragm injury with open wound into cavity | ICD-9-CM | Diagnosis |
| 862.8 | Injury to multiple and unspecified intrathoracic organs without mention of open wound into cavity | ICD-9-CM | Diagnosis |
| 862.9 | Injury to multiple and unspecified intrathoracic organs with open wound into cavity | ICD-9-CM | Diagnosis |
| 863.0 | Stomach injury without mention of open wound into cavity | ICD-9-CM | Diagnosis |
| 863.1 | Stomach injury with open wound into cavity | ICD-9-CM | Diagnosis |
| 863.2 | Small intestine injury without mention of open wound into cavity | ICD-9-CM | Diagnosis |
| 863.20 | Small intestine injury, unspecified site, without mention of open wound into cavity | ICD-9-CM | Diagnosis |
| 863.21 | Duodenum injury without mention of open wound into cavity | ICD-9-CM | Diagnosis |
| 863.29 | Other injury to small intestine without mention of open wound into cavity | ICD-9-CM | Diagnosis |
| 863.3 | Small intestine injury with open wound into cavity | ICD-9-CM | Diagnosis |
| 863.30 | Small intestine injury, unspecified site, with open wound into cavity | ICD-9-CM | Diagnosis |
| 863.31 | Duodenum injury with open wound into cavity | ICD-9-CM | Diagnosis |
| 863.39 | Other injury to small intestine with open wound into cavity | ICD-9-CM | Diagnosis |
| 863.4 | Colon or rectal injury without mention of open wound into cavity | ICD-9-CM | Diagnosis |
| 863.40 | Colon injury unspecified site, without mention of open wound into cavity | ICD-9-CM | Diagnosis |
| 863.41 | Ascending (right) colon injury without mention of open wound into cavity | ICD-9-CM | Diagnosis |
| 863.42 | Transverse colon injury without mention of open wound into cavity | ICD-9-CM | Diagnosis |
| 863.43 | Descending (left) colon injury without mention of open wound into cavity | ICD-9-CM | Diagnosis |
| 863.44 | Sigmoid colon injury without mention of open wound into cavity | ICD-9-CM | Diagnosis |
| 863.45 | Rectum injury without mention of open wound into cavity | ICD-9-CM | Diagnosis |
| 863.46 | Injury to multiple sites in colon and rectum without mention of open wound into cavity | ICD-9-CM | Diagnosis |
| 863.49 | Other colon and rectum injury, without mention of open wound into cavity | ICD-9-CM | Diagnosis |
| 863.5 | Injury to colon or rectum with open wound into cavity | ICD-9-CM | Diagnosis |
| 863.50 | Colon injury, unspecified site, with open wound into cavity | ICD-9-CM | Diagnosis |
| 863.51 | Ascending (right) colon injury with open wound into cavity | ICD-9-CM | Diagnosis |
| 863.52 | Transverse colon injury with open wound into cavity | ICD-9-CM | Diagnosis |
| 863.53 | Descending (left) colon injury with open wound into cavity | ICD-9-CM | Diagnosis |
| 863.54 | Sigmoid colon injury with open wound into cavity | ICD-9-CM | Diagnosis |
| 863.55 | Rectum injury with open wound into cavity | ICD-9-CM | Diagnosis |
| 863.56 | Injury to multiple sites in colon and rectum with open wound into cavity | ICD-9-CM | Diagnosis |

Trauma Exclusion. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM) Diagnosis Codes and Current Procedural Terminology, Fourth Edition (CPT-4) Procedure Codes Used to Define Trauma in this Request

| Code | Description | Code Type | Code Category |
|-------------|--|------------------|----------------------|
| 863.59 | Other injury to colon and rectum with open wound into cavity | ICD-9-CM | Diagnosis |
| 863.8 | Injury to other and unspecified gastrointestinal sites without mention of open wound into cavity | ICD-9-CM | Diagnosis |
| 863.80 | Gastrointestinal tract injury, unspecified site, without mention of open wound into cavity | ICD-9-CM | Diagnosis |
| 863.81 | Pancreas head injury without mention of open wound into cavity | ICD-9-CM | Diagnosis |
| 863.82 | Pancreas body injury without mention of open wound into cavity | ICD-9-CM | Diagnosis |
| 863.83 | Pancreas tail injury without mention of open wound into cavity | ICD-9-CM | Diagnosis |
| 863.84 | Pancreas injury, multiple and unspecified sites, without mention of open wound into cavity | ICD-9-CM | Diagnosis |
| 863.85 | Appendix injury without mention of open wound into cavity | ICD-9-CM | Diagnosis |
| 863.89 | Injury to other and unspecified gastrointestinal sites without mention of open wound into cavity | ICD-9-CM | Diagnosis |
| 863.9 | Injury to other and unspecified gastrointestinal sites, with open wound into cavity | ICD-9-CM | Diagnosis |
| 863.90 | Gastrointestinal tract injury, unspecified site, with open wound into cavity | ICD-9-CM | Diagnosis |
| 863.91 | Pancreas head injury with open wound into cavity | ICD-9-CM | Diagnosis |
| 863.92 | Pancreas body injury with open wound into cavity | ICD-9-CM | Diagnosis |
| 863.93 | Pancreas tail injury with open wound into cavity | ICD-9-CM | Diagnosis |
| 863.94 | Pancreas injury, multiple and unspecified sites, with open wound into cavity | ICD-9-CM | Diagnosis |
| 863.95 | Appendix injury with open wound into cavity | ICD-9-CM | Diagnosis |
| 863.99 | Injury to other and unspecified gastrointestinal sites with open wound into cavity | ICD-9-CM | Diagnosis |
| 864.1 | Liver injury with open wound into cavity | ICD-9-CM | Diagnosis |
| 864.10 | Unspecified liver injury with open wound into cavity | ICD-9-CM | Diagnosis |
| 864.11 | Liver hematoma and contusion with open wound into cavity | ICD-9-CM | Diagnosis |
| 864.12 | Liver laceration, minor, with open wound into cavity | ICD-9-CM | Diagnosis |
| 864.13 | Liver laceration, moderate, with open wound into cavity | ICD-9-CM | Diagnosis |
| 864.14 | Liver laceration, major, with open wound into cavity | ICD-9-CM | Diagnosis |
| 864.15 | Liver injury with open wound into cavity, unspecified laceration | ICD-9-CM | Diagnosis |
| 864.19 | Other liver injury with open wound into cavity | ICD-9-CM | Diagnosis |
| 865.1 | Spleen injury with open wound into cavity | ICD-9-CM | Diagnosis |
| 865.10 | Unspecified spleen injury with open wound into cavity | ICD-9-CM | Diagnosis |
| 865.11 | Spleen hematoma, without rupture of capsule, with open wound into cavity | ICD-9-CM | Diagnosis |
| 865.12 | Capsular tears to spleen, without major disruption of parenchyma, with open wound into cavity | ICD-9-CM | Diagnosis |
| 865.13 | Spleen laceration extending into parenchyma, with open wound into cavity | ICD-9-CM | Diagnosis |
| 865.14 | Massive parenchyma disruption of spleen with open wound into cavity | ICD-9-CM | Diagnosis |
| 865.19 | Other spleen injury with open wound into cavity | ICD-9-CM | Diagnosis |
| 866 | Injury to kidney | ICD-9-CM | Diagnosis |
| 866.0 | Kidney injury without mention of open wound into cavity | ICD-9-CM | Diagnosis |
| 866.00 | Unspecified kidney injury without mention of open wound into cavity | ICD-9-CM | Diagnosis |
| 866.01 | Kidney hematoma without rupture of capsule or mention of open wound into cavity | ICD-9-CM | Diagnosis |
| 866.02 | Kidney laceration without mention of open wound into cavity | ICD-9-CM | Diagnosis |
| 866.03 | Complete disruption of kidney parenchyma, without mention of open wound into cavity | ICD-9-CM | Diagnosis |
| 866.1 | Kidney injury with open wound into cavity | ICD-9-CM | Diagnosis |
| 866.10 | Unspecified kidney injury with open wound into cavity | ICD-9-CM | Diagnosis |
| 866.11 | Kidney hematoma, without rupture of capsule, with open wound into cavity | ICD-9-CM | Diagnosis |
| 866.12 | Kidney laceration with open wound into cavity | ICD-9-CM | Diagnosis |

Trauma Exclusion. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM) Diagnosis Codes and Current Procedural Terminology, Fourth Edition (CPT-4) Procedure Codes Used to Define Trauma in this Request

| Code | Description | Code Type | Code Category |
|-------------|---|------------------|----------------------|
| 866.13 | Complete disruption of kidney parenchyma, with open wound into cavity | ICD-9-CM | Diagnosis |
| 867 | Injury to pelvic organs | ICD-9-CM | Diagnosis |
| 867.0 | Bladder and urethra injury without mention of open wound into cavity | ICD-9-CM | Diagnosis |
| 867.1 | Bladder and urethra injury with open wound into cavity | ICD-9-CM | Diagnosis |
| 867.2 | Ureter injury without mention of open wound into cavity | ICD-9-CM | Diagnosis |
| 867.3 | Ureter injury with open wound into cavity | ICD-9-CM | Diagnosis |
| 867.4 | Uterus injury without mention of open wound into cavity | ICD-9-CM | Diagnosis |
| 867.5 | Uterus injury with open wound into cavity | ICD-9-CM | Diagnosis |
| 867.6 | Injury to other specified pelvic organs without mention of open wound into cavity | ICD-9-CM | Diagnosis |
| 867.7 | Injury to other specified pelvic organs with open wound into cavity | ICD-9-CM | Diagnosis |
| 867.8 | Injury to unspecified pelvic organ without mention of open wound into cavity | ICD-9-CM | Diagnosis |
| 867.9 | Injury to unspecified pelvic organ with open wound into cavity | ICD-9-CM | Diagnosis |
| 873.0 | Open wound of scalp, without mention of complication | ICD-9-CM | Diagnosis |
| 873.1 | Open wound of scalp, complicated | ICD-9-CM | Diagnosis |
| 875.0 | Open wound of chest (wall), without mention of complication | ICD-9-CM | Diagnosis |
| 875.1 | Open wound of chest (wall), complicated | ICD-9-CM | Diagnosis |
| 902.4 | Renal blood vessel injury | ICD-9-CM | Diagnosis |
| 902.40 | Renal vessel(s) injury, unspecified | ICD-9-CM | Diagnosis |
| 902.41 | Renal artery injury | ICD-9-CM | Diagnosis |
| 902.42 | Renal vein injury | ICD-9-CM | Diagnosis |
| 902.49 | Renal blood vessel injury, other | ICD-9-CM | Diagnosis |
| 902.55 | Uterine artery injury | ICD-9-CM | Diagnosis |
| 902.56 | Uterine vein injury | ICD-9-CM | Diagnosis |
| 902.81 | Ovarian artery injury | ICD-9-CM | Diagnosis |
| 902.82 | Ovarian vein injury | ICD-9-CM | Diagnosis |
| 925 | Crushing injury of face, scalp, and neck | ICD-9-CM | Diagnosis |
| 925.1 | Crushing injury of face and scalp | ICD-9-CM | Diagnosis |
| 925.2 | Crushing injury of neck | ICD-9-CM | Diagnosis |
| 926 | Crushing injury of trunk | ICD-9-CM | Diagnosis |
| 926.0 | Crushing injury of external genitalia | ICD-9-CM | Diagnosis |
| 926.1 | Crushing injury of other specified sites of trunk | ICD-9-CM | Diagnosis |
| 926.11 | Crushing injury of back | ICD-9-CM | Diagnosis |
| 926.12 | Crushing injury of buttock | ICD-9-CM | Diagnosis |
| 926.19 | Crushing injury of other specified sites of trunk | ICD-9-CM | Diagnosis |
| 926.8 | Crushing injury of multiple sites of trunk | ICD-9-CM | Diagnosis |
| 926.9 | Crushing injury of unspecified site of trunk | ICD-9-CM | Diagnosis |
| 927 | Crushing injury of upper limb | ICD-9-CM | Diagnosis |
| 927.0 | Crushing injury of shoulder and upper arm | ICD-9-CM | Diagnosis |
| 927.00 | Crushing injury of shoulder region | ICD-9-CM | Diagnosis |
| 927.01 | Crushing injury of scapular region | ICD-9-CM | Diagnosis |
| 927.02 | Crushing injury of axillary region | ICD-9-CM | Diagnosis |
| 927.03 | Crushing injury of upper arm | ICD-9-CM | Diagnosis |
| 927.09 | Crushing injury of multiple sites of upper arm | ICD-9-CM | Diagnosis |
| 927.1 | Crushing injury of elbow and forearm | ICD-9-CM | Diagnosis |
| 927.10 | Crushing injury of forearm | ICD-9-CM | Diagnosis |
| 927.11 | Crushing injury of elbow | ICD-9-CM | Diagnosis |
| 927.2 | Crushing injury of wrist and hand(s), except finger(s) alone | ICD-9-CM | Diagnosis |
| 927.20 | Crushing injury of hand(s) | ICD-9-CM | Diagnosis |

Trauma Exclusion. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM) Diagnosis Codes and Current Procedural Terminology, Fourth Edition (CPT-4) Procedure Codes Used to Define Trauma in this Request

| Code | Description | Code Type | Code Category |
|-------------|---|------------------|----------------------|
| 927.21 | Crushing injury of wrist | ICD-9-CM | Diagnosis |
| 927.3 | Crushing injury of finger(s) | ICD-9-CM | Diagnosis |
| 927.8 | Crushing injury of multiple sites of upper limb | ICD-9-CM | Diagnosis |
| 927.9 | Crushing injury of unspecified site of upper limb | ICD-9-CM | Diagnosis |
| 928 | Crushing injury of lower limb | ICD-9-CM | Diagnosis |
| 928.0 | Crushing injury of hip and thigh | ICD-9-CM | Diagnosis |
| 928.00 | Crushing injury of thigh | ICD-9-CM | Diagnosis |
| 928.01 | Crushing injury of hip | ICD-9-CM | Diagnosis |
| 928.1 | Crushing injury of knee and lower leg | ICD-9-CM | Diagnosis |
| 928.10 | Crushing injury of lower leg | ICD-9-CM | Diagnosis |
| 928.11 | Crushing injury of knee | ICD-9-CM | Diagnosis |
| 928.2 | Crushing injury of ankle and foot, excluding toe(s) alone | ICD-9-CM | Diagnosis |
| 928.20 | Crushing injury of foot | ICD-9-CM | Diagnosis |
| 928.21 | Crushing injury of ankle | ICD-9-CM | Diagnosis |
| 928.3 | Crushing injury of toe(s) | ICD-9-CM | Diagnosis |
| 928.8 | Crushing injury of multiple sites of lower limb | ICD-9-CM | Diagnosis |
| 928.9 | Crushing injury of unspecified site of lower limb | ICD-9-CM | Diagnosis |
| 929 | Crushing injury of multiple and unspecified sites | ICD-9-CM | Diagnosis |
| 929.0 | Crushing injury of multiple sites, not elsewhere classified | ICD-9-CM | Diagnosis |
| 929.9 | Crushing injury of unspecified site | ICD-9-CM | Diagnosis |
| 958.4 | Traumatic shock | ICD-9-CM | Diagnosis |
| 958.5 | Traumatic anuria | ICD-9-CM | Diagnosis |
| 958.7 | Traumatic subcutaneous emphysema | ICD-9-CM | Diagnosis |
| 996.7 | Other complications of internal prosthetic device, implant, and graft | ICD-9-CM | Diagnosis |
| 996.70 | Other complications due to unspecified device, implant, and graft | ICD-9-CM | Diagnosis |
| 996.71 | Other complications due to heart valve prosthesis | ICD-9-CM | Diagnosis |
| 996.72 | Other complications due to other cardiac device, implant, and graft | ICD-9-CM | Diagnosis |
| 996.73 | Other complications due to renal dialysis device, implant, and graft | ICD-9-CM | Diagnosis |
| 996.74 | Other complications due to other vascular device, implant, and graft | ICD-9-CM | Diagnosis |
| 996.75 | Other complications due to nervous system device, implant, and graft | ICD-9-CM | Diagnosis |
| 996.76 | Other complications due to genitourinary device, implant, and graft | ICD-9-CM | Diagnosis |
| 996.77 | Other complications due to internal joint prosthesis | ICD-9-CM | Diagnosis |
| 996.78 | Other complications due to other internal orthopedic device, implant, and graft | ICD-9-CM | Diagnosis |
| 996.79 | Other complications due to other internal prosthetic device, implant, and graft | ICD-9-CM | Diagnosis |
| 998.11 | Hemorrhage complicating a procedure | ICD-9-CM | Diagnosis |
| 998.12 | Hematoma complicating a procedure | ICD-9-CM | Diagnosis |
| 998.2 | Accidental puncture or laceration during procedure | ICD-9-CM | Diagnosis |
| E805 | Hit by rolling stock | ICD-9-CM | Diagnosis |
| E805.0 | Railway employee hit by rolling stock | ICD-9-CM | Diagnosis |
| E805.1 | Passenger on railway hit by rolling stock | ICD-9-CM | Diagnosis |
| E805.2 | Pedestrian hit by rolling stock | ICD-9-CM | Diagnosis |
| E805.3 | Pedal cyclist hit by rolling stock | ICD-9-CM | Diagnosis |
| E805.8 | Other specified person hit by rolling stock | ICD-9-CM | Diagnosis |
| E805.9 | Unspecified person hit by rolling stock | ICD-9-CM | Diagnosis |
| E870 | Accidental cut, puncture, perforation, or hemorrhage during medical care | ICD-9-CM | Diagnosis |
| E870.0 | Accidental cut, puncture, perforation, or hemorrhage during surgical operation | ICD-9-CM | Diagnosis |
| E870.1 | Accidental cut, puncture, perforation, or hemorrhage during infusion or transfusion | ICD-9-CM | Diagnosis |

Trauma Exclusion. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM) Diagnosis Codes and Current Procedural Terminology, Fourth Edition (CPT-4) Procedure Codes Used to Define Trauma in this Request

| Code | Description | Code Type | Code Category |
|-------------|--|------------------|----------------------|
| E870.2 | Accidental cut, puncture, perforation, or hemorrhage during kidney dialysis or other perfusion | ICD-9-CM | Diagnosis |
| E870.3 | Accidental cut, puncture, perforation, or hemorrhage during injection or vaccination | ICD-9-CM | Diagnosis |
| E870.4 | Accidental cut, puncture, perforation, or hemorrhage during endoscopic examination | ICD-9-CM | Diagnosis |
| E870.5 | Accidental cut, puncture, perforation, or hemorrhage during aspiration of fluid or tissue, puncture, and catheterization | ICD-9-CM | Diagnosis |
| E870.6 | Accidental cut, puncture, perforation, or hemorrhage during heart catheterization | ICD-9-CM | Diagnosis |
| E870.7 | Accidental cut, puncture, perforation, or hemorrhage during administration of enema | ICD-9-CM | Diagnosis |
| E870.8 | Accidental cut, puncture, perforation, or hemorrhage during other specified medical care | ICD-9-CM | Diagnosis |
| E870.9 | Accidental cut, puncture, perforation, or hemorrhage during unspecified medical care | ICD-9-CM | Diagnosis |
| E881 | Accidental fall on or from ladders or scaffolding | ICD-9-CM | Diagnosis |
| E881.0 | Accidental fall from ladder | ICD-9-CM | Diagnosis |
| E881.1 | Accidental fall from scaffolding | ICD-9-CM | Diagnosis |
| E882 | Accidental fall from or out of building or other structure | ICD-9-CM | Diagnosis |
| E883 | Accidental fall into hole or other opening in surface | ICD-9-CM | Diagnosis |
| E883.0 | Accident from diving or jumping into water (swimming pool) | ICD-9-CM | Diagnosis |
| E883.1 | Accidental fall into well | ICD-9-CM | Diagnosis |
| E883.2 | Accidental fall into storm drain or manhole | ICD-9-CM | Diagnosis |
| E883.9 | Accidental fall into other hole or other opening in surface | ICD-9-CM | Diagnosis |
| E922 | Accident caused by firearm, and air gun missiles | ICD-9-CM | Diagnosis |
| E922.0 | Accident caused by handgun | ICD-9-CM | Diagnosis |
| E922.1 | Accident caused by shotgun (automatic) | ICD-9-CM | Diagnosis |
| E922.2 | Accident caused by hunting rifle | ICD-9-CM | Diagnosis |
| E922.3 | Accident caused by military firearms | ICD-9-CM | Diagnosis |
| E922.4 | Accident caused by air gun | ICD-9-CM | Diagnosis |
| E922.5 | Accident caused by paintball gun | ICD-9-CM | Diagnosis |
| E922.8 | Accident caused by other specified firearm missile | ICD-9-CM | Diagnosis |
| E922.9 | Accident caused by unspecified firearm missile | ICD-9-CM | Diagnosis |
| E923 | Accident caused by explosive material | ICD-9-CM | Diagnosis |
| E923.0 | Accident caused by fireworks | ICD-9-CM | Diagnosis |
| E923.1 | Accident caused by blasting materials | ICD-9-CM | Diagnosis |
| E923.2 | Accident caused by explosive gases | ICD-9-CM | Diagnosis |
| E923.8 | Accident caused by other explosive materials | ICD-9-CM | Diagnosis |
| E923.9 | Accident caused by unspecified explosive material | ICD-9-CM | Diagnosis |
| E955 | Suicide and self-inflicted injury by firearms, air guns and explosives | ICD-9-CM | Diagnosis |
| E955.0 | Suicide and self-inflicted injury by handgun | ICD-9-CM | Diagnosis |
| E955.1 | Suicide and self-inflicted injury by shotgun | ICD-9-CM | Diagnosis |
| E955.2 | Suicide and self-inflicted injury by hunting rifle | ICD-9-CM | Diagnosis |
| E955.3 | Suicide and self-inflicted injury by military firearms | ICD-9-CM | Diagnosis |
| E955.4 | Suicide and self-inflicted injury by other and unspecified firearm | ICD-9-CM | Diagnosis |
| E955.5 | Suicide and self-inflicted injury by explosives | ICD-9-CM | Diagnosis |
| E955.6 | Suicide and self-inflicted injury by air gun | ICD-9-CM | Diagnosis |
| E955.7 | Suicide and self-inflicted injury by paintball gun | ICD-9-CM | Diagnosis |

Trauma Exclusion. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM) Diagnosis Codes and Current Procedural Terminology, Fourth Edition (CPT-4) Procedure Codes Used to Define Trauma in this Request

| Code | Description | Code Type | Code Category |
|-------------|---|------------------|----------------------|
| E955.9 | Suicide and self-inflicted injury by firearms and explosives, unspecified | ICD-9-CM | Diagnosis |
| E960 | Fight, brawl, rape | ICD-9-CM | Diagnosis |
| E960.0 | Unarmed fight or brawl | ICD-9-CM | Diagnosis |
| E960.1 | Rape | ICD-9-CM | Diagnosis |
| E965 | Assault by firearms and explosives | ICD-9-CM | Diagnosis |
| E965.0 | Assault by handgun | ICD-9-CM | Diagnosis |
| E965.1 | Assault by shotgun | ICD-9-CM | Diagnosis |
| E965.2 | Assault by hunting rifle | ICD-9-CM | Diagnosis |
| E965.3 | Assault by military firearms | ICD-9-CM | Diagnosis |
| E965.4 | Assault by other and unspecified firearm | ICD-9-CM | Diagnosis |
| E965.5 | Assault by antipersonnel bomb | ICD-9-CM | Diagnosis |
| E965.6 | Assault by gasoline bomb | ICD-9-CM | Diagnosis |
| E965.7 | Assault by letter bomb | ICD-9-CM | Diagnosis |
| E965.8 | Assault by other specified explosive | ICD-9-CM | Diagnosis |
| E965.9 | Assault by unspecified explosive | ICD-9-CM | Diagnosis |
| E970 | Injury due to legal intervention by firearms | ICD-9-CM | Diagnosis |
| E985 | Injury by firearms, air guns and explosives, undetermined whether accidentally or purposely inflicted | ICD-9-CM | Diagnosis |
| E985.0 | Injury by handgun, undetermined whether accidentally or purposely inflicted | ICD-9-CM | Diagnosis |
| E985.1 | Injury by shotgun, undetermined whether accidentally or purposely inflicted | ICD-9-CM | Diagnosis |
| E985.2 | Injury by hunting rifle, undetermined whether accidentally or purposely inflicted | ICD-9-CM | Diagnosis |
| E985.3 | Injury by military firearms, undetermined whether accidentally or purposely inflicted | ICD-9-CM | Diagnosis |
| E985.4 | Injury by other and unspecified firearm, undetermined whether accidentally or purposely inflicted | ICD-9-CM | Diagnosis |
| E985.5 | Injury by explosives, undetermined whether accidentally or purposely inflicted | ICD-9-CM | Diagnosis |
| E985.6 | Injury by air gun, undetermined whether accidental, or purposefully inflicted | ICD-9-CM | Diagnosis |
| E985.7 | Injury by paintball gun, undetermined whether accidentally or purposefully inflicted | ICD-9-CM | Diagnosis |