

Disclaimer

The FDA chose a specific outcome algorithm that met its need for a given medical product-outcome assessment. The use of a specific outcome algorithm in a Sentinel assessment should not be interpreted as an endorsement from FDA to use the algorithm for all safety assessments. Investigators should always consider the objective, study design, analytic approach, and data source of a given medical product safety assessment when choosing the outcome algorithm. The suitability of an outcome algorithm may change when applied to different scenarios. For additional information, please [Best Practices for Conducting and Reporting Pharmacoepidemiologic Safety Studies Using Electronic Healthcare Data](#) guidance document provided by the FDA.

Overview

Title	Major Extracranial Bleeding Algorithm Defined in "Stroke, Intracranial Hemorrhage, and Bleeding following Dabigatran, Rivaroxaban, and Apixaban Use in Patients Aged 65 or Older: A Propensity Score Matched Analysis"
Request ID	cder_mpl2p_wp017
Description	<p>This report lists International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM) diagnosis codes, Current Procedural Terminology, Fourth Edition (CPT-4) procedure codes, and algorithms used to define major extracranial bleeding in this request.</p> <p>For additional information about the algorithm and how it was defined relative to the cohort and exposures of interest in the inferential analysis, see the analysis page here: https://www.sentinelinitiative.org/assessments/drugs/stroke-intracranial-hemorrhage-bleeding-following-dabigatran-rivaroxaban-apixaban-use-patients-65-older</p>
Outcome	Major extracranial bleeding
Algorithm to Define Outcome	The major extracranial bleeding (MEB) outcome is defined as either 1) one ICD-9-CM diagnosis code from MEB Code List 1 that is the primary diagnosis from an inpatient encounter AND no code from the Trauma Exclusion Code List on the same day OR 2) one ICD-9-CM diagnosis code from MEB Code List 2 that is the primary diagnosis from an inpatient encounter AND one code from MEB Code List 1 that is the secondary or unspecified diagnosis from an inpatient encounter on the same day AND no code from the Trauma Exclusion Code List on the same day.
Query Period	October 19, 2010 - September 30, 2015
Request Send Date	December 20, 2019

Glossary

Care Setting - type of medical encounter or facility where the exposure, event, or condition code was recorded. Possible care settings include: Inpatient Hospital Stay (IP), Non-Acute Institutional Stay (IS), Emergency Department (ED), Ambulatory Visit (AV), and Other Ambulatory Visit (OA). For laboratory results, possible care settings include: Emergency department (E), Home (H), Inpatient (I), Outpatient (O), or Unknown or missing (U)

Outcome - outcome of interest (either primary or secondary)

Principal Diagnosis (PDX) - diagnosis or condition established to be chiefly responsible for admission of the patient to the hospital. 'P' = principal diagnosis, 'S' = secondary diagnosis, 'X' = unspecified diagnosis, '.' = blank. Along with the Care Setting values, forms the Caresetting/PDX parameter.

Query Period - period in which the modular program looks for exposures and outcomes of interest

Request Send Date - date the request was sent to Sentinel Data Partners

MEB Code List 1. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM) Diagnosis Codes Used to Define Major Extracranial Bleeding in this Request

Code	Description	Code Type
423.0	Hemopericardium	ICD-9-CM
455.2	Internal hemorrhoids with other complication	ICD-9-CM
455.5	External hemorrhoids with other complication	ICD-9-CM
455.8	Unspecified hemorrhoids with other complication	ICD-9-CM
456.0	Esophageal varices with bleeding	ICD-9-CM
456.20	Esophageal varices with bleeding in diseases classified elsewhere	ICD-9-CM
459.0	Unspecified hemorrhage	ICD-9-CM
530.7	Gastroesophageal laceration-hemorrhage syndrome	ICD-9-CM
530.82	Esophageal hemorrhage	ICD-9-CM
531.0	Acute gastric ulcer with hemorrhage	ICD-9-CM
531.00	Acute gastric ulcer with hemorrhage, without mention of obstruction	ICD-9-CM
531.01	Acute gastric ulcer with hemorrhage and obstruction	ICD-9-CM
531.2	Acute gastric ulcer with hemorrhage and perforation	ICD-9-CM
531.20	Acute gastric ulcer with hemorrhage and perforation, without mention of obstruction	ICD-9-CM
531.21	Acute gastric ulcer with hemorrhage, perforation, and obstruction	ICD-9-CM
531.4	Chronic or unspecified gastric ulcer with hemorrhage	ICD-9-CM
531.40	Chronic or unspecified gastric ulcer with hemorrhage, without mention of obstruction	ICD-9-CM
531.41	Chronic or unspecified gastric ulcer with hemorrhage and obstruction	ICD-9-CM
531.6	Chronic or unspecified gastric ulcer with hemorrhage and perforation	ICD-9-CM
531.60	Chronic or unspecified gastric ulcer with hemorrhage and perforation, without mention of obstruction	ICD-9-CM
531.61	Chronic or unspecified gastric ulcer with hemorrhage, perforation, and obstruction	ICD-9-CM
532.0	Acute duodenal ulcer with hemorrhage	ICD-9-CM
532.00	Acute duodenal ulcer with hemorrhage, without mention of obstruction	ICD-9-CM
532.01	Acute duodenal ulcer with hemorrhage and obstruction	ICD-9-CM
532.2	Acute duodenal ulcer with hemorrhage and perforation	ICD-9-CM
532.20	Acute duodenal ulcer with hemorrhage and perforation, without mention of obstruction	ICD-9-CM
532.21	Acute duodenal ulcer with hemorrhage, perforation, and obstruction	ICD-9-CM
532.4	Chronic or unspecified duodenal ulcer with hemorrhage	ICD-9-CM
532.40	Duodenal ulcer, chronic or unspecified, with hemorrhage, without mention of obstruction	ICD-9-CM
532.41	Chronic or unspecified duodenal ulcer with hemorrhage and obstruction	ICD-9-CM
532.6	Chronic or unspecified duodenal ulcer with hemorrhage and perforation	ICD-9-CM
532.60	Chronic or unspecified duodenal ulcer with hemorrhage and perforation, without mention of obstruction	ICD-9-CM
532.61	Chronic or unspecified duodenal ulcer with hemorrhage, perforation, and obstruction	ICD-9-CM
533.0	Acute peptic ulcer, unspecified site, with hemorrhage	ICD-9-CM
533.00	Acute peptic ulcer, unspecified site, with hemorrhage, without mention of obstruction	ICD-9-CM
533.01	Acute peptic ulcer, unspecified site, with hemorrhage and obstruction	ICD-9-CM
533.2	Acute peptic ulcer, unspecified site, with hemorrhage and perforation	ICD-9-CM
533.20	Acute peptic ulcer, unspecified site, with hemorrhage and perforation, without mention of obstruction	ICD-9-CM
533.21	Acute peptic ulcer, unspecified site, with hemorrhage, perforation, and obstruction	ICD-9-CM
533.4	Chronic or unspecified peptic ulcer, unspecified site, with hemorrhage	ICD-9-CM
533.40	Chronic or unspecified peptic ulcer, unspecified site, with hemorrhage, without mention of obstruction	ICD-9-CM
533.41	Chronic or unspecified peptic ulcer, unspecified site, with hemorrhage and obstruction	ICD-9-CM

MEB Code List 1. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM) Diagnosis Codes Used to Define Major Extracranial Bleeding in this Request

Code	Description	Code Type
533.6	Chronic or unspecified peptic ulcer, unspecified site, with hemorrhage and perforation	ICD-9-CM
533.60	Chronic or unspecified peptic ulcer, unspecified site, with hemorrhage and perforation, without mention of obstruction	ICD-9-CM
533.61	Chronic or unspecified peptic ulcer, unspecified site, with hemorrhage, perforation, and obstruction	ICD-9-CM
534.0	Acute gastrojejunal ulcer with hemorrhage	ICD-9-CM
534.00	Acute gastrojejunal ulcer with hemorrhage, without mention of obstruction	ICD-9-CM
534.01	Acute gastrojejunal ulcer, with hemorrhage and obstruction	ICD-9-CM
534.2	Acute gastrojejunal ulcer with hemorrhage and perforation	ICD-9-CM
534.20	Acute gastrojejunal ulcer with hemorrhage and perforation, without mention of obstruction	ICD-9-CM
534.21	Acute gastrojejunal ulcer with hemorrhage, perforation, and obstruction	ICD-9-CM
534.4	Chronic or unspecified gastrojejunal ulcer with hemorrhage	ICD-9-CM
534.40	Chronic or unspecified gastrojejunal ulcer with hemorrhage, without mention of obstruction	ICD-9-CM
534.41	Chronic or unspecified gastrojejunal ulcer, with hemorrhage and obstruction	ICD-9-CM
534.6	Chronic or unspecified gastrojejunal ulcer with hemorrhage and perforation	ICD-9-CM
534.60	Chronic or unspecified gastrojejunal ulcer with hemorrhage and perforation, without mention of obstruction	ICD-9-CM
534.61	Chronic or unspecified gastrojejunal ulcer with hemorrhage, perforation, and obstruction	ICD-9-CM
535.01	Acute gastritis with hemorrhage	ICD-9-CM
535.11	Atrophic gastritis with hemorrhage	ICD-9-CM
535.21	Gastric mucosal hypertrophy with hemorrhage	ICD-9-CM
535.31	Alcoholic gastritis with hemorrhage	ICD-9-CM
535.41	Other specified gastritis with hemorrhage	ICD-9-CM
535.51	Unspecified gastritis and gastroduodenitis with hemorrhage	ICD-9-CM
535.61	Duodenitis with hemorrhage	ICD-9-CM
537.83	Angiodysplasia of stomach and duodenum with hemorrhage	ICD-9-CM
562.02	Diverticulosis of small intestine with hemorrhage	ICD-9-CM
562.03	Diverticulitis of small intestine with hemorrhage	ICD-9-CM
562.12	Diverticulosis of colon with hemorrhage	ICD-9-CM
562.13	Diverticulitis of colon with hemorrhage	ICD-9-CM
568.81	Hemoperitoneum (nontraumatic)	ICD-9-CM
569.3	Hemorrhage of rectum and anus	ICD-9-CM
569.85	Angiodysplasia of intestine with hemorrhage	ICD-9-CM
578.0	Hematemesis	ICD-9-CM
578.1	Blood in stool	ICD-9-CM
578.9	Hemorrhage of gastrointestinal tract, unspecified	ICD-9-CM
593.81	Vascular disorders of kidney	ICD-9-CM
599.7	Hematuria	ICD-9-CM
623.8	Other specified noninflammatory disorder of vagina	ICD-9-CM
626.2	Excessive or frequent menstruation	ICD-9-CM
626.6	Metrorrhagia	ICD-9-CM
719.1	Hemarthrosis	ICD-9-CM
719.10	Hemarthrosis, site unspecified	ICD-9-CM

MEB Code List 1. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM) Diagnosis Codes Used to Define Major Extracranial Bleeding in this Request

Code	Description	Code Type
719.11	Hemarthrosis, shoulder region	ICD-9-CM
719.12	Hemarthrosis, upper arm	ICD-9-CM
719.13	Hemarthrosis, forearm	ICD-9-CM
719.14	Hemarthrosis, hand	ICD-9-CM
719.15	Hemarthrosis, pelvic region and thigh	ICD-9-CM
719.16	Hemarthrosis, lower leg	ICD-9-CM
719.17	Hemarthrosis, ankle and foot	ICD-9-CM
719.18	Hemarthrosis, other specified site	ICD-9-CM
719.19	Hemarthrosis, multiple sites	ICD-9-CM
784.7	Epistaxis	ICD-9-CM
784.8	Hemorrhage from throat	ICD-9-CM
786.3	Hemoptysis	ICD-9-CM
531.60	Chronic or unspecified gastric ulcer with hemorrhage and perforation	ICD-9-CM

MEB Code List 2. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM) Diagnosis Codes Used to Define Major Extracranial Bleeding in this Request

Code	Description	Code Type
280.0	Iron deficiency anemia secondary to blood loss (chronic)	ICD-9-CM
285.1	Acute posthemorrhagic anemia	ICD-9-CM
285.9	Unspecified anemia	ICD-9-CM
455.0	Internal hemorrhoids without mention of complication	ICD-9-CM
455.1	Internal thrombosed hemorrhoids	ICD-9-CM
455.2	Internal hemorrhoids with other complication	ICD-9-CM
455.3	External hemorrhoids without mention of complication	ICD-9-CM
455.4	External thrombosed hemorrhoids	ICD-9-CM
455.5	External hemorrhoids with other complication	ICD-9-CM
455.6	Unspecified hemorrhoids without mention of complication	ICD-9-CM
455.7	Unspecified thrombosed hemorrhoids	ICD-9-CM
455.8	Unspecified hemorrhoids with other complication	ICD-9-CM
455.9	Residual hemorrhoidal skin tags	ICD-9-CM
530.1	Esophagitis	ICD-9-CM
531.1	Acute gastric ulcer with perforation	ICD-9-CM
531.3	Acute gastric ulcer without mention of hemorrhage or perforation	ICD-9-CM
531.5	Chronic or unspecified gastric ulcer with perforation	ICD-9-CM
531.7	Chronic gastric ulcer without mention of hemorrhage or perforation	ICD-9-CM
531.9	Gastric ulcer, unspecified as acute or chronic, without mention of hemorrhage or perforation	ICD-9-CM
532.1	Acute duodenal ulcer with perforation	ICD-9-CM
532.3	Acute duodenal ulcer without mention of hemorrhage or perforation	ICD-9-CM
532.5	Chronic or unspecified duodenal ulcer with perforation	ICD-9-CM
532.7	Chronic duodenal ulcer without mention of hemorrhage or perforation	ICD-9-CM
532.9	Duodenal ulcer, unspecified as acute or chronic, without mention of hemorrhage or perforation	ICD-9-CM
533.1	Acute peptic ulcer, unspecified site, with perforation	ICD-9-CM
533.3	Acute peptic ulcer, unspecified site, without mention of hemorrhage and perforation	ICD-9-CM
533.5	Chronic or unspecified peptic ulcer, unspecified site, with perforation	ICD-9-CM
533.7	Chronic peptic ulcer, unspecified site, without mention of hemorrhage or perforation	ICD-9-CM
533.9	Peptic ulcer, unspecified site, unspecified as acute or chronic, without mention of hemorrhage or perforation	ICD-9-CM
534.1	Acute gastrojejunal ulcer with perforation	ICD-9-CM
534.3	Acute gastrojejunal ulcer without mention of hemorrhage or perforation	ICD-9-CM
534.5	Chronic or unspecified gastrojejunal ulcer with perforation	ICD-9-CM
534.7	Chronic gastrojejunal ulcer without mention of hemorrhage or perforation	ICD-9-CM
534.9	Gastrojejunal ulcer, unspecified as acute or chronic, without mention of hemorrhage or perforation	ICD-9-CM
535.00	Acute gastritis without mention of hemorrhage	ICD-9-CM
535.10	Atrophic gastritis without mention of hemorrhage	ICD-9-CM
535.20	Gastric mucosal hypertrophy without mention of hemorrhage	ICD-9-CM
535.30	Alcoholic gastritis without mention of hemorrhage	ICD-9-CM
535.40	Other specified gastritis without mention of hemorrhage	ICD-9-CM
535.50	Unspecified gastritis and gastroduodenitis without mention of hemorrhage	ICD-9-CM
535.60	Duodenitis without mention of hemorrhage	ICD-9-CM
562.00	Diverticulosis of small intestine (without mention of hemorrhage)	ICD-9-CM
562.01	Diverticulitis of small intestine (without mention of hemorrhage)	ICD-9-CM

MEB Code List 2. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM) Diagnosis Codes Used to Define Major Extracranial Bleeding in this Request

Code	Description	Code Type
562.10	Diverticulosis of colon (without mention of hemorrhage)	ICD-9-CM
562.11	Diverticulitis of colon (without mention of hemorrhage)	ICD-9-CM
790.92	Abnormal coagulation profile	ICD-9-CM

Trauma Exclusion. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM) Diagnosis Codes and Current Procedural Terminology, Fourth Edition (CPT-4) Procedure Codes Used to Define Trauma in this Request

Code	Description	Code Type	Code Category
62000	Elevation of depressed skull fracture; simple, extradural	CPT-4	Procedure
62005	Elevation of depressed skull fracture; compound or comminuted, extradural	CPT-4	Procedure
62010	Elevation of depressed skull fracture; with repair of dura and/or debridement of brain	CPT-4	Procedure
800	Fracture of vault of skull	ICD-9-CM	Diagnosis
800.0	Closed fracture of vault of skull without mention of intracranial injury	ICD-9-CM	Diagnosis
800.00	Closed fracture of vault of skull without mention of intracranial injury, unspecified state of consciousness	ICD-9-CM	Diagnosis
800.01	Closed fracture of vault of skull without mention of intracranial injury, no loss of consciousness	ICD-9-CM	Diagnosis
800.02	Closed fracture of vault of skull without mention of intracranial injury, brief (less than one hour) loss of consciousness	ICD-9-CM	Diagnosis
800.03	Closed fracture of vault of skull without mention of intracranial injury, moderate (1-24 hours) loss of consciousness	ICD-9-CM	Diagnosis
800.04	Closed fracture of vault of skull without mention of intracranial injury, prolonged (more than 24 hours) loss of consciousness and return to pre-existing conscious level	ICD-9-CM	Diagnosis
800.05	Closed fracture of vault of skull without mention of intracranial injury, prolonged (more than 24 hours) loss of consciousness, without return to pre-existing conscious level	ICD-9-CM	Diagnosis
800.06	Closed fracture of vault of skull without mention of intracranial injury, loss of consciousness of unspecified duration	ICD-9-CM	Diagnosis
800.09	Closed fracture of vault of skull without mention of intracranial injury, unspecified concussion	ICD-9-CM	Diagnosis
800.1	Closed fracture of vault of skull with cerebral laceration and contusion	ICD-9-CM	Diagnosis
800.10	Closed fracture of vault of skull with cerebral laceration and contusion, unspecified state of consciousness	ICD-9-CM	Diagnosis
800.11	Closed fracture of vault of skull with cerebral laceration and contusion, no loss of consciousness	ICD-9-CM	Diagnosis
800.12	Closed fracture of vault of skull with cerebral laceration and contusion, brief (less than one hour) loss of consciousness	ICD-9-CM	Diagnosis
800.13	Closed fracture of vault of skull with cerebral laceration and contusion, moderate (1-24 hours) loss of consciousness	ICD-9-CM	Diagnosis
800.14	Closed fracture of vault of skull with cerebral laceration and contusion, prolonged (more than 24 hours) loss of consciousness and return to pre-existing conscious level	ICD-9-CM	Diagnosis
800.15	Closed fracture of vault of skull with cerebral laceration and contusion, prolonged (more than 24 hours) loss of consciousness, without return to pre-existing conscious level	ICD-9-CM	Diagnosis
800.16	Closed fracture of vault of skull with cerebral laceration and contusion, loss of consciousness of unspecified duration	ICD-9-CM	Diagnosis
800.19	Closed fracture of vault of skull with cerebral laceration and contusion, unspecified concussion	ICD-9-CM	Diagnosis
800.2	Closed fracture of vault of skull with subarachnoid, subdural, and extradural hemorrhage	ICD-9-CM	Diagnosis
800.20	Closed fracture of vault of skull with subarachnoid, subdural, and extradural hemorrhage, unspecified state of consciousness	ICD-9-CM	Diagnosis
800.21	Closed fracture of vault of skull with subarachnoid, subdural, and extradural hemorrhage, no loss of consciousness	ICD-9-CM	Diagnosis

Trauma Exclusion. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM) Diagnosis Codes and Current Procedural Terminology, Fourth Edition (CPT-4) Procedure Codes Used to Define Trauma in this Request

Code	Description	Code Type	Code Category
800.22	Closed fracture of vault of skull with subarachnoid, subdural, and extradural hemorrhage, brief (less than one hour) loss of consciousness	ICD-9-CM	Diagnosis
800.23	Closed fracture of vault of skull with subarachnoid, subdural, and extradural hemorrhage, moderate (1-24 hours) loss of consciousness	ICD-9-CM	Diagnosis
800.24	Closed fracture of vault of skull with subarachnoid, subdural, and extradural hemorrhage, prolonged (more than 24 hours) loss of consciousness and return to pre-existing conscious level	ICD-9-CM	Diagnosis
800.25	Closed fracture of vault of skull with subarachnoid, subdural, and extradural hemorrhage, prolonged (more than 24 hours) loss of consciousness, without return to pre-existing conscious level	ICD-9-CM	Diagnosis
800.26	Closed fracture of vault of skull with subarachnoid, subdural, and extradural hemorrhage, loss of consciousness of unspecified duration	ICD-9-CM	Diagnosis
800.29	Closed fracture of vault of skull with subarachnoid, subdural, and extradural hemorrhage, unspecified concussion	ICD-9-CM	Diagnosis
800.3	Closed fracture of vault of skull with other and unspecified intracranial hemorrhage	ICD-9-CM	Diagnosis
800.30	Closed fracture of vault of skull with other and unspecified intracranial hemorrhage, unspecified state of consciousness	ICD-9-CM	Diagnosis
800.31	Closed fracture of vault of skull with other and unspecified intracranial hemorrhage, no loss of consciousness	ICD-9-CM	Diagnosis
800.32	Closed fracture of vault of skull with other and unspecified intracranial hemorrhage, brief (less than one hour) loss of consciousness	ICD-9-CM	Diagnosis
800.33	Closed fracture of vault of skull with other and unspecified intracranial hemorrhage, moderate (1-24 hours) loss of consciousness	ICD-9-CM	Diagnosis
800.34	Closed fracture of vault of skull with other and unspecified intracranial hemorrhage, prolonged (more than 24 hours) loss of consciousness and return to pre-existing conscious level	ICD-9-CM	Diagnosis
800.35	Closed fracture of vault of skull with other and unspecified intracranial hemorrhage, prolonged (more than 24 hours) loss of consciousness, without return to pre-existing conscious level	ICD-9-CM	Diagnosis
800.36	Closed fracture of vault of skull with other and unspecified intracranial hemorrhage, loss of consciousness of unspecified duration	ICD-9-CM	Diagnosis
800.39	Closed fracture of vault of skull with other and unspecified intracranial hemorrhage, unspecified concussion	ICD-9-CM	Diagnosis
800.4	Closed fracture of vault of skull with intercranial injury of other and unspecified nature	ICD-9-CM	Diagnosis
800.40	Closed fracture of vault of skull with intracranial injury of other and unspecified nature, unspecified state of consciousness	ICD-9-CM	Diagnosis
800.41	Closed fracture of vault of skull with intracranial injury of other and unspecified nature, no loss of consciousness	ICD-9-CM	Diagnosis
800.42	Closed fracture of vault of skull with intracranial injury of other and unspecified nature, brief (less than one hour) loss of consciousness	ICD-9-CM	Diagnosis
800.43	Closed fracture of vault of skull with intracranial injury of other and unspecified nature, moderate (1-24 hours) loss of consciousness	ICD-9-CM	Diagnosis

Trauma Exclusion. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM) Diagnosis Codes and Current Procedural Terminology, Fourth Edition (CPT-4) Procedure Codes Used to Define Trauma in this Request

Code	Description	Code Type	Code Category
800.44	Closed fracture of vault of skull with intracranial injury of other and unspecified nature, prolonged (more than 24 hours) loss of consciousness and return to pre-existing conscious level	ICD-9-CM	Diagnosis
800.45	Closed fracture of vault of skull with intracranial injury of other and unspecified nature, prolonged (more than 24 hours) loss of consciousness, without return to pre-existing conscious level	ICD-9-CM	Diagnosis
800.46	Closed fracture of vault of skull with intracranial injury of other and unspecified nature, loss of consciousness of unspecified duration	ICD-9-CM	Diagnosis
800.49	Closed fracture of vault of skull with intracranial injury of other and unspecified nature, unspecified concussion	ICD-9-CM	Diagnosis
800.5	Open fracture of vault of skull without mention of intracranial injury	ICD-9-CM	Diagnosis
800.50	Open fracture of vault of skull without mention of intracranial injury, unspecified state of consciousness	ICD-9-CM	Diagnosis
800.51	Open fracture of vault of skull without mention of intracranial injury, no loss of consciousness	ICD-9-CM	Diagnosis
800.52	Open fracture of vault of skull without mention of intracranial injury, brief (less than one hour) loss of consciousness	ICD-9-CM	Diagnosis
800.53	Open fracture of vault of skull without mention of intracranial injury, moderate (1-24 hours) loss of consciousness	ICD-9-CM	Diagnosis
800.54	Open fracture of vault of skull without mention of intracranial injury, prolonged (more than 24 hours) loss of consciousness and return to pre-existing conscious level	ICD-9-CM	Diagnosis
800.55	Open fracture of vault of skull without mention of intracranial injury, prolonged (more than 24 hours) loss of consciousness, without return to pre-existing conscious level	ICD-9-CM	Diagnosis
800.56	Open fracture of vault of skull without mention of intracranial injury, loss of consciousness of unspecified duration	ICD-9-CM	Diagnosis
800.59	Open fracture of vault of skull without mention of intracranial injury, unspecified concussion	ICD-9-CM	Diagnosis
800.6	Open fracture of vault of skull with cerebral laceration and contusion	ICD-9-CM	Diagnosis
800.60	Open fracture of vault of skull with cerebral laceration and contusion, unspecified state of consciousness	ICD-9-CM	Diagnosis
800.61	Open fracture of vault of skull with cerebral laceration and contusion, no loss of consciousness	ICD-9-CM	Diagnosis
800.62	Open fracture of vault of skull with cerebral laceration and contusion, brief (less than one hour) loss of consciousness	ICD-9-CM	Diagnosis
800.63	Open fracture of vault of skull with cerebral laceration and contusion, moderate (1-24 hours) loss of consciousness	ICD-9-CM	Diagnosis
800.64	Open fracture of vault of skull with cerebral laceration and contusion, prolonged (more than 24 hours) loss of consciousness and return to pre-existing conscious level	ICD-9-CM	Diagnosis
800.65	Open fracture of vault of skull with cerebral laceration and contusion, prolonged (more than 24 hours) loss of consciousness, without return to pre-existing conscious level	ICD-9-CM	Diagnosis
800.66	Open fracture of vault of skull with cerebral laceration and contusion, loss of consciousness of unspecified duration	ICD-9-CM	Diagnosis
800.69	Open fracture of vault of skull with cerebral laceration and contusion, unspecified concussion	ICD-9-CM	Diagnosis
800.7	Open fracture of vault of skull with subarachnoid, subdural, and extradural hemorrhage	ICD-9-CM	Diagnosis

Trauma Exclusion. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM) Diagnosis Codes and Current Procedural Terminology, Fourth Edition (CPT-4) Procedure Codes Used to Define Trauma in this Request

Code	Description	Code Type	Code Category
800.70	Open fracture of vault of skull with subarachnoid, subdural, and extradural hemorrhage, unspecified state of consciousness	ICD-9-CM	Diagnosis
800.71	Open fracture of vault of skull with subarachnoid, subdural, and extradural hemorrhage, no loss of consciousness	ICD-9-CM	Diagnosis
800.72	Open fracture of vault of skull with subarachnoid, subdural, and extradural hemorrhage, brief (less than one hour) loss of consciousness	ICD-9-CM	Diagnosis
800.73	Open fracture of vault of skull with subarachnoid, subdural, and extradural hemorrhage, moderate (1-24 hours) loss of consciousness	ICD-9-CM	Diagnosis
800.74	Open fracture of vault of skull with subarachnoid, subdural, and extradural hemorrhage, prolonged (more than 24 hours) loss of consciousness and return to pre-existing conscious level	ICD-9-CM	Diagnosis
800.75	Open fracture of vault of skull with subarachnoid, subdural, and extradural hemorrhage, prolonged (more than 24 hours) loss of consciousness, without return to pre-existing conscious level	ICD-9-CM	Diagnosis
800.76	Open fracture of vault of skull with subarachnoid, subdural, and extradural hemorrhage, loss of consciousness of unspecified duration	ICD-9-CM	Diagnosis
800.79	Open fracture of vault of skull with subarachnoid, subdural, and extradural hemorrhage, unspecified concussion	ICD-9-CM	Diagnosis
800.8	Open fracture of vault of skull with other and unspecified intracranial hemorrhage	ICD-9-CM	Diagnosis
800.80	Open fracture of vault of skull with other and unspecified intracranial hemorrhage, unspecified state of consciousness	ICD-9-CM	Diagnosis
800.81	Open fracture of vault of skull with other and unspecified intracranial hemorrhage, no loss of consciousness	ICD-9-CM	Diagnosis
800.82	Open fracture of vault of skull with other and unspecified intracranial hemorrhage, brief (less than one hour) loss of consciousness	ICD-9-CM	Diagnosis
800.83	Open fracture of vault of skull with other and unspecified intracranial hemorrhage, moderate (1-24 hours) loss of consciousness	ICD-9-CM	Diagnosis
800.84	Open fracture of vault of skull with other and unspecified intracranial hemorrhage, prolonged (more than 24 hours) loss of consciousness and return to pre-existing conscious level	ICD-9-CM	Diagnosis
800.85	Open fracture of vault of skull with other and unspecified intracranial hemorrhage, prolonged (more than 24 hours) loss of consciousness, without return to pre-existing conscious level	ICD-9-CM	Diagnosis
800.86	Open fracture of vault of skull with other and unspecified intracranial hemorrhage, loss of consciousness of unspecified duration	ICD-9-CM	Diagnosis
800.89	Open fracture of vault of skull with other and unspecified intracranial hemorrhage, unspecified concussion	ICD-9-CM	Diagnosis
800.9	Open fracture of vault of skull with intracranial injury of other and unspecified nature	ICD-9-CM	Diagnosis
800.90	Open fracture of vault of skull with intracranial injury of other and unspecified nature, unspecified state of consciousness	ICD-9-CM	Diagnosis
800.91	Open fracture of vault of skull with intracranial injury of other and unspecified nature, no loss of consciousness	ICD-9-CM	Diagnosis
800.92	Open fracture of vault of skull with intracranial injury of other and unspecified nature, brief (less than one hour) loss of consciousness	ICD-9-CM	Diagnosis

Trauma Exclusion. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM) Diagnosis Codes and Current Procedural Terminology, Fourth Edition (CPT-4) Procedure Codes Used to Define Trauma in this Request

Code	Description	Code Type	Code Category
800.93	Open fracture of vault of skull with intracranial injury of other and unspecified nature, moderate (1-24 hours) loss of consciousness	ICD-9-CM	Diagnosis
800.94	Open fracture of vault of skull with intracranial injury of other and unspecified nature, prolonged (more than 24 hours) loss of consciousness and return to pre-existing conscious level	ICD-9-CM	Diagnosis
800.95	Open fracture of vault of skull with intracranial injury of other and unspecified nature, prolonged (more than 24 hours) loss of consciousness, without return to pre-existing conscious level	ICD-9-CM	Diagnosis
800.96	Open fracture of vault of skull with intracranial injury of other and unspecified nature, loss of consciousness of unspecified duration	ICD-9-CM	Diagnosis
800.99	Open fracture of vault of skull with intracranial injury of other and unspecified nature, unspecified concussion	ICD-9-CM	Diagnosis
801	Fracture of base of skull	ICD-9-CM	Diagnosis
801.0	Closed fracture of base of skull without mention of intracranial injury	ICD-9-CM	Diagnosis
801.00	Closed fracture of base of skull without mention of intracranial injury, unspecified state of consciousness	ICD-9-CM	Diagnosis
801.01	Closed fracture of base of skull without mention of intracranial injury, no loss of consciousness	ICD-9-CM	Diagnosis
801.02	Closed fracture of base of skull without mention of intracranial injury, brief (less than one hour) loss of consciousness	ICD-9-CM	Diagnosis
801.03	Closed fracture of base of skull without mention of intracranial injury, moderate (1-24 hours) loss of consciousness	ICD-9-CM	Diagnosis
801.04	Closed fracture of base of skull without mention of intracranial injury, prolonged (more than 24 hours) loss of consciousness and return to pre-existing conscious level	ICD-9-CM	Diagnosis
801.05	Closed fracture of base of skull without mention of intracranial injury, prolonged (more than 24 hours) loss of consciousness, without return to pre-existing conscious level	ICD-9-CM	Diagnosis
801.06	Closed fracture of base of skull without mention of intracranial injury, loss of consciousness of unspecified duration	ICD-9-CM	Diagnosis
801.09	Closed fracture of base of skull without mention of intracranial injury, unspecified concussion	ICD-9-CM	Diagnosis
801.1	Closed fracture of base of skull with cerebral laceration and contusion	ICD-9-CM	Diagnosis
801.10	Closed fracture of base of skull with cerebral laceration and contusion, unspecified state of consciousness	ICD-9-CM	Diagnosis
801.11	Closed fracture of base of skull with cerebral laceration and contusion, no loss of consciousness	ICD-9-CM	Diagnosis
801.12	Closed fracture of base of skull with cerebral laceration and contusion, brief (less than one hour) loss of consciousness	ICD-9-CM	Diagnosis
801.13	Closed fracture of base of skull with cerebral laceration and contusion, moderate (1-24 hours) loss of consciousness	ICD-9-CM	Diagnosis
801.14	Closed fracture of base of skull with cerebral laceration and contusion, prolonged (more than 24 hours) loss of consciousness and return to pre-existing conscious level	ICD-9-CM	Diagnosis
801.15	Closed fracture of base of skull with cerebral laceration and contusion, prolonged (more than 24 hours) loss of consciousness, without return to pre-existing conscious level	ICD-9-CM	Diagnosis

Trauma Exclusion. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM) Diagnosis Codes and Current Procedural Terminology, Fourth Edition (CPT-4) Procedure Codes Used to Define Trauma in this Request

Code	Description	Code Type	Code Category
801.16	Closed fracture of base of skull with cerebral laceration and contusion, loss of consciousness of unspecified duration	ICD-9-CM	Diagnosis
801.19	Closed fracture of base of skull with cerebral laceration and contusion, unspecified concussion	ICD-9-CM	Diagnosis
801.2	Closed fracture of base of skull with subarachnoid, subdural, and extradural hemorrhage	ICD-9-CM	Diagnosis
801.20	Closed fracture of base of skull with subarachnoid, subdural, and extradural hemorrhage, unspecified state of consciousness	ICD-9-CM	Diagnosis
801.21	Closed fracture of base of skull with subarachnoid, subdural, and extradural hemorrhage, no loss of consciousness	ICD-9-CM	Diagnosis
801.22	Closed fracture of base of skull with subarachnoid, subdural, and extradural hemorrhage, brief (less than one hour) loss of consciousness	ICD-9-CM	Diagnosis
801.23	Closed fracture of base of skull with subarachnoid, subdural, and extradural hemorrhage, moderate (1-24 hours) loss of consciousness	ICD-9-CM	Diagnosis
801.24	Closed fracture of base of skull with subarachnoid, subdural, and extradural hemorrhage, prolonged (more than 24 hours) loss of consciousness and return to pre-existing conscious level	ICD-9-CM	Diagnosis
801.25	Closed fracture of base of skull with subarachnoid, subdural, and extradural hemorrhage, prolonged (more than 24 hours) loss of consciousness, without return to pre-existing conscious level	ICD-9-CM	Diagnosis
801.26	Closed fracture of base of skull with subarachnoid, subdural, and extradural hemorrhage, loss of consciousness of unspecified duration	ICD-9-CM	Diagnosis
801.29	Closed fracture of base of skull with subarachnoid, subdural, and extradural hemorrhage, unspecified concussion	ICD-9-CM	Diagnosis
801.3	Closed fracture of base of skull with other and unspecified intracranial hemorrhage	ICD-9-CM	Diagnosis
801.30	Closed fracture of base of skull with other and unspecified intracranial hemorrhage, unspecified state of consciousness	ICD-9-CM	Diagnosis
801.31	Closed fracture of base of skull with other and unspecified intracranial hemorrhage, no loss of consciousness	ICD-9-CM	Diagnosis
801.32	Closed fracture of base of skull with other and unspecified intracranial hemorrhage, brief (less than one hour) loss of consciousness	ICD-9-CM	Diagnosis
801.33	Closed fracture of base of skull with other and unspecified intracranial hemorrhage, moderate (1-24 hours) loss of consciousness	ICD-9-CM	Diagnosis
801.34	Closed fracture of base of skull with other and unspecified intracranial hemorrhage, prolonged (more than 24 hours) loss of consciousness and return to pre-existing conscious level	ICD-9-CM	Diagnosis
801.35	Closed fracture of base of skull with other and unspecified intracranial hemorrhage, prolonged (more than 24 hours) loss of consciousness, without return to pre-existing conscious level	ICD-9-CM	Diagnosis
801.36	Closed fracture of base of skull with other and unspecified intracranial hemorrhage, loss of consciousness of unspecified duration	ICD-9-CM	Diagnosis
801.39	Closed fracture of base of skull with other and unspecified intracranial hemorrhage, unspecified concussion	ICD-9-CM	Diagnosis
801.4	Closed fracture of base of skull with intracranial injury of other and unspecified nature	ICD-9-CM	Diagnosis

Trauma Exclusion. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM) Diagnosis Codes and Current Procedural Terminology, Fourth Edition (CPT-4) Procedure Codes Used to Define Trauma in this Request

Code	Description	Code Type	Code Category
801.40	Closed fracture of base of skull with intracranial injury of other and unspecified nature, unspecified state of consciousness	ICD-9-CM	Diagnosis
801.41	Closed fracture of base of skull with intracranial injury of other and unspecified nature, no loss of consciousness	ICD-9-CM	Diagnosis
801.42	Closed fracture of base of skull with intracranial injury of other and unspecified nature, brief (less than one hour) loss of consciousness	ICD-9-CM	Diagnosis
801.43	Closed fracture of base of skull with intracranial injury of other and unspecified nature, moderate (1-24 hours) loss of consciousness	ICD-9-CM	Diagnosis
801.44	Closed fracture of base of skull with intracranial injury of other and unspecified nature, prolonged (more than 24 hours) loss of consciousness and return to pre-existing conscious level	ICD-9-CM	Diagnosis
801.45	Closed fracture of base of skull with intracranial injury of other and unspecified nature, prolonged (more than 24 hours) loss of consciousness, without return to pre-existing conscious level	ICD-9-CM	Diagnosis
801.46	Closed fracture of base of skull with intracranial injury of other and unspecified nature, loss of consciousness of unspecified duration	ICD-9-CM	Diagnosis
801.49	Closed fracture of base of skull with intracranial injury of other and unspecified nature, unspecified concussion	ICD-9-CM	Diagnosis
801.5	Open fracture of base of skull without mention of intracranial injury	ICD-9-CM	Diagnosis
801.50	Open fracture of base of skull without mention of intracranial injury, unspecified state of consciousness	ICD-9-CM	Diagnosis
801.51	Open fracture of base of skull without mention of intracranial injury, no loss of consciousness	ICD-9-CM	Diagnosis
801.52	Open fracture of base of skull without mention of intracranial injury, brief (less than one hour) loss of consciousness	ICD-9-CM	Diagnosis
801.53	Open fracture of base of skull without mention of intracranial injury, moderate (1-24 hours) loss of consciousness	ICD-9-CM	Diagnosis
801.54	Open fracture of base of skull without mention of intracranial injury, prolonged (more than 24 hours) loss of consciousness and return to pre-existing conscious level	ICD-9-CM	Diagnosis
801.55	Open fracture of base of skull without mention of intracranial injury, prolonged (more than 24 hours) loss of consciousness, without return to pre-existing conscious level	ICD-9-CM	Diagnosis
801.56	Open fracture of base of skull without mention of intracranial injury, loss of consciousness of unspecified duration	ICD-9-CM	Diagnosis
801.59	Open fracture of base of skull without mention of intracranial injury, unspecified concussion	ICD-9-CM	Diagnosis
801.6	Open fracture of base of skull with cerebral laceration and contusion	ICD-9-CM	Diagnosis
801.60	Open fracture of base of skull with cerebral laceration and contusion, unspecified state of consciousness	ICD-9-CM	Diagnosis
801.61	Open fracture of base of skull with cerebral laceration and contusion, no loss of consciousness	ICD-9-CM	Diagnosis
801.62	Open fracture of base of skull with cerebral laceration and contusion, brief (less than one hour) loss of consciousness	ICD-9-CM	Diagnosis
801.63	Open fracture of base of skull with cerebral laceration and contusion, moderate (1-24 hours) loss of consciousness	ICD-9-CM	Diagnosis
801.64	Open fracture of base of skull with cerebral laceration and contusion, prolonged (more than 24 hours) loss of consciousness and return to pre-existing conscious level	ICD-9-CM	Diagnosis

Trauma Exclusion. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM) Diagnosis Codes and Current Procedural Terminology, Fourth Edition (CPT-4) Procedure Codes Used to Define Trauma in this Request

Code	Description	Code Type	Code Category
801.65	Open fracture of base of skull with cerebral laceration and contusion, prolonged (more than 24 hours) loss of consciousness, without return to pre-existing conscious level	ICD-9-CM	Diagnosis
801.66	Open fracture of base of skull with cerebral laceration and contusion, loss of consciousness of unspecified duration	ICD-9-CM	Diagnosis
801.69	Open fracture of base of skull with cerebral laceration and contusion, unspecified concussion	ICD-9-CM	Diagnosis
801.7	Open fracture of base of skull with subarachnoid, subdural, and extradural hemorrhage	ICD-9-CM	Diagnosis
801.70	Open fracture of base of skull with subarachnoid, subdural, and extradural hemorrhage, unspecified state of consciousness	ICD-9-CM	Diagnosis
801.71	Open fracture of base of skull with subarachnoid, subdural, and extradural hemorrhage, no loss of consciousness	ICD-9-CM	Diagnosis
801.72	Open fracture of base of skull with subarachnoid, subdural, and extradural hemorrhage, brief (less than one hour) loss of consciousness	ICD-9-CM	Diagnosis
801.73	Open fracture of base of skull with subarachnoid, subdural, and extradural hemorrhage, moderate (1-24 hours) loss of consciousness	ICD-9-CM	Diagnosis
801.74	Open fracture of base of skull with subarachnoid, subdural, and extradural hemorrhage, prolonged (more than 24 hours) loss of consciousness and return to pre-existing conscious level	ICD-9-CM	Diagnosis
801.75	Open fracture of base of skull with subarachnoid, subdural, and extradural hemorrhage, prolonged (more than 24 hours) loss of consciousness, without return to pre-existing conscious level	ICD-9-CM	Diagnosis
801.76	Open fracture of base of skull with subarachnoid, subdural, and extradural hemorrhage, loss of consciousness of unspecified duration	ICD-9-CM	Diagnosis
801.79	Open fracture of base of skull with subarachnoid, subdural, and extradural hemorrhage, unspecified concussion	ICD-9-CM	Diagnosis
801.8	Open fracture of base of skull with other and unspecified intracranial hemorrhage	ICD-9-CM	Diagnosis
801.80	Open fracture of base of skull with other and unspecified intracranial hemorrhage, unspecified state of consciousness	ICD-9-CM	Diagnosis
801.81	Open fracture of base of skull with other and unspecified intracranial hemorrhage, no loss of consciousness	ICD-9-CM	Diagnosis
801.82	Open fracture of base of skull with other and unspecified intracranial hemorrhage, brief (less than one hour) loss of consciousness	ICD-9-CM	Diagnosis
801.83	Open fracture of base of skull with other and unspecified intracranial hemorrhage, moderate (1-24 hours) loss of consciousness	ICD-9-CM	Diagnosis
801.84	Open fracture of base of skull with other and unspecified intracranial hemorrhage, prolonged (more than 24 hours) loss of consciousness and return to pre-existing conscious level	ICD-9-CM	Diagnosis
801.85	Open fracture of base of skull with other and unspecified intracranial hemorrhage, prolonged (more than 24 hours) loss of consciousness, without return to pre-existing conscious level	ICD-9-CM	Diagnosis
801.86	Open fracture of base of skull with other and unspecified intracranial hemorrhage, loss of consciousness of unspecified duration	ICD-9-CM	Diagnosis
801.89	Open fracture of base of skull with other and unspecified intracranial hemorrhage, unspecified concussion	ICD-9-CM	Diagnosis
801.9	Open fracture of base of skull with intracranial injury of other and unspecified nature	ICD-9-CM	Diagnosis

Trauma Exclusion. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM) Diagnosis Codes and Current Procedural Terminology, Fourth Edition (CPT-4) Procedure Codes Used to Define Trauma in this Request

Code	Description	Code Type	Code Category
801.90	Open fracture of base of skull with intracranial injury of other and unspecified nature, unspecified state of consciousness	ICD-9-CM	Diagnosis
801.91	Open fracture of base of skull with intracranial injury of other and unspecified nature, no loss of consciousness	ICD-9-CM	Diagnosis
801.92	Open fracture of base of skull with intracranial injury of other and unspecified nature, brief (less than one hour) loss of consciousness	ICD-9-CM	Diagnosis
801.93	Open fracture of base of skull with intracranial injury of other and unspecified nature, moderate (1-24 hours) loss of consciousness	ICD-9-CM	Diagnosis
801.94	Open fracture of base of skull with intracranial injury of other and unspecified nature, prolonged (more than 24 hours) loss of consciousness and return to pre-existing conscious level	ICD-9-CM	Diagnosis
801.95	Open fracture of base of skull with intracranial injury of other and unspecified nature, prolonged (more than 24 hours) loss of consciousness, without return to pre-existing conscious level	ICD-9-CM	Diagnosis
801.96	Open fracture of base of skull with intracranial injury of other and unspecified nature, loss of consciousness of unspecified duration	ICD-9-CM	Diagnosis
801.99	Open fracture of base of skull with intracranial injury of other and unspecified nature, unspecified concussion	ICD-9-CM	Diagnosis
802	Fracture of face bones	ICD-9-CM	Diagnosis
802.0	Nasal bones, closed fracture	ICD-9-CM	Diagnosis
802.1	Nasal bones, open fracture	ICD-9-CM	Diagnosis
802.2	Mandible, closed fracture	ICD-9-CM	Diagnosis
802.20	Closed fracture of unspecified site of mandible	ICD-9-CM	Diagnosis
802.21	Closed fracture of condylar process of mandible	ICD-9-CM	Diagnosis
802.22	Closed fracture of subcondylar process of mandible	ICD-9-CM	Diagnosis
802.23	Closed fracture of coronoid process of mandible	ICD-9-CM	Diagnosis
802.24	Closed fracture of unspecified part of ramus of mandible	ICD-9-CM	Diagnosis
802.25	Closed fracture of angle of jaw	ICD-9-CM	Diagnosis
802.26	Closed fracture of symphysis of body of mandible	ICD-9-CM	Diagnosis
802.27	Closed fracture of alveolar border of body of mandible	ICD-9-CM	Diagnosis
802.28	Closed fracture of other and unspecified part of body of mandible	ICD-9-CM	Diagnosis
802.29	Closed fracture of multiple sites of mandible	ICD-9-CM	Diagnosis
802.3	Mandible, open fracture	ICD-9-CM	Diagnosis
802.30	Open fracture of unspecified site of mandible	ICD-9-CM	Diagnosis
802.31	Open fracture of condylar process of mandible	ICD-9-CM	Diagnosis
802.32	Open fracture of subcondylar process of mandible	ICD-9-CM	Diagnosis
802.33	Open fracture of coronoid process of mandible	ICD-9-CM	Diagnosis
802.34	Open fracture of unspecified part of ramus of mandible	ICD-9-CM	Diagnosis
802.35	Open fracture of angle of jaw	ICD-9-CM	Diagnosis
802.36	Open fracture of symphysis of body of mandible	ICD-9-CM	Diagnosis
802.37	Open fracture of alveolar border of body of mandible	ICD-9-CM	Diagnosis
802.38	Open fracture of other and unspecified part of body of mandible	ICD-9-CM	Diagnosis
802.39	Open fracture of multiple sites of mandible	ICD-9-CM	Diagnosis

Trauma Exclusion. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM) Diagnosis Codes and Current Procedural Terminology, Fourth Edition (CPT-4) Procedure Codes Used to Define Trauma in this Request

Code	Description	Code Type	Code Category
802.4	Malar and maxillary bones, closed fracture	ICD-9-CM	Diagnosis
802.5	Malar and maxillary bones, open fracture	ICD-9-CM	Diagnosis
802.6	Orbital floor (blow-out), closed fracture	ICD-9-CM	Diagnosis
802.7	Orbital floor (blow-out), open fracture	ICD-9-CM	Diagnosis
802.8	Other facial bones, closed fracture	ICD-9-CM	Diagnosis
802.9	Other facial bones, open fracture	ICD-9-CM	Diagnosis
803	Other and unqualified skull fractures	ICD-9-CM	Diagnosis
803.0	Other closed skull fracture without mention of intracranial injury	ICD-9-CM	Diagnosis
803.00	Other closed skull fracture without mention of intracranial injury, unspecified state of consciousness	ICD-9-CM	Diagnosis
803.01	Other closed skull fracture without mention of intracranial injury, no loss of consciousness	ICD-9-CM	Diagnosis
803.02	Other closed skull fracture without mention of intracranial injury, brief (less than one hour) loss of consciousness	ICD-9-CM	Diagnosis
803.03	Other closed skull fracture without mention of intracranial injury, moderate (1-24 hours) loss of consciousness	ICD-9-CM	Diagnosis
803.04	Other closed skull fracture without mention of intracranial injury, prolonged (more than 24 hours) loss of consciousness and return to pre-existing conscious level	ICD-9-CM	Diagnosis
803.05	Other closed skull fracture without mention of intracranial injury, prolonged (more than 24 hours) loss of consciousness, without return to pre-existing conscious level	ICD-9-CM	Diagnosis
803.06	Other closed skull fracture without mention of intracranial injury, loss of consciousness of unspecified duration	ICD-9-CM	Diagnosis
803.09	Other closed skull fracture without mention of intracranial injury, unspecified concussion	ICD-9-CM	Diagnosis
803.1	Other closed skull fracture with cerebral laceration and contusion	ICD-9-CM	Diagnosis
803.10	Other closed skull fracture with cerebral laceration and contusion, unspecified state of consciousness	ICD-9-CM	Diagnosis
803.11	Other closed skull fracture with cerebral laceration and contusion, no loss of consciousness	ICD-9-CM	Diagnosis
803.12	Other closed skull fracture with cerebral laceration and contusion, brief (less than one hour) loss of consciousness	ICD-9-CM	Diagnosis
803.13	Other closed skull fracture with cerebral laceration and contusion, moderate (1-24 hours) loss of consciousness	ICD-9-CM	Diagnosis
803.14	Other closed skull fracture with cerebral laceration and contusion, prolonged (more than 24 hours) loss of consciousness and return to pre-existing conscious level	ICD-9-CM	Diagnosis
803.15	Other closed skull fracture with cerebral laceration and contusion, prolonged (more than 24 hours) loss of consciousness, without return to pre-existing conscious level	ICD-9-CM	Diagnosis
803.16	Other closed skull fracture with cerebral laceration and contusion, loss of consciousness of unspecified duration	ICD-9-CM	Diagnosis
803.19	Other closed skull fracture with cerebral laceration and contusion, unspecified concussion	ICD-9-CM	Diagnosis
803.2	Other closed skull fracture with subarachnoid, subdural, and extradural hemorrhage	ICD-9-CM	Diagnosis
803.20	Other closed skull fracture with subarachnoid, subdural, and extradural hemorrhage, unspecified state of consciousness	ICD-9-CM	Diagnosis
803.21	Other closed skull fracture with subarachnoid, subdural, and extradural hemorrhage, no loss of consciousness	ICD-9-CM	Diagnosis

Trauma Exclusion. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM) Diagnosis Codes and Current Procedural Terminology, Fourth Edition (CPT-4) Procedure Codes Used to Define Trauma in this Request

Code	Description	Code Type	Code Category
803.22	Other closed skull fracture with subarachnoid, subdural, and extradural hemorrhage, brief (less than one hour) loss of consciousness	ICD-9-CM	Diagnosis
803.23	Other closed skull fracture with subarachnoid, subdural, and extradural hemorrhage, moderate (1-24 hours) loss of consciousness	ICD-9-CM	Diagnosis
803.24	Other closed skull fracture with subarachnoid, subdural, and extradural hemorrhage, prolonged (more than 24 hours) loss of consciousness and return to pre-existing conscious level	ICD-9-CM	Diagnosis
803.25	Other closed skull fracture with subarachnoid, subdural, and extradural hemorrhage, prolonged (more than 24 hours) loss of consciousness, without return to pre-existing conscious level	ICD-9-CM	Diagnosis
803.26	Other closed skull fracture with subarachnoid, subdural, and extradural hemorrhage, loss of consciousness of unspecified duration	ICD-9-CM	Diagnosis
803.29	Other closed skull fracture with subarachnoid, subdural, and extradural hemorrhage, unspecified concussion	ICD-9-CM	Diagnosis
803.3	Closed skull fracture with other and unspecified intracranial hemorrhage	ICD-9-CM	Diagnosis
803.30	Other closed skull fracture with other and unspecified intracranial hemorrhage, unspecified state of unconsciousness	ICD-9-CM	Diagnosis
803.31	Other closed skull fracture with other and unspecified intracranial hemorrhage, no loss of consciousness	ICD-9-CM	Diagnosis
803.32	Other closed skull fracture with other and unspecified intracranial hemorrhage, brief (less than one hour) loss of consciousness	ICD-9-CM	Diagnosis
803.33	Other closed skull fracture with other and unspecified intracranial hemorrhage, moderate (1-24 hours) loss of consciousness	ICD-9-CM	Diagnosis
803.34	Other closed skull fracture with other and unspecified intracranial hemorrhage, prolonged (more than 24 hours) loss of consciousness and return to pre-existing conscious level	ICD-9-CM	Diagnosis
803.35	Other closed skull fracture with other and unspecified intracranial hemorrhage, prolonged (more than 24 hours) loss of consciousness, without return to pre-existing conscious level	ICD-9-CM	Diagnosis
803.36	Other closed skull fracture with other and unspecified intracranial hemorrhage, loss of consciousness of unspecified duration	ICD-9-CM	Diagnosis
803.39	Other closed skull fracture with other and unspecified intracranial hemorrhage, unspecified concussion	ICD-9-CM	Diagnosis
803.4	Other closed skull fracture with intracranial injury of other and unspecified nature	ICD-9-CM	Diagnosis
803.40	Other closed skull fracture with intracranial injury of other and unspecified nature, unspecified state of consciousness	ICD-9-CM	Diagnosis
803.41	Other closed skull fracture with intracranial injury of other and unspecified nature, no loss of consciousness	ICD-9-CM	Diagnosis
803.42	Other closed skull fracture with intracranial injury of other and unspecified nature, brief (less than one hour) loss of consciousness	ICD-9-CM	Diagnosis
803.43	Other closed skull fracture with intracranial injury of other and unspecified nature, moderate (1-24 hours) loss of consciousness	ICD-9-CM	Diagnosis
803.44	Other closed skull fracture with intracranial injury of other and unspecified nature, prolonged (more than 24 hours) loss of consciousness and return to pre-existing conscious level	ICD-9-CM	Diagnosis

Trauma Exclusion. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM) Diagnosis Codes and Current Procedural Terminology, Fourth Edition (CPT-4) Procedure Codes Used to Define Trauma in this Request

Code	Description	Code Type	Code Category
803.45	Other closed skull fracture with intracranial injury of other and unspecified nature, prolonged (more than 24 hours) loss of consciousness, without return to pre-existing conscious level	ICD-9-CM	Diagnosis
803.46	Other closed skull fracture with intracranial injury of other and unspecified nature, loss of consciousness of unspecified duration	ICD-9-CM	Diagnosis
803.49	Other closed skull fracture with intracranial injury of other and unspecified nature, unspecified concussion	ICD-9-CM	Diagnosis
803.5	Other open skull fracture without mention of intracranial injury	ICD-9-CM	Diagnosis
803.50	Other open skull fracture without mention of injury, state of consciousness unspecified	ICD-9-CM	Diagnosis
803.51	Other open skull fracture without mention of intracranial injury, no loss of consciousness	ICD-9-CM	Diagnosis
803.52	Other open skull fracture without mention of intracranial injury, brief (less than one hour) loss of consciousness	ICD-9-CM	Diagnosis
803.53	Other open skull fracture without mention of intracranial injury, moderate (1-24 hours) loss of consciousness	ICD-9-CM	Diagnosis
803.54	Other open skull fracture without mention of intracranial injury, prolonged (more than 24 hours) loss of consciousness and return to pre-existing conscious level	ICD-9-CM	Diagnosis
803.55	Other open skull fracture without mention of intracranial injury, prolonged (more than 24 hours) loss of consciousness, without return to pre-existing conscious level	ICD-9-CM	Diagnosis
803.56	Other open skull fracture without mention of intracranial injury, loss of consciousness of unspecified duration	ICD-9-CM	Diagnosis
803.59	Other open skull fracture without mention of intracranial injury, unspecified concussion	ICD-9-CM	Diagnosis
803.6	Other open skull fracture with cerebral laceration and contusion	ICD-9-CM	Diagnosis
803.60	Other open skull fracture with cerebral laceration and contusion, unspecified state of consciousness	ICD-9-CM	Diagnosis
803.61	Other open skull fracture with cerebral laceration and contusion, no loss of consciousness	ICD-9-CM	Diagnosis
803.62	Other open skull fracture with cerebral laceration and contusion, brief (less than one hour) loss of consciousness	ICD-9-CM	Diagnosis
803.63	Other open skull fracture with cerebral laceration and contusion, moderate (1-24 hours) loss of consciousness	ICD-9-CM	Diagnosis
803.64	Other open skull fracture with cerebral laceration and contusion, prolonged (more than 24 hours) loss of consciousness and return to pre-existing conscious level	ICD-9-CM	Diagnosis
803.65	Other open skull fracture with cerebral laceration and contusion, prolonged (more than 24 hours) loss of consciousness, without return to pre-existing conscious level	ICD-9-CM	Diagnosis
803.66	Other open skull fracture with cerebral laceration and contusion, loss of consciousness of unspecified duration	ICD-9-CM	Diagnosis
803.69	Other open skull fracture with cerebral laceration and contusion, unspecified concussion	ICD-9-CM	Diagnosis
803.7	Other open skull fracture with subarachnoid, subdural, and extradural hemorrhage	ICD-9-CM	Diagnosis
803.70	Other open skull fracture with subarachnoid, subdural, and extradural hemorrhage, unspecified state of consciousness	ICD-9-CM	Diagnosis
803.71	Other open skull fracture with subarachnoid, subdural, and extradural hemorrhage, no loss of consciousness	ICD-9-CM	Diagnosis
803.72	Other open skull fracture with subarachnoid, subdural, and extradural hemorrhage, brief (less than one hour) loss of consciousness	ICD-9-CM	Diagnosis

Trauma Exclusion. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM) Diagnosis Codes and Current Procedural Terminology, Fourth Edition (CPT-4) Procedure Codes Used to Define Trauma in this Request

Code	Description	Code Type	Code Category
803.73	Other open skull fracture with subarachnoid, subdural, and extradural hemorrhage, moderate (1-24 hours) loss of consciousness	ICD-9-CM	Diagnosis
803.74	Other open skull fracture with subarachnoid, subdural, and extradural hemorrhage, prolonged (more than 24 hours) loss of consciousness and return to pre-existing conscious level	ICD-9-CM	Diagnosis
803.75	Other open skull fracture with subarachnoid, subdural, and extradural hemorrhage, prolonged (more than 24 hours) loss of consciousness, without return to pre-existing conscious level	ICD-9-CM	Diagnosis
803.76	Other open skull fracture with subarachnoid, subdural, and extradural hemorrhage, loss of consciousness of unspecified duration	ICD-9-CM	Diagnosis
803.79	Other open skull fracture with subarachnoid, subdural, and extradural hemorrhage, unspecified concussion	ICD-9-CM	Diagnosis
803.8	Other open skull fracture with other and unspecified intracranial hemorrhage	ICD-9-CM	Diagnosis
803.80	Other open skull fracture with other and unspecified intracranial hemorrhage, unspecified state of consciousness	ICD-9-CM	Diagnosis
803.81	Other open skull fracture with other and unspecified intracranial hemorrhage, no loss of consciousness	ICD-9-CM	Diagnosis
803.82	Other open skull fracture with other and unspecified intracranial hemorrhage, brief (less than one hour) loss of consciousness	ICD-9-CM	Diagnosis
803.83	Other open skull fracture with other and unspecified intracranial hemorrhage, moderate (1-24 hours) loss of consciousness	ICD-9-CM	Diagnosis
803.84	Other open skull fracture with other and unspecified intracranial hemorrhage, prolonged (more than 24 hours) loss of consciousness and return to pre-existing conscious level	ICD-9-CM	Diagnosis
803.85	Other open skull fracture with other and unspecified intracranial hemorrhage, prolonged (more than 24 hours) loss of consciousness, without return to pre-existing conscious level	ICD-9-CM	Diagnosis
803.86	Other open skull fracture with other and unspecified intracranial hemorrhage, loss of consciousness of unspecified duration	ICD-9-CM	Diagnosis
803.89	Other open skull fracture with other and unspecified intracranial hemorrhage, unspecified concussion	ICD-9-CM	Diagnosis
803.9	Other open skull fracture with intracranial injury of other and unspecified nature	ICD-9-CM	Diagnosis
803.90	Other open skull fracture with intracranial injury of other and unspecified nature, unspecified state of consciousness	ICD-9-CM	Diagnosis
803.91	Other open skull fracture with intracranial injury of other and unspecified nature, no loss of consciousness	ICD-9-CM	Diagnosis
803.92	Other open skull fracture with intracranial injury of other and unspecified nature, brief (less than one hour) loss of consciousness	ICD-9-CM	Diagnosis
803.93	Other open skull fracture with intracranial injury of other and unspecified nature, moderate (1-24 hours) loss of consciousness	ICD-9-CM	Diagnosis
803.94	Other open skull fracture with intracranial injury of other and unspecified nature, prolonged (more than 24 hours) loss of consciousness and return to pre-existing conscious level	ICD-9-CM	Diagnosis
803.95	Other open skull fracture with intracranial injury of other and unspecified nature, prolonged (more than 24 hours) loss of consciousness, without return to pre-existing conscious level	ICD-9-CM	Diagnosis

Trauma Exclusion. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM) Diagnosis Codes and Current Procedural Terminology, Fourth Edition (CPT-4) Procedure Codes Used to Define Trauma in this Request

Code	Description	Code Type	Code Category
803.96	Other open skull fracture with intracranial injury of other and unspecified nature, loss of consciousness of unspecified duration	ICD-9-CM	Diagnosis
803.99	Other open skull fracture with intracranial injury of other and unspecified nature, unspecified concussion	ICD-9-CM	Diagnosis
804	Multiple fractures involving skull or face with other bones	ICD-9-CM	Diagnosis
804.0	Closed fractures involving skull or face with other bones, without mention of intracranial injury	ICD-9-CM	Diagnosis
804.00	Closed fractures involving skull or face with other bones, without mention of intracranial injury, unspecified state of consciousness	ICD-9-CM	Diagnosis
804.01	Closed fractures involving skull or face with other bones, without mention of intracranial injury, no loss of consciousness	ICD-9-CM	Diagnosis
804.02	Closed fractures involving skull or face with other bones, without mention of intracranial injury, brief (less than one hour) loss of consciousness	ICD-9-CM	Diagnosis
804.03	Closed fractures involving skull or face with other bones, without mention of intracranial injury, moderate (1-24 hours) loss of consciousness	ICD-9-CM	Diagnosis
804.04	Closed fractures involving skull or face with other bones, without mention or intracranial injury, prolonged (more than 24 hours) loss of consciousness and return to pre-existing conscious level	ICD-9-CM	Diagnosis
804.05	Closed fractures involving skull of face with other bones, without mention of intracranial injury, prolonged (more than 24 hours) loss of consciousness, without return to pre-existing conscious level	ICD-9-CM	Diagnosis
804.06	Closed fractures involving skull of face with other bones, without mention of intracranial injury, loss of consciousness of unspecified duration	ICD-9-CM	Diagnosis
804.09	Closed fractures involving skull of face with other bones, without mention of intracranial injury, unspecified concussion	ICD-9-CM	Diagnosis
804.1	Closed fractures involving skull or face with other bones, with cerebral laceration and contusion	ICD-9-CM	Diagnosis
804.10	Closed fractures involving skull or face with other bones, with cerebral laceration and contusion, unspecified state of consciousness	ICD-9-CM	Diagnosis
804.11	Closed fractures involving skull or face with other bones, with cerebral laceration and contusion, no loss of consciousness	ICD-9-CM	Diagnosis
804.12	Closed fractures involving skull or face with other bones, with cerebral laceration and contusion, brief (less than one hour) loss of consciousness	ICD-9-CM	Diagnosis
804.13	Closed fractures involving skull or face with other bones, with cerebral laceration and contusion, moderate (1-24 hours) loss of consciousness	ICD-9-CM	Diagnosis
804.14	Closed fractures involving skull or face with other bones, with cerebral laceration and contusion, prolonged (more than 24 hours) loss of consciousness and return to pre-existing conscious level	ICD-9-CM	Diagnosis
804.15	Closed fractures involving skull or face with other bones, with cerebral laceration and contusion, prolonged (more than 24 hours) loss of consciousness, without return to pre-existing conscious level	ICD-9-CM	Diagnosis
804.16	Closed fractures involving skull or face with other bones, with cerebral laceration and contusion, loss of consciousness of unspecified duration	ICD-9-CM	Diagnosis

Trauma Exclusion. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM) Diagnosis Codes and Current Procedural Terminology, Fourth Edition (CPT-4) Procedure Codes Used to Define Trauma in this Request

Code	Description	Code Type	Code Category
804.19	Closed fractures involving skull or face with other bones, with cerebral laceration and contusion, unspecified concussion	ICD-9-CM	Diagnosis
804.2	Closed fractures involving skull or face with other bones with subarachnoid, subdural, and extradural hemorrhage	ICD-9-CM	Diagnosis
804.20	Closed fractures involving skull or face with other bones with subarachnoid, subdural, and extradural hemorrhage, unspecified state of consciousness	ICD-9-CM	Diagnosis
804.21	Closed fractures involving skull or face with other bones with subarachnoid, subdural, and extradural hemorrhage, no loss of consciousness	ICD-9-CM	Diagnosis
804.22	Closed fractures involving skull or face with other bones with subarachnoid, subdural, and extradural hemorrhage, brief (less than one hour) loss of consciousness	ICD-9-CM	Diagnosis
804.23	Closed fractures involving skull or face with other bones with subarachnoid, subdural, and extradural hemorrhage, moderate (1-24 hours) loss of consciousness	ICD-9-CM	Diagnosis
804.24	Closed fractures involving skull or face with other bones with subarachnoid, subdural, and extradural hemorrhage, prolonged (more than 24 hours) loss of consciousness and return to pre-existing conscious level	ICD-9-CM	Diagnosis
804.25	Closed fractures involving skull or face with other bones with subarachnoid, subdural, and extradural hemorrhage, prolonged (more than 24 hours) loss of consciousness, without return to pre-existing conscious level	ICD-9-CM	Diagnosis
804.26	Closed fractures involving skull or face with other bones with subarachnoid, subdural, and extradural hemorrhage, loss of consciousness of unspecified duration	ICD-9-CM	Diagnosis
804.29	Closed fractures involving skull or face with other bones with subarachnoid, subdural, and extradural hemorrhage, unspecified concussion	ICD-9-CM	Diagnosis
804.3	Closed fractures involving skull or face with other bones, with other and unspecified intracranial hemorrhage	ICD-9-CM	Diagnosis
804.30	Closed fractures involving skull or face with other bones, with other and unspecified intracranial hemorrhage, unspecified state of consciousness	ICD-9-CM	Diagnosis
804.31	Closed fractures involving skull or face with other bones, with other and unspecified intracranial hemorrhage, no loss of consciousness	ICD-9-CM	Diagnosis
804.32	Closed fractures involving skull or face with other bones, with other and unspecified intracranial hemorrhage, brief (less than one hour) loss of consciousness	ICD-9-CM	Diagnosis
804.33	Closed fractures involving skull or face with other bones, with other and unspecified intracranial hemorrhage, moderate (1-24 hours) loss of consciousness	ICD-9-CM	Diagnosis
804.34	Closed fractures involving skull or face with other bones, with other and unspecified intracranial hemorrhage, prolonged (more than 24 hours) loss of consciousness and return to preexisting conscious level	ICD-9-CM	Diagnosis
804.35	Closed fractures involving skull or face with other bones, with other and unspecified intracranial hemorrhage, prolonged (more than 24 hours) loss of consciousness, without return to pre-existing conscious level	ICD-9-CM	Diagnosis
804.36	Closed fractures involving skull or face with other bones, with other and unspecified intracranial hemorrhage, loss of consciousness of unspecified duration	ICD-9-CM	Diagnosis
804.39	Closed fractures involving skull or face with other bones, with other and unspecified intracranial hemorrhage, unspecified concussion	ICD-9-CM	Diagnosis

Trauma Exclusion. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM) Diagnosis Codes and Current Procedural Terminology, Fourth Edition (CPT-4) Procedure Codes Used to Define Trauma in this Request

Code	Description	Code Type	Code Category
804.4	Closed fractures involving skull or face with other bones, with intracranial injury of other and unspecified nature	ICD-9-CM	Diagnosis
804.40	Closed fractures involving skull or face with other bones, with intracranial injury of other and unspecified nature, unspecified state of consciousness	ICD-9-CM	Diagnosis
804.41	Closed fractures involving skull or face with other bones, with intracranial injury of other and unspecified nature, no loss of consciousness	ICD-9-CM	Diagnosis
804.42	Closed fractures involving skull or face with other bones, with intracranial injury of other and unspecified nature, brief (less than one hour) loss of consciousness	ICD-9-CM	Diagnosis
804.43	Closed fractures involving skull or face with other bones, with intracranial injury of other and unspecified nature, moderate (1-24 hours) loss of consciousness	ICD-9-CM	Diagnosis
804.44	Closed fractures involving skull or face with other bones, with intracranial injury of other and unspecified nature, prolonged (more than 24 hours) loss of consciousness and return to pre-existing conscious level	ICD-9-CM	Diagnosis
804.45	Closed fractures involving skull or face with other bones, with intracranial injury of other and unspecified nature, prolonged (more than 24 hours) loss of consciousness, without return to pre-existing conscious level	ICD-9-CM	Diagnosis
804.46	Closed fractures involving skull or face with other bones, with intracranial injury of other and unspecified nature, loss of consciousness of unspecified duration	ICD-9-CM	Diagnosis
804.49	Closed fractures involving skull or face with other bones, with intracranial injury of other and unspecified nature, unspecified concussion	ICD-9-CM	Diagnosis
804.5	Open fractures involving skull or face with other bones, without mention of intracranial injury	ICD-9-CM	Diagnosis
804.50	Open fractures involving skull or face with other bones, without mention of intracranial injury, unspecified state of consciousness	ICD-9-CM	Diagnosis
804.51	Open fractures involving skull or face with other bones, without mention of intracranial injury, no loss of consciousness	ICD-9-CM	Diagnosis
804.52	Open fractures involving skull or face with other bones, without mention of intracranial injury, brief (less than one hour) loss of consciousness	ICD-9-CM	Diagnosis
804.53	Open fractures involving skull or face with other bones, without mention of intracranial injury, moderate (1-24 hours) loss of consciousness	ICD-9-CM	Diagnosis
804.54	Open fractures involving skull or face with other bones, without mention of intracranial injury, prolonged (more than 24 hours) loss of consciousness and return to pre-existing conscious level	ICD-9-CM	Diagnosis
804.55	Open fractures involving skull or face with other bones, without mention of intracranial injury, prolonged (more than 24 hours) loss of consciousness, without return to pre-existing conscious level	ICD-9-CM	Diagnosis
804.56	Open fractures involving skull or face with other bones, without mention of intracranial injury, loss of consciousness of unspecified duration	ICD-9-CM	Diagnosis
804.59	Open fractures involving skull or face with other bones, without mention of intracranial injury, unspecified concussion	ICD-9-CM	Diagnosis
804.6	Open fractures involving skull or face with other bones, with cerebral laceration and contusion	ICD-9-CM	Diagnosis

Trauma Exclusion. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM) Diagnosis Codes and Current Procedural Terminology, Fourth Edition (CPT-4) Procedure Codes Used to Define Trauma in this Request

Code	Description	Code Type	Code Category
804.60	Open fractures involving skull or face with other bones, with cerebral laceration and contusion, unspecified state of consciousness	ICD-9-CM	Diagnosis
804.61	Open fractures involving skull or face with other bones, with cerebral laceration and contusion, no loss of consciousness	ICD-9-CM	Diagnosis
804.62	Open fractures involving skull or face with other bones, with cerebral laceration and contusion, brief (less than one hour) loss of consciousness	ICD-9-CM	Diagnosis
804.63	Open fractures involving skull or face with other bones, with cerebral laceration and contusion, moderate (1-24 hours) loss of consciousness	ICD-9-CM	Diagnosis
804.64	Open fractures involving skull or face with other bones, with cerebral laceration and contusion, prolonged (more than 24 hours) loss of consciousness and return to pre-existing conscious level	ICD-9-CM	Diagnosis
804.65	Open fractures involving skull or face with other bones, with cerebral laceration and contusion, prolonged (more than 24 hours) loss of consciousness, without return to pre-existing conscious level	ICD-9-CM	Diagnosis
804.66	Open fractures involving skull or face with other bones, with cerebral laceration and contusion, loss of consciousness of unspecified duration	ICD-9-CM	Diagnosis
804.69	Open fractures involving skull or face with other bones, with cerebral laceration and contusion, unspecified concussion	ICD-9-CM	Diagnosis
804.7	Open fractures involving skull or face with other bones with subarachnoid, subdural, and extradural hemorrhage	ICD-9-CM	Diagnosis
804.70	Open fractures involving skull or face with other bones with subarachnoid, subdural, and extradural hemorrhage, unspecified state of consciousness	ICD-9-CM	Diagnosis
804.71	Open fractures involving skull or face with other bones with subarachnoid, subdural, and extradural hemorrhage, no loss of consciousness	ICD-9-CM	Diagnosis
804.72	Open fractures involving skull or face with other bones with subarachnoid, subdural, and extradural hemorrhage, brief (less than one hour) loss of consciousness	ICD-9-CM	Diagnosis
804.73	Open fractures involving skull or face with other bones with subarachnoid, subdural, and extradural hemorrhage, moderate (1-24 hours) loss of consciousness	ICD-9-CM	Diagnosis
804.74	Open fractures involving skull or face with other bones with subarachnoid, subdural, and extradural hemorrhage, prolonged (more than 24 hours) loss of consciousness and return to pre-existing conscious level	ICD-9-CM	Diagnosis
804.75	Open fractures involving skull or face with other bones with subarachnoid, subdural, and extradural hemorrhage, prolonged (more than 24 hours) loss of consciousness, without return to pre-existing conscious level	ICD-9-CM	Diagnosis
804.76	Open fractures involving skull or face with other bones with subarachnoid, subdural, and extradural hemorrhage, loss of consciousness of unspecified duration	ICD-9-CM	Diagnosis
804.79	Open fractures involving skull or face with other bones with subarachnoid, subdural, and extradural hemorrhage, unspecified concussion	ICD-9-CM	Diagnosis
804.8	Open fractures involving skull or face with other bones, with other and unspecified intracranial hemorrhage	ICD-9-CM	Diagnosis
804.80	Open fractures involving skull or face with other bones, with other and unspecified intracranial hemorrhage, unspecified state of consciousness	ICD-9-CM	Diagnosis

Trauma Exclusion. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM) Diagnosis Codes and Current Procedural Terminology, Fourth Edition (CPT-4) Procedure Codes Used to Define Trauma in this Request

Code	Description	Code Type	Code Category
804.81	Open fractures involving skull or face with other bones, with other and unspecified intracranial hemorrhage, no loss of consciousness	ICD-9-CM	Diagnosis
804.82	Open fractures involving skull or face with other bones, with other and unspecified intracranial hemorrhage, brief (less than one hour) loss of consciousness	ICD-9-CM	Diagnosis
804.83	Open fractures involving skull or face with other bones, with other and unspecified intracranial hemorrhage, moderate (1-24 hours) loss of consciousness	ICD-9-CM	Diagnosis
804.84	Open fractures involving skull or face with other bones, with other and unspecified intracranial hemorrhage, prolonged (more than 24 hours) loss of consciousness and return to pre-existing conscious level	ICD-9-CM	Diagnosis
804.85	Open fractures involving skull or face with other bones, with other and unspecified intracranial hemorrhage, prolonged (more than 24 hours) loss of consciousness, without return to pre-existing conscious level	ICD-9-CM	Diagnosis
804.86	Open fractures involving skull or face with other bones, with other and unspecified intracranial hemorrhage, loss of consciousness of unspecified duration	ICD-9-CM	Diagnosis
804.89	Open fractures involving skull or face with other bones, with other and unspecified intracranial hemorrhage, unspecified concussion	ICD-9-CM	Diagnosis
804.9	Open fractures involving skull or face with other bones, with intracranial injury of other and unspecified nature	ICD-9-CM	Diagnosis
804.90	Open fractures involving skull or face with other bones, with intracranial injury of other and unspecified nature, unspecified state of consciousness	ICD-9-CM	Diagnosis
804.91	Open fractures involving skull or face with other bones, with intracranial injury of other and unspecified nature, no loss of consciousness	ICD-9-CM	Diagnosis
804.92	Open fractures involving skull or face with other bones, with intracranial injury of other and unspecified nature, brief (less than one hour) loss of consciousness	ICD-9-CM	Diagnosis
804.93	Open fractures involving skull or face with other bones, with intracranial injury of other and unspecified nature, moderate (1-24 hours) loss of consciousness	ICD-9-CM	Diagnosis
804.94	Open fractures involving skull or face with other bones, with intracranial injury of other and unspecified nature, prolonged (more than 24 hours) loss of consciousness and return to pre-existing conscious level	ICD-9-CM	Diagnosis
804.95	Open fractures involving skull or face with other bones, with intracranial injury of other and unspecified nature, prolonged (more than 24 hours) loss of consciousness, without return to pre-existing level	ICD-9-CM	Diagnosis
804.96	Open fractures involving skull or face with other bones, with intracranial injury of other and unspecified nature, loss of consciousness of unspecified duration	ICD-9-CM	Diagnosis
804.99	Open fractures involving skull or face with other bones, with intracranial injury of other and unspecified nature, unspecified concussion	ICD-9-CM	Diagnosis
805	Fracture of vertebral column without mention of spinal cord injury	ICD-9-CM	Diagnosis
805.0	Closed fracture of cervical vertebra without mention of spinal cord injury	ICD-9-CM	Diagnosis
805.00	Closed fracture of cervical vertebra, unspecified level without mention of spinal cord injury	ICD-9-CM	Diagnosis
805.01	Closed fracture of first cervical vertebra without mention of spinal cord injury	ICD-9-CM	Diagnosis
805.02	Closed fracture of second cervical vertebra without mention of spinal cord injury	ICD-9-CM	Diagnosis
805.03	Closed fracture of third cervical vertebra without mention of spinal cord injury	ICD-9-CM	Diagnosis

Trauma Exclusion. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM) Diagnosis Codes and Current Procedural Terminology, Fourth Edition (CPT-4) Procedure Codes Used to Define Trauma in this Request

Code	Description	Code Type	Code Category
805.04	Closed fracture of fourth cervical vertebra without mention of spinal cord injury	ICD-9-CM	Diagnosis
805.05	Closed fracture of fifth cervical vertebra without mention of spinal cord injury	ICD-9-CM	Diagnosis
805.06	Closed fracture of sixth cervical vertebra without mention of spinal cord injury	ICD-9-CM	Diagnosis
805.07	Closed fracture of seventh cervical vertebra without mention of spinal cord injury	ICD-9-CM	Diagnosis
805.08	Closed fracture of multiple cervical vertebrae without mention of spinal cord injury	ICD-9-CM	Diagnosis
805.1	Open fracture of cervical vertebra without mention of spinal cord injury	ICD-9-CM	Diagnosis
805.10	Open fracture of cervical vertebra, unspecified level without mention of spinal cord injury	ICD-9-CM	Diagnosis
805.11	Open fracture of first cervical vertebra without mention of spinal cord injury	ICD-9-CM	Diagnosis
805.12	Open fracture of second cervical vertebra without mention of spinal cord injury	ICD-9-CM	Diagnosis
805.13	Open fracture of third cervical vertebra without mention of spinal cord injury	ICD-9-CM	Diagnosis
805.14	Open fracture of fourth cervical vertebra without mention of spinal cord injury	ICD-9-CM	Diagnosis
805.15	Open fracture of fifth cervical vertebra without mention of spinal cord injury	ICD-9-CM	Diagnosis
805.16	Open fracture of sixth cervical vertebra without mention of spinal cord injury	ICD-9-CM	Diagnosis
805.17	Open fracture of seventh cervical vertebra without mention of spinal cord injury	ICD-9-CM	Diagnosis
805.18	Open fracture of multiple cervical vertebrae without mention of spinal cord injury	ICD-9-CM	Diagnosis
805.2	Closed fracture of dorsal (thoracic) vertebra without mention of spinal cord injury	ICD-9-CM	Diagnosis
805.3	Open fracture of dorsal (thoracic) vertebra without mention of spinal cord injury	ICD-9-CM	Diagnosis
805.4	Closed fracture of lumbar vertebra without mention of spinal cord injury	ICD-9-CM	Diagnosis
805.5	Open fracture of lumbar vertebra without mention of spinal cord injury	ICD-9-CM	Diagnosis
805.6	Closed fracture of sacrum and coccyx without mention of spinal cord injury	ICD-9-CM	Diagnosis
805.7	Open fracture of sacrum and coccyx without mention of spinal cord injury	ICD-9-CM	Diagnosis
805.8	Closed fracture of unspecified part of vertebral column without mention of spinal cord injury	ICD-9-CM	Diagnosis
805.9	Open fracture of unspecified part of vertebral column without mention of spinal cord injury	ICD-9-CM	Diagnosis
806	Fracture of vertebral column with spinal cord injury	ICD-9-CM	Diagnosis
806.0	Closed fracture of cervical vertebra with spinal cord injury	ICD-9-CM	Diagnosis
806.0	Closed fracture of cervical vertebra with spinal cord injury	ICD-9-CM	Diagnosis
806.0	Closed fracture of cervical vertebra with spinal cord injury	ICD-9-CM	Diagnosis
806.00	Closed fracture of C1-C4 level with unspecified spinal cord injury	ICD-9-CM	Diagnosis
806.00	Closed fracture of C1-C4 level with unspecified spinal cord injury	ICD-9-CM	Diagnosis
806.00	Closed fracture of C1-C4 level with unspecified spinal cord injury	ICD-9-CM	Diagnosis
806.01	Closed fracture of C1-C4 level with complete lesion of cord	ICD-9-CM	Diagnosis
806.01	Closed fracture of C1-C4 level with complete lesion of cord	ICD-9-CM	Diagnosis
806.01	Closed fracture of C1-C4 level with complete lesion of cord	ICD-9-CM	Diagnosis
806.02	Closed fracture of C1-C4 level with anterior cord syndrome	ICD-9-CM	Diagnosis
806.02	Closed fracture of C1-C4 level with anterior cord syndrome	ICD-9-CM	Diagnosis
806.02	Closed fracture of C1-C4 level with anterior cord syndrome	ICD-9-CM	Diagnosis
806.03	Closed fracture of C1-C4 level with central cord syndrome	ICD-9-CM	Diagnosis
806.03	Closed fracture of C1-C4 level with central cord syndrome	ICD-9-CM	Diagnosis
806.03	Closed fracture of C1-C4 level with central cord syndrome	ICD-9-CM	Diagnosis
806.04	Closed fracture of C1-C4 level with other specified spinal cord injury	ICD-9-CM	Diagnosis
806.04	Closed fracture of C1-C4 level with other specified spinal cord injury	ICD-9-CM	Diagnosis
806.04	Closed fracture of C1-C4 level with other specified spinal cord injury	ICD-9-CM	Diagnosis
806.05	Closed fracture of C5-C7 level with unspecified spinal cord injury	ICD-9-CM	Diagnosis

Trauma Exclusion. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM) Diagnosis Codes and Current Procedural Terminology, Fourth Edition (CPT-4) Procedure Codes Used to Define Trauma in this Request

Code	Description	Code Type	Code Category
806.05	Closed fracture of C5-C7 level with unspecified spinal cord injury	ICD-9-CM	Diagnosis
806.05	Closed fracture of C5-C7 level with unspecified spinal cord injury	ICD-9-CM	Diagnosis
806.06	Closed fracture of C5-C7 level with complete lesion of cord	ICD-9-CM	Diagnosis
806.06	Closed fracture of C5-C7 level with complete lesion of cord	ICD-9-CM	Diagnosis
806.06	Closed fracture of C5-C7 level with complete lesion of cord	ICD-9-CM	Diagnosis
806.07	Closed fracture of C5-C7 level with anterior cord syndrome	ICD-9-CM	Diagnosis
806.07	Closed fracture of C5-C7 level with anterior cord syndrome	ICD-9-CM	Diagnosis
806.07	Closed fracture of C5-C7 level with anterior cord syndrome	ICD-9-CM	Diagnosis
806.08	Closed fracture of C5-C7 level with central cord syndrome	ICD-9-CM	Diagnosis
806.08	Closed fracture of C5-C7 level with central cord syndrome	ICD-9-CM	Diagnosis
806.08	Closed fracture of C5-C7 level with central cord syndrome	ICD-9-CM	Diagnosis
806.09	Closed fracture of C5-C7 level with other specified spinal cord injury	ICD-9-CM	Diagnosis
806.09	Closed fracture of C5-C7 level with other specified spinal cord injury	ICD-9-CM	Diagnosis
806.09	Closed fracture of C5-C7 level with other specified spinal cord injury	ICD-9-CM	Diagnosis
806.1	Open fracture of cervical vertebra with spinal cord injury	ICD-9-CM	Diagnosis
806.1	Open fracture of cervical vertebra with spinal cord injury	ICD-9-CM	Diagnosis
806.10	Open fracture of C1-C4 level with unspecified spinal cord injury	ICD-9-CM	Diagnosis
806.10	Open fracture of C1-C4 level with unspecified spinal cord injury	ICD-9-CM	Diagnosis
806.11	Open fracture of C1-C4 level with complete lesion of cord	ICD-9-CM	Diagnosis
806.11	Open fracture of C1-C4 level with complete lesion of cord	ICD-9-CM	Diagnosis
806.12	Open fracture of C1-C4 level with anterior cord syndrome	ICD-9-CM	Diagnosis
806.12	Open fracture of C1-C4 level with anterior cord syndrome	ICD-9-CM	Diagnosis
806.13	Open fracture of C1-C4 level with central cord syndrome	ICD-9-CM	Diagnosis
806.13	Open fracture of C1-C4 level with central cord syndrome	ICD-9-CM	Diagnosis
806.14	Open fracture of C1-C4 level with other specified spinal cord injury	ICD-9-CM	Diagnosis
806.14	Open fracture of C1-C4 level with other specified spinal cord injury	ICD-9-CM	Diagnosis
806.15	Open fracture of C5-C7 level with unspecified spinal cord injury	ICD-9-CM	Diagnosis
806.15	Open fracture of C5-C7 level with unspecified spinal cord injury	ICD-9-CM	Diagnosis
806.16	Open fracture of C5-C7 level with complete lesion of cord	ICD-9-CM	Diagnosis
806.16	Open fracture of C5-C7 level with complete lesion of cord	ICD-9-CM	Diagnosis
806.17	Open fracture of C5-C7 level with anterior cord syndrome	ICD-9-CM	Diagnosis
806.17	Open fracture of C5-C7 level with anterior cord syndrome	ICD-9-CM	Diagnosis
806.18	Open fracture of C5-C7 level with central cord syndrome	ICD-9-CM	Diagnosis
806.18	Open fracture of C5-C7 level with central cord syndrome	ICD-9-CM	Diagnosis
806.19	Open fracture of C5-C7 level with other specified spinal cord injury	ICD-9-CM	Diagnosis
806.19	Open fracture of C5-C7 level with other specified spinal cord injury	ICD-9-CM	Diagnosis
806.2	Closed fracture of dorsal (thoracic) vertebra with spinal cord injury	ICD-9-CM	Diagnosis
806.2	Closed fracture of dorsal (thoracic) vertebra with spinal cord injury	ICD-9-CM	Diagnosis
806.2	Closed fracture of dorsal (thoracic) vertebra with spinal cord injury	ICD-9-CM	Diagnosis
806.20	Closed fracture of T1-T6 level with unspecified spinal cord injury	ICD-9-CM	Diagnosis
806.20	Closed fracture of T1-T6 level with unspecified spinal cord injury	ICD-9-CM	Diagnosis
806.20	Closed fracture of T1-T6 level with unspecified spinal cord injury	ICD-9-CM	Diagnosis
806.21	Closed fracture of T1-T6 level with complete lesion of cord	ICD-9-CM	Diagnosis

Trauma Exclusion. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM) Diagnosis Codes and Current Procedural Terminology, Fourth Edition (CPT-4) Procedure Codes Used to Define Trauma in this Request

Code	Description	Code Type	Code Category
806.21	Closed fracture of T1-T6 level with complete lesion of cord	ICD-9-CM	Diagnosis
806.21	Closed fracture of T1-T6 level with complete lesion of cord	ICD-9-CM	Diagnosis
806.22	Closed fracture of T1-T6 level with anterior cord syndrome	ICD-9-CM	Diagnosis
806.22	Closed fracture of T1-T6 level with anterior cord syndrome	ICD-9-CM	Diagnosis
806.22	Closed fracture of T1-T6 level with anterior cord syndrome	ICD-9-CM	Diagnosis
806.23	Closed fracture of T1-T6 level with central cord syndrome	ICD-9-CM	Diagnosis
806.23	Closed fracture of T1-T6 level with central cord syndrome	ICD-9-CM	Diagnosis
806.23	Closed fracture of T1-T6 level with central cord syndrome	ICD-9-CM	Diagnosis
806.24	Closed fracture of T1-T6 level with other specified spinal cord injury	ICD-9-CM	Diagnosis
806.24	Closed fracture of T1-T6 level with other specified spinal cord injury	ICD-9-CM	Diagnosis
806.24	Closed fracture of T1-T6 level with other specified spinal cord injury	ICD-9-CM	Diagnosis
806.25	Closed fracture of T7-T12 level with unspecified spinal cord injury	ICD-9-CM	Diagnosis
806.25	Closed fracture of T7-T12 level with unspecified spinal cord injury	ICD-9-CM	Diagnosis
806.25	Closed fracture of T7-T12 level with unspecified spinal cord injury	ICD-9-CM	Diagnosis
806.26	Closed fracture of T7-T12 level with complete lesion of cord	ICD-9-CM	Diagnosis
806.26	Closed fracture of T7-T12 level with complete lesion of cord	ICD-9-CM	Diagnosis
806.26	Closed fracture of T7-T12 level with complete lesion of cord	ICD-9-CM	Diagnosis
806.27	Closed fracture of T7-T12 level with anterior cord syndrome	ICD-9-CM	Diagnosis
806.27	Closed fracture of T7-T12 level with anterior cord syndrome	ICD-9-CM	Diagnosis
806.27	Closed fracture of T7-T12 level with anterior cord syndrome	ICD-9-CM	Diagnosis
806.28	Closed fracture of T7-T12 level with central cord syndrome	ICD-9-CM	Diagnosis
806.28	Closed fracture of T7-T12 level with central cord syndrome	ICD-9-CM	Diagnosis
806.28	Closed fracture of T7-T12 level with central cord syndrome	ICD-9-CM	Diagnosis
806.29	Closed fracture of T7-T12 level with other specified spinal cord injury	ICD-9-CM	Diagnosis
806.29	Closed fracture of T7-T12 level with other specified spinal cord injury	ICD-9-CM	Diagnosis
806.29	Closed fracture of T7-T12 level with other specified spinal cord injury	ICD-9-CM	Diagnosis
806.3	Open fracture of dorsal vertebra with spinal cord injury	ICD-9-CM	Diagnosis
806.3	Open fracture of dorsal vertebra with spinal cord injury	ICD-9-CM	Diagnosis
806.30	Open fracture of T1-T6 level with unspecified spinal cord injury	ICD-9-CM	Diagnosis
806.30	Open fracture of T1-T6 level with unspecified spinal cord injury	ICD-9-CM	Diagnosis
806.31	Open fracture of T1-T6 level with complete lesion of cord	ICD-9-CM	Diagnosis
806.31	Open fracture of T1-T6 level with complete lesion of cord	ICD-9-CM	Diagnosis
806.32	Open fracture of T1-T6 level with anterior cord syndrome	ICD-9-CM	Diagnosis
806.32	Open fracture of T1-T6 level with anterior cord syndrome	ICD-9-CM	Diagnosis
806.33	Open fracture of T1-T6 level with central cord syndrome	ICD-9-CM	Diagnosis
806.33	Open fracture of T1-T6 level with central cord syndrome	ICD-9-CM	Diagnosis
806.34	Open fracture of T1-T6 level with other specified spinal cord injury	ICD-9-CM	Diagnosis
806.34	Open fracture of T1-T6 level with other specified spinal cord injury	ICD-9-CM	Diagnosis
806.35	Open fracture of T7-T12 level with unspecified spinal cord injury	ICD-9-CM	Diagnosis
806.35	Open fracture of T7-T12 level with unspecified spinal cord injury	ICD-9-CM	Diagnosis
806.36	Open fracture of T7-T12 level with complete lesion of cord	ICD-9-CM	Diagnosis
806.36	Open fracture of T7-T12 level with complete lesion of cord	ICD-9-CM	Diagnosis
806.37	Open fracture of T7-T12 level with anterior cord syndrome	ICD-9-CM	Diagnosis

Trauma Exclusion. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM) Diagnosis Codes and Current Procedural Terminology, Fourth Edition (CPT-4) Procedure Codes Used to Define Trauma in this Request

Code	Description	Code Type	Code Category
806.37	Open fracture of T7-T12 level with anterior cord syndrome	ICD-9-CM	Diagnosis
806.38	Open fracture of T7-T12 level with central cord syndrome	ICD-9-CM	Diagnosis
806.38	Open fracture of T7-T12 level with central cord syndrome	ICD-9-CM	Diagnosis
806.39	Open fracture of T7-T12 level with other specified spinal cord injury	ICD-9-CM	Diagnosis
806.39	Open fracture of T7-T12 level with other specified spinal cord injury	ICD-9-CM	Diagnosis
806.4	Closed fracture of lumbar spine with spinal cord injury	ICD-9-CM	Diagnosis
806.4	Closed fracture of lumbar spine with spinal cord injury	ICD-9-CM	Diagnosis
806.5	Open fracture of lumbar spine with spinal cord injury	ICD-9-CM	Diagnosis
806.5	Open fracture of lumbar spine with spinal cord injury	ICD-9-CM	Diagnosis
806.6	Closed fracture of sacrum and coccyx with spinal cord injury	ICD-9-CM	Diagnosis
806.6	Closed fracture of sacrum and coccyx with spinal cord injury	ICD-9-CM	Diagnosis
806.60	Closed fracture of sacrum and coccyx with unspecified spinal cord injury	ICD-9-CM	Diagnosis
806.60	Closed fracture of sacrum and coccyx with unspecified spinal cord injury	ICD-9-CM	Diagnosis
806.61	Closed fracture of sacrum and coccyx with complete cauda equina lesion	ICD-9-CM	Diagnosis
806.61	Closed fracture of sacrum and coccyx with complete cauda equina lesion	ICD-9-CM	Diagnosis
806.62	Closed fracture of sacrum and coccyx with other cauda equina injury	ICD-9-CM	Diagnosis
806.62	Closed fracture of sacrum and coccyx with other cauda equina injury	ICD-9-CM	Diagnosis
806.69	Closed fracture of sacrum and coccyx with other spinal cord injury	ICD-9-CM	Diagnosis
806.69	Closed fracture of sacrum and coccyx with other spinal cord injury	ICD-9-CM	Diagnosis
806.7	Open fracture of sacrum and coccyx with spinal cord injury	ICD-9-CM	Diagnosis
806.7	Open fracture of sacrum and coccyx with spinal cord injury	ICD-9-CM	Diagnosis
806.70	Open fracture of sacrum and coccyx with unspecified spinal cord injury	ICD-9-CM	Diagnosis
806.70	Open fracture of sacrum and coccyx with unspecified spinal cord injury	ICD-9-CM	Diagnosis
806.71	Open fracture of sacrum and coccyx with complete cauda equina lesion	ICD-9-CM	Diagnosis
806.71	Open fracture of sacrum and coccyx with complete cauda equina lesion	ICD-9-CM	Diagnosis
806.72	Open fracture of sacrum and coccyx with other cauda equina injury	ICD-9-CM	Diagnosis
806.72	Open fracture of sacrum and coccyx with other cauda equina injury	ICD-9-CM	Diagnosis
806.79	Open fracture of sacrum and coccyx with other spinal cord injury	ICD-9-CM	Diagnosis
806.79	Open fracture of sacrum and coccyx with other spinal cord injury	ICD-9-CM	Diagnosis
806.8	Closed fracture of unspecified vertebra with spinal cord injury	ICD-9-CM	Diagnosis
806.8	Closed fracture of unspecified vertebra with spinal cord injury	ICD-9-CM	Diagnosis
806.9	Open fracture of unspecified vertebra with spinal cord injury	ICD-9-CM	Diagnosis
806.9	Open fracture of unspecified vertebra with spinal cord injury	ICD-9-CM	Diagnosis
807	Fracture of rib(s), sternum, larynx, and trachea	ICD-9-CM	Diagnosis
807.0	Closed fracture of rib(s)	ICD-9-CM	Diagnosis
807.00	Closed fracture of rib(s), unspecified	ICD-9-CM	Diagnosis
807.01	Closed fracture of one rib	ICD-9-CM	Diagnosis
807.02	Closed fracture of two ribs	ICD-9-CM	Diagnosis
807.03	Closed fracture of three ribs	ICD-9-CM	Diagnosis
807.04	Closed fracture of four ribs	ICD-9-CM	Diagnosis
807.05	Closed fracture of five ribs	ICD-9-CM	Diagnosis
807.06	Closed fracture of six ribs	ICD-9-CM	Diagnosis
807.07	Closed fracture of seven ribs	ICD-9-CM	Diagnosis

Trauma Exclusion. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM) Diagnosis Codes and Current Procedural Terminology, Fourth Edition (CPT-4) Procedure Codes Used to Define Trauma in this Request

Code	Description	Code Type	Code Category
807.08	Closed fracture of eight or more ribs	ICD-9-CM	Diagnosis
807.09	Closed fracture of multiple ribs, unspecified	ICD-9-CM	Diagnosis
807.1	Open fracture of rib(s)	ICD-9-CM	Diagnosis
807.10	Open fracture of rib(s), unspecified	ICD-9-CM	Diagnosis
807.11	Open fracture of one rib	ICD-9-CM	Diagnosis
807.12	Open fracture of two ribs	ICD-9-CM	Diagnosis
807.13	Open fracture of three ribs	ICD-9-CM	Diagnosis
807.14	Open fracture of four ribs	ICD-9-CM	Diagnosis
807.15	Open fracture of five ribs	ICD-9-CM	Diagnosis
807.16	Open fracture of six ribs	ICD-9-CM	Diagnosis
807.17	Open fracture of seven ribs	ICD-9-CM	Diagnosis
807.18	Open fracture of eight or more ribs	ICD-9-CM	Diagnosis
807.19	Open fracture of multiple ribs, unspecified	ICD-9-CM	Diagnosis
807.2	Closed fracture of sternum	ICD-9-CM	Diagnosis
807.3	Open fracture of sternum	ICD-9-CM	Diagnosis
807.4	Flail chest	ICD-9-CM	Diagnosis
807.4	Flail chest	ICD-9-CM	Diagnosis
807.5	Closed fracture of larynx and trachea	ICD-9-CM	Diagnosis
807.6	Open fracture of larynx and trachea	ICD-9-CM	Diagnosis
808	Fracture of pelvis	ICD-9-CM	Diagnosis
808	Fracture of pelvis	ICD-9-CM	Diagnosis
808.0	Closed fracture of acetabulum	ICD-9-CM	Diagnosis
808.0	Closed fracture of acetabulum	ICD-9-CM	Diagnosis
808.1	Open fracture of acetabulum	ICD-9-CM	Diagnosis
808.1	Open fracture of acetabulum	ICD-9-CM	Diagnosis
808.2	Closed fracture of pubis	ICD-9-CM	Diagnosis
808.2	Closed fracture of pubis	ICD-9-CM	Diagnosis
808.3	Open fracture of pubis	ICD-9-CM	Diagnosis
808.3	Open fracture of pubis	ICD-9-CM	Diagnosis
808.4	Closed fracture of other specified part of pelvis	ICD-9-CM	Diagnosis
808.4	Closed fracture of other specified part of pelvis	ICD-9-CM	Diagnosis
808.41	Closed fracture of ilium	ICD-9-CM	Diagnosis
808.41	Closed fracture of ilium	ICD-9-CM	Diagnosis
808.42	Closed fracture of ischium	ICD-9-CM	Diagnosis
808.42	Closed fracture of ischium	ICD-9-CM	Diagnosis
808.43	Multiple closed pelvic fractures with disruption of pelvic circle	ICD-9-CM	Diagnosis
808.43	Multiple closed pelvic fractures with disruption of pelvic circle	ICD-9-CM	Diagnosis
808.44	Multiple closed pelvic fractures without disruption of pelvic circle	ICD-9-CM	Diagnosis
808.44	Multiple closed pelvic fractures without disruption of pelvic circle	ICD-9-CM	Diagnosis
808.49	Closed fracture of other specified part of pelvis	ICD-9-CM	Diagnosis
808.49	Closed fracture of other specified part of pelvis	ICD-9-CM	Diagnosis
808.5	Open fracture of other specified part of pelvis	ICD-9-CM	Diagnosis
808.5	Open fracture of other specified part of pelvis	ICD-9-CM	Diagnosis

Trauma Exclusion. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM) Diagnosis Codes and Current Procedural Terminology, Fourth Edition (CPT-4) Procedure Codes Used to Define Trauma in this Request

Code	Description	Code Type	Code Category
808.51	Open fracture of ilium	ICD-9-CM	Diagnosis
808.51	Open fracture of ilium	ICD-9-CM	Diagnosis
808.52	Open fracture of ischium	ICD-9-CM	Diagnosis
808.52	Open fracture of ischium	ICD-9-CM	Diagnosis
808.53	Multiple open pelvic fractures with disruption of pelvic circle	ICD-9-CM	Diagnosis
808.53	Multiple open pelvic fractures with disruption of pelvic circle	ICD-9-CM	Diagnosis
808.54	Multiple open pelvic fractures without disruption of pelvic circle	ICD-9-CM	Diagnosis
808.54	Multiple open pelvic fractures without disruption of pelvic circle	ICD-9-CM	Diagnosis
808.59	Open fracture of other specified part of pelvis	ICD-9-CM	Diagnosis
808.59	Open fracture of other specified part of pelvis	ICD-9-CM	Diagnosis
808.8	Unspecified closed fracture of pelvis	ICD-9-CM	Diagnosis
808.8	Unspecified closed fracture of pelvis	ICD-9-CM	Diagnosis
808.9	Unspecified open fracture of pelvis	ICD-9-CM	Diagnosis
808.9	Unspecified open fracture of pelvis	ICD-9-CM	Diagnosis
809	Ill-defined fractures of bones of trunk	ICD-9-CM	Diagnosis
809.0	Fracture of bones of trunk, closed	ICD-9-CM	Diagnosis
809.1	Fracture of bones of trunk, open	ICD-9-CM	Diagnosis
810	Fracture of clavicle	ICD-9-CM	Diagnosis
810.0	Closed fracture of clavicle	ICD-9-CM	Diagnosis
810.00	Unspecified part of closed fracture of clavicle	ICD-9-CM	Diagnosis
810.01	Closed fracture of sternal end of clavicle	ICD-9-CM	Diagnosis
810.02	Closed fracture of shaft of clavicle	ICD-9-CM	Diagnosis
810.03	Closed fracture of acromial end of clavicle	ICD-9-CM	Diagnosis
810.1	Open fracture of clavicle	ICD-9-CM	Diagnosis
810.10	Unspecified part of open fracture of clavicle	ICD-9-CM	Diagnosis
810.11	Open fracture of sternal end of clavicle	ICD-9-CM	Diagnosis
810.12	Open fracture of shaft of clavicle	ICD-9-CM	Diagnosis
810.13	Open fracture of acromial end of clavicle	ICD-9-CM	Diagnosis
811	Fracture of scapula	ICD-9-CM	Diagnosis
811.0	Closed fracture of scapula	ICD-9-CM	Diagnosis
811.00	Closed fracture of unspecified part of scapula	ICD-9-CM	Diagnosis
811.01	Closed fracture of acromial process of scapula	ICD-9-CM	Diagnosis
811.02	Closed fracture of coracoid process of scapula	ICD-9-CM	Diagnosis
811.03	Closed fracture of glenoid cavity and neck of scapula	ICD-9-CM	Diagnosis
811.09	Closed fracture of other part of scapula	ICD-9-CM	Diagnosis
811.1	Open fracture of scapula	ICD-9-CM	Diagnosis
811.10	Open fracture of unspecified part of scapula	ICD-9-CM	Diagnosis
811.11	Open fracture of acromial process of scapula	ICD-9-CM	Diagnosis
811.12	Open fracture of coracoid process	ICD-9-CM	Diagnosis
811.13	Open fracture of glenoid cavity and neck of scapula	ICD-9-CM	Diagnosis
811.19	Open fracture of other part of scapula	ICD-9-CM	Diagnosis
812	Fracture of humerus	ICD-9-CM	Diagnosis
812	Fracture of humerus	ICD-9-CM	Diagnosis

Trauma Exclusion. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM) Diagnosis Codes and Current Procedural Terminology, Fourth Edition (CPT-4) Procedure Codes Used to Define Trauma in this Request

Code	Description	Code Type	Code Category
812.0	Closed fracture of upper end of humerus	ICD-9-CM	Diagnosis
812.0	Closed fracture of upper end of humerus	ICD-9-CM	Diagnosis
812.00	Closed fracture of unspecified part of upper end of humerus	ICD-9-CM	Diagnosis
812.00	Closed fracture of unspecified part of upper end of humerus	ICD-9-CM	Diagnosis
812.01	Closed fracture of surgical neck of humerus	ICD-9-CM	Diagnosis
812.01	Closed fracture of surgical neck of humerus	ICD-9-CM	Diagnosis
812.02	Closed fracture of anatomical neck of humerus	ICD-9-CM	Diagnosis
812.02	Closed fracture of anatomical neck of humerus	ICD-9-CM	Diagnosis
812.03	Closed fracture of greater tuberosity of humerus	ICD-9-CM	Diagnosis
812.03	Closed fracture of greater tuberosity of humerus	ICD-9-CM	Diagnosis
812.09	Other closed fractures of upper end of humerus	ICD-9-CM	Diagnosis
812.09	Other closed fractures of upper end of humerus	ICD-9-CM	Diagnosis
812.1	Open fracture of upper end of humerus	ICD-9-CM	Diagnosis
812.1	Open fracture of upper end of humerus	ICD-9-CM	Diagnosis
812.10	Open fracture of unspecified part of upper end of humerus	ICD-9-CM	Diagnosis
812.10	Open fracture of unspecified part of upper end of humerus	ICD-9-CM	Diagnosis
812.11	Open fracture of surgical neck of humerus	ICD-9-CM	Diagnosis
812.11	Open fracture of surgical neck of humerus	ICD-9-CM	Diagnosis
812.12	Open fracture of anatomical neck of humerus	ICD-9-CM	Diagnosis
812.12	Open fracture of anatomical neck of humerus	ICD-9-CM	Diagnosis
812.13	Open fracture of greater tuberosity of humerus	ICD-9-CM	Diagnosis
812.13	Open fracture of greater tuberosity of humerus	ICD-9-CM	Diagnosis
812.19	Other open fracture of upper end of humerus	ICD-9-CM	Diagnosis
812.19	Other open fracture of upper end of humerus	ICD-9-CM	Diagnosis
812.2	Closed fracture of shaft or unspecified part of humerus	ICD-9-CM	Diagnosis
812.2	Closed fracture of shaft or unspecified part of humerus	ICD-9-CM	Diagnosis
812.20	Closed fracture of unspecified part of humerus	ICD-9-CM	Diagnosis
812.20	Closed fracture of unspecified part of humerus	ICD-9-CM	Diagnosis
812.21	Closed fracture of shaft of humerus	ICD-9-CM	Diagnosis
812.21	Closed fracture of shaft of humerus	ICD-9-CM	Diagnosis
812.3	Open fracture of shaft or unspecified part of humerus	ICD-9-CM	Diagnosis
812.3	Open fracture of shaft or unspecified part of humerus	ICD-9-CM	Diagnosis
812.30	Open fracture of unspecified part of humerus	ICD-9-CM	Diagnosis
812.30	Open fracture of unspecified part of humerus	ICD-9-CM	Diagnosis
812.31	Open fracture of shaft of humerus	ICD-9-CM	Diagnosis
812.31	Open fracture of shaft of humerus	ICD-9-CM	Diagnosis
812.4	Closed fracture of lower end of humerus	ICD-9-CM	Diagnosis
812.4	Closed fracture of lower end of humerus	ICD-9-CM	Diagnosis
812.40	Closed fracture of unspecified part of lower end of humerus	ICD-9-CM	Diagnosis
812.40	Closed fracture of unspecified part of lower end of humerus	ICD-9-CM	Diagnosis
812.41	Closed fracture of supracondylar humerus	ICD-9-CM	Diagnosis
812.41	Closed fracture of supracondylar humerus	ICD-9-CM	Diagnosis
812.42	Closed fracture of lateral condyle of humerus	ICD-9-CM	Diagnosis

Trauma Exclusion. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM) Diagnosis Codes and Current Procedural Terminology, Fourth Edition (CPT-4) Procedure Codes Used to Define Trauma in this Request

Code	Description	Code Type	Code Category
812.42	Closed fracture of lateral condyle of humerus	ICD-9-CM	Diagnosis
812.43	Closed fracture of medial condyle of humerus	ICD-9-CM	Diagnosis
812.43	Closed fracture of medial condyle of humerus	ICD-9-CM	Diagnosis
812.44	Closed fracture of unspecified condyle(s) of humerus	ICD-9-CM	Diagnosis
812.44	Closed fracture of unspecified condyle(s) of humerus	ICD-9-CM	Diagnosis
812.49	Other closed fracture of lower end of humerus	ICD-9-CM	Diagnosis
812.49	Other closed fracture of lower end of humerus	ICD-9-CM	Diagnosis
812.5	Open fracture of lower end of humerus	ICD-9-CM	Diagnosis
812.5	Open fracture of lower end of humerus	ICD-9-CM	Diagnosis
812.50	Open fracture of unspecified part of lower end of humerus	ICD-9-CM	Diagnosis
812.50	Open fracture of unspecified part of lower end of humerus	ICD-9-CM	Diagnosis
812.51	Open fracture of supracondylar humerus	ICD-9-CM	Diagnosis
812.51	Open fracture of supracondylar humerus	ICD-9-CM	Diagnosis
812.52	Open fracture of lateral condyle of humerus	ICD-9-CM	Diagnosis
812.52	Open fracture of lateral condyle of humerus	ICD-9-CM	Diagnosis
812.53	Open fracture of medial condyle of humerus	ICD-9-CM	Diagnosis
812.53	Open fracture of medial condyle of humerus	ICD-9-CM	Diagnosis
812.54	Open fracture of unspecified condyle(s) of humerus	ICD-9-CM	Diagnosis
812.54	Open fracture of unspecified condyle(s) of humerus	ICD-9-CM	Diagnosis
812.59	Other open fracture of lower end of humerus	ICD-9-CM	Diagnosis
812.59	Other open fracture of lower end of humerus	ICD-9-CM	Diagnosis
813	Fracture of radius and ulna	ICD-9-CM	Diagnosis
813.0	Closed fracture of upper end of radius and ulna	ICD-9-CM	Diagnosis
813.00	Unspecified fracture of radius and ulna, upper end of forearm, closed	ICD-9-CM	Diagnosis
813.01	Closed fracture of olecranon process of ulna	ICD-9-CM	Diagnosis
813.02	Closed fracture of coronoid process of ulna	ICD-9-CM	Diagnosis
813.03	Closed Monteggia's fracture	ICD-9-CM	Diagnosis
813.04	Other and unspecified closed fractures of proximal end of ulna (alone)	ICD-9-CM	Diagnosis
813.05	Closed fracture of head of radius	ICD-9-CM	Diagnosis
813.06	Closed fracture of neck of radius	ICD-9-CM	Diagnosis
813.07	Other and unspecified closed fractures of proximal end of radius (alone)	ICD-9-CM	Diagnosis
813.08	Closed fracture of radius with ulna, upper end (any part)	ICD-9-CM	Diagnosis
813.1	Open fracture of upper end of radius and ulna	ICD-9-CM	Diagnosis
813.10	Unspecified open fracture of upper end of forearm	ICD-9-CM	Diagnosis
813.11	Open fracture of olecranon process of ulna	ICD-9-CM	Diagnosis
813.12	Open fracture of coronoid process of ulna	ICD-9-CM	Diagnosis
813.13	Open Monteggia's fracture	ICD-9-CM	Diagnosis
813.14	Other and unspecified open fractures of proximal end of ulna (alone)	ICD-9-CM	Diagnosis
813.15	Open fracture of head of radius	ICD-9-CM	Diagnosis
813.16	Open fracture of neck of radius	ICD-9-CM	Diagnosis
813.17	Other and unspecified open fractures of proximal end of radius (alone)	ICD-9-CM	Diagnosis
813.18	Open fracture of radius with ulna, upper end (any part)	ICD-9-CM	Diagnosis
813.2	Closed fracture of shaft of radius and ulna	ICD-9-CM	Diagnosis

Trauma Exclusion. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM) Diagnosis Codes and Current Procedural Terminology, Fourth Edition (CPT-4) Procedure Codes Used to Define Trauma in this Request

Code	Description	Code Type	Code Category
813.20	Unspecified closed fracture of shaft of radius or ulna	ICD-9-CM	Diagnosis
813.21	Closed fracture of shaft of radius (alone)	ICD-9-CM	Diagnosis
813.22	Closed fracture of shaft of ulna (alone)	ICD-9-CM	Diagnosis
813.23	Closed fracture of shaft of radius with ulna	ICD-9-CM	Diagnosis
813.3	Open fracture of shaft of radius and ulna	ICD-9-CM	Diagnosis
813.30	Unspecified open fracture of shaft of radius or ulna	ICD-9-CM	Diagnosis
813.31	Open fracture of shaft of radius (alone)	ICD-9-CM	Diagnosis
813.32	Open fracture of shaft of ulna (alone)	ICD-9-CM	Diagnosis
813.33	Open fracture of shaft of radius with ulna	ICD-9-CM	Diagnosis
813.4	Closed fracture of lower end of radius and ulna	ICD-9-CM	Diagnosis
813.40	Unspecified closed fracture of lower end of forearm	ICD-9-CM	Diagnosis
813.41	Closed Colles' fracture	ICD-9-CM	Diagnosis
813.42	Other closed fractures of distal end of radius (alone)	ICD-9-CM	Diagnosis
813.43	Closed fracture of distal end of ulna (alone)	ICD-9-CM	Diagnosis
813.44	Closed fracture of lower end of radius with ulna	ICD-9-CM	Diagnosis
813.45	Torus fracture of radius (alone)	ICD-9-CM	Diagnosis
813.46	Torus fracture of ulna (alone)	ICD-9-CM	Diagnosis
813.47	Torus fracture of radius and ulna	ICD-9-CM	Diagnosis
813.5	Open fracture of lower end of radius and ulna	ICD-9-CM	Diagnosis
813.50	Unspecified open fracture of lower end of forearm	ICD-9-CM	Diagnosis
813.51	Open Colles' fracture	ICD-9-CM	Diagnosis
813.52	Other open fractures of distal end of radius (alone)	ICD-9-CM	Diagnosis
813.53	Open fracture of distal end of ulna (alone)	ICD-9-CM	Diagnosis
813.54	Open fracture of lower end of radius with ulna	ICD-9-CM	Diagnosis
813.8	Closed fracture of unspecified part of radius with ulna	ICD-9-CM	Diagnosis
813.80	Closed fracture of unspecified part of forearm	ICD-9-CM	Diagnosis
813.81	Closed fracture of unspecified part of radius (alone)	ICD-9-CM	Diagnosis
813.82	Closed fracture of unspecified part of ulna (alone)	ICD-9-CM	Diagnosis
813.83	Closed fracture of unspecified part of radius with ulna	ICD-9-CM	Diagnosis
813.9	Open fracture of unspecified part of radius with ulna	ICD-9-CM	Diagnosis
813.90	Open fracture of unspecified part of forearm	ICD-9-CM	Diagnosis
813.91	Open fracture of unspecified part of radius (alone)	ICD-9-CM	Diagnosis
813.92	Open fracture of unspecified part of ulna (alone)	ICD-9-CM	Diagnosis
813.93	Open fracture of unspecified part of radius with ulna	ICD-9-CM	Diagnosis
818	Ill-defined fractures of upper limb	ICD-9-CM	Diagnosis
818.0	Ill-defined closed fractures of upper limb	ICD-9-CM	Diagnosis
818.1	Ill-defined open fractures of upper limb	ICD-9-CM	Diagnosis
819	Multiple fractures involving both upper limbs, and upper limb with rib(s) and sternum	ICD-9-CM	Diagnosis
819.0	Multiple closed fractures involving both upper limbs, and upper limb with rib(s) and sternum	ICD-9-CM	Diagnosis
819.1	Multiple open fractures involving both upper limbs, and upper limb with rib(s) and sternum	ICD-9-CM	Diagnosis
820	Fracture of neck of femur	ICD-9-CM	Diagnosis
820	Fracture of neck of femur	ICD-9-CM	Diagnosis
820.0	Closed transcervical fracture	ICD-9-CM	Diagnosis

Trauma Exclusion. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM) Diagnosis Codes and Current Procedural Terminology, Fourth Edition (CPT-4) Procedure Codes Used to Define Trauma in this Request

Code	Description	Code Type	Code Category
820.0	Closed transcervical fracture	ICD-9-CM	Diagnosis
820.00	Closed fracture of unspecified intracapsular section of neck of femur	ICD-9-CM	Diagnosis
820.00	Closed fracture of unspecified intracapsular section of neck of femur	ICD-9-CM	Diagnosis
820.01	Closed fracture of epiphysis (separation) (upper) of neck of femur	ICD-9-CM	Diagnosis
820.01	Closed fracture of epiphysis (separation) (upper) of neck of femur	ICD-9-CM	Diagnosis
820.02	Closed fracture of midcervical section of femur	ICD-9-CM	Diagnosis
820.02	Closed fracture of midcervical section of femur	ICD-9-CM	Diagnosis
820.03	Closed fracture of base of neck of femur	ICD-9-CM	Diagnosis
820.03	Closed fracture of base of neck of femur	ICD-9-CM	Diagnosis
820.09	Other closed transcervical fracture of femur	ICD-9-CM	Diagnosis
820.09	Other closed transcervical fracture of femur	ICD-9-CM	Diagnosis
820.1	Open transcervical fracture	ICD-9-CM	Diagnosis
820.1	Open transcervical fracture	ICD-9-CM	Diagnosis
820.10	Open fracture of unspecified intracapsular section of neck of femur	ICD-9-CM	Diagnosis
820.10	Open fracture of unspecified intracapsular section of neck of femur	ICD-9-CM	Diagnosis
820.11	Open fracture of epiphysis (separation) (upper) of neck of femur	ICD-9-CM	Diagnosis
820.11	Open fracture of epiphysis (separation) (upper) of neck of femur	ICD-9-CM	Diagnosis
820.12	Open fracture of midcervical section of femur	ICD-9-CM	Diagnosis
820.12	Open fracture of midcervical section of femur	ICD-9-CM	Diagnosis
820.13	Open fracture of base of neck of femur	ICD-9-CM	Diagnosis
820.13	Open fracture of base of neck of femur	ICD-9-CM	Diagnosis
820.19	Other open transcervical fracture of femur	ICD-9-CM	Diagnosis
820.19	Other open transcervical fracture of femur	ICD-9-CM	Diagnosis
820.2	Closed pertrochanteric fracture of femur	ICD-9-CM	Diagnosis
820.2	Closed pertrochanteric fracture of femur	ICD-9-CM	Diagnosis
820.20	Closed fracture of unspecified trochanteric section of femur	ICD-9-CM	Diagnosis
820.20	Closed fracture of unspecified trochanteric section of femur	ICD-9-CM	Diagnosis
820.21	Closed fracture of intertrochanteric section of femur	ICD-9-CM	Diagnosis
820.21	Closed fracture of intertrochanteric section of femur	ICD-9-CM	Diagnosis
820.22	Closed fracture of subtrochanteric section of femur	ICD-9-CM	Diagnosis
820.22	Closed fracture of subtrochanteric section of femur	ICD-9-CM	Diagnosis
820.3	Open pertrochanteric fracture of femur	ICD-9-CM	Diagnosis
820.3	Open pertrochanteric fracture of femur	ICD-9-CM	Diagnosis
820.30	Open fracture of unspecified trochanteric section of femur	ICD-9-CM	Diagnosis
820.30	Open fracture of unspecified trochanteric section of femur	ICD-9-CM	Diagnosis
820.31	Open fracture of intertrochanteric section of femur	ICD-9-CM	Diagnosis
820.31	Open fracture of intertrochanteric section of femur	ICD-9-CM	Diagnosis
820.32	Open fracture of subtrochanteric section of femur	ICD-9-CM	Diagnosis
820.32	Open fracture of subtrochanteric section of femur	ICD-9-CM	Diagnosis
820.8	Closed fracture of unspecified part of neck of femur	ICD-9-CM	Diagnosis
820.8	Closed fracture of unspecified part of neck of femur	ICD-9-CM	Diagnosis
820.9	Open fracture of unspecified part of neck of femur	ICD-9-CM	Diagnosis
820.9	Open fracture of unspecified part of neck of femur	ICD-9-CM	Diagnosis

Trauma Exclusion. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM) Diagnosis Codes and Current Procedural Terminology, Fourth Edition (CPT-4) Procedure Codes Used to Define Trauma in this Request

Code	Description	Code Type	Code Category
821	Fracture of other and unspecified parts of femur	ICD-9-CM	Diagnosis
821	Fracture of other and unspecified parts of femur	ICD-9-CM	Diagnosis
821.0	Closed fracture of shaft or unspecified part of femur	ICD-9-CM	Diagnosis
821.0	Closed fracture of shaft or unspecified part of femur	ICD-9-CM	Diagnosis
821.00	Closed fracture of unspecified part of femur	ICD-9-CM	Diagnosis
821.00	Closed fracture of unspecified part of femur	ICD-9-CM	Diagnosis
821.01	Closed fracture of shaft of femur	ICD-9-CM	Diagnosis
821.01	Closed fracture of shaft of femur	ICD-9-CM	Diagnosis
821.1	Open fracture of shaft or unspecified part of femur	ICD-9-CM	Diagnosis
821.1	Open fracture of shaft or unspecified part of femur	ICD-9-CM	Diagnosis
821.10	Open fracture of unspecified part of femur	ICD-9-CM	Diagnosis
821.10	Open fracture of unspecified part of femur	ICD-9-CM	Diagnosis
821.11	Open fracture of shaft of femur	ICD-9-CM	Diagnosis
821.11	Open fracture of shaft of femur	ICD-9-CM	Diagnosis
821.2	Closed fracture of lower end of femur	ICD-9-CM	Diagnosis
821.2	Closed fracture of lower end of femur	ICD-9-CM	Diagnosis
821.20	Closed fracture of unspecified part of lower end of femur	ICD-9-CM	Diagnosis
821.20	Closed fracture of unspecified part of lower end of femur	ICD-9-CM	Diagnosis
821.21	Closed fracture of femoral condyle	ICD-9-CM	Diagnosis
821.21	Closed fracture of femoral condyle	ICD-9-CM	Diagnosis
821.22	Closed fracture of lower epiphysis of femur	ICD-9-CM	Diagnosis
821.22	Closed fracture of lower epiphysis of femur	ICD-9-CM	Diagnosis
821.23	Closed supracondylar fracture of femur	ICD-9-CM	Diagnosis
821.23	Closed supracondylar fracture of femur	ICD-9-CM	Diagnosis
821.29	Other closed fracture of lower end of femur	ICD-9-CM	Diagnosis
821.29	Other closed fracture of lower end of femur	ICD-9-CM	Diagnosis
821.3	Open fracture of lower end of femur	ICD-9-CM	Diagnosis
821.3	Open fracture of lower end of femur	ICD-9-CM	Diagnosis
821.30	Open fracture of unspecified part of lower end of femur	ICD-9-CM	Diagnosis
821.30	Open fracture of unspecified part of lower end of femur	ICD-9-CM	Diagnosis
821.31	Open fracture of femoral condyle	ICD-9-CM	Diagnosis
821.31	Open fracture of femoral condyle	ICD-9-CM	Diagnosis
821.32	Open fracture of lower epiphysis of femur	ICD-9-CM	Diagnosis
821.32	Open fracture of lower epiphysis of femur	ICD-9-CM	Diagnosis
821.33	Open supracondylar fracture of femur	ICD-9-CM	Diagnosis
821.33	Open supracondylar fracture of femur	ICD-9-CM	Diagnosis
821.39	Other open fracture of lower end of femur	ICD-9-CM	Diagnosis
821.39	Other open fracture of lower end of femur	ICD-9-CM	Diagnosis
822	Fracture of patella	ICD-9-CM	Diagnosis
822.0	Closed fracture of patella	ICD-9-CM	Diagnosis
822.1	Open fracture of patella	ICD-9-CM	Diagnosis
823	Fracture of tibia and fibula	ICD-9-CM	Diagnosis
823.0	Closed fracture of upper end of tibia and fibula	ICD-9-CM	Diagnosis

Trauma Exclusion. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM) Diagnosis Codes and Current Procedural Terminology, Fourth Edition (CPT-4) Procedure Codes Used to Define Trauma in this Request

Code	Description	Code Type	Code Category
823.00	Closed fracture of upper end of tibia	ICD-9-CM	Diagnosis
823.01	Closed fracture of upper end of fibula	ICD-9-CM	Diagnosis
823.02	Closed fracture of upper end of fibula with tibia	ICD-9-CM	Diagnosis
823.1	Open fracture of upper end of tibia and fibula	ICD-9-CM	Diagnosis
823.10	Open fracture of upper end of tibia	ICD-9-CM	Diagnosis
823.11	Open fracture of upper end of fibula	ICD-9-CM	Diagnosis
823.12	Open fracture of upper end of fibula with tibia	ICD-9-CM	Diagnosis
823.2	Closed fracture of shaft of tibia and fibula	ICD-9-CM	Diagnosis
823.20	Closed fracture of shaft of tibia	ICD-9-CM	Diagnosis
823.21	Closed fracture of shaft of fibula	ICD-9-CM	Diagnosis
823.22	Closed fracture of shaft of fibula with tibia	ICD-9-CM	Diagnosis
823.3	Open fracture of shaft of tibia and fibula	ICD-9-CM	Diagnosis
823.30	Open fracture of shaft of tibia	ICD-9-CM	Diagnosis
823.31	Open fracture of shaft of fibula	ICD-9-CM	Diagnosis
823.32	Open fracture of shaft of fibula with tibia	ICD-9-CM	Diagnosis
823.4	Torus fracture of tibia and fibula	ICD-9-CM	Diagnosis
823.40	Torus fracture of tibia alone	ICD-9-CM	Diagnosis
823.41	Torus fracture of fibula alone	ICD-9-CM	Diagnosis
823.42	Torus fracture of fibula with tibia	ICD-9-CM	Diagnosis
823.8	Closed fracture of unspecified part of tibia and fibula	ICD-9-CM	Diagnosis
823.80	Closed fracture of unspecified part of tibia	ICD-9-CM	Diagnosis
823.81	Closed fracture of unspecified part of fibula	ICD-9-CM	Diagnosis
823.82	Closed fracture of unspecified part of fibula with tibia	ICD-9-CM	Diagnosis
823.9	Open fracture of unspecified part of tibia and fibula	ICD-9-CM	Diagnosis
823.90	Open fracture of unspecified part of tibia	ICD-9-CM	Diagnosis
823.91	Open fracture of unspecified part of fibula	ICD-9-CM	Diagnosis
823.92	Open fracture of unspecified part of fibula with tibia	ICD-9-CM	Diagnosis
824	Fracture of ankle	ICD-9-CM	Diagnosis
824.0	Closed fracture of medial malleolus	ICD-9-CM	Diagnosis
824.1	Open fracture of medial malleolus	ICD-9-CM	Diagnosis
824.2	Closed fracture of lateral malleolus	ICD-9-CM	Diagnosis
824.3	Open fracture of lateral malleolus	ICD-9-CM	Diagnosis
824.4	Closed bimalleolar fracture	ICD-9-CM	Diagnosis
824.5	Open bimalleolar fracture	ICD-9-CM	Diagnosis
824.6	Closed trimalleolar fracture	ICD-9-CM	Diagnosis
824.7	Open trimalleolar fracture	ICD-9-CM	Diagnosis
824.8	Unspecified closed fracture of ankle	ICD-9-CM	Diagnosis
824.9	Unspecified open fracture of ankle	ICD-9-CM	Diagnosis
827	Other, multiple, and ill-defined fractures of lower limb	ICD-9-CM	Diagnosis
827.0	Other, multiple and ill-defined closed fractures of lower limb	ICD-9-CM	Diagnosis
827.1	Other, multiple and ill-defined open fractures of lower limb	ICD-9-CM	Diagnosis
828	Multiple fractures involving both lower limbs, lower with upper limb, and lower limb(s) with rib(s) and sternum	ICD-9-CM	Diagnosis

Trauma Exclusion. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM) Diagnosis Codes and Current Procedural Terminology, Fourth Edition (CPT-4) Procedure Codes Used to Define Trauma in this Request

Code	Description	Code Type	Code Category
828	Multiple fractures involving both lower limbs, lower with upper limb, and lower limb(s) with rib(s) and sternum	ICD-9-CM	Diagnosis
828.0	Multiple closed fractures involving both lower limbs, lower with upper limb, and lower limb(s) with rib(s) and sternum	ICD-9-CM	Diagnosis
828.0	Multiple closed fractures involving both lower limbs, lower with upper limb, and lower limb(s) with rib(s) and sternum	ICD-9-CM	Diagnosis
828.1	Multiple fractures involving both lower limbs, lower with upper limb, and lower limb(s) with rib(s) and sternum, open	ICD-9-CM	Diagnosis
828.1	Multiple fractures involving both lower limbs, lower with upper limb, and lower limb(s) with rib(s) and sternum, open	ICD-9-CM	Diagnosis
829	Fracture of unspecified bones	ICD-9-CM	Diagnosis
829.0	Closed fracture of unspecified bone	ICD-9-CM	Diagnosis
829.1	Open fracture of unspecified bone	ICD-9-CM	Diagnosis
860	Traumatic pneumothorax and hemothorax	ICD-9-CM	Diagnosis
860.0	Traumatic pneumothorax without mention of open wound into thorax	ICD-9-CM	Diagnosis
860.1	Traumatic pneumothorax with open wound into thorax	ICD-9-CM	Diagnosis
860.2	Traumatic hemothorax without mention of open wound into thorax	ICD-9-CM	Diagnosis
860.3	Traumatic hemothorax with open wound into thorax	ICD-9-CM	Diagnosis
860.4	Traumatic pneumohemothorax without mention of open wound into thorax	ICD-9-CM	Diagnosis
860.5	Traumatic pneumohemothorax with open wound into thorax	ICD-9-CM	Diagnosis
862.0	Diaphragm injury without mention of open wound into cavity	ICD-9-CM	Diagnosis
862.1	Diaphragm injury with open wound into cavity	ICD-9-CM	Diagnosis
862.8	Injury to multiple and unspecified intrathoracic organs without mention of open wound into cavity	ICD-9-CM	Diagnosis
862.9	Injury to multiple and unspecified intrathoracic organs with open wound into cavity	ICD-9-CM	Diagnosis
863.0	Stomach injury without mention of open wound into cavity	ICD-9-CM	Diagnosis
863.1	Stomach injury with open wound into cavity	ICD-9-CM	Diagnosis
863.2	Small intestine injury without mention of open wound into cavity	ICD-9-CM	Diagnosis
863.20	Small intestine injury, unspecified site, without mention of open wound into cavity	ICD-9-CM	Diagnosis
863.21	Duodenum injury without mention of open wound into cavity	ICD-9-CM	Diagnosis
863.29	Other injury to small intestine without mention of open wound into cavity	ICD-9-CM	Diagnosis
863.3	Small intestine injury with open wound into cavity	ICD-9-CM	Diagnosis
863.30	Small intestine injury, unspecified site, with open wound into cavity	ICD-9-CM	Diagnosis
863.31	Duodenum injury with open wound into cavity	ICD-9-CM	Diagnosis
863.39	Other injury to small intestine with open wound into cavity	ICD-9-CM	Diagnosis
863.4	Colon or rectal injury without mention of open wound into cavity	ICD-9-CM	Diagnosis
863.40	Colon injury unspecified site, without mention of open wound into cavity	ICD-9-CM	Diagnosis
863.41	Ascending (right) colon injury without mention of open wound into cavity	ICD-9-CM	Diagnosis
863.42	Transverse colon injury without mention of open wound into cavity	ICD-9-CM	Diagnosis
863.43	Descending (left) colon injury without mention of open wound into cavity	ICD-9-CM	Diagnosis
863.44	Sigmoid colon injury without mention of open wound into cavity	ICD-9-CM	Diagnosis
863.45	Rectum injury without mention of open wound into cavity	ICD-9-CM	Diagnosis
863.46	Injury to multiple sites in colon and rectum without mention of open wound into cavity	ICD-9-CM	Diagnosis

Trauma Exclusion. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM) Diagnosis Codes and Current Procedural Terminology, Fourth Edition (CPT-4) Procedure Codes Used to Define Trauma in this Request

Code	Description	Code Type	Code Category
863.49	Other colon and rectum injury, without mention of open wound into cavity	ICD-9-CM	Diagnosis
863.5	Injury to colon or rectum with open wound into cavity	ICD-9-CM	Diagnosis
863.50	Colon injury, unspecified site, with open wound into cavity	ICD-9-CM	Diagnosis
863.51	Ascending (right) colon injury with open wound into cavity	ICD-9-CM	Diagnosis
863.52	Transverse colon injury with open wound into cavity	ICD-9-CM	Diagnosis
863.53	Descending (left) colon injury with open wound into cavity	ICD-9-CM	Diagnosis
863.54	Sigmoid colon injury with open wound into cavity	ICD-9-CM	Diagnosis
863.55	Rectum injury with open wound into cavity	ICD-9-CM	Diagnosis
863.56	Injury to multiple sites in colon and rectum with open wound into cavity	ICD-9-CM	Diagnosis
863.59	Other injury to colon and rectum with open wound into cavity	ICD-9-CM	Diagnosis
863.8	Injury to other and unspecified gastrointestinal sites without mention of open wound into cavity	ICD-9-CM	Diagnosis
863.80	Gastrointestinal tract injury, unspecified site, without mention of open wound into cavity	ICD-9-CM	Diagnosis
863.81	Pancreas head injury without mention of open wound into cavity	ICD-9-CM	Diagnosis
863.82	Pancreas body injury without mention of open wound into cavity	ICD-9-CM	Diagnosis
863.83	Pancreas tail injury without mention of open wound into cavity	ICD-9-CM	Diagnosis
863.84	Pancreas injury, multiple and unspecified sites, without mention of open wound into cavity	ICD-9-CM	Diagnosis
863.85	Appendix injury without mention of open wound into cavity	ICD-9-CM	Diagnosis
863.89	Injury to other and unspecified gastrointestinal sites without mention of open wound into cavity	ICD-9-CM	Diagnosis
863.9	Injury to other and unspecified gastrointestinal sites, with open wound into cavity	ICD-9-CM	Diagnosis
863.90	Gastrointestinal tract injury, unspecified site, with open wound into cavity	ICD-9-CM	Diagnosis
863.91	Pancreas head injury with open wound into cavity	ICD-9-CM	Diagnosis
863.92	Pancreas body injury with open wound into cavity	ICD-9-CM	Diagnosis
863.93	Pancreas tail injury with open wound into cavity	ICD-9-CM	Diagnosis
863.94	Pancreas injury, multiple and unspecified sites, with open wound into cavity	ICD-9-CM	Diagnosis
863.95	Appendix injury with open wound into cavity	ICD-9-CM	Diagnosis
863.99	Injury to other and unspecified gastrointestinal sites with open wound into cavity	ICD-9-CM	Diagnosis
864.1	Liver injury with open wound into cavity	ICD-9-CM	Diagnosis
864.10	Unspecified liver injury with open wound into cavity	ICD-9-CM	Diagnosis
864.11	Liver hematoma and contusion with open wound into cavity	ICD-9-CM	Diagnosis
864.12	Liver laceration, minor, with open wound into cavity	ICD-9-CM	Diagnosis
864.13	Liver laceration, moderate, with open wound into cavity	ICD-9-CM	Diagnosis
864.14	Liver laceration, major, with open wound into cavity	ICD-9-CM	Diagnosis
864.15	Liver injury with open wound into cavity, unspecified laceration	ICD-9-CM	Diagnosis
864.19	Other liver injury with open wound into cavity	ICD-9-CM	Diagnosis
865.1	Spleen injury with open wound into cavity	ICD-9-CM	Diagnosis
865.10	Unspecified spleen injury with open wound into cavity	ICD-9-CM	Diagnosis
865.11	Spleen hematoma, without rupture of capsule, with open wound into cavity	ICD-9-CM	Diagnosis
865.12	Capsular tears to spleen, without major disruption of parenchyma, with open wound into cavity	ICD-9-CM	Diagnosis
865.13	Spleen laceration extending into parenchyma, with open wound into cavity	ICD-9-CM	Diagnosis
865.14	Massive parenchyma disruption of spleen with open wound into cavity	ICD-9-CM	Diagnosis

Trauma Exclusion. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM) Diagnosis Codes and Current Procedural Terminology, Fourth Edition (CPT-4) Procedure Codes Used to Define Trauma in this Request

Code	Description	Code Type	Code Category
865.19	Other spleen injury with open wound into cavity	ICD-9-CM	Diagnosis
866	Injury to kidney	ICD-9-CM	Diagnosis
866.0	Kidney injury without mention of open wound into cavity	ICD-9-CM	Diagnosis
866.00	Unspecified kidney injury without mention of open wound into cavity	ICD-9-CM	Diagnosis
866.01	Kidney hematoma without rupture of capsule or mention of open wound into cavity	ICD-9-CM	Diagnosis
866.02	Kidney laceration without mention of open wound into cavity	ICD-9-CM	Diagnosis
866.03	Complete disruption of kidney parenchyma, without mention of open wound into cavity	ICD-9-CM	Diagnosis
866.1	Kidney injury with open wound into cavity	ICD-9-CM	Diagnosis
866.10	Unspecified kidney injury with open wound into cavity	ICD-9-CM	Diagnosis
866.11	Kidney hematoma, without rupture of capsule, with open wound into cavity	ICD-9-CM	Diagnosis
866.12	Kidney laceration with open wound into cavity	ICD-9-CM	Diagnosis
866.13	Complete disruption of kidney parenchyma, with open wound into cavity	ICD-9-CM	Diagnosis
867	Injury to pelvic organs	ICD-9-CM	Diagnosis
867.0	Bladder and urethra injury without mention of open wound into cavity	ICD-9-CM	Diagnosis
867.1	Bladder and urethra injury with open wound into cavity	ICD-9-CM	Diagnosis
867.2	Ureter injury without mention of open wound into cavity	ICD-9-CM	Diagnosis
867.3	Ureter injury with open wound into cavity	ICD-9-CM	Diagnosis
867.4	Uterus injury without mention of open wound into cavity	ICD-9-CM	Diagnosis
867.5	Uterus injury with open wound into cavity	ICD-9-CM	Diagnosis
867.6	Injury to other specified pelvic organs without mention of open wound into cavity	ICD-9-CM	Diagnosis
867.7	Injury to other specified pelvic organs with open wound into cavity	ICD-9-CM	Diagnosis
867.8	Injury to unspecified pelvic organ without mention of open wound into cavity	ICD-9-CM	Diagnosis
867.9	Injury to unspecified pelvic organ with open wound into cavity	ICD-9-CM	Diagnosis
873.0	Open wound of scalp, without mention of complication	ICD-9-CM	Diagnosis
873.1	Open wound of scalp, complicated	ICD-9-CM	Diagnosis
875.0	Open wound of chest (wall), without mention of complication	ICD-9-CM	Diagnosis
875.1	Open wound of chest (wall), complicated	ICD-9-CM	Diagnosis
902.4	Renal blood vessel injury	ICD-9-CM	Diagnosis
902.40	Renal vessel(s) injury, unspecified	ICD-9-CM	Diagnosis
902.41	Renal artery injury	ICD-9-CM	Diagnosis
902.42	Renal vein injury	ICD-9-CM	Diagnosis
902.49	Renal blood vessel injury, other	ICD-9-CM	Diagnosis
902.55	Uterine artery injury	ICD-9-CM	Diagnosis
902.56	Uterine vein injury	ICD-9-CM	Diagnosis
902.81	Ovarian artery injury	ICD-9-CM	Diagnosis
902.82	Ovarian vein injury	ICD-9-CM	Diagnosis
925	Crushing injury of face, scalp, and neck	ICD-9-CM	Diagnosis
925.1	Crushing injury of face and scalp	ICD-9-CM	Diagnosis
925.2	Crushing injury of neck	ICD-9-CM	Diagnosis
926	Crushing injury of trunk	ICD-9-CM	Diagnosis
926.0	Crushing injury of external genitalia	ICD-9-CM	Diagnosis
926.1	Crushing injury of other specified sites of trunk	ICD-9-CM	Diagnosis
926.11	Crushing injury of back	ICD-9-CM	Diagnosis

Trauma Exclusion. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM) Diagnosis Codes and Current Procedural Terminology, Fourth Edition (CPT-4) Procedure Codes Used to Define Trauma in this Request

Code	Description	Code Type	Code Category
926.12	Crushing injury of buttock	ICD-9-CM	Diagnosis
926.19	Crushing injury of other specified sites of trunk	ICD-9-CM	Diagnosis
926.8	Crushing injury of multiple sites of trunk	ICD-9-CM	Diagnosis
926.9	Crushing injury of unspecified site of trunk	ICD-9-CM	Diagnosis
927	Crushing injury of upper limb	ICD-9-CM	Diagnosis
927.0	Crushing injury of shoulder and upper arm	ICD-9-CM	Diagnosis
927.00	Crushing injury of shoulder region	ICD-9-CM	Diagnosis
927.01	Crushing injury of scapular region	ICD-9-CM	Diagnosis
927.02	Crushing injury of axillary region	ICD-9-CM	Diagnosis
927.03	Crushing injury of upper arm	ICD-9-CM	Diagnosis
927.09	Crushing injury of multiple sites of upper arm	ICD-9-CM	Diagnosis
927.1	Crushing injury of elbow and forearm	ICD-9-CM	Diagnosis
927.10	Crushing injury of forearm	ICD-9-CM	Diagnosis
927.11	Crushing injury of elbow	ICD-9-CM	Diagnosis
927.2	Crushing injury of wrist and hand(s), except finger(s) alone	ICD-9-CM	Diagnosis
927.20	Crushing injury of hand(s)	ICD-9-CM	Diagnosis
927.21	Crushing injury of wrist	ICD-9-CM	Diagnosis
927.3	Crushing injury of finger(s)	ICD-9-CM	Diagnosis
927.8	Crushing injury of multiple sites of upper limb	ICD-9-CM	Diagnosis
927.9	Crushing injury of unspecified site of upper limb	ICD-9-CM	Diagnosis
928	Crushing injury of lower limb	ICD-9-CM	Diagnosis
928.0	Crushing injury of hip and thigh	ICD-9-CM	Diagnosis
928.00	Crushing injury of thigh	ICD-9-CM	Diagnosis
928.01	Crushing injury of hip	ICD-9-CM	Diagnosis
928.1	Crushing injury of knee and lower leg	ICD-9-CM	Diagnosis
928.10	Crushing injury of lower leg	ICD-9-CM	Diagnosis
928.11	Crushing injury of knee	ICD-9-CM	Diagnosis
928.2	Crushing injury of ankle and foot, excluding toe(s) alone	ICD-9-CM	Diagnosis
928.20	Crushing injury of foot	ICD-9-CM	Diagnosis
928.21	Crushing injury of ankle	ICD-9-CM	Diagnosis
928.3	Crushing injury of toe(s)	ICD-9-CM	Diagnosis
928.8	Crushing injury of multiple sites of lower limb	ICD-9-CM	Diagnosis
928.9	Crushing injury of unspecified site of lower limb	ICD-9-CM	Diagnosis
929	Crushing injury of multiple and unspecified sites	ICD-9-CM	Diagnosis
929.0	Crushing injury of multiple sites, not elsewhere classified	ICD-9-CM	Diagnosis
929.9	Crushing injury of unspecified site	ICD-9-CM	Diagnosis
958.4	Traumatic shock	ICD-9-CM	Diagnosis
958.5	Traumatic anuria	ICD-9-CM	Diagnosis
958.7	Traumatic subcutaneous emphysema	ICD-9-CM	Diagnosis
996.7	Other complications of internal prosthetic device, implant, and graft	ICD-9-CM	Diagnosis
996.70	Other complications due to unspecified device, implant, and graft	ICD-9-CM	Diagnosis
996.71	Other complications due to heart valve prosthesis	ICD-9-CM	Diagnosis
996.72	Other complications due to other cardiac device, implant, and graft	ICD-9-CM	Diagnosis

Trauma Exclusion. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM) Diagnosis Codes and Current Procedural Terminology, Fourth Edition (CPT-4) Procedure Codes Used to Define Trauma in this Request

Code	Description	Code Type	Code Category
996.73	Other complications due to renal dialysis device, implant, and graft	ICD-9-CM	Diagnosis
996.74	Other complications due to other vascular device, implant, and graft	ICD-9-CM	Diagnosis
996.75	Other complications due to nervous system device, implant, and graft	ICD-9-CM	Diagnosis
996.76	Other complications due to genitourinary device, implant, and graft	ICD-9-CM	Diagnosis
996.77	Other complications due to internal joint prosthesis	ICD-9-CM	Diagnosis
996.78	Other complications due to other internal orthopedic device, implant, and graft	ICD-9-CM	Diagnosis
996.79	Other complications due to other internal prosthetic device, implant, and graft	ICD-9-CM	Diagnosis
998.11	Hemorrhage complicating a procedure	ICD-9-CM	Diagnosis
998.12	Hematoma complicating a procedure	ICD-9-CM	Diagnosis
998.2	Accidental puncture or laceration during procedure	ICD-9-CM	Diagnosis
E805	Hit by rolling stock	ICD-9-CM	Diagnosis
E805.0	Railway employee hit by rolling stock	ICD-9-CM	Diagnosis
E805.1	Passenger on railway hit by rolling stock	ICD-9-CM	Diagnosis
E805.2	Pedestrian hit by rolling stock	ICD-9-CM	Diagnosis
E805.3	Pedal cyclist hit by rolling stock	ICD-9-CM	Diagnosis
E805.8	Other specified person hit by rolling stock	ICD-9-CM	Diagnosis
E805.9	Unspecified person hit by rolling stock	ICD-9-CM	Diagnosis
E870	Accidental cut, puncture, perforation, or hemorrhage during medical care	ICD-9-CM	Diagnosis
E870.0	Accidental cut, puncture, perforation, or hemorrhage during surgical operation	ICD-9-CM	Diagnosis
E870.1	Accidental cut, puncture, perforation, or hemorrhage during infusion or transfusion	ICD-9-CM	Diagnosis
E870.2	Accidental cut, puncture, perforation, or hemorrhage during kidney dialysis or other perfusion	ICD-9-CM	Diagnosis
E870.3	Accidental cut, puncture, perforation, or hemorrhage during injection or vaccination	ICD-9-CM	Diagnosis
E870.4	Accidental cut, puncture, perforation, or hemorrhage during endoscopic examination	ICD-9-CM	Diagnosis
E870.5	Accidental cut, puncture, perforation, or hemorrhage during aspiration of fluid or tissue, puncture, and catheterization	ICD-9-CM	Diagnosis
E870.6	Accidental cut, puncture, perforation, or hemorrhage during heart catheterization	ICD-9-CM	Diagnosis
E870.7	Accidental cut, puncture, perforation, or hemorrhage during administration of enema	ICD-9-CM	Diagnosis
E870.8	Accidental cut, puncture, perforation, or hemorrhage during other specified medical care	ICD-9-CM	Diagnosis
E870.9	Accidental cut, puncture, perforation, or hemorrhage during unspecified medical care	ICD-9-CM	Diagnosis
E881	Accidental fall on or from ladders or scaffolding	ICD-9-CM	Diagnosis
E881.0	Accidental fall from ladder	ICD-9-CM	Diagnosis
E881.1	Accidental fall from scaffolding	ICD-9-CM	Diagnosis
E882	Accidental fall from or out of building or other structure	ICD-9-CM	Diagnosis
E883	Accidental fall into hole or other opening in surface	ICD-9-CM	Diagnosis
E883.0	Accident from diving or jumping into water (swimming pool)	ICD-9-CM	Diagnosis
E883.1	Accidental fall into well	ICD-9-CM	Diagnosis
E883.2	Accidental fall into storm drain or manhole	ICD-9-CM	Diagnosis
E883.9	Accidental fall into other hole or other opening in surface	ICD-9-CM	Diagnosis
E922	Accident caused by firearm, and air gun missiles	ICD-9-CM	Diagnosis
E922.0	Accident caused by handgun	ICD-9-CM	Diagnosis
E922.1	Accident caused by shotgun (automatic)	ICD-9-CM	Diagnosis
E922.2	Accident caused by hunting rifle	ICD-9-CM	Diagnosis
E922.3	Accident caused by military firearms	ICD-9-CM	Diagnosis

Trauma Exclusion. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM) Diagnosis Codes and Current Procedural Terminology, Fourth Edition (CPT-4) Procedure Codes Used to Define Trauma in this Request

Code	Description	Code Type	Code Category
E922.4	Accident caused by air gun	ICD-9-CM	Diagnosis
E922.5	Accident caused by paintball gun	ICD-9-CM	Diagnosis
E922.8	Accident caused by other specified firearm missile	ICD-9-CM	Diagnosis
E922.9	Accident caused by unspecified firearm missile	ICD-9-CM	Diagnosis
E923	Accident caused by explosive material	ICD-9-CM	Diagnosis
E923.0	Accident caused by fireworks	ICD-9-CM	Diagnosis
E923.1	Accident caused by blasting materials	ICD-9-CM	Diagnosis
E923.2	Accident caused by explosive gases	ICD-9-CM	Diagnosis
E923.8	Accident caused by other explosive materials	ICD-9-CM	Diagnosis
E923.9	Accident caused by unspecified explosive material	ICD-9-CM	Diagnosis
E955	Suicide and self-inflicted injury by firearms, air guns and explosives	ICD-9-CM	Diagnosis
E955.0	Suicide and self-inflicted injury by handgun	ICD-9-CM	Diagnosis
E955.1	Suicide and self-inflicted injury by shotgun	ICD-9-CM	Diagnosis
E955.2	Suicide and self-inflicted injury by hunting rifle	ICD-9-CM	Diagnosis
E955.3	Suicide and self-inflicted injury by military firearms	ICD-9-CM	Diagnosis
E955.4	Suicide and self-inflicted injury by other and unspecified firearm	ICD-9-CM	Diagnosis
E955.5	Suicide and self-inflicted injury by explosives	ICD-9-CM	Diagnosis
E955.6	Suicide and self-inflicted injury by air gun	ICD-9-CM	Diagnosis
E955.7	Suicide and self-inflicted injury by paintball gun	ICD-9-CM	Diagnosis
E955.9	Suicide and self-inflicted injury by firearms and explosives, unspecified	ICD-9-CM	Diagnosis
E960	Fight, brawl, rape	ICD-9-CM	Diagnosis
E960.0	Unarmed fight or brawl	ICD-9-CM	Diagnosis
E960.1	Rape	ICD-9-CM	Diagnosis
E965	Assault by firearms and explosives	ICD-9-CM	Diagnosis
E965.0	Assault by handgun	ICD-9-CM	Diagnosis
E965.1	Assault by shotgun	ICD-9-CM	Diagnosis
E965.2	Assault by hunting rifle	ICD-9-CM	Diagnosis
E965.3	Assault by military firearms	ICD-9-CM	Diagnosis
E965.4	Assault by other and unspecified firearm	ICD-9-CM	Diagnosis
E965.5	Assault by antipersonnel bomb	ICD-9-CM	Diagnosis
E965.6	Assault by gasoline bomb	ICD-9-CM	Diagnosis
E965.7	Assault by letter bomb	ICD-9-CM	Diagnosis
E965.8	Assault by other specified explosive	ICD-9-CM	Diagnosis
E965.9	Assault by unspecified explosive	ICD-9-CM	Diagnosis
E970	Injury due to legal intervention by firearms	ICD-9-CM	Diagnosis
E985	Injury by firearms, air guns and explosives, undetermined whether accidentally or purposely inflicted	ICD-9-CM	Diagnosis
E985.0	Injury by handgun, undetermined whether accidentally or purposely inflicted	ICD-9-CM	Diagnosis
E985.1	Injury by shotgun, undetermined whether accidentally or purposely inflicted	ICD-9-CM	Diagnosis
E985.2	Injury by hunting rifle, undetermined whether accidentally or purposely inflicted	ICD-9-CM	Diagnosis
E985.3	Injury by military firearms, undetermined whether accidentally or purposely inflicted	ICD-9-CM	Diagnosis
E985.4	Injury by other and unspecified firearm, undetermined whether accidentally or purposely inflicted	ICD-9-CM	Diagnosis

Trauma Exclusion. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM) Diagnosis Codes and Current Procedural Terminology, Fourth Edition (CPT-4) Procedure Codes Used to Define Trauma in this Request

Code	Description	Code Type	Code Category
E985.5	Injury by explosives, undetermined whether accidentally or purposely inflicted	ICD-9-CM	Diagnosis
E985.6	Injury by air gun, undetermined whether accidental, or purposefully inflicted	ICD-9-CM	Diagnosis
E985.7	Injury by paintball gun, undetermined whether accidentally or purposefully inflicted	ICD-9-CM	Diagnosis